

ARCHIVES COPY

1-GP-86
CANCELLATION
31 December 1953

CANADIAN GOVERNMENT SPECIFICATIONS BOARD

Specification
for

PAINT THINNER; TYPE III

CGSB specification 1-GP-86, dated 10 July 1947, is
cancelled as of 31 December 1953.

REFERENCE COPY

No. 1-GP-86-1947.

Issued 10 July, 1947.

CANADIAN GOVERNMENT PURCHASING STANDARDS COMMITTEE

Specification for PAINT THINNER, TYPE III*

1. Definition

The material required by this specification shall be a petroleum distillate suitable for use as a paint thinner, where no minimum flash point is required and where a product of higher volatility than Types I and II is suitable.

2. General

The material shall be clear and free from water and suspended matter.

3. Colour

The colour shall be not darker than No. 25 Saybolt Chromometer.
Method 12.5

4. Residue on Evaporation

The residue on evaporation shall not exceed 0.2 per cent.
Method 20.1

5. Sulphur (Copper Strip Test)

The material shall pass the Copper Strip Test.
Method 68.1

6. Distillation Range

The initial boiling point shall be not less than 60°C. (140°F.).

7. Acidity

The residue from the distillation shall not be acid to methol orange.

* See also Specifications, 1-GP-4, 1-GP-5, 1-GP-50 and 1-GP-70.

2.

No. 1-GP-86.

8. Methods of Sampling and Testing

(a) Sampling shall be carried out in accordance with section 1.1 of Schedule No. 1-GP-71: Methods of Testing Paints and Pigments.

(b) The methods of testing shall in all cases be those specified in the same schedule, using the sections specified in each requirement.

Correspondence regarding this specification should be addressed to the Secretary, Canadian Government Purchasing Standards Committee, National Research Council, OTTAWA, Canada.