Occupational Analyses Series

Heavy Duty Equipment Technician

2009

Trades and Apprenticeship Division Division des métiers et de l'apprentissage

Workplace Partnerships Directorate Direction des partenariats en milieu de

travail

National Occupational Classification: 7312

Disponible en français sous le titre : Mécanicien/mécanicienne d'équipement

lourd

You can order this publication by contacting:

Publications Services
Human Resources and Skills Development Canada
140 Promenade du Portage
Phase IV, 12th Floor
Gatineau, Quebec
K1A 0J9

Fax: (819) 953-7260

Online: http://www.hrsdc.gc.ca/publications/

This document is available on demand in alternative formats (Large Print, Braille, Audio Cassette, Audio CD, e-Text Diskette, e-Text CD, or DAISY), by contacting 1 800 O-Canada (1-800-622-6232). If you have a hearing or speech impairment and use a teletypewriter (TTY), call 1-800-926-9105.

© Her Majesty the Queen in Right of Canada, 2009

Paper

Cat. No.: HS42-1/35-2009E ISBN: 978-1-100-14139-8

PDF

Cat. No.: HS42-1/35-2009E-PDF

ISBN: 978-1-100-14140-4

FOREWORD

The Canadian Council of Directors of Apprenticeship (CCDA) recognizes this National Occupational Analysis as the national standard for the occupation of Heavy Duty Equipment Technician.

Background

The first National Conference on Apprenticeship in Trades and Industries, held in Ottawa in 1952, recommended that the federal government be requested to cooperate with provincial and territorial apprenticeship committees and officials in preparing analyses of a number of skilled occupations. To this end, Human Resources and Skills Development Canada sponsors a program, under the guidance of the CCDA, to develop a series of National Occupational Analyses (NOAs).

The NOAs have the following objectives:

- to describe and group the tasks performed by skilled workers;
- to identify which tasks are performed in every province and territory;
- to develop instruments for use in the preparation of Interprovincial Red Seal
 Examinations and curricula for training leading to the certification of skilled workers;
- to facilitate the mobility of apprentices and skilled workers in Canada; and,
- to supply employers, employees, associations, industries, training institutions and governments with analyses of occupations.

ACKNOWLEDGEMENTS

The Canadian Council of Directors of Apprenticeship (CCDA) and Human Resources and Skills Development Canada (HRSDC) wish to express sincere appreciation for the contribution of the many tradespersons, industrial establishments, professional associations, labour organizations, provincial and territorial government departments and agencies, and all others who contributed to this publication.

Special acknowledgement is extended by HRSDC and the CCDA to the following representatives from the trade.

Roger Beck Newfoundland and Labrador

Mitchell (Mitch) Bordeleau Alberta

David Braun Saskatchewan

Matthew Compton Prince Edward Island

Larry Henley Ontario Joey MacDougall Nova Scotia

Larry Monkman Northwest Territories

Larry O'Neil Quebec

D. Keith Poisson British Columbia

Peter Politis Manitoba

Joey Whalen New Brunswick

This analysis was prepared by the Workplace Partnerships Directorate of HRSDC. The coordinating, facilitating and processing of this analysis were undertaken by employees of the National Occupational Analysis (NOA) development team of the Trades and Apprenticeship Division. Roger MacInnis for the host jurisdiction of Prince Edward Island also participated in the development of this NOA.

TABLE OF CONTENTS

FOREWORD			I
ACKNOWLED	GEMENTS		II
TABLE OF COM	NTENTS		III
LIST OF PUBLI	SHED NATIO	NAL OCCUPATIONAL ANALYSES	V
STRUCTURE O	F ANALYSIS		VII
DEVELOPMEN	IT AND VALII	DATION OF ANALYSIS	IX
		ANALYSIS	
SAFETY			3
SCOPE OF THE	E HEAVY DUT	Y EQUIPMENT TECHNICIAN TRADE	4
OCCUPATION	AL OBSERVA	TIONS	6
BLOCK A	COMMO	ON OCCUPATIONAL SKILLS	
	Task 1	Uses and maintains tools and equipment.	7
	Task 2	Performs general maintenance and inspections.	10
	Task 3	Organizes work.	15
	Task 4	Performs routine trade activities.	18
BLOCK B	ENGINE	S AND ENGINE SUPPORT SYSTEMS	
	Task 5	Diagnoses engines and engine support systems.	23
	Task 6	Repairs engines and engine support systems.	28
BLOCK C	HYDRAU	ULIC, HYDROSTATIC AND PNEUMATIC SYSTEMS	
	Task 7	Diagnoses hydraulic, hydrostatic and pneumatic systems.	34
	Task 8	Repairs hydraulic, hydrostatic and pneumatic systems.	37
BLOCK D	DRIVET	RAIN SYSTEMS	
	Task 9	Diagnoses drivetrain systems.	41
	Task 10	Repairs drivetrain systems.	44
BLOCK E		IG, SUSPENSION, BRAKE SYSTEMS, WHEEL ASSEMBLI IDERCARRIAGE	ES
	Task 11	Diagnoses steering, suspension, brake systems, wheel assemblies and undercarriage.	50

	Task 12	Repairs steering, suspension, brake systems, wheel assemblies and undercarriage.	54			
BLOCK F	ELECTRI	ICAL AND VEHICLE MANAGEMENT SYSTEMS				
	Task 13	Diagnoses electrical systems.	58			
	Task 14	Repairs electrical systems.	60			
	Task 15	Diagnoses electronic vehicle management systems.	62			
	Task 16	Repairs electronic vehicle management systems.	64			
BLOCK G	ENVIRO	NMENTAL CONTROL SYSTEMS				
	Task 17	Diagnoses environmental control systems.	66			
	Task 18	Repairs environmental control systems.	70			
BLOCK H	STRUCTURAL COMPONENTS, ACCESSORIES AND ATTACHMENTS					
	Task 19	Diagnoses structural components, accessories and attachments.	75			
	Task 20	Repairs structural components, accessories and attachments.	77			
		APPENDICES				
APPENDIX A	TOOLS A	AND EQUIPMENT	83			
APPENDIX B	GLOSSA	ıRY	87			
APPENDIX C	ACRON	YMS	89			
APPENDIX D	BLOCK A	AND TASK WEIGHTING	91			
APPENDIX E	PIE CHA	RT	95			
APPENDIX F	TASK PR	ROFILE CHART	96			

LIST OF PUBLISHED NATIONAL OCCUPATIONAL ANALYSES (Red Seal Trades)

TITLE	NOC* Code
Agricultural Equipment Technician (2007)	7312
Appliance Service Technician (2005)	7332
Automotive Painter (2009)	7322
Automotive Service Technician (2009)	7321
Baker (2006)	6252
Boilermaker (2008)	7262
Bricklayer (2007)	7281
Cabinetmaker (2007)	7272
Carpenter (2005)	7271
Concrete Finisher (2006)	7282
Construction Craft Worker (2009)	7611
Construction Electrician (2008)	7241
Cook (2008)	6242
Electrical Rewind Mechanic (1999)	7333
Electronics Technician – Consumer Products (1997)	2242
Floorcovering Installer (2005)	7295
Glazier (2008)	7292
Hairstylist (2009)	6271
Heavy Duty Equipment Technician (2009)	7312
Industrial Electrician (2008)	7242
Industrial Mechanic (Millwright) (2009)	7311
Instrumentation and Control Technician (2007)	2243
Insulator (Heat and Frost) (2007)	7293
Ironworker (Generalist) (2006)	7264
Ironworker (Reinforcing) (2006)	7264
Ironworker (Structural/Ornamental) (2006)	7264
Lather (Interior Systems Mechanic) (2007)	7284

_

^{*} National Occupational Classification

TITLE	NOC* Code
Machinist (2005)	7231
Metal Fabricator (Fitter) (2008)	7263
Mobile Crane Operator (2009)	7371
Motorcycle Mechanic (2006)	7334
Motor Vehicle Body Repairer (Metal and Paint) (2005)	7322
Oil Heat Systems Technician (2006)	7331
Painter and Decorator (2007)	7294
Partsperson (2005)	1472
Plumber (2008)	7251
Powerline Technician (2009)	7244
Recreation Vehicle Service Technician (2006)	7383
Refrigeration and Air Conditioning Mechanic (2009)	7313
Rig Technician (2008)	8232
Roofer (2006)	7291
Sheet Metal Worker (2006)	7261
Sprinkler System Installer (2009)	7252
Steamfitter — Pipefitter (2008)	7252
Tilesetter (2004)	7283
Tool and Die Maker (2005)	7232
Transport Trailer Technician (2008)	7321
Truck and Transport Mechanic (2007)	7321
Welder (2009)	7265

Requests for printed copies of National Occupational Analyses may be forwarded to:

Trades and Apprenticeship Division Workplace Partnership Directorate Human Resources and Skills Development Canada 140 Promenade du Portage, Phase IV, 5th Floor Gatineau, Quebec K1A 0J9

These publications can be ordered or downloaded online at: www.red-seal.ca. Links to Essential Skills Profiles for some of these trades are also available on this website.

STRUCTURE OF ANALYSIS

To facilitate understanding of the occupation, the work performed by tradespersons is divided into the following categories:

Blocks the largest division within the analysis that is comprised of a

distinct set of trade activities

Tasks distinct actions that describe the activities within a block

Sub-Tasks distinct actions that describe the activities within a task

Key Competencies activities that a person should be able to do in order to be called

'competent' in the trade

The analysis also provides the following information:

Trends changes identified that impact or will impact the trade including

work practices, technological advances, and new materials and

equipment

Related Components a list of products, items, materials and other elements relevant to

the block

Tools and Equipment categories of tools and equipment used to perform all tasks in the

block; these tools and equipment are listed in Appendix A

Context information to clarify the intent and meaning of tasks

Required Knowledge the elements of knowledge that an individual must acquire to

adequately perform a task

The appendices located at the end of the analysis are described as follows:

Appendix A — Tools and Equipment	a non-exhaustive list of tools and equipment used in this trade
Appendix B — Glossary	definitions or explanations of selected technical terms used in the analysis
Appendix C — Acronyms	a list of acronyms used in the analysis with their full name
Appendix D — Block and Task Weighting	the block and task percentages submitted by each jurisdiction, and the national averages of these percentages; these national averages determine the number of questions for each block and task in the Interprovincial exam
Appendix E — Pie Chart	a graph which depicts the national percentages of exam questions assigned to blocks
Appendix F — Task Profile Chart	a chart which outlines graphically the blocks, tasks and sub-tasks of this analysis

DEVELOPMENT AND VALIDATION OF ANALYSIS

Development of Analysis

A draft analysis is developed by a committee of industry experts in the field led by a team of facilitators from Human Resources and Skills Development Canada. This draft analysis breaks down all the tasks performed in the occupation and describes the knowledge and abilities required for a tradesperson to demonstrate competence in the trade.

Draft Review

The National Occupational Analysis (NOA) development team then forwards a copy of the analysis and its translation to provincial and territorial authorities for a review of its content and structure. Their recommendations are assessed and incorporated into the analysis.

Validation and Weighting

The analysis is sent to all provinces and territories for validation and weighting. Participating jurisdictions consult with industry to validate and weight the document, examining the blocks, tasks and sub-tasks of the analysis as follows:

BLOCKS Each jurisdiction assigns a percentage of questions to each block for an

examination that would cover the entire trade.

TASKS Each jurisdiction assigns a percentage of exam questions to each task within a

block.

SUB-TASKS Each jurisdiction indicates, with a YES or a NO, whether or not each sub-task

is performed by skilled workers within the occupation in its jurisdiction.

The results of this exercise are submitted to the NOA development team who then analyzes the data and incorporates it into the document. The NOA provides the individual jurisdictional validation results as well as the national averages of all responses. The national averages for block and task weighting guide the Interprovincial Red Seal Examination plan for the trade.

This method for the validation of the NOA also identifies common core sub-tasks across Canada for the occupation. If at least 70% of the responding jurisdictions perform a sub-task, it shall be considered common core. Interprovincial Red Seal Examinations are based on the common core sub-tasks identified through this validation process.

Definitions for Validation and Weighting

YES sub-task performed by qualified workers in the occupation in a specific

jurisdiction

NO sub-task not performed by qualified workers in the occupation in a

specific jurisdiction

NV analysis Not Validated by a province/territory

ND trade Not Designated in a province/territory

NOT sub-task, task or block performed by less than 70% of responding COMMON jurisdictions; these will not be tested by the Interprovincial Red Seal

CORE (NCC) Examination for the trade

NATIONAL average percentage of questions assigned to each block and task in

AVERAGE % Interprovincial Red Seal Examination for the trade

Provincial/Territorial Abbreviations

NL Newfoundland and Labrador

NS Nova Scotia


PE Prince Edward Island
NB New Brunswick

QC Quebec
ON Ontario
MB Manitoba
SK Saskatchewan

AB Alberta

BC British ColumbiaNT Northwest TerritoriesYT Yukon Territory

NU Nunavut



SAFETY

Safe working procedures and conditions, accident prevention, and the preservation of health are of primary importance to industry in Canada. These responsibilities are shared and require the joint efforts of government, employers and employees. It is imperative that all parties become aware of circumstances that may lead to injury or harm. Safe learning experiences and work environments can be created by controlling the variables and behaviours that may contribute to accidents or injury.

It is generally recognized that safety-conscious attitudes and work practices contribute to a healthy, safe and accident-free work environment.

It is imperative to apply and be familiar with the Occupational Health and Safety (OH&S) Acts and Workplace Hazardous Materials Information System (WHMIS) Regulations. As well, it is essential to determine workplace hazards and take measures to protect oneself, co-workers, the public and the environment.

Safety education is an integral part of training in all jurisdictions. As safety is an imperative part of all trades, it is assumed and therefore it is not included as a qualifier of any activities. However, the technical safety tasks and sub-tasks specific to the trade are included in this analysis.

SCOPE OF THE HEAVY DUTY EQUIPMENT TECHNICIAN TRADE

"Heavy Duty Equipment Technician" is this trade's official Red Seal occupational title approved by the Canadian Council of Directors of Apprenticeship. This analysis covers tasks performed by heavy duty equipment technicians whose occupational title has been identified by some provinces and territories of Canada under the following names:

	NL	NS	PE	NB	QC	ON	MB	SK	AB	ВС	NT	YT	NU
Heavy Duty Equipment Mechanic								✓		✓			
Heavy Duty Equipment Mechanic (Construction)					✓								
Heavy Duty Equipment Mechanic (Non-Construction)					✓								
Heavy Duty Equipment Technician	✓	✓	✓			✓	✓				✓		✓
Heavy Duty Equipment Technician (Off Road)												✓	
Heavy Duty Equipment Technician - Heavy Duty Equipment Mechanic (Off Road)									√				
Heavy Equipment Service Technician				✓									

Heavy duty equipment technicians diagnose, repair, adjust, overhaul, maintain, and test mobile heavy duty equipment.

Heavy duty equipment technicians are employed by companies that own and operate heavy equipment, heavy equipment dealerships, rental and service companies, construction contractors, forestry companies, mining companies, ski hills and government departments that service and repair their own equipment. Technicians can work in the following industries: construction, forestry, mining, marine, oil and gas, material handling, landscaping and land clearing. Many heavy duty equipment technicians have experience on a wide variety of equipment types and manufacturers.

It is recognized that heavy duty equipment technicians are increasingly working with alternative prime movers such as electrical. However, the focus of this analysis is based on the internal combustion engine as the prime mover.

Heavy duty equipment technicians work in the full range of environmental conditions: from comfortable shops to remote sites where inclement weather can affect the technician's performance of his/her duties. Good physical condition and agility are important because the work often requires considerable standing, bending, crawling, lifting, climbing, pulling and reaching.

Due to the size and complexity of the equipment, safety is of prime importance. Technicians must be conscious of the impact on people, equipment, work area and environment when performing their work. There is risk of injury when working with heavy equipment.

Some important attributes of the heavy duty equipment technician are: mechanical and mathematical aptitude, an ability to work with computers, an ability to communicate effectively, to work with little or no supervision, to work as a team player and to plan and work sequentially.

This analysis recognizes similarities or overlaps in the work of other tradespersons, such as automotive service technicians, agricultural equipment technicians, truck and transport mechanics and transport trailer technicians.

OCCUPATIONAL OBSERVATIONS

Some significant observations and trends emerged from the national occupational analysis of the heavy duty equipment technician occupation. These observations and trends are briefly outlined in this section.

The computer is increasingly being used for diagnostics, function calibration, programming, service and parts information. The use of computerized equipment has raised the level of troubleshooting ability required by technicians. Onboard computer systems are being used to increase efficiency, reliability and performance. This in turn requires a higher level of training for technicians.

Satellite monitoring and diagnosing of machinery has been introduced and is becoming more widespread. The use of Global Positioning System (GPS) and wireless technology has been introduced to improve equipment operation and repair. The use of remote control equipment is increasing in the mining and construction sectors.

Regular predictive and preventative maintenance is being emphasized to reduce downtime and costs related to major failures. Improved oils and filtering are being used to extend oil life in order to reduce the amount of environmental waste.

More emphasis is being placed on the safe handling, disposal, storage and recycling of toxic or environmentally hazardous materials. There is concern regarding diesel engine emissions produced. Changes to regulations and emission standards will have an impact on the way diesel engines are constructed and on the duties of technicians. Different issues and vehicle faults may arise because of the new designs of these engines and components.

BLOCK A

COMMON OCCUPATIONAL SKILLS

Context This block includes activities that heavy duty equipment technicians

perform throughout their trade.

Trends Documentation is increasingly becoming electronic. There is a greater

emphasis on safety in this trade. Because of renewed environmental considerations, waste-handling and anti-spill procedures are more stringent. Remote fluid analysis checks using plug-in ports to collect fluids have become more common. There is a greater variety of fluids such as bio-fuels, synthetic oils, vegetable based oil and propane being

used in heavy duty equipment.

Related Components All components apply.

Tools and **Equipment**

See Appendix A.

Task 1 Uses and maintains tools and equipment.

K 1	types of tools such as hand tools and power tools
K 2	types of measuring and testing tools such as gauges, meters and precision tools
K 3	government regulations
K 4	training requirements for rigging, lifting and access equipment
K 5	hoisting, rigging and lifting equipment such as slings, spreader bars and load levellers
K 6	access equipment such as man lifts, scissor lifts, and scaffolding
K 7	applications of tools and equipment
K 8	imperial and metric measuring systems
K 9	capacity and limitations of lifting equipment
K 10	personal protective equipment and safety equipment

Sub-t	ask											
A-1.0	1	Ma	intains	s tools	and eq	uipme	nt.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>OC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
A-1.01	.01	clea	n and lu	ubricate	tools a	nd equi	pment					
A-1.01	.02	insp	ect tool	s to det	ermine	wear ar	nd dama	age				
A-1.01	.03	orga	anize ar	ıd store	tools ar	nd equij	oment					
A-1.01	.04		and cal are acc		neasurii	ng tools	such as	s micror	neters a	nd calip	pers to e	ensure
A-1.01	.05	che	ck devic	es for r	equired	inspect	ion tag	s and ra	tings			
A-1.01	.06		fy appr repaired	1	1	nel of de	efective	tools ar	nd equi _]	pment s	o that t	hey
Sub-t	ask											
A-1.02	2	Us	es hois	ting an	d liftir	ng equi	pment					
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	QC	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	encies										
A-1.02	01	loca	ite comp	onent	weights	and lift	points					
A-1.02	02		ermine l ags and	_		gging ec	luipmer	nt maxii	mum ca	pacities	by refe	rring
A-1.02	03		ect lifti ked lift	0 1	1		1					uch as
A-1.02	04	com	nmunica	ite lift tl	nrough	hand si	gnals or	r radio o	commu	nication		
A-1.02	05	imp	lement	safety p	oractices	s such a	s securi	ng lift a	rea and	using s	potters	
A-1.02	06		ct and us	00		-		-		_	-	der
A-1.02	07	obta	ain requ	ired cei	tificatio	on and l	icensing	5				
A-1.02	08		ntify hoi enviroi	_		-	ds such	as pow	er lines	, unstab	ole grou	nd

Sub-ta	ask											
A-1.0 3	3	Op	erates a	access	equipn	nent.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>OC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
A-1.03	03.01 determine hazards in location such as uneven ground, overhead lines and other hoisting devices on site										nd	
A-1.03	.02	ensi	ıre equi	pment	is appro	priate f	or task	at hand				
A-1.03	.03	obta	in clear	ances a	nd licer	nses for	use of a	ccess ed	quipme	nt		
A-1.03	.04		access e operatio						all prot	ection,		
A-1.03	.05	com	munica	te lift tl	nrough	hand si	gnals or	radio c	ommur	nication		
Sub-ta	ask											
A-1.0 4	Į.	Use	es pers	onal pi	otectiv	e equi	pment	(PPE)	and saf	ety equ	ıipmer	ıt.
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
A-1.04	.01		ct PPE a		ety equi	pment a	s requi	red for t	ask at l	nand an	d work	
A-1.04	.02		ntify site ipment	hazard	ls and r	egulatio	ons requ	iiring th	ie use o	f PPE ar	nd safet	у
A-1.04	.03	mai	ntain PI	PE and	safety e	quipme	nt					
A-1.04	.04	Haz	ly local, ardous gerous	Materia	als Infor		-	0			-	ce

Task 2 Performs general maintenance and inspections.

K 1	types of fluids such as engine, drivetrain and hydraulic
K 2	fluid ratings such as viscosity and quality
K 3	fluid handling, storage and disposal procedures and regulations
K 4	filter ratings
K 5	fluid sample analysis
K 6	imperial and metric fasteners and measuring systems
K 7	types and grades of fasteners
K 8	torque specifications
K 9	different tightening methods such as torque turn, hydraulic torque and straight torque
K 10	chemical reactions involved in sealants and adhesives
K 11	types of sealing devices such as gaskets, o-rings and packing
K 12	types of adhesives
K 13	types of hoses, tubing, piping and fittings such as Society of Automotive Engineers (SAE), JIC, British Standard Pipe (BSP), o-ring boss (ORB) and o-ring flange (ORF)
K 14	bearing materials and types such as ball, tapered, roller and plain or sleeve
K 15	bearing specifications
K 16	seal types such as o-ring, lip, ring, face, static and dynamic
K 17	seal materials such as steel, neoprene and nitrile
K 18	types of safety features such as lighting and warning devices, fire suppression systems, lock-out bars and operator access features
K 19	operation of safety features
K 20	government regulations such as ROPS, FOPS and OPS
K 21	mechanical lock-out systems
K 22	audible and visual warning systems and devices
K 23	manufacturers' service recommendations
K 24	in-house preventative maintenance requirements
K 25	machine operation and controls
K 26	licensing and authorization requirements for operation and repair of equipment

K 27		equipment and component limitations												
K 28		pre-	start an	d walk	around	inspect	ion							
K 29		parl	parking and shut-down procedures											
Sub-t	Sub-task													
A-2.0	1	Ma	intains	s fluids	5.									
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key C	ompete	encies												
A-2.01	.01					ubrican to man					ls and			
A-2.01	.02		ct types nanufac	0		fluids a ations	nd lubr	icants fo	or the a	pplication	on acco	rding		
A-2.01	.03	cha	nge flui	ds and	filters, a	ınd insp	ect use	d filters	for sigr	s of cor	ntamina	tion		
A-2.01	.04	perf mix		nsory ir	spectio	n of flui	ds to ch	neck for	impuri	ties and	improp	oer		
A-2.01	.05		diagnos r point	_	-	to test f re	luid pro	perties	such as	coolan	t streng	th, oil		
A-2.01	.06		ntain a ems	clean w	orking	environ	ment in	order t	o preve	nt conta	aminati	on of		
A-2.01	.07		ct and u limited			ıch as w	ater coi	nditione	ers, dies	el fuel c	onditio	ners		
Sub-t	ack													
A-2.02		Son	zzices f	astono	re epal	ing dev	vices a	dhosiv	os and	askot	-c			
11-2.02	_	561	VICES I	asteric	is, scai	mg uc	vices, a	dicsiv	cs and	gasket	.5•			
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>		
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV		
Key C	ompete	encies												
A-2.02	2.01	ider gasl	, , ,	es, size	s and g	rades of	fastene	ers, seali	ing dev	ices, adl	nesives	and		
A-2.02	2.02	chas	se threa	ds and	repair v	vith tap	and die	es						
A-2.02	2.03	rem	ove bro	ken fas	teners u	ising me	ethods s	such as	drilling,	heating	g and w	elding		
A-2.02	2.04	inst	all threa	nd inser	ts to cre	eate orig	inal bo	lt size						

A-2.02.05	select types of threads such as coarse and fine used for different applications
A-2.02.06	torque fasteners to manufacturers' specified torque rating
A-2.02.07	prepare surfaces to receive sealing devices, adhesives and gaskets according to manufacturers' specifications
A-2.02.08	apply sealing compounds to lock fasteners through chemical processes
A-2.02.09	apply sealing compounds to seal, to repair imperfections or to aid gaskets through chemical processes
A-2.02.10	identify types of gaskets such as pre-formed composite gaskets, paper, cork-rubber and steel
A-2.02.11	make gaskets according to task requirements
A-2.02.12	install gaskets according to manufacturers' specifications in order to ensure tight seal and prevent damage to the gasket

Sub-task	(
----------	---

A-2.03 Services hoses, tubing, piping and fittings.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

A-2.03.01	identify ratings and applications of hoses, tubing, piping and fittings
A-2.03.02	identify types of fittings such as reusable and crimp
A-2.03.03	crimp fittings using crimping tools and dies
A-2.03.04	bend and flare tubing and piping using hand and power tools
A-2.03.05	perform preventative maintenance of hoses, tubing, piping and fittings by checking for deficiencies such as chafed hoses, bubbling and leaks
A-2.03.06	remove and replace hoses, tubing, piping and fittings
A-2.03.07	fabricate hoses, tubing and piping to specifications by cutting to length, cleaning interior and verifying the crimp of fittings

Sub-ta	ask											
A-2.04	<u>l</u>	Sei	rvices b	earing	s and s	seals.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>OC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	encies										
A-2.04	.01		ct and u ipment,					•	-		eating	
A-2.04	.02	rem	ove and	l install	bearing	gs						
A-2.04	.03		ove and			ıch as fr	ont and	l rear m	ain seal	s, cam s	shaft sea	als
A-2.04	.04	lubi	ricate be	earings	and seal	ls as req	uired b	y manu	facture	rs' speci	fication	ıs
A-2.04	.05	insp	ect bear	rings ar	nd seals	for leak	s, stiffn	ess and	wear			
A-2.04	.06	ider	ntify typ	es of se	als for t	he task	such as	lip seal	ls and d	ual con	e	
A-2.04	.07	rene	ew shaft	t using	wear sle	eeve to r	epair se	eal surfa	ace area			
A-2.04	.08		up beari end pla	0	ording to	o manui	facturer	s' speci	fication	s such a	s pre-lo	oad
Sub-ta	ask											
A-2.05	5	Sei	rvices s	afety f	eatures	6.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
A-2.05	.01	-	form fur warnin			mainter	nance of	f safety	features	such as	s restrai	nts
A-2.05	.02	repo	ort defe	cts of sa	fety fea	tures in	order t	o ensur	e the de	fects ar	e correc	ted
A-2.05	.03	reco	ognize c	riteria f	or repai	r or rep	lacemei	nt of saf	ety feat	ures		
A-2.05	.04	-		•	es acco	rding to	manuf	acturers	s' and g	overnm	ent	
A-2.05	.05	rem	repair safety features according to manufacturers' and government specifications remove and replace safety features according to manufacturers' and									
		gov	ernmen	t specif	ications							

Sub-t	ask											
A-2.0	6	Performs scheduled maintenance procedures.										
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
A-2.06	5.01	follo	ow man	ufactur	ers' and	l compa	ny guic	delines f	or sche	duled m	naintena	ance
A-2.06	5.02	reco	ord defic	ciencies	with ec	quipmei	nt in ord	der to aı	range f	or repai	r	
A-2.06	5.03		ermine v ist regu		•		-	ing envi	ronmer	nt of equ	uipment	and
A-2.06	5.04	refe	r to pre	vious m	naintena	nce rec	ords for	mainte	nance a	nd repa	ir histo	ry
A-2.06	5.05	consult with equipment operator or owner and refer to operator records for maintenance and repair requirements										
A-2.06	5.06	perform return to service check										
A-2.06	0.07	mai	ntain se	rvice re	cords							
Sub-t	ask											
A-2.0	7	Ide	ntifies	opera	tional f	aults.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
A-2.07	'.01	veri	fy comp	olaints v	with ope	erating (equipm	ent				
A-2.07	7.02		ermine a vibratio		al opera	nting ch	aracteri	stics su	ch as sq	uealing,	, knocki	ng
A-2.07	.03	inte	rpret so	urce an	d cause	of abno	ormal o	perating	g charac	teristics	;	
A-2.07	7.04		ct and u	0			0	s and ed	luipmei	nt such	as scanı	ners,
A-2.07	.05	O	O		O			der to aı	range f	or repai	r	

Sub-task

A-2.08 Performs operational check-out.

<u>NL</u> <u>NS</u> <u>PE</u> <u>NB</u> <u>QC</u> <u>ON</u> <u>MB</u> <u>SK</u> <u>AB</u> <u>BC</u> NT<u>YT</u> <u>NU</u> NVNV yes yes yes yes NV NVyes yes yes yes yes

Key Competencies

A-2.08.01	perform walk-around inspection and start-up procedures
A-2.08.02	verify working condition of operating equipment
A-2.08.03	perform equipment shut-down procedures
A-2.08.04	record and report findings from operational check-out

Task 3 Organizes work.

K 1	types of service information
K 2	technical service bulletins (updates)
K 3	onboard and external diagnostic systems
K 4	schematic types and function
K 5	factory support
K 6	data storage and transfer methods
K 7	government regulations, and industry and company standards
K 8	personal and company liability
K 9	types of service-related documents
K 10	types of safety-related documents such as Material Safety Data Sheet (MSDS) and Commercial Vehicle Inspection Program (CVIP)
K 11	trade terminology
K 12	WHMIS
K 13	jurisdictional and company safety practices and regulations
K 14	location of safety equipment such as first aid equipment, fire extinguishers and eye wash stations
K 15	parts lists and requisition procedures

Sub-ta	ask											
A-3.01	.01 Uses documentation and reference materials.											
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Competencies												
A-3.01	.01		l manua te requi		-		rvice, p	arts and	l safety	manual	s in ord	er to
A-3.01	.02	use part	comput s	ers to l	ocate re	quired i	nforma	tion suc	ch as wa	irranty,	service	and
A-3.01	.03	inte	interpret and apply technical information to situation									
A-3.01	.04	inte	rpret sc	hematio	s and d	rawings	8					
Sub-ta	ask											
A-3.02	2	-3.02 Completes documentation.										
		Co	inpicte	s uocu	memai	1011.						
<u>NL</u> yes	<u>NS</u> yes	PE yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
yes		<u>PE</u> yes	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>		·				· · · · · · · · · · · · · · · · · · ·
yes	yes ompete	PE yes encies	<u>NB</u>	<u>QC</u> yes	<u>ON</u> yes formatio	MB yes	yes as warı	yes	yes aims, se	NV	NV	· · · · · · · · · · · · · · · · · · ·
yes Key C o	yes ompete .01	PE yes reco	NB NV	QC yes nical in: e maint	ON yes formations tenance d inform	MB yes on such records nation s	yes as warı and fai uch as t	yes ranty cla lure ana technici	yes aims, se alysis an hour	NV rvice re	NV cords,	NV
yes Key Co	yes ompete .01 .02	PE yes recorded hou com	NB NV ord technord technord world world	QC yes nical in e maint k-relate cle iden	ON yes formation tenance d informatification	MB yes on such records nation s on numb	yes as warr and fai uch as t er (VIN	yes ranty cla lure ana technici I), parts	yes aims, se alysis an hour used a	NV rvice re rs worke nd task	NV cords, ed, maci descrip	NV hine tion

Sub-ta	ask											
A-3.03	3	Co	Communicates with others.									
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes										<u>NU</u> NV
Key C	ompete	encies										
A-3.03	.01	mentor apprentices in order to pass on trade skills and practices										
A-3.03	.02	con	vey tech	ınical ir	ıformati	on in la	ypersoi	n terms				
A-3.03	.03		commu llite pho		n tools a	ind equi	ipment	such as	compu	ters, cel	l phone	s, and
A-3.03	.04	obta	in techi	nical inf	formatio	on from	operato	or throu	gh ques	stioning		
A-3.03	.05	colla	aborate	with ot	her tech	inicians	in orde	er to solv	ve probl	lems		
A-3.03	.06	give	and fol	llow dii	rections	through	n effecti	ve liste	ning an	d comm	unicati	on
Sub-ta	ask											
A-3.04	1	Pre	pares j	ob acti	ion pla	n.						
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	encies										
A-3.04	.01	use	procedi	ares for	recordi	ng equi	pment (disasser	nbly to	assist ir	n assem	bly
			n as taki	01	`			Ü				
A-3.04			lyze tasl	•	•			,	1.			
A-3.04			ermine t			•	_		C		-	
A-3.04		•	n for par	•		•				, ,		m d
A-3.04	.05	repa	n order o air	or main	tenance	proced	ures su	ch as di	sassemi	ory, asse	embiy a	na
A-3.04			r to mar					•				
A-3.04	.07	-	n repair time co	-	-	eration	s such a	as hoisti	ng requ	iiremen	ts, clear	ıliness,
A-3.04	.08		sult witl ders and	-		echnicia	ans and	other to	rades su	ıch as m	nachinis	sts,
A-3.04	.09	estii	mate rep	oair tim	es and f	finish da	ates					
A-3.04	.10	orga	anize tra	evel sch	edule ir	order t	to make	e most e	ffective	use of t	ime	

Sub-task

A-3.05 Maintains safe work environment.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

A-3.05.01	keep work area clean
A-3.05.02	use lock-out and tag-out procedures to prevent unwanted or unsafe operation of equipment
A-3.05.03	use anti-spill kits and procedures
A-3.05.04	apply local, provincial and national safety regulations such as WHMIS and TDG
A-3.05.05	recognize worksite hazards that require the use of PPE and safety equipment
A-3.05.06	recognize potential hazards such as noise level, air quality, and flammable and explosive materials
A-3.05.07	report hazardous conditions and work practices to prevent workplace injuries
A-3.05.08	clean, handle, store, remove and dispose of hazardous materials such as batteries and shocks according to jurisdictional regulations
A-3.05.09	perform safety inspection of equipment and surrounding work area
A-3.05.10	communicate work-related information such as tagging out and noting work in progress

Task 4 Performs routine trade activities.

K 1	government regulations
K 2	safe handling procedures for compressed gas cylinders
K 3	cutting equipment such as gas, plasma and arc/air
K 4	types of fuel gases such as acetylene and propane
K 5	properties of metals and reactions to heat, cold and chemicals
K 6	types of component heating methods such as induction heaters, ovens and heat lamps
K 7	expansion and contraction of metals through heating and cooling
K 8	types of component cooling methods such as CO2 and liquid nitrogen

K 9 K 10 K 11 K 12 K 13 K 14		risks associated with heating equipment types of cleaning equipment and procedures types of cleaning agents reactions of materials to specific cleaning agents safe handling, storage and disposal of cleaning agents safe handling, storage and disposal of waste										
Sub-ta	ask											
A-4.01	1	He	ats mat	erials.								
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
A-4.01	A-4.01.01 use component heating methods such as using induction heaters, ovens and heat lamps											
A-4.01	A-4.01.02 determine required rate of heating and cooling of materials according to manufacturers' specifications)	
A-4.01.03 measure heat of metals using methods such as using heat stick, using infrared temperature gun and measuring with temperature probe										frared		
Sub-ta	ask											
A-4.02	2	Co	ols mat	erials.								
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>OC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
A-4.02	.01	use	compor	nent coc	oling me	ethods s	such as 1	using C	O ₂ and 1	liquid n	itrogen	
A-4.02	.02		ermine r cification	-	l rate of	cooling	g of mat	erials a	ccording	g to mar	ıufactuı	ers'
A-4.02	.03		measure cooling rate of metals using methods such as using a heat stick, using infrared temperature gun and measuring with temperature probe									

Sub-t	ask												
A-4.03	3	Cu	ts mate	erials.									
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	encies											
A-4.03	.01	select and use cutting tools and equipment such as torches, cutting discs, hack saws and air/arc cutters											
A-4.03	.02	pre	prepare work environment and material to be cut										
A-4.03	5.03		recognize limitations in work environment such as gases, enclosed spaces and other personnel										
A-4.03	.04	determine composition and function of material to be cut											
A-4.03	.05		ognize n PS and (cturers'	prohibi	tion of o	cutting o	compon	ents su	ch as R0	OPS,	
Sub-t	ask												
A-4.0	4	We	elds ma	terials	•								
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB no	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> NV	
Key C	ompete	encies											
A-4.04	.01	(MI	G) weld	lers, tur	ding too ngsten in equipm	nert gas						0	
A-4.04	.02	pre	pare wo	rk envi	ronmen	it and m	naterial	to be we	elded				
A-4.04	.03		ognize ju es of we		ional lin	nitation	s and li	censing	require	ements f	for diffe	rent	
A-4.04	.04	sele	ct weld	ing mat	erial as	require	d by the	e task					
A-4.04	.05		ognize li other p		ns in w	ork env	ironme	nt such	as gases	s, enclos	sed spa	ces	
A-4.04	.06	dete	ermine o	compos	ition an	d functi	ion of m	naterial	to be w	elded			
A-4.04	.07		ate all e vent da		cs on ec	quipmei	nt by di	sconnec	eting gro	ound so	urce to		

	-4.04.08 place ground as close to weld as possible to avoid unwanted arcing and heating through components such as bearings, bushings, cylinders and seals recognize manufacturers' prohibition of welding components such as ROPS, FOPS and OPS											
Sub-t	Sub-task											
A-4.05	5	Cle	eans pa	rts and	l mater	ials.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	Key Competencies											
A-4.05.01 select cleaning agents according to manufacturers' specifications and compatibility with material to be cleaned												
A-4.05	.02	prep	oare sur	face for	cleanir	ng						
A-4.05	A-4.05.03 select and use cleaning tools and equipment such as air scrapers, pressure washers, and abrasives										ıre	

dispose of cleaning agents according to appropriate regulations

immerse parts in dip tanks and parts washers

A-4.05.04 A-4.05.05

BLOCK B

ENGINES AND ENGINE SUPPORT SYSTEMS

Context

Heavy duty equipment technicians must be able to efficiently diagnose and repair engines and engine sub-systems to maintain equipment performance and reliability to reduce equipment down time.

All diagnostic and repair tasks must be performed according to manufacturers' specifications.

When working on high pressure fuel systems, technicians must observe additional safety procedures.

Trends

Engine and supporting systems are becoming more sophisticated and complex due to emission requirements. Electronics are prevalent throughout engines and supporting systems, and technicians increasingly need a high level of computer skills and electronic diagnostic abilities.

Due to environmental concerns, manufacturers are moving towards the use of improved or new technologies such as constant RPM engines, high pressure common rail fuel injection and alternative fuels to reduce emission levels.

Related Sub-systems

Base engines, lubrication systems, cooling systems, fuel systems, intake and exhaust systems, engine control systems, emission control systems.

Related Components (include, but not limited to)

Base engines: heads, block, pistons, connecting rods, crankshaft, wrist pins, bearings, camshaft, harmonic balancers, gears, lifters, covers, gaskets, seals, push rods, valves, rockers, springs, flywheel housing, flywheel.

Lubrication systems: oil pumps, filters, valves, coolers, lubricants, oil lines, oil sump, bearings, bushings, gears, seals, gaskets.

Cooling systems: water pumps, piping, hoses, clamps, radiators, thermostat, shutters, shrouds, fans, fan drive, regulators, coolant, heat exchangers.

Intake and exhaust systems: muffler, tubing, piping, manifold, air cleaner, clamps, superchargers, turbochargers, coolers, pre-cleaners, restriction indicators, ether injection.

Fuel systems: fuels, fuel filter, regulators, tank, lines, lift pump, mechanical and electronic injectors, pumps, fuel injector pumps, nozzles, injector tips, hoses, tubes, water separator, governors, timing and spark advance, seals, gaskets, sensors, solenoids, wiring, software.

Engine control system: electronic control modules (ECM), software, wiring, coils, spark plugs, solenoids, sensors, linkages, pedals, cables, potentiometer, engine protection devices.

Emission control system: catalytic converters, scrubber, exhaust gas recirculation (EGR) components, positive crankcase ventilation (PCV) valves, exhaust gas coolers.

Tools and Equipment

See Appendix A.

Task 5 Diagnoses engines and engine support systems.

K 1	operational test methods such as load, no-load and governed speeds
K 2	manufacturers' engine ratings
K 3	types, viscosity and quality of fluids
K 4	fuel grade, condition and types such as hythane, bio-fuels, diesel, compressed natural gas (CNG) and liquefied propane gas (LPG)
K 5	spark ignition systems and components such as module boxes, coils, wires and spark plugs
K 6	engine types, operation, components and specifications
K 7	lubrication system types, operation, components and specifications
K 8	cooling system types, operation, components and specifications
K 9	intake and exhaust system types, operation, components and specifications
K 10	fuel system types, operation, components and specifications
K 11	engine control system types, operation, components and specifications
K 12	emission control system types, operation, components and specifications
K 13	manufacturers' safety procedures regarding high pressure fuel systems
K 14	types of starting aids

Sub-ta	ask												
B-5.01		Dia	ignoses	s base	engine	•							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key Competencies													
B-5.01.	B-5.01.01 select and use diagnostic tools such as scan tool, compression testers and measuring devices												
B-5.01.	B-5.01.02 perform tests such as cylinder leak-down, compression and vacuum												
B-5.01.	03	identify and distinguish sources of noises, vibrations and harshness (NVH) i engine components such as valve train, pistons and crankshaft											
B-5.01.04 remove and disassemble components to identify problem													
B-5.01.	05	recognize worn, damaged and defective components such as worn camshafts, bearings and rings										shafts,	
B-5.01.	B-5.01.06 inspect valve timing and adjustment												
B-5.01.	07		take measurements of base engine components and compare to manufacturers' specifications										
B-5.01.08 interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications													
Sub-ta	ask												
B-5.02		Dia	ignose	s lubrio	cation s	system	s.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	ncies											
B-5.02.	01			_	nostics ostic to		ch as pi	ressure	gauges,	temper	ature g	auges	
B-5.02.	02				oricant to operatir			ding to	manufa	acturers	,		
B-5.02.	03	_		-	spection compon		entify sy	ymptom	s such	as leaks	and		
B-5.02.	04	rem	ove and	l disass	emble c	ompone	ents to i	dentify	probler	n			
B-5.02.	05	remove and disassemble components to identify problem take oil sample and interpret test results such as contamination, wear elements and trends											

B-5.02.06	test system pressure according to manufacturers' specifications to locate faults such as blockages, leakages and worn parts
B-5.02.07	identify components of lubrication systems such as oil pump, regulator and pressure relief valve
B-5.02.08	inspect lubrication system components for wear, damage and defects
B-5.02.09	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-t	ask											
B-5.03	3	Dia	agnose	s coolii	ng syst	ems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	YT NV	<u>NU</u> NV

B-5.03.01	select and use diagnostic tools such as coolant testers, air flow meter and coolant pressure tester
B-5.03.02	pressure test cooling systems to identify fluid and pressure leaks
B-5.03.03	perform sensory inspections to identify defects such as leaks and radiator obstructions
B-5.03.04	remove and disassemble components to identify problem
B-5.03.05	determine cooler condition for reuse
B-5.03.06	test coolant concentration and condition
B-5.03.07	test radiator efficiency for air flow and heat transfer
B-5.03.08	inspect and test cooling system components such as water pump, fan, belts and shrouds for defects
B-5.03.09	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-ta	ısk											
B-5.04		Dia	ignoses	intak	e and e	xhaust	systen	ns.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes										
Key Co	ompete	ncies										
B-5.04.	.04.01 identify equipment's type of intake and exhaust system and compone									nponent	ts	
B-5.04.	02			_	nostic to nometer		h as pre	essure g	auges, i	nfrared	tempei	ature
B-5.04.	03	perf	orm eng	gine pe	rforman	ce tests	accordi	ing to m	anufac	turers' s	pecifica	ations
B-5.04.	04	-		•	spection ents and		, ,	-	s such	as exces	sive no	ise,
B-5.04.	05	insp	ect supe	er and t	urbo ch	argers						
B-5.04.	06	rem	ove and	disass	emble c	ompone	ents to i	dentify	problen	n		
B-5.04.0	07	_			exhaust essure l	-			_	_	method	s
B-5.04.	08	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications										
Sub-ta	ısk											
B-5.05		Dia	ignoses	fuel s	ystems	5.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
B-5.05.	01	sele	ct and u	se diag	nostic to	ools suc	h as pre	essure a	nd vacu	ıum gaı	ıges	
B-5.05.	02	perf	orm eng	gine pe	rforman	ce tests	accordi	ing to m	anufact	turers' s	pecifica	ations
B-5.05.0												
B-5.05.	04	rem	ove and	disass	emble c	ompone	ents to i	dentify	problen	n		
B-5.05.	05	perf	orm fue	l pressi	ure tests	accord	ing to n	nanufac	turers'	specific	ations	
B-5.05.0	06	iden	tify fue	l grade,	, conditi	on and	type su	ch as di	esel, CN	NG and	LPG	
B-5.05.0	07		-	,	ze resultording				-		to deter	mine

Sub-ta	ask											
B-5.06	B-5.06 Diagnoses engine control systems.											
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes										
Key Co	ompete	ncies										
B-5.06.01 select and use diagnostic tools such as computer								and mu	ıltimete	r		
B-5.06.	02	ider	ntify eng	gine cor	itrol sys	tems ty	pes suc	h as me	chanica	l or elec	trical	
B-5.06.	03	ider	ntify spa	rk igni	tion sys	tem con	nponen	ts				
B-5.06.	04	-	orm ser linkage	-	-	ns to ide	entify d	efects sı	uch as t	hrottle l	inkage [·]	wear
B-5.06.	05	rem	ove and	disass	emble c	ompone	ents to i	dentify	probler	n		
B-5.06.	06		ew ECN ware ve	_	ostic inf	formatio	on such	as fault	codes,	parame	ters and	d
B-5.06.	07	perform engine control system tests such as solenoid test, calibration test and injector cut-out test										
B-5.06.	08	perform spark ignition system tests such as coil resistance test and spark plug gap										
B-5.06.	09	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications										
Sub-ta	ask											
B-5.07	,	Dia	agnoses	s emiss	sion co	ntrol sy	ystems	•				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>OC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
B-5.07.	01	ider	ntify equ	iipmen	t's type	of emis	sion sys	stem and	d comp	onents		
B-5.07.	02	rem	remove and disassemble components to identify problem									
B-5.07.	03	test	test exhaust gas to determine emission compliance according to regulations									
B-5.07.	04		compor diesel p				-					PCV
and diesel particulate filter according to manufacturers' specifi B-5.07.05 perform sensory inspections to identify symptoms such as excellent and damaged components						as exces	sive sm	oke				

B-5.07.06	select and use diagnostic tools such as gas analyser, computer and multimeter
B-5.07.07	interpret and analyze results of tests and inspections to determine required repair according to manufacturers' specifications

Task 6 Repairs engines and engine support systems.

K 1	manufacturers' specifications
K 2	engine types, operation, components and specifications
K 3	lubrication system types, operation, components and specifications
K 4	cooling system types, operation, components and specifications
K 5	intake and exhaust system types, operation, components and specifications
K 6	fuel system types, operation, components and specifications
K 7	engine control system types, operation, components and specifications
K 8	emission control system types, operation, components and specifications
K 9	specified system performance to manufacturers' specifications
K 10	types, viscosity and quality of fluids
K 11	fuel grade, condition and type such as biofuels, diesel, CNG and LPG
K 12	spark ignition systems and components such as coils, wires and spark plugs
K 13	cold starting aids such as intake heaters, block heaters, ether injection and glow plugs
K 14	manufacturers' safety procedures regarding high pressure fuel systems

Sub-ta	ask											
B-6.01		Rej	pairs ba	ase eng	gines.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes										
Key C	ompete	ncies										
B-6.01.	01	select and use repair tools and equipment such as hand tools, plasti straight edge and micrometer								astigau	ge,	
B-6.01.	02	cyli	remove, disassemble and inspect engine components such as cylinder heads, cylinder liners, crank shaft and cam shaft for conditions such as damage and wear									
B-6.01.	03		-	-			_			s and fa irers' sp	_	
B-6.01.	04		devices according to repair requirements and manufacturers' specifications remove, replace, recondition or service components according to manufacturers' procedures and specifications									
B-6.01.	05	reas	semble	engine	compor	nents an	d perfo	rm mea	sureme	ents		
B-6.01.	06	perf	orm val	lve timi	ng adju	stment						
B-6.01.	07	torq	ue com	ponent	s accord	ling to s	equenc	e and sp	ecificat	ions		
B-6.01.08 perform mechanical engine timing procedures												
B-6.01.	09	adju	ıst base	engine	compor	nents an	ıd parts					
B-6.01.	10	perf	orm pre	e-lubric	ation ar	nd prim	ing pro	cedures				
B-6.01.	11	inst	all engir	ne and o	engine c	compon	ents					
B-6.01.	12	com	plete re	pair by	verifyii	ng syste	em's fur	iction ai	nd perfo	ormance	9	
Sub-ta	ask											
B-6.02		Rej	pairs lu	bricat	ion sys	tems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> NV
Key Co	ompete	ncies										
B-6.02.01 select and use repair tools and equipment such as for gauge and measuring tools						s feeler	gauge, (oil press	sure			
B-6.02.	02					-		ion syst	em com	ponent	s for	
B-6.02.	conditions such as damage and wear B-6.02.03 select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specification											

B-6.02.04	replace, recondition or service components according to manufacturers' procedures and specifications
B-6.02.05	reassemble lubrication system components and perform measurements
B-6.02.06	identify and select specified lubricants
B-6.02.07	perform maintenance procedures such as changing oil and filter
B-6.02.08	perform priming and prelubrication of oil pressure system
B-6.02.09	complete repair by verifying system's function and performance

Sub-task

B-6.03 Repairs cooling systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

B-6.03.01	select and use repair tools and equipment such as fin comb, seal installers and hand tools
B-6.03.02	remove, disassemble and inspect cooling system components for conditions such as damage and wear
B-6.03.03	select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications
B-6.03.04	repair or replace cooling system components such as radiators, hoses, gaskets, thermostats and water pumps
B-6.03.05	distinguish types and characteristics of coolants in order to avoid mixing incompatible types and to ensure required concentrations
B-6.03.06	drain, flush, refill and bleed coolant system
B-6.03.07	reassemble coolant system components
B-6.03.08	complete repair by verifying system's function and performance

Sub-ta	ask											
B-6.04	Repairs intake and exhaust systems.											
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	encies										
B-6.04.	select and use tools and equipment such as hand tools and pressure testing devices											
B-6.04.	02		remove, disassemble and inspect intake and exhaust system components for conditions such as damage and wear									
B-6.04.	03		select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications									
B-6.04.	04	-	repair, replace or recondition intake and exhaust system components such as manifolds, mufflers and intercoolers									
B-6.04.	05	reas	reassemble intake and exhaust system components									
B-6.04.	06	repa	repair, lubricate and prime turbo/super chargers									
B-6.04.	07	mai	maintain intake system by servicing pre-cleaners and air filters									
B-6.04.	08	com	complete repair by verifying system's function and performance									
Sub-ta	ask											
B-6.05		Re	pairs fu	iel sys	tems.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> NV
Key Co	ompete	ncies										
B-6.05.	01			-		and equ	-		s fuel p	ressure	gauge, l	hand
B-6.05.	02		ove, dis amage			inspect 1	fuel sys	tem con	nponen	ts for co	ndition	s such
B-6.05.	03		-	-		terials s r requir	_	•			_	
B-6.05.	04			-	replaces s and p	e fuel sy umps	stem co	ompone	nts such	as fuel	filters,	
B-6.05.	05	reas	semble	fuel sys	stem co	mponer	its and j	perform	measu	rements	6	
B-6.05.	06	torg	reassemble fuel system components and perform measurements torque components according to sequence and specifications									

B-6.05.07 pressurize and bleed system													
B-6.05	.08	perf	orm fue	el syster	n timin	g proce	dures						
B-6.05	.09	com	plete re	pair by	verifyi	ng syste	em's fur	nction a	nd perfo	ormance	9		
Cub t	acle												
Sub-task													
B-6.06)	Kej	Repairs engine control systems.										
<u>NL</u>	<u>NS</u>	<u>PE</u>	NB NW	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT NV	YT NW	<u>NU</u>	
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	Key Competencies												
B-6.06	.01		ct and u	-	ir tools	and equ	uipmen	t such a	s hand t	tools, co	mputer	and	
B-6.06	.02	remove, disassemble and inspect engine control system components for conditions such as damage and wear								<u>:</u>			
B-6.06	.03	perf	orm cal	ibratio	ns and i	nitializa	ition of	controll	ers				
B-6.06	.04	select repair parts and materials such as gaskets, sealants and fasten devices according to repair requirements and manufacturers' specific								U			
B-6.06	.05	repair or replace engine control system components such as ECM, actuators, coils, plugs and mechanical linkages									ators,		
B-6.06	.06	reas	semble	engine	control	system	compo	nents ar	nd calib	rate			
B-6.06	.07	torque components according to sequence and specifications											
B-6.06	.08	com	complete repair by verifying system's function and performance										
Sub-t	ask												
B-6.07	7	Re	pairs e	missio	n contr	ol syste	ems.						
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>	
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	encies											
B-6.07	.01					quipmer analyse		as diese	l particı	ılate filt	er clear	iers,	
B-6.07	.02					-		n contro	ol syster	n comp	onents i	for	
B-6.07	conditions such as damage and wear 5.07.03 select repair parts and materials such as gaskets, sealants and fa devices according to repair requirements and manufacturers' sp							_					

B-6.07.04	repair or replace emission system components such as sensors, valves and filters
B-6.07.05	reassemble emission system components and calibrate
B-6.07.06	complete repair by verifying system's function and performance

BLOCK C

HYDRAULIC, HYDROSTATIC AND PNEUMATIC SYSTEMS

Context

Heavy duty equipment technicians' work on hydraulic, hydrostatic and pneumatic systems includes maintenance, diagnostic and mechanical repairs of system components and accessories.

All diagnostic and repair tasks must be performed according to manufacturers' specifications.

Trends

There are higher pressures in these systems which reduce the overall weight and size of machines.

Smaller components are being used to reduce dimensions.

Electronic controls of these systems increase efficiency, comfort and remote operation.

There have been improvements in filtration systems.

Lubricants in these systems are more environmentally friendly.

Alternate materials such as HVOF (high-velocity oxygen fuel) are being

used to replace chrome hardening.

Material quality has improved for more precise manufacturing.

Related Components (include, but not limited to)

Pumps, lines, valves, motors, hoses, cylinders, fittings, compressors, oil, compressed air, reservoirs, air dryers, controls, rotary joints, governors, electronic controls, air filters, accumulators.

Tools and Equipment

See Appendix A.

Task 7

Diagnoses hydraulic, hydrostatic and pneumatic systems.

K 1	fluids and fluid conditioning systems such as filtering systems, heating and cooling exchangers, and tanks
K 2	reference material such as schematic diagrams and service manuals
K 3	specified system performance
K 4	hydraulic system types, operation, components and specifications

K 5	hydrostatic system types, operation, components and specifications
K 6	pneumatic system types, operation, components and specifications
K 7	safe work procedures
K 8	depressurization of hydraulic tanks

Sub-ta	ask											
C-7.01	-	Dia	Diagnoses hydraulic systems.									
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
C-7.01.	.01	select and use diagnostic tools such as laptops, pressure gauges, flow meters and sight glass										
C-7.01.	.02	locate components and perform tests such as cycle time, cylinder drift, pressure and flow test										
C-7.01.	.03	-	perform sensory inspection to identify problems such as leaks, cavitations and aeration							ns		
C-7.01.	.04		compare equipment operation to manufacturers' specifications to verify complaint and expected performance									
C-7.01.	.05	take	fluid sa	amples	and into	erpret r	esults to	identif	y probl	ems and	d trends	i
C-7.01.	.06	rem	ove and	disass	emble c	ompone	ent to id	lentify p	roblem			
C-7.01.	.07		gnize w ımulato		_		fective c	compon	ents suc	ch as mo	otors, pu	ımps,
C-7.01.	.08		measu: nufactur			2	lic syste	m comp	onents	and co	mpare t	0
C-7.01.	.09		ressuriz cificatio		epressu	rize hyo	draulic t	tank acc	ording	to manı	ıfacture	ers'
C-7.01.	.10		-	•			nctiona ıfacture				to deter	mine

Sub-ta	ısk											
C-7.02	C-7.02 Diagnoses hydrostatic systems.											
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>OC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	Key Competencies											
C-7.02.	01	select and use diagnostic tools such as laptops, pressure gauges, flow meters and fluid level device										
C-7.02.	02	loca test	locate components and perform tests such as cycle time, pressure and flow test									
C-7.02.	03	-	perform sensory inspection to identify problems such as leaks, cavitations and aeration									
C-7.02.	04		compare equipment operation to manufacturers' specifications to verify complaint and expected performance									
C-7.02.	05	take	take fluid samples and interpret results to identify problems and trends									;
C-7.02.	06	remove and disassemble component to identify problem										
C-7.02.	07		recognize worn, damaged and defective components such as motors, pumps and control valves									
C-7.02.	08		take measurements of the hydrostatic system components and compare to manufacturers' specifications									
C-7.02.	09		rpret an iired rep	-					_		to deter	mine
Sub-ta	ısk											
C-7.03		Dia	ignoses	pneu	matic s	ystems	5.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
C-7.03.	01	sele	ct and u	se diag	nostic to	ools suc	h as pre	essure g	auges a	nd mul	timeter	
C-7.03.	02	loca test	te comp	onents	and per	rform te	ests such	n as cyc	le time,	pressur	e and le	eak
C-7.03.	03	-	orm sen heat	sory in	spection	n to ide	ntify pr	oblems	such as	leaks, c	ontami	nation
C-7.03.	04		pare eq plaint a	-	-			cturers'	specific	cations t	o verify	7

C-7.03.05	remove and disassemble component to identify problem
C-7.03.06	recognize worn, damaged and defective components such as compressors, air motors and control valves
C-7.03.07	take measurements of the pneumatic system components and compare to manufacturers' specifications
C-7.03.08	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Task 8	Repairs hydraulic, hydrostatic and pneumatic systems.
--------	---

Required Knowledge

K 1	fluids and fluid conditioning systems such as filtering systems, heating and cooling exchangers, and reservoirs
K 2	reference material such as schematic diagrams and service manuals
K 3	specified system performance
K 4	hydraulic system types, operation, components and specifications
K 5	hydrostatic system types, operation, components and specifications
K 6	pneumatic system types, operation, components and specifications
K 7	safe work procedures
K 8	depressurization of hydraulic tanks
K 9	bleeding procedures and methods to prevent air ignition in cylinders (dieseling)

Sub-task

C-8.01	Repairs hydraulic systems.
--------	----------------------------

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

C-8.01.01	select and use repair tools and equipment such as hand tools, shop tools and laptop
C-8.01.02	remove, disassemble and inspect hydraulic system components for conditions such as scoring, wear patterns and heat discoloration
C-8.01.03	flush hydraulic system as required

C-8.01.04	inspect and service accumulators								
C-8.01.05	select repair parts and materials such as motors, pumps and cylinders according to repair requirements and manufacturers' specifications								
C-8.01.06	remove, replace or recondition the serviced components according to manufacturers' procedures and specifications								
C-8.01.07	reassemble hydraulic system components and perform measurements								
C-8.01.08	torque components according to sequence and specifications								
C-8.01.09	assemble and install components according to manufacturers' specifications and procedures								
C-8.01.10	adjust and calibrate hydraulic system components and parts to manufacturers' specifications								
C-8.01.11	perform pre-lubrication, bleeding and priming procedures								
C-8.01.12	perform start-up and break-in according to manufacturers' specifications and procedures								
C-8.01.13	complete repair by verifying system's function, operation and performance								
Sub-task									
C-8.02	Repairs hydrostatic systems.								
<u>NL</u> <u>NS</u>	<u>PE NB QC ON MB SK AB BC NT YT NU</u>								
NL NS yes yes	PENBQCONMBSKABBCNTYTNUyesNVyesyesyesyesNVNVNV								
	yes NV yes yes yes yes yes NV NV NV								
yes yes	yes NV yes yes yes yes yes NV NV NV								
yes yes Key Compet	yes NV yes yes yes yes yes NV NV NV encies select and use repair tools and equipment such as hand tools, shop tools and								
yes yes Key Compet C-8.02.01	yes NV yes yes yes yes yes yes NV NV NV encies select and use repair tools and equipment such as hand tools, shop tools and laptop remove, disassemble and inspect hydrostatic system components for								
yes yes Key Compet C-8.02.01 C-8.02.02	yes NV yes yes yes yes yes yes NV NV NV encies select and use repair tools and equipment such as hand tools, shop tools and laptop remove, disassemble and inspect hydrostatic system components for conditions such as scoring, wear patterns and heat discoloration								
yes yes Key Compet C-8.02.01 C-8.02.02 C-8.02.03	yes NV yes yes yes yes yes yes NV NV NV encies select and use repair tools and equipment such as hand tools, shop tools and laptop remove, disassemble and inspect hydrostatic system components for conditions such as scoring, wear patterns and heat discoloration flush hydrostatic system as required select repair parts and materials such as motors, pumps and valves according								
yes yes Key Compet C-8.02.01 C-8.02.02 C-8.02.03 C-8.02.04	yes NV yes yes yes yes yes yes NV NV NV encies select and use repair tools and equipment such as hand tools, shop tools and laptop remove, disassemble and inspect hydrostatic system components for conditions such as scoring, wear patterns and heat discoloration flush hydrostatic system as required select repair parts and materials such as motors, pumps and valves according to repair requirements and manufacturers' specifications remove, replace or recondition the serviced components according to								
yes yes Key Compete C-8.02.01 C-8.02.02 C-8.02.03 C-8.02.04 C-8.02.05	yes NV yes yes yes yes yes yes yes NV NV NV encies select and use repair tools and equipment such as hand tools, shop tools and laptop remove, disassemble and inspect hydrostatic system components for conditions such as scoring, wear patterns and heat discoloration flush hydrostatic system as required select repair parts and materials such as motors, pumps and valves according to repair requirements and manufacturers' specifications remove, replace or recondition the serviced components according to manufacturers' procedures and specifications								
yes yes Key Compete C-8.02.01 C-8.02.02 C-8.02.03 C-8.02.04 C-8.02.05 C-8.02.06	yes NV yes yes yes yes yes yes yes NV NV NV encies select and use repair tools and equipment such as hand tools, shop tools and laptop remove, disassemble and inspect hydrostatic system components for conditions such as scoring, wear patterns and heat discoloration flush hydrostatic system as required select repair parts and materials such as motors, pumps and valves according to repair requirements and manufacturers' specifications remove, replace or recondition the serviced components according to manufacturers' procedures and specifications reassemble hydrostatic system components and perform measurements								

C-8.02 C-8.02	.11	perf prod	form preform sta cedures aplete re	rt-up aı	nd brea	k-in acc	ording (to manı	ıfacture	rs' spec		
Sub-t	ask											
C-8.03	3	Rej	pairs p	neuma	tic syst	tems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
C-8.03	.01	select and use repair tools and equipment such as hand tools and shop tools										
C-8.03	.02	remove, disassemble and inspect pneumatic system components for conditions such as scoring, wear patterns and heat discoloration										
C-8.03	.03		select repair parts and materials such as motors, compressor and valves according to repair requirements and manufacturers' specifications									
C-8.03	.04		ove, rep ufactur						onents	accordi	ng to	
C-8.03	.05	reas	semble	pneum	atic sys	tem con	nponent	ts and p	erform	measur	ements	
C-8.03	.06	torq	ue com	ponent	s accord	ling to s	equence	e and sp	ecificat	ions		
C-8.03	.07		mble ar proced		ll comp	onents	accordii	ng to m	anufact	urers′ ร _ุ	pecificat	ions
C-8.03	.08	•	ıst and o nufactur		- T	-	stem co	mponer	nts and	parts to		
C-8.03	.09	perf	orm pre	e-lubric	ation							
C-8.03	.10	-	orm sta	rt-up a	nd breal	k-in acc	ording t	to manı	ıfacture	rs' spec	ificatior	ıs and
C-8.03	.11	com	plete re	pair by	verifyi	ng syste	em's fun	ction, c	peratio	n and p	erforma	nce

BLOCK D

DRIVETRAIN SYSTEMS

Context

Heavy duty equipment technicians must be able to efficiently diagnose and repair drivetrain systems and sub-systems to maintain equipment performance and reliability to reduce equipment down time.

All diagnostic and repair tasks must be performed according to manufacturers' specifications.

Trends

Drivetrain systems and supporting systems are becoming more sophisticated and complex due to emission requirements and to lower maintenance costs. Electronics are prevalent throughout drivetrains and supporting systems, and technicians increasingly need a high level of computer skills and electronic diagnostic abilities.

Due to environmental concerns, manufacturers are moving towards the use of improved or new technologies such as CVT, electronic controlled transmission (ECT) systems, electric drives and improved filtration.

Related Components (include, but not limited to) **Clutch systems:** flywheels, pressure plates, friction discs and plates, springs, forks, master cylinders, slave cylinders, bearings, seals, gaskets, fluids, filters, breathers, component control systems.

Torque converters, fluid couplers and retarders: stator, impellor, turbine, over running clutch, lockup-clutch, valves, pump, lines, coolers, seals, gaskets, bearings, fluids, filters, breathers.

Driveline systems: bearings, seals, gaskets, u-joints, yokes, slip joints, CV joints, drive shafts, lubricants.

Transmission and transfer case systems: clutch pack, piston, gears, gear sets, shafts, pump, bearings, seals, gaskets, fluids, filters, valves, lines, component control systems, cooler, breathers.

Axle and differential systems: axle, shafts, crown and pinion sets, spider gears, sun gears, limited slip and differential lockups, fluids, filters, coolers, lines, bearings, seals, gaskets, pump, component control systems, breathers.

Final drives: bearings, gears, seals, gaskets, shafts, fluids, filters, breathers, covers.

Tools and Equipment

See Appendix A.

Task 9 Diagnoses drivetrain systems.

Required Knowledge

K 1	reference material such as schematic diagrams and service manuals
K 2	clutch system types, operation, components and specifications
K 3	types of torque converters, fluid couplers and retarders, their operation, components and specifications
K 4	driveline system types, operation, components and specifications
K 5	transmission and transfer case system types, operation, components and specifications
K 6	axle and differential system types, operation, components and specifications
K 7	final drive system types, operation, components and specifications
K 8	specified system performance
K 9	types, viscosity and quality of fluids

Sub-task

D-9.01 Diagnoses clutch systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

D-9.01.01	select and use diagnostics tools such as spring gauge, feeler gauge and dial indicator
D-9.01.02	identify types of clutch system and their operation
D-9.01.03	identify types of clutch controls such as manual, hydraulic, pneumatic and electric
D-9.01.04	perform sensory inspections to identify symptoms such as leaks, damaged components and odours
D-9.01.05	check fluid level and condition, and inspect for internal leaks or adjustment
D-9.01.06	perform functional tests to identify clutch slippage, vibrations or engagement
D-9.01.07	remove and disassemble components to identify problem
D-9.01.08	inspect clutch components in accordance with manufacturers' specifications and inspection procedures
D-9.01.09	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-t	ask											
D-9.02	D-9.02 Diagnoses torque converters, fluid couplers and retarders.											
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	YT NV	<u>NU</u> NV
Key C	ompete	encies										
D-9.02	.01		select and use diagnostics tools such as pressure gauge, temperature gauge and flow meter									
D-9.02	.02		ntify typ ration	es of to	rque co	nverter	s, fluid	coupler	s, retarc	ders and	l their	
D-9.02	.03	-		-	spection normal		entify sy	ympton	ns such	as leaks	, excess	ive
D-9.02	.04	chec	check fluid level and condition									
D-9.02	.05	perform tests such as converter stall speed and pressure tests to identify internal leakage, vibration and engagement										
D-9.02	.06	remove and disassemble components to identify problem										
D-9.02	.07	inspect torque converters, fluid couplers and retarders in accordance with manufacturers' specifications and inspection procedures										
D-9.02	D-9.02.08 interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications											
Sub-t	ask											
D-9.03	3	Dia	ignoses	s drive	line sy	stems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
D-9.03	.01		ct and u	U	nostic t	ools suc	h as dia	al indica	itor, ang	gle gaug	ge and	
D-9.03	.02	ider	ntify typ	es of di	riveline	systems	s and th	eir opei	ration			
D-9.03	.03	perform sensory inspections to identify symptoms such as vibration, abnormal noise and excessive heat										
D-9.03	.04	rem	ove and	l disass	emble c	ompone	ents to i	dentify	probler	n		

D-9.03	3.05	inspect components for wear, damage and defects										
D-9.03	3.06	perform functionality tests according to manufacturers' specifications										
D-9.03	3.07	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications										
Sub-t	ask											
D-9.0	4	Dia	Diagnoses transmission and transfer case systems.									
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies		·	•	•	•	•	•			
D-9.04	_	sele	ct and u	ıse diag	nostic t	ools suc	ch as pro	essure g	gauge, c	ompute	r and	
D-9.04	.02	identify types of transmission and transfer case systems such as manual, automatic, CVT, power shift and direct drive and their operation										
D-9.04	.03	check fluid level and condition										
D-9.04	.04	perform sensory inspections to identify symptoms such as vibration, abnormal noise, leaks and excessive heat										
D-9.04	.05	remove and disassemble components to identify problem										
D-9.04	.06	perform diagnostic and functional tests according to manufacturers' specifications and procedures										
D-9.04	.07		rpret ar uired re	•					-		to detei	mine
Sub-t	ask											
D-9.0	5	Dia	agnose	s axle a	and dif	ferenti	al syste	ems.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
D-9.05	5.01	sele	ct and u	ıse diag	nostic t	ools suc	ch as ter	nperatu	re gaug	ge and d	lial indi	cator
D-9.05	5.02	ider	ntify typ	es of ax	kle and	differen	tial syst	tems an	d their o	operatio	n	
D-9.05	5.03	che	ck fluid	level ar	nd cond	ition						
D-9.05	5.04	-	check fluid level and condition perform sensory inspections to identify symptoms such as external leaks, abnormal noise and excessive heat									

D-9.05.05	remove and disassemble components to identify problem
D-9.05.06	inspect axle and differential components in accordance with manufacturers' specifications and inspection procedures
D-9.05.07	perform diagnostic and functional tests according to manufacturers' specifications
D-9.05.08	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-t	ask											
D-9.0	6	Dia	agnose	s final	drive s	ystems	.					
NL	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

D-9.06.01	select and use diagnostic tools such as temperature gauge and dial indicator
D-9.06.02	identify types of final drive systems and their operation
D-9.06.03	check fluid level and condition
D-9.06.04	perform sensory inspections to identify symptoms such as leaks, noise and excessive heat
D-9.06.05	remove and disassemble components to identify problem
D-9.06.06	perform diagnostic and functional tests according to manufacturers' specifications
D-9.06.07	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Task 10	Repairs drivetrain	systems.
---------	--------------------	----------

K 1	clutch system types, operation, components and specifications
K 2	reference material such as schematic diagrams and service manuals
K 3	types of torque converters, fluid couplers and retarders, their operation, components and specifications
K 4	driveline system types, operation, components and specifications
K 5	transmission and transfer case system types, operation, components and specifications

K 6 K 7 K 8 K 9 K 10	ask	fina spec type	axle and differential system types, operation, components and specifications final drive system types, operation, components and specifications specified system performance types, viscosity and quality of fluids manufacturers' specifications											
D-10.0	01	Rej	pairs cl	utch sy	ystems	•								
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> NV		
Key C	ompete	encies												
D-10.0	1.01													
D-10.0	1.02	remove, disassemble and inspect clutch system components for conditions such as damage and wear												
D-10.0	1.03	select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications												
D-10.0	1.04				n or ser ecificati	vice con ons	nponen	ts accor	ding to	manufa	cturers	,		
D-10.0	1.05	reas	semble	clutch s	system (compon	ents an	d perfo	rm adju	stments	3			
D-10.0	1.06	perf	orm ble	eding p	orocedu	res								
D-10.0	1.07	com	plete re	pair by	verifyi	ng syste	m's fur	nction a	nd perfo	ormance	9			
Sub-ta	ask													
D-10.0	02	Rej	pairs to	orque c	onvert	ers, flu	id cou	plers a	nd reta	rders.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key C	ompete	encies												
D-10.0	2.01	select and use repair tools and equipment such as micrometer, feeler gauge										uge		
D-10.0	2.02		and pullers remove, disassemble and inspect torque converter, fluid coupler and retarder components for conditions such as damage and wear											

D-10.0	2.03		select repair parts and materials such as gaskets, sealants and fastening									
D-10.0	2.04	repl	devices according to repair requirements and manufacturers' specifications replace, recondition or service components according to manufacturers' procedures and specifications									
D-10.0	2.05	reas	reassemble torque converter, fluid coupler and retarder components and perform adjustments									
D-10.0	2.06	com	complete repair by verifying system's function and performance									
Sub-ta	ask											
D-10.03 Repairs driveline systems.												
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
D-10.0	3.01	select and use repair tools and equipment such as pullers, torque wrench and press										
D-10.0	3.02	remove, disassemble and inspect driveline system components for conditions such as damage and wear										
D-10.0	3.03		ct repaii ices acco	-			_				_	ions
D-10.0	3.04	-	ace, reco				nponen	ts accor	ding to	manufa	cturers'	,
D-10.0	3.05	reas	semble	drivelir	ne comp	onents	and per	rform ac	djustme	nts		
D-10.0	3.06	com	plete re	pair by	verifyii	ng syste	m's fun	nction ar	nd perfo	ormance		
Sub-ta	ask											
D-10.0		Rej	pairs tr	ansmis	ssion a	nd tran	sfer ca	se syst	ems.			
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
D-10.0	4.01	sele pres	ct and u	se repa	ir tools	and equ	ıipment	t such as	s puller	s, torqu	e wrenc	h and
D-10.0	4.02		ove, dis ponents			-				fer case	system	

D-10.0	4.03		select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications										
D-10.0	4.04	repl	replace, recondition or service components according to manufacturers' procedures and specifications										
D-10.0	4.05	reas	reassemble transmission and transfer case components and perform calibration and adjustments										
D-10.0	4.06	com	complete repair by verifying system's function and performance										
Sub-ta	ask												
D-10.0	05	Rej	pairs ax	de and	differ	ential s	ystem	s.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	ncies											
D-10.0	5.01		select and use repair tools and equipment such as pullers, torque wrench and press										
D-10.0	5.02	remove, disassemble and inspect axle and differential system components for conditions such as damage and wear											
D-10.0	5.03		ct repaii ices acco	-			-				_		
D-10.0	5.04	-	ace, reco nufactur						al comp	onents	accordi	ng to	
D-10.0	5.05	reas	semble	compoi	nents ar	nd perfo	rm adjı	ustment	S				
D-10.0	5.06	com	plete re	pair by	verifyii	ng syste	m's fur	nction aı	nd perfo	ormance	j		
Sub-ta	ask												
D-10.0	06	Rej	pairs fi	nal dri	ve syst	ems.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	ncies											
D-10.0	6.01		ct and u press	se repa	ir tools	and equ	iipmen	t such a	s puller	s, induc	tion hea	ater	
D-10.0	6.02		ove, dis ditions s			-		ive syste	em com	ponents	for		

D-10.06.03	select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications
D-10.06.04	replace, recondition or service final drive components according to manufacturers' procedures and specifications
D-10.06.05	reassemble components and perform adjustments
D-10.06.06	complete repair by verifying system's function and performance

BLOCK E

STEERING, SUSPENSION, BRAKE SYSTEMS, WHEEL ASSEMBLIES AND UNDERCARRIAGE

Context

Heavy duty equipment technicians must be able to efficiently diagnose and repair steering, suspension and brake systems. These systems are integral to supporting and controlling the equipment safely.

It is important that all diagnostic and repair tasks are performed according to manufacturers' specifications and jurisdictional regulations. These components are vital to the safe operation of the equipment. There are specific safety concerns and hazards involved in working on these systems due to highly pressurized components.

Trends

There is a trend to higher standards in the safety aspect of these systems. With this, there are more electronic checks which warn of components' limitations and wear.

Electronic controls are becoming more prevalent to help reduce operator fatigue. In brake systems, these are used in ABS and anti-skid systems. There are also more electronically-controlled steering features such as auto-centering and joystick steering, and suspension features such as load levelling and load sensing devices.

Tire installation is getting more specialized and is often out sourced to tire shops.

Related Components (include, but not limited to) Wheel steering systems: tires, wheels, hubs, axles, spindles, king pins, pins, bushings, hydraulic pumps, control valves, cylinders, pumps, tierods, ball studs, steering wheel, joystick, pitman arm, drag links, steering shaft, hydraulic motor, wheel bearings, seals, fluids and lubricants, hoses and fittings, steering box, mounting hardware, electrical/electronic controls, secondary/emergency steering.

Track steering systems: control levers, linkages, control valves, steering clutches, steering brakes, hydraulic pump, hydraulic motor, lines, fluids and lubricants, sprockets, planetary system, electrical/electronic controls.

Suspension systems: spring hangers, springs, axle assemblies, pins, bushings, walking beams, hydro-pneumatic struts, torque rods, rubber blocks, air bags, air valves, shocks, struts, valves, accumulators, cylinders, fluids and lubricants, bolts, rivets, electrical/electronic controls.

Wet/dry brake systems: lines, hoses, booster, accumulators, valves, air supply system, air control system, brake actuator and linkage, pistons, drums, calipers, wheel cylinders, slack adjusters, s-cams, rotors, discs, plates, backing plates, shoes, springs, shafts, brake bands, anti-lock systems.

Wheel assemblies: tires, rims, tubes, wheels, mounting hardware, valve stems, automatic inflation systems, chains, seals.

Undercarriage: tracks, frame, rollers, bogies, idlers, sprockets, pins, bushings, mounting hardware, guards, adjusting mechanism, equalizer bar, pivot shaft, recoil spring, related fasteners.

Tools and **Equipment**

See Appendix A.

Task 11

Diagnoses steering, suspension, brake systems, wheel assemblies and undercarriage.

K 1	jurisdictional regulations
K 2	steering system types and operation such as hydrostatic, hydraulic, clutch/brake and electric over hydraulic
K 3	steering system components and specifications
K 4	suspension system types, operation, components and specifications
K 5	wheel mounting types such as pilot-mount and hub-mount
K 6	wheel types such as steel, aluminium and composite
K 7	wear limits and patterns, and measurement methodology
K 8	tire construction such as radial, bias ply, steel and solid
K 9	tire inflation methods such as calcium, nitrogen and air
K 10	tire removal and installation, and general tire safety
K 11	the effects of related systems on wheel assemblies such as steering, suspension and brake systems

K 12 K 13		, ,	types and installation of tire chains undercarriage system types, operation, components and specifications										
Sub-t	ask												
E-11.0)1	Dia	agnose	s steeri	ng sys	tems.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	ncies											
E-11.0	1.01			_					-	sure gai puter	ıges,		
E-11.0	1.02	cyli	multimeter, handheld scanner, laptop and onboard computer locate components and perform tests such as flow tests, pressure checks, cylinder leakage tests, motor leakage tests, cycle time tests and secondary steering tests										
E-11.0	1.03	pres	perform sensory inspection to identify problems such as leaks, low tire pressure, uneven track tension, irregular tire or track wear patterns and worn, bent or broken parts										
E-11.0	1.04	take	fluid s	amples	and inte	erpret r	esults to	identif	y probl	ems and	d trends	;	
E-11.0	1.05		ipare eq iplaint a		-			cturers'	specific	cations t	o verify	7	
E-11.0	1.06	rem	ove and	l disass	emble d	lefective	e compo	nent to	identify	y proble	em		
E-11.0	1.07		-	-			nctiona ufacture		-	ections ns	to deter	mine	
Sub-t	ask												
E-11.0)2	Dia	agnose	s suspe	ension	system	ıs.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	ncies											
E-11.0	2.01		ct and u	_			ch as flo	w gaug	es, pres	sure gai	ages, pr	у	
E-11.0	2.02		te comp		and per	rform te	ests sucl	n as pre	ssure te	sts, leak	tests aı	nd	

E-11.02.03	perform sensory inspection to identify problems such as wear, leakage, cracks, sags, noise and vibration
E-11.02.04	take fluid samples and interpret results to identify problems and trends
E-11.02.05	compare equipment operation to manufacturers' specifications to verify complaint and expected performance
E-11.02.06	remove and disassemble defective component to identify problem
E-11.02.07	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-t	ask											
E-11.0	3	Dia	agnose	s brake	syster							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
E-11.03	3.01		select and use diagnostic tools such as onboard computers, laptops, handheld scanners, pressure gauges, multimeters and infrared temperature gun									
E-11.03	3.02		locate components and perform tests such as leak test, pressure test and stopping distance test								l	
E-11.03	3.03	-		•	-	n to ide n and lea	, ,	oblems	such as	improp	er brak	e
E-11.03	3.04	take	fluid s	amples	and into	erpret re	esults to	identif	y probl	ems and	d trends	;
E-11.03	3.05		compare equipment operation to manufacturers' specifications to verify complaint and expected performance								7	
E-11.03	3.06	rem	ove and	l disass	emble d	lefective	compo	nent to	identify	y proble	em	
E-11.03	3.07		-	•		lts of fu to manu					to deter	mine

Sub-ta	sk												
E-11.04	1	Dia	gnoses	wheel	assem	blies.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key Co	mpeter	ncies											
E-11.04	.01			U		ools suc rd comp		ad wear	gauge,	torque	wrench	, tire	
E-11.04	.02		locate components and perform tests such as tire pressure test and wheel nut torque check										
E-11.04	.03	-	perform sensory inspection to identify problems such as leaks, cracks and worn components										
E-11.04	.04		verify equipment operation that components meet manufacturers' specifications for the equipment										
E-11.04	.05	remo	ove and	disasse	emble d	efective	compo	nent to	identify	proble	m		
E-11.04	.06		1	,				l tests ar			to deter	mine	
Sub-ta	sk												
E-11.05	5	Dia	gnoses	under	carriag	ge syste	ems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	NT NV	YT NV	<u>NU</u> NV	
Key Co	mpeter	ncies											
E-11.05	.01		ct and u	_	nostic to	ools suc	h as inf	rared te	mperati	ure gun	, calipe	rs and	
E-11.05	.02		te comp		-	form te	sts such	n as mea	suring	pin wea	ır, bush	ing	
E-11.05	.03	perform sensory inspection to identify problems such as wear, cuts, cracks and leaks											
E-11.05	.05.04 compare equipment operation to manufacturers' specifications to verify complaint and expected performance									,			
E-11.05	.05	remo	ove and	disasse	emble d	efective	compo	nent to	identify	proble	m		
E-11.05	.06		-	_				l tests ar rs' spec	_		to deter	mine	

Task 12

Repairs steering, suspension, brake systems, wheel assemblies and undercarriage.

Required Knowledge

K 1	jurisdictional regulations
K 2	steering system types and operation such as hydrostatic, hydraulic, clutch/brake and electric over hydraulic
K 3	steering system components and specifications
K 4	suspension system types, operation, components and specifications
K 5	wheel mounting types such as pilot-mount and hub-mount
K 6	wheel types such as steel, aluminium and composite
K 7	wear limits and patterns, and measurement methodology
K 8	tire construction such as radial, bias ply, steel and solid
K 9	tire inflation methods such as calcium, nitrogen and air
K 10	tire removal and installation, and general tire safety
K 11	the effects of related systems on wheel assemblies such as steering, suspension and brake systems
K 12	types and installation of tire chains
K 13	undercarriage system types, operation, components and specifications

Sub-task

E-12.01 Repairs steering systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

E-12.01.01	select and use repair tools and equipment such as precision measuring tools, multimeter, hand tools and shop tools
E-12.01.02	remove and disassemble defective and worn components according to manufacturers' specifications and procedures
E-12.01.03	select repair parts and materials according to repair requirements and manufacturers' specifications
E-12.01.04	assemble and install components according to manufacturers' specifications and procedures
E-12.01.05	replace, recondition, service and reassemble components according to manufacturers' specifications and procedures

E-12.0	1.06	,	adjust and calibrate steering system components and parts to manufacturers specifications						urers'			
E-12.0	1.07	perf	perform pre-lubrication and bleeding procedures									
E-12.0	1.08	com	plete re	pair by	verifyi	ng syste	em's fun	nction, d	lriveabi	lity and	perform	nance
Sub-t	ask											
E-12.0)2	Re	pairs su	ıspens	ion sys	stems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
E-12.0	2.01		select and use repair tools and equipment such as hand tools, power tools and shop tools						ols			
E-12.0	2.02		remove and disassemble defective and worn components according to manufacturers' specifications and procedures									
E-12.0	2.03		select repair parts and materials according to repair requirements and manufacturers' specifications									
E-12.02	2.04		mble ar proced		ll comp	onents	accordii	ng to m	anufact	urers′ ร _ุ	pecificat	tions
E-12.02	2.05	-	ace, reco nufactur						ponents	s accord	ing to	
E-12.02	2.06	,	ıst and o nufactur		-	-	stem co	ompone	nts and	parts to)	
E-12.0	2.07	perf	orm pre	e-lubric	ation, a	ir build-	up and	chargi	ng proce	edures		
E-12.0	2.08	com	plete re	pair by	verifyi	ng syste	em's fun	nction, d	lriveabi	lity and	perform	nance

Sub-t	ask											
E-12.0	3	Re	pairs b	rake sy	stems.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
E-12.0	3.01	select and use repair tools and equipment such as hand tools, power tools and shop tools									ols	
E-12.03	3.02				emble d ecification				nponent	s accord	ding to	
E-12.0	3.03		-	1	and mat		ccordin	g to rep	air requ	ıiremen	ts and	
E-12.03	3.04		assemble and install components according to manufacturers' specifications and procedures							tions		
E-12.03	3.05	-	replace, recondition, service and reassemble components according to manufacturers' specifications and procedures									
E-12.0	3.06	adjust brake system components and parts to manufacturers' specifications							ions			
E-12.0	3.07	perf	orm pro	e-lubric	ation, a	ir build-	-up, bre	ak-in aı	nd bleed	ling pro	cedure	S
E-12.03	3.08	com	plete re	pair by	verifyi	ng syste	em's fur	ection, c	lriveabi	lity and	perfori	mance
Sub-t	ask											
E-12.0	1 4	Re	pairs w	heel a	ssembl	ies.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
E-12.0	4.01		ct and u shop to	-	ir tools	and equ	uipmen	t such a	s hand	tools, po	ower to	ols
E-12.0	remove and disassemble defective and worn components according to manufacturers' specifications and procedures											
E-12.0	4.03		-	-	and mat		ccordin	g to rep	air requ	ıiremen	ts and	
E-12.0	4.04				ll comp	onents	accordi	ng to m	anufact	urers′ s _]	pecifica	tions
E-12.0	4.05	-	and procedures replace, service and reassemble components according to manufacturers' specifications and procedures						's'			

E-12.0	4.06	adjı	adjust tire pressure to manufacturers' specifications									
E-12.0	4.07	peri	perform pre-lubrication procedures on wheel bearings									
E-12.0	4.08	complete repair by verifying system's f							lriveabi	lity and	perforr	nance
Sub-t	ask											
E-12.0)5	Re	pairs u	nderca	rriage	system	s.					
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	encies										
E-12.0	5.01		select and use repair tools and equipment such as pin presses, torches and impact wrenches									
E-12.0	5.02		remove and disassemble defective and worn components according to manufacturers' specifications and procedures									
E-12.0	5.03		select repair parts and materials according to repair requirements and manufacturers' specifications									
E-12.0	5.04	assemble and install components according to manufacturers' specifications and procedures						tions				
E-12.0	5.05		lace, rec						ponents	accord	ing to	
E-12.0	5.06	adjı	ıst unde	ercarria	ge comp	onents	and par	rts to m	anufact	urers' s	pecifica	tions
E-12.0	5.07	perf	adjust undercarriage components and parts to manufacturers' specifications perform pre-lubrication and break-in procedures									

E-12.05.08

complete repair by verifying system's function, driveability and performance

BLOCK F

ELECTRICAL AND VEHICLE MANAGEMENT SYSTEMS

Context

Electrical and vehicle management systems are vital to the operation of the vehicle and must work together to provide feedback to and from the driver. They control the operation of various components throughout the vehicle.

Heavy duty equipment technicians must diagnose and repair electrical and electronic faults in order to return the vehicle to service promptly.

Electronics increases operation efficiency and driver ergonomics. Electrical and vehicle management systems enable companies to manufacture more environmentally friendly equipment.

Trends

There is an increase in the use of ECMs to control more components. In the future, there will be more use of wireless communication systems. There is a trend towards the use of global positioning system (GPS). Increasingly, electronic systems are being used in vehicle stability systems, proximity awareness and anti-theft. The use of higher voltage systems will become more common.

Related Components (include, but not limited to)

Electrical: battery, alternator, starter, SP switches, insulators, cables, wires, lights, wire harness, gauges, solenoids, relays, diodes, capacitors, inverters, converters, switches, fuses, fuse panel, buzzers, alarms, senders and coils, and fluids.

Vehicle management systems: electronic control modules, senders, coils, electronic control valves, speed sensors, temperature sensors, pressure sensors, position sensor and software.

Tools and Equipment

See Appendix A.

Task 13

Diagnoses electrical systems.

K 1	types and operation of starting systems
K 2	types and operation of charging systems
K 3	battery systems and voltages such as 6, 12, 24, 36 and 48 volt

K 4		basi	a uzirina	r princi	nlos sal	nomatic	s and di	iagrame	,			
K 5		basic wiring principles, schematics and diagrams electrical principles such as Ohm's law and electron theory										
K 6		gene	general electrical components such as fuses, ignition switches, relays, circuit breakers and inverters									
K 7		wire	charac	teristics	such as	s gauge,	, insulat	ion and	l termin	ations		
K 8		type	s and o	peratio		nting sys					5	
K 9		type	s and o	peratio	n of wip	er syste	ems, cor	mponen	its and a	accessor	ries	
K 10		type	s and o	peratio	n of auc	lio and	video sy	ystems				
K 11		aud	io and v	rideo sy	stem co	mpone	nts such	ı as disp	olays an	d speak	ers	
K 12			ice cons ssories	siderati	ons sucl	n as tem	peratur	re, locat	ion of c	ompone	ents and	
K 13		, ,	es of elec agemer			ries sucl	n as rem	note cor	itrols, G	SPS and	materia	.1
K 14		<i>J</i> 1	types and operation of instrumentation systems such as gauges, speedometers and tachometers									
K 15		types and operation of displays such as temperature, compasses and engine monitoring										
K 16		safety systems such as warnings, interlocks and lighting										
K 17		potential hazards such as electrostatic discharge (ESD), electrocution and burns										
K 18		types of electrical systems such as multiplex and CAN-bus										
Sub-ta	ask											
F-13.0	1	Dia	ignose	s starti	ng/cha	rging s	ystems	and b	atteries	6.		
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
F-13.01	1.01			_		ools and				nd circu	it tester	•
F-13.01	.02	insp	ect com	ponent	s and a	ccessori or failu	es such					
F-13.01	.03		Ü		Ü	g and lo		ng of ba	attery a	nd batte	ery syste	ems
F-13.01	.04	perf	orm and	d interp	ret hyd	romete	r test	-	-			
F-13.01	.05	interpret and follow wiring schematics and diagrams										

F-13.01.06	perform starting/charging system and battery tests such as AVR, voltage drop and parasitic draw
F-13.01.07	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-t	ask											
F-13.0)2	Dia	agnose	s electi	rical co	mpone	nts, m	otors a	nd acce	essories	5.	
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
F-13.0	2.01		ect and u	_	nostic t	ools and	d equip	ment su	ch as m	ultimet	er, scan	tool
E 12 0	2.02	incr	oct con	nonon	ts moto	re and r	viros fo	r cianc	of twoor	damaa	o or fail	1110

	and circuit tester
F-13.02.02	inspect components, motors and wires for signs of wear, damage or failure
F-13.02.03	inspect connectors and connections for conditions such as corrosion, poor contacts and damaged terminals
F-13.02.04	interpret and follow wiring schematics and diagrams
F-13.02.05	perform tests such as voltage drop and resistance check to pinpoint failure
F-13.02.06	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Task 14	Repairs elect	trical systems.
		,

K 1	types and operation of starting systems
K 2	types and operation of charging systems
K 3	battery systems and voltages such as 6, 12, 24, 36 and 48 volt
K 4	basic wiring principles, schematics and diagrams
K 5	electrical principles such as Ohm's law and electron theory
K 6	general electrical components such as fuses, ignition switches, relays, circuit breakers and inverters
K 7	wire characteristics such as gauge and insulation
K 8	types and operation of lighting systems and components such as incandescent, LED and HID

K 9		type	es and o	peratio	n of wip	er syste	ems, cor	mponen	its and a	accessor	ies	
K 10		type	types and operation of audio and video systems									
K 11		aud	audio and video system components such as displays and speakers									
K 12			service considerations such as temperature and location of components a accessories								and	
K 13			es of elec nagemer			ries sucl	n as rem	note cor	itrols, G	SPS and	materia	ıl
K 14			es and o	-			ation sy	stems s	such as	gauges,		
K 15			es and o	peratio	n of dis	plays su	ıch as te	emperat	ure, cor	npasses	and en	gine
K 16		safe	ty syste	ms sucł	n as wai	rnings, i	nterlocl	ks and l	ighting			
Sub-ta	ask											
		Repairs starting/charging systems and batteries.										
F-14.0	1	Re	pairs st	arting/	chargi:	ng syst	ems an	ıd batte	eries.			
		-	-							<u>NT</u>	<u>YT</u>	<u>NU</u>
F-14.0 <u>NL</u> yes	1 <u>NS</u> yes	Re _l PE yes	pairs st <u>NB</u> NV	arting/ <u>QC</u> yes	'chargi <u>ON</u> yes	ng syst <u>MB</u> yes	ems an <u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
<u>NL</u> yes	<u>NS</u>	<u>PE</u> yes	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>			
<u>NL</u> yes	<u>NS</u> yes ompete	PE yes encies	<u>NB</u>	QC yes	ON yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	NV	NV	NV
<u>NL</u> yes Key C	<u>NS</u> yes ompete 1.01	PE yes encies sele and sele	<u>NB</u> NV ct and u	QC yes use tools ized too	ON yes s and eq ols	MB yes Juipmer	<u>SK</u> yes at such a	AB yes as scan	BC yes tool, had	NV nd tools astening	NV , multing device	NV meter
<u>NL</u> yes Key C F-14.03	NS yes ompete 1.01	PE yes encies sele and sele acco	NB NV ct and u speciali	QC yes use tools ized too r parts a	ON yes s and eq olls and mater	MB yes quipmer terials so	SK yes at such a ach as la	AB yes as scan ubrican nufactu	BC yes tool, had ts and farers' spe	NV nd tools astening	NV , multing device	NV meter
NL yes Key C F-14.01	NS yes ompete 1.01 1.02	PE yes encies sele and sele according perform	NB NV ct and u speciali ct repair	QC yes use tools ized too r parts a o repair osting, o	ON yes s and eq ols and mate require	MB yes quipmer terials so ements a	SK yes at such a uch as la and man and testi	AB yes as scan the ubrican nufactur ing of ba	BC yes tool, had ts and forers' speattery and	NV nd tools astening ecification nd batte	NV , multing device ons ery syste	NV meter es
NL yes Key C F-14.01 F-14.01	NS yes ompete 1.01 1.02 1.03 1.04	PE yes encies sele and sele acco perf rem batt repl	NB NV ct and u speciali ct repair ording to form boo	OC yes use tools ized too r parts a po repair osting, on ponen	ON yes s and equile require chargin	MB yes quipmer terials stements a g and lo	SK yes at such a ach as la and man ad testi	AB yes as scan ubrican nufactu ng of ba arts suc	BC yes tool, had ts and farers' spe attery at h as alte	NV astening ecification nd batte ernators	NV , multing device ons ery systems, starter	NV meter es ems es and

Sub-task

F-14.02 Repairs electrical components, motors and accessories.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

F-14.02.01	select and use tools and equipment such as hand tools and soldering equipment
F-14.02.02	select repair parts and materials such as terminals, insulators and fastening devices according to repair requirements and manufacturers' specifications
F-14.02.03	remove components to access defective parts such as wiring harnesses, connectors, relays and fusible links
F-14.02.04	replace or repair components according to manufacturers' specifications and recommendations
F-14.02.05	repair wiring using methods such as splicing, terminal replacement, soldering and crimping
F-14.02.06	complete repair by verifying system's function and performance

Task 15 Diagnoses electronic vehicle management systems.

K 1	diagnostic code types such as fault codes, error codes and events
K 2	types of manufacturer-specific networks and software
K 3	diagnostic code protocols and actions
K 4	types, operation and interrelationship of modules
K 5	types of parameters such as revolutions per minute (RPM), throttle position (TPS) and vehicle speed sensor (VSS)
K 6	relationship of various parameters
K 7	parameter definitions
K 8	network circuitry types
K 9	input and output modules
K 10	vehicle diagnostic communication systems

K 11 K 12 K 13		basi	methods of software transfer basic computer processes sensor and accumulator operation, calibration and testing procedures									
Sub-ta	ask											
F-15.0	1	Reads diagnostic trouble codes (DTCs).										
<u>NL</u> yes	<u>NS</u> yes	PE yesNB NVQC yesON yesMB yesSK yesAB yesBC yesNT NVYT NVNVyesyesyesyesNVNV						<u>NU</u> NV				
Key C	ompete	ncies										
F-15.01	select and use scan tool to read and erase codes such as powertrain control module (PCM) and transmission control module (TCM)								trol			
F-15.01	F-15.01.02 perform functional tests to find active and intermittent codes											
F-15.01	1.03	refer to manufacturers' diagnostic sequence for code definition										
Sub-ta	ask											
F-15.0	2	Mo	nitors	param	eters.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
F-15.02	2.01		ct and u			monito	r param	ieters su	ıch as T	PS, EGF	R and in	take
F-15.02	2.02	use	diagnos	stic tool	s to moi	nitor pa	rametei	rs				
F-15.02	2.03	sele	ct and o	rganize	e relevar	nt paran	neters t	o compa	are resu	lts		
F-15.02	2.04	reco	record parameters (snapshots) for playback to aid with diagnosis									

Sub-task												
F-15.03 Interprets test results.												
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> NV
Key C	ompete	encies										
F-15.03.01 interpret relative parameters to compare results with manufacturers' specifications												
F-15.03	3.02	dete	ermine f	aulty ci	rcuitry	and/or	compon	ents				
F-15.03.03 refer to recorded parameters to assist in dia						liagnosi	s					
Sub-t	ask											

yes	yes	yes
Key C	ompete	ncies

<u>NS</u>

<u>PE</u>

F-15.04

<u>NL</u>

F-15.04.01	select and use tools such as multimeter, circuit tester and break-out box to diagnose circuitry and components such as wiring, sensors and modules according to manufacturers' specifications
F-15.04.02	determine faulty circuitry, sensors and components

<u>MB</u>

yes

<u>SK</u>

yes

<u>AB</u>

yes

<u>BC</u>

yes

 \underline{NT}

NV

<u>YT</u>

NV

<u>NU</u>

NV

Task 16	Repairs electronic vehicle management systems.
Task 10	Repairs electronic venicle management system

Tests system circuitry and components.

<u>ON</u>

yes

<u>NB</u>

NV

<u>QC</u>

yes

K 1	methods of software transfer
K 2	basic computer processes
K 3	types of components such as control module, wire harnesses, and input and output devices
K 4	cable types such as twisted pair and shielded wire
K 5	types of wiring repair procedures such as splicing, soldering and crimping

K 6 K 7			methods of verifying repair such as clear codes, retest and operational tests sensor operation, testing, calibration and adjustment procedures										
Sub-t	ask												
F-16.0)1	Updates component software.											
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes										<u>NU</u> NV	
Key C	ompete	encies											
F-16.0	1.01	sele	ct and u	ıse scan	tool an	d comp	uter to	update	module	softwa	re		
F-16.0	1.02		gram m umenta		0			-		-		vare	
F-16.0	1.03	con	figure n	nodules	accord	ing to v	ehicle r	equirem	ents an	d optio	ns		
F-16.0	1.04	veri	verify operation of updated modules										
Sub-task													
Sub-t	ask												
Sub-t F-16.0		Re	pairs co	ompon	ents.								
		Re PE yes	pairs co <u>NB</u> NV	Ompon OC yes	ents. ON yes	MB yes	<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	YT NV	<u>NU</u> NV	
F-16.0 <u>NL</u> yes	<u>NS</u>	<u>PE</u> yes	<u>NB</u>	<u>QC</u>	<u>ON</u>	·							
F-16.0 <u>NL</u> yes	NS yes Compete	<u>PE</u> yes encies sele	<u>NB</u>	QC yes	<u>ON</u> yes	yes	yes	yes	yes	NV	NV		
F-16.0 NL yes Key C	NS yes Sompete	PE yes encies sele spec	<u>NB</u> NV ct and u	QC yes use tools ols cle-spec	ON yes s and eq	yes Juipmer tionary	yes nt such a	yes as hand	yes tools, s	NV can tool	NV NV	NV	
F-16.00 NL yes Key C F-16.00	NS yes Compete 2.01 2.02	PE yes encies sele spec follo and	NB NV ct and ucialty to	QC yes use tools ols cle-spec	ON yes s and eq cific cau er sourc	yes quipmer tionary ces	yes nt such a proced	yes as hand ures suc	yes tools, s	NV can tool	NV NV	NV	
F-16.02 NL yes Key C F-16.02	NS yes compete 2.01 2.02 2.03	PE yes encies sele spec follo and tran iden	NB NV ct and ucialty to low vehice disabling	QC yes use tools ols cle-spec ng pow odule-sp	ON yes s and eq cific cau er source ecific d	yes Juipmer tionary ces ata to co	yes nt such a proced ompone	yes as hand ures suc	yes tools, s ch as us	NV can tool	NV and -static s	NV	
F-16.02 NL yes Key C F-16.02 F-16.02	NS yes Compete 2.01 2.02 2.03 2.04	PE yes encies sele speciand trandider veh	NB NV ct and ucialty to ow vehi disablinasfer mo	QC yes use tools ols cle-spec ng pow odule-sp d install	ON yes s and eq er source pecific d compa	yes quipmer tionary ces ata to co tible ele	yes proced ompone ctronic	yes as hand ures sucent compor	yes tools, s ch as us	NV can tool	NV and -static s	NV	

BLOCK G

ENVIRONMENTAL CONTROL SYSTEMS

Context

Environmental control systems include accessories and options for driver's comfort and safety. Diagnosis and repair have to be performed according to manufacturers' specifications and procedures. Incorrect processes can result in personal injury, health issues and environmental damage.

Operators are required to work longer hours in the cab which increase the importance of keeping their environment safe and comfortable. Positive cabin pressure and filtered air are needed to keep the air cabin

dust-free to protect the operator and sensitive electronic circuits.

Trends

There is an increased use of non-repairable electrical components and lighter weight materials. There are more consumer-controlled features and personalization of vehicles. New comfort features include instant cabin heat and cooled/heated seats.

Related Components (include, but not limited to) **Auto control systems (HVAC):** A/C compressor, hoses/fittings, condensers/evaporators, heater core, receiver/dryer, accumulator, controls, controller, sensors, filters, control valves, coolant/refrigeration fluids, fans/motors, vents.

Tools and **Equipment**

See Appendix A.

Task 17

Diagnoses environmental control systems.

K 1	diagnostic tools such as onboard computer, hand tools, air flow gauge and temperature gauge
K 2	heating system types, operation, components and specifications
K 3	ventilation system types, operation, components and specifications
K 4	filtration system types, operation, components and specifications
K 5	air conditioning system types, operation, components and specifications
K 6	types and operation of air flow control systems such as manual, electrical and electronic
K 7	operation of components such as fans, blend doors, levers and actuators

K 8	causes of odours						
K 9	types and operation of refrigerant systems						
K 10	principles of refrigeration						
K 11	refrigerants, lubricants and consequences of improper mixing						
K 12	electronic control systems						
K 13	types and operation of heating systems						
K 14	operation of components such as heater core, thermostats, coolant pumps and						
1111	restrictors						
K 15	coolant types and characteristics						
K 16	cabin filters and their locations						
K 17	legislation regarding licensing requirements, use, handling and disposal of refrigerants						
Sub-task							
G-17.01	Diagnoses heating systems.						
NII NIC	DE NE OC ON ME CH AR RC NE ME NE						
	<u>PE</u> <u>NB</u> <u>QC</u> <u>ON</u> <u>MB</u> <u>SK</u> <u>AB</u> <u>BC</u> <u>NT</u> <u>YT</u> <u>NU</u> yes NV yes yes yes yes yes NV NV NV						
yes yes	yes iv yes yes yes yes yes iv iv iv						
Key Competence	cies						
G-17.01.01	select and use diagnostic tools such as thermometer, multimeter and vacuum gauge						
G-17.01.02	locate components and perform tests such as coolant levels, air flow tests and temperature tests						
G-17.01.03	perform sensory inspection to verify customer complaint such as noises, no heat, too much heat and odours to guide the diagnostic process						
G-17.01.04	compare equipment operation to expected performance						
G-17.01.05	recognize worn, damaged and defective components such as fans, hoses and						
	motors						
G-17.01.06	remove and disassemble component to identify problem						
G-17.01.07	determine diagnostic sequence according to manufacturers' specifications						
G-17.01.08	depressurize cooling system before removing radiator cap to avoid personal injury						
G-17.01.09	identify faulty systems such as engine cooling system or HVAC						
	identity faulty systems such as engine cooling system of TTVAC						

Sub-task

G-17.02 Diagnoses ventilation and filtration systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

G-17.02.01	select and use diagnostic tools and equipment such as multimeter, circuit tester and scan tool
G-17.02.02	locate components and perform tests such as air flow tests, voltage tests and resistance tests
G-17.02.03	perform sensory inspection to verify customer complaint such as noises and odours to guide the diagnostic process
G-17.02.04	compare equipment operation to expected performance
G-17.02.05	recognize worn, damaged and defective components such as filters, filter housings and fans
G-17.02.06	interpret and follow wiring diagrams and air flow schematics
G-17.02.07	interpret viewed values and codes to determine condition of systems, components and accessories
G-17.02.08	activate system self-diagnosis function to retrieve trouble codes
G-17.02.09	remove and disassemble component to identify problem
G-17.02.10	check electronically controlled system operation for conditions such as blown fuses, seized motors and broken wires
G-17.02.11	inspect air flow circulation to identify problems such as partially closed doors, restricted cabin filters and odours
G-17.02.12	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications or expected performance

Sub-task G-17.03 Diagnoses air conditioning systems. NLNS PE NB QC ON <u>AB</u> BC NT ΥT NU <u>MB</u> <u>SK</u> NVNV NV NV yes yes yes yes yes yes yes yes yes **Key Competencies** G-17.03.01 select and use diagnostic tools and equipment such as multimeter, circuit tester, A/C gauges and black lights G-17.03.02 locate components and perform tests such as refrigerant pressure tests, air flow tests, voltage tests and resistance tests G-17.03.03 perform sensory inspection to verify customer complaint such as noises and odours to guide the diagnostic process G-17.03.04 compare equipment operation to expected performance G-17.03.05 recognize worn, damaged and defective components such as condensers, evaporators, hoses and seals G-17.03.06 interpret and follow wiring diagrams and air flow schematics G-17.03.07 interpret viewed values and codes to determine condition of systems, components and accessories G-17.03.08 activate system self-diagnosis function to retrieve trouble codes G-17.03.09 remove and disassemble components to identify problem G-17.03.10 check electronically-controlled system operation for conditions such as blown fuses, seized motors and broken wires identify compatibility of refrigerant with systems, tools and seals G-17.03.11 G-17.03.12 pressurize systems with nitrogen to locate leaks

G-17.03.13

performance

interpret and analyze results of functional tests and inspections to determine

required repair according to manufacturers' specifications or expected

Sub-task

G-17.04 Diagnoses sound suppression systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

G-17.04.01	select and use diagnostic tools and equipment such as decibel meter, lighting devices and smoke generators
G-17.04.02	perform sound level tests
G-17.04.03	perform sensory inspection to identify problems such as noise and vibration
G-17.04.04	recognize worn, damaged and defective components such as door and window seals, and loose fasteners
G-17.04.05	remove and disassemble components to identify problem
G-17.04.06	compare equipment operation to manufacturers' specifications to verify complaint and expected performance
G-17.04.07	record sound levels to identify problems and trends
G-17.04.08	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications and regulations

Task 18 Repairs environmental control systems.

K 1	heating system components
K 2	ventilation system components
K 3	filtration system components
K 4	air conditioning system components
K 5	specified system performance
K 6	types and operation of air flow control systems
K 7	procedures to correct problems such as odours, air flow restrictions and noises
K 8	types and operation of refrigerant systems
K 9	refrigerant system hazards
K 10	types and operation of components such as compressors, clutches and receiver dryers

K 11	metering devices such as orifice tubes, expansion valves and coolant valves
K 12	types of refrigerants and oils
K 13	legislation regarding licensing requirements, use, handling and disposal of refrigerants
K 14	electronic control systems
K 15	types and operation of heating systems
K 16	types of coolants and chemical additives
K 17	water quality suitable for heating systems

Sub-t	ask											
G-18.	01	Re	pairs h	eating	system	.s.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
T / O												

Key Competencies

G-18.01.01	select and use tools and equipment such as hand tools, scan tools and multimeter
G-18.01.02	select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications
G-18.01.03	remove, disassemble and inspect heating system components for conditions such as low heat and no air flow
G-18.01.04	follow repair sequence according to manufacturers' specifications
G-18.01.05	depressurize cooling system before removing radiator cap to avoid personal injury
G-18.01.06	fill and bleed cooling system
G-18.01.07	replace, recondition, service and reassemble components such as blend doors, hoses and control valves according to manufacturers' specifications and procedures
G-18.01.08	adjust heating system components and parts to manufacturers' specifications
G-18.01.09	reassemble heating system components and perform measurements
G-18.01.10	clean and deodorize air flow systems with materials such as compressed air, sanitizers and pressurized deodorizers
G-18.01.11	complete repair by verifying system's function and performance

Sub-ta	ask											
G-18.0)2	Rej	pairs ve	entilati	ion and	l filtrat	ion sys	stems.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes										
Key Co	ompete	ncies										
G-18.02	2.01		select and use tools and equipment such as hand tools, scan tools and specialized tools									
G-18.02	2.02		ct repain	-			_				_	ions
G-18.02	2.03		ove, rep id doors		eplace f	aulty co	ompone	nts sucl	h as con	trol uni	ts, filter	s and
G-18.02	2.04		ow repar ected pe	-		ording	to manı	ıfacture	ers' spec	rificatio	ns and	
G-18.02	2.05	unit	ace, reco s, filters cedures						1			
G-18.02	2.06		reassemble ventilation and filtration system components and perform measurements									
G-18.02	2.07		clean and deodorize air flow systems with materials such as compressed air, sanitizers and pressurized deodorizers									
G-18.02	2.08	com	plete re	pair by	verifyii	ng syste	m's fur	nction aı	nd perfo	ormance	9	
Sub-ta	ask											
G-18.0)3	Rej	pairs ai	r cond	itionin	g syste	ms.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
G-18.00	3.01		ct and u to iden	-		_	-	t to evad	cuate ar	ıd recha	rge sys	tem
G-18.00	3.02		ct repain ufactur	-				-	ir seque	nce acco	ording t	0
G-18.03	3.03		ver refr diction	0		acuate a	ir cond	itioning	; system	accord	ing to	

G-18.0	3.04		ove, rep ansion v		replace	e faulty	compoi	nents su	.ch as sv	vitches,	hoses a	nd
G-18.0	3.05		ow repa ected pe	-		ording	to manı	ıfacture	ers' spec	ification	ns and	
G-18.0	3.06	reas	semble	air con	ditionin	g syster	n comp	onents	and per	form m	easuren	nents
G-18.0	3.07		arge sy nanufact				amoun	ts of ref	rigeran	t and oil	ls accor	ding
G-18.0	3.08		clean and deodorize air flow systems with materials such as compressed air, sanitizers, pressurized deodorizers and cleaning agents									
G-18.0	3.09	requ	convert systems to run on other refrigerants according to manufacturers' requirements by performing tasks such as replacing fittings and changing refrigerant oil									
G-18.0	3.10	com	plete re	pair by	verifyii	ng syste	m's fur	nction ar	nd perfo	ormance		
Sub-t	ask											
G-18.	04	Rej	pairs so	ound s	uppres	sion sy	stems.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	YT NV	<u>NU</u> NV
Key C	ompete	encies										
G-18.0	4.01		ct and u seal rer	-		-	-		-	ers, appl	icator g	un
G-18.0	4.02	select repair parts and materials and follow repair sequence according to						o				

manufacturers' specifications and procedures

matting, insulation and seals

measurements

remove, disassemble, recondition and replace faulty components such as

reassemble sound suppression system components and perform

complete repair by verifying system's function and performance

G-18.04.03

G-18.04.04

G-18.04.05

BLOCK H

STRUCTURAL COMPONENTS, ACCESSORIES AND ATTACHMENTS

Context

The structural components are necessary to provide a safe working environment for the operator and others.

The accessories and attachments are vital to the productivity and diversity of the equipment. They must work together to be efficient.

Heavy duty equipment technicians must diagnose, repair and install structural components, accessories and attachments as per company's preference.

The accessories and attachments enable companies to manufacture more environmentally friendly equipment.

Trends

Manufacturers are building machines with the intent of having the versatility needed in the equipment industry. A broad range of attachments and accessories are offered to clients from manufacturers or aftermarket suppliers.

An increase in safety awareness created the need for the development of specific attachments and accessories such as guards, safety glass and machine lock-outs.

For productivity, there is an increase in electronic monitoring, controlled attachments and accessories such as GPS, load management devices, tree harvesters and lighting.

Productivity will dictate the future of structural components, accessories and attachments.

Inspection of structural components, especially ROPS, is being done by engineers for liability reasons.

Equipment features include more operator friendly controls and even full automated control such as joysticks, automated function sequences and automatic levelling controls.

Related Components (include, but not limited to)

Structural components: frames, ROPS/FOPS/OPS, guards, covers and belly pans, boom, sticks and loader arms, platform, stairs, rails, swing and articulation bearings.

Operator station: switches, handles, levers, pedals, gauges, power controls, padded walls/insulation/sound proofing, emergency exit system, sun visors, steering, seat, seat belt, bulbs, glass, wiper, windshield washer, door, radio, mirrors, GPS.

Attachments and accessories: manufacturers' or after-market attachments (buckets, hammer, forks, tree harvesters, clams and grapples), mounting hardware, hydraulic components (hoses, fittings, couplers, actuators, valves, electrical and electronic controls), ground engaging tools, manufacturers' or after-market accessories (auto greaser, light, anti-vandalism equipment, cold weather package, railings, platforms).

Tools and **Equipment**

See Appendix A.

Task 19	Diagnoses structural components, accessories and attachments.
---------	---

Required Knowledge

K 1	structural component construction
K 2	government and company regulations
K 3	operator station types, operation, regulations, components and specifications
K 4	attachment types, operation, regulations, components and specifications
K 5	accessory types, operation, regulations, components and specifications
K 6	interaction of components, accessories and attachments with existing systems
K 7	fundamentals of alignment using tools such as plumb bobs and laser levels

H-19.01 Diagnoses structural components.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

H-19.01.01	select and use diagnostic tools such as dial indicator and magnetic particle tester
H-19.01.02	locate components and perform tests such as dye check test, pin and bearing clearance test and magnetic particle test
H-19.01.03	perform sensory inspection to identify problems such as cracks, leaks and defects

H-19.0	1.04		compare equipment operation to manufacturers' specifications to verify complaint and expected performance									
H-19.0	1.05		remove and disassemble defective component to identify problem									
H-19.0	1.06	inte	interpret and analyze results of functional tests and inspections to determine									rmine
		requ	ired rep	pair acc	ording	to manı	ıfacture	ers' spec	rification	ns		
Sub-ta	ask											
H-19.0)2	Dia	agnoses	s opera	tor sta	tion co	mpone	ents.				
<u>NL</u>	<u>NS</u>	PE	<u>NB</u>	QC	<u>ON</u>	<u>MB</u>	<u>SK</u>	AB	<u>BC</u>	NT	YT	NU
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	ncies										
H-19.0	2.01	sele	ct and u	se diag	nostic t	ools suc	h as de	cibel me	eter, lap	top and	l multin	neter
H-19.0	2.02		locate components and perform operational tests of components, accessories and attachments									
H-19.0	2.03	perform sensory inspection to identify problems such as cracks, leaks and defects										
H-19.0	2.04	compare equipment operation to manufacturers' specifications to verify complaint and expected performance										
H-19.0	2.05	remove and disassemble defective component to identify problem										
H-19.0	2.06		rpret an iired rep	,							to deter	mine
Sub-ta	ask											
H-19.0	03	Dia	agnoses	s attacl	nments	and ac	cessor	ies.				
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	ncies										
H-19.0	3.01	sele	ct and u	se diag	nostic t	ools suc	h as flo	w mete	r, multi	meter a	nd lapto	эр
H-19.0	3.02		te comp uit test	onents	and per	rform te	ests sucl	h as flov	v test, p	ressure	test and	1
H-19.0	3.03	_	perform sensory inspection to identify problems such as cracks, leaks and defects									

H-19.03.04	compare equipment operation to manufacturers' specifications to verify complaint and expected performance
H-19.03.05	remove and disassemble defective component to identify problem
H-19.03.06	interpret and analyze results of functional tests and inspections to determine
	required repair according to manufacturers' specifications

Task 20	Repairs structural	components,	accessories a	nd attachments.

Required Know	Required Knowledge						
K 1	construction of structural components						
K 2	operator station types, operation, regulations, components and specifications						
K 3	attachment types, operation, regulations, components and specifications						
K 4	accessory types, operation, regulations, components and specifications						
K 5	company standards and regulations						
K 6	equipment systems related to structural components, accessories and attachments						
K 7	specified accessory performance						
K 8	interaction of components, accessories and attachments with existing systems						
K 9	government regulations						
K 10	fundamentals of alignment using tools such as plumb bobs and laser levels						

H-20.0)1	Per	Performs mechanical repairs on structural components.									
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
H-20.0	1.01		select and use repair tools and equipment such as precision measuring tools, hand tools and shop tools							tools,		
H-20.0	1.02		remove and disassemble defective and worn components according to manufacturers' specifications and procedures									
H-20.0	1.03		select repair parts and materials according to repair requirements and manufacturers' specifications									
H-20.0	1.04		emble ar proced		ll comp	onents	accordii	ng to ma	anufact	urers' s _]	pecificat	tions

Sub-task

H-20.01	1.05	-	replace, recondition, service and reassemble components such as frames, lift arms and booms according to manufacturers' specifications and procedures									
H-20.01	1.06	-	perform adjustments on components such as bearings and booms to manufacturers' specifications									
H-20.01	1.07	perf	orm pre	-lubrica	ition pr	ocedure	es					
H-20.01	1.08	com	plete re	pair by	verifyir	ng syste	m's fun	ction, o	peratio	n and pe	erforma	nce
Sub-ta	ısk											
H-20.0	2	Rep	airs op	erator	station	ı comp	onents					
		_										
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>
yes	yes	yes	NV	yes	yes	yes	yes	yes	yes	NV	NV	NV
Key Co	mpeten	icies										
H-20.02	2.01	select and use repair tools and equipment such as multimeter, hand tools and shop tools										
H-20.02	2.02		remove and disassemble defective and worn components according to manufacturers' specifications and procedures									
H-20.02	2.03		ct repair ufactur	-			ccording	g to repa	air requ	irement	ts and	
H-20.02	2.04	-	ace, reco ufactur					ole com ures	ponents	accord	ing to	
H-20.02	2.05	,	st opera ufactur			-	s such a	as contr	ols and	sensors	to	
H-20.02	2.06	com	plete re	pair by	verifyir	ng syste	m's fun	ction, o	peratio	n and pe	erforma	nce

Sub-t	ask											
H-20.	03	Re	pairs at	ttachm	ents an	d acces	ssories	•				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes										
Key C	Compete	ncies										
H-20.0	03.01		select and use repair tools and equipment such as precision measuring tools hand tools and shop tools									tools,
H-20.0	03.02		iove and nufactui						nponent	ts accord	ding to	
H-20.0	03.03		ct repai nufactui	-			ccordin	g to rep	air requ	ıiremen	ts and	
H-20.0	03.04	_	replace, recondition, service and reassemble components according to manufacturers' specifications and procedures									
H-20.0	03.05	adjust attachments and accessories such as buckets, forks and auto-greaser to manufacturers' specifications										
H-20.0	03.06	peri	perform pre-lubrication, bleeding and start-up procedures									
H-20.0	03.07	com	complete repair by verifying system's function, operation and performance									
Sub-t	ask											
H-20.	04	Ins	stalls at	tachm	ents an	d acces	ssories	•				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> NV	<u>QC</u> yes	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
H-20.0	04.01		ect and u Is and sl			_l uipmer	nt such	as preci	sion me	asuring	tools, l	nand
H-20.0	04.02		ove and			-		_				ories
H-20.0	04.03		ct parts nufactui				ng to in	stallatic	n requi	rements	and	
H-20.0	04.04		emble ar proced		ıll comp	onents	accordi	ng to m	anufact	urers' s _]	pecifica	tions

H-20.04.05	adjust attachments and accessories such as clams, buckets and tree harvesters to manufacturers' specifications
H-20.04.06	complete installation by verifying system's function, operation and performance



APPENDIX A

TOOLS AND EQUIPMENT

Basic Hand Tools

1/4, 3/8, 1/2, and 3/4 -inch drive socket sets metric at

adjustable wrench

bar (pry, aligning, heel)

battery post and clamp cleaner, battery

terminal nut

battery terminal puller

brass drift

center punch

chisel

convertible 2/3 jaw puller

cutting equipment: side cutter, tube cutter,

wire cutter, plier cutters, shears

digital multimeter

feeler gauge set

file

H puller hacksaw and blade

hammer: impact, rubber, sledge, air, slide,

soft blow

hex key set, metric and imperial

impact wrench (up to 1/2-inch)

jumper wire

magnetic pick-up tool (telescopic, flex)

metric and imperial steel rule

micrometer

pick (o-ring, seal)

pin punch

pipe wrench

pliers: insulated, snap ring, torque,

multipliers

punch

scraper

screwdriver

tape measure

test light

tool chest

torque wrench

torx bit

universal joint

utility knife

vernier caliper

wire brush

wire crimper and stripper

wrench set, combination (metric &

imperial)

wrench set, flare nut (metric & imperial)

Shop Tools

3/4 – 1 inch power bar/torque wrench

air compressor air line adapter alignment tool

analyzer: gas, infrared, vibration meter

battery charger

battery load/starting system tester

bearing heater black light

bleeding equipment

booster cable

butane torch

caliper: outside, inside

carburetor tool

chemical agitator

chisel: air, electric, hand clutch alignment tool

component heating or cooling equipment

compressors: air, mechanical spring,

piston ring, pneumatic spring, spring,

valve spring

computer equipment: terminal, on-board

computer, portable diagnostic computer,

printer

connecting rod aligner

container

continuity tester

coolant recycling unit

Shop Tools (continued)

cooling system pressure tester recycling unit crack detecting equipment refractometer

crimping tool retrieval and storage equipment

cutting and welding torch set ridge reamer cylinder cart and tank sandblaster diagnostic equipment sander

drift saw: jigsaw, hacksaw, hole saw

drill: bench, hand drivers, twist, air scanning tool exhaust expander seal driver extension cord/trouble light shop vacuum soldering iron/gun

file spacer

flaring tool spark lighter
flushing kit steering tool
fuel quality test kit straight edge
fuel recovery and storage system strobe light
funnel stud extractor

graduated vessel suction cups
grease gun tachometer
grinder: bench, hand, valve tap and die set
hand pump temperature gauge

hand pump temperature gauge harness tester thermostat tester honing equipment thread file

hot air gun tire bar labelling kit tire machine

leak detection equipment tire tread depth gauge

leakdown tester torque angle tool, torque wrench

level protractor torque multiplier module tester tube bender vacuum pump

overhaul tools valve grinding equipment valve guide service kit shop, mechanical, hand valve lapping block

pry bar valve seat grinding equipment

puller: bearing, gear, heavy duty, valve spring tester

mechanical vice

inechanicai vice

reamer welding equipment

Safety Equipment

apron goggles communication device ladder

CPR accessories (disposable) leather gloves

ear protection leggings
emergency backup lighting manlift
eye wash station respirator
face shield safety boots
fall arrest equipment safety cage
fall prevention equipment safety glasses

fall prevention equipment safety glasses fire extinguisher safety hat splash suit first aid station sprinkler system

gas mask stretcher

gloves

Hoisting, Rigging and Holding Equipment

axle stand hydraulic guard bottle/axle jack hydraulic hand jack

mobile crane cable hoist repair stand chain hoist shim/blocking clamp shop crane clevis sling/cable/chain dolly spreader bar engine crane support stand engine repair stand tire guard floor hoist

forklift transmission jack

ground strap vice

hydraulic floor jack

Cleaning Equipment

air blowgun hot tank degreaser brake cleaning equipment parts cleaning solvent caustic cleaning tank pressure washer

cleaning cloth soft brush cleaning gloves solvent washer crocus cloth steam cleaner glass bead machine wire brush

Measuring Tools, Gauges and Equipment

air pressure gauge

ammeter

belt tension gauge boost gauge borescope

compression gauge cylinder bore gauge depth micrometer

dial gauge

electric pressure gauge

flowmeter

fuel pressure gauge holding gauge

hydraulic pressure testing gauge/fittings

hydrometer

inside micrometer

level

manifold gauge measuring rod

mechanical pressure gauge

meter stick

non-magnetic feeler gauge oil temperature gauge phototachometer pinion angle gauge

plasti-gauge pressure gauge pull-type scale pyrometer

small hole gauge spectroscope spring scale steel ruler stethoscope straight edge tachometer

telescoping gauge

test lead test light thermometer timing gauge timing light tire gauge torquemeter

transmission gauge set

vacuum gauge vibration analyzer

APPENDIX B

GLOSSARY

accessories non-essential components added to the machine to enhance the operation or

extend machine longevity; for example: greasing systems, radio, air

conditioning and extra lights. Although some accessories are non-essential to the machine operation, they are sometimes required in extreme operating

environments

attachments components added to the machine that are integral to its operation to

perform a specific job; for example: ripper, winch, thumb, hammer, tamper

or forks

base engine assembled block and head including internal components and gear trains

break-in a controlled operation specified by the manufacturer on new or repaired

components to maximize service life

cold weather

system

station

accessories used to aid machine start-up and operation in cold weather environments; may include fluid heaters, extra batteries, glow plug systems, package

ether injection systems, heating pads and inlet air heaters

driveline the shafts, bearings and joints located between a drive component and a

driven component

drivetrain the mechanical portion of the driveline from the flywheel to the tires or the

track excluding hydrostatic systems and electric motors

electrical starting, charging, lighting and accessory circuits without computer control

systems modules

electronic electrical systems operated via computerized electronic control modules and

systems related sensors and wiring

hydrostatic a hydraulic system which uses fluid under pressure to transmit power

through tubes or hoses to drive components such as wheel or track drives

operator environment where the operator controls and monitors the equipment

overhaul rebuild or repair to like new condition

powertrain includes the drivetrain plus the engine (including hydrostatic systems and

electric motors), used to produce power and transmit that power to the drive

components (wheels, tracks, legs, etc.)

sensory inspection	diagnosing or inspecting using sight, sound, smell and feel
start-up	a specific procedure to begin operation of a machine or system
structural components	components that make up the integral structure of the machine; for example: frame, lift arms, booms, sticks, loader frames, counterweights, ROPS, FOPS and OPS
suspension	components that support the main frame from the ground and may include undercarriage, axle and wheel assemblies
undercarriage	track type components required to support the machine and transmit power from the final drive to the ground
vehicle management system	interface between the operator and the equipment's other systems that enables operation and monitoring of the machine
wheel assembly	wheel or rim assembly, tire and attaching hardware

APPENDIX C

ACRONYMS

AVR amperage/voltage/resistance

BSP British Standard Pipe

CAN controller area network

CNG compressed natural gas

CVIP Commercial Vehicle Inspection Program

CVT constantly variable transmission

DTCs diagnostic trouble codes

ECM electronic control modules

ECT electronic controlled transmission

EGR exhaust gas recirculation

EGR exhaust gas recirculation

ESD electrostatic discharge

FOPS falling object protective structure

GPS Global Positioning System

HID high intensity discharge

HS high-speed

HVAC heating, ventilation and air conditioning

HVOF high-velocity oxygen fuel

IAT intake air temperature

JIC Joint Industry Committee

LED light emitting diode

LPG liquefied propane gas

MIG metal inert gas

MSDS Material Safety Data Sheet

NVH noises, vibrations and harshness

OPS Operator protection structure

ORB o-ring boss

ORF o-ring flange

PCM powertrain control module

PCV positive crankcase ventilation

PCV positive crankcase ventilation

ROPS roll-over protective structure

RPM revolutions per minute

SAE Society of Automotive Engineers

SMAW shielded metal arc welding

TCM transmission control module

TDG Transport of Dangerous Goods

TIG tungsten inert gas

TPS throttle position sensor

VIN vehicle identification number

VSS vehicle speed sensor

WHMIS Workplace Hazardous Materials Information System

APPENDIX D

BLOCK AND TASK WEIGHTING

BLOCK A COMMON OCCUPATIONAL SKILLS

%	<u>NL</u> 5	<u>NS</u> 10	<u>PE</u> 8	<u>N</u>		<u>QC</u> 20	<u>ON</u> 3	<u>Ml</u> 10		<u>K</u> 0	<u>AB</u> 10	<u>BC</u> 5	<u>N</u> NV	<u>YT</u> JV	<u>NU</u> NV	National Average 9%
	Task	1	Use	s and	l ma	intai	ns to	ols ar	nd eq	uipı	nent.					
		%				<u>NB</u> NV		<u>ON</u> 0	<u>MB</u> 30	<u>SK</u> 30			<u>NT</u> NV			21%
	Task	2	Peri	form	s ger	neral	mair	ntena	nce a	nd i	nspe	ction	ıs.			
		%		<u>NS</u> 40		<u>NB</u> NV	-	<u>ON</u> 100	MB 30	<u>SK</u> 30	<u>AB</u> 35		NT NV			42%
	Task	3	Org	aniz	es w	ork.										
		%	NL 20	<u>NS</u> 30		<u>NB</u> NV		<u>ON</u> 0	MB 10	<u>SK</u> 20			NT NV			16%
	Task	4	Peri	form	s rou	ıtine	trade	e activ	vities							
		0/				<u>NB</u> NV		<u>ON</u>								21%

BLOCK B ENGINES AND ENGINE SUPPORT SYSTEMS

														National
	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	Average
%	20	15	15	NV	20	20	17	15	16	15	NV	NV	NV	17%
														17 /0

% 20 20 40 NV 15 0 30 20 20 20 NV NV NV

Task 5 Diagnoses engines and engine support systems.

	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	59%
%	60	67	60	NV	40	70	55	65	55	60	NV	NV	NV	37/0

TT 1 /	D ' 1 ' ' '
Task 6	Repairs engines and engine support systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 41%

BLOCK C HYDRAULIC, HYDROSTATIC AND PNEUMATIC SYSTEMS

														National
	<u>NL</u>	<u>NS</u>	\underline{PE}	<u>NB</u>	<u>QC</u>	<u>ON</u>	MB	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	NU	Average
%	20	20	18	NV	20	30	16	18	15	20	NV	NV	NV	20%

Task 7 Diagnoses hydraulic, hydrostatic and pneumatic systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU

63%

Task 8 Repairs hydraulic, hydrostatic and pneumatic systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 37% 40 25 40 NV 60 20 40 30 40 40 NV NV NV

BLOCK D DRIVETRAIN SYSTEMS

														National
	<u>NL</u>	<u>NS</u>	\underline{PE}	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	NU	Average
%	10	15	13	NV	10	12	15	15	15	20	NV	NV	NV	14%

Task 9 Diagnoses drivetrain systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU % 60 67 60 NV 40 70 50 55 45 50 NV NV NV 55%

Task 10 Repairs drivetrain systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU

45%

BLOCK E STEERING, SUSPENSION, BRAKE SYSTEMS, WHEEL ASSEMBLIES AND UNDERCARRIAGE

	NL	NS	PE	NB	QC	<u>ON</u>	<u>MB</u>	SK.	ΔR	RC	<u>NT</u>	YT	<u>NU</u>	National
	INL	110	<u>1 L</u>	IND	<u>QC</u>	OIN	IVID	<u> 51C</u>		<u>bC</u>	111	11	110	Average
%	15	10	20	NV	15	10	15	10	13	15	NV	NV	NV	14%

Task 11 Diagnoses steering, suspension, brake systems, wheel assemblies and undercarriage.

NL NS PE NB QC ON MB SK AB BC NT YT NU 60 40 60 NV 40 90 60 52 50 60 NV NV NV 57%

Task 12 Repairs steering, suspension, brake systems, wheel assemblies and undercarriage.

NL NS PE NB QC ON MB SK AB BC NT YT NU 43%

BLOCK F ELECTRICAL AND VEHICLE MANAGEMENT SYSTEMS

	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	National Average
%	20	20	13	NV	5	15	17	18	15	12	NV	NV	NV	15%

Task 13 Diagnoses electrical systems.

<u>NL NS PE NB QC ON MB SK AB BC NT YT NU</u> % 30 45 30 NV 30 45 30 35 30 30 NV NV NV

Task 14 Repairs electrical systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU % 20 30 20 NV 30 5 20 15 20 20 NV NV NV 20%

Task 15 Diagnoses electronic vehicle management systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU

30%

Task 16 Repairs electronic vehicle management systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU

% 20 10 20 NV 20 5 20 10 20 NV NV NV

BLOCK G ENVIRONMENTAL CONTROL SYSTEMS

														National
	<u>NL</u>	<u>NS</u>	\underline{PE}	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	Average
%	5	7	6	NV	5	4	5	8	9	8	NV	NV	NV	6%

Task 17 Diagnoses environmental control systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU

60 70 60 NV 40 70 55 60 50 60 NV NV NV

Task 18 Repairs environmental control systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 42%

BLOCK H STRUCTURAL COMPONENTS, ACCESSORIES AND ATTACHMENTS

														National
	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	Average
%	5	3	7	NV	5	6	5	6	7	5	NV	NV	NV	5%

Task 19 Diagnoses structural components, accessories and attachments.


NL NS PE NB QC ON MB SK AB BC NT YT NU

60 33 60 NV 40 50 50 50 50 NV NV NV

49%

Task 20 Repairs structural components, accessories and attachments.

NL NS PE NB QC ON MB SK AB BC NT YT NU 840 67 40 NV 60 50 50 50 50 50 NV NV NV 51%



TITLES OF BLOCKS

BLOCK A	Common Occupational Skills	BLOCK E	Steering, Suspension, Brake Systems, Wheel Assemblies and Undercarriage
BLOCK B	Engines and Engine Support Systems	BLOCK F	Electrical and Vehicle Management Systems
BLOCK C	Hydraulic, Hydrostatic and Pneumatic Systems	BLOCK G	Environmental Control Systems
BLOCK D	Drivetrain Systems	BLOCK H	Structural Components, Accessories and Attachments

^{*}Average percentage of the total number of questions on an interprovincial examination, assigned to assess each block of the analysis, as derived from the collective input from workers within the occupation from all areas of Canada. Interprovincial examinations typically have from 100 to 150 multiple-choice questions.

APPENDIX F

TASK PROFILE CHART – Heavy Duty Equipment Technician

BLOCKS	TASKS	SUB-TASKS				
A - COMMON OCCUPATIONAL SKILLS	1. Uses and maintains tools and equipment.	1.01 Maintains tools and equipment.	1.02 Uses hoisting and lifting equipment.	1.03 Operates access equipment.	1.04 Uses personal protective equipment (PPE) and safety equipment.	
	2. Performs general maintenance and inspections.	2.01 Maintains fluids.	2.02 Services fasteners, sealing devices, adhesives and gaskets.	2.03 Services hoses, tubing, piping and fittings.	2.04 Services bearings and seals.	2.05 Services safety features.
		2.06 Performs scheduled maintenance procedures.	2.07 Identifies operational faults.	2.08 Performs operational check- out.		
	3. Organizes work.	3.01 Uses documentation and reference materials.	3.02 Completes documentation.	3.03 Communicates with others.	3.04 Prepares job action plan.	3.05 Maintains safe work environment.
	4. Performs routine trade activities.	4.01 Heats materials.	4.02 Cools materials.	4.03 Cuts materials.	4.04 Welds materials.	4.05 Cleans parts and materials.
B - ENGINES AND ENGINE SUPPORT SYSTEMS	5. Diagnoses engines and engine support systems.	5.01 Diagnoses base engine.	5.02 Diagnoses lubrication systems.	5.03 Diagnoses cooling systems.	5.04 Diagnoses intake and exhaust systems.	5.05 Diagnoses fuel systems.
		5.06 Diagnoses engine control systems.	5.07 Diagnoses emission control systems.			

BLOCKS	TASKS	SUB-TASKS				
	6. Repairs engines and engine support systems.	6.01 Repairs base engines.	6.02 Repairs lubrication systems.	6.03 Repairs cooling systems.	6.04 Repairs intake and exhaust systems.	6.05 Repairs fuel systems.
		6.06 Repairs engine control systems.	6.07 Repairs emission control systems.			
C - HYDRAULIC, HYDROSTATIC AND PNEUMATIC SYSTEMS	7. Diagnoses hydraulic, hydrostatic and pneumatic systems.	7.01 Diagnoses hydraulic systems.	7.02 Diagnoses hydrostatic systems.	7.03 Diagnoses pneumatic systems.		
	8. Repairs hydraulic, hydrostatic and pneumatic systems.	8.01 Repairs hydraulic systems.	8.02 Repairs hydrostatic systems.	8.03 Repairs pneumatic systems.		
D - DRIVETRAIN SYSTEMS	9. Diagnoses drivetrain systems.	9.01 Diagnoses clutch systems.	9.02 Diagnoses torque converters, fluid couplers and retarders.	9.03 Diagnoses driveline systems.	9.04 Diagnoses transmission and transfer case systems.	9.05 Diagnoses axle and differential systems.
		9.06 Diagnoses final drive systems.				
	10. Repairs drivetrain systems.	10.01 Repairs clutch systems.	10.02 Repairs torque converters, fluid couplers and retarders.	10.03 Repairs driveline systems.	10.04 Repairs transmission and transfer case systems.	10.05 Repairs axle and differential systems.
		10.06 Repairs final drive systems.				

BLOCKS	TASKS			SUB-TASKS		
E - STEERING, SUSPENSION, BRAKE SYSTEMS, WHEEL ASSEMBLIES AND UNDERCARRIAGE	11. Diagnoses steering, suspension, brake systems, wheel assemblies and undercarriage.	11.01 Diagnoses steering systems.	11.02 Diagnoses suspension systems.	11.03 Diagnoses brake systems.	11.04 Diagnoses wheel assemblies.	11.05 Diagnoses undercarriage systems.
	12. Repairs steering, suspension, brake systems, wheel assemblies and undercarriage.	12.01 Repairs steering systems.	12.02 Repairs suspension systems.	12.03 Repairs brake systems.	12.04 Repairs wheel assemblies.	12.05 Repairs undercarriage systems.
F - ELECTRICAL AND VEHICLE MANAGEMENT SYSTEMS	13. Diagnoses electrical systems.	13.01 Diagnoses starting/charging systems and batteries.	13.02 Diagnoses electrical components, motors and accessories.			
	14. Repairs electrical systems.	14.01 Repairs starting/charging systems and batteries.	14.02 Repairs electrical components, motors and accessories.			
	15. Diagnoses electronic vehicle management systems.	15.01 Reads diagnostic trouble codes (DTCs).	15.02 Monitors parameters.	15.03 Interprets test results.	15.04 Tests system circuitry and components.	
	16. Repairs electronic vehicle management systems.	16.01 Updates component software.	16.02 Repairs components.			
G - ENVIRON- MENTAL CONTROL SYSTEMS	17. Diagnoses environmental control systems.	17.01 Diagnoses heating systems.	17.02 Diagnoses ventilation and filtration systems.	17.03 Diagnoses air conditioning systems.	17.04 Diagnoses sound suppression systems.	
	18. Repairs environmental control systems.	18.01 Repairs heating systems.	18.02 Repairs ventilation and filtration systems.	18.03 Repairs air conditioning systems.	18.04 Repairs sound suppression systems.	

BLOCKS

H - STRUCTURAL COMPONENTS, ACCESSORIES AND ATTACHMENTS

TASKS

19. Diagnoses structural components, accessories and attachments.

20. Repairs structural components, accessories and attachments. 19.02 Diagnoses operator station components.

19.03 Diagnoses attachments and accessories.

SUB-TASKS

20.01 Performs mechanical repairs on structural components.

19.01 Diagnoses

structural

components.

20.02 Repairs operator station components.

20.03 Repairs attachments and accessories.

20.04 Installs attachments and accessories.