

Quebec Marine Fisheries

Annual Statistics Review

2007-2008

Quebec Marine Fisheries

Annual Statistics Review

2007-2008

Statistics and Licensing Division
Fisheries and Aquaculture Management Branch
Department of Fisheries and Oceans
Quebec (Quebec)
G1K 7Y7

April 2010

Published by:

Statistics and Licensing Division
Fisheries and Aquaculture Management Branch
Department of Fisheries and Oceans
Quebec (Quebec)
G1K 7Y7

@Minister of Supply and Services
Canada 2008
Catalog No Fs1-39/2008E-PDF
ISBN 978-1-100-15609-5

Correct citation for this publication:

Department of Fisheries and Oceans. 2010. Quebec Marine
Fisheries - Annual Statistics Review 2007-2008, 225 p.

Foreword

The hard times that the Quebec fishing industry has been experiencing in recent years underscore the importance of producing reliable statistics that are as up to date as possible. The requests for information that we receive have not only become more numerous and more pressing, but above all more complex. This is the background to this annual statistical report.

The twenty-third edition of the Annual Statistics Review of Quebec marine fisheries, produced by the Department of Fisheries and Oceans (DFO), paints a detailed portrait of the industry in 2007 and 2008. In a nutshell, in this last year, the volume of landings totalled 54,141 metric tons and had an associated value of close to 145 million dollars and in 2008 the volume of landings totalled 55,897 metric tons and had an associated value of close to 135 million dollars.

In the present edition, you will find a section entitled: “**Statistical Profile of Seal Fishery**”. In this section, we are presenting an overview of the activities related to seal fishery in the Quebec Region. You will find information concerning the number of licences issued per type and maritime areas as well as information concerning the landings of harp seal by fleet, and finally, data relating to the seal fishery observation activities.

A supplement entitled “Quebec Marine Fisheries: 2007 and 2008 Highlights” is included in a special pocket on the back cover. This handy, comprehensive reference tool was prepared jointly by the Statistics and Licensing Division and the Policy and Economics Branch to provide a snapshot of the state of Quebec’s fishing industry in 2007 and 2008.

The Statistics and Licensing Division, which is responsible for this publication, is mandated to compile, process, analyse and publish data on Quebec marine fisheries. The statistics produced are of vital importance, first, to assess and highlight the economic value of the industry, and second, to provide managers and scientists with a basis for the various analyses required for effective fishery resource management.

It is important to note that a federal-provincial agreement between the Department of Fisheries and Oceans (DFO) and the Quebec Department of Agriculture, Fisheries and Food (MAPAQ – Ministère de l’Agriculture, des Pêcheries et de l’Alimentation du Québec) has laid the groundwork for greater coordination in collecting data. It aims to eliminate duplication of effort by public servants seeking information from fishing industry players and to promote intergovernmental data sharing.

The three types of data in this report have been obtained in different ways. Catch data are based on the sales transactions between fishers and fish buyers when each vessel lands its catch. For data on fishing effort, used by scientists in their research work, we rely upon the excellent cooperation of skippers, who provided information on fishing grounds, type of gear, target species and species caught, among other things. Finally, statistics on fishermen, fishing fleets and licences come from the licensing process.

The quality of the data in this review depends on (a) the quantity of data that our system gathers from fishermen, buyers and processing plants, and (b) the accuracy of the data. With limited resources, the Statistics and Licensing Division does everything within its power to check the data it gathers, but cannot guarantee that everyone involved submitted all their data. We turn to resource management programs such as enterprise allocations (quota licences), for which strict monitoring methods exist, to ensure that data entered into the system are consistent with observations of landings by dockside monitors.

This does not however apply to every fishery. In addition to that, consultations with Inspectors, Protection Officers, Policy and Economics Branch representatives as well as with industry representatives further enable Statistics and Licensing Division staff to produce reliable, representative data.

The descriptive narratives accompanying the tables and figures are not intended as an in-depth analysis of the state of the marine fisheries in Quebec in 2007 and 2008.

The publication of this annual review of Quebec marine fisheries has been made possible by the hard work and rigour of the Statistics and Licensing Division staff and groups in Sept Îles, Gaspé and Cap-aux-Meules. We would also like to thank the Policy and Economics Branch for its important contribution.

We wish to take this opportunity to thank the fishermen, buyers and producers for their ongoing cooperation; knowing that supplying statistics is an extra burden for them.

All of us in Statistics and Licensing Division hope that you enjoy reading this annual review and welcome any comments or ideas that might help us improve it.

Table of Contents

LIST OF TABLES

LIST OF FIGURES

METHODOLOGY

MARITIME TERRITORY

CONVENTIONAL SYMBOLS

DEFINITIONS OF TERMS USED IN THIS PUBLICATION

CATCH PORTRAIT OF QUEBEC SECTOR FOR 2007 AND 2008

WORK FORCE

- Commercial fishermen
- Vessels
- Buyers

RESOURCE ACCESSIBILITY

- Fishing licenses issued in 2008
- Fishing quotas in Quebec - 2008 year
- Weekly landings by area for selected species

LANDINGS IN QUEBEC

- Landings in Quebec
- Landings by vessels length category - Quebec
- Supplementary purchase slips in Quebec
- Monthly landings in Quebec
- Landings by fishing gear type
- Average landed price
- Ranking of fishing ports
- Landings in Quebec by non Quebec vessels
- Landings outside Quebec by Quebec vessels

Table of Contents

STATISTICAL PROFILE OF SEAL FISHERY

ECONOMIC PROFILE OF QUEBEC MAIN FISHING FLEETS

DISTRIBUTION OF LANDINGS BY SECTOR

GASPÉ PENINSULA

- Landings in the Gaspé Peninsula
- Landings by vessel length category - Gaspé Peninsula
- Supplementary purchase slips - Gaspé Peninsula
- Monthly landings - Gaspé Peninsula
- Landings by subarea
- Average landed prices

NORTH SHORE

- Landings on the North Shore
- Landings by vessel length category - North Shore
- Supplementary purchase slips - North Shore
- Monthly landings - North Shore
- Landings by subarea
- Average landed prices

MAGDALEN ISLANDS

- Landings in the Magdalen Islands
- Landings by vessel length category - Magdalen Islands
- Supplementary purchase slips - Magdalen Islands
- Monthly landings - Magdalen Islands
- Average landed prices

Table of Contents

ST. LAWRENCE

- St. Lawrence Sector

NORTHERN QUEBEC

- Northern Quebec Sector

LANDINGS AND WORK FORCE - ATLANTIC COAST

LANDINGS BY DFO ADMINISTRATIVE REGION

COMPARATIVE DATA - INSIDE AND OUTSIDE GULF

PRODUCTION AND MANPOWER IN PLANT

- Data on plant production
- Plant production in Quebec
- Plant production - Gaspé Peninsula
- Plant production - North Shore
- Plant production - Magdalen Islands
- Data on manpower in plant

QUEBEC EXPORTS AND IMPORTS OF MARINE PRODUCTS

APPENDICES

BIBLIOGRAPHY

List of tables

WORK FORCE IN QUEBEC

- 1 Number of active registered licence holders for 2007 and 2008 by sector (according to port of landing) by age group
- 1B Number of active licence holders in 2007 and 2008 by sector and by fishermen status
- 2 Number of registered vessels in 2007 and 2008 by sector and length group (according to port of landing)
- 2A Number of vessels in all Quebec sectors by tonnage and length group in 2008
- 2B Number of active vessels in Quebec in 2007 and 2008 by sector and length group (according to port of landing)
- 2C Number of active Quebec vessels in Quebec in 2007 and 2008 by sector and length group (according to port of landing)
- 3 Buyers operating in Quebec in 2007 and 2008 by sector

RESOURCE ACCESSIBILITY

- 4 Number of commercial fishing licences issued by sector in 2007 and 2008 for selected species (excluding seal fishery licences)
- 4A Number of seal fishery licences issued in 2007 and 2008, by sector
- 5 Number of commercial fishing licences issued in Quebec in 2008 for the main species (excluding seal fishery licences)
- 6 Number of commercial fishing licences issued on the Gaspé Peninsula in 2008 for the main species (excluding seal fishery licences)
- 7 Number of commercial fishing licences issued on the North Shore in 2008 for the main species (excluding seal fishery licences)
- 8 Number of commercial fishing licences issued in the Magdalen Islands in 2008 for the main species (excluding seal fishery licences)
- 9 Fishing quotas applicable to Quebec, 2008
(excluding supplementary purchase slips)

List of tables

- 10A Weekly crab landings by zone
(excluding supplementary purchase slips), 2008
- 10B Weekly shrimp landings by shoal, 2008
- 10C Weekly cod landings by division for the main mobile gears groups
(excluding supplementary purchase slips), 2008
- 10D Weekly cod landings, by division, for all fixed gears
(excluding supplementary purchase slips), 2008
- 10E Weekly lobster landings by zone, 2008

LANDINGS IN QUEBEC

- 11 Landings in Quebec in 2007 and 2008
- 11A Landings in Quebec by vessels under 35' in 2007 and 2008
- 11B Landings in Quebec by vessels 35' to 44'11" in 2007 and 2008
- 11C Landings in Quebec by vessels 45' to 64'11" in 2007 and 2008
- 11D Landings in Quebec by vessels 65' and over in 2007 and 2008
- 11E Supplementary purchase slips in Quebec in 2007 and 2008
- 12 Monthly landings in Quebec by species, 2007 and 2008,
all administrative sectors (Quantity)
- 12A Monthly landings in Quebec by species, 2007 and 2008,
all administrative sectors (Value)
- 13 Landings in Quebec by type of fishing gear used
in 2007 and 2008 (Quantity and value)
- 14 Landing average price by species in Quebec
(excluding supplementary purchase slips), 2007 and 2008
- 15 Quebec - Ten most important municipalities of landing
in 2007 and 2008 (Quantity and Value)
- 16 Landings in Quebec by non Quebec boats
in 2007 and 2008 (Quantity)
- 16A Value of landings in Quebec by non Quebec boats
in 2007 and 2008

List of tables

- 17 Landings outside of Quebec by Quebec boats
in 2007 and 2008 (Quantity)
- 17A Value of landings outside of Quebec by Quebec boats
in 2007 and 2008 (Value)

DISTRIBUTION OF LANDINGS BY SECTOR

- 18 Landings in the Gaspé Peninsula in 2007 and 2008
- 18A Landings in the Gaspé Peninsula by vessels under 35'
in 2007 and 2008
- 18B Landings in the Gaspé Peninsula by vessels 35' to 44'11"
in 2007 and 2008
- 18C Landings in the Gaspé Peninsula by vessels 45' to 64'11"
in 2007 and 2008
- 18D Landings in the Gaspé Peninsula by vessels 65' and over
in 2007 and 2008
- 18E Supplementary purchase slips in the Gaspé Peninsula in 2007 and 2008
- 18.1 Monthly landings in the Gaspé Peninsula by species,
2007 and 2008 (Quantity)
- 18.1A Monthly landings in the Gaspé Peninsula by species,
2007 and 2008 (Value)
- 19 Landings, Gaspé North, 2007 and 2008, Bic to Rivière-La-Madeleine
- 20 Landings, Gaspé East, 2007 and 2008, Grande-Vallée to Cap Gaspé
- 21 Landings, Gaspé South, 2007 and 2008, Cap-aux-Os
to Port Daniel
- 22 Landings, Baie-des-Chaleurs, 2007 and 2008, Shigawake
to Matapédia
- 23 Landings average price by species in the Gaspé Peninsula
(excluding supplementary purchase slips), 2007 and 2008
- 24 Landings on the North Shore in 2007 and 2008

List of tables

- 24A Landings on the North Shore by vessels under 35' in 2007 and 2008
- 24B Landings on the North Shore by vessels 35' to 44'11" in 2007 and 2008
- 24C Landings on the North Shore by vessels 45' to 64'11" in 2007 and 2008
- 24D Landings on the North Shore by vessels 65' and over in 2007 and 2008
- 24E Supplementary purchase slips on the North Shore in 2007 and 2008
- 24.1 Monthly landings on the North Shore by species, 2007 and 2008 (Quantity)
- 24.1A Monthly landings on the North Shore by species, 2007 and 2008 (Value)
- 25 Landings, Upper North Shore, 2007 and 2008, Tadoussac to Gallix
- 26 Landings, Middle North Shore, 2007 and 2008, Sept-Iles to Pointe Parent, including Anticosti Island
- 27 Landings, Lower North Shore, 2007 and 2008, Kégaska to Blanc-Sablon
- 28 Landings average price by species on the North Shore (excluding supplementary purchase slips), 2007 and 2008
- 29 Landings in the Magdalen Islands in 2007 and 2008
- 29A Landings in the Magdalen Islands by vessels under 35' in 2007 and 2008
- 29B Landings in the Magdalen Islands by vessels 35' to 44'11" in 2007 and 2008
- 29C Landings in the Magdalen Islands by vessels 45' to 64'11" in 2007 and 2008
- 29D Landings in the Magdalen Islands by vessels 65' and over in 2007 and 2008
- 29E Supplementary purchase slips in the Magdalen Islands in 2007 and 2008

List of tables

- 29.1 Monthly landings in the Magdalen Islands by species
2007 and 2008 (Quantity)
- 29.1A Monthly landings in the Magdalen Islands by species
2007 and 2008 (Value)
- 30 Landings average price by species in the Magdalen Islands
(excluding supplementary purchase slips), 2007 and 2008

ATLANTIC COAST LANDINGS

- 31 Landings in New Brunswick, 2007 and 2008
- 32 Landings in Nova Scotia, 2007 and 2008
- 33 Landings in Newfoundland, 2007 and 2008
- 34 Landings in Prince Edward Island, 2007 and 2008
- 35 Landings on the Atlantic Coast, 2007 and 2008
- 36 Number of commercial fishermen on the Atlantic Coast in 2007 and 2008,
by province and fishermen category
- 37 Number of commercial fishermen on the Atlantic Coast in 2007 and 2008,
by administrative region and fishermen category
- 38 Number of vessels on the Atlantic Coast in 2007 and 2008,
by province and length group
- 39 Number of vessels on the Atlantic Coast in 2007 and 2008,
by administrative region and length group
- 40 Number of commercial fishing licences issued in 2007 and 2008, on the
Atlantic Coast, by province and for selected species
- 41 Number of commercial fishing licences issued in 2007 and 2008, on the
Atlantic Coast, by administrative region and for selected species

List of tables

LANDINGS BY ADMINISTRATIVE REGION DEPARTMENT OF FISHERIES AND OCEANS

- 42 Landings and associated values, by administrative region in 2007 and 2008

COMPARATIVE DATA - INSIDE AND OUTSIDE GULF

- 43 Landings and associated values inside and outside Gulf of St. Lawrence,
2007 and 2008

PRODUCTION AND MANPOWER IN PLANT

- 44 Quebec plant production, 2007 and 2008,
by species and product type
- 45 Gaspé Peninsula plant production, 2007 and 2008,
by species and product type
- 46 North Shore plant production, 2007 and 2008,
by species and product type
- 47 Magdalen Islands plant production, 2007 and 2008,
by species and product type
- 48 Manpower in plant in 2007 and 2008

QUEBEC EXPORTS AND IMPORTS OF MARINE PRODUCTS

- 49 Quebec Exports of marine products in 2007 and 2008
- 50 Quebec Imports of marine products in 2007 and 2008

List of figures

Maritime Sectors in Quebec

CATCH PORTRAIT OF QUEBEC SECTOR FOR 2007 AND 2008

STATISTICAL PROFILE OF SEAL FISHERY

ECONOMIC PROFILE OF QUEBEC MAIN FISHING FLEETS

Shrimpers economic profile, group A, 2007 and 2008

Shrimpers economic profile, group B, 2007 and 2008

Midshore crabbers economic profile, area 12, 2007 and 2008

Midshore crabbers economic profile, area 12 A, 2007 and 2008

Midshore crabbers economic profile, area 12 B, 2007 and 2008

Midshore crabbers economic profile, area 12 C, 2007 and 2008

Midshore crabbers economic profile, area F, 2007 and 2008

Crabbers economic profile, area 14, 2007 and 2008

Crabbers economic profile, area 15, 2007 and 2008

Crabbers economic profile, area 16, 2007 and 2008

Crabbers economic profile, area 17, 2007 and 2008

Economic profile of Magdalen Islands lobster fleet, 2007 and 2008

List of figures

Economic profile of Gaspé Peninsula lobster fleet, 2007 and 2008

Economic profile of North Shore lobster fleet, 2007 and 2008

Economic profile of Anticosti Island lobster fleet, 2007 and 2008

Economic profile of rock crab fishermen, 2007 and 2008

Economic profile of whelk fishermen, 2007 and 2008

Methodology

The data in this publication are taken from the statistical system of Fisheries and Oceans Canada, Quebec Region. The system consists of three components, all of which were used to produce this report: catch-effort-quotas, people-vessels-licences, and processing plant production and workforce.

Data on people, vessels and licences come from licensing paperwork. The number of licence holders corresponds to the number of people registered with the Department of Fisheries and Oceans, who operated authorized fishing gears under the terms of a commercial fishing licence in 2007 and 2008. The number of vessels is the number of fishing boats licensed in 2007 and 2008. The number of licences is the total number of fishing licences issued, but not necessarily active, in 2007 and 2008.

Data on fish and shellfish landings are provided by commercial buyers, who are required to provide us with a copy of the DFO form to record their purchases from fishermen. Each transaction of this type generally corresponds to one fishing trip. The Enterprise Allocation Monitoring Program, initiated in 1989, now covers some mobile and fixed gear vessels less than 64' 11" and some 65'-100' long, for groundfish in areas 4RST and 3PN. The program also affects all crabbers and shrimpers, as well as many scallopers and surf clam fishers. For these fleets, an additional check has to be carried on the data supplied to the Statistics Service.

Furthermore, to estimate the volume of fish eaten by commercial fishermen and their families, the volume of fish sold directly to the public or used as bait and processed by fishermen themselves, we use an estimation methodology which takes into consideration socio-economic elements, data provided by fisheries officers and resource managers as well as information obtained from fishermen's associations. **This type of data, called “supplementary purchase slips” is being included only in tables where we added a note to that effect.**

Data are gathered, coded and entered locally in each of the maritime sectors: Gaspé, Sept Îles and Cap aux Meules. The concepts and definitions used meet the standards set by the Statistical Coordinating Committee for the Atlantic Coast (STACAC) and are thus compatible with the systems of the other Atlantic regions (the Gulf, Nova Scotia and Newfoundland).

Papers published by the STACAC provide more information on the concepts and definitions used here (see reference list). Some of them are available from Statistics Service at the Quebec City Regional Office.

Figures in the tables on landings have been rounded, so they may not add up to the totals shown.

It should also be noted that some data on salmon, eel, smelt, tomcod, capelin and sturgeon landings were supplied by the Quebec Department of Agriculture, Fisheries and Food (MAPAQ - Ministère de l'Agriculture, des Pêcheries et de l'Alimentation du Québec).

Another important point is that until 1992, seal fishery licences were issued in the maritime sectors and did not figure in the publication of the various statistical tables on fishing licences. In 1993, the policy on licensing for the seal fishery was amended to make it much more like the ones for other types of licences, so seal fishery licences are now counted the same way as other existing licences. To avoid skewing the trend analysis, we decided to publish the seal fishery data separately. Statistical table 4A gives the number of seal fishery licences according to quite specific parameters.

It should be noted that the process of gathering data at the source is the result of the Federal-Provincial Harmonization Agreement on the Quebec Marine Fisheries, the main objective of which was to eliminate duplication of effort in this area.

Maritime territory


Quebec maritime territory begins at the eastern tip of Île d'Orléans and is divided into four sectors.

The St. Lawrence Sector extends from Anse à Gilles to Cap à l'Original (on the south shore) and from Cap Tourmente to Baie Sainte Catherine (on the north shore). The North Shore Sector lies between Tadoussac and Blanc Sablon (including Anticosti Island). The Gaspé Sector begins at Le Bic and stops at Matapedia. The fourth sector comprises the Magdalen Islands. For more details, refer to the map titled "Maritime Sectors in Quebec" on next page.

On another basis, the Quebec Region maritime territory is subdivided into twenty-eight statistical districts. These districts are defined by limits represented by geographic points and are used in most statistical systems. This standardization makes it possible to compare the data that DFO has been collecting in Quebec since 1984 with those published by the Bureau de la statistique du Québec for previous years.

The twenty-eight statistical districts, with their geographic limits, are listed in an Appendix.

MARITIME SECTORS IN QUEBEC



Conventional Symbols

| | |
|--------------|--|
| o | Less than half of the smallest unit used |
| - | Nil or zero |
| % | Proportion of a quantity to another expressed as a percentage |
| Var. % | Percentage variation indicating the size of increases or decreases from one year to the next and calculated as follows: |
| Var. % = | $\frac{\text{figure from target year} - \text{figure from preceding year}}{\text{figure from preceding year}} \times 100$ |
| N.B.: | All variations presented in this review refer to the years 2007 and 2008 only. |
| N/A | Information not applicable |
| N/AV | Information not available |
| MT | Metric ton |
| ... | Not applicable because of different units |
| ◇ | Not publishable, because there were fewer than three buyers or fewer than three fishermen for this fishery (protected information) |

Definitions of terms used in this publication

| | |
|-----------------------------------|--|
| Active fisherman | Fisherman or fisherman's helper who has made at least one landing in the season. |
| Active fishing enterprise | Fishing enterprise that has made at least one landing in the season. |
| Active registered licence holders | Any person registered with BAPAP (Bureau d'accréditation des pêcheurs et des aides-pêcheurs) who uses fishing gear authorized by a commercial fishing licence. This definition does not cover fishermen helpers. |
| Active vessel | A vessel for which at least one landing in the reference year has been counted. |
| Actual deviation | Difference between data for the year under consideration and the preceding year. |
| Administrative regions | Regions defined by DFO. In this publication, we refer to the Atlantic administrative regions: Quebec Region: Encompasses the province of Quebec Gulf Region: Encompasses coastal areas of the Gulf in New Brunswick and Nova Scotia, as well as the province of Prince Edward Island Nova Scotia: Encompasses the waters of the Bay of Fundy, the Scotian Shelf and Georges Bank which is the ocean side of Nova Scotia Newfoundland Region: Encompasses the geographic sector of the same name. |
| Atlantic Coast | Covers the Quebec, Gulf, Nova Scotia and Newfoundland regions. |
| Average Price | Total value of all landings sold divided by the total weight landed. |

| | |
|--|--|
| Buyer | Person or firm that commercially purchases fish directly from fishermen. |
| Certified plant | Any place that fish is processed for export or stored before exporting. |
| “Commercial fisherman” (southern Gulf) | In the Gulf, a commercial fisherman is a registered fisherman who does not take part in the fisheries fished by vessels with an LOA of 15.2 m (50') or longer and does not meet the requirements of a bona fide full-time or part-time fisherman. |
| Commercial fishing licence | Designate an instrument by which the Minister of Fisheries and Oceans authorizes, pursuant to his discretionary authority under the Fisheries Act, grants permission to a person including an Aboriginal organization to harvest certain species of fish or marine plants subject to the conditions attached to the licence. This is in no sense a permanent permission; it terminates upon expiry of the licence. The licensee is essentially given a limited fishing privilege rather than any kind of absolute or permanent “right or property”. |
| Conversion factor | Ratio used to convert the weight of a product or form of a product on landing into equivalent live weight. |
| Core | <p>In order to qualify as a member of the core group, a person must meet the following criteria:</p> <ul style="list-style-type: none"> - be the head of an active fishing enterprise, i.e., have fished full time for the previous two years (1994 and 1995) and have a vessel in the fishery; and - hold either two key licences, OR one key licence and in two of the years 1993, 1994 and 1995, have fished for 10 weeks with minimum reported landings of \$5,000 from their own licences for vessels less than 35' and of \$10,000 from their own licences for vessels longer than 35', OR one key licence and, in two of the years 1993, 1994 and 1995, have earned at least 75% of their income from fishing |

| | |
|--------------------------------|--|
| | <p>License holders who meet the eligibility criteria for the Atlantic Groundfish Strategy (TAGS) or the Northern Cod Adjustment and Recovery Program (NCARP) may use the TAGS or NCARP qualifying years instead.</p> |
| | <p>Key licences are defined as shrimp, crab, lobster, groundfish other than handline, scallop, herring and, on the Lower North Shore, capelin.</p> |
| Division | NAFO (Northwest Atlantic Fisheries Organization) divisions. |
| Fishing day | Day in which fishing gear was used with the goal of catching fish to sell. |
| Gear | Any equipment used to catch fish. |
| Gulf of St. Lawrence | Coastal areas of the Gulf in New Brunswick, Nova Scotia, western Newfoundland and southern Labrador, as well as Prince Edward Island and Quebec. |
| ITQ | Individual transferable quota |
| Landed value | Monetary value of the recorded landed quantity, that is, the landed quantity multiplied by the unit price, or the value supplied by the buyer. |
| Landing | Quantities of fish and shellfish (molluscs and crustaceans) landed, excluding discards, measured as live weight. |
| Live weight | Weight (round weight) of a live fish, which can be estimated, if necessary, on the basis of the form at landing using a standard conversion factor. |
| Non-core | Any fisherman not qualified for membership in the core group. |
| Non registered licence holders | Non registered holders of active licence refer only to companies, shellfish harvesters, aboriginal fishermen, successions and to licences bought back by DFO. |
| Other items | Includes sea urchins, lumpfish caviar, scallop roe, other seafood, |

| | |
|----------------------------------|---|
| | and seal products. |
| Outside the Gulf of St. Lawrence | Waters of the Bay of Fundy, the Scotian Shelf and Georges Bank that is, the ocean side of Nova Scotia as well as the province of Newfoundland, not including the west coast and southern Labrador. |
| Quota | For a given species and fishing area, the catch limit set for a segment of the commercial fleet. |
| Specialized enterprise | Fishing enterprise that has recorded at least 25% of the average value of landings of its reference fleet. |
| Supplementary purchase slips | These data are used to compile all landings not recorded on general purchase receipts. This information comes from estimates from four different sources: <ul style="list-style-type: none"> - Fish processed by fishermen - Direct sales to the public - Fish used as bait by fishermen Other landings (including personal consumption by fishermen and their families and sport fishing) |
| Value | Statistics on value are expressed in current Canadian dollars. |


CATCH PORTRAIT OF
QUEBEC SECTOR

Catch portrait of Quebec sector for 2008

Quebec landings reached 57,964 tons for a value of \$140.7 M in 2008, a 3 % rise in volume and a 7 % drop in value compared to 2007 (figure 1). This decrease in the value of landings is mainly due to a 21 % drop in the value of snow crab landings in 2008. The total value of crab landings dropped by \$13.3 M, due to a 12 % decrease in the average landed price.

The total value of landings for several other species also decreased, particularly for lobster (-9 %), rock crab (-5 %), scallop (-14 %) and whelk (-7 %). An increase of 19 % in volume and 39 % in value for shrimp landings was recorded, which helped minimize the drop in value of total landings in Quebec.

Figure 1: Landing trends for the Quebec fishing industry, 1988-2008




Source: DFO, Quebec region

Note: Supplementary purchase slips are included in the landings

With regard to groundfish, a 1 % drop in the volume of landings was recorded, while the total value rose 4 %. More specifically, cod landings dropped 1 % both in terms of volume and value, while black turbot landings recorded a 3 % drop in volume and a 3 % increase in value. As for Atlantic halibut landings, they grew 22 % in volume and 21 % in value.

The breakdown of the value of landings by species (figure 2) shows that snow crab is the top species in Quebec with \$51.4 M, or 36 % of total landings. Lobster comes in second with a value of \$43.3 M, or 31 % of the total. Shrimp is in third place with landings of \$25.3 M, or 18 % of the total. These three crustaceans alone represent 85 % of the total value of landings in 2008. Lagging far behind, the value of groundfish and pelagic landings were, respectively, \$11.4 M and \$2.4 M in 2008.

Figure 2: Breakdown of the value of Quebec landings by species, 2008



Source: DFO, Quebec region


As for the breakdown of landings by maritime sector (figure 3), the year 2008 saw significant variations.

On the North Shore, the total value of landings dropped by 10 %. This is due to the substantial proportion of snow crab among all of the species landed there. The decrease in the price of snow crab thus had an impact on the value of landings on the North Shore.

In the Gaspe, the total value of landings dropped by 3 %. The increase in the volume of landings and in the landing price of shrimp helped mitigate the drop in value for snow crab and lobster.

In the Magdalen Islands, the total value of landings dropped 10 %. This is due to the 14 % drop in value for snow crab and 9 % for lobster in the Islands, themselves the result of a drop in landing prices.

Figure 3: Landing trends by region, 2007 and 2008



Source: DFO, Quebec region

WORK FORCE

TABLE 1

NUMBER OF ACTIVE REGISTERED LICENCE HOLDERS FOR 2007 AND 2008

BY SECTOR (according to port of landing), BY AGE GROUP

AGE GROUP

| SECTOR | YEAR | Under 25 | Var. in % | 25 to 34 | Var. in % | 35 to 44 | Var. in % | 45 to 64 | Var. in % | 65 and over | Var. in % | TOTAL | Var. in % |
|---------------------|------|-------------|--------------|----------|--------------|----------|--------------|----------|--------------|----------------|--------------|-------|--------------|
| ST. LAWRENCE | 2007 | - | | 1 | -100 | 5 | -20 | 13 | - | 8 | - | 27 | -7 |
| | 2008 | - | | - | - | 4 | - | 13 | - | 8 | - | 25 | - |
| NORTH SHORE | 2007 | 1 | - | 11 | -45 | 78 | -21 | 214 | 5 | 38 | 8 | 342 | -2 |
| | 2008 | 1 | - | 6 | - | 62 | - | 224 | 5 | 41 | 8 | 334 | - |
| GASPÉ PENINSULA | 2007 | 2 | 100 | 32 | -22 | 79 | -9 | 301 | -1 | 33 | 6 | 447 | -3 |
| | 2008 | 4 | - | 25 | - | 72 | - | 299 | - | 35 | - | 435 | - |
| MAGDALEN ISLANDS | 2007 | 4 | 125 | 33 | -12 | 108 | -7 | 224 | 2 | 18 | 11 | 387 | 0 |
| | 2008 | 9 | - | 29 | - | 100 | - | 228 | 2 | 20 | - | 386 | - |
| OTHER | 2007 | - | - | - | - | - | - | 6 | 17 | - | - | 6 | 17 |
| | 2008 | - | - | - | - | - | - | 7 | - | - | - | 7 | - |
| TOTAL | 2007 | 7 | 100 | 77 | -22 | 270 | -12 | 758 | 2 | 97 | 7 | 1 209 | -2 |
| | 2008 | 14 | - | 60 | - | 238 | - | 771 | - | 104 | - | 1 187 | - |

TABLE 1B

NUMBER OF ACTIVE LICENCE HOLDERS IN 2007 AND 2008
BY SECTOR AND BY FISHERMEN STATUS

| Sector | YEAR | Class (2) | | | | | | | | Owners of unregistered active licences | | | | | | | | OVERALL TOTAL | Var. in % | | |
|-----------------|------|--------------------------------------|--------------|----------|--------------|-----|--------------|-------|--------------|--|--------------|----------|--------------|-----|--------------|-------|--------------|------------------|--------------|--|--|
| | | Owners of registered active licences | | | | | | | | Owners of unregistered active licences | | | | | | | | | | | |
| | | Core | Var. in % | Non-Core | Var. in % | N/A | Var. in % | TOTAL | Var. in % | Core | Var. in % | Non-Core | Var. in % | N/A | Var. in % | TOTAL | Var. in % | | | | |
| Gaspé Peninsula | 2007 | 425 | -2 | 35 | -6 | 7 | -14 | 467 | -3 | 4 | - | 1 | -100 | 24 | 29 | 3 | 496 | -2 | | | |
| | 2008 | 415 | | 33 | | 6 | | 454 | | 4 | | - | | 26 | 8 | 30 | 484 | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| North Shore | 2007 | 265 | -2 | 83 | -4 | 6 | - | 354 | -3 | 9 | - | 1 | - | 138 | 148 | -16 | 502 | -7 | | | |
| | 2008 | 259 | | 80 | | 6 | | 345 | | 9 | | 1 | | 114 | 124 | -16 | 469 | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Magdalen Island | 2007 | 383 | ° | 5 | -20 | - | - | 388 | - | 4 | 25 | - | - | 65 | 69 | -3 | 457 | ° | | | |
| | 2008 | 384 | | 4 | | - | | 388 | | 5 | | - | | 62 | 67 | | 455 | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 2007 | 1 073 | -1 | 123 | -5 | 13 | -8 | 1 209 | -2 | 17 | 6 | 2 | -50 | 227 | -11 | 246 | -10 | 1 455 | -3 | | |
| | 2008 | 1 058 | | 117 | | 12 | | 1 187 | | 18 | | 1 | | 202 | | 221 | | 1 408 | | | |
| | | | | | | | | | | | | | | | | | | | | | |

(1) In this table, the data for the St. Lawrence sector are provided under the Gaspé and North Shore sectors.

(2) Refer to fishermen status definitions registered in "conventional symbols and used terms definitions"

TABLE 2

NUMBER OF REGISTERED VESSELS IN 2007 AND 2008
BY SECTOR AND LENGTH GROUP
(according to port of landing)

LENGTH GROUP

| SECTOR | YEAR | Under 35' | Net change | 35' to 44'11" | Net change | 45' to 64'11" | Net change | 65' to 99'11" | Net change | 100' and over | Net change | TOTAL | Net change |
|---------------------|------|--------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|-------|---------------|
| ST. LAWRENCE | 2007 | 20 | -2 | 4 | -1 | 3 | - | - | - | - | - | 27 | -3 |
| | 2008 | 18 | | 3 | | 3 | | - | - | - | - | 24 | |
| NORTH SHORE | 2007 | 300 | -11 | 107 | -8 | 45 | -3 | - | - | - | - | 452 | -22 |
| | 2008 | 289 | | 99 | | 42 | | - | - | - | - | 430 | |
| GASPE PENINSULA | 2007 | 255 | -5 | 119 | 1 | 121 | -6 | 15 | -5 | - | - | 510 | -15 |
| | 2008 | 250 | | 120 | | 115 | | 10 | | - | - | 495 | |
| MAGDALEN ISLANDS | 2007 | 88 | -8 | 284 | - | 20 | -2 | - | - | - | - | 392 | -10 |
| | 2008 | 80 | | 284 | | 18 | | - | - | - | - | 382 | |
| OTHER | 2007 | 2 | -1 | 3 | -1 | 3 | - | - | - | - | 2 | 8 | - |
| | 2008 | 1 | | 2 | | 3 | | - | - | 2 | | 8 | |
| TOTAL | 2007 | 665 | -27 | 517 | -9 | 192 | -11 | 15 | -5 | - | 2 | 1 389 | -50 |
| | 2008 | 638 | | 508 | | 181 | | 10 | | 2 | | 1 339 | |

TABLE 2A

NUMBER OF VESSELS IN ALL QUEBEC SECTORS

BY TONNAGE AND LENGTH GROUP IN 2008

| Groups by tonnage and by boat length | NORTH SHORE | | | | GASPÉ PENINSULA | | | | MAGDALEN ISLANDS | | ST. LAWRENCE | OTHER | TOTAL OF QUEBEC |
|--------------------------------------|-------------|--------|-------|-------|-----------------|------|-------|-------------------|------------------|-----|--------------|-------|-----------------|
| | UPPER | MIDDLE | LOWER | TOTAL | NORTH | EAST | SOUTH | BAIE-DES CHALEURS | TOTAL | | | | |
| Less than 10-ton boat | | | | | | | | | | | | | |
| Less than 20' | 5 | 21 | 73 : | 99 | 5 | - | 2 | 3 : | 10 | 2 | 9 | - | 120 |
| 20' to 24' 11" | 2 | 8 | 28 : | 38 | 5 | 1 | 27 | 3 : | 36 | - | 2 | - | 76 |
| 25' to 29' 11" | 1 | 6 | 40 : | 47 | 2 | 2 | 59 | 24 : | 87 | - | - | - | 134 |
| 30' to 34' 11" | 2 | 7 | 10 : | 19 | 4 | 3 | 11 | 5 : | 23 | 15 | 3 | - | 60 |
| 35' to 39' 11" | - | - | 3 : | 3 | 1 | - | 3 | 1 : | 5 | 8 | - | - | 16 |
| 40' to 44' 11" | - | 1 | - : | 1 | - | - | 1 | 2 : | 3 | 1 | - | - | 5 |
| 45' to 64' 11" | - | - | 1 : | 1 | - | - | - | - | - | - | - | - | 1 |
| 65' to 99' 11" | - | - | - : | - | - | - | - | - | - | - | - | - | - |
| Total | 10 | 43 | 155 : | 208 | 17 | 6 | 103 | 38 : | 164 | 26 | 14 | - | 412 |
| 10 to 24.9-ton boat | | | | | | | | | | | | | |
| Less than 25' | - | - | - : | - | - | - | - | - : | - | - | - | - | - |
| 25' to 29' 11" | - | - | 1 : | 1 | 1 | - | 1 | - : | 2 | - | - | - | 3 |
| 30' to 34' 11" | 1 | 3 | 13 : | 17 | 5 | 4 | 16 | 5 : | 30 | 48 | 2 | 1 | 98 |
| 35' to 39' 11" | 3 | 10 | 23 : | 36 | 8 | 5 | 10 | 4 : | 27 | 147 | 1 | - | 211 |
| 40' to 44' 11" | 7 | 13 | 6 : | 26 | 13 | 2 | 11 | 5 : | 31 | 46 | - | 1 | 104 |
| 45' to 64' 11" | 1 | 6 | 2 : | 9 | 2 | 5 | 6 | - : | 13 | 1 | 1 | - | 24 |
| Total | 12 | 32 | 45 : | 89 | 29 | 16 | 44 | 14 : | 103 | 242 | 4 | 2 | 440 |
| 25 to 49.9-ton boat | | | | | | | | | | | | | |
| 35' to 39' 11" | - | 1 | 2 : | 3 | 1 | - | 2 | 1 : | 4 | 4 | - | - | 11 |
| 40' to 44' 11" | 1 | 4 | 6 : | 11 | 5 | 1 | 1 | 2 : | 9 | 9 | - | 1 | 30 |
| 45' to 64' 11" | 2 | 12 | 3 : | 17 | 4 | 4 | 19 | 1 : | 28 | 8 | - | 1 | 54 |
| Total | 3 | 17 | 11 : | 31 | 10 | 5 | 22 | 4 : | 41 | 21 | - | 2 | 95 |
| 50 to 99.9-ton boat | | | | | | | | | | | | | |
| 45' to 64' 11" | - | 2 | 4 : | 6 | 8 | 19 | 16 | 8 : | 51 | 5 | 2 | 1 | 65 |
| 65' to 99' 11" | - | - | - : | - | - | - | 2 | 1 : | 3 | - | - | - | 3 |
| 100' and over | - | - | - : | - | - | - | - | - : | - | - | - | - | - |
| Total | - | 2 | 4 : | 6 | 8 | 19 | 18 | 9 : | 54 | 5 | 2 | 1 | 68 |
| 100 to 149.9-ton boat | | | | | | | | | | | | | |
| 45' to 64' 11" | - | - | - : | - | - | 1 | - | 1 : | 2 | - | - | - | 2 |
| 65' to 99' 11" | - | - | - : | - | 1 | 3 | 1 | 1 : | 6 | - | - | - | 6 |
| Total | - | - | - : | - | 1 | 4 | 1 | 2 : | 8 | - | - | - | 8 |
| 150-ton boat and more | | | | | | | | | | | | | |
| 65' to 99' 11" | - | - | - : | - | - | - | - | - : | - | - | - | - | - |
| 100' and over | - | - | - : | - | - | - | - | - : | - | - | - | 1 | 1 |
| Total | - | - | - : | - | - | - | - | - : | - | - | - | 1 | 1 |
| Unknown | 7 | 21 | 68 : | 96 | 15 | 9 | 60 | 41 : | 125 | 88 | 4 | 2 | 315 |
| Total | 7 | 21 | 68 : | 96 | 15 | 9 | 60 | 41 : | 125 | 88 | 4 | 2 | 315 |
| All the groups | 32 | 115 | 283 : | 430 | 80 | 59 | 248 | 108 : | 495 | 382 | 24 | 8 | 1 339 |

TABLE 2B
NUMBER OF ACTIVE VESSELS IN QUEBEC IN 2007 AND 2008
BY SECTOR AND LENGTH GROUP
(based on port of landing)

| LENGTH GROUP | | | | | | | | | | | | | |
|---------------------|------|--------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|-------|---------------|
| SECTOR | YEAR | Under 35' | Net change | 35' to 44'11" | Net change | 45' to 64'11" | Net change | 65' to 99'11" | Net change | 100' and over | Net change | TOTAL | Net change |
| ST. LAWRENCE | 2007 | 5 | 2 | - | 1 | 1 | - | - | - | - | - | 6 | 3 |
| | 2008 | 7 | 1 | 1 | 1 | - | - | - | - | - | - | 9 | |
| NORTH SHORE | 2007 | 244 | -32 | 114 | -8 | 50 | 1 | 5 | -1 | - | - | 413 | -40 |
| | 2008 | 212 | 106 | 51 | 4 | - | - | - | - | - | - | 373 | |
| GASPE PENINSULA | 2007 | 232 | -13 | 127 | -12 | 117 | 4 | 10 | 8 | - | - | 486 | -13 |
| | 2008 | 219 | 115 | 121 | 18 | - | - | - | - | - | - | 473 | |
| MAGDALEN ISLANDS | 2007 | 81 | -12 | 283 | 8 | 31 | -3 | 1 | 1 | - | - | 396 | -6 |
| | 2008 | 69 | 291 | 28 | 2 | - | - | - | - | - | - | 390 | |
| OTHER | 2007 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 2008 | - | - | - | - | - | - | - | - | - | - | - | |
| TOTAL (1) | 2007 | 558 | -58 | 515 | -10 | 186 | 3 | 15 | 7 | - | - | 1 274 | -58 |
| | 2008 | 500 | 505 | 189 | 22 | - | - | - | - | - | - | 1 216 | |

(1) A vessel can be active in more than one maritime sector however it will be recorded only once in the Quebec total.
The expression "active vessel" means a vessel that had accomplished at least one landing in a sector or particular region.

TABLE 2C

NUMBER OF ACTIVE QUEBEC VESSELS IN QUEBEC IN 2007 AND 2008

BY SECTOR AND LENGTH GROUP

(according to port of landing)

LENGTH GROUP

| SECTOR | YEAR | Under 35' | Net change | 35' to 44'11" | Net change | 45' to 64'11" | Net change | 65' to 99'11" | Net change | 100' and over | Net change | TOTAL | Net change |
|---------------------|------|--------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|-------|---------------|
| ST. LAWRENCE | 2007 | 5 | | - | | 1 | | - | | - | | 6 | |
| | 2008 | 7 | 2 | - | | 1 | | - | | - | | 8 | 2 |
| NORTH SHORE | 2007 | 159 | | 101 | -4 | 46 | 2 | 2 | | - | | 308 | |
| | 2008 | 152 | -7 | 97 | 48 | 2 | 2 | - | | - | | 299 | -9 |
| GASPE PENINSULA | 2007 | 232 | | 109 | -10 | 113 | -3 | 9 | | - | | 463 | |
| | 2008 | 219 | -13 | 99 | 110 | 9 | - | - | | - | | 437 | -26 |
| MAGDALEN ISLANDS | 2007 | 80 | | 280 | 11 | 27 | -4 | - | | - | | 387 | |
| | 2008 | 69 | -11 | 291 | 23 | - | - | - | | - | | 383 | -4 |
| OTHER | 2007 | - | | - | - | - | - | - | | - | | - | |
| | 2008 | - | | - | - | - | - | - | | - | | - | |
| TOTAL (1) | 2007 | 472 | | 481 | -1 | 174 | -2 | 10 | | - | | 1 137 | |
| | 2008 | 440 | -32 | 480 | 172 | - | 10 | - | | - | | 1 102 | -35 |

(1) A vessel can be active in more than one maritime sector however it will be recorded only once in the Quebec total.

The expression "active vessel" means a vessel that had accomplished at least one landing in a sector or particular region.

TABLE 3

BUYERS OPERATING IN QUEBEC

IN 2007 AND 2008 BY SECTOR

| SECTOR | YEAR | Number (1) | Net change | Quantity landed (metric tons) | Variation in % | Quantity landed as % of total |
|---------------------|------|------------|------------|----------------------------------|----------------|-------------------------------|
| ST. LAWRENCE | 2007 | 4 | -1 | 131 | 76 | ° |
| | 2008 | 3 | | 230 | | ° |
| NORTH SHORE | 2007 | 31 | -2 | 13 426 | 5 | 25 |
| | 2008 | 29 | | 14 066 | | 25 |
| GASPÉ PENINSULA | 2007 | 53 | - | 33 027 | 4 | 61 |
| | 2008 | 53 | | 34 202 | | 61 |
| MAGDALEN ISLANDS | 2007 | 12 | -1 | 7 558 | -2 | 14 |
| | 2008 | 11 | | 7 399 | | 13 |
| OTHER | 2007 | 8 | 5 | - | - | - |
| | 2008 | 13 | | - | | - |
| TOTAL | 2007 | 108 | 1 | 54 141 | 3 | 100 |
| | 2008 | 109 | | 55 897 | | 100 |

(1) The buyers are filed according to their physical location.

RESOURCE
ACCESSIBILITY

Resource accessibility

In order to achieve its objective of conserving and preserving various fish stocks, DFO imposes control measures each year. Licensing and quotas are responding to this necessity.

Quotas are used to determine the quantities allocated to each fishery, while licensing is an efficient means of controlling access to the various resources.

Licences for anadromous and catadromous species are issued by the Government of Quebec, while the Federal Government looks after licensing for all other species.

TABLE 4

NUMBER OF COMMERCIAL FISHING LICENCES ISSUED BY SECTOR

IN 2007 AND 2008 FOR SELECTED SPECIES

(Excluding seal fishery licences)

SPECIES

| SECTOR | YEAR | Ground-fish | Net change | Herring | Net change | Shrimp | Net change | Snow Crab | Net change | Lobster | Net change | Rock Crab | Net change | Baits | Net change | Other | Net change | TOTAL | Net change |
|------------------|------|-------------|------------|---------|------------|--------|------------|-----------|------------|---------|------------|-----------|------------|-------|------------|-------|------------|-------|------------|
| GASPE PENINSULA | 2007 | 368 | -11 | 415 | -12 | 65 | - | 176 | -1 | 218 | -9 | 35 | -3 | 392 | -11 | 440 | -10 | 2 109 | -57 |
| | 2008 | 357 | | 403 | | 65 | | 175 | | 209 | | 32 | | 381 | | 430 | | 2 052 | |
| NORTH SHORE | 2007 | 364 | -5 | 302 | -4 | 13 | 2 | 178 | 55 | 89 | - | 29 | -4 | 284 | -4 | 634 | -31 | 1 893 | 9 |
| | 2008 | 359 | | 298 | | 15 | | 233 | | 89 | | 25 | | 280 | | 603 | | 1 902 | |
| MAGDALEN ISLANDS | 2007 | 215 | - | 350 | - | - | - | 48 | 30 | 330 | - | 14 | - | 374 | 2 | 657 | -1 | 1 988 | 31 |
| | 2008 | 215 | | 350 | | - | - | 78 | | 330 | | 14 | | 376 | | 656 | | 2 019 | |
| TOTAL | 2007 | 947 | -16 | 1 067 | -16 | 78 | 2 | 402 | 84 | 637 | -9 | 78 | -7 | 1 050 | -13 | 1 731 | -42 | 5 990 | -17 |
| | 2008 | 931 | | 1 051 | | 80 | | 486 | | 628 | | 71 | | 1 037 | | 1 689 | | 5 973 | |

TABLE 4A

NUMBER OF SEAL FISHERY COMMERCIAL LICENCES
ISSUED IN 2007 AND 2008, BY SECTOR

| SECTOR | YEAR | Number | Net change |
|---------------------|------|--------|------------|
| GASPÉ PENINSULA | 2007 | 63 | -2 |
| | 2008 | 61 | |
| NORTH SHORE | 2007 | 879 | -25 |
| | 2008 | 854 | |
| MAGDALEN ISLANDS | 2007 | 915 | -15 |
| | 2008 | 900 | |
| TOTAL | 2007 | 1 857 | -42 |
| | 2008 | 1 815 | |

TABLE 5

NUMBER OF COMMERCIAL FISHING LICENCES ISSUED IN QUEBEC

IN 2008 FOR THE MAIN SPECIES

(Excluding seal fishery licences)

LENGTH GROUP

| SPECIES / TYPE OF GEAR | Under 35' | 35' to 44'11" | 45' to 64'11" | 65' to 99'11" | 100' and over | Without vessel | TOTAL |
|------------------------------------|--------------|------------------|------------------|------------------|------------------|-------------------|--------------|
| GROUNDFISH | | | | | | | |
| Beach seine | 2 | - | - | - | - | - | 2 |
| Trapnet | 88 | 2 | 4 | - | - | - | 94 |
| Hand line | 29 | 22 | 1 | - | - | - | 52 |
| Fixed gear (gillnet and longline) | 339 | 276 | 62 | - | - | 3 | 680 |
| Mobile gear (trawls) | 2 | 31 | 63 | 7 | - | - | 103 |
| Total | 460 | 331 | 130 | 7 | - | 3 | 931 |
| PELAGIC SPECIES | | | | | | | |
| Herring | | | | | | | |
| Beach seine | - | 2 | - | - | - | - | 2 |
| Trapnet | 20 | 9 | 2 | - | - | 3 | 34 |
| Gillnet | 477 | 441 | 72 | - | - | 3 | 993 |
| Weir | 2 | - | - | - | - | - | 2 |
| Purse seine | 2 | 7 | 7 | - | - | - | 16 |
| Purse seine (exploratory licences) | 2 | 2 | - | - | - | - | 4 |
| Total | 503 | 461 | 81 | - | - | 6 | 1 051 |
| Mackerel | | | | | | | |
| Trapnet | 7 | 1 | - | - | - | - | 8 |
| Gillnet | 319 | 379 | 36 | - | - | 5 | 739 |
| Purse seine | 2 | 8 | 4 | - | - | - | 14 |
| Purse seine (exploratory licences) | 1 | 5 | 2 | - | - | - | 8 |
| Hand line | 7 | 21 | 1 | - | - | - | 29 |
| Total | 336 | 414 | 43 | - | - | 5 | 798 |
| Capelin | | | | | | | |
| Beach seine | 16 | 3 | - | - | - | - | 19 |
| Trapnet | 28 | 9 | 4 | - | - | 4 | 45 |
| Weir | 2 | - | - | - | - | - | 2 |
| Purse seine | 1 | 3 | 4 | - | - | - | 8 |
| Purse seine (exploratory licences) | - | 2 | - | - | - | - | 2 |
| Total | 47 | 17 | 8 | - | - | 4 | 76 |
| Bluefin tuna | | | | | | | |
| Troller line | 3 | 35 | 15 | - | - | - | 53 |
| Bait fish | | | | | | | |
| Beach seine | 1 | - | - | - | - | - | 1 |
| Gillnet | 456 | 465 | 109 | 2 | - | 4 | 1 036 |
| Total | 457 | 465 | 109 | 2 | - | 4 | 1 037 |
| Other species, unspecified | | | | | | | |
| Trapnet | 5 | 1 | - | - | - | - | 6 |
| Weir | 5 | - | - | - | - | - | 5 |
| Total | 10 | 1 | - | - | - | - | 11 |
| MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Sea scallop | | | | | | | |
| Drag | 12 | 46 | 20 | - | - | 1 | 79 |
| Iceland scallop | | | | | | | |
| Drag (exploratory licences) | - | 1 | 1 | - | - | - | 2 |

TABLE 5

**NUMBER OF COMMERCIAL FISHING LICENCES ISSUED IN QUEBEC
IN 2008 FOR THE MAIN SPECIES
(Excluding seal fishery licences)**

LENGTH GROUP

| SPECIES / TYPE OF GEAR | Under 35' | 35' to 44'11" | 45' to 64'11" | 65' to 99'11" | 100' and over | Without vessel | TOTAL |
|---------------------------------------|--------------|------------------|------------------|------------------|------------------|-------------------|--------------|
| MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Whelk | | | | | | | |
| Pots | 130 | 91 | 29 | - | - | 10 | 260 |
| Lobster | | | | | | | |
| Pots | 312 | 305 | 9 | - | - | 2 | 628 |
| Shrimp | | | | | | | |
| Trawling | - | 7 | 60 | 9 | - | 4 | 80 |
| Toad crab | | | | | | | |
| Pots (exploratory licences) | 39 | 20 | 4 | - | - | - | 63 |
| Snow crab | | | | | | | |
| Inshore, pots | 90 | 231 | 99 | 2 | - | 17 | 439 |
| Midshore, pots | - | - | 47 | - | - | - | 47 |
| Total | 90 | 231 | 146 | 2 | - | 17 | 486 |
| Rock crab | | | | | | | |
| Pots | 3 | 11 | - | - | - | - | 14 |
| Pots (exploratory licences) | 43 | 12 | 2 | - | - | - | 57 |
| Total | 46 | 23 | 2 | - | - | - | 71 |
| Razor clam | | | | | | | |
| Drag (exploratory licences) | 1 | 2 | 2 | - | - | - | 5 |
| Hand and held tools | - | - | - | - | - | 1 | 1 |
| Total | 1 | 2 | 2 | - | - | 1 | 6 |
| Quahog | | | | | | | |
| Drag | - | - | 1 | - | - | - | 1 |
| Drag (exploratory licences) | 1 | 1 | 1 | - | - | - | 3 |
| Total | 1 | 1 | 2 | - | - | - | 4 |
| Atlantic bar clam | | | | | | | |
| Drag | - | 2 | 2 | - | - | - | 4 |
| Hand and held tools | - | 1 | - | - | - | 128 | 129 |
| Total | - | 3 | 2 | - | - | 128 | 133 |
| Surf clam | | | | | | | |
| Drag | 1 | 5 | 3 | - | - | - | 9 |
| Drag (exploratory licences) | - | 6 | 1 | - | - | 1 | 8 |
| Total | 1 | 11 | 4 | - | - | 1 | 17 |
| Soft-shell clam | | | | | | | |
| Drag | 2 | - | - | - | - | - | 2 |
| Rakes & tongs | - | - | - | - | - | 116 | 116 |
| Hand and held tools | - | - | - | - | - | 18 | 18 |
| Total | 2 | - | - | - | - | 134 | 136 |
| Mussel | | | | | | | |
| Hand and hand held tools | - | - | - | - | - | 2 | 2 |
| Sea urchin | | | | | | | |
| Diving with hand tool (explo.) | 9 | 4 | 3 | - | - | 1 | 17 |
| Pots (exploratory licences) | 4 | 4 | - | - | - | - | 8 |
| Total | 13 | 8 | 3 | - | - | 1 | 25 |
| Shark | | | | | | | |
| Shark longline (exploratory licences) | - | 2 | - | - | - | - | 2 |
| Squid | | | | | | | |
| Fixed gear | 2 | 17 | 3 | - | - | - | 22 |
| TOTAL | 2 465 | 2 492 | 673 | 20 | - | 323 | 5 973 |

TABLE 6

NUMBER OF COMMERCIAL FISHING LICENCES ISSUED IN THE GASPÉ PENINSULA

IN 2008 FOR THE MAIN SPECIES

(Excluding seal fishery licences)

LENGTH GROUP

| SPECIES / TYPE OF GEAR | Under 35' | 35' to 44'11" | 45' to 64'11" | 65 to 99'11" | 100' and over | Without vessel | TOTAL |
|------------------------------------|--------------|------------------|------------------|-----------------|------------------|-------------------|------------|
| GROUNDFISH | | | | | | | |
| Beach seine | - | - | - | - | - | - | - |
| Trapnet | - | - | 1 | - | - | - | 1 |
| Hand line | 10 | 2 | 1 | - | - | - | 13 |
| Fixed gear (gillnet and longline) | 152 | 85 | 37 | - | - | - | 274 |
| Mobile gear (trawls) | - | 11 | 51 | 7 | - | - | 69 |
| Total | 162 | 98 | 90 | 7 | - | - | 357 |
| PELAGIC SPECIES | | | | | | | |
| Herring | | | | | | | |
| Beach seine | - | 2 | - | - | - | - | 2 |
| Trapnet | 2 | - | - | - | - | - | 2 |
| Gillnet | 245 | 111 | 37 | - | - | - | 393 |
| Weir | 1 | - | - | - | - | - | 1 |
| Purse seine | - | 3 | 2 | - | - | - | 5 |
| Total | 248 | 116 | 39 | - | - | - | 403 |
| Mackerel | | | | | | | |
| Trapnet | - | - | - | - | - | - | - |
| Gillnet | 199 | 78 | 18 | - | - | 1 | 296 |
| Purse seine | - | - | - | - | - | - | - |
| Purse seine (exploratory licences) | - | 2 | 2 | - | - | - | 4 |
| Hand line | - | - | - | - | - | - | - |
| Total | 199 | 80 | 20 | - | - | 1 | 300 |
| Capelin | | | | | | | |
| Beach seine | 1 | - | - | - | - | - | 1 |
| Trapnet | - | - | - | - | - | - | - |
| Weir | - | - | - | - | - | - | - |
| Purse seine | - | - | - | - | - | - | - |
| Purse seine (exploratory licences) | - | 2 | - | - | - | - | 2 |
| Total | 1 | 2 | - | - | - | - | 3 |
| Bluefin tuna | | | | | | | |
| Troller line | 2 | 5 | 6 | - | - | - | 13 |
| Bait fish | | | | | | | |
| Beach seine | - | - | - | - | - | - | - |
| Gillnet | 214 | 100 | 65 | 2 | - | - | 381 |
| Total | 214 | 100 | 65 | 2 | - | - | 381 |
| Other species, unspecified | | | | | | | |
| Trapnet | 5 | 1 | - | - | - | - | 6 |
| Weir | 5 | - | - | - | - | - | 5 |
| Total | 10 | 1 | - | - | - | - | 11 |
| MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Sea scallop | | | | | | | |
| Drag | - | 4 | 3 | - | - | - | 7 |
| Iceland scallop | | | | | | | |
| Drag (exploratory licences) | - | - | - | - | - | - | - |

TABLE 6

NUMBER OF COMMERCIAL FISHING LICENCES ISSUED IN THE GASPÉ PENINSULA

IN 2008 FOR THE MAIN SPECIES

(Excluding seal fishery licences)

LENGTH GROUP

| SPECIES / TYPE OF GEAR | Under 35' | 35' to 44'11" | 45' to 64'11" | 65 to 99'11" | 100' and over | Without vessel | TOTAL |
|---------------------------------------|--------------|------------------|------------------|-----------------|------------------|-------------------|-------|
| MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Whelk | | | | | | | |
| Pots | 46 | 36 | 11 | - | - | - | 93 |
| Lobster | | | | | | | |
| Pots | 175 | 33 | 1 | - | - | - | 209 |
| Shrimp | | | | | | | |
| Trawling | - | 6 | 49 | 9 | - | 1 | 65 |
| Toad crab | | | | | | | |
| Pots (exploratory licences) | - | - | - | - | - | - | - |
| Snow crab | | | | | | | |
| Inshore, pots | 29 | 50 | 43 | 2 | - | 10 | 134 |
| Midshore, pots | - | - | 41 | - | - | - | 41 |
| Total | 29 | 50 | 84 | 2 | - | 10 | 175 |
| Rock crab | | | | | | | |
| Pots | - | - | - | - | - | - | - |
| Pots (exploratory licences) | 25 | 7 | - | - | - | - | 32 |
| Total | 25 | 7 | - | - | - | - | 32 |
| Razor clam | | | | | | | |
| Drag (exploratory licences) | - | - | - | - | - | - | - |
| Hand and hand held tools | - | - | - | - | - | - | - |
| Total | - | - | - | - | - | - | - |
| Quahog | | | | | | | |
| Drag | - | - | - | - | - | - | - |
| Drag (exploratory licences) | - | - | - | - | - | - | - |
| Total | - | - | - | - | - | - | - |
| Atlantic bar clam | | | | | | | |
| Drag | - | - | - | - | - | - | - |
| Hand and hand held tools | - | - | - | - | - | - | - |
| Total | - | - | - | - | - | - | - |
| Surf clam | | | | | | | |
| Drag | - | - | - | - | - | - | - |
| Drag (exploratory licences) | - | - | - | - | - | - | - |
| Total | - | - | - | - | - | - | - |
| Soft-shell clam | | | | | | | |
| Drag | - | - | - | - | - | - | - |
| Rakes & tongs | - | - | - | - | - | - | - |
| Hand and hand held tools | - | - | - | - | - | - | - |
| Total | - | - | - | - | - | - | - |
| Mussel | | | | | | | |
| Hand and hand held tools | - | - | - | - | - | - | - |
| Sea urchin | | | | | | | |
| Diving with hand tool (explo.) | 1 | - | 1 | - | - | - | 2 |
| Pots (exploratory licences) | - | - | - | - | - | - | - |
| Total | 1 | - | 1 | - | - | - | 2 |
| Shark | | | | | | | |
| Shark longline (exploratory licences) | - | 1 | - | - | - | - | 1 |
| Squid | | | | | | | |
| Fixed gear (gillnet and longline) | - | - | - | - | - | - | - |
| TOTAL | 1 112 | 539 | 369 | 20 | - | 12 | 2 052 |

TABLE 7

**NUMBER OF COMMERCIAL FISHING LICENCES ISSUED ON THE NORTH SHORE
IN 2008 FOR THE MAIN SPECIES
(Excluding seal fishery licences)**

LENGTH GROUP

| SPECIES / TYPE OF GEAR | Under 35' | 35' to 44'11" | 45' to 64'11" | 65 to 99'11" | 100' and over | Without vessel | TOTAL |
|------------------------------------|----------------------|--------------------------|--------------------------|-------------------------|--------------------------|---------------------------|--------------|
| GROUNDFISH | | | | | | | |
| Beach seine | 2 | - | - | - | - | - | 2 |
| Trapnet | 88 | 2 | 3 | - | - | - | 93 |
| Hand line | 10 | - | - | - | - | - | 10 |
| Fixed gear (gillnet and longline) | 138 | 80 | 23 | - | - | 3 | 244 |
| Mobile gear (trawls) | 2 | 2 | 6 | - | - | - | 10 |
| Total | 240 | 84 | 32 | - | - | 3 | 359 |
| PELAGIC SPECIES | | | | | | | |
| Herring | | | | | | | |
| Beach seine | - | - | - | - | - | - | - |
| Trapnet | 18 | 3 | 1 | - | - | 3 | 25 |
| Gillnet | 168 | 68 | 21 | - | - | 3 | 260 |
| Weir | 1 | - | - | - | - | - | 1 |
| Purse seine | 2 | 2 | 4 | - | - | - | 8 |
| Purse seine (exploratory licences) | 2 | 2 | - | - | - | - | 4 |
| Total | 191 | 75 | 26 | - | - | 6 | 298 |
| Mackerel | | | | | | | |
| Trapnet | 7 | 1 | - | - | - | - | 8 |
| Gillnet | 54 | 30 | 9 | - | - | 4 | 97 |
| Purse seine | 2 | 3 | 4 | - | - | - | 9 |
| Purse seine (exploratory licences) | - | - | - | - | - | - | - |
| Hand line | 3 | 2 | - | - | - | - | 5 |
| Total | 66 | 36 | 13 | - | - | 4 | 119 |
| Capelin | | | | | | | |
| Beach seine | 15 | 3 | - | - | - | - | 18 |
| Trapnet | 28 | 9 | 4 | - | - | 4 | 45 |
| Weir | 2 | - | - | - | - | - | 2 |
| Purse seine | 1 | 2 | 4 | - | - | - | 7 |
| Purse seine (exploratory licences) | - | - | - | - | - | - | - |
| Total | 46 | 14 | 8 | - | - | 4 | 72 |
| Bluefin tuna | | | | | | | |
| Troller line | - | - | - | - | - | - | - |
| Bait fish | | | | | | | |
| Beach seine | 1 | - | - | - | - | - | 1 |
| Gillnet | 169 | 80 | 26 | - | - | 4 | 279 |
| Total | 170 | 80 | 26 | - | - | 4 | 280 |
| Other species, unspecified | | | | | | | |
| Trapnet | - | - | - | - | - | - | - |
| Weir | - | - | - | - | - | - | - |
| Total | - | - | - | - | - | - | - |
| MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Sea scallop | | | | | | | |
| Drag | 12 | 25 | 11 | - | - | 1 | 49 |
| Iceland scallop | | | | | | | |
| Drag (exploratory licences) | - | 1 | 1 | - | - | - | 2 |

TABLE 7

NUMBER OF COMMERCIAL FISHING LICENCES ISSUED ON THE NORTH SHORE
IN 2008 FOR THE MAIN SPECIES
(Excluding seal fishery licences)

| SPECIES / TYPE OF GEAR | LENGTH GROUP | | | | | | TOTAL |
|---------------------------------------|----------------------|--------------------------|--------------------------|-------------------------|--------------------------|---------------------------|--------------|
| | Under 35' | 35' to 44'11" | 45' to 64'11" | 65 to 99'11" | 100' and over | Without vessel | |
| MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Whelk | | | | | | | |
| Pots | 81 | 47 | 16 | - | - | 10 | 154 |
| Lobster | | | | | | | |
| Pots | 75 | 12 | - | - | - | 2 | 89 |
| Shrimp | | | | | | | |
| Trawling | - | 1 | 11 | - | - | 3 | 15 |
| Toad crab | | | | | | | |
| Pots (exploratory licences) | 37 | 14 | 3 | - | - | - | 54 |
| Snow crab | | | | | | | |
| Inshore, pots | 57 | 132 | 43 | - | - | 1 | 233 |
| Midshore, pots | - | - | - | - | - | - | - |
| Total | 57 | 132 | 43 | - | - | 1 | 233 |
| Rock crab | | | | | | | |
| Pots | - | - | - | - | - | - | - |
| Pots (exploratory licences) | 18 | 5 | 2 | - | - | - | 25 |
| Total | 18 | 5 | 2 | - | - | - | 25 |
| Razor clam | | | | | | | |
| Drag (exploratory licences) | 1 | - | - | - | - | - | 1 |
| Hand and hand held tools | - | - | - | - | - | - | - |
| Total | 1 | - | - | - | - | - | 1 |
| Quahog | | | | | | | |
| Drag | - | - | - | - | - | - | - |
| Drag (exploratory licences) | - | - | - | - | - | - | - |
| Total | - | - | - | - | - | - | - |
| Atlantic bar clam | | | | | | | |
| Drag | - | - | - | - | - | - | - |
| Hand and hand held tools | - | - | - | - | - | - | - |
| Total | - | - | - | - | - | - | - |
| Surf clam | | | | | | | |
| Drag | 1 | 4 | 1 | - | - | - | 6 |
| Drag (exploratory licences) | - | 6 | 1 | - | - | 1 | 8 |
| Total | 1 | 10 | 2 | - | - | 1 | 14 |
| Soft-shell clam | | | | | | | |
| Drag | 2 | - | - | - | - | - | 2 |
| Rakes & tongs | - | - | - | - | - | 116 | 116 |
| Hand and hand held tools | - | - | - | - | - | - | - |
| Total | 2 | - | - | - | - | 116 | 118 |
| Mussel | | | | | | | |
| Hand and hand held tools | - | - | - | - | - | - | - |
| Sea urchin | | | | | | | |
| Diving with hand tool (explo.) | 8 | 1 | 2 | - | - | 1 | 12 |
| Pots (exploratory licences) | 4 | 4 | - | - | - | - | 8 |
| Total | 12 | 5 | 2 | - | - | 1 | 20 |
| Shark | | | | | | | |
| Shark longline (exploratory licences) | - | - | - | - | - | - | - |
| Squid | | | | | | | |
| Fixed gear | - | - | - | - | - | - | - |
| TOTAL | 1 009 | 541 | 196 | - | - | 156 | 1 902 |

TABLE 8

NUMBER OF COMMERCIAL FISHING LICENCES ISSUED IN THE MAGDALEN ISLANDS

IN 2008 FOR THE MAIN SPECIES

(Excluding seal fishery licences)

LENGTH GROUP

| SPECIES / TYPE OF GEAR | Under 35' | 35' to 44'11" | 45' to 64'11" | 65 to 99'11" | 100' and over | Without vessel | TOTAL |
|------------------------------------|--------------|------------------|------------------|-----------------|------------------|-------------------|------------|
| GROUNDFISH | | | | | | | |
| Beach seine | - | - | - | - | - | - | - |
| Trapnet | - | - | - | - | - | - | - |
| Hand line | 9 | 20 | - | - | - | - | 29 |
| Fixed gear (gillnet and longline) | 49 | 111 | 2 | - | - | - | 162 |
| Mobile gear (trawls) | - | 18 | 6 | - | - | - | 24 |
| Total | 58 | 149 | 8 | - | - | - | 215 |
| PELAGIC SPECIES | | | | | | | |
| Herring | | | | | | | |
| Beach seine | - | - | - | - | - | - | - |
| Trapnet | - | 6 | 1 | - | - | - | 7 |
| Gillnet | 64 | 262 | 14 | - | - | - | 340 |
| Weir | - | - | - | - | - | - | - |
| Purse seine | - | 2 | 1 | - | - | - | 3 |
| Total | 64 | 270 | 16 | - | - | - | 350 |
| Mackerel | | | | | | | |
| Trapnet | - | - | - | - | - | - | - |
| Gillnet | 66 | 271 | 9 | - | - | - | 346 |
| Purse seine | - | 5 | - | - | - | - | 5 |
| Purse seine (exploratory licences) | 1 | 3 | - | - | - | - | 4 |
| Hand line | 4 | 19 | 1 | - | - | - | 24 |
| Total | 71 | 298 | 10 | - | - | - | 379 |
| Capelin | | | | | | | |
| Beach seine | - | - | - | - | - | - | - |
| Trapnet | - | - | - | - | - | - | - |
| Weir | - | - | - | - | - | - | - |
| Purse seine | - | 1 | - | - | - | - | 1 |
| Purse seine (exploratory licences) | - | - | - | - | - | - | - |
| Total | - | 1 | - | - | - | - | 1 |
| Bluefin tuna | | | | | | | |
| Troller line | 1 | 30 | 9 | - | - | - | 40 |
| Bait fish | | | | | | | |
| Beach seine | - | - | - | - | - | - | - |
| Gillnet | 73 | 285 | 18 | - | - | - | 376 |
| Total | 73 | 285 | 18 | - | - | - | 376 |
| Other species, unspecified | | | | | | | |
| Trapnet | - | - | - | - | - | - | - |
| Weir | - | - | - | - | - | - | - |
| Total | - | - | - | - | - | - | - |
| MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Sea scallop | | | | | | | |
| Drag | - | 17 | 6 | - | - | - | 23 |
| Iceland scallop | | | | | | | |
| Drag (exploratory licences) | - | - | - | - | - | - | - |

TABLE 8

NUMBER OF COMMERCIAL FISHING LICENCES ISSUED IN THE MAGDALEN ISLANDS

IN 2008 FOR THE MAIN SPECIES

(Excluding seal fishery licences)

LENGTH GROUP

| SPECIES / TYPE OF GEAR | Under 35' | 35' to 44'11" | 45' to 64'11" | 65 to 99'11" | 100' and over | Without vessel | TOTAL |
|---------------------------------------|--------------|------------------|------------------|-----------------|------------------|-------------------|-------|
| MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Whelk | | | | | | | |
| Pots | 3 | 8 | 2 | - | - | - | 13 |
| Lobster | | | | | | | |
| Pots | 62 | 260 | 8 | - | - | - | 330 |
| Shrimp | | | | | | | |
| Trawling | - | - | - | - | - | - | - |
| Toad crab | | | | | | | |
| Pots (exploratory licences) | 2 | 6 | 1 | - | - | - | 9 |
| Snow crab | | | | | | | |
| Inshore, pots | 4 | 49 | 13 | - | - | 6 | 72 |
| Midshore, pots | - | - | 6 | - | - | - | 6 |
| Total | 4 | 49 | 19 | - | - | 6 | 78 |
| Rock crab | | | | | | | |
| Pots | 3 | 11 | - | - | - | - | 14 |
| Pots (exploratory licences) | - | - | - | - | - | - | - |
| Total | 3 | 11 | - | - | - | - | 14 |
| Razor clam | | | | | | | |
| Drag (exploratory licences) | - | 2 | 2 | - | - | - | 4 |
| Hand and hand held tools | - | - | - | - | - | 1 | 1 |
| Total | - | 2 | 2 | - | - | 1 | 5 |
| Quahog | | | | | | | |
| Drag | - | - | 1 | - | - | - | 1 |
| Drag (exploratory licences) | 1 | 1 | 1 | - | - | - | 3 |
| Total | 1 | 1 | 2 | - | - | - | 4 |
| Atlantic bar clam | | | | | | | |
| Drag | - | 2 | 2 | - | - | - | 4 |
| Hand and hand held tools | - | 1 | - | - | - | 128 | 129 |
| Total | - | 3 | 2 | - | - | 128 | 133 |
| Surf clam | | | | | | | |
| Drag | - | 1 | 2 | - | - | - | 3 |
| Drag (exploratory licences) | - | - | - | - | - | - | - |
| Total | - | 1 | 2 | - | - | - | 3 |
| Soft-shell clam | | | | | | | |
| Drag | - | - | - | - | - | - | - |
| Rakes & tongs | - | - | - | - | - | - | - |
| Hand and hand held tools | - | - | - | - | - | 18 | 18 |
| Total | - | - | - | - | - | 18 | 18 |
| Mussel | | | | | | | |
| Hand and hand held tools | - | - | - | - | - | 2 | 2 |
| Sea urchin | | | | | | | |
| Diving with hand tool (explo.) | - | 3 | - | - | - | - | 3 |
| Pots (exploratory licences) | - | - | - | - | - | - | - |
| Total | - | 3 | - | - | - | - | 3 |
| Shark | | | | | | | |
| Shark longline (exploratory licences) | - | 1 | - | - | - | - | 1 |
| Squid | | | | | | | |
| Fixed gear | 2 | 17 | 3 | - | - | - | 22 |
| TOTAL | 344 | 1 412 | 108 | - | - | 155 | 2 019 |

| SPECIES | (1) DIVISION | Type of fishing gear and category of vessel | (5) PERIOD | QUOTA with adjustments | (9) Catches landed in Quebec (MT) (final figures) | (4) Total catches under this quota (preliminary figures) | % of catches under this quota landed in Quebec |
|--------------------------------|-----------------|---|----------------------------|---------------------------|--|---|--|
| 2008 SPRING FISHERY | | | | | | | |
| 2007 MANAGEMENT PLAN | | | | | | | |
| Cod | 4RS,3Pn | Fixed gears based 4ST, less than 65' vessels, transfers of ITQ from mobile cod-fishers and shrimpers | January 01 to May 14, 2008 | 0 | 29 | 29 | 100.00 |
| American Plaice | 4T | Fixed gears, less than 65' vessels by-catch | January 01 to May 14, 2008 | 0 | 2 | 2 | 100.00 |
| Yellowtail | 4T | Mobile gears, less than 65' vessels Magdalen Islands | January 01 to May 14, 2008 | 0 | 12 | 12 | 100.00 |
| Winter Flounder | 4T | Fixed and Mobile gears, less than 65' vessels | January 01 to May 14, 2008 | 0 | 25 | 25 | 100.00 |
| Greenland Halibut | 4RST | Fixed gears, less than 65' vessels | January 01 to May 14, 2008 | 0 | 223 | 223 | 100.00 |
| Atlantic Halibut | 4RST | Fixed gears, less than 65' vessels, by-catch | January 01 to May 14, 2008 | 0 | 2 | 2 | 100.00 |
| | | - Quebec North Shore | | 0 | 16 | 16 | 100.00 |
| | | - Gaspe Area | January 01 to May 14, 2008 | 0 | 1 | 1 | 100.00 |
| TOTAL: Atlantic Halibut | | | | 0 | 19 | 19 | 100.00 |

TABLE 9

FISHING QUOTAS APPLICABLE TO QUEBEC

- YEAR 2008 -

| SPECIES | (1) DIVISION | Type of fishing gear and category of vessel | (5) PERIOD | QUOTA with adjustments | (9) Catches landed in Quebec (MT) (final figures) | (4) Total catches under this quota (preliminary figures) | % of catches under this quota landed in Quebec |
|-----------------------------|-----------------|--|-----------------------|---------------------------|--|---|--|
| 2008 MANAGEMENT PLAN | | | | | | | |
| Cod | 4RS,3Pn | Fixed gears, less than 65' vessels, based in Newfoundland | July | 2 956 | 211 | 2 938 | 7.18 |
| | | Fixed gears, less than 65' vessels, based in Quebec | May 15 to December 31 | 991 | 749 | 850 | 88.12 |
| | | Fixed gears based 4ST, less than 65' vessels, transfers of ITQ from mobile cod-fishers and shrimpers | May 15 to December 31 | 340 | 364 | 364 | 100.00 |
| | | Mobile gears, over 100' vessels | May 15 to December 31 | 569 | 47 | 523 | 8.99 |
| | | Fixed and Mobile gears, sentinel fishery | May 15 to December 31 | 400 | 121 | 163 | 74.23 |
| 4T | 4T | Fixed gears, less than 65' vessels, and by-catch, Gaspé Area | May 15 to December 31 | 216 | 188 | 188 | 100.00 |
| | | Fixed gears, less than 65' vessels, and by-catch, Magdalen Islands | May 15 to December 31 | 93 | 53 | 53 | 100.00 |
| | | Mobile gears, less than 45' vessels, competitive Gulf South | May 15 to December 31 | 35 | 1 | 35 | 2.86 |
| | | Mobile gears, less than 45' vessels, Gulf South, by-catch | May 15 to December 31 | 24 | 1 | 25 | 4.00 |
| | | Mobile gears, less than 45' vessels, competitive Gulf North | May 15 to December 31 | 25 | 13 | 22 | 59.09 |
| | | Mobile gears, less than 45' vessels, specialists based in N-B | May 15 to December 31 | 71 | 86 | 91 | 94.51 |
| | | Mobile gears, less than 65' vessels, Quebec ITQ | May 15 to December 31 | 571 | 490 | 539 | 90.91 |
| | | Mobile gears, Shrimpers based in N-B | May 15 to December 31 | 35 | 40 | 40 | 100.00 |
| | | Mobile gears, 45-64 vessels, based in 4RS,3Pn | May 15 to December 31 | 5 | 2 | 2 | 100.00 |
| | | Mobile gears, groundfish 65-100' vessels | May 15 to December 31 | 202 | 10 | 156 | 6.41 |
| | | Fixed and Mobile gears, sentinel fishery | May 15 to December 31 | 200 | 6 | 43 | 13.95 |
| TOTAL: Cod | | | | 6 733 | 2 382 | 6 032 | 39.49 |

TABLE 9

FISHING QUOTAS APPLICABLE TO QUEBEC

- YEAR 2008 -

| SPECIES | (1) DIVISION | Type of fishing gear and category of vessel | (5) PERIOD | QUOTA with adjustments | (9) Catches landed in Quebec (MT) (final figures) | (4) Total catches under this quota (preliminary figures) | % of catches under this quota landed in Quebec |
|-------------------------------|-----------------|---|-----------------------|---------------------------|--|---|--|
| Redfish | Unit 1 | Index fishery (no directed commercial fishery) | (6) | 2 000 | 281 | 409 | 68.70 |
| American Plaice | 4T | Fixed gears, less than 65' vessels | May 15 to December 31 | 74 | 59 | 59 | 100.00 |
| | | Mobile gears, less than 45' vessels, (competitive fleet) | May 15 to December 31 | 144 | 5 | 77 | 6.49 |
| | | Mobile gears, less than 45' vessels, by-catch | May 15 to December 31 | 0 | 1 | 12 | 8.33 |
| | | Mobile gears, less than 65' vessels, based in 4T, ITQ | May 15 to December 31 | 166 | 10 | 10 | 100.00 |
| | | Mobile gears, 65-100' vessels | May 15 to December 31 | 25 | 2 | 4 | 50.00 |
| | | Fixed and Mobile gears, sentinel fishery | May 15 to December 31 | 0 | 1 | 1 | 100.00 |
| TOTAL: American Plaice | | | | 409 | 78 | 163 | 47.85 |
| Yellowtail | 4T | Mobile gears, less than 65' vessels, Magdalen Islands | May 15 to December 31 | 300 | 79 | 79 | 100.00 |
| Witch (Greyssole) | 4RST | Mobile gears, less than 65' vessels, based in 4ST | May 15 to December 31 | 437 | 43 | 434 | 9.91 |
| | | Mobile gears, 65-100' vessels | May 15 to December 31 | 70 | 2 | 4 | 50.00 |
| TOTAL: Witch | | | | 507 | 45 | 438 | 10.27 |
| Winter Flounder | 4T | Fixed and Mobile gears, less than 65' vessels | May 15 to December 31 | 1 000 | 97 | 171 | 56.73 |

TABLE 9

FISHING QUOTAS APPLICABLE TO QUEBEC

- YEAR 2008 -

| SPECIES | (1) DIVISION | Type of fishing gear and category of vessel | (5) PERIOD | QUOTA with adjustments | (9) Catches landed in Quebec (MT) (final figures) | (4) Total catches under this quota (preliminary figures) | % of catches under this quota landed in Quebec |
|---------------------------------|-----------------|--|-----------------------|---------------------------|--|---|--|
| White Hake | 4T | Fixed and Mobile gears, no directed fishery | May 15 to December 31 | 0 | 13 | 32 | 40.63 |
| Greenland Halibut | 4RST | Fixed gears, less than 65' vessels | May 15 to December 31 | 3 107 | 2 672 | 2 707 | 98.71 |
| | | Mobile gears, less than 65' vessels, by-catch | May 15 to December 31 | 321 | 27 | 32 | 84.38 |
| | | Mobile gears, 65-100' vessels including by-catch | May 15 to December 31 | 387 | 17 | 50 | 34.00 |
| | | Mobile gears, over 100' vessels | May 15 to December 31 | 42 | 2 | 2 | 100.00 |
| TOTAL: Greenland Halibut | | | | 3 857 | 2 718 | 2 791 | 97.38 |
| Atlantic Halibut | 4RST | Fixed gears, less than 65' vessels including by-catch, North Shore | May 15 to December 31 | 36 | 30 | 31 | 96.77 |
| | | Fixed gears, less than 65' vessels including by-catch, Gaspé Area | May 15 to December 31 | 194 | 142 | 142 | 100.00 |
| | | Fixed gears, less than 65' vessels including by-catch, Magdalen Islands | May 15 to December 31 | 24 | 27 | 27 | 100.00 |
| | | Mobile gears, less than 65' vessels, by-catch | May 15 to December 31 | 20 | 4 | 6 | 66.67 |
| | | Mobile gears, 65-100' vessels including by-catch | May 15 to December 31 | 0 | 3 | 4 | 75.00 |
| | | Mobile gears, over 100' vessels by-catch | May 15 to December 31 | 0 | 3 | 3 | 100.00 |
| | | Fixed and Mobile gears, sentinel fishery | May 15 to December 31 | 0 | 17 | 17 | 100.00 |
| | | | | 274 | 226 | 230 | 98.26 |

TABLE 9
FISHING QUOTAS APPLICABLE TO QUEBEC
- YEAR 2008 -

| SPECIES | DIVISION | Type of fishing gear and category of vessel | PERIOD | QUOTA with adjustments | Catches landed in Quebec (MT) (final figures) | Total catches under this quota (preliminary figures) | % of catches under this quota landed in Quebec |
|----------------------------|-----------|--|---------------------------|------------------------|---|--|--|
| | | | (5) | (9) | (4) | | |
| Herring | 4S | All vessels less than 65' | January 01 to December 31 | 4 000 | 376 | 376 | 100.00 |
| | 4T | Spring fishery | | | | | |
| | | Area 16A (inshore fishery) | | 10 | 11 | 11 | 100.00 |
| | | Area 16B (inshore fishery) | | 421 | 385 | 396 | 97.22 |
| | | Area 16B (small seiners) | | 0 | 28 | 28 | 100.00 |
| | | Area 16D (inshore fishery) | | 54 | 53 | 53 | 100.00 |
| | | Area 16A-G (inshore fishery) June 01 to June 15 | | 581 | 1 | 19 | 5.26 |
| | | Area 16A-G (inshore fishery) June 16 to June 30 | | 0 | 2 | 125 | 1.60 |
| | | Fall fishery | | | | | |
| | | Area 16A (inshore fishery) | | 144 | 11 | 11 | 100.00 |
| | | Area 16B (inshore fishery) Roe fishery | | 23 608 | 1 710 | 18 643 | 9.17 |
| | | Area 16B (small seiners) | | 756 | 123 | 123 | 100.00 |
| | | Area 16D (inshore fishery) | | 344 | 68 | 68 | 100.00 |
| TOTAL: Herring | | | | 29 918 | 2 768 | 19 853 | 13.94 |
| Mackerel | 3, 4 | Historical fisheries (inshore) | January 01 to December 31 | 45 000 | 1 314 | 20 202 | 6.50 |
| Capelin | 4ST | Fixed and Mobile gears | January 01 to December 31 | 0 | 1 344 | 2 226 | 60.38 |
| Sea Scallops | 4S (7) | Area 16E | (8) | (10) | 31 | 31 | 100.00 |
| | | Area 16F | (8) | (10) | 10 | 10 | 100.00 |
| TOTAL: Sea Scallops | | | | 0 | 41 | 41 | 100.00 |

TABLE 9

FISHING QUOTAS APPLICABLE TO QUEBEC

- YEAR 2008 -

| SPECIES | (1) DIVISION | Type of fishing gear and category of vessel | (5) PERIOD | QUOTA with adjustments | (9) Catches landed in Quebec (MT) (final figures) | (4) Total catches under this quota (preliminary figures) | % of catches under this quota landed in Quebec |
|---------------------------------|---|--|---------------------------|---------------------------|--|---|--|
| Gulf Shrimp | | | | | (3) | | |
| Sept-Îles | Mobile gears, less than 100' vessels Group B and Aboriginal | | (8) | 13 454 | 12 742 | 13 582 | 93.82 |
| | Mobile gears, Prince Edward Island and Nova Scotia | | (8) | 233 | 147 | 232 | 63.36 |
| | Mobile gears, less than 100' vessels Temporary allocations | | (8) | 2 308 | 1 951 | 2 158 | 90.41 |
| Anticosti | Mobile gears, less than 100' vessels Group B and Aboriginal | | (8) | 8 813 | 4 744 | 8 079 | 58.72 |
| | Mobile gears, less than 100' vessels Temporary allocations | | (8) | 1 512 | 800 | 1 387 | 57.68 |
| | Mobile gears, Quebec North Shore Group A | | (8) | 699 | 29 | 751 | 3.86 |
| Esquiman Channel | Mobile gears, less than 100' vessels Temporary allocations, Newfoundland | | (8) | 948 | 114 | 1 002 | 11.38 |
| | Mobile gears, New Brunswick and Quebec, Group B and Aboriginal | | (8) | 2 015 | 7 | 1 684 | 0.42 |
| | Mobile gears, less than 100' vessels Temporary allocations | | (8) | 871 | 877 | 877 | 100.00 |
| St. Lawrence Estuary | Mobile gears, less than 100' vessels Group B and Aboriginal | | (8) | 149 | 140 | 140 | 100.00 |
| | Mobile gears, less than 100' vessels Temporary allocations | | (8) | | | | |
| Northern Shrimp | | | | | | | |
| | Area 6, Newfoundland fishers based 3L | | January 01 to December 31 | 13 609 | 66 | 13 543 | 0.49 |
| TOTAL: Shrimp | | | | 44 611 | 21 617 | 43 435 | 49.77 |

TABLE 9
FISHING QUOTAS APPLICABLE TO QUEBEC
- YEAR 2008 -

| SPECIES | (1) DIVISION | Type of fishing gear and category of vessel | (5) PERIOD | QUOTA with adjustments | (9) Catches landed in Quebec (MT) (final figures) | (4) Total catches under this quota (preliminary figures) | % of catches under this quota landed in Quebec |
|------------------|-----------------|--|---------------|--|--|---|--|
| Snow Crab | | | | | | | |
| | 4T | Area 12/18/25/26 - Midshore Traditional Crab fishers | (8) | 14 459 ⁽³⁾ ₍₃₎ | 4 369 | 14 506 | 30.12 |
| | | Area 12/18/25/26 - Aboriginal | (8) | 3 306 ⁽³⁾ ₍₃₎ | 192 | 3 266 | 5.88 |
| | | Area 12/18/25/26 - Temporary allocations | (8) | 3 135 ⁽²⁾ ₍₂₎ | 1 013 | 3 139 | 32.27 |
| | | Area 12A - Gaspé North | (8) | 80 ⁽²⁾ ₍₂₎ | 73 | 73 | 100.00 |
| | | Area 12B - Anticosti South | (8) | 214 ⁽²⁾ ₍₂₎ | 195 | 195 | 100.00 |
| | | Area 12C - Anticosti East | (8) | 220 ⁽²⁾ ₍₂₎ | 220 | 220 | 100.00 |
| | | Area 12C - Temporary allocations | (8) | 100 ⁽³⁾ ₍₃₎ | 101 | 101 | 100.00 |
| | | Area 12E - Laurentian Channel | (8) | 336 ⁽³⁾ ₍₃₎ | 63 | 170 | 37.06 |
| | | Area F - Cape Breton and Magdalen Islands | (8) | 480 ⁽²⁾ ₍₂₎ | 265 | 368 | 72.01 |
| | | Area F - Temporary allocations | (8) | 105 ⁽²⁾ ₍₂₎ | 41 | 63 | 65.08 |
| | | Area 17 - Inshore crab fishers | (8) | 1 300 ⁽²⁾ ₍₂₎ | 1 265 | 1 265 | 100.00 |
| | | Area 17 - Temporary allocations | (8) | 130 | 131 | 131 | 100.00 |

TABLE 9
FISHING QUOTAS APPLICABLE TO QUEBEC
- YEAR 2008 -

| SPECIES | (1) DIVISION | Type of fishing gear and category of vessel | (5) PERIOD | QUOTA with adjustments | (9) Catches landed in Quebec (MT) (final figures) | (4) Total catches under this quota (preliminary figures) | % of catches under this quota landed in Quebec |
|-------------------------|-----------------|--|---------------|---------------------------|--|---|--|
| Snow Crab | 4S | Area 13 - Inshore crab fishers | (8) | 150 ⁽²⁾ | 124 | 124 | 100.00 |
| | | Area 14 - Inshore crab fishers | (8) | 443 ⁽²⁾ | 444 | 444 | 100.00 |
| | | Area 15 - Inshore crab fishers | (8) | 538 ⁽²⁾ | 537 | 537 | 100.00 |
| | | Area 15 - Temporary allocations | (8) | 55 ⁽²⁾ | 56 | 56 | 100.00 |
| | | Area 16 - Inshore crab fishers | (8) | 3 714 ⁽²⁾ | 3 714 | 3 714 | 100.00 |
| | | Area 16 - Temporary allocations | (8) | 292 ⁽²⁾ | 288 | 288 | 100.00 |
| | | Area 16A - Temporary allocations | (8) | 370 | 373 | 373 | 100.00 |
| TOTAL: Snow Crab | | | | 29 427 | 13 464 | 29 033 | 46.37 |

- (1) Refers to NAFO (Northwest Atlantic Fisheries Organization) divisions except for Shrimp where we use the management areas as established by the Department of Fisheries and Oceans.
- (2) This global quota is subdivided into individual quotas and is set for Quebec fishers only.
- (3) This global quota is subdivided into individual quotas.
- (4) For this total, figures originating from Newfoundland, Gulf and Scotia Fundy Regions are not final.
- (5) Dates indicating the duration of the fishery except for Herring where we identify the various Spring and Fall fisheries.
- (6) Unit 1 is grouping 4RST from January to December and 3Pn and 4Vn from January to May, and unit 2 is grouping 3Ps and 4Vn from January to December, and 3Pn and 4Vs and 4Wfgj from June to December.
- (7) For this species only, quantities are indicated in meat weight.
- (8) Considering that these are individual quotas, duration periods are not specified.
- (9) In accordance with Access to Information Act, we are reporting landings against quotas only where there were at least three participants, unless we have the authorization from the concerned participants.
- (10) No global quota for sub-areas 16E, 16F and 18A as per the three-year scallop management plan for 2008 to 2009.

TABLE 10A

WEEKLY CRAB LANDINGS BY ZONE

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | ZONE 12/18/25/26 all fleets including Aboriginal | ZONE 12A Gaspe North including scientific fishery and Aboriginal | ZONE 12B Anticosti South including scientific fishery and Aboriginal | ZONE 12C Anticosti East | ZONE 12C Temporary allocations including scientific fishery |
|--|--|---|---|----------------------------|--|
| 13- March 23rd to March 29th..... | - | - | - | - | - |
| 14- March 30th to April 5th..... | - | - | - | - | - |
| 15- April 6th to April 12th..... | - | 4.55 | 0.77 | - | - |
| 16- April 13th to April 19th..... | - | 11.26 | 15.61 | - | - |
| 17- April 20th to April 26th..... | - | 17.50 | 31.69 | - | - |
| 18- April 27th to May 3rd..... | - | 21.58 | 21.46 | 18.93 | - |
| 19- May 4th to May 10th..... | 2.49 | 5.65 | 43.20 | 71.68 | 12.85 |
| 20- May 11th to May 17th..... | 1 225.67 | 3.20 | 20.09 | 55.60 | 24.27 |
| 21- May 18th to May 24th..... | 1 189.78 | 3.29 | 30.29 | 11.42 | 12.73 |
| 22- May 25th to May 31st..... | 1 033.99 | 1.45 | 4.80 | - | 16.20 |
| 23- June 1st to June 7th..... | 892.24 | 1.26 | 22.51 | 21.42 | 17.03 |
| 24- June 8th to June 14th..... | 602.58 | 1.42 | 2.12 | 13.12 | 4.50 |
| 25- June 15th to June 21st..... | 405.32 | 1.35 | 2.16 | 8.47 | 9.21 |
| 26- June 22nd to June 28th..... | 181.75 | - | - | 7.74 | 4.16 |
| 27- June 29th to July 5th..... | 36.63 | - | - | 4.76 | - |
| 28- July 6th to July 12th..... | - | - | - | 4.08 | - |
| 29- July 13th to July 19th..... | 3.20 | - | - | 2.49 | - |
| 30- July 20th to July 26th..... | - | - | - | - | - |
| 31- July 27th to August 2nd..... | - | - | - | - | - |
| 32- August 3rd to August 9th..... | - | - | - | - | - |
| 33- August 10th to August 16th..... | - | - | - | - | - |
| 34- August 17th to August 23rd..... | - | - | - | - | - |
| 35- August 24th to August 30th..... | - | - | - | - | - |
| 36- August 31st to September 6th..... | - | - | - | - | - |
| 37- September 7th to September 13th..... | - | - | - | - | - |
| 38- September 14th to September 20th... | - | - | - | - | - |
| 39- September 21st to September 27th... | - | - | - | - | - |
| 40- September 28th to October 4th..... | - | - | - | - | - |
| 41- October 5th to October 11th..... | - | - | - | - | - |
| 42- October 12th to October 18th..... | - | - | - | - | - |
| 43- October 19th to October 25th..... | - | - | - | - | - |
| 44- October 26th to November 1st..... | - | - | - | - | - |
| 45- November 2nd to November 8th..... | - | - | - | - | - |
| 46- November 9th to November 15th..... | - | - | - | - | - |
| 47- November 16th to November 22nd.... | - | - | - | - | - |
| 48- November 23rd to November 29th.... | - | - | - | - | - |
| 49- November 30th to December 6th..... | - | - | - | - | - |
| 50- December 7th to December 13th..... | - | - | - | - | - |
| 51- December 14th to December 20th.... | - | - | - | - | - |
| 52- December 21st to December 27th.... | - | - | - | - | - |
| 53- December 28th to December 31st.... | - | - | - | - | - |
| Total..... | 5 573.65 | 72.52 | 194.71 | 219.72 | 100.96 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation
Crab landings originating from sentinel fishing activities are not included in this table

TABLE 10A

WEEKLY CRAB LANDINGS BY ZONE

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | ZONE 12E Laurentian Channel | ZONE F Cape Breton and Magdalen Islands | ZONE 13 | ZONE 14 Including scientific fishery | ZONE 15 Including scientific fishery and Aboriginal | ZONE 15 Temporary allocations |
|--|-----------------------------------|---|---------|---|---|-------------------------------------|
| 13- March 23rd to March 29th..... | - | - | - | - | - | - |
| 14- March 30th to April 5th..... | - | - | - | - | - | - |
| 15- April 6th to April 12th..... | - | - | - | - | - | - |
| 16- April 13th to April 19th..... | - | - | - | - | 37.82 | - |
| 17- April 20th to April 26th..... | - | - | - | - | 97.31 | - |
| 18- April 27th to May 3rd..... | - | - | - | - | 72.31 | - |
| 19- May 4th to May 10th..... | - | 67.82 | - | 44.98 | 60.74 | 5.87 |
| 20- May 11th to May 17th..... | 20.86 | 65.74 | - | 72.16 | 56.36 | 3.94 |
| 21- May 18th to May 24th..... | 14.41 | 34.16 | - | 88.93 | 50.01 | 8.50 |
| 22- May 25th to May 31st..... | 12.79 | 29.57 | - | 60.56 | 26.70 | - |
| 23- June 1st to June 7th..... | 7.17 | 25.12 | - | 71.79 | 44.48 | 6.59 |
| 24- June 8th to June 14th..... | 2.06 | 14.69 | - | 42.12 | 26.67 | 1.54 |
| 25- June 15th to June 21st..... | 4.72 | 27.11 | 33.18 | 27.91 | 32.93 | 17.93 |
| 26- June 22nd to June 28th..... | - | 12.46 | 21.17 | 13.66 | 10.27 | 7.27 |
| 27- June 29th to July 5th..... | - | 10.23 | 18.50 | 5.71 | 14.09 | 4.57 |
| 28- July 6th to July 12th..... | - | 8.90 | 22.66 | 8.17 | 7.74 | - |
| 29- July 13th to July 19th..... | 0.94 | 9.86 | 10.78 | 2.70 | - | - |
| 30- July 20th to July 26th..... | - | - | 16.04 | 5.17 | - | - |
| 31- July 27th to August 2nd..... | - | - | 2.14 | - | - | - |
| 32- August 3rd to August 9th..... | - | - | - | - | - | - |
| 33- August 10th to August 16th..... | - | - | - | - | - | - |
| 34- August 17th to August 23rd..... | - | - | - | - | - | - |
| 35- August 24th to August 30th..... | - | - | - | - | - | - |
| 36- August 31st to September 6th..... | - | - | - | - | - | - |
| 37- September 7th to September 13th..... | - | - | - | - | - | - |
| 38- September 14th to September 20th.... | - | - | - | - | - | - |
| 39- September 21st to September 27th.... | - | - | - | - | - | - |
| 40- September 28th to October 4th..... | - | - | - | - | - | - |
| 41- October 5th to October 11th..... | - | - | - | - | - | - |
| 42- October 12th to October 18th..... | - | - | - | - | - | - |
| 43- October 19th to October 25th..... | - | - | - | - | - | - |
| 44- October 26th to November 1st..... | - | - | - | - | - | - |
| 45- November 2nd to November 8th..... | - | - | - | - | - | - |
| 46- November 9th to November 15th..... | - | - | - | - | - | - |
| 47- November 16th to November 22nd.... | - | - | - | - | - | - |
| 48- November 23rd to November 29th.... | - | - | - | - | - | - |
| 49- November 30th to December 6th..... | - | - | - | - | - | - |
| 50- December 7th to December 13th..... | - | - | - | - | - | - |
| 51- December 14th to December 20th..... | - | - | - | - | - | - |
| 52- December 21st to December 27th..... | - | - | - | - | - | - |
| 53- December 28th to December 31st..... | - | - | - | - | - | - |
| Total..... | 62.95 | 305.66 | 124.48 | 443.85 | 537.43 | 56.21 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation
Crab landings originating from sentinel fishing activities are not included in this table

TABLE 10A

WEEKLY CRAB LANDINGS BY ZONE

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | ZONE 16 Including scientific fishery and Aboriginal | ZONE 16 Temporary allocations | ZONE 16A Temporary allocations including scientific fishery | ZONE 17 Including Aboriginal | ZONE 17 Temporary allocations | .. | TOTAL |
|--|---|-------------------------------------|--|------------------------------------|-------------------------------------|----|-----------|
| 13- March 23rd to March 29th..... | - | - | - | - | - | .. | - |
| 14- March 30th to April 5th..... | - | - | - | 1.81 | - | .. | 1.81 |
| 15- April 6th to April 12th..... | - | - | - | 191.25 | - | .. | 196.57 |
| 16- April 13th to April 19th..... | 513.27 | - | - | 201.74 | 9.13 | .. | 788.83 |
| 17- April 20th to April 26th..... | 646.42 | - | 19.08 | 169.81 | 31.01 | .. | 1 012.84 |
| 18- April 27th to May 3rd..... | 351.44 | 9.33 | 29.40 | 145.77 | 31.34 | .. | 701.56 |
| 19- May 4th to May 10th..... | 358.72 | 32.06 | 70.71 | 96.02 | 20.86 | .. | 893.64 |
| 20- May 11th to May 17th..... | 352.48 | 49.64 | 46.24 | 109.32 | 11.79 | .. | 2 117.37 |
| 21- May 18th to May 24th..... | 290.49 | 33.96 | 46.61 | 78.24 | 5.94 | .. | 1 898.77 |
| 22- May 25th to May 31st..... | 260.26 | 47.39 | 9.79 | 79.38 | 3.87 | .. | 1 586.75 |
| 23- June 1st to June 7th..... | 279.47 | 43.15 | 37.60 | 72.41 | 8.04 | .. | 1 550.30 |
| 24- June 8th to June 14th..... | 228.41 | 26.15 | 27.48 | 58.96 | 3.92 | .. | 1 055.74 |
| 25- June 15th to June 21st..... | 153.13 | 16.66 | 36.46 | 54.34 | 4.26 | .. | 835.13 |
| 26- June 22nd to June 28th..... | 107.63 | 28.67 | 16.63 | 5.74 | 1.33 | .. | 418.46 |
| 27- June 29th to July 5th..... | 66.24 | 1.35 | 11.74 | - | - | .. | 173.83 |
| 28- July 6th to July 12th..... | 71.13 | - | 13.88 | - | - | .. | 136.56 |
| 29- July 13th to July 19th..... | 34.47 | - | 7.47 | - | - | .. | 71.89 |
| 30- July 20th to July 26th..... | - | - | - | - | - | .. | 21.21 |
| 31- July 27th to August 2nd..... | - | - | - | - | - | .. | 2.14 |
| 32- August 3rd to August 9th..... | - | - | - | - | - | .. | - |
| 33- August 10th to August 16th..... | - | - | - | - | - | .. | - |
| 34- August 17th to August 23rd..... | - | - | - | - | - | .. | - |
| 35- August 24th to August 30th..... | - | - | - | - | - | .. | - |
| 36- August 31st to September 6th..... | - | - | - | - | - | .. | - |
| 37- September 7th to September 13th..... | - | - | - | - | - | .. | - |
| 38- September 14th to September 20th... | - | - | - | - | - | .. | - |
| 39- September 21st to September 27th... | - | - | - | - | - | .. | - |
| 40- September 28th to October 4th..... | - | - | - | - | - | .. | - |
| 41- October 5th to October 11th..... | - | - | - | - | - | .. | - |
| 42- October 12th to October 18th..... | - | - | - | - | - | .. | - |
| 43- October 19th to October 25th..... | - | - | - | - | - | .. | - |
| 44- October 26th to November 1st..... | - | - | - | - | - | .. | - |
| 45- November 2nd to November 8th..... | - | - | - | - | - | .. | - |
| 46- November 9th to November 15th..... | - | - | - | - | - | .. | - |
| 47- November 16th to November 22nd.... | - | - | - | - | - | .. | - |
| 48- November 23rd to November 29th.... | - | - | - | - | - | .. | - |
| 49- November 30th to December 6th..... | - | - | - | - | - | .. | - |
| 50- December 7th to December 13th..... | - | - | - | - | - | .. | - |
| 51- December 14th to December 20th..... | - | - | - | - | - | .. | - |
| 52- December 21st to December 27th..... | - | - | - | - | - | .. | - |
| 53- December 28th to December 31st..... | - | - | - | - | - | .. | - |
| Total..... | 3 713.55 | 288.35 | 373.09 | 1 264.79 | 131.49 | .. | 13 463.41 |
| | | | | | | .. | |

N.B. The minor differences are caused by the rounding factors used at the time of calculation
Crab landings originating from sentinel fishing activities are not included in this table

TABLE 10B

WEEKLY SHRIMP LANDINGS BY SHOAL

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | SEPT-ILES including Aboriginal | SEPT-ILES Temporary allocations | ANTICOSTI including Aboriginal | ANTICOSTI Temporary allocations | ESQUIMAN GROUP A Temporary allocations | ESQUIMAN GROUP B |
|--|--------------------------------------|---------------------------------------|--------------------------------------|---------------------------------------|---|---------------------|
| 13- March 23rd to March 29th..... | - | - | - | - | - | - |
| 14- March 30th to April 5th..... | 37.04 | - | - | - | - | - |
| 15- April 6th to April 12th..... | 644.47 | 30.71 | - | - | - | - |
| 16- April 13th to April 19th..... | 1488.42 | 11.49 | - | - | - | - |
| 17- April 20th to April 26th..... | 1447.78 | 26.55 | - | - | - | - |
| 18- April 27th to May 3rd..... | 832.88 | 72.14 | - | - | - | - |
| 19- May 4th to May 10th..... | 615.75 | 260.74 | - | - | 38.23 | - |
| 20- May 11th to May 17th..... | 676.16 | 207.57 | - | - | 32.49 | - |
| 21- May 18th to May 24th..... | 646.16 | 197.81 | - | - | 43.31 | - |
| 22- May 25th to May 31st..... | 497.28 | 225.82 | 135.36 | - | - | - |
| 23- June 1st to June 7th..... | 560.15 | 204.75 | 221.50 | 60.05 | - | - |
| 24- June 8th to June 14th..... | 479.42 | 178.83 | 157.40 | - | - | - |
| 25- June 15th to June 21st..... | 438.72 | 165.56 | 167.50 | 22.24 | - | - |
| 26- June 22nd to June 28th..... | 560.23 | 34.05 | 101.02 | 15.89 | - | - |
| 27- June 29th to July 5th..... | 328.68 | 40.36 | 300.58 | 92.92 | - | - |
| 28- July 6th to July 12th..... | 375.10 | 6.83 | 497.77 | 79.18 | - | - |
| 29- July 13th to July 19th..... | 198.01 | 5.55 | 438.08 | 132.07 | - | - |
| 30- July 20th to July 26th..... | 316.96 | 10.90 | 506.15 | 38.22 | - | - |
| 31- July 27th to August 2nd..... | 291.43 | 39.83 | 347.29 | 127.09 | - | - |
| 32- August 3rd to August 9th..... | 281.89 | - | 226.35 | 91.22 | - | - |
| 33- August 10th to August 16th..... | 261.61 | 48.35 | 348.24 | 12.19 | - | - |
| 34- August 17th to August 23rd..... | 283.14 | 11.95 | 347.13 | 70.39 | - | - |
| 35- August 24th to August 30th..... | 258.81 | 14.61 | 304.20 | 33.69 | - | - |
| 36- August 31st to September 6th..... | 236.06 | 37.77 | 192.82 | 4.24 | - | 7.15 |
| 37- September 7th to September 13th..... | 186.56 | 69.48 | 121.38 | - | - | - |
| 38- September 14th to September 20th.... | 168.06 | 10.34 | 88.56 | - | - | - |
| 39- September 21st to September 27th.... | 122.91 | 28.03 | 89.72 | 20.26 | - | - |
| 40- September 28th to October 4th..... | 126.46 | - | 66.22 | - | - | - |
| 41- October 5th to October 11th..... | 97.82 | - | 64.11 | - | - | - |
| 42- October 12th to October 18th..... | 59.99 | 10.94 | 17.41 | - | - | - |
| 43- October 19th to October 25th..... | 45.34 | - | - | - | - | - |
| 44- October 26th to November 1st..... | 30.61 | - | 4.77 | - | - | - |
| 45- November 2nd to November 8th..... | 27.30 | - | 0.88 | - | - | - |
| 46- November 9th to November 15th..... | 84.38 | - | - | - | - | - |
| 47- November 16th to November 22nd.... | - | - | - | - | - | - |
| 48- November 23rd to November 29th.... | - | - | - | - | - | - |
| 49- November 30th to December 6th..... | - | - | - | - | - | - |
| 50- December 7th to December 13th..... | 36.59 | - | - | - | - | - |
| 51- December 14th to December 20th.... | - | - | - | - | - | - |
| 52- December 21st to December 27th.... | - | - | - | - | - | - |
| 53- December 28th to December 31st.... | - | - | - | - | - | - |
| Total..... | 12 742.16 | 1 950.98 | 4 744.43 | 799.66 | 114.04 | 7.15 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation

TABLE 10B

WEEKLY SHRIMP LANDINGS BY SHOAL

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | ESTUARY including Aboriginal | ESTUARY Temporary allocations | GROUP A | SEPT-ÎLES GULF REGION (PEI/NS) Temporary allocations | ZONE 6 3L Nfld ⁽¹⁾ | TOTAL |
|--|------------------------------------|-------------------------------------|---------|--|----------------------------------|-----------|
| 13- March 23rd to March 29th..... | - | - | - | - | - :: | - |
| 14- March 30th to April 5th..... | - | - | - | - | - :: | 37.04 |
| 15- April 6th to April 12th..... | 14.64 | - | - | - | - :: | 689.83 |
| 16- April 13th to April 19th..... | 6.62 | - | - | - | - :: | 1 506.52 |
| 17- April 20th to April 26th..... | 34.26 | - | - | - | - :: | 1 508.58 |
| 18- April 27th to May 3rd..... | 69.78 | - | - | - | - :: | 974.80 |
| 19- May 4th to May 10th..... | 102.58 | - | - | - | - :: | 1 017.31 |
| 20- May 11th to May 17th..... | 146.57 | 23.90 | - | - | - :: | 1 086.70 |
| 21- May 18th to May 24th..... | 88.44 | 20.62 | - | - | - :: | 996.34 |
| 22- May 25th to May 31st..... | 67.74 | - | - | - | - :: | 926.20 |
| 23- June 1st to June 7th..... | 25.99 | - | - | - | - :: | 1 072.43 |
| 24- June 8th to June 14th..... | - | - | - | - | - :: | 815.65 |
| 25- June 15th to June 21st..... | - | - | - | - | - :: | 794.02 |
| 26- June 22nd to June 28th..... | - | - | - | - | - :: | 711.19 |
| 27- June 29th to July 5th..... | 64.56 | - | - | - | - :: | 827.10 |
| 28- July 6th to July 12th..... | 28.27 | 7.23 | - | - | - :: | 994.37 |
| 29- July 13th to July 19th..... | 14.59 | 10.56 | - | - | - :: | 798.86 |
| 30- July 20th to July 26th..... | - | - | - | - | - :: | 872.23 |
| 31- July 27th to August 2nd..... | 10.20 | - | - | - | - :: | 815.83 |
| 32- August 3rd to August 9th..... | 17.94 | - | 28.63 | - | - :: | 646.03 |
| 33- August 10th to August 16th..... | 15.45 | - | - | - | - :: | 685.84 |
| 34- August 17th to August 23rd..... | 22.54 | - | - | - | - :: | 735.17 |
| 35- August 24th to August 30th..... | - | 25.56 | - | - | 36.83 :: | 673.70 |
| 36- August 31st to September 6th..... | 25.50 | - | - | - | 29.11 :: | 532.64 |
| 37- September 7th to September 13th..... | 15.27 | - | - | - | - :: | 392.69 |
| 38- September 14th to September 20th.... | 35.18 | - | - | - | - :: | 302.14 |
| 39- September 21st to September 27th.... | 26.20 | - | - | - | - :: | 287.12 |
| 40- September 28th to October 4th..... | - | 29.81 | - | - | - :: | 222.49 |
| 41- October 5th to October 11th..... | - | 21.89 | - | - | - :: | 183.82 |
| 42- October 12th to October 18th..... | - | - | - | - | - :: | 88.35 |
| 43- October 19th to October 25th..... | - | - | - | - | - :: | 45.34 |
| 44- October 26th to November 1st..... | 8.08 | - | - | - | - :: | 43.46 |
| 45- November 2nd to November 8th..... | 5.44 | - | - | - | - :: | 33.62 |
| 46- November 9th to November 15th..... | 5.44 | - | - | - | - :: | 89.82 |
| 47- November 16th to November 22nd.... | 18.81 | - | - | - | - :: | 18.81 |
| 48- November 23rd to November 29th.... | 6.46 | - | - | 32.35 | - :: | 38.81 |
| 49- November 30th to December 6th..... | - | - | - | 87.47 | - :: | 87.47 |
| 50- December 7th to December 13th..... | - | - | - | 26.95 | - :: | 63.54 |
| 51- December 14th to December 20th.... | - | - | - | - | - :: | - |
| 52- December 21st to December 27th.... | - | - | - | - | - :: | - |
| 53- December 28th to December 31st.... | - | - | - | - | - :: | - |
| Total..... | 876.55 | 139.58 | 28.63 | 146.78 | 65.95 :: | 21 615.89 |
| | | | | | :: | |

N.B. The minor differences are caused by the rounding factors used at the time of calculation

(1) Newfoundland

TABLE 10C

**WEEKLY COD LANDINGS BY DIVISION
FOR THE MAIN MOBILE GEARS GROUPS**

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | TRANSFERS FROM ITQ MOBILE & SHRIMPERS ⁽¹⁾ | MOBILE GEAR 65-100' < 65' DIV. 4RS 3PN | MOBILE GEAR >100' DIV. 4RS 3PN | BYCATCH DIV. 4RS 3PN | BASED IN 4RS 3PN DIV. 4T | COMPETITIVE BASED IN N.B. ⁽²⁾ < 45' DIV. 4T |
|--|--|--|---|-------------------------|--------------------------------|---|
| 13- March 23rd to March 29th..... | - | - | - | - | - | - |
| 14- March 30th to April 5th..... | - | - | - | - | - | - |
| 15- April 6th to April 12th..... | - | - | - | - | - | - |
| 16- April 13th to April 19th..... | - | - | - | - | - | - |
| 17- April 20th to April 26th..... | - | - | - | - | - | - |
| 18- April 27th to May 3rd..... | - | - | - | - | - | - |
| 19- May 4th to May 10th..... | 0.01 | - | - | - | - | - |
| 20- May 11th to May 17th..... | 27.77 | - | - | - | - | - |
| 21- May 18th to May 24th..... | - | - | - | - | - | - |
| 22- May 25th to May 31st..... | - | - | - | - | - | - |
| 23- June 1st to June 7th..... | - | - | - | - | - | - |
| 24- June 8th to June 14th..... | - | - | - | - | - | - |
| 25- June 15th to June 21st..... | - | - | - | - | 1.04 | - |
| 26- June 22nd to June 28th..... | - | - | - | - | 0.55 | - |
| 27- June 29th to July 5th..... | - | 0.04 | - | - | - | - |
| 28- July 6th to July 12th..... | - | 0.02 | - | - | 0.33 | 4.48 |
| 29- July 13th to July 19th..... | - | 0.57 | - | - | - | 21.65 |
| 30- July 20th to July 26th..... | 48.96 | 0.79 | - | - | - | - |
| 31- July 27th to August 2nd..... | 13.24 | 0.22 | - | - | - | 16.79 |
| 32- August 3rd to August 9th..... | - | - | - | - | - | 13.58 |
| 33- August 10th to August 16th..... | - | - | - | - | - | 18.76 |
| 34- August 17th to August 23rd..... | 71.73 | - | 24.22 | - | - | - |
| 35- August 24th to August 30th..... | 33.36 | - | - | - | - | - |
| 36- August 31st to September 6th..... | 26.26 | 0.45 | - | - | - | 10.76 |
| 37- September 7th to September 13th.... | 17.77 | - | - | - | - | - |
| 38- September 14th to September 20th.... | 30.44 | 8.14 | 15.01 | - | - | - |
| 39- September 21st to September 27th.... | 48.32 | - | 5.36 | - | - | - |
| 40- September 28th to October 4th..... | - | - | - | - | - | - |
| 41- October 5th to October 11th..... | - | - | - | - | - | - |
| 42- October 12th to October 18th..... | 46.66 | - | - | - | - | - |
| 43- October 19th to October 25th..... | 4.44 | - | - | - | - | - |
| 44- October 26th to November 1st..... | 22.87 | - | - | - | - | - |
| 45- November 2nd to November 8th..... | - | - | - | - | - | - |
| 46- November 9th to November 15th..... | - | - | - | - | - | - |
| 47- November 16th to November 22nd.... | - | - | - | - | - | - |
| 48- November 23rd to November 29th.... | - | - | 2.49 | - | - | - |
| 49- November 30th to December 6th..... | - | - | - | - | - | - |
| 50- December 7th to December 13th..... | - | - | - | - | - | - |
| 51- December 14th to December 20th.... | - | - | - | - | - | - |
| 52- December 21st to December 27th.... | - | - | - | - | - | - |
| 53- December 28th to December 31st.... | - | - | - | - | - | - |
| Total..... | 391.83 | 10.23 | 47.08 | - | 1.93 | 86.03 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation

(1) These transferred quantities are being fished with fixed gear

(2) New Brunswick

TABLE 10C

WEEKLY COD LANDINGS BY DIVISION
FOR THE MAIN MOBILE GEARS GROUPS

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | COMPETITIVE | COMPETITIVE | SHRIMPERS | SENTINEL | BYCATCH | I.T.Q. | .. |
|---|------------------|------------------|----------------------|------------------|------------------------|------------------|----------|
| | NORTH | SOUTH | BASED IN | FISHERY | COMPETITIVE | .. | .. |
| | < 45' DIV. 4T | < 45' DIV. 4T | QC & N.B. DIV. 4T | < 65' DIV. 4T | SOUTH < 65' DIV. 4T | < 65' DIV. 4T | TOTAL |
| 13- March 23rd to March 29th..... | - | - | - | - | - | - | - |
| 14- March 30th to April 5th..... | - | - | - | - | - | - | - |
| 15- April 6th to April 12th..... | - | - | - | - | - | - | - |
| 16- April 13th to April 19th..... | - | - | - | - | - | - | - |
| 17- April 20th to April 26th..... | - | - | - | - | - | - | - |
| 18- April 27th to May 3rd..... | - | - | - | - | - | - | - |
| 19- May 4th to May 10th..... | - | - | - | - | - | - | 0.01 |
| 20- May 11th to May 17th..... | - | - | - | - | - | - | 27.77 |
| 21- May 18th to May 24th..... | - | - | - | - | - | - | - |
| 22- May 25th to May 31st..... | - | - | - | - | - | - | - |
| 23- June 1st to June 7th..... | - | - | - | - | - | - | - |
| 24- June 8th to June 14th..... | - | - | - | - | 0.20 | - | 0.20 |
| 25- June 15th to June 21st..... | - | - | - | - | - | - | 1.04 |
| 26- June 22nd to June 28th..... | - | - | - | - | - | 0.51 | 1.06 |
| 27- June 29th to July 5th..... | - | - | - | - | - | - | 0.04 |
| 28- July 6th to July 12th..... | - | - | - | - | - | 20.44 | 25.27 |
| 29- July 13th to July 19th..... | - | - | - | 0.02 | - | 60.08 | 82.33 |
| 30- July 20th to July 26th..... | 5.36 | - | - | - | - | 45.07 | 100.18 |
| 31- July 27th to August 2nd..... | 7.65 | - | - | - | 0.51 | 35.56 | 73.97 |
| 32- August 3rd to August 9th..... | - | - | - | - | - | 63.27 | 76.86 |
| 33- August 10th to August 16th..... | - | - | - | 4.22 | - | 12.85 | 35.83 |
| 34- August 17th to August 23rd..... | - | - | - | 0.31 | - | 7.88 | 104.13 |
| 35- August 24th to August 30th..... | - | - | - | 0.03 | - | 1.62 | 35.01 |
| 36- August 31st to September 6th..... | - | - | - | - | - | 8.28 | 45.75 |
| 37- September 7th to September 13th..... | - | - | - | - | 0.07 | 7.09 | 24.93 |
| 38- September 14th to September 20th..... | - | - | - | - | - | - | 53.59 |
| 39- September 21st to September 27th..... | - | - | - | - | - | 0.17 | 53.85 |
| 40- September 28th to October 4th..... | - | 0.96 | - | - | - | 10.94 | 11.90 |
| 41- October 5th to October 11th..... | - | 0.12 | - | - | - | 43.44 | 43.56 |
| 42- October 12th to October 18th..... | - | - | - | - | - | 28.69 | 75.35 |
| 43- October 19th to October 25th..... | - | - | - | - | - | 34.22 | 38.66 |
| 44- October 26th to November 1st..... | - | - | - | - | - | - | 22.87 |
| 45- November 2nd to November 8th..... | - | - | 39.51 | - | - | 32.06 | 71.57 |
| 46- November 9th to November 15th..... | - | - | - | - | - | 39.18 | 39.18 |
| 47- November 16th to November 22nd..... | - | - | - | - | - | - | - |
| 48- November 23rd to November 29th..... | - | - | - | - | - | 38.20 | 40.69 |
| 49- November 30th to December 6th..... | - | - | - | - | - | - | - |
| 50- December 7th to December 13th..... | - | - | - | - | - | - | - |
| 51- December 14th to December 20th..... | - | - | - | - | - | - | - |
| 52- December 21st to December 27th..... | - | - | - | - | - | - | - |
| 53- December 28th to December 31st..... | - | - | - | - | - | - | - |
| | 13.01 | 1.08 | 39.51 | 4.57 | 0.78 | 489.55 | 1 085.59 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation

TABLE 10D

WEEKLY COD LANDINGS BY DIVISION

FOR ALL FIXED GEARS

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | BASED IN | BASED IN | BASED IN | LONGLINERS | LONGLINERS | SENTINEL |
|--|-----------------------|----------------------------------|--------------|--------------|--------------|-----------------------|
| | NORTH SHORE | NORTH SHORE | NEWFOUNDLAND | < 65' | < 65' | FISHERY |
| | < 65' DIV. 4RS 3PN | BYCATCH < 65' DIV. 4RS 3PN | DIV. 4RS 3PN | DIV. 4RS 3PN | DIV. 4RS 3PN | < 65' DIV. 4RS 3PN |
| 13- March 23rd to March 29th..... | - | - | - | - | - | - |
| 14- March 30th to April 5th..... | - | - | - | - | - | - |
| 15- April 6th to April 12th..... | - | - | - | - | - | - |
| 16- April 13th to April 19th..... | - | - | - | - | - | - |
| 17- April 20th to April 26th..... | - | - | - | - | - | - |
| 18- April 27th to May 3rd..... | - | 0.02 | - | - | - | - |
| 19- May 4th to May 10th..... | - | 0.02 | - | - | 0.01 | - |
| 20- May 11th to May 17th..... | - | 1.42 | - | - | 0.48 | - |
| 21- May 18th to May 24th..... | - | 0.32 | - | - | 0.09 | - |
| 22- May 25th to May 31st..... | - | 0.02 | - | - | 0.15 | - |
| 23- June 1st to June 7th..... | - | ° | - | - | 0.52 | - |
| 24- June 8th to June 14th..... | - | 0.23 | - | - | 0.05 | - |
| 25- June 15th to June 21st..... | - | ° | - | - | 0.08 | 4.10 |
| 26- June 22nd to June 28th..... | - | 0.80 | - | - | 0.56 | 13.07 |
| 27- June 29th to July 5th..... | - | 0.12 | - | - | 1.11 | 21.25 |
| 28- July 6th to July 12th..... | 115.14 | 0.09 | 78.85 | - | 0.66 | 20.03 |
| 29- July 13th to July 19th..... | 146.98 | 0.19 | 94.56 | - | 0.70 | 20.89 |
| 30- July 20th to July 26th..... | 112.66 | 0.70 | 34.19 | 19.36 | 0.55 | 12.42 |
| 31- July 27th to August 2nd..... | 36.15 | 0.33 | 2.93 | 1.03 | 0.36 | 9.46 |
| 32- August 3rd to August 9th..... | 12.80 | 0.92 | 0.18 | 69.00 | 0.22 | 3.28 |
| 33- August 10th to August 16th..... | 15.07 | 0.65 | - | - | 0.30 | 6.91 |
| 34- August 17th to August 23rd..... | 7.46 | 0.24 | - | - | - | 2.93 |
| 35- August 24th to August 30th..... | 10.73 | 1.20 | 0.29 | - | - | 3.56 |
| 36- August 31st to September 6th..... | 6.21 | 0.82 | - | 68.54 | - | 2.89 |
| 37- September 7th to September 13th..... | 3.22 | - | - | 16.25 | - | - |
| 38- September 14th to September 20th.... | 0.96 | - | - | 15.90 | - | - |
| 39- September 21st to September 27th.... | 1.56 | - | - | - | - | - |
| 40- September 28th to October 4th..... | 0.19 | - | - | 65.90 | - | - |
| 41- October 5th to October 11th..... | 1.42 | - | - | - | 0.01 | - |
| 42- October 12th to October 18th..... | 1.02 | - | - | - | - | - |
| 43- October 19th to October 25th..... | 0.09 | - | - | 9.80 | - | - |
| 44- October 26th to November 1st..... | - | - | - | - | - | - |
| 45- November 2nd to November 8th..... | - | - | - | - | - | - |
| 46- November 9th to November 15th..... | - | - | - | - | - | - |
| 47- November 16th to November 22nd.... | - | - | - | - | - | - |
| 48- November 23rd to November 29th.... | - | - | - | - | - | - |
| 49- November 30th to December 6th..... | - | - | - | - | - | - |
| 50- December 7th to December 13th..... | - | - | - | - | - | - |
| 51- December 14th to December 20th..... | - | - | - | - | - | - |
| 52- December 21st to December 27th..... | - | - | - | - | - | - |
| 53- December 28th to December 31st..... | - | - | - | - | - | - |
| Total..... | 471.65 | 8.10 | 211.00 | 265.79 | 5.85 | 120.81 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation

TABLE 10D

WEEKLY COD LANDINGS BY DIVISION

FOR ALL FIXED GEARS

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | SENTINEL FISHERY | MAGDALEN ISLANDS | GASPÉ PENINSULA | BYCATCH | .. |
|--|---------------------|---------------------|--------------------|---------|----------|
| | < 65' | < 65' | < 65' | < 65' | .. |
| | DIV. 4T | DIV. 4T | DIV. 4T | DIV. 4T | TOTAL |
| 13- March 23rd to March 29th..... | - | - | - | - | .. |
| 14- March 30th to April 5th..... | - | - | - | - | .. |
| 15- April 6th to April 12th..... | - | - | - | - | .. |
| 16- April 13th to April 19th..... | - | - | - | - | .. |
| 17- April 20th to April 26th..... | - | - | - | 0.02 | 0.02 |
| 18- April 27th to May 3rd..... | - | - | - | ° | 0.02 |
| 19- May 4th to May 10th..... | - | - | - | ° | 0.03 |
| 20- May 11th to May 17th..... | - | - | - | 2.26 | 4.16 |
| 21- May 18th to May 24th..... | - | - | - | 0.01 | 0.42 |
| 22- May 25th to May 31st..... | - | - | - | ° | 0.17 |
| 23- June 1st to June 7th..... | - | - | - | 0.01 | 0.54 |
| 24- June 8th to June 14th..... | - | - | - | ° | 0.29 |
| 25- June 15th to June 21st..... | - | - | - | 0.01 | 4.19 |
| 26- June 22nd to June 28th..... | - | - | - | 0.01 | 14.43 |
| 27- June 29th to July 5th..... | - | - | - | - | 22.49 |
| 28- July 6th to July 12th..... | - | - | 128.45 | 0.01 | 343.22 |
| 29- July 13th to July 19th..... | 0.02 | - | - | 6.63 | 269.98 |
| 30- July 20th to July 26th..... | 0.02 | - | - | 7.81 | 187.72 |
| 31- July 27th to August 2nd..... | 0.01 | - | 6.85 | 0.10 | 57.23 |
| 32- August 3rd to August 9th..... | 0.84 | - | - | 0.93 | 88.18 |
| 33- August 10th to August 16th..... | 0.17 | 6.31 | 2.15 | 0.07 | 31.62 |
| 34- August 17th to August 23rd..... | 0.19 | 5.52 | 1.43 | ° | 17.77 |
| 35- August 24th to August 30th..... | 0.04 | 1.58 | 13.43 | 0.01 | 30.84 |
| 36- August 31st to September 6th..... | 0.16 | 12.31 | 10.07 | 0.07 | 101.07 |
| 37- September 7th to September 13th... | 0.10 | 4.92 | 6.38 | 0.09 | 30.97 |
| 38- September 14th to September 20th. | - | 2.29 | 4.01 | 0.05 | 23.20 |
| 39- September 21st to September 27th.. | 0.04 | 7.20 | 0.36 | 0.03 | 9.18 |
| 40- September 28th to October 4th..... | - | 5.60 | - | - | 71.68 |
| 41- October 5th to October 11th..... | - | 3.62 | - | 0.02 | 5.07 |
| 42- October 12th to October 18th..... | - | 0.79 | - | - | 1.81 |
| 43- October 19th to October 25th..... | - | 1.43 | - | - | 11.33 |
| 44- October 26th to November 1st..... | - | 0.02 | - | - | 0.02 |
| 45- November 2nd to November 8th..... | - | - | - | - | - |
| 46- November 9th to November 15th.... | - | 0.12 | - | - | 0.12 |
| 47- November 16th to November 22nd.. | - | - | - | - | - |
| 48- November 23rd to November 29th... | - | - | - | - | - |
| 49- November 30th to December 6th..... | - | - | - | - | - |
| 50- December 7th to December 13th.... | - | - | - | - | - |
| 51- December 14th to December 20th.... | - | - | - | - | - |
| 52- December 21st to December 27th.... | - | - | - | - | - |
| 53- December 28th to December 31st.... | - | - | - | - | - |
| Total..... | 1.58 | 51.70 | 173.13 | 18.16 | 1 327.77 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation

TABLE 10E

WEEKLY LOBSTER LANDINGS BY ZONE

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | ZONE 15 | ZONE 16 | ZONE 17 | ZONE 18 | ZONE 19 |
|---|--------------|-------------|---------------|-------------|--------------|
| 13- March 23rd to March 29th..... | - | - | - | - | - |
| 14- March 30th to April 5th..... | - | - | - | - | - |
| 15- April 6th to April 12th..... | - | - | - | - | - |
| 16- April 13th to April 19th..... | - | - | - | - | - |
| 17- April 20th to April 26th..... | - | - | - | - | - |
| 18- April 27th to May 3rd..... | - | - | - | - | - |
| 19- May 4th to May 10th..... | - | - | 2.06 | - | 1.83 |
| 20- May 11th to May 17th..... | - | 0.09 | 18.49 | - | 3.82 |
| 21- May 18th to May 24th..... | 0.40 | 0.30 | 20.30 | - | 5.21 |
| 22- May 25th to May 31st..... | 0.98 | 0.78 | 25.33 | 0.16 | 5.12 |
| 23- June 1st to June 7th..... | 1.71 | 0.52 | 19.83 | - | 2.24 |
| 24- June 8th to June 14th..... | 2.26 | 0.59 | 2.79 | 0.20 | 2.16 |
| 25- June 15th to June 21st..... | 2.26 | 0.42 | 26.48 | 0.22 | 1.26 |
| 26- June 22nd to June 28th..... | 3.22 | 0.88 | 14.35 | - | 2.09 |
| 27- June 29th to July 5th..... | 1.64 | 0.58 | 3.41 | 0.23 | 1.59 |
| 28- July 6th to July 12th..... | 2.61 | 0.69 | 15.15 | - | 1.44 |
| 29- July 13th to July 19th..... | 0.84 | 0.22 | 7.50 | 0.13 | 0.95 |
| 30- July 20th to July 26th..... | 0.94 | 0.26 | 1.02 | - | 0.49 |
| 31- July 27th to August 2nd..... | 0.39 | 0.22 | 0.46 | 0.05 | 0.04 |
| 32- August 3rd to August 9th..... | 0.35 | 0.11 | 0.20 | - | - |
| 33- August 10th to August 16th..... | - | - | - | - | - |
| 34- August 17th to August 23rd..... | - | - | - | - | - |
| 35- August 24th to August 30th..... | - | - | - | - | - |
| 36- August 31st to September 6th..... | - | - | - | - | - |
| 37- September 7th to September 13th..... | - | - | - | - | - |
| 38- September 14th to September 20th..... | - | - | - | - | - |
| 39- September 21st to September 27th..... | - | - | - | - | - |
| 40- September 28th to October 4th..... | - | - | - | - | - |
| 41- October 5th to October 11th..... | - | - | - | - | - |
| 42- October 12th to October 18th..... | - | - | - | - | - |
| 43- October 19th to October 25th..... | - | - | - | - | - |
| 44- October 26th to November 1st..... | - | - | - | - | - |
| 45- November 2nd to November 8th..... | - | - | - | - | - |
| 46- November 9th to November 15th..... | - | - | - | - | - |
| 47- November 16th to November 22nd..... | - | - | - | - | - |
| 48- November 23rd to November 29th..... | - | - | - | - | - |
| 49- November 30th to December 6th..... | - | - | - | - | - |
| 50- December 7th to December 13th..... | - | - | - | - | - |
| 51- December 14th to December 20th..... | - | - | - | - | - |
| 52- December 21st to December 27th..... | - | - | - | - | - |
| 53- December 28th to December 31st..... | - | - | - | - | - |
| Total..... | 17.60 | 5.66 | 157.36 | 0.98 | 28.26 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 10E

WEEKLY LOBSTER LANDINGS BY ZONE

- YEAR 2008 -

(Quantity in rounded metric tons, live weight)

| WEEK | ZONE 20A | ZONE 20B | ZONE 21 | ZONE 22 | TOTAL |
|---|----------|----------|---------|-------------|----------|
| 13- March 23rd to March 29th..... | - | - | - | - | .. |
| 14- March 30th to April 5th..... | - | - | - | - | .. |
| 15- April 6th to April 12th..... | - | - | - | - | .. |
| 16- April 13th to April 19th..... | - | - | - | - | .. |
| 17- April 20th to April 26th..... | - | - | - | - | .. |
| 18- April 27th to May 3rd..... | 47.99 | 38.43 | - | - | 86.43 |
| 19- May 4th to May 10th..... | 116.13 | 57.50 | 2.15 | 428.10 .. | 607.76 |
| 20- May 11th to May 17th..... | 89.30 | 51.80 | 3.59 | 379.24 .. | 546.32 |
| 21- May 18th to May 24th..... | 77.95 | 50.18 | 3.10 | 385.75 .. | 543.19 |
| 22- May 25th to May 31st..... | 42.89 | 27.87 | 1.65 | 327.83 .. | 432.59 |
| 23- June 1st to June 7th..... | 26.72 | 17.02 | 1.75 | 328.80 .. | 398.60 |
| 24- June 8th to June 14th..... | 19.49 | 15.75 | 2.08 | 213.42 .. | 258.74 |
| 25- June 15th to June 21st..... | 15.08 | 12.72 | 2.25 | 179.27 .. | 239.95 |
| 26- June 22nd to June 28th..... | 11.81 | 9.22 | 1.46 | 159.80 .. | 202.83 |
| 27- June 29th to July 5th..... | 7.00 | 1.02 | 0.89 | 85.03 .. | 101.39 |
| 28- July 6th to July 12th..... | 2.67 | - | 0.51 | - | 23.08 |
| 29- July 13th to July 19th..... | - | - | - | - | 9.64 |
| 30- July 20th to July 26th..... | - | - | - | - | 2.71 |
| 31- July 27th to August 2nd..... | - | - | - | - | 1.16 |
| 32- August 3rd to August 9th..... | - | - | - | - | 0.66 |
| 33- August 10th to August 16th..... | - | - | - | - | - |
| 34- August 17th to August 23rd..... | - | - | - | - | - |
| 35- August 24th to August 30th..... | - | - | - | - | - |
| 36- August 31st to September 6th..... | - | - | - | - | - |
| 37- September 7th to September 13th..... | - | - | - | - | - |
| 38- September 14th to September 20th..... | - | - | - | - | - |
| 39- September 21st to September 27th..... | - | - | - | - | - |
| 40- September 28th to October 4th..... | - | - | - | - | - |
| 41- October 5th to October 11th..... | - | - | - | - | - |
| 42- October 12th to October 18th..... | - | - | - | - | - |
| 43- October 19th to October 25th..... | - | - | - | - | - |
| 44- October 26th to November 1st..... | - | - | - | - | - |
| 45- November 2nd to November 8th..... | - | - | - | - | - |
| 46- November 9th to November 15th..... | - | - | - | - | - |
| 47- November 16th to November 22nd..... | - | - | - | - | - |
| 48- November 23rd to November 29th..... | - | - | - | - | - |
| 49- November 30th to December 6th..... | - | - | - | - | - |
| 50- December 7th to December 13th..... | - | - | - | - | - |
| 51- December 14th to December 20th..... | - | - | - | - | - |
| 52- December 21st to December 27th..... | - | - | - | - | - |
| 53- December 28th to December 31st..... | - | - | - | - | - |
| Total..... | 457.02 | 281.52 | 19.43 | 2 487.24 .. | 3 455.08 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

LANDINGS IN
QUEBEC

TABLE 11

LANDINGS IN QUEBEC IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. in % Quantity | Var. in % Value |
|---|------------------|----------------|------------------|----------------|-----------------------|--------------------|
| Cod..... | 2 433 | 3 070 | 2 413 | 3 066 | -0.8 | -0.1 |
| Haddock..... | - | - | ° | ° | N/A | N/A |
| Redfish..... | 72 | 52 | 281 | 233 | 290.3 | 348.1 |
| Atlantic Halibut..... | 190 | 1 121 | 245 | 1 476 | 28.9 | 31.7 |
| American Plaice..... | 96 | 77 | 80 | 63 | -16.7 | -18.2 |
| Greysole..... | 153 | 163 | 45 | 49 | -70.6 | -69.9 |
| Winter Flounder..... | 136 | 154 | 123 | 148 | -9.6 | -3.9 |
| Unspecified Flounders..... | ° | ° | - | - | N/A | N/A |
| Greenland Halibut..... | 3 029 | 5 641 | 2 942 | 5 779 | -2.9 | 2.4 |
| White Hake..... | 7 | 4 | 20 | 12 | 185.7 | 200.0 |
| Catfish..... | ° | ° | 3 | 1 | N/A | N/A |
| Other groundfish..... | 253 | 293 | 171 | 212 | -32.4 | -27.6 |
| Total groundfish..... | 6 371 | 10 574 | 6 324 | 11 039 | -0.7 | 4.4 |
| Herring..... | 3 453 | 996 | 2 776 | 917 | -19.6 | -7.9 |
| Mackerel..... | 1 098 | 572 | 1 314 | 714 | 19.7 | 24.8 |
| Bluefin Tuna..... | - | - | ° | 5 | N/A | N/A |
| Eel..... | 13 | 86 | ° | ° | N/A | N/A |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | 924 | 271 | 1 344 | 240 | 45.5 | -11.4 |
| Other pelagic and estuarian species..... | 13 | 23 | 6 | 4 | -53.8 | -82.6 |
| Total pelagic and estuarian species..... | 5 502 | 1 948 | 5 439 | 1 880 | -1.1 | -3.5 |
| Soft Shell Clam..... | 280 | 420 | 177 | 276 | -36.8 | -34.3 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 882 | 1 762 | 827 | 1 467 | -6.2 | -16.7 |
| Whelk..... | 1 269 | 1 306 | 1 147 | 1 214 | -9.6 | -7.0 |
| Lobster..... | 3 232 | 44 223 | 3 455 | 39 742 | 6.9 | -10.1 |
| Shrimp..... | 18 147 | 18 162 | 21 616 | 25 293 | 19.1 | 39.3 |
| Snow Crab..... | 14 736 | 62 966 | 13 463 | 50 447 | -8.6 | -19.9 |
| Other molluscs and crustaceans..... | 2 956 | 2 484 | 2 991 | 2 473 | 1.2 | -0.4 |
| Total molluscs and crustaceans..... | 41 502 | 131 322 | 43 678 | 120 912 | 5.2 | -7.9 |
| Other items..... | 766 | 994 | 457 | 800 | -40.3 | -19.5 |
| Total..... | 54 141 | 144 839 | 55 897 | 134 632 | 3.2 | -7.0 |

TABLE 11A

LANDINGS IN QUEBEC BY VESSELS UNDER 35' IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | Quantity | 2007 | | 2008 | | Var. in % | Value |
|---|--------------|---------------|--------------|---------------|-------------|--------------|-------|
| | | Value | Quantity | Value | Quantity | | |
| Cod..... | 844 | 1 004 | 731 | 785 | -13.4 | -21.8 | |
| Haddock..... | - | - | ° | ° | N/A | N/A | |
| Redfish..... | 2 | 1 | 3 | 2 | 50.0 | 100.0 | |
| Atlantic Halibut..... | 21 | 132 | 28 | 171 | 33.3 | 29.5 | |
| American Plaice..... | 7 | 6 | 14 | 10 | 100.0 | 66.7 | |
| Greysole..... | - | - | - | - | - | - | |
| Winter Flounder..... | 19 | 20 | 20 | 19 | 5.3 | -5.0 | |
| Unspecified Flounders..... | - | - | - | - | - | - | |
| Greenland Halibut..... | 597 | 1 099 | 629 | 1 224 | 5.4 | 11.4 | |
| White Hake..... | ° | ° | 1 | ° | N/A | N/A | |
| Catfish..... | ° | ° | ° | ° | N/A | N/A | |
| Other groundfish..... | 7 | 7 | 8 | 8 | 14.3 | 14.3 | |
| Total groundfish..... | 1 499 | 2 270 | 1 433 | 2 220 | -4.4 | -2.2 | |
| Herring..... | 1 100 | 323 | 1 117 | 339 | 1.5 | 5.0 | |
| Mackerel..... | 356 | 215 | 523 | 295 | 46.9 | 37.2 | |
| Bluefin Tuna..... | - | - | - | - | - | - | |
| Eel..... | 13 | 86 | ° | ° | N/A | N/A | |
| Smelt..... | - | - | - | - | - | - | |
| Capelin..... | 602 | 192 | 979 | 189 | 62.6 | -1.6 | |
| Other pelagic and estuarian species..... | 7 | 20 | 1 | 1 | -85.7 | -95.0 | |
| Total pelagic and estuarian species..... | 2 078 | 837 | 2 619 | 824 | 26.0 | -1.6 | |
| Soft Shell Clam..... | 280 | 420 | 177 | 276 | -36.8 | -34.3 | |
| Quahog..... | - | - | - | - | - | - | |
| Mussel..... | - | - | - | - | - | - | |
| Sea Scallop..... | 13 | 18 | 46 | 59 | 253.8 | 227.8 | |
| Whelk..... | 503 | 510 | 420 | 431 | -16.5 | -15.5 | |
| Lobster..... | 1 151 | 16 075 | 1 179 | 13 604 | 2.4 | -15.4 | |
| Shrimp..... | - | - | - | - | - | - | |
| Snow Crab..... | 573 | 2 260 | 617 | 2 183 | 7.7 | -3.4 | |
| Other molluscs and crustaceans..... | 980 | 835 | 846 | 723 | -13.7 | -13.4 | |
| Total molluscs and crustaceans..... | 3 500 | 20 118 | 3 285 | 17 275 | -6.1 | -14.1 | |
| Other items..... | 320 | 393 | 214 | 368 | -33.1 | -6.4 | |
| Total..... | 7 396 | 23 617 | 7 551 | 20 686 | 2.1 | -12.4 | |

TABLE 11B

LANDINGS IN QUEBEC BY VESSELS 35' TO 44'11" IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. Quantity | in % Value |
|---|---------------|---------------|---------------|---------------|---------------|--------------|
| | Quantity | Value | Quantity | Value | | |
| Cod..... | 420 | 535 | 392 | 514 | -6.7 | -3.9 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | 16 | 11 | 22 | 18 | 37.5 | 63.6 |
| Atlantic Halibut..... | 60 | 371 | 82 | 523 | 36.7 | 41.0 |
| American Plaice..... | 65 | 53 | 32 | 28 | -50.8 | -47.2 |
| Greysole..... | 87 | 93 | 15 | 17 | -82.8 | -81.7 |
| Winter Flounder..... | 114 | 132 | 103 | 130 | -9.6 | -1.5 |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | 1 450 | 2 701 | 1 389 | 2 726 | -4.2 | 0.9 |
| White Hake..... | 2 | 1 | 3 | 2 | 50.0 | 100.0 |
| Catfish..... | ° | ° | ° | ° | N/A | N/A |
| Other groundfish..... | 241 | 283 | 156 | 201 | -35.3 | -29.0 |
| Total groundfish..... | 2 454 | 4 181 | 2 194 | 4 158 | -10.6 | -0.6 |
| Herring..... | 2 327 | 656 | 1 630 | 571 | -30.0 | -13.0 |
| Mackerel..... | 726 | 353 | 781 | 413 | 7.6 | 17.0 |
| Bluefin Tuna..... | - | - | ° | 5 | N/A | N/A |
| Eel..... | ° | ° | ° | ° | N/A | N/A |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | 238 | 56 | 338 | 48 | 42.0 | -14.3 |
| Other pelagic and estuarian species..... | 4 | 3 | 3 | 2 | -25.0 | -33.3 |
| Total pelagic and estuarian species..... | 3 295 | 1 067 | 2 752 | 1 039 | -16.5 | -2.6 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 594 | 1 252 | 525 | 968 | -11.6 | -22.7 |
| Whelk..... | 645 | 673 | 649 | 699 | 0.6 | 3.9 |
| Lobster..... | 2 003 | 27 066 | 2 191 | 25 167 | 9.4 | -7.0 |
| Shrimp..... | 832 | 870 | 971 | 1 169 | 16.7 | 34.4 |
| Snow Crab..... | 4 516 | 18 102 | 4 138 | 14 472 | -8.4 | -20.1 |
| Other molluscs and crustaceans..... | 1 896 | 1 572 | 1 853 | 1 607 | -2.3 | 2.2 |
| Total molluscs and crustaceans..... | 10 485 | 49 535 | 10 328 | 44 082 | -1.5 | -11.0 |
| Other items..... | 198 | 259 | 70 | 85 | -64.6 | -67.2 |
| Total..... | 16 432 | 55 042 | 15 345 | 49 363 | -6.6 | -10.3 |

TABLE 11C

LANDINGS IN QUEBEC BY VESSELS 45' TO 64'11" IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. Quantity | in % Value |
|---|---------------|---------------|---------------|---------------|---------------|--------------|
| | Quantity | Value | Quantity | Value | | |
| Cod..... | 1 169 | 1 531 | 1 281 | 1 755 | 9.6 | 14.6 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | 55 | 40 | 116 | 88 | 110.9 | 120.0 |
| Atlantic Halibut..... | 108 | 616 | 134 | 762 | 24.1 | 23.7 |
| American Plaice..... | 24 | 17 | 32 | 24 | 33.3 | 41.2 |
| Greysole..... | 67 | 70 | 28 | 29 | -58.2 | -58.6 |
| Winter Flounder..... | 3 | 3 | ° | ° | N/A | N/A |
| Unspecified Flounders..... | ° | ° | - | - | N/A | N/A |
| Greenland Halibut..... | 982 | 1 840 | 906 | 1 796 | -7.7 | -2.4 |
| White Hake..... | 5 | 3 | 9 | 5 | 80.0 | 66.7 |
| Catfish..... | ° | ° | 3 | 1 | N/A | N/A |
| Other groundfish..... | 6 | 4 | 5 | 3 | -16.7 | -25.0 |
| Total groundfish..... | 2 417 | 4 123 | 2 513 | 4 462 | 4.0 | 8.2 |
| Herring..... | 26 | 16 | 28 | 7 | 7.7 | -56.3 |
| Mackerel..... | 16 | 4 | 9 | 6 | -43.8 | 50.0 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | ° | ° | N/A | N/A |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | 85 | 23 | 27 | 4 | -68.2 | -82.6 |
| Other pelagic and estuarian species..... | 2 | 1 | 2 | 1 | - | - |
| Total pelagic and estuarian species..... | 129 | 44 | 67 | 18 | -48.1 | -59.1 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 275 | 492 | 256 | 440 | -6.9 | -10.6 |
| Whelk..... | 121 | 124 | 79 | 84 | -34.7 | -32.3 |
| Lobster..... | 78 | 1 082 | 85 | 971 | 9.0 | -10.3 |
| Shrimp..... | 14 692 | 14 682 | 16 899 | 19 769 | 15.0 | 34.6 |
| Snow Crab..... | 9 121 | 40 078 | 8 404 | 32 554 | -7.9 | -18.8 |
| Other molluscs and crustaceans..... | 80 | 76 | 292 | 144 | 265.0 | 89.5 |
| Total molluscs and crustaceans..... | 24 368 | 56 535 | 26 015 | 53 963 | 6.8 | -4.5 |
| Other items..... | 248 | 342 | 172 | 347 | -30.6 | 1.5 |
| Total..... | 27 162 | 61 044 | 28 767 | 58 791 | 5.9 | -3.7 |

TABLE 11D

LANDINGS IN QUEBEC BY VESSELS 65' AND OVER IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. Quantity | in % | Value |
|---|------------------|---------------|------------------|---------------|------------------|-------------|-------|
| Cod..... | - | - | 10 | 13 | N/A | N/A | |
| Haddock..... | - | - | ° | ° | N/A | N/A | |
| Redfish..... | - | - | 141 | 125 | N/A | N/A | |
| Atlantic Halibut..... | ° | 1 | 3 | 20 | N/A | N/A | |
| American Plaice..... | - | - | 2 | 1 | N/A | N/A | |
| Greysole..... | - | - | 2 | 2 | N/A | N/A | |
| Winter Flounder..... | - | - | - | - | - | - | |
| Unspecified Flounders..... | - | - | - | - | - | - | |
| Greenland Halibut..... | - | - | 17 | 33 | N/A | N/A | |
| White Hake..... | - | - | 8 | 5 | N/A | N/A | |
| Catfish..... | - | - | - | - | - | - | |
| Other groundfish..... | - | - | 2 | 1 | N/A | N/A | |
| Total groundfish..... | ° | 1 | 184 | 200 | N/A | N/A | |
| Herring..... | - | - | ° | ° | N/A | N/A | |
| Mackerel..... | - | - | - | - | - | - | |
| Bluefin Tuna..... | - | - | - | - | - | - | |
| Eel..... | - | - | - | - | - | - | |
| Smelt..... | - | - | - | - | - | - | |
| Capelin..... | - | - | - | - | - | - | |
| Other pelagic and estuarian species..... | - | - | - | - | - | - | |
| Total pelagic and estuarian species..... | - | - | ° | ° | N/A | N/A | |
| Soft Shell Clam..... | - | - | - | - | - | - | |
| Quahog..... | - | - | - | - | - | - | |
| Mussel..... | - | - | - | - | - | - | |
| Sea Scallop..... | - | - | - | - | - | - | |
| Whelk..... | - | - | - | - | - | - | |
| Lobster..... | - | - | - | - | - | - | |
| Shrimp..... | 2 623 | 2 609 | 3 745 | 4 354 | 42.8 | 66.9 | |
| Snow Crab..... | 527 | 2 526 | 305 | 1 238 | -42.1 | -51.0 | |
| Other molluscs and crustaceans..... | - | - | ° | ° | N/A | N/A | |
| Total molluscs and crustaceans..... | 3 150 | 5 135 | 4 050 | 5 592 | 28.6 | 8.9 | |
| Other items..... | - | - | - | - | - | - | |
| Total..... | 3 150 | 5 136 | 4 234 | 5 792 | 34.4 | 12.8 | |

TABLE 11E

SUPPLEMENTARY PURCHASE SLIPS IN QUEBEC IN 2007 AND 2008 (1)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | Quantity | 2007 | | 2008 | | Var. in % | |
|---|-----------------|--------------|-----------------|--------------|-----------------|------------------|--------------|
| | | Value | Quantity | Value | Quantity | Value | Value |
| Cod..... | 59 | 73 | 42 | 53 | -28.8 | -27.4 | |
| Haddock..... | - | - | - | - | - | - | |
| Redfish..... | 12 | 8 | 12 | 9 | - | 12.5 | |
| Atlantic Halibut..... | 49 | 334 | 46 | 286 | -6.1 | -14.4 | |
| American Plaice..... | 34 | 28 | 31 | 28 | -8.8 | - | |
| Greysole..... | - | - | - | - | - | - | |
| Winter Flounder..... | 21 | 21 | 9 | 7 | -57.1 | -66.7 | |
| Unspecified Flounders..... | - | - | - | - | - | - | |
| Greenland Halibut..... | - | - | 4 | 7 | N/A | N/A | |
| White Hake..... | - | - | - | - | - | - | |
| Catfish..... | - | - | - | - | - | - | |
| Other groundfish..... | 2 | 2 | 1 | 1 | -50.0 | -50.0 | |
| Total groundfish..... | 176 | 465 | 144 | 390 | -18.2 | -16.1 | |
| Herring..... | 69 | 21 | 104 | 42 | 50.7 | 100.0 | |
| Mackerel..... | 651 | 310 | 549 | 307 | -15.7 | -1.0 | |
| Bluefin Tuna..... | - | - | - | - | - | - | |
| Eel..... | 52 | 282 | - | - | -100.0 | -100.0 | |
| Smelt..... | 29 | 19 | 161 | 106 | 455.2 | 457.9 | |
| Capelin..... | 193 | 56 | 206 | 157 | 6.7 | 180.4 | |
| Other pelagic and estuarian species..... | 49 | 369 | 87 | 500 | 77.6 | 35.5 | |
| Total pelagic and estuarian species..... | 1 042 | 1 056 | 1 108 | 1 112 | 6.3 | 5.3 | |
| Soft Shell Clam..... | 236 | 323 | 173 | 290 | -26.7 | -10.2 | |
| Quahog..... | - | - | - | - | - | - | |
| Mussel..... | 8 | 17 | 42 | 93 | 425.0 | 447.1 | |
| Sea Scallop..... | 30 | 46 | 46 | 79 | 53.3 | 71.7 | |
| Whelk..... | 43 | 44 | 41 | 43 | -4.7 | -2.3 | |
| Lobster..... | 253 | 3 423 | 312 | 3 548 | 23.3 | 3.7 | |
| Shrimp..... | - | - | 31 | 37 | N/A | N/A | |
| Snow Crab..... | 401 | 1 676 | 261 | 918 | -34.9 | -45.2 | |
| Other molluscs and crustaceans..... | 113 | 123 | 154 | 158 | 36.3 | 28.5 | |
| Total molluscs and crustaceans..... | 1 084 | 5 652 | 1 060 | 5 166 | -2.2 | -8.6 | |
| Other items..... | 5 | 5 | 3 | 5 | -40.0 | - | |
| Total..... | 2 307 | 7 179 | 2 315 | 6 672 | 0.3 | -7.1 | |

(1) Refer to page 26 for "Supplementary purchase slips" definition.

TABLE 12

MONTHLY LANDINGS IN QUEBEC BY SPECIES, YEAR 2007,

ALL ADMINISTRATIVE SECTORS

(Quantity in rounded metric tons, live weight)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|-----------|--------------|---------------|---------------|
| Cod..... | - | - | - | ° | 11 | 82 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | ° | 1 | 48 |
| Atlantic Halibut..... | - | - | - | 1 | 6 | 94 |
| American Plaice..... | - | - | - | 4 | 6 | 12 |
| Greysole..... | - | - | - | - | - | 3 |
| Winter Flounder..... | - | - | - | 17 | 54 | 59 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | 111 | 610 | 919 |
| White Hake..... | - | - | - | ° | ° | 1 |
| Catfish..... | - | - | - | - | - | ° |
| Other groundfish..... | - | - | - | 9 | 98 | 130 |
| Total groundfish..... | - | - | - | 143 | 786 | 1 349 |
| Herring..... | - | - | - | 261 | 208 | 52 |
| Mackerel..... | - | - | - | - | - | 153 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | ° | 11 | 431 |
| Other pelagic and estuarian species..... | - | - | - | ° | 1 | 2 |
| Total pelagic and estuarian species..... | - | - | - | 261 | 220 | 638 |
| Soft Shell Clam..... | - | - | - | 22 | 39 | 43 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 233 | 59 | 101 |
| Whelk..... | - | - | - | 63 | 192 | 252 |
| Lobster..... | - | - | - | 107 | 1 562 | 1 421 |
| Shrimp..... | - | - | - | 1 036 | 3 191 | 4 154 |
| Snow Crab..... | - | - | 74 | 2 507 | 9 012 | 2 740 |
| Other molluscs and crustaceans..... | - | - | ° | 7 | 39 | 163 |
| Total molluscs and crustaceans..... | - | - | 74 | 3 975 | 14 094 | 8 872 |
| Other items..... | - | - | 8 | 145 | 99 | 9 |
| Total..... | - | - | 82 | 4 524 | 15 199 | 10 868 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 12

MONTHLY LANDINGS IN QUEBEC BY SPECIES, YEAR 2007,

ALL ADMINISTRATIVE SECTORS

(Quantity in rounded metric tons, live weight)

| July | August | September | October | November | December | Total |
|--------------|--------------|--------------|--------------|------------|------------|---------------|
| 1 384 | 430 | 334 | 155 | 20 | 17 | 2 433 |
| - | - | - | - | - | - | - |
| 12 | 9 | 1 | 1 | ◦ | ◦ | 72 |
| 48 | 28 | 11 | 2 | ◦ | ◦ | 190 |
| 21 | 14 | 28 | 11 | ◦ | - | 96 |
| 17 | 48 | 40 | 45 | - | - | 153 |
| 5 | ◦ | 2 | - | - | - | 136 |
| - | ◦ | - | - | - | - | - |
| 681 | 553 | 106 | 47 | 1 | ◦ | 3 029 |
| 2 | 2 | 2 | ◦ | ◦ | ◦ | 7 |
| ◦ | ◦ | ◦ | ◦ | - | - | - |
| 12 | 1 | 1 | 1 | 1 | ◦ | 253 |
| 2 182 | 1 086 | 524 | 261 | 22 | 17 | 6 371 |
| 6 | 1 682 | 1 237 | 7 | ◦ | - | 3 453 |
| 35 | 201 | 418 | 285 | 5 | - | 1 098 |
| - | - | - | - | - | - | - |
| ◦ | ◦ | ◦ | 13 | 1 | - | 13 |
| - | - | - | - | - | - | - |
| 482 | - | - | ◦ | - | - | 924 |
| 5 | 4 | 1 | ◦ | - | - | 13 |
| 528 | 1 887 | 1 656 | 305 | 6 | - | 5 502 |
| 60 | 68 | 29 | 19 | ◦ | - | 280 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 175 | 135 | 101 | 60 | 20 | - | 882 |
| 265 | 227 | 194 | 48 | 21 | 8 | 1 269 |
| 142 | 1 | - | - | - | - | 3 232 |
| 4 168 | 3 286 | 1 628 | 264 | 318 | 100 | 18 147 |
| 404 | - | - | - | - | - | 14 736 |
| 326 | 1 154 | 931 | 262 | 49 | 26 | 2 956 |
| 5 540 | 4 871 | 2 882 | 653 | 408 | 134 | 41 502 |
| 1 | 31 | 142 | 168 | 140 | 23 | 766 |
| 8 250 | 7 875 | 5 205 | 1 387 | 576 | 175 | 54 141 |

TABLE 12

MONTHLY LANDINGS IN QUEBEC BY SPECIES, YEAR 2008,

ALL ADMINISTRATIVE SECTORS

(Quantity in rounded metric tons, live weight)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|----------|--------------|---------------|---------------|
| Cod..... | - | - | - | ° | 33 | 28 |
| Haddock..... | - | - | - | - | - | ° |
| Redfish..... | - | - | - | ° | 1 | 110 |
| Atlantic Halibut..... | - | - | - | 3 | 22 | 14 |
| American Plaice..... | - | - | - | 1 | 5 | 12 |
| Greysole..... | - | - | - | - | - | 1 |
| Winter Flounder..... | - | - | - | 4 | 61 | 57 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | 80 | 553 | 683 |
| White Hake..... | - | - | - | ° | 1 | 3 |
| Catfish..... | - | - | - | - | ° | - |
| Other groundfish..... | - | - | - | 3 | 65 | 94 |
| Total groundfish..... | - | - | - | 92 | 740 | 1 003 |
| Herring..... | - | - | - | 153 | 325 | 9 |
| Mackerel..... | - | - | - | - | 2 | 253 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | 1 | 706 |
| Other pelagic and estuarian species..... | - | - | - | - | 1 | 1 |
| Total pelagic and estuarian species..... | - | - | - | 153 | 329 | 969 |
| Soft Shell Clam..... | - | - | - | 24 | 25 | 25 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 255 | 35 | 56 |
| Whelk..... | - | - | - | 39 | 144 | 213 |
| Lobster..... | - | - | - | - | 2 216 | 1 103 |
| Shrimp..... | - | - | - | 4 252 | 4 491 | 3 568 |
| Snow Crab..... | - | - | - | 2 292 | 6 906 | 3 889 |
| Other molluscs and crustaceans..... | - | - | ° | 39 | 88 | 58 |
| Total molluscs and crustaceans..... | - | - | ° | 6 900 | 13 904 | 8 913 |
| Other items..... | 9 | - | 4 | 187 | 64 | 7 |
| Total..... | 9 | - | 4 | 7 332 | 15 037 | 10 891 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 12

MONTHLY LANDINGS IN QUEBEC BY SPECIES, YEAR 2008,

ALL ADMINISTRATIVE SECTORS

(Quantity in rounded metric tons, live weight)

| July | August | September | October | November | December | Total |
|--------------|--------------|--------------|--------------|------------|------------|---------------|
| 1 146 | 465 | 350 | 241 | 152 | - | 2 413 |
| ° | - | - | - | - | - | ° |
| 156 | 13 | 1 | 1 | ° | - | 281 |
| 107 | 74 | 21 | 4 | ° | - | 245 |
| 19 | 21 | 17 | 5 | ° | - | 80 |
| 4 | ° | 16 | 24 | - | - | 45 |
| 1 | - | - | ° | - | - | 123 |
| - | - | - | - | - | - | - |
| 888 | 511 | 196 | 26 | 2 | - | 2 942 |
| 11 | 4 | 1 | ° | ° | - | 20 |
| 1 | 1 | 1 | ° | - | - | 3 |
| 5 | 2 | 1 | ° | ° | - | 171 |
| 2 338 | 1 092 | 604 | 301 | 155 | - | 6 324 |
| 68 | 1 316 | 874 | 29 | 1 | 1 | 2 776 |
| 76 | 474 | 388 | 112 | 7 | - | 1 314 |
| - | ° | - | - | - | - | ° |
| ° | ° | ° | - | - | - | ° |
| - | - | - | - | - | - | - |
| 637 | - | - | - | - | ° | 1 344 |
| 2 | 2 | 1 | ° | - | - | 6 |
| 783 | 1 791 | 1 263 | 142 | 8 | 1 | 5 439 |
| 34 | 14 | 30 | 25 | - | - | 177 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 152 | 173 | 105 | 41 | 12 | - | 827 |
| 267 | 229 | 204 | 45 | 7 | - | 1 147 |
| 134 | 1 | - | - | - | - | 3 455 |
| 3 936 | 2 957 | 1 671 | 401 | 188 | 151 | 21 616 |
| 376 | - | - | - | - | - | 13 463 |
| 337 | 1 045 | 1 125 | 219 | 60 | 21 | 2 991 |
| 5 236 | 4 420 | 3 135 | 730 | 268 | 172 | 43 678 |
| 2 | 8 | 86 | 85 | 5 | - | 457 |
| 8 359 | 7 311 | 5 087 | 1 257 | 436 | 173 | 55 897 |

TABLE 12A

MONTHLY LANDINGS IN QUEBEC BY SPECIES, YEAR 2007,

ALL ADMINISTRATIVE SECTORS

(Value in thousands of dollars)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|------------|---------------|---------------|---------------|
| Cod..... | - | - | - | ° | 20 | 106 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | ° | 1 | 36 |
| Atlantic Halibut..... | - | - | - | 7 | 36 | 546 |
| American Plaice..... | - | - | - | 3 | 6 | 11 |
| Greysole..... | - | - | - | - | - | 3 |
| Winter Flounder..... | - | - | - | 19 | 60 | 68 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | 241 | 1 174 | 1 656 |
| White Hake..... | - | - | - | ° | ° | 1 |
| Catfish..... | - | - | - | - | - | ° |
| Other groundfish..... | - | - | - | 10 | 115 | 153 |
| Total groundfish..... | - | - | - | 281 | 1 411 | 2 580 |
| Herring..... | - | - | - | 115 | 97 | 26 |
| Mackerel..... | - | - | - | - | - | 115 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | ° | 17 | 151 |
| Other pelagic and estuarian species..... | - | - | - | ° | ° | 5 |
| Total pelagic and estuarian species..... | - | - | - | 115 | 114 | 298 |
| Soft Shell Clam..... | - | - | - | 32 | 56 | 61 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 625 | 156 | 171 |
| Whelk..... | - | - | - | 61 | 193 | 258 |
| Lobster..... | - | - | - | 1 919 | 21 196 | 19 091 |
| Shrimp..... | - | - | - | 1 373 | 3 280 | 4 048 |
| Snow Crab..... | - | - | 277 | 9 818 | 39 833 | 11 443 |
| Other molluscs and crustaceans..... | - | - | ° | 15 | 23 | 102 |
| Total molluscs and crustaceans..... | - | - | 277 | 13 845 | 64 736 | 35 175 |
| Other items..... | - | - | 9 | 164 | 127 | 22 |
| Total..... | - | - | 286 | 14 404 | 66 389 | 38 075 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 12A

MONTHLY LANDINGS IN QUEBEC BY SPECIES, YEAR 2007,

ALL ADMINISTRATIVE SECTORS

(Value in thousands of dollars)

| July | August | September | October | November | December | Total |
|---------------|--------------|--------------|--------------|------------|------------|----------------|
| 1 689 | 552 | 450 | 208 | 24 | 20 | 3 070 |
| - | - | - | - | - | - | - |
| 7 | 6 | 1 | 1 | ◦ | ◦ | 52 |
| 296 | 165 | 59 | 10 | 1 | ◦ | 1 121 |
| 18 | 12 | 19 | 8 | ◦ | - | 77 |
| 18 | 53 | 43 | 45 | - | - | 163 |
| 5 | ◦ | 2 | - | - | - | 154 |
| - | ◦ | - | - | - | - | ◦ |
| 1 244 | 1 020 | 207 | 97 | 2 | ◦ | 5 641 |
| 1 | 1 | 1 | ◦ | ◦ | ◦ | 4 |
| ◦ | ◦ | ◦ | ◦ | - | - | ◦ |
| 13 | 1 | 1 | ◦ | 1 | ◦ | 293 |
| 3 292 | 1 810 | 783 | 370 | 27 | 21 | 10 574 |
| 5 | 417 | 331 | 5 | ◦ | - | 996 |
| 23 | 115 | 204 | 113 | 2 | - | 572 |
| - | - | - | - | - | - | - |
| ◦ | ◦ | ◦ | 81 | 5 | - | 86 |
| - | - | - | - | - | - | - |
| 102 | - | - | ◦ | - | - | 271 |
| 9 | 8 | 1 | ◦ | - | - | 23 |
| 139 | 540 | 536 | 199 | 8 | - | 1 948 |
| 90 | 105 | 44 | 31 | ◦ | - | 420 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 378 | 188 | 137 | 80 | 26 | - | 1 762 |
| 274 | 238 | 201 | 50 | 22 | 9 | 1 306 |
| 2 009 | 8 | - | - | - | - | 44 223 |
| 4 038 | 3 139 | 1 542 | 311 | 339 | 93 | 18 162 |
| 1 593 | - | - | - | - | - | 62 966 |
| 248 | 974 | 805 | 237 | 52 | 27 | 2 484 |
| 8 630 | 4 652 | 2 730 | 709 | 439 | 129 | 131 322 |
| 1 | 21 | 184 | 233 | 201 | 32 | 994 |
| 12 063 | 7 023 | 4 233 | 1 511 | 674 | 182 | 144 839 |

TABLE 12A

MONTHLY LANDINGS IN QUEBEC BY SPECIES, YEAR 2008,

ALL ADMINISTRATIVE SECTORS

(Value in thousands of dollars)

| SPECIES | January | February | March | April | May | June |
|---|-----------|----------|----------|---------------|---------------|---------------|
| Cod..... | - | - | - | ° | 57 | 30 |
| Haddock..... | - | - | - | - | - | ° |
| Redfish..... | - | - | - | ° | 1 | 89 |
| Atlantic Halibut..... | - | - | - | 23 | 125 | 81 |
| American Plaice..... | - | - | - | 1 | 4 | 10 |
| Greysole..... | - | - | - | - | - | 1 |
| Winter Flounder..... | - | - | - | 5 | 74 | 68 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | 179 | 1 116 | 1 307 |
| White Hake..... | - | - | - | ° | ° | 2 |
| Catfish..... | - | - | - | - | ° | - |
| Other groundfish..... | - | - | - | 3 | 82 | 122 |
| Total groundfish..... | - | - | - | 211 | 1 459 | 1 711 |
| Herring..... | - | - | - | 84 | 177 | 5 |
| Mackerel..... | - | - | - | - | 2 | 156 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | 2 | 149 |
| Other pelagic and estuarian species..... | - | - | - | - | ° | 1 |
| Total pelagic and estuarian species..... | - | - | - | 84 | 181 | 311 |
| Soft Shell Clam..... | - | - | - | 39 | 39 | 40 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 498 | 75 | 107 |
| Whelk..... | - | - | - | 42 | 149 | 221 |
| Lobster..... | - | - | - | - | 26 004 | 12 138 |
| Shrimp..... | - | - | - | 5 210 | 5 298 | 4 128 |
| Snow Crab..... | - | - | - | 7 886 | 26 248 | 15 006 |
| Other molluscs and crustaceans..... | - | - | ° | 27 | 23 | 41 |
| Total molluscs and crustaceans..... | - | - | ° | 13 702 | 57 837 | 31 680 |
| Other items..... | 13 | - | 6 | 260 | 104 | 31 |
| Total..... | 13 | - | 6 | 14 257 | 59 581 | 33 733 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 12A

MONTHLY LANDINGS IN QUEBEC BY SPECIES, YEAR 2008,

ALL ADMINISTRATIVE SECTORS

(Value in thousands of dollars)

| July | August | September | October | November | December | Total |
|---------------|--------------|--------------|--------------|------------|------------|-------------------|
| 1 357 ° | 601 | 493 | 336 | 193 | - | 3 066 ° |
| 131 | 11 | 1 | ° | ° | - | 233 |
| 626 | 473 | 122 | 24 | 2 | - | 1 476 |
| 16 | 16 | 13 | 3 | ° | - | 63 |
| 5 | ° | 17 | 25 | - | - | 49 |
| 1 | - | - | ° | - | - | 148 |
| - | - | - | - | - | - | - |
| 1 714 | 1 007 | 397 | 54 | 5 | - | 5 779 |
| 6 | 2 | 1 | ° | ° | - | 12 |
| ° | 1 | ° | ° | - | - | 1 |
| 3 | 1 | ° | ° | ° | - | 212 |
| 3 860 | 2 112 | 1 044 | 443 | 199 | - | 11 039 |
| 12 | 354 | 273 | 10 | 2 | ° | 917 |
| 43 | 238 | 211 | 60 | 4 | - | 714 |
| - | 5 | - | - | - | - | 5 |
| ° | ° | ° | - | - | - | ° |
| - | - | - | - | - | - | - |
| 89 | - | - | - | - | 1 | 240 |
| 1 | 1 | 1 | ° | - | - | 4 |
| 145 | 598 | 484 | 70 | 5 | 1 | 1 880 |
| 51 | 22 | 47 | 38 | - | - | 276 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 279 | 261 | 164 | 63 | 20 | - | 1 467 |
| 281 | 245 | 218 | 50 | 8 | - | 1 214 |
| 1 585 | 15 | - | - | - | - | 39 742 |
| 4 448 | 3 316 | 1 940 | 506 | 272 | 174 | 25 293 |
| 1 308 | - | - | - | - | - | 50 447 |
| 268 | 900 | 951 | 170 | 69 | 24 | 2 473 |
| 8 219 | 4 760 | 3 319 | 828 | 369 | 198 | 120 912 |
| 4 | 17 | 194 | 161 | 10 | - | 800 |
| 12 228 | 7 487 | 5 042 | 1 502 | 584 | 199 | 134 632 |

TABLE 13

LANDINGS IN QUEBEC IN 2007 AND 2008

BY TYPE OF FISHING GEAR USED

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

2007

2008

| Fishing gear | Quantity | Value | % of total Quantity | % of total Value | Quantity | Value | % of total Quantity | % of total Value | Variation in % Quantity | Variation in % Value |
|-------------------------------|---------------|----------------|------------------------|---------------------|---------------|----------------|------------------------|---------------------|----------------------------|-------------------------|
| Fixed gears | | | | | | | | | | |
| Seal fishery | - | - | - | - | - | - | - | - | - | - |
| Beach and bar seine | 133 | 30 | 0.25 | 0.02 | 54 | 8 | 0.10 | 0.01 | -59.40 | -73.33 |
| Gillnet | 8 202 | 8 524 | 15.15 | 5.89 | 6 759 | 8 102 | 12.09 | 6.02 | -17.59 | -4.95 |
| Longline | 1 055 | 2 094 | 1.95 | 1.45 | 1 092 | 2 433 | 1.95 | 1.81 | 3.51 | 16.19 |
| Jigger (hand line) | 511 | 242 | 0.94 | 0.17 | 905 | 502 | 1.62 | 0.37 | 77.10 | 107.44 |
| Trapnet | 1 696 | 1 153 | 3.13 | 0.80 | 1 621 | 284 | 2.90 | 0.21 | -4.42 | -75.37 |
| Pots (other than Snow Crabs) | 5 380 | 46 033 | 9.94 | 31.78 | 6 252 | 42 352 | 11.18 | 31.46 | 16.21 | -8.00 |
| Weir | 12 | 76 | 0.02 | 0.05 | - | - | - | - | -100.00 | -100.00 |
| Crab pot: | 13 907 | 59 059 | 25.69 | 40.78 | 13 239 | 48 545 | 23.68 | 36.06 | -4.80 | -17.80 |
| Japenese | 2 378 | 9 090 | 4.39 | 6.28 | 2 412 | 8 274 | 4.31 | 6.15 | 1.43 | -8.98 |
| Standard | 31 | 117 | 0.06 | 0.08 | 1 | 4 | ° | ° | -96.77 | -96.58 |
| Pyramidal | 6 | 31 | 0.01 | 0.02 | 44 | 55 | 0.08 | 0.04 | N/A | 77.42 |
| Conical | 7 159 | 29 621 | 13.22 | 20.45 | 6 744 | 23 664 | 12.06 | 17.58 | -5.80 | -20.11 |
| Combination of pots | 4 332 | 20 200 | 8.00 | 13.95 | 4 038 | 16 548 | 7.22 | 12.29 | -6.79 | -18.08 |
| Rakes, tongs, spades, shovels | 279 | 418 | 0.51 | 0.29 | 176 | 274 | 0.32 | 0.20 | -36.92 | -34.45 |
| Unspecified fixed gear | 829 | 3 907 | 1.53 | 2.70 | 552 | 2 189 | 0.99 | 1.63 | -33.41 | -43.97 |
| Miscellaneous | 1 180 | 1 420 | 2.18 | 0.98 | 471 | 791 | 0.84 | 0.59 | -60.08 | -44.30 |
| Total, fixed gears | 33 184 | 122 958 | 61.29 | 84.89 | 31 121 | 105 481 | 55.67 | 78.35 | -6.22 | -14.21 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 13

LANDINGS IN QUEBEC IN 2007 AND 2008

BY TYPE OF FISHING GEAR USED

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

2007

2008

| Fishing gear | Quantity | Value | % of total | | Quantity | Value | % of total | | Variation in % | |
|----------------------------|---------------|----------------|---------------|---------------|---------------|----------------|---------------|---------------|----------------|--------------|
| | | | Quantity | Value | | | Quantity | Value | Quantity | Value |
| Mobile gears | | | | | | | | | | |
| Bottom pair trawl: | 599 | 716 | 1.11 | 0.49 | 771 | 959 | 1.38 | 0.71 | 28.71 | 33.94 |
| Side Stern | 599 | 716 | 1.11 | 0.49 | 771 | 959 | 1.38 | 0.71 | 28.71 | 33.94 |
| Shrimp trawl | 18 151 | 18 177 | 33.53 | 12.55 | 21 621 | 25 318 | 38.68 | 18.81 | 19.12 | 39.29 |
| Purse seine | 32 | 8 | 0.06 | 0.01 | 4 | ° | 0.01 | N/A | -87.50 | N/A |
| Danish seine | 183 | 216 | 0.34 | 0.15 | 235 | 303 | 0.42 | 0.23 | 28.42 | 40.28 |
| Scottish seine | 339 | 371 | 0.63 | 0.26 | 293 | 318 | 0.52 | 0.24 | -13.57 | -14.29 |
| Scallop dragger | 1 652 | 2 395 | 3.05 | 1.65 | 1 852 | 2 247 | 3.31 | 1.67 | 12.11 | -6.18 |
| Hydraulic rake | - | - | - | - | - | - | - | - | - | - |
| Other | - | - | - | - | ° | 5 | N/A | ° | N/A | N/A |
| Total, mobile gears | 20 956 | 21 882 | 38.71 | 15.11 | 24 777 | 29 151 | 44.33 | 21.65 | 18.23 | 33.22 |
| Overall total | 54 141 | 144 839 | 100.00 | 100.00 | 55 897 | 134 632 | 100.00 | 100.00 | 3.24 | -7.05 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

Average landed price

The average landed price by species as indicated here reflects the prices paid to fishermen and is determined by dividing the total value of all landings by the total landed weight.

The average price takes into account the condition of the catch at landing. The advantage of this method is that the significance of the price given can be specified. An identical approach is used for each of the maritime sectors.

It should also be pointed out that the average prices in the following tables exclude supplementary purchase slips, which explains why no figure is given for some species.

TABLE 14

LANDING AVERAGE PRICE BY SPECIES IN QUEBEC

(Excluding supplementary purchase slips, value in dollars per kilogram)

| SPECIES | LANDED FORM DESCRIPTION | 2007 | 2008 | VARIATION IN % |
|--|----------------------------|-------|-------|-------------------|
| GROUNDFISH | | | | |
| Cod | Round..... | 1.184 | 1.280 | 8.1 |
| | Gutted, head on..... | 1.524 | 1.529 | 0.3 |
| Redfish | Round..... | .715 | .828 | 15.8 |
| Atlantic Halibut | Round..... | 7.255 | - | N/A |
| | Gutted, head on..... | 6.789 | 6.911 | 1.8 |
| American Plaice | Round..... | .802 | .787 | -1.9 |
| Greysole | Round..... | 1.064 | 1.093 | 2.7 |
| Winter Flounder | Round..... | 1.132 | 1.213 | 7.2 |
| Greenland Halibut | Round..... | 1.914 | - | N/A |
| | Bled, partly gutted..... | 1.957 | 2.063 | 5.4 |
| White Hake | Gutted, head on..... | .640 | .698 | 9.1 |
| Catfish | Gutted, head on..... | .998 | .436 | -56.3 |
| PELAGIC AND ESTUARIAN SPECIES | | | | |
| Herring | Round..... | .288 | .330 | 14.6 |
| Mackerel | Round..... | .522 | .543 | 4.0 |
| Capelin | Round..... | .278 | .177 | -36.3 |

TABLE 14

LANDING AVERAGE PRICE BY SPECIES IN QUEBEC

(Excluding supplementary purchase slips, value in dollars per kilogram)

| SPECIES | LANDED FORM DESCRIPTION | 2007 | 2008 | VARIATION IN % |
|---------------------------------|----------------------------|--------|--------|-------------------|
| MOLLUSCS AND CRUSTACEANS | | | | |
| Soft Shell Clam | In shell..... | 1.502 | 1.565 | 4.2 |
| Sea Scallop | In shell..... | 1.297 | 1.234 | -4.9 |
| | Meat..... | 17.040 | 15.568 | -8.6 |
| Whelk | In shell..... | 1.029 | 1.058 | 2.8 |
| Lobster | Round..... | 13.682 | 11.504 | -15.9 |
| | Cooked in shell..... | 12.501 | - | N/A |
| Shrimp | Round..... | .979 | 1.132 | 15.6 |
| | Cooked in shell..... | 3.694 | 3.662 | -0.9 |
| Rock Crab | Round..... | .849 | .871 | 2.6 |
| Snow Crab | Round..... | 4.273 | 3.747 | -12.3 |

TABLE 15

- QUEBEC -

TOP 10 MUNICIPALITIES OF LANDINGS IN 2007 AND 2008

BY VOLUME

| 2007 | Volume in metric tons live weight | % of total for Quebec | 2008 | | Volume in metric tons live weight | % of total for Quebec |
|----------------------------|-----------------------------------|-----------------------|----------------------------|--|-----------------------------------|-----------------------|
| | | | | | | |
| 1- Rivièr-eau-Renard | 12 476 | 23.04 | 1- Rivièr-eau-Renard | | 14 887 | 26.63 |
| 2- Matane | 4 071 | 7.52 | 2- Matane | | 4 575 | 8.18 |
| 3- Sainte-Thérèse-de-Gaspé | 3 818 | 7.05 | 3- Sainte-Thérèse-de-Gaspé | | 2 987 | 5.34 |
| 4- Cap-aux-Meules | 2 722 | 5.03 | 4- Cap-aux-Meules | | 2 714 | 4.86 |
| 5- Grande-Rivière | 2 597 | 4.80 | 5- La Tabatière | | 2 496 | 4.47 |
| 6- Sainte-Anne-des-Monts | 2 115 | 3.91 | 6- Grande-Rivière | | 2 060 | 3.68 |
| 7- La Tabatière | 1 678 | 3.10 | 7- Sainte-Anne-des-Monts | | 1 921 | 3.44 |
| 8- Havre-Saint-Pierre | 1 547 | 2.86 | 8- Grande-Entrée | | 1 620 | 2.90 |
| 9- Grande-Entrée | 1 431 | 2.64 | 9- Natashquan | | 1 597 | 2.86 |
| 10- Paspébiac | 1 419 | 2.62 | 10- Sept-Îles | | 1 463 | 2.62 |

BY VALUE

| 2007 | Value in thousands of dollars | % of total for Quebec | 2008 | | Value in thousands of dollars | % of total for Quebec |
|----------------------------|-------------------------------|-----------------------|----------------------------|--|-------------------------------|-----------------------|
| | | | | | | |
| 1- Rivièr-eau-Renard | 15 146 | 10.46 | 1- Rivièr-eau-Renard | | 19 107 | 14.19 |
| 2- Grande-Entrée | 13 162 | 9.09 | 2- Grande-Entrée | | 12 189 | 9.05 |
| 3- Sainte-Thérèse-de-Gaspé | 11 640 | 8.04 | 3- Cap-aux-Meules | | 10 639 | 7.90 |
| 4- Cap-aux-Meules | 11 294 | 7.80 | 4- Sainte-Thérèse-de-Gaspé | | 8 521 | 6.33 |
| 5- Paspébiac | 6 057 | 4.18 | 5- Matane | | 6 322 | 4.70 |
| 6- Havre-Saint-Pierre | 5 504 | 3.80 | 6- Natashquan | | 4 587 | 3.41 |
| 7- Matane | 5 228 | 3.61 | 7- Sept-Îles | | 4 356 | 3.24 |
| 8- L'Etang-du-Nord | 4 686 | 3.24 | 8- L'Etang-du-Nord | | 4 142 | 3.08 |
| 9- Natasquan | 4 601 | 3.18 | 9- Havre-Saint-Pierre | | 4 135 | 3.07 |
| 10- Grande-Rivière | 4 540 | 3.13 | 10- Paspébiac | | 4 117 | 3.06 |

TABLE 16

LANDINGS IN QUEBEC BY NON QUEBEC VESSELS

IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

BY VESSEL PROVINCE OF ORIGIN

| SPECIES | PRINCE EDWARD ISLAND | | NEW BRUNSWICK | | NOVA SCOTIA | | NEWFOUNDLAND | | TOTAL | |
|---|----------------------|----------|---------------|--------------|-------------|----------|--------------|------------|--------------|--------------|
| | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 |
| Cod..... | - | - | 229 | 315 | - | - | 369 | 211 | 597 | 526 |
| Haddock..... | - | - | - | ° | - | - | - | - | - | ° |
| Redfish..... | - | - | 1 | 170 | - | - | - | - | 1 | 170 |
| Atlantic Halibut..... | - | - | 1 | 3 | - | - | - | - | 1 | 3 |
| American Plaice..... | - | - | 2 | 8 | - | - | - | - | 2 | 8 |
| Greysole..... | - | - | 59 | 26 | - | - | - | - | 59 | 26 |
| Winter Flounder..... | - | - | - | - | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | 2 | 18 | - | - | - | - | 2 | 18 |
| White Hake..... | - | - | - | 9 | - | - | - | - | - | 9 |
| Other groundfish..... | - | - | ° | 2 | - | - | - | - | ° | 2 |
| Total groundfish..... | - | - | 294 | 551 | - | - | 369 | 211 | 662 | 761 |
| Herring..... | - | - | 700 | 537 | - | - | - | - | 700 | 537 |
| Mackerel..... | - | - | 4 | 4 | - | - | - | - | 4 | 4 |
| Other pelagic and estuarian species..... | - | - | 1 | ° | - | - | - | - | 1 | ° |
| Total pelagic and estuarian species..... | - | - | 705 | 541 | - | - | - | - | 705 | 541 |
| Quahog..... | - | - | - | - | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | - | 62 | 120 | 62 | 120 |
| Shrimp..... | - | - | 247 | 1 212 | - | - | 93 | 180 | 340 | 1 392 |
| Snow Crab..... | - | - | 257 | 246 | - | - | - | - | 257 | 246 |
| Other molluscs and crustaceans..... | - | - | - | ° | - | - | - | - | - | ° |
| Total molluscs and crustaceans..... | - | - | 504 | 1 458 | - | - | 155 | 300 | 659 | 1 758 |
| Other items..... | - | - | - | - | - | - | - | - | - | - |
| Grand total..... | - | - | 1 502 | 2 550 | - | - | 524 | 511 | 2 026 | 3 061 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 16A

VALUE OF LANDINGS IN QUEBEC BY NON QUEBEC VESSELS

IN 2007 AND 2008

(Value in thousands of dollars)

BY VESSEL PROVINCE OF ORIGIN

| SPECIES | PRINCE EDWARD ISLAND | | NEW BRUNSWICK | | NOVA SCOTIA | | NEWFOUNDLAND | | TOTAL | |
|---|-------------------------|----------|---------------|--------------|-------------|----------|--------------|------------|--------------|--------------|
| | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 |
| Cod..... | - | - | 271 | 403 | - | - | 443 | 222 | 714 | 625 |
| Haddock..... | - | - | - | ° | - | - | - | - | - | ° |
| Redfish..... | - | - | 1 | 150 | - | - | - | - | 1 | 150 |
| Atlantic Halibut..... | - | - | 5 | 21 | - | - | - | - | 5 | 21 |
| American Plaice..... | - | - | 1 | 6 | - | - | - | - | 1 | 6 |
| Greysole..... | - | - | 60 | 27 | - | - | - | - | 60 | 27 |
| Winter Flounder..... | - | - | - | - | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | 3 | 35 | - | - | - | - | 3 | 35 |
| White Hake..... | - | - | - | 5 | - | - | - | - | - | 5 |
| Other groundfish..... | - | - | ° | 1 | - | - | - | - | ° | 1 |
| Total groundfish..... | - | - | 342 | 648 | - | - | 443 | 222 | 785 | 870 |
| Herring..... | - | - | 188 | 180 | - | - | - | - | 188 | 180 |
| Mackerel..... | - | - | 2 | 2 | - | - | - | - | 2 | 2 |
| Other pelagic and estuarian species..... | - | - | ° | ° | - | - | - | - | ° | ° |
| Total pelagic and estuarian species..... | - | - | 190 | 182 | - | - | - | - | 190 | 182 |
| Quahog..... | - | - | - | - | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | - | 80 | 155 | 80 | 155 |
| Shrimp..... | - | - | 224 | 1 397 | - | - | 84 | 227 | 308 | 1 624 |
| Snow Crab..... | - | - | 1 283 | 949 | - | - | - | - | 1 283 | 949 |
| Other molluscs and crustaceans..... | - | - | - | ° | - | - | - | - | - | ° |
| Total molluscs and crustaceans..... | - | - | 1 506 | 2 346 | - | - | 165 | 382 | 1 671 | 2 728 |
| Other items..... | - | - | - | - | - | - | - | - | - | - |
| Grand total..... | - | - | 2 039 | 3 176 | - | - | 608 | 603 | 2 646 | 3 780 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 17

LANDINGS OUTSIDE OF QUEBEC BY QUEBEC VESSELS

IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

| SPECIES | PRINCE EDWARD ISLAND | | NEW BRUNSWICK | | NOVA SCOTIA | | NEWFOUNDLAND | | TOTAL | |
|---|-------------------------|------------|---------------|------------|-------------|-----------|---------------|---------------|---------------|---------------|
| | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 |
| Cod..... | - | - | - | - | - | - | 85 | 99 | 85 | 99 |
| Haddock..... | - | - | - | - | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | - | ◦ | ◦ | ◦ | ◦ |
| Atlantic Halibut..... | - | - | ◦ | - | - | - | 1 | 1 | 1 | 1 |
| American Plaice..... | - | - | - | - | - | - | ◦ | ◦ | ◦ | ◦ |
| Greysole..... | - | - | - | - | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - | ◦ | - | - | - |
| Greenland Halibut..... | - | - | - | - | - | - | 87 | 35 | 87 | 35 |
| White Hake..... | - | - | - | - | - | - | - | - | - | - |
| Catfish..... | - | - | - | - | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - | - | - | - | - |
| Total groundfish..... | - | - | ◦ | - | - | - | 173 | 136 | 174 | 136 |
| Herring..... | - | - | 50 | 5 | - | - | - | - | 50 | 5 |
| Mackerel..... | 25 | - | - | - | - | 1 | 135 | 23 | 160 | 24 |
| Bluefin Tuna..... | 22 | 33 | - | - | 17 | 2 | - | - | 39 | 34 |
| Other pelagic and estuarian species..... | - | - | - | - | ◦ | - | 460 | 816 | 460 | 816 |
| Total pelagic and estuarian species..... | 46 | 33 | 50 | 5 | 17 | 2 | 595 | 839 | 709 | 879 |
| Sea Scallop..... | - | - | - | - | - | - | - | - | - | - |
| Lobster..... | - | - | - | - | - | - | - | - | - | - |
| Shrimp (3)..... | - | - | 985 | 49 | - | - | 26 524 | 13 967 | 27 509 | 14 015 |
| Snow Crab..... | 1 104 | 938 | - | 375 | - | 33 | - | - | 1 104 | 1 346 |
| Other molluscs and crustaceans..... | - | - | - | - | - | - | - | - | - | - |
| Total molluscs and crustaceans..... | 1 104 | 938 | 985 | 424 | - | 33 | 26 524 | 13 967 | 28 613 | 15 361 |
| Other items..... | - | - | - | - | - | - | - | - | - | - |
| Grand total..... | 1 150 | 970 | 1 036 | 430 | 17 | 35 | 27 292 | 14 942 | 29 495 | 16 377 |

Notes: 1) Data in this table are preliminary for all provinces.

2) The minor differences are caused by the rounding factors used at the time of calculation.

3) The posted quantity represents all landings of *pandalus borealis* shrimp and *montagui* shrimp as a whole.

TABLE 17A

VALUE OF LANDINGS OUTSIDE OF QUEBEC BY QUEBEC VESSELS

IN 2007 AND 2008

(Value in thousands of dollars)

| SPECIES | PRINCE EDWARD ISLAND | | NEW BRUNSWICK | | NOVA SCOTIA | | NEWFOUNDLAND | | TOTAL | |
|---|----------------------|--------------|---------------|--------------|-------------|------------|---------------|---------------|---------------|---------------|
| | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 |
| Cod..... | - | - | - | - | - | - | 120 | 171 | 120 | 171 |
| Haddock..... | - | - | - | - | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | - | ◦ | ◦ | ◦ | ◦ |
| Atlantic Halibut..... | - | - | 2 | - | - | - | 6 | 8 | 8 | 8 |
| American Plaice..... | - | - | - | - | - | - | ◦ | ◦ | ◦ | ◦ |
| Greysole..... | - | - | - | - | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - | ◦ | - | ◦ | - |
| Greenland Halibut..... | - | - | - | - | - | - | 139 | 55 | 139 | 55 |
| White Hake..... | - | - | - | - | - | - | - | - | - | - |
| Catfish..... | - | - | - | - | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - | - | - | - | - |
| Total groundfish..... | - | - | 2 | - | - | - | 265 | 234 | 267 | 234 |
| Herring..... | - | - | 21 | 1 | - | - | - | - | 21 | 1 |
| Mackerel..... | 11 | - | - | - | - | ◦ | 37 | 6 | 47 | 7 |
| Bluefin Tuna..... | 316 | 583 | - | - | 261 | 26 | - | - | 577 | 610 |
| Other pelagic and estuarian species..... | - | - | - | - | 2 | - | 123 | 195 | 125 | 195 |
| Total pelagic and estuarian species..... | 326 | 583 | 21 | 1 | 263 | 27 | 160 | 201 | 771 | 812 |
| Sea Scallop..... | - | - | - | - | - | - | - | - | - | - |
| Lobster..... | - | - | - | - | - | - | - | - | - | - |
| Shrimp (3)..... | - | - | 998 | 49 | - | - | 50 258 | 33 465 | 51 256 | 33 514 |
| Snow Crab..... | 4 867 | 4 135 | - | 1 656 | - | 152 | - | - | 4 867 | 5 943 |
| Other molluscs and crustaceans..... | - | - | - | - | - | - | - | - | - | - |
| Total molluscs and crustaceans..... | 4 867 | 4 135 | 998 | 1 705 | - | 152 | 50 258 | 33 465 | 56 124 | 39 457 |
| Other items..... | - | - | - | - | - | - | - | - | - | - |
| Grand total..... | 5 194 | 4 718 | 1 021 | 1 706 | 263 | 179 | 50 683 | 33 900 | 57 161 | 40 503 |

Notes: 1) Data in this table are preliminary for all provinces.

2) The minor differences are caused by the rounding factors used at the time of calculation.

3) The posted value represents all landings of *pandalus borealis* shrimp and *montagu* shrimp as a whole.

***STATISTICAL PROFILE
OF SEAL FISHERY***

2008 Statistics on Seal Fishing Activities

In this section we are presenting an overview of the activities related to the seal fishery in the Quebec Region. You will find information concerning the number of licences issued per type and per maritime area as well as information concerning the captures of harp seal by fleet, and finally, data relating to the seal fishing observation activities.

Context

2008 is the third year of implementation of temporary geographical shares. The Magdalen Islands share has been established at 20% of the available allocation of the Gulf of St. Lawrence while the Quebec North Shore obtained 8%. This new sharing approach allowed the two concerned Quebec maritime areas to manage their own activities for the seal fishery, as opposed to years prior to 2006 where the fishery was conducted in a competitive mode for the whole Gulf of St. Lawrence. This also allowed each maritime area to have opening and closing dates adapted to their reality. It should be noted that in 2008, the closing period for the seal fishery has been modified from May 15 to June 15 in the *Marine Mammal Regulations*.

In 2008, the harp seal TAC, Atlantic wide, has been set at 275 000 animals, in conformity with the precautionary approach implemented in 2006. This management approach allows to adjust the allocations to the conditions of the market, as long as the population of seals remains over the threshold beforehand determined, being 70% of the reference level of 5.8 millions of seals (based on the most recent population census). If the population comes close to the determined threshold, measures must be taken to bring the population back to this threshold.

Summary of the Magdalen Islands seal fishery for the 2008 season

The first opening took place from March 13 to 25, 2008. During this period, the seal fishery has been opened with a maximum of 6 seals per commercial licence holder, in order to allow licence holders to supply themselves with meat. Less than 1 000 seals were caught during this period. Afterward, the activities started again on March 28 and the fishery closed at the date stated in the regulations, on June 15.

For this second period, the activities were of short duration, mainly in reason of the capsizing of the vessel L'Acadien II (when the fish harvesters decided to come back to the Magdalen Islands during this difficult period for their small maritime community) and ice conditions. Approximately 40 vessels from the Magdalen Islands and 360 fish harvesters participated and caught 4 465 seals. Ten vessels more than 45 feet fished in Nova Scotia area (close to St-Paul's Island) and caught near 60% of the catches. The other vessels fished near the coasts of the Magdalen Islands. Less than 30% of the Magdalen Islands' allocation was caught, 80% by vessels more than 35 feet. The catches were composed of seals at the "beater" stage.

Summary of the North Shore seal fishery for the 2008 season

For the fish harvesters from the Upper North Shore where the seals arrive earlier, the fishery started on December 10, 2007. Very few seals (less than a dozen) were caught during this pre-opening of the fishery in December 2007. The Aboriginal allocation was available starting March 28 (opening date) meanwhile pursuant to the commercial allocation, the fishery was extended to the other fish harvesters from the North Shore, from Tadoussac to Blanc-Sablon, starting on April 14. The fishery closed on May 14, 2008 by way of Variation Order. Approximately 45% of the North Shore allocation (including the commercial allocation and the 1 650 seals Quebec region's aboriginal allocation) was caught. In total, 56 vessels and 203 fishers participated in this fishery. Most of the vessels used were vessels under 35 feet long and contributed for 27% of the North Shore total catches, while the other vessels, 35 to 60 feet long, contributed for 72% of the catches. One shall note that the majority of the catches are from fish harvesters residing on the Lower North Shore and represent 54% of the North Shore total catches.

Statistics and graphics 2007-2008

In 2008, the available commercial allocation for the Gulf of St. Lawrence was 74 272 seals. The share for the Quebec Region ascended to 23 035, including 1 650 seals for the Quebec Aboriginal Communities.

Here is the breakdown for the share of the commercial quota attributed to Quebec Region for 2008:

| Area | Allocation |
|------------------------|-------------------|
| Magdalen Islands | 15 372 |
| North Shore | 6 013 |
| Aboriginal Communities | 1 650 |
| Gaspe Peninsula | 0 |
| Total Quebec | 23 035 |

The Quebec Region catches reached 7 902 seals and were distributed as follows:

2008



| Fleet | Magdalen Islands | | North Shore (including Aboriginal) | | Gaspe Peninsula (1) | | Total Quebec | |
|-----------------------------------|--------------------------------|--------------------------------|--|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| | Number of seals captured | Number of active vessels | Number of seals captured | Number of active vessels | Number of seals captured | Number of active vessels | Number of seals captured | Number of active vessels |
| <35' vessels and landsmen | 895 | 9 | 960 | 45 | 0 | 0 | 1 855 | 54 |
| Vessels between 35' and 45' | 1 039 | 28 | 679 | 4 | 0 | 0 | 1 718 | 32 |
| >45' vessels | 2 531 | 10 | 1 798 | 7 | 0 | 0 | 4 329 | 17 |
| TOTAL | 4 465 | 47 | 3 437 | 56 | 0 | 0 | 7 902 | 103 |

(1) No catches registered by fish harvesters from Gaspe Peninsula in 2008.


Comparison with 2007

| Fleet | Magdalen Islands | | North Shore | | Gaspe Peninsula (1) | | Total Quebec | |
|-----------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| | Number of seals captured | Number of active vessels |
| <35' vessels and landsmen | 91 | 5 | 895 | 27 | 0 | 0 | 986 | 32 |
| Vessels between 35' and 45' | 5 109 | 22 | 1 102 | 7 | 0 | 0 | 6 211 | 29 |
| >45' vessels | 7 615 | 12 | 3 264 | 9 | 0 | 0 | 10 879 | 21 |
| TOTAL | 12 815 | 39 | 5 261 | 43 | 0 | 0 | 18 076 | 82 |

(1) No catches registered by fish harvesters from Gaspe Peninsula in 2007.



Harp seal catches, Quebec Region, 1986-2008
 Source : Fisheries and Oceans Canada, Magdalen Islands area



Note: There were no catches registered at DFO for the Gaspe Peninsula for the years mentioned above.

Statistics on licences

According to the recommendations made by the Industry, DFO has imposed a freeze on the issuance of sealing licences in June 2004 (commercial licence and personal use), in order to slow down the increase of the fishing effort and to identify the conditions which should encompass the issuance of new sealing licences. This freeze however does not apply to Grey Seal fishing licences, neither to Aboriginal Communities.

Number of sealing licences issued by type and by maritime area

| Number of licences issued | Magdalen Islands | | North Shore | | Gaspe Peninsula | | Total Quebec | |
|---------------------------|------------------|------------|--------------|--------------|-----------------|------------|--------------|--------------|
| | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 | 2007 | 2008 |
| Commercial Professional | 907 | 896 | 879 | 854 | 63 | 61 | 1 849 | 1 811 |
| Commercial Assistant | 8 | 4 | 0 | 0 | 0 | 0 | 8 | 4 |
| Personal use | 5 | 5 | 393 | 376 | 44 | 50 | 442 | 431 |
| TOTAL | 920 | 905 | 1 272 | 1 230 | 107 | 111 | 2 299 | 2 246 |

Note: All licences are not necessarily active, the approximate number of participants is available in the paragraphs presenting the summary of the 2008 fishing season.

Statistics on licences to observe the seal fishery

Each year, observers come to observe the commercial seal fishing activities. In order to be authorized near the fishing sites, observers must obtain a seal fishery observation licence. An observation licence is valid for one day and may be renewed upon request. In 2008, all observers have been able to go on the ice and some have been able to renew their licence up to 8 times. Individuals, mainly journalists and photographers coming from Canada, United States and Europe came to observe the commercial fishery.

Data on Seal fishery observation licences

| | 2007 | | 2008 | |
|---|---------------|----------------------------|---------------|----------------------------|
| | Southern Gulf | Northern Gulf and Front | Southern Gulf | Northern Gulf and Front |
| Number of requests received | 64 | | 65 | |
| Number of licences issued ⁽¹⁾ | 8 | 40 | 51 | 19 |
| Number of days of observation | 4 | 9 | 4 | 4 |

⁽¹⁾ Some people did not make any follow up on their request.

Statistics concerning product processing

In 2008, the Quebec Region seal harvesters' catches have been sold and processed in Quebec and Newfoundland and Labrador. The estimated total value for the sale of seal pelts amounts to approximately 0.2 million of dollars for Quebec seal harvesters. Once the fat is taken off the pelts and once these pelts are tanned, they take the road to Asia and Eastern Europe. Quantities of meat are also processed for the local market and Quebec Province market (specialized market), as well as for personal consumption. The seal oil market is also developing.

***ECONOMIC PROFILE
OF QUEBEC MAIN
FISHING FLEETS***

Economic Profile of Quebec Main Fishing Fleets

The Annual Statistics Review 2007-2008 proposes a section intended to the Quebec main fishing fleets. You will find in the following pages, information related to the size of the fleets, the manpower, the fishing effort as well as the average landings for these various Quebec fleets.

In order to characterize each fleet, we have classified them by main species landed, and in some cases, by fishing area, gear type and vessel length. For example, for a fisherman who is fishing groundfish, pelagic fish and crustaceans, we will classify him in the fleet where he gets the higher value for his landings, being groundfish, pelagic fish or crustaceans. In other respects, landings and average prices are always calculated according to a fleet considered as “specialized” or according to a group of specialized enterprises. The expression “specialized” refers to fishing enterprises where their landings represent at least 25% of the average value of their fleet.

In addition, we want to inform you that the data concerning the fleets presented in the next section exclude the statistics for aboriginal fleets to ensure that the average value of the landings could be calculated from comparable data.

Please note that Scallops fleets of the North Shore (fisheries on individual quotas and competitive fisheries), of the Gaspe Area and Magdalen Islands have very few participants. Consequently, data concerning these fleets cannot be disclosed in this review for confidentiality considerations.

Finally, data on the groundfish fleets will be published at a later date as changes are being made to a more precise breakdown. This data will be eventually available on the DFO's Policy and Economics Branch, Quebec Region Web site.

Shrimpers economic profile, group A

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------|-------------------------|---------------|------------|------|---------------|-------------------------|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 5 | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 5 | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 20 | | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 15 | | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 15 | | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 15 | | 26 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Shrimp | 279 798 | 259 074 | 380 504 | 427 819 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 279 798 | 259 074 | 380 504 | 427 819 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Shrimp | 0.93 | | 1.12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (thousands of \$)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>176</td><td>233</td></tr> <tr><td>2000</td><td>206</td><td>295</td></tr> <tr><td>2001</td><td>179</td><td>211</td></tr> <tr><td>2002</td><td>245</td><td>281</td></tr> <tr><td>2003</td><td>218</td><td>249</td></tr> <tr><td>2004</td><td>305</td><td>348</td></tr> <tr><td>2005</td><td>250</td><td>248</td></tr> <tr><td>2006</td><td>210</td><td>167</td></tr> <tr><td>2007</td><td>280</td><td>280</td></tr> <tr><td>2008</td><td>381</td><td>428</td></tr> </tbody> </table> | | | | | Year | Quantity (mt) | Value (thousands of \$) | 1999 | 176 | 233 | 2000 | 206 | 295 | 2001 | 179 | 211 | 2002 | 245 | 281 | 2003 | 218 | 249 | 2004 | 305 | 348 | 2005 | 250 | 248 | 2006 | 210 | 167 | 2007 | 280 | 280 | 2008 | 381 | 428 |
| Year | Quantity (mt) | Value (thousands of \$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 176 | 233 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 206 | 295 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 179 | 211 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 245 | 281 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 218 | 249 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 305 | 348 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 250 | 248 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 210 | 167 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 280 | 280 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 381 | 428 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Shrimpers economic profile, group B

| Fleet characteristics | 2007 | | 2008 | |
|---|---------------|------------|---------------|------------|
| Fleet size | | | | |
| Active enterprises | 33 | | 32 | |
| Specialized enterprises | 33 | | 32 | |
| Employment | | | | |
| Number of specialized fishermen and fishermen helper | 132 | | 128 | |
| Fishing Effort | | | | |
| Average number of trips | 18 | | 18 | |
| Average number of days at sea | 90 | | 98 | |
| Average number of days fished | 60 | | 67 | |
| Average landing | 2007 | | 2008 | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) |
| Groundfish | 1 386 | 2 872 | 1 244 | 3 158 |
| Pelagic fish | 0.33 | 0.15 | 1.34 | 0.59 |
| Mollusc | - | - | - | - |
| Crustacean | | | | |
| - Shrimp | 377 237 | 378 744 | 406 455 | 473 203 |
| - Other | 2 178 | 8 635 | 1 774 | 6 820 |
| Total | 380 802 | 390 252 | 409 474 | 483 182 |
| Average price | 2007 | | 2008 | |
| | (\$/kg) | | (\$/kg) | |
| Groundfish | 2.07 | | 2.54 | |
| Pelagic fish | 0.45 | | 0.44 | |
| Mollusc | - | | - | |
| Crustacean | | | | |
| - Shrimp | 1.00 | | 1.16 | |
| - Other | 3.96 | | 3.85 | |
| Other | - | | - | |
| Evolution of average landing, 1999 to 2008 | | | | |
| ■ Quantity (mt) ■ Value (thousands of \$) | | | | |
| 1999 | 281 | 478 | 378 | 285 |
| 2000 | 285 | 465 | 378 | 378 |
| 2001 | 256 | 345 | 381 | 301 |
| 2002 | 301 | 408 | 399 | 325 |
| 2003 | 325 | 452 | 337 | 409 |
| 2004 | 399 | 529 | 471 | 483 |
| 2005 | 337 | 529 | 471 | 483 |
| 2006 | 378 | 471 | 390 | 409 |
| 2007 | 381 | 378 | 390 | 409 |
| 2008 | 409 | 483 | 483 | 483 |

Source: Policy and Economics Branch, DFO, Quebec Region

Midshore crabbers economic profile, area 12

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------|-------------------------|---------------|------------|------|----------------|-------------------------|------|----|-----|------|-----|-----|------|----|-----|------|-----|-----|------|----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 44 | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 44 | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 220 | | 220 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 14 | | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 34 | | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 17 | | 19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 9 | 13 | 218 | 321 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 508 | 679 | 1 204 | 1 525 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 653 | 606 | 804 | 803 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 111 882 | 537 819 | 100 768 | 424 424 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 1 031 | 910 | 1 029 | 908 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 114 084 | 540 028 | 104 024 | 427 981 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 1.47 | | 1.47 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 1.34 | | 1.27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 0.93 | | 1.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 4.81 | | 4.21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 0.88 | | 0.88 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (m t)</th> <th>Value (thousands of \$)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>92</td><td>538</td></tr> <tr><td>2000</td><td>104</td><td>597</td></tr> <tr><td>2001</td><td>85</td><td>388</td></tr> <tr><td>2002</td><td>137</td><td>695</td></tr> <tr><td>2003</td><td>92</td><td>572</td></tr> <tr><td>2004</td><td>137</td><td>908</td></tr> <tr><td>2005</td><td>167</td><td>725</td></tr> <tr><td>2006</td><td>122</td><td>346</td></tr> <tr><td>2007</td><td>114</td><td>540</td></tr> <tr><td>2008</td><td>104</td><td>428</td></tr> </tbody> </table> | | | | | Year | Quantity (m t) | Value (thousands of \$) | 1999 | 92 | 538 | 2000 | 104 | 597 | 2001 | 85 | 388 | 2002 | 137 | 695 | 2003 | 92 | 572 | 2004 | 137 | 908 | 2005 | 167 | 725 | 2006 | 122 | 346 | 2007 | 114 | 540 | 2008 | 104 | 428 |
| Year | Quantity (m t) | Value (thousands of \$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 92 | 538 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 104 | 597 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 85 | 388 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 137 | 695 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 92 | 572 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 137 | 908 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 167 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 122 | 346 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 114 | 540 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 104 | 428 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Midshore crabbers economic profile, area 12 A

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------|----------------------|---------------|------------|------|---------------|----------------------|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|----|------|----|----|--|--|----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 5 | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 5 | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 20 | | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 28 | | 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 36 | | 24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 31 | | 19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 2 996 | 4 863 | 4 805 | 9 703 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 28 058 | 7 764 | 6 815 | 2 103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 11 060 | 43 616 | 8 623 | 32 838 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 42 114 | 56 243 | 20 243 | 44 643 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 1.62 | | 2.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 0.28 | | 0.31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 3.94 | | 3.81 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (\$ thousands)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>45</td><td>124</td></tr> <tr><td>2000</td><td>46</td><td>160</td></tr> <tr><td>2001</td><td>36</td><td>160</td></tr> <tr><td>2002</td><td>39</td><td>131</td></tr> <tr><td>2003</td><td>42</td><td>136</td></tr> <tr><td>2004</td><td>38</td><td>168</td></tr> <tr><td>2005</td><td>45</td><td>160</td></tr> <tr><td>2006</td><td>45</td><td>105</td></tr> <tr><td>2007</td><td>42</td><td>61</td></tr> <tr><td>2008</td><td>20</td><td>56</td></tr> <tr><td></td><td></td><td>45</td></tr> </tbody> </table> | | | | | Year | Quantity (mt) | Value (\$ thousands) | 1999 | 45 | 124 | 2000 | 46 | 160 | 2001 | 36 | 160 | 2002 | 39 | 131 | 2003 | 42 | 136 | 2004 | 38 | 168 | 2005 | 45 | 160 | 2006 | 45 | 105 | 2007 | 42 | 61 | 2008 | 20 | 56 | | | 45 |
| Year | Quantity (mt) | Value (\$ thousands) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 45 | 124 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 46 | 160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 36 | 160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 39 | 131 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 42 | 136 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 38 | 168 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 45 | 160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 45 | 105 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 42 | 61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 20 | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Midshore crabbers economic profile, area 12 B

| Fleet characteristics | 2007 | | 2008 | |
|--|---------------|------------|---------------|------------|
| Fleet size | | | | |
| Active enterprises | 6 | | 6 | |
| Specialized enterprises | 6 | | 6 | |
| Employment | | | | |
| Number of specialized fishermen and fishermen helper | 27 | | 27 | |
| Fishing Effort | | | | |
| Average number of trips | 10 | | 9 | |
| Average number of days at sea | 31 | | 40 | |
| Average number of days fished | 14 | | 21 | |
| Average landing | 2007 | | 2008 | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) |
| Groundfish | 19 132 | 24 323 | 26 904 | 33 540 |
| Pelagic fish | - | - | - | - |
| Mollusc | - | - | - | - |
| Crustacean | | | | |
| - Snow Crabs | 27 772 | 105 805 | 26 006 | 101 602 |
| - Other | 16 407 | 15 191 | 18 034 | 20 922 |
| Other | - | - | - | - |
| Total | 63 310 | 145 319 | 70 944 | 156 065 |
| Average price | 2007 | | 2008 | |
| | (\$/kg) | | (\$/kg) | |
| Groundfish | 1.27 | | 1.25 | |
| Pelagic fish | - | | - | |
| Mollusc | - | | - | |
| Crustacean | | | | |
| - Snow Crabs | 3.81 | | 3.91 | |
| - Other | 0.93 | | 1.16 | |
| Other | - | | - | |

Evolution of average landing, 1999 to 2008

The chart illustrates the significant growth in both quantity and value of average landing over the decade. While quantity peaked in 2003 at 286 mt, value reached its highest point in 2008 at 156 thousand dollars.

| Year | Quantity (mt) | Value (thousands of \$) |
|------|---------------|-------------------------|
| 1999 | 64 | 214 |
| 2000 | 105 | 105 |
| 2001 | 104 | 314 |
| 2002 | 90 | 273 |
| 2003 | 55 | 286 |
| 2004 | 36 | 256 |
| 2005 | 32 | 197 |
| 2006 | 36 | 105 |
| 2007 | 76 | 71 |
| 2008 | 145 | 156 |

Source: Policy and Economics Branch, DFO, Quebec Region

Midshore crabbers economic profile, area 12 C

| Fleet characteristics | 2007 | | 2008 | | | | | |
|--|---------------|----------------|---------------|----------------|--|--|--|--|
| Fleet size | | | | | | | | |
| Active enterprises | 5 | | 5 | | | | | |
| Specialized enterprises | 5 | | 5 | | | | | |
| Employment | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 24 | | 24 | | | | | |
| Fishing Effort | | | | | | | | |
| Average number of trips | 36 | | 30 | | | | | |
| Average number of days at sea | 44 | | 41 | | | | | |
| Average number of days fished | 38 | | 32 | | | | | |
| Average landing | 2007 | | 2008 | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | |
| Groundfish | 3 628 | 4 246 | 4 710 | 6 544 | | | | |
| Pelagic fish | 1 377 | 2 816 | - | - | | | | |
| Mollusc | - | - | - | - | | | | |
| Crustacean | | | | | | | | |
| - Snow Crabs | 39 883 | 168 094 | 43 944 | 161 807 | | | | |
| - Other | 1 668 | 20 315 | 1 782 | 20 430 | | | | |
| Other | - | - | - | - | | | | |
| Total | 46 555 | 195 471 | 50 435 | 188 782 | | | | |
| Average price | 2007 | | 2008 | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | |
| Groundfish | 1.17 | | 1.39 | | | | | |
| Pelagic fish | 2.05 | | - | | | | | |
| Mollusc | - | | - | | | | | |
| Crustacean | | | | | | | | |
| - Snow Crabs | 4.21 | | 3.68 | | | | | |
| - Other | 12.18 | | 11.47 | | | | | |
| Other | - | | - | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | |
| <p>Quantity (mt)</p> <p>Value (thousands of \$)</p> | | | | | | | | |
| 1999 | 43 | 167 | | | | | | |
| 2000 | 44 | 226 | | | | | | |
| 2001 | 45 | 181 | | | | | | |
| 2002 | 47 | 210 | | | | | | |
| 2003 | 36 | 212 | | | | | | |
| 2004 | 40 | 230 | | | | | | |
| 2005 | 43 | 129 | | | | | | |
| 2006 | 49 | 88 | | | | | | |
| 2007 | 47 | 50 | | | | | | |
| 2008 | 50 | 195 | | | | | | |
| | | | 189 | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Midshore crabbers economic profile, area F

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------|----------------------|---------------|----------------|------|---------------|----------------------|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|--|-----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 10 | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 10 | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 40 | | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 27 | | 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 49 | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 29 | | 23 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 1 018 | 1 319 | 2 662 | 3 509 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 1 179 | 3 687 | 285 | 465 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 3 936 | 10 635 | 2 613 | 5 163 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 24 388 | 124 067 | 24 656 | 103 848 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 1 585 | 21 925 | 643 | 7 352 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 32 105 | 161 633 | 30 859 | 120 337 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 1.30 | | 1.32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 3.13 | | 1.63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 2.70 | | 1.98 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 5.09 | | 4.21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 13.83 | | 11.44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (\$ thousands)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>62</td><td>117</td></tr> <tr><td>2000</td><td>57</td><td>188</td></tr> <tr><td>2001</td><td>72</td><td>159</td></tr> <tr><td>2002</td><td>66</td><td>168</td></tr> <tr><td>2003</td><td>79</td><td>70</td></tr> <tr><td>2004</td><td>62</td><td>278</td></tr> <tr><td>2005</td><td>59</td><td>279</td></tr> <tr><td>2006</td><td>32</td><td>157</td></tr> <tr><td>2007</td><td>31</td><td>120</td></tr> <tr><td>2008</td><td></td><td>162</td></tr> </tbody> </table> | | | | | Year | Quantity (mt) | Value (\$ thousands) | 1999 | 62 | 117 | 2000 | 57 | 188 | 2001 | 72 | 159 | 2002 | 66 | 168 | 2003 | 79 | 70 | 2004 | 62 | 278 | 2005 | 59 | 279 | 2006 | 32 | 157 | 2007 | 31 | 120 | 2008 | | 162 |
| Year | Quantity (mt) | Value (\$ thousands) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 62 | 117 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 57 | 188 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 72 | 159 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 66 | 168 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 79 | 70 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 62 | 278 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 59 | 279 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 32 | 157 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 31 | 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | | 162 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Crabbers economic profile, area 14

| Fleet characteristics | 2007 | | 2008 | | | | | |
|--|---------------|------------|---------------|------------|--|--|--|--|
| Fleet size | | | | | | | | |
| Active enterprises | 21 | | 20 | | | | | |
| Specialized enterprises | 21 | | 20 | | | | | |
| Employment | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 92 | | 88 | | | | | |
| Fishing Effort | | | | | | | | |
| Average number of trips | 25 | | 19 | | | | | |
| Average number of days at sea | 36 | | 36 | | | | | |
| Average number of days fished | 29 | | 25 | | | | | |
| Average landing | 2007 | | 2008 | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | |
| Groundfish | 9 986 | 17 261 | 9 432 | 16 783 | | | | |
| Pelagic fish | 33 | 5 | - | - | | | | |
| Mollusc | | | 25 | 28 | | | | |
| Crustacean | | | | | | | | |
| - Snow Crabs | 19 223 | 69 411 | 21 137 | 70 364 | | | | |
| - Other | 27 | 293 | 20 | 202 | | | | |
| Other | 0.48 | 6 | - | - | | | | |
| Total | 29 270 | 86 977 | 30 615 | 87 378 | | | | |
| Average price | 2007 | | 2008 | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | |
| Groundfish | 1.73 | | 1.78 | | | | | |
| Pelagic fish | 0.15 | | - | | | | | |
| Mollusc | - | | 1.10 | | | | | |
| Crustacean | | | | | | | | |
| - Snow Crabs | 3.61 | | 3.33 | | | | | |
| - Other | 10.82 | | 9.94 | | | | | |
| Other | 13.20 | | - | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | |
| <p>Quantity (mt)</p> <p>Value (thousands of \$)</p> | | | | | | | | |
| 1999 | 33 | 103 | 30 | 31 | | | | |
| 2000 | 30 | 150 | 31 | 33 | | | | |
| 2001 | 31 | 116 | 28 | 148 | | | | |
| 2002 | 33 | 115 | 31 | 122 | | | | |
| 2003 | 28 | 78 | 30 | 52 | | | | |
| 2004 | 31 | 29 | 31 | 87 | | | | |
| 2005 | 28 | 31 | 31 | 87 | | | | |
| 2006 | 30 | 31 | 31 | 87 | | | | |
| 2007 | 29 | 31 | 31 | 87 | | | | |
| 2008 | 31 | 31 | 31 | 87 | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Crabbers economic profile, area 15

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-----------------|-------------------------|-----------------|------------|------|---------------|-------------------------|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 7 | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 7 | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 39 | | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 19 | | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 28 | | 25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 20 | | 22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 653 | 720 | 521 | 546 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 3 185 | 2 317 | 4 362 | 3 041 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | 61 139 | 229 139 | 67 207 | 222 251 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 76 | 837 | 72 | 731 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 65 053 | 233 013 | 72 163 | 226 569 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2007 (\$/kg) | | 2008 (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 1.10 | | 1.05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 0.73 | | 0.70 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | 3.75 | | 3.31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 11.02 | | 10.22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>The chart illustrates the significant increase in both quantity and value of crabber landings between 1999 and 2001, followed by a general decline through 2007, with a slight recovery in 2008.</p> <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (thousands of \$)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>54</td><td>197</td></tr> <tr><td>2000</td><td>53</td><td>275</td></tr> <tr><td>2001</td><td>55</td><td>203</td></tr> <tr><td>2002</td><td>48</td><td>232</td></tr> <tr><td>2003</td><td>40</td><td>216</td></tr> <tr><td>2004</td><td>44</td><td>191</td></tr> <tr><td>2005</td><td>77</td><td>165</td></tr> <tr><td>2006</td><td>69</td><td>114</td></tr> <tr><td>2007</td><td>65</td><td>233</td></tr> <tr><td>2008</td><td>72</td><td>227</td></tr> </tbody> </table> | | | | | Year | Quantity (mt) | Value (thousands of \$) | 1999 | 54 | 197 | 2000 | 53 | 275 | 2001 | 55 | 203 | 2002 | 48 | 232 | 2003 | 40 | 216 | 2004 | 44 | 191 | 2005 | 77 | 165 | 2006 | 69 | 114 | 2007 | 65 | 233 | 2008 | 72 | 227 |
| Year | Quantity (mt) | Value (thousands of \$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 54 | 197 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 53 | 275 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 55 | 203 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 48 | 232 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 40 | 216 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 44 | 191 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 77 | 165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 69 | 114 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 65 | 233 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 72 | 227 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Crabbers economic profile, area 16

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------|------------|---------------|------------|------|---------------|------------|------|----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|-----|-----|------|-----|-----|--|--|-----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 32 | | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 32 | | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 141 | | 136 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 37 | | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 47 | | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 42 | | 33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 57 | 315 | 150 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 94 | 94 | 34 | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 100 633 | 401 819 | 97 505 | 329 121 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 3 233 | 4 507 | 2 296 | 4 176 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 104 017 | 406 735 | 99 985 | 334 281 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 5.57 | | 6.31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 0.99 | | 0.99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 3.99 | | 3.38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 1.39 | | 1.82 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| □ Quantity (mt) ■ Value (thousands of \$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (\$)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>79</td><td>321</td></tr> <tr><td>2000</td><td>107</td><td>106</td></tr> <tr><td>2001</td><td>106</td><td>554</td></tr> <tr><td>2002</td><td>114</td><td>471</td></tr> <tr><td>2003</td><td>56</td><td>554</td></tr> <tr><td>2004</td><td>55</td><td>335</td></tr> <tr><td>2005</td><td>63</td><td>349</td></tr> <tr><td>2006</td><td>84</td><td>200</td></tr> <tr><td>2007</td><td>104</td><td>195</td></tr> <tr><td>2008</td><td>100</td><td>407</td></tr> <tr><td></td><td></td><td>334</td></tr> </tbody> </table> | | | | | Year | Quantity (mt) | Value (\$) | 1999 | 79 | 321 | 2000 | 107 | 106 | 2001 | 106 | 554 | 2002 | 114 | 471 | 2003 | 56 | 554 | 2004 | 55 | 335 | 2005 | 63 | 349 | 2006 | 84 | 200 | 2007 | 104 | 195 | 2008 | 100 | 407 | | | 334 |
| Year | Quantity (mt) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 79 | 321 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 107 | 106 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 106 | 554 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 114 | 471 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 56 | 554 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 55 | 335 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 63 | 349 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 84 | 200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 104 | 195 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 100 | 407 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 334 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Crabbers economic profile, area 17

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------|-------------------------|---------------|------------|------|----------------|-------------------------|------|----|-----|------|----|-----|------|-----|-----|------|-----|-----|------|-----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|------|----|-----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 16 | | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 16 | | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fisherman and fishermen helper | 72 | | 72 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 39 | | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 41 | | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 40 | | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 1 207 | 2 531 | 557 | 1 078 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 4 370 | 4 140 | 2 991 | 3 012 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 73 218 | 269 542 | 56 121 | 191 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 78 794 | 276 213 | 59 669 | 195 191 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 2.10 | | 1.94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 0.95 | | 1.01 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Snow Crabs | 3.68 | | 3.41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>The chart illustrates the significant fluctuations in both quantity and value of crab landings over the decade. While quantity peaked in 2004 at 622 m t, value reached its highest point in 2004 at 622 thousand dollars. Both metrics show a general downward trend from 2004 to 2008.</p> <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (m t)</th> <th>Value (thousands of \$)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>86</td><td>347</td></tr> <tr><td>2000</td><td>96</td><td>450</td></tr> <tr><td>2001</td><td>110</td><td>463</td></tr> <tr><td>2002</td><td>122</td><td>544</td></tr> <tr><td>2003</td><td>114</td><td>622</td></tr> <tr><td>2004</td><td>94</td><td>498</td></tr> <tr><td>2005</td><td>96</td><td>296</td></tr> <tr><td>2006</td><td>99</td><td>222</td></tr> <tr><td>2007</td><td>79</td><td>276</td></tr> <tr><td>2008</td><td>60</td><td>195</td></tr> </tbody> </table> | | | | | Year | Quantity (m t) | Value (thousands of \$) | 1999 | 86 | 347 | 2000 | 96 | 450 | 2001 | 110 | 463 | 2002 | 122 | 544 | 2003 | 114 | 622 | 2004 | 94 | 498 | 2005 | 96 | 296 | 2006 | 99 | 222 | 2007 | 79 | 276 | 2008 | 60 | 195 |
| Year | Quantity (m t) | Value (thousands of \$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 86 | 347 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 96 | 450 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 110 | 463 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 122 | 544 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 114 | 622 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 94 | 498 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 96 | 296 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 99 | 222 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 79 | 276 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 60 | 195 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Economic profile of Magdalen Islands lobster fleet

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|------------------------|----------------------|------------------------|------------|------|---------------|----------------------|------|----|----|------|----|----|------|----|----|------|----|----|------|----|-----|------|----|-----|------|----|----|------|----|-----|------|----|----|------|----|----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 321 | | 323 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 321 | | 323 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 780 | | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 58 | | 55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 59 | | 55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 59 | | 55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 286 | 669 | 320 | 759 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Herring | 1 012 | 412 | 1 168 | 565 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 317 | 1 345 | 315 | 1 394 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 1 480 | 2 399 | 1 520 | 2 049 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Lobster | 7 295 | 98 046 | 7 653 | 87 842 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 1 718 | 1 864 | 1 257 | 1 606 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | 2 | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 12 109 | 104 735 | 12 235 | 94 220 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 (\$/kg) | | 2008 (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 2.34 | | 2.37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Herring | 0.41 | | 0.48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 4.24 | | 4.42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 1.62 | | 1.35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Lobster | 13.44 | | 11.48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 1.08 | | 1.28 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | 2.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>The chart displays two sets of data for each year from 1999 to 2008. The left bar in each pair represents 'Quantity (mt)' and the right bar represents 'Value (thousands of \$)'. The values are explicitly labeled on top of each bar.</p> <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (\$ thousands)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>29</td><td>73</td></tr> <tr><td>2000</td><td>24</td><td>82</td></tr> <tr><td>2001</td><td>23</td><td>93</td></tr> <tr><td>2002</td><td>21</td><td>95</td></tr> <tr><td>2003</td><td>25</td><td>104</td></tr> <tr><td>2004</td><td>21</td><td>108</td></tr> <tr><td>2005</td><td>15</td><td>99</td></tr> <tr><td>2006</td><td>14</td><td>105</td></tr> <tr><td>2007</td><td>12</td><td>94</td></tr> <tr><td>2008</td><td>12</td><td>94</td></tr> </tbody> </table> | | | | | Year | Quantity (mt) | Value (\$ thousands) | 1999 | 29 | 73 | 2000 | 24 | 82 | 2001 | 23 | 93 | 2002 | 21 | 95 | 2003 | 25 | 104 | 2004 | 21 | 108 | 2005 | 15 | 99 | 2006 | 14 | 105 | 2007 | 12 | 94 | 2008 | 12 | 94 |
| Year | Quantity (mt) | Value (\$ thousands) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 29 | 73 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 24 | 82 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 23 | 93 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 21 | 95 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 25 | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 21 | 108 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 15 | 99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 14 | 105 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 12 | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 12 | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Economic profile of Gaspé Peninsula lobster fleet

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------|-------------------------|---------------|------------|------|---------------|-------------------------|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 186 | | 177 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 185 | | 177 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 413 | | 395 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 65 | | 58 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 67 | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 66 | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 300 | 413 | 345 | 647 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Herring | 4 316 | 1 249 | 2 452 | 911 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 2 379 | 1 343 | 3 447 | 1 936 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | - | - | 15 | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Lobster | 3 603 | 52 375 | 4 165 | 48 298 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 1 530 | 1 383 | 1 777 | 1 596 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 12 129 | 56 762 | 12 201 | 53 405 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 1.38 | | 1.88 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Herring | 0.29 | | 0.37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 0.56 | | 0.56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Lobster | 14.54 | | 11.60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 0.90 | | 0.90 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (thousands of \$)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>16</td><td>56</td></tr> <tr><td>2000</td><td>16</td><td>64</td></tr> <tr><td>2001</td><td>14</td><td>65</td></tr> <tr><td>2002</td><td>13</td><td>56</td></tr> <tr><td>2003</td><td>14</td><td>63</td></tr> <tr><td>2004</td><td>13</td><td>58</td></tr> <tr><td>2005</td><td>12</td><td>53</td></tr> <tr><td>2006</td><td>14</td><td>50</td></tr> <tr><td>2007</td><td>12</td><td>57</td></tr> <tr><td>2008</td><td>12</td><td>53</td></tr> </tbody> </table> | | | | | Year | Quantity (mt) | Value (thousands of \$) | 1999 | 16 | 56 | 2000 | 16 | 64 | 2001 | 14 | 65 | 2002 | 13 | 56 | 2003 | 14 | 63 | 2004 | 13 | 58 | 2005 | 12 | 53 | 2006 | 14 | 50 | 2007 | 12 | 57 | 2008 | 12 | 53 |
| Year | Quantity (mt) | Value (thousands of \$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 16 | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 16 | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 14 | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 13 | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 14 | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 13 | 58 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 12 | 53 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 14 | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 12 | 57 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 12 | 53 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Economic profile of North Shore lobster fleet


| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------|----------------------|---------------|------------|------|---------------|----------------------|------|---|----|------|---|----|------|---|----|------|---|----|------|---|---|------|---|----|------|---|---|------|---|---|------|---|---|------|---|----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 28 | | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 23 | | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 23 | | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 9 | | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 36 | | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 23 | | 25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 590 | 605 | 355 | 402 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 135 | 45 | 19 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | - | - | 14 | 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Lobster | 856 | 9 649 | 649 | 6 993 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | 3 | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 1 581 | 10 299 | 1 039 | 7 428 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 1.03 | | 1.13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 0.33 | | 0.33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | - | | 0.99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Lobster | 11.27 | | 10.77 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | 4.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>The chart illustrates the significant fluctuations in both quantity and value of the average landing over the decade. While the value generally decreased after 2002, the quantity remained relatively stable around 10,000 metric tons until 2008, where it dropped sharply.</p> <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (\$ thousands)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>2</td><td>12</td></tr> <tr><td>2000</td><td>2</td><td>12</td></tr> <tr><td>2001</td><td>3</td><td>12</td></tr> <tr><td>2002</td><td>1</td><td>17</td></tr> <tr><td>2003</td><td>2</td><td>9</td></tr> <tr><td>2004</td><td>1</td><td>12</td></tr> <tr><td>2005</td><td>2</td><td>8</td></tr> <tr><td>2006</td><td>2</td><td>9</td></tr> <tr><td>2007</td><td>2</td><td>9</td></tr> <tr><td>2008</td><td>1</td><td>10</td></tr> </tbody> </table> | | | | | Year | Quantity (mt) | Value (\$ thousands) | 1999 | 2 | 12 | 2000 | 2 | 12 | 2001 | 3 | 12 | 2002 | 1 | 17 | 2003 | 2 | 9 | 2004 | 1 | 12 | 2005 | 2 | 8 | 2006 | 2 | 9 | 2007 | 2 | 9 | 2008 | 1 | 10 |
| Year | Quantity (mt) | Value (\$ thousands) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 2 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 2 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 3 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 1 | 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 1 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 2 | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 1 | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Economic profile of Anticosti Island lobster fleet

| Fleet characteristics | 2007 | | 2008 | |
|--|---------------|------------|---------------|------------|
| Fleet size | | | | |
| Active enterprises | 11 | | 11 | |
| Specialized enterprises | 10 | | 11 | |
| Employment | | | | |
| Number of specialized fishermen and fishermen helper | 33 | | 36 | |
| Fishing Effort | | | | |
| Average number of trips | 8 | | 8 | |
| Average number of days at sea | 70 | | 72 | |
| Average number of days fished | 52 | | 51 | |
| Average landing | 2007 | | 2008 | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) |
| Groundfish | 2 561 | 5 608 | 2 779 | 6 475 |
| Pelagic fish | 111 | 49 | - | - |
| Mollusc | 392 | 645 | 247 | 327 |
| Crustacean | 10 809 | 150 554 | 11 549 | 130 420 |
| - Lobster | - | - | - | - |
| - Other | - | - | - | - |
| Other | - | - | - | - |
| Total | 13 874 | 156 855 | 14 575 | 137 223 |
| Average price | 2007 | | 2008 | |
| | (\$/kg) | | (\$/kg) | |
| Groundfish | 2.19 | | 2.33 | |
| Pelagic fish | 0.44 | | - | |
| Mollusc | 1.64 | | 1.32 | |
| Crustacean | 13.93 | | 11.29 | |
| - Lobster | - | | - | |
| - Other | - | | - | |
| Other | - | | - | |

Evolution of average landing, 1999 to 2008



Source: Policy and Economics Branch, DFO, Quebec Region

Economic profile of rock crab fishermen

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------|-------------------------|---------------|------------|---------------|-------------------------|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|--|--|----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 13 | | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 12 | | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 24 | | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 40 | | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 77 | | 79 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 68 | | 67 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 4 306 | 10 135 | 5 328 | 11 673 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 5 311 | 3 728 | 4 832 | 2 621 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 3 444 | 3 620 | 382 | 379 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Rock Crabs | 49 343 | 43 221 | 44 752 | 38 876 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 2 340 | 14 556 | 1 879 | 13 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 64 743 | 75 260 | 57 172 | 67 474 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 2.35 | | 2.19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 0.70 | | 0.54 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | 1.05 | | 0.99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Rock Crabs | 0.88 | | 0.87 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 6.22 | | 7.41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (thousands of \$)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>45</td><td>30</td></tr> <tr><td>2000</td><td>53</td><td>53</td></tr> <tr><td>2001</td><td>48</td><td>50</td></tr> <tr><td>2002</td><td>54</td><td>56</td></tr> <tr><td>2003</td><td>53</td><td>57</td></tr> <tr><td>2004</td><td>48</td><td>43</td></tr> <tr><td>2005</td><td>56</td><td>57</td></tr> <tr><td>2006</td><td>50</td><td>63</td></tr> <tr><td>2007</td><td>65</td><td>51</td></tr> <tr><td>2008</td><td>57</td><td>75</td></tr> <tr><td></td><td></td><td>67</td></tr> </tbody> </table> | | | | Year | Quantity (mt) | Value (thousands of \$) | 1999 | 45 | 30 | 2000 | 53 | 53 | 2001 | 48 | 50 | 2002 | 54 | 56 | 2003 | 53 | 57 | 2004 | 48 | 43 | 2005 | 56 | 57 | 2006 | 50 | 63 | 2007 | 65 | 51 | 2008 | 57 | 75 | | | 67 |
| Year | Quantity (mt) | Value (thousands of \$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 45 | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 53 | 53 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 48 | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 54 | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 53 | 57 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 48 | 43 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 56 | 57 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 50 | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 65 | 51 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 57 | 75 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 67 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

Economic profile of whelk fishermen

| Fleet characteristics | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------------|-------------------------|---------------|------------|------|---------------|-------------------------|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|------|----|----|
| Fleet size | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Active enterprises | 26 | | 23 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specialized enterprises | 17 | | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Employment | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Number of specialized fishermen and fishermen helper | 37 | | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fishing Effort | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of trips | 60 | | 58 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days at sea | 64 | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average number of days fished | 62 | | 59 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average landing | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Quantity (kg) | Value (\$) | Quantity (kg) | Value (\$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 367 | 749 | 1 625 | 3 444 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 982 | 475 | 839 | 618 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Whelks | 23 775 | 25 191 | 24 114 | 25 524 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | 12 | 0 | 21 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | 9 839 | 9 761 | 8 792 | 10 947 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | - | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total | 34 975 | 36 175 | 35 391 | 40 534 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average price | 2007 | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (\$/kg) | | (\$/kg) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundfish | 2.04 | | 2.12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pelagic fish | 0.48 | | 0.74 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mollusc | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Whelks | 1.06 | | 1.06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crustacean | 0.99 | | 1.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Evolution of average landing, 1999 to 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>The chart illustrates the significant increase in both quantity and value of average landing over the decade. While quantity peaked in 2003 at 86 mt, value reached its highest point in 2007 at 42 thousand dollars.</p> <table border="1"> <thead> <tr> <th>Year</th> <th>Quantity (mt)</th> <th>Value (thousands of \$)</th> </tr> </thead> <tbody> <tr><td>1999</td><td>63</td><td>55</td></tr> <tr><td>2000</td><td>63</td><td>59</td></tr> <tr><td>2001</td><td>62</td><td>61</td></tr> <tr><td>2002</td><td>74</td><td>86</td></tr> <tr><td>2003</td><td>51</td><td>63</td></tr> <tr><td>2004</td><td>40</td><td>42</td></tr> <tr><td>2005</td><td>42</td><td>42</td></tr> <tr><td>2006</td><td>40</td><td>50</td></tr> <tr><td>2007</td><td>35</td><td>42</td></tr> <tr><td>2008</td><td>35</td><td>41</td></tr> </tbody> </table> | | | | | Year | Quantity (mt) | Value (thousands of \$) | 1999 | 63 | 55 | 2000 | 63 | 59 | 2001 | 62 | 61 | 2002 | 74 | 86 | 2003 | 51 | 63 | 2004 | 40 | 42 | 2005 | 42 | 42 | 2006 | 40 | 50 | 2007 | 35 | 42 | 2008 | 35 | 41 |
| Year | Quantity (mt) | Value (thousands of \$) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1999 | 63 | 55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2000 | 63 | 59 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2001 | 62 | 61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2002 | 74 | 86 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2003 | 51 | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2004 | 40 | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2005 | 42 | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2006 | 40 | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2007 | 35 | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2008 | 35 | 41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Source: Policy and Economics Branch, DFO, Quebec Region

***DISTRIBUTION OF
LANDINGS BY SECTOR***

TABLE 18

LANDINGS IN THE GASPÉ PENINSULA IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | Quantity | 2007 | | 2008 | | Var. in % | |
|---|---------------|---------------|---------------|---------------|--------------|-------------|----------|
| | | Value | Quantity | Value | Quantity | Value | Value |
| Cod..... | 1 325 | 1 740 | 1 508 | 2 080 | 13.8 | 19.5 | - |
| Haddock..... | - | - | - | - | - | - | - |
| Redfish..... | 10 | 6 | 68 | 45 | N/A | N/A | - |
| Atlantic Halibut..... | 141 | 811 | 181 | 1 041 | 28.4 | 28.4 | - |
| American Plaice..... | 40 | 32 | 64 | 50 | 60.0 | 56.3 | - |
| Greysole..... | ° | ° | 1 | 1 | N/A | N/A | - |
| Winter Flounder..... | 14 | 14 | 11 | 8 | -21.4 | -42.9 | - |
| Unspecified Flounders..... | - | - | - | - | - | - | - |
| Greenland Halibut..... | 2 433 | 4 558 | 2 404 | 4 739 | -1.2 | 4.0 | - |
| White Hake..... | 6 | 3 | 9 | 5 | 50.0 | 66.7 | - |
| Catfish..... | ° | ° | 3 | 1 | N/A | N/A | - |
| Other groundfish..... | 6 | 3 | 7 | 4 | 16.7 | 33.3 | - |
| Total groundfish..... | 3 975 | 7 169 | 4 257 | 7 973 | 7.1 | 11.2 | - |
| Herring..... | 3 271 | 924 | 2 268 | 808 | -30.7 | -12.6 | - |
| Mackerel..... | 622 | 353 | 927 | 522 | 49.0 | 47.9 | - |
| Bluefin Tuna..... | - | - | ° | 5 | N/A | N/A | - |
| Eel..... | - | - | ° | ° | N/A | N/A | - |
| Smelt..... | - | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | 3 | 1 | 3 | 1 | - | - | - |
| Total pelagic and estuarian species..... | 3 896 | 1 278 | 3 198 | 1 336 | -17.9 | 4.5 | - |
| Soft Shell Clam..... | - | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - | - |
| Sea Scallop..... | 59 | 142 | 56 | 153 | -5.1 | 7.7 | - |
| Whelk..... | 303 | 328 | 280 | 312 | -7.6 | -4.9 | - |
| Lobster..... | 775 | 11 228 | 876 | 10 187 | 13.0 | -9.3 | - |
| Shrimp..... | 16 522 | 16 179 | 19 189 | 22 243 | 16.1 | 37.5 | - |
| Snow Crab..... | 6 519 | 28 869 | 5 159 | 21 054 | -20.9 | -27.1 | - |
| Other molluscs and crustaceans..... | 978 | 867 | 1 186 | 920 | 21.3 | 6.1 | - |
| Total molluscs and crustaceans..... | 25 155 | 57 614 | 26 747 | 54 870 | 6.3 | -4.8 | - |
| Other items..... | - | - | - | - | - | - | - |
| Total..... | 33 027 | 66 061 | 34 202 | 64 179 | 3.6 | -2.8 | - |

TABLE 18A

LANDINGS IN THE GASPÉ PENINSULA BY VESSELS UNDER 35' IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | Quantity | 2007 | | 2008 | | Var. Quantity | in % Value |
|---|--------------|---------------|--------------|---------------|--------------|---------------|------------|
| | | Value | Quantity | Value | Quantity | | |
| Cod..... | 25 | 35 | 42 | 64 | 68.0 | 82.9 | - |
| Haddock..... | - | - | - | - | - | - | - |
| Redfish..... | 2 | 1 | 2 | 2 | - | 100.0 | - |
| Atlantic Halibut..... | 13 | 74 | 14 | 81 | 7.7 | 9.5 | - |
| American Plaice..... | 6 | 5 | 13 | 9 | 116.7 | 80.0 | - |
| Greysole..... | - | - | - | - | - | - | - |
| Winter Flounder..... | 11 | 10 | 9 | 7 | -18.2 | -30.0 | - |
| Unspecified Flounders..... | - | - | - | - | - | - | - |
| Greenland Halibut..... | 460 | 856 | 498 | 973 | 8.3 | 13.7 | - |
| White Hake..... | ◦ | ◦ | 1 | ◦ | N/A | N/A | - |
| Catfish..... | ◦ | ◦ | ◦ | ◦ | N/A | N/A | - |
| Other groundfish..... | 1 | 1 | 1 | ◦ | - | N/A | - |
| Total groundfish..... | 518 | 982 | 580 | 1 136 | 12.0 | 15.7 | |
| Herring..... | 1 016 | 296 | 724 | 271 | -28.7 | -8.4 | - |
| Mackerel..... | 321 | 187 | 470 | 267 | 46.4 | 42.8 | - |
| Bluefin Tuna..... | - | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | ◦ | ◦ | ◦ | ◦ | N/A | N/A | - |
| Total pelagic and estuarian species..... | 1 338 | 483 | 1 195 | 538 | -10.7 | 11.4 | |
| Soft Shell Clam..... | - | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | - | - |
| Whelk..... | 151 | 162 | 114 | 126 | -24.5 | -22.2 | - |
| Lobster..... | 637 | 9 232 | 715 | 8 307 | 12.2 | -10.0 | - |
| Shrimp..... | - | - | - | - | - | - | - |
| Snow Crab..... | 232 | 913 | 219 | 815 | -5.6 | -10.7 | - |
| Other molluscs and crustaceans..... | 619 | 546 | 601 | 523 | -2.9 | -4.2 | - |
| Total molluscs and crustaceans..... | 1 639 | 10 853 | 1 649 | 9 771 | 0.6 | -10.0 | |
| Other items..... | - | - | - | - | - | - | - |
| Total..... | 3 494 | 12 318 | 3 423 | 11 445 | -2.0 | -7.1 | |

TABLE 18B

LANDINGS IN THE GASPÉ PENINSULA BY VESSELS 35' TO 44'11" IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. Quantity | in % Value |
|---|--------------|--------------|--------------|--------------|---------------|-------------|
| | Quantity | Value | Quantity | Value | | |
| Cod..... | 177 | 229 | 227 | 312 | 28.2 | 36.2 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | 2 | 1 | 3 | 2 | 50.0 | 100.0 |
| Atlantic Halibut..... | 23 | 137 | 36 | 213 | 56.5 | 55.5 |
| American Plaice..... | 18 | 16 | 24 | 20 | 33.3 | 25.0 |
| Greysole..... | - | - | - | - | N/A | N/A |
| Winter Flounder..... | 3 | 3 | 2 | 1 | -33.3 | -66.7 |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | 1 094 | 2 051 | 1 047 | 2 059 | -4.3 | 0.4 |
| White Hake..... | 1 | ° | 1 | ° | - | N/A |
| Catfish..... | ° | ° | ° | ° | N/A | N/A |
| Other groundfish..... | 1 | 1 | 2 | 1 | 100.0 | - |
| Total groundfish..... | 1 319 | 2 439 | 1 341 | 2 609 | 1.7 | 7.0 |
| Herring..... | 2 247 | 624 | 1 535 | 532 | -31.7 | -14.7 |
| Mackerel..... | 300 | 166 | 457 | 255 | 52.3 | 53.6 |
| Bluefin Tuna..... | - | - | ° | 5 | N/A | N/A |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | 2 | 1 | 1 | ° | -50.0 | N/A |
| Total pelagic and estuarian species..... | 2 549 | 791 | 1 994 | 793 | -21.8 | 0.3 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 47 | 111 | 52 | 141 | 10.6 | 27.0 |
| Whelk..... | 132 | 145 | 143 | 161 | 8.3 | 11.0 |
| Lobster..... | 121 | 1 751 | 142 | 1 657 | 17.4 | -5.4 |
| Shrimp..... | 832 | 870 | 971 | 1 169 | 16.7 | 34.4 |
| Snow Crab..... | 700 | 2 640 | 513 | 1 890 | -26.7 | -28.4 |
| Other molluscs and crustaceans..... | 358 | 320 | 384 | 344 | 7.3 | 7.5 |
| Total molluscs and crustaceans..... | 2 189 | 5 837 | 2 204 | 5 362 | 0.7 | -8.1 |
| Other items..... | - | - | - | - | - | - |
| Total..... | 6 057 | 9 067 | 5 539 | 8 764 | -8.6 | -3.3 |

TABLE 18C

LANDINGS IN THE GASPÉ PENINSULA BY VESSELS 45' TO 64'11" IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. in % | Value |
|---|---------------|---------------|---------------|---------------|------------|-------------|
| | Quantity | Value | Quantity | Value | | |
| Cod..... | 1 123 | 1 476 | 1 230 | 1 694 | 9.5 | 14.8 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | 6 | 3 | 63 | 41 | N/A | N/A |
| Atlantic Halibut..... | 105 | 599 | 130 | 741 | 23.8 | 23.7 |
| American Plaice..... | 16 | 12 | 27 | 20 | 68.8 | 66.7 |
| Greysole..... | ° | ° | 1 | ° | N/A | N/A |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | 879 | 1 651 | 849 | 1 686 | -3.4 | 2.1 |
| White Hake..... | 5 | 3 | 8 | 4 | 60.0 | 33.3 |
| Catfish..... | ° | ° | 3 | 1 | N/A | N/A |
| Other groundfish..... | 4 | 2 | 4 | 2 | - | - |
| Total groundfish..... | 2 139 | 3 746 | 2 314 | 4 191 | 8.2 | 11.9 |
| Herring..... | 8 | 5 | 8 | 4 | - | -20.0 |
| Mackerel..... | - | - | - | - | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | ° | ° | N/A | N/A |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | 1 | ° | 2 | 1 | 100.0 | N/A |
| Total pelagic and estuarian species..... | 10 | 5 | 10 | 5 | - | - |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 12 | 31 | 5 | 12 | -58.3 | -61.3 |
| Whelk..... | 20 | 21 | 23 | 26 | 15.0 | 23.8 |
| Lobster..... | 17 | 246 | 20 | 223 | 17.6 | -9.3 |
| Shrimp..... | 13 696 | 13 317 | 15 302 | 17 637 | 11.7 | 32.4 |
| Snow Crab..... | 5 192 | 23 444 | 4 236 | 17 548 | -18.4 | -25.1 |
| Other molluscs and crustaceans..... | 1 | 1 | 201 | 53 | N/A | N/A |
| Total molluscs and crustaceans..... | 18 939 | 37 059 | 19 787 | 35 499 | 4.5 | -4.2 |
| Other items..... | - | - | - | - | - | - |
| Total..... | 21 087 | 40 810 | 22 111 | 39 695 | 4.9 | -2.7 |

TABLE 18D

LANDINGS IN THE GASPÉ PENINSULA BY VESSELS 65' AND OVER IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. Quantity | in % Value |
|---|--------------|--------------|--------------|--------------|---------------|-------------|
| | Quantity | Value | Quantity | Value | | |
| Cod..... | - | - | 9 | 10 | N/A | N/A |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | ° | ° | N/A | N/A |
| Atlantic Halibut..... | ° | 1 | 1 | 5 | N/A | 400.0 |
| American Plaice..... | - | - | 1 | 1 | N/A | N/A |
| Greysole..... | - | - | ° | ° | N/A | N/A |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | 11 | 21 | N/A | N/A |
| White Hake..... | - | - | ° | ° | N/A | N/A |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | ° | ° | N/A | N/A |
| Total groundfish..... | ° | 1 | 22 | 38 | N/A | N/A |
| Herring..... | - | - | ° | ° | N/A | N/A |
| Mackerel..... | - | - | - | - | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | - | - | - |
| Total pelagic and estuarian species..... | - | - | ° | ° | N/A | N/A |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | - |
| Whelk..... | - | - | - | - | - | - |
| Lobster..... | - | - | - | - | - | - |
| Shrimp..... | 1 993 | 1 992 | 2 916 | 3 437 | 46.3 | 72.5 |
| Snow Crab..... | 395 | 1 872 | 191 | 801 | -51.6 | -57.2 |
| Other molluscs and crustaceans..... | - | - | - | - | - | - |
| Total molluscs and crustaceans..... | 2 388 | 3 864 | 3 107 | 4 237 | 30.1 | 9.7 |
| Other items..... | - | - | - | - | - | - |
| Total..... | 2 389 | 3 866 | 3 129 | 4 275 | 31.0 | 10.6 |

TABLE 18E

SUPPLEMENTARY PURCHASE SLIPS IN THE GASPÉ PENINSULA IN 2007 AND 2008 (1)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. in % | |
|---|-----------------|--------------|-----------------|--------------|------------------|--------------|
| | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod..... | 38 | 45 | 15 | 21 | -60.5 | -53.3 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | 2 | 1 | 2 | 2 | - | 100.0 |
| Atlantic Halibut..... | 31 | 206 | 31 | 186 | - | -9.7 |
| American Plaice..... | 28 | 23 | 25 | 23 | -10.7 | - |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | 20 | 19 | 8 | 6 | -60.0 | -68.4 |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | 3 | 6 | N/A | N/A |
| White Hake..... | - | - | - | - | - | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - |
| Total groundfish..... | 120 | 294 | 84 | 243 | -30.0 | -17.3 |
| Herring..... | 52 | 15 | 23 | 10 | -55.8 | -33.3 |
| Mackerel..... | 51 | 29 | 71 | 59 | 39.2 | 103.4 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | ° | 1 | - | - | N/A | -100.0 |
| Smelt..... | 26 | 17 | 159 | 105 | N/A | N/A |
| Capelin..... | 5 | 10 | 27 | 5 | 440.0 | -50.0 |
| Other pelagic and estuarian species..... | - | - | - | - | - | - |
| Total pelagic and estuarian species..... | 134 | 72 | 279 | 178 | 108.2 | 147.2 |
| Soft Shell Clam..... | 103 | 148 | 106 | 163 | 2.9 | 10.1 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | 34 | 75 | N/A | N/A |
| Sea Scallop..... | 4 | 9 | 4 | 11 | - | 22.2 |
| Whelk..... | 12 | 12 | 11 | 12 | -8.3 | - |
| Lobster..... | 45 | 647 | 48 | 555 | 6.7 | -14.2 |
| Shrimp..... | - | - | 25 | 29 | N/A | N/A |
| Snow Crab..... | 187 | 826 | 103 | 375 | -44.9 | -54.6 |
| Other molluscs and crustaceans..... | 4 | 3 | 5 | 4 | 25.0 | 33.3 |
| Total molluscs and crustaceans..... | 353 | 1 645 | 335 | 1 226 | -5.1 | -25.5 |
| Other items..... | 1 | 1 | 2 | 3 | 100.0 | 200.0 |
| Total..... | 608 | 2 013 | 700 | 1 650 | 15.1 | -18.0 |

(1) Refer to page 26 for "Supplementary purchase slips" definition.

TABLE 18.1

MONTHLY LANDINGS IN THE GASPÉ PENINSULA BY SPECIES

YEAR 2007

(Quantity in rounded metric tons, live weight)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|-----------|--------------|--------------|--------------|
| Cod..... | - | - | - | ° | 10 | 48 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | ° | 1 | 1 |
| Atlantic Halibut..... | - | - | - | 1 | 5 | 89 |
| American Plaice..... | - | - | - | 4 | 5 | 7 |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | ° | 8 | 5 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | 111 | 515 | 575 |
| White Hake..... | - | - | - | ° | ° | 1 |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | ° | ° | 1 |
| Total groundfish..... | - | - | - | 117 | 544 | 726 |
| Herring..... | - | - | - | 235 | 187 | 13 |
| Mackerel..... | - | - | - | - | - | 105 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | ° | ° | ° |
| Total pelagic and estuarian species..... | - | - | - | 235 | 187 | 118 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 3 | 13 | 16 |
| Whelk..... | - | - | - | 18 | 46 | 66 |
| Lobster..... | - | - | - | 107 | 396 | 255 |
| Shrimp..... | - | - | - | 893 | 3 041 | 3 815 |
| Snow Crab..... | - | - | 52 | 906 | 4 944 | 605 |
| Other molluscs and crustaceans..... | - | - | - | - | 3 | 6 |
| Total molluscs and crustaceans..... | - | - | 52 | 1 927 | 8 443 | 4 764 |
| Other items..... | - | - | - | - | - | - |
| Total..... | - | - | 52 | 2 279 | 9 174 | 5 609 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 18.1

MONTHLY LANDINGS IN THE GASPÉ PENINSULA BY SPECIES

YEAR 2007

(Quantity in rounded metric tons, live weight)

| July | August | September | October | November | December | Total |
|--------------|--------------|--------------|------------|------------|------------|---------------|
| 485 | 295 | 299 | 151 | 20 | 17 | 1 325 |
| - | - | - | - | - | - | - |
| 5 | 2 | 1 | 1 | ◦ | ◦ | 10 |
| 16 | 18 | 10 | 2 | ◦ | ◦ | 141 |
| 13 | 9 | 2 | 1 | ◦ | - | 40 |
| ◦ | - | - | - | - | - | ◦ |
| ◦ | ◦ | - | - | - | - | 14 |
| - | - | - | - | - | - | - |
| 594 | 493 | 98 | 46 | 1 | ◦ | 2 433 |
| 1 | 2 | 2 | ◦ | ◦ | ◦ | 6 |
| - | ◦ | ◦ | ◦ | - | - | ◦ |
| 1 | 1 | ◦ | 1 | 1 | ◦ | 6 |
| 1 116 | 819 | 411 | 202 | 22 | 17 | 3 975 |
| 2 | 1 628 | 1 202 | 5 | - | - | 3 271 |
| 34 | 182 | 301 | - | - | - | 622 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 2 | ◦ | ◦ | ◦ | - | - | 3 |
| 38 | 1 810 | 1 504 | 5 | - | - | 3 896 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 16 | 9 | 2 | - | - | - | 59 |
| 64 | 57 | 51 | 1 | - | - | 303 |
| 17 | - | - | - | - | - | 775 |
| 3 631 | 2 949 | 1 551 | 238 | 303 | 100 | 16 522 |
| 11 | - | - | - | - | - | 6 519 |
| 4 | 600 | 337 | 27 | - | - | 978 |
| 3 742 | 3 615 | 1 942 | 266 | 303 | 100 | 25 155 |
| - | - | - | - | - | - | - |
| 4 897 | 6 244 | 3 857 | 473 | 325 | 118 | 33 027 |

TABLE 18.1

MONTHLY LANDINGS IN THE GASPÉ PENINSULA BY SPECIES,

YEAR 2008

(Quantity in rounded metric tons, live weight)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|----------|--------------|--------------|--------------|
| Cod..... | - | - | - | ° | 33 | 3 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | ° | 1 | 38 |
| Atlantic Halibut..... | - | - | - | 3 | 20 | 9 |
| American Plaice..... | - | - | - | 1 | 5 | 11 |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | 8 | 3 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | 80 | 486 | 560 |
| White Hake..... | - | - | - | ° | 1 | 1 |
| Catfish..... | - | - | - | - | ° | - |
| Other groundfish..... | - | - | - | ° | ° | 2 |
| Total groundfish..... | - | - | - | 85 | 553 | 625 |
| Herring..... | - | - | - | 148 | 272 | 3 |
| Mackerel..... | - | - | - | - | - | 228 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | - | ° | ° |
| Total pelagic and estuarian species..... | - | - | - | 148 | 273 | 231 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | 7 | 14 |
| Whelk..... | - | - | - | 24 | 53 | 56 |
| Lobster..... | - | - | - | - | 665 | 180 |
| Shrimp..... | - | - | - | 3 942 | 4 021 | 3 021 |
| Snow Crab..... | - | - | - | 620 | 2 842 | 1 679 |
| Other molluscs and crustaceans..... | - | - | - | 13 | 85 | 5 |
| Total molluscs and crustaceans..... | - | - | - | 4 598 | 7 674 | 4 955 |
| Other items..... | - | - | - | - | - | - |
| Total..... | - | - | - | 4 831 | 8 500 | 5 812 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 18.1

MONTHLY LANDINGS IN THE GASPÉ PENINSULA BY SPECIES,

YEAR 2008

(Quantity in rounded metric tons, live weight)

| July | August | September | October | November | December | Total |
|--------------|--------------|--------------|------------|------------|------------|---------------|
| 448 | 378 | 306 | 196 | 145 | - | 1 508 |
| - | - | - | - | - | - | - |
| 26 | 2 | 1 | ° | ° | - | 68 |
| 91 | 35 | 19 | 3 | ° | - | 181 |
| 14 | 18 | 13 | 2 | ° | - | 64 |
| 1 | ° | ° | - | - | - | 1 |
| ° | - | - | - | - | - | 11 |
| - | - | - | - | - | - | - |
| 592 | 466 | 192 | 26 | 2 | - | 2 404 |
| 5 | 2 | 1 | ° | ° | - | 9 |
| 1 | 1 | 1 | ° | - | - | 3 |
| 2 | 2 | ° | ° | ° | - | 7 |
| 1 179 | 904 | 534 | 228 | 148 | - | 4 257 |
| 4 | 1 006 | 805 | 29 | - | - | 2 268 |
| 69 | 313 | 299 | 16 | 2 | - | 927 |
| - | ° | - | - | - | - | ° |
| ° | - | - | - | - | - | ° |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 1 | 1 | ° | - | - | - | 3 |
| 74 | 1 321 | 1 104 | 45 | 2 | - | 3 198 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 22 | 8 | 6 | - | - | - | 56 |
| 57 | 58 | 32 | 1 | - | - | 280 |
| 31 | ° | - | - | - | - | 876 |
| 3 330 | 2 569 | 1 603 | 387 | 164 | 151 | 19 189 |
| 17 | - | - | - | - | - | 5 159 |
| 14 | 617 | 376 | 75 | - | - | 1 186 |
| 3 471 | 3 252 | 2 017 | 463 | 164 | 151 | 26 747 |
| - | - | - | - | - | - | - |
| 4 725 | 5 477 | 3 655 | 736 | 315 | 151 | 34 202 |

TABLE 18.1A

MONTHLY LANDINGS IN THE GASPÉ PENINSULA BY SPECIES,

YEAR 2007

(Value in thousands of dollars)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|------------|--------------|---------------|---------------|
| Cod..... | - | - | - | ° | 18 | 65 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | ° | 1 | 1 |
| Atlantic Halibut..... | - | - | - | 7 | 31 | 516 |
| American Plaice..... | - | - | - | 2 | 4 | 6 |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | ° | 8 | 5 |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | 241 | 990 | 1 043 |
| White Hake..... | - | - | - | ° | ° | 1 |
| Catfish..... | - | - | - | - | - | ° |
| Other groundfish..... | - | - | - | ° | ° | 1 |
| Total groundfish..... | - | - | - | 251 | 1 051 | 1 636 |
| Herring..... | - | - | - | 105 | 83 | 6 |
| Mackerel..... | - | - | - | - | - | 66 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | ° | ° | ° |
| Total pelagic and estuarian species..... | - | - | - | 105 | 83 | 71 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 5 | 32 | 40 |
| Whelk..... | - | - | - | 19 | 50 | 71 |
| Lobster..... | - | - | - | 1 919 | 5 515 | 3 551 |
| Shrimp..... | - | - | - | 930 | 3 041 | 3 729 |
| Snow Crab..... | - | - | 195 | 3 462 | 22 526 | 2 645 |
| Other molluscs and crustaceans..... | - | - | - | - | 1 | 3 |
| Total molluscs and crustaceans..... | - | - | 195 | 6 336 | 31 165 | 10 038 |
| Other items..... | - | - | - | - | - | - |
| Total..... | - | - | 195 | 6 692 | 32 299 | 11 745 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 18.1A

MONTHLY LANDINGS IN THE GASPÉ PENINSULA BY SPECIES,

YEAR 2007

(Value in thousands of dollars)

| July | August | September | October | November | December | Total |
|--------------|--------------|--------------|------------|------------|------------|---------------|
| 626 | 389 | 396 | 202 | 24 | 20 | 1 740 |
| - | - | - | - | - | - | - |
| 2 | 1 | ◦ | 1 | ◦ | ◦ | 6 |
| 91 | 100 | 56 | 10 | 1 | ◦ | 811 |
| 11 | 7 | 2 | 1 | ◦ | - | 32 |
| ◦ | - | - | - | - | - | ◦ |
| ◦ | ◦ | - | - | - | - | 14 |
| - | - | - | - | - | - | - |
| 1 087 | 909 | 190 | 97 | 2 | ◦ | 4 558 |
| 1 | 1 | 1 | ◦ | ◦ | ◦ | 3 |
| - | ◦ | ◦ | ◦ | - | - | ◦ |
| 1 | 1 | ◦ | ◦ | 1 | ◦ | 3 |
| 1 819 | 1 408 | 645 | 310 | 27 | 21 | 7 169 |
| 1 | 407 | 320 | 2 | - | - | 924 |
| 22 | 108 | 157 | - | - | - | 353 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 1 | ◦ | ◦ | ◦ | - | - | 1 |
| 23 | 515 | 478 | 2 | - | - | 1 278 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 39 | 21 | 6 | - | - | - | 142 |
| 69 | 63 | 56 | 1 | - | - | 328 |
| 243 | - | - | - | - | - | 11 228 |
| 3 552 | 2 837 | 1 475 | 229 | 294 | 93 | 16 179 |
| 41 | - | - | - | - | - | 28 869 |
| 2 | 537 | 300 | 24 | - | - | 867 |
| 3 946 | 3 457 | 1 837 | 254 | 294 | 93 | 57 614 |
| - | - | - | - | - | - | - |
| 5 789 | 5 381 | 2 960 | 566 | 321 | 114 | 66 061 |

TABLE 18.1A

MONTHLY LANDINGS IN THE GASPÉ PENINSULA BY SPECIES,

YEAR 2008

(Value in thousands of dollars)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|----------|--------------|---------------|---------------|
| Cod..... | - | - | - | ° | 57 | 4 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | ° | 1 | 25 |
| Atlantic Halibut..... | - | - | - | 23 | 118 | 54 |
| American Plaice..... | - | - | - | 1 | 4 | 9 |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | 6 | 2 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | 179 | 977 | 1 074 |
| White Hake..... | - | - | - | ° | ° | ° |
| Catfish..... | - | - | - | - | ° | - |
| Other groundfish..... | - | - | - | ° | ° | 1 |
| Total groundfish..... | - | - | - | 203 | 1 162 | 1 170 |
| Herring..... | - | - | - | 82 | 150 | 2 |
| Mackerel..... | - | - | - | - | - | 132 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | - | ° | ° |
| Total pelagic and estuarian species..... | - | - | - | 82 | 150 | 134 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | 20 | 38 |
| Whelk..... | - | - | - | 27 | 61 | 62 |
| Lobster..... | - | - | - | - | 7 793 | 2 022 |
| Shrimp..... | - | - | - | 4 593 | 4 692 | 3 518 |
| Snow Crab..... | - | - | - | 2 227 | 11 754 | 7 000 |
| Other molluscs and crustaceans..... | - | - | - | 3 | 21 | 2 |
| Total molluscs and crustaceans..... | - | - | - | 6 850 | 24 340 | 12 642 |
| Other items..... | - | - | - | - | - | - |
| Total..... | - | - | - | 7 135 | 25 653 | 13 946 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 18.1A

MONTHLY LANDINGS IN THE GASPÉ PENINSULA BY SPECIES,

YEAR 2008

(Value in thousands of dollars)

| July | August | September | October | November | December | Total |
|--------------|--------------|--------------|------------|------------|------------|---------------|
| 632 | 502 | 426 | 276 | 183 | - | 2 080 |
| - | - | - | - | - | - | - |
| 17 | 1 | ◦ | ◦ | ◦ | - | 45 |
| 524 | 195 | 109 | 15 | 2 | - | 1 041 |
| 12 | 14 | 10 | 2 | ◦ | - | 50 |
| ◦ | ◦ | ◦ | - | - | - | 1 |
| ◦ | - | - | - | - | - | 8 |
| - | - | - | - | - | - | - |
| 1 143 | 918 | 389 | 54 | 5 | - | 4 739 |
| 3 | 1 | 1 | ◦ | ◦ | - | 5 |
| ◦ | ◦ | ◦ | ◦ | - | - | 1 |
| 1 | 1 | ◦ | ◦ | ◦ | - | 4 |
| 2 332 | 1 633 | 936 | 347 | 189 | - | 7 973 |
| 2 | 312 | 250 | 10 | - | - | 808 |
| 39 | 170 | 169 | 10 | 1 | - | 522 |
| - | 5 | - | - | - | - | 5 |
| ◦ | - | - | - | - | - | ◦ |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| ◦ | 1 | ◦ | - | - | - | 1 |
| 42 | 488 | 419 | 19 | 1 | - | 1 336 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 58 | 20 | 17 | - | - | - | 153 |
| 63 | 64 | 35 | 1 | - | - | 312 |
| 371 | 1 | - | - | - | - | 10 187 |
| 3 831 | 2 907 | 1 863 | 467 | 198 | 174 | 22 243 |
| 74 | - | - | - | - | - | 21 054 |
| 11 | 547 | 302 | 33 | - | - | 920 |
| 4 408 | 3 539 | 2 218 | 501 | 198 | 174 | 54 870 |
| - | - | - | - | - | - | - |
| 6 782 | 5 659 | 3 574 | 867 | 389 | 174 | 64 179 |

TABLE 19

LANDINGS, GASPÉ NORTH, 2007 AND 2008

BIC TO RIVIERE-LA-MADELEINE

(Quantity in rounded metric tons, live weight and value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. in % | |
|---|--------------|---------------|--------------|---------------|-------------|-------------|
| | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod..... | 32 | 50 | 5 | 8 | -84.4 | -84.0 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | 2 | 1 | 2 | 2 | - | 100.0 |
| Atlantic Halibut..... | 26 | 162 | 33 | 211 | 26.9 | 30.2 |
| American Plaice..... | 19 | 18 | 17 | 16 | -10.5 | -11.1 |
| Greysole..... | - | - | ° | ° | N/A | N/A |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders.... | - | - | - | - | - | - |
| Greenland Halibut..... | 1 163 | 2 174 | 1 173 | 2 303 | 0.9 | 5.9 |
| White Hake..... | 1 | ° | 1 | ° | - | N/A |
| Catfish..... | - | - | ° | ° | N/A | N/A |
| Other groundfish..... | 2 | 1 | 3 | 2 | 50.0 | 100.0 |
| Total groundfish..... | 1 245 | 2 408 | 1 234 | 2 541 | -0.9 | 5.5 |
| Herring..... | 21 | 9 | 20 | 14 | -4.8 | 55.6 |
| Mackerel..... | ° | 1 | 3 | 5 | N/A | 400.0 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | 2 | 1 | 1 | ° | -50.0 | N/A |
| Total pelagic and estuarian species..... | 23 | 10 | 24 | 19 | 4.3 | 90.0 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 6 | 12 | - | - | -100.0 | -100.0 |
| Whelk..... | 302 | 327 | 279 | 312 | -7.6 | -4.6 |
| Lobster..... | ° | 2 | - | - | N/A | -100.0 |
| Shrimp..... | 6 102 | 6 386 | 6 408 | 7 859 | 5.0 | 23.1 |
| Snow Crab..... | 1 219 | 4 495 | 972 | 3 440 | -20.3 | -23.5 |
| Other molluscs and crustaceans..... | 26 | 20 | 64 | 54 | 146.2 | 170.0 |
| Total molluscs and crustaceans..... | 7 655 | 11 242 | 7 724 | 11 665 | 0.9 | 3.8 |
| Other items..... | - | - | - | - | - | - |
| Total..... | 8 923 | 13 660 | 8 981 | 14 225 | 0.7 | 4.1 |

TABLE 20

LANDINGS, GASPÉ EAST, 2007 AND 2008

GRANDE VALLÉE TO CAP GASPÉ

(Quantity in rounded metric tons, live weight and value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. in % | |
|---|---------------|---------------|---------------|---------------|--------------|--------------|
| | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod..... | 591 | 777 | 602 | 875 | 1.9 | 12.6 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | 5 | 3 | 65 | 43 | N/A | N/A |
| Atlantic Halibut..... | 85 | 481 | 103 | 581 | 21.2 | 20.8 |
| American Plaice..... | 14 | 9 | 35 | 25 | 150.0 | 177.8 |
| Greysole..... | - | - | ◦ | ◦ | N/A | N/A |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders.... | - | - | - | - | - | - |
| Greenland Halibut..... | 1 077 | 2 024 | 1 082 | 2 146 | 0.5 | 6.0 |
| White Hake..... | 4 | 2 | 8 | 5 | 100.0 | 150.0 |
| Catfish..... | ◦ | ◦ | ◦ | ◦ | N/A | N/A |
| Other groundfish..... | 1 | 1 | 2 | 1 | 100.0 | - |
| Total groundfish..... | 1 777 | 3 298 | 1 897 | 3 676 | 6.8 | 11.5 |
| Herring..... | ◦ | ◦ | ◦ | ◦ | N/A | N/A |
| Mackerel..... | 49 | 32 | 8 | 4 | -83.7 | -87.5 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | ◦ | - | ◦ | ◦ | N/A | N/A |
| Total pelagic and estuarian species..... | 49 | 32 | 8 | 4 | -83.7 | -87.5 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 13 | 35 | 5 | 12 | -61.5 | -65.7 |
| Whelk..... | 1 | 1 | 1 | 1 | - | - |
| Lobster..... | 41 | 562 | 59 | 716 | 43.9 | 27.4 |
| Shrimp..... | 10 420 | 9 793 | 12 781 | 14 384 | 22.7 | 46.9 |
| Snow Crab..... | 766 | 2 997 | 441 | 1 796 | -42.4 | -40.1 |
| Other molluscs and crustaceans..... | 387 | 342 | 570 | 373 | 47.3 | 9.1 |
| Total molluscs and crustaceans..... | 11 627 | 13 729 | 13 857 | 17 282 | 19.2 | 25.9 |
| Other items..... | - | - | - | - | - | - |
| Total..... | 13 452 | 17 059 | 15 762 | 20 962 | 17.2 | 22.9 |

TABLE 21

LANDINGS, GASPÉ SOUTH, 2007 AND 2008

CAP-AUX-OS TO PORT DANIEL

(Quantity in rounded metric tons, live weight and value in thousands of dollars)

| SPECIES | Quantity | 2007 | | 2008 | | Var. Quantity | in % Value |
|---|--------------|---------------|-------|--------------|---------------|---------------|--------------|
| | | Value | Value | Value | Value | | |
| Cod..... | 698 | 908 | | 899 | 1 193 | 28.8 | 31.4 |
| Haddock..... | - | - | | - | - | - | - |
| Redfish..... | 4 | 1 | | 2 | 1 | -50.0 | - |
| Atlantic Halibut..... | 31 | 169 | | 45 | 249 | 45.2 | 47.3 |
| American Plaice..... | 6 | 5 | | 12 | 9 | 100.0 | 80.0 |
| Greysole..... | ° | ° | | 1 | ° | N/A | N/A |
| Winter Flounder..... | ° | ° | | - | - | N/A | N/A |
| Unspecified Flounders.... | - | - | | - | - | - | - |
| Greenland Halibut..... | 192 | 359 | | 149 | 290 | -22.4 | -19.2 |
| White Hake..... | 1 | 1 | | 1 | ° | - | N/A |
| Catfish..... | ° | ° | | 3 | 1 | N/A | N/A |
| Other groundfish..... | 3 | 1 | | 1 | 1 | -66.7 | - |
| Total groundfish..... | 935 | 1 445 | | 1 113 | 1 744 | 19.0 | 20.7 |
| Herring..... | 2 865 | 761 | | 1 947 | 628 | -32.0 | -17.5 |
| Mackerel..... | 281 | 164 | | 389 | 221 | 38.4 | 34.8 |
| Bluefin Tuna..... | - | - | | ° | 5 | N/A | N/A |
| Eel..... | - | - | | ° | ° | N/A | N/A |
| Smelt..... | - | - | | - | - | - | - |
| Capelin..... | - | - | | - | - | - | - |
| Other pelagic and estuarian species..... | 2 | 1 | | 2 | 1 | - | - |
| Total pelagic and estuarian species..... | 3 148 | 926 | | 2 338 | 855 | -25.7 | -7.7 |
| Soft Shell Clam..... | - | - | | - | - | - | - |
| Quahog..... | - | - | | - | - | - | - |
| Mussel..... | - | - | | - | - | - | - |
| Sea Scallop..... | 27 | 63 | | 23 | 58 | -14.8 | -7.9 |
| Whelk..... | - | - | | - | - | - | - |
| Lobster..... | 613 | 8 921 | | 682 | 7 886 | 11.3 | -11.6 |
| Shrimp..... | - | - | | - | - | - | - |
| Snow Crab..... | 3 349 | 15 765 | | 2 892 | 12 241 | -13.6 | -22.4 |
| Other molluscs and crustaceans..... | 140 | 132 | | 175 | 163 | 25.0 | 23.5 |
| Total molluscs and crustaceans..... | 4 129 | 24 881 | | 3 772 | 20 348 | -8.6 | -18.2 |
| Other items..... | - | - | | - | - | - | - |
| Total..... | 8 212 | 27 252 | | 7 223 | 22 948 | -12.0 | -15.8 |

TABLE 22

LANDINGS, BAIE-DES-CHALEURS, 2007 AND 2008

SHIGAWAKE TO MATAPEMIA

(Quantity in rounded metric tons, live weight and value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. in % | |
|---|--------------|--------------|--------------|--------------|--------------|--------------|
| | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod..... | 3 | 5 | 2 | 4 | -33.3 | -20.0 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | - |
| Atlantic Halibut..... | - | - | - | - | - | - |
| American Plaice..... | ° | ° | ° | ° | N/A | N/A |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | 14 | 14 | 11 | 8 | -21.4 | -42.9 |
| Unspecified Flounders.... | - | - | - | - | - | - |
| Greenland Halibut..... | ° | ° | - | - | N/A | N/A |
| White Hake..... | - | - | - | - | - | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | ° | ° | - | - | N/A | N/A |
| Total groundfish..... | 18 | 19 | 13 | 12 | -27.8 | -36.8 |
| Herring..... | 385 | 154 | 300 | 165 | -22.1 | 7.1 |
| Mackerel..... | 292 | 156 | 528 | 292 | 80.8 | 87.2 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarine species..... | - | - | ° | ° | N/A | N/A |
| Total pelagic and estuarine species..... | 677 | 310 | 828 | 457 | 22.3 | 47.4 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 13 | 33 | 29 | 83 | 123.1 | 151.5 |
| Whelk..... | - | - | - | - | - | - |
| Lobster..... | 121 | 1 743 | 135 | 1 585 | 11.6 | -9.1 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | 1 184 | 5 612 | 854 | 3 577 | -27.9 | -36.3 |
| Other molluscs and crustaceans..... | 426 | 373 | 376 | 330 | -11.7 | -11.5 |
| Total molluscs and crustaceans..... | 1 744 | 7 761 | 1 394 | 5 574 | -20.1 | -28.2 |
| Other items..... | - | - | - | - | - | - |
| Total..... | 2 439 | 8 090 | 2 235 | 6 044 | -8.4 | -25.3 |

TABLE 23

LANDING AVERAGE PRICE BY SPECIES IN THE GASPÉ PENINSULA

(Excluding supplementary purchase slips, value in dollars per kilogram)

| SPECIES | LANDED FORM DESCRIPTION | 2007 | 2008 | VARIATION IN % |
|--|----------------------------|--------|--------|-------------------|
| GROUNDFISH | | | | |
| Cod | Round..... | 1.173 | 1.280 | 9.1 |
| | Gutted, head on..... | 1.609 | 1.703 | 5.8 |
| Redfish | Round..... | .569 | .661 | 16.2 |
| Atlantic Halibut | Gutted, head on..... | 6.615 | 6.614 | ° |
| American Plaice | Round..... | .817 | .777 | -4.9 |
| Winter flounder | Round..... | .976 | .808 | -17.2 |
| Greenland Halibut | Round..... | 1.909 | - | N/A |
| | Bled, partly gutted..... | 1.968 | 2.071 | 5.2 |
| White Hake | Gutted, head on..... | .662 | .693 | 4.7 |
| Catfish | Gutted, head on..... | - | .436 | N/A |
| PELAGIC AND ESTUARIAN SPECIES | | | | |
| Herring | Round..... | .282 | .355 | 25.9 |
| Mackerel | Round..... | .568 | .563 | -0.9 |
| MOLLUSCS AND CRUSTACEANS | | | | |
| Sea Scallop | Meat..... | 20.188 | 22.561 | 11.8 |
| Whelk | In shell..... | 1.084 | 1.117 | 3.0 |
| Lobster | Round..... | 14.492 | 11.629 | -19.8 |
| | Cooked in shell..... | 12.501 | - | N/A |
| Shrimp | Round..... | .978 | 1.134 | 16.0 |
| Rock Crab | Round..... | .887 | .880 | -0.8 |
| Snow Crab | Round..... | 4.429 | 4.081 | -7.9 |

TABLE 24

LANDINGS ON THE NORTH SHORE IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. Quantity | in % | Value |
|---|------------------|---------------|------------------|---------------|------------------|--------------|-------|
| Cod..... | 1 021 | 1 200 | 808 | 836 | -20.9 | -30.3 | |
| Haddock..... | - | - | ° | ° | N/A | N/A | |
| Redfish..... | ° | ° | 2 | 1 | N/A | N/A | |
| Atlantic Halibut..... | 24 | 150 | 31 | 186 | 29.2 | 24.0 | |
| American Plaice..... | 4 | 4 | 7 | 7 | 75.0 | 75.0 | |
| Greysole..... | - | - | - | - | - | - | |
| Winter Flounder..... | - | - | - | - | - | - | |
| Unspecified Flounders..... | - | - | - | - | - | - | |
| Greenland Halibut..... | 587 | 1 064 | 527 | 1 020 | -10.2 | -4.1 | |
| White Hake..... | ° | ° | ° | ° | N/A | N/A | |
| Catfish..... | - | - | - | - | - | - | |
| Other groundfish..... | - | - | ° | ° | N/A | N/A | |
| Total groundfish..... | 1 636 | 2 417 | 1 375 | 2 049 | -16.0 | -15.2 | |
| Herring..... | 120 | 48 | 380 | 54 | 216.7 | 12.5 | |
| Mackerel..... | 21 | 6 | 23 | 6 | 9.5 | - | |
| Bluefin Tuna..... | - | - | - | - | - | - | |
| Eel..... | - | - | - | - | - | - | |
| Smelt..... | - | - | - | - | - | - | |
| Capelin..... | 884 | 208 | 1 310 | 189 | 48.2 | -9.1 | |
| Other pelagic and estuarian species..... | 1 | 1 | 1 | 1 | - | - | |
| Total pelagic and estuarian species..... | 1 026 | 262 | 1 714 | 250 | 67.1 | -4.6 | |
| Soft Shell Clam..... | 279 | 419 | 176 | 274 | -36.9 | -34.6 | |
| Quahog..... | - | - | - | - | - | - | |
| Mussel..... | - | - | - | - | - | - | |
| Sea Scallop..... | 437 | 579 | 456 | 692 | 4.3 | 19.5 | |
| Whelk..... | 584 | 573 | 515 | 513 | -11.8 | -10.5 | |
| Lobster..... | 52 | 648 | 56 | 636 | 7.7 | -1.9 | |
| Shrimp..... | 1 625 | 1 982 | 2 427 | 3 050 | 49.4 | 53.9 | |
| Snow Crab..... | 6 299 | 24 652 | 6 284 | 21 313 | -0.2 | -13.5 | |
| Other molluscs and crustaceans..... | 785 | 582 | 797 | 640 | 1.5 | 10.0 | |
| Total molluscs and crustaceans..... | 10 061 | 29 436 | 10 712 | 27 117 | 6.5 | -7.9 | |
| Other items..... | 703 | 880 | 265 | 374 | -62.3 | -57.5 | |
| Total..... | 13 426 | 32 994 | 14 066 | 29 791 | 4.8 | -9.7 | |

TABLE 24A

LANDINGS ON THE NORTH SHORE BY VESSELS UNDER 35' IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. in % Quantity | Var. in % Value |
|---|------------------|---------------|------------------|---------------|-----------------------|--------------------|
| Cod..... | 805 | 946 | 681 | 708 | -15.4 | -25.2 |
| Haddock..... | - | - | ° | ° | N/A | N/A |
| Redfish..... | - | - | 1 | ° | N/A | N/A |
| Atlantic Halibut..... | 3 | 23 | 7 | 42 | 133.3 | 82.6 |
| American Plaice..... | ° | ° | 1 | 1 | N/A | N/A |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | 137 | 243 | 131 | 252 | -4.4 | 3.7 |
| White Hake..... | ° | ° | - | - | N/A | N/A |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - |
| Total groundfish..... | 945 | 1 212 | 821 | 1 003 | -13.1 | -17.2 |
| Herring..... | 73 | 16 | 356 | 49 | 387.7 | 206.3 |
| Mackerel..... | 5 | 1 | 18 | 5 | 260.0 | 400.0 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | 561 | 129 | 946 | 137 | 68.6 | 6.2 |
| Other pelagic and estuarian species..... | ° | ° | ° | 1 | N/A | N/A |
| Total pelagic and estuarian species..... | 639 | 147 | 1 320 | 192 | 106.6 | 30.6 |
| Soft Shell Clam..... | 279 | 419 | 176 | 274 | -36.9 | -34.6 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 13 | 18 | 46 | 59 | 253.8 | 227.8 |
| Whelk..... | 352 | 346 | 306 | 305 | -13.1 | -11.8 |
| Lobster..... | 31 | 356 | 32 | 349 | 3.2 | -2.0 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | 318 | 1 222 | 373 | 1 274 | 17.3 | 4.3 |
| Other molluscs and crustaceans..... | 190 | 146 | 159 | 124 | -16.3 | -15.1 |
| Total molluscs and crustaceans..... | 1 183 | 2 508 | 1 092 | 2 384 | -7.7 | -4.9 |
| Other items..... | 320 | 393 | 136 | 202 | -57.5 | -48.6 |
| Total..... | 3 086 | 4 260 | 3 369 | 3 781 | 9.2 | -11.2 |

TABLE 24B

LANDINGS ON THE NORTH SHORE BY VESSELS 35' TO 44'11" IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. Quantity | in % Value |
|---|------------------|---------------|------------------|---------------|------------------|---------------|
| Cod..... | 196 | 230 | 116 | 117 | -40.8 | -49.1 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | ° | ° | 1 | 1 | N/A | N/A |
| Atlantic Halibut..... | 19 | 118 | 21 | 127 | 10.5 | 7.6 |
| American Plaice..... | 3 | 3 | 6 | 6 | 100.0 | 100.0 |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | 354 | 646 | 342 | 664 | -3.4 | 2.8 |
| White Hake..... | ° | ° | ° | ° | N/A | N/A |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - |
| Total groundfish..... | 572 | 998 | 486 | 916 | -15.0 | -8.2 |
| Herring..... | 30 | 19 | 4 | 2 | -86.7 | -89.5 |
| Mackerel..... | - | - | ° | ° | N/A | N/A |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | 238 | 56 | 338 | 48 | 42.0 | -14.3 |
| Other pelagic and estuarian species..... | 1 | ° | 1 | ° | - | N/A |
| Total pelagic and estuarian species..... | 269 | 76 | 343 | 50 | 27.5 | -34.2 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 243 | 322 | 241 | 363 | -0.8 | 12.7 |
| Whelk..... | 192 | 186 | 190 | 189 | -1.0 | 1.6 |
| Lobster..... | 21 | 292 | 25 | 287 | 19.0 | -1.7 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | 3 231 | 12 468 | 3 112 | 10 483 | -3.7 | -15.9 |
| Other molluscs and crustaceans..... | 582 | 425 | 620 | 502 | 6.5 | 18.1 |
| Total molluscs and crustaceans..... | 4 270 | 13 694 | 4 188 | 11 824 | -1.9 | -13.7 |
| Other items..... | 198 | 259 | 67 | 80 | -66.2 | -69.1 |
| Total..... | 5 309 | 15 027 | 5 085 | 12 870 | -4.2 | -14.4 |

TABLE 24C

LANDINGS ON THE NORTH SHORE BY VESSELS 45' TO 64'11" IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | 2008 | Var. in % | | | |
|---|--------------|---------------|--------------|---------------|--------------|--------------|
| | Quantity | Value | Quantity | Value | | |
| Cod..... | 21 | 23 | 10 | 10 | -52.4 | -56.5 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | ° | ° | 1 | ° | N/A | N/A |
| Atlantic Halibut..... | 1 | 9 | 3 | 16 | 200.0 | 77.8 |
| American Plaice..... | 1 | 1 | ° | ° | N/A | N/A |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | 95 | 175 | 54 | 104 | -43.2 | -40.6 |
| White Hake..... | - | - | - | - | - | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | ° | ° | N/A | N/A |
| Total groundfish..... | 118 | 207 | 68 | 131 | -42.4 | -36.7 |
| Herring..... | 18 | 12 | 20 | 3 | 11.1 | -75.0 |
| Mackerel..... | 16 | 4 | 4 | 1 | -75.0 | -75.0 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | 85 | 23 | 27 | 4 | -68.2 | -82.6 |
| Other pelagic and estuarian species..... | ° | ° | ° | ° | N/A | N/A |
| Total pelagic and estuarian species..... | 119 | 39 | 51 | 8 | -57.1 | -79.5 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 181 | 239 | 169 | 270 | -6.6 | 13.0 |
| Whelk..... | 40 | 40 | 19 | 19 | -52.5 | -52.5 |
| Lobster..... | - | - | - | - | - | - |
| Shrimp..... | 996 | 1 366 | 1 597 | 2 132 | 60.3 | 56.1 |
| Snow Crab..... | 2 749 | 10 961 | 2 799 | 9 557 | 1.8 | -12.8 |
| Other molluscs and crustaceans..... | 14 | 11 | 18 | 14 | 28.6 | 27.3 |
| Total molluscs and crustaceans..... | 3 979 | 12 617 | 4 601 | 11 991 | 15.6 | -5.0 |
| Other items..... | 185 | 227 | 61 | 93 | -67.0 | -59.0 |
| Total..... | 4 401 | 13 091 | 4 782 | 12 222 | 8.7 | -6.6 |

TABLE 24D

LANDINGS ON THE NORTH SHORE BY VESSELS 65' AND OVER IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. Quantity | in % Value |
|---|------------------|---------------|------------------|---------------|------------------|---------------|
| Cod..... | - | - | - | - | - | - |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | - |
| Atlantic Halibut..... | - | - | ° | ° | N/A | N/A |
| American Plaice..... | - | - | - | - | - | - |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | - | - |
| White Hake..... | - | - | - | - | - | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - |
| Total groundfish..... | - | - | ° | ° | N/A | N/A |
| Herring..... | - | - | - | - | - | - |
| Mackerel..... | - | - | - | - | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | - | - | - |
| Total pelagic and estuarian species..... | - | - | - | - | - | - |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | - |
| Whelk..... | - | - | - | - | - | - |
| Lobster..... | - | - | - | - | - | - |
| Shrimp..... | 629 | 617 | 830 | 917 | 32.0 | 48.6 |
| Snow Crab..... | - | - | - | - | - | - |
| Other molluscs and crustaceans..... | - | - | - | - | - | - |
| Total molluscs and crustaceans..... | 629 | 617 | 830 | 917 | 32.0 | 48.6 |
| Other items..... | - | - | - | - | - | - |
| Total..... | 629 | 617 | 830 | 918 | 32.0 | 48.8 |

TABLE 24E

SUPPLEMENTARY PURCHASE SLIPS ON THE NORTH SHORE IN 2007 AND 2008 (1)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. in % | |
|---|-----------------|--------------|-----------------|--------------|------------------|--------------|
| | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod..... | 12 | 17 | 18 | 19 | 50.0 | 11.8 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | 10 | 7 | 10 | 7 | - | - |
| Atlantic Halibut..... | 6 | 45 | 7 | 41 | 16.7 | -8.9 |
| American Plaice..... | 3 | 3 | 4 | 4 | 33.3 | 33.3 |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | 1 | 1 | N/A | N/A |
| White Hake..... | - | - | - | - | - | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | 1 | 1 | 1 | ° | - | N/A |
| Total groundfish..... | 33 | 73 | 40 | 73 | 21.2 | - |
| Herring..... | 10 | 4 | 20 | 7 | 100.0 | 75.0 |
| Mackerel..... | 3 | 1 | 3 | 1 | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | ° | ° | ° | ° | N/A | N/A |
| Capelin..... | 169 | 40 | 179 | 152 | 5.9 | 280.0 |
| Other pelagic and estuarine species..... | - | - | - | - | - | - |
| Total pelagic and estuarine species..... | 181 | 44 | 202 | 161 | 11.6 | 265.9 |
| Soft Shell Clam..... | 73 | 109 | 30 | 47 | -58.9 | -56.9 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | 1 | 2 | 1 | 2 | - | - |
| Sea Scallop..... | 23 | 30 | 39 | 63 | 69.6 | 110.0 |
| Whelk..... | 31 | 30 | 30 | 30 | -3.2 | - |
| Lobster..... | 26 | 322 | 22 | 248 | -15.4 | -23.0 |
| Shrimp..... | - | - | 6 | 8 | N/A | N/A |
| Snow Crab..... | 206 | 806 | 149 | 502 | -27.7 | -37.7 |
| Other molluscs and crustaceans..... | 4 | 5 | 4 | 4 | - | -20.0 |
| Total molluscs and crustaceans..... | 364 | 1 305 | 280 | 903 | -23.1 | -30.8 |
| Other items..... | 4 | 4 | 1 | 2 | -75.0 | -50.0 |
| Total..... | 582 | 1 427 | 524 | 1 138 | -10.0 | -20.3 |

(1) Refer to page 26 for "Supplementary purchase slips" definition.

TABLE 24.1

MONTHLY LANDINGS ON THE NORTH SHORE BY SPECIES,

YEAR 2007

(Quantity in rounded metric tons, live weight)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|-----------|--------------|--------------|--------------|
| Cod..... | - | - | - | - | ° | 23 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | ° |
| Atlantic Halibut..... | - | - | - | - | 1 | 4 |
| American Plaice..... | - | - | - | - | ° | ° |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | 96 | 338 |
| White Hake..... | - | - | - | - | ° | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - |
| Total groundfish..... | - | - | - | - | 97 | 366 |
| Herring..... | - | - | - | 6 | 21 | 39 |
| Mackerel..... | - | - | - | - | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | 402 |
| Other pelagic and estuarine species..... | - | - | - | - | ° | 1 |
| Total pelagic and estuarine species..... | - | - | - | 6 | 21 | 441 |
| Soft Shell Clam..... | - | - | - | 22 | 39 | 42 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | 69 |
| Whelk..... | - | - | - | 45 | 137 | 156 |
| Lobster..... | - | - | - | - | 7 | 29 |
| Shrimp..... | - | - | - | 143 | 150 | 339 |
| Snow Crab..... | - | - | 22 | 1 526 | 2 662 | 1 723 |
| Other molluscs and crustaceans..... | - | - | - | - | - | 20 |
| Total molluscs and crustaceans..... | - | - | 22 | 1 736 | 2 994 | 2 378 |
| Other items..... | - | - | 8 | 145 | 75 | 9 |
| Total..... | - | - | 30 | 1 887 | 3 187 | 3 193 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 24.1

**MONTHLY LANDINGS ON THE NORTH SHORE BY SPECIES,
YEAR 2007**

(Quantity in rounded metric tons, live weight)

| July | August | September | October | November | December | Total |
|--------------|--------------|------------|------------|------------|-----------|---------------|
| 883 | 111 | 3 | ° | - | - | 1 021 |
| - | - | - | - | - | - | - |
| ° | ° | ° | - | - | - | ° |
| 14 | 4 | ° | - | - | - | 24 |
| 2 | 1 | ° | - | - | - | 4 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 86 | 59 | 8 | - | - | - | 587 |
| ° | ° | ° | - | - | - | ° |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 986 | 175 | 12 | ° | - | - | 1 636 |
| 2 | 53 | - | - | - | - | 120 |
| 1 | 11 | 9 | - | - | - | 21 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 482 | - | - | - | - | - | 884 |
| ° | ° | - | - | - | - | 1 |
| 485 | 65 | 9 | - | - | - | 1 026 |
| 60 | 68 | 29 | 19 | ° | - | 279 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 65 | 126 | 98 | 60 | 20 | - | 437 |
| 106 | 64 | 68 | 8 | - | - | 584 |
| 16 | 1 | - | - | - | - | 52 |
| 537 | 337 | 77 | 26 | 15 | - | 1 625 |
| 367 | - | - | - | - | - | 6 299 |
| 226 | 328 | 142 | 68 | 1 | - | 785 |
| 1 376 | 924 | 414 | 182 | 37 | - | 10 061 |
| 1 | 26 | 118 | 158 | 140 | 23 | 703 |
| 2 847 | 1 189 | 553 | 340 | 177 | 23 | 13 426 |

TABLE 24.1

MONTHLY LANDINGS ON THE NORTH SHORE BY SPECIES,

YEAR 2008

(Quantity in rounded metric tons, live weight)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|----------|--------------|--------------|--------------|
| Cod..... | - | - | - | - | ° | 24 |
| Haddock..... | - | - | - | - | - | ° |
| Redfish..... | - | - | - | - | - | 1 |
| Atlantic Halibut..... | - | - | - | - | 1 | 4 |
| American Plaice..... | - | - | - | - | ° | ° |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | 68 | 120 |
| White Hake..... | - | - | - | - | ° | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - |
| Total groundfish..... | - | - | - | - | 69 | 149 |
| Herring..... | - | - | - | - | 1 | 5 |
| Mackerel..... | - | - | - | - | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | 674 |
| Other pelagic and estuarian species..... | - | - | - | - | ° | ° |
| Total pelagic and estuarian species..... | - | - | - | - | 1 | 679 |
| Soft Shell Clam..... | - | - | - | 24 | 25 | 25 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | 4 | 35 |
| Whelk..... | - | - | - | 16 | 90 | 118 |
| Lobster..... | - | - | - | - | 12 | 26 |
| Shrimp..... | - | - | - | 310 | 470 | 547 |
| Snow Crab..... | - | - | - | 1 672 | 2 756 | 1 547 |
| Other molluscs and crustaceans..... | - | - | - | - | - | 31 |
| Total molluscs and crustaceans..... | - | - | - | 2 022 | 3 358 | 2 329 |
| Other items..... | 9 | - | 3 | 175 | 53 | 7 |
| Total..... | 9 | - | 3 | 2 197 | 3 481 | 3 165 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 24.1

MONTHLY LANDINGS ON THE NORTH SHORE BY SPECIES,

YEAR 2008

(Quantity in rounded metric tons, live weight)

| July | August | September | October | November | December | Total |
|--------------|--------------|------------|------------|-----------|----------|---------------|
| 695 | 72 | 14 | 3 | - | - | 808 |
| - | - | - | - | - | - | 0 |
| 1 | - | - | - | - | - | 2 |
| 13 | 12 | 0 | 0 | - | - | 31 |
| 4 | 2 | 1 | - | - | - | 7 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 290 | 45 | 4 | - | - | - | 527 |
| 0 | 0 | - | - | - | - | 0 |
| - | - | - | - | - | - | - |
| 0 | - | - | - | - | - | 0 |
| 1 004 | 131 | 19 | 3 | - | - | 1 375 |
| 64 | 310 | - | - | - | - | 380 |
| 5 | 18 | - | - | - | - | 23 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 637 | - | - | - | - | - | 1 310 |
| 0 | 0 | - | - | - | - | 1 |
| 706 | 328 | - | - | - | - | 1 714 |
| 33 | 14 | 30 | 25 | - | - | 176 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 101 | 163 | 99 | 41 | 12 | - | 456 |
| 136 | 72 | 71 | 11 | 1 | - | 515 |
| 17 | 1 | - | - | - | - | 56 |
| 605 | 388 | 69 | 14 | 24 | - | 2 427 |
| 308 | - | - | - | - | - | 6 284 |
| 244 | 238 | 230 | 43 | 11 | - | 797 |
| 1 446 | 877 | 499 | 133 | 48 | - | 10 712 |
| - | 1 | - | 17 | - | - | 265 |
| 3 155 | 1 337 | 518 | 152 | 48 | - | 14 066 |

TABLE 24.1A

MONTHLY LANDINGS ON THE NORTH SHORE BY SPECIES,

YEAR 2007

(Value in thousands of dollars)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|-----------|--------------|---------------|--------------|
| Cod..... | - | - | - | - | ° | 27 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | ° |
| Atlantic Halibut..... | - | - | - | - | 5 | 27 |
| American Plaice..... | - | - | - | - | ° | ° |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | 184 | 600 |
| White Hake..... | - | - | - | - | ° | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - |
| Total groundfish..... | - | - | - | - | 189 | 655 |
| Herring..... | - | - | - | 4 | 14 | 20 |
| Mackerel..... | - | - | - | - | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | 106 |
| Other pelagic and estuarian species..... | - | - | - | - | ° | ° |
| Total pelagic and estuarian species..... | - | - | - | 4 | 14 | 126 |
| Soft Shell Clam..... | - | - | - | 32 | 56 | 61 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | 89 |
| Whelk..... | - | - | - | 42 | 133 | 154 |
| Lobster..... | - | - | - | - | 88 | 359 |
| Shrimp..... | - | - | - | 443 | 239 | 319 |
| Snow Crab..... | - | - | 82 | 5 997 | 10 385 | 6 770 |
| Other molluscs and crustaceans..... | - | - | - | - | - | 15 |
| Total molluscs and crustaceans..... | - | - | 82 | 6 514 | 10 901 | 7 766 |
| Other items..... | - | - | 9 | 164 | 85 | 22 |
| Total..... | - | - | 91 | 6 682 | 11 188 | 8 569 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 24.1A

MONTHLY LANDINGS ON THE NORTH SHORE BY SPECIES,

YEAR 2007

(Value in thousands of dollars)

| July | August | September | October | November | December | Total |
|--------------|--------------|------------|------------|------------|-----------|---------------|
| 1 042 | 127 | 4 | ° | - | - | 1 200 |
| - | - | - | - | - | - | - |
| ° | ° | ° | - | - | - | ° |
| 91 | 25 | 1 | - | - | - | 150 |
| 2 | 1 | ° | - | - | - | 4 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 156 | 108 | 16 | - | - | - | 1 064 |
| ° | ° | ° | - | - | - | ° |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 1 291 | 261 | 21 | ° | - | - | 2 417 |
| 1 | 9 | - | - | - | - | 48 |
| ° | 3 | 2 | - | - | - | 6 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 102 | - | - | - | - | - | 208 |
| ° | ° | - | - | - | - | 1 |
| 104 | 12 | 2 | - | - | - | 262 |
| 90 | 104 | 44 | 31 | ° | - | 419 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 86 | 168 | 131 | 80 | 26 | - | 579 |
| 104 | 64 | 68 | 8 | - | - | 573 |
| 193 | 8 | - | - | - | - | 648 |
| 486 | 302 | 67 | 81 | 45 | - | 1 982 |
| 1 418 | - | - | - | - | - | 24 652 |
| 167 | 242 | 105 | 51 | 3 | - | 582 |
| 2 543 | 888 | 416 | 252 | 74 | - | 29 436 |
| 1 | 11 | 142 | 213 | 201 | 32 | 880 |
| 3 940 | 1 171 | 581 | 465 | 275 | 32 | 32 994 |

TABLE 24.1A

MONTHLY LANDINGS ON THE NORTH SHORE BY SPECIES,

YEAR 2008

(Value in thousands of dollars)

| SPECIES | January | February | March | April | May | June |
|---|-----------|----------|----------|--------------|---------------|--------------|
| Cod..... | - | - | - | - | ◦ | 23 |
| Haddock..... | - | - | - | - | - | ◦ |
| Redfish..... | - | - | - | - | - | ◦ |
| Atlantic Halibut..... | - | - | - | - | 7 | 25 |
| American Plaice..... | - | - | - | - | ◦ | ◦ |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | 139 | 227 |
| White Hake..... | - | - | - | - | ◦ | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - |
| Total groundfish..... | - | - | - | - | 146 | 276 |
| Herring..... | - | - | - | - | 1 | 2 |
| Mackerel..... | - | - | - | - | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | 100 |
| Other pelagic and estuarian species..... | - | - | - | - | ◦ | 1 |
| Total pelagic and estuarian species..... | - | - | - | - | 1 | 103 |
| Soft Shell Clam..... | - | - | - | 39 | 39 | 39 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | 7 | 55 |
| Whelk..... | - | - | - | 15 | 88 | 117 |
| Lobster..... | - | - | - | - | 150 | 283 |
| Shrimp..... | - | - | - | 617 | 607 | 610 |
| Snow Crab..... | - | - | - | 5 659 | 9 374 | 5 255 |
| Other molluscs and crustaceans..... | - | - | - | - | - | 22 |
| Total molluscs and crustaceans..... | - | - | - | 6 329 | 10 266 | 6 381 |
| Other items..... | 13 | - | 4 | 232 | 82 | 31 |
| Total..... | 13 | - | 4 | 6 561 | 10 493 | 6 791 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 24.1A

MONTHLY LANDINGS ON THE NORTH SHORE BY SPECIES,

YEAR 2008

(Value in thousands of dollars)

| July | August | September | October | November | December | Total |
|--------------|--------------|------------|------------|------------|----------|---------------|
| 720 | 75 | 15 | 3 | - | - | 836 |
| - | - | - | - | - | - | ° |
| 1 | - | - | - | - | - | 1 |
| 80 | 72 | 2 | ° | - | - | 186 |
| 4 | 2 | 1 | - | - | - | 7 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 558 | 88 | 8 | - | - | - | 1 020 |
| ° | ° | - | - | - | - | ° |
| - | - | - | - | - | - | - |
| ° | - | - | - | - | - | ° |
| 1 362 | 237 | 25 | 3 | - | - | 2 049 |
| 10 | 42 | - | - | - | - | 54 |
| 1 | 5 | - | - | - | - | 6 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 89 | - | - | - | - | - | 189 |
| ° | ° | - | - | - | - | 1 |
| 100 | 47 | - | - | - | - | 250 |
| 51 | 22 | 46 | 38 | - | - | 274 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 162 | 239 | 146 | 63 | 20 | - | 692 |
| 136 | 73 | 71 | 12 | 2 | - | 513 |
| 187 | 14 | - | - | - | - | 636 |
| 617 | 409 | 77 | 40 | 73 | - | 3 050 |
| 1 025 | - | - | - | - | - | 21 313 |
| 192 | 191 | 187 | 37 | 11 | - | 640 |
| 2 370 | 948 | 528 | 190 | 105 | - | 27 117 |
| - | ° | - | 13 | - | - | 374 |
| 3 832 | 1 232 | 553 | 206 | 105 | - | 29 791 |

TABLE 25

LANDINGS, UPPER NORTH SHORE, 2007 AND 2008

TADOUSSAC TO GALLIX

(Quantity in rounded metric tons, live weight and value in thousands of dollars)

| SPECIES | Quantity | 2007 | | 2008 | | Var. in % | Value |
|---|--------------|--------------|--------------|--------------|--------------|--------------|-------|
| | | Value | Quantity | Value | Quantity | | |
| Cod..... | 2 | 4 | ◦ | ◦ | - | N/A | N/A |
| Haddock..... | - | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | - | - |
| Atlantic Halibut..... | 1 | 8 | 1 | 4 | - | -50.0 | - |
| American Plaice..... | 2 | 2 | 5 | 5 | 150.0 | 150.0 | - |
| Greysole..... | - | - | - | - | - | - | - |
| Winter Flounder..... | - | - | - | - | - | - | - |
| Unspecified Flounders.... | - | - | - | - | - | - | - |
| Greenland Halibut..... | 76 | 144 | 79 | 156 | 3.9 | 8.3 | - |
| White Hake..... | ◦ | ◦ | ◦ | ◦ | N/A | N/A | - |
| Catfish..... | - | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | - | - | - | - |
| Total groundfish..... | 81 | 157 | 86 | 165 | 6.2 | 5.1 | |
| Herring..... | 18 | 12 | - | - | -100.0 | -100.0 | - |
| Mackerel..... | - | - | - | - | - | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | 1 | ◦ | 1 | ◦ | - | N/A | - |
| Total pelagic and estuarian species..... | 20 | 13 | 1 | ◦ | -95.0 | N/A | |
| Soft Shell Clam..... | 279 | 418 | 176 | 274 | -36.9 | -34.4 | - |
| Quahog..... | - | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | - | - |
| Whelk..... | 145 | 137 | 70 | 69 | -51.7 | -49.6 | - |
| Lobster..... | - | - | - | - | - | - | - |
| Shrimp..... | 138 | 459 | 80 | 263 | -42.0 | -42.7 | - |
| Snow Crab..... | 1 021 | 3 856 | 770 | 2 552 | -24.6 | -33.8 | - |
| Other molluscs and crustaceans..... | 139 | 102 | 121 | 97 | -12.9 | -4.9 | - |
| Total molluscs and crustaceans..... | 1 722 | 4 973 | 1 217 | 3 254 | -29.3 | -34.6 | |
| Other items..... | 685 | 844 | 239 | 329 | -65.1 | -61.0 | - |
| Total..... | 2 508 | 5 986 | 1 543 | 3 748 | -38.5 | -37.4 | |

TABLE 26

LANDINGS, MIDDLE NORTH SHORE, 2007 AND 2008

SEPT-ILES TO POINTE-PARENT, INCLUDING ANTICOSTI ISLAND

(Quantity in rounded metric tons, live weight and value in thousands of dollars)

| SPECIES | Quantity | 2007 | | 2008 | | Var. in % | |
|---|--------------|---------------|--------------|---------------|--------------|--------------|-------|
| | | Value | Quantity | Value | Quantity | Value | Value |
| Cod..... | 16 | 25 | 11 | 16 | -31.3 | -36.0 | |
| Haddock..... | - | - | ◦ | ◦ | N/A | N/A | |
| Redfish..... | ◦ | ◦ | 2 | 1 | N/A | N/A | |
| Atlantic Halibut..... | 10 | 65 | 16 | 100 | 60.0 | 53.8 | |
| American Plaice..... | 2 | 2 | 2 | 2 | - | - | |
| Greysole..... | - | - | - | - | - | - | |
| Winter Flounder..... | - | - | - | - | - | - | |
| Unspecified Flounders.... | - | - | - | - | - | - | |
| Greenland Halibut..... | 191 | 355 | 187 | 365 | -2.1 | 2.8 | |
| White Hake..... | ◦ | ◦ | ◦ | ◦ | N/A | N/A | |
| Catfish..... | - | - | - | - | - | - | |
| Other groundfish..... | - | - | ◦ | ◦ | N/A | N/A | |
| Total groundfish..... | 220 | 447 | 218 | 483 | -0.9 | 8.1 | |
| Herring..... | 32 | 22 | 4 | 3 | -87.5 | -86.4 | |
| Mackerel..... | - | - | - | - | - | - | |
| Bluefin Tuna..... | - | - | - | - | - | - | |
| Eel..... | - | - | - | - | - | - | |
| Smelt..... | - | - | - | - | - | - | |
| Capelin..... | - | - | - | - | - | - | |
| Other pelagic and estuarian species..... | ◦ | ◦ | - | - | N/A | N/A | |
| Total pelagic and estuarian species..... | 32 | 22 | 4 | 3 | -87.5 | -86.4 | |
| Soft Shell Clam..... | 1 | 1 | - | - | -100.0 | -100.0 | |
| Quahog..... | - | - | - | - | - | - | |
| Mussel..... | - | - | - | - | - | - | |
| Sea Scallop..... | 371 | 492 | 336 | 537 | -9.4 | 9.1 | |
| Whelk..... | 418 | 416 | 421 | 419 | 0.7 | 0.7 | |
| Lobster..... | 27 | 365 | 34 | 393 | 25.9 | 7.7 | |
| Shrimp..... | 81 | 209 | 126 | 359 | 55.6 | 71.8 | |
| Snow Crab..... | 4 046 | 16 247 | 4 094 | 14 069 | 1.2 | -13.4 | |
| Other molluscs and crustaceans..... | 646 | 480 | 675 | 543 | 4.5 | 13.1 | |
| Total molluscs and crustaceans..... | 5 590 | 18 211 | 5 687 | 16 320 | 1.7 | -10.4 | |
| Other items..... | 8 | 11 | 18 | 13 | 125.0 | 18.2 | |
| Total..... | 5 850 | 18 691 | 5 927 | 16 819 | 1.3 | -10.0 | |

TABLE 27

LANDINGS, LOWER NORTH SHORE, 2007 AND 2008

KEGASKA TO BLANC SABLON

(Quantity in rounded metric tons, live weight and value in thousands of dollars)

| SPECIES | Quantity | 2007 | | 2008 | | Var. Quantity | in % Value |
|---|--------------|--------------|--|--------------|--------------|---------------|--------------|
| | | Value | | Value | | | |
| Cod..... | 1 002 | 1 171 | | 797 | 820 | -20.5 | -30.0 |
| Haddock..... | - | - | | - | - | - | - |
| Redfish..... | ◦ | ◦ | | ◦ | ◦ | N/A | N/A |
| Atlantic Halibut..... | 12 | 78 | | 14 | 82 | 16.7 | 5.1 |
| American Plaice..... | - | - | | ◦ | ◦ | N/A | N/A |
| Greysole..... | - | - | | - | - | - | - |
| Winter Flounder..... | - | - | | - | - | - | - |
| Unspecified Flounders.... | - | - | | - | - | - | - |
| Greenland Halibut..... | 319 | 565 | | 261 | 499 | -18.2 | -11.7 |
| White Hake..... | - | - | | - | - | - | - |
| Catfish..... | - | - | | - | - | - | - |
| Other groundfish..... | - | - | | - | - | - | - |
| Total groundfish..... | 1 334 | 1 813 | | 1 071 | 1 401 | -19.7 | -22.7 |
| Herring..... | 69 | 14 | | 375 | 51 | 443.5 | 264.3 |
| Mackerel..... | 21 | 6 | | 23 | 6 | 9.5 | - |
| Bluefin Tuna..... | - | - | | - | - | - | - |
| Eel..... | - | - | | - | - | - | - |
| Smelt..... | - | - | | - | - | - | - |
| Capelin..... | 884 | 208 | | 1 310 | 189 | 48.2 | -9.1 |
| Other pelagic and estuarian species..... | ◦ | ◦ | | ◦ | 1 | N/A | N/A |
| Total pelagic and estuarian species..... | 974 | 228 | | 1 709 | 247 | 75.5 | 8.3 |
| Soft Shell Clam..... | - | - | | - | - | - | - |
| Quahog..... | - | - | | - | - | - | - |
| Mussel..... | - | - | | - | - | - | - |
| Sea Scallop..... | 67 | 87 | | 120 | 155 | 79.1 | 78.2 |
| Whelk..... | 21 | 19 | | 24 | 25 | 14.3 | 31.6 |
| Lobster..... | 25 | 282 | | 23 | 242 | -8.0 | -14.2 |
| Shrimp..... | 1 406 | 1 314 | | 2 221 | 2 427 | 58.0 | 84.7 |
| Snow Crab..... | 1 232 | 4 548 | | 1 419 | 4 693 | 15.2 | 3.2 |
| Other molluscs and crustaceans..... | - | - | | 1 | 1 | N/A | N/A |
| Total molluscs and crustaceans..... | 2 750 | 6 252 | | 3 808 | 7 543 | 38.5 | 20.6 |
| Other items..... | 9 | 24 | | 8 | 33 | -11.1 | 37.5 |
| Total..... | 5 067 | 8 316 | | 6 596 | 9 224 | 30.2 | 10.9 |

TABLE 28

LANDING AVERAGE PRICE BY SPECIES ON THE NORTH SHORE

(Excluding supplementary purchase slips, value in dollars per kilogram)

| SPECIES | LANDED FORM DESCRIPTION | 2007 | 2008 | VARIATION IN % |
|--|----------------------------|--------|--------|-------------------|
| GROUNDFISH | | | | |
| Cod | Gutted, head on..... | 1.410 | 1.237 | -12.3 |
| Atlantic Halibut | Gutted, head on..... | 7.225 | 7.000 | -3.1 |
| American Plaice | Round..... | 1.012 | .987 | -2.5 |
| Greenland Halibut | Bled, partly gutted..... | 1.911 | 2.031 | 6.3 |
| PELAGIC AND ESTUARIAN SPECIES | | | | |
| Herring | Round..... | .395 | .141 | -64.3 |
| Mackerel | Round..... | .265 | .274 | 3.4 |
| Capelin | Round..... | .235 | .144 | -38.7 |
| MOLLUSCS AND CRUSTACEANS | | | | |
| Soft Shell Clam | In shell..... | 1.503 | 1.562 | 3.9 |
| Sea Scallop | In shell..... | 1.297 | 1.234 | -4.9 |
| | Meat..... | 11.053 | 13.337 | 20.7 |
| Whelk | In shell..... | .982 | .995 | 1.3 |
| Lobster | Round..... | 12.480 | 11.274 | -9.7 |
| Shrimp | Round..... | .984 | 1.116 | 13.4 |
| | Cooked in shell..... | 3.723 | 3.698 | -0.7 |
| Rock Crab | Round..... | .773 | .772 | -0.1 |
| Snow Crab | Round..... | 3.914 | 3.392 | -13.3 |

TABLE 29

LANDINGS IN THE MAGDALEN ISLANDS IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. Quantity | in % Value |
|---|------------------|---------------|------------------|---------------|------------------|---------------|
| Cod..... | 87 | 130 | 98 | 150 | 12.6 | 15.4 |
| Haddock..... | - | - | ° | ° | N/A | N/A |
| Redfish..... | 62 | 46 | 211 | 187 | 240.3 | 306.5 |
| Atlantic Halibut..... | 25 | 159 | 34 | 250 | 36.0 | 57.2 |
| American Plaice..... | 52 | 41 | 9 | 6 | -82.7 | -85.4 |
| Greysole..... | 153 | 163 | 44 | 48 | -71.2 | -70.6 |
| Winter Flounder..... | 122 | 140 | 112 | 140 | -8.2 | - |
| Unspecified Flounders..... | ° | ° | - | - | N/A | N/A |
| Greenland Halibut..... | 9 | 18 | 11 | 20 | 22.2 | 11.1 |
| White Hake..... | 1 | 1 | 10 | 6 | N/A | N/A |
| Catfish..... | ° | ° | ° | ° | N/A | N/A |
| Other groundfish..... | 247 | 290 | 164 | 209 | -33.6 | -27.9 |
| Total groundfish..... | 760 | 988 | 692 | 1 017 | -8.9 | 2.9 |
| Herring..... | 55 | 15 | 121 | 49 | 120.0 | 226.7 |
| Mackerel..... | 456 | 213 | 364 | 186 | -20.2 | -12.7 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | ° | ° | ° | ° | N/A | N/A |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | 2 | 2 | 2 | 2 | - | - |
| Total pelagic and estuarian species..... | 513 | 230 | 487 | 236 | -5.1 | 2.6 |
| Soft Shell Clam..... | 1 | 1 | 1 | 2 | - | 100.0 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 386 | 1 040 | 314 | 622 | -18.7 | -40.2 |
| Whelk..... | 382 | 405 | 352 | 388 | -7.9 | -4.2 |
| Lobster..... | 2 406 | 32 347 | 2 522 | 28 919 | 4.8 | -10.6 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | 1 919 | 9 446 | 2 021 | 8 080 | 5.3 | -14.5 |
| Other molluscs and crustaceans..... | 1 193 | 1 034 | 1 009 | 914 | -15.4 | -11.6 |
| Total molluscs and crustaceans..... | 6 285 | 44 272 | 6 219 | 38 925 | -1.1 | -12.1 |
| Other items..... | - | - | 2 | 4 | N/A | N/A |
| Total..... | 7 558 | 45 491 | 7 399 | 40 181 | -2.1 | -11.7 |

TABLE 29A

LANDINGS IN THE MAGDALEN ISLANDS BY VESSELS UNDER 35' IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. in % | Value |
|---|------------|--------------|------------|--------------|--------------|--------------|
| | Quantity | Value | Quantity | Value | | |
| Cod..... | 15 | 22 | 7 | 12 | -53.3 | -45.5 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | - |
| Atlantic Halibut..... | 5 | 36 | 7 | 49 | 40.0 | 36.1 |
| American Plaice..... | 1 | 1 | ° | ° | N/A | N/A |
| Greysole..... | - | - | - | - | - | - |
| Winter Flounder..... | 9 | 9 | 11 | 12 | 22.2 | 33.3 |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | - | - |
| White Hake..... | ° | ° | - | - | N/A | N/A |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | 6 | 6 | 7 | 8 | 16.7 | 33.3 |
| Total groundfish..... | 36 | 75 | 32 | 80 | -11.1 | 6.7 |
| Herring..... | 6 | 2 | 31 | 13 | 416.7 | N/A |
| Mackerel..... | 30 | 27 | 35 | 23 | 16.7 | -14.8 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | ° | ° | ° | ° | N/A | N/A |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | ° | ° | ° | ° | N/A | N/A |
| Total pelagic and estuarian species..... | 35 | 29 | 65 | 36 | 85.7 | 24.1 |
| Soft Shell Clam..... | 1 | 1 | 1 | 2 | - | 100.0 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | - |
| Whelk..... | - | - | - | - | - | - |
| Lobster..... | 484 | 6 488 | 432 | 4 948 | -10.7 | -23.7 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | 23 | 126 | 24 | 94 | 4.3 | -25.4 |
| Other molluscs and crustaceans..... | 171 | 142 | 85 | 75 | -50.3 | -47.2 |
| Total molluscs and crustaceans..... | 678 | 6 756 | 543 | 5 120 | -19.9 | -24.2 |
| Other items..... | - | - | - | - | - | - |
| Total..... | 749 | 6 860 | 640 | 5 236 | -14.6 | -23.7 |

TABLE 29B

LANDINGS IN THE MAGDALEN ISLANDS BY VESSELS 35' TO 44'11" IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. Quantity | in % Value |
|---|------------------|---------------|------------------|---------------|------------------|---------------|
| Cod..... | 47 | 76 | 48 | 85 | 2.1 | 11.8 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | 14 | 9 | 17 | 15 | 21.4 | 66.7 |
| Atlantic Halibut..... | 17 | 116 | 24 | 182 | 41.2 | 56.9 |
| American Plaice..... | 44 | 35 | 3 | 2 | -93.2 | -94.3 |
| Greysole..... | 87 | 93 | 15 | 17 | -82.8 | -81.7 |
| Winter Flounder..... | 111 | 128 | 101 | 128 | -9.0 | - |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | 2 | 4 | 1 | 2 | -50.0 | -50.0 |
| White Hake..... | 1 | 1 | 2 | 1 | 100.0 | - |
| Catfish..... | ◦ | ◦ | ◦ | ◦ | N/A | N/A |
| Other groundfish..... | 240 | 282 | 154 | 200 | -35.8 | -29.1 |
| Total groundfish..... | 564 | 744 | 367 | 633 | -34.9 | -14.9 |
| Herring..... | 50 | 13 | 91 | 36 | 82.0 | 176.9 |
| Mackerel..... | 426 | 186 | 323 | 158 | -24.2 | -15.1 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | ◦ | ◦ | ◦ | ◦ | N/A | N/A |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | 1 | 1 | 1 | 1 | - | - |
| Total pelagic and estuarian species..... | 477 | 201 | 415 | 195 | -13.0 | -3.0 |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | 303 | 818 | 232 | 464 | -23.4 | -43.3 |
| Whelk..... | 321 | 341 | 316 | 349 | -1.6 | 2.3 |
| Lobster..... | 1 861 | 25 024 | 2 025 | 23 223 | 8.8 | -7.2 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | 585 | 2 994 | 513 | 2 099 | -12.3 | -29.9 |
| Other molluscs and crustaceans..... | 956 | 827 | 850 | 760 | -11.1 | -8.1 |
| Total molluscs and crustaceans..... | 4 026 | 30 003 | 3 936 | 26 895 | -2.2 | -10.4 |
| Other items..... | - | - | 2 | 4 | N/A | N/A |
| Total..... | 5 067 | 30 948 | 4 720 | 27 727 | -6.8 | -10.4 |

TABLE 29C

LANDINGS IN THE MAGDALEN ISLANDS BY VESSELS 45' TO 64'11" IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. Quantity | in % | Value |
|---|------------------|---------------|------------------|---------------|------------------|--------------|-------|
| Cod..... | 25 | 32 | 41 | 51 | 64.0 | 59.4 | |
| Haddock..... | - | - | - | - | - | - | |
| Redfish..... | 48 | 37 | 52 | 47 | 8.3 | 27.0 | |
| Atlantic Halibut..... | 2 | 8 | 1 | 4 | -50.0 | -50.0 | |
| American Plaice..... | 7 | 5 | 6 | 4 | -14.3 | -20.0 | |
| Greysole..... | 66 | 70 | 27 | 29 | -59.1 | -58.6 | |
| Winter Flounder..... | 3 | 3 | ° | ° | N/A | N/A | |
| Unspecified Flounders..... | ° | ° | - | - | N/A | N/A | |
| Greenland Halibut..... | 7 | 14 | 3 | 6 | -57.1 | -57.1 | |
| White Hake..... | - | - | 1 | 1 | N/A | N/A | |
| Catfish..... | - | - | - | - | - | - | |
| Other groundfish..... | 2 | 2 | 1 | ° | -50.0 | N/A | |
| Total groundfish..... | 160 | 169 | 131 | 141 | -18.1 | -16.6 | |
| Herring..... | - | - | ° | ° | N/A | N/A | |
| Mackerel..... | - | - | 5 | 5 | N/A | N/A | |
| Bluefin Tuna..... | - | - | - | - | - | - | |
| Eel..... | - | - | - | - | - | - | |
| Smelt..... | - | - | - | - | - | - | |
| Capelin..... | - | - | - | - | - | - | |
| Other pelagic and estuarian species..... | 1 | ° | ° | ° | N/A | N/A | |
| Total pelagic and estuarian species..... | 1 | ° | 6 | 5 | N/A | N/A | |
| Soft Shell Clam..... | - | - | - | - | - | - | |
| Quahog..... | - | - | - | - | - | - | |
| Mussel..... | - | - | - | - | - | - | |
| Sea Scallop..... | 82 | 222 | 82 | 158 | - | -28.8 | |
| Whelk..... | 61 | 64 | 36 | 40 | -41.0 | -37.5 | |
| Lobster..... | 61 | 836 | 65 | 748 | 6.6 | -10.5 | |
| Shrimp..... | - | - | - | - | - | - | |
| Snow Crab..... | 1 180 | 5 673 | 1 370 | 5 449 | 16.1 | -3.9 | |
| Other molluscs and crustaceans..... | 65 | 65 | 74 | 78 | 13.8 | 20.0 | |
| Total molluscs and crustaceans..... | 1 449 | 6 859 | 1 627 | 6 472 | 12.3 | -5.6 | |
| Other items..... | - | - | - | - | - | - | |
| Total..... | 1 610 | 7 028 | 1 764 | 6 618 | 9.6 | -5.8 | |

TABLE 29D

LANDINGS IN THE MAGDALEN ISLANDS BY VESSELS 65' AND OVER IN 2007 AND 2008

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. in % | Value |
|---|------------|------------|------------|------------|--------------|--------------|
| | Quantity | Value | Quantity | Value | | |
| Cod..... | - | - | 2 | 3 | N/A | N/A |
| Haddock..... | - | - | ° | ° | N/A | N/A |
| Redfish..... | - | - | 141 | 125 | N/A | N/A |
| Atlantic Halibut..... | - | - | 2 | 15 | N/A | N/A |
| American Plaice..... | - | - | ° | ° | N/A | N/A |
| Greysole..... | - | - | 1 | 2 | N/A | N/A |
| Winter Flounder..... | - | - | - | - | - | - |
| Unspecified Flounders..... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | 7 | 12 | N/A | N/A |
| White Hake..... | - | - | 7 | 4 | N/A | N/A |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | 2 | 1 | N/A | N/A |
| Total groundfish..... | - | - | 162 | 162 | N/A | N/A |
| Herring..... | - | - | - | - | - | - |
| Mackerel..... | - | - | - | - | - | - |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | - | - | - |
| Total pelagic and estuarian species..... | - | - | - | - | - | - |
| Soft Shell Clam..... | - | - | - | - | - | - |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | - | - | - |
| Whelk..... | - | - | - | - | - | - |
| Lobster..... | - | - | - | - | - | - |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | 132 | 654 | 113 | 438 | -14.4 | -33.0 |
| Other molluscs and crustaceans..... | - | - | ° | ° | N/A | N/A |
| Total molluscs and crustaceans..... | 132 | 654 | 113 | 438 | -14.4 | -33.0 |
| Other items..... | - | - | - | - | - | - |
| Total..... | 132 | 654 | 276 | 600 | 109.1 | -8.3 |

TABLE 29E

SUPPLEMENTARY PURCHASE SLIPS IN THE MAGDALEN ISLANDS IN 2007 AND 2008 (1)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | Quantity | 2007 | | 2008 | | Var. in % | |
|---|------------|--------------|--------------|--------------|--------------|--------------|-------|
| | | Value | Quantity | Value | Quantity | Value | Value |
| Cod..... | 8 | 10 | 9 | 13 | 12.5 | 30.0 | |
| Haddock..... | - | - | - | - | - | - | |
| Redfish..... | - | - | - | - | - | - | |
| Atlantic Halibut..... | 11 | 84 | 8 | 59 | -27.3 | -29.8 | |
| American Plaice..... | 2 | 1 | 2 | 1 | - | - | |
| Greysole..... | - | - | - | - | - | - | |
| Winter Flounder..... | 1 | 1 | 1 | 1 | - | - | |
| Unspecified Flounders..... | - | - | - | - | - | - | |
| Greenland Halibut..... | - | - | - | - | - | - | |
| White Hake..... | - | - | - | - | - | - | |
| Catfish..... | - | - | - | - | - | - | |
| Other groundfish..... | 1 | 1 | 1 | 1 | - | - | |
| Total groundfish..... | 23 | 97 | 20 | 74 | -13.0 | -23.7 | |
| Herring..... | 7 | 2 | 61 | 24 | N/A | N/A | |
| Mackerel..... | 597 | 280 | 476 | 247 | -20.3 | -11.8 | |
| Bluefin Tuna..... | - | - | - | - | - | - | |
| Eel..... | - | - | - | - | - | - | |
| Smelt..... | - | - | - | - | - | - | |
| Capelin..... | - | - | - | - | - | - | |
| Other pelagic and estuarian species..... | ° | 1 | ° | 1 | N/A | - | |
| Total pelagic and estuarian species..... | 604 | 283 | 537 | 273 | -11.1 | -3.5 | |
| Soft Shell Clam..... | 60 | 66 | 37 | 80 | -38.3 | 21.2 | |
| Quahog..... | - | - | - | - | - | - | |
| Mussel..... | 7 | 15 | 7 | 15 | - | - | |
| Sea Scallop..... | 3 | 7 | 2 | 4 | -33.3 | -42.9 | |
| Whelk..... | 1 | 1 | 1 | 1 | - | - | |
| Lobster..... | 182 | 2 454 | 242 | 2 745 | 33.0 | 11.9 | |
| Shrimp..... | - | - | - | - | - | - | |
| Snow Crab..... | 9 | 45 | 10 | 40 | 11.1 | -11.1 | |
| Other molluscs and crustaceans..... | 105 | 114 | 145 | 150 | 38.1 | 31.6 | |
| Total molluscs and crustaceans..... | 367 | 2 702 | 444 | 3 037 | 21.0 | 12.4 | |
| Other items..... | - | - | - | - | - | - | |
| Total..... | 994 | 3 082 | 1 001 | 3 384 | 0.7 | 9.8 | |

(1) Refer to page 26 for "Supplementary purchase slips" definition.

TABLE 29.1

MONTHLY LANDINGS IN THE MAGDALEN ISLANDS BY SPECIES,

YEAR 2007

(Quantity in rounded metric tons, live weight)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|----------|------------|--------------|--------------|
| Cod..... | - | - | - | - | 1 | 11 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | 47 |
| Atlantic Halibut..... | - | - | - | - | ° | 1 |
| American Plaice..... | - | - | - | ° | 2 | 5 |
| Greysole..... | - | - | - | - | - | 3 |
| Winter Flounder..... | - | - | - | 17 | 46 | 54 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | - | 6 |
| White Hake..... | - | - | - | - | - | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | 9 | 97 | 129 |
| Total groundfish..... | - | - | - | 26 | 146 | 257 |
| Herring..... | - | - | - | 20 | 1 | ° |
| Mackerel..... | - | - | - | - | - | 48 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | - | ° | - |
| Total pelagic and estuarian species..... | - | - | - | 20 | 1 | 48 |
| Soft Shell Clam..... | - | - | - | - | ° | ° |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 230 | 46 | 16 |
| Whelk..... | - | - | - | - | 9 | 30 |
| Lobster..... | - | - | - | - | 1 160 | 1 136 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | - | - | - | 75 | 1 406 | 412 |
| Other molluscs and crustaceans..... | - | - | ° | 7 | 36 | 136 |
| Total molluscs and crustaceans..... | - | - | ° | 312 | 2 657 | 1 730 |
| Other items..... | - | - | - | - | - | - |
| Total..... | - | - | ° | 358 | 2 803 | 2 035 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 29.1

MONTHLY LANDINGS IN THE MAGDALEN ISLANDS BY SPECIES,

YEAR 2007

(Quantity in rounded metric tons, live weight)

| July | August | September | October | November | December | Total |
|------|--------|-----------|---------|----------|----------|-------|
| 15 | 25 | 32 | 4 | - | - | 87 |
| - | - | - | - | - | - | - |
| 8 | 7 | ◦ | ◦ | - | - | 62 |
| 17 | 6 | 1 | ◦ | - | - | 25 |
| 6 | 4 | 26 | 10 | - | - | 52 |
| 17 | 48 | 40 | 45 | - | - | 153 |
| 4 | - | 2 | - | - | - | 122 |
| - | ◦ | - | - | - | - | - |
| 1 | 1 | ◦ | ◦ | - | - | 9 |
| 1 | 1 | ◦ | ◦ | - | - | 1 |
| ◦ | ◦ | ◦ | ◦ | - | - | - |
| 10 | ◦ | 1 | - | - | - | 247 |
| 79 | 92 | 101 | 59 | - | - | 760 |
| - | - | 34 | - | - | - | 55 |
| 1 | 8 | 108 | 285 | 5 | - | 456 |
| - | - | - | - | - | - | - |
| ◦ | ◦ | ◦ | - | - | - | - |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| ◦ | 1 | 1 | ◦ | - | - | 2 |
| 1 | 9 | 143 | 285 | 5 | - | 513 |
| ◦ | ◦ | - | - | - | - | 1 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 94 | - | - | - | - | - | 386 |
| 94 | 105 | 75 | 40 | 21 | 8 | 382 |
| 109 | - | - | - | - | - | 2 406 |
| - | - | - | - | - | - | - |
| 27 | - | - | - | - | - | 1 919 |
| 97 | 227 | 451 | 166 | 47 | 26 | 1 193 |
| 421 | 332 | 526 | 206 | 68 | 33 | 6 285 |
| - | - | - | - | - | - | - |
| 502 | 433 | 770 | 550 | 74 | 33 | 7 558 |

TABLE 29.1

MONTHLY LANDINGS IN THE MAGDALEN ISLANDS BY SPECIES,

YEAR 2008

(Quantity in rounded metric tons, live weight)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|----------|------------|--------------|--------------|
| Cod..... | - | - | - | - | ° | 1 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | 72° |
| Atlantic Halibut..... | - | - | - | - | - | - |
| American Plaice..... | - | - | - | ° | ° | 1 |
| Greysole..... | - | - | - | - | - | 1 |
| Winter Flounder..... | - | - | - | 4 | 53 | 54 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | - | 3 |
| White Hake..... | - | - | - | - | - | 3 |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | 3 | 65 | 93 |
| Total groundfish..... | - | - | - | 8 | 118 | 228 |
| Herring..... | - | - | - | 3 | 50 | ° |
| Mackerel..... | - | - | - | - | 2 | 25 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | - | ° | 1 |
| Total pelagic and estuarian species..... | - | - | - | 3 | 52 | 26 |
| Soft Shell Clam..... | - | - | - | ° | ° | ° |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 255 | 23 | 7 |
| Whelk..... | - | - | - | - | - | 39 |
| Lobster..... | - | - | - | - | 1 539 | 898 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | - | - | - | - | 1 308 | 662 |
| Other molluscs and crustaceans..... | - | - | ° | 26 | 3 | 22 |
| Total molluscs and crustaceans..... | - | - | ° | 280 | 2 872 | 1 628 |
| Other items..... | - | - | - | - | - | - |
| Total..... | - | - | ° | 291 | 3 042 | 1 882 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 29.1

MONTHLY LANDINGS IN THE MAGDALEN ISLANDS BY SPECIES,

YEAR 2008

(Quantity in rounded metric tons, live weight)

| July | August | September | October | November | December | Total |
|------|--------|-----------|---------|----------|----------|-------|
| 3 | 15 | 29 | 42 | 7 | - | 98 |
| ° | - | - | - | - | - | ° |
| 128 | 11 | ° | ° | - | - | 211 |
| 3 | 28 | 2 | 1 | ° | - | 34 |
| 1 | ° | 3 | 3 | - | - | 9 |
| 4 | ° | 16 | 24 | - | - | 44 |
| 1 | - | - | ° | - | - | 112 |
| - | - | - | - | - | - | - |
| 7 | ° | ° | ° | - | - | 11 |
| 6 | 2 | ° | ° | - | - | 10 |
| - | ° | - | - | - | - | ° |
| 3 | ° | ° | ° | - | - | 164 |
| 155 | 57 | 50 | 70 | 7 | - | 692 |
| - | - | 68 | - | - | - | 121 |
| 3 | 143 | 89 | 97 | 5 | - | 364 |
| - | - | - | - | - | - | - |
| ° | ° | ° | - | - | - | ° |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| ° | ° | ° | ° | - | - | 2 |
| 3 | 143 | 157 | 97 | 5 | - | 487 |
| ° | ° | ° | - | - | - | 1 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 28 | 2 | - | - | - | - | 314 |
| 75 | 98 | 101 | 34 | 6 | - | 352 |
| 86 | - | - | - | - | - | 2 522 |
| - | - | - | - | - | - | - |
| 51 | - | - | - | - | - | 2 021 |
| 80 | 190 | 518 | 100 | 49 | 21 | 1 009 |
| 319 | 290 | 619 | 133 | 55 | 21 | 6 219 |
| 2 | - | - | - | - | - | 2 |
| 479 | 490 | 827 | 300 | 67 | 21 | 7 399 |

TABLE 29.1A

MONTHLY LANDINGS IN THE MAGDALEN ISLANDS BY SPECIES,

YEAR 2007

(Value in thousands of dollars)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|----------|--------------|---------------|---------------|
| Cod..... | - | - | - | - | 2 | 15 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | 36 |
| Atlantic Halibut..... | - | - | - | - | ° | 3 |
| American Plaice..... | - | - | - | ° | 2 | 5 |
| Greysole..... | - | - | - | - | - | 3 |
| Winter Flounder..... | - | - | - | 19 | 53 | 62 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | - | 12 |
| White Hake..... | - | - | - | - | - | - |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | 10 | 115 | 152 |
| Total groundfish..... | - | - | - | 30 | 171 | 288 |
| Herring..... | - | - | - | 6 | ° | ° |
| Mackerel..... | - | - | - | - | - | 49 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | - | ° | - |
| Total pelagic and estuarian species..... | - | - | - | 6 | ° | 49 |
| Soft Shell Clam..... | - | - | - | - | ° | ° |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 620 | 124 | 43 |
| Whelk..... | - | - | - | - | 10 | 33 |
| Lobster..... | - | - | - | - | 15 593 | 15 182 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | - | - | - | 359 | 6 922 | 2 029 |
| Other molluscs and crustaceans..... | - | - | ° | 15 | 22 | 84 |
| Total molluscs and crustaceans..... | - | - | ° | 995 | 22 671 | 17 372 |
| Other items..... | - | - | - | - | - | - |
| Total..... | - | - | ° | 1 030 | 22 843 | 17 709 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 29.1A

MONTHLY LANDINGS IN THE MAGDALEN ISLANDS BY SPECIES,

YEAR 2007

(Value in thousands of dollars)

| July | August | September | October | November | December | Total |
|--------------|------------|------------|------------|-----------|-----------|---------------|
| 21 | 36 | 51 | 6 | - | - | 130 |
| - | - | - | - | - | - | - |
| 5 | 5 | ◦ | ◦ | - | - | 46 |
| 113 | 40 | 2 | 1 | - | - | 159 |
| 5 | 3 | 17 | 7 | - | - | 41 |
| 18 | 53 | 43 | 45 | - | - | 163 |
| 5 | - | 2 | - | - | - | 140 |
| - | ◦ | - | - | - | - | ◦ |
| 2 | 3 | 1 | 1 | - | - | 18 |
| ◦ | ◦ | ◦ | ◦ | - | - | 1 |
| ◦ | ◦ | ◦ | ◦ | - | - | ◦ |
| 12 | ◦ | 1 | - | - | - | 290 |
| 182 | 141 | 118 | 59 | - | - | 988 |
| - | - | 9 | - | - | - | 15 |
| 1 | 4 | 44 | 113 | 2 | - | 213 |
| - | - | - | - | - | - | - |
| ◦ | ◦ | ◦ | - | - | - | ◦ |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| ◦ | 1 | 1 | ◦ | - | - | 2 |
| 1 | 4 | 54 | 113 | 2 | - | 230 |
| ◦ | ◦ | - | - | - | - | 1 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 253 | - | - | - | - | - | 1 040 |
| 101 | 111 | 77 | 41 | 22 | 9 | 405 |
| 1 573 | - | - | - | - | - | 32 347 |
| - | - | - | - | - | - | - |
| 135 | - | - | - | - | - | 9 446 |
| 79 | 196 | 400 | 162 | 48 | 27 | 1 034 |
| 2 141 | 307 | 477 | 203 | 71 | 36 | 44 272 |
| - | - | - | - | - | - | - |
| 2 324 | 452 | 649 | 376 | 73 | 36 | 45 491 |

TABLE 29.1A

MONTHLY LANDINGS IN THE MAGDALEN ISLANDS BY SPECIES,

YEAR 2008

(Value in thousands of dollars)

| SPECIES | January | February | March | April | May | June |
|---|----------|----------|----------|------------|---------------|---------------|
| Cod..... | - | - | - | ° | ° | 2 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | 64 |
| Atlantic Halibut..... | - | - | - | - | - | 2 |
| American Plaice..... | - | - | - | ° | ° | 1 |
| Greysole..... | - | - | - | - | - | 1 |
| Winter Flounder..... | - | - | - | 5 | 69 | 66 |
| Unspecified Flounders... | - | - | - | - | - | - |
| Greenland Halibut..... | - | - | - | - | - | 6 |
| White Hake..... | - | - | - | - | - | 2 |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | - | - | - | 3 | 82 | 121 |
| Total groundfish..... | - | - | - | 8 | 150 | 265 |
| Herring..... | - | - | - | 2 | 26 | ° |
| Mackerel..... | - | - | - | - | 2 | 24 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | - | - | - | - | - | - |
| Smelt..... | - | - | - | - | - | - |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | - | - | - | - | ° | ° |
| Total pelagic and estuarian species..... | - | - | - | 2 | 28 | 24 |
| Soft Shell Clam..... | - | - | - | ° | ° | 1 |
| Quahog..... | - | - | - | - | - | - |
| Mussel..... | - | - | - | - | - | - |
| Sea Scallop..... | - | - | - | 498 | 48 | 14 |
| Whelk..... | - | - | - | - | - | 43 |
| Lobster..... | - | - | - | - | 18 061 | 9 832 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | - | - | - | - | 5 120 | 2 751 |
| Other molluscs and crustaceans..... | - | - | ° | 24 | 2 | 16 |
| Total molluscs and crustaceans..... | - | - | ° | 522 | 23 231 | 12 656 |
| Other items..... | - | - | - | - | - | - |
| Total..... | - | - | ° | 532 | 23 409 | 12 945 |

N.B. The minor differences are caused by the rounding factors used at the time of calculation.

TABLE 29.1A

MONTHLY LANDINGS IN THE MAGDALEN ISLANDS BY SPECIES,

YEAR 2008

(Value in thousands of dollars)

| July | August | September | October | November | December | Total |
|-------|--------|-----------|---------|----------|----------|--------|
| 5 | 24 | 52 | 57 | 10 | - | 150 |
| ° | - | - | - | - | - | ° |
| 113 | 10 | ° | ° | - | - | 187 |
| 23 | 206 | 11 | 8 | ° | - | 250 |
| 1 | ° | 2 | 2 | - | - | 6 |
| 5 | ° | 17 | 25 | - | - | 48 |
| 1 | - | - | ° | - | - | 140 |
| - | - | - | - | - | - | - |
| 13 | ° | ° | ° | - | - | 20 |
| 4 | 1 | ° | ° | - | - | 6 |
| - | ° | - | - | - | - | ° |
| 2 | ° | ° | ° | - | - | 209 |
| 166 | 242 | 83 | 93 | 10 | - | 1 017 |
| - | - | 21 | - | - | - | 49 |
| 2 | 63 | 41 | 51 | 3 | - | 186 |
| - | - | - | - | - | - | - |
| ° | ° | ° | - | - | - | ° |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| ° | ° | 1 | ° | - | - | 2 |
| 3 | 64 | 63 | 51 | 3 | - | 236 |
| ° | ° | ° | - | - | - | 2 |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 59 | 3 | - | - | - | - | 622 |
| 82 | 108 | 112 | 37 | 7 | - | 388 |
| 1 026 | - | - | - | - | - | 28 919 |
| - | - | - | - | - | - | - |
| 209 | - | - | - | - | - | 8 080 |
| 65 | 162 | 462 | 100 | 59 | 24 | 914 |
| 1 442 | 274 | 574 | 137 | 65 | 24 | 38 925 |
| 4 | - | - | - | - | - | 4 |
| 1 614 | 579 | 719 | 281 | 78 | 24 | 40 181 |

TABLE 30

LANDING AVERAGE PRICE BY SPECIES IN THE MAGDALEN ISLANDS

(Excluding supplementary purchase slips, value in dollars per kilogram)

| SPECIES | LANDED FORM DESCRIPTION | 2007 | 2008 | VARIATION IN % |
|--|----------------------------|--------|--------|-------------------|
| GROUNDFISH | | | | |
| Cod | Round..... | 1.292 | - | N/A |
| | Gutted, head on..... | 1.808 | 1.910 | 5.6 |
| Redfish | Round..... | .746 | .885 | 18.6 |
| Atlantic Halibut | Gutted, head on..... | 7.394 | 8.517 | 15.2 |
| American Plaice | Round..... | .777 | .720 | -7.3 |
| Greysole | Round..... | 1.065 | 1.104 | 3.7 |
| Winter Flounder | Round..... | 1.150 | 1.260 | 9.6 |
| Greenland Halibut | Round..... | 2.033 | - | N/A |
| | Bled, partly gutted..... | 1.993 | 2.002 | 0.5 |
| White Hake | Gutted, head on..... | - | .705 | N/A |
| Catfish | Gutted, head on..... | 1.137 | - | N/A |
| PELAGIC AND ESTUARIAN SPECIES | | | | |
| Herring | Round..... | .282 | .399 | 41.5 |
| Mackerel | Round..... | .469 | .509 | 8.5 |
| MOLLUSCS AND CRUSTACEANS | | | | |
| Soft-shell Clam | In shell..... | 1.102 | - | N/A |
| Sea Scallop | Meat..... | 22.376 | 16.420 | -26.6 |
| Whelk | In shell..... | 1.059 | 1.102 | 4.1 |
| Lobster | Round..... | 13.447 | 11.466 | -14.7 |
| Rock Crab | Round..... | .819 | .879 | 7.3 |
| Snow Crab | Round..... | 4.922 | 3.999 | -18.8 |

2007 - 2008 Landings St. Lawrence Sector

The St. Lawrence Sector is distinguished by a low level of marine fishing activity. Landings made in 2007 and in 2008 for the sector between Anse à Gilles and Cap à l'Orignal on the south shore, and between Cap Tourmente and Baie Sainte Catherine on the north shore, represented respectively 130.6 and 230.3 metric tons for an assorted value .294 and .481 million of dollars. Thus, 2008 landings are higher in quantity and their value has increased of 63.82 % compared to 2007.

In 2008, we had 25 active registered licence holders, 2 less than in 2007. Concerning the number of buyers, we have 3 buyers in 2008 compared to 4 buyers in 2007.

To abide by confidentiality regulations, it is not possible for the Department to reveal any information concerning St. Lawrence Sector landings. The small number of participants in marine fishery activities as well as the small amount of catches justify the application of such a confidentiality measure.

2007 - 2008 Landings
Northern Quebec

The Department of Fisheries and Oceans has no registered data for 2007 and 2008 for the Northern Quebec Sector.

***LANDINGS AND
WORK FORCE
ATLANTIC COAST***

TABLE 31

LANDINGS IN NEW BRUNSWICK

(Including supplementary purchase slips)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | Quantity | 2007 Value | Quantity | 2008 Value | Var. in % Quantity | Value |
|---|----------------|----------------|---------------|----------------|-----------------------|--------------|
| Cod..... | 286 | 455 | 125 | 204 | -56.3 | -55.2 |
| Haddock..... | ° | ° | 2 | 2 | N/A | N/A |
| Redfish..... | 8 | 8 | 18 | 22 | 125.0 | 175.0 |
| Atlantic Halibut..... | 72 | 534 | 41 | 307 | -43.1 | -42.5 |
| Flounders..... | 63 | 89 | 38 | 64 | -39.7 | -28.1 |
| Greenland Halibut..... | 103 | 224 | 31 | 68 | -69.9 | -69.6 |
| White Hake..... | 28 | 28 | 14 | 14 | -50.0 | -50.0 |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | 156 | 132 | 125 | 107 | -19.9 | -18.9 |
| Total groundfish..... | 715 | 1 469 | 395 | 789 | -44.8 | -46.3 |
| Herring..... | 68 318 | 15 058 | 45 415 | 10 243 | -33.5 | -32.0 |
| Mackerel..... | 895 | 615 | 748 | 538 | -16.4 | -12.5 |
| Bluefin Tuna..... | - | - | - | - | - | - |
| Eel..... | 101 | 594 | 87 | 456 | -13.9 | -23.2 |
| Smelt..... | 669 | 498 | 497 | 320 | -25.7 | -35.7 |
| Capelin..... | 430 | 69 | 66 | 5 | -84.7 | -92.8 |
| Other pelagic and estuarian species..... | 2 487 | 1 046 | 2 813 | 1 261 | 13.1 | 20.6 |
| Total pelagic and estuarian species..... | 72 901 | 17 879 | 49 626 | 12 823 | -31.9 | -28.3 |
| Quahog and Clams..... | 431 | 835 | 260 | 437 | -39.7 | -47.7 |
| Sea Scallop..... | 1 793 | 3 561 | 2 063 | 4 071 | 15.1 | 14.3 |
| Lobster..... | 7 035 | 82 041 | 8 371 | 82 606 | 19.0 | 0.7 |
| Shrimp..... | 8 486 | 8 096 | 6 164 | 5 825 | -27.4 | -28.1 |
| Snow Crab..... | 11 510 | 57 091 | 10 876 | 47 956 | -5.5 | -16.0 |
| Other molluscs and crustaceans..... | 4 768 | 5 307 | 4 687 | 5 708 | -1.7 | 7.6 |
| Total molluscs and crustaceans..... | 34 023 | 156 931 | 32 420 | 146 604 | -4.7 | -6.6 |
| Other items..... | 11 498 | 906 | 11 466 | 856 | -0.3 | -5.5 |
| Total..... | 119 137 | 177 185 | 93 907 | 161 072 | -21.2 | -9.1 |

N.B. The quantities and values of New Brunswick are preliminary.

TABLE 32

LANDINGS IN NOVA SCOTIA

(Including supplementary purchase slips)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | Quantity | 2007 Value | Quantity | 2008 Value | Var. in % Quantity | Value |
|---|----------------|----------------|----------------|----------------|-----------------------|-------------|
| Cod..... | 6 018 | 12 276 | 6 543 | 13 187 | 8.7 | 7.4 |
| Haddock..... | 18 904 | 27 406 | 20 192 | 26 110 | 6.8 | -4.7 |
| Redfish..... | 6 627 | 4 674 | 6 025 | 4 143 | -9.1 | -11.4 |
| Atlantic Halibut..... | 1 411 | 14 768 | 1 249 | 12 826 | -11.5 | -13.2 |
| Flounders..... | 2 461 | 3 539 | 2 032 | 2 881 | -17.4 | -18.6 |
| Greenland Halibut..... | 732 | 1 782 | 361 | 790 | -50.7 | -55.7 |
| White Hake..... | 13 409 | 11 464 | 14 226 | 11 399 | 6.1 | -0.6 |
| Catfish..... | 73 | 36 | 35 | 15 | -52.1 | -58.3 |
| Other groundfish..... | 11 219 | 8 487 | 8 982 | 7 125 | -19.9 | -16.0 |
| Total groundfish..... | 60 854 | 84 433 | 59 646 | 78 477 | -2.0 | -7.1 |
| Herring..... | 60 065 | 13 177 | 49 999 | 10 581 | -16.8 | -19.7 |
| Mackerel..... | 2 835 | 1 138 | 1 961 | 1 355 | -30.8 | 19.1 |
| Bluefin Tuna..... | 751 | 8 706 | 729 | 12 394 | -2.9 | 42.4 |
| Eel..... | 9 | 59 | 11 | 54 | 22.2 | -8.5 |
| Smelt..... | 29 | 18 | 30 | 21 | 3.4 | 16.7 |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | 1 750 | 11 707 | 1 718 | 9 008 | -1.8 | -23.1 |
| Total pelagic and estuarian species..... | 65 439 | 34 806 | 54 447 | 33 414 | -16.8 | -4.0 |
| Quahog and Clams..... | 466 | 812 | 587 | 880 | 26.0 | 8.4 |
| Sea Scallop..... | 61 274 | 81 757 | 63 774 | 85 415 | 4.1 | 4.5 |
| Lobster..... | 21 767 | 298 184 | 32 422 | 355 547 | 49.0 | 19.2 |
| Shrimp..... | 28 954 | 44 299 | 21 159 | 38 918 | -26.9 | -12.1 |
| Snow Crab..... | 10 515 | 52 494 | 13 882 | 66 629 | 32.0 | 26.9 |
| Other molluscs and crustaceans..... | 2 488 | 2 398 | 2 733 | 2 096 | 9.8 | -12.6 |
| Total molluscs and crustaceans..... | 125 465 | 479 944 | 134 556 | 549 485 | 7.2 | 14.5 |
| Other items..... | 1 | 14 | 3 | 29 | 200.0 | 107.1 |
| Total..... | 251 759 | 599 197 | 248 651 | 661 405 | -1.2 | 10.4 |

N.B. The quantities and values of Nova Scotia are preliminary.

TABLE 33

LANDINGS IN NEWFOUNDLAND

(Including supplementary purchase slips)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 Quantity | 2007 Value | 2008 Quantity | 2008 Value | Var. in % Quantity | Var. in % Value |
|---|------------------|----------------|------------------|----------------|-----------------------|--------------------|
| Cod..... | 17 786 | 25 536 | 17 594 | 28 275 | -1.1 | 10.7 |
| Haddock..... | 332 | 307 | 348 | 379 | 4.8 | 23.5 |
| Redfish..... | 2 496 | 1 398 | 1 493 | 692 | -40.2 | -50.5 |
| Atlantic Halibut..... | 292 | 1 756 | 503 | 3 020 | 72.3 | 72.0 |
| Flounders..... | 5 677 | 3 882 | 12 865 | 7 964 | 126.6 | 105.2 |
| Greenland Halibut..... | 9 834 | 24 543 | 8 832 | 17 413 | -10.2 | -29.1 |
| White Hake..... | 1 684 | 1 335 | 1 397 | 1 169 | -17.0 | -12.4 |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | 3 064 | 2 016 | 2 163 | 1 317 | -29.4 | -34.7 |
| Total groundfish..... | 41 167 | 60 774 | 45 195 | 60 228 | 9.8 | -0.9 |
| Herring..... | 22 660 | 4 505 | 28 355 | 5 285 | 25.1 | 17.3 |
| Mackerel..... | 44 583 | 12 756 | 23 032 | 6 251 | -48.3 | -51.0 |
| Bluefin Tuna..... | 14 | 98 | 1 | 2 | -92.9 | -98.0 |
| Eel..... | 66 | 750 | 45 | 172 | -31.8 | -77.1 |
| Smelt..... | - | - | 4 | 4 | N/A | N/A |
| Capelin..... | 36 051 | 9 665 | 37 547 | 9 669 | 4.1 | ° |
| Other pelagic and estuarian species..... | 54 | 196 | 38 | 154 | -29.6 | -21.4 |
| Total pelagic and estuarian species..... | 103 428 | 27 971 | 89 022 | 21 538 | -13.9 | -23.0 |
| Quahog and Clams..... | 18 781 | 26 606 | 19 336 | 27 609 | 3.0 | 3.8 |
| Sea Scallop..... | 698 | 1 011 | 448 | 763 | -35.8 | -24.5 |
| Lobster..... | 2 566 | 32 010 | 2 981 | 28 022 | 16.2 | -12.5 |
| Shrimp..... | 130 387 | 183 500 | 117 718 | 187 822 | -9.7 | 2.4 |
| Snow Crab..... | 50 208 | 177 456 | 52 748 | 179 513 | 5.1 | 1.2 |
| Other molluscs and crustaceans..... | 6 150 | 5 741 | 7 769 | 7 677 | 26.3 | 33.7 |
| Total molluscs and crustaceans..... | 208 790 | 426 324 | 201 000 | 431 406 | -3.7 | 1.2 |
| Other items..... | 2 778 | 17 563 | 2 443 | 14 316 | -12.1 | -18.5 |
| Total..... | 356 163 | 532 633 | 337 661 | 527 487 | -5.2 | -1.0 |

N.B. The quantities and values of Newfoundland are preliminary.

TABLE 34

LANDINGS IN PRINCE EDWARD ISLAND

(Including supplementary purchase slips)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | Quantity | 2007 Value | Quantity | 2008 Value | Var. Quantity | in % Value |
|---|---------------|----------------|---------------|----------------|------------------|---------------|
| Cod..... | 70 | 77 | 107 | 159 | 52.9 | 106.5 |
| Haddock..... | - | - | - | - | - | - |
| Redfish..... | - | - | - | - | - | - |
| Atlantic Halibut..... | 7 | 67 | 8 | 57 | 14.3 | -14.9 |
| Flounders..... | 213 | 215 | 126 | 195 | -40.8 | -9.3 |
| Greenland Halibut..... | - | - | - | - | - | - |
| White Hake..... | ° | ° | ° | ° | N/A | N/A |
| Catfish..... | - | - | - | - | - | - |
| Other groundfish..... | 3 | 2 | 6 | 5 | 100.0 | 150.0 |
| Total groundfish..... | 293 | 361 | 247 | 415 | -15.7 | 15.0 |
| Herring..... | 12 469 | 2 768 | 12 395 | 2 977 | -0.6 | 7.6 |
| Mackerel..... | 2 600 | 1 909 | 1 495 | 1 179 | -42.5 | -38.2 |
| Bluefin Tuna..... | 175 | 2 125 | 187 | 3 635 | 6.9 | 71.1 |
| Eel..... | 59 | 348 | 42 | 192 | -28.8 | -44.8 |
| Smelt..... | 29 | 29 | 19 | 16 | -34.5 | -44.8 |
| Capelin..... | - | - | - | - | - | - |
| Other pelagic and estuarian species..... | 605 | 534 | 552 | 524 | -8.8 | -1.9 |
| Total pelagic and estuarian species..... | 15 937 | 7 712 | 14 691 | 8 523 | -7.8 | 10.5 |
| Quahog and Clams..... | 730 | 1 220 | 904 | 1 441 | 23.8 | 18.1 |
| Sea Scallop..... | 407 | 786 | 384 | 780 | -5.7 | -0.8 |
| Lobster..... | 8 873 | 105 975 | 9 819 | 94 681 | 10.7 | -10.7 |
| Shrimp..... | - | - | - | - | - | - |
| Snow Crab..... | 3 303 | 15 778 | 2 638 | 11 633 | -20.1 | -26.3 |
| Other molluscs and crustaceans..... | 5 160 | 7 933 | 3 383 | 4 367 | -34.4 | -45.0 |
| Total molluscs and crustaceans..... | 18 474 | 131 691 | 17 129 | 112 901 | -7.3 | -14.3 |
| Other items..... | - | - | 1 148 | 262 | N/A | N/A |
| Total..... | 34 704 | 139 764 | 33 214 | 122 101 | -4.3 | -12.6 |

N.B. The quantities and values of Prince Edward Island are preliminary.

TABLE 35

LANDINGS ON THE ATLANTIC COAST

(Including supplementary purchase slips)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | 2007 | | 2008 | | Var. in % | Value |
|---|-----------------|------------------|-----------------|------------------|------------------|--------------|
| | Quantity | Value | Quantity | Value | | |
| Cod..... | 26 652 | 41 487 | 26 825 | 44 943 | 0.6 | 8.3 |
| Haddock..... | 19 236 | 27 713 | 20 542 | 26 491 | 6.8 | -4.4 |
| Redfish..... | 9 215 | 6 140 | 7 829 | 5 098 | -15.0 | -17.0 |
| Atlantic Halibut..... | 2 021 | 18 581 | 2 092 | 17 972 | 3.5 | -3.3 |
| Flounders..... | 8 854 | 8 168 | 15 349 | 11 399 | 73.4 | 39.6 |
| Greenland Halibut..... | 13 698 | 32 190 | 12 171 | 24 057 | -11.1 | -25.3 |
| White Hake..... | 15 129 | 12 830 | 15 657 | 12 594 | 3.5 | -1.8 |
| Catfish..... | 73 | 36 | 38 | 16 | -47.9 | -55.6 |
| Other groundfish..... | 14 697 | 10 932 | 11 448 | 8 767 | -22.1 | -19.8 |
| Total groundfish..... | 109 575 | 158 077 | 111 951 | 151 338 | 2.2 | -4.3 |
| Herring..... | 167 034 | 36 525 | 139 044 | 30 045 | -16.8 | -17.7 |
| Mackerel..... | 52 663 | 17 300 | 29 100 | 10 344 | -44.7 | -40.2 |
| Bluefin Tuna..... | 941 | 10 930 | 916 | 16 036 | -2.7 | 46.7 |
| Eel..... | 300 | 2 120 | 229 | 1 222 | -23.7 | -42.4 |
| Smelt..... | 756 | 564 | 711 | 468 | -6.0 | -17.0 |
| Capelin..... | 37 599 | 10 061 | 39 162 | 10 072 | 4.2 | 0.1 |
| Other pelagic and estuarian species..... | 4 958 | 13 875 | 5 171 | 11 103 | 4.3 | -20.0 |
| Total pelagic and estuarian species..... | 264 250 | 91 374 | 214 332 | 79 290 | -18.9 | -13.2 |
| Quahog and Clams..... | 21 832 | 31 003 | 22 391 | 31 799 | 2.6 | 2.6 |
| Sea Scallop..... | 65 084 | 88 923 | 67 542 | 92 575 | 3.8 | 4.1 |
| Lobster..... | 43 726 | 565 855 | 57 360 | 604 145 | 31.2 | 6.8 |
| Shrimp..... | 185 974 | 254 057 | 166 687 | 257 895 | -10.4 | 1.5 |
| Snow Crab..... | 90 674 | 367 460 | 93 867 | 357 098 | 3.5 | -2.8 |
| Other molluscs and crustaceans..... | 22 048 | 24 566 | 21 994 | 22 963 | -0.2 | -6.5 |
| Total molluscs and crustaceans..... | 429 338 | 1 331 864 | 429 842 | 1 366 474 | 0.1 | 2.6 |
| Other items..... | 15 048 | 19 483 | 15 519 | 16 268 | 3.1 | -16.5 |
| Total..... | 818 211 | 1 600 797 | 771 645 | 1 613 370 | -5.7 | 0.8 |

N.B. The quantities and values of Atlantic Coast are preliminary.

TABLE 36

NUMBER OF COMMERCIAL FISHERMEN ON THE ATLANTIC COAST

IN 2007 AND 2008, BY PROVINCE AND FISHERMEN CATEGORY

(Preliminaries data)

CATEGORY (1)

| PROVINCE | YEAR | Core | Var. in % | Non core and Fishermen helpers (3) | Var. in % | Other | Var. in % | TOTAL | Var. in % |
|-------------------------|------|--------|--------------|---|--------------|-------|--------------|--------------------------|--------------|
| | | | | | | | | Fishermen helpers (3) | |
| NOVA SCOTIA | 2007 | 3 537 | -1 | 10 551 | -1 | 145 | -3 | 14 233 | -1 |
| | 2008 | 3 503 | | 10 431 | | 141 | | 14 075 | |
| NEW BRUNSWICK | 2007 | 1 635 | -1 | 4 759 | -2 | 32 | -13 | 6 426 | -1 |
| | 2008 | 1 620 | | 4 683 | | 28 | | 6 331 | |
| PRINCE EDWARD ISLAND | 2007 | 1 319 | ° | 3 430 | -2 | 91 | -11 | 4 840 | -1 |
| | 2008 | 1 318 | | 3 373 | | 81 | | 4 772 | |
| NEWFOUNDLAND | 2007 | 4 059 | -2 | 841 | -2 | - | - | 4 900 | -2 |
| | 2008 | 3 987 | | 821 | | - | | 4 808 | |
| QUEBEC (2) | 2007 | 1 090 | -1 | 125 | -6 | 240 | -11 | 1 455 | -3 |
| | 2008 | 1 076 | | 118 | | 214 | | 1 408 | |
| TOTAL | 2007 | 11 640 | -1 | 19 706 | -1 | 508 | -9 | 31 854 | -1 |
| | 2008 | 11 504 | | 19 426 | | 464 | | 31 394 | |

(1) Refers to definitions of fishermen categories registered in the section "Symbols and definitions of terms used".

(2) These categories include active registered licence holders and non registered licence holders for Quebec Region.

(3) Data for Quebec Region does not include fishermen helpers.

TABLE 37

NUMBER OF COMMERCIAL FISHERMEN ON THE ATLANTIC COAST
IN 2007 AND 2008, BY ADMINISTRATIVE REGION AND FISHERMEN CATEGORY

(Preliminaries data)

CATEGORY (1)

| REGION | YEAR | Core | Var. | Non Core | Var. | Other | Var. | TOTAL | Var. | |
|--------------------------|------|--------|------|----------|------|-------|------|--------|------|--|
| | | | in % | and | in % | | in % | | in % | |
| Fishermen helpers (3) | | | | | | | | | | |
| | | | | | | | | | | |
| GULF | 2007 | 3 277 | ° | 8 569 | -2 | 268 | -7 | 12 114 | -1 | |
| | 2008 | 3 264 | | 8 431 | | 250 | | 11 945 | | |
| SCOTIA FUNDY | 2007 | 3 214 | | 10 171 | -1 | - | - | 13 385 | -1 | |
| | 2008 | 3 177 | | 10 056 | | - | | 13 233 | | |
| NEWFOUNDLAND | 2007 | 4 059 | | 841 | -2 | - | - | 4 900 | -2 | |
| | 2008 | 3 987 | | 821 | | - | | 4 808 | | |
| QUEBEC (2) | 2007 | 1 090 | | 125 | -6 | 240 | -11 | 1 455 | -3 | |
| | 2008 | 1 076 | | 118 | | 214 | | 1 408 | | |
| TOTAL | 2007 | 11 640 | | 19 706 | -1 | 508 | -9 | 31 854 | -1 | |
| | 2008 | 11 504 | | 19 426 | | 464 | | 31 394 | | |

(1) Refers to definitions of fishermen categories registered in the section "Symbols and definitions of terms used".

(2) These categories include active registered licence holders and non registered licence holders for Quebec Region.

(3) Data for Quebec Region does not include fishermen helpers.

TABLE 38

NUMBER OF VESSELS ON THE ATLANTIC COAST

IN 2007 AND 2008, BY PROVINCE AND LENGTH GROUP

(Preliminaries data)

LENGTH

| PROVINCE | YEAR | Under 35' | | 35' to 44'11" | | 45' to 64'11" | | 65' to 99'11" | | 100' and more | | TOTAL | Var. in % |
|----------------------|------|--------------|--------------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|--------------|--------|--------------|
| | | Under 35' | Var. in % | 35' to 44'11" | Var. in % | 45' to 64'11" | Var. in % | 65' to 99'11" | Var. in % | 100' and more | Var. in % | | |
| NOVA SCOTIA | 2007 | 2 009 | -3 | 2 354 | -2 | 147 | -6 | 21 | - | 35 | -11 | 4 566 | -2 |
| NOVA SCOTIA | 2008 | 1 949 | | 2 316 | | 138 | | 21 | | 31 | | 4 455 | |
| NEW BRUNSWICK | 2007 | 814 | -4 | 1 448 | -1 | 145 | -3 | 34 | - | 5 | - | 2 446 | -2 |
| NEW BRUNSWICK | 2008 | 783 | | 1 428 | | 140 | | 34 | | 5 | | 2 390 | |
| PRINCE EDWARD ISLAND | 2007 | 57 | -16 | 1 275 | -2 | 14 | - | - | - | - | - | 1 346 | -2 |
| PRINCE EDWARD ISLAND | 2008 | 48 | | 1 255 | | 14 | | - | - | - | - | 1 317 | |
| NEWFOUNDLAND | 2007 | 7 303 | - | 585 | - | 486 | - | 9 | - | 25 | - | 8 408 | - |
| NEWFOUNDLAND | 2008 | N/AV | | N/AV | | N/AV | | N/AV | | N/AV | | N/AV | |
| QUEBEC | 2007 | 665 | -4 | 517 | -2 | 192 | -6 | 15 | -33 | - | - | 1 389 | -4 |
| QUEBEC | 2008 | 638 | | 508 | | 181 | | 10 | | 2 | | 1 339 | |
| TOTAL | 2007 | 10 848 | -68 | 6 179 | -11 | 984 | -52 | 79 | -18 | 65 | -42 | 18 155 | -48 |
| TOTAL | 2008 | 3 418 | | 5 507 | | 473 | | 65 | | 38 | | 9 501 | |

TABLE 39

NUMBER OF VESSELS ON THE ATLANTIC COAST

IN 2007 AND 2008, BY ADMINISTRATIVE REGION AND LENGTH GROUP

(Preliminaries data)

LENGTH

| REGION | YEAR | LENGTH | | | | | | | | | | | | TOTAL | Var. in % |
|--------------|------|--------------|--------------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|--------------|--------|-----|-------|--------------|
| | | Under 35' | Var. in % | 35' to 44'11" | Var. in % | 45' to 64'11" | Var. in % | 65' to 99'11" | Var. in % | 100' and more | Var. in % | | | | |
| GULF | 2007 | 923 | -4 | 2 938 | -1 | 136 | -1 | 26 | -4 | 3 | - | 4 026 | -2 | | |
| | 2008 | 884 | | 2 900 | | 135 | | 25 | | 3 | | 3 947 | | | |
| SCOTIA FUNDY | 2007 | 1 957 | -3 | 2 139 | -2 | 170 | -8 | 29 | 3 | 37 | -11 | 4 332 | -3 | | |
| | 2008 | 1 896 | | 2 099 | | 157 | | 30 | | 33 | | 4 215 | | | |
| NEWFOUNDLAND | 2007 | 7 303 | - | 585 | - | 486 | - | 9 | - | 25 | - | 8 408 | - | | |
| | 2008 | N/AV | | N/AV | | N/AV | | N/AV | | N/AV | | N/AV | | | |
| QUEBEC | 2007 | 665 | -4 | 517 | -2 | 192 | -6 | 15 | -33 | - | - | 1 389 | -4 | | |
| | 2008 | 638 | | 508 | | 181 | | 10 | | 2 | | 1 339 | | | |
| TOTAL | 2007 | 10 848 | -68 | 6 179 | -11 | 984 | -52 | 79 | -18 | 65 | -42 | 18 155 | -48 | | |
| | 2008 | 3 418 | | 5 507 | | 473 | | 65 | | 38 | | 9 501 | | | |

TABLE 40

NUMBER OF COMMERCIAL FISHING LICENCES ISSUED IN 2007 AND 2008

ON THE ATLANTIC COAST, BY PROVINCE AND FOR SELECTED SPECIES

EXCLUDING SEAL FISHERY LICENCES

(Preliminaries data)

SPECIES

| PROVINCE | YEAR | SPECIES | | | | | | | | | | | | | TOTAL | Var. in % |
|----------------------|------|------------|--------------|---------|--------------|--------|--------------|-----------|--------------|---------|--------------|--------|--------------|---------|-------|--------------|
| | | Groundfish | Var. in % | Herring | Var. in % | Shrimp | Var. in % | Snow Crab | Var. in % | Lobster | Var. in % | Other | Var. in % | | | |
| NOVA SCOTIA | 2007 | 2 952 | -1 | 2 261 | ° | 59 | -2 | 429 | 2 | 3 599 | - | 23 532 | 1 | 32 832 | ° | |
| NOVA SCOTIA | 2008 | 2 933 | ° | 2 254 | ° | 58 | -3 | 438 | 1 | 3 599 | ° | 23 689 | ° | 32 971 | ° | |
| NEW BRUNSWICK | 2007 | 901 | ° | 1 607 | ° | 39 | -3 | 140 | 1 | 1 727 | ° | 10 851 | ° | 15 265 | ° | |
| NEW BRUNSWICK | 2008 | 899 | ° | 1 601 | ° | 38 | -3 | 141 | 1 | 1 725 | ° | 10 827 | ° | 15 231 | ° | |
| PRINCE EDWARD ISLAND | 2007 | 881 | ° | 870 | ° | 2 | - | 43 | 2 | 1 311 | ° | 12 464 | -1 | 15 571 | -1 | |
| PRINCE EDWARD ISLAND | 2008 | 884 | ° | 868 | ° | 2 | - | 44 | 2 | 1 310 | ° | 12 354 | ° | 15 462 | ° | |
| NEWFOUNDLAND | 2007 | 4 603 | -2 | 2 365 | -1 | 446 | -3 | 3 407 | -1 | 2 889 | -1 | 17 200 | -19 | 30 910 | -11 | |
| NEWFOUNDLAND | 2008 | 4 500 | ° | 2 336 | ° | 431 | ° | 3 358 | ° | 2 865 | ° | 13 939 | ° | 27 429 | ° | |
| QUEBEC | 2007 | 947 | -2 | 1 067 | -1 | 78 | 3 | 402 | 21 | 637 | -1 | 2 859 | -2 | 5 990 | ° | |
| QUEBEC | 2008 | 931 | ° | 1 051 | ° | 80 | ° | 486 | ° | 628 | ° | 2 797 | ° | 5 973 | ° | |
| TOTAL | 2007 | 10 284 | -1 | 8 170 | -1 | 624 | -2 | 4 421 | 1 | 10 163 | ° | 66 906 | -5 | 100 568 | -3 | |
| TOTAL | 2008 | 10 147 | ° | 8 110 | ° | 609 | ° | 4 467 | ° | 10 127 | ° | 63 606 | ° | 97 066 | ° | |

TABLE 41

NUMBER OF COMMERCIAL FISHING LICENCES ISSUED IN 2007 AND 2008

ON THE ATLANTIC COAST, BY ADMINISTRATIVE REGION AND FOR SELECTED SPECIES

EXCLUDING SEAL FISHERY LICENCES

(Preliminaries data)

SPECIES

| REGION | YEAR | :: | | Herring | Var. in % | Shrimp | Var. in % | Snow Crab | Var. in % | Lobster | Var. in % | Other | Var. in % | TOTAL | Var. in % |
|--------------|------|------------|-----------|---------|-----------|--------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|
| | | Groundfish | Var. in % | | | | | | | | | | | | |
| | | 1 885 | ° | 2 493 | ° | 33 | -3 | 410 | 3 | 3 337 | ° | 24 460 | -1 | 32 618 | ° |
| GULF | 2007 | 1 885 | ° | 2 493 | ° | 33 | -3 | 410 | 3 | 3 337 | ° | 24 460 | -1 | 32 618 | ° |
| | 2008 | 1 886 | ° | 2 489 | ° | 32 | 3 | 421 | 3 329 | 24 314 | 32 471 | ° | ° | ° | ° |
| SCOTIA FUNDY | 2007 | 2 849 | ° | 2 245 | ° | 67 | -1 | 202 | - | 3 300 | ° | 22 387 | 1 | 31 050 | ° |
| | 2008 | 2 830 | -1 | 2 234 | ° | 66 | -1 | 202 | - | 3 305 | ° | 22 556 | 1 | 31 193 | ° |
| | 2007 | 4 603 | ° | 2 365 | ° | 446 | -3 | 3 407 | -1 | 2 889 | -1 | 17 200 | -19 | 30 910 | -11 |
| | 2008 | 4 500 | -2 | 2 336 | -1 | 431 | -3 | 3 358 | -1 | 2 865 | -1 | 13 939 | -19 | 27 429 | ° |
| NEWFOUNDLAND | 2007 | 947 | ° | 1 067 | ° | 78 | 3 | 402 | 21 | 637 | -1 | 2 859 | -2 | 5 990 | ° |
| | 2008 | 931 | -2 | 1 051 | -1 | 80 | 3 | 486 | 21 | 628 | -1 | 2 797 | -2 | 5 973 | ° |
| | 2007 | 10 284 | ° | 8 170 | ° | 624 | -2 | 4 421 | 1 | 10 163 | ° | 66 906 | -5 | 100 568 | ° |
| | 2008 | 10 147 | -1 | 8 110 | -1 | 609 | -2 | 4 467 | 1 | 10 127 | ° | 63 606 | -5 | 97 066 | -3 |
| TOTAL | 2007 | 10 284 | ° | 8 170 | ° | 624 | -2 | 4 421 | 1 | 10 163 | ° | 66 906 | -5 | 100 568 | ° |
| | 2008 | 10 147 | -1 | 8 110 | -1 | 609 | -2 | 4 467 | 1 | 10 127 | ° | 63 606 | -5 | 97 066 | -3 |

***LANDINGS BY
DFO ADMINISTRATIVE
REGION***

TABLE 42
LANDINGS AND ASSOCIATED VALUES, BY ADMINISTRATIVE REGION IN 2007 (1)
(Including supplementary purchase slips)
(Quantity in rounded metric tons, live weight)
(Value in thousands of dollars)

| SPECIES | NEWFOUNDLAND | | SCOTIA FUNDY | | GULF | | QUEBEC | | ATLANTIC COAST | |
|---|----------------|----------------|----------------|----------------|----------------|----------------|---------------|----------------|----------------|------------------|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod..... | 17 786 | 25 536 | 5 746 | 11 953 | 628 | 855 | 2 492 | 3 143 | 26 652 | 41 487 |
| Haddock..... | 332 | 307 | 18 903 | 27 404 | 1 | 2 | - | - | 19 236 | 27 713 |
| Redfish..... | 2 496 | 1 398 | 6 592 | 4 641 | 42 | 41 | 85 | 60 | 9 215 | 6 140 |
| Atlantic Halibut..... | 292 | 1 756 | 1 409 | 14 778 | 81 | 592 | 238 | 1 455 | 2 021 | 18 581 |
| Flounders..... | 5 677 | 3 882 | 2 034 | 3 049 | 703 | 794 | 440 | 442 | 8 854 | 8 168 |
| Greenland Halibut..... | 9 834 | 24 543 | 723 | 1 769 | 111 | 237 | 3 029 | 5 641 | 13 698 | 32 190 |
| White Hake..... | 1 684 | 1 335 | 13 420 | 11 478 | 18 | 14 | 7 | 4 | 15 129 | 12 830 |
| Catfish..... | - | - | 73 | 36 | - | - | ° | ° | 73 | 36 |
| Other groundfish..... | 3 064 | 2 016 | 11 369 | 8 615 | 8 | 5 | 256 | 296 | 14 697 | 10 932 |
| Total groundfish..... | 41 167 | 60 774 | 60 269 | 83 722 | 1 592 | 2 540 | 6 547 | 11 040 | 109 575 | 158 077 |
| Herring..... | 22 660 | 4 505 | 92 704 | 20 154 | 48 148 | 10 848 | 3 522 | 1 016 | 167 034 | 36 525 |
| Mackerel..... | 44 583 | 12 756 | 2 362 | 888 | 3 968 | 2 774 | 1 750 | 882 | 52 663 | 17 300 |
| Bluefin Tuna..... | 14 | 98 | 715 | 8 090 | 212 | 2 741 | - | - | 941 | 10 930 |
| Eel..... | 66 | 750 | ° | ° | 170 | 1 001 | 65 | 369 | 300 | 2 120 |
| Smelt..... | - | - | - | - | 727 | 545 | 29 | 19 | 756 | 564 |
| Capelin..... | 36 051 | 9 665 | - | - | 430 | 69 | 1 118 | 327 | 37 599 | 10 061 |
| Other pelagic and estuarine species..... | 54 | 196 | 1 671 | 11 651 | 3 171 | 1 636 | 62 | 392 | 4 958 | 13 875 |
| Total pelagic and estuarine species..... | 103 428 | 27 971 | 97 452 | 40 783 | 56 826 | 19 614 | 6 544 | 3 005 | 264 250 | 91 374 |
| Quahog and Clams..... | 18 781 | 26 606 | 587 | 1 091 | 1 040 | 1 776 | 1 424 | 1 530 | 21 832 | 31 003 |
| Sea Scallop..... | 698 | 1 011 | 62 602 | 84 410 | 872 | 1 694 | 911 | 1 808 | 65 084 | 88 923 |
| Lobster..... | 2 566 | 32 010 | 21 331 | 289 345 | 16 344 | 196 855 | 3 485 | 47 646 | 43 726 | 565 855 |
| Shrimp..... | 130 387 | 183 500 | 28 954 | 44 299 | 8 486 | 8 096 | 18 147 | 18 162 | 185 974 | 254 057 |
| Snow Crab..... | 50 208 | 177 456 | 5 396 | 24 436 | 19 932 | 100 926 | 15 138 | 64 642 | 90 674 | 367 460 |
| Other molluscs and crustaceans..... | 6 150 | 5 741 | 3 918 | 4 195 | 8 499 | 11 444 | 3 481 | 3 187 | 22 048 | 24 566 |
| Total molluscs and crustaceans..... | 208 790 | 426 324 | 122 788 | 447 775 | 55 173 | 320 791 | 42 586 | 136 975 | 429 338 | 1 331 864 |
| Other items..... | 2 778 | 17 563 | 11 499 | 920 | - | - | 770 | 999 | 15 048 | 19 483 |
| Total..... | 356 163 | 532 633 | 292 009 | 573 201 | 113 591 | 342 945 | 56 447 | 152 018 | 818 211 | 1 600 797 |

(1) Moreover, the quantities and values presented in this table are preliminary.

TABLE 42

LANDINGS AND ASSOCIATED VALUES, BY ADMINISTRATIVE REGION IN 2008 (1)

(Including supplementary purchase slips)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | NEWFOUNDLAND Quantity | NEWFOUNDLAND Value | SCOTIA FUNDY Quantity | SCOTIA FUNDY Value | GULF Quantity | GULF Value | QUEBEC Quantity | QUEBEC Value | ATLANTIC COAST Quantity | ATLANTIC COAST Value |
|---|--------------------------|-----------------------|--------------------------|-----------------------|------------------|----------------|--------------------|-----------------|----------------------------|-------------------------|
| Cod..... | 17 594 | 28 275 | 6 216 | 12 797 | 559 | 753 | 2 455 | 3 119 | 26 825 | 44 943 |
| Haddock..... | 348 | 379 | 20 193 | 26 111 | 1 | 2 | ° | ° | 20 542 | 26 491 |
| Redfish..... | 1 493 | 692 | 5 965 | 4 091 | 78 | 74 | 294 | 241 | 7 829 | 5 098 |
| Atlantic Halibut..... | 503 | 3 020 | 1 239 | 12 767 | 59 | 423 | 292 | 1 762 | 2 092 | 17 972 |
| Flounders..... | 12 865 | 7 964 | 1 594 | 2 417 | 602 | 724 | 287 | 295 | 15 349 | 11 399 |
| Greenland Halibut..... | 8 832 | 17 413 | 356 | 783 | 37 | 75 | 2 945 | 5 786 | 12 171 | 24 057 |
| White Hake..... | 1 397 | 1 169 | 14 224 | 11 402 | 17 | 12 | 20 | 12 | 15 657 | 12 594 |
| Catfish..... | - | - | 35 | 15 | - | - | 3 | 1 | 38 | 16 |
| Other groundfish..... | 2 163 | 1 317 | 9 093 | 7 228 | 20 | 9 | 172 | 214 | 11 448 | 8 767 |
| Total groundfish..... | 45 195 | 60 228 | 58 914 | 77 610 | 1 373 | 2 071 | 6 469 | 11 429 | 111 951 | 151 338 |
| Herring..... | 28 355 | 5 285 | 65 960 | 13 220 | 41 850 | 10 581 | 2 880 | 959 | 139 044 | 30 045 |
| Mackerel..... | 23 032 | 6 251 | 1 176 | 909 | 3 028 | 2 163 | 1 863 | 1 021 | 29 100 | 10 344 |
| Bluefin Tuna..... | 1 | 2 | 652 | 10 792 | 263 | 5 237 | ° | 5 | 916 | 16 036 |
| Eel..... | 45 | 172 | ° | ° | 140 | 701 | 44 | 349 | 229 | 1 222 |
| Smelt..... | 4 | 4 | - | - | 546 | 357 | 161 | 106 | 711 | 468 |
| Capelin..... | 37 547 | 9 669 | - | - | 66 | 5 | 1 549 | 397 | 39 162 | 10 072 |
| Other pelagic and estuarian species..... | 38 | 154 | 1 618 | 8 912 | 3 465 | 1 881 | 49 | 155 | 5 171 | 11 103 |
| Total pelagic and estuarian species..... | 89 022 | 21 538 | 69 406 | 33 833 | 49 358 | 20 926 | 6 547 | 2 992 | 214 332 | 79 290 |
| Quahog and Clams..... | 19 336 | 27 609 | 608 | 974 | 1 143 | 1 784 | 1 304 | 1 432 | 22 391 | 31 799 |
| Sea Scallop..... | 448 | 763 | 65 315 | 88 457 | 906 | 1 809 | 873 | 1 546 | 67 542 | 92 575 |
| Lobster..... | 2 981 | 28 022 | 33 093 | 360 539 | 17 520 | 172 295 | 3 767 | 43 290 | 57 360 | 604 145 |
| Shrimp..... | 117 718 | 187 822 | 21 161 | 38 920 | 6 162 | 5 823 | 21 646 | 25 330 | 166 687 | 257 895 |
| Snow Crab..... | 52 748 | 179 513 | 8 869 | 40 622 | 18 526 | 85 597 | 13 724 | 51 365 | 93 867 | 357 098 |
| Other molluscs and crustaceans..... | 7 769 | 7 677 | 4 612 | 5 216 | 6 191 | 6 955 | 3 423 | 3 115 | 21 994 | 22 963 |
| Total molluscs and crustaceans..... | 201 000 | 431 406 | 133 658 | 534 728 | 50 447 | 274 263 | 44 737 | 126 077 | 429 842 | 1 366 474 |
| Other items..... | 2 443 | 14 316 | 11 460 | 884 | 1 156 | 264 | 460 | 805 | 15 519 | 16 268 |
| Total..... | 337 661 | 527 487 | 273 438 | 647 055 | 102 334 | 297 523 | 58 212 | 141 304 | 771 645 | 1 613 370 |

(1) Moreover, the quantities and values presented in this table are preliminary.

COMPARATIVE DATA
INSIDE AND OUTSIDE GULF

TABLE 43
LANDINGS AND ASSOCIATED VALUES INSIDE AND OUTSIDE GULF OF ST. LAWRENCE IN 2007
(Including supplementary purchase slips)
(Quantity in rounded metric tons, live weight)
(Value in thousands of dollars)

| SPECIES | INSIDE GULF | | OUTSIDE GULF | | ATLANTIC COAST | | % GULF/ATLANTIC | |
|---|----------------|----------------|----------------|------------------|----------------|------------------|-----------------|---------------|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod..... | 7 873 | 10 962 | 18 779 | 30 526 | 26 652 | 41 487 | 29.54 | 26.42 |
| Haddock..... | 3 | 4 | 19 233 | 27 709 | 19 236 | 27 713 | 0.02 | 0.01 |
| Redfish..... | 319 | 206 | 8 896 | 5 933 | 9 215 | 6 140 | 3.46 | 3.36 |
| Atlantic Halibut..... | 480 | 2 999 | 1 541 | 15 581 | 2 021 | 18 581 | 23.73 | 16.14 |
| Flounders..... | 1 786 | 1 782 | 7 068 | 6 386 | 8 854 | 8 168 | 20.17 | 21.82 |
| Greenland Halibut..... | 4 417 | 8 226 | 9 281 | 23 964 | 13 698 | 32 190 | 32.24 | 25.55 |
| White Hake..... | 68 | 52 | 15 060 | 12 778 | 15 129 | 12 830 | 0.45 | 0.41 |
| Catfish..... | - | - | 73 | 36 | 73 | 36 | - | - |
| Other groundfish..... | 455 | 374 | 14 242 | 10 558 | 14 697 | 10 932 | 3.09 | 3.42 |
| Total groundfish..... | 15 401 | 24 605 | 94 174 | 133 472 | 109 575 | 158 077 | 14.05 | 15.57 |
| Herring..... | 67 786 | 15 081 | 99 248 | 21 443 | 167 034 | 36 525 | 40.58 | 41.29 |
| Mackerel..... | 30 514 | 10 896 | 22 149 | 6 405 | 52 663 | 17 300 | 57.94 | 62.98 |
| Bluefin Tuna..... | 212 | 2 741 | 729 | 8 188 | 941 | 10 930 | 22.50 | 25.08 |
| Eel..... | 267 | 1 560 | 33 | 559 | 300 | 2 120 | 88.94 | 73.62 |
| Smelt..... | 756 | 564 | - | - | 756 | 564 | 100.00 | 100.00 |
| Capelin..... | 8 108 | 2 155 | 29 491 | 7 906 | 37 599 | 10 061 | 21.56 | 21.42 |
| Other pelagic and estuarine species..... | 3 235 | 2 030 | 1 723 | 11 845 | 4 958 | 13 875 | 65.25 | 14.63 |
| Total pelagic and estuarine species..... | 110 877 | 35 027 | 153 373 | 56 347 | 264 250 | 91 374 | 41.96 | 38.33 |
| Quahog and Clams..... | 2 464 | 3 306 | 19 368 | 27 697 | 21 832 | 31 003 | 11.29 | 10.66 |
| Sea Scallop..... | 2 067 | 3 893 | 63 017 | 85 030 | 65 084 | 88 923 | 3.18 | 4.38 |
| Lobster..... | 21 194 | 261 669 | 22 532 | 304 186 | 43 726 | 565 855 | 48.47 | 46.24 |
| Shrimp..... | 39 117 | 37 806 | 146 857 | 216 251 | 185 974 | 254 057 | 21.03 | 14.88 |
| Snow Crab..... | 35 632 | 167 554 | 55 042 | 199 907 | 90 674 | 367 460 | 39.30 | 45.60 |
| Other molluscs and crustaceans..... | 12 029 | 14 662 | 10 019 | 9 904 | 22 048 | 24 566 | 54.56 | 59.68 |
| Total molluscs and crustaceans..... | 112 502 | 488 889 | 316 836 | 842 975 | 429 338 | 1 331 864 | 26.20 | 36.71 |
| Other items..... | 898 | 1 417 | 14 150 | 18 066 | 15 048 | 19 483 | 5.97 | 7.27 |
| Total..... | 239 678 | 549 937 | 578 533 | 1 050 860 | 818 211 | 1 600 797 | 29.29 | 34.35 |

N.B. The quantities and values presented in this table are preliminary.

TABLE 43

LANDINGS AND ASSOCIATED VALUES INSIDE AND OUTSIDE GULF OF ST. LAWRENCE - 2008

(Including supplementary purchase slips)

(Quantity in rounded metric tons, live weight)

(Value in thousands of dollars)

| SPECIES | INSIDE GULF | | OUTSIDE GULF | | ATLANTIC COAST | | % GULF/ATLANTIC | |
|---|----------------|----------------|----------------|------------------|----------------|------------------|-----------------|--------------|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod..... | 7 672 | 11 415 | 19 152 | 33 529 | 26 825 | 44 943 | 28.60 | 25.40 |
| Haddock..... | 3 | 3 | 20 539 | 26 488 | 20 542 | 26 491 | 0.01 | 0.01 |
| Redfish..... | 525 | 407 | 7 304 | 4 692 | 7 829 | 5 098 | 6.71 | 7.97 |
| Atlantic Halibut..... | 611 | 3 758 | 1 481 | 14 214 | 2 092 | 17 972 | 29.20 | 20.91 |
| Flounders..... | 1 478 | 1 428 | 13 871 | 9 971 | 15 349 | 11 399 | 9.63 | 12.53 |
| Greenland Halibut..... | 4 205 | 8 270 | 7 966 | 15 786 | 12 171 | 24 057 | 34.55 | 34.38 |
| White Hake..... | 81 | 60 | 15 576 | 12 534 | 15 657 | 12 594 | 0.52 | 0.48 |
| Catfish..... | 3 | 1 | 35 | 15 | 38 | 16 | 8.90 | 7.24 |
| Other groundfish..... | 388 | 297 | 11 061 | 8 470 | 11 448 | 8 767 | 3.39 | 3.39 |
| Total groundfish..... | 14 966 | 25 638 | 96 985 | 125 699 | 111 951 | 151 338 | 13.37 | 16.94 |
| Herring..... | 65 509 | 15 418 | 73 535 | 14 627 | 139 044 | 30 045 | 47.11 | 51.32 |
| Mackerel..... | 18 639 | 6 915 | 10 461 | 3 429 | 29 100 | 10 344 | 64.05 | 66.85 |
| Bluefin Tuna..... | 264 | 5 244 | 652 | 10 792 | 916 | 16 036 | 28.78 | 32.70 |
| Eel..... | 210 | 1 142 | 20 | 80 | 229 | 1 222 | 91.49 | 93.47 |
| Smelt..... | 711 | 468 | - | - | 711 | 468 | 100.00 | 100.00 |
| Capelin..... | 10 277 | 2 667 | 28 885 | 7 405 | 39 162 | 10 072 | 26.24 | 26.48 |
| Other pelagic and estuarine species..... | 3 517 | 2 038 | 1 654 | 9 064 | 5 171 | 11 103 | 68.02 | 18.36 |
| Total pelagic and estuarine species..... | 99 126 | 33 893 | 115 207 | 45 396 | 214 332 | 79 290 | 46.25 | 42.75 |
| Quahog and Clams..... | 2 447 | 3 217 | 19 944 | 28 583 | 22 391 | 31 799 | 10.93 | 10.12 |
| Sea Scallop..... | 1 907 | 3 548 | 65 635 | 89 027 | 67 542 | 92 575 | 2.82 | 3.83 |
| Lobster..... | 22 884 | 230 883 | 34 477 | 373 262 | 57 360 | 604 145 | 39.89 | 38.22 |
| Shrimp..... | 38 458 | 43 025 | 128 229 | 214 870 | 166 687 | 257 895 | 23.07 | 16.68 |
| Snow Crab..... | 32 633 | 138 275 | 61 234 | 218 822 | 93 867 | 357 098 | 34.77 | 38.72 |
| Other molluscs and crustaceans..... | 9 705 | 10 132 | 12 289 | 12 831 | 21 994 | 22 963 | 44.13 | 44.12 |
| Total molluscs and crustaceans..... | 108 034 | 429 079 | 321 808 | 937 395 | 429 842 | 1 366 474 | 25.13 | 31.40 |
| Other items..... | 1 847 | 2 341 | 13 672 | 13 927 | 15 519 | 16 268 | 11.90 | 14.39 |
| Total..... | 223 973 | 490 952 | 547 672 | 1 122 417 | 771 645 | 1 613 370 | 29.03 | 30.43 |

N.B. The quantities and values presented in this table are preliminary.

***PRODUCTION AND
MANPOWER IN PLANT***

Plant production data

This section concerns fish and seafood processed in Quebec in 2007 and 2008. In this review, production refers to any processing by a plant or any sale of a product to a merchant who buys directly from fishermen. Most of the enterprises listed here are located in the Gaspé Peninsula, the Magdalen Islands or on the North Shore. Our data-collection network is concentrated in these three regions, although we did obtain information from a few firms in the Quebec City and Montreal areas.

The volume of the various products listed is based on information provided by each of the processing plants and merchants. Value is calculated on the basis of selling prices for each type of seafood. It is important to note that the tables shown in this section are not covering seal fishing data.

Some figures were adjusted if there were discrepancies with the rest of the available data. When making these adjustments, we used the following information as reference points: purchase value of raw material, value of same types of products when processed and, wherever possible, from the same geographic sector, the selling price of the preceding year taking into account variations in prices and inflation.

The data are given for the total of Quebec and by maritime sector. Note that for reasons of confidentiality, in some cases we have grouped a number of products together.

TABLE 44

QUEBEC PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|-----------------------|-----------------------|--------------|----------------|--------------|----------------|---------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| COD | | | | | | | |
| | Fresh | | | | | | |
| | Dressed Fillets | 37.5 53.5 | 139.2 585.5 | 31.3 63.1 | 187.1 676.0 | -16.5 17.9 | 34.4 15.5 |
| | Total | 91.0 | 724.7 | 94.4 | 863.1 | 3.7 | 19.1 |
| | Frozen | | | | | | |
| | Fillets | 119.9 | 1 201.8 | 105.3 | 708.6 | -12.2 | -41.0 |
| | Other | 22.4 | 32.1 | 67.7 | 122.1 | 202.2 | 280.4 |
| | Total | 142.3 | 1 233.9 | 173.0 | 830.7 | 21.6 | -32.7 |
| | Gaspe cured | | | | | | |
| | Hard dried | 130.7 | 2 324.7 | 106.2 | 2 306.9 | -18.7 | -0.8 |
| | Dried | 184.9 | 2 349.7 | 270.8 | 4 462.3 | 46.5 | 89.9 |
| | Total | 315.6 | 4 674.4 | 377.0 | 6 769.3 | 19.5 | 44.8 |
| | Heavy salted | | | | | | |
| | Total | 458.2 | 3 429.1 | 185.1 | 1 400.0 | -59.6 | -59.2 |
| | Other products | | | | | | |
| | Total | 42.2 | 204.7 | 50.4 | 361.5 | 19.4 | 76.6 |
| TOTAL: COD | | 1 049.3 | 10 266.8 | 880.0 | 10 224.5 | -16.1 | -0.4 |
| REDFISH | | | | | | | |
| | Fresh | | | | | | |
| | Fillets skin on | 0.5 | 3.4 | 1.1 | 4.9 | 120.0 | 44.1 |
| | Other | 18.2 | 35.8 | 69.6 | 81.5 | 282.4 | 127.7 |
| | Total | 18.7 | 39.1 | 70.6 | 86.4 | 277.5 | 121.0 |
| | Frozen | | | | | | |
| | Bait | 34.7 | 45.7 | 87.4 | 52.2 | 151.9 | 14.2 |
| | Fillets skin on | 0.9 | 6.2 | 69.1 | 324.4 | N/A | N/A |
| | Other | 42.8 | 60.8 | 0.8 | 3.3 | -98.1 | -94.6 |
| | Total | 78.4 | 112.8 | 157.3 | 379.9 | 100.6 | 236.8 |
| | Other products | | | | | | |
| | Total | - | - | ° | 1.4 | N/A | N/A |
| TOTAL: REDFISH | | 97.2 | 151.9 | 227.9 | 467.7 | 134.5 | 207.9 |

TABLE 44

QUEBEC PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|---------------------------------|---------|----------------|----------------|----------------|-----------------|--------------|-------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| ATLANTIC HALIBUT | | | | | | | |
| Fresh | Total | 93.9 | 1 086.3 | 138.4 | 1 787.0 | 47.4 | 64.5 |
| Frozen | Total | 32.2 | 317.6 | 33.6 | 482.2 | 4.3 | 51.8 |
| Other products | Total | - | - | 1.3 | 22.4 | N/A | N/A |
| TOTAL: ATLANTIC HALIBUT | | 126.1 | 1 403.9 | 173.2 | 2 291.5 | 37.4 | 63.2 |
| AMERICAN PLAICE | | | | | | | |
| Fresh | Round | 7.1 | 8.2 | 1.3 | 1.8 | -81.7 | -78.0 |
| | Fillets | 4.2 | 45.4 | 9.2 | 111.1 | 119.0 | 144.7 |
| | Other | 32.5 | 30.4 | 16.0 | 14.9 | -50.8 | -51.0 |
| | Total | 43.7 | 84.0 | 26.4 | 127.8 | -39.6 | 52.1 |
| Frozen | Fillets | 2.9 | 25.7 | 4.9 | 43.3 | 69.0 | 68.5 |
| | Other | 13.3 | 11.6 | 0.1 | 0.1 | -99.2 | -99.1 |
| | Total | 16.2 | 37.3 | 5.0 | 43.4 | -69.1 | 16.4 |
| TOTAL: AMERICAN PLAICE | | 60.0 | 121.3 | 31.4 | 171.1 | -47.7 | 41.1 |
| GREENLAND HALIBUT | | | | | | | |
| Fresh | Fillets | 342.2 | 3 057.0 | 618.0 | 5 000.4 | 80.6 | 63.6 |
| | Other | 150.8 | 561.4 | 159.8 | 572.1 | 6.0 | 1.9 |
| | Total | 493.0 | 3 618.4 | 777.8 | 5 572.5 | 57.8 | 54.0 |
| Frozen | Total | 871.6 | 5 522.4 | 805.6 | 4 785.2 | -7.6 | -13.3 |
| Other products | Total | 5.7 | 54.3 | 8.2 | 74.2 | 43.9 | 36.6 |
| TOTAL: GREENLAND HALIBUT | | 1 370.3 | 9 195.1 | 1 591.6 | 10 432.0 | 16.1 | 13.5 |

TABLE 44

QUEBEC PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|------------------------------------|---------|----------------|-----------------|----------------|-----------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| WHITE HAKE | | | | | | | |
| Fresh | Total | 1.6 | 3.7 | 2.6 | 10.1 | 62.5 | 173.0 |
| Frozen | Total | 0.3 | 1.8 | 4.2 | 17.4 | N/A | N/A |
| Other products | Total | 0.7 | 3.9 | 0.4 | 1.6 | -42.9 | -59.0 |
| TOTAL: WHITE HAKE | | 2.6 | 9.4 | 7.2 | 29.0 | 176.9 | 208.5 |
| OTHER GROUNDFISH | | | | | | | |
| Fresh | Total | 93.9 | 127.3 | 107.0 | 172.8 | 14.0 | 35.7 |
| Frozen | Total | 95.8 | 207.1 | 34.2 | 69.1 | -64.3 | -66.6 |
| Other products | Total | 38.6 | 132.8 | 9.8 | 87.7 | -74.6 | -34.0 |
| TOTAL: OTHER GROUNDFISH | | 228.3 | 467.2 | 151.0 | 329.6 | -33.9 | -29.5 |
| GRAND TOTAL: GROUNDFISH | | 2 933.7 | 21 615.7 | 3 062.4 | 23 945.5 | 4.4 | 10.8 |
| HERRING | | | | | | | |
| Fresh | Bait | 533.5 | 393.3 | 325.6 | 299.5 | -39.0 | -23.8 |
| | Other | 1 390.9 | 397.5 | 845.4 | 150.1 | -39.2 | -62.2 |
| | Total | 1 924.4 | 790.8 | 1 171.0 | 449.6 | -39.1 | -43.1 |
| Frozen | Bait | 1 629.5 | 1 079.2 | 1 008.8 | 841.6 | -38.1 | -22.0 |
| | Other | 500.2 | 1 194.5 | 161.8 | 738.7 | -67.7 | -38.2 |
| | Total | 2 129.7 | 2 273.7 | 1 170.5 | 1 580.4 | -45.0 | -30.5 |
| Other products | Total | 557.4 | 1 760.2 | 1 048.0 | 1 515.1 | 88.0 | -13.9 |
| TOTAL: HERRING | | 4 611.4 | 4 824.6 | 3 389.5 | 3 545.1 | -26.5 | -26.5 |

TABLE 44

QUEBEC PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|---|---------|----------------|----------------|----------------|----------------|-------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| MACKEREL | | | | | | | |
| Fresh | Total | 255.2 | 363.9 | 684.8 | 649.3 | 168.3 | 78.4 |
| Frozen | Bait | 735.1 | 844.6 | 278.6 | 305.8 | -62.1 | -63.8 |
| | Other | 440.8 | 494.4 | 641.0 | 829.7 | 45.4 | 67.8 |
| | Total | 1 175.9 | 1 339.0 | 919.6 | 1 135.4 | -21.8 | -15.2 |
| Other products | Total | 3.5 | 31.4 | 58.8 | 333.2 | N/A | N/A |
| TOTAL: MACKEREL | | 1 434.5 | 1 734.4 | 1 663.2 | 2 118.0 | 15.9 | 22.1 |
| OTHER PELAGIC AND ESTUARIAN SPECIES | | | | | | | |
| Fresh | Total | 224.7 | 512.8 | 207.9 | 462.9 | -7.5 | -9.7 |
| Frozen | Total | 301.1 | 267.2 | 684.2 | 153.7 | 127.2 | -42.5 |
| Other products | Total | 1.9 | 67.7 | 0.1 | 6.7 | -94.7 | -90.1 |
| TOTAL: OTHER PELAGIC AND ESTUARIAN SPECIES | | 527.7 | 847.7 | 892.2 | 623.3 | 69.1 | -26.5 |
| GRAND TOTAL: PELAGIC AND ESTUARIAN SPECIES | | 6 573.7 | 7 406.7 | 5 944.9 | 6 286.3 | -9.6 | -15.1 |

TABLE 44

QUEBEC PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|------------------------------------|---------|--------------|----------------|--------------|----------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| SOFT-SHELL CLAM | | | | | | | |
| Fresh | Total | 148.6 | 1 072.5 | 65.8 | 460.5 | -55.7 | -57.1 |
| Frozen | Total | 9.3 | 179.8 | 18.8 | 292.9 | 102.2 | 62.9 |
| TOTAL: SOFT-SHELL CLAM | | 157.9 | 1 252.3 | 84.6 | 753.4 | -46.4 | -39.8 |
| STIMPSON'S SURF CLAM | | | | | | | |
| Fresh | Total | 1.7 | 1.9 | - | - | -100.0 | -100.0 |
| Frozen | Total | 102.0 | 657.7 | 104.0 | 1 602.9 | 2.0 | 143.7 |
| Other products | Total | 2.3 | 65.8 | 1.5 | 14.5 | -34.8 | -78.0 |
| TOTAL: STIMPSON'S SURF CLAM | | 106.0 | 725.4 | 105.5 | 1 617.4 | -0.5 | 123.0 |
| SEA SCALLOP | | | | | | | |
| Fresh | Total | 56.3 | 1 051.6 | 65.8 | 1 119.9 | 16.9 | 6.5 |
| Frozen | Total | 53.8 | 924.6 | 32.4 | 207.2 | -39.8 | -77.6 |
| Other products | Total | - | - | 2.6 | 46.8 | N/A | N/A |
| TOTAL: SEA SCALLOP | | 110.1 | 1 976.2 | 100.8 | 1 373.8 | -8.4 | -30.5 |

TABLE 44

QUEBEC PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|-----------------------|---------|----------------|-----------------|----------------|-----------------|--------------|-------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| WHELK | | | | | | | |
| Fresh | Total | 604.4 | 1 142.0 | 498.9 | 2 033.7 | -17.5 | 78.1 |
| Frozen | Total | 294.5 | 1 677.9 | 330.8 | 1 816.3 | 12.3 | 8.2 |
| Other products | Total | 7.5 | 116.0 | 0.7 | 28.9 | -90.7 | -75.1 |
| TOTAL: WHELK | | 906.4 | 2 935.9 | 830.3 | 3 878.9 | -8.4 | 32.1 |
| LOBSTER | | | | | | | |
| Fresh | Round | 3 112.0 | 47 479.6 | 3 435.2 | 47 872.4 | 10.4 | 0.8 |
| | Other | 5.9 | 188.7 | 670.0 | 12 943.3 | N/A | N/A |
| | Total | 3 117.8 | 47 668.3 | 4 105.2 | 60 815.7 | 31.7 | 27.6 |
| Frozen | Total | 823.1 | 26 596.2 | 969.4 | 31 970.9 | 17.8 | 20.2 |
| Other products | Total | 3.5 | 190.5 | 8.3 | 621.2 | 137.1 | 226.1 |
| TOTAL: LOBSTER | | 3 944.4 | 74 454.9 | 5 082.8 | 93 407.8 | 28.9 | 25.5 |
| SHRIMP | | | | | | | |
| Fresh | Meat | 323.1 | 3 611.5 | 338.9 | 3 948.0 | 4.9 | 9.3 |
| | Other | 227.5 | 753.1 | 1 242.4 | 2 056.2 | 446.1 | 173.0 |
| | Total | 550.5 | 4 364.6 | 1 581.3 | 6 004.2 | 187.2 | 37.6 |
| Frozen | Meat | 4 955.2 | 43 063.6 | 5 400.1 | 50 270.0 | 9.0 | 16.7 |
| | Other | 71.7 | 408.1 | 77.6 | 373.8 | 8.2 | -8.4 |
| | Total | 5 026.8 | 43 471.7 | 5 477.7 | 50 643.8 | 9.0 | 16.5 |
| TOTAL: SHRIMP | | 5 577.4 | 47 836.3 | 7 059.0 | 56 648.0 | 26.6 | 18.4 |

TABLE 44

QUEBEC PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|--|-----------------------|----------|-----------|----------|-----------|-----------|-------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| SNOW CRAB | | | | | | | |
| | Fresh | | | | | | |
| | Round | 4 256.5 | 26 144.1 | 3 024.1 | 17 284.0 | -29.0 | -33.9 |
| | Claws and legs | 1 042.0 | 9 666.8 | 384.1 | 4 012.8 | -63.1 | -58.5 |
| | Other | 50.1 | 872.9 | 32.2 | 707.2 | -35.7 | -19.0 |
| | Total | 5 348.6 | 36 683.9 | 3 440.5 | 22 004.0 | -35.7 | -40.0 |
| | Frozen | | | | | | |
| | Round | 390.9 | 3 364.4 | 833.7 | 6 910.5 | 113.3 | 105.4 |
| | Claws and legs | 6 277.0 | 50 898.4 | 7 099.9 | 66 254.1 | 13.1 | 30.2 |
| | Other | 169.4 | 1 394.5 | 23.3 | 350.2 | -86.2 | -74.9 |
| | Total | 6 837.3 | 55 657.4 | 7 956.9 | 73 514.8 | 16.4 | 32.1 |
| | Other products | | | | | | |
| | Total | 1.6 | 72.0 | 1.6 | 76.1 | - | 5.7 |
| TOTAL: SNOW CRAB | | 12 187.5 | 92 413.2 | 11 399.0 | 95 595.0 | -6.5 | 3.4 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | |
| | Fresh | | | | | | |
| | Total | 1 029.6 | 1 914.6 | 2 576.1 | 11 087.7 | 150.2 | 479.1 |
| | Frozen | | | | | | |
| | Total | 322.1 | 2 626.6 | 215.4 | 2 455.2 | -33.1 | -6.5 |
| | Other products | | | | | | |
| | Total | 2.3 | 62.0 | 5.2 | 177.6 | 126.1 | 186.5 |
| TOTAL: OTHER MOLLUSCS AND CRUSTACEANS | | 1 354.0 | 4 603.2 | 2 796.7 | 13 720.4 | 106.6 | 198.1 |
| GRAND TOTAL: MOLLUSCS AND CRUSTACEANS | | 24 343.7 | 226 197.5 | 27 458.8 | 266 994.6 | 12.8 | 18.0 |
| OTHER ITEMS | Total | 4 639.1 | 34 554.9 | 4 340.7 | 39 132.5 | -6.4 | 13.2 |
| GRAND TOTAL: QUEBEC REGION | | 38 490.3 | 289 774.8 | 40 806.8 | 336 359.0 | 6.0 | 16.1 |

TABLE 45

GASPÉ PENINSULA PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|-----------------------|-----------------------|--------------|----------------|--------------|----------------|-------------|-------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| COD | | | | | | | |
| | Fresh | | | | | | |
| | Dressed | 19.3 | 94.9 | 2.0 | 7.4 | -89.6 | -92.2 |
| | Fillets | 39.9 | 402.1 | 60.7 | 567.3 | 52.1 | 41.1 |
| | Total | 59.2 | 497.0 | 62.7 | 574.7 | 5.9 | 15.6 |
| | Frozen | | | | | | |
| | Fillets | 21.9 | 210.5 | 31.0 | 327.2 | 41.6 | 55.4 |
| | Other | 19.6 | 19.0 | 56.9 | 18.6 | 190.3 | -2.1 |
| | Total | 41.6 | 229.6 | 87.9 | 345.8 | 111.3 | 50.6 |
| | Gaspe cured | | | | | | |
| | Hard dried | 130.7 | 2 324.7 | 106.1 | 2 305.1 | -18.8 | -0.8 |
| | Dried | 184.9 | 2 349.7 | 265.6 | 4 371.2 | 43.6 | 86.0 |
| | Total | 315.6 | 4 674.4 | 371.7 | 6 676.3 | 17.8 | 42.8 |
| | Heavy salted | | | | | | |
| | Total | 220.0 | 1 827.4 | 104.0 | 1 060.2 | -52.7 | -42.0 |
| | Other products | | | | | | |
| | Total | 1.6 | 32.2 | 1.8 | 33.2 | 12.5 | 3.1 |
| TOTAL: COD | | 638.0 | 7 260.6 | 628.1 | 8 690.2 | -1.6 | 19.7 |
| REDFISH | | | | | | | |
| | Fresh | | | | | | |
| | Total | 1.6 | 6.0 | 65.1 | 73.3 | N/A | N/A |
| | Frozen | | | | | | |
| | Fillets skin on | 0.9 | 6.2 | 8.8 | 77.3 | N/A | N/A |
| | Other | 2.9 | 8.1 | 0.8 | 3.3 | -72.4 | -59.3 |
| | Total | 3.8 | 14.3 | 9.6 | 80.6 | 152.6 | 463.6 |
| TOTAL: REDFISH | | 5.5 | 20.3 | 74.7 | 153.9 | N/A | N/A |

TABLE 45

GASPÉ PENINSULA PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|---------------------------------|---------|----------------|----------------|----------------|----------------|-------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| ATLANTIC HALIBUT | | | | | | | |
| Fresh | Total | 78.6 | 906.2 | 126.1 | 1 613.2 | 60.4 | 78.0 |
| Frozen | Total | 24.2 | 229.4 | 26.0 | 396.3 | 7.4 | 72.8 |
| TOTAL: ATLANTIC HALIBUT | | 102.8 | 1 135.5 | 152.1 | 2 009.5 | 48.0 | 77.0 |
| AMERICAN PLAICE | | | | | | | |
| Fresh | Round | 7.0 | 8.2 | 6.4 | 6.8 | -8.6 | -17.1 |
| | Fillets | 3.4 | 37.1 | 8.2 | 100.0 | 141.2 | 169.5 |
| | Other | 2.7 | 1.5 | - | - | -100.0 | -100.0 |
| | Total | 13.1 | 46.7 | 14.6 | 106.8 | 11.5 | 128.7 |
| Frozen | Total | 1.8 | 15.5 | 4.9 | 42.5 | 172.2 | 174.2 |
| TOTAL: AMERICAN PLAICE | | 14.9 | 62.3 | 19.4 | 149.3 | 30.2 | 139.6 |
| GREENLAND HALIBUT | | | | | | | |
| Fresh | Fillets | 341.4 | 3 044.2 | 617.7 | 4 995.7 | 80.9 | 64.1 |
| | Other | 87.9 | 289.7 | 158.6 | 569.4 | 80.4 | 96.5 |
| | Total | 429.3 | 3 333.9 | 776.4 | 5 565.1 | 80.9 | 66.9 |
| Frozen | Total | 616.3 | 3 844.0 | 501.5 | 3 154.8 | -18.6 | -17.9 |
| Other products | Total | 5.7 | 54.3 | 8.2 | 74.2 | 43.9 | 36.6 |
| TOTAL: GREENLAND HALIBUT | | 1 051.4 | 7 232.3 | 1 286.1 | 8 794.1 | 22.3 | 21.6 |

TABLE 45

GASPÉ PENINSULA PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|------------------------------------|---------|----------------|-----------------|----------------|-----------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| WHITE HAKE | | | | | | | |
| Fresh | Total | 0.6 | 1.6 | 2.4 | 7.3 | 300.0 | 356.3 |
| Frozen | Total | 0.3 | 1.8 | 1.7 | 6.1 | 466.7 | 238.9 |
| Other products | Total | 0.7 | 3.9 | 0.4 | 1.6 | -42.9 | -59.0 |
| TOTAL: WHITE HAKE | | 1.6 | 7.3 | 4.4 | 15.1 | 175.0 | 106.8 |
| OTHER GROUNDFISH | | | | | | | |
| Fresh | Total | 0.6 | 3.5 | 1.7 | 11.1 | 183.3 | 217.1 |
| Frozen | Total | 0.6 | 4.9 | 1.3 | 14.2 | 116.7 | 189.8 |
| Other products | Total | 38.6 | 132.8 | 9.8 | 87.7 | -74.6 | -34.0 |
| TOTAL: OTHER GROUNDFISH | | 39.8 | 141.2 | 12.7 | 113.0 | -68.1 | -20.0 |
| GRAND TOTAL: GROUNDFISH | | 1 853.9 | 15 859.5 | 2 177.6 | 19 925.1 | 17.5 | 25.6 |
| HERRING | | | | | | | |
| Fresh | Bait | 438.9 | 344.0 | 233.4 | 208.7 | -46.8 | -39.3 |
| | Other | 1 342.1 | 369.4 | 773.6 | 108.6 | -42.4 | -70.6 |
| | Total | 1 781.0 | 713.4 | 1 007.0 | 317.3 | -43.5 | -55.5 |
| Frozen | Bait | 1 353.4 | 841.7 | 905.1 | 758.1 | -33.1 | -9.9 |
| | Other | 500.2 | 1 194.5 | 104.8 | 728.7 | -79.0 | -39.0 |
| | Total | 1 853.6 | 2 036.1 | 1 010.0 | 1 486.8 | -45.5 | -27.0 |
| Other products | Total | 549.4 | 1 722.5 | 1 048.0 | 1 515.1 | 90.8 | -12.0 |
| TOTAL: HERRING | | 4 184.0 | 4 472.1 | 3 064.9 | 3 319.3 | -26.7 | -25.8 |

TABLE 45

GASPÉ PENINSULA PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|---|---------|----------------|----------------|----------------|----------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| MACKEREL | | | | | | | |
| Fresh | Total | 157.1 | 142.5 | 381.2 | 381.8 | 142.6 | 167.9 |
| Frozen | Bait | 485.7 | 470.9 | 186.7 | 187.0 | -61.6 | -60.3 |
| | Other | 145.6 | 201.4 | 468.0 | 608.6 | 221.4 | 202.2 |
| | Total | 631.4 | 672.3 | 654.7 | 795.6 | 3.7 | 18.3 |
| Other products | Total | - | - | 56.2 | 304.7 | N/A | N/A |
| TOTAL: MACKEREL | | 788.4 | 814.8 | 1 092.1 | 1 482.1 | 38.5 | 81.9 |
| OTHER PELAGIC AND ESTUARIAN SPECIES | | | | | | | |
| Fresh | Total | 1.6 | 12.9 | 0.5 | 2.5 | -68.8 | -80.6 |
| Frozen | Total | 0.2 | 1.9 | 0.2 | 2.9 | - | 52.6 |
| Other products | Total | 1.9 | 67.7 | - | - | -100.0 | -100.0 |
| TOTAL: OTHER PELAGIC AND ESTUARIAN SPECIES | | 3.7 | 82.5 | 0.6 | 5.4 | -83.8 | -93.5 |
| GRAND TOTAL: PELAGIC AND ESTUARIAN SPECIES | | 4 976.1 | 5 369.4 | 4 157.7 | 4 806.8 | -16.4 | -10.5 |
| SOFT-SHELL CLAM | | | | | | | |
| Fresh | Total | 1.6 | 5.4 | 4.1 | 22.4 | 156.3 | 314.8 |
| TOTAL: SOFT-SHELL CLAM | | 1.6 | 5.4 | 4.1 | 22.4 | 156.3 | 314.8 |

TABLE 45

GASPÉ PENINSULA PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|---------------------------|---------|----------------|-----------------|----------------|-----------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| SEA SCALLOP | | | | | | | |
| Fresh | Total | 5.2 | 126.3 | 18.6 | 188.1 | 257.7 | 48.9 |
| Frozen | Total | 1.9 | 58.9 | 0.9 | 36.5 | -52.6 | -38.0 |
| TOTAL: SEA SCALLOP | | 7.2 | 185.1 | 19.5 | 224.6 | 170.8 | 21.3 |
| WHELK | | | | | | | |
| Fresh | Total | 171.5 | 470.2 | 112.7 | 712.4 | -34.3 | 51.5 |
| TOTAL: WHELK | | 171.5 | 470.2 | 112.7 | 712.4 | -34.3 | 51.5 |
| LOBSTER | | | | | | | |
| Fresh | Round | 965.3 | 15 525.6 | 1 355.5 | 20 108.6 | 40.4 | 29.5 |
| | Other | 5.9 | 188.7 | 669.8 | 12 932.7 | N/A | N/A |
| | Total | 971.1 | 15 714.2 | 2 025.3 | 33 041.4 | 108.6 | 110.3 |
| Other products | Total | - | - | ° | 1.1 | N/A | N/A |
| TOTAL: LOBSTER | | 971.1 | 15 714.2 | 2 025.3 | 33 042.4 | 108.6 | 110.3 |
| SHRIMP | | | | | | | |
| Fresh | Meat | 317.7 | 3 541.3 | 331.9 | 3 832.0 | 4.5 | 8.2 |
| | Other | 103.7 | 159.5 | 48.8 | 176.6 | -52.9 | 10.7 |
| | Total | 421.4 | 3 700.8 | 380.7 | 4 008.6 | -9.7 | 8.3 |
| Frozen | Total | 4 597.6 | 39 812.6 | 4 831.8 | 45 053.0 | 5.1 | 13.2 |
| TOTAL: SHRIMP | | 5 019.0 | 43 513.4 | 5 212.5 | 49 061.6 | 3.9 | 12.8 |

TABLE 45

GASPÉ PENINSULA PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|--|----------------|----------|-----------|----------|-----------|-----------|-------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| SNOW CRAB | | | | | | | |
| | Fresh | | | | | | |
| | Round | 1 538.0 | 6 805.1 | 625.2 | 2 742.1 | -59.3 | -59.7 |
| | Claws and legs | 65.4 | 841.3 | 319.4 | 3 230.9 | 388.4 | 284.0 |
| | Other | 0.1 | 4.3 | 0.3 | 10.1 | 200.0 | 134.9 |
| | Total | 1 603.5 | 7 650.7 | 944.9 | 5 983.1 | -41.1 | -21.8 |
| | Frozen | | | | | | |
| | Round | 281.6 | 2 503.7 | 191.7 | 1 703.5 | -31.9 | -32.0 |
| | Claws and legs | 3 571.4 | 32 334.6 | 2 723.7 | 25 154.2 | -23.7 | -22.2 |
| | Other | 33.0 | 101.7 | 17.1 | 75.0 | -48.2 | -26.3 |
| | Total | 3 886.1 | 34 940.0 | 2 932.6 | 26 932.7 | -24.5 | -22.9 |
| TOTAL: SNOW CRAB | | 5 489.6 | 42 590.7 | 3 877.4 | 32 915.8 | -29.4 | -22.7 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | |
| | Fresh | | | | | | |
| | Total | 772.0 | 1 553.5 | 2 051.0 | 10 168.1 | 165.7 | N/A |
| | Frozen | | | | | | |
| | Total | - | - | 1.2 | 1.8 | N/A | N/A |
| TOTAL: OTHER MOLLUSCS AND CRUSTACEANS | | 772.0 | 1 553.5 | 2 052.2 | 10 169.9 | 165.8 | N/A |
| GRAND TOTAL: MOLLUSCS AND CRUSTACEANS | | 12 432.1 | 104 032.6 | 13 303.6 | 126 149.1 | 7.0 | 21.3 |
| OTHER ITEMS | | | | | | | |
| | Total | - | - | - | - | - | - |
| GRAND TOTAL: GASPÉ PENINSULA | | 19 262.1 | 125 261.5 | 19 638.9 | 150 880.9 | 2.0 | 20.5 |

TABLE 46

NORTH SHORE PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|---------------------------------|---------|--------------|----------------|--------------|----------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| COD | | | | | | | |
| Fresh | Fillets | 9.8 | 128.1 | 5.9 | 75.8 | -39.8 | -40.8 |
| | Other | 3.4 | 24.7 | 15.7 | 142.2 | 361.8 | 475.7 |
| | Total | 13.2 | 152.8 | 21.6 | 218.0 | 63.6 | 42.7 |
| Frozen | Total | 93.6 | 951.8 | 72.0 | 391.2 | -23.1 | -58.9 |
| Heavy salted | Total | 238.2 | 1 601.6 | 81.1 | 339.8 | -66.0 | -78.8 |
| Other products | Total | 40.6 | 172.5 | 47.8 | 405.3 | 17.7 | 135.0 |
| TOTAL: COD | | 385.7 | 2 878.7 | 222.5 | 1 354.3 | -42.3 | -53.0 |
| ATLANTIC HALIBUT | | | | | | | |
| Fresh | Total | 14.0 | 148.4 | 10.7 | 133.1 | -23.6 | -10.3 |
| Frozen | Total | 4.6 | 58.7 | 1.8 | 25.8 | -60.9 | -56.0 |
| Other products | Total | - | - | 1.3 | 22.4 | N/A | N/A |
| TOTAL: ATLANTIC HALIBUT | | 18.7 | 207.1 | 13.7 | 181.3 | -26.7 | -12.5 |
| AMERICAN PLAICE | | | | | | | |
| Fresh | Total | 0.4 | 4.2 | 0.8 | 7.9 | 100.0 | 88.1 |
| Frozen | Total | 0.5 | 4.7 | - | - | -100.0 | -100.0 |
| TOTAL: AMERICAN PLAICE | | 0.9 | 8.9 | 0.8 | 7.9 | -11.1 | -11.2 |
| GREENLAND HALIBUT | | | | | | | |
| Fresh | Total | 60.7 | 267.9 | 1.1 | 2.6 | -98.2 | -99.0 |
| Frozen | Total | 253.2 | 1 658.1 | 300.3 | 1 606.7 | 18.6 | -3.1 |
| TOTAL: GREENLAND HALIBUT | | 313.8 | 1 926.0 | 301.4 | 1 609.3 | -4.0 | -16.4 |

TABLE 46

NORTH SHORE PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|---|----------------|----------|---------|----------|---------|-----------|--------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| OTHER GROUNDFISH | | | | | | | |
| | Total | ° | ° | 0.8 | 4.9 | N/A | N/A |
| TOTAL: OTHER GROUNDFISH | | ° | ° | 0.8 | 4.9 | N/A | N/A |
| GRAND TOTAL: GROUNDFISH | | 719.1 | 5 020.7 | 539.2 | 3 157.6 | -25.0 | -37.1 |
| HERRING | | | | | | | |
| Fresh | Bait | 71.1 | 26.0 | 6.0 | ° | -91.6 | N/A |
| | Other | 2.7 | 6.0 | - | - | -100.0 | -100.0 |
| | Total | 73.9 | 32.0 | 6.0 | ° | -91.9 | N/A |
| Frozen | Bait | 58.5 | 42.1 | 30.1 | 18.4 | -48.5 | -56.3 |
| | Other | - | - | 56.9 | 10.0 | N/A | N/A |
| | Total | 58.5 | 42.1 | 87.1 | 28.5 | 48.9 | -32.3 |
| TOTAL: HERRING | | 132.3 | 74.1 | 93.0 | 28.5 | -29.7 | -61.5 |
| OTHER PELAGIC AND ESTUARIAN SPECIES | | | | | | | |
| Fresh | Total | 176.1 | 99.0 | 177.2 | 436.9 | 0.6 | 341.3 |
| | Frozen | 301.5 | 275.0 | 689.8 | 153.5 | 128.8 | -44.2 |
| | Other products | - | - | 0.2 | 7.1 | N/A | N/A |
| TOTAL: OTHER PELAGIC AND ESTUARIAN SPECIES | | 477.7 | 374.0 | 867.1 | 597.6 | 81.5 | 59.8 |
| GRAND TOTAL: PELAGIC AND ESTUARIAN SPECIES | | 610.0 | 448.1 | 960.2 | 626.1 | 57.4 | 39.7 |
| SOFT-SHELL CHAM | | | | | | | |
| Fresh | Total | 142.6 | 1 055.0 | 61.8 | 438.1 | -56.7 | -58.5 |
| | Frozen | 9.3 | 179.8 | 15.6 | 278.7 | 67.7 | 55.0 |
| TOTAL: SOFT-SHELL CLAM | | 151.9 | 1 234.9 | 77.3 | 716.8 | -49.1 | -42.0 |

TABLE 46

NORTH SHORE PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|------------------------------------|---------|--------------|----------------|--------------|----------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| STIMPSON'S SURF CLAM | | | | | | | |
| Fresh | Total | 1.7 | 1.9 | - | - | -100.0 | -100.0 |
| Frozen | Total | 102.0 | 657.7 | 104.0 | 1 602.9 | 2.0 | 143.7 |
| TOTAL: STIMPSON'S SURF CLAM | | 103.7 | 659.5 | 104.0 | 1 602.9 | 0.3 | 143.0 |
| SEA SCALLOP | | | | | | | |
| Fresh | Total | 43.8 | 744.5 | 24.7 | 485.9 | -43.6 | -34.7 |
| Frozen | Total | 25.2 | 197.0 | 22.7 | 22.5 | -9.9 | -88.6 |
| Other products | Total | - | - | 2.2 | 38.9 | N/A | N/A |
| TOTAL: SEA SCALLOP | | 69.0 | 941.5 | 49.6 | 547.3 | -28.1 | -41.9 |
| WHELK | | | | | | | |
| Fresh | Total | 314.4 | 378.5 | 277.4 | 990.9 | -11.8 | 161.8 |
| Frozen | Total | 153.7 | 1 180.1 | 110.3 | 1 146.4 | -28.2 | -2.9 |
| Other products | Total | 0.2 | 2.6 | 0.1 | 2.9 | -50.0 | 11.5 |
| TOTAL: WHELK | | 468.3 | 1 561.2 | 387.8 | 2 140.2 | -17.2 | 37.1 |
| LOBSTER | | | | | | | |
| Fresh | Total | 53.9 | 926.3 | 55.3 | 950.3 | 2.6 | 2.6 |
| Other products | Total | 6.1 | 113.7 | 4.4 | 81.6 | -27.9 | -28.2 |
| TOTAL: LOBSTER | | 60.0 | 1 040.0 | 59.7 | 1 031.8 | -0.5 | -0.8 |

TABLE 46

NORTH SHORE PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|--|----------------------------|--------------------------|------------------------------|-------------------------|----------------------------|-------------------------|------------------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| SHRIMP | | | | | | | |
| Fresh | Total | 60.6 | 594.3 | 83.4 | 591.6 | 37.6 | -0.5 |
| Frozen | Total | 429.2 | 3 659.2 | 645.9 | 5 590.8 | 50.5 | 52.8 |
| TOTAL: SHRIMP | | 489.8 | 4 253.4 | 729.3 | 6 182.4 | 48.9 | 45.4 |
| SNOW CRAB | | | | | | | |
| Fresh | Round Claws and legs Other | 2 629.0 972.1 39.0 | 18 692.9 8 685.6 724.2 | 2 143.4 28.0 32.0 | 13 233.1 376.4 697.1 | -18.5 -97.1 -17.9 | -29.2 -95.7 -3.7 |
| | Total | 3 640.0 | 28 102.7 | 2 203.4 | 14 306.6 | -39.5 | -49.1 |
| Frozen | Claws and legs Other | 1 319.4 1.3 | 12 017.2 50.2 | 3 083.3 79.6 | 28 594.4 862.0 | 133.7 N/A | 137.9 N/A |
| | Total | 1 320.7 | 12 067.5 | 3 162.9 | 29 456.4 | 139.5 | 144.1 |
| Other products | Total | 1.4 | 59.6 | 1.5 | 62.5 | 7.1 | 4.9 |
| TOTAL: SNOW CRAB | | 4 962.1 | 40 229.8 | 5 367.7 | 43 825.6 | 8.2 | 8.9 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Fresh | Total | 0.1 | 1.6 | 135.2 | 159.6 | N/A | N/A |
| Frozen | Total | 37.3 | 889.2 | 33.3 | 715.0 | -10.7 | -19.6 |
| TOTAL: OTHER MOLLUSCS AND CRUSTACEANS | | 37.4 | 890.7 | 168.5 | 874.5 | 350.5 | -1.8 |
| GRAND TOTAL: MOLLUSCS AND CRUSTACEANS | | 6 342.2 | 50 811.1 | 6 943.9 | 56 921.5 | 9.5 | 12.0 |
| OTHER ITEMS | Total | 343.1 | 535.0 | - | - | -100.0 | -100.0 |
| GRAND TOTAL: NORTH SHORE | | 8 014.3 | 56 814.8 | 8 443.2 | 60 705.2 | 5.4 | 6.8 |

TABLE 47

MAGDALEN ISLANDS PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|------------------------------------|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| COD | | | | | | | |
| Fresh | Total | 18.6 | 74.9 | 15.7 | 72.5 | -15.6 | -3.2 |
| Frozen | Total | 7.1 | 52.6 | 13.2 | 93.7 | 85.9 | 78.1 |
| Other products | Total | - | - | 0.6 | 13.8 | N/A | N/A |
| TOTAL: COD | | 25.7 | 127.5 | 29.4 | 180.0 | 14.4 | 41.2 |
| REDFISH | | | | | | | |
| Fresh | Total | 17.1 | 33.1 | 4.8 | 9.5 | -71.9 | -71.3 |
| Frozen | Bait | 34.7 | 45.7 | 87.4 | 52.2 | 151.9 | 14.2 |
| | Fillets skin on | - | - | 60.3 | 247.1 | N/A | N/A |
| | Other | 39.8 | 52.7 | - | - | -100.0 | -100.0 |
| | Total | 74.6 | 98.4 | 147.7 | 299.3 | 98.0 | 204.2 |
| TOTAL: REDFISH | | 91.7 | 131.6 | 152.4 | 308.8 | 66.2 | 134.7 |
| AMERICAN PLAICE | | | | | | | |
| Fresh | Total | 30.2 | 33.0 | 11.1 | 13.1 | -63.2 | -60.3 |
| Frozen | Total | 14.0 | 17.1 | 0.1 | 0.9 | -99.3 | -94.7 |
| TOTAL: AMERICAN PLAICE | | 44.2 | 50.0 | 11.2 | 14.0 | -74.7 | -72.0 |
| OTHER GROUNDFISH | | | | | | | |
| Fresh | Total | 96.1 | 162.9 | 107.5 | 210.0 | 11.9 | 28.9 |
| Frozen | Total | 100.6 | 252.1 | 45.0 | 150.0 | -55.3 | -40.5 |
| TOTAL: OTHER GROUNDFISH | | 196.8 | 415.0 | 152.5 | 360.0 | -22.5 | -13.3 |
| GRAND TOTAL: GROUNDFISH | | 358.3 | 724.1 | 345.6 | 862.8 | -3.5 | 19.2 |

TABLE 47

MAGDALEN ISLANDS PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|---|---------|--------------|----------------|--------------|--------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| HERRING | | | | | | | |
| Fresh | Total | 54.5 | 31.5 | 108.5 | 95.7 | 99.1 | 203.8 |
| Frozen | Total | 217.6 | 195.5 | 73.5 | 65.1 | -66.2 | -66.7 |
| Other products | Total | 8.0 | 37.6 | - | - | -100.0 | -100.0 |
| TOTAL: HERRING | | 280.1 | 264.6 | 182.0 | 160.8 | -35.0 | -39.2 |
| MACKEREL | | | | | | | |
| Fresh | Total | 77.2 | 212.2 | 302.1 | 254.8 | 291.3 | 20.1 |
| Frozen | Bait | 249.3 | 373.7 | 90.7 | 118.1 | -63.6 | -68.4 |
| | Other | 295.3 | 294.1 | 168.4 | 219.0 | -43.0 | -25.5 |
| | Total | 544.6 | 667.9 | 259.1 | 337.1 | -52.4 | -49.5 |
| Other products | Total | 3.4 | 30.2 | 2.6 | 28.0 | -23.5 | -7.3 |
| TOTAL: MACKEREL | | 625.2 | 910.3 | 563.7 | 619.8 | -9.8 | -31.9 |
| OTHER PELAGIC AND ESTUARIAN SPECIES | | | | | | | |
| Fresh | Total | 14.7 | 255.7 | 0.5 | 8.6 | -96.6 | -96.6 |
| TOTAL: OTHER PELAGIC AND ESTUARIAN SPECIES | | 14.7 | 255.7 | 0.5 | 8.6 | -96.6 | -96.6 |
| GRAND TOTAL: PELAGIC AND ESTUARIAN SPECIES | | 920.0 | 1 430.6 | 746.3 | 789.2 | -18.9 | -44.8 |
| STIMPSON'S SURF CLAM | | | | | | | |
| Other products | Total | 2.3 | 65.8 | 1.5 | 14.5 | -34.8 | -78.0 |
| TOTAL: STIMPSON'S SURF CLAM | | 2.3 | 65.8 | 1.5 | 14.5 | -34.8 | -78.0 |
| SEA SCALLOP | Total | 34.0 | 849.6 | 31.7 | 602.0 | -6.8 | -29.1 |
| TOTAL: SEA SCALLOP | | 34.0 | 849.6 | 31.7 | 602.0 | -6.8 | -29.1 |

TABLE 47

MAGDALEN ISLANDS PLANT PRODUCTION, 2007 AND 2008

BY SPECIES AND PRODUCT TYPES

(Quantity in rounded metric tons)

(Value in thousands of dollars)

| SPECIES | PRODUCT | 2007 | | 2008 | | Var. in % | |
|--|---------|----------------|-----------------|----------------|-----------------|--------------|--------------|
| | | Quantity | Value | Quantity | Value | Quantity | Value |
| WHELK | | | | | | | |
| Fresh | Total | 117.5 | 292.1 | 99.1 | 215.7 | -15.7 | -26.2 |
| Frozen | Total | 140.8 | 497.9 | 220.5 | 669.9 | 56.6 | 34.5 |
| Other products | Total | 0.4 | 19.0 | 0.6 | 26.0 | 50.0 | 36.8 |
| TOTAL: WHELK | | 258.8 | 809.0 | 320.2 | 911.6 | 23.7 | 12.7 |
| LOBSTER | | | | | | | |
| Fresh | Total | 2 092.8 | 31 027.7 | 2 024.6 | 26 824.0 | -3.3 | -13.5 |
| Frozen | Total | 817.2 | 26 498.6 | 964.9 | 31 888.2 | 18.1 | 20.3 |
| Other products | Total | 3.3 | 174.3 | 8.3 | 621.2 | 151.5 | 256.4 |
| TOTAL: LOBSTER | | 2 913.3 | 57 700.7 | 2 997.8 | 59 333.5 | 2.9 | 2.8 |
| SNOW CRAB | | | | | | | |
| Frozen | Total | 1 630.6 | 8 649.9 | 1 861.5 | 17 125.7 | 14.2 | 98.0 |
| Other products | Total | 0.3 | 14.0 | 225.6 | 1 387.5 | N/A | N/A |
| TOTAL: SNOW CRAB | | 1 630.9 | 8 663.9 | 2 087.1 | 18 513.2 | 28.0 | 113.7 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | |
| Frozen | Total | 284.8 | 1 737.4 | 184.1 | 1 752.6 | -35.4 | 0.9 |
| Other products | Total | 88.4 | 166.2 | 79.7 | 257.6 | -9.8 | 55.0 |
| TOTAL: OTHER MOLLUSCS AND CRUSTACEANS | | 373.2 | 1 903.6 | 263.8 | 2 010.2 | -29.3 | 5.6 |
| GRAND TOTAL: MOLLUSCS AND CRUSTACEANS | | 5 212.5 | 69 992.7 | 5 702.0 | 81 385.0 | 9.4 | 16.3 |
| GRAND TOTAL: MAGDALEN ISLANDS | | 6 490.8 | 72 147.4 | 6 793.9 | 83 037.0 | 4.7 | 15.1 |

Plant workforce data

The number of employees in the 2007-2008 statistical review represents the maximum number of people who worked in the same plant over the course of the year (the month with the highest number of employees was used as the yardstick). This method of accounting is based on the following definition of an employee: “An employee is any person working for a definite period for an employer operating an establishment that processes or deals in any seafood product.”

The annual employment survey of processing plants is the source of our information on employment. A few plants, however, provided us with employment information over the telephone. In a few rare cases, we made estimates, based on information gathered by DFO staff.

TABLE 48

**MANPOWER IN PLANT
IN 2007 AND 2008**

| SECTOR | YEAR | Maximum number of employees | Net change | Quantity produced in metric tons | Quantity produced in % of total |
|---|------|-----------------------------|------------|----------------------------------|---------------------------------|
| ST. LAWRENCE AND NON-MARITIME TERRITORY | 2007 | 192 | -9 | 4 722.9 | 12.27 |
| | 2008 | 183 | | 5 930.7 | 14.53 |
| NORTH SHORE | 2007 | 1 265 | -369 | 8 014.3 | 20.82 |
| | 2008 | 896 | | 8 443.2 | 20.69 |
| GASPÉ PENINSULA | 2007 | 2 252 | 154 | 19 262.1 | 50.04 |
| | 2008 | 2 406 | | 19 638.9 | 48.13 |
| MAGDALEN ISLANDS | 2007 | 1 083 | -52 | 6 490.8 | 16.86 |
| | 2008 | 1 031 | | 6 793.9 | 16.65 |
| TOTAL | 2007 | 4 792 | -276 | 38 490.2 | 100.00 |
| | 2008 | 4 516 | | 40 806.8 | 100.00 |

*QUEBEC EXPORTS AND
IMPORTS OF MARINE
PRODUCTS*

Table 49

QUEBEC EXPORTS OF MARINE PRODUCTS

| | 2007 | | 2008 | |
|---------------------------|------------------|--------------------|------------------|--------------------|
| | Quantity (MT) | Value ('000 \$) | Quantity (MT) | Value ('000 \$) |
| BY COUNTRY | | | | |
| United States | 21 062 | 175 425 | 18 777 | 179 101 |
| Europe | 4 587 | 21 960 | 5 512 | 29 166 |
| Japan | 482 | 3 900 | 398 | 3 143 |
| Central and South America | 3 633 | 15 044 | 3 409 | 15 198 |
| Other | 678 | 4 956 | 559 | 4 062 |
| Total | 30 443 | 221 285 | 28 655 | 230 669 |
| BY SPECIES | | | | |
| Groundfish | 3 214 | 18 653 | 4 465 | 21 274 |
| Pelagics | 1 341 | 3 726 | 1 630 | 5 718 |
| Crustaceans | 14 531 | 141 014 | 12 980 | 145 411 |
| Freshwater Fish | 76 | 372 | 101 | 563 |
| Other | 11 280 | 57 521 | 9 478 | 57 704 |
| Total | 30 443 | 221 285 | 28 655 | 230 669 |

Source : Statistiques Canada, Commerce international

Compilation : Policy and Economic Branch, DFO - Quebec Region

Table 50

QUEBEC IMPORTS OF MARINE PRODUCTS

| | 2007 | | 2008 | |
|-------------------|------------------|--------------------|------------------|--------------------|
| | Quantity (MT) | Value ('000 \$) | Quantity (MT) | Value ('000 \$) |
| BY COUNTRY | | | | |
| Thailand | 9 128 | 42 898 | 8 742 | 47 818 |
| United States | 7 231 | 49 230 | 7 990 | 53 759 |
| China | 12 951 | 61 714 | 11 256 | 56 138 |
| Chile | 5 601 | 47 191 | 5 538 | 48 226 |
| Other | 15 198 | 91 441 | 18 603 | 100 767 |
| Total | 50 109 | 292 474 | 52 130 | 306 708 |
| BY SPECIES | | | | |
| Groundfish | 7 027 | 27 580 | 6 572 | 28 005 |
| Pelagics | 10 577 | 49 290 | 10 604 | 53 424 |
| Crustaceans | 16 909 | 118 259 | 15 301 | 112 529 |
| Freshwater fish | 6 361 | 47 747 | 5 905 | 46 645 |
| Other | 9 236 | 49 598 | 13 748 | 66 106 |
| Total | 50 109 | 292 474 | 52 130 | 306 708 |

Source : Statistiques Canada, Commerce international

Compilation : Policy and Economic Branch, DFO - Quebec Region

APPENDICES


APPENDIX 1

Boundaries of Quebec maritime statistical districts

| <u>District</u> | <u>Geographic point</u> | <u>Landing point</u> |
|-----------------|---|---|
| 1 | Anse à Gilles to Pointe Rouge | Anse à Gilles to St-Roch-des-Aulnaies |
| 2 | Pointe Rouge to Notre-Dame du Portage | Ste-Anne de la Pocatière to St-André |
| 3 | Notre-Dame du Portage to Ste-Luce | Notre-Dame du Portage to Cap-à-l'Original |
| 4 | Ste-Flavie to eastern boundary of Matane County | Ste-Flavie to Petits Méchins |
| 5 | Cap-Chat to Duchesnay | Fonderie to Ruisseau Castor |
| 6 | Duchesnay to St-Hélier | Ruisseau à Rebours to Anse à Thibault |
| 7 | St-Hélier to Petite Rivière-au-Renard | Ruisseau à l'Ail to Petit Cap |
| 8 | Petite Rivière-au-Renard to Cap des Rosiers | Petite Rivière-au-Renard to Cap des Rosiers |
| 9 | Cap Gaspé to Pointe St-Pierre | Cap Gaspé to Pointe Navarre |
| 10 | Pointe St-Pierre to Brèche à Manon | Malbay to Weygand |
| 11 | Brèche à Manon to Pointe Maquereau | Brèche à Manon to Newport |
| 12 | Pointe Maquereau to New Carlisle | Pointe Maquereau to Cullens Brooks |
| 13 | New Carlisle to Rivière Grande-Cascapédia | New Carlisle to St-Siméon ouest |
| 14 | Rivière Grande-Cascapédia to Pointe Miguasha | Maria to Pointe Bourg |
| 15 | Pointe Miguasha to Rivière Restigouche | Miguasha to Matapedia |
| 16 | Cap Tourmente to Rivière Saguenay | Petite Rivière St-François to Cap-Brûlé |
| 17 | Rivière Saguenay to Bersimis | Tadoussac to Anse à Bouleau |
| 18 | Bersimis to Rivière Ste-Marguerite | Bersimis to Îles de May |
| 19 | Rivière Ste-Marguerite to Rivière Pigou | Sept-Îles to Maloténam |
| 20 | Rivière Pigou to Havre St-Pierre | Rivière aux Graines to Rivière Pigou |
| 21 | Havre St-Pierre to Rivière Kégaska | Havre St-Pierre to Pointe Parent |
| 22 | Rivière Kégaska to Baie des Moutons | Rivière Kégaska to Chevery |
| 23 | Baie des Moutons to Bonne Espérance | Baie des Moutons to Rivière St-Paul |
| 24 | Bonne Espérance to Blanc Sablon | Bonne Espérance to Îles Demoiselles |
| 25 | Île d'Anticosti | Anticosti |
| 26 | Îles-de-la-Madeleine, northern division | Havre-aux-Maisons to Lapointe |
| 27 | Île du Havre Aubert to l'Île d'Entrée | Havre Aubert to l'Île d'Entrée |
| 28 | Île de Cap-aux-Meules | Cap-aux-Meules to Cap Vert |

N.B. The geographic points that mark the boundaries of the statistical districts are shown here with the corresponding points of landing. There are thus two types of boundaries for each district.

Appendix 2



Bibliography

Bureau de la Statistique du Québec (BSQ). Statistiques mensuelles des débarquements et de la mise en marché du poisson. Direction des statistiques des entreprises, Ministère des Finances.

Statistical Coordinating Committee for the Atlantic Coast (STACAC). STACAC Standards Document No. 1, Glossary and Definitions for Catch and Effort, Licensing, Domestic Quota Monitoring Systems. Ottawa: Communications Directorate, Department of Fisheries and Oceans.

Statistical Coordinating Committee for the Atlantic Coast (STACAC). STACAC Standards Document No. 2, Standard Groundfish Conversion Factors. Ottawa: Communications Directorate, Department of Fisheries and Oceans.

Statistical Coordinating Committee for the Atlantic Coast (STACAC). An Integrated Statistical and Information System for the Atlantic Coast Fishery. Ottawa : Communications Directorate, Department of Fisheries and Oceans.

Department of Fisheries and Oceans, Weekly reports on Atlantic quotas, Ottawa : Fisheries Operations.

Department of Fisheries and Oceans, Regular reports from the statistical system, Statistics and Licensing Division, Regional Fisheries and Aquaculture Management Branch, Quebec Region.

Department of Fisheries and Oceans, Report produced by the Policy and Economics Branch, Quebec Region.

Change of address

Please, complete the present form and return to:

**Fisheries and Oceans Canada
Statistics and Licensing Division
104, Dalhousie, 3rd floor
Quebec (Quebec)
G1K 7Y7**

Name: _____

Organization: _____

Current address: _____

New address: _____

Effective Date: ____ / ____ / ____
D M Y