

Established Maximum Residue Limit

EMRL2011-29

Spiromesifen

(publié aussi en français)

16 May 2011

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications Pest Management Regulatory Agency Health Canada 2720 Riverside Drive A.L. 6604-E2 Ottawa, Ontario K1A 0K9 Internet: pmra.publications@hc-sc.gc.ca healthcanada.gc.ca/pmra Facsimile: 613-736-3758 Information Service: 1-800-267-6315 or 613-736-3799 pmra.infoserv@hc-sc.gc.ca



ISSN: 1925-0819 (print) 1925-0827 (online)

Catalogue number: H113-29/2011-29E (print version) H113-29/2011-29E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2011

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has established maximum residue limits (MRLs) for spiromesifen in or on beans to permit the import and sale of foods containing such residues.

Corresponding maximum residue limits (MRLs) were proposed in the consultation document published on 18 November 2010, Proposed Maximum Residue Limit PMRL2010-60, *Spiromesifen*. The PMRA received no comments in response to this consultation.

To comply with Canada's international trade obligations, consultation on the proposed MRLs was also conducted internationally by notifying the World Trade Organization, as coordinated by the Standards Council of Canada. No comments were received as a result of the World Trade Organization consultation.

The following MRLs take legal effect as of the publication date of this document and are in addition to the MRLs already established for spiromesifen.

Common Name	Residue Definition	MRL (ppm)	Food Commodity
Spiromesifen	2-oxo-3-(2,4,6- trimethylphenyl)-1- oxaspiro[4.4]non-3-en-4-yl 3,3-dimethylbutanoate, including the metabolite 4- hydroxy-3-(2,4,6- trimethylphenyl)-1- oxaspiro[4.4]non-3-en-2- one	0.8 0.1 0.02	Edible-podded jackbeans, edible-podded moth beans, edible-podded runner beans, edible-podded snap beans, edible-podded soybeans, edible-podded swordbeans, edible-podded wax beans, edible-podded yardlong beans Succulent shelled blackeyed peas, succulent shelled broad beans, succulent shelled cowpeas, succulent shelled lima beans, succulent shelled southern peas Dry adzuki beans, dry beans, dry blackeyed peas, dry broad beans, dry catjang seeds, dry chickpeas, dry cowpea seeds, dry guar seeds, dry kidney beans, dry lablab beans, dry lima beans, dry moth beans, dry mung beans, dry navy beans, dry pink beans, dry pinto beans, dry rice beans, dry urd beans, grain lupin

Established Maximum Residue Limits for Spiromesifen

A complete list of all pesticide MRLs established in Canada can be found on the Maximum Residue Limits for Pesticides webpage in the Pesticides and Pest Management section of Health Canada's website.