



Health  
Canada Santé  
Canada

*Your health and  
safety... our priority.*

*Votre santé et votre  
sécurité... notre priorité.*

Established Maximum Residue Limit

EMRL2011-58

# Tribenuron-methyl

*(publié aussi en français)*

**15 November 2011**

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications  
Pest Management Regulatory Agency  
Health Canada  
2720 Riverside Drive  
A.L. 6604-E2  
Ottawa, Ontario K1A 0K9

Internet: [pmra.publications@hc-sc.gc.ca](mailto:pmra.publications@hc-sc.gc.ca)  
[healthcanada.gc.ca/pmra](http://healthcanada.gc.ca/pmra)  
Facsimile: 613-736-3758  
Information Service:  
1-800-267-6315 or 613-736-3799  
[pmra.infoserv@hc-sc.gc.ca](mailto:pmra.infoserv@hc-sc.gc.ca)

Canada 

ISSN: 1925-0819 (print)  
1925-0827 (online)

Catalogue number: H113-29/2011-58E (print version)  
H113-29/2011-58E-PDF (PDF version)

**© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2011**

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has added new uses on tolerant sunflowers (for example, ExpressSun™ Sunflowers SU7) to the product label of Express SG Herbicide, containing technical grade tribenuron-methyl. The specific uses approved in Canada are detailed on the label of Express SG Herbicide, *Pest Control Products Act* Registration Number 28262.

A corresponding maximum residue limit (MRL) was proposed in the consultation document published on 23 June 2011, Proposed Maximum Residue Limit PMRL2011-01, *Tribenuron-methyl*. The PMRA received no comments in response to this consultation.

To comply with Canada's international trade obligations, consultation on the proposed MRLs was also conducted internationally by notifying the World Trade Organization, as coordinated by the Standards Council of Canada. Appendix I summarizes the comment received during the World Trade Organization consultation and provides the PMRA's response. The comment had no impact on the MRL for tribenuron-methyl which is established as proposed in PMRL2011-01.

The following MRL takes legal effect in Canada as of the publication date of this document and is in addition to the MRLs already established for tribenuron-methyl.

#### **Established Maximum Residue Limit for Tribenuron-methyl**

<b>Common Name</b>	<b>Residue Definition</b>	<b>MRL (ppm)</b>	<b>Food Commodity</b>
Tribenuron-methyl	methyl 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)methylamino]carbonyl]amino]sulfonyl]benzoate	0.05	Sunflower seeds

A complete list of all pesticide MRLs established in Canada can be found on the Maximum Residue Limits for Pesticides webpage in the Pesticides and Pest Management section of Health Canada's website.



## Appendix I

### **Comment received via the World Trade Organization consultation;**

A foreign authority noted that the MRL proposed for sunflower seeds (0.05 ppm) is stricter than the 0.1 ppm general or default MRL which was permitted prior to the proposed domestic MRL for tribenuron-methyl in or on sunflower seeds and requested scientific justification supporting the MRL.

### **PMRA Response**

Canada has been establishing MRLs below the 0.1 ppm general or default MRL for more than 10 years. In fact, 33% of all established Canadian MRLs are below 0.1 ppm.

Canada establishes domestic chemical/commodity MRLs based upon supporting residue trial data received by the PMRA and conducted in accordance with the Canadian label directions or at exaggerated rates.

Residue data submitted in support of the MRL recommended for tribenuron-methyl in or on sunflower seeds are summarized in the Evaluation Report referenced in PMRL2011-01. All submitted trials were conducted at exaggerated rates, at up to 24× the Canadian use pattern, and no quantifiable residues were observed in any of the trials. The limit of quantitation (LOQ) in the Canadian trials was 0.01 ppm while the LOQ in the American trials was 0.05 ppm, as differing analytical methodology was used. Therefore, the MRL was proposed at 0.05 ppm, the higher of the LOQ values.

The comment received had no impact on the MRL for tribenuron-methyl which is established as proposed in PMRL2011-01.