



Health
Canada Santé
Canada

Your health and
safety... our priority.

Votre santé et votre
sécurité... notre priorité.

Established Maximum Residue Limit

EMRL2011-67

Trifloxystrobin

(publié aussi en français)

28 November 2011

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6604-E2
Ottawa, Ontario K1A 0K9

Internet: pmra.publications@hc-sc.gc.ca
healthcanada.gc.ca/pmra
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
pmra.infoserv@hc-sc.gc.ca

Canada 

ISSN: 1925-0819 (print)
1925-0827 (online)

Catalogue number: H113-29/2011-67E (print version)
H113-29/2011-67E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2011

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has added new uses on soybeans to the product label of Stratego 250EC Fungicide, containing technical grade trifloxystrobin and propiconazole. The specific uses approved in Canada are detailed on the label of Stratego 250EC Fungicide, *Pest Control Products Act* Registration Number 27528.

A corresponding maximum residue limit (MRL) was proposed in the consultation document published on 29 June 2011, Proposed Maximum Residue Limit PMRL2011-16, *Trifloxystrobin*. The PMRA received no comments in response to this consultation.

To comply with Canada's international trade obligations, consultation on the proposed MRL was also conducted internationally by notifying the World Trade Organization, as coordinated by the Standards Council of Canada. No comments were received as a result of the World Trade Organization consultation.

The following MRL takes legal effect in Canada as of the publication date of this document and replaces the MRL previously established for trifloxystrobin.

Established Maximum Residue Limit for Trifloxystrobin

Common Name	Residue Definition*	MRL (ppm)	Food Commodity
Trifloxystrobin	methyl (α,E)- α -(methoxyimino)-2-[[[(<i>E</i>)-1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetate, including the metabolite (α,E)- α -(methoxyimino)-2-[[[(<i>E</i>)-1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetic acid, expressed as trifloxystrobin	0.08**	Dry soybeans

* The previous residue definition for dry soybeans reflected parent chemical only but is revised to include a metabolite in accordance with Table 1 above.

** The MRL replaces the previously established 0.02 ppm MRL for dry soybeans.

A complete list of all pesticide MRLs established in Canada can be found on the Maximum Residue Limits for Pesticides webpage in the Pesticides and Pest Management section of Health Canada's website.