



Risk Evaluation Determining Whether Environmental Emergency Planning is Required Under the
Environmental Emergency Regulations set under the Canadian Environmental Protection Act, 1999 (CEPA 1999)

**Dichloromethane (CAS #: 75-09-2)
(Methylene Chloride)**
(CEPA, 1999 – Schedule 1, #37)

Summary of Risk Evaluation Analysis

The Risk Evaluation Framework (REF), developed by Environment Canada, is applied to chemical substances in order to determine whether or not an environmental emergency (E2) plan should be required. For those substances that are evaluated as requiring an E2 plan, the next step is to determine a threshold quantity for the total quantity of the substance and the maximum storage container size on site. Within the REF, three categories are used to evaluate chemicals and assign threshold quantities. Shown below are the details within the three categories for *dichloromethane*:

1. Environment Hazard

(Persistence, Bioaccumulation and Aquatic Toxicity Analysis)

- *Dichloromethane* is classified as highly persistent (half-life greater than or equal to 2 days) in air (HSDB, 2004). It is also moderately persistent (half-life between 60 and 182 days) in water, (HSDB, 2004).
- *Dichloromethane* is practically non-bioaccumulative (Log Kow less than 2) (HSBD, 2004).
- For aquatic toxicity, it was determined that *dichloromethane* is practically non-toxic (LC₅₀ at 96 hrs greater than 100 mg/L) based on the most sensitive species, Fathead minnow (HSDB, 2004).

2. Human Hazard

(Inhalation Toxicity and Carcinogenicity Analysis)

- Since *dichloromethane* has a vapour pressure above 1.33 kPa at 20°C (EMD Chemicals Inc, 2011; Genium, 2003), there is sufficient vapour from the substance to cause an inhalation problem. There is an Immediately Dangerous to Life and Health (IDLH) value of 2300 ppm (NIOSH, 2005).
- *Dichloromethane* is categorized as a United States Environmental Protection Agency (US EPA) carcinogen with a classification rating of 'B2' (IRIS, 1987) and as an International Agency for Research on Cancer (IARC) carcinogen with a classification rating of 'B' (HSDB, 2004; IARC, 1999).

3. Physical Hazard

(Flammability and Combustibility Analysis)

- *Dichloromethane* is stable under normal storage conditions, and hazardous polymerization will not occur (Genium, 2003). National Fire Protection Association (NFPA) has rated this chemical as '0' for reactivity (NFPA, 2002).

Flammability and Combustibility Analysis Table

	Value	Vapour Cloud Explosion (Yes/No)	Combustible (Yes/No)	References
Boiling point (°C)	40	No	No	(Genium, 2003)
Flash point (°C)	Vapour can burn in air above 100			(HSDB, 2004; ChemInfo 1993)

Threshold

The data from the above mentioned categories were used to determine the various environmental/human thresholds. The threshold quantities relate to: carcinogenicity, aquatic toxicity, inhalation toxicity, vapour cloud explosion, combustibility, and reactivity.

The threshold quantity for carcinogenicity is defaulted to 0.22 tonnes, if it meets the following criteria:

- 1) have an IARC rating of 1, 2A or 2B, or have a US EPA rating of A, B1, or B2;
- 2) be persistent in any media for greater than 5 years.

Threshold quantities assigned as a result of aquatic toxicity are based on the following table:

Threshold Quantities Assigned as a Result of Aquatic Toxicity

Criteria	Extremely Toxic	Highly Toxic	Moderately Toxic	Slightly Toxic
Persistence (water)	≥ 6 months	≥ 2 months to < 6 months	N/A	N/A
Bioaccumulation	BCF ≥ 5000 or Log Kow ≥ 5	BCF ≥ 500 to < 5000 or Log Kow ≥ 4 to < 5 (unless BCF < 500)	N/A	N/A
Acute Aquatic Toxicity (96 hrs LC ₅₀ – mg/L)	≤ 0.1	> 0.1 to ≤ 1	> 1 to ≤ 10	> 10 to ≤ 100
Threshold Quantity Tonnes (lbs)	0.22 (500 lbs)	1.13 (2 500 lbs)	4.50 (10 000 lbs)	9.10 (20 000 lbs)

A substance is a candidate for a vapour cloud explosion if its flash point is < 23°C and its boiling point is < 35°C. A substance is considered combustible if its flash point is < 23°C or its boiling point is < 35°C. In accordance with the precautionary principle, the category with the lowest threshold will be used. For further explanation, please refer to the *Implementation Guidelines for Part 8 of the Canadian Environmental Protection Act, 1999 – Environmental Emergency Plans* (<http://www.ec.gc.ca/ee-ue/>).

Conclusion

For *dichloromethane* # 37, the E2 hazard threshold was triggered by:

- 1) Inhalation toxicity 9.10 tonnes.

Therefore, *dichloromethane* # 37 is recommended for addition to Schedule 1 of the *Environmental Emergency Regulations* under Part 2 with a threshold quantity of 9.10 tonnes.

References

- CheMInfo. *Methylene chloride*. Canadian Centre for Occupational Health and Safety. 1993. World Wide Web accessed October 2004.
<http://ccinfoweb.ccohs.ca/chempendium/search.html>
- EMD Chemicals Inc. "Material Safety Data Sheet-Dichloromethane". Product Code 1.06049. EMD Chemicals Inc. Gibbstown, NJ. 2011. World Wide Web accessed November 2011.
http://www.emdchemicals.com/pharmaceutical-ingredients/en_CA/Merck-US-Site/USD/ViewProductDocuments-File?ProductSKU=EMD_CHEM-1.06049&DocumentType=MSD&DocumentId=&DocumentSource=&Country=
- Genium. "Material Safety Data Sheet – Dichloromethane". Release 57. CD-ROM. Genium Publishing Corporation. 2003.
- HSDB (Hazardous Substances Data Bank) *Dichloromethane*. Canadian Centre for Occupational Health and Safety. U.S. National Library of Medicine. 2004. World Wide Web accessed October 2004.
<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- IARC (International Agency for Research on Cancer). *Dichloromethane*. World Health Organization. 1999. World Wide Web accessed October 2004.
<http://monographs.iarc.fr/ENG/Monographs/vol7/mono71-10.pdf>
- IRIS (Integrated Risk Information System). *Dichloromethane*. U.S. Environmental Protection Agency. 1987. World Wide Web accessed October 2004.
<http://www.epa.gov/iris/subst/0070.htm>
- NIOSH (National Institute for Occupational Safety and Health). *Methylene Chloride – IDLH Documentation*. 1996. World Wide Web accessed April 2005.
<http://www.cdc.gov/niosh/idlh/75092.html>
- NFPA (National Fire Protection Association). *Fire Protection Guide to Hazardous Materials*. 13th Edition. National Fire Protection Association. Quincy, MA. 2002. p 49-57.
- US DOE (United States Department of Energy). *Revision 20 of ERPGs and TEELs for Chemicals of Concern – Table 2*. Chemical Safety Program. 2004. World Wide Web accessed October 2004.
http://www.doeal.gov/SWEIS/DOEDocuments/061%2520ERPGs%2520and%2520TEELs%2520.pdf&sa=U&ei=xfW3To2sL4Xk0QHN7fjRBw&ved=0CBsQFjAC&usg=AFQjCNHClf2zhg4QJOABxBUg1_V7ITXY-Q

Cat. No.: En14-55/13-2011E-PDF
ISBN: 978-1-100-19702-9

For information regarding reproduction rights, please contact Public Works and Government Services Canada at 613-996-6886 or at droitdauteur.copyright@tpsgc-pwgsc.gc.ca

© Her Majesty the Queen in Right of Canada, represented by the Minister of the Environment, 2011

Aussi disponible en français