



## Risk Evaluation Determining Whether Environmental Emergency Planning is Required Under the *Environmental Emergency Regulations* set under the *Canadian Environmental Protection Act, 1999* (CEPA 1999)

This report is a consolidation of three substances listed under Schedule 1 of the *Environmental Emergency Regulations* set under CEPA, 1999. The substances inherent hazardous properties are virtually the same.

*p*-Nonylphenol (CAS #: 104-40-5)  
AND Nonylphenol (mixed isomer) (CAS #: 25154-52-3)  
AND 4-*tert*-nonylphenol (CAS #: 84852-15-3)  
(*Nonylphenol and its Ethoxylates*)  
(CEPA, 1999 – Schedule 1, #54)

### Summary of Risk Evaluation Analysis

The Risk Evaluation Framework (REF), developed by Environment Canada, is applied to chemical substances in order to determine whether or not an environmental emergency (E2) plan should be required. For those substances that are evaluated as requiring an E2 plan, the next step is to determine a threshold quantity for the total quantity of the substance and the maximum storage container size on site. Within the REF, three categories are used to evaluate chemicals and assign threshold quantities. Shown below are the details within the three categories for *nonylphenol*:

#### 1. Environment Hazard

---

##### (Persistence, Bioaccumulation and Aquatic Toxicity Analysis)

- *Nonylphenol* is classified as non-persistent (half-life less than 6 hrs) in air (Ahel *et al.*, 1994).
- According to the most sensitive species for bioaccumulation, fathead minnow, *nonylphenol* is slightly bioaccumulative (BCF is between 50 and 500) (Snyder *et al.*, 2001).

- For aquatic toxicity, it was determined that *nonylphenol* is highly toxic (LC<sub>50</sub> at 96 hrs between 0.1 and 1 mg/L) based on the most sensitive species, fathead minnow (Holcombe *et al.*, 1984).

## 2. Human Hazard

### (Inhalation Toxicity and Carcinogenicity Analysis)

- Since *nonylphenol* has a vapour pressure below 1.33 kPa at 20°C (HSDB, 2004), there is insufficient vapour from the substance to cause an inhalation problem.
- Nonylphenol* has currently not been evaluated for carcinogenicity (Genium, 2004).

## 3. Physical Hazard

### (Flammability and Combustibility Analysis)

- Nonylphenol* is stable under normal storage conditions, and hazardous polymerization will not occur (Genium, 2004). National Fire Protection Association (NFPA) has rated this chemical as "0" for reactivity (NFPA, 2002).

### Flammability and Combustibility Analysis Table

	Value	Vapour Cloud Explosion (Yes/No)	Combustible (Yes/No)	References
Boiling point (°C)	293-297	No	No	(HSDB, 2004)
Flash point (°C)	141 (cc)			(HSDB, 2004)

## Threshold

The data from the above mentioned categories were used to determine the various environmental/human thresholds. The threshold quantities relate to: carcinogenicity, aquatic toxicity, inhalation toxicity, vapour cloud explosion, combustibility, and reactivity.

The threshold quantity for carcinogenicity is defaulted to 0.22 tonnes, if it meets the following criteria:

- 1) have an IARC rating of 1, 2A or 2B, or have a US EPA rating of A, B1, or B2;
- 2) be persistent in any media for greater than 5 years.

Threshold quantities assigned as a result of aquatic toxicity are based on the following table:

p-Nonylphenol (CAS #: 104-40-5)  
 AND Nonylphenol (mixed isomer) (CAS #: 25154-52-3)  
 AND 4-tert-nonylphenol (CAS #: 84852-15-3)  
 (CEPA, 1999 – Schedule 1, #54)

### Threshold Quantities Assigned as a Result of Aquatic Toxicity

Criteria	Extremely Toxic	Highly Toxic	Moderately Toxic	Slightly Toxic
Persistence (water)	≥ 6 months	≥ 2 months to < 6 months	N/A	N/A
Bioaccumulation	BCF ≥ 5000 or Log Kow ≥ 5	BCF ≥ 500 to < 5000 or Log Kow ≥ 4 to < 5 (unless BCF < 500)	N/A	N/A
Acute Aquatic Toxicity (96 hrs LC <sub>50</sub> – mg/L)	≤ 0.1	> 0.1 to ≤ 1	> 1 to ≤ 10	> 10 to ≤ 100
Threshold Quantity Tonnes (lbs)	0.22 (500 lbs)	1.13 (2 500 lbs)	4.50 (10 000 lbs)	9.10 (20 000 lbs)

A substance is a candidate for a vapour cloud explosion if its flash point is < 23°C and its boiling point is < 35°C. A substance is considered combustible if its flash point is < 23°C or its boiling point is < 35°C. In accordance with the precautionary principle, the category with the lowest threshold will be used. For further explanation, please refer to the *Implementation Guidelines for Part 8 of the Canadian Environmental Protection Act, 1999 – Environmental Emergency Plans* (<http://www.ec.gc.ca/ee-ue/>).

### Conclusion

For *nonylphenol* # 54, the E2 hazard threshold was triggered by:

1) Aquatic toxicity at 1.13 tonnes.

Therefore, *nonylphenol* # 54 is recommended for addition to Schedule 1 of the *Environmental Emergency Regulations* under Part 3 with a threshold quantity of 1.13 tonnes.

p-Nonylphenol (CAS #: 104-40-5)  
 AND Nonylphenol (mixed isomer) (CAS #: 25154-52-3)  
 AND 4-tert-nonylphenol (CAS #: 84852-15-3)  
 (CEPA, 1999 – Schedule 1, #54)

## References

Ahel M., F.E. Scully jr., J. Hoigne and W. Giger. "Photochemical degradation of nonylphenol and nonylphenol polyethoxylates in natural waters". 1994. *Chemosphere* 28: 1361-1368.

Genium. "Material Safety Data Sheet – Nonylphenol". Release 58. CD-ROM. Genium Publishing Corp. Schenectady, NY. 2004.

Holcombe, G.W., G.L. Phipps, M.L. Knuth, and T. Felhaber. "The Acute Toxicity of Selected Substituted Phenols, Benzenes and Benzoic Acid Esters to Fathead Minnows *Pimephales promelas*". 1984. *Environmental Pollution – Series A: Ecological and Biological*. 35(4):367-381.

HSDB (Hazardous Substances Data Bank). *Nonylphenol*. Canadian Centre for Occupational Health and Safety. U.S. National Library of Medicine. 2004. World Wide Web accessed October 2004. <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>

NFPA (National Fire Protection Association). *Fire Protection Guide to Hazardous Materials*. 13<sup>th</sup> Edition. National Fire Protection Association. Quincy, MA. 2002. p. 325-93.

Snyder, S.A., T.L. Keith, S.L. Pierens, E.M. Snyder and J.P. Giesy. "Bioconcentration of nonylphenol in fathead minnow (*Pimephales promelas*)". 2001. *Chemosphere*. 44: 1697-1702.

Cat. No.: En14-55/22-2011E-PDF  
ISBN: 978-1-100-19711-1

For information regarding reproduction rights, please contact Public Works and Government Services Canada at 613-996-6886 or at [droitdauteur.copyright@tpsgc-pwgsc.gc.ca](mailto:droitdauteur.copyright@tpsgc-pwgsc.gc.ca)

© Her Majesty the Queen in Right of Canada, represented by the Minister of the Environment, 2011

Aussi disponible en français

p-Nonylphenol (CAS #: 104-40-5)  
AND Nonylphenol (mixed isomer) (CAS #: 25154-52-3)  
AND 4-tert-nonylphenol (CAS #: 84852-15-3)  
(CEPA, 1999 – Schedule 1, #54)