



Risk Evaluation Determining Whether Environmental Emergency Planning is Required Under the *Environmental Emergency Regulations* set under the *Canadian Environmental Protection Act, 1999* (CEPA 1999)

Arsenic Pentoxide (CAS #: 1303-28-2)
(Inorganic Arsenic Compounds)
(CEPA 1999 – Schedule 1, #28)

Summary of Risk Evaluation Analysis

The Risk Evaluation Framework (REF), developed by Environment Canada, is applied to chemical substances in order to determine whether or not an environmental emergency (E2) plan should be required. For those substances that are evaluated as requiring an E2 plan, the next step is to determine a threshold quantity for the total quantity of the substance and the maximum storage container size on site. Within the REF, three categories are used to evaluate chemicals and assign threshold quantities. Shown below are the details within the three categories for *arsenic pentoxide*:

1. Environment Hazard

(Persistence, Bioaccumulation and Aquatic Toxicity Analysis)

- According to Mackay *et al.* (2003), nickel, chromium, arsenic and cadmium are classified as indefinitely persistent. As a result, *arsenic pentoxide* is also classified as indefinitely persistent in the environment.
- According to the most sensitive species for bioaccumulation, fathead minnow, *arsenic pentoxide* is practically non-bioaccumulative (BCF less than 50) (De Foe, 1982).
- For aquatic toxicity, it was determined that *arsenic pentoxide* is slightly toxic (LC₅₀ at 96 hrs between 10 and 100 mg/L) based on the most sensitive species, striped bass (Palawski *et al.*, 1985).

2. Human Hazard

(Inhalation Toxicity and Carcinogenicity Analysis)

- Since *arsenic pentoxide* is a solid (Lewis, 2000; HSDB, 2004; ATSDR, 2000) and it has vapour pressure below 1.33 kPa at 20°C, there is insufficient vapour from the substance to cause an inhalation problem.
- *Arsenic pentoxide* is categorized as a United States Environmental Protection Agency (US EPA) carcinogen with a classification rating of 'A' (HSDB, 2004) and as an International Agency for Research on Cancer (IARC) carcinogen with a classification rating of '1' (IARC, 1987).

3. Physical Hazard

(Flammability and Combustibility Analysis)

- *Arsenic pentoxide* is stable at room temperature in closed containers under normal storage and handling conditions. It is thermally unstable and gradually deliquesces on exposure to air. Hazardous polymerization does not occur. *Arsenic pentoxide* has a reactivity rating of '0' according to the Fire Diamond (Genium, 2004).

Flammability and Combustibility Analysis table

	Value	Vapour Cloud Explosion (Yes/No)	Combustible (Yes/No)	References
Boiling point (°C)	Decomposes	No	No	(Genium, 2004)
Flash point (°C)	Non-combustible			(Genium, 2004)

Threshold

The data from the above mentioned categories were used to determine the various environmental/human thresholds. The threshold quantities relate to: carcinogenicity, aquatic toxicity, inhalation toxicity, vapour cloud explosion, combustibility, and reactivity.

The threshold quantity for carcinogenicity is defaulted to 0.22 tonnes, if it meets the following criteria:

- 1) have an IARC rating of 1, 2A or 2B, or have a US EPA rating of A, B1, or B2;
- 2) be persistent in any media for greater than 5 years.

Threshold quantities assigned as a result of aquatic toxicity are based on the following table:

Threshold Quantities Assigned as a Result of Aquatic Toxicity

Criteria	Extremely Toxic	Highly Toxic	Moderately Toxic	Slightly Toxic
Persistence (water)	≥ 6 months	≥ 2 months to < 6 months	N/A	N/A
Bioaccumulation	BCF ≥ 5000 or Log Kow ≥ 5	BCF ≥ 500 to < 5000 or Log Kow ≥ 4 to < 5 (unless BCF < 500)	N/A	N/A
Acute Aquatic Toxicity (96 hrs LC ₅₀ – mg/L)	≤ 0.1	> 0.1 to ≤ 1	> 1 to ≤ 10	> 10 to ≤ 100
Threshold Quantity Tonnes (lbs)	0.22 (500 lbs)	1.13 (2 500 lbs)	4.50 (10 000 lbs)	9.10 (20 000 lbs)

A substance is a candidate for a vapour cloud explosion if its flash point is $< 23^{\circ}\text{C}$ and its boiling point is $< 35^{\circ}\text{C}$. A substance is considered combustible if its flash point is $< 23^{\circ}\text{C}$ or its boiling point is $< 35^{\circ}\text{C}$. In accordance with the precautionary principle, the category with the lowest threshold will be used. For further explanation, please refer to the *Implementation Guidelines for Part 8 of the Canadian Environmental Protection Act, 1999 – Environmental Emergency Plans* (<http://www.ec.gc.ca/ee-ue/>).

Conclusion

For *arsenic pentoxide* # 28, the E2 hazard threshold was triggered by:

- 1) Aquatic toxicity at 0.22 tonnes;
- 2) Carcinogenicity at 0.22 tonnes.

Therefore, *arsenic pentoxide* # 28 is recommended for addition to Schedule 1 of the *Environmental Emergency Regulations* under Part 3 with a threshold quantity of 0.22 tonnes.

References

ATSDR (Agency for Toxic Substances and Disease Registry). *Toxicological Profile for Arsenic*. Centre for Disease Control. PB/2000/108021. 2000. World Wide Web accessed October 2004.
<http://www.atsdr.cdc.gov/toxprofiles/tp2.pdf>

De Foe, D.L. "Arsenic (V) Test Results". 1982. U.S. Environmental Protection Agency, Duluth, MN. (Memo to R.L. Spehar, U.S. EPA, Duluth, MN). via Ecotox.

Ecotox. *ECOTOX: Ecotoxicology Database*. Office of Research and Development (ORD), and the National Health and Environmental Effects Research Laboratory's (NHEERL's) Mid-Continent Ecology Division. U.S. Environmental Protection Agency. Last modified February 2004. World Wide Web accessed October 2004.
<http://www.epa.gov/ecotox/>

Genium. "Material Safety Data Sheet – Arsenic Pentoxide." Release 58. CD-ROM. Genium Publishing Corporation. Schenectady, NY. 2004.

HSDB (Hazardous Substances Data Bank). *Arsenic Pentoxide*. Canadian Centre for Occupational Health and Safety. 2004. World Wide Web accessed October 2004.
<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>

IARC (International Agency for Research on Cancer). *Arsenic and Arsenic Compounds*. 1987. World Health Organization. World Wide Web accessed October 2004.
<http://www-cie.iarc.fr/htdocs/monographs/suppl7/arsenic.html>

Lewis Sr., R.J. *Sax's Dangerous Properties of Industrial Materials*. 10th Edition. Van Nostrand Reinhold. New York, NY. 2000. Volume 2. p.306.

Mackay, D., E. Webster, D. Woodfine, T.M. Cahill, P. Doyle, Y. Couillard, and D. Gutzman. "Contributed Articles Towards Consistent Evaluation of the Persistence of Organic, Inorganic and Metallic Substances." 2003. ASP. Canadian Environmental Modelling Centre and Environment Canada. *Human and Ecological Risk Assessment*. 9: 1445-1474. ISSN: 1080-7039.

Palawski, D., J.B. Hunn, and F.J. Dwyer. "Sensitivity of Young Striped Bass to Organic and Inorganic Contaminants in Fresh and Saline Water". 1985. *Waters Trans. Am. Fish. Soc.* 114: 748-753.

Cat. No.: En14-55/6-2011E-PDF
ISBN: 978-1-100-19695-4

For information regarding reproduction rights, please contact Public Works and Government Services Canada at 613-996-6886 or at droitdauteur.copyright@tpsgc-pwgsc.gc.ca

© Her Majesty the Queen in Right of Canada, represented by the Minister of the Environment, 2011

Aussi disponible en français