Established Maximum Residue Limit EMRL2012-22

# Iprodione

*(publié aussi en français)*

**30 May 2012**

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6604-E2
Ottawa, Ontario K1A 0K9

Internet: pmra.publications@hc-sc.gc.ca
healthcanada.gc.ca/pmra
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
pmra.infoserv@hc-sc.gc.ca

Canada

ISSN: 1925-0819 (print)
1925-0827 (online)

Catalogue number: H113-29/2012-22E (print version)
H113-29/2012-22E-PDF (PDF version)

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has established maximum residue limits (MRLs) for iprodione in or on caneberries (Crop Subgroup 13-07A), almonds, beans, cotton seeds, dry bulb onions, ginseng, lettuce and mustard greens to permit the import and sale of foods containing such residues.

Corresponding MRLs were proposed in the consultation document published on 8 December 2011, Proposed Maximum Residue Limit PMRL2011-48, *Iprodione*. The PMRA received no comments in response to this consultation.

To comply with Canada's international trade obligations, consultation on the proposed MRLs was also conducted internationally by notifying the World Trade Organization, as coordinated by the Standards Council of Canada. No comments were received as a result of the World Trade Organization consultation impacting the proposed MRLs.

The following MRLs take legal effect in Canada as of the publication date of this document and either replace or are in addition to MRLs currently established for iprodione.

**Established Maximum Residue Limits for Iprodione**

| Common Name | Residue Definition | MRL (ppm) | Food Commodity |
|---|---|---|---|
| Iprodione | 3-(3,5-dichlorophenyl)-*N*-isopropyl-2,4-dioxoimidazolidine-1-carboxamide, including the metabolites 3-isopropyl-*N*-(3,5-dichlorophenyl)-2,4-dioxoimidazolidine-1-carboxamide and 3-(3,5-dichlorophenyl)-2,4-dioxoimidazolidine-1-carboxamide | 25 | Caneberries (Crop Subgroup 13-07A[a]), head lettuce[b], leaf lettuce[b] |
| | | 11 | Mustard greens |
| | | 4.0 | Ginseng roots |
| | | 2.0[c] | Dry kidney beans, dry lima beans, dry navy beans, dry pink beans, dry pinto beans, dry tepary beans, dry beans, edible-podded runner beans, edible-podded snap beans, edible-podded wax beans |
| | | 0.3 | Almonds |
| | | 0.2 | Dry bulb onions |
| | | 0.1 | Undelinted cotton seeds |

ppm = parts per million

[a] The MRL replaces the previously established 10 ppm MRL for "Raspberries" and is new for the remaining caneberry subgroup commodities.

[b] The MRL replaces the previously established 15 ppm MRL for "Lettuce".

c The MRL replaces the previously established 0.3 ppm MRL for "Beans".

MRLs are established for each commodity included in the caneberries crop subgroup in accordance with the Residue Chemistry Crop Groups webpage in the Pesticides and Pest Management section of Health Canada's website.

A complete list of pesticide MRLs established in Canada, as of the date indicated, can be found on the Maximum Residue Limits for Pesticides webpage in the Pesticides and Pest Management section of Health Canada's website.