


74081 1/2 Special Collection

Primary Productivity and Nutrient Measurements in Northern Foxe Basin, N.W.T., from 27 August to 7 September, 1981

B. Irwin, L. Harris, M. Hodgson, E. Horne, and T. Platt

Marine Ecology Laboratory
Ocean Science and Surveys, Atlantic
Department of Fisheries and Oceans

Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, Nova Scotia B2Y 4A2



March 1983

PLEASE DO NOT
REMOVE FROM LIBRARY

Canadian Data Report of Fisheries
and Aquatic Sciences
No. 385



Government of Canada
Fisheries and Oceans

Gouvernement du Canada
Pêches et Océans

Canadian Data Report of Fisheries and Aquatic Sciences

These reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of Data Reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was changed with report number 161.

Data Reports are not intended for general distribution and the contents must not be referred to in other publications without prior written clearance from the issuing establishment. The correct citation appears above the abstract of each report.

Rapport statistique canadien des sciences halieutiques et aquatiques

Ces rapports servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des Rapports statistiques reflètent la vaste gamme des intérêts et politiques du Ministère des Pêches et des Océans, notamment gestion des pêches, techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les numéros 1 à 25 de cette série ont été publiés à titre de Records statistiques, Service des pêches et de la mer. Les numéros 26-160 ont été publiés à titre de Rapports statistiques du Service des pêches et de la mer, Ministère des Pêches et de l'Environnement. Le nom de la série a été modifié à partir du numéro 161.

Les Rapports statistiques ne sont pas préparés pour une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au haut du résumé de chaque rapport.

Canadian Data Report
Fisheries and Aquatic Sciences No. 385

PRIMARY PRODUCTIVITY AND NUTRIENT MEASUREMENTS

IN NORTHERN FOXE BASIN, N.W.T.

FROM 27 AUGUST TO 7 SEPTEMBER 1981

B. Irwin, L. Harris, M. Hodgson, E. Horne and T. Platt

Marine Ecology Laboratory
Ocean Sciences and Surveys, Atlantic
Department of Fisheries and Oceans

Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, Nova Scotia B2Y 4A2

This is the sixtieth Data Report from the Marine Ecology Laboratory,
Dartmouth.

© Minister of Supply and Services Canada 1983

Cat. No. Fs 97-13/385

ISSN 0706-6465

Correct citation for this publication:

Irwin, B., L. Harris, M. Hodgson, E. Horne and T. Platt. 1983. Primary Productivity and Nutrient Measurements in Northern Foxe Basin, N.W.T. from 27 August to 7 September 1981. Can. Data Rept. Fish. Aquat. Sci. No. 385: 40 p.

CONTENTS

| | <u>Page</u> |
|---|-------------|
| Abstract/Résumé | iv |
| Introduction | 1 |
| Sampling | 1 |
| Methods | 1 |
| Size Fractionation | 2 |
| Organic Particulates | 2 |
| Nutrients | 2 |
| Incubation Light Intensity | 3 |
| Estimation of Photosynthetic Parameters | 3 |
| Acknowledgements | 3 |
| References | 3 |
| Table Legend | 5 |
| Inorganic Nutrient and Chlorophyll Concentrations | 7 |
| Table Legend | 17 |
| Size Fractioned Organic Particulates | 19 |
| Table Legend | 25 |
| Symbols and Abbreviations | 26 |
| Light Saturation Data and Parameter Estimates | 27 |
| Figure | 40 |

Abstract

Irwin, B., L. Harris, M. Hodgson, E. Horne and T. Platt. 1983. Primary Productivity and Nutrient Measurements in Northern Foxe Basin, N.W.T. from 27 August to 7 September 1981. Can. Data Rept. Fish. Aquat. Sci. No. 385: 40 p.

During the period 27 August to 7 September 1981 a series of primary productivity experiments were conducted on board CSS Baffin in Foxe Basin (N.W.T.). Corresponding nutrient and physical parameters were measured for the same samples. In this report we make available the raw data and the fitted light saturation parameters.

Résumé

Irwin, B., L. Harris, M. Hodgson, E. Horne and T. Platt. 1983. Primary Productivity and Nutrient Measurements in Northern Foxe Basin, N.W.T. from 27 August to 7 September 1981. Can. Data Rept. Fish. Aquat. Sci. No. 385: 40 p.

Pendant la période du 27 août au 7 septembre une série d'expériences de productivité primaire ont été effectuées à bord du CSS Baffin dans le Bassin de Foxe (T.N.O.). Les éléments nutritifs et les paramètres physiques correspondant ont été mesurées sur les mêmes échantillons. Le présent rapport contient les données brutes et les paramètres lissés de saturation lumineuse.

Introduction

This is the seventh in a series of data reports giving results of experiments on photosynthesis versus light intensity for natural phytoplankton populations in the north Atlantic and adjacent waters north of 50° north. Samples were collected from CSS Baffin during a cruise in Northern Foxe Basin, NWT over the period 27 August to 7 September 1981. This was a joint cruise with the Hydrographic Division, Ocean and Aquatic Sciences, Atlantic.

Sampling

Water samples for chlorophyll and inorganic nutrients were collected at 5 m intervals in the upper 40 m and 10 or 20 m intervals from 40 m to near bottom with 5 l Niskin bottles. Samples for primary productivity measurements were collected with 30 l Niskin bottles or off the surface with a plastic bucket. When tide and ice conditions permitted, vertical net tows were taken with a 0.25 m plankton net (mesh size 20 μm). Station positions are shown in Fig. 1.

Methods

Productivity

Primary productivity was measured using the ^{14}C method as described in Strickland and Parsons (1972). Sodium bicarbonate ^{14}C solution was added to 5 l of sample to yield an approximate activity of 5 μci per 100 ml aliquot. Forty-three light and 2 dark bottles were placed in temperature controlled incubators. Temperature was maintained at in situ temperatures by Forma Scientific model 2160 circulating water baths. Illumination was provided by 2000 watt tungsten halogen lamps (New Haline OHS 2000) having a

maximum light intensity of 1000 Wm^{-2} PAR. All incubations were terminated after 3 hours. Samples were filtered onto 2.5 cm Whatman GF/F glass fibre filters. Filters were dried, exposed to HCl fumes and counted in a liquid scintillation counter on board ship.

Size Fractionation

Organic particulates were fractionated into two components - the whole sample and the $< 1 \mu\text{m}$ fraction. Whole samples were filtered directly onto filters - usually Whatman GF/F. The $< 1 \mu\text{m}$ fraction was the biomass captured on a Whatman GF/F filter from a sample that had been prescreened through a Nuclepore 1.0 μm pore size filter.

Organic Particulates

Chlorophyll a, nucleic acids, particulate organic carbon, particulate organic nitrogen, adenosine triphosphate and protein were measured using methods described in Irwin et al. (1982).

Nutrients

Four inorganic nutrients were measured on samples collected for light saturation experiments. Samples were frozen at -20°C and later analysed in the laboratory using the following methods.

Nitrate - Industrial method 155-71 W (Technicon)

Silicate - Industrial method 158-71 W (Technicon)

Phosphate was measured using the Murphy and Riley (1962) single solution method and ammonia was measured using the phenolhypochlorite method of Solorzano (1969).

On all other samples, nitrate, phosphate and silicate were measured.

Incubation Light Intensity

Photosynthetically active radiation (PAR) was measured at each bottle position using a Licor Li 185A quantum meter fitted with a 190S underwater quantum sensor.

Estimation of Photosynthetic Parameters

Photosynthetic parameters were estimated using the techniques described in Irwin et al. (1982) and Platt et al. (1981).

Acknowledgements


We wish to thank Dave Rudderham and Carla Caverhill for their assistance in the calculation of the light saturation parameters.

References

- IRWIN, B., T. PLATT, W.G. HARRISON, C.L. GALLEGOS and P. LINDLEY. 1982. Phytoplankton productivity experiments and nutrient measurements in Ungava Bay NWT from August 1 to September 3, 1979. Can. Data Rept. Fish. Aquat. Sci. No. 287: 208 pages.
- MURPHY, J. and J.P. RILEY. 1962. A modified single solution method for the determination of phosphate in natural waters. Anal. Chem. Acta. 27: 31-36.
- PLATT, T., C.L. GALLEGOS, and W.G. HARRISON. 1981. Photoinhibition of photosynthesis in natural assemblages of marine phytoplankton. J. Mar. Res. 38 (4): 687-701.

- SOLORZANO, L. 1969. Determination of ammonia in natural waters by the phenolhypochlorite method. Limnol. Oceanogr. 14: 799-801.
- STRICKLAND, J.D.H., and T.R. PARSONS. 1972. A practical handbook of sea water analysis. Bull. Fish. Res. Board Can., No. 617: 311 pp.

INORGANIC NUTRIENT AND CHLOROPHYLL CONCENTRATIONS



FOXE BASIN

Latitude 69°08'N

Longitude 80°11'W

Date: 28:08:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Chlorophyll mg m ⁻³ |
|------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 0 | 0.59 | 2.16 | 0.92 | 0.23 |
| 5 | 0.50 | 1.76 | 0.72 | 0.31 |
| 10 | 0.78 | 1.88 | 0.68 | 0.20 |
| 15 | 1.37 | 2.81 | 0.75 | 0.26 |
| 20 | 0.46 | 2.04 | 0.64 | 0.23 |
| 25 | 0.47 | 2.03 | 0.57 | 0.26 |
| 30 | 0.20 | 2.03 | 0.70 | 0.20 |
| 35 | 0.34 | 2.28 | 0.70 | 0.24 |
| 40 | 0.00 | 1.92 | 0.63 | 0.23 |

FOXE BASIN

Latitude 69° 24' N

Longitude 80° 48' W

Date: 29:08:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Chlorophyll mg m ⁻³ |
|------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 0 | 0.38 | 1.87 | 1.29 | 1.85 |
| 5 | 0.26 | 1.59 | 0.72 | 1.32 |
| 10 | 0.29 | 2.09 | 0.67 | 1.18 |
| 15 | 0.28 | 1.82 | 0.67 | 1.36 |
| 20 | 0.21 | 1.42 | 0.66 | 1.49 |
| 25 | 0.86 | 3.25 | 0.81 | 2.14 |
| 30 | 0.19 | 1.26 | 0.63 | 1.50 |
| 35 | 0.65 | 2.22 | 0.62 | 1.50 |
| 40 | 0.75 | 2.29 | 0.71 | 1.26 |
| 45 | 0.62 | 2.79 | 0.68 | 1.78 |
| 50 | 0.20 | 1.75 | 0.72 | 1.54 |
| 55 | 0.72 | 2.05 | 0.77 | 1.78 |
| 60 | 0.41 | 1.95 | 0.67 | 2.08 |
| 65 | 0.42 | 1.80 | 0.75 | 1.49 |

FOXE BASIN

Latitude 69°09'N

Longitude 80°13'W

Date: 30:08:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Chlorophyll mg m ⁻³ |
|------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 0 | 0.37 | 1.93 | 0.97 | 0.29 |
| 5 | 0.77 | 1.96 | 0.56 | 0.31 |
| 10 | 0.77 | 1.86 | 0.66 | 0.39 |
| 15 | 0.33 | 1.95 | 0.65 | 0.34 |
| 20 | 0.28 | 1.88 | 0.58 | 0.24 |
| 25 | 0.03 | 2.01 | 0.73 | 0.30 |

FOXE BASIN

Latitude 69° 24' N

Longitude 80° 51' W

Date: 31:08:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Chlorophyll mg m ⁻³ |
|------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 0 | 0.20 | 2.18 | 0.95 | 1.16 |
| 5 | 0.53 | 2.06 | 0.80 | 0.81 |
| 10 | 0.58 | 1.91 | 0.83 | 0.80 |
| 15 | 0.28 | 1.94 | 0.66 | 0.51 |
| 20 | 0.26 | 1.86 | 0.76 | 0.78 |
| 25 | 0.32 | 1.75 | 0.69 | 0.82 |
| 30 | 0.27 | 1.52 | 0.69 | 0.78 |
| 35 | 0.22 | 1.55 | 0.69 | 0.72 |
| 40 | 0.00 | 1.54 | 0.67 | 0.80 |
| 50 | 0.00 | 2.33 | 0.73 | 0.51 |
| 60 | 0.03 | 2.08 | 0.81 | 0.48 |
| 70 | 0.31 | 2.28 | 0.74 | 0.67 |
| 80 | 0.11 | 2.38 | 0.73 | 0.76 |
| 90 | 0.41 | 2.86 | 0.67 | 0.67 |

FOXE BASIN

Latitude $69^{\circ}26'N$ Longitude $80^{\circ}47'W$

Date: 01:09:81

| Depth m | Nitrate mg at m^{-3} | Silicate mg at m^{-3} | Phosphate mg at m^{-3} | Chlorophyll mg m^{-3} |
|------------|---------------------------|----------------------------|-----------------------------|----------------------------|
| 0 | 0.26 | 0.79 | 1.09 | 1.32 |
| 5 | 0.39 | 0.94 | 0.73 | 0.89 |
| 10 | 0.63 | 1.21 | 0.78 | 0.85 |
| 15 | 0.81 | 1.16 | 0.71 | 0.83 |
| 20 | 0.99 | 1.77 | 0.77 | 0.50 |
| 25 | 0.32 | 1.60 | 0.75 | 0.52 |
| 30 | 0.68 | 1.57 | 0.79 | 0.58 |
| 35 | 0.28 | 1.72 | 0.68 | 0.57 |

FOXE BASIN

Latitude 68°46'N

Longitude 81°09'W

Date: 02:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Chlorophyll mg m ⁻³ |
|------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 0 | 0.15 | 1.71 | 0.92 | 0.33 |
| 5 | 0.25 | 2.17 | 0.74 | 0.35 |
| 10 | 0.04 | 1.57 | 0.74 | 0.32 |
| 15 | 0.25 | 1.80 | 0.79 | 0.36 |
| 20 | 0.04 | 1.87 | 0.66 | 0.45 |

FOXE BASIN

Latitude 68°21'N

Longitude 79°58'W

Date: 04:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Chlorophyll mg m ⁻³ |
|------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 0 | 1.87 | 4.42 | 0.84 | 1.56 |
| 5 | 1.64 | 4.23 | 0.77 | 1.56 |
| 10 | 2.30 | 4.14 | 0.66 | 1.27 |
| 15 | 1.86 | 4.52 | 0.77 | 1.45 |
| 20 | 1.91 | 4.65 | 0.77 | 1.07 |
| 25 | 1.47 | 3.26 | 0.75 | 1.12 |
| 30 | 1.47 | 3.31 | 0.86 | 1.07 |
| 35 | 0.42 | 1.99 | 0.79 | 0.60 |
| 40 | 1.48 | 3.71 | 0.90 | 1.09 |
| 60 | 1.46 | 3.44 | 0.86 | 0.42 |
| 80 | 2.06 | 4.80 | 1.04 | 0.45 |

FOXE BASIN

Latitude 69°42'N

Longitude 81°51'W

Date: 05:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Chlorophyll mg m ⁻³ |
|------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 0 | 1.08 | 3.49 | 0.89 | 2.14 |
| 5 | 1.04 | 3.45 | 0.80 | 1.90 |
| 10 | 1.08 | 3.09 | 0.77 | 1.84 |
| 15 | 1.36 | 3.35 | 0.78 | 1.50 |
| 20 | 1.59 | 3.57 | 0.81 | 1.43 |
| 25 | 1.27 | 3.17 | 0.74 | 1.43 |
| 30 | 1.03 | 2.81 | 0.76 | 1.25 |
| 35 | 0.90 | 2.86 | 0.71 | 1.36 |
| 40 | 0.81 | 2.70 | 0.79 | 0.72 |
| 60 | 1.41 | 3.90 | 0.90 | 0.40 |
| 80 | 1.59 | 4.38 | 0.99 | 0.45 |

FOXE BASIN

Latitude 69°00'N

Longitude 79°54'W

Date: 06:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Chlorophyll mg m ⁻³ |
|------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 0 | 0.00 | 3.87 | 1.03 | 0.80 |
| 5 | 0.00 | 2.79 | 0.58 | 0.92 |
| 10 | 0.24 | 2.65 | 0.98 | 0.78 |
| 15 | 0.07 | 2.75 | 0.68 | 0.83 |
| 20 | 0.27 | 2.82 | 0.67 | 0.74 |
| 25 | 0.20 | 2.92 | 0.79 | 0.72 |
| 30 | 0.20 | 2.53 | 0.82 | 0.72 |
| 35 | 0.27 | 2.49 | 0.75 | 0.89 |

FOXE BASIN


Latitude 68°22'N

Longitude 80°67'W

Date: 07:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Chlorophyll mg m ⁻³ |
|------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|
| 0 | 0.05 | 3.09 | 0.62 | 0.59 |
| 5 | 0.18 | 3.25 | 0.70 | 0.48 |
| 10 | 0.25 | 3.26 | 0.64 | 0.56 |
| 15 | 0.26 | 3.32 | 0.66 | 0.42 |
| 20 | 0.32 | 3.26 | 0.54 | 0.48 |
| 25 | 0.28 | 3.59 | 0.52 | 0.45 |

SIZE FRACTIONED ORGANIC PARTICULATES



FOXE BASIN

Latitude 69°08'N

Longitude 80°11'W

Date: 28:08:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 5 | 0.64 | 2.20 | 0.77 | 1.08 |
| | | | | |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 0.22 | 126 | 22 | 0.552 |
| <1 μm Fraction | 0.08 | 72 | 17 | 0.030 |
| | | | | |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 1.71 | 7.10 | 44.5 | |
| <1 μm Fraction | 0.90 | 2.35 | 8.3 | |

Latitude 69°21'N

Longitude 80°47'W

Date: 29:08:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 40 | 0.39 | 2.37 | 0.75 | 1.03 |
| | | | | |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 0.78 | 130 | 25 | 0.566 |
| <1 μm Fraction | 0.09 | 55 | 14 | 0.022 |
| | | | | |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 4.49 | 4.89 | 78.6 | |
| <1 μm Fraction | 0.90 | 2.82 | 23.2 | |

FOXE BASIN

Latitude 69°09'N

Longitude 80°13'W

Date: 30:08:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 30 | 0.83 | 2.00 | 0.54 | 1.06 |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 0.29 | 56 | 12 | 0.730 |
| <1 μm Fraction | 0.21 | 35 | 10 | 0.053 |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 1.80 | 4.47 | 95.6 | |
| <1 μm Fraction | 0.18 | 1.40 | 15.8 | |

Latitude 69°24'N

Longitude 80°51'W

Date: 31:08:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 40 | 1.83 | 2.77 | 0.58 | 1.81 |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 1.03 | 144 | 16 | 0.790 |
| <1 μm Fraction | 0.18 | 41 | 12 | 0.048 |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 2.34 | 3.71 | 91.0 | |
| <1 μm Fraction | 0.18 | 0.94 | 21.2 | |

FOXE BASIN

Latitude 69° 26' N

Longitude 80° 47' W

Date: 01:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 40 | 0.27 | 1.83 | 0.79 | 0.99 |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 0.48 | 106 | 19 | 0.499 |
| <1 μm Fraction | - | 52 | 6 | - |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 5.22 | 4.89 | 93.2 | |
| <1 μm Fraction | - | - | - | |

Latitude 68° 46' N

Longitude 81° 09' W

Date: 02:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 2 | 0.42 | 1.76 | 0.63 | 1.30 |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 0.44 | 166 | 20 | 0.452 |
| <1 μm Fraction | 0.10 | 52 | 9 | 0.158 |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 3.86 | 4.32 | 81.1 | |
| <1 μm Fraction | 1.80 | - | 21.2 | |

FOXE BASIN

Latitude 68°21'N

Longitude 79°58'W

Date: 03:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 0 | 0.12 | 3.30 | 0.51 | 0.99 |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 0.42 | 130 | 22 | 0.352 |
| <1 μm Fraction | 0.22 | 68 | 8 | 0.010 |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 6.56 | 8.08 | 132.5 | |
| <1 μm Fraction | 1.44 | 0.56 | 52.5 | |

Latitude 68°21'N

Longitude 79°58'W

Date: 04:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 40 | 1.42 | 2.96 | 0.86 | 1.43 |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 1.05 | 253 | 26 | 0.458 |
| <1 μm Fraction | - | 55 | 8 | - |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 5.30 | 7.85 | 124.3 | |
| <1 μm Fraction | - | - | - | |

FOXE BASIN

Latitude 69°42'N

Longitude 81°51'W

Date: 05:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 40 | 1.18 | 4.10 | 0.70 | 1.01 |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 1.40 | 105 | 20 | 0.664 |
| <1 μm Fraction | 0.16 | 56 | 7 | 0.051 |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 4.67 | 3.58 | 123.5 | |
| <1 μm Fraction | 1.26 | 0.61 | 12.0 | |

Latitude 69°00'N

Longitude 79°54'W

Date: 06:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 35 | 0.25 | 2.94 | 0.67 | 1.49 |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 0.48 | 111 | 19 | 0.374 |
| <1 μm Fraction | 0.18 | 36 | 10 | 0.013 |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 3.60 | 4.09 | 87.8 | |
| <1 μm Fraction | 0.18 | 1.69 | - | |

FOXE BASIN

Latitude 68°22'N

Longitude 80°67'W

Date: 07:09:81

| Depth m | Nitrate mg at m ⁻³ | Silicate mg at m ⁻³ | Phosphate mg at m ⁻³ | Ammonia mg at m ⁻³ |
|----------------|-----------------------------------|-----------------------------------|------------------------------------|----------------------------------|
| 2 | 0.16 | 3.88 | 0.51 | 0.96 |
| | Chlorophyll mg m ⁻³ | Carbon mg m ⁻³ | Nitrogen mg m ⁻³ | ATP mg m ⁻³ |
| Whole Sample | 0.84 | 198 | 20 | 0.274 |
| <1 μm Fraction | 0.22 | 84 | 14 | 0.016 |
| | RNA mg m ⁻³ | DNA mg m ⁻³ | Protein mg m ⁻³ | |
| Whole Sample | 3.96 | 5.22 | 109.0 | |
| <1 μm Fraction | 2.88 | 3.19 | 20.6 | |

LIGHT SATURATION DATA AND PARAMETER ESTIMATES

Units

$$P = \text{mg C m}^{-3} \text{h}^{-1} (\text{mg Chl})^{-1}$$

$$I = \text{W m}^{-2}$$

$$P_s = \text{mg C mg Chl}^{-1} \text{h}^{-1}$$

$$\alpha = \text{mg C}(\text{mg Chl})^{-1} \text{h}^{-1} \text{W}^{-1} \text{m}^{-2}$$

$$\beta = \text{mg C}(\text{mg Chl})^{-1} \text{h}^{-1} \text{W}^{-1} \text{m}^{-2}$$

Organic particulate concentrations are in mg m^{-3} and nutrients are in mg at m^{-3} . The 90% confidence interval for P_s , α and β are shown in the closed brackets below the estimates for each parameter.

FOXE BASIN

LAT 69 08.0'N
DATE 28/08/81

LONG 80 11.0'W

STATION NO. 1
DEPTH 5 M

| | I | P | I | P | I | P | I | P |
|------|------|---|------|------|------|------|------|------|
| 1360 | .28 | | 1202 | .25 | 1048 | .44 | 1020 | 1.19 |
| 878 | 1.21 | | 822 | .59 | 652 | 1.72 | 623 | 1.43 |
| 612 | 1.55 | | 498 | 1.80 | 464 | 1.79 | 402 | 2.07 |
| 374 | 1.77 | | 328 | 2.21 | 311 | 1.97 | 283 | 1.90 |
| 249 | 1.83 | | 198 | 2.39 | 187 | 2.05 | 153 | 1.75 |
| 131 | 2.07 | | 116 | 2.07 | 97 | 2.25 | 82 | 1.81 |
| 66 | 1.83 | | 57 | 1.76 | 47 | 1.70 | 39 | 1.39 |
| 34 | 1.75 | | 29 | 1.33 | 27 | .94 | 20 | 1.17 |
| 18 | 1.27 | | 13 | 1.00 | 13 | .97 | 9 | .50 |
| 9 | .67 | | 7 | .57 | 7 | .35 | 4 | .41 |
| 4 | .20 | | 3 | .35 | 3 | .34 | | |

27

PARAMETER VALUES

| | | | | | |
|----------------|------|----------------|------|------------------|-------|
| PS : | 2.63 | ALPHA : | .066 | BETA : | .0028 |
| (2.47, 2.79) | | (.060, .072) | | (.0023, .0033) | |

| | | | | | |
|--------------------|-------|------------------------|-------|-------------|------|
| SAMPLE TEMPERATURE | 1.5 C | INCUBATION TEMPERATURE | 1.5 C | | |
| CHLOROPHYLL : | .22 | RNA : | 1.71 | PHOSPHATE : | .77 |
| CARBON : | 126 | DNA : | 7.10 | NITRATE : | .64 |
| NITROGEN : | 22 | ATP : | .55 | SILICATE : | 2.20 |
| | | PROTEIN: | 44.50 | AMMONIA : | 1.08 |

FOXE BASIN

LAT 69 24.0°N
DATE 29/08/81

LONG 80 48.0°W

STATION NO. 2
DEPTH 40 M

| | I | P | I | P | I | P | I | P |
|------|------|---|------|------|-----|------|-----|------|
| 1304 | .30 | | 1150 | .44 | 924 | .65 | 907 | 1.34 |
| 708 | .63 | | 708 | 1.05 | 635 | 1.75 | 623 | .90 |
| 538 | 1.59 | | 532 | 1.35 | 428 | 1.67 | 425 | 2.00 |
| 408 | 1.89 | | 334 | 2.10 | 311 | 1.99 | 238 | 1.98 |
| 216 | 2.22 | | 192 | 1.86 | 155 | 2.03 | 141 | 1.90 |
| 112 | 1.85 | | 97 | 1.84 | 85 | 1.89 | 71 | 1.84 |
| 64 | 1.86 | | 53 | 1.65 | 48 | 1.52 | 36 | 1.30 |
| 33 | 1.37 | | 25 | 1.03 | 24 | .95 | 19 | .81 |
| 17 | .81 | | 13 | .51 | 13 | .60 | 11 | .39 |
| 10 | .44 | | 8 | .31 | 7 | .28 | 5 | .16 |
| 5 | .16 | | 4 | .12 | 4 | .24 | | |

28

PARAMETER VALUES

PS : 2.86

ALPHA : .047

BETA : .0037

(2.66, 3.06)

(.044, .051)

(.0030, .0044)

SAMPLE TEMPERATURE 1.5 C

INCUBATION TEMPERATURE 1.5 C

CHLOROPHYLL : .78

RNA : 4.49

PHOSPHATE : .75

CARBON : 130

DNA : 4.89

NITRATE : .39

NITROGEN : 25

ATP : .57

SILICATE : 2.37

PROTEIN: 78.60

AMMONIA : 1.03

FOXE BASIN

LAT 69 24.0'N
DATE 31/08/81

LONG 80 51.0'W

STATION NO. 4
DEPTH 40 M

| | I | P | I | P | I | P | I | P |
|------|------|------|------|-----|------|-----|------|---|
| 1287 | .09 | 1145 | .07 | 895 | .44 | 867 | .14 | |
| 680 | .62 | 652 | .24 | 578 | 1.08 | 521 | .38 | |
| 493 | 1.00 | 453 | .81 | 413 | 1.57 | 408 | 1.28 | |
| 362 | 1.44 | 277 | 1.51 | 272 | 1.64 | 137 | 1.83 | |
| 124 | 1.55 | 102 | 1.53 | 89 | 1.58 | 72 | 1.59 | |
| 63 | 1.67 | 55 | 1.68 | 44 | 1.74 | 36 | 1.62 | |
| 34 | 1.49 | 30 | 1.31 | 24 | 1.38 | 22 | 1.36 | |
| 17 | .95 | 14 | 1.10 | 13 | .74 | 10 | .89 | |
| 9 | .61 | 7 | .60 | 6 | .32 | 6 | .46 | |
| 4 | .39 | 4 | .34 | 3 | .23 | 3 | .22 | |
| 3 | .20 | 2 | .19 | | | | | |

29

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 2.17 | ALPHA : | .084 | BETA : | .0039 |
| (| 2.02, 2.31) | (| .076, .092) | (| .0032, .0045) |

| | | | | | |
|--------------------|-------|------------------------|-------|-------------|------|
| SAMPLE TEMPERATURE | 1.4 C | INCUBATION TEMPERATURE | 1.0 C | | |
| CHLOROPHYLL : | 1.03 | RNA : | 2.34 | PHOSPHATE : | .58 |
| CARBON : | 144 | DNA : | 3.71 | NITRATE : | 1.83 |
| NITROGEN : | 16 | ATP : | .79 | SILICATE : | 2.77 |
| | | PROTEIN: | 91.00 | AMMONIA : | 1.81 |

FOXE BASIN

LAT 69 26.0°N
DATE 01/09/81

LONG 80 47.0°W

STATION NO. 5
DEPTH 40 M

| I | P | I | P | I | P | I | P |
|------|------|------|------|-----|------|-----|------|
| 1105 | .54 | 1048 | .63 | 850 | .98 | 663 | 1.64 |
| 635 | .84 | 612 | 1.36 | 555 | 1.25 | 538 | 2.25 |
| 510 | 1.50 | 490 | 2.04 | 394 | 2.14 | 360 | 2.26 |
| 340 | 2.22 | 289 | 2.33 | 266 | 2.41 | 232 | 2.28 |
| 178 | 2.13 | 175 | 2.00 | 147 | 2.11 | 124 | 2.10 |
| 96 | 2.10 | 93 | 2.17 | 70 | 1.94 | 68 | 1.82 |
| 53 | 1.98 | 44 | 1.93 | 37 | 1.80 | 32 | 1.09 |
| 28 | 1.54 | 23 | 1.15 | 18 | 1.45 | 17 | .85 |
| 15 | .95 | 11 | .72 | 10 | .62 | 8 | .63 |
| 7 | .60 | 7 | .50 | 5 | .37 | 4 | .24 |
| 3 | .38 | 3 | .27 | 2 | .18 | | |

30

PARAMETER VALUES

PS : 2.84

ALPHA : .067

BETA : .0031

(2.65, 3.03)

(.061, .073)

(.0025, .0037)

SAMPLE TEMPERATURE 1.3 C INCUBATION TEMPERATURE 1.5 C

| | | | | | |
|---------------|-----|----------|-------|-------------|------|
| CHLOROPHYLL : | .48 | RNA : | 5.21 | PHOSPHATE : | .79 |
| CARBON : | 106 | DNA : | 4.89 | NITRATE : | .27 |
| NITROGEN : | 19 | ATP : | .50 | SILICATE : | 1.83 |
| | | PROTEIN: | 85.80 | AMMONIA : | .99 |

FOXE BASIN

LAT 68 46.0°N
DATE 02/09/81

LONG 81 09.0°W

STATION NO. 6
DEPTH 2 M

| | I | P | I | P | I | P | I | P |
|------|------|------|------|-----|------|-----|------|---|
| 1264 | .31 | 1150 | .33 | 907 | .56 | 878 | 1.30 | |
| 765 | 1.49 | 623 | 1.12 | 606 | 1.82 | 566 | 1.54 | |
| 538 | 1.82 | 447 | 2.05 | 430 | 1.68 | 396 | 1.88 | |
| 362 | 1.82 | 328 | 1.73 | 283 | 2.10 | 235 | 1.90 | |
| 189 | 1.77 | 164 | 1.87 | 134 | 1.85 | 106 | 1.68 | |
| 96 | 1.71 | 85 | 1.78 | 69 | 1.15 | 60 | 1.47 | |
| 48 | 1.36 | 38 | 1.35 | 32 | .92 | 28 | 1.01 | |
| 20 | .79 | 19 | .72 | 16 | .62 | 14 | .58 | |
| 12 | .38 | 11 | .43 | 8 | .26 | 8 | .44 | |
| 6 | .27 | 6 | .19 | 4 | .19 | 4 | .15 | |
| 3 | .08 | 3 | .10 | | | | | |

31

PARAMETER VALUES

PS : 2.82

ALPHA : .036

BETA : .0033

(2.56, 3.07)

(.033, .039)

(.0025, .0040)

SAMPLE TEMPERATURE

1.5 C

INCUBATION TEMPERATURE

1.5 C

CHLOROPHYLL : .44

RNA : 3.86

PHOSPHATE : .63

CARBON : 166

DNA : 4.32

NITRATE : .42

NITROGEN : 20

ATP : .45

SILICATE : 1.76

PROTEIN: 81.10

AMMONIA : 1.30

FOXE BASIN

LAT 68 46.8°N
DATE 03/09/81

LONG 80 31.2°W

STATION NO. 7A
DEPTH 0 M

| | I | P | I | P | I | P | I | P |
|------|------|---|------|------|------|------|-----|------|
| 1247 | .45 | | 1168 | .66 | 1088 | .45 | 895 | .81 |
| 782 | .70 | | 737 | 1.15 | 680 | 1.24 | 589 | 1.02 |
| 521 | 1.27 | | 498 | 1.33 | 467 | 1.25 | 351 | 1.45 |
| 351 | 1.27 | | 323 | 1.19 | 255 | 1.40 | 235 | 1.31 |
| 187 | 1.33 | | 164 | 1.27 | 148 | 1.21 | 116 | 1.19 |
| 109 | 1.21 | | 87 | 1.27 | 85 | 1.19 | 54 | 1.29 |
| 53 | 1.31 | | 36 | 1.06 | 36 | 1.14 | 30 | .90 |
| 27 | .98 | | 19 | .78 | 18 | .74 | 12 | .60 |
| 12 | .62 | | 9 | .49 | 9 | .45 | 7 | .35 |
| 6 | .42 | | 5 | .22 | 4 | .30 | 4 | .21 |
| 3 | .20 | | 3 | .11 | 2 | .14 | | |

32

PARAMETER VALUES

PS : 1.49

ALPHA : .056

BETA : .0009

(1.43, 1.55)

(.052, .061)

(.0008, .0011)

SAMPLE TEMPERATURE 1.5 C

INCUBATION TEMPERATURE 1.5 C

CHLOROPHYLL : 1.71

RNA : -

PHOSPHATE : -

CARBON : -

DNA : -

NITRATE : -

NITROGEN : -

ATP : -

SILICATE : -

PROTEIN: -

AMMONIA : -

FOXE BASIN

LAT 68 21.0'N
DATE 03/09/81

LONG 79 58.0'W

STATION NO. 7
DEPTH 1 M

| | I | P | I | P | I | P | I | P |
|------|------|---|-----|------|-----|------|-----|------|
| 1122 | 1.40 | | 963 | .94 | 793 | 1.97 | 708 | 2.11 |
| 612 | 2.53 | | 532 | 2.30 | 490 | 2.87 | 459 | 2.82 |
| 453 | 2.51 | | 357 | 2.73 | 354 | 2.91 | 311 | 2.81 |
| 277 | 2.61 | | 260 | 3.10 | 204 | 2.68 | 178 | 2.54 |
| 158 | 2.63 | | 127 | 2.61 | 106 | 2.50 | 87 | 2.83 |
| 76 | 2.23 | | 61 | 2.25 | 48 | .98 | 40 | 2.03 |
| 36 | 1.60 | | 28 | 1.71 | 27 | 1.40 | 18 | .94 |
| 17 | 1.16 | | 14 | .95 | 13 | .79 | 9 | .73 |
| 8 | .52 | | 7 | .54 | 6 | .42 | 4 | .30 |
| 4 | .22 | | 3 | .11 | 3 | .29 | 2 | .13 |
| 2 | .24 | | 1 | .15 | | | | |

33

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 3.47 | ALPHA : | .060 | BETA : | .0026 |
| (| 3.25, 3.70) | (| .055, .065) | (| .0020, .0032) |

SAMPLE TEMPERATURE 1.5 C INCUBATION TEMPERATURE 1.3 C

| | | | | | |
|---------------|-----|----------|--------|-------------|------|
| CHLOROPHYLL : | .42 | RNA : | 6.56 | PHOSPHATE : | .51 |
| CARBON : | 130 | DNA : | 8.08 | NITRATE : | .12 |
| NITROGEN : | 22 | ATP : | .35 | SILICATE : | 3.30 |
| | | PROTEIN: | 132.50 | AMMONIA : | .99 |

FOXE BASIN

LAT 68 21.0°N
DATE 03/09/81

LONG 79 58.0°W

STATION NO. 7
DEPTH 1 M

| | I | P | I | P | I | P | I | P |
|------|-----|---|------|-----|------|-----|-----|-----|
| 1247 | .27 | | 1168 | .39 | 1088 | .30 | 895 | .15 |
| 782 | .38 | | 737 | .57 | 680 | .56 | 589 | .39 |
| 515 | .80 | | 498 | .62 | 467 | .56 | 351 | .67 |
| 351 | .57 | | 323 | .47 | 255 | .45 | 235 | .30 |
| 187 | .55 | | 164 | .65 | 148 | .63 | 116 | .41 |
| 109 | .46 | | 87 | .48 | 85 | .26 | 54 | .43 |
| 53 | .43 | | 36 | .36 | 36 | .22 | 30 | .20 |
| 27 | .21 | | 19 | .10 | 18 | .28 | 12 | .21 |
| 12 | .02 | | 9 | .36 | 9 | .19 | 7 | .24 |
| 6 | .14 | | 5 | .00 | 4 | .02 | 4 | .00 |
| 3 | .13 | | 3 | .00 | 2 | .00 | | |

34

PARAMETER VALUES

| | | | | | |
|--------------|-----|----------------|------|------------------|-------|
| PS : | .65 | ALPHA : | .011 | BETA : | .0003 |
| (.57, .73) | | (.009, .013) | | (.0002, .0005) | |

SAMPLE TEMPERATURE 1.5 C INCUBATION TEMPERATURE 1.3 C

| | | | | | |
|---------------|-----|----------|-------|-------------|------|
| CHLOROPHYLL : | .22 | RNA : | 1.44 | PHOSPHATE : | .51 |
| CARBON : | 68 | DNA : | .56 | NITRATE : | .12 |
| NITROGEN : | 8 | ATP : | .01 | SILICATE : | 3.30 |
| | | PROTEIN: | 52.50 | AMMONIA : | .99 |

FOXE BASIN

LAT 68 21.0°N
DATE 04/09/81

LONG 79 58.0°W

STATION NO. 8
DEPTH 40 M

| | I | P | I | P | I | P | I | P |
|------|------|---|-----|------|-----|------|-----|------|
| 1020 | .30 | | 867 | .36 | 708 | .68 | 640 | 1.12 |
| 595 | .47 | | 561 | 1.23 | 470 | .77 | 464 | 1.57 |
| 408 | 1.41 | | 402 | 1.17 | 328 | 1.52 | 311 | 1.79 |
| 283 | 1.93 | | 249 | 1.61 | 215 | 1.69 | 187 | 1.77 |
| 158 | 1.80 | | 138 | 1.70 | 102 | 1.74 | 96 | 1.74 |
| 73 | 1.64 | | 70 | 1.42 | 54 | 1.61 | 44 | 1.52 |
| 40 | 1.60 | | 32 | 1.35 | 29 | 1.40 | 20 | 1.19 |
| 20 | 1.03 | | 16 | .87 | 15 | .85 | 13 | .60 |
| 11 | .53 | | 10 | .55 | 8 | .37 | 7 | .45 |
| 5 | .26 | | 5 | .42 | 4 | .28 | 4 | .22 |
| 3 | .28 | | 2 | .17 | 2 | .20 | | |

35

PARAMETER VALUES

PS : 2.34

ALPHA : .063

BETA : .0036

(2.19, 2.50)

(.057, .068)

(.0029, .0042)

SAMPLE TEMPERATURE .3 C INCUBATION TEMPERATURE 1.0 C

CHLOROPHYLL : 1.05

RNA : 5.30

PHOSPHATE : .86

CARBON : 253

DNA : 7.85

NITRATE : 1.42

NITROGEN : 26

ATP : .46

SILICATE : 2.96

PROTEIN: 124.30

AMMONIA : 1.43

FOXE BASIN

LAT 69 42.0°N
DATE 05/09/81

LONG 81 51.0°W

STATION NO. 9
DEPTH 40 M

| | T | P | I | P | I | P | I | P |
|------|------|---|------|------|---|-----|------|---|
| 1343 | .21 | | 1105 | .14 | | 822 | .32 | |
| 674 | .71 | | 589 | 1.08 | | 566 | .41 | |
| 470 | .98 | | 391 | 1.08 | | 365 | 1.29 | |
| 274 | 1.37 | | 238 | 1.53 | | 195 | 1.59 | |
| 127 | 1.48 | | 113 | 1.53 | | 96 | 1.14 | |
| 65 | 1.42 | | 51 | 1.40 | | 41 | 1.30 | |
| 30 | 1.23 | | 23 | 1.07 | | 23 | 1.07 | |
| 14 | .77 | | 11 | .58 | | 11 | .60 | |
| 7 | .49 | | 5 | .38 | | 5 | .30 | |
| 4 | .22 | | 3 | .17 | | 3 | .18 | |
| 2 | .14 | | | | | | | |

36

PARAMETER VALUES

| | | | | | |
|----------------|------|----------------|------|------------------|-------|
| PS : | 1.93 | ALPHA : | .061 | BETA : | .0031 |
| (1.81, 2.05) | | (.055, .066) | | (.0025, .0036) | |

| | | | | | |
|--------------------|------|------------------------|--------|-------------|------|
| SAMPLE TEMPERATURE | .3 C | INCUBATION TEMPERATURE | 1.0 C | | |
| CHLOROPHYLL : | 1.40 | RNA : | 4.67 | PHOSPHATE : | .70 |
| CARBON : | 105 | DNA : | 3.58 | NITRATE : | 1.18 |
| NITROGEN : | 20 | ATP : | .66 | SILICATE : | 4.10 |
| | | PROTEIN: | 123.50 | AMMONIA : | 1.01 |

FOXE BASIN

LAT 69 42.0°N
DATE 05/09/81

LONG 81 51.0°W

STATION NO. 9
DEPTH 40 M

| T | P | I | P | I | P | I | P |
|------|------|------|------|-----|------|-----|------|
| 1315 | .22 | 1162 | .16 | 822 | .77 | 799 | .28 |
| 629 | .58 | 606 | 1.24 | 501 | .99 | 419 | 1.21 |
| 362 | 1.20 | 289 | 1.28 | 198 | 1.29 | 144 | 1.24 |
| 97 | 1.28 | 79 | 1.29 | 60 | 1.15 | 43 | 1.06 |
| 36 | .97 | 30 | 1.07 | 26 | .70 | 23 | .72 |
| 18 | .61 | 17 | .54 | 13 | .42 | 12 | .40 |
| 9 | .31 | 8 | .31 | 6 | .23 | 5 | .29 |
| 4 | .17 | 4 | .14 | 3 | .11 | 3 | .15 |

37

PARAMETER VALUES

PS : 1.80

ALPHA : .039

BETA : .0024

(1.64, 1.96)

(.036, .043)

(.0019, .0029)

SAMPLE TEMPERATURE .3 C INCUBATION TEMPERATURE 1.0 C

CHLOROPHYLL : 1.43

RNA : -

PHOSPHATE : -

CARBON : -

DNA : -

NITRATE : -

NITROGEN : -

ATP : -

SILICATE : -

PROTEIN: -

AMMONIA : -

FOXE BASIN

LAT 68 22.0°N
DATE 07/09/81

LONG 80 67.0°W

STATION NO. 11
DEPTH 2 M

| | I | P | I | P | I | P | I | P |
|-----|------|---|-----|------|-----|------|-----|------|
| 980 | .68 | | 793 | .59 | 646 | 1.03 | 544 | .81 |
| 430 | 1.64 | | 425 | 1.18 | 345 | 1.64 | 317 | 1.54 |
| 300 | 1.52 | | 238 | 1.63 | 232 | 1.80 | 198 | 1.73 |
| 163 | 1.43 | | 137 | 1.62 | 136 | 1.74 | 109 | 1.72 |
| 90 | 1.69 | | 70 | 1.58 | 43 | 1.52 | 43 | 1.37 |
| 36 | 1.33 | | 31 | 1.18 | 24 | 1.25 | 23 | .98 |
| 19 | .89 | | 15 | .67 | 12 | .82 | 10 | .52 |
| 9 | .60 | | 7 | .34 | 6 | .33 | 4 | .31 |
| 4 | .35 | | 3 | .22 | 3 | .18 | 2 | .15 |
| 2 | .15 | | 1 | .13 | 1 | .11 | 1 | .05 |
| 1 | .06 | | | | | | | |

38

PARAMETER VALUES

PS : 2.08

ALPHA : .063

BETA : .0024

(1.99, 2.17)

(.059, .067)

(.0020, .0028)

SAMPLE TEMPERATURE 2.1 C INCUBATION TEMPERATURE 1.0 C

| | | | | | |
|---------------|-----|----------|--------|-------------|------|
| CHLOROPHYLL : | .84 | RNA : | 3.96 | PHOSPHATE : | .51 |
| CARBON : | 198 | DNA : | 5.22 | NITRATE : | .16 |
| NITROGEN : | 20 | ATP : | .27 | SILICATE : | 3.88 |
| | | PROTEIN: | 109.00 | AMMONIA : | .96 |

FOXE BASIN

LAT 68 22.0'N
DATE 07/09/81

LONG 80 67.0'W

STATION NO. 11
DEPTH 2 M

| | I | P | I | P | I | P | I | P |
|-----|------|---|-----|------|-----|------|-----|------|
| 992 | 1.29 | | 963 | .84 | 816 | 1.00 | 748 | 1.41 |
| 652 | 1.50 | | 578 | 2.12 | 538 | 2.03 | 510 | 1.97 |
| 436 | 2.24 | | 396 | 2.04 | 357 | 2.23 | 283 | 2.24 |
| 272 | 2.13 | | 249 | 2.13 | 204 | 2.24 | 181 | 2.26 |
| 129 | 2.49 | | 99 | 2.11 | 96 | 2.28 | 80 | 1.77 |
| 74 | 1.89 | | 61 | 1.89 | 57 | 1.73 | 41 | 1.68 |
| 40 | 1.45 | | 29 | 1.39 | 29 | 1.28 | 21 | .89 |
| 20 | .96 | | 15 | .73 | 14 | .77 | 10 | .62 |
| 9 | .55 | | 7 | .47 | 6 | .58 | 4 | .38 |
| 4 | .36 | | 4 | .23 | 3 | .22 | 3 | .18 |
| 2 | .10 | | 2 | .05 | 1 | .06 | | |

PARAMETER VALUES

PS : 2.86

ALPHA : .056

BETA : .0026

(2.73, 3.00)

(.052, .059)

(.0021, .0030)

SAMPLE TEMPERATURE

2.1 C

INCUBATION TEMPERATURE

1.0 C

CHLOROPHYLL : .22

RNA : 2.88

PHOSPHATE : .51

CARBON : 84

DNA : 3.19

NITRATE : .16

NITROGEN : 14

ATP : .02

SILICATE : 3.88

PROTEIN: 20.60

AMMONIA : .96




Fig. 1. Location of sampling stations in Foxe Basin.