



112804
Scientific Excellence • Resource Protection & Conservation • Benefits for Canadians
Excellence scientifique • Protection et conservation des ressources • Bénéfices aux Canadiens

**Primary productivity on the
Labrador shelf during July 1985**

CA9ΦΦΦ1Φ7

9/6/90

B. Irwin, C. Caverhill, D. Mossman, J. Anning,
E. Horne and T. Platt

Biological Sciences Branch
Department of Fisheries and Oceans

Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, Nova Scotia
Canada B2Y 4A2

September 1989

**Canadian Data Report of
Fisheries and Aquatic Science
No. 760**



Fisheries
and Oceans

Pêches
et Océans

Canada

Canadian Data Report of Fisheries and Aquatic Sciences

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport statistique canadien des sciences halieutiques et aquatiques

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of

Fisheries and Aquatic Science No. 760

CA9ΦΦΦ1Φ7

September 1989

Primary productivity on the Labrador Shelf during July 1985

by

B. Irwin, C. Caverhill, D. Mossman, J. Anning, E. Horne and T. Platt

Biological Sciences Branch
Department of Fisheries and Oceans

Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, Nova Scotia
Canada B2Y 4A2

©Minister of Supply and Services Canada 1989
Cat. No. Fs 97-13/760E ISSN 0706-6465

Correct citation for this publication:

B. Irwin, C. Caverhill, D. Mossman, J. Anning, E. Horne and T. Platt. 1989. Primary productivity on the Labrador Shelf during July 1985. Can. Data Rep. Fish. Aquat. Sci. No. 760: iv + 119 p.

C49ΦΦΦ1Φ7

ABSTRACT

B. Irwin, C. Caverhill, D. Mossman, J. Anning, E. Horne and T. Platt. 1989. Primary productivity on the Labrador Shelf during July 1985. Can. Data Rep. Fish. Aquat. Sci. No. 760: iv + 119 p.

During the period 1 July to 12 July 1985, a series of primary productivity experiments was conducted on board CSS Hudson on the Labrador Shelf. In this report we make available the raw data and also the fitted light saturation parameters.

RESUME

B. Irwin, C. Caverhill, D. Mossman, J. Anning, E. Horne and T. Platt. 1989. Primary productivity on the Labrador Shelf during July 1985. Can. Data Rep. Fish. Aquat. Sci. No. 760: iv + 119 p.

Pendant la période du 1 juillet au 12 juillet 1985, une série d'expériences de productivité a été effectuée à bord du CSS Hudson, sur le plateau du Labrador. Dans ce rapport nous présentons les données brutes sur ces expériences, ainsi que les paramètres qui furent calculées pour representer les courbes de production en fonction de la lumière.

CONTENTS

| | |
|---|-----|
| Abstract\Résumé | iii |
| Introduction | 1 |
| Sampling | 1 |
| Methods | 1 |
| Productivity | 1 |
| Chlorophyll | 2 |
| Organic Particulates | 2 |
| Nutrients | 2 |
| Incubation and Incident Light | 2 |
| Estimation of Photosynthetic Parameters | 3 |
| Acknowledgements | 3 |
| References | 4 |

INTRODUCTION

This is the fourteenth in a series of data reports giving results of experiments on photosynthetic production versus light intensity for natural phytoplankton populations in the North Atlantic and adjacent waters north of 50°N. Samples were collected from C.S.S. Hudson between 1 July and 12 July 1985 on the Labrador Shelf NE of Newfoundland. This was a joint cruise with the Ocean Circulation division of the Atlantic Oceanographic Laboratory.

SAMPLING

All water samples were collected with 30 l Niskin bottles. At most stations two depths were sampled - the upper mixed layer and the bottom of the mixed layer. At other stations where no chlorophyll maximum or strong physical gradient was present, water was collected from four depths in the upper 60 m.

METHODS

Productivity

Primary productivity was measured using the ^{14}C method and the oxygen evolution method. The ^{14}C method was essentially as described by Strickland and Parsons (1972). 20 μCi of sodium bicarbonate ^{14}C was added to each of 42 light and 3 dark bottles for whole samples and 50 μCi added to samples which were to be size fractioned. The whole fractions were collected on 2.5 cm Whatman GF/F glass fibre filters and fractions on Nuclepore and glass fibre filters. Incubation periods were from 2 - 3 hours in temperature controlled incubators illuminated with 250 w tungsten halogen lamps (Irwin et al. 1986).

For the oxygen evolution method the high precision Winkler technique of Williams and Jenkinson (1982) was used. 42 light bottles, 3 dark and 3 time zero bottles

were filled for each experiment. The time zero bottles were fixed immediately after filling. Bottles were incubated for 4 hours.

Chlorophyll

Replicate 100 mls of sample were filtered onto 25 mm Whatman GF/F filters. Chlorophyll was extracted for 24 hours with 85% acetone at 0°C in the dark. The fluorometric technique of Yentsch and Menzel (1963) as modified by Holm Hansen et al. (1965) was used to estimate chlorophyll concentration.

Organic Particulates

Samples for particulate organic carbon and organic nitrogen were filtered onto 25 mm precombusted Whatman GF/F filters. Filters were analyzed by combustion in a Perkin Elmer model 210 CHN analyzer.

Nutrients

Samples for nitrate, silicate and inorganic phosphate were collected from most sampled depths. Vials were stored frozen at -20°C and later analyzed in the laboratory using a Technicon II Autoanalyzer. Nitrate was measured using industrial method 158-71W, silicate with method 186-72W and phosphate with method 155-71W.

Incubation and Incident Light

Photosynthetically Active Radiation (P.A.R.) was measured at each bottle position in the incubators with a Biospherical Instruments 4π quantum meter (Model Q.S.L. 100).

Total incident light was measured with an Eppley 40 Junction black and white pyranometer (Model 8-48) and P.A.R. with a 2π quantum sensor (Licor Li 19OS). Output from both instruments was integrated hourly and logged on a Licor Li 550 printing integrator.

Estimation of Photosynthetic Parameters

Measurement of specific production P^B and irradiance I were used to estimate parameters in the equation of Platt et al. (1980),

$$P^B = P_S (1 - e^{-\alpha I/P_S}) e^{-\beta I/P_S}$$

P_S ($\text{mg C} (\text{mg Chl})^{-1} \text{ h}^{-1}$) is the light saturated rate of photosynthesis in the absence of photoinhibition, α ($\text{mg C} (\text{mg Chl})^{-1} \text{ h}^{-1} \text{ w}^{-1} \text{ m}^{-2}$) is the initial slope of the PI curve and β (same units as α) is a parameter that characterises photoinhibition. Complete details of the fitting routine are given in Irwin et al. (1982) and a discussion of the mathematical basis for this technique is given in Irwin et al. (1980).


ACKNOWLEDGEMENTS

We wish to thank Alastair Macdonald for his assistance in the analysis of samples and the preparation of data for this report.

REFERENCES

- Holm-Hansen, O., C.J. Lorenzen, R.W. Holmes and J.D.H. Strickland. 1965. Fluorometric determination of chlorophyll. *J. Cons. Int. Explor. Mer.* 30: 3-15.
- Irwin, B., C. Caverhill, P. Dickie, E. Horne and T. Platt. 1986. Primary production on the Labrador Shelf during June and July, 1984. *Can. Data Rept. Fish. Aquat. Sci.* No. 577: 162 p.
- Irwin, B., T. Platt, W.G. Harrison, C.L. Gallegos and P. Lindley. 1982. Phytoplankton productivity experiments and nutrient measurements in Ungava Bay NWT from August 1 to September 3, 1979. *Can. Data Rept. Fish. Aquat. Sci.* No. 287, 208 pp.
- Irwin, B., W.G. Harrison, C.L. Gallegos and T. Platt. 1980. Phytoplankton productivity experiments and nutrient measurements in the Labrador Sea, Davis Strait, Baffin Bay and Lancaster Sound from 26 August to 14 September, 1978. *Can. Data Rept. Fish. Aquat. Sci.* No. 213, 103 pp.
- Platt, T., C.L. Gallegos, and W.G. Harrison. 1980. Photoinhibition of photosynthesis in natural assemblages of marine phytoplankton. *J. Mar. Res.* 38(4): 687-701.
- Strickland, J.D.H. and T.J. Parsons. 1972. A practical handbook of sea water analysis. *Bull. Fish. Res. Bd. Canada* No. 167: 311 p.
- Williams, P.J.LeB. and N.W. Jenkinson. 1982. A transportable microprocessor controlled Winkler titration suitable for field station and shipboard use. *Limnol. Oceanogr.* 27(3): 576-584.
- Yentsch, C.S. and D.W. Menzel. 1963. A method for the determination of phytoplankton chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.* 10: 221-231.

LOCATION OF SAMPLING STATIONS







Fig. 1 Location of sampling stations.



**LIGHT SATURATION DATA AND RELATED
BIOMASS AND NUTRIENT DATA**



UNITS

$$P = \text{mg C} (\text{mg chl})^{-1} \text{ m}^{-3} \text{ h}^{-1}$$

$$I = \text{W m}^{-2}$$

$$P_s = \text{mg C} (\text{mg chl})^{-1} \text{ h}^{-1}$$

$$\alpha = \text{mg C} (\text{mg chl})^{-1} \text{ h}^{-1} \text{ w}^{-1} \text{ m}^{-2}$$

$$\beta = \text{mg C} (\text{mg chl})^{-1} \text{ h}^{-1} \text{ w}^{-1} \text{ m}^{-2}$$

Organic particulates are in mg m⁻³. Inorganic nutrients are in mg at m⁻³. The 90% confidence interval for P_s, α, β are shown in the closed brackets below the estimates for each parameter.



LABRADOR SEA 1985

STATION NO. 1

LAT $55^{\circ}14.6' N$ LONG $49^{\circ}31.9' W$ DATE 02/07/85 DEPTH 45 M

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 179 | .54 | 167 | .54 | 151 | .65 | 136 | .62 |
| 116 | .70 | 96 | .69 | 88 | .87 | 64 | .85 |
| 56 | .83 | 48 | .72 | 38 | .83 | 21 | .65 |
| 18 | .40 | 16 | .36 | 15 | .28 | 7 | .24 |
| 6 | .16 | 5 | .10 | 5 | .11 | 3 | .13 |
| 3 | .07 | 2 | .03 | 2 | .06 | 2 | .04 |
| 1 | .03 | 1 | .01 | 1 | .02 | .9 | .01 |
| .9 | .02 | .5 | .01 | .4 | .00 | | |

13

PARAMETER VALUES

| | | |
|---------------|----------------|------------------|
| PS : 2.16 | ALPHA : .033 | BETA : .0167 |
| (.97, 3.35) | (.031, .036) | (.0016, .0318) |

FRACTION : WHOLE

SAMPLE TEMP 3.0°C INCUBATION TEMP 3.5°C

CHLOROPHYLL : 2.30 CARBON : 268 NITROGEN : 48

NITRATE : 14.82 SILICATE : 4.37 PHOSPHATE : 1.62

LABRADOR SEA 1985

STATION NO. 1

LAT $55^{\circ}14.6' N$ LONG $49^{\circ}31.9' W$ DATE 02/07/85 DEPTH 45 M

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 698 | .02 | 538 | .06 | 458 | .07 | 419 | .11 |
| 379 | .19 | 319 | .28 | 239 | .25 | 219 | .31 |
| 159 | .50 | 140 | .61 | 140 | .56 | 120 | .70 |
| 62 | .77 | 56 | .74 | 52 | .66 | 50 | .68 |
| 46 | .72 | 22 | .54 | 22 | .66 | 20 | .52 |
| 18 | .44 | 18 | .38 | 10 | .42 | 8 | .15 |
| 8 | .32 | 6 | .20 | 6 | .19 | 3 | .10 |
| 3 | .14 | 3 | .06 | 3 | .07 | 3 | .06 |
| 2 | .06 | 1 | .04 | 1 | .05 | .4 | .02 |
| 3 | .01 | .3 | .01 | | | | |

14

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 1.26 | ALPHA : | .037 | BETA : | .0071 |
| (| 1.13, 1.39) | (| .035, .039) | (| .0057, .0085) |

FRACTION : >1 MICRON

| | | | | | |
|---------------|-------|-----------------|-------|-------------|------|
| SAMPLE TEMP | 3.0°C | INCUBATION TEMP | 3.5°C | | |
| CHLOROPHYLL : | 2.37 | CARBON : | 268 | NITROGEN : | 48 |
| NITRATE : | 14.82 | SILICATE : | 4.37 | PHOSPHATE : | 1.62 |

LABRADOR SEA 1985

STATION NO. 1

LAT $55^{\circ}14.6' N$ LONG $49^{\circ}31.9' W$ DATE 02/07/85 DEPTH 45 M

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 698 | .14 | 538 | .12 | 458 | .06 | 419 | .05 |
| 319 | .07 | 239 | .07 | 219 | .17 | 140 | .74 |
| 120 | .72 | 62 | .84 | 56 | .79 | 52 | .77 |
| 46 | .62 | 44 | .62 | 28 | .83 | 22 | .63 |
| 22 | .66 | 20 | .74 | 18 | .64 | 18 | .70 |
| 16 | .79 | 10 | .48 | 8 | .34 | 8 | .44 |
| 6 | .47 | 6 | .34 | 3 | .16 | 3 | .17 |
| 3 | .17 | 3 | .19 | 3 | .18 | 3 | .08 |
| 2 | .26 | 1 | .20 | 1 | .22 | .4 | .22 |
| .3 | .14 | | | | | | |

15

PARAMETER VALUES

| | | |
|---------------|----------------|------------------|
| PS : 1.08 | ALPHA : .072 | BETA : .0064 |
| (.95, 1.21) | (.064, .081) | (.0045, .0083) |

FRACTION : < 1 MICRON

| | | | |
|---------------|----------------|-----------------|------------------|
| SAMPLE TEMP | $3.0^{\circ}C$ | INCUBATION TEMP | $3.5^{\circ}C$ |
| CHLOROPHYLL : | .13 | CARBON : | 268 |
| NITRATE : | 14.82 | SILICATE : | 4.37 |
| | | | PHOSPHATE : 1.62 |

LABRADOR SEA 1985

STATION NO. 2

LAT 54°41.5' N LONG 50°59.2' W DATE 03/07/85 DEPTH 25 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 179 | 1.95 | 144 | 2.11 | 120 | 1.76 | 100 | 1.41 |
| 80 | 1.36 | 52 | 1.40 | 38 | 1.54 | 36 | 1.09 |
| 32 | .98 | 30 | .75 | 18 | .68 | 14 | .61 |
| 12 | .46 | 12 | .37 | 10 | .30 | 6 | .20 |
| 4 | .12 | 4 | .13 | 4 | .09 | 3 | .07 |
| 2 | .05 | 2 | .03 | 2 | .04 | 1 | .02 |
| 1 | .03 | .7 | .01 | .6 | .02 | .5 | .04 |
| .4 | .03 | .4 | .00 | .2 | .02 | .2 | .02 |
| .1 | .02 | .1 | .02 | .0 | .01 | | |

PARAMETER VALUES

| | | |
|----------------|----------------|-------------------|
| PS : 1.94 | ALPHA : .043 | BETA : .0000 |
| (1.30, 2.57) | (.038, .047) | (-.0037, .0037) |

FRACTION : WHOLE

SAMPLE TEMP. 2.5°C INCUBATION TEMP 4.0°C

CHLOROPHYLL : .37 CARBON : 291 NITROGEN : 49

NITRATE : .24 SILICATE : 3.32 PHOSPHATE : .51

LABRADOR SEA 1985

STATION NO. 2

| LAT 54°41.5' N | | LONG 50°59.2' W | | DATE 03/07/85 | | DEPTH 25 M | |
|----------------|------|-----------------|------|---------------|------|------------|------|
| I | P | I | P | I | P | I | P |
| 698 | .66 | 538 | .87 | 458 | .74 | 379 | 1.03 |
| 319 | 1.09 | 219 | 1.05 | 159 | 1.16 | 140 | 1.12 |
| 140 | 1.05 | 120 | .82 | 56 | .91 | 52 | .85 |
| 50 | .79 | 46 | .60 | 44 | .49 | 22 | .48 |
| 22 | .44 | 20 | .33 | 18 | .24 | 10 | .19 |
| 8 | .09 | 3 | .03 | 3 | .02 | .3 | .00 |

17

PARAMETER VALUES

| | | |
|----------------|----------------|------------------|
| PS : 1.42 | ALPHA : .021 | BETA : .0015 |
| (1.26, 1.58) | (.019, .023) | (.0009, .0020) |

FRACTION : > 1 MICRON

| | | | |
|---------------|-------|-----------------|-----------------|
| SAMPLE TEMP | 2.5°C | INCUBATION TEMP | 4.0°C |
| CHLOROPHYLL : | .18 | CARBON : | 291 |
| NITRATE : | .24 | SILICATE : | 3.32 |
| | | | PHOSPHATE : .51 |

LABRADOR SEA 1985

STATION NO. 2

LAT $54^{\circ}41.5' N$ LONG $50^{\circ}59.2' W$ DATE 03/07/85 DEPTH 25 M

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 538 | .35 | 458 | .50 | 419 | .67 | 379 | .66 |
| 219 | .75 | 159 | .67 | 140 | .66 | 140 | .75 |
| 120 | .75 | 56 | .74 | 52 | .69 | 50 | .62 |
| 46 | .60 | 44 | .51 | 22 | .52 | 22 | .54 |
| 20 | .47 | 18 | .37 | 10 | .21 | 8 | .09 |
| 8 | .15 | 6 | .10 | 6 | .17 | 3 | .08 |
| 3 | .09 | 3 | .03 | 3 | .01 | 3 | .05 |
| 2 | .04 | 1 | .05 | 1 | .02 | .4 | .03 |
| .3 | .02 | | | | | | |

18

PARAMETER VALUES

| | | | | | |
|---------|-------|----------|--------|-----------|---------|
| PS : | .86 | ALPHA : | .028 | BETA : | .0009 |
| (.80 , | .92) | (.026 , | .030) | (.0006 , | .0012) |

FRACTION : < 1 MICRON

| | | | | | |
|---------------|----------------|-----------------|----------------|-------------|-----|
| SAMPLE TEMP | $2.5^{\circ}C$ | INCUBATION TEMP | $4.0^{\circ}C$ | | |
| CHLOROPHYLL : | .26 | CARBON : | 291 | NITROGEN : | 49 |
| NITRATE : | .24 | SILICATE : | 3.32 | PHOSPHATE : | .51 |

LABRADOR SEA 1985

STATION NO. 2

LAT $54^{\circ}41.5' N$ LONG $50^{\circ}59.2' W$

DATE 03/07/85

DEPTH 1 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 777 | 2.14 | 678 | 1.90 | 598 | 1.87 | 498 | 1.88 |
| 379 | 1.83 | 223 | 1.90 | 191 | 1.88 | 175 | 1.70 |
| 155 | 1.88 | 84 | 1.90 | 68 | 1.92 | 48 | 1.35 |
| 42 | 1.22 | 32 | 1.17 | 26 | 1.03 | 21 | .71 |
| 18 | .63 | 15 | .67 | 14 | .74 | 10 | .47 |
| 8 | .40 | 6 | .27 | 5 | .26 | 5 | .12 |
| 4 | .04 | 3 | .13 | 3 | .06 | 2 | .09 |
| 2 | .09 | 1 | .02 | .5 | .00 | | |

19

PARAMETER VALUES

PS : 1.92
(1.84, 1.99)ALPHA : .054
(.051, .057)BETA : .0000
(-.0002, .0002)

FRACTION : WHOLE

SAMPLE TEMP

 3.5°C

INCUBATION TEMP

 2.0°C

CHLOROPHYLL : .28

CARBON : 116

NITROGEN : 34

NITRATE : .09

SILICATE : 1.93

PHOSPHATE : .26

LABRADOR SEA 1985

STATION NO. 3

LAT 54°31.2' N LONG 51°27.0' W DATE 03/07/85 DEPTH 35 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|----|------|
| 144 | 1.16 | 120 | 1.33 | 100 | 1.06 | 80 | 1.13 |
| 52 | 1.13 | 38 | 1.09 | 36 | 1.02 | 32 | .83 |
| 18 | .71 | 14 | .59 | 12 | .43 | 12 | .39 |
| 10 | .29 | 6 | .17 | 4 | .10 | 4 | .08 |
| 4 | .05 | 3 | .05 | 2 | .06 | 2 | .04 |
| 2 | .03 | 1 | .03 | 1 | .03 | .8 | .03 |
| .7 | .02 | .6 | .03 | .5 | .01 | .4 | .01 |
| .4 | .01 | .3 | .01 | .2 | .00 | .1 | .05 |
| .1 | .05 | .0 | .03 | | | | |

20

PARAMETER VALUES

| | | |
|----------------|----------------|-------------------|
| PS : 1.68 | ALPHA : .044 | BETA : .0041 |
| (1.19, 2.17) | (.041, .048) | (-.0006, .0087) |

FRACTION : WHOLE

SAMPLE TEMP 2.5°C INCUBATION TEMP 4.0°C

CHLOROPHYLL : 3.40 CARBON : 283 NITROGEN : 53

NITRATE : .33 SILICATE : 3.32 PHOSPHATE : .54

LABRADOR SEA 1985

STATION NO. 3

LAT 54°31.2' N LONG 51°27.0' W DATE 03/07/85 DEPTH 35 M

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 698 | .14 | 538 | .16 | 458 | .25 | 419 | .33 |
| 379 | .41 | 319 | .57 | 159 | .74 | 140 | .75 |
| 140 | .76 | 120 | .64 | 56 | .70 | 52 | .64 |
| 50 | .59 | 46 | .61 | 44 | .46 | 22 | .49 |
| 22 | .49 | 20 | .38 | 18 | .34 | 18 | .26 |
| 10 | .21 | 8 | .08 | 8 | .17 | 6 | .13 |
| 6 | .11 | 3 | .03 | 3 | .03 | 3 | .06 |
| 3 | .03 | 3 | .03 | 2 | .02 | 1 | .04 |
| 1 | .00 | .4 | .00 | .3 | .01 | .3 | .00 |

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 1.24 | ALPHA : | .022 | BETA : | .0039 |
| (| 1.11, 1.37) | (| .021, .024) | (| .0030, .0047) |

FRACTION : > 1 MICRON

SAMPLE TEMP 2.5°C INCUBATION TEMP 4.0°C

CHLOROPHYLL : 2.68 CARBON : 283 NITROGEN : 53

NITRATE : .33 SILICATE : 3.32 PHOSPHATE : .54

LABRADOR SEA 1985

STATION NO. 3

LAT $54^{\circ}31.2' N$ LONG $51^{\circ}27.0' W$ DATE 03/07/85 DEPTH 35 M

| | P | | P | | P | | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 698 | .11 | 538 | .17 | 458 | .18 | 419 | .19 |
| 379 | .36 | 319 | .35 | 159 | .64 | 140 | .63 |
| 140 | .56 | 120 | .72 | 56 | .73 | 52 | .78 |
| 50 | .53 | 46 | .65 | 44 | .49 | 22 | .53 |
| 22 | .56 | 20 | .56 | 18 | .36 | 18 | .35 |
| 10 | .24 | 8 | .11 | 8 | .21 | 6 | .14 |
| 6 | .16 | 3 | .12 | 3 | .05 | 3 | .12 |
| 3 | .07 | 3 | .05 | 3 | .04 | 2 | .05 |
| 1 | .03 | 1 | .02 | .4 | .01 | .3 | .01 |
| .3 | .01 | | | | | | |

22

PARAMETER VALUES

| | | |
|---------------|----------------|------------------|
| PS : 1.02 | ALPHA : .030 | BETA : .0034 |
| (.93, 1.12) | (.028, .032) | (.0027, .0041) |

FRACTION : < 1 MICRON

| | | | |
|---------------|----------------|-----------------|-----------------|
| SAMPLE TEMP | $2.5^{\circ}C$ | INCUBATION TEMP | $4.0^{\circ}C$ |
| CHLOROPHYLL : | .67 | CARBON : | 283 |
| NITRATE : | .33 | SILICATE : | 3.32 |
| | | | PHOSPHATE : .54 |

LABRADOR SEA 1985

STATION NO. 4

LAT 54° 6.6' N

LONG 52° 27.8' W

DATE 04/07/85

DEPTH 15 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|----|------|----|------|
| 136 | 1.72 | 108 | 1.52 | 80 | 1.33 | 76 | 1.25 |
| 76 | 1.36 | 46 | 1.26 | 40 | .89 | 36 | .78 |
| 34 | .69 | 28 | .62 | 16 | .46 | 13 | .39 |
| 11 | .25 | 11 | .22 | 11 | .22 | 4 | .21 |
| 3 | .11 | 3 | .08 | 3 | .08 | 3 | .08 |
| 2 | .07 | 2 | .03 | 1 | .06 | 1 | .06 |
| 1 | .03 | .9 | .03 | .7 | .02 | .5 | .03 |
| .5 | .02 | .5 | .04 | .5 | .02 | .2 | .01 |
| .2 | .01 | .2 | .01 | .0 | .01 | .0 | .01 |
| .0 | .00 | | | | | | |

23

PARAMETER VALUES

| | | | | | |
|------|-------------|---------|--------------|--------|-----------------|
| PS : | 1.92 | ALPHA : | .030 | BETA : | .0000 |
| (| .70, 3.15) | (| .028, .032) | (| -.0064, .0064) |

FRACTION : WHOLE

SAMPLE TEMP 3.6°C INCUBATION TEMP 3.0°C

CHLOROPHYLL : 1.59 CARBON : 289 NITROGEN : 50

NITRATE : .11 SILICATE : 1.87 PHOSPHATE : .31

LABRADOR SEA 1985

STATION NO. 4

LAT $54^{\circ} 6.6' N$ LONG $52^{\circ} 27.8' W$

DATE 04/07/85

DEPTH 15 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 558 | 1.54 | 518 | 1.39 | 399 | 1.43 | 367 | 1.41 |
| 343 | 1.41 | 171 | 1.50 | 128 | 1.39 | 120 | 1.20 |
| 120 | 1.42 | 50 | 1.27 | 46 | 1.08 | 44 | 1.03 |
| 42 | .84 | 21 | .64 | 19 | .52 | 18 | .38 |
| 18 | .38 | 17 | .30 | 7 | .22 | 6 | .15 |
| 6 | .11 | 6 | .08 | 6 | .11 | 3 | .06 |
| 2 | .03 | 2 | .02 | 2 | .03 | 2 | .02 |
| 1 | .02 | .9 | .01 | .9 | .00 | .3 | .01 |
| .3 | .01 | .2 | .00 | | | | |

24

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|-----------------|
| PS : | 1.49 | ALPHA : | .034 | BETA : | .0001 |
| (| 1.40, 1.59) | (| .031, .036) | (| -.0001, .0004) |

FRACTION : > 1 MICRON

SAMPLE TEMP

 3.6°C

INCUBATION TEMP

 3.0°C

CHLOROPHYLL : 1.06 CARBON : 289 NITROGEN : 50

NITRATE : .11 SILICATE : 1.87 PHOSPHATE : .31

LABRADOR SEA 1985

STATION NO. 4

LAT $54^{\circ} 6.6' N$ LONG $52^{\circ} 27.8' W$

DATE 04/07/85

DEPTH 15 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 518 | 1.11 | 399 | .93 | 367 | 1.17 | 171 | 1.09 |
| 136 | 1.01 | 128 | .98 | 120 | .93 | 120 | .95 |
| 50 | 1.15 | 46 | 1.05 | 44 | .85 | 42 | .92 |
| 40 | .78 | 19 | .67 | 18 | .62 | 18 | .66 |
| 17 | .52 | 7 | .39 | 6 | .25 | 6 | .30 |
| 6 | .19 | 6 | .16 | 3 | .09 | 2 | .10 |
| 2 | .08 | 2 | .08 | 2 | .10 | 1 | .03 |
| .9 | .02 | .9 | .03 | .3 | .03 | .3 | .02 |
| .2 | .00 | | | | | | |

25

PARAMETER VALUES

| | | | | | |
|------|-------------|---------|--------------|--------|-----------------|
| PS : | 1.04 | ALPHA : | .051 | BETA : | .0000 |
| (| .99, 1.08) | (| .047, .055) | (| -.0002, .0002) |

FRACTION : < 1 MICRON

| | | | | | |
|---------------|-------|-----------------|-------|-------------|-----|
| SAMPLE TEMP | 3.6°C | INCUBATION TEMP | 3.0°C | | |
| CHLOROPHYLL : | .31 | CARBON : | 289 | NITROGEN : | 50 |
| NITRATE : | .11 | SILICATE : | 1.87 | PHOSPHATE : | .31 |

LABRADOR SEA 1985

STATION NO. 4

LAT 54° 6.6' N LONG 52° 27.8' W DATE 04/07/85 DEPTH 5 M

| | P | | P | | P | | P |
|-----|------|-----|------|-----|------|-----|-----|
| 678 | 1.02 | 618 | .94 | 578 | .99 | 518 | .71 |
| 458 | .69 | 223 | .95 | 215 | 1.08 | 203 | .83 |
| 187 | .92 | 110 | 1.15 | 84 | .99 | 78 | .89 |
| 34 | .76 | 34 | .77 | 31 | .85 | 28 | .62 |
| 28 | .59 | 26 | .45 | 26 | .45 | 15 | .45 |
| 10 | .22 | 10 | .15 | 10 | .12 | 10 | .13 |
| 9 | .12 | 4 | .11 | 4 | .03 | 4 | .05 |
| 4 | .02 | 4 | .05 | 3 | .03 | 2 | .03 |
| 1 | .03 | 1 | .01 | .5 | .02 | .5 | .01 |
| .5 | .01 | | | | | | |

26

PARAMETER VALUES

| | | | | | |
|---------|--------|----------|--------|-----------|---------|
| PS : | 1.05 | ALPHA : | .031 | BETA : | .0003 |
| (.97 , | 1.13) | (.028 , | .034) | (.0001 , | .0005) |

FRACTION : WHOLE

| | | | | |
|---------------|-------|-----------------|-------------|-----|
| SAMPLE TEMP | 3.6°C | INCUBATION TEMP | 2.0°C | |
| CHLOROPHYLL : | 1.66 | CARBON : | 406 | |
| NITRATE : | .14 | SILICATE : | 1.77 | |
| | | | PHOSPHATE : | .27 |

LABRADOR SEA 1985

STATION NO. 5

LAT $54^{\circ} 1.5' N$ LONG $52^{\circ} 43.1' W$ DATE 04/07/85 DEPTH 19 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|----|-----|
| 167 | 1.15 | 136 | 1.21 | 108 | 1.05 | 80 | .90 |
| 76 | .93 | 76 | .77 | 40 | .63 | 36 | .53 |
| 34 | .51 | 28 | .47 | 16 | .42 | 13 | .33 |
| 11 | .25 | 11 | .23 | 11 | .17 | 4 | .14 |
| 3 | .08 | 3 | .10 | 3 | .07 | 3 | .05 |
| 2 | .03 | 1 | .02 | 1 | .03 | 1 | .02 |
| .7 | .01 | .5 | .01 | .5 | .00 | .5 | .00 |
| .5 | .00 | .2 | .00 | .2 | .02 | .2 | .03 |
| .0 | .00 | .0 | .00 | .0 | .01 | | |

27

PARAMETER VALUES

| | | | | | |
|---------|--------|----------|--------|------------|---------|
| PS : | 1.24 | ALPHA : | .021 | BETA : | .0000 |
| (.83 , | 1.65) | (.020 , | .023) | (-.0021 , | .0021) |

FRACTION : WHOLE

| | | | | |
|---------------|-------|-----------------|-------------|-----|
| SAMPLE TEMP | 2.0°C | INCUBATION TEMP | 3.0°C | |
| CHLOROPHYLL : | 19.57 | CARBON : | 531 | |
| NITRATE : | .37 | SILICATE : | 2.29 | |
| | | | PHOSPHATE : | .47 |

LABRADOR SEA 1985

STATION NO. 5

LAT $54^{\circ} 1.5' N$ LONG $52^{\circ} 43.1' W$ DATE 04/07/85 DEPTH 19 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 777 | .43 | 558 | .59 | 518 | .79 | 399 | .89 |
| 367 | .97 | 343 | .95 | 207 | 1.01 | 171 | 1.10 |
| 136 | 1.04 | 128 | 1.01 | 120 | 1.05 | 120 | .97 |
| 72 | 1.06 | 50 | .83 | 46 | .78 | 44 | .83 |
| 42 | .77 | 40 | .67 | 22 | .74 | 21 | .62 |
| 19 | .45 | 18 | .36 | 18 | .39 | 17 | .36 |
| 7 | .21 | 6 | .15 | 6 | .13 | 6 | .13 |
| 6 | .11 | 3 | .13 | 3 | .07 | 2 | .06 |
| 2 | .03 | 2 | .05 | 2 | .04 | 1 | .03 |
| .9 | .02 | .9 | .02 | .3 | .01 | .3 | .01 |
| .2 | .01 | | | | | | |

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 1.32 | ALPHA : | .030 | BETA : | .0015 |
| (| 1.25, 1.38) | (| .029, .032) | (| .0013, .0018) |

FRACTION : $\rightarrow 1$ MICRON

| | | | | | |
|---------------|----------------|-----------------|----------------|-------------|-----|
| SAMPLE TEMP | $2.0^{\circ}C$ | INCUBATION TEMP | $3.0^{\circ}C$ | | |
| CHLOROPHYLL : | 22.21 | CARBON : | 531 | NITROGEN : | 73 |
| NITRATE : | .37 | SILICATE : | 2.29 | PHOSPHATE : | .47 |

LABRADOR SEA 1985

STATION NO. 5

LAT $54^{\circ} 1.5' N$ LONG $52^{\circ} 43.1' W$ DATE 04/07/85 DEPTH 19 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 777 | .69 | 558 | .98 | 518 | 1.18 | 399 | .94 |
| 367 | .93 | 343 | 1.07 | 171 | 1.09 | 120 | 1.37 |
| 120 | 1.52 | 50 | 1.40 | 46 | 1.44 | 44 | 1.23 |
| 42 | 1.11 | 40 | 1.16 | 22 | 1.35 | 21 | 1.03 |
| 19 | .94 | 18 | .80 | 18 | .94 | 17 | .77 |
| 7 | .52 | 6 | .44 | 6 | .38 | 6 | .31 |
| 6 | .30 | 3 | .34 | 3 | .22 | 2 | .15 |
| 2 | .14 | 2 | .15 | 2 | .15 | 1 | .14 |
| .9 | .09 | .9 | .06 | .3 | .05 | .3 | .10 |
| .2 | .03 | | | | | | |

29

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 1.48 | ALPHA : | .081 | BETA : | .0013 |
| (| 1.40, 1.55) | (| .075, .087) | (| .0010, .0016) |

FRACTION : < 1 MICRON

| | | | | | |
|---------------|-------|-----------------|-------|-------------|-----|
| SAMPLE TEMP | 2.0°C | INCUBATION TEMP | 3.0°C | | |
| CHLOROPHYLL : | .31 | CARBON : | 531 | NITROGEN : | 73 |
| NITRATE : | .37 | SILICATE : | 2.29 | PHOSPHATE : | .47 |

LABRADOR SEA 1985

STATION NO. 6

LAT 53°12.3' N LONG 55° 1.0' W DATE 05/07/85 DEPTH 27 M

| I | P | I | P | I | P | I | P |
|-----|-----|----|-----|----|-----|----|-----|
| 116 | .95 | 80 | .94 | 60 | .92 | 42 | .87 |
| 38 | .73 | 31 | .74 | 21 | .61 | 17 | .54 |
| 15 | .57 | 13 | .40 | 11 | .44 | 10 | .44 |
| 8 | .27 | 6 | .22 | 5 | .28 | 5 | .15 |
| 4 | .19 | 4 | .12 | 3 | .08 | 2 | .04 |
| 2 | .04 | 1 | .03 | 1 | .02 | .9 | .01 |
| .8 | .01 | .6 | .02 | .6 | .01 | .5 | .01 |
| .4 | .01 | .3 | .00 | .2 | .01 | .2 | .00 |
| .1 | .00 | .1 | .00 | | | | |

30

PARAMETER VALUES

| | | | | | |
|------|-------------|---------|--------------|--------|-----------------|
| PS : | .96 | ALPHA : | .047 | BETA : | .0000 |
| (| .86, 1.06) | (| .044, .049) | (| -.0010, .0010) |

FRACTION : WHOLE

SAMPLE TEMP -1.0°C INCUBATION TEMP 3.0°C

CHLOROPHYLL : 15.94 CARBON : 391 NITROGEN : 52

NITRATE : 5.83 SILICATE : 7.68 PHOSPHATE : 1.00

LABRADOR SEA 1985

STATION NO. 6

LAT $53^{\circ}12.3' N$ LONG $55^{\circ}1.0' W$ DATE 05/07/85 DEPTH 27 M

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 658 | .23 | 538 | .29 | 399 | .48 | 359 | .55 |
| 311 | .69 | 287 | .76 | 171 | .81 | 151 | .82 |
| 140 | .84 | 124 | .85 | 104 | .84 | 92 | .84 |
| 54 | .78 | 44 | .80 | 38 | .65 | 30 | .61 |
| 28 | .59 | 25 | .56 | 18 | .54 | 16 | .41 |
| 12 | .36 | 10 | .29 | 9 | .27 | 7 | .17 |
| 5 | .14 | 4 | .13 | 3 | .11 | 3 | .09 |
| 3 | .15 | 3 | .07 | 2 | .05 | 2 | .04 |
| 2 | .04 | 1 | .04 | 1 | .03 | 1 | .03 |
| .8 | .02 | .4 | .01 | .4 | .01 | .3 | .01 |

31

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 1.15 | ALPHA : | .033 | BETA : | .0024 |
| (| 1.11, 1.20) | (| .032, .035) | (| .0022, .0027) |

FRACTION : > 1 MICRON

SAMPLE TEMP - 1.0°C INCUBATION TEMP 3.0°C

CHLOROPHYLL : 16.94 CARBON : 391 NITROGEN : 52

NITRATE : 5.83 SILICATE : 7.68 PHOSPHATE : 1.00

LABRADOR SEA 1985

STATION NO. 6

LAT $53^{\circ}12.3' N$ LONG $55^{\circ}1.0' W$ DATE 05/07/85 DEPTH 27 M

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 538 | .17 | 399 | .24 | 359 | .30 | 311 | .39 |
| 287 | .53 | 171 | .48 | 151 | .52 | 140 | .57 |
| 104 | .76 | 92 | .73 | 54 | .73 | 38 | .62 |
| 30 | .54 | 28 | .60 | 25 | .59 | 22 | .65 |
| 18 | .66 | 16 | .58 | 12 | .54 | 10 | .44 |
| 9 | .40 | 7 | .36 | 5 | .34 | 4 | .30 |
| 3 | .23 | 3 | .20 | 3 | .21 | 3 | .20 |
| 2 | .11 | 2 | .11 | 2 | .09 | 1 | .09 |
| 1 | .07 | 1 | .05 | .8 | .03 | .4 | .03 |
| .4 | .05 | .3 | .05 | | | | |

PARAMETER VALUES

| | | | | | |
|---------|-------|----------|--------|-----------|---------|
| PS : | .78 | ALPHA : | .071 | BETA : | .0018 |
| (.74 , | .81) | (.066 , | .077) | (.0015 , | .0021) |

FRACTION : <1 MICRON

SAMPLE TEMP -1.0°C INCUBATION TEMP 3.0°C

CHLOROPHYLL : .23 CARBON : 391 NITROGEN : 52

NITRATE : 5.83 SILICATE : 7.68 PHOSPHATE : 1.00

LABRADOR SEA 1985

STATION NO. 7

LAT $53^{\circ} 5.8' N$ LONG $55^{\circ} 19.5' W$ DATE 05/07/85 DEPTH 10 M

| | P | | P | | P | | P |
|----|-----|----|-----|----|-----|----|-----|
| 80 | .92 | 60 | .79 | 46 | .76 | 42 | .87 |
| 38 | .74 | 31 | .61 | 27 | .86 | 21 | .65 |
| 17 | .55 | 13 | .44 | 11 | .44 | 10 | .48 |
| 8 | .32 | 6 | .23 | 5 | .15 | 4 | .15 |
| 4 | .14 | 3 | .14 | 2 | .08 | 2 | .05 |
| 1 | .04 | 1 | .07 | 1 | .01 | .9 | .02 |
| .8 | .01 | .6 | .01 | .6 | .02 | .5 | .01 |
| .4 | .01 | .3 | .01 | .3 | .01 | .3 | .01 |
| .3 | .01 | .2 | .00 | .2 | .01 | .1 | .01 |
| .1 | .01 | .1 | .01 | | | | |

33

PARAMETER VALUES

| | | | | | |
|------|-------------|---------|--------------|--------|-----------------|
| PS : | .87 | ALPHA : | .052 | BETA : | .0000 |
| (| .72, 1.03) | (| .048, .056) | (| -.0023, .0023) |

FRACTION : WHOLE

SAMPLE TEMP $-1.0^{\circ}C$ INCUBATION TEMP $2.0^{\circ}C$

CHLOROPHYLL : 23.97 CARBON : 588 NITROGEN : 74

NITRATE : .19 SILICATE : 1.45 PHOSPHATE : .57

LABRADOR SEA 1985

STATION NO. 7

LAT $53^{\circ} 5.8' N$ LONG $55^{\circ} 19.5' W$ DATE 05/07/85 DEPTH 10 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 658 | .43 | 538 | .64 | 399 | .84 | 359 | .83 |
| 311 | 1.21 | 287 | 1.06 | 171 | 1.11 | 151 | 1.16 |
| 140 | 1.07 | 124 | .99 | 104 | .95 | 92 | .99 |
| 54 | .97 | 44 | .94 | 38 | .90 | 30 | .81 |
| 28 | .78 | 25 | .70 | 22 | .80 | 18 | .59 |
| 16 | .47 | 12 | .39 | 10 | .38 | 9 | .32 |
| 9 | .42 | 7 | .30 | 5 | .17 | 4 | .15 |
| 3 | .14 | 3 | .14 | 3 | .10 | 3 | .17 |
| 2 | .07 | 2 | .05 | 2 | .06 | 1 | .05 |
| 1 | .05 | 1 | .05 | .8 | .05 | .4 | .03 |
| .4 | .02 | .3 | .03 | | | | |

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 1.27 | ALPHA : | .044 | BETA : | .0014 |
| (| 1.21, 1.34) | (| .041, .047) | (| .0011, .0017) |

FRACTION : >1 MICRON

SAMPLE TEMP $-1.0^{\circ}C$ INCUBATION TEMP $2.0^{\circ}C$

CHLOROPHYLL : 23.93 CARBON : 588 NITROGEN : 74

NITRATE : .19 SILICATE : 1.45 PHOSPHATE : .57

LABRADOR SEA 1985

STATION NO. 7

LAT $53^{\circ} 5.8' N$ LONG $55^{\circ} 19.5' W$ DATE 05/07/85 DEPTH 10 M

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 658 | .64 | 399 | .65 | 359 | .57 | 311 | .86 |
| 287 | .70 | 171 | .75 | 151 | .81 | 140 | .78 |
| 124 | .76 | 104 | .90 | 92 | .80 | 54 | .98 |
| 44 | .90 | 38 | .84 | 30 | .71 | 28 | .71 |
| 25 | .70 | 22 | .81 | 18 | .88 | 16 | .68 |
| 12 | .65 | 10 | .45 | 9 | .41 | 9 | .42 |
| 7 | .28 | 5 | .20 | 4 | .17 | 3 | .14 |
| 3 | .19 | 3 | .12 | 3 | .14 | 2 | .14 |
| 1 | .15 | 1 | .12 | 1 | .11 | .8 | .12 |
| .4 | .13 | .4 | .09 | .3 | .10 | | |

PARAMETER VALUES

| | | | | | |
|--------------|-----|----------------|------|------------------|-------|
| PS : | .91 | ALPHA : | .070 | BETA : | .0007 |
| (.87, .95) | | (.064, .076) | | (.0005, .0008) | |

FRACTION : < 1 MICRON

| | | | | | |
|-------------|--------|-----------------|--------|-----------|-------|
| SAMPLE TEMP | -1.0°C | INCUBATION TEMP | 2.0°C | | |
| CHLOROPHYLL | : .36 | CARBON | : 588 | NITROGEN | : 74 |
| NITRATE | : .19 | SILICATE | : 1.45 | PHOSPHATE | : .57 |

LABRADOR SEA 1985

STATION NO. 8

LAT $54^{\circ}29.1' N$ LONG $55^{\circ}19.0' W$ DATE 06/07/85 DEPTH 20 M

| I | P | I | P | I | P | I | P |
|-----|-----|----|------|----|------|----|-----|
| 116 | .84 | 80 | 1.06 | 60 | 1.04 | 46 | .87 |
| 42 | .98 | 38 | .79 | 31 | .71 | 27 | .87 |
| 21 | .65 | 17 | .63 | 15 | .76 | 13 | .59 |
| 11 | .54 | 10 | .59 | 8 | .43 | 6 | .27 |
| 5 | .38 | 5 | .26 | 4 | .24 | 4 | .23 |
| 3 | .16 | 2 | .11 | 2 | .10 | 2 | .11 |
| 1 | .08 | 1 | .08 | 1 | .08 | .9 | .08 |
| .8 | .05 | .6 | .04 | .6 | .07 | .5 | .04 |
| .4 | .02 | .3 | .03 | .3 | .02 | .3 | .03 |
| .3 | .02 | .2 | .02 | .2 | .02 | .1 | .02 |
| .1 | .01 | | | | | | |

PARAMETER VALUES

| | | | | | |
|------|-------------|---------|--------------|--------|-----------------|
| PS : | .97 | ALPHA : | .070 | BETA : | .0003 |
| (| .89, 1.05) | (| .066, .075) | (| -.0007, .0014) |

FRACTION : WHOLE

SAMPLE TEMP $-1.0^{\circ}C$ INCUBATION TEMP $.0^{\circ}C$

CHLOROPHYLL : 5.94 CARBON : 261 NITROGEN : 42

NITRATE : 4.37 SILICATE : 7.65 PHOSPHATE : .86

LABRADOR SEA 1985

STATION NO. 8

| LAT | 54°29.1' N | LONG | 55°19.0' W | DATE | 06/07/85 | DEPTH | 20 M |
|-----|------------|------|------------|------|----------|-------|------|
|-----|------------|------|------------|------|----------|-------|------|

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 658 | .27 | 538 | .42 | 399 | .49 | 359 | .55 |
| 311 | .66 | 287 | .74 | 171 | .82 | 151 | .78 |
| 140 | .92 | 104 | .85 | 92 | .77 | 54 | .84 |
| 44 | .76 | 38 | .69 | 30 | .76 | 28 | .76 |
| 25 | .60 | 22 | .70 | 18 | .65 | 16 | .51 |
| 12 | .42 | 10 | .32 | 9 | .29 | 7 | .29 |
| 5 | .19 | 4 | .16 | 3 | .18 | 3 | .12 |
| 3 | .10 | 3 | .12 | 2 | .06 | 2 | .06 |
| 2 | .04 | 1 | .03 | 1 | .05 | 1 | .02 |
| .8 | .03 | .4 | .01 | .4 | .01 | .3 | .01 |

PARAMETER VALUES

| | | | | | |
|------|------------|---------|----------------|--------|----------------|
| PS : | 1.04 | ALPHA : | .045 | BETA : | .0018 |
| (| 1.00, 1.08 |) | (.043, .047) | (| .0015, .0020) |

FRACTION : >1 MICRON

| | | | | | |
|---------------|--------|-----------------|------|-------------|-----|
| SAMPLE TEMP | -1.0°C | INCUBATION TEMP | .0°C | | |
| CHLOROPHYLL : | 6.41 | CARBON : | 261 | NITROGEN : | 42 |
| NITRATE : | 4.37 | SILICATE : | 7.65 | PHOSPHATE : | .86 |

LABRADOR SEA 1985

STATION NO. 8

LAT 54°29.1' N LONG 55°19.0' W DATE 06/07/85 DEPTH 20 M

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 658 | .14 | 538 | .10 | 399 | .16 | 311 | .18 |
| 287 | .22 | 104 | .52 | 54 | .54 | 44 | .44 |
| 38 | .47 | 30 | .44 | 28 | .44 | 25 | .44 |
| 22 | .54 | 18 | .45 | 16 | .52 | 12 | .37 |
| 10 | .32 | 9 | .36 | 9 | .41 | 7 | .28 |
| 5 | .25 | 4 | .20 | 3 | .24 | 3 | .19 |
| 3 | .16 | 3 | .12 | 2 | .10 | 2 | .14 |
| 2 | .10 | 1 | .17 | 1 | .08 | 1 | .11 |
| .8 | .03 | .4 | .07 | .4 | .01 | .3 | .03 |

38

PARAMETER VALUES

| | | | | | |
|---------|-------|----------|--------|-----------|---------|
| PS : | .55 | ALPHA : | .068 | BETA : | .0016 |
| (.52 , | .57) | (.063 , | .074) | (.0013 , | .0018) |

FRACTION : < 1 MICRON

SAMPLE TEMP -1.0°C INCUBATION TEMP .0°C

CHLOROPHYLL : .15 CARBON : 261 NITROGEN : 42

NITRATE : 4.37 SILICATE : 7.65 PHOSPHATE : .86

LABRADOR SEA 1985

STATION NO. 9

LAT $55^{\circ}31.8' N$ LONG $55^{\circ}10.0' W$ DATE 07/07/85 DEPTH 40 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 558 | .73 | 439 | .59 | 379 | 1.20 | 279 | 1.37 |
| 255 | 1.58 | 148 | 1.68 | 136 | 1.62 | 116 | 1.75 |
| 100 | 1.67 | 62 | 1.89 | 23 | 1.73 | 20 | 1.71 |
| 19 | 1.83 | 17 | 1.24 | 15 | 1.38 | 14 | .98 |
| 8 | .87 | 5 | .86 | 5 | .48 | 4 | .44 |
| 4 | .38 | 3 | .43 | 3 | .25 | 2 | .25 |
| 2 | .25 | 2 | .17 | 2 | .13 | 1 | .19 |
| .9 | .09 | .9 | .11 | .5 | .13 | .4 | .08 |
| .4 | .06 | | | | | | |

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 2.24 | ALPHA : | .140 | BETA : | .0045 |
| (| 2.12, 2.37) | (| .130, .150) | (| .0037, .0054) |

FRACTION : WHOLE

| | | | | | |
|---------------|-------|-----------------|-------|-------------|-----|
| SAMPLE TEMP | 2.0°C | INCUBATION TEMP | 2.0°C | | |
| CHLOROPHYLL : | .18 | CARBON : | 191 | NITROGEN : | 37 |
| NITRATE : | 9.95 | SILICATE : | 5.64 | PHOSPHATE : | .90 |

LABRADOR SEA 1985

STATION NO. 9

LAT 55°31.8' N LONG 55°10.0' W DATE 07/07/85 DEPTH 20 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 578 | 1.37 | 458 | 1.49 | 379 | 1.49 | 355 | 1.49 |
| 331 | 1.65 | 311 | 1.63 | 167 | 1.59 | 136 | 1.54 |
| 120 | 1.50 | 112 | 1.31 | 112 | 1.59 | 104 | 1.25 |
| 62 | 1.42 | 50 | 1.40 | 46 | .97 | 46 | 1.24 |
| 46 | 1.11 | 44 | 1.02 | 23 | .92 | 20 | .82 |
| 19 | .57 | 18 | .48 | 16 | .41 | 16 | .40 |
| 7 | .39 | 6 | .29 | 6 | .20 | 5 | .14 |
| 5 | .10 | 4 | .05 | 3 | .14 | 3 | .14 |
| 2 | .05 | 2 | .04 | 2 | .03 | 2 | .04 |
| .9 | .06 | .8 | .00 | .7 | .02 | .4 | .02 |
| .4 | .01 | .3 | .03 | | | | |

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 1.62 | ALPHA : | .042 | BETA : | .0003 |
| (| 1.54, 1.71) | (| .040, .045) | (| .0001, .0006) |

FRACTION : WHOLE

SAMPLE TEMP 4.3°C INCUBATION TEMP 3.5°C

CHLOROPHYLL : .75 CARBON : 224 NITROGEN : 49

NITRATE : .93 SILICATE : 2.01 PHOSPHATE : .31

LABRADOR SEA 1985

STATION NO. 9

LAT 55°31.8' N LONG 55°10.0' W DATE 07/07/85 DEPTH 1 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 738 | 1.73 | 606 | 1.72 | 458 | 2.22 | 439 | 2.91 |
| 259 | 3.05 | 219 | 2.58 | 203 | 2.99 | 187 | 2.24 |
| 175 | 2.42 | 163 | 2.32 | 86 | 2.51 | 70 | 2.28 |
| 64 | 1.61 | 64 | 1.52 | 62 | 1.29 | 62 | 1.17 |
| 30 | 1.41 | 29 | 1.05 | 26 | .87 | 23 | .72 |
| 22 | .59 | 18 | .44 | 8 | .40 | 7 | .30 |
| 6 | .22 | 5 | .21 | 4 | .15 | 4 | .17 |
| 3 | .07 | 3 | .11 | 2 | .09 | 2 | .11 |
| 2 | .09 | 1 | .11 | 1 | .07 | 1 | .03 |
| .7 | .04 | .6 | .01 | .6 | .01 | | |

14

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 4.12 | ALPHA : | .037 | BETA : | .0049 |
| (| 3.40, 4.84) | (| .034, .040) | (| .0026, .0072) |

FRACTION : WHOLE

| | | | | | |
|---------------|-------|-----------------|-------|-------------|-----|
| SAMPLE TEMP | 4.6°C | INCUBATION TEMP | 3.5°C | | |
| CHLOROPHYLL : | .66 | CARBON : | 179 | NITROGEN : | 42 |
| NITRATE : | .81 | SILICATE : | 2.09 | PHOSPHATE : | .30 |

LABRADOR SEA 1985

STATION NO. 10

LAT $54^{\circ}33.0' N$ LONG $53^{\circ}14.0' W$ DATE 08/07/8 DEPTH 1 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 618 | 1.41 | 478 | 1.55 | 379 | 1.56 | 283 | 1.50 |
| 235 | 1.61 | 211 | 1.48 | 207 | 1.62 | 128 | 1.69 |
| 108 | 1.58 | 88 | 1.58 | 68 | 1.61 | 68 | 1.77 |
| 50 | 1.65 | 42 | 1.52 | 35 | 1.33 | 30 | 1.42 |
| 24 | 1.18 | 23 | 1.39 | 19 | 1.01 | 15 | .75 |
| 13 | .75 | 10 | .82 | 8 | .63 | 6 | .33 |
| 5 | .27 | 5 | .26 | 4 | .29 | 3 | .16 |
| 2 | .15 | 2 | .12 | 2 | .06 | 2 | .10 |
| 1 | .11 | 1 | .05 | .9 | .02 | .7 | .02 |
| .6 | .01 | .5 | .01 | .4 | .01 | | |

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 1.73 | ALPHA : | .084 | BETA : | .0006 |
| (| 1.69, 1.78) | (| .080, .088) | (| .0004, .0008) |

FRACTION : WHOLE

SAMPLE TEMP $1.1^{\circ}C$ INCUBATION TEMP $2.0^{\circ}C$

CHLOROPHYLL : 4.73 CARBON : 554 NITROGEN : 69

NITRATE : .26 SILICATE : 1.63 PHOSPHATE : .61

LABRADOR SEA 1985

STATION NO. 10

LAT $54^{\circ}33.0' N$ LONG $53^{\circ}14.0' W$ DATE 08/07/8 DEPTH 10

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 678 | .66 | 538 | .81 | 419 | 1.14 | 283 | 1.33 |
| 243 | 1.57 | 187 | 1.44 | 155 | 1.74 | 128 | 1.62 |
| 88 | 1.49 | 68 | 1.30 | 64 | 1.54 | 44 | 1.09 |
| 38 | 1.25 | 35 | 1.01 | 31 | 1.15 | 21 | .96 |
| 18 | .78 | 16 | .69 | 13 | .59 | 11 | .54 |
| 9 | .69 | 7 | .46 | 5 | .27 | 4 | .29 |
| 3 | .18 | 3 | .19 | 3 | .20 | 3 | .11 |
| 2 | .13 | 2 | .06 | 2 | .07 | 1 | .12 |
| 1 | .09 | .9 | .04 | .8 | .06 | .6 | .02 |
| .4 | .03 | .3 | .02 | .2 | .01 | | |

PARAMETER VALUES

| | | |
|----------------|----------------|------------------|
| PS : 2.00 | ALPHA : .054 | BETA : .0030 |
| (1.89, 2.10) | (.051, .057) | (.0024, .0035) |

FRACTION : WHOLE

SAMPLE TEMP $1.1^{\circ}C$ INCUBATION TEMP $2.0^{\circ}C$

CHLOROPHYLL : 13.85 CARBON : 413 NITROGEN : 71

NITRATE : 2.84 SILICATE : 5.00 PHOSPHATE : .86

LABRADOR SEA 1985

STATION NO. 10

LAT $54^{\circ}33.0' N$ LONG $53^{\circ}14.0' W$ DATE 08/07/8 DEPTH 20

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 658 | .58 | 478 | .87 | 359 | 1.01 | 335 | 1.51 |
| 283 | 1.84 | 239 | 2.06 | 163 | 2.10 | 140 | 2.34 |
| 84 | 2.01 | 76 | 2.19 | 35 | 1.64 | 28 | 1.86 |
| 25 | 1.63 | 21 | 1.56 | 15 | 1.82 | 12 | 1.50 |
| 11 | 1.29 | 10 | 1.15 | 8 | .77 | 8 | .90 |
| 6 | .75 | 5 | .62 | 4 | .46 | 3 | .41 |
| 3 | .39 | 3 | .25 | 3 | .27 | 2 | .23 |
| 2 | .21 | 2 | .20 | 1 | .15 | 1 | .11 |
| 1 | .10 | .9 | .08 | .4 | .08 | .3 | .04 |
| .2 | .02 | | | | | | |

47

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 2.66 | ALPHA : | .138 | BETA : | .0050 |
| (| 2.49, 2.82) | (| .128, .148) | (| .0040, .0060) |

FRACTION : WHOLE

| | | | | | |
|---------------|-------|-----------------|------|-------------|-----|
| SAMPLE TEMP | -.9°C | INCUBATION TEMP | .0°C | | |
| CHLOROPHYLL : | 3.03 | CARBON : | 245 | NITROGEN : | 46 |
| NITRATE : | 6.19 | SILICATE : | 9.04 | PHOSPHATE : | .89 |

LABRADOR SEA 1985

STATION NO. 10

LAT 54°33.0' N LONG 53°14.0' W DATE 08/07/8 DEPTH 30

| I | P | I | P | I | P | I | P |
|----|------|----|------|----|------|----|------|
| 86 | 3.57 | 54 | 3.89 | 44 | 3.70 | 27 | 3.08 |
| 24 | 4.43 | 21 | 4.64 | 16 | 3.65 | 12 | 2.78 |
| 9 | 2.14 | 9 | 1.83 | 7 | 1.22 | 6 | 1.09 |
| 5 | 1.49 | 4 | 1.32 | 3 | 1.16 | 3 | .68 |
| 2 | .51 | 2 | .58 | 2 | .40 | 1 | .29 |
| 1 | .35 | 1 | .19 | .9 | .22 | .8 | .09 |
| .7 | .27 | .6 | .05 | .4 | .04 | .3 | .06 |
| .3 | .05 | .2 | .05 | .2 | .00 | .2 | .00 |
| .1 | .03 | | | | | | |

45

PARAMETER VALUES

| | | | | | | | | | |
|------|-------|---------|------|--------|------------|---|---|--------------|---|
| PS : | 6.64 | ALPHA : | .321 | BETA : | .0515 | | | | |
| (| 4.20, | 9.07 |) | (| .290, .351 |) | (| .0009, .1021 |) |

FRACTION : WHOLE

SAMPLE TEMP -1.1°C INCUBATION TEMP .0°C

CHLOROPHYLL : .50 CARBON : 176 NITROGEN : 30

NITRATE : 7.60 SILICATE : 10.84 PHOSPHATE : 1.09

LABRADOR SEA 1985

STATION NO. 11

LAT 53°10.4' N LONG 52°50.0' W DATE 09/07/88 DEPTH 1 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 458 | 1.29 | 335 | 1.15 | 275 | 1.13 | 231 | 1.20 |
| 191 | 1.24 | 144 | 1.29 | 116 | 1.30 | 100 | 1.17 |
| 92 | 1.05 | 76 | 1.25 | 70 | 1.24 | 56 | 1.14 |
| 46 | 1.16 | 39 | .97 | 31 | .80 | 28 | .75 |
| 26 | .83 | 22 | .68 | 19 | .47 | 16 | .37 |
| 14 | .28 | 11 | .25 | 10 | .30 | 7 | .17 |
| 6 | .14 | 6 | .11 | 5 | .07 | 4 | .07 |
| 4 | .09 | 3 | .08 | 3 | .03 | 3 | .03 |
| 2 | .03 | 2 | .03 | 2 | .02 | 1 | .01 |
| 1 | .01 | 1 | .02 | .9 | .04 | .8 | .02 |

PARAMETER VALUES

| | | | | | |
|-----------------|------|-----------------|------|------------------|-------|
| PS : | 1.37 | ALPHA : | .038 | BETA : | .0005 |
| (-1.28, 1.45) | | (-.035, .040) | | (.0001, .0008) | |

FRACTION : WHOLE

SAMPLE TEMP 1.0°C INCUBATION TEMP 1.0°C

CHLOROPHYLL : 1.21 CARBON : 585 NITROGEN : 80

NITRATE : 30 SILICATE : 79 PHOSPHATE : 36

LABRADOR SEA 1985

STATION NO. 11

LAT $53^{\circ}10.4'N$ LONG $52^{\circ}50.0'W$ DATE 09/07/8 DEPTH 10

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 375 | 1.09 | 323 | 1.38 | 279 | 1.49 | 219 | 1.39 |
| 144 | 1.51 | 116 | 1.55 | 96 | 1.29 | 88 | 1.30 |
| 76 | 1.11 | 68 | 1.20 | 50 | 1.30 | 39 | 1.12 |
| 30 | .88 | 26 | 1.04 | 22 | .74 | 19 | .79 |
| 16 | .73 | 12 | .60 | 10 | .53 | 8 | .44 |
| 7 | .34 | 6 | .41 | 5 | .19 | 4 | .16 |
| 3 | .11 | 3 | .10 | 2 | .10 | 2 | .07 |
| 2 | .05 | 1 | .04 | 1 | .05 | 1 | .02 |
| .9 | .02 | .9 | .02 | .7 | .01 | .5 | .02 |
| .4 | .02 | .4 | .01 | .3 | .01 | | |

PARAMETER VALUES

| | | |
|----------------|----------------|------------------|
| PS : 1.44 | ALPHA : .056 | BETA : .0004 |
| (1.37, 1.51) | (.052, .060) | (.0000, .0007) |

FRACTION : WHOLE

SAMPLE TEMP 1.0°C INCUBATION TEMP 1.0°C

CHLOROPHYLL : .85 CARBON : 330 NITROGEN : 62

NITRATE : .30 SILICATE : 1.19 PHOSPHATE : .41

LABRADOR SEA 1985

STATION NO. 11

LAT $53^{\circ}10.4' N$ LONG $52^{\circ}50.0' W$ DATE 09/07/88 DEPTH 30

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 777 | .08 | 578 | .14 | 478 | .21 | 399 | .30 |
| 315 | .39 | 291 | .45 | 195 | .83 | 151 | .88 |
| 124 | .90 | 108 | .89 | 84 | .91 | 76 | .90 |
| 62 | .96 | 44 | .93 | 36 | .72 | 33 | .68 |
| 29 | .60 | 26 | .66 | 24 | .82 | 19 | .63 |
| 14 | .47 | 12 | .43 | 10 | .42 | 8 | .42 |
| 6 | .23 | 5 | .18 | 4 | .16 | 4 | .16 |
| 3 | .13 | 3 | .14 | 3 | .11 | 2 | .08 |
| 2 | .07 | 2 | .04 | 1 | .07 | 1 | .04 |
| 1 | .03 | .8 | .03 | .5 | .01 | .4 | .01 |
| .3 | .01 | | | | | | |

PARAMETER VALUES

| | | |
|----------------|----------------|------------------|
| PS : 1.44 | ALPHA : .042 | BETA : .0054 |
| (1.34, 1.53) | (.040, .044) | (.0046, .0062) |

FRACTION : WHOLE

SAMPLE TEMP $-1.1^{\circ}C$ INCUBATION TEMP $1.0^{\circ}C$

CHLOROPHYLL : 20.26 CARBON : 419 NITROGEN : 67

NITRATE : 5.42 SILICATE : 1.82 PHOSPHATE : .87

LABRADOR SEA 1985

STATION NO. 11

LAT $53^{\circ}10.4' N$ LONG $52^{\circ}50.0' W$ DATE 09/07/8 DEPTH 50

| I | P | I | P | I | P | I | P |
|----|------|----|-----|----|------|----|-----|
| 50 | .55 | 42 | .81 | 29 | .72 | 15 | .99 |
| 12 | 1.10 | 11 | .78 | 9 | 1.00 | 9 | .73 |
| 6 | .72 | 5 | .56 | 4 | .96 | 4 | .88 |
| 3 | .63 | 3 | .53 | 2 | .33 | 2 | .38 |
| 1 | .27 | 1 | .24 | 1 | .21 | 1 | .20 |
| .9 | .21 | .7 | .20 | .6 | .16 | .5 | .15 |
| .4 | .09 | .3 | .11 | .2 | .09 | .2 | .31 |
| .2 | .03 | .2 | .10 | .2 | .04 | .1 | .07 |
| .1 | .06 | .1 | .01 | .0 | .03 | .0 | .05 |

PARAMETER VALUES

| | | |
|---------------|----------------|------------------|
| PS : 1.13 | ALPHA : .283 | BETA : .0132 |
| (.99, 1.26) | (.252, .314) | (.0069, .0195) |

FRACTION : WHOLE

SAMPLE TEMP -1.3°C INCUBATION TEMP 1.0°C

CHLOROPHYLL : .34 CARBON : 214 NITROGEN : 34

NITRATE : 10.80 SILICATE : 7.28 PHOSPHATE : .99

LABRADOR SEA 1985

STATION NO. 12

LAT 53°46.6' N LONG 51° 2.9' W DATE 09/07/8 DEPTH 45

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 518 | .19 | 375 | .28 | 323 | .38 | 279 | .55 |
| 255 | .69 | 219 | .74 | 144 | .75 | 116 | .97 |
| 96 | 1.01 | 88 | 1.06 | 76 | 1.15 | 68 | 1.07 |
| 50 | 1.23 | 39 | 1.14 | 30 | 1.04 | 26 | 1.06 |
| 22 | 1.11 | 19 | 1.02 | 16 | .94 | 12 | .86 |
| 10 | .74 | 8 | .65 | 7 | .58 | 6 | .65 |
| 6 | .56 | 5 | .41 | 4 | .35 | 3 | .30 |
| 3 | .21 | 2 | .22 | 2 | .17 | 2 | .17 |
| 1 | .10 | 1 | .09 | 1 | .14 | .9 | .04 |
| .9 | .09 | .7 | .04 | .5 | .04 | .4 | .03 |
| .4 | .02 | .3 | .02 | | | | |

PARAMETER VALUES

| | | | | | |
|----------|--------|----------|--------|-----------|---------|
| PS : | 1.42 | ALPHA : | .109 | BETA : | .0050 |
| (1.38 , | 1.46) | (.105 , | .113) | (.0046 , | .0055) |

FRACTION : WHOLE

| | | | | | |
|---------------|-------|-----------------|-------|-------------|-----|
| SAMPLE TEMP | 2.5°C | INCUBATION TEMP | 2.5°C | | |
| CHLOROPHYLL : | .49 | CARBON : | 198 | NITROGEN : | 35 |
| NITRATE : | 6.43 | SILICATE : | 2.33 | PHOSPHATE : | .75 |

LABRADOR SEA 1985

STATION NO. 12

LAT $53^{\circ}46.6' N$ LONG $51^{\circ}2.9' W$ DATE 09/07/8 DEPTH 45

| | P | | P | | P | | P |
|-----|------|-----|------|-----|------|-----|------|
| 518 | .25 | 375 | .18 | 323 | .37 | 279 | .42 |
| 255 | .77 | 219 | .56 | 144 | .87 | 96 | 1.35 |
| 88 | 1.20 | 76 | 1.21 | 68 | 1.34 | 50 | 1.47 |
| 30 | 1.30 | 26 | 1.30 | 22 | 1.25 | 19 | 1.43 |
| 12 | 1.35 | 10 | 1.01 | 8 | 1.06 | 7 | .91 |
| 6 | .83 | 6 | .69 | 5 | .53 | 4 | .37 |
| 3 | .39 | 3 | .24 | 2 | .35 | 2 | .19 |
| 2 | .16 | 1 | .12 | 1 | .05 | 1 | .06 |
| .9 | .18 | .9 | .06 | .7 | .03 | .5 | .10 |
| .4 | .01 | .4 | .05 | .3 | .07 | | |

PARAMETER VALUES

| | | |
|----------------|----------------|------------------|
| PS : 1.80 | ALPHA : .157 | BETA : .0084 |
| (1.71, 1.90) | (.147, .167) | (.0072, .0096) |

FRACTION : > 1 MICRON

| | | | |
|---------------|----------------|-----------------|-----------------|
| SAMPLE TEMP | $2.5^{\circ}C$ | INCUBATION TEMP | $2.5^{\circ}C$ |
| CHLOROPHYLL : | .26 | CARBON : | 198 |
| NITRATE : | 6.43 | SILICATE : | 2.33 |
| | | | PHOSPHATE : .75 |

LABRADOR SEA 1985

STATION NO. 12

LAT 53°46.6' N LONG 51° 2.9' W DATE 09/07/8 DEPTH 45

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 618 | .06 | 458 | .15 | 335 | .12 | 275 | .13 |
| 231 | .19 | 195 | .31 | 191 | .29 | 144 | .29 |
| 116 | .29 | 100 | .33 | 92 | .39 | 70 | .40 |
| 46 | .40 | 39 | .38 | 31 | .43 | 26 | .41 |
| 22 | .42 | 14 | .36 | 11 | .32 | 10 | .37 |
| 7 | .34 | 6 | .27 | 6 | .25 | 5 | .25 |
| 4 | .23 | 4 | .23 | 3 | .15 | 3 | .13 |
| 3 | .12 | 2 | .07 | 2 | .06 | 2 | .08 |
| 1 | .07 | 1 | .02 | 1 | .03 | .9 | .01 |
| .8 | .01 | | | | | | |

PARAMETER VALUES

| | | | | | |
|--------------|-----|----------------|------|------------------|-------|
| PS : | .48 | ALPHA : | .062 | BETA : | .0016 |
| (.46, .50) | | (.058, .067) | | (.0014, .0018) | |

FRACTION : <1 MICRON

| | | | | | |
|---------------|-------|-----------------|-------|-------------|-----|
| SAMPLE TEMP | 2.5°C | INCUBATION TEMP | 2.5°C | | |
| CHLOROPHYLL : | .24 | CARBON : | 198 | NITROGEN : | 35 |
| NITRATE : | 6.43 | SILICATE : | 2.33 | PHOSPHATE : | .75 |

LABRADOR SEA 1985

STATION NO. 13

LAT $53^{\circ} 3.6' N$ LONG $50^{\circ} 29.4' W$ DATE 10/07/8 DEPTH 1 M

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 618 | 3.43 | 335 | 2.67 | 275 | 2.88 | 231 | 3.24 |
| 195 | 3.04 | 191 | 2.88 | 116 | 3.45 | 100 | 3.36 |
| 92 | 2.93 | 76 | 2.62 | 70 | 2.92 | 56 | 3.22 |
| 46 | 2.24 | 39 | 1.99 | 31 | 2.02 | 28 | 1.41 |
| 26 | 2.01 | 22 | 1.21 | 19 | 1.37 | 16 | .81 |
| 14 | .89 | 11 | .75 | 10 | .64 | 7 | .41 |
| 6 | .33 | 6 | .21 | 5 | .17 | 4 | .17 |
| 4 | .16 | 3 | .04 | 3 | .08 | 2 | .06 |
| 2 | .04 | 1 | .03 | 1 | .04 | 1 | .02 |
| .9 | .03 | .8 | .04 | | | | |

PARAMETER VALUES

| | | |
|----------------|----------------|-------------------|
| PS : 3.27 | ALPHA : .086 | BETA : .0003 |
| (3.07, 3.47) | (.080, .093) | (-.0003, .0010) |

FRACTION : WHOLE

| | | | |
|---------------|-------|-----------------|-----------------|
| SAMPLE TEMP | 6.3°C | INCUBATION TEMP | 6.0°C |
| CHLOROPHYLL : | .51 | CARBON : | 242 |
| NITRATE : | .15 | SILICATE : | .12 |
| | | | PHOSPHATE : .28 |

LABRADOR SEA 1985

STATION NO. 13

LAT $53^{\circ} 3.6' N$ LONG $50^{\circ} 29.4' W$ DATE 10/07/8 DEPTH 20

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 578 | 1.43 | 458 | 1.68 | 419 | 1.60 | 379 | 1.68 |
| 327 | 1.88 | 279 | 1.85 | 167 | 2.16 | 132 | 2.05 |
| 116 | 1.94 | 104 | 1.75 | 56 | 1.69 | 46 | 1.63 |
| 44 | 1.31 | 40 | 1.38 | 37 | 1.23 | 35 | 1.16 |
| 21 | 1.23 | 18 | .97 | 16 | .94 | 16 | .65 |
| 7 | .40 | 6 | .31 | 6 | .18 | 5 | .15 |
| 5 | .15 | 4 | .12 | 3 | .13 | 3 | .07 |
| 3 | .04 | 3 | .03 | 3 | .00 | 2 | .02 |
| 2 | .02 | 1 | .01 | .9 | .00 | .8 | .00 |
| .7 | .02 | | | | | | |

PARAMETER VALUES

| | | | | | |
|------|-------------|---------|-------------|--------|---------------|
| PS : | 2.34 | ALPHA : | .055 | BETA : | .0019 |
| (| 2.20, 2.48) | (| .052, .058) | (| .0014, .0024) |

FRACTION : WHOLE

| | | | | | |
|---------------|-------|-----------------|-------|-------------|-----|
| SAMPLE TEMP | 6.3°C | INCUBATION TEMP | 6.0°C | | |
| CHLOROPHYLL : | 1.67 | CARBON : | 230 | NITROGEN : | 46 |
| NITRATE : | .92 | SILICATE : | 1.23 | PHOSPHATE : | .42 |

LABRADOR SEA 1985

STATION NO. 13

LAT $53^{\circ} 3.6' N$ LONG $50^{\circ} 29.4' W$

DATE 10/07/8

DEPTH 35

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 738 | .24 | 578 | .29 | 439 | .15 | 367 | .23 |
| 315 | .36 | 267 | .47 | 187 | 1.12 | 171 | 1.43 |
| 148 | 1.45 | 108 | 1.31 | 58 | 1.40 | 40 | 1.53 |
| 36 | 1.47 | 32 | 1.43 | 26 | 1.43 | 22 | 1.38 |
| 20 | 1.10 | 16 | .94 | 13 | .99 | 9 | .91 |
| 9 | 1.07 | 7 | .60 | 6 | .87 | 5 | .74 |
| 4 | .60 | 4 | .66 | 4 | .27 | 3 | .33 |
| 3 | .35 | 3 | .23 | 2 | .28 | 2 | .12 |
| 2 | .18 | 2 | .22 | 1 | .18 | 1 | .57 |
| .8 | .06 | .7 | .12 | | | | |

PARAMETER VALUES

PS : 1.95

(1.76, 2.13)

ALPHA : .128

(.115, .142)

BETA : .0075

(.0057, .0093)

FRACTION : WHOLE

SAMPLE TEMP

6.0°C

INCUBATION TEMP

2.0°C

CHLOROPHYLL : 1.69

CARBON : 239

NITROGEN : 47

NITRATE : 1.59

SILICATE : 1.73

PHOSPHATE : .51

LABRADOR SEA 1985

STATION NO. 13

LAT 53° 3.6' N LONG 50° 29.4' W DATE 10/07/8

DEPTH 50

| I | P | I | P | I | P | I | P |
|-----|------|----|------|----|------|----|------|
| 102 | 5.46 | 46 | 6.78 | 40 | 5.94 | 31 | 4.66 |
| 23 | 4.17 | 17 | 3.64 | 12 | 3.07 | 7 | 2.50 |
| 6 | 2.17 | 5 | 1.46 | 5 | 1.50 | 4 | 2.12 |
| 3 | 1.08 | 2 | .64 | 2 | .45 | 2 | .68 |
| 2 | .46 | 2 | .46 | 1 | .38 | 1 | .29 |
| 1 | .46 | 1 | .02 | .9 | .12 | .8 | .18 |
| .7 | .07 | .7 | .09 | .6 | .13 | .6 | .14 |
| .6 | .11 | .6 | .16 | .6 | .05 | .5 | .14 |
| .5 | .09 | .5 | .12 | | | | |

56

PARAMETER VALUES

| | | |
|-----------------|----------------|------------------|
| PS : 9.58 | ALPHA : .330 | BETA : .0483 |
| (6.70, 12.45) | (.306, .354) | (.0065, .0901) |

FRACTION : WHOLE

| | | | |
|---------------|-------|-----------------|-----------------|
| SAMPLE TEMP | 3.5°C | INCUBATION TEMP | 2.0°C |
| CHLOROPHYLL : | 1.05 | CARBON : | 328 |
| NITRATE : | 3.89 | SILICATE : | 3.29 |
| | | | PHOSPHATE : .79 |

LABRADOR SEA 1985

STATION NO. 14

LAT $51^{\circ}58.3' N$ LONG $54^{\circ}40.2' W$ DATE 11/07/88 DEPTH 25

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 897 | .16 | 638 | .26 | 498 | .28 | 419 | .46 |
| 343 | .49 | 299 | .51 | 287 | .67 | 227 | .67 |
| 191 | .65 | 151 | .78 | 132 | .75 | 116 | .70 |
| 102 | .76 | 62 | .74 | 54 | .66 | 38 | .68 |
| 29 | .67 | 23 | .68 | 20 | .53 | 18 | .47 |
| 14 | .50 | 14 | .47 | 12 | .34 | 12 | .49 |
| 10 | .30 | 8 | .27 | 7 | .22 | 6 | .22 |
| 5 | .16 | 4 | .14 | 3 | .12 | 3 | .10 |
| 3 | .10 | 2 | .05 | 2 | .07 | 2 | .04 |
| 2 | .04 | 1 | .03 | .9 | .02 | .8 | .02 |

PARAMETER VALUES

| | | | | | |
|---------|-------|----------|--------|-----------|---------|
| PS : | .93 | ALPHA : | .042 | BETA : | .0017 |
| (.90 , | .97) | (.040 , | .044) | (.0015 , | .0019) |

FRACTION : WHOLE

| | | | | | |
|---------------|--------|-----------------|-------|-------------|-----|
| SAMPLE TEMP | -1.0°C | INCUBATION TEMP | 2.0°C | | |
| CHLOROPHYLL : | 1.66 | CARBON : | 310 | NITROGEN : | 51 |
| NITRATE : | .10 | SILICATE : | 1.17 | PHOSPHATE : | .80 |

LABRADOR SEA 1985

STATION NO. 14

LAT $51^{\circ}58.3' N$ LONG $54^{\circ}40.2' W$ DATE 11/07/88 DEPTH 25

| I | P | I | P | I | P | I | P |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 857 | .14 | 578 | .20 | 478 | .27 | 355 | .28 |
| 327 | .30 | 287 | .40 | 235 | .60 | 191 | .57 |
| 155 | .61 | 128 | .64 | 108 | .62 | 92 | .57 |
| 76 | .60 | 54 | .58 | 46 | .59 | 39 | .60 |
| 30 | .49 | 28 | .55 | 26 | .47 | 22 | .43 |
| 18 | .40 | 16 | .37 | 13 | .30 | 12 | .35 |
| 9 | .31 | 8 | .19 | 6 | .13 | 6 | .15 |
| 5 | .13 | 4 | .10 | 4 | .10 | 3 | .05 |
| 3 | .04 | 3 | .04 | 2 | .04 | 2 | .05 |
| 2 | .04 | 2 | .06 | 1 | .05 | .9 | .00 |
| .8 | .01 | .8 | .01 | | | | |

PARAMETER VALUES

| | | | | | |
|---------|-------|----------|--------|-----------|---------|
| PS : | .82 | ALPHA : | .031 | BETA : | .0019 |
| (.78 , | .86) | (.029 , | .032) | (.0017 , | .0022) |

FRACTION : > 1 MICRON

SAMPLE TEMP -1.0°C INCUBATION TEMP 2.0°C

CHLOROPHYLL : 1.77 CARBON : 310 NITROGEN : 51

NITRATE : .10 SILICATE : 1.17 PHOSPHATE : .80

LABRADOR SEA 1985

STATION NO. 14

LAT $51^{\circ}58.3'$ N LONG $54^{\circ}40.2'$ W DATE 11/07/8 DEPTH 25

| I | P | I | P | I | P | I | P |
|-----|------|-----|------|-----|------|-----|------|
| 857 | 1.25 | 478 | 1.62 | 355 | 1.48 | 287 | 1.66 |
| 128 | 1.40 | 108 | 1.28 | 54 | 1.39 | 39 | .97 |
| 30 | 1.04 | 26 | .83 | 22 | .66 | 18 | .56 |
| 16 | .49 | 13 | .37 | 12 | .40 | 9 | .42 |
| 8 | .46 | 6 | .45 | 6 | .22 | 5 | .35 |
| 4 | .23 | 3 | .06 | 3 | .18 | 2 | .16 |
| 2 | .13 | 1 | .16 | .9 | .05 | | |


59

PARAMETER VALUES

| | | | | | |
|------|--------------|---------|--------------|--------|----------------|
| PS : | 1.56 | ALPHA : | .046 | BETA : | .0002 |
| (| 1.46, 1.66) | (| .042, .050) | (| .0000, .0005) |

FRACTION : < 1 MICRON


| | | | | | |
|---------------|--------|-----------------|-------|-------------|-----|
| SAMPLE TEMP | -1.0°C | INCUBATION TEMP | 2.0°C | | |
| CHLOROPHYLL : | .09 | CARBON : | 310 | NITROGEN : | 51 |
| NITRATE : | .10 | SILICATE : | 1.17 | PHOSPHATE : | .80 |




SOLID LINE FIT TO PI DATA




ID 05001 STA. 1 02/07/85 45 M WHOLE




ID 05002 STA. 1 02/07/85 45 M > 1 MICR




ID 05003 STA. 1 02/07/85 45 M < 1 MICR




ID 05006 STA. 2 03/07/85 25 M WHOLE



ID 05007 STA. 2 03/07/85 25 M > 1 MICR




ID 05008 STA. 2 03/07/85 25 M < 1 MICR




ID 05009 STA. 2 03/07/85 1 M WHOLE

69




ID 05010 STA. 3 03/07/85 35 M WHOLE


70




ID 05011 STA. 3 03/07/85 35 M > 1 MICR




ID 05012 STA. 3 03/07/85 35 M < 1 MICR




ID 05013 STA. 4 04/07/85 15 M WHOLE




ID 05014 STA. 4 04/07/85 15 M > 1 MICR




ID 05015 STA. 4 04/07/85 15 M < 1 MICR




ID 05016 STA. 4 04/07/85 5 M WHOLE




ID 05017 STA. 5 04/07/85 19 M WHOLE




ID 05018 STA. 5 04/07/85 19 M > 1 MICR




ID 05019 STA. 5 04/07/85 19 M < 1 MICR




ID 05022 STA. 6 05/07/85 27 M WHOLE




ID 05023 STA. 6 05/07/85 27 M > 1 MICR




ID 05024 STA. 6 05/07/85 27 M < 1 MICR




ID 05028 STA. 7 05/07/85 10 M WHOLE




ID 05029 STA. 7 05/07/85 10 M > 1 MICR



ID 05030 STA. 7 05/07/85 10 M < 1 MICR




ID 05033 STA. 8 06/07/85 20 M WHOLE




ID 05034 STA. 8 06/07/85 20 M > 1 MCR

87




ID 05035 STA. 8 06/07/85 20 M < 1 MICR


88



ID 05039 STA. 9 07/07/85 40 M WHOLE




ID 05040 STA. 9 07/07/85 20 M WHOLE




ID 05041 STA. 9 07/07/85 1 M WHOLE

91




ID 05043 STA. 10 08/07/85 1 M WHOLE


92




ID 05044 STA. 10 08/07/85 10 M WHOLE




ID 05045 STA. 10 08/07/85 20 M WHOLE




ID 05046 STA. 10 08/07/85 30 M WHOLE



ID 05048 STA. 11 09/07/85 1M WHOLE




ID 05049 STA. 11 09/07/85 10 M WHOLE




ID 05050 STA. 11 09/07/85 30 M WHOLE


98




ID 05051 STA. 11 09/07/85 50 M WHOLE




ID 05054 STA. 12 09/07/85 45 M WHOLE




ID 05055 STA. 12 09/07/85 45 M > 1 MIC




ID 05056 STA. 12 09/07/85 45 M < 1 MIC




ID 05058 STA. 13 10/07/85 1 M WHOLE




ID 05059 STA. 13 10/07/85 20 M WHOLE




ID 05060 STA. 13 10/07/85 35 M WHOLE




ID 05061 STA. 13 10/07/85 50 M WHOLE




ID 05065 STA. 14 11/07/85 25 M WHOLE




ID 05066 STA. 14 11/07/85 25 M > 1 MIC




ID 05067 STA. 14 11/07/85 25 M < 1 MIC




ID 05020 STA. 4 04/07/85 19 M OXYGEN



ID 05025 STA. 6 05/07/85 27 M OXYGEN



ID 05031 STA. 7 05/07/85 10 M OXYGEN



TOTAL RADIATION

Totals are W m^{-2} for each hour ending at hour indicated. All times are ADT.



LABRADOR SEA
JULY 1985
TOTAL RADIATION

| TIME | 02/07 | 03/07 | 04/07 | 05/07 | 06/07 | 07/07 | 08/07 | 09/07 | 10/07 | 11/07 | 12/07 |
|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0500 | 7 | 23 | 11 | 0 | 12 | 7 | 12 | - | 7 | 12 | 0 |
| 0600 | 21 | 70 | 48 | 9 | 45 | 27 | 41 | - | 34 | 44 | 13 |
| 0700 | 60 | 200 | 77 | 14 | 94 | 122 | 85 | - | 96 | 131 | 72 |
| 0800 | 81 | 87 | 123 | 13 | 194 | 119 | 94 | - | 207 | 246 | 111 |
| 0900 | 105 | 53 | 141 | 54 | 320 | 269 | 44 | 96 | 234 | 170 | 229 |
| 1000 | 130 | 326 | 245 | 131 | 337 | 241 | 45 | 232 | 269 | 366 | 395 |
| 1100 | 300 | 539 | 465 | 241 | 419 | 231 | 73 | 166 | 385 | 524 | 457 |
| 1200 | 409 | 593 | 537 | 350 | 491 | 363 | 124 | 385 | 383 | 562 | 425 |
| 1300 | 657 | 598 | 525 | 368 | 390 | 539 | 118 | 451 | 369 | 494 | 591 |
| 1400 | 626 | 569 | 512 | 385 | 99 | 617 | 93 | 449 | 516 | 490 | 556 |
| 1500 | 577 | 543 | 461 | 551 | 106 | 638 | 68 | 400 | 490 | 415 | 557 |
| 1600 | 474 | 449 | 450 | 484 | 56 | 525 | 54 | 288 | 492 | 291 | 172 |
| 1700 | 371 | 426 | 285 | 471 | 63 | 398 | - | 192 | 121 | 168 | 445 |
| 1800 | 244 | 245 | 122 | 354 | 87 | 224 | - | 77 | 57 | 51 | 366 |
| 1900 | 90 | 61 | 65 | 197 | 85 | 173 | - | 27 | 47 | 21 | 314 |
| 2000 | 27 | 47 | 38 | 128 | 106 | 174 | - | 15 | 29 | 16 | 44 |
| 2100 | 9 | 11 | 8 | 20 | 44 | 57 | - | 1 | 6 | 3 | 4 |
| 2200 | 0 | 0 | 0 | 0 | 2 | 2 | - | 0 | 0 | 0 | 0 |



PHOTOSYNTHETICALLY ACTIVE RADIATION PAR

Totals are W m^{-2} for each hour ending at hour indicated. All times are ADT.



LABRADOR SEA

JULY 1985

PAR

| TIME | 02/07 | 03/07 | 04/07 | 05/07 | 06/07 | 07/07 | 08/07 | 09/07 | 10/07 | 11/07 | 12/07 |
|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0500 | 6 | 17 | 9 | 1 | 7 | 5 | 7 | 3 | 7 | 6 | 0 |
| 0600 | 18 | 54 | 38 | 8 | 33 | 21 | 32 | 22 | 29 | 33 | 12 |
| 0700 | 51 | 147 | 64 | 14 | 71 | 74 | 70 | 37 | 79 | 98 | 57 |
| 0800 | 70 | 71 | 100 | 14 | 153 | 90 | 82 | 59 | 169 | 184 | 92 |
| 0900 | 92 | 53 | 119 | 51 | 255 | 207 | 43 | 83 | 193 | 146 | 182 |
| 1000 | 114 | 292 | 204 | 119 | 279 | 186 | 46 | 197 | 220 | 307 | 308 |
| 1100 | 250 | 493 | 390 | 202 | 360 | 193 | 72 | 147 | 318 | 429 | 371 |
| 1200 | 342 | 567 | 462 | 290 | 410 | 305 | 117 | 331 | 330 | 471 | 352 |
| 1300 | 524 | 516 | 467 | 302 | 328 | 437 | 110 | 396 | 317 | 425 | 510 |
| 1400 | 497 | 452 | 434 | 317 | 92 | 478 | 90 | 403 | 472 | 415 | 489 |
| 1500 | 420 | 441 | 391 | 418 | 98 | 513 | 69 | 361 | 446 | 348 | 481 |
| 1600 | 366 | 343 | 361 | 363 | 54 | 440 | 55 | 249 | 375 | 243 | 190 |
| 1700 | 295 | 313 | 221 | 327 | 61 | 314 | 53 | 167 | 101 | 149 | 364 |
| 1800 | 191 | 180 | 106 | 240 | 77 | 179 | 43 | 70 | 59 | 49 | 275 |
| 1900 | 75 | 58 | 59 | 132 | 72 | 109 | 41 | 25 | 50 | 22 | 232 |
| 2000 | 27 | 38 | 31 | 56 | 73 | 125 | 24 | 14 | 29 | 16 | 39 |
| 2100 | 8 | 9 | 7 | 12 | 25 | 39 | 6 | 2 | 6 | 3 | 4 |
| 2200 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |