



Scientific Excellence • Resource Protection & Conservation • Benefits for Canadians  
Excellence scientifique • Protection et conservation des ressources • Bénéfices aux Canadiens

## The Indian Food Fishery of the Fraser River: 1990 Summary

A.L. Macdonald



Department of Fisheries and Oceans  
Fisheries Branch  
610 Derwent Way, Annacis Island  
New Westminster, British Columbia V3M 5P8

March, 1991

Canadian Data Report of  
Fisheries and Aquatic Sciences  
No. 836



Fisheries  
and Oceans

Pêches  
et Océans

Canada

## **Canadian Data Report of Fisheries and Aquatic Sciences**

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

## **Rapport statistique canadien des sciences halieutiques et aquatiques**

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of  
Fisheries and Aquatic Sciences 836

March 1991

THE INDIAN FOOD FISHERY  
OF THE FRASER RIVER:  
1990 SUMMARY

by

A. L. Macdonald

Department of Fisheries and Oceans  
Fisheries Branch  
610 Derwent Way  
Annacis Island  
New Westminster, B.C.  
V3M 5P8

© Minister of Supply and Services Canada 1991

Cat. No. Fs 97-13/836E

ISSN 0706-6465

Correct citation for this publication:

Macdonald, A.L. 1991. The Indian food fishery of the Fraser River: 1990 summary. Can. Data Rep. Fish. Aquat. Sci. 836: 105 p.

CONTENTS

	Page
LIST OF TABLES AND FIGURES . . . . .	iv
ABSTRACT . . . . .	v
RÉSUMÉ . . . . .	v
INTRODUCTION . . . . .	1
FISHING AREAS AND GEAR . . . . .	1
1990 CATCH . . . . .	3
MANAGEMENT PROCEDURE . . . . .	6
1990 PRE-SEASON MANAGEMENT PLAN . . . . .	7
IN-SEASON AMENDMENTS . . . . .	7
DATA SOURCES . . . . .	8
DATA ORGANIZATION AND INTERPRETATION . . . . .	9
ACKNOWLEDGEMENTS . . . . .	9
LITERATURE CITED . . . . .	9

LIST OF TABLES

Table	Page
1. Annual salmon and steelhead catch by the Fraser River Indian food fishery, 1951 to 1990 . . . . .	4
2. Distribution of salmon and steelhead catch by area in the Fraser River Indian food fishery in 1990 . . . . .	5
3. Management plans for the Fraser River Indian food fishery in 1990 . . . . .	11
4. Weekly number of days open, nets and net-days of effort by area in the Fraser River Indian food fishery in 1990 . . . . .	17
5. Annual catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 . . . . .	33
6. Weekly estimates of catch by area in the Fraser River Indian food fishery in 1990 . . . . .	57
7. Weekly estimates of effort and catch per unit of effort (CPUE) by area and gear type in the Fraser River Indian food fishery in 1990 . . . . .	93

LIST OF FIGURES

Figure	Page
1. The Fraser River watershed and features delineating the fishing areas of the Indian food fishery . . . . .	2

**ABSTRACT**

Macdonald, A.L. 1991. The Indian food fishery of the Fraser River: 1990 summary. Can. Data Rep. Fish. Aquat. Sci. 836: 105 p.

Estimates of weekly effort levels, catches, and catch per unit of effort of five species of Pacific salmon and steelhead (*Oncorhynchus* spp.) and sturgeon (*Acipenser* spp.) are reported for all 23 fishing areas of the Fraser River Indian food fishery in 1990. The annual catch of 853,489 salmon and steelhead was the highest on record. The catch by species was 17,885 chinook salmon (*O. tshawytscha*), 807,618 sockeye salmon (*O. nerka*), 13,633 coho salmon (*O. kisutch*), 13,833 chum salmon (*O. keta*), 520 steelhead (*O. mykiss*), and 5,815 sturgeon. A standard management plan was amended because conservation was required for early, middle and late run chinook stocks, Early Stuart River sockeye salmon, and Thompson River steelhead. For the first time since 1985, a management plan was implemented without a sockeye salmon allocation.

Key words: Indian food fishery, Fraser River, effort, catch, conservation.

**RÉSUMÉ**

Macdonald, A.L. 1991. The Indian food fishery of the Fraser River: 1990 summary. Can. Data Rep. Fish. Aquat. Sci. 836: 105 p.

On présente les niveaux d'effort hebdomadaire, les prises, et les prises par unité d'effort pour cinq espèces de saumon du pacifique et la truite arc-en-ciel anadrome (genre *Oncorhynchus*) et esturgeon (genre *Acipenser*), ceci pour les 23 zones de pêche touchant la pêche de subsistance des autochtones dans le fleuve Fraser en 1990. Une capture annuelle totale de 853 489 saumons et truite arc-en-ciel anadromes représente les plus importance jamais enregistrée. Les prises par espèces ont été les suivantes: 17 885 saumons quinnats (*O. tshawytscha*), 807 618 saumons rouge (*O. nerka*), 13 633 saumons coho (*O. kisutch*), 13 833 saumon ketas (*O. keta*), 520 tuites arc-en-ciel anadromes (*O. mykiss*) et 5 815 esturgeons. Un plan de gestion standard a été modifié pour préserver les stocks des remontées hâtives et estivales du quinnat, la remontée hâtive du saumon rouge de la Stuart et la truite arc-en-ciel anadrome du Thompson. Pour la première fois depuis 1985, le plan de gestion ne prévoit pas d'allocation pour le saumon rouge.

Mots-cles: pêche de subsistance des autochtones, fleuve Fraser, effort, prises, conservation.





## INTRODUCTION

Management plans for the Fraser River Indian food fishery (IFF) in 1990 and estimates of resultant effort, catch, and catch per unit of effort (CPUE) of salmon and steelhead (*Oncorhynchus* spp.) and sturgeon (*Acipenser* spp.) are documented in this report. Management plans and salmonid catch, effort, and CPUE estimates for the IFF for the 1951 to 1982 period were compiled by Schubert (1983) and have been published annually since 1983 (Schubert 1984, 1985, 1986; Macdonald 1987, 1988, 1989, 1990).

This report provides a brief description of fishing areas and gear, an overview of management processes, an annual catch summary, details of data organization and interpretation, management plans, and tabulated estimates of weekly effort, catch, and CPUE by the IFF in 1990.

## FISHING AREAS AND GEAR

The Fraser River watershed is divided into 23 areas to facilitate data collection and documentation. Areas are delineated by the locations described briefly below and shown in Fig. 1. The watershed is divided into two administrative districts by the Department of Fisheries and Oceans (DFO). Districts 1 and 2 represent, respectively, all areas upstream and downstream of North Bend. The following descriptions indicate the distance of the area boundaries from Steveston (near the mouth of the Fraser River) in brackets and gear types used in each area.

**Steveston Area (below 9.6 km);** drifted gill nets. The North Arm of the Fraser River downstream of the Knight Street bridge; the Middle Arm of the Fraser River between Swishwash and Lulu Islands; and Ladner Reach,

Sea Reach, and Canoe Passage in the Main Arm of the Fraser River. Beginning July 27, 1990, the fishing area was expanded to include the Main Arm of the Fraser River from the downstream end of Woodward's Island to the downstream end of Deas Island.

**Deas Island (9.6 km) to Mission (75 km);** set gill nets. The main arm of the Fraser River from the westerly end of Deas Island upstream to Mission; and the North Arm of the Fraser River upstream from the Knight Street bridge.

**Mission (75 km) to Hope (151 km);** set gill nets. Prior to 1987, data for this area was compiled for north and south side sub-areas of the mainstem, each extending from Mission to Hope. Since 1987, the north and south side sub-areas have been combined for data collection and documentation.


**Hope (151 km) to North Bend (206 km);** set gill nets. This area encompasses a permanently closed 8 km section of the Fraser River that extends from Williams Creek (191.5 km), 2.8 km south of Hell's Gate, to Petch Creek (199.5 km), 5.2 km north of Hell's Gate. The closed area protects salmon stocks passing an obstruction at Hell's Gate.

**North Bend (206 km) to Texas Creek (280 km);** set gill nets and dip nets. Prior to 1976, this area was North Bend to Lytton (236 km). Texas Creek flows into the Fraser River 18 km south of Lillooet.

**Texas Creek (280 km) to Churn Creek (430 km);** set gill nets and dip nets. Prior to 1976, this area was Lytton to Churn Creek.

**Churn Creek (430 km) to Chilcotin Bridge (491 km);** dip nets. Chilcotin Bridge (also known as Sheep Creek bridge) crosses the Fraser River 20 km south of Williams Lake.

**Figure 1**  
**The Fraser River Watershed and**  
**Features Delineating the Fishing**  
**Areas of the Indian Food Fishery**



Chilcotin Bridge (491 km) to Marguerite (552 km); dip nets.

Marguerite (552 km) to Hixon (689 km); dip nets.

Above Hixon (689 km); set gill nets. Fishing in this area is conducted in the Fraser River between Hixon and Prince George (768 km) and at Shelley (773 km). No fishing occurs in the mainstem or tributaries of the Fraser River upstream of Shelley.

**Nechako and Stuart River Systems;** set gill nets. These two systems are divided into six sub-areas as follows:

a. Nechako River

- Prince George (768 km) to the Stuart River mouth (855 km).
- Stuart River mouth (855 km) to Fort Fraser (958 km), including the Nautley River.
- Fort Fraser (958 km) to Francois Lake (990 km). Fishing occurs along the shore of Fraser Lake adjacent to the reserves at Lejac and the Fraser Lake town site, and in the lower 200 m of the Stellako River.

b. Stuart River

- Stuart-Nechako river confluence (855 km) to Fort St. James (967 km). Most fishing occurs at the outlet of Stuart Lake.
- Fort St. James (967 km) to the Trembleur Lake outlet (1,035 km). Fishing occurs principally in the Tachie River at Grand Rapids and in Trembleur Lake adjacent to the Tachie River mouth.
- above the Trembleur Lake outlet (1,035 km). Fishing is con-

ducted at the mouth of the Middle River.

**Chilcotin River System**

- Chilcotin River; from the Fraser River (460 km) to the Chilko River confluence (549 km); dip nets.
- Chilko River; from the Chilcotin River confluence (549 km) to Henry's Crossing (628 km); dip nets and gaffs.

**Thompson River System**

- Thompson River; Lytton (254 km) to Savona (368 km); set gill nets and dip nets.
- Shuswap River; from the Islands (610 km) to Skookumchuk Rapids (653 km); spears and gaffs.
- North Thompson River system; North Thompson mainstem above McLure (413 km); set gill nets; and in the Raft River (545 km); spears and gaffs.

**Harrison-Lillooet River System**

- Harrison River; mainstem (from 102 km to 121 km); set gill nets and spears.
- Lower Lillooet River; head of Harrison Lake (182 km) to the Lillooet Lake outlet (240 km); set gill nets.
- Birkenhead River (268 km); includes a set gill net fishery at the upper end of Lillooet Lake and a gaff fishery in the Birkenhead River.

**1990 CATCH**

Catches of salmon and steelhead by the IFF are presented by year from 1951 to 1990 in Table 1 and by area

Table 1. Annual salmon and steelhead catch by the Fraser River Indian food fishery, 1951 to 1990.

Year	Chinook	Sockeye	Pink	Coho	Chum	Steelhead	Total
1951	9,092	85,043	6,385	3,980	5,827	2,313	112,640
1952	9,450	83,986	11	5,191	5,787	3,090	107,515
1953	10,763	113,031	8,233	6,111	5,241	2,769	146,148
1954	12,501	95,200	0	7,206	6,168	2,803	123,878
1955	8,145	65,504	10,813	10,599	3,521	1,998	100,580
1956	5,003	64,918	168	6,377	2,267	1,838	80,571
1957	5,793	96,839	13,395	6,200	4,761	1,925	128,913
1958	7,693	82,632	117	5,975	6,741	2,488	105,646
1959	7,741	64,999	17,695	8,335	15,900	3,567	118,237
1960	8,086	83,649	0	8,105	9,970	4,115	113,925
1961	9,203	137,194	30,055	13,182	9,647	4,761	204,042
1962	8,899	137,448	0	15,680	11,300	4,796	178,123
1963	9,150	190,002	34,750	14,560	10,741	4,959	264,162
1964	10,513	145,639	0	16,217	12,210	5,893	190,472
1965	10,123	120,570	29,231	21,135	7,390	3,750	192,199
1966	9,063	154,059	0	21,527	12,181	3,606	200,436
1967	6,159	107,173	24,344	4,845	8,800	2,283	153,604
1968	10,123	124,191	0	17,622	11,102	1,996	165,034
1969	14,171	159,105	25,600	13,949	4,300	1,436	218,561
1970	18,933	150,555	0	19,390	5,603	1,423	195,904
1971	14,133	154,461	27,722	17,999	4,022	1,547	219,884
1972	16,008	135,003	0	19,647	6,301	2,657	179,616
1973	11,775	163,866	54,572	16,434	10,742	1,885	259,274
1974	18,144	222,430	6	27,924	15,102	2,030	285,636
1975	20,170	253,151	41,488	18,092	7,087	2,123	342,111
1976	19,189	233,462	0	24,924	13,603	2,320	293,498
1977	23,310	244,427	28,618	16,543	9,342	1,122	323,362
1978	19,541	237,552	0	22,739	9,509	442	289,783
1979	14,931	291,709	60,866	15,053	8,202	743	391,504
1980	15,252	185,966	0	29,427	12,333	1,357	244,335
1981	11,987	440,664	56,702	10,741	11,170	1,014	532,278
1982	35,687	429,799	0	49,645	19,233	2,374	536,738
1983	15,756	361,556	84,879	7,548	12,637	766	483,142
1984	22,784	357,529	0	57,297	18,635	6,745	462,990
1985	10,895	424,499	102,292	18,181	5,859	1,460	563,186
1986	15,646	534,159	0	35,158	16,711	3,988	605,662
1987	14,525	468,023	70,514	23,737	26,312	2,255	605,366
1988	15,589	416,044	0	38,524	19,143	2,504	491,804
1989	5,983	571,943	72,443	10,245	12,785	624	674,023
1990	17,885	807,618	0	13,633	13,833	520	853,489
Averages							
1951-60	8,427	83,580	11,304	6,808	6,618	2,691	113,805
1961-70	10,634	142,594	28,796	15,811	9,327	3,490	196,254
1971-80	17,245	212,203	42,653	20,878	9,624	1,623	282,900
1981-90	16,674	481,183	77,366	26,471	15,632	2,225	580,868

Table 2. Distribution of salmon and steelhead catch by area in the Fraser River Indian food fishery in 1990.

Fishing Area	Chinook		Sockeye		Coho		Chum		Steelhead		Total	
	catch	%	catch	%	catch	%	catch	%	catch	%	catch	%
Fraser mainstem												
Steveston area	751	4	70,753	9	732	5	3,750	27	27	5	76,013	9
Deas to Mission	572	3	34,420	4	3,248	24	2,488	18	41	8	40,769	5
Mission to Hope	6,331	35	252,686	31	8,805	65	7,071	51	352	68	275,245	32
Hope to North Bend	8,591	48	232,826	29	704	5	524	4	71	14	242,716	28
North Bend to Texas Creek	566	3	57,775	7	102	1	-	-	14	3	58,443	7
Texas Creek to Churn Creek	254	1	51,224	6	0	0	-	-	3	1	51,478	6
Churn Cr. to Chilcotin Bridge	300	2	7,720	1	-	-	-	-	-	-	8,020	1
Chilcotin Br. to Marguerite	150	1	9,805	1	-	-	-	-	-	-	9,955	1
Marguerite to Hixon	250	1	4,850	1	-	-	-	-	-	-	5,100	1
above Hixon	31	<1	2,334	<1	-	-	-	-	-	-	2,365	<1
Tributaries												
Harrison River	0	0	0	0	0	0	0	0	0	0	0	0
Lillooet River System	7	<1	0	0	0	0	0	0	5	1	12	<1
Thompson River System	43	<1	12,415	2	42	<1	-	-	7	1	12,500	1
Chilcotin River System	0	0	57,030	7	-	-	-	-	-	-	57,030	7
Nechako River System	14	<1	8,325	1	-	-	-	-	-	-	8,339	1
Stuart River System	25	<1	5,455	1	-	-	-	-	-	-	5,480	1
Total	17,885	100	807,618	100	13,633	100	13,833	100	520	100	853,489	100

for 1990 in Table 2. The total annual catch of 853,489 salmon and steelhead in 1990 was the highest of the 1951-90 period. The chinook catch of 17,885 fish was 7% above the 1981-90 average. The catch of 807,618 sockeye was the largest annual catch within the 1951-90 period and represented 95% of the salmon total. The large increase in sockeye catch was the result of a change in IFF management coupled with the largest return to the river on the cycle since the early 1900's. The catch of 13,633 coho was only 50% of the 1981-90 average. The chum catch of 13,833 fish was also below the recent average. The steelhead catch of 520 fish was the lowest since 1978 and the second lowest in the 1951-90 period.

The majority of the total catch in 1990 was taken in the mainstem of the Fraser River downstream of North Bend (75%). The greatest proportion of catch of any area in the fishery occurred between Mission and Hope (32%) and Hope and North Bend (29%).

#### MANAGEMENT PROCEDURE

The IFF is regulated to conserve the salmon resource and provide fishing opportunities for food purposes. A standard fishing plan (Table 3a) is used as a basis for management of the fishery, and has not changed significantly since 1962. Prior to 1986, and for the 1990 season, two regulatory measures were used in the management procedure: restrictions of fishing times and restrictions in the type and characteristics of gear. The durations of weekly open periods vary within the fishery because stock abundances and gear efficiencies differ between areas. For example, the fishery between Deas Island and North Bend is open for three days per week because most Fraser River stocks

of all five salmon species and steelhead are available to the relatively efficient gear used in this area. In comparison, the fishery between Churn Creek and Hixon and in the Chilcotin River system is open seven days per week because the number of salmon species, and abundance and seasonal occurrence of stocks are considerably reduced. Additionally, the dip nets used in these areas are less efficient than set gill nets used in the lower parts of the river, and the number of fishing sites may be limited. Gear restrictions apply to the type and characteristics of gill nets and are used as a method of limiting net efficiency which cannot be compensated for by varying the duration of openings. For a four year period from 1986 to 1989, an annual allocation of 500,000 sockeye was established for the entire fishery in addition to time and gear regulations. Allocation management in the IFF was described by Macdonald (1990).

Each year a pre-season plan is developed by amending the standard plan if conservation or other concerns need to be addressed.

The Interior Indian Fisheries Commission (IIFC) was established to represent the fishing interests of many Indian bands and tribal councils throughout the Fraser River watershed and act as a consultative group for the IFF. The IIFC may consist of representatives from each of the following ten tribal councils: Carrier-Sekani Tribal Council, Cariboo Tribal Council, Chilcotin-Ulkatcho-Kluskus Nation, Lillooet Tribal Council, Nlaka'Pamux Tribal Council, Okanagan Tribal Council, Kootenay Indian Area Council, Sto:Lo Nation, and Sto:Lo Tribal Council. Consultations also occur between DFO and individual bands or groups not affiliated with the IIFC.

## 1990 PRE-SEASON MANAGEMENT PLAN

The pre-season plan for the IFF is shown in Tables 3b and 3c. Early and middle runs of chinook, the late timed Harrison River chinook stock, and Early Stuart sockeye required conservation for the 1990 season. Three management actions were taken in an attempt to reduce catches from these stocks:

1. For early timed chinook, fishing times in the mainstem of the Fraser River downstream from North Bend, the major area of chinook interception, were reduced to one day per week during the chinook-directed fishery between late February and late June. Similar conservation measures for this run have been implemented annually since 1977. In the Lillooet River system, fishing times were reduced to one day per week from April to mid-June, the fifth consecutive year for such restrictions in this system;
2. For middle run and Harrison River chinook stocks, a restriction was placed on the mesh size of gill nets to a maximum of 140 mm (5.5 inches) to reduce incidental interceptions of chinook during the sockeye-directed fishery. This was the eighth consecutive year of mesh size restrictions for middle run chinook and the second year of such a restriction for Harrison chinook.
3. A three week closure was planned throughout the IFF except in the Stuart River system to maximize the spawning escapement of Early Stuart sockeye from a total run forecast of 125,000 fish. No other fisheries were scheduled to catch early Stuart sockeye. The interim escapement goal for

this stock in 1990 was 150,000 fish.

## IN-SEASON AMENDMENTS

During the season, changes were made to the plan to respond to an Early Stuart sockeye run size change and various concerns of native groups. The record of actual management actions taken is provided in Tables 3c (gear regulations) and 3d (fishing times). Rationale for in-season changes, ordered chronologically, was as follows:

**June** - Additions of 24 hours in the Steveston area and two days between Deas Island and North Bend were provided in the June 11 to June 24 period as a compensation measure for the impending three week closure to conserve Early Stuart sockeye.

**July** - On July 11th, the estimated run size of Early Stuart sockeye was increased by the Pacific Salmon Commission (PSC) to 200,000 fish from the pre-season forecast of 125,000 fish. The increase in run size provided an opportunity to raise the spawning escapement level to the goal of 150,000 and increase catches by the IFF. No commercial openings were planned at the increased run size. The pre-season IFF plan was amended to harvest additional sockeye by reducing the closure to two weeks and scheduling a restricted fishery to replace the third week of the closure (Table 3d). A total catch of 45,000 Early Stuart sockeye was expected as a result of these in-season changes.

In late July, as a result of negotiations between DFO and the Musqueam and Tsawwassen Indian bands, three elements of the pre-season fishing plan in the Steveston area were amended: 1) weekly fishing times were changed from 1 day/wk to 1.5 days/wk; this change conformed



times were changed from 1 day/wk to 1.5 days/wk; this change conformed with the overall IFF management change to a standard plan; 2) the drifted gill net length was increased from 25 fathoms to 50 fathoms; and 3) the fishing area was expanded to include the mainstem of the Fraser River from the downstream end of Woodward's Island to the downstream end of Deas Island.

**August and September** - Fishing times of the commercial gill net fishery in the Fraser River (Statistical Area 29) were increased in-season to two days/wk for five consecutive weeks from early August to early September. Two adjustments were made in IFF plans in response to the commercial openings: 1) the weekly schedule of IFF fishing times in the Deas Island to Mission area was changed from Monday-Thursday openings to Thursday-Sunday openings to avoid concurrent commercial and IFF openings; and 2) a total of 3.75 additional days were provided (between August 6 and September 16) in the area from Deas Island to North Bend to compensate for Area 29 commercial fishery impacts which reduced sockeye abundance.

The Nlaka'Pamux Nation Tribal Council (NNTC), which represents bands in the areas from North Bend to Texas Creek in the Fraser River and from Lytton to Spences Bridge in the Thompson River, requested additional fishing time during the summer run sockeye migration period. This request was implemented and times were increased throughout the summer and late run sockeye season beginning in early August. Changes were also made from Texas Creek to Churn Creek to conform to amendments in the NNTC area since DFO manages both areas the same way.

In late July and early August, a special IFF licence was issued to the

Katzie band (for the seventh consecutive year) and catches were taken between Deas Island and Whonnock with a drifted gill net.

As a result of an agreement between DFO and the Sumas band, an experimental drifted gill net fishery (with one net) was conducted in early September between Mission and the Sumas River.

**October** - In late September a conservation concern for the Thompson River steelhead stock (expressed by the B.C. Ministry of Environment) was addressed in the IFF. Fishing times were reduced to 1 day/wk from the Harrison-Fraser river confluence to North Bend. Reduced times were originally planned to last four weeks throughout the area, but late implementation limited the restriction to three weeks between Harrison River and Hope.

The consultative process established with native groups in past years was continued in 1990. Meetings were held prior to and during the fishing season with various bands, tribes, and other groups to formulate management plans and facilitate in-season changes to these plans.

#### DATA SOURCES

Effort and catch statistics of the IFF are estimated in each fishing area and compiled weekly by fisheries officers of DFO. Gear counts may be obtained from river, foot or aerial surveys. CPUE and catch may be estimated from interviews with or direct observation of fishermen and by physical inspection of deployed nets. Generally, each area of the fishery is surveyed one or more times during each weekly open period. Catch and effort estimation methods and intensity of assessment are dependent on



may vary between areas and within each area throughout the year.

#### DATA ORGANIZATION AND INTERPRETATION

The weekly number of open days, daily number of nets, and net-days per week of effort in 1990 are presented by area and gear type in Table 4. The net-days per week of effort were calculated by multiplying the number of days open for fishing each week by the number of nets observed.

All catch data are reported as number of fish (pieces). Annual catches of salmonid species by area for the 1951 to 1990 period are summarized in Table 5. Weekly catches of salmonid species and sturgeon by area in 1990 are presented in Table 6. In Table 6, non-numeric entries represented by hyphens that are not accompanied by a footnote indicate weekly openings when no effort was expended (e.g. no nets present).

Weekly CPUE of each salmonid species and sturgeon by area and gear type in 1990 is shown in Table 7. CPUE was calculated by dividing the total weekly catch by the total weekly effort and is expressed in units of catch per net-day. In the CPUE tables, non-numeric entries represented by hyphens indicate weeks when no effort was expended or effort was not estimated. CPUE was not calculated for the two areas between North Bend and Churn Creek in the mainstem of the Fraser River and the area between Lytton and Savona in the mainstem of the Thompson River because separate estimations of catch for each of the two gear types used in these areas (set gill nets and dip nets) were not reported.

#### ACKNOWLEDGEMENTS

I thank L. Currie for assisting in preparation of the manuscript format.

#### LITERATURE CITED

- Macdonald, A.L. 1987. The Indian food fishery of the Fraser River: 1986 summary. *Can. Data Rep. Fish. Aquat. Sci.* 623: v + 103 p.
- Macdonald, A.L. 1988. The Indian food fishery of the Fraser River: 1987 summary. *Can. Data Rep. Fish. Aquat. Sci.* 690: vi + 113 p.
- Macdonald, A.L. 1989. The Indian food fishery of the Fraser River: 1988 summary. *Can. Data Rep. Fish. Aquat. Sci.* 725: vi + 107 p.
- Macdonald, A.L. 1990. The Indian food fishery of the Fraser River: 1989 summary. *Can. Data Rep. Fish. Aquat. Sci.* 787: vi + 111 p.
- Schubert, N.D. 1983. The Indian food fishery of the Fraser River: catch summary, 1951 to 1982. *Can. Data Rep. Fish. Aquat. Sci.* 412: v + 357 p.
- Schubert, N.D. 1984. The Indian food fishery of the Fraser River: 1983 summary. *Can. Data Rep. Fish. Aquat. Sci.* 479: v + 67 p.
- Schubert, N.D. 1985. The Indian food fishery of the Fraser River: 1984 summary. *Can. Data Rep. Fish. Aquat. Sci.* 512: v + 64 p.
- Schubert, N.D. 1986. The Indian food fishery of the Fraser River: 1985 summary. *Can. Data Rep. Fish. Aquat. Sci.* 560: vi + 80 p.



Page

Table 3. Management plans for the Fraser River Indian food fishery in 1990:

3a. Standard management plan . . . . .	12
3b. Pre-season management plan (fishing times) . . . . .	13
3c. Pre-season management plan (gear restrictions) . . . . .	14
3d. Record of management actions . . . . .	15

Table 3a. The standard management plan of fishing times and gear types for the Fraser River Indian food fishery.

Fishing areas	Fishery opening		Gear type
	Days/wk	Daily periods (PST)	
Steveston area (below Deas Island)	1.5	1200 Fri to 2400 Sat	Drifted gill net
Deas Island to Mission bridge	3	1200 Mon to 1200 Thurs	Set gill net
Mission Bridge to Williams Creek, Harrison River	3	1200 Thurs to 1200 Sun	Set gill net
Williams Creek to Petch Creek	0	Permanently closed	
Petch Creek to Texas Creek, Thompson River	4	0000 Thurs to 2400 Sun	Set gill net, dip net
Shuswap River	4	0000 Thurs to 2400 Sun	Spear, gaff
Texas Creek to Churn Creek	4	0000 Mon to 2400 Thurs	Set gill net, dip net
Churn Creek to Hixon, Chilcotin River	7	0000 Mon to 2400 Sun	Dip net
above Hixon, Nechako and Stuart river systems	5	1200 Mon to 1200 Sat	Set gill net
Lillooet River system	7	0000 Mon to 2400 Sun	Set gill net

Table 3b. The preseason management plan (fishing times) for the Fraser River Indian food fishery for the period 1 June 1990 to 31 May 1991.

Fishing areas	Fishery opening			Stocks requiring conservation or other rationale
	Monthly period	Days/wk	Daily period (PST)	
Steveston area (below Deas Island)	01-Jun to 24-Jun	1	1200 Fri to 1200 Sat	early chinook
	25-Jun to 15-Jul	0	closed	early Stuart sockeye
	16-Jul to 30-Sep	1	1200 Fri to 1200 Sat	allocation
	01-Oct to 24-Feb	1.5	1200 Fri to 2400 Sat	-
	25-Feb to 31-May	1	1200 Fri to 1200 Sat	early chinook
Deas Island to Mission bridge	01-Jun to 24-Jun	1	1800 Wed to 1800 Thur	early chinook
	25-Jun to 15-Jul	0	closed	early Stuart sockeye
	16-Jul to 30-Sep	3	1800 Mon to 1800 Thur	-
	01-Oct to 24-Feb	3	1200 Mon to 1200 Thur	-
	25-Feb to 31-May	1	1200 Wed to 1200 Thur	early chinook
Mission Bridge to North Bend, Harrison River	01-Jun to 24-Jun	1	1800 Sat to 1800 Sun	early chinook
	25-Jun to 15-Jul	0	closed	early Stuart sockeye
	16-Jul to 30-Sep	3	1800 Thur to 1800 Sun	-
	01-Oct to 24-Feb	3	1200 Thur to 1200 Sun	-
	25-Feb to 31-May	1	1200 Sat to 1200 Sun	early chinook
Williams Cr. to Petch Cr.	All year	0	Permanently closed	-
North Bend to Texas Creek	01-Jun to 01-Jul	4	1800 Tues to 1800 Sat	-
	02-Jul to 22-Jul	0	closed	early Stuart sockeye
	23-Jul to 31-May	4	1800 Tues to 1800 Sat	-
Thompson River	01-Jun to 31-May	4	1800 Tues to 1800 Sat	-
Texas Creek to Churn Creek	01-Jun to 01-Jul	4	0001 Mon to 2400 Thur	-
	02-Jul to 22-Jul	0	closed	early Stuart sockeye
	23-Jul to 31-May	4	0001 Mon to 2400 Thur	-
Churn Creek to Hixon	01-Jun to 08-Jul	7	0001 Mon to 2400 Sun	-
	09-Jul to 29-Jul	0	closed	early Stuart sockeye
	30-Jul to 31-May	7	0001 Mon to 2400 Sun	-
above Hixon, Nechako River below Stuart River	01-Jun to 15-Jul	5	1200 Wed to 1200 Mon	-
	16-Jul to 05-Aug	0	closed	early Stuart sockeye
	06-Aug to 30-Sep	5	1200 Wed to 1200 Mon	-
Stuart River, Nechako River above Stuart River	01-Apr to 30-Sep	5	1200 Mon to 1200 Sat	-
Chilcotin River	All year	7	0001 Mon to 2400 Sun	-
Lillooet River system	01-Apr to 10-Jun	1	1200 Sat to 1200 Sun	early chinook
	11-Jun to 31-Dec	7	0001 Mon to 2400 Sun	-
	01-Jan to 28-Feb	-	no salmon management concerns	-
	01-Mar to 09-Jun	1	1200 Sat to 1200 Sun	early chinook

Table 3c. Preseason management plan (gear restrictions) for the Fraser River Indian food fishery for the period 1 June 1990 to 31 May 1991. Includes in-season amendment of net length in the Steveston area.

Gear restriction	Fishing area	Time period	Conservation requirement
1. Use of monofilament nylon gill nets prohibited (a)	Entire fishery	All year	All species
2. Maximum set gill net length of 18.3 m (10 fathoms)	Entire fishery except Lillooet River system, and Stuart, Trembleur, Takla and Fraser lakes	All year	All species
3. Maximum set gill net length of 36.7 m (20 fathoms)	Lillooet River system	All year	All species
4. Maximum set gill net length of 31.0 m (17 fathoms)	Stuart, Trembleur, Takla and Fraser lakes	All year	All species
5. Maximum drifted gill net length of 45.7 m (25 fathoms)	Steveston area	June 1 to July 26	All species
6. Maximum drifted gill net length of 91.4 m (50 fathoms)	Steveston area	July 27 to May 31	All species
7. Maximum gill net mesh size of 140 mm (5.5 inches)	Steveston area	1200 July 20 to 2400 Oct 13	middle timed chinook and Harrison chinook
	Deas to Agassiz - Rosedale bridge	1800 July 16 to 1200 Oct 21	middle timed chinook and Harrison chinook
	Agassiz - Rosedale bridge to North Bend	1800 July 19 to 1800 Sep 23	middle timed chinook
	North Bend to Lytton	1800 July 24 to 1800 Sep 23	middle timed chinook

a. The definition of a monofilament net is as follows: the net must have 30 filaments or more in each twine of web; and the filaments of each twine must be of equal diameter.

Table 3d. Record of actual management actions (fishing times) taken for the Fraser River Indian food fishery for the period 1 June 1990 to 31 May 1991.

Fishing areas	Fishery opening			Stocks requiring conservation, and inseason amendments to the pre-season plan
	Monthly period	Days/wk	Daily period (PST)	
Steveston area (below Deas Island)	01-Jun to 10-Jun	1	1200 Fri to 1200 Sat	early chinook
	11-Jun to 24-Jun	1.5	1200 Fri to 2400 Sat	-
	25-Jun to 08-Jul	0	closed	early Stuart sockeye
	09-Jul to 15-Jul	0.5	1200 Sat to 2400 Sat	early Stuart sockeye
	16-Jul to 22-Jul	1	1200 Fri to 1200 Sat	-
	23-Jul to 24-Feb	1.5	1200 Fri to 2400 Sat	standard plan
	25-Feb to 31-May	1	1200 Fri to 1200 Sat	early chinook
	Deas Island to Mission bridge	01-Jun to 10-Jun	1	1800 Wed to 1800 Thur
11-Jun to 24-Jun		2	1800 Wed to 1800 Fri	-
25-Jun to 08-Jul		0	closed	early Stuart sockeye
09-Jul to 15-Jul		1	1800 Fri to 1800 Sat	early Stuart sockeye
16-Jul to 05-Aug		3	1800 Mon to 1800 Thur	-
06-Aug to 12-Aug		3.25	1800 Thur to 2400 Sun	compensation
13-Aug to 19-Aug		3.75	0001 Mon to 1200 Mon	compensation
			1800 Thur to 2400 Sun	-
20-Aug to 26-Aug		4	0001 Mon to 1800 Mon	compensation
			1800 Thur to 2400 Sun	-
27-Aug to 02-Sep		3.75	0001 Mon to 1800 Mon	compensation
			1800 Thur to 1800 Sun	-
03-Sep to 09-Sep		3.25	1800 Thur to 2400 Sun	compensation
10-Sep to 16-Sep		3.75	0001 Mon to 1800 Mon	compensation
			1800 Thur to 1800 Sun	-
17-Sep to 30-Sep	3	1800 Thur to 1800 Sun	-	
01-Oct to 24-Feb	3	1200 Mon to 1200 Thur	-	
25-Feb to 31-May	1	1200 Wed to 1200 Thur	early chinook	
Mission bridge to Hope, Harrison River	01-Jun to 10-Jun	1	1800 Sat to 1800 Sun	early chinook
	11-Jun to 24-Jun	2	1800 Fri to 1800 Sun	-
	25-Jun to 08-Jul	0	closed	early Stuart sockeye
	09-Jul to 15-Jul	1	1800 Fri to 1800 Sat	early Stuart sockeye
	16-Jul to 05-Aug	3	1800 Thur to 1800 Sun	-
	06-Aug to 12-Aug	3.25	1800 Thur to 2400 Sun	compensation
	13-Aug to 19-Aug	3.75	0001 Mon to 1200 Mon	compensation
			1800 Thur to 2400 Sun	-
	20-Aug to 26-Aug	4	0001 Mon to 1800 Mon	compensation
			1800 Thur to 2400 Sun	-
	27-Aug to 02-Sep	3.75	0001 Mon to 1800 Mon	compensation
			1800 Thur to 1800 Sun	-
	03-Sep to 09-Sep	3.25	1800 Thur to 2400 Sun	compensation
	10-Sep to 16-Sep	3.75	0001 Mon to 1800 Mon	compensation
			1800 Thur to 1800 Sun	-
17-Sep to 30-Sep	3	1800 Thur to 1800 Sun	-	
01-Oct to 21-Oct	1 a	1200 Sat to 1200 Sun	Thompson Steelhead	
22-Oct to 24-Feb	3	1200 Thur to 1200 Sun	-	
25-Feb to 31-May	1	1200 Sat to 1200 Sun	early chinook	
Hope to North Bend	01-Jun to 10-Jun	1	1800 Sat to 1800 Sun	early chinook
	11-Jun to 24-Jun	2	1800 Fri to 1800 Sun	-
	25-Jun to 08-Jul	0	closed	early Stuart sockeye
	09-Jul to 15-Jul	1	1800 Fri to 1800 Sat	early Stuart sockeye
	16-Jul to 05-Aug	3	1800 Thur to 1800 Sun	-
	06-Aug to 12-Aug	3.25	1800 Thur to 2400 Sun	compensation
	13-Aug to 19-Aug	3.75	0001 Mon to 1200 Mon	compensation
			1800 Thur to 2400 Sun	-
	20-Aug to 26-Aug	4	0001 Mon to 1800 Mon	compensation
			1800 Thur to 2400 Sun	-
	27-Aug to 02-Sep	3.75	0001 Mon to 1800 Mon	compensation
			1800 Thur to 1800 Sun	-
	03-Sep to 09-Sep	3.25	1800 Thur to 2400 Sun	compensation
	10-Sep to 16-Sep	3.75	0001 Mon to 1800 Mon	compensation
			1800 Thur to 1800 Sun	-
17-Sep to 30-Sep	3	1800 Thur to 1800 Sun	-	
01-Oct to 28-Oct	1	1200 Sat to 1200 Sun	Thompson Steelhead	
29-Oct to 24-Feb	3	1200 Thur to 1200 Sun	-	
25-Feb to 31-May	1	1200 Sat to 1200 Sun	early chinook	

a. From Harrison River to Hope only; 3 days/wk from Mission to Harrison River.

continued

Table 3d. Record of actual management actions (fishing times) taken for the Fraser River Indian food fishery for the period 1 June 1990 to 31 May 1991 (continued).

Fishing areas	Fishery opening			Stocks requiring conservation, and inseason amendments to the pre-season plan
	Monthly period	Days/wk	Daily period (PST)	
Williams Creek to Petch Creek	All year	0	Permanently closed	-
North Bend to Texas Creek Creek	01-Jun to 01-Jul	4	1800 Tues to 1800 Sat	-
	02-Jul to 15-Jul	0	closed	early Stuart sockeye
	16-Jul to 22-Jul	2	1800 Thur to 1800 Sat	early Stuart sockeye
	23-Jul to 05-Aug	4	1800 Tues to 1800 Sat	-
	06-Aug to 12-Aug	5	1800 Tues to 1800 Sun	additional time
	13-Aug to 19-Aug	5.25	1800 Tues to 2400 Sun	additional time
	20-Aug to 31-May	7	0001 Mon to 2400 Sun	additional time
Thompson River	01-Jun to 05-Aug	4	1800 Tues to 1800 Sat	-
	06-Aug to 12-Aug	5	1800 Tues to 1800 Sun	additional time
	13-Aug to 19-Aug	5.25	1800 Tues to 2400 Sun	additional time
	20-Aug to 31-May	7	0001 Mon to 2400 Sun	additional time
Texas Creek to Churn Creek	01-Jun to 01-Jul	4	0001 Mon to 2400 Thur	-
	02-Jul to 15-Jul	0	closed	early Stuart sockeye
	16-Jul to 22-Jul	2	0001 Wed to 2400 Thur	early Stuart sockeye
	23-Jul to 05-Aug	4	0001 Mon to 2400 Thur	-
	06-Aug to 12-Aug	5	0001 Mon to 2400 Fri	additional time
	13-Aug to 31-May	7	0001 Mon to 2400 Sun	additional time
Churn Creek to Hixon	01-Jun to 08-Jul	7	0001 Mon to 2400 Sun	-
	09-Jul to 22-Jul	0	closed	early Stuart sockeye
	23-Jul to 29-Jul	4	0001 Thur to 2400 Sun	early Stuart sockeye
	30-Jul to 31-May	7	0001 Mon to 2400 Sun	-
Hixon to Prince George, Nechako River below Stuart River	01-Jun to 15-Jul	5	1200 Wed to 1200 Mon	-
	16-Jul to 29-Jul	0	closed	early Stuart sockeye
	30-Jul to 05-Aug	3	1200 Fri to 1200 Mon	early Stuart sockeye
	06-Aug to 30-Sep	5	1200 Wed to 1200 Mon	-
above Prince George	01-Jun to 30-Sep	5	1200 Wed to 1200 Mon	-
Stuart River, Nechako River above Stuart River	01-Jun to 30-Sep	5	1200 Mon to 1200 Sat	-
Chilcotin River	01-Jun to 31-May	7	0001 Mon to 2400 Sun	-
Lillooet River system	01-Apr to 10-Jun	1	1200 Sat to 1200 Sun	early chinook
	11-Jun to 31-Dec	7	0001 Mon to 2400 Sun	-
	01-Jan to 28-Feb	-	no salmon management concerns	-
	01-Mar to 09-Jun	1	1200 Sat to 1200 Sun	early chinook



Table 4. Weekly number of days open, nets and net-days of effort by areas in the Fraser River Indian Food fishery in 1990:

Fraser River mainstem areas of District 2 . . . . .	19
Tributary areas of District 2 . . . . .	21
Summary of District 2 . . . . .	22
Fraser River mainstem areas of District 1 . . . . .	23
Tributary areas of District 1 . . . . .	26
Summary of Districts 1 and 2 . . . . .	30
Summary of Fraser River system . . . . .	31



Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 2, 1990.

Steveston area			
Week Ending	Days/wk	Drift nets/day	Drift net-days/wk
Jan 7	1.5	-	0.0 a
14	1.5	-	0.0 a
21	1.5	-	0.0 a
28	1.5	-	0.0 a
Feb 4	1.5	-	0.0 a
11	1.5	-	0.0 a
18	1.5	-	0.0 a
25	1.5	-	0.0 a
Mar 4	1.0	1	1.0
11	1.0	1	1.0
18	1.0	3	3.0
25	1.0	4	4.0
Apr 1	1.0	4	4.0
8	1.0	3	3.0
15	1.0	10	10.0
22	1.0	8	8.0
29	1.0	10	10.0
May 6	1.0	10	10.0
13	1.0	11	11.0
20	1.0	14	14.0
27	1.0	15	15.0
Jun 3	1.0	17	17.0
10	1.0	18	18.0
17	1.5	24	36.0
24	1.5	24	36.0
Jul 1	0.0	1	0.0 b
8	0.0	0	0.0 b
15	0.5	22	11.0
22	1.0	39	39.0
29	1.5	53	79.5
Aug 5	1.5	46	69.0
12	1.5	46	69.0
19	1.5	61	91.5
26	1.5	37	55.5
Sep 2	1.5	47	70.5
9	1.5	45	67.5
16	1.5	50	75.0
23	1.5	42	63.0
30	1.5	41	61.5
Oct 7	1.5	22	33.0
14	1.5	21	31.5
21	1.5	22	33.0
28	1.5	14	21.0
Nov 4	1.5	13	19.5
11	1.5	1	1.5
18	1.5	5	7.5
25	1.5	2	3.0
Dec 2	1.5	-	0.0 a
9	1.5	-	0.0 a
16	1.5	-	0.0 a
23	1.5	-	0.0 a
30	1.5	-	0.0 a
Total	66.0	807	1,103.0
Average	1.3	15.5	21.2

a. No estimate.

b. Closure.

continued

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 2, 1990.

Week Ending	Deas to Mission			Mission to Hope			Hope to North Bend			
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	
Jan 7	3	-	0 a	3	-	0 a	3	-	0 a	
14	3	-	0 a	3	-	0 a	3	-	0 a	
21	3	-	0 a	3	-	0 a	3	-	0 a	
28	3	-	0 a	3	-	0 a	3	-	0 a	
Feb 4	3	-	0 a	3	-	0 a	3	-	0 a	
11	3	-	0 a	3	-	0 a	3	-	0 a	
18	3	-	0 a	3	-	0 a	3	-	0 a	
25	3	-	0 a	3	-	0 a	3	-	0 a	
Mar 4	1	-	0 a	1	-	0 a	1	-	0 a	
11	1	5	5 b	1	-	0 a	1	-	0 a	
18	1	5	5	1	19	19	1	21	21	
25	1	11	11	1	27	27	1	19	19	
Apr 1	1	12	12	1	32	32	1	30	30	
8	1	11	11	1	55	55	1	24	24	
15	1	0	0 c	1	58	58	1	39	39	
22	1	0	0	1	64	64	1	21	21	
29	1	3	3	1	72	72	1	20	20	
May 6	1	9	9	1	131	131	1	33	33	
13	1	17	17	1	81	81	1	32	32	
20	1	19	19	1	92	92	1	43	43	
27	1	13	13	1	79	79	1	18	18	
Jun 3	1	0	0 c	1	33	33	1	3	3	
10	1	11	11	1	47	47	1	16	16	
17	2	30	60	2	66	132	2	9	18	
24	2	33	66	2	103	206	2	47	94	
Jul 1	0	0	0 d	0	0	0 d	0	0	0 d	
8	0	0	0 d	0	0	0 d	0	0	0 d	
15	1	36	36	1	103	103	1	71	71	
22	3	27	81	3	178	534	3	130	390	
29	3	18	54	3	188	564	3	145	435	
Aug 5	3	33	99	3	208	624	3	145	435	
12	3.25	38	124	3.25	245	796	3.25	155	504	
19	3.75	21	79	3.75	255	956	3.75	177	664	
26	4.00	27	108	4.00	223	892	4.00	152	608	
Sep 2	3.75	23	86	3.75	199	746	3.75	126	473	
9	3.25	38	124	3.25	158	514	3.25	105	341	
16	3.75	39	146	3.75	160	600	3.75	116	435	
23	3	26	78	3	154	462	3	71	213	
30	3	50	150	3	89	267	3	25	75	
Oct 7	3	30	90 b	1	64	64 e	1	20	20	
14	3	-	0 a	1	62	62 e	1	25	25	
21	3	16	48 b	1	43	43 e	1	28	28	
28	3	-	0 a	3	-	0 a	1	16	16	
Nov 4	3	27	81	3	-	0 a	3	-	0 a	
11	3	11	33	3	-	0 a	3	-	0 a	
18	3	-	0 a	3	-	0 a	3	-	0 a	
25	3	-	0 a	3	-	0 a	3	-	0 a	
Dec 2	3	-	0 a	3	-	0 a	3	-	0 a	
9	3	-	0 a	3	-	0 a	3	-	0 a	
16	3	-	0 a	3	-	0 a	3	-	0 a	
23	3	-	0 a	3	-	0 a	3	-	0 a	
30	3	-	0 a	3	-	0 a	3	-	0 a	
Total	120	639	1,658		3,288	8,355	112	1,882	5,163	
Average	2.3	12.3	31.9		2.2	63.2	160.7	2.1	36.2	99.3

a. No estimate.

b. No estimate from Whonnock to Mission.

c. No estimate from Deas to Whonnock.

d. Closure.

e. 1 day/wk from Harrison River to Hope; 3 days/wk from Mission to Harrison River.

continued

Number of days open, nets and net-days of effort in the Fraser River tributary areas of District 2, 1990.

Week Ending	Harrison River			Lower Lillooet R.			Birkenhead River		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 7	3	-	0 a	7	-	0 a	7	-	0 a
14	3	-	0 a	7	-	0 a	7	-	0 a
21	3	-	0 a	7	-	0 a	7	-	0 a
28	3	-	0 a	7	-	0 a	7	-	0 a
Feb 4	3	-	0 a	7	-	0 a	7	-	0 a
11	3	-	0 a	7	-	0 a	7	-	0 a
18	3	-	0 a	7	-	0 a	7	-	0 a
25	3	-	0 a	7	-	0 a	7	-	0 a
Mar 4	1	-	0 a	7	-	0 a	7	-	0 a
11	1	-	0 a	7	-	0 a	7	-	0 a
18	1	-	0 a	7	11	77	7	0	0 a
25	1	-	0 a	7	-	0 a	7	-	0 a
Apr 1	1	-	0 a	7	7	49	7	0	0
8	1	-	0 a	7	3	21	7	5	35
15	1	-	0 a	1	2	2	1	0	0
22	1	-	0 a	1	3	3	1	2	2
29	1	-	0 a	1	2	2	1	2	2
May 6	1	-	0 a	1	2	2	1	2	2
13	1	-	0 a	1	4	4	1	2	2
20	1	-	0 a	1	2	2	1	3	3
27	1	-	0 a	1	2	2	1	3	3
Jun 3	1	-	0 a	1	2	2	1	3	3
10	1	-	0 a	1	0	0	1	2	2
17	2	-	0 a	1	0	0	1	2	2
24	2	-	0 a	7	0	0	7	0	0
Jul 1	0	-	0 a	7	-	0 a	7	-	0 a
8	0	-	0 a	7	-	0 a	7	-	0 a
15	1	-	0 a	7	-	0 a	7	-	0 a
22	3	-	0 a	7	-	0 a	7	-	0 a
29	3	-	0 a	7	-	0 a	7	-	0 a
Aug 5	3	-	0 a	7	-	0 a	7	-	0 a
12	3	-	0 a	7	-	0 a	7	-	0 a
19	3	-	0 a	7	-	0 a	7	-	0 a
26	3	-	0 a	7	-	0 a	7	-	0 a
Sep 2	3	-	0 a	7	-	0 a	7	-	0 a
9	3	-	0 a	7	-	0 a	7	-	0 a
16	3	-	0 a	7	-	0 a	7	-	0 a
23	3	-	0 a	7	-	0 a	7	-	0 a
30	3	-	0 a	7	-	0 a	7	-	0 a
Oct 7	3	-	0 a	7	-	0 a	7	-	0 a
14	3	-	0 a	7	-	0 a	7	-	0 a
21	3	-	0 a	7	-	0 a	7	-	0 a
28	3	-	0 a	7	-	0 a	7	-	0 a
Nov 4	3	-	0 a	7	5	35	7	4	28
11	3	-	0 a	7	-	0 a	7	-	0 a
18	3	-	0 a	7	-	0 a	7	-	0 a
25	3	-	0 a	7	-	0 a	7	-	0 a
Dec 2	3	-	0 a	7	-	0 a	7	-	0 a
9	3	-	0 a	7	-	0 a	7	-	0 a
16	3	-	0 a	7	-	0 a	7	-	0 a
23	3	-	0 a	7	-	0 a	7	-	0 a
30	3	-	0 a	7	-	0 a	7	-	0 a
Total	116	0	0	304	45	201	304	30	84
Average	2.2	0.0	0.0	5.8	0.9	3.9	5.8	0.6	1.6

a. No estimate.

continued

Number of nets and net-days of effort in District 2, 1990.

Week Ending	District 2		District 2 mainstem		District 2 tributaries	
	Drift nets/day	Drift net-days/wk	Set nets/day	Set net-days/wk	Set nets/day	Set net-days/wk
Jan 7	-	0.0 a	-	0 a	-	0 a
14	-	0.0 a	-	0 a	-	0 a
21	-	0.0 a	-	0 a	-	0 a
28	-	0.0 a	-	0 a	-	0 a
Feb 4	-	0.0 a	-	0 a	-	0 a
11	-	0.0 a	-	0 a	-	0 a
18	-	0.0 a	-	0 a	-	0 a
25	-	0.0 a	-	0 a	-	0 a
Mar 4	1	1.0	-	0 a	-	0 a
11	1	1.0	5	5 b	-	0 a
18	3	3.0	45	45	11	77
25	4	4.0	57	57	0	0
Apr 1	4	4.0	74	74	7	49
8	3	3.0	90	90	8	56
15	10	10.0	97	97	2	2
22	8	8.0	85	85	5	5
29	10	10.0	95	95	4	4
May 6	10	10.0	173	173	4	4
13	11	11.0	130	130	6	6
20	14	14.0	154	154	5	5
27	15	15.0	110	110	5	5
Jun 3	17	17.0	36	36	5	5
10	18	18.0	74	74	2	2
17	24	36.0	105	210	2	2
24	24	36.0	183	366	0	0
Jul 1	1	0.0 b	0	0	-	0 a
8	0	0.0 b	0	0	-	0 a
15	22	11.0	210	210	-	0 a
22	39	39.0	335	1,005	-	0 a
29	53	79.5	351	1,053	-	0 a
Aug 5	46	69.0	386	1,158	-	0 a
12	46	69.0	438	1,424	-	0 a
19	61	91.5	453	1,699	-	0 a
26	37	55.5	402	1,608	-	0 a
Sep 2	47	70.5	348	1,305	-	0 a
9	45	67.5	301	978	-	0 a
16	50	75.0	315	1,181	-	0 a
23	42	63.0	251	753	-	0 a
30	41	61.5	164	492	-	0 a
Oct 7	22	33.0	114	174	-	0 a
14	21	31.5	87	87	-	0 a
21	22	33.0	87	119	-	0 a
28	14	21.0	16	16	-	0 a
Nov 4	13	19.5	27	81	9	63
11	1	1.5	11	33	-	0 a
18	5	7.5	-	0 a	-	0 a
25	2	3.0	-	0 a	-	0 a
Dec 2	-	0.0 a	-	0 a	-	0 a
9	-	0.0 a	-	0 a	-	0 a
16	-	0.0 a	-	0 a	-	0 a
23	-	0.0 a	-	0 a	-	0 a
30	-	0.0 a	-	0 a	-	0 a
Total	807	1,103.0	5,809	15,177	75	285
Average	15.5	21.2	111.7	292	1.4	5

a. No estimate.  
b. Closure.

continued

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 1, 1990.

North Bend to Texas Creek						Texas Creek to Churn Creek				
Week Ending	Days /wk	Set nets /day	Set net-days /wk	Dip nets /day	Dip net-days /wk	Days /wk	Set nets /day	Set net-days /wk	Dip nets /day	Dip net-days /wk
Jan 7	4	0	0	0	0	4	0	0	0	0
14	4	0	0	0	0	4	0	0	0	0
21	4	0	0	0	0	4	0	0	0	0
28	4	0	0	0	0	4	0	0	0	0
Feb 4	4	0	0	0	0	4	0	0	0	0
11	4	0	0	0	0	4	0	0	0	0
18	4	0	0	0	0	4	0	0	0	0
25	4	0	0	0	0	4	0	0	0	0
Mar 4	4	0	0	0	0	4	0	0	0	0
11	4	0	0	0	0	4	0	0	0	0
18	4	0	0	0	0	4	0	0	0	0
25	4	1	4	0	0	4	0	0	0	0
Apr 1	4	1	4	0	0	4	0	0	0	0
8	4	4	16	0	0	4	1	4	0	0
15	4	6	24	0	0	4	1	4	0	0
22	4	0 a	0	0	0 b	4	0 b	0	0	0 b
29	4	2	8	0	0	4	0	0	0	0
May 6	4	4	16	0	0	4	1	4	0	0
13	4	9	36	0	0	4	1	4	0	0
20	4	12	48	0	0	4	2	8	0	0
27	4	10	40	0	0	4	2	8	0	0
Jun 3	4	0 b	0	0	0 b	4	0 b	0	0	0 b
10	4	0	0	0	0	4	0	0	0	0
17	4	0	0	0	0	4	0	0	0	0
24	4	0	0	0	0	4	0	0	0	0
Jul 1	4	0	0	0	0	4	0	0	0	0
8	0 c	0	0	0	0	0 c	0	0	0	0
15	0 c	0	0	0	0	0 c	0	0	0	0
22	2	39	78	4	8	2	14	28	12	24
29	4	44	176	3	12	4	10	40	16	64
Aug 5	4	45	180	2	8	4	16	64	13	52
12	5	48	240	9	45	5	30	150	22	110
19	5.25	67	352	4	21	7	30	210	14	98
26	7	55	385	4	28	7	33	231	16	112
Sep 2	7	20	140	0	0	7	14	98	13	91
9	7	14	98	0	0	7	8	56	7	49
16	7	18	126	0	0	7	4	28	8	56
23	7	10	70	0	0	7	0	0	0	0
30	7	6	42	0	0	7	0	0	0	0
Oct 7	7	1	7	0	0	7	0	0	0	0
14	7	3	21	0	0	7	0	0	0	0
21	7	2	14	0	0	7	0	0	0	0
28	7	3	21	0	0	7	0	0	0	0
Nov 4	7	0	0	0	0	7	0	0	0	0
11	7	0	0	0	0	7	0	0	0	0
18	7	0	0	0	0	7	0	0	0	0
25	7	0	0	0	0	7	0	0	0	0
Dec 2	7	0	0	0	0	7	0	0	0	0
9	7	0	0	0	0	7	0	0	0	0
16	7	0	0	0	0	7	0	0	0	0
23	7	0	0	0	0	7	0	0	0	0
30	7	0	0	0	0	7	0	0	0	0
Total	257	424	2,146	26	122	259	167	937	121	656
Average	4.9	8.2	41.3	0.5	2.3	5.0	3.2	18.0	2.3	12.6

a. No estimate from Ainslie Creek to Texas Creek.  
 b. No estimate.  
 c. Closure.

continued

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 1, 1990.

Week Ending	Churn Creek to Chilcotin Bridge			Chilcotin Bridge to Marguerite			Marguerite to Hixon		
	Days /wk	Dip nets /day	Dip net-days/wk	Days /wk	Dip nets /day	Dip net-days/wk	Days /wk	Dip nets /day	Dip net-days/wk
Jan 7	7	0	0	7	0	0	7	0	0
14	7	0	0	7	0	0	7	0	0
21	7	0	0	7	0	0	7	0	0
28	7	0	0	7	0	0	7	0	0
Feb 4	7	0	0	7	0	0	7	0	0
11	7	0	0	7	0	0	7	0	0
18	7	0	0	7	0	0	7	0	0
25	7	0	0	7	0	0	7	0	0
Mar 4	7	0	0	7	0	0	7	0	0
11	7	0	0	7	0	0	7	0	0
18	7	0	0	7	0	0	7	0	0
25	7	0	0	7	0	0	7	0	0
Apr 1	7	0	0	7	0	0	7	0	0
8	7	0	0	7	0	0	7	0	0
15	7	0	0	7	0	0	7	0	0
22	7	0	0	7	0	0	7	0	0
29	7	0	0	7	0	0	7	0	0
May 6	7	0	0	7	0	0	7	0	0
13	7	0	0	7	0	0	7	0	0
20	7	0	0	7	0	0	7	0	0
27	7	0	0	7	0	0	7	0	0
Jun 3	7	0	0	7	0	0	7	0	0
10	7	0	0	7	0	0	7	0	0
17	7	0	0	7	0	0	7	0	0
24	7	0	0	7	0	0	7	0	0
Jul 1	7	0	0	7	0	0	7	0	0
8	7	0	0	7	0	0	7	0	0
15	0	0	0 a	0	0	0 a	0	0	0 a
22	0	0	0 a	0	0	0 a	0	0	0 a
29	4	0	0 b	4	0	0 b	4	0	0 b
Aug 5	7	0	0 b	7	0	0 b	7	0	0 b
12	7	6	42	7	14	98	7	0	0 b
19	7	4	28	7	10	70	7	0	0 b
26	7	4	28	7	10	70	7	0	0 b
Sep 2	7	4	28	7	5	35	7	0	0 b
9	7	0	0 b	7	0	0 b	7	0	0 b
16	7	0	0	7	0	0	7	0	0
23	7	0	0	7	0	0	7	0	0
30	7	0	0	7	0	0	7	0	0
Oct 7	7	0	0	7	0	0	7	0	0
14	7	0	0	7	0	0	7	0	0
21	7	0	0	7	0	0	7	0	0
28	7	0	0	7	0	0	7	0	0
Nov 4	7	0	0	7	0	0	7	0	0
11	7	0	0	7	0	0	7	0	0
18	7	0	0	7	0	0	7	0	0
25	7	0	0	7	0	0	7	0	0
Dec 2	7	0	0	7	0	0	7	0	0
9	7	0	0	7	0	0	7	0	0
16	7	0	0	7	0	0	7	0	0
23	7	0	0	7	0	0	7	0	0
30	7	0	0	7	0	0	7	0	0
Total	347	18	126	347	39	273	347	0	0
Average	6.7	0.3	2.4	6.7	0.8	5.3	6.7	0.0	0.0

a. Closure.  
b. No estimate.

continued



Number and summary of days open, nets and net-days of effort in the Fraser River mainstem areas of District 1, 1990.

District 1 mainstem summary								
above Hixon				Set nets		Dip nets		
Week Ending	Days /wk	Set nets /day	Set net-days/wk	nets /day	net-days /wk	nets /day	net-days /wk	
Jan 7	5	0	0	0	0	0	0	
14	5	0	0	0	0	0	0	
21	5	0	0	0	0	0	0	
28	5	0	0	0	0	0	0	
Feb 4	5	0	0	0	0	0	0	
11	5	0	0	0	0	0	0	
18	5	0	0	0	0	0	0	
25	5	0	0	0	0	0	0	
Mar 4	5	0	0	0	0	0	0	
11	5	0	0	0	0	0	0	
18	5	0	0	0	0	0	0	
25	5	0	0	1	4	0	0	
Apr 1	5	0	0	1	4	0	0	
8	5	0	0	5	20	0	0	
15	5	0	0	7	28	0	0	
22	5	0	0	0	0	0	0	
29	5	0	0	2	8	0	0	
May 6	5	0	0	5	20	0	0	
13	5	0	0	10	40	0	0	
20	5	0	0	14	56	0	0	
27	5	0	0	12	48	0	0	
Jun 3	5	0	0	0	0	0	0	
10	5	0	0	0	0	0	0	
17	5	0	0	0	0	0	0	
24	5	0	0	0	0	0	0	
Jul 1	5	0	0	0	0	0	0	
8	5	0	0	0	0	0	0	
15	5	0	0	0	0	0	0	
22	0	0	0 a	53	106	16	32	
29	0	0	0 a	54	216	19	76	
Aug 5	3	0	0 b	61	244	15	60	
12	5	0	0 b	78	390	51	295	
19	5	0	0 b	97	562	32	217	
26	5	6	30	94	646	34	238	
Sep 2	5	0	0 b	34	238	22	154	
9	5	0	0 b	22	154	7	49	
16	5	0	0 b	22	154	8	56	
23	5	0	0 b	10	70	0	0	
30	5	0	0 b	6	42	0	0	
Oct 7	5	0	0	1	7	0	0	
14	5	0	0	3	21	0	0	
21	5	0	0	2	14	0	0	
28	5	0	0	3	21	0	0	
Nov 4	5	0	0	0	0	0	0	
11	5	0	0	0	0	0	0	
18	5	0	0	0	0	0	0	
25	5	0	0	0	0	0	0	
Dec 2	5	0	0	0	0	0	0	
9	5	0	0	0	0	0	0	
16	5	0	0	0	0	0	0	
23	5	0	0	0	0	0	0	
30	5	0	0	0	0	0	0	
Total	248	6	30	597	3,113	204	1,177	
Average	4.8	0.1	0.6	11.5	59.9	3.9	22.6	

a. Closure.  
b. No estimate

continued

Number of days open, nets and net-days of effort in the Chilcotin and Thompson river systems, District 1, 1990.

Week Ending	Chilcotin River System			Lytton to Savona				
	Days /wk	Dip nets /day	Dip net-days/wk	Days /wk	Set nets /day	Set net-days /wk	Dip nets /day	Dip net-days /wk
Jan 7	7	0	0	4	0	0	0	0
14	7	0	0	4	0	0	0	0
21	7	0	0	4	0	0	0	0
28	7	0	0	4	0	0	0	0
Feb 4	7	0	0	4	0	0	0	0
11	7	0	0	4	0	0	0	0
18	7	0	0	4	0	0	0	0
25	7	0	0	4	0	0	0	0
Mar 4	7	0	0	4	0	0	0	0
11	7	0	0	4	0	0	0	0
18	7	0	0	4	0	0	0	0
25	7	0	0	4	0	0	0	0
Apr 1	7	0	0	4	0	0	0	0
8	7	0	0	4	0	0	0	0
15	7	0	0	4	0	0	0	0
22	7	0	0	4	0	0	0	0
29	7	0	0	4	0	0	0	0
May 6	7	0	0	4	0	0	0	0
13	7	0	0	4	0	0	0	0
20	7	0	0	4	0	0	0	0
27	7	0	0	4	0	0	0	0
Jun 3	7	0	0	4	0	0	0	0
10	7	0	0	4	0	0	0	0
17	7	0	0	4	0	0	0	0
24	7	0	0	4	0	0	0	0
Jul 1	7	0	0	4	0	0	0	0
8	7	0	0	0	0	0	0	0
15	7	0	0	0	0	0	0	0
22	7	0	0	2	0	0	0	0
29	7	0	0	4	0	0	0	0
Aug 5	7	0	0	4	0	0	0	0
12	7	15	105	5	0	0	0	0
19	7	25	175	5.25	0	0	0	0
26	7	31	217	7	0	0	0	0
Sep 2	7	10	70	7	2	14	4	28
9	7	0	0 a	7	8	56	0	0
16	7	0	0	7	2	14	5	35
23	7	0	0	7	2	14	8	56
30	7	0	0	7	2	14	10	70
Oct 7	7	0	0	7	0	0	5	35
14	7	0	0	7	0	0	3	21
21	7	0	0	7	0	0	1	7
28	7	0	0	7	0	0	1	7
Nov 4	7	0	0	7	0	0	0	0
11	7	0	0	7	0	0	0	0
18	7	0	0	7	0	0	0	0
25	7	0	0	7	0	0	0	0
Dec 2	7	0	0	7	0	0	0	0
9	7	0	0	7	0	0	0	0
16	7	0	0	7	0	0	0	0
23	7	0	0	7	0	0	0	0
30	7	0	0	7	0	0	0	0
Total	364	81	567	257	16	112	37	259
Average	7.0	1.6	10.9	4.9	0.3	2.2	0.7	5.0

a. No estimate.

continued

Number of days open, nets and net-days of effort in the Nechako River System, District 1, 1990.

Week Ending	Prince George to Stuart River			Stuart River to Fort Fraser			Fort Fraser to Francois Lake		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 7	5	0	0	5	0	0	5	0	0
14	5	0	0	5	0	0	5	0	0
21	5	0	0	5	0	0	5	0	0
28	5	0	0	5	0	0	5	0	0
Feb 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Mar 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Apr 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
29	5	0	0	5	0	0	5	0	0
May 6	5	0	0	5	0	0	5	0	0
13	5	0	0	5	0	0	5	0	0
20	5	0	0	5	0	0	5	0	0
27	5	0	0	5	0	0	5	0	0
Jun 3	5	0	0	5	0	0	5	0	0
10	5	0	0	5	0	0	5	0	0
17	5	0	0	5	0	0	5	0	0
24	5	0	0	5	0	0	5	0	0
Jul 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	0	0	0 a	5	0	0	5	0	0
29	0	0	0 a	5	0	0	5	0	0
Aug 5	3	0	0 b	5	0	0	5	0	0
12	5	0	0 b	5	0	0	5	0	0 b
19	5	0	0 b	5	0	0 b	5	0	0 b
26	5	4	20	5	0	0 b	5	0	0 b
Sep 2	5	0	0 b	5	0	0 b	5	0	0 b
9	5	0	0 b	5	0	0 b	5	0	0 b
16	5	0	0 b	5	0	0 b	5	0	0 b
23	5	0	0	5	0	0 b	5	0	0 b
30	5	0	0	5	0	0	5	0	0 b
Oct 7	5	0	0	5	0	0	5	0	0
14	5	0	0	5	0	0	5	0	0
21	5	0	0	5	0	0	5	0	0
28	5	0	0	5	0	0	5	0	0
Nov 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Dec 2	5	0	0	5	0	0	5	0	0
9	5	0	0	5	0	0	5	0	0
16	5	0	0	5	0	0	5	0	0
23	5	0	0	5	0	0	5	0	0
30	5	0	0	5	0	0	5	0	0
Total	248	4	20	260	0	0	260	0	0
Average	4.8	0.1	0.4	5.0	0.0	0.0	5.0	0.0	0.0

a. Closure.  
b. No estimate.

continued

Number of days open, nets and net-days of effort in the Stuart River System, District 1, 1990.

Week Ending	Nechako River to Fort St. James			Fort St. James to Trembleur Lake			above Trembleur Lake outlet		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 7	5	0	0	5	0	0	5	0	0
14	5	0	0	5	0	0	5	0	0
21	5	0	0	5	0	0	5	0	0
28	5	0	0	5	0	0	5	0	0
Feb 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Mar 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Apr 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
29	5	0	0	5	0	0	5	0	0
May 6	5	0	0	5	0	0	5	0	0
13	5	0	0	5	0	0	5	0	0
20	5	0	0	5	0	0	5	0	0
27	5	0	0	5	0	0	5	0	0
Jun 3	5	0	0	5	0	0	5	0	0
10	5	0	0	5	0	0	5	0	0
17	5	0	0	5	0	0	5	0	0
24	5	0	0	5	0	0	5	0	0
Jul 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
29	5	0	0 a	5	0	0 a	5	0	0 a
Aug 5	5	0	0 a	5	0	0 a	5	0	0 a
12	5	0	0 a	5	0	0 a	5	0	0 a
19	5	0	0 a	5	0	0 a	5	0	0 a
26	5	0	0 a	5	0	0 a	5	0	0 a
Sep 2	5	0	0 a	5	0	0 a	5	0	0 a
9	5	0	0 a	5	0	0 a	5	0	0 a
16	5	0	0 a	5	0	0 a	5	0	0 a
23	5	0	0 a	5	0	0 a	5	0	0 a
30	5	0	0	5	0	0	5	0	0
Oct 7	5	0	0	5	0	0	5	0	0
14	5	0	0	5	0	0	5	0	0
21	5	0	0	5	0	0	5	0	0
28	5	0	0	5	0	0	5	0	0
Nov 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Dec 2	5	0	0	5	0	0	5	0	0
9	5	0	0	5	0	0	5	0	0
16	5	0	0	5	0	0	5	0	0
23	5	0	0	5	0	0	5	0	0
30	5	0	0	5	0	0	5	0	0
Total	260	0	0	260	0	0	260	0	0
Average	5.0	0.0	0.0	5.0	0.0	0.0	5.0	0.0	0.0

a. No estimate.

continued

Summary of number of days open, nets and net-days of effort in the Nechako and Stuart river systems, District 1, 1990.

Week Ending	Nechako River System total		Stuart River System total		Nechako and Stuart river systems total	
	Set nets /day	Set net-days /wk	Set nets /day	Set net-days /wk	Set nets /day	Set net-days /wk
Jan 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Feb 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Mar 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Apr 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
May 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
Jun 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
Jul 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
Aug 5	0	0 a	0	0 a	0	0
12	0	0 a	0	0 a	0	0
19	0	0 a	0	0 a	0	0
26	4	20	0	0	4	20
Sep 2	0	0 a	0	0 a	0	0
9	0	0 a	0	0 a	0	0
16	0	0 a	0	0 a	0	0
23	0	0 a	0	0 a	0	0
30	0	0 a	0	0	0	0
Oct 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Nov 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Dec 2	0	0	0	0	0	0
9	0	0	0	0	0	0
16	0	0	0	0	0	0
23	0	0	0	0	0	0
30	0	0	0	0	0	0
Total	4	20	0	0	4	20
Average	0.1	0.4	0.0	0.0	0.1	0.4

a. No estimate.

continued

Summary of number of nets and net-days of effort in Districts 2 and 1, 1990 (a).

Week Ending	District 2 total				District 1 total			
	Drift nets /day	Drift net-days/wk	Set nets /day	Set net-days/wk	Set nets /day	Set net-days/wk	Dip nets /day	Dip net-days/wk
Jan 7	-	0.0 b	0	0 b	0	0	0	0
14	-	0.0 b	0	0 b	0	0	0	0
21	-	0.0 b	0	0 b	0	0	0	0
28	-	0.0 b	0	0 b	0	0	0	0
Feb 4	-	0.0 b	0	0 b	0	0	0	0
11	-	0.0 b	0	0 b	0	0	0	0
18	-	0.0 b	0	0 b	0	0	0	0
25	-	0.0 b	0	0 b	0	0	0	0
Mar 4	1	1.0	0	0 b	0	0	0	0
11	1	1.0	5	5	0	0	0	0
18	3	3.0	56	122	0	0	0	0
25	4	4.0	57	57	1	4	0	0
Apr 1	4	4.0	81	123	1	4	0	0
8	3	3.0	98	146	5	20	0	0
15	10	10.0	99	99	7	28	0	0
22	8	8.0	90	90	0	0	0	0
29	10	10.0	99	99	2	8	0	0
May 6	10	10.0	177	177	5	20	0	0
13	11	11.0	136	136	10	40	0	0
20	14	14.0	159	159	14	56	0	0
27	15	15.0	115	115	12	48	0	0
Jun 3	17	17.0	41	41	0	0	0	0
10	18	18.0	76	76	0	0	0	0
17	24	36.0	107	212	0	0	0	0
24	24	36.0	183	366	0	0	0	0
Jul 1	1	0.0	0	0	0	0	0	0
8	0	0.0	0	0	0	0	0	0
15	22	11.0	210	210	0	0	0	0
22	39	39.0	335	1,005	53	106	16	32
29	53	79.5	351	1,053	54	216	19	76
Aug 5	46	69.0	386	1,158	61	244	15	60
12	46	69.0	438	1,424	78	390	66	400
19	61	91.5	453	1,699	97	562	57	392
26	37	55.5	402	1,608	98	666	65	455
Sep 2	47	70.5	348	1,305	36	252	36	252
9	45	67.5	301	978	30	210	7	49
16	50	75.0	315	1,181	24	168	13	91
23	42	63.0	251	753	12	84	8	56
30	41	61.5	164	492	8	56	10	70
Oct 7	22	33.0	114	174	1	7	5	35
14	21	31.5	87	87	3	21	3	21
21	22	33.0	87	119	2	14	1	7
28	14	21.0	16	16	3	21	1	7
Nov 4	13	19.5	36	144	0	0	0	0
11	1	1.5	11	33	0	0	0	0
18	5	7.5	0	0 b	0	0	0	0
25	2	3.0	0	0 b	0	0	0	0
Dec 2	-	0.0 b	0	0 b	0	0	0	0
9	-	0.0 b	0	0 b	0	0	0	0
16	-	0.0 b	0	0 b	0	0	0	0
23	-	0.0 b	0	0 b	0	0	0	0
30	-	0.0 b	0	0 b	0	0	0	0
Total	807	1,103.0	5,884	15,462	617	3,245	322	2,003
Average	15.5	21.2	113.2	297.3	11.9	62.4	6.2	38.5

a. Incomplete.  
b. No estimate.

continued

Summary of number of nets and net-days of effort in the Fraser River System, 1990 (a).

Week Ending	Drift nets		Set nets		Dip nets	
	nets/day	net-days/wk	nets/day	net-days/wk	nets/day	net-days/wk
Jan 7	-	0.0	0	0	0	0
14	-	0.0	0	0	0	0
21	-	0.0	0	0	0	0
28	-	0.0	0	0	0	0
Feb 4	-	0.0	0	0	0	0
11	-	0.0	0	0	0	0
18	-	0.0	0	0	0	0
25	-	0.0	0	0	0	0
Mar 4	-	1.0	0	0	0	0
11	1	1.0	5	5	0	0
18	3	3.0	56	122	0	0
25	4	4.0	58	61	0	0
Apr 1	4	4.0	82	127	0	0
8	3	3.0	103	166	0	0
15	10	10.0	106	127	0	0
22	8	8.0	90	90	0	0
29	10	10.0	101	107	0	0
May 6	10	10.0	182	197	0	0
13	11	11.0	146	176	0	0
20	14	14.0	173	215	0	0
27	15	15.0	127	163	0	0
Jun 3	17	17.0	41	41	0	0
10	18	18.0	76	76	0	0
17	24	36.0	107	212	0	0
24	24	36.0	183	366	0	0
Jul 1	1	0.0	0	0	0	0
8	0	0.0	0	0	0	0
15	22	11.0	210	210	0	0
22	39	39.0	388	1,111	16	32
29	53	79.5	405	1,269	19	76
Aug 5	46	69.0	447	1,402	15	60
12	46	69.0	516	1,814	66	400
19	61	91.5	550	2,261	57	392
26	37	55.5	500	2,274	65	455
Sep 2	47	70.5	384	1,557	36	252
9	45	67.5	331	1,188	7	49
16	50	75.0	339	1,349	13	91
23	42	63.0	263	837	8	56
30	41	61.5	172	548	10	70
Oct 7	22	33.0	115	181	5	35
14	21	31.5	90	108	3	21
21	22	33.0	89	133	1	7
28	14	21.0	19	37	1	7
Nov 4	13	19.5	36	144	0	0
11	1	1.5	11	33	0	0
18	5	7.5	0	0	0	0
25	2	3.0	0	0	0	0
Dec 2	-	0.0	0	0	0	0
9	-	0.0	0	0	0	0
16	-	0.0	0	0	0	0
23	-	0.0	0	0	0	0
30	-	0.0	0	0	0	0
Total	806	1,103.0	6,501	18,707	322	2,003
Average	15.5	21.2	125.0	359.7	6.2	38.5

a. Incomplete.

✓  
o  
✓  
x  
  
x  
✓  
x  
x  
  
x  
x





Table 5. Annual catch by fishing area in the Fraser River Indian Food fishery, 1951 to 1990:

Chinook . . . . .	35
Sockeye . . . . .	39
Pink . . . . .	43
Coho . . . . .	47
Chum . . . . .	50
Steelhead . . . . .	53



Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990.

Year	Steveston area	Deas to Mission	Mission to Hope		Total	Hope to North Bend
			North Side	South Side		
1951	0	85	455	305	760	2,238
1952	0	171	510	320	830	2,374
1953	0	147	150	220	370	3,366
1954	0	90	215	260	475	3,884
1955	0	100	125	365	490	3,009
1956	0	150	155	475	630	1,125
1957	0	115	300	365	665	965
1958	0	125	835	465	1,300	1,475
1959	0	155	965	775	1,740	1,535
1960	0	180	1,005	940	1,945	1,520
1961	1	255	1,125	1,625	2,750	1,865
1962	0	155	1,045	1,355	2,400	1,835
1963	0	230	1,150	1,770	2,920	2,090
1964	0	305	1,425	1,825	3,250	1,990
1965	0	225	2,000	1,550	3,550	3,100
1966	0	300	1,595	2,550	4,145	975
1967	0	300	1,200	1,550	2,750	950
1968	0	250	1,250	3,800	5,050	1,250
1969	0	210	3,450	2,100	5,550	5,030
1970	0	260	4,925	1,621	6,546	5,550
1971	24	410	2,457	2,150	4,607	5,200
1972	5	300	4,375	3,564	7,939	5,150
1973	9	316	3,085	2,295	5,380	3,325
1974	12	341	4,497	4,795	9,292	5,839
1975	2	737	6,285	4,687	10,972	4,930
1976	114	839	5,089	5,156	10,245	5,374
1977	57	1,105	5,880	7,003	12,883	6,544
1978	206	740	5,470	5,126	10,596	5,209
1979	276	802	4,882	3,177	8,059	3,291
1980	627	1,751	4,893	3,231	8,124	2,395
1981	380	798	3,089	3,334	6,423	3,841
1982	2,208	2,508	5,493	5,987	11,480	14,973
1983	341	858	3,451	3,278	6,729	4,422
1984	1,425	1,309	3,666	6,522	10,188	6,336
1985	827	446	1,476	1,798	3,274	2,754
1986	708	1,038	2,319	3,404	5,723	5,144
1987	728	749	-	-	4,084	7,237
1988	1,103	993	-	-	5,895	4,672
1989	568	195	-	-	1,502	1,717
1990	751	572	-	-	6,331	8,591
Averages						
1951-60	0	132	472	449	921	2,149
1961-70	0	249	1,917	1,975	3,891	2,464
1971-80	133	734	4,691	4,118	8,810	4,726
1981-90	904	947	3,249	4,054	6,163	5,969

continued

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon
1951	1,782	668	62	10	23	45
1952	2,392	486	56	12	18	39
1953	3,061	412	67	17	11	32
1954	3,501	329	35	8	5	37
1955	2,144	300	54	3	8	22
1956	1,480	250	46	3	5	18
1957	700	600	90	12	19	9
1958	600	600	68	12	28	11
1959	400	800	95	5	21	0
1960	0	1,500	79	10	25	8
1961	900	600	24	10	5	4
1962	600	410	18	11	8	17
1963	700	310	61	15	7	12
1964	1,200	1,025	110	25	20	48
1965	200	385	63	14	28	43
1966	230	405	38	24	23	34
1967	260	420	68	24	31	37
1968	545	232	79	27	30	27
1969	715	420	100	50	25	17
1970	740	255	130	85	40	15
1971	530	255	100	75	30	33
1972	685	630	150	- b	- b	22
1973	710	670	150	- b	- b	16
1974	800	610	125	- b	- b	22
1975	845	1,540	150	- b	- b	35
1976	450	1,230	62	74	108	36
1977	533	1,320	160	- b	- b	14
1978	793	1,020	62	90	91	17
1979	1,325	158	260	- b	- b	25
1980	1,000	1,000	80	- b	- b	20
1981	124	181	42	- b	- b	0
1982	925	1,057	130	885	315	264
1983	551	309	370	630	405	72
1984	517	423	680	523	340	198
1985	232	317	131	375	295	354
1986	668	970	160	180	210	148
1987	603	802	16	20	40	9
1988	1,182	1,010	30	40	0	20
1989	1,213	546	65	70	30	8
1990	566	254	300	150	250	31
Averages						
1951-60	1,606	595	65	9	16	22
1961-70	609	446	69	29	22	25
1971-80	767	843	130	24	76	24
1981-90	658	587	192	287	209	110

continued

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	Harrison River	Lillooet River system	Chilli-wack River	Thompson River system	Chil-cotin River system	Nechako River system
1951	990	60	5	2,280	77	7
1952	1,360	262	20	1,312	118	0
1953	1,510	255	5	1,445	46	19
1954	1,040	270	25	2,401	388	13
1955	1,100	22	35	800	45	13
1956	210	179	20	705	155	27
1957	850	230	0	1,325	196	17
1958	1,115	105	30	1,855	199	170
1959	1,200	130	35	1,370	205	50
1960	650	205	5	1,855	91	13
1961	900	85	20	1,650	119	15
1962	850	90	20	2,160	311	14
1963	720	65	20	1,800	170	30
1964	990	180	10	1,185	163	12
1965	1,235	148	0	895	221	16
1966	1,280	186	0	480	933	10
1967	200	164	0	645	286	24
1968	350	192	0	1,140	942	9
1969	504	59	0	1,232	242	17
1970	1,100	305	0	2,865	1,026	16
1971	1,000	333	0	1,290	221	25
1972	- c	- c	0	815	300	12
1973	- c	232	0	700	250	17
1974	- c	135	0	577	375	16
1975	- c	100	0	405	425	29
1976	- c	52	0	89	493	23
1977	- c	31	0	175	472	16
1978	- c	36	0	135	508	38
1979	- c	50	0	340	315	30
1980	- c	25	0	50	123	57
1981	- c	24	0	100	42	32
1982	- c	222	0	232	460	28
1983	379	134	0	113	400	43
1984	8	153	0	50	458	176
1985	375	396	0	100	880	139
1986	70	38	0	42	505	42
1987	19	35	0	88	41	54
1988	- c	12	0	55	500	77
1989	- c	21	0	42	0	6
1990	- c	7	0	43	0	39
Averages						
1951-60	1,003	172	18	1,535	152	33
1961-70	813	147	7	1,405	441	16
1971-80	100	110	0	458	348	26
1981-90	85	104	0	87	329	64

continued

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	3,083	1,055	2,590	2,364	9,092
1952	3,375	1,642	3,003	1,430	9,450
1953	3,883	1,770	3,600	1,510	10,763
1954	4,449	1,335	3,915	2,802	12,501
1955	3,599	1,157	2,531	858	8,145
1956	1,905	409	1,802	887	5,003
1957	1,745	1,080	1,430	1,538	5,793
1958	2,900	1,250	1,319	2,224	7,693
1959	3,430	1,365	1,321	1,625	7,741
1960	3,645	860	1,622	1,959	8,086
1961	4,871	1,005	1,543	1,784	9,203
1962	4,390	960	1,064	2,485	8,899
1963	5,240	805	1,105	2,000	9,150
1964	5,545	1,180	2,428	1,360	10,513
1965	6,875	1,383	733	1,132	10,123
1966	5,420	1,466	754	1,423	9,063
1967	4,000	364	840	955	6,159
1968	6,550	542	940	2,091	10,123
1969	10,790	563	1,327	1,491	14,171
1970	12,356	1,405	1,265	3,907	18,933
1971	10,241	1,333	1,023	1,536	14,133
1972	13,394	0	1,487	1,127	16,008
1973	9,030	232	1,546	967	11,775
1974	15,484	135	1,557	968	18,144
1975	16,641	100	2,570	859	20,170
1976	16,572	52	1,960	605	19,189
1977	20,589	31	2,027	663	23,310
1978	16,751	36	2,073	681	19,541
1979	12,428	50	1,768	685	14,931
1980	12,897	25	2,100	230	15,252
1981	11,442	24	347	174	11,987
1982	31,169	222	3,576	720	35,687
1983	12,350	513	2,337	556	15,756
1984	19,258	161	2,681	684	22,784
1985	7,301	771	1,704	1,119	10,895
1986	12,613	108	2,336	589	15,646
1987	12,798	54	1,490	183	14,525
1988	12,663	12	2,282	632	15,589
1989	3,982	21	1,932	48	5,983
1990	16,245	7	1,551	82	17,885
Averages					
1951-60	3,201	1,192	2,313	1,720	8,427
1961-70	6,604	967	1,200	1,863	10,634
1971-80	14,403	199	1,811	832	17,245
1981-90	13,982	189	2,024	479	16,674

a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".

b. Included in total for "Churn Creek to Chilcotin Bridge".

c. Not reported.

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	213	3,460	2,145	5,605	7,893
1952	0	213	6,310	2,120	8,430	6,746
1953	0	72	4,095	2,010	6,105	6,074
1954	0	475	3,955	2,640	6,595	7,745
1955	0	625	3,525	2,495	6,020	6,110
1956	0	875	2,875	1,745	4,620	2,820
1957	0	655	2,900	3,165	6,065	3,000
1958	0	1,275	13,480	3,225	16,705	5,890
1959	0	1,700	9,660	3,700	13,360	6,595
1960	0	1,120	16,855	4,700	21,555	6,800
1961	0	1,551	33,635	15,175	48,810	25,100
1962	0	1,300	27,820	18,425	46,245	13,600
1963	0	1,535	31,800	30,400	62,200	38,500
1964	0	1,665	21,150	20,875	42,025	42,750
1965	0	1,800	23,260	17,200	40,460	27,700
1966	2	1,900	29,690	29,500	59,190	29,100
1967	0	1,000	7,950	14,100	22,050	17,800
1968	0	850	7,250	9,106	16,356	37,021
1969	0	290	10,125	21,846	31,971	26,255
1970	0	675	12,150	14,860	27,010	32,040
1971	509	660	10,865	14,865	25,730	37,082
1972	734	3,091	13,780	17,490	31,270	24,565
1973	1,343	2,904	14,820	25,060	39,880	33,205
1974	2,260	7,232	23,315	39,435	62,750	51,900
1975	5,291	5,024	31,800	33,128	64,928	44,128
1976	1,069	15,301	17,956	20,627	38,583	62,026
1977	3,256	11,343	27,500	26,105	53,605	50,110
1978	4,877	8,821	31,915	39,490	71,405	54,845
1979	8,471	12,426	31,145	48,600	79,745	45,936
1980	3,983	3,870	20,739	24,768	45,507	20,855
1981	8,677	7,088	36,705	45,831	82,536	58,828
1982	41,973	9,023	43,430	70,446	113,876	101,976
1983	6,023	5,647	28,370	43,648	72,018	87,356
1984	14,277	4,019	35,601	41,186	76,787	110,412
1985	19,721	6,624	29,661	45,298	74,959	113,605
1986	25,162	12,406	59,680	82,659	142,339	165,181
1987	26,501	8,458	-	-	89,917	158,359
1988	25,386	11,073	-	-	86,407	96,325
1989	28,497	10,371	-	-	153,240	132,549
1990	70,753	34,420	-	-	252,686	232,826
Averages						
1951-60	0	722	6,712	2,795	9,506	5,967
1961-70	0	1,257	20,483	19,149	39,632	28,987
1971-80	3,179	7,067	22,384	28,957	51,340	42,465
1981-90	26,697	10,913	38,908	54,845	114,477	125,742

continued

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon
1951	4,676	24,550	1,517	305	440	210
1952	6,294	25,479	2,358	365	530	232
1953	6,545	30,326	5,363	1,255	1,345	200
1954	8,347	20,125	1,939	594	266	171
1955	6,513	19,000	2,954	335	618	130
1956	6,230	17,500	993	110	117	85
1957	12,200	18,100	4,223	780	805	180
1958	2,800	4,700	660	220	465	192
1959	2,100	9,200	419	100	160	108
1960	6,000	16,060	2,835	225	540	68
1961	7,500	15,500	1,830	550	700	38
1962	5,000	14,200	3,040	550	600	155
1963	16,500	22,000	2,251	550	295	212
1964	15,700	20,900	2,950	425	300	36
1965	8,700	14,300	3,520	1,200	1,255	254
1966	10,000	16,750	1,055	370	345	87
1967	11,000	17,500	733	290	223	226
1968	8,157	31,830	1,800	525	300	195
1969	12,785	54,155	4,063	1,150	950	163
1970	13,050	39,945	1,800	500	325	107
1971	10,515	29,100	2,800	2,400	1,050	215
1972	9,260	28,425	3,950	- b	- b	250
1973	13,050	32,225	8,700	- b	- b	735
1974	18,075	36,275	1,280	1,150	1,475	366
1975	26,900	44,575	3,100	4,330	2,945	200
1976	15,500	32,000	4,377	2,143	2,045	640
1977	21,000	53,070	2,900	4,229	5,460	150
1978	14,610	24,015	1,530	1,681	1,377	704
1979	16,525	54,521	1,838	2,020	760	750
1980	28,660	32,595	1,110	688	384	1,000
1981	33,030	101,425	14,300	34,560	22,800	4,775
1982	43,520	23,875	5,975	9,725	4,765	3,591
1983	20,395	66,890	6,825	11,220	5,805	3,085
1984	13,890	31,203	7,350	5,120	3,880	3,019
1985	34,415	65,915	15,046	25,536	14,850	6,887
1986	25,145	61,248	8,926	2,313	4,900	3,899
1987	51,347	48,930	2,980	4,215	4,450	2,534
1988	50,767	60,832	6,545	5,310	2,750	1,290
1989	79,526	67,238	17,056	27,608	14,850	3,178
1990	57,775	51,224	7,720	9,805	4,850	2,334
Averages						
1951-60	6,171	18,504	2,326	429	529	158
1961-70	10,839	24,708	2,304	611	529	147
1971-80	17,410	36,680	3,159	2,330	1,937	501
1981-90	40,981	57,878	9,272	13,541	8,390	3,459

continued



Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	Harrison River	Lillooet River system	Chilli-wack River	Thompson River system	Chil-cotin River system	Nechako River system	Stuart River system
1951	1,850	12,968	255	12,946	4,634	3,909	3,072
1952	400	12,405	425	2,730	12,149	2,184	3,046
1953	265	10,837	235	9,430	9,524	4,041	21,414
1954	380	4,966	230	30,105	6,063	2,506	4,693
1955	450	3,486	400	9,124	6,839	1,550	1,350
1956	235	8,433	425	4,104	11,372	4,486	2,513
1957	550	5,560	560	3,970	14,692	7,304	18,195
1958	1,640	4,418	330	23,075	9,364	5,310	5,588
1959	1,450	4,565	525	7,310	12,777	4,103	527
1960	1,050	3,855	555	1,710	17,374	2,239	1,663
1961	1,200	5,526	650	1,340	3,872	5,976	17,051
1962	2,000	12,133	650	13,265	14,802	4,259	5,649
1963	520	10,240	675	7,258	20,115	6,070	1,081
1964	800	7,260	700	795	6,774	2,048	511
1965	1,100	5,900	100	1,725	958	3,955	7,643
1966	1,600	4,900	175	13,000	8,552	4,179	2,854
1967	500	6,350	100	13,400	6,543	6,204	3,254
1968	400	6,263	0	860	16,730	2,691	213
1969	900	4,677	0	1,435	3,118	4,329	12,864
1970	600	8,700	0	14,815	3,906	4,125	2,957
1971	500	6,750	0	8,790	15,325	6,693	6,342
1972	- c	4,285	0	6,425	17,400	4,175	1,173
1973	- c	4,075	0	6,090	1,695	4,880	15,084
1974	- c	11,550	0	12,995	6,856	4,358	3,908
1975	- c	6,450	0	7,565	24,181	7,103	6,431
1976	- c	7,500	0	522	43,823	5,702	2,231
1977	- c	14,050	0	560	8,465	6,078	10,151
1978	- c	14,910	0	16,950	8,450	6,248	7,129
1979	- c	14,000	0	2,860	20,926	21,294	9,637
1980	- c	11,850	0	1,000	17,022	13,589	3,853
1981	- c	5,010	0	150	31,350	16,452	19,683
1982	- c	10,230	0	31,480	14,950	11,798	3,042
1983	120	9,961	0	1,255	44,600	15,241	5,115
1984	13	10,123	0	0	56,874	15,276	5,286
1985	295	2,729	0	100	8,990	18,402	16,425
1986	425	10,369	0	9,975	39,396	17,101	5,374
1987	240	7,440	0	3,525	28,134	22,311	8,682
1988	- c	8,974	0	174	32,280	16,926	11,005
1989	- c	3,161	0	485	11,300	11,118	11,766
1990	- c	- c	0	12,415	57,030	8,325	5,455
Averages							
1951-60	827	7,149	394	10,450	10,479	3,763	6,206
1961-70	962	7,195	305	6,789	8,537	4,384	5,408
1971-80	50	9,542	0	6,376	16,414	8,012	6,594
1981-90	109	6,800	0	5,956	32,490	15,295	9,183

continued

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	13,711	15,073	31,698	24,561	85,043
1952	15,389	13,230	35,258	20,109	83,986
1953	12,251	11,337	45,034	44,409	113,031
1954	14,815	5,576	31,442	43,367	95,200
1955	12,755	4,336	29,550	18,863	65,504
1956	8,315	9,093	25,035	22,475	64,918
1957	9,720	6,670	36,288	44,161	96,839
1958	23,870	6,388	9,037	43,337	82,632
1959	21,655	6,540	12,087	24,717	64,999
1960	29,475	5,460	25,728	22,986	83,649
1961	75,461	7,376	26,118	28,239	137,194
1962	61,145	14,783	23,545	37,975	137,448
1963	102,235	11,435	41,808	34,524	190,002
1964	86,440	8,760	40,311	10,128	145,639
1965	69,960	7,100	29,229	14,281	120,570
1966	90,192	6,675	28,607	28,585	154,059
1967	40,850	6,950	29,972	29,401	107,173
1968	54,227	6,663	42,807	20,494	124,191
1969	58,516	5,577	73,266	21,746	159,105
1970	59,725	9,300	55,727	25,803	150,555
1971	63,981	7,250	46,080	37,150	154,461
1972	59,660	4,285	41,885	29,173	135,003
1973	77,332	4,075	54,710	27,749	163,866
1974	124,142	11,550	58,621	28,117	222,430
1975	119,371	6,450	82,050	45,280	253,151
1976	116,979	7,500	56,705	52,278	233,462
1977	118,314	14,050	86,809	25,254	244,427
1978	139,948	14,910	43,917	38,777	237,552
1979	146,578	14,000	76,414	54,717	291,709
1980	74,215	11,850	64,437	35,464	185,966
1981	157,129	5,010	210,890	67,635	440,664
1982	266,848	10,230	91,451	61,270	429,799
1983	171,044	10,081	114,220	66,211	361,556
1984	205,495	10,136	64,462	77,436	357,529
1985	214,909	3,024	162,649	43,917	424,499
1986	345,088	10,794	106,431	71,846	534,159
1987	283,235	7,680	114,456	62,652	468,023
1988	219,191	8,974	127,494	60,385	416,044
1989	324,657	3,161	209,456	34,669	571,943
1990	590,685	0	133,708	83,225	807,618
Averages					
1951-60	16,196	8,370	28,116	30,899	83,580
1961-70	69,875	8,462	39,139	25,118	142,594
1971-80	104,052	9,592	61,163	37,396	212,203
1981-90	277,828	6,909	133,522	62,925	481,183

- a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".
- b. Included in total for "Churn Creek to Chilcotin Bridge".
- c. Not reported.

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	72	1,945	720	2,665	474
1952	-	-	-	-	0	11
1953	0	172	3,110	800	3,910	761
1954	-	-	-	-	0	-
1955	0	525	2,450	805	3,255	2,846
1956	-	-	15	135	150	18
1957	0	950	2,750	1,605	4,355	1,075
1958	-	-	27	90	117	-
1959	0	410	12,225	975	13,200	1,275
1960	-	-	-	-	0	-
1961	0	450	17,340	4,975	22,315	1,400
1962	-	-	-	-	0	-
1963	0	575	17,350	7,300	24,650	2,510
1964	-	-	-	-	0	-
1965	0	300	13,275	6,500	19,775	5,300
1966	-	-	-	-	0	-
1967	0	500	3,700	10,100	13,800	6,150
1968	-	-	-	-	0	-
1969	0	140	7,750	4,660	12,410	9,300
1970	-	-	-	-	0	-
1971	2	0	4,990	4,745	9,735	9,575
1972	-	-	-	-	0	-
1973	122	1,300	7,670	14,790	22,460	27,850
1974	-	-	-	4	4	2
1975	1	875	18,770	11,092	29,862	9,130
1976	-	-	-	-	0	-
1977	48	1,350	11,445	9,140	20,585	6,025
1978	-	-	-	-	0	-
1979	1,518	10,518	17,240	17,700	34,940	12,190
1980	-	-	-	-	0	-
1981	3,017	3,519	21,450	19,385	40,835	7,881
1982	-	-	-	-	0	-
1983	2,582	5,467	18,555	24,740	43,295	22,115
1984	-	-	-	5	5	-
1985	6,843	5,596	15,930	23,274	39,204	49,734
1986	-	-	-	-	0	-
1987	7,837	9,003	-	-	29,547	21,801
1988	-	-	-	-	0	-
1989	4,729	5,726	-	-	40,755	17,582
1990	-	-	-	-	0	-
Averages (odd years only)						
1951-60	0	426	4,496	981	5,477	1,286
1961-70	0	393	11,883	6,707	18,590	4,932
1971-80	338	2,809	12,023	11,493	23,516	12,954
1981-90	5,002	5,862	18,645	22,466	38,727	23,823

continued

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon
1951	657	0	0	0	0	0
1952	-	-	-	-	-	-
1953	959	0	0	0	0	0
1954	-	-	-	-	-	-
1955	1,504	0	0	0	0	0
1956	-	-	-	-	-	-
1957	1,800	1,900	0	0	0	0
1958	-	-	-	-	-	-
1959	200	500	0	0	0	0
1960	-	-	-	-	-	-
1961	1,100	700	0	0	0	0
1962	-	-	-	-	-	-
1963	1,700	1,550	0	0	0	0
1964	-	-	-	-	-	-
1965	150	230	0	0	6	0
1966	-	-	-	-	-	-
1967	1,000	1,150	34	0	0	0
1968	-	-	-	-	-	-
1969	930	1,380	5	0	0	0
1970	-	-	-	-	-	-
1971	1,205	1,690	0	0	25	0
1972	-	-	-	-	-	-
1973	490	705	0	0	0	0
1974	-	-	-	-	-	-
1975	520	505	0	0	0	0
1976	-	-	-	-	-	-
1977	0	100	10	0	0	0
1978	-	-	-	-	-	-
1979	300	0	50	0	0	0
1980	-	-	-	-	-	-
1981	700	370	0	0	0	0
1982	-	-	-	-	-	-
1983	5,407	2,080	0	0	0	0
1984	-	-	-	-	-	-
1985	0	0	0	0	0	0
1986	-	-	-	-	-	-
1987	538	55	0	0	0	0
1988	-	-	-	-	-	-
1989	3,425	0	0	0	0	0
1990	-	-	-	-	-	-
Averages						
1951-60	1,024	480	0	0	0	0
1961-70	976	1,002	8	0	1	0
1971-80	503	600	12	0	5	0
1981-90	2,014	501	0	0	0	0

continued

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	Harrison River	Lillooet River system	Chilliwack River	Thompson River system	Chil-cotin River system	Nechako River system
1951	1,025	0	650	842	0	0
1952	-	-	-	-	-	-
1953	515	350	800	766	0	0
1954	-	-	-	-	-	-
1955	675	- b	730	1,278	0	0
1956	-	-	-	-	-	-
1957	750	160	755	1,650	0	0
1958	-	-	-	-	-	-
1959	825	0	725	560	0	0
1960	-	-	-	-	-	-
1961	1,225	15	1,875	975	0	0
1962	-	-	-	-	-	-
1963	400	15	2,150	1,200	0	0
1964	-	-	-	-	-	-
1965	1,000	0	1,600	870	0	0
1966	-	-	-	-	-	-
1967	400	0	0	1,310	0	0
1968	-	-	-	-	-	-
1969	1,000	0	0	435	0	0
1970	-	-	-	-	-	-
1971	1,480	0	0	4,010	0	0
1972	-	-	-	-	-	-
1973	- b	0	0	1,645	0	0
1974	-	-	-	-	-	-
1975	- b	0	0	595	0	0
1976	-	-	-	-	-	-
1977	- b	0	0	500	0	0
1978	-	-	-	-	-	-
1979	- b	0	0	1,350	0	0
1980	-	-	-	-	-	-
1981	- b	0	0	380	0	0
1982	-	-	-	-	-	-
1983	1,175	15	0	2,743	0	0
1984	-	-	-	-	-	-
1985	915	0	0	0	0	0
1986	-	-	-	-	-	-
1987	267	1	0	1,465	0	0
1988	-	-	-	-	-	-
1989	- b	1	0	225	0	0
1990	-	-	-	-	-	-
Averages						
1951-60	758	128	732	1019	0	0
1961-70	805	6	1,125	958	0	0
1971-80	1,480	0	0	1,620	0	0
1981-90	471	3	0	963	0	0

continued

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	3,211	1,675	657	842	6,385
1952	11	0	0	0	11
1953	4,843	1,665	959	766	8,233
1954	0	0	0	0	0
1955	6,626	1,405	1,504	1,278	10,813
1956	168	0	0	0	168
1957	6,380	1,665	3,700	1,650	13,395
1958	117	0	0	0	117
1959	14,885	1,550	700	560	17,695
1960	0	0	0	0	0
1961	24,165	3,115	1,800	975	30,055
1962	0	0	0	0	0
1963	27,735	2,565	3,250	1,200	34,750
1964	0	0	0	0	0
1965	25,375	2,600	386	870	29,231
1966	0	0	0	0	0
1967	20,450	400	2,184	1,310	24,344
1968	0	0	0	0	0
1969	21,850	1,000	2,315	435	25,600
1970	0	0	0	0	0
1971	19,312	1,480	2,920	4,010	27,722
1972	0	0	0	0	0
1973	51,732	0	1,195	1,645	54,572
1974	6	0	0	0	6
1975	39,868	0	1,025	595	41,488
1976	0	0	0	0	0
1977	28,008	0	110	500	28,618
1978	0	0	0	0	0
1979	59,166	0	350	1,350	60,866
1980	0	0	0	0	0
1981	55,252	0	1,070	380	56,702
1982	0	0	0	0	0
1983	73,459	1,190	7,487	2,743	84,879
1984	5	0	0	0	5
1985	101,377	915	0	0	102,292
1986	0	0	0	0	0
1987	68,188	268	593	1,465	70,514
1988	0	0	0	0	0
1989	68,792	1	3,425	225	72,443
1990	0	0	0	0	0
Averages					
1951-60	7,189	1,592	1,504	1,019	11,304
1961-70	23,915	1,936	1,987	958	28,796
1971-80	39,617	296	1,120	1,620	42,653
1981-90	73,414	475	2,515	963	77,366

a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".

b. Not reported.

Annual coho catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990.

Year	Steveston area	Deas to Mission	Mission to Hope		Total	Hope to North Bend
			North Side	South Side		
1951	0	169	1,020	785	1,805	394
1952	0	303	965	1,080	2,045	304
1953	0	406	930	690	1,620	273
1954	0	775	1,225	1,075	2,300	201
1955	0	650	1,000	1,135	2,135	1,361
1956	0	520	710	995	1,705	495
1957	0	585	815	1,130	1,945	470
1958	0	600	1,167	980	2,147	640
1959	0	815	2,265	1,255	3,520	780
1960	0	475	2,540	1,125	3,665	780
1961	2	1,325	3,435	2,595	6,030	1,740
1962	0	1,275	3,610	4,275	7,885	1,700
1963	0	1,300	2,645	3,875	6,520	2,125
1964	0	1,575	3,535	3,775	7,310	2,175
1965	0	925	5,360	3,050	8,410	6,650
1966	24	725	10,865	3,500	14,365	2,850
1967	0	420	950	1,175	2,125	550
1968	0	250	3,150	9,500	12,650	2,525
1969	0	215	1,960	2,795	4,755	7,643
1970	0	1,380	3,280	4,310	7,590	7,120
1971	1	1,725	4,390	4,100	8,490	3,600
1972	2	1,810	2,990	4,735	7,725	7,985
1973	0	1,844	2,990	5,800	8,790	4,360
1974	5	7,513	6,622	6,574	13,196	4,940
1975	4	1,662	6,660	3,012	9,672	2,779
1976	10	2,797	8,505	6,045	14,550	5,210
1977	34	2,010	6,538	4,311	10,849	1,490
1978	907	3,227	3,934	5,705	9,639	5,556
1979	109	1,969	3,425	3,454	6,879	2,001
1980	1,642	2,807	8,595	7,040	15,635	7,918
1981	548	1,355	2,191	2,831	5,022	716
1982	7,641	3,019	11,912	18,006	29,918	4,905
1983	438	688	2,140	2,020	4,160	1,055
1984	4,494	4,188	5,947	11,184	17,131	28,786
1985	2,099	1,709	1,374	2,190	3,564	8,832
1986	1,940	2,883	7,682	9,657	17,339	9,236
1987	2,602	4,068	-	-	11,191	3,453
1988	3,024	5,741	-	-	17,376	10,263
1989	720	928	-	-	6,037	1,217
1990	732	3,248	-	-	8,805	704
Averages						
1951-60	0	530	1,264	1,025	2,289	570
1961-70	3	939	3,879	3,885	7,764	3,508
1971-80	271	2,736	5,465	5,078	10,543	4,584
1981-90	2,424	2,783	5,208	7,648	12,054	6,917

continued

Annual coho catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	above Churn Creek	Harrison River	Lillooet River system	Chilliwack River	Thompson River system
1951	331	0	0	510	376	230	165
1952	320	0	0	295	1,388	325	211
1953	236	0	0	70	1,820	240	1,446
1954	375	0	0	230	1,634	355	1,336
1955	1,419	0	0	280	234	260	4,260
1956	890	0	0	150	872	140	1,605
1957	250	220	0	275	1,400	175	880
1958	100	50	0	495	658	280	1,005
1959	50	10	0	775	670	185	1,530
1960	100	50	0	720	815	145	1,355
1961	400	25	0	940	900	305	1,515
1962	250	0	0	1,280	1,195	675	1,420
1963	50	10	0	490	2,040	1,150	875
1964	100	12	0	875	2,200	1,025	945
1965	80	40	0	1,075	1,630	400	1,925
1966	90	65	0	1,460	1,478	70	400
1967	60	35	0	350	1,115	25	165
1968	165	0	0	1,200	802	0	30
1969	215	165	0	- b	851	0	105
1970	240	265	0	1,300	1,230	0	265
1971	425	135	0	1,000	2,308	0	315
1972	625	50	0	- b	1,125	0	325
1973	550	50	0	- b	525	0	315
1974	475	315	0	- b	1,235	0	245
1975	425	380	0	- b	3,000	0	170
1976	325	0	0	- b	2,000	0	32
1977	0	110	0	- b	1,750	0	300
1978	0	60	0	- b	2,500	0	850
1979	45	0	0	- b	2,800	0	1,250
1980	- b	- b	0	- b	1,395	0	30
1981	50	50	0	- b	3,000	0	- b
1982	262	0	0	- b	3,540	0	360
1983	11	34	0	61	1,037	0	64
1984	535	210	0	20	1,883	0	50
1985	275	20	0	35	1,587	0	60
1986	196	179	0	55	3,059	0	271
1987	50	0	0	268	1,936	0	169
1988	102	0	0	- b	1,962	0	56
1989	305	4	0	- b	1,019	0	15
1990	102	0	0	- b	- b	0	42
Averages							
1951-60	407	33	0	380	987	234	1,379
1961-70	165	62	0	997	1,344	365	765
1971-80	319	122	0	1,000	1,864	0	383
1981-90	189	50	0	55	1,902	0	121

continued



Annual coho catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	2,368	1,116	331	165	3,980
1952	2,652	2,008	320	211	5,191
1953	2,299	2,130	236	1,446	6,111
1954	3,276	2,219	375	1,336	7,206
1955	4,146	774	1,419	4,260	10,599
1956	2,720	1,162	890	1,605	6,377
1957	3,000	1,850	470	880	6,200
1958	3,387	1,433	150	1,005	5,975
1959	5,115	1,630	60	1,530	8,335
1960	4,920	1,680	150	1,355	8,105
1961	9,097	2,145	425	1,515	13,182
1962	10,860	3,150	250	1,420	15,680
1963	9,945	3,680	60	875	14,560
1964	11,060	4,100	112	945	16,217
1965	15,985	3,105	120	1,925	21,135
1966	17,964	3,008	155	400	21,527
1967	3,095	1,490	95	165	4,845
1968	15,425	2,002	165	30	17,622
1969	12,613	851	380	105	13,949
1970	16,090	2,530	505	265	19,390
1971	13,816	3,308	560	315	17,999
1972	17,522	1,125	675	325	19,647
1973	14,994	525	600	315	16,434
1974	25,654	1,235	790	245	27,924
1975	14,117	3,000	805	170	18,092
1976	22,567	2,000	325	32	24,924
1977	14,383	1,750	110	300	16,543
1978	19,329	2,500	60	850	22,739
1979	10,958	2,800	45	1,250	15,053
1980	28,002	1,395	0	30	29,427
1981	7,641	3,000	100	0	10,741
1982	45,483	3,540	262	360	49,645
1983	6,341	1,098	45	64	7,548
1984	54,599	1,903	745	50	57,297
1985	16,204	1,622	295	60	18,181
1986	31,398	3,114	375	271	35,158
1987	21,314	2,204	50	169	23,737
1988	36,404	1,962	102	56	38,524
1989	8,902	1,019	309	15	10,245
1990	13,489	0	102	42	13,633
Averages					
1951-60	3,388	1,600	440	1,379	6,808
1961-70	12,213	2,606	227	765	15,811
1971-80	18,134	1,964	397	383	20,878
1981-90	24,178	1,946	239	109	26,471

- a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".  
 b. Not reported.

Annual chum catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990.

Year	Steveston area	Deas to Mission	Mission to Hope		Total	Hope to North Bend
			North Side	South Side		
1951	0	534	2,360	725	3,085	38
1952	0	331	2,190	1,125	3,315	51
1953	0	349	2,080	565	2,645	55
1954	0	860	2,305	545	2,850	28
1955	0	495	1,405	535	1,940	21
1956	0	440	745	310	1,055	7
1957	0	685	2,135	790	2,925	11
1958	0	725	2,865	490	3,355	11
1959	0	1,090	11,225	705	11,930	35
1960	0	875	4,155	830	4,985	10
1961	167	975	3,650	2,785	6,435	75
1962	10	850	2,875	4,240	7,115	125
1963	196	950	3,080	3,675	6,755	70
1964	0	980	3,860	3,800	7,660	115
1965	0	635	2,330	1,775	4,105	350
1966	26	1,000	5,185	2,350	7,535	1,090
1967	0	600	2,300	2,700	5,000	1,000
1968	147	750	3,000	3,000	6,000	200
1969	249	350	2,725	830	3,555	135
1970	253	380	1,550	1,235	2,785	285
1971	87	830	1,400	475	1,875	160
1972	136	1,445	3,050	1,275	4,325	395
1973	174	2,548	3,635	3,215	6,850	1,170
1974	132	5,118	4,922	3,650	8,572	1,280
1975	533	940	3,720	1,460	5,180	434
1976	574	2,135	6,800	2,905	9,705	1,189
1977	483	1,693	4,740	2,145	6,885	281
1978	1,253	1,674	2,559	2,985	5,544	1,036
1979	316	2,197	2,860	2,529	5,389	300
1980	1,359	1,737	6,051	2,725	8,776	461
1981	1,393	1,805	3,288	4,045	7,333	639
1982	6,270	1,928	3,835	5,404	9,239	916
1983	1,828	1,253	4,438	2,845	7,283	505
1984	2,428	2,310	3,390	7,733	11,123	2,506
1985	2,659	1,460	192	390	582	478
1986	2,452	2,106	5,448	3,601	9,049	2,472
1987	3,371	3,755	-	-	14,944	3,812
1988	4,324	2,967	-	-	9,315	2,350
1989	1,850	1,514	-	-	8,060	999
1990	3,750	2,488	-	-	7,071	524
Averages						
1951-60	0	638	3,147	662	3,809	27
1961-70	105	747	3,056	2,639	5,695	345
1971-80	505	2,032	3,974	2,336	6,310	671
1981-90	3,033	2,159	3,432	4,003	8,400	1,520

continued

Annual chum catch by fishing area in the Fraser River  
Indian food fishery, 1951 to 1990 (con't).

Year	North Bend to Texas Creek (a)	above Texas Creek	Harrison River	Lillooet River system	Chilli- wack River
1951	0	0	1,360	0	810
1952	0	0	905	185	1,000
1953	2	0	1,460	375	355
1954	0	0	1,675	395	360
1955	0	0	800	0	265
1956	0	0	585	75	105
1957	0	0	790	125	225
1958	0	0	2,425	40	185
1959	0	0	2,220	340	285
1960	0	0	3,515	300	285
1961	0	0	1,300	20	675
1962	0	0	1,975	25	1,200
1963	0	0	1,760	10	1,000
1964	0	0	2,150	55	1,250
1965	0	0	1,490	10	800
1966	0	0	2,330	0	200
1967	0	0	1,900	0	300
1968	0	0	4,000	5	0
1969	0	0	- b	11	0
1970	0	0	1,900	0	0
1971	0	0	1,000	70	0
1972	0	0	- b	0	0
1973	0	0	- b	0	0
1974	0	0	- b	0	0
1975	0	0	- b	0	0
1976	0	0	- b	0	0
1977	0	0	- b	0	0
1978	0	0	- b	2	0
1979	0	0	- b	0	0
1980	0	0	- b	0	0
1981	0	0	- b	0	0
1982	0	0	- b	880	0
1983	0	0	1,398	370	0
1984	0	0	192	76	0
1985	0	0	215	465	0
1986	0	0	41	591	0
1987	0	0	194	236	0
1988	0	0	- b	187	0
1989	0	0	- b	362	0
1990	0	0	- b	- b	0
Averages					
1951-60	0	0	1,574	184	388
1961-70	0	0	2,089	14	543
1971-80	0	0	1,000	7	0
1981-90	0	0	255	317	0

continued

Annual chum catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	District 2 total		District 1 total		Fraser System
	mainstem	tributary	mainstem	tributary	Total
1951	3,657	2,170	0	0	5,827
1952	3,697	2,090	0	0	5,787
1953	3,049	2,190	2	0	5,241
1954	3,738	2,430	0	0	6,168
1955	2,456	1,065	0	0	3,521
1956	1,502	765	0	0	2,267
1957	3,621	1,140	0	0	4,761
1958	4,091	2,650	0	0	6,741
1959	13,055	2,845	0	0	15,900
1960	5,870	4,100	0	0	9,970
1961	7,652	1,995	0	0	9,647
1962	8,100	3,200	0	0	11,300
1963	7,971	2,770	0	0	10,741
1964	8,755	3,455	0	0	12,210
1965	5,090	2,300	0	0	7,390
1966	9,651	2,530	0	0	12,181
1967	6,600	2,200	0	0	8,800
1968	7,097	4,005	0	0	11,102
1969	4,289	11	0	0	4,300
1970	3,703	1,900	0	0	5,603
1971	2,952	1,070	0	0	4,022
1972	6,301	0	0	0	6,301
1973	10,742	0	0	0	10,742
1974	15,102	0	0	0	15,102
1975	7,087	0	0	0	7,087
1976	13,603	0	0	0	13,603
1977	9,342	0	0	0	9,342
1978	9,507	2	0	0	9,509
1979	8,202	0	0	0	8,202
1980	12,333	0	0	0	12,333
1981	11,170	0	0	0	11,170
1982	18,353	880	0	0	19,233
1983	10,869	1,768	0	0	12,637
1984	18,367	268	0	0	18,635
1985	5,179	680	0	0	5,859
1986	16,079	632	0	0	16,711
1987	25,882	430	0	0	26,312
1988	18,956	187	0	0	19,143
1989	12,423	362	0	0	12,785
1990	13,833	0	0	0	13,833
<b>Averages</b>					
1951-60	4,474	2,145	0	0	6,618
1961-70	6,891	2,437	0	0	9,327
1971-80	9,517	107	0	0	9,624
1981-90	15,111	521	0	0	15,632

a. Prior to 1976, the area boundary was "North Bend to Lytton".  
 b. Not reported.

Annual steelhead catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	31	205	245	450	547
1952	0	100	995	375	1,370	444
1953	0	96	445	305	750	278
1954	0	300	545	395	940	184
1955	0	95	555	375	930	177
1956	0	145	345	365	710	100
1957	0	145	385	380	765	195
1958	0	205	555	423	978	320
1959	0	320	1,265	820	2,085	445
1960	0	335	1,255	685	1,940	550
1961	21	265	1,095	1,250	2,345	1,005
1962	0	180	975	1,330	2,305	1,100
1963	14	205	620	1,790	2,410	1,225
1964	0	208	1,025	2,010	3,035	1,250
1965	0	100	1,075	875	1,950	725
1966	1	155	1,360	900	2,260	370
1967	0	150	300	1,175	1,475	345
1968	0	135	300	1,050	1,350	225
1969	0	176	250	330	580	230
1970	0	140	190	423	613	220
1971	2	250	300	300	600	400
1972	0	25	750	381	1,131	936
1973	9	121	365	455	820	510
1974	4	125	606	618	1,224	357
1975	12	196	562	580	1,142	423
1976	6	59	666	744	1,410	715
1977	0	55	296	363	659	218
1978	11	24	72	63	135	272
1979	2	150	168	277	445	146
1980	52	102	326	506	832	371
1981	56	147	235	358	593	168
1982	195	142	348	752	1,100	937
1983	12	82	138	167	305	367
1984	314	248	673	876	1,549	4,619
1985	140	99	136	418	554	641
1986	93	147	595	1,017	1,612	2,123
1987	60	100	-	-	582	1,362
1988	36	197	-	-	945	1,244
1989	10	28	-	-	204	318
1990	27	41	-	-	352	71
<b>Averages</b>						
1951-60	0	177	655	437	1,092	324
1961-70	4	171	719	1,113	1,832	670
1971-80	10	111	411	429	840	435
1981-90	94	123	354	598	780	1,185

continued

Annual steelhead catch by fishing area in the Fraser River Indian food fishery, 1951 to 1990 (con't).

Year	North Bend to Texas Creek (a)	Texas Cr to Churn Creek (a)	above Churn Creek	Harrison River	Lillooet River system	Chilli-wack River	Thomp-son River system	Chil-cotin River system
1951	462	242	0	390	0	45	121	25
1952	314	204	0	375	70	70	143	0
1953	203	379	0	390	325	35	258	55
1954	201	125	0	400	330	45	218	60
1955	280	100	0	225	- b	80	61	50
1956	210	100	0	215	175	83	100	0
1957	100	150	0	300	135	10	125	0
1958	100	70	0	325	75	30	350	35
1959	50	35	0	300	130	77	110	15
1960	150	350	0	420	180	55	135	0
1961	150	75	0	300	155	120	200	125
1962	60	20	0	500	130	105	225	165
1963	80	35	0	240	95	250	125	280
1964	120	60	0	480	300	260	180	0
1965	40	15	0	550	170	35	115	50
1966	55	10	0	550	60	25	75	45
1967	70	20	0	100	0	10	75	38
1968	196	20	0	50	0	0	20	0
1969	220	40	0	- b	- b	0	50	140
1970	145	40	0	55	0	0	60	150
1971	130	40	0	80	0	0	45	0
1972	245	70	0	- b	0	0	250	0
1973	120	50	0	- b	75	0	180	0
1974	150	45	0	- b	35	0	90	0
1975	130	110	0	- b	0	0	110	0
1976	80	40	0	- b	0	0	10	0
1977	0	0	0	- b	0	0	190	0
1978	0	0	0	- b	0	0	0	0
1979	0	0	0	- b	0	0	0	0
1980	- b	- b	0	- b	0	0	0	0
1981	50	0	0	- b	0	0	0	0
1982	- b	- b	0	- b	0	0	- b	0
1983	- b	- b	0	0	0	0	- b	0
1984	15	0	0	0	0	0	0	0
1985	- b	- b	0	0	26	0	0	0
1986	0	0	0	3	10	0	0	0
1987	70	52	0	0	15	0	14	0
1988	39	17	0	0 b	22	0	4	0
1989	57	4	0	0 b	3	0	0	0
1990	14	3	0	0 b	5	0	7	0
<b>Averages</b>								
1951-60	207	176	0	334	158	53	162	24
1961-70	114	34	0	314	101	81	113	99
1971-80	86	39	0	80	11	0	88	0
1981-90	25	11	0	0	8	0	3	0

continued

Annual steelhead catch by fishing area in the Fraser River  
Indian food fishery, 1951 to 1990 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	1,028	435	704	146	2,313
1952	1,914	515	518	143	3,090
1953	1,124	750	582	313	2,769
1954	1,424	775	326	278	2,803
1955	1,202	305	380	111	1,998
1956	955	473	310	100	1,838
1957	1,105	445	250	125	1,925
1958	1,503	430	170	385	2,488
1959	2,850	507	85	125	3,567
1960	2,825	655	500	135	4,115
1961	3,636	575	225	325	4,761
1962	3,585	735	80	390	4,790
1963	3,854	585	115	405	4,959
1964	4,493	1,040	180	180	5,893
1965	2,775	755	55	165	3,750
1966	2,786	635	65	120	3,606
1967	1,970	110	90	113	2,283
1968	1,710	50	216	20	1,996
1969	986	0	260	190	1,436
1970	973	55	185	210	1,423
1971	1,252	80	170	45	1,547
1972	2,092	0	315	250	2,657
1973	1,460	75	170	180	1,885
1974	1,710	35	195	90	2,030
1975	1,773	0	240	110	2,123
1976	2,190	0	120	10	2,320
1977	932	0	0	190	1,122
1978	442	0	0	0	442
1979	743	0	0	0	743
1980	1,357	0	0	0	1,357
1981	964	0	50	0	1,014
1982	2,374	0	0	0	2,374
1983	766	0	0	0	766
1984	6,730	0	15	0	6,745
1985	1,434	26	0	0	1,460
1986	3,975	13	0	0	3,988
1987	2,104	15	122	14	2,255
1988	2,422	22	56	4	2,504
1989	560	3	61	0	624
1990	491	5	17	7	520
Averages					
1951-60	1,593	529	383	186	2,691
1961-70	2,677	454	147	212	3,490
1971-80	1,395	19	121	88	1,623
1981-90	2,182	8	32	3	2,225

a. Prior to 1976, area boundaries were "North Bend to Lytton"  
and "Lytton to Churn Creek".

b. Not reported.





Table 6. Weekly estimates of catch by area in the Fraser River Indian food fishery in 1990:

Chinook . . . . .	59
Sockeye . . . . .	67
Coho . . . . .	75
Chum . . . . .	80
Steelhead . . . . .	83
Sturgeon . . . . .	88



Chinook catches in the Fraser River mainstem areas of District 2, 1990.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 7	- a	- a	- a	- a	0	0
14	- a	- a	- a	- a	0	0
21	- a	- a	- a	- a	0	0
28	- a	- a	- a	- a	0	0
Feb 4	- a	- a	- a	- a	0	0
11	- a	- a	- a	- a	0	0
18	- a	- a	- a	- a	0	0
25	- a	- a	- a	- a	0	0
Mar 4	0	- a	- a	- a	0	0
11	0	2 b	- a	- a	2	2
18	0	0	0	8	8	10
25	0	0	3	17	20	30
Apr 1	2	10	14	112	138	168
8	1	0	27	7	35	203
15	4	0 c	73	27	104	307
22	3	0	126	24	153	460
29	7	0	58	36	101	561
May 6	5	10	418	80	513	1,074
13	18	0	192	47	257	1,331
20	14	2	183	158	357	1,688
27	29	7	67	37	140	1,828
Jun 3	27	0 c	29	2	58	1,886
10	60	6	34	29	129	2,015
17	179	30	118	3	330	2,345
24	207	96	456	689	1,448	3,793
Jul 1	8 d	- d	- d	- d	8	3,801
8	- d	- d	- d	- d	0	3,801
15	11	4	235	1,181	1,431	5,232
22	32	30	563	2,014	2,639	7,871
29	34	11 c	538	810	1,393	9,264
Aug 5	5	18 f	207	341	571	9,835
12	10	0	62	954	1,026	10,861
19	10	0	150	948	1,108	11,969
26	15	0	142	701	858	12,827
Sep 2	0	9	117	35	161	12,988
9	12	70	72 g	237	391	13,379
16	24	152	502	56	734	14,113
23	25	0	349	24	398	14,511
30	3	97	289	0	389	14,900
Oct 7	5	6 b	694	0	705	15,605
14	0	- a	513	9	522	16,127
21	1	12 b	100	5	118	16,245
28	0	- a	- a	0	0	16,245
Nov 4	0	0 b	- a	- a	0	16,245
11	0	- a	- a	- a	0	16,245
18	0	- a	- a	- a	0	16,245
25	0	- a	- a	- a	0	16,245
Dec 2	- a	- a	- a	- a	0	16,245
9	- a	- a	- a	- a	0	16,245
16	- a	- a	- a	- a	0	16,245
23	- a	- a	- a	- a	0	16,245
30	- a	- a	- a	- a	0	16,245
Total	751	572	6,331	8,591	16,245	-

a. No estimate; b. No estimate from Whonnock to Mission;  
c. No estimate from Deas to Whonnock; c. Closure;  
e. Includes 8 chinook taken with drifted gill net under special licence.  
f. Includes 16 chinook taken with drifted gill net under special licence.  
g. Includes 2 chinook taken with drifted gill net. continued

Chinook catches in the Fraser River tributary areas of District 2, 1990.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 7	- a	- a	- a	0	0
14	- a	- a	- a	0	0
21	- a	- a	- a	0	0
28	- a	- a	- a	0	0
Feb 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	- a	- a	0	0
25	- a	- a	- a	0	0
Mar 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	1	-	1	1
25	- a	- a	- a	0	1
Apr 1	- a	5	-	5	6
8	- a	0	0	0	6
15	- a	0	-	0	6
22	- a	0	0	0	6
29	- a	0	- a	0	6
May 6	- a	0	0	0	6
13	- a	0	0	0	6
20	- a	1	0	1	7
27	- a	0	0	0	7
Jun 3	- a	0	0	0	7
10	- a	-	0	0	7
17	- a	-	0	0	7
24	- a	-	-	0	7
Jul 1	- a	- a	- a	0	7
8	- a	- a	- a	0	7
15	- a	- a	- a	0	7
22	- a	- a	- a	0	7
29	- a	- a	- a	0	7
Aug 5	- a	- a	- a	0	7
12	- a	- a	- a	0	7
19	- a	- a	- a	0	7
26	- a	- a	- a	0	7
Sep 2	- a	- a	- a	0	7
9	- a	- a	- a	0	7
16	- a	- a	- a	0	7
23	- a	- a	- a	0	7
30	- a	- a	- a	0	7
Oct 7	- a	- a	- a	0	7
14	- a	- a	- a	0	7
21	- a	- a	- a	0	7
28	- a	- a	- a	0	7
Nov 4	- a	- a	- a	0	7
11	- a	- a	- a	0	7
18	- a	- a	- a	0	7
25	- a	- a	- a	0	7
Dec 2	- a	- a	- a	0	7
9	- a	- a	- a	0	7
16	- a	- a	- a	0	7
23	- a	- a	- a	0	7
30	- a	- a	- a	0	7
Total	0	7	0	7	-

a. No estimate.

continued

Chinook catches in the Fraser River mainstem areas of District 1, 1990.

Week Ending	North Bend to Texas Creek	Texas Creek to Churn Creek	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Mar-guerite	Mar-guerite to Hixon	above Hixon	District 1 mainstem	
	Texas Creek	Churn Creek	Chilcotin Bridge	Mar-guerite	Hixon	Hixon	Total	Cumulative
Jan 7	-	-	-	-	-	-	0	0
14	-	-	-	-	-	-	0	0
21	-	-	-	-	-	-	0	0
28	-	-	-	-	-	-	0	0
Feb 4	-	-	-	-	-	-	0	0
11	-	-	-	-	-	-	0	0
18	-	-	-	-	-	-	0	0
25	-	-	-	-	-	-	0	0
Mar 4	-	-	-	-	-	-	0	0
11	-	-	-	-	-	-	0	0
18	-	-	-	-	-	-	0	0
25	3	-	-	-	-	-	3	3
Apr 1	12	-	-	-	-	-	12	15
8	8	2	-	-	-	-	10	25
15	14	2	-	-	-	-	16	41
22	0 a	- b	-	-	-	-	0	41
29	2	-	-	-	-	-	2	43
May 6	27	4	-	-	-	-	31	74
13	27	4	-	-	-	-	31	105
20	42	11	-	-	-	-	53	158
27	50	10	-	-	-	-	60	218
Jun 3	- b	- b	-	-	-	-	0	218
10	-	-	-	-	-	-	0	218
17	-	-	-	-	-	-	0	218
24	-	-	-	-	-	-	0	218
Jul 1	-	-	-	-	-	-	0	218
8	- c	- c	-	-	-	-	0	218
15	- c	- c	- c	- c	- c	- c	0	218
22	100	30	- c	- c	- c	- c	130	348
29	70	25	100	120	0	2 d	317	665
Aug 5	105	30	200	30	0	13	378	1,043
12	50	60	0	0	150	9	269	1,312
19	18	45	0	0	0	5	68	1,380
26	30	22	0	0	100	2	154	1,534
Sep 2	2	9	0	0	0	0	11	1,545
9	5	0	0	0	0	0	5	1,550
16	0	0	-	-	-	0	0	1,550
23	0	-	-	-	-	0	0	1,550
30	0	-	-	-	-	0	0	1,550
Oct 7	0	-	-	-	-	-	0	1,550
14	1	-	-	-	-	-	1	1,551
21	0	-	-	-	-	-	0	1,551
28	0	-	-	-	-	-	0	1,551
Nov 4	-	-	-	-	-	-	0	1,551
11	-	-	-	-	-	-	0	1,551
18	-	-	-	-	-	-	0	1,551
25	-	-	-	-	-	-	0	1,551
Dec 2	-	-	-	-	-	-	0	1,551
9	-	-	-	-	-	-	0	1,551
16	-	-	-	-	-	-	0	1,551
23	-	-	-	-	-	-	0	1,551
30	-	-	-	-	-	-	0	1,551
Total	566	254	300	150	250	31	1,551	-

a. No estimate from Ainslie Creek to Texas Creek.

b. No estimate.

c. Closure.

d. Taken from Prince George to Shelley; closure below Prince George.

continued

Chinook catches in the Chilcotin and Thompson river systems, District 1, 1990.

Thompson River system						
Week Ending	Chilcotin River system	Lytton to Savona	South Thompson River	North Thompson and Raft rivers	Shuswap River	Total
Jan 7	-	-	-	-	-	0
14	-	-	-	-	-	0
21	-	-	-	-	-	0
28	-	-	-	-	-	0
Feb 4	-	-	-	-	-	0
11	-	-	-	-	-	0
18	-	-	-	-	-	0
25	-	-	-	-	-	0
Mar 4	-	-	-	-	-	0
11	-	-	-	-	-	0
18	-	-	-	-	-	0
25	-	-	-	-	-	0
Apr 1	-	-	-	-	-	0
8	-	-	-	-	-	0
15	-	-	-	-	-	0
22	-	-	-	-	-	0
29	-	-	-	-	-	0
May 6	-	-	-	-	-	0
13	-	-	-	-	-	0
20	-	-	-	-	-	0
27	-	-	-	-	-	0
Jun 3	-	-	-	-	-	0
10	-	-	-	-	-	0
17	-	-	-	-	-	0
24	-	-	-	-	-	0
Jul 1	-	-	-	-	-	0
8	-	-	-	-	-	0
15	-	-	-	-	-	0
22	-	-	-	-	-	0
29	-	-	-	-	-	0
Aug 5	-	-	-	-	-	0
12	0	-	-	14	3	17
19	0	-	-	-	17	17
26	0	-	-	2	-	2
Sep 2	0	0	-	-	-	0
9	0	0	-	-	-	0
16	-	5	-	-	-	5
23	-	0	-	-	-	0
30	-	0	-	-	-	0
Oct 7	-	0	-	-	-	0
14	-	0	-	-	2	2
21	-	0	-	-	-	0
28	-	0	-	-	-	0
Nov 4	-	-	-	-	-	0
11	-	-	-	-	-	0
18	-	-	-	-	-	0
25	-	-	-	-	-	0
Dec 2	-	-	-	-	-	0
9	-	-	-	-	-	0
16	-	-	-	-	-	0
23	-	-	-	-	-	0
30	-	-	-	-	-	0
Total	0	5	0	16	22	43

continued

Chinook catches in the Nechako River System, District 1, 1990.

Week Ending	Prince George to Stuart River	Stuart River to Fort Fraser	Fort Fraser to Francois Lake	Nechako River System	
				Total	Cumulative
Jan 7	-	-	-	0	0
14	-	-	-	0	0
21	-	-	-	0	0
28	-	-	-	0	0
Feb 4	-	-	-	0	0
11	-	-	-	0	0
18	-	-	-	0	0
25	-	-	-	0	0
Mar 4	-	-	-	0	0
11	-	-	-	0	0
18	-	-	-	0	0
25	-	-	-	0	0
Apr 1	-	-	-	0	0
8	-	-	-	0	0
15	-	-	-	0	0
22	-	-	-	0	0
29	-	-	-	0	0
May 6	-	-	-	0	0
13	-	-	-	0	0
20	-	-	-	0	0
27	-	-	-	0	0
Jun 3	-	-	-	0	0
10	-	-	-	0	0
17	-	-	-	0	0
24	-	-	-	0	0
Jul 1	-	-	-	0	0
8	-	-	-	0	0
15	-	-	-	0	0
22	-	-	-	0	0
29	-	-	-	0	0
Aug 5	0	-	-	0	0
12	1	-	10	11	11
19	0	0	1	1	12
26	0	1	0	1	13
Sep 2	0	0	0	0	13
9	0	0	1	1	14
16	0	0	0	0	14
23	-	0	0	0	14
30	-	-	0	0	14
Oct 7	-	-	-	0	14
14	-	-	-	0	14
21	-	-	-	0	14
28	-	-	-	0	14
Nov 4	-	-	-	0	14
11	-	-	-	0	14
18	-	-	-	0	14
25	-	-	-	0	14
Dec 2	-	-	-	0	14
9	-	-	-	0	14
16	-	-	-	0	14
23	-	-	-	0	14
30	-	-	-	0	14
Total	1	1	12	14	-

continued

Chinook catches in the Stuart River System and catch summary for the Nechako-Stuart river systems, District 1, 1990.

Week Ending	Nechako River to Fort St. James to Fort Trembleur Lake			Stuart River System		Nechako-Stuart systems	
	St. James	Trembleur Lake	above Lake outlet	Total	Cumulative	Total	Cumulative
Jan 7	-	-	-	0	0	0	0
14	-	-	-	0	0	0	0
21	-	-	-	0	0	0	0
28	-	-	-	0	0	0	0
Feb 4	-	-	-	0	0	0	0
11	-	-	-	0	0	0	0
18	-	-	-	0	0	0	0
25	-	-	-	0	0	0	0
Mar 4	-	-	-	0	0	0	0
11	-	-	-	0	0	0	0
18	-	-	-	0	0	0	0
25	-	-	-	0	0	0	0
Apr 1	-	-	-	0	0	0	0
8	-	-	-	0	0	0	0
15	-	-	-	0	0	0	0
22	-	-	-	0	0	0	0
29	-	-	-	0	0	0	0
May 6	-	-	-	0	0	0	0
13	-	-	-	0	0	0	0
20	-	-	-	0	0	0	0
27	-	-	-	0	0	0	0
Jun 3	-	-	-	0	0	0	0
10	-	-	-	0	0	0	0
17	-	-	-	0	0	0	0
24	-	-	-	0	0	0	0
Jul 1	-	-	-	0	0	0	0
8	-	-	-	0	0	0	0
15	-	-	-	0	0	0	0
22	-	-	-	0	0	0	0
29	0	0	0	0	0	0	0
Aug 5	0	0	0	0	0	0	0
12	4	0	0	4	4	15	15
19	1	0	0	1	5	2	17
26	16	0	0	16	21	17	34
Sep 2	0	0	0	0	21	0	34
9	3	0	-	3	24	4	38
16	1	0	-	1	25	1	39
23	0	-	-	0	25	0	39
30	-	-	-	0	25	0	39
Oct 7	-	-	-	0	25	0	39
14	-	-	-	0	25	0	39
21	-	-	-	0	25	0	39
28	-	-	-	0	25	0	39
Nov 4	-	-	-	0	25	0	39
11	-	-	-	0	25	0	39
18	-	-	-	0	25	0	39
25	-	-	-	0	25	0	39
Dec 2	-	-	-	0	25	0	39
9	-	-	-	0	25	0	39
16	-	-	-	0	25	0	39
23	-	-	-	0	25	0	39
30	-	-	-	0	25	0	39
Total	25	0	0	25	-	39	-

continued



Chinook catch summary for the Fraser River System, 1990.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Feb 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Mar 4	0	0	0	0	0	0
11	2	2	0	0	2	2
18	9	11	0	0	9	11
25	20	31	3	3	23	34
Apr 1	143	174	12	15	155	189
8	35	209	10	25	45	234
15	104	313	16	41	120	354
22	153	466	0	41	153	507
29	101	567	2	43	103	610
May 6	513	1,080	31	74	544	1,154
13	257	1,337	31	105	288	1,442
20	358	1,695	53	158	411	1,853
27	140	1,835	60	218	200	2,053
Jun 3	58	1,893	0	218	58	2,111
10	129	2,022	0	218	129	2,240
17	330	2,352	0	218	330	2,570
24	1,448	3,800	0	218	1,448	4,018
Jul 1	8	3,808	0	218	8	4,026
8	0	3,808	0	218	0	4,026
15	1,431	5,239	0	218	1,431	5,457
22	2,639	7,878	130	348	2,769	8,226
29	1,393	9,271	317	665	1,710	9,936
Aug 5	571	9,842	378	1,043	949	10,885
12	1,026	10,868	301	1,344	1,327	12,212
19	1,108	11,976	87	1,431	1,195	13,407
26	858	12,834	173	1,604	1,031	14,438
Sep 2	161	12,995	11	1,615	172	14,610
9	391	13,386	9	1,624	400	15,010
16	734	14,120	6	1,630	740	15,750
23	398	14,518	0	1,630	398	16,148
30	389	14,907	0	1,630	389	16,537
Oct 7	705	15,612	0	1,630	705	17,242
14	522	16,134	3	1,633	525	17,767
21	118	16,252	0	1,633	118	17,885
28	0	16,252	0	1,633	0	17,885
Nov 4	0	16,252	0	1,633	0	17,885
11	0	16,252	0	1,633	0	17,885
18	0	16,252	0	1,633	0	17,885
25	0	16,252	0	1,633	0	17,885
Dec 2	0	16,252	0	1,633	0	17,885
9	0	16,252	0	1,633	0	17,885
16	0	16,252	0	1,633	0	17,885
23	0	16,252	0	1,633	0	17,885
30	0	16,252	0	1,633	0	17,885
Total	16,252	-	1,633	-	17,885	-



Sockeye catches in the Fraser River mainstem areas of District 2, 1990.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 7	- a	- a	- a	- a	0	0
14	- a	- a	- a	- a	0	0
21	- a	- a	- a	- a	0	0
28	- a	- a	- a	- a	0	0
Feb 4	- a	- a	- a	- a	0	0
11	- a	- a	- a	- a	0	0
18	- a	- a	- a	- a	0	0
25	- a	- a	- a	- a	0	0
Mar 4	0	- a	- a	- a	0	0
11	0	0 b	- a	- a	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Apr 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0 c	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
May 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
Jun 3	0	0 c	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	5	1	50	11	67	67
Jul 1	6 d	- d	- d	- d	6	73
8	- d	- d	- d	- d	0	73
15	189	176	3,438	7,434 e	11,237	11,310
22	732	910	11,535	14,130 f	27,307	38,617
29	1,207	1,078 g	10,804	13,510	26,599	65,216
Aug 5	8,661	1,941 h	25,177	27,624	63,403	128,619
12	10,936	7,074	14,969	11,802	44,781	173,400
19	10,134	2,000	29,107	44,733	85,974	259,374
26	8,768	1,646	29,362	26,369	66,145	325,519
Sep 2	8,366	2,737	25,192	12,380	48,675	374,194
9	9,210	4,026	13,858 i	8,955	36,049	410,243
16	6,593	4,351	32,348	32,830	76,122	486,365
23	3,966	4,870	27,275	21,366	57,477	543,842
30	738	2,888	21,771	6,503	31,900	575,742
Oct 7	655	181 b	3,139	930	4,905	580,647
14	389	- a	4,021	2,527	6,937	587,584
21	176	541 b	640	1,121	2,478	590,062
28	20	- a	- a	601	621	590,683
Nov 4	2	0 b	- a	- a	2	590,685
11	0	- a	- a	- a	0	590,685
18	0	- a	- a	- a	0	590,685
25	0	- a	- a	- a	0	590,685
Dec 2	- a	- a	- a	- a	0	590,685
9	- a	- a	- a	- a	0	590,685
16	- a	- a	- a	- a	0	590,685
23	- a	- a	- a	- a	0	590,685
30	- a	- a	- a	- a	0	590,685
Total	70,753	34,420	252,686	232,826	590,685	-

a. No estimate; b. No estimate from Whonnock to Mission; c. No estimate from Deas to Whonnock; d. Closure; e. Includes 3,400 sockeye taken under 9 drying licences; f. Includes 1,200 sockeye taken under 10 drying licences; g. Includes 116 sockeye taken with drifted gill net under special licence; h. Includes 746 sockeye taken with drifted gill net under special licence; i. Includes 54 sockeye taken with drifted gill net.

continued

Sockeye catches in the Fraser River tributary areas of District 2, 1990.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 7	- a	- a	- a	0	0
14	- a	- a	- a	0	0
21	- a	- a	- a	0	0
28	- a	- a	- a	0	0
Feb 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	- a	- a	0	0
25	- a	- a	- a	0	0
Mar 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	0	-	0	0
25	- a	- a	- a	0	0
Apr 1	- a	0	-	0	0
8	- a	0	0	0	0
15	- a	0	-	0	0
22	- a	0	0	0	0
29	- a	0	- a	0	0
May 6	- a	0	0	0	0
13	- a	0	0	0	0
20	- a	0	0	0	0
27	- a	0	0	0	0
Jun 3	- a	0	0	0	0
10	- a	-	0	0	0
17	- a	-	0	0	0
24	- a	-	-	0	0
Jul 1	- a	- a	- a	0	0
8	- a	- a	- a	0	0
15	- a	- a	- a	0	0
22	- a	- a	- a	0	0
29	- a	- a	- a	0	0
Aug 5	- a	- a	- a	0	0
12	- a	- a	- a	0	0
19	- a	- a	- a	0	0
26	- a	- a	- a	0	0
Sep 2	- a	- a	- a	0	0
9	- a	- a	- a	0	0
16	- a	- a	- a	0	0
23	- a	- a	- a	0	0
30	- a	- a	- a	0	0
Oct 7	- a	- a	- a	0	0
14	- a	- a	- a	0	0
21	- a	- a	- a	0	0
28	- a	- a	- a	0	0
Nov 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	- a	- a	0	0
25	- a	- a	- a	0	0
Dec 2	- a	- a	- a	0	0
9	- a	- a	- a	0	0
16	- a	- a	- a	0	0
23	- a	- a	- a	0	0
30	- a	- a	- a	0	0
Total	0	0	0	0	-

a. No estimate.

continued

Sockeye catches in the Fraser River mainstem areas of District 1, 1990.

Week Ending	North Bend	Texas Creek	Churn Creek	Chilcotin Bridge	Mar-guerite	above Hixon	District 1 mainstem	
	to Texas Creek	to Churn Creek	to Chilcotin Bridge	to Mar-guerite	to Hixon	Hixon	Total	Cumulative
Jan 7	-	-	-	-	-	-	0	0
14	-	-	-	-	-	-	0	0
21	-	-	-	-	-	-	0	0
28	-	-	-	-	-	-	0	0
Feb 4	-	-	-	-	-	-	0	0
11	-	-	-	-	-	-	0	0
18	-	-	-	-	-	-	0	0
25	-	-	-	-	-	-	0	0
Mar 4	-	-	-	-	-	-	0	0
11	-	-	-	-	-	-	0	0
18	-	-	-	-	-	-	0	0
25	0	-	-	-	-	-	0	0
Apr 1	0	-	-	-	-	-	0	0
8	0	0	-	-	-	-	0	0
15	0	0	-	-	-	-	0	0
22	0 a	- b	-	-	-	-	0	0
29	0	-	-	-	-	-	0	0
May 6	0	0	-	-	-	-	0	0
13	0	0	-	-	-	-	0	0
20	0	0	-	-	-	-	0	0
27	0	0	-	-	-	-	0	0
Jun 3	- b	- b	-	-	-	-	0	0
10	-	-	-	-	-	-	0	0
17	-	-	-	-	-	-	0	0
24	-	-	-	-	-	-	0	0
Jul 1	-	-	-	-	-	-	0	0
8	- c	- c	-	-	-	-	0	0
15	- c	- c	-	- c	- c	- c	0	0
22	3,170	1,900	-	- c	- c	- c	5,070	5,070
29	4,680	1,775	1,840	3,360	1,250	- c	12,905	17,975
Aug 5	4,000	1,850	780	1,400	250	275	8,555	26,530
12	10,180	9,125	720	660	150	67	20,902	47,432
19	11,605	7,034	2,000	1,400	500	353	22,892	70,324
26	15,600	18,275	1,400	1,900	1,800	386	39,361	109,685
Sep 2	3,675	7,700	700	875	600	332	13,882	123,567
9	2,464	3,390	280	210	300	271	6,915	130,482
16	1,170	175	-	-	-	400	1,745	132,227
23	480	-	-	-	-	200	680	132,907
30	461	-	-	-	-	50	511	133,418
Oct 7	0	-	-	-	-	-	0	133,418
14	200	-	-	-	-	-	200	133,618
21	50	-	-	-	-	-	50	133,668
28	40	-	-	-	-	-	40	133,708
Nov 4	-	-	-	-	-	-	0	133,708
11	-	-	-	-	-	-	0	133,708
18	-	-	-	-	-	-	0	133,708
25	-	-	-	-	-	-	0	133,708
Dec 2	-	-	-	-	-	-	0	133,708
9	-	-	-	-	-	-	0	133,708
16	-	-	-	-	-	-	0	133,708
23	-	-	-	-	-	-	0	133,708
30	-	-	-	-	-	-	0	133,708
Total	57,775	51,224	7,720	9,805	4,850	2,334	133,708	-

a. No estimate from Ainslie Creek to Texas Creek.  
 b. No estimate.  
 c. Closure.

continued

Sockeye catches in the Chilcotin and Thompson river systems, District 1, 1990.

Thompson River system						
Week Ending	Chilcotin River system	Lytton to Savona	South Thompson River	North Thompson and Raft rivers	Shuswap River (a)	Total
Jan 7	-	-	-	-	-	0
14	-	-	-	-	-	0
21	-	-	-	-	-	0
28	-	-	-	-	-	0
Feb 4	-	-	-	-	-	0
11	-	-	-	-	-	0
18	-	-	-	-	-	0
25	-	-	-	-	-	0
Mar 4	-	-	-	-	-	0
11	-	-	-	-	-	0
18	-	-	-	-	-	0
25	-	-	-	-	-	0
Apr 1	-	-	-	-	-	0
8	-	-	-	-	-	0
15	-	-	-	-	-	0
22	-	-	-	-	-	0
29	-	-	-	-	-	0
May 6	-	-	-	-	-	0
13	-	-	-	-	-	0
20	-	-	-	-	-	0
27	-	-	-	-	-	0
Jun 3	-	-	-	-	-	0
10	-	-	-	-	-	0
17	-	-	-	-	-	0
24	-	-	-	-	-	0
Jul 1	-	-	-	-	-	0
8	-	-	-	-	-	0
15	-	-	-	-	-	0
22	-	-	-	-	-	0
29	-	-	-	-	-	0
Aug 5	-	-	-	-	-	0
12	980	-	-	0	0	0
19	13,875	-	-	-	0	0
26	35,000	-	-	35	-	35
Sep 2	5,600	100	-	-	-	100
9	1,575	1,575	-	-	-	1,575
16	-	920	-	-	-	920
23	-	2,800	-	-	-	2,800
30	-	4,100	-	-	-	4,100
Oct 7	-	2,100	-	-	-	2,100
14	-	400	-	-	-	400
21	-	60	-	-	-	60
28	-	25	-	-	-	25
Nov 4	-	-	-	-	-	0
11	-	-	-	-	-	0
18	-	-	-	-	-	0
25	-	-	-	-	-	0
Dec 2	-	-	-	-	-	0
9	-	-	-	-	-	0
16	-	-	-	-	-	0
23	-	-	-	-	-	0
30	-	-	-	-	-	0
Total	57,030	12,080	0	35	300	12,415

a. Catch is total to October 14.

continued

Sockeye catches in the Nechako River System, District 1, 1990.

Week Ending	Prince George to Stuart River	Stuart River to Fort Fraser	Fort Fraser to Francois Lake	Nechako River System	
				Total	Cumulative
Jan 7	-	-	-	0	0
14	-	-	-	0	0
21	-	-	-	0	0
28	-	-	-	0	0
Feb 4	-	-	-	0	0
11	-	-	-	0	0
18	-	-	-	0	0
25	-	-	-	0	0
Mar 4	-	-	-	0	0
11	-	-	-	0	0
18	-	-	-	0	0
25	-	-	-	0	0
Apr 1	-	-	-	0	0
8	-	-	-	0	0
15	-	-	-	0	0
22	-	-	-	0	0
29	-	-	-	0	0
May 6	-	-	-	0	0
13	-	-	-	0	0
20	-	-	-	0	0
27	-	-	-	0	0
Jun 3	-	-	-	0	0
10	-	-	-	0	0
17	-	-	-	0	0
24	-	-	-	0	0
Jul 1	-	-	-	0	0
8	-	-	-	0	0
15	-	-	-	0	0
22	-	-	-	0	0
29	-	-	-	0	0
Aug 5	50	-	-	50	50
12	33	-	0	33	83
19	30	62	12	104	187
26	55	321	197	573	760
Sep 2	35	362	321	718	1,478
9	85	1,701	855	2,641	4,119
16	20	1,855	644	2,519	6,638
23	-	1,196	391	1,587	8,225
30	-	-	100	100	8,325
Oct 7	-	-	-	0	8,325
14	-	-	-	0	8,325
21	-	-	-	0	8,325
28	-	-	-	0	8,325
Nov 4	-	-	-	0	8,325
11	-	-	-	0	8,325
18	-	-	-	0	8,325
25	-	-	-	0	8,325
Dec 2	-	-	-	0	8,325
9	-	-	-	0	8,325
16	-	-	-	0	8,325
23	-	-	-	0	8,325
30	-	-	-	0	8,325
Total	308	5,497	2,520	8,325	-

continued

Sockeye catches in the Stuart River System and catch summary for the Nechako-Stuart river systems, District 1, 1990.

Week Ending	Nechako River to Fort St. James to Fort St. James to Trembleur Lake			Stuart River System		Nechako-Stuart systems	
	St. James	Trembleur Lake	above Lake outlet	Total	Cumulative	Total	Cumulative
Jan 7	-	-	-	0	0	0	0
14	-	-	-	0	0	0	0
21	-	-	-	0	0	0	0
28	-	-	-	0	0	0	0
Feb 4	-	-	-	0	0	0	0
11	-	-	-	0	0	0	0
18	-	-	-	0	0	0	0
25	-	-	-	0	0	0	0
Mar 4	-	-	-	0	0	0	0
11	-	-	-	0	0	0	0
18	-	-	-	0	0	0	0
25	-	-	-	0	0	0	0
Apr 1	-	-	-	0	0	0	0
8	-	-	-	0	0	0	0
15	-	-	-	0	0	0	0
22	-	-	-	0	0	0	0
29	-	-	-	0	0	0	0
May 6	-	-	-	0	0	0	0
13	-	-	-	0	0	0	0
20	-	-	-	0	0	0	0
27	-	-	-	0	0	0	0
Jun 3	-	-	-	0	0	0	0
10	-	-	-	0	0	0	0
17	-	-	-	0	0	0	0
24	-	-	-	0	0	0	0
Jul 1	-	-	-	0	0	0	0
8	-	-	-	0	0	0	0
15	-	-	-	0	0	0	0
22	-	-	-	0	0	0	0
29	402	20	10	432	432	432	432
Aug 5	540	715	10	1,265	1,697	1,315	1,747
12	131	50	10	191	1,888	224	1,971
19	20	25	10	55	1,943	159	2,130
26	277	100	10	387	2,330	960	3,090
Sep 2	225	100	10	335	2,665	1,053	4,143
9	1,093	500	-	1,593	4,258	4,234	8,377
16	607	500	-	1,107	5,365	3,626	12,003
23	90	-	-	90	5,455	1,677	13,680
30	-	-	-	0	5,455	100	13,780
Oct 7	-	-	-	0	5,455	0	13,780
14	-	-	-	0	5,455	0	13,780
21	-	-	-	0	5,455	0	13,780
28	-	-	-	0	5,455	0	13,780
Nov 4	-	-	-	0	5,455	0	13,780
11	-	-	-	0	5,455	0	13,780
18	-	-	-	0	5,455	0	13,780
25	-	-	-	0	5,455	0	13,780
Dec 2	-	-	-	0	5,455	0	13,780
9	-	-	-	0	5,455	0	13,780
16	-	-	-	0	5,455	0	13,780
23	-	-	-	0	5,455	0	13,780
30	-	-	-	0	5,455	0	13,780
Total	3,385	2,010	60	5,455	-	13,780	-

continued



Sockeye catch summary for the Fraser River System, 1990.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Feb 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Mar 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Apr 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
May 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
Jun 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	67	67	0	0	67	67
Jul 1	6	73	0	0	6	73
8	0	73	0	0	0	73
15	11,237	11,310	0	0	11,237	11,310
22	27,307	38,617	5,070	5,070	32,377	43,687
29	26,599	65,216	13,337	18,407	39,936	83,623
Aug 5	63,403	128,619	9,870	28,277	73,273	156,896
12	44,781	173,400	22,106	50,383	66,887	223,783
19	85,974	259,374	36,926	87,309	122,900	346,683
26	66,145	325,519	75,356	162,665	141,501	488,184
Sep 2	48,675	374,194	20,635	183,300	69,310	557,494
9	36,049	410,243	14,299	197,599	50,348	607,842
16	76,122	486,365	6,291	203,890	82,413	690,255
23	57,477	543,842	5,157	209,047	62,634	752,889
30	31,900	575,742	4,711	213,758	36,611	789,500
Oct 7	4,905	580,647	2,100	215,858	7,005	796,505
14	6,937	587,584	600	216,458	7,537	804,042
21	2,478	590,062	110	216,568	2,588	806,630
28	621	590,683	65	216,633	686	807,316
Nov 4	2	590,685	0	216,633	2	807,318
11	0	590,685	0	216,633	0	807,318
18	0	590,685	0	216,633	0	807,318
25	0	590,685	0	216,633	0	807,318
Dec 2	0	590,685	0	216,633	0	807,318
9	0	590,685	0	216,633	0	807,318
16	0	590,685	0	216,633	0	807,318
23	0	590,685	0	216,633	0	807,318
30	0	590,685	0	216,633	0	807,318
Total	590,685	--	216,933	-	807,618 (a)	-

a. Total includes 300 fish not included in weekly totals.



Coho catches in the Fraser River mainstem areas of District 2, 1990.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 7	- a	- a	- a	- a	0	0
14	- a	- a	- a	- a	0	0
21	- a	- a	- a	- a	0	0
28	- a	- a	- a	- a	0	0
Feb 4	- a	- a	- a	- a	0	0
11	- a	- a	- a	- a	0	0
18	- a	- a	- a	- a	0	0
25	- a	- a	- a	- a	0	0
Mar 4	- a	- a	- a	- a	0	0
11	0	0 b	- a	- a	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Apr 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0 c	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
May 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
Jun 3	0	0 c	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
Jul 1	- d	- d	- d	- d	0	0
8	- d	- d	- d	- d	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
Aug 5	1	0	0	0	1	1
12	0	0	0	0	0	1
19	1	0	0	0	1	2
26	15	0	0	0	15	17
Sep 2	5	0	0	0	5	22
9	48	88	51 e	0	187	209
16	65	448	1,060	19	1,592	1,801
23	3	68	1,195	307	1,573	3,374
30	26	98	1,114	49	1,287	4,661
Oct 7	171	55 b	2,036	93	2,355	7,016
14	138	- a	1,625	150	1,913	8,929
21	175	670 b	1,724	81	2,650	11,579
28	42	- a	- a	5	47	11,626
Nov 4	38	1,821 b	- a	- a	1,859	13,485
11	0	- a	- a	- a	0	13,485
18	2	- a	- a	- a	2	13,487
25	2	- a	- a	- a	2	13,489
Dec 2	- a	- a	- a	- a	0	13,489
9	- a	- a	- a	- a	0	13,489
16	- a	- a	- a	- a	0	13,489
23	- a	- a	- a	- a	0	13,489
30	- a	- a	- a	- a	0	13,489
Total	732	3,248	8,805	704	13,489	-

a. No estimate.

b. No estimate from Whonnock to Mission.

c. No estimate from Deas to Whonnock.

d. Closure.

e. Includes 9 coho taken with drifted gill net.

continued

Coho catches in the Fraser River tributary areas of District 2, 1990.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 7	- a	- a	- a	0	0
14	- a	- a	- a	0	0
21	- a	- a	- a	0	0
28	- a	- a	- a	0	0
Feb 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	- a	- a	0	0
25	- a	- a	- a	0	0
Mar 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	0	-	0	0
25	- a	- a	- a	0	0
Apr 1	- a	0	-	0	0
8	- a	0	0	0	0
15	- a	0	-	0	0
22	- a	0	0	0	0
29	- a	0	- a	0	0
May 6	- a	0	0	0	0
13	- a	0	0	0	0
20	- a	0	0	0	0
27	- a	0	0	0	0
Jun 3	- a	0	0	0	0
10	- a	-	0	0	0
17	- a	-	0	0	0
24	- a	-	-	0	0
Jul 1	- a	- a	- a	0	0
8	- a	- a	- a	0	0
15	- a	- a	- a	0	0
22	- a	- a	- a	0	0
29	- a	- a	- a	0	0
Aug 5	- a	- a	- a	0	0
12	- a	- a	- a	0	0
19	- a	- a	- a	0	0
26	- a	- a	- a	0	0
Sep 2	- a	- a	- a	0	0
9	- a	- a	- a	0	0
16	- a	- a	- a	0	0
23	- a	- a	- a	0	0
30	- a	- a	- a	0	0
Oct 7	- a	- a	- a	0	0
14	- a	- a	- a	0	0
21	- a	- a	- a	0	0
28	- a	- a	- a	0	0
Nov 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	- a	- a	0	0
25	- a	- a	- a	0	0
Dec 2	- a	- a	- a	0	0
9	- a	- a	- a	0	0
16	- a	- a	- a	0	0
23	- a	- a	- a	0	0
30	- a	- a	- a	0	0
Total	0	0	0	0	-

a. No estimate.

continued

Coho catches in the Fraser River mainstem areas of District 1, 1990.

Week Ending	North Bend to Texas Creek	Texas Creek to Churn Creek	District 1 mainstem	
			Total	Cumulative
Jan 7	-	-	0	0
14	-	-	0	0
21	-	-	0	0
28	-	-	0	0
Feb 4	-	-	0	0
11	-	-	0	0
18	-	-	0	0
25	-	-	0	0
Mar 4	-	-	0	0
11	-	-	0	0
18	-	-	0	0
25	0	-	0	0
Apr 1	0	-	0	0
8	0	0	0	0
15	0	0	0	0
22	0 a	- b	0	0
29	0	-	0	0
May 6	0	0	0	0
13	0	0	0	0
20	0	0	0	0
27	0	0	0	0
Jun 3	- b	- b	0	0
10	-	-	0	0
17	-	-	0	0
24	-	-	0	0
Jul 1	-	-	0	0
8	- c	- c	0	0
15	- c	- c	0	0
22	0	0	0	0
29	0	0	0	0
Aug 5	0	0	0	0
12	0	0	0	0
19	0	0	0	0
26	0	0	0	0
Sep 2	0	0	0	0
9	12	0	12	12
16	15	0	15	27
23	6	-	6	33
30	15	-	15	48
Oct 7	0	-	0	48
14	35	-	35	83
21	10	-	10	93
28	9	-	9	102
Nov 4	-	-	0	102
11	-	-	0	102
18	-	-	0	102
25	-	-	0	102
Dec 2	-	-	0	102
9	-	-	0	102
16	-	-	0	102
23	-	-	0	102
30	-	-	0	102
Total	102	0	102	-

a. No estimate from Ainslie Creek to Texas Creek.

b. No estimate.

c. Closure.

continued

Coho catches in the Thompson River System, District 1, 1990.

Thompson River System						
Week Ending	Lytton to Savona	South Thompson River	North Thompson and Raft rivers	Shuswap River	Total	
Jan 7	-	-	-	-	0	
14	-	-	-	-	0	
21	-	-	-	-	0	
28	-	-	-	-	0	
Feb 4	-	-	-	-	0	
11	-	-	-	-	0	
18	-	-	-	-	0	
25	-	-	-	-	0	
Mar 4	-	-	-	-	0	
11	-	-	-	-	0	
18	-	-	-	-	0	
25	-	-	-	-	0	
Apr 1	-	-	-	-	0	
8	-	-	-	-	0	
15	-	-	-	-	0	
22	-	-	-	-	0	
29	-	-	-	-	0	
May 6	-	-	-	-	0	
13	-	-	-	-	0	
20	-	-	-	-	0	
27	-	-	-	-	0	
Jun 3	-	-	-	-	0	
10	-	-	-	-	0	
17	-	-	-	-	0	
24	-	-	-	-	0	
Jul 1	-	-	-	-	0	
8	-	-	-	-	0	
15	-	-	-	-	0	
22	-	-	-	-	0	
29	-	-	-	-	0	
Aug 5	-	-	-	-	0	
12	-	-	0	0	0	
19	-	-	-	0	0	
26	-	-	0	-	0	
Sep 2	0	-	-	-	0	
9	0	-	-	-	0	
16	0	-	-	-	0	
23	0	-	-	-	0	
30	7	-	-	-	7	
Oct 7	10	-	-	-	10	
14	15	-	-	0	15	
21	10	-	-	-	10	
28	0	-	-	-	0	
Nov 4	-	-	-	-	0	
11	-	-	-	-	0	
18	-	-	-	-	0	
25	-	-	-	-	0	
Dec 2	-	-	-	-	0	
9	-	-	-	-	0	
16	-	-	-	-	0	
23	-	-	-	-	0	
30	-	-	-	-	0	
Total	42	0	0	0	42	

a. No estimate.

continued

Coho catch summary for the Fraser River System, 1990.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Feb 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Mar 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Apr 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
May 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
Jun 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
Jul 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
Aug 5	1	1	0	0	1	1
12	0	1	0	0	0	1
19	1	2	0	0	1	2
26	15	17	0	0	15	17
Sep 2	5	22	0	0	5	22
9	187	209	12	12	199	221
16	1,592	1,801	15	27	1,607	1,828
23	1,573	3,374	6	33	1,579	3,407
30	1,287	4,661	22	55	1,309	4,716
Oct 7	2,355	7,016	10	65	2,365	7,081
14	1,913	8,929	50	115	1,963	9,044
21	2,650	11,579	20	135	2,670	11,714
28	47	11,626	9	144	56	11,770
Nov 4	1,859	13,485	0	144	1,859	13,629
11	0	13,485	0	144	0	13,629
18	2	13,487	0	144	2	13,631
25	2	13,489	0	144	2	13,633
Dec 2	0	13,489	0	144	0	13,633
9	0	13,489	0	144	0	13,633
16	0	13,489	0	144	0	13,633
23	0	13,489	0	144	0	13,633
30	0	13,489	0	144	0	13,633
Total	13,489	-	144	-	13,633	-

Chum catches in the Fraser River mainstem areas of District 2, 1990.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 7	- a	- a	- a	- a	0	0
14	- a	- a	- a	- a	0	0
21	- a	- a	- a	- a	0	0
28	- a	- a	- a	- a	0	0
Feb 4	- a	- a	- a	- a	0	0
11	- a	- a	- a	- a	0	0
18	- a	- a	- a	- a	0	0
25	- a	- a	- a	- a	0	0
Mar 4	- a	- a	- a	- a	0	0
11	0	0 b	- a	- a	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Apr 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0 c	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
May 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
Jun 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
Jul 1	- d	- d	- d	- d	0	0
8	- d	- d	- d	- d	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
Aug 5	0	0	0	0	0	0
12	0	0	39	0	39	39
19	0	0	22	0	22	61
26	0	0	0	0	0	61
Sep 2	2	0	22	0	24	85
9	11	27	11	0	49	134
16	94	21	82	0	197	331
23	20	44	97	28	189	520
30	74	706	822	39	1,641	2,161
Oct 7	390	104 b	1,493	29	2,016	4,177
14	1,122	- a	2,282	207	3,611	7,788
21	852	686 b	2,201	91	3,830	11,618
28	523	- a	- a	130	653	12,271
Nov 4	337	900 b	- a	- a	1,237	13,508
11	5	- a	- a	- a	5	13,513
18	239	- a	- a	- a	239	13,752
25	81	- a	- a	- a	81	13,833
Dec 2	- a	- a	- a	- a	0	13,833
9	- a	- a	- a	- a	0	13,833
16	- a	- a	- a	- a	0	13,833
23	- a	- a	- a	- a	0	13,833
30	- a	- a	- a	- a	0	13,833
Total	3,750	2,488	7,071	524	13,833	-

- a. No estimate.
- b. No estimate from Whonnock to Mission.
- c. No estimate from Deas to Whonnock.
- d. Closure.

continued



Chum catches in the Fraser River tributary areas of District 2, 1990.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 7	- a	- a	- a	0	0
14	- a	- a	- a	0	0
21	- a	- a	- a	0	0
28	- a	- a	- a	0	0
Feb 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	- a	- a	0	0
25	- a	- a	- a	0	0
Mar 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	0	-	0	0
25	- a	- a	- a	0	0
Apr 1	- a	0	-	0	0
8	- a	0	0	0	0
15	- a	0	-	0	0
22	- a	0	0	0	0
29	- a	0	- a	0	0
May 6	- a	0	0	0	0
13	- a	0	0	0	0
20	- a	0	0	0	0
27	- a	0	0	0	0
Jun 3	- a	0	0	0	0
10	- a	-	0	0	0
17	- a	-	0	0	0
24	- a	-	-	0	0
Jul 1	- a	- a	- a	0	0
8	- a	- a	- a	0	0
15	- a	- a	- a	0	0
22	- a	- a	- a	0	0
29	- a	- a	- a	0	0
Aug 5	- a	- a	- a	0	0
12	- a	- a	- a	0	0
19	- a	- a	- a	0	0
26	- a	- a	- a	0	0
Sep 2	- a	- a	- a	0	0
9	- a	- a	- a	0	0
16	- a	- a	- a	0	0
23	- a	- a	- a	0	0
30	- a	- a	- a	0	0
Oct 7	- a	- a	- a	0	0
14	- a	- a	- a	0	0
21	- a	- a	- a	0	0
28	- a	- a	- a	0	0
Nov 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	- a	- a	0	0
25	- a	- a	- a	0	0
Dec 2	- a	- a	- a	0	0
9	- a	- a	- a	0	0
16	- a	- a	- a	0	0
23	- a	- a	- a	0	0
30	- a	- a	- a	0	0
Total	0	0	0	0	-

a. No estimate.

continued

Chum catch summary for the Fraser River System, 1990.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Feb 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Mar 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Apr 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
May 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
Jun 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
Jul 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
Aug 5	0	0	0	0	0	0
12	39	39	0	0	39	39
19	22	61	0	0	22	61
26	0	61	0	0	0	61
Sep 2	24	85	0	0	24	85
9	49	134	0	0	49	134
16	197	331	0	0	197	331
23	189	520	0	0	189	520
30	1,641	2,161	0	0	1,641	2,161
Oct 7	2,016	4,177	0	0	2,016	4,177
14	3,611	7,788	0	0	3,611	7,788
21	3,830	11,618	0	0	3,830	11,618
28	653	12,271	0	0	653	12,271
Nov 4	1,237	13,508	0	0	1,237	13,508
11	5	13,513	0	0	5	13,513
18	239	13,752	0	0	239	13,752
25	81	13,833	0	0	81	13,833
Dec 2	0	13,833	0	0	0	13,833
9	0	13,833	0	0	0	13,833
16	0	13,833	0	0	0	13,833
23	0	13,833	0	0	0	13,833
30	0	13,833	0	0	0	13,833
Total	13,833	-	0	-	13,833	-

Steelhead catches in the Fraser River mainstem areas of District 2, 1990.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 7	- a	- a	- a	- a	0	0
14	- a	- a	- a	- a	0	0
21	- a	- a	- a	- a	0	0
28	- a	- a	- a	- a	0	0
Feb 4	- a	- a	- a	- a	0	0
11	- a	- a	- a	- a	0	0
18	- a	- a	- a	- a	0	0
25	- a	- a	- a	- a	0	0
Mar 4	- a	- a	- a	- a	0	0
11	1	2 b	- a	- a	3	3
18	2	2	11	4	19	22
25	1	0	7	17	25	47
Apr 1	4	2	5	0	11	58
8	1	0	13	0	14	72
15	4	0 c	27	0	31	103
22	0	0	12	0	12	115
29	1	0	7	0	8	123
May 6	0	3	25	0	28	151
13	1	0	0	0	1	152
20	1	0	12	0	13	165
27	0	0	10	0	10	175
Jun 3	0	0 c	0	0	0	175
10	1	0	0	0	1	176
17	1	0	15	0	16	192
24	0	0	11	0	11	203
Jul 1	- d	- d	- d	- d	0	203
8	- d	- d	- d	- d	0	203
15	0	6	0	0	6	209
22	0	0	11	0	11	220
29	2	2	0	0	4	224
Aug 5	0	0	0	0	0	224
12	0	0	0	0	0	224
19	0	0	0	0	0	224
26	0	0	35	0	35	259
Sep 2	0	0	0	0	0	259
9	0	0	0	0	0	259
16	0	0	37	0	37	296
23	0	0	77	0	77	373
30	0	24	24	0	48	421
Oct 7	3	0 b	0	21	24	445
14	4	- a	13	14	31	476
21	0	0 b	0	10	10	486
28	0	- a	- a	5	5	491
Nov 4	0	0 b	- a	- a	0	491
11	0	- a	- a	- a	0	491
18	0	- a	- a	- a	0	491
25	0	- a	- a	- a	0	491
Dec 2	- a	- a	- a	- a	0	491
9	- a	- a	- a	- a	0	491
16	- a	- a	- a	- a	0	491
23	- a	- a	- a	- a	0	491
30	- a	- a	- a	- a	0	491
Total	27	41	352	71	491	-

a. No estimate.  
 b. No estimate from Whonnock to Mission.  
 b. No estimate from Deas to Whonnock.  
 d. Closure.

continued

Steelhead catches in the Fraser River tributary areas of District 2, 1990.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 7	- a	- a	- a	0	0
14	- a	- a	- a	0	0
21	- a	- a	- a	0	0
28	- a	- a	- a	0	0
Feb 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	- a	- a	0	0
25	- a	- a	- a	0	0
Mar 4	- a	- a	- a	0	0
11	- a	- a	- a	0	0
18	- a	4	-	4	4
25	- a	- a	- a	0	4
Apr 1	- a	1	-	1	5
8	- a	0	0	0	5
15	- a	0	-	0	5
22	- a	0	0	0	5
29	- a	0	- a	0	5
May 6	- a	0	0	0	5
13	- a	0	0	0	5
20	- a	0	0	0	5
27	- a	0	0	0	5
Jun 3	- a	0	0	0	5
10	- a	-	0	0	5
17	- a	-	0	0	5
24	- a	-	-	0	5
Jul 1	- a	- a	- a	0	5
8	- a	- a	- a	0	5
15	- a	- a	- a	0	5
22	- a	- a	- a	0	5
29	- a	- a	- a	0	5
Aug 5	- a	- a	- a	0	5
12	- a	- a	- a	0	5
19	- a	- a	- a	0	5
26	- a	- a	- a	0	5
Sep 2	- a	- a	- a	0	5
9	- a	- a	- a	0	5
16	- a	- a	- a	0	5
23	- a	- a	- a	0	5
30	- a	- a	- a	0	5
Oct 7	- a	- a	- a	0	5
14	- a	- a	- a	0	5
21	- a	- a	- a	0	5
28	- a	- a	- a	0	5
Nov 4	- a	- a	- a	0	5
11	- a	- a	- a	0	5
18	- a	- a	- a	0	5
25	- a	- a	- a	0	5
Dec 2	- a	- a	- a	0	5
9	- a	- a	- a	0	5
16	- a	- a	- a	0	5
23	- a	- a	- a	0	5
30	- a	- a	- a	0	5
Total	0	5	0	5	-

a. No estimate.

continued

Steelhead catches in the Fraser River mainstem areas of District 1, 1990.

Week Ending	North Bend to Texas Creek	Texas Creek to Churn Creek	District 1 mainstem	
			Total	Cumulative
Jan 7	-	-	0	0
14	-	-	0	0
21	-	-	0	0
28	-	-	0	0
Feb 4	-	-	0	0
11	-	-	0	0
18	-	-	0	0
25	-	-	0	0
Mar 4	-	-	0	0
11	-	-	0	0
18	-	-	0	0
25	3	-	3	3
Apr 1	0	-	0	3
8	0	1	1	4
15	0	2	2	6
22	0 a	- b	0	6
29	4	-	4	10
May 6	0	0	0	10
13	0	0	0	10
20	0	0	0	10
27	0	0	0	10
Jun 3	- b	- b	0	10
10	-	-	0	10
17	-	-	0	10
24	-	-	0	10
Jul 1	-	-	0	10
8	- c	- c	0	10
15	- c	- c	0	10
22	0	0	0	10
29	0	0	0	10
Aug 5	0	0	0	10
12	0	0	0	10
19	0	0	0	10
26	0	0	0	10
Sep 2	0	0	0	10
9	0	0	0	10
16	0	0	0	10
23	0	-	0	10
30	0	-	0	10
Oct 7	0	-	0	10
14	3	-	3	13
21	4	-	4	17
28	0	-	0	17
Nov 4	-	-	0	17
11	-	-	0	17
18	-	-	0	17
25	-	-	0	17
Dec 2	-	-	0	17
9	-	-	0	17
16	-	-	0	17
23	-	-	0	17
30	-	-	0	17
Total	14	3	17	-

a. No estimate from Ainslie Creek to Texas Creek.

b. No estimate.

c. Closure.

continued

Steelhead catches in the Thompson River System, District 1, 1990.

Thompson River System					
Week Ending	Lytton to Savona	South Thompson River	North Thompson and Raft rivers	Shuswap River	Total
Jan 7	-	-	-	-	0
14	-	-	-	-	0
21	-	-	-	-	0
28	-	-	-	-	0
Feb 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Mar 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Apr 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
29	-	-	-	-	0
May 6	-	-	-	-	0
13	-	-	-	-	0
20	-	-	-	-	0
27	-	-	-	-	0
Jun 3	-	-	-	-	0
10	-	-	-	-	0
17	-	-	-	-	0
24	-	-	-	-	0
Jul 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
29	-	-	-	-	0
Aug 5	-	-	-	-	0
12	-	-	-	-	0
19	-	-	-	-	0
26	-	-	-	-	0
Sep 2	-	-	-	-	0
9	0	-	-	-	0
16	0	-	-	-	0
23	0	-	-	-	0
30	2	-	-	-	2
Oct 7	0	-	-	-	0
14	5	-	-	-	5
21	0	-	-	-	0
28	-	-	-	-	0
Nov 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Dec 2	-	-	-	-	0
9	-	-	-	-	0
16	-	-	-	-	0
23	-	-	-	-	0
30	-	-	-	-	0
Total	7	0	0	0	7

a. No estimate.

continued

Steelhead catch summary for the Fraser River System, 1990.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Feb 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Mar 4	0	0	0	0	0	0
11	3	3	0	0	3	3
18	23	26	0	0	23	26
25	25	51	3	3	28	54
Apr 1	12	63	0	3	12	66
8	14	77	1	4	15	81
15	31	108	2	6	33	114
22	12	120	0	6	12	126
29	8	128	4	10	12	138
May 6	28	156	0	10	28	166
13	1	157	0	10	1	167
20	13	170	0	10	13	180
27	10	180	0	10	10	190
Jun 3	0	180	0	10	0	190
10	1	181	0	10	1	191
17	16	197	0	10	16	207
24	11	208	0	10	11	218
Jul 1	0	208	0	10	0	218
8	0	208	0	10	0	218
15	6	214	0	10	6	224
22	11	225	0	10	11	235
29	4	229	0	10	4	239
Aug 5	0	229	0	10	0	239
12	0	229	0	10	0	239
19	0	229	0	10	0	239
26	35	264	0	10	35	274
Sep 2	0	264	0	10	0	274
9	0	264	0	10	0	274
16	37	301	0	10	37	311
23	77	378	0	10	77	388
30	48	426	2	12	50	438
Oct 7	24	450	0	12	24	462
14	31	481	8	20	39	501
21	10	491	4	24	14	515
28	5	496	0	24	5	520
Nov 4	0	496	0	24	0	520
11	0	496	0	24	0	520
18	0	496	0	24	0	520
25	0	496	0	24	0	520
Dec 2	0	496	0	24	0	520
9	0	496	0	24	0	520
16	0	496	0	24	0	520
23	0	496	0	24	0	520
30	0	496	0	24	0	520
Total	496	-	24	-	520	-

Sturgeon catches in the Fraser River mainstem areas of District 2, 1990.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 7	- a	- a	- a	- a	0	0
14	- a	- a	- a	- a	0	0
21	- a	- a	- a	- a	0	0
28	- a	- a	- a	- a	0	0
Feb 4	- a	- a	- a	- a	0	0
11	- a	- a	- a	- a	0	0
18	- a	- a	- a	- a	0	0
25	- a	- a	- a	- a	0	0
Mar 4	0	- a	- a	- a	0	0
11	0	0 b	- a	- a	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Apr 1	0	0	10	0	10	10
8	0	0	44	0	44	54
15	0	0 c	52	0	52	106
22	2	0	0	0	2	108
29	0	0	22	0	22	130
May 6	0	0	29	0	29	159
13	0	0	133	0	133	292
20	5	9	57	0	71	363
27	21	0	7	0	28	391
Jun 3	5	0 c	8	0	13	404
10	16	0	23	0	39	443
17	4	0	0	0	4	447
24	6	0	62	0	68	515
Jul 1	- d	- d	- d	- d	0	515
8	- d	- d	- d	- d	0	515
15	2	104	74	0	180	695
22	4	0	443	26	473	1,168
29	0	0	424	0	424	1,592
Aug 5	0	23	459	28	510	2,102
12	0	0	458	14	472	2,574
19	0	0	433	43	476	3,050
26	0	35	1,353	16	1,404	4,454
Sep 2	0	31	557	14	602	5,056
9	2	14	111	0	127	5,183
16	0	0	393	0	393	5,576
23	0	0	62	14	76	5,652
30	0	0	17	0	17	5,669
Oct 7	0	0 b	97	0	97	5,766
14	0	- a	49	0	49	5,815
21	0	0 b	0	0	0	5,815
28	0	- a	- a	0	0	5,815
Nov 4	0	0 b	- a	- a	0	5,815
11	0	- a	- a	- a	0	5,815
18	0	- a	- a	- a	0	5,815
25	0	- a	- a	- a	0	5,815
Dec 2	- a	- a	- a	- a	0	5,815
9	- a	- a	- a	- a	0	5,815
16	- a	- a	- a	- a	0	5,815
23	- a	- a	- a	- a	0	5,815
30	- a	- a	- a	- a	0	5,815
Total	67	216	5,377	155	5,815	-

- a. No estimate.
- b. No estimate from Whonnock to Mission.
- c. No estimate from Deas to Whonnock.
- d. Closure.

continued



Sturgeon catch summary for the Fraser River System, 1990.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Feb 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Mar 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Apr 1	10	10	0	0	10	10
8	44	54	0	0	44	54
15	52	106	0	0	52	106
22	2	108	0	0	2	108
29	22	130	0	0	22	130
May 6	29	159	0	0	29	159
13	133	292	0	0	133	292
20	71	363	0	0	71	363
27	28	391	0	0	28	391
Jun 3	13	404	0	0	13	404
10	39	443	0	0	39	443
17	4	447	0	0	4	447
24	68	515	0	0	68	515
Jul 1	0	515	0	0	0	515
8	0	515	0	0	0	515
15	180	695	0	0	180	695
22	473	1,168	0	0	473	1,168
29	424	1,592	0	0	424	1,592
Aug 5	510	2,102	0	0	510	2,102
12	472	2,574	0	0	472	2,574
19	476	3,050	0	0	476	3,050
26	1,404	4,454	0	0	1,404	4,454
Sep 2	602	5,056	0	0	602	5,056
9	127	5,183	0	0	127	5,183
16	393	5,576	0	0	393	5,576
23	76	5,652	0	0	76	5,652
30	17	5,669	0	0	17	5,669
Oct 7	97	5,766	0	0	97	5,766
14	49	5,815	0	0	49	5,815
21	0	5,815	0	0	0	5,815
28	0	5,815	0	0	0	5,815
Nov 4	0	5,815	0	0	0	5,815
11	0	5,815	0	0	0	5,815
18	0	5,815	0	0	0	5,815
25	0	5,815	0	0	0	5,815
Dec 2	0	5,815	0	0	0	5,815
9	0	5,815	0	0	0	5,815
16	0	5,815	0	0	0	5,815
23	0	5,815	0	0	0	5,815
30	0	5,815	0	0	0	5,815
Total	5,815	-	0	-	5,815	-



Table 7. Weekly estimates of effort and catch per unit of effort (CPUE) by area and gear type in the Fraser River Indian food fishery in 1990:

Steveston . . . . .	93
Deas to Mission . . . . .	94
Mission to Hope . . . . .	95
Hope to North Bend . . . . .	96
Harrison River . . . . .	97
Lower Lillooet River . . . . .	98
Birkenhead River . . . . .	99
Churn Creek to Marguerite . . . . .	100
Marguerite to Hixon . . . . .	101
Above Hixon . . . . .	102
Nechako River . . . . .	103
Stuart River . . . . .	104
Chilcotin River . . . . .	105



Weekly effort (drift net-days) and CPUE by species in the Steveston area, 1990.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead	Sturgeon
Jan 7	- a	-	-	-	-	-	-
14	- a	-	-	-	-	-	-
21	- a	-	-	-	-	-	-
28	- a	-	-	-	-	-	-
Feb 4	- a	-	-	-	-	-	-
11	- a	-	-	-	-	-	-
18	- a	-	-	-	-	-	-
25	- a	-	-	-	-	-	-
Mar 4	1.0	0.0	0.0	0.0	0.0	0.0	0.0
11	1.0	0.0	0.0	0.0	0.0	1.0	0.0
18	3.0	0.0	0.0	0.0	0.0	0.7	0.0
25	4.0	0.0	0.0	0.0	0.0	0.3	0.0
Apr 1	4.0	0.5	0.0	0.0	0.0	1.0	0.0
8	3.0	0.3	0.0	0.0	0.0	0.3	0.0
15	10.0	0.4	0.0	0.0	0.0	0.4	0.0
22	8.0	0.4	0.0	0.0	0.0	0.0	0.3
29	10.0	0.7	0.0	0.0	0.0	0.1	0.0
May 6	10.0	0.5	0.0	0.0	0.0	0.0	0.0
13	11.0	1.6	0.0	0.0	0.0	0.1	0.0
20	14.0	1.0	0.0	0.0	0.0	0.1	0.4
27	15.0	1.9	0.0	0.0	0.0	0.0	1.4
Jun 3	17.0	1.6	0.0	0.0	0.0	0.0	0.3
10	18.0	3.3	0.0	0.0	0.0	0.1	0.9
17	36.0	5.0	0.0	0.0	0.0	0.0	0.1
24	36.0	5.8	0.1	0.0	0.0	0.0	0.2
Jul 1	0.0 b	-	-	-	-	-	-
8	0.0 b	-	-	-	-	-	-
15	11.0	1.0	17.2	0.0	0.0	0.0	0.2
22	39.0	0.8	18.8	0.0	0.0	0.0	0.1
29	79.5	0.4	15.2	0.0	0.0	0.0	0.0
Aug 5	69.0	0.1	125.5	0.0	0.0	0.0	0.0
12	69.0	0.1	158.5	0.0	0.0	0.0	0.0
19	91.5	0.1	110.8	0.0	0.0	0.0	0.0
26	55.5	0.3	158.0	0.3	0.0	0.0	0.0
Sep 2	70.5	0.0	118.7	0.1	0.0	0.0	0.0
9	67.5	0.2	136.4	0.7	0.2	0.0	0.0
16	75.0	0.3	87.9	0.9	1.3	0.0	0.0
23	63.0	0.4	63.0	0.0	0.3	0.0	0.0
30	61.5	0.0	12.0	0.4	1.2	0.0	0.0
Oct 7	33.0	0.2	19.8	5.2	11.8	0.1	0.0
14	31.5	0.0	12.3	4.4	35.6	0.1	0.0
21	33.0	0.0	5.3	5.3	25.8	0.0	0.0
28	21.0	0.0	1.0	2.0	24.9	0.0	0.0
Nov 4	19.5	0.0	0.1	1.9	17.3	0.0	0.0
11	1.5	0.0	0.0	0.0	3.3	0.0	0.0
18	7.5	0.0	0.0	0.3	31.9	0.0	0.0
25	3.0	0.0	0.0	0.7	27.0	0.0	0.0
Dec 2	- a	-	-	-	-	-	-
9	- a	-	-	-	-	-	-
16	- a	-	-	-	-	-	-
23	- a	-	-	-	-	-	-
30	- a	-	-	-	-	-	-
Total	1,103.0	27.0	1,060.6	22.2	180.6	4.2	3.8

a. No estimate.  
b. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Deas Island and Mission, 1990.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead	Sturgeon
Jan 7	- a	-	-	-	-	-	-
14	- a	-	-	-	-	-	-
21	- a	-	-	-	-	-	-
28	- a	-	-	-	-	-	-
Feb 4	- a	-	-	-	-	-	-
11	- a	-	-	-	-	-	-
18	- a	-	-	-	-	-	-
25	- a	-	-	-	-	-	-
Mar 4	- a	-	-	-	-	-	-
11	5 b	0.4	0.0	0.0	0.0	0.4	0.0
18	5	0.0	0.0	0.0	0.0	0.4	0.0
25	11	0.0	0.0	0.0	0.0	0.0	0.0
Apr 1	12	0.8	0.0	0.0	0.0	0.2	0.0
8	11	0.0	0.0	0.0	0.0	0.0	0.0
15	0 c	-	-	-	-	-	-
22	0	-	-	-	-	-	-
29	3	0.0	0.0	0.0	0.0	0.0	0.0
May 6	9	1.1	0.0	0.0	0.0	0.3	0.0
13	17	0.0	0.0	0.0	0.0	0.0	0.0
20	19	0.1	0.0	0.0	0.0	0.0	0.5
27	13	0.5	0.0	0.0	0.0	0.0	0.0
Jun 3	0 c	-	-	-	-	-	-
10	11	0.5	0.0	0.0	0.0	0.0	0.0
17	60	0.5	0.0	0.0	0.0	0.0	0.0
24	66	1.5	0.0	0.0	0.0	0.0	0.0
Jul 1	0 d	-	-	-	-	-	-
8	0 d	-	-	-	-	-	-
15	36	0.1	4.9	0.0	0.0	0.2	2.9
22	81	0.4	11.2	0.0	0.0	0.0	0.0
29	54	0.2	20.0	0.0	0.0	0.0	0.0
Aug 5	99	0.2	19.6	0.0	0.0	0.0	0.2
12	124	0.0	57.3	0.0	0.0	0.0	0.0
19	79	0.0	25.4	0.0	0.0	0.0	0.0
26	108	0.0	15.2	0.0	0.0	0.0	0.3
Sep 2	86	0.1	31.7	0.0	0.0	0.0	0.4
9	124	0.6	32.6	0.7	0.2	0.0	0.1
16	146	1.0	29.8	3.1	0.1	0.0	0.0
23	78	0.0	62.4	0.9	0.6	0.0	0.0
30	150	0.6	19.3	0.7	4.7	0.2	0.0
Oct 7	90 b	0.1	2.0	0.6	1.2	0.0	0.0
14	- a	-	-	-	-	-	-
21	48 b	0.3	11.3	14.0	14.3	0.0	0.0
28	- a	-	-	-	-	-	-
Nov 4	81	0.0	0.0	22.5	11.1	0.0	0.0
11	33	0.0	0.0	0.0	0.0	0.0	0.0
18	- a	-	-	-	-	-	-
25	- a	-	-	-	-	-	-
Dec 2	- a	-	-	-	-	-	-
9	- a	-	-	-	-	-	-
16	- a	-	-	-	-	-	-
23	- a	-	-	-	-	-	-
30	- a	-	-	-	-	-	-
Total	1,658	9.0	342.7	42.4	32.2	1.7	4.4

- a. No estimate.
- b. No estimate from Whonock to Mission.
- c. No estimate from Deas to Whonock.
- d. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Mission and Hope, 1990.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead	Sturgeon
Jan 7	- a	-	-	-	-	-	-
14	- a	-	-	-	-	-	-
21	- a	-	-	-	-	-	-
28	- a	-	-	-	-	-	-
Feb 4	- a	-	-	-	-	-	-
11	- a	-	-	-	-	-	-
18	- a	-	-	-	-	-	-
25	- a	-	-	-	-	-	-
Mar 4	- a	-	-	-	-	-	-
11	- a	-	-	-	-	-	-
18	19	0.0	0.0	0.0	0.0	0.6	0.0
25	27	0.1	0.0	0.0	0.0	0.3	0.0
Apr 1	32	0.4	0.0	0.0	0.0	0.2	0.3
8	55	0.5	0.0	0.0	0.0	0.2	0.8
15	58	1.3	0.0	0.0	0.0	0.5	0.9
22	64	2.0	0.0	0.0	0.0	0.2	0.0
29	72	0.8	0.0	0.0	0.0	0.1	0.3
May 6	131	3.2	0.0	0.0	0.0	0.2	0.2
13	81	2.4	0.0	0.0	0.0	0.0	1.6
20	92	2.0	0.0	0.0	0.0	0.1	0.6
27	79	0.8	0.0	0.0	0.0	0.1	0.1
Jun 3	33	0.9	0.0	0.0	0.0	0.0	0.2
10	47	0.7	0.0	0.0	0.0	0.0	0.5
17	132	0.9	0.0	0.0	0.0	0.1	0.0
24	206	2.2	0.2	0.0	0.0	0.1	0.3
Jul 1	0 b	-	-	-	-	-	-
8	0 b	-	-	-	-	-	-
15	103	2.3	33.4	0.0	0.0	0.0	0.7
22	534	1.1	21.6	0.0	0.0	0.0	0.8
29	564	1.0	19.2	0.0	0.0	0.0	0.8
Aug 5	624	0.3	40.3	0.0	0.0	0.0	0.7
12	796	0.1	18.8	0.0	0.0	0.0	0.6
19	956	0.2	30.4	0.0	0.0	0.0	0.5
26	892	0.2	32.9	0.0	0.0	0.0	1.5
Sep 2	746	0.2	33.8	0.0	0.0	0.0	0.7
9	514	0.1	26.9	0.1	0.0	0.0	0.2
16	600	0.8	53.9	1.8	0.1	0.1	0.7
23	462	0.8	59.0	2.6	0.2	0.2	0.1
30	267	1.1	81.5	4.2	3.1	0.1	0.1
Oct 7	64	10.8	49.0	31.8	23.3	0.0	1.5
14	62	8.3	64.9	26.2	36.8	0.2	0.8
21	43	2.3	14.9	40.1	51.2	0.0	0.0
28	- a	-	-	-	-	-	-
Nov 4	- a	-	-	-	-	-	-
11	- a	-	-	-	-	-	-
18	- a	-	-	-	-	-	-
25	- a	-	-	-	-	-	-
Dec 2	- a	-	-	-	-	-	-
9	- a	-	-	-	-	-	-
16	- a	-	-	-	-	-	-
23	- a	-	-	-	-	-	-
30	- a	-	-	-	-	-	-
Total	8,355	47.6	580.8	106.7	114.9	3.2	15.6

a. No estimate.  
b. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Hope and North Bend, 1990.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead	Sturgeon
Jan 7	0 a	-	-	-	-	-	-
14	0 a	-	-	-	-	-	-
21	0 a	-	-	-	-	-	-
28	0 a	-	-	-	-	-	-
Feb 4	0 a	-	-	-	-	-	-
11	0 a	-	-	-	-	-	-
18	0 a	-	-	-	-	-	-
25	0 a	-	-	-	-	-	-
Mar 4	0 a	-	-	-	-	-	-
11	0 a	-	-	-	-	-	-
18	21	0.4	0.0	0.0	0.0	0.2	0.0
25	19	0.9	0.0	0.0	0.0	0.9	0.0
Apr 1	30	3.7	0.0	0.0	0.0	0.0	0.0
8	24	0.3	0.0	0.0	0.0	0.0	0.0
15	39	0.7	0.0	0.0	0.0	0.0	0.0
22	21	1.1	0.0	0.0	0.0	0.0	0.0
29	20	1.8	0.0	0.0	0.0	0.0	0.0
May 6	33	2.4	0.0	0.0	0.0	0.0	0.0
13	32	1.5	0.0	0.0	0.0	0.0	0.0
20	43	3.7	0.0	0.0	0.0	0.0	0.0
27	18	2.1	0.0	0.0	0.0	0.0	0.0
Jun 3	3	0.7	0.0	0.0	0.0	0.0	0.0
10	16	1.8	0.0	0.0	0.0	0.0	0.0
17	18	0.2	0.0	0.0	0.0	0.0	0.0
24	94	7.3	0.1	0.0	0.0	0.0	0.0
Jul 1	0 b	-	-	-	-	-	-
8	0 b	-	-	-	-	-	-
15	71	16.6	91.5	0.0	0.0	0.0	0.0
22	390	5.2	43.0	0.0	0.0	0.0	0.1
29	435	1.9	31.1	0.0	0.0	0.0	0.0
Aug 5	435	0.8	63.5	0.0	0.0	0.0	0.1
12	504	1.9	23.4	0.0	0.0	0.0	0.0
19	664	1.4	67.4	0.0	0.0	0.0	0.1
26	608	1.2	43.4	0.0	0.0	0.0	0.0
Sep 2	473	0.1	26.2	0.0	0.0	0.0	0.0
9	341	0.7	26.2	0.0	0.0	0.0	0.0
16	435	0.1	75.5	0.0	0.0	0.0	0.0
23	213	0.1	100.3	1.4	0.1	0.0	0.1
30	75	0.0	86.7	0.7	0.5	0.0	0.0
Oct 7	20	0.0	46.5	4.7	1.5	1.1	0.0
14	25	0.4	101.1	6.0	8.3	0.6	0.0
21	28	0.2	40.0	2.9	3.3	0.4	0.0
28	16	0.0	37.6	0.3	8.1	0.3	0.0
Nov 4	- a	-	-	-	-	-	-
11	- a	-	-	-	-	-	-
18	- a	-	-	-	-	-	-
25	- a	-	-	-	-	-	-
Dec 2	- a	-	-	-	-	-	-
9	- a	-	-	-	-	-	-
16	- a	-	-	-	-	-	-
23	- a	-	-	-	-	-	-
30	- a	-	-	-	-	-	-
Total	5,163	59.0	903.5	16.0	21.8	3.4	0.3

a. No estimate.  
b. Closure.

continued



Weekly effort (set net-days) and CPUE by species in the Harrison River, 1990.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead
Jan 7	- a	-	-	-	-	-
14	- a	-	-	-	-	-
21	- a	-	-	-	-	-
28	- a	-	-	-	-	-
Feb 4	- a	-	-	-	-	-
11	- a	-	-	-	-	-
18	- a	-	-	-	-	-
25	- a	-	-	-	-	-
Mar 4	- a	-	-	-	-	-
11	- a	-	-	-	-	-
18	- a	-	-	-	-	-
25	- a	-	-	-	-	-
Apr 1	- a	-	-	-	-	-
8	- a	-	-	-	-	-
15	- a	-	-	-	-	-
22	- a	-	-	-	-	-
29	- a	-	-	-	-	-
May 6	- a	-	-	-	-	-
13	- a	-	-	-	-	-
20	- a	-	-	-	-	-
27	- a	-	-	-	-	-
Jun 3	- a	-	-	-	-	-
10	- a	-	-	-	-	-
17	- a	-	-	-	-	-
24	- a	-	-	-	-	-
Jul 1	- a	-	-	-	-	-
8	- a	-	-	-	-	-
15	- a	-	-	-	-	-
22	- a	-	-	-	-	-
29	- a	-	-	-	-	-
Aug 5	- a	-	-	-	-	-
12	- a	-	-	-	-	-
19	- a	-	-	-	-	-
26	- a	-	-	-	-	-
Sep 2	- a	-	-	-	-	-
9	- a	-	-	-	-	-
16	- a	-	-	-	-	-
23	- a	-	-	-	-	-
30	- a	-	-	-	-	-
Oct 7	- a	-	-	-	-	-
14	- a	-	-	-	-	-
21	- a	-	-	-	-	-
28	- a	-	-	-	-	-
Nov 4	- a	-	-	-	-	-
11	- a	-	-	-	-	-
18	- a	-	-	-	-	-
25	- a	-	-	-	-	-
Dec 2	- a	-	-	-	-	-
9	- a	-	-	-	-	-
16	- a	-	-	-	-	-
23	- a	-	-	-	-	-
30	- a	-	-	-	-	-
Total	0	0.0	0.0	0.0	0.0	0.0

a. No estimate.

continued

Weekly effort (set net-days) and CPUE by species in the Lower Lillooet River, 1990.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead
Jan 7	- a	-	-	-	-	-
14	- a	-	-	-	-	-
21	- a	-	-	-	-	-
28	- a	-	-	-	-	-
Feb 4	- a	-	-	-	-	-
11	- a	-	-	-	-	-
18	- a	-	-	-	-	-
25	- a	-	-	-	-	-
Mar 4	- a	-	-	-	-	-
11	- a	-	-	-	-	-
18	77	0.0	0.0	0.0	0.0	0.1
25	- a	-	-	-	-	-
Apr 1	49	0.1	0.0	0.0	0.0	0.0
8	21	0.0	0.0	0.0	0.0	0.0
15	2	0.0	0.0	0.0	0.0	0.0
22	3	0.0	0.0	0.0	0.0	0.0
29	2	0.0	0.0	0.0	0.0	0.0
May 6	2	0.0	0.0	0.0	0.0	0.0
13	4	0.0	0.0	0.0	0.0	0.0
20	2	0.5	0.0	0.0	0.0	0.0
27	2	0.0	0.0	0.0	0.0	0.0
Jun 3	2	0.0	0.0	0.0	0.0	0.0
10	0	-	-	-	-	-
17	0	-	-	-	-	-
24	0	-	-	-	-	-
Jul 1	- a	-	-	-	-	-
8	- a	-	-	-	-	-
15	- a	-	-	-	-	-
22	- a	-	-	-	-	-
29	- a	-	-	-	-	-
Aug 5	- a	-	-	-	-	-
12	- a	-	-	-	-	-
19	- a	-	-	-	-	-
26	- a	-	-	-	-	-
Sep 2	- a	-	-	-	-	-
9	- a	-	-	-	-	-
16	- a	-	-	-	-	-
23	- a	-	-	-	-	-
30	- a	-	-	-	-	-
Oct 7	- a	-	-	-	-	-
14	- a	-	-	-	-	-
21	- a	-	-	-	-	-
28	- a	-	-	-	-	-
Nov 4	35	-	-	-	-	-
11	- a	-	-	-	-	-
18	- a	-	-	-	-	-
25	- a	-	-	-	-	-
Dec 2	- a	-	-	-	-	-
9	- a	-	-	-	-	-
16	- a	-	-	-	-	-
23	- a	-	-	-	-	-
30	- a	-	-	-	-	-
Total	201	0.6	0.0	0.0	0.0	0.1

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species in the Birkenhead River, 1990.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead
Jan 7	- a	-	-	-	-	-
14	- a	-	-	-	-	-
21	- a	-	-	-	-	-
28	- a	-	-	-	-	-
Feb 4	- a	-	-	-	-	-
11	- a	-	-	-	-	-
18	- a	-	-	-	-	-
25	- a	-	-	-	-	-
Mar 4	- a	-	-	-	-	-
11	- a	-	-	-	-	-
18	0	-	-	-	-	-
25	- a	-	-	-	-	-
Apr 1	0	-	-	-	-	-
8	35	0.0	0.0	0.0	0.0	0.0
15	0	-	-	-	-	-
22	2	0.0	0.0	0.0	0.0	0.0
29	2	0.0	0.0	0.0	0.0	0.0
May 6	2	0.0	0.0	0.0	0.0	0.0
13	2	0.0	0.0	0.0	0.0	0.0
20	3	0.0	0.0	0.0	0.0	0.0
27	3	0.0	0.0	0.0	0.0	0.0
Jun 3	3	0.0	0.0	0.0	0.0	0.0
10	2	0.0	0.0	0.0	0.0	0.0
17	2	0.0	0.0	0.0	0.0	0.0
24	0	-	-	-	-	-
Jul 1	- a	-	-	-	-	-
8	- a	-	-	-	-	-
15	- a	-	-	-	-	-
22	- a	-	-	-	-	-
29	- a	-	-	-	-	-
Aug 5	- a	-	-	-	-	-
12	- a	-	-	-	-	-
19	- a	-	-	-	-	-
26	- a	-	-	-	-	-
Sep 2	- a	-	-	-	-	-
9	- a	-	-	-	-	-
16	- a	-	-	-	-	-
23	- a	-	-	-	-	-
30	- a	-	-	-	-	-
Oct 7	- a	-	-	-	-	-
14	- a	-	-	-	-	-
21	- a	-	-	-	-	-
28	- a	-	-	-	-	-
Nov 4	28	0.0	0.0	0.0	0.0	0.0
11	- a	-	-	-	-	-
18	- a	-	-	-	-	-
25	- a	-	-	-	-	-
Dec 2	- a	-	-	-	-	-
9	- a	-	-	-	-	-
16	- a	-	-	-	-	-
23	- a	-	-	-	-	-
30	- a	-	-	-	-	-
Total	84	0.0	0.0	0.0	0.0	0.0

a. Closure.

continued

Weekly effort (dip net-days) and CPUE by species between Churn Creek and Marguerite, 1990.

Week Ending	Churn Creek to Chilcotin Bridge			Chilcotin Bridge to Marguerite		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Feb 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Mar 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Apr 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
May 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Jun 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
Jul 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0 a	-	-	0 a	-	-
22	0 a	-	-	0 a	-	-
29	- b	-	-	- b	-	-
Aug 5	- b	-	-	- b	-	-
12	42	0.0	17.1	98	0.0	6.7
19	28	0.0	71.4	70	0.0	20.0
26	28	0.0	50.0	70	0.0	27.1
Sep 2	28	0.0	25.0	35	0.0	25.0
9	- b	-	-	- b	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Oct 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Nov 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Dec 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Total	126	0.0	163.6	273	0.0	78.9

a. Closure.  
b. No estimate.

continued

Weekly effort (net-days) and CPUE by species between Marguerite and Hixon (dip nets) and above Hixon (set nets), 1990.

Week Ending	Marguerite to Hixon			above Hixon		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Feb 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Mar 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Apr 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
May 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Jun 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
Jul 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0 a	-	-	0	-	-
22	0 a	-	-	0 a	-	-
29	- b	-	-	0 a b	-	-
Aug 5	- b	-	-	- b	-	-
12	- b	-	-	- b	-	-
19	- b	-	-	- b	-	-
26	- b	-	-	30	0.1	12.9
Sep 2	- b	-	-	- b	-	-
9	- b	-	-	- b	-	-
16	0	-	-	- b	-	-
23	0	-	-	- b	-	-
30	0	-	-	- b	-	-
Oct 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Nov 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Dec 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Total	0	0.0	0.0	30	0.1	12.9

a. Closure.

b. No estimate.

continued

Weekly effort (set net-days) and CPUE by species between Prince George and Fort Fraser in the Nechako River, 1990.

Week Ending	Prince George to Stuart River			Stuart River to Fort Fraser		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Feb 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Mar 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Apr 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
May 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Jun 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
Jul 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	- a	-	-	0	-	-
29	- a	-	-	0	-	-
Aug 5	- b	-	-	0	-	-
12	- b	-	-	0	-	-
19	- b	-	-	- b	-	-
26	20	0.0	2.8	- b	-	-
Sep 2	- b	-	-	- b	-	-
9	- b	-	-	- b	-	-
16	- b	-	-	- b	-	-
23	0	-	-	- b	-	-
30	0	-	-	0	-	-
Oct 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Nov 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Dec 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Total	20	0.0	2.8	0	0.0	0.0

a. Closure.  
b. No estimate.

continued

Weekly effort (set net-days) and CPUE by species between Fort Fraser and Francois Lake in the Nechako River system, and Nechako River and Fort St. James in the Stuart River, 1990.

Week Ending	Fort Fraser to Francois Lake			Nechako River to Fort St. James		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Feb 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Mar 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Apr 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
May 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Jun 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
Jul 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0 a	-	-
Aug 5	0	-	-	0 a	-	-
12	0 a	-	-	0 a	-	-
19	0 a	-	-	0 a	-	-
26	0 a	-	-	0 a	-	-
Sep 2	0 a	-	-	0 a	-	-
9	0 a	-	-	0 a	-	-
16	0 a	-	-	0 a	-	-
23	0 a	-	-	0 a	-	-
30	0 a	-	-	0	-	-
Oct 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Nov 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Dec 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Total	0	0.0	0.0	0	0.0	0.0

a. No estimate.

continued

Weekly effort (set net-days) and CPUE by species above Fort St. James in the Stuart River System, 1990.

Week Ending	Fort St. James to Trembleur Lake			above Trembleur Lake		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Feb 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Mar 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Apr 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
May 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Jun 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
Jul 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0 a	-	-	0 a	-	-
Aug 5	0 a	-	-	0 a	-	-
12	0 a	-	-	0 a	-	-
19	0 a	-	-	0 a	-	-
26	0 a	-	-	0 a	-	-
Sep 2	0 a	-	-	0 a	-	-
9	0 a	-	-	0	-	-
16	0 a	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Oct 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Nov 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Dec 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Total	0	0.0	0.0	0	0.0	0.0

a. No estimate.

continued



Weekly effort (dip net-days) and CPUE by species in the Chilcotin River System, 1988.

=====			
Week	Effort	Chinook	Sockeye
Ending			
Jan 7	0	-	-
14	0	-	-
21	0	-	-
28	0	-	-
Feb 4	0	-	-
11	0	-	-
18	0	-	-
25	0	-	-
Mar 4	0	-	-
11	0	-	-
18	0	-	-
25	0	-	-
Apr 1	0	-	-
8	0	-	-
15	0	-	-
22	0	-	-
29	0	-	-
May 6	0	-	-
13	0	-	-
20	0	-	-
27	0	-	-
Jun 3	0	-	-
10	0	-	-
17	0	-	-
24	0	-	-
Jul 1	0	-	-
8	0	-	-
15	0	-	-
22	0	-	-
29	0	-	-
Aug 5	0	-	-
12	105	0.0	9.3
19	175	0.0	79.3
26	217	0.0	161.3
Sep 2	70	0.0	80.0
9	0 a	-	-
16	0	-	-
23	0	-	-
30	0	-	-
Oct 7	0	-	-
14	0	-	-
21	0	-	-
28	0	-	-
Nov 4	0	-	-
11	0	-	-
18	0	-	-
25	0	-	-
Dec 2	0	-	-
9	0	-	-
16	0	-	-
23	0	-	-
30	0	-	-
Total	567	0.0	329.9

a. No estimate.

