Proposed Maximum Residue Limit

Santé

Canada

PMRL2013-94

Lambda-Cyhalothrin

(publié aussi en français)

7 November 2013

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications Pest Management Regulatory Agency Health Canada 2720 Riverside Drive A.L. 6604-E2 Ottawa, Ontario K1A 0K9

pmra.publications@hc-sc.gc.ca Internet: healthcanada.gc.ca/pmra Facsimile: 613-736-3758 Information Service: 1-800-267-6315 or 613-736-3799 pmra.infoserv@hc-sc.gc.ca



ISSN: 1925-0835 (print) 1925-0843 (online)

Catalogue number: H113-24/2013-94E (print version)

H113-24/2013-94E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2013

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has concluded that the addition of new uses on carrots, celery and Saskatoon berries (juneberries) to the product labels of Matador® 120 EC Insecticide and Warrior® Insecticide, containing technical grade lambda-cyhalothrin, is acceptable. The specific uses approved in Canada are detailed on the labels of Matador® 120 EC Insecticide and Warrior® Insecticide, *Pest Control Products Act* Registration Numbers 24984 and 26837, respectively.

The evaluation of these lambda-cyhalothrin applications indicated that the end-use products have merit and value, and the human health and environmental risks associated with the new uses are acceptable.

Before registering a pesticide for food use in Canada, the PMRA must determine the quantity of residues that are likely to remain in or on the food when the pesticide is used according to label directions and that such residues will not be a concern to human health. This quantity is then legally established as a maximum residue limit (MRL). An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it

Consultation on the proposed MRLs for lambda-cyhalothrin is being conducted via this document (see Next Steps, the last section of this document). A summary of the field trial data used to support the proposed MRLs can be found in Appendix I.

To comply with Canada's international trade obligations, consultation on the proposed MRLs is also being conducted internationally by notifying the World Trade Organization, as coordinated by the Standards Council of Canada.

The proposed MRLs, to be added to the MRLs already established for lambda-cyhalothrin, are as follows.

 Table 1
 Proposed Maximum Residue Limits for Lambda-Cyhalothrin

Common Name	Residue Definition	MRL (ppm)	Food Commodity
Lambda-	(S) - α -cyano-3-phenoxybenzyl (Z) - $(1R,3R)$ -3- $(2$ -	0.3	Leaf petioles
Cyhalothrin	chloro-3,3,3-trifluoroprop-1-enyl)-2,2-		Subgroup (Crop
	dimethylcyclopropanecarboxylate and (R) - α -		Subgroup 4B)
	cyano-3-phenoxybenzyl (<i>Z</i>)-(1 <i>S</i> ,3 <i>S</i>)-3-(2-		
	chloro-3,3,3-trifluoroprop-1-enyl)-2,2-	0.08	Saskatoon berries
	dimethylcyclopropanecarboxylate, including the		(juneberries)
	epimer, in a 1:1 mixture, (R) - α -cyano-3-		
	phenoxybenzyl (<i>Z</i>)-(1 <i>R</i> ,3 <i>R</i>)-3-(2-chloro-3,3,3-	0.01	Carrot roots
	trifluoroprop-1-enyl)-2,2-		
	dimethylcyclopropanecarboxylate and (S)- α -		
	cyano-3-phenoxybenzyl (Z)-(1S,3S)-3-(2-		
	chloro-3,3,3-trifluoroprop-1-enyl)-2,2-		
	dimethylcyclopropanecarboxylate		

ppm = parts per million

MRLs are proposed for each commodity included in the listed crop groupings in accordance with the Residue Chemistry Crop Groups webpage in the Pesticides and Pest Management section of Health Canada's website.

MRLs established in Canada may be found using the Maximum Residue Limit Database_on the Maximum Residue Limits for Pesticides webpage. The database allows users to search for established MRLs, regulated under the *Pest Control Products Act*, both for pesticides or for food commodities.

International Situation and Trade Implications

MRLs may vary from one country to another for a number of reasons, including differences in pesticide use patterns and the locations of the field crop trials used to generate residue chemistry data.

Table 2 compares the MRLs proposed for lambda-cyhalothrin in Canada with corresponding American tolerances and Codex MRLs. American tolerances are listed in the Electronic Code of Federal Regulations, 40 CFR Part 180, by pesticide. A listing of established Codex MRLs is available on the Codex Alimentarius Pesticide Residues in Food website, by pesticide or commodity.

The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

Table 2 Comparison of Canadian MRLs, American Tolerances and Codex MRLs (where different)

Food Commodity	Canadian MRL (ppm)	American Tolerance (ppm)	Codex MRL (ppm)
Saskatoon berries	0.08	Not Established	0.2
(juneberries)			(Berries and other
			small fruits)

Next Steps

The PMRA invites the public to submit written comments on the proposed MRLs for lambda-cyhalothrin up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRLs. Comments received will be addressed in a separate document linked to this PMRL. The established MRLs will be legally in effect as of the date that they are entered into the Maximum Residue Limit Database.

Appendix I

Summary of Field Trial Data Used to Support the Proposed MRL

Residue data from supervised residue trials conducted in the Canada were submitted to support the domestic use of Matador® 120 EC Insecticide and Warrior® Insecticide on carrots, celery and Saskatoon berries. Lambda-cyhalothrin was applied to carrots, celery and Saskatoon berries, which were harvested according to label directions.

Maximum Residue Limits

The recommendation for maximum residue limits (MRLs) for lambda-cyhalothrin in/on carrots and Saskatoon berries was based upon the submitted field trial data, guidance provided in PRO2005-04, *Guidance for Setting Pesticide Maximum Residue Limits Based on Field Trial Data*, and the NAFTA calculator as the MRL statistical methodology. Table A1 summarizes the data used to calculate the proposed MRLs for carrots and Saskatoon berries (juneberries).

The recommendation for maximum residue limits (MRLs) for lambda-cyhalothrin in/on crops in the Leaf petioles subgroup (Crop Subgroup 4B) was based upon the submitted celery field trial data, and guidance provided in the OECD MRL Calculator. Table A1 summarizes the residue data used to calculate the proposed MRL for crops in the Leaf petioles subgroup.

Table A1 Summary of Field Trial Data Used to Support Maximum Residue Limits

Commodity	Application Method/	PHI (days)	Residues (ppm)	
	Total Application Rate (g a.i./ha)		Min	Max
Carrots	Foliar broadcast/ 29.4–31.8	13–14	<0.01	<0.01
Saskatoon berries (juneberries)	Foliar/ 37.6–37.8	20	<0.046	<0.068
Celery	Directed Foliar Spray/ 30.0–31.2	3	<0.038	0.209

PHI = preharvest interval; ppm = parts per million

Following the review of all available data, MRLs of 0.01, 0.08 and 0.3 ppm are recommended to cover residues of lambda-cyhalothrin in/on carrot roots, Saskatoon berries, and crops in the Leaf petioles subgroup, respectively. Residues of lambda-cyhalothrin in these commodities at the proposed MRLs will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.