



Data Sources and Methods for the Residential Water Use in Canada Indicator

August 2014

Suggested citation for this document: Environment Canada (2014) Canadian Environmental Sustainability Indicators: Data Sources and Methods for the Residential Water Use in Canada Indicator. Consulted *on day Month, year*. Available at: www.ec.gc.ca/indicateurs-indicators/default.asp?lang=en&n=D43360E1-1.

ISBN: 978-1-100-24814-1
Cat. No.: En4-144/32-2014E-PDF

Unless otherwise specified, you may not reproduce materials in this publication, in whole or in part, for the purposes of commercial redistribution without prior written permission from Environment Canada's copyright administrator. To obtain permission to reproduce Government of Canada materials for commercial purposes, apply for Crown Copyright Clearance by contacting:

Environment Canada
Inquiry Centre
10 Wellington Street, 23rd Floor
Gatineau QC K1A 0H3
Telephone: 819-997-2800
Toll Free: 1-800-668-6767 (in Canada only)
Fax: 819-994-1412
TTY: 819-994-0736
Email: enviroinfo@ec.gc.ca

Photos: © Environment Canada

© Her Majesty the Queen in Right of Canada, represented by the Minister of the Environment, 2014

Aussi disponible en français

1 Introduction

The Residential Water Use in Canada indicator (<http://www.ec.gc.ca/indicateurs-indicateurs/default.asp?lang=en&n=7E808512-1>) is part of the Canadian Environmental Sustainability Indicators (CESI) program (<http://www.ec.gc.ca/indicateurs-indicateurs/default.asp?lang=En&n=47F48106-1>), which provides data and information to track Canada's performance on key environmental sustainability issues.

2 Description and rationale of the Residential Water Use in Canada indicator

2.1 Description

The Residential Water Use in Canada indicator reports the percentage of Canadian households with water meters and per capita residential water use in Canada from 1991 to 2011.

2.2 Rationale

Households are the largest users of municipal water services in Canada, accounting for 43%, or 2196 million cubic metres, of municipal water use in 2011.¹ In comparison, industrial, commercial, institutional and other non-residential uses combined used 1092 million cubic metres, or 21%, of the municipal water supply. Losses from the distribution system, such as leakage, accounted for another 673.3 million cubic metres (13%) of the volume produced. The remaining 22% comprised wholesale transfer to other jurisdictions (212.3 million cubic metres, or 4%) and unknown use (930.1 million cubic metres, or 18%).²

Municipalities generally adopt one of two basic rate structures to price water services: flat rates where consumers pay a flat fee for water services regardless of the volume of water used; and volume-based rates where the amount paid for water services depends on the amount of water used. Volume-based pricing requires households to have water meters so water usage can be measured. Household metering and volume-based pricing increase consumer awareness of water usage and provide an incentive to conserve water, reducing household water demand for Canada's freshwater resources. For example, in 2009, Canadian households with meters on volume-based water pricing schemes used 73% less water than unmetered households on flat-rate water pricing schemes.³

2.3 Recent changes to the indicator

Until 2012, the data used for the Residential Water Use in Canada indicator were taken from Environment Canada's Municipal Water and Wastewater Survey (MWWS). The survey was discontinued in 2012, with the last data collected for 2009. Data for this indicator are now taken from two Statistics Canada surveys: the Households and the Environment Survey (HES) (<http://www5.statcan.gc.ca/olc-cel/olc.action?ObjId=11-526-X&ObjType=2&lang=en&limit=0>) and

¹ Statistics Canada (2013) Survey of Drinking Water Plants, 2011. Catalogue no. 16-403-X. Retrieved on 29 January, 2014. Available from: <http://www5.statcan.gc.ca/olc-cel/olc.action?ObjId=16-403-X&ObjType=2&lang=en&limit=0>.

² Figures do not add up to 100% due to rounding.

³ Environment Canada (2011) 2011 Municipal Water Pricing Report: 2009 Statistics. Retrieved on 6 March, 2014. Available from: <http://ec.gc.ca/Publications/default.asp?lang=En&xml=992156D4-2599-4026-9B4C-47855D26CCB8>.

the Survey of Drinking Water Plants (SDWP) (<http://www5.statcan.gc.ca/olc-cel/olc.action?ObjId=16-403-X&ObjType=2&lang=en&limit=0>).


3 Data

3.1 Data source

Per capita residential water use and the percentage of Canadians with water meters for 1991 to 1999 are taken from Environment Canada’s Municipal Water Use and Pricing (MUD) survey. After 1999, the survey was revised to become the MWWS (<http://www.ec.gc.ca/eau-water/default.asp?lang=En&n=ED7C2D33-1>). The 2011 data for residential water use are taken from Statistics Canada’s Survey of Drinking Water Plants (SDWP) (<http://www5.statcan.gc.ca/olc-cel/olc.action?ObjId=16-403-X&ObjType=2&lang=en&limit=0>), and the 2006 through 2011 data for water meters are taken from the Households and the Environment Survey (HES) (<http://ec.gc.ca/indicateurs-indicators/default.asp?lang=En&n=D43360E1-1&offset=3&toc=show>).

The 2009 MWWS sampled all Canadian municipalities with a population greater than 1000 and included a sample of over 600 municipalities with less than 1000 residents. The SDWP is a census with a target population of drinking water plants serving communities of 300 or more inhabitants. As both essentially surveyed the same populations, their data match well; the 2011 SDWP data are used in the indicator (Figure 1).

Figure 1: Per capita residential water use results from the 2001 to 2009 Municipal Water and Wastewater Survey (MWWS), and the 2007 and 2011 Survey of Drinking Water Plants (SDWP)




Note: The SDWP did not collect drinking water use data by sector until 2011. Total water use data are included to show the data correspondence between the two surveys.

Source: Environment Canada’s Municipal Water and Wastewater Survey (<http://www.ec.gc.ca/eau-water/default.asp?lang=En&n=ED7C2D33-1>); Statistics Canada’s Survey of Drinking Water Plants, Catalogue no. 16-403-X (<http://www5.statcan.gc.ca/olc-cel/olc.action?ObjId=16-403-X&ObjType=2&lang=en&limit=0>).

The MWWS and HES, however, sample different populations. The MWWS was sent to municipalities, and asked what percentage of each municipality was metered, whereas the HES asks households connected to a municipal water supply if they have a meter. The results from the two populations can be very different. For example, a condo tower may be metered and thus counted in the municipal count, but individual units may not have a meter and thus not be included in the household counts, and therefore households in apartments are excluded from the calculations based on the HES.

Data from the 2006 and subsequent iterations of the HES replace the 2006 and 2009 data from the MWWS (Figure 2). In spite of differences between the two data sources, the HES is a robust statistical survey and the long-term trends are reliable.

Figure 2: Percentage of households with water meter results from the 1991 to 2009 Municipal Water and Wastewater Survey (MWWS), and the 2006 to 2011 Households and the Environment Survey (HES)



Source: Environment Canada's Municipal Water and Wastewater Survey (<http://www.ec.gc.ca/eau-water/default.asp?lang=En&n=ED7C2D33-1>); Statistics Canada Households and the Environment, Catalogue no. 11-526-X (<http://www5.statcan.gc.ca/olc-cel/olc.action?ObjId=11-526-X&ObjType=2&lang=en&limit=0>).

3.2 Spatial coverage

The Residential Water Use in Canada indicator includes data from across Canada. For both Environment Canada surveys, municipalities on federal lands and First Nations municipalities are excluded.

The SDWP is sent to drinking water treatment plants licensed and regulated by provincial/territorial agencies drawing and processing source water from the environment to supply water for human consumption. The survey excludes facilities supplying water to First Nations communities, communities with fewer than 300 people, and regulated systems that service schools, campgrounds, commercial establishments, provincial parks, etc.

The target population of the HES consists of Canadian households, excluding those in Yukon, the Northwest Territories and Nunavut, households located on Indian reserves or Crown lands, and households consisting entirely of full-time members of the Canadian Armed Forces. Institutions and households of certain remote regions are also excluded from the survey.

3.3 Temporal coverage

The MWWS and its predecessor, the MUD survey, were conducted every two to three years from 1983 to 2009. The MUD survey was reformatted following the 1999 survey. The first MWWS was conducted in 2001.

The SDWP began to collect information about residential water use in its second cycle, which collected data for 2011.

The 2006 HES was conducted as a supplement to the Labour Force Survey from February 15 to April 15, 2006. The 2007, 2009 and 2011 HES were conducted from October to December of their respective years as a follow-up survey to the Canadian Community Health Survey.

3.4 Data completeness

To collect the 1991 to 1999 data, the MUD survey was only sent to municipalities across Canada with populations greater than 1000. The MWWS, which replaced the MUD survey, was sent to all municipalities with a population greater than 1000 and a sample of municipalities with fewer than 1000 residents. The final year of the MWWS, 2009, included a sample of over 600 municipalities with fewer than 1000 residents. Data remained comparable among surveys because small municipalities make up less than 3% of the Canadian population and have little effect on aggregate statistics due to population weighting.⁴ For information on changes to the survey sample and methodology between the MUD surveys and MWWS, consult Environment Canada's Municipal Water Use Data (<http://www.ec.gc.ca/eau-water/default.asp?lang=En&n=ED0E12D7-1>). Response rates for the MWWS vary by survey year and question.

The SDWP is a census with a cross-sectional design. In 2011, the SDWP surveyed approximately 2100 drinking water treatment plants, yielding an 87% response rate. The response rate for the 2007 survey data was 58% from approximately 2200 drinking water plants. The number of plants in the survey frame has decreased between cycles, mainly due to removing smaller out-of-scope systems.

The 2006 HES surveyed 36 431 households and yielded a 75% response rate; the 2007 HES surveyed 29 980 households and yielded a 72.3% response rate; and the 2009 HES surveyed 20 000 households and yielded a 73.8% response rate. A total of 14 862 households responded to the 2011 HES survey, yielding a final response rate of 74.3%.

3.5 Data timeliness

The most recent data available at the time this indicator was produced are for 2011.

⁴ Environment Canada (2011) 2011 Municipal Water Use Report: Municipal Water Use 2009 Statistics. Retrieved on 29 January, 2014. Available from: <http://www.ec.gc.ca/Publications/default.asp?lang=En&xml=B77CE4D0-80D4-4FEB-AFFA-0201BE6FB37B>

4 Methods

This indicator is taken from results published in Environment Canada's MUD survey and MWWS reports (<http://www.ec.gc.ca/eau-water/default.asp?lang=En&n=ED0E12D7-1>) from 1991 to 2009, 2009 to 2011 Household and the Environment Survey (HES) data (<http://www5.statcan.gc.ca/olc-cel/olc.action?ObjId=11-526-X&ObjType=2&lang=en&limit=0>), and 2011 Survey of Drinking Water Plants (SDWP) data (<http://www5.statcan.gc.ca/olc-cel/olc.action?ObjId=16-403-X&ObjType=2&lang=en&limit=0>).

The 2006 to 2011 HES data were collected based on the following question:

- Do you have a meter to measure your water use? (Yes, No, Refused/Don't know)

5 Caveats and limitations

Changes in the survey designs of the MUD survey and MWWS through time will contribute to differences in the indicator values through time.

Data collected by the MWWS and HES are not directly comparable, as they sample different populations. In spite of differences between the two data sources, the HES is a robust statistical survey and the long-term trends are reliable and comparable to the MWWS.

The coverage error for the HES is based on the survey of which it is a sub-sample (i.e., the Labour Force Survey in 2006 and the Canadian Community Health Survey starting in 2007). In all cases, the coverage error is estimated at less than 2%.

6 References and further reading

6.1 References

Environment Canada (2011) 2011 Municipal Water Pricing Report: 2009 Statistics. Retrieved on 6 March, 2014. Available from: <http://www.ec.gc.ca/Publications/default.asp?lang=En&xml=992156D4-2599-4026-9B4C-47855D26CCB8>.

Environment Canada (2011) 2011 Municipal Water Use Report: Municipal Water Use 2009 Statistics. Retrieved on 29 January, 2014. Available from: <http://www.ec.gc.ca/Publications/default.asp?lang=En&xml=B77CE4D0-80D4-4FEB-AFFA-0201BE6FB37B>.

Statistics Canada (2008) Households and the Environment, 2006. Catalogue no. 11-526-X. Retrieved on 29 January, 2014. Available from: <http://www.statcan.gc.ca/pub/11-526-x/11-526-x2007001-eng.htm>.

Statistics Canada (2009) Households and the Environment, 2007. Catalogue no. 11-526-X. Retrieved on 29 January, 2014. Available from: <http://www.statcan.gc.ca/pub/11-526-x/11-526-x2009001-eng.htm>.

Statistics Canada (2011) Households and the Environment, 2009. Catalogue no. 11-526-X. Retrieved on 29 January, 2014. Available from: <http://www.statcan.gc.ca/pub/11-526-x/11-526-x2011001-eng.htm>.

Statistics Canada (2013) Households and the Environment, 2011. Catalogue no. 11-526-X. Retrieved on 29 January, 2014. Available from: <http://www.statcan.gc.ca/pub/11-526-x/11-526-x2013001-eng.htm>.

Statistics Canada (2013) Survey of Drinking Water Plants 2011. Catalogue no. 16-403-X, Retrieved on 29 January, 2014. Available from: <http://www5.statcan.gc.ca/olc-cel/olc.action?ObjId=16-403-X&ObjType=2&lang=en&limit=0>.

6.2 Further reading

Dupont Diane P and Renzetti Steven (2013) Household behavior related to water conservation. *Water Resources and Economics* (4): 22-37. Available from: <http://www.sciencedirect.com/science/article/pii/S2212428413000327>.

7 Annex

Per capita residential water use results from the 2001 to 2009 Municipal Water and Wastewater Survey (MWWS), and the 2007 and 2011 Survey of Drinking Water Plants (SDWP)

Year	Total water use - MWWS (litres per day)	Total water use - SDWP (litres per day)	Residential water use - MWWS (litres per day)	Residential water use - SDWP (litres per day)
2001	622	-	335	-
2004	609	-	329	-
2006	591	-	327	-
2007	-	552	-	-
2009	510	-	274	-
2011	-	483	-	251

Percentage of households with water meters results from the 1991 to 2009 Municipal Water and Wastewater Survey (MWWS), and the 2006 to 2011 Households and the Environment Survey (HES)

Year	Percentage of households with water meters - MWWS	Percentage of households with water meters - HES
1991	52	-
1994	53	-
1996	56	-
1999	56	-
2001	61	-
2004	63	-
2006	63	62
2007	-	58
2009	74	61
2011	-	58

www.ec.gc.ca

Additional information can be obtained at:
Environment Canada
Inquiry Centre
10 Wellington Street, 23rd Floor
Gatineau, QC K1A 0H3
Telephone: 1-800-668-6767 (in Canada only) or 819-997-2800
Fax: 819-994-1412
TTY: 819-994-0736
Email: Enviroinfo@ec.gc.ca