

National Occupational Analysis

Refrigeration and Air Conditioning Mechanic

2014





National Occupational Analysis

Refrigeration and Air Conditioning Mechanic

2014

Trades and Apprenticeship Division Division des métiers et de l'apprentissage

Labour Market Integration Directorate Direction de l'intégration au marché du

travail

National Occupational Classification: 7313

Disponible en français sous le titre : Mécanicien/ mécanicienne de réfrigération

et d'air climatisé

This publication is available online: www.red-seal.ca This document is available on demand in alternative formats (Large Print, Braille, Audio Cassette, Audio CD, e-Text Diskette, e-Text CD, or DAISY), by contacting 1 800 O-Canada (1 800 622-6232). If you have a hearing or speech impairment and use a teletypewriter (TTY), call 1 800 926-9105. © Her Majesty the Queen in Right of Canada, 2014

PDF

Cat. No.: Em15-1/3-2014E-PDF

ISBN: 978-1-100-23416-8

FOREWORD

The Canadian Council of Directors of Apprenticeship (CCDA) recognizes this National Occupational Analysis (NOA) as the national standard for the occupation of Refrigeration and Air Conditioning Mechanic.

Background

The first National Conference on Apprenticeship in Trades and Industries, held in Ottawa in 1952, recommended that the federal government be requested to cooperate with provincial and territorial apprenticeship committees and officials in preparing analyses of a number of skilled occupations. To this end, Employment and Social Development Canada (ESDC) sponsors a program, under the guidance of the CCDA, to develop a series of NOAs.

The NOAs have the following objectives:

- to describe and group the tasks performed by skilled workers;
- to identify which tasks are performed in every province and territory;
- to develop instruments for use in the preparation of Interprovincial Red Seal Examinations and curricula for training leading to the certification of skilled workers;
- to facilitate the mobility of apprentices and skilled workers in Canada; and,
- to supply employers, employees, associations, industries, training institutions and governments with analyses of occupations.

ACKNOWLEDGEMENTS

The CCDA and ESDC wish to express sincere appreciation for the contribution of the many tradespersons, industrial establishments, professional associations, labour organizations, provincial and territorial government departments and agencies, and all others who contributed to this publication.

Special acknowledgement is extended by ESDC and the CCDA to the following representatives from the trade.

Terry Bell Ontario
Kevin Brewer Nova Scotia
Brian Kennedy New Brunswick
Don Lyons Saskatchewan

Matt MacPhail Prince Edward Island

Aaron Mathes Alberta
Bill Playford Manitoba

Jason Rockson British Columbia

Kevin Thompson Newfoundland and Labrador

This analysis was prepared by the Labour Market Integration Directorate of ESDC. The coordinating, facilitating and processing of this analysis were undertaken by employees of the NOA development team of the Trades and Apprenticeship Division. The host jurisdiction of Nova Scotia also participated in the development of this NOA.

Comments or questions about National Occupational Analyses may be forwarded to:

Trades and Apprenticeship Division Labour Market Integration Directorate Employment and Social Development Canada 140 Promenade du Portage, Phase IV, 5th Floor Gatineau, Quebec K1A 0J9

Email: redseal-sceaurouge@hrsdc-rhdcc.gc.ca

TABLE OF CONTENTS

FOREWORD			I			
ACKNOWLED	OGEMENTS		II			
TABLE OF CONTENTS						
STRUCTURE (OF ANALYSIS		V			
DEVELOPMEN	NT AND VALIE	DATION OF ANALYSIS	VII			
		ANALYSIS				
SAFETY			3			
SCOPE OF TH TRADE	E REFRIGERAT	TON AND AIR CONDITIONING MECHANIC	4			
OCCUPATION	6					
ESSENTIAL SI	KILLS SUMMAI	RY	7			
BLOCK A	COMMO	N OCCUPATIONAL SKILLS				
	Task 1	Performs safety-related functions.	10			
	Task 2	Uses and maintains tools and equipment.	13			
	Task 3	Organizes work.	19			
BLOCK B	ROUTINE	E TRADE ACTIVITIES				
	Task 4	Performs work site preparation.	23			
	Task 5	Performs routine trade activities.	25			
BLOCK C	INSTALL	ATION PLANNING				
	Task 6	Plans installation of HVAC/R systems.	32			
	Task 7	Plans installation of control systems.	35			

BLOCK D	INSTALLAT	TION			
	Task 8	Installs HVAC/R systems.	39		
	Task 9	Installs control systems.	42		
BLOCK E	COMMISSIO	ONING			
	Task 10	Commissions HVAC/R systems.	44		
	Task 11	Commissions control systems.	47		
BLOCK F	MAINTENA	NCE AND SERVICE			
	Task 12	Maintains HVAC/R systems.	51		
	Task 13	Services HVAC/R systems.	54		
	Task 14	Maintains and services control systems.	56		
		APPENDICES			
APPENDIX A	TOOLS AND	DEQUIPMENT	63		
APPENDIX B	GLOSSARY		67		
APPENDIX C	ACRONYMS				
APPENDIX D	BLOCK ANI	D TASK WEIGHTING	72		
APPENDIX E	PIE CHART		75		
APPENDIX F	TASK PROF	ILE CHART	76		

STRUCTURE OF ANALYSIS

To facilitate understanding of the occupation, the work performed by tradespersons is divided into the following categories:

Blocks the largest division within the analysis that is comprised of a

distinct set of trade activities

Tasks distinct actions that describe the activities within a block

Sub-Tasks distinct actions that describe the activities within a task

Key Competencies activities that a person should be able to do in order to be called

'competent' in the trade

The analysis also provides the following information:

Trends changes identified that impact or will impact the trade including

work practices, technological advances, and new materials and

equipment

Related Components a list of products, items, materials and other elements relevant to

the block

Tools and Equipment categories of tools and equipment used to perform all tasks in the

block; these tools and equipment are listed in Appendix A

Context information to clarify the intent and meaning of tasks

Required Knowledge the elements of knowledge that an individual must acquire to

adequately perform a task

The appendices located at the end of the analysis are described as follows:

Appendix A — Tools and Equipment	a non-exhaustive list of tools and equipment used in this trade
Appendix B — Glossary	definitions or explanations of selected technical terms used in the analysis
Appendix C — Acronyms	a list of acronyms used in the analysis with their full name
Appendix D — Block and Task Weighting	the block and task percentages submitted by each jurisdiction, and the national averages of these percentages; these national averages determine the number of questions for each block and task in the Interprovincial exam
Appendix E — Pie Chart	a graph which depicts the national percentages of exam questions assigned to blocks
Appendix F — Task Profile Chart	a chart which outlines graphically the blocks, tasks and sub-tasks of this analysis

DEVELOPMENT AND VALIDATION OF ANALYSIS

Development of Analysis

A draft analysis is developed by a committee of industry experts in the field led by a team of facilitators from ESDC. This draft analysis breaks down all the tasks performed in the occupation and describes the knowledge and abilities required for a tradesperson to demonstrate competence in the trade.

Draft Review

The NOA development team then forwards a copy of the analysis and its translation to provincial and territorial authorities for a review of its content and structure. Their recommendations are assessed and incorporated into the analysis.

Validation and Weighting

The analysis is sent to all provinces and territories for validation and weighting. Participating jurisdictions consult with industry to validate and weight the document, examining the blocks, tasks and sub-tasks of the analysis as follows:

BLOCKS Each jurisdiction assigns a percentage of questions to each block for

examination that would cover the entire trade.

TASKS Each jurisdiction assigns a percentage of exam questions to each task

within a block.

SUB-TASKS Each jurisdiction indicates, with a YES or NO, whether or not each sub-

task is performed by skilled workers within the occupation in its

jurisdiction.

The results of this exercise are submitted to the NOA development team who then analyzes the data and incorporates it into the document. The NOA provides the individual jurisdictional validation results as well as the national averages of all responses. The national averages for block and task weighting guide the Interprovincial Red Seal Examination plan for the trade.

This method for the validation of the NOA also identifies common core sub-tasks across Canada for the occupation. If at least 70% of the responding jurisdictions perform a sub-task, it shall be considered common core. Interprovincial Red Seal Examinations are based on the common core sub-tasks identified through this validation process.

Definitions for Validation and Weighting

YES sub-task performed by qualified workers in the occupation in a specific

jurisdiction

NO sub-task not performed by qualified workers in the occupation in a specific

jurisdiction

NV analysis <u>N</u>ot <u>V</u>alidated by a province/territory

ND trade Not Designated in a province/territory

NOT sub-task, task or block performed by less than 70% of responding jurisdictions; these will not be tested by the Interprovincial Red Seal

CORE (NCC) Examination for the trade

NATIONAL average percentage of questions assigned to each block and task in

AVERAGE % Interprovincial Red Seal Examination for the trade

Provincial/Territorial Abbreviations

NL Newfoundland and Labrador

NS Nova Scotia


PE Prince Edward Island
NB New Brunswick

QC Quebec
ON Ontario
MB Manitoba
SK Saskatchewan

AB Alberta

BC British Columbia
NT Northwest Territories
YT Yukon Territory

NU Nunavut



SAFETY

Safe working procedures and conditions, accident prevention, and the preservation of health are of primary importance to industry in Canada. These responsibilities are shared and require the joint efforts of government, employers and employees. It is imperative that all parties become aware of circumstances that may lead to injury or harm. Safe learning experiences and work environments can be created by controlling the variables and behaviours that may contribute to accidents or injury.

It is generally recognized that safety-conscious attitudes and work practices contribute to a healthy, safe and accident-free work environment.

It is imperative to apply and be familiar with the Occupational Health and Safety (OH&S) Acts and Workplace Hazardous Materials Information System (WHMIS) regulations. As well, it is essential to determine workplace hazards and take measures to protect oneself, co-workers, the public and the environment.

Safety education is an integral part of training in all jurisdictions. As safety is an imperative part of all trades, it is assumed and therefore it is not included as a qualifier of any activities. However, the technical safety tasks and sub-tasks specific to the trade are included in this analysis.

SCOPE OF THE REFRIGERATION AND AIR CONDITIONING MECHANIC TRADE

"Refrigeration and Air Conditioning Mechanic" is this trade's official Red Seal occupational title approved by the CCDA. This analysis covers tasks performed by refrigeration and air conditioning mechanics whose occupational title has been identified by some provinces and territories of Canada under the following names:

	NL	NS	PE	NB	QC	ON	MB	SK	AB	ВС	NT	YT	NU
Pipefitter — Refrigeration Mechanic Specialty (Non-Construction)					√								
Refrigeration and Air Conditioning Mechanic	✓	✓	✓	✓					✓		✓	✓	✓
Refrigeration and Air Conditioning Mechanic (Commercial)							>						
Refrigeration and Air Conditioning Systems Mechanic						>							
Refrigeration Mechanic								✓		✓			
Refrigeration Mechanic (Construction)					✓								

Refrigeration and air conditioning mechanics install, maintain and service residential, commercial, industrial and institutional heating, ventilation, air conditioning and refrigeration units and systems. Their duties include laying out reference points for installation, assembling and installing components, installing wiring to connect components to an electric power supply and calibrating related controls. They also measure, cut, bend, thread and connect pipe to functional components and utilities.

Refrigeration and air conditioning mechanics maintain and service systems by testing components, brazing or soldering parts to repair defective joints, adjusting and replacing worn or defective components and reassembling repaired components and systems. As part of commissioning, refrigeration and air conditioning mechanics start-up, test and charge systems. In addition to their regular duties, some mechanics may also prepare work estimates and plan systems for clients.

Refrigeration and air conditioning mechanics work with a range of tools and equipment including hand, power, charging, diagnostic and measuring, and recovery and recycling tools and equipment.

They may be employed by heating, ventilation, air conditioning and refrigeration contractors and manufacturers, property owners, retail establishments, and institutional and public sector employers. They also may be self-employed. Refrigeration and air conditioning mechanics may work on systems and units in office buildings, restaurants, food processing plants, ice arenas, supermarkets, hospitals and ships. They may also work on refrigerated trucks, automotive air conditioning systems, box cars and appliances.

Refrigeration and air conditioning mechanics work in various locations such as rooftops, mechanical rooms and computer rooms. The work may be performed indoors or outdoors year round and may require extensive traveling. Much of the work is performed independently. Inherent risks in this trade include working at heights and in confined spaces, and working with compressed gases, utilities such as electrical, and hazardous chemicals.

Key attributes for people entering this trade are strong customer service, writing, oral communication and problem solving skills, and an eye for detail. Coordination and manual dexterity are also important, as are mechanical and mathematical abilities. Good physical condition and the strength to lift heavy components are also valuable.

This analysis recognizes similarities and overlaps with the work of steamfitters/pipefitters, plumbers, gasfitters, sheet metal workers, industrial mechanics (millwrights) and electricians.

With experience, refrigeration and air conditioning mechanics may act as mentors and trainers of apprentices in the trade. They may also become specialized in one area of the trade, advance to supervisory positions or become instructors.

OCCUPATIONAL OBSERVATIONS

There is a growing variety of energy-efficient equipment such as variable refrigerant volume (VRV)/variable refrigerant flow (VRF) systems and variable speed drives (VSDs).

Electronic controls are becoming more sophisticated. There is an increase in the use of advanced electronic control systems such as microprocessors. These systems and controls are being engineered with greater detail and complexity due to increasing needs for efficiency and reliable operation. Refrigeration and air conditioning mechanics are required to have an increasing knowledge of computers and automated control systems as a result. Remote access technology is becoming more common, not just in large commercial but in light commercial and residential applications. It facilitates remote troubleshooting by refrigeration and air conditioning mechanics.

There is a variety of new refrigerants and oils which require special consideration during installation. The industry's use of new refrigerants has created a greater focus on installing, servicing and piping practices.

Due to increased health and safety concerns and regulations, indoor air quality is a priority when installing and servicing systems. As well, governing agencies have an increasing presence causing refrigeration and air conditioning mechanics to be much more aware of compliance requirements such as working with pressure vessels and handling environmental spills.

Occupational health and safety training such as Workplace Hazardous Materials Information System (WHMIS), first aid, fall arrest, aerial platform and confined space are necessary in today's working environment.

Increased documentation and record-keeping now play a greater role in refrigeration and air conditioning mechanics' daily tasks. There is an increasing demand for mechanics to work with customers to explain and interpret documentation.

In this time of environmental awareness, refrigeration and air conditioning mechanics need to take greater care in the planning, installing and servicing stages of heating, ventilation, air conditioning and refrigeration (HVAC/R) systems. They must be conscious of issues such as noise pollution, use of chemicals and energy conservation. They should also promote the use of environmentally sensitive chemicals, components and accessories.

ESSENTIAL SKILLS SUMMARY

Essential skills are needed for work, learning and life. They provide the foundation for learning all other skills and enable people to evolve with their jobs and adapt to workplace change.

Through extensive research, the Government of Canada and other national and international agencies have identified and validated nine essential skills. These skills are used in nearly every occupation and throughout daily life in different ways.

A series of CCDA-endorsed tools have been developed to support apprentices in their training and to be better prepared for a career in the trades. The tools can be used independently or with the assistance of a tradesperson, trainer, employer, teacher or mentor to:

- understand how essential skills are used in the trades;
- learn about individual essential skills strengths and areas for improvement; and
- improve essential skills and increase success in an apprenticeship program.

Tools are available online or for order at: http://www.hrsdc.gc.ca/eng/jobs/les/tools/index.shtml.

The application of these skills may be described throughout this document within the competency statements which support each subtask of the trade. The following are summaries of the requirements in each of the essential skills, taken from the essential skills profile. A link to the complete essential skills profile can be found at www.red-seal.ca.

Reading

Refrigeration and air conditioning mechanics read a variety of material including technical bulletins, manufacturers' specifications and manuals to obtain detailed information on equipment installation and troubleshooting procedures. They read work orders to ensure that the correct piece of equipment is being installed according to customer requirements. They may also refer to wholesaler catalogues to assist in the selection and ordering of parts and equipment.

Document Use

As part of document use, refrigeration and air conditioning mechanics consult company and worksite procedures. They interpret information in tables, charts and graphs, and codes and regulations, and apply that knowledge when performing a task. They also use blueprints and drawings to understand job requirements. Refrigeration and air conditioning mechanics adhere to hazard signs and warning labels that are part of WHMIS to prevent injury to themselves and others.

Writing

Refrigeration and air conditioning mechanics update logbooks and complete written documents such as service reports, work orders, warranty claim forms, permits, and legislated and company documents. They may prepare sketches and update as-built drawings.

Numeracy

Refrigeration and air conditioning mechanics use numeracy in a range of tasks. For example, they measure lengths of ducting and piping. They calculate areas and volumes of ducting and piping assemblies to meet operating specifications. They use diagnostic and measurement tools to troubleshoot and verify proper equipment operation. They compare equipment temperature and pressure trend graphs to equipment specifications and operating parameters to monitor systems. They also estimate time and material costs.

Oral Communication

Refrigeration and air conditioning mechanics communicate with other tradespeople to coordinate the installation, maintenance and service of HVAC and refrigeration systems. They interact with customers to identify system requirements and to obtain problem descriptions. They may also call suppliers to order parts, speak with manufacturers' representatives to obtain technical information and engineers to discuss design specifications.

Thinking Skills

Refrigeration and air conditioning mechanics use problem solving skills to troubleshoot equipment problems and resolve customer issues. They determine the most efficient and economical equipment for a job and repair options available. Refrigeration and air conditioning mechanics plan their work schedule considering factors such as priority, safety, time to complete and travelling time for a job. They schedule maintenance work to minimize down time.

Working with Others

Refrigeration and air conditioning mechanics providing installation, maintenance and service can work independently or as part of a team alongside co-workers, sub-contractors and other trades. They interact with customers and others in a professional manner. Refrigeration and air conditioning mechanics may mentor apprentices.

Computer Use

Refrigeration and air conditioning mechanics adjust parameters on automated control systems. They use remote access and on-board functions to monitor and diagnose problems. Refrigeration and air conditioning mechanics use electronic instruments for diagnosis. They may use software, computer devices and the Internet during the course of their work.

Continuous Learning

Continuous learning is important for refrigeration and air conditioning mechanics due to ongoing changes in technology and an increased emphasis on the environment and energy efficiency. They need to keep informed about new types of equipment, energy sources, materials, computer controls and available customer options. They must also keep up-to-date on code and regulation changes that govern their work. Refrigeration and air conditioning

mechanics learn through reading manufacturers' literature and trade journals, and by visiting manufacturers' websites. They can also take advantage of seminars and information sessions put on by equipment manufacturers, suppliers, unions and their employers.

BLOCK A

COMMON OCCUPATIONAL SKILLS

Trends

Increasingly, computers are integrated into the HVAC/R industry.

The increased variety of refrigerants is resulting in a greater variety of tools to handle the range of pressures and materials, and to prevent cross contamination.

There is a trend towards electronic dispatching, purchasing and reporting requiring digital tools and skills.

Safety protocols are becoming more complex due to an increase in government regulations and enforcement. This makes the job site safer, but results in increased administrative duties for refrigeration and air conditioning mechanics.

Related Components All components apply.

Tools and Equipment

See Appendix A.

Task 1

Performs safety-related functions.

Context

Refrigeration and air conditioning mechanics must be able to recognize hazards and protect themselves, others, property and the environment when working.

K 1	government legislation and regulations such as Transport of Dangerous Goods (TDG), WHMIS and Ozone Depleting Substance (ODS) related to the handling of chemicals, refrigerants and oils
K 2	types of personal protective equipment (PPE) such as hard hats, safety glasses and respirators
K 3	types of safety equipment such as first aid kits, spill kits and fire extinguishers
K 4	certification and training requirements for PPE and safety equipment
K 5	fall arrest equipment and requirements
K 6	training and certification requirements such as OH&S, TDG, WHMIS, first aid and fall arrest

K 7	locations of WHMIS manuals and material safety data sheets (MSDS)
K 8	hazardous situations such as asbestos and inadequate oxygen levels
K 9	safety procedures for hot work, confined spaces, brazing and to protect against arc flash
K 10	housekeeping practices
K 11	clear path for access and egress to/from work spaces
K 12	lock-out, tag-out and isolation procedures

				C		•						
Sub-t	ask											
A-1.0	1	Ma	intains	s safe v	vork ei	nvironr	nent.					
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	encies										
A-1.01	.01	of follow safe operating procedures (SOP) according to tasks to be performed										
A-1.01	.02		recognize hazards such as high voltage, rotating equipment, working at heights, noisy locations and pressure hazards							t		
A-1.01	.03	mai	maintain a clean and tidy work site to avoid injuries to self and others									
A-1.01	.04	COO	coordinate tasks with other workers to avoid injury to self and others									
A-1.01	.05	use	flaggin	g, pylor	ns and s	ignage v	when w	orking	in high	traffic a	reas	
A-1.01	.06	handle hazardous materials in accordance with WHMIS procedures such as disposal, labelling and using PPE						ch as				
A-1.01	.07	-	-		-	ngs and o all tea			ensure	that inf	ormatic	n is
A-1.01	.08	reco	recognize and report unsafe conditions so that they may be rectified									

Sub-t	ask											
A-1.02	2	Per	forms	lock-o	ut, tag-	out and	l isolat	ion pro	ocedur	es.		
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	ncies										
A-1.02	.01 notify building authorities of maintenance and repairs prior to and after completion, and acquire required permits									r		
A-1.02	.02		-	-	-	0	-	nents su o energ		isconne	ct switc	hes
A-1.02	.03	app	ly locki	ng devi	ce to sec	cure iso	lation to	o prever	rt accid	ental sta	art-up	
A-1.02	.04	reco	ord lock	out inf	ormatio	n on a t	ag attac	ched to	the lock	ing dev	rice	
A-1.02	.05		fy the is	solation	of equi	pment t	o ensur	e that tl	ne equij	pment c	an be w	orked
A-1.02	.06	rem	ove tag	s and lo	cks from	n equip	ment a	fter com	pletion	of repa	ir	
Sub-ta	ask											
A-1.0 3	3	Use	es pers	onal pi	rotectiv	e equi	pment	(PPE) a	and saf	fety eq	uipmei	nt.
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	ncies										
A-1.03	A-1.03.01 select and wear PPE according to task, site policies and jurisdictional regulations											
A-1.03	.02		-			naged P l remov		n as exce service	essively	worn b	oots an	d
A-1.03	.03		te and u		ty equip	oment s	uch as f	ire extir	nguishe	rs, eye v	wash sta	ations
A-1.03	.04		n and sommence		E and sa	afety eq	uipmen	t accord	ling to 1	manufa	cturers'	
A-1.03	.05	-	ect and alations	-	safety	harness	es, harc	d hats ar	nd lany	ards as	require	d by

A-1.03.06	inspect and recommend re-certification of safety equipment such as fire
	extinguishers, according to regulations
A-1.03.07	ensure proper fit of PPE and safety equipment

Task 2 Uses and maintains tools and equipment.

Context

Refrigeration and air conditioning mechanics use and maintain tools and equipment to allow them to perform the tasks of their trade safely and efficiently. Maintenance of tools and equipment includes activities such as inspecting, lubricating, storing and performing minor repairs.

types of hand tools such as benders, flaring tools and pipe cutters
types of portable tools such as reciprocating saws, chop saws and drills
types of stationary tools such as threading machines, drill presses and grinders
types of diagnostic and measuring equipment such as multimeters, infrared thermometers and flow meters
types of brazing tools such as air-fuel and oxy-fuel
types of brazing and soldering tool tips
types of recovery and recycling equipment
types of digital technology such as laptops and smart phones
types of rigging, hoisting and lifting equipment
types of access equipment such as personnel lifts, ladders and scaffolding
operating procedures for rigging, hoisting and lifting equipment
capacities of rigging, hoisting and lifting equipment
government legislation and regulations related to the use of access equipment, and rigging, hoisting and lifting equipment
standard crane and hoist hand signals
maintenance and storage procedures

Sub-t	ask											
A-2.01	1	Ma	intains	hand	tools.							
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes yes NV yes yes yes yes NV NV N									
Key C	ompete	ncies										
A-2.01	.01	insp	inspect hand tools for damage such as dull blades and wheels, and cracks									
A-2.01	.02		lubricate hand tools such as flaring tools and cutters to ensure proper operation									
A-2.01	.03	wip	e tools a	after us	e to ens	ure they	are cle	an and	rust-fre	e		
A-2.01	.04		wipe tools after use to ensure they are clean and rust-free store hand tools in a clean and dry location to ensure they are in operating condition									ing
A-2.01	.05	repl	ace han	d tool p	oarts suc	ch as cu	tting bl	ades an	d hacks	aw blad	les	
A-2.01	.06	tag	and ren	nove de	fective l	hand to	ols fron	service	9			
Sub-t	ask											
A-2.02	2	Ma	intains	s porta	ble and	l statio	nary p	ower to	ools.			
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	ncies										
A-2.02	.01		ck batte eries are		0	ers to en	sure the	ey are ir	n good c	conditio	n and	
A-2.02	02	-	ect pow			safe cor l cords	nditions	such as	s missin	g parts,	defecti	ve or
A-2.02	.03	-	ect pow ects, fau		-	ach as c	utting b	olades, b	oits and	dies to	identify	•
A-2.02	04	clea	n powe	r tools t	o ensur	e they a	re read	y for us	e			
A-2.02	05	_	ace pov		compo	nents su	ıch as d	rill bits,	electric	motor	brushes	and
A-2.02	.06	store power tools in a clean and dry location to ensure they are in operating condition								iting		
A-2.02	07	tag	and rem	nove de	fective _]	power t	ools fro	m servi	ce			

Sub-ta	ask												
A-2.0 3	3	Mai	intains	brazir	ng and	solderi	ng equ	iipmen	ıt.				
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	encies	ncies										
A-2.03	5.01		ect hos	es for co	onditior	ns such a	as crack	s, loose	connec	tions ar	ıd other	•	
A-2.03	3.02	-	0		and che nd leak		es for co	ondition	ıs such a	as dama	iged gai	ages	
A-2.03	5.03	clea	n or rep	olace to	rch tips	and O-1	rings						
A-2.03	.04	chec	ck cylin	ders to	ensure a	adequat	e gas pi	ressure					
A-2.03	.05	insp	ect cyli	nders fo	or threa	d and v	alve da	mage to	preven	t leakag	ge and f	ire	
A-2.03	5.06	veri	fy certii	fication	of cylin	ders							
A-2.03	5.07		store cylinders in a secure, upright position, within rated temperatures and according to WHMIS procedures, OH&S and TDG										
A-2.03	5.08	tag	tag and remove defective brazing and soldering equipment from service										
Sub-ta	ask												
Sub-ta		Ma	intains	s recov	ery and	l recycl	ling eq	uipme	nt.				
		M a	intains	s recov	ery and	l recycl	ling eq	uipme <u>AB</u>	nt. <u>BC</u>	NT	<u>YT</u>	<u>NU</u>	
A-2.04	1 <u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	J	<u>MB</u>	<u>SK</u>	<u>AB</u>				<u>NU</u> NV	
A-2.04 NL yes	1 <u>NS</u>	<u>PE</u> yes	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>				
A-2.04 NL yes	NS yes	PE yes	<u>NB</u> yes	<u>OC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes				
A-2.04 NL yes Key C	NS yes ompete	<u>PE</u> yes encies insp	<u>NB</u> yes bect equ	<u>QC</u> NV ipment	ON yes for dan	MB yes	SK yes om trans	AB yes sport an	BC yes	NV			
NL yes Key Co	NS yes compete 01 02	PE yes encies insp	<u>NB</u> yes bect equ n and to	<u>QC</u> NV ipment	<u>ON</u> yes	MB yes nage fro	SK yes om trans	AB yes sport an	BC yes d use and hos	NV es	NV	NV	
NL yes Key Co A-2.04 A-2.04	NS yes compete 01 02	PE yes encies insp clea	<u>NB</u> yes pect equ n and to	<u>QC</u> NV ipment est equi	ON yes for dan pment s	MB yes nage fro such as a	SK yes om trans recover	AB yes sport an	BC yes d use and hos	NV es	NV	NV	
NL yes Key Co A-2.04 A-2.04	NS yes ompete .01 02	PE yes encies insp clea chec proj	NB yes pect equent and to the ck, clear per filtre	OC NV ipment est equi n or rep ation of	ON yes for dan pment s	MB yes nage fro such as a eens and rigerant in a sec	SK yes om trans recovery d filters ure, up	AB yes sport an y units a to prev	BC yes d use and hos ent bloc	NV es kage ar within r	NV nd ensu: ated	NV re	
NL yes Key C A-2.04 A-2.04 A-2.04	NS yes ompete 01 02 03	PE yes encies insp clea chec prop stor tem	NB yes pect equent and to the ck, clear per filtre peratur	OC NV ipment est equi n or rep ation of erant cy es and a	ON yes for dan pment s lace scre the refr	MB yes mage fro such as a eens and rigerant in a sec	SK yes om trans recovery d filters ure, up	AB yes sport an y units a to prev	BC yes d use and hos ent bloc	NV es kage ar within r	NV nd ensu: ated	NV re	
NL yes Key C A-2.04 A-2.04 A-2.04 A-2.04	NS yes ompete .01 .02 .03	PE yes encies insp clea chec prop stor tem veri	NB yes pect equent and to the ck, clear per filtrate peratur fy certif	OC NV ipment est equi n or rep ation of erant cy es and a	ON yes for dan pment s lace scre the refr vlinders accordir	MB yes mage fro such as recens and rigerant in a secung to William	SK yes om trans recovery d filters ure, up HMIS p	AB yes sport an y units a to prev right po	BC yes d use and hos ent bloc esition, v	NV es kage ar within r	NV nd ensu: ated	NV re	

-													
Sub-t	ask												
A-2.0	5	Ma	intains	s evacu	ation t	ools an	ıd equi	ipment	•				
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
yes	yes	yes	yes yes inv yes yes yes yes inv inv inv										
Key C	Key Competencies												
A-2.05	5.01	chai	nge oil o	on vacu	um pun	nps to e	nsure p	roper o	peratio	n of pur	np		
A-2.05	5.02	clea	n and fl	lush va	cuum pi	umps re	gularly	,					
A-2.05	5.03	stor	e equip	ment in	a secur	e positi	on to pi	revent c	il spilla	ge			
A-2.05	5.04	mai	ntain ac	dequate	oil leve	el to ena	ble eva	cuation					
A-2.05	5.05	insp	maintain adequate oil level to enable evacuation inspect and replace components such as gauges, O-rings and seals										
A-2.05	5.06	test pumps using tools such as vacuum gauges and micron gauges to ensure											
		proper operation											
A-2.05	5.07	tag and remove defective evacuation tools and equipment from service											
Sub-t	ask												
A-2.0	6	Ma	intains	s charo	ing too	ls and	eauipı	ment.					
11 2.0	9	1710		citarg	1119 100	is und	equip.						
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
I / 0		•											
Key C	ompete	encies											
A-2.06	5.01		brate sca sureme		d gauge:	s by adj	usting z	zero poi	nt to en	sure acc	curate		
A-2.06	5.02	_			ools and broken		nent for	damag	e such a	as fraye	d cords,		
		crac	keu nos	ses ariu	DIORCII	grasses							
A-2.06	5.03				e equip	C							

Sub-ta	acl.												
A-2.07		Ma	intain	diaan	ootia o	nd maa		· toola	and ag		.1		
A-2.07	/	IVIa	imtains	s uragn	osuc a	nd mea	isuring	; 10015 8	and eq	uipmei	11.		
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	etencies											
A-2.07	.01	charge batteries to ensure equipment is ready for use											
A-2.07	.02	insp	ect leac	ls, prob	es and s	sensors	for dam	age and	d wear				
A-2.07	7.03		fy calib	ration o	f equip	ment su	ch as th	ermom	eters, so	cales an	d leak		
A-2.07	7.04		check calibration documents to verify certification of equipment has not expired										
A-2.07	.05	stor	store tools and equipment in a dry location										
A-2.07	.06	tag and remove defective diagnostic and measuring tools and equipment from service											
		1101	ii sei vic	e									
Sub-ta	ask												
Sub-ta		Use	es acces	ss equi	pment	•							
		Us	es acces	ss equi	pment <u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
A-2.08	3			-	•		<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
A-2.08 <u>NL</u> yes	8 <u>NS</u>	<u>PE</u> yes	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>							
A-2.08 <u>NL</u> yes	NS yes ompete	PE yes encies sele	<u>NB</u> yes ct ladde	QC NV	<u>ON</u> yes work pl	<u>MB</u>	yes for the	yes	yes	NV	NV	NV	
NL yes	NS yes ompete	PE yes encies sele cond	<u>NB</u> yes ct ladde	QC NV ers and	ON yes work pl	MB yes atforms	yes for the	yes job tak	yes ing into	NV conside	NV eration	NV	
NL yes Key Co	NS yes ompeter .01	PE yes encies sele condinsp ider	NB yes ct laddeditions a	QC NV ers and eand task	ON yes work pl k being	MB yes atforms perform	yes for the ned r damaş	yes job tak ge and 1	yes ing into missing	NV conside	NV eration s	NV site	
NL yes Key Co A-2.08	NS yes ompete .01 .02	PE yes encies sele cone insp ider and	NB yes ct laddeditions a bect laddentify haz	OC NV ers and eand task ders and zards su	ON yes work pl k being d scaffol	MB yes atforms perform	yes for the ned r damag nes and	yes job tak ge and i excess l	yes ing into missing loads wi	NV conside compor	NV eration s	NV site	
NL yes Key Co A-2.08 A-2.08 A-2.08	NS yes ompete .01 .02 .03	PE yes encies sele cond insp ider and secu	NB yes ct laddeditions a bect laddentify haz scaffolder	OC NV ers and task ders and tards su ding ss equip	ON yes work pl k being d scaffol uch as p	MB yes atforms perform lding for	yes for the ned r damag nes and	yes job tak ge and r excess l and sca	yes ing into missing oads wi	NV conside compor hen erec	NV eration s nents cting lac	NV site	
NL yes Key Co A-2.08 A-2.08 A-2.08	NS yes ompete .01 .02 .03 .04 .05	PE yes encies sele cond insp ider and secu erec use	NB yes ct ladded ditions a scaffold re accest, level equipm	QC NV ers and task ders and zards su ding ss equip and disk	ON yes work pl k being d scaffol uch as p ment so mantle hin ope	MB yes atforms perform lding for ower lir	yes for the ned r damagnes and adders a	yes job tak: ge and i excess l and scal ording tons as in	yes ing into missing loads will ffolding	NV conside compor hen erec	NV eration s nents cting lac	NV site dders	

Sub-ta	ask											
A-2.09)	Use	es riggi	ng, ho	isting a	and lift	ing eq	uipme	nt.			
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key Competencies												
A-2.09	.01		select equipment for task considering factors such as weight, loads and distance to be travelled									
A-2.09	.02		-	-		slings, egular l		longs aı	nd shac	kles for	wear,	
A-2.09	.03	ider	ntify haz	zards su	ich as p	ower lir	nes, exca	avations	s and ex	cessive	loads	
A-2.09	.04	regu	identify hazards such as power lines, excavations and excessive loads rig loads following rigging procedures and according to jurisdictional regulations to ensure safety and to prevent damage to rigging equipment and material									
A-2.09	.05	guio	guide and position loads using tag lines									
A-2.09	.06		communicate with equipment operators using standard crane and hoist hand signals and two-way radios									
A-2.09	.07	stor	e equip	ment in	clean a	nd dry	location	ıs away	from su	ınlight		
A-2.09	.08	tag	and rem	nove de	fective e	equipme	ent fron	n servic	e			
Sub-ta	ask											
A-2.10)	Use	es digit	al tech	nology	7.						
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	ncies										
A-2.10	.01	com	puters,	softwa	re, poin	anize, cr t-of-sale s and ot	equipr	nent, en	nail, po			sing
A-2.10	.02		nect con cedures	nputer	to contr	ol syste:	ms by r	eferring	to mar	ıufactur	ers' ope	erating
A-2.10	.03	program parameters on computers and user-interface panels to set up operation of systems										

A-2.10.04	monitor and diagnose problems using on-board functions
A-2.10.05	back up program files for easy retrieval

Task 3 Organizes work.

Context Refrigeration and air conditioning mechanics organize their work in

order to complete their tasks safely, efficiently and productively.

K 1	types of codes such as refrigeration, plumbing, gas, building, electrical and oil burner
K 2	jurisdictional codes and regulations such as national, provincial and municipal
K 3	types and formats of drawings and schematics
K 4	information contained on schematics and drawings such as symbols, dimensions and tolerances
K 5	trade practices and standard training procedures
K 6	common pipe sizes
K 7	types and grades of piping
K 8	work-related documents such as repair orders, scheduled maintenance, service logs and start up sheets
K 9	training and certification requirements such as OH&S, TDG, WHMIS and first aid
K 10	equipment and system specifications
K 11	materials lists, work orders and permits
K 12	company and site safety policies and guidelines
K 13	metric and imperial measurements and conversions
K 14	trade terminology

Sub-ta	ask												
A-3.01	1	Int	erprets	codes	, regula	ntions a	nd pro	cedure	es.				
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	petencies											
A-3.01	.01	locate code sections that apply to the task being performed											
A-3.01	.02	use	code in	formati	on to pe	erform r	equired	l calcula	ntions				
A-3.01	.03	refe	r to tabl	es and	charts iı	n codes							
A-3.01	.04	refe	r to juri	sdictior	nal regu	lations t	o deter	mine pe	ermits re	equired			
A-3.01	.05		refer to facility and equipment procedures for tasks such as lock-out and shutdown										
A-3.01	.06		refer to manufacturers' start-up procedures to ensure equipment is commissioned correctly										
A-3.01	.07		adhere to company and worksite procedures such as required training, service reports, and safety and communication procedures										
Sub-ta	ask												
A-3.02	2	Int	erprets	bluep	rints a	nd spec	ificatio	ons.					
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	ncies											
A-3.02	01		r to mai			-			-	-			
A-3.02	02	refe	r to eng	ineerin	g specif	ications	to dete	rmine v	vhich ec	quipme	nt is req	uired	
A-3.02	03	refer to blueprints to identify electrical, mechanical and communication equipment											
A-3.02	04		e drawi locatio	_	-	ent of e	quipme	nt and a	accessor	ies, cor	ing of h	oles	
A-3.02	05	inte	rpret dr	awings	such as	sisomet	ric, elev	ation a	nd plan	views			
A-3.02	.06		rpret sc			_						_	

Sub-t	ask												
A-3.03	3	Use	es docu	ımenta	tion ar	ıd refei	rence n	naterial	l .				
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	ncies	ncies										
A-3.03	5.01		r to inst iiremen		manua	ls to de	termine	installa	ition pr	ocedure	s and		
A-3.03	3.02		refer to tables and charts to obtain pipe sizes, pressure/temperature (P/T) relationships and pressure/enthalpy relationships										
A-3.03	5.03		r to tech ipment	nnical b	ulletins	and ma	nuals to	o obtain	detaile	d inforr	nation a	bout	
A-3.03	.04	refe	r to wai	ranties	to assis	t in sub	mitting	require	d docui	mentatio	on		
A-3.03	5.05		mit info m warra		n such a	s start-ı	ip and o	claim sh	eets in	order to	activat	e and	
A-3.03	5.06	select and order parts and equipment by referring to documents such as manufacturers' specifications and wholesaler catalogues											
A-3.03	5.07		ntain re es of ref	_	_	neets to	keep re	cord of	purchas	ses, reco	very an	.d	
A-3.03	5.08		-		ocumer ad time		as wor	k report	s, work	orders,	incider	nt	
Sub-t	ask												
A-3.04	4	Pla	ns job	tasks a	ınd pro	cedure	es.						
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	encies											
A-3.04	.01	prep task		naterial	list, con	ıfirm av	ailabilit	y and o	rder ma	aterials	required	d for	
A-3.04	.02	sche	edule de	elivery o	of equip	ment ar	nd mate	erials					
A-3.04	.03	arra for t	-	storage	of mate	erials in	a safe a	and secu	ıre loca	tion unt	il requi	red	
A-3.04	.04		nge tim ⁄ntime a			k site a	ccording	g to cus	tomer r	equiren	nents to	avoid	

A-3.04.05	schedule tasks with other trades such as gasfitters, sheet metal workers, plumbers and electricians
A-3.04.06	assign qualified personnel to specific locations and tasks to ensure task is completed efficiently and deadlines are met
A-3.04.07	arrange for use of major tools and equipment such as cranes, threaders and personnel lifts
A-3.04.08	organize tools and equipment usage to make sure the right tools and equipment are available when needed

Sub-t	ask											
A-3.05	5	Co	mmun	icates v	vith ot	hers.						
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

A-3.05.01	operate communication equipment such as radios, cell phones and computers
A-3.05.02	communicate with non-tradespeople such as consultants, engineers, owners and end-users to relay technical information
A-3.05.03	communicate with other tradespeople such as crane operators, plumbers, electricians, utilities personnel and apprentices
A-3.05.04	coordinate with other trades during layout and installation of HVAC/R systems to avoid interference with other trades
A-3.05.05	communicate and interact with customers
A-3.05.06	communicate with office staff such as dispatchers, sales staff and managers

BLOCK B

ROUTINE TRADE ACTIVITIES

Trends New types of refrigerants that are more environmentally sensitive are

being introduced into the industry. Often, higher pressures and other characteristics associated with these refrigerants require an increased level of safety awareness. As well, new tools and equipment are

required to work with these refrigerants.

Related Components

All components apply.

Tools and Equipment See Appendix A.

Task 4

Performs work site preparation.

Context

Refrigeration and air conditioning mechanics prepare the work site to accomplish their tasks. They ensure the availability and storage of material and supplies on site to be used for the job at hand. Part of preparing the work site involves installing fasteners, brackets and hangers.

K 1	sign-in procedures when preparing the work site
K 2	types and ratings of fasteners such as anchors, bolts and inserts
K 3	types and applications of brackets and hangers such as teardrop, ring hangers and beam clamps
K 4	limitations of fasteners, brackets and hangers
K 5	specialty brackets and hangers such as seismic and vibration isolation
K 6	compatibility of fasteners, brackets and hangers with other materials
K 7	procedures and regulations for lock-out and tag-out
K 8	lock-out devices such as padlocks, breaker locks and multiple lock holders
K 9	regulations such as OH&S, WHMIS and ODS
K 10	types of compressed gases such as acetylene, nitrogen and carbon dioxide
K 11	types of chemicals such as cleaning agents and solvents
K 12	proper location for disposal of decommissioned equipment

Sub-ta	ask													
B-4.01	-	Prepares work site.												
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>		
yes	yes	yes								NV				
Key C	Key Competencies													
B-4.01.01 identify area for storage of tools, equipment and supplies							s							
B-4.01.	.02	loca	locate washrooms, safety equipment and emergency exits on site											
B-4.01.	.03		ntify on- vities	site haz	zards su	ich as ov	erhead	l lines a	nd othe	r constr	uction			
B-4.01.	.04	loca	te servi	ce poin	ts such a	as wateı	, gas ar	nd elect	ricity					
B-4.01.	.05	loca	te isolat	ion poi	nts sucl	n as wat	er, gas a	and elec	ctrical sl	hut-offs				
B-4.01.	.06		dinate s very tru		ess for e	quipme	nt such	as cran	es, pers	onnel li	fts and			
B-4.01.	.07	erec	t barrica	ades an	d flaggi	ng to w	arn oth	ers						
B-4.01.	.08	ensure work area hazards are eliminated or controlled												
B-4.01.	.09	verify and determine location and layout of equipment and systems according to site conditions												
Sub-ta	ask													
B-4.02	Handles materials and supplies.													
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>		
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV		
Key C	ompete	ncies												
B-4.02.01 receive and verify delivered material using packing slips, serial numbers model numbers and catalogue numbers						rs,								
B-4.02.	.02	insp	inspect delivered materials to detect shipping damage											
B-4.02.	label materials and supplies according to procedures such as WHMIS regulations and company policy													
B-4.02.	.04		secure material and supplies by using equipment such as chains, straps and slings when being stored or shipped											

B-4.02.05	manually lift materials and supplies according to OH&S regulations and
	industry standards to avoid personal injury and damage to materials and
	equipment
B-4.02.06	store materials and supplies appropriately to prevent damage, deterioration, discharge or theft
B-4.02.07	dispose of waste materials according to environmental standards

Sub-task

B-4.03 Installs fasteners, brackets and hangers.

]	<u>NL</u>	<u>NS</u>	PE 1	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
7	yes	yes	yes :	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

B-4.03.01	select fasteners, brackets and hangers according to job specifications and compatibility
B-4.03.02	lay out fasteners, brackets and hangers according to plans
B-4.03.03	construct hangers and brackets from raw material for custom applications
B-4.03.04	place brackets and hangers securely according to codes and job requirements
B-4.03.05	select and use tools and equipment such as hammer drills, power saws, measuring tapes and levelling devices

Task 5	Performs	routine	trade	activities.

Context Refrigeration and air conditioning mechanics perform routine trade

activities to enable them to complete the tasks of their trade. The

activities are performed at various stages of the work.

K 1	procedures and regulations for lock-out and tag-out and isolation
K 2	lock-out devices such as padlocks, breaker locks and multiple lock holders
K 3	regulations such as OH&S, WHMIS and ODS
K 4	types of sealants such as silicone, spray foam and thread seal
K 5	application techniques for sealants and adhesives

K 7 environmental protection requirements such as recovery, disposal, handling and storage for cleaners and lubricants K 8 characteristics, applications, qualities and capabilities of cleaners and lubricants K 9 electrical requirements of system components K 10 Canadian Electrical Code (CEC) and jurisdictional regulations K 11 types of wiring termination K 12 types and gauges of wire K 13 internal wiring such as wiring in packaged units and wiring in a split system K 14 types of refrigerants K 15 charging and recovery techniques of refrigerants K 16 P/T relationships of refrigerants K 17 types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures K 28 system evacuation procedures	K 6	types of adhesives such as insulation glues, primers, fire stopping and pipe adhesives
lubricants K 9 electrical requirements of system components K 10 Canadian Electrical Code (CEC) and jurisdictional regulations K 11 types of wiring termination K 12 types and gauges of wire K 13 internal wiring such as wiring in packaged units and wiring in a split system K 14 types of refrigerants K 15 charging and recovery techniques of refrigerants K 16 P/T relationships of refrigerants K 17 types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 7	
K 10 Canadian Electrical Code (CEC) and jurisdictional regulations K 11 types of wiring termination K 12 types and gauges of wire K 13 internal wiring such as wiring in packaged units and wiring in a split system K 14 types of refrigerants K 15 charging and recovery techniques of refrigerants K 16 P/T relationships of refrigerants K 17 types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 8	
K 11 types of wiring termination K 12 types and gauges of wire K 13 internal wiring such as wiring in packaged units and wiring in a split system K 14 types of refrigerants K 15 charging and recovery techniques of refrigerants K 16 P/T relationships of refrigerants K 17 types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 9	electrical requirements of system components
K 12 types and gauges of wire K 13 internal wiring such as wiring in packaged units and wiring in a split system K 14 types of refrigerants K 15 charging and recovery techniques of refrigerants K 16 P/T relationships of refrigerants K 17 types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 10	Canadian Electrical Code (CEC) and jurisdictional regulations
internal wiring such as wiring in packaged units and wiring in a split system K 14 types of refrigerants K 15 charging and recovery techniques of refrigerants K 16 P/T relationships of refrigerants K 17 types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 11	types of wiring termination
K 14 types of refrigerants K 15 charging and recovery techniques of refrigerants K 16 P/T relationships of refrigerants K 17 types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 12	types and gauges of wire
K 15 charging and recovery techniques of refrigerants K 16 P/T relationships of refrigerants K 17 types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 13	internal wiring such as wiring in packaged units and wiring in a split system
K 16 P/T relationships of refrigerants K 17 types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 14	types of refrigerants
types of compressed gases such as acetylene, nitrogen and carbon dioxide K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 15	charging and recovery techniques of refrigerants
K 18 types of chemicals such as cleaning agents and solvents K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 16	P/T relationships of refrigerants
K 19 types of oils such as vacuum pump oil and lubricating oil K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 17	types of compressed gases such as acetylene, nitrogen and carbon dioxide
K 20 compatibility of refrigerants and refrigerant oils K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 18	types of chemicals such as cleaning agents and solvents
K 21 line voltage phasing, connections and sizing K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 19	types of oils such as vacuum pump oil and lubricating oil
 K 22 brazing techniques K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures 	K 20	compatibility of refrigerants and refrigerant oils
K 23 safe work practices and jurisdictional regulations for hot work and brazing such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 21	line voltage phasing, connections and sizing
such as adequate ventilation, fire extinguisher nearby and fire watch K 24 soldering techniques K 26 metal compatibility K 27 leak and pressure test procedures	K 22	brazing techniques
K 26 metal compatibility K 27 leak and pressure test procedures	K 23	, ,
K 27 leak and pressure test procedures	K 24	soldering techniques
•	K 26	metal compatibility
K 28 system evacuation procedures	K 27	leak and pressure test procedures
	K 28	system evacuation procedures

Sub-t	ask												
B-5.01	L	Use	es refri	gerant	s, gases	s and o	ils.						
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	Key Competencies												
B-5.01	.01	sele	select refrigerants according to system and specifications										
B-5.01	.02	sele	select refrigerant oils according to refrigerant and temperature range of system										
B-5.01	.03	sele	ct and u	se tools	s and eq	uipmer	nt such	as gaug	es, scale	s and p	umps		
B-5.01	.04		recover refrigerant when there are leaks and burnouts, when components need to be changed and when decommissioning the system										
B-5.01	.05	-	dispose of refrigerants and refrigerant oils according to environmental protocols and jurisdictional regulations										
B-5.01	.06		transport and store refrigerants and refrigerant oils according to regulations and manufacturers' specifications										
B-5.01	.07	charge system with oil and refrigerants according to manufacturers' specifications or calculations											
Sub-t	ask												
B-5.02	2	Per	forms b	orazing	and sol	dering.							
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	encies											
B-5.02	.01	-	ge refriş brazinş		ines wit	h nitrog	gen to p	revent (oxidatio	n durin	g solde	ring	
B-5.02	.02	prep	prepare pipe using methods such as cutting, cleaning, sanding and reaming								ning		
B-5.02	.03		ct tip siz	ze and t	orch ac	cording	to pipe	size, jo	b location	on and i	industry	7	
B-5.02	.04		select brazing and soldering material according to job requirements such as metal compatibility and pressure requirements										
B-5.02	.05	sold air-f		braze co	ompone	nts usir	ng comp	oressed	gases sı	ıch as o	xy-fuel	and	

B-5.02.	.06	select and place heat protection materials such as heat blankets and heat sinks to protect surrounding area or components											
B-5.02.	.07	sele	select safety procedures for hot work, confined spaces, brazing and to protect against arc flash										
Sub-ta	ısk												
B-5.03		Per	Performs leak and pressure tests on system.										
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key Competencies													
B-5.03.	.01	prepare system for leak and/or pressure test as required by manufacturers' recommendations, industry standards and jurisdictional regulations											
B-5.03.	.02		remove or isolate devices that could be damaged from pressure test in compliance with pressure limits										
B-5.03.	.03	-	pressurize system with fluids or gases to perform standing test to ensure system integrity										
B-5.03.	.04	select and use tools and equipment such as electronic and ultrasonic leak detectors and certified gauges											
B-5.03.	.05		-		d leak a e period	ind pres l	ssure tes	st result	s to ver	ify syste	em integ	grity	
B-5.03.	.06	use	inert ga	ses suc	h as nitı	ogen to	pressu	re test s	ystems	for leak	detecti	on	
Sub-ta	ask												
B-5.04	<u> </u>	Eva	cuates	syster	ns.								
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	ncies											
B-5.04.	.01				s and eq n pump	luipmer os	nt such a	as comp	ound g	auges, 1	micron		
B-5.04.	.02	check capacity of vacuum pump to meet evacuation requirements											
B-5.04.	.03	connect pump to system according to manufacturers' specifications											

B-5.04.04	perform evacuation using evacuation measuring tools and equipment according to manufacturers' recommendations, industry standards and jurisdictional regulations
B-5.04.05	perform a standing vacuum test
B-5.04.06	interpret and record evacuation test results to verify system integrity

Sub-task												
B-5.05	5	Per	forms	field w	riring o	of syste	ms.					
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

B-5.05.01	verify circuit is de-energized to avoid personal injury or damage to equipment by locking out and disconnecting/reconnecting power to equipment
B-5.05.02	identify correctly sized fusing and overloads according to jurisdictional regulations and manufacturers' specifications
B-5.05.03	select and use tools and equipment such as crimpers, cutters and pliers
B-5.05.04	refer to, and interpret, electrical schematics and termination points
B-5.05.05	route and secure wiring according to trade standards
B-5.05.06	select CEC approved components appropriate for the locations where they will be used
B-5.05.07	terminate wiring to related equipment using components such as crimped connectors, junction boxes and terminal lugs
B-5.05.08	label or tag wiring with wire markers for identification and service purposes
B-5.05.09	select wire size and type according to amperage, insulation rating and compatibility with other components
B-5.05.10	verify correct voltage, phasing, and motor wiring configuration
B-5.05.11	update schematics to record changes and modifications according to manufacturers' recommendations

Sub-task

B-5.06 Applies sealants and adhesives.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

B-5.06.01	select sealants and adhesives according to manufacturers' recommendations, application and compatibility with other materials
B-5.06.02	ensure adequate ventilation during application of sealants and adhesives
B-5.06.03	select and use tools and equipment such as brushes and caulking guns to apply sealants and adhesives according to manufacturers' recommendations
B-5.06.04	inspect sealing surfaces for signs of wear and warpage before sealants or adhesives are applied
B-5.06.05	select and use fire stopping material according to code, regulations and manufacturers' specifications and job requirements

BLOCK C

INSTALLATION PLANNING

Trends

There is an increased use of electronic valves, which are replacing mechanically-operated valves. There is also a movement from conventional communication towards wireless technology.

Energy conservation continues to be of high focus and must be taken into consideration when planning the installation of a system and its components. New legislation requires refrigeration and air conditioning mechanics to incorporate environmentally sensitive refrigerants with low global warming potential (GWP) and ODS numbers.

Related Components (including, but not limited to) **HVAC:** heat pumps, air conditioners, air handling units, controls and sensors, dampers, fans, ducting, humidifiers and dehumidifiers, air cleaners, air scrubbers, cooling towers, unit heaters, compressors, filters, furnaces, electric heaters, motors, heating modules, valves, metering devices, fluid pumping systems, indoor air quality (IAQ) accessories.

Refrigeration systems: oil separators, receivers, accumulators, safety devices, evaporators, heat exchangers, condensers, motors, flow controls, fluid coolers, piping and tubing, compressors, heat pumps, absorption systems.

Control systems: microprocessors, variable air volume (VAV) boxes, VSDs, computers, switches, refrigerant monitors, sensors, cables, thermostats, safety controls, on-board electronics, interface panels, actuators, valves, wiring.

Tools and **Equipment**

See Appendix A.

Task 6

Plans installation of HVAC/R systems.

Context

Refrigeration and air conditioning mechanics plan the installation of HVAC/R systems to facilitate the smooth installation of the equipment and to ensure the desired end result. Proper planning ensures system longevity and reliability, and reduces operating costs. HVAC/R systems include commercial, residential, industrial and institutional applications.

K 1	types of HVAC systems such as split systems, VRF systems, high temperature chillers, package units, heat reclaim units and heat exchangers
K 2	types of refrigeration systems such as ice making equipment, coolers, freezers, medium-low temperature chillers and process refrigeration systems
K 3	types of HVAC accessories such as IAQ and Building Management System (BMS) / Building Automation Systems (BAS)
K 4	types of refrigeration accessories such as digital monitoring and control systems, and temperature and pressure controls
K 5	types of HVAC/R components such as compressors, condensers, evaporators, metering devices, electronic valves, oil separators, accumulators and associated piping
K 6	types of fasteners (nuts, bolts, washers and screws) and hangers (trapeze, pipe clamps and saddles)
K 7	types of insulation such as fibreglass, closed cell foam and duct, and proper adhesives
K 8	piping materials, fittings and accessories
K 9	documentation requirements for warranties
K 10	available utilities and energy sources
K 11	jurisdictional regulations
K 12	industry related formulas such as air flow and refrigerant velocities
K 13	refrigerant piping practices for flow velocity and oil return such as riser sizing, p-traps, inverted traps and new refrigerants
K 14	proper installation of condensate drain
K 15	CEC and jurisdictional regulations
K 16	electrical supply systems such as single phase, 3-phase and alternating current/direct current (AC/DC)
K 17	thermodynamics
K 18	psychrometrics

K 19		U	regional parameters such as elevation, humidity and environmental conditions										
K 20		con	conventionally accepted symbols and abbreviations										
Sub-t	ask												
C-6.01	L	Verifies HVAC/R system parameters and requirements.											
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	ncies											
C-6.01	.01				eat loads		0				-		
C-6.01	.02	calc	insulation, windows, doors, internal loads, ventilation, exposure and volume calculate refrigeration heat loads considering factors such as ambient temperature, processes and applications										
C-6.01	.03		identify correct system size according to heat load calculations and physical location										
C-6.01	.04	identify utilities available or needed to ensure proper installation and operation of equipment, and to power accessory systems such as controls											
C-6.01	.05	obtain information required to determine system parameters using tools, equipment and engineering data											
C-6.01	.06				for con requiren		e draina	ge acco	rding to	drawir	ngs, site		
Sub-t	ask												
C-6.02	2	Sel	ects H	VAC/R	equip	ment, o	compoi	nents a	nd acco	essorie	s.		
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	ncies											
C-6.02	.01	mar requ	nufactur	ers' and	t, compo d engino refriger	eering s	pecifica	tions, s	ystem a	nd custo	omer	ments,	
C-6.02	.02	identify HVAC component limitations such as blower capacity and pressure drop											

C-6.02	.03		identify refrigeration component limitations such as pressure drops and oil return										
C-6.02	.04		identify alternative systems, such as BAS, heat reclaim units and heat exchangers, based on energy savings and environmental issues										
Sub-ta	ask												
C-6.03	3		termin essorie	-	ement	of HV	AC/R e	quipm	ent, co	mpone	nts and	d	
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	ncies											
C-6.03	.01	aest	hetics a	nd surr	-	g enviro	onmenta	al issues		availabl s noise,			
C-6.03	.02				of syste		-			g, servi s	ceabilit	у,	
C-6.03	.03	acce	identify limitations for the placement of system equipment, components and accessories according to manufacturers' specifications and system requirements										
C-6.03	.04	take	measu	rement	s to ensi	are that	equipn	nent wil	l fit in l	ocation			

•		•
L'	b-ta	~ -
711	n-ia	S K

C-6.04 Performs HVAC/R material take-off.

]	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
7	yes	yes	yes j	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

C-6.04.01	determine quantity of materials required according to component
	interconnections such as piping and ducting routes, established from
	blueprints, working drawings and site visits
C-6.04.02	determine pipe size and length needed according to pipe run, refrigerant
	type and equipment capacity
C-6.04.03	establish material order list for components such as hangers, flow controls,
	piping, venting, ducting, drainage and associated accessories
C-6.04.04	identify alternative options for materials based on availability

Task 7 Plans installation of control systems.

Context

Planning of control systems ensures proper operation of the equipment installed. Control systems are used to operate the system effectively and efficiently.

K 1	types of control systems such as electric, electronic and pneumatic
K 2	types of control system components such as thermostats, timers and pressure controls
K 3	end user requirements
K 4	operation of control systems
K 5	sequence of operation, parameters and set points
K 6	electrical and control theory such as low voltage and AC/DC
K 7	system application such as temperature and relative humidity
K 8	system requirements such as safety controls
K 9	logistics planning for efficient installations
K 10	jurisdictional codes and regulations

Sub-ta	201c														
								-	•						
C-7.01		Ve	Verifies control system parameters and requirements.												
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>			
yes	yes	yes	yes yes NV yes yes yes yes yes									NV			
Key C	Key Competencies														
C-7.01	.01	cons	identify control system requirements according to clients' needs, efficiency considerations and equipment specifications such as maximum allowable distances between components												
C-7.01	.02		identify regional considerations such as humidity, elevation and fail safe requirements												
C-7.01.03 identify operating ranges required to ensure safe safety of controlled space/product							ure safe	control	of equi	pment a	and				
Sub-ta	ask														
C-7.02		Sel	ects co	ntrol s	ystem (compoi	nents a	nd acco	essorie	s.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV			
Key C	ompete	encies													
C-7.02	.01		identify control components and accessories based on application, code requirements, manufacturer and engineering specifications												
C-7.02.02		nun	identify control component limitations such as effective connection distances, number of inputs/outputs able to be controlled and communication compatibility												

Sub-ta	Sub-task													
C-7.03	3		Determines placement of control system components and accessories.											
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>		
yes	yes	yes	yes yes NV yes yes yes yes yes								NV	NV		
Key C	ompete	encies												
C-7.03	.01	code	identify placement of control systems taking into consideration serviceability, code requirements and possible interference from external forces such as the environment, electrical noise and pests											
C-7.03	.02		determine connection routing for control system components based on blueprints, working drawings and site visits											
C-7.03	.03				of mecl and ope		and ele	ctrical c	ontrols	accordi	ng to th	eir		
Sub-ta	ask													
C-7.04	Į	Per	forms	contro	l syster	n take-	off.							
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>		
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV		
Key C	ompete	encies												
C-7.04.01		tubi	determine quantity of materials required such as control devices, wiring, tubing, hangers and fasteners according to manufacturers' and engineering specifications, control requirements, location and environmental conditions											
C-7.04.02		ider	ntify alte	ernative	option	s for ma	aterials	based or	n availa	bility				

BLOCK D INSTALLATION

Trends

There is a continued focus on environmental awareness. Therefore, more care has to be taken when selecting and placing the system. For example, refrigeration and air conditioning mechanics have to pay attention to noise pollution and use environmentally sensitive components and accessories whenever possible.

Higher energy efficiency requirements have made way for new refrigerants and new types of systems, which in turn require different installation practices and procedures.

Manufacturers are now producing smaller integrated control systems making them popular not only for their cost effectiveness, but for their versatility, efficiency and availability.

Related Components (including, but not limited to) **HVAC:** heat pumps, air conditioners, air handling units, controls and sensors, dampers, fans, ducting, humidifiers and dehumidifiers, air cleaners, air scrubbers, cooling towers, unit heaters, compressors, filters, furnaces, electric heaters, motors, heating modules, fluid pumping systems, valves, metering devices, IAQ accessories.

Refrigeration systems: oil separators, receivers, accumulators, safety devices, evaporators, heat exchangers, condensers, motors, flow controls, fluid coolers, piping and tubing, compressors, heat pumps.

Control systems: microprocessors, VAV boxes, VSDs, computers, switches, refrigerant monitors, sensors, cables, thermostats, safety controls, on-board electronics, interface panels, actuators, valves, wiring.

Tools and Equipment

See Appendix A.

Task 8

Installs HVAC/R systems.

Context

Refrigeration and air conditioning mechanics assemble, place, secure and connect components of HVAC/R systems for all types of applications such as residential, commercial, industrial and institutional.

K 1	standard practices regarding installation
K 2	blueprints and specifications
K 3	specific service requirements
K 4	utility requirements
K 5	manufacturers' recommended assembly techniques and procedures
K 6	system restraints for conditions such as seismic activity, and site and weather conditions
K 7	locations of WHMIS manuals and MSDS
K 8	pipe sizing
K 9	vibration and noise elimination
K 10	types and characteristics of refrigerants
K 11	piping layout and practices
K 12	techniques and procedures for routing and connecting refrigerant piping
K 13	calculations for routing pipe run
K 14	system leak and pressure test process
K 15	system evacuation process
K 16	CEC and jurisdictional regulations
K 17	electrical supply systems such as single phase, 3-phase and AC/DC
K 18	importance of coordinating utility connections with qualified personnel
K 19	safe routing of refrigerant lines
K 20	brazing techniques for joining similar and dissimilar metals

Sub-t	ask														
D-8.0		Co	Confirms system layout.												
D-0.0.	•	Co.	Comming system layout.												
NL	<u>NS</u>	<u>PE</u>	<u>PE NB QC ON MB SK</u>							NT	<u>YT</u>	<u>NU</u>			
yes	yes	yes	yes yes NV yes yes yes yes NV NV NV												
Key Competencies															
D-8.02	1.01		verify that equipment matches take-offs to ensure correct components are installed												
D-8.02	1.02		modify HVAC/R system components or location to accommodate actual site conditions												
D-8.02	1.03		verify site measurements and clearance for equipment and component location/orientation for serviceability and overall function												
D-8.0	1.04	veri	fy requi	red uti	lities ha	ve been	made a	available	2						
Sub-t	ask														
D-8.0	2	Ass	Assembles HVAC/R equipment, components and accessories.												
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>			
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV			
Key C	ompete	ncies													
D-8.02.01		-	unpack and perform pre-assembly check to ensure all necessary equipment and components are available and in good condition												
D-8.02.02			select and use tools and equipment such as hand tools and power equipment to assemble equipment and components												
D-8.02.03			firm fina		nbly of o	compon	ents ac	cording	to man	ufacture	ers'				

Sub-ta	ask														
D-8.03	3	Pla	Places HVAC/R equipment, components and accessories.												
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>PE NB QC ON MB SK AB BC NT YT N</u>									<u>NU</u>			
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV			
Key Competencies															
D-8.03	3.01		select and use tools and equipment such as wrenches, chain falls, lifts and ladders to place equipment and components												
D-8.03	3.02		install anchors and supports such as hangers according to engineering and manufacturers' specifications												
D-8.03	3.03				mponen transm		as sprir	ng isolat	ors and	cork/ru	ıbber pa	ads to			
D-8.03.04 secure the equipment and components according to manufowners' specifications, codes and regional requirements such turnicane restraints															
Sub-ta	ask														
D-8.04	1	Ins	talls H	VAC/I	R pipin	g and t	ubing.								
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>			
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV			
Key C	ompete	ncies													
D-8.04	1.01	braz	braze and solder piping and tubing using oxy-fuel and air-fuel equipment												
D-8.04	1.02		cut and fit piping and tubing using procedures such as reaming, flaring and swaging according to jurisdictional regulations												
D-8.04	1.03	cut	and thre	ead pip	e using	taps an	d dies, a	and med	chanical	equipn	nent				
D-8.04	1.04	ben	bend tubing according to installation requirements												
D-8.04	1.05		connect piping and tubing according to manufacturers' specifications, codes and industry piping practices												
D-8.04	1.06	han	hang piping and tubing using hangers, supports and saddles												
D-8.04	1.07		all acces arators	ssories s	such as	vibratio	n elimii	nators, f	flow cor	ntrols ar	nd oil				
D-8.04.08				0	d tubing ngineer	•	0					tion,			

•		•
L'	b-ta	~ -
711	n-ia	S K

D-8.05 Applies HVAC/R holding charge.

]	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
7	yes	yes	yes j	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

D-8.05.01	select and use specialized tools and equipment such as valve wrenches, charging scales, charging cylinders, transfer pumps and gauge manifold
D-8.05.02	select refrigerant according to system requirements
D-8.05.03	introduce refrigerant into the system according to industry standard practices
D-8.05.04	pressurize system with refrigerant to positive atmospheric pressure
D-8.05.05	label system with type and amount of holding charge

Task 9 Installs control systems.

Context

Refrigeration and air conditioning mechanics assemble, place, secure and connect controls for HVAC/R systems for all types of applications such as residential, commercial, industrial and institutional.

The controls enable the systems to start, stop, modulate, monitor and report to obtain desired conditions.

K 1	types of control devices such as digital, analog, pneumatic and wireless
K 2	types of control components and accessories such as wiring, tubing, transformers, sensors and enclosures
K 3	industry standard practices and codes regarding installation
K 4	blueprints and specifications
K 5	specific service requirements
K 6	manufacturers' recommended assembly techniques and procedures
K 7	sequence of operations
K 8	wiring, terminating and labelling practices
K 9	pneumatic fundamentals
K 10	electrical theory
K 11	electronics

K 12 integration of different t					rent typ	oes of co	ntrols					
K 13		importance of creating as-built drawing and reference documentation du final termination of control wiring and tubing							luring			
Sub-t	ask											
D-9.0	1	Pla	ces cor	itrol sy	stem c	ompon	ents.					
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	Compete	encies										
D-9.01	1.01	sele	ct and u	se tool	s such a	s hand t	tools an	d powe	r equip	ment		
D-9.01	.02	unpack and perform pre-assembly check to ensure all necessary controls and components are available and in good condition										
D-9.01	1.03	dete	determine location and position of controls									
D-9.01.04 mount and secure control devices and components according to manufacturers' specifications and site requirements												
		mar	nufactur	ers' spe	ecificatio	ons and	site rec	uireme	nts			
Sub-t	ask	mar 	nufactur	ers' spe	ecificatio	ons and	site rec	uireme	nts			
Sub-t			nufactur									
										<u>NT</u>	<u>YT</u>	<u>NU</u>
D-9.0	2	Co :	nnects	system QC	ı wirin ON	g and o	ontrol <u>SK</u>	tubing <u>AB</u>	<u>,</u>			
D-9.0 2 <u>NL</u> yes	2 <u>NS</u>	Con <u>PE</u> yes	nnects <u>NB</u>	system QC	ı wirin ON	g and o	ontrol <u>SK</u>	tubing <u>AB</u>	g. <u>BC</u>			
D-9.0 2 <u>NL</u> yes	NS yes	PE yes encies prepand	nnects <u>NB</u>	system OC NV re and to als such	ON yes ubing for	g and one of the stripped stri	SK yes	tubing AB yes	BC yes	NV levices ı	NV using to	NV ols
NL yes Key C	NS yes Compete	PE yes encies prepand tran	nnects NB yes pare win	system OC NV The and the such als such appound the such appounded to the system of	ON yes ubing for as wire	g and on the second of the stripped ittings	yes connecters, rear	tubing AB yes ion to coners, cri	BC yes ontrol d	NV levices t dielectr	NV asing to ic paste	NV ols
NL yes Key C D-9.02	NS yes Compete 2.01	PE yes encies prepand transele term	nnects NB yes pare win materia	system OC NV The and the such in pounce are terminal to the such in pounce on the such in pounce of the such in pounce on the such in pounce of the such in pounce on the suc	ON yes ubing for as wire as and fination provided as wiring a	g and continued and the stripped ittings points a coordinate and the stripped ittings and the stripped ittings are stripped ittings and the stripped ittings are stripped ittings	eontrol SK yes connecters, rear ccordin	tubing AB yes ion to coners, critical general to systems to syst	ges BC yes ontrol dimpers, etem requested drawing the second se	NV levices u dielectr	NV using to ic paste	NV ols , heat
NL yes Key C D-9.02	NS yes Compete 2.01	PE yes encies prepand tran sele term spectors	nnects NB yes pare win materia sfer con ct prope	system OC NV The and the such a su	on wiring for as wiring a cest and jubing a cubing a cubi	g and control of the stripped ittings points a coordinary coordina	SK yes connecters, rear ccording to site	AB yes ion to coners, cring to systems, cringulation specification speci	ges BC yes ontrol dimpers, etem requested drawins c drawins c drawins	NV dielectr uiremen	NV using to ic paste nts unufactu	NV ols , heat

BLOCK E COMMISSIONING

Trends

There is an increase in the use of computers and interface panels to assist in the commissioning of equipment such as rooftop units, chillers and multi-plex systems.

VRFs and VSDs are now being used to provide more accurate control and increase efficiency. The installation of these devices has increased the complexity of commissioning and start-up procedures.

The installation of pneumatic controls is decreasing. Electronic controls such as direct digital control (DDC) are being installed.

Related Components (including, but not limited to)

HVAC: heat pumps, air conditioners, air handling units, controls and sensors, dampers, fans, ducting, humidifiers and dehumidifiers, air cleaners, air scrubbers, cooling towers, unit heaters, compressors, filters, furnaces, electric heaters, motors, heating modules, valves, fluid pumping systems, IAQ accessories.

Refrigeration systems: oil separators, receivers, accumulators, evaporators, heat exchangers, condensers, motors, flow controls, fluid coolers, piping and tubing, compressors, heat pumps, metering devices.

Control systems: microprocessors, VAV boxes, computers, switches, refrigerant monitors, sensors, cables, thermostats, safety components, on-board electronics, interface panels, actuators, valves, wiring, VSD.

Tools and Equipment

See Appendix A.

Task 10

Commissions HVAC/R systems.

Context

Commissioning of HVAC/R systems is an important step to ensure the system is complete and fully charged, and that all necessary adjustments have been made. This enables the system to run efficiently, problem-free and according to specifications.

Required Knowledge

K 1	manufacturers' engineering design for pre-start-up, start-up, completing
	system charge, setting up components and operating parameters

K 2 equipment applications

K 3 sequence of operation of systems

-	K 4	types of electrical connections such as terminal strips, crimped and wire nuts
	K 5	charging procedures
	K 6	pre-charge refrigerant weight and type
	K 7	P/T relationships
	K 8	types of refrigerant and heat transfer medium
	K 9	regulating valves and metering devices
	K 10	control system operations
	K 11	load conditions
	K 12	types of defrost systems and methods
	K 13	electrical motors, starters and related components such as VSDs, motor controls and DC motor controls

Sub-ta	ask											
E-10.0	1	Per	forms	pre-sta	rt-up c	hecks f	or HV	AC/R	system	s.		
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	ncies										
E-10.0	1.01	ensı	ıre that	energy	source	and equ	iipment	are con	npatible	<u>.</u>		
E-10.0	1.02		verify completion of installation by checking for factors such as missing parts, and shipping mounts and straps that have not been removed									
E-10.0	1.03	chec	ck posit	ioning o	of contro	ols to er	able the	e systen	n to run	efficier	itly	
E-10.0	1.04	verify that equipment is securely fastened and mounted according to cod and manufacturers' specifications						ode				
E-10.0	1.05	chec	ck electr	ical cor	nection	s to det	ect loos	e or dar	naged v	wiring		
E-10.01.06 ensure free movement of movable components such as drives, dampers and actuators						and						
E-10.01.07 verify holding charge applied during installation and referring to holding charge reports			by che	cking ci	rcuit pr	essure						
E-10.0	1.08		ct and u wdrive		s and eq	uipmer	ıt such a	as multi	meters,	gauges	and	
E-10.0	1.09	enei	gize cra	ankcase	heaters	accord	ing to n	nanufac	turers'	specifica	ations	

Sub-ta	ask												
E-10.0	2	Per	Performs start-up of HVAC/R systems.										
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>PE NB QC ON MB SK AB BC NT YT</u>							<u>NU</u>			
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	ncies											
E-10.02	2.01		on and ipment	l verify	utilities	such as	electri	cal, gas	and wa	ter to er	nable		
E-10.02	2.02	mot	•	llow otl	-			wers, fa ate, acco	-	-	-		
E-10.02	2.03		,	-		of HVAO nents ar	•	tem con outs	nponent	s such a	as damp	ers,	
E-10.02	2.04	veri	fy seque	ence of	operatio	on of co	ntrols a	nd com	ponents	6			
E-10.02	2.05		fy syste ssures a	-	•		ring pa	rameter	s such a	is ampe	rage dra	aws,	
E-10.02	2.06	set ı	ap and a	adjust c	ompone	ents suc	h as da	mpers a	nd coni	nected c	ontrols		
E-10.02	2.07	use	a phase	monito	or in a c	ritical p	hase dii	rection a	applicat	ion			
Sub-ta	ask												
E-10.0	3	Co	mplete	s HVA	C/R sy	stem c	harge.						
NL	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT NV	YT NV	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	ncies											
E-10.03	3.01		select and use tools and equipment such as gauge manifolds, scales and thermometers										
E-10.03	3.02	veri	fy type	of refrig	gerant r	equired	for sys	tem					
E-10.03	3.03	-	operate charging equipment such as scales, oil pumps, charging cylinders and gauges										
E-10.03	3.04	mea	sure an	d interp	oret ope	rating p	ressure	es, temp	erature	s and lo	ad conc	litions	
E-10.03	3.05	spec	0	ns or ac	0			ed by re ressure	0				

E-10.03.06	verify oil level to ensure lubrication and safe compressor operation according to manufacturers' specifications
E-10.03.07	verify refrigerant charge to ensure system operates at all load conditions
E-10.03.08	label system with type and amount of operating charge according to regulations

E-10.04 Sets up primary and secondary HVAC/R components.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

E-10.04.01	select and use tools and equipment such as screwdrivers, service wrenches and multimeters
E-10.04.02	adjust switches, valves and regulators to allow system to operate at design conditions
E-10.04.03	measure and interpret readings from primary and secondary HVAC/R systems
E-10.04.04	adjust primary components such as metering devices, flow controls and pressure regulating valves to allow system to operate at design conditions
E-10.04.05	adjust secondary components such as valves, pumps and fans

Task 11 Commissions control system

Context

Refrigeration and air conditioning mechanics perform start-up checks and set operating parameters of control systems to ensure that controls and safety components are set up correctly and to ensure proper operation of HVAC/R systems.

K 1	manufacturers' specifications, engineering specifications, owners' expectations and start-up procedures
K 2	sequence of operation of control systems
K 3	operation of HVAC/R systems and components

K 4	operating parameters such as end user set points, temperature, pressure, voltage, current and resistance values
K 5	control system terminology and symbols
K 6	control system components that require calibration
K 7	electrical diagrams
K 8	set-up procedures for control systems
K 9	electrical, electronic, mechanical and pneumatic test instruments
K 10	types of controls such as electrical, electronic, mechanical and pneumatic
K 11	power supplies and protective devices
K 12	control signals such as 4 to 20 milliamps (mA)
K 13	communication protocols such as Modbus and Building Automation and
	Control Network (BACnet)
K 14	programmable logic controllers (PLCs)

_	• .	-
C	h ta	
IJШ	b-ta	210

E-11.01 Performs start-up checks for control systems.

NL	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

E-11.01.01	select and use hand tools and equipment such as thermometers, multimeters and computers
E-11.01.02	verify that electrical, pneumatic and electronic connections are completed according to manufacturers' specifications and jurisdictional regulations
E-11.01.03	verify parameters such as flow rates, air pressure and signal according to manufacturers' specifications
E-11.01.04	apply power to energize system
E-11.01.05	check transformer output to ensure correct secondary voltage and polarity

Sub-task

E-11.02 Verifies/sets operating parameters.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

E-11.02.01	program controllers such as timers, microprocessors and analog control systems in order to set parameters such as alarm, humidity and temperature
E-11.02.02	adjust thermostats, economizer controls and pressure switches
E-11.02.03	select tools and equipment such as meters, gauges and screwdrivers
E-11.02.04	adjust parameter set points according to load requirements and ambient conditions
E-11.02.05	record operating parameters in start-up information sheets for reference and warranty issues
E-11.02.06	calibrate components such as thermostats, pressure controls, pneumatic devices and enthalpy controllers to ensure accurate readings from components to controllers
E-11.02.07	test operation of safety components

BLOCK F

MAINTENANCE AND SERVICE

Trends

There is an increased focus on energy efficiency requiring more frequent and comprehensive maintenance, and skilled troubleshooting due to the increased complexity of equipment. Energy efficiency targets are driving changes in component design.

Electronic tools and equipment continue to advance resulting in more accurate readings.

This continuous change is driving the need for ongoing training.

Related Components (including, but not limited to) HVAC: heat pumps, air conditioners, air handling units, dampers, fans, ducting, humidifiers and dehumidifiers, air cleaners, air scrubbers, cooling towers, unit heaters, compressors, condensing units, filters, furnaces, electric heaters, motors, heating modules, fluid pumping systems, valves, metering devices, refrigerants, lubricants, oils, IAQ accessories.

Refrigeration systems: oil separators, receivers, accumulators, safety devices, evaporators, heat exchangers, condensers, motors, flow controls, fluid coolers, piping and tubing, compressors, refrigerants, lubricants, oils, heat pumps.

Control systems: microprocessors, VAV boxes, computers, switches, refrigerant monitors, sensors, VSDs, cables, thermostats, safety controls, on-board electronics, interface panels, actuators, valves, wiring.

Tools and **Equipment**

See Appendix A.

Task 12 Maintains HVAC/R systems.

Context Refrigeration and air conditioning mechanics maintain systems to

increase longevity, reliability and efficiency.

K 1	types of HVAC systems such as geothermal, split, ductless split, package units, heat reclaim and heat exchangers
K 2	types of refrigeration systems such as chillers, freezers and process refrigeration
K 3	types of HVAC components such as compressors, condensers, evaporators, and metering devices
K 4	types of refrigeration components such as valves, oil separators and accumulators
K 5	types of HVAC accessories such as IAQ and outdoor temperature sensors
K 6	types of refrigeration accessories such as temperature sensors and transducers
K 7	types of electrical components such as motors, transformers, contactors, relays, starters, VSDs, capacitors and resistors
K 8	types of insulation such as fibreglass, foam and duct
K 9	piping practices and materials
K 10	warranties
K 11	CEC and jurisdictional regulations
K 12	OH&S and WHMIS
K 13	defects such as wear, abnormalities and leaks
K 14	manufacturers' and owners' specifications and recommendations
K 15	system operation and history such as service records and log books
K 16	industry related calculations
K 17	psychrometrics
K 18	thermodynamics
K 19	electrical principles, wiring, safety and troubleshooting
K 20	cleaning products such as cleaners, acids and solvents
K 21	lock-out and tag-out procedures
K 22	maintenance schedule requirements
K 23	basic BAS operation
K 24	ductwork materials, sizing and practices
K 25	P/T relationship

K 27		testing and treating procedures for heat transfer fluids										
Sub-t	ask											
F-12.0)1	Ins	pects I									
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	encies										
F-12.0	F-12.01.01 select and use tools and equipment such as meters, gauges and hand tools											
F-12.0	1.02	-	perform sensory inspection of system components such as belts, pulleys, sight glasses and oil levels to determine abnormalities									
F-12.0	1.03	peri	perform run check to confirm proper sequence of operation									
F-12.0	1.04	identify source of excessive noise or vibration										
F-12.0	1.05	identify non-system items that may affect the overall efficiency of operation such as door gaskets, anti-sweat heaters and plugged condensate drains										
F-12.0	1.06	perform inspection according to manufacturers' recommendations and jurisdictional regulations										
F-12.0	1.07	identify components that need to be replaced or repaired										
F-12.0	1.08				nal servi cal treat	-	ired suc	ch as po	wer wa	shing o	f coils, f	ilter
F-12.0	1.09	ider	ntify sys	stem rec	quireme	nts to d	etermin	ne main	tenance	schedu	le	
Sub-t	ask											
F-12.0)2		rforms stems.	predic	tive an	d sched	duled r	naintei	nance o	on HV	AC/R	
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	encies										
F-12.02	2.01	sele	ct and u	ise tools	s and eq	uipmer	nt appro	priate t	o the ta	sk being	g perfor	med
F-12.02	2.02	-		-	ts such a mainte				0			
F-12.0	2.03	lubi	ricate co	mpone	nts such	n as bear	rings, m	notor sh	afts and	l linkag	es as rec	quired

retrieval procedures for system fluid samples

K 26

F-12.02.04	replace oil in gear boxes and compressors
F-12.02.05	select cleaners that are compatible with the components and environment
F-12.02.06	clean equipment components such as coils, heat exchangers, blower sections and condensate drain to maintain system performance
F-12.02.07	perform electrical tests such as megohmmeter and dielectric test to identify breakdown of winding and wire insulation
F-12.02.08	tighten electrical connections of system components
F-12.02.09	verify operation and calibration of safety devices
F-12.02.10	verify the proper operation of the system
F-12.02.11	update legislated documents and on-site logbooks

Sub-t	ask											
F-12.0	3	Tes	sts HV	AC/R s	system	compo	nents a	and acc	essori	es.		
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

F-12.03.01	select and use tools and equipment such as thermometers, gauges and hand tools
F-12.03.02	check refrigerant pressures and temperatures to evaluate conditions such as proper valve settings, system capacity, dirty or plugged filter driers and leaking compressor valves
F-12.03.03	test electrical components such as relays, motors and coils for abnormalities using electrical meters
F-12.03.04	verify system requirements such as voltages, amperages, temperatures and pressures are within specifications
F-12.03.05	test mechanical components such as mechanical valves, linkages and bearings for wear and abnormalities
F-12.03.06	retrieve oil and fluid samples for analysis and interpret results
F-12.03.07	perform acid test on oil sample to determine system contamination
F-12.03.08	check integrity of secondary heat transfer fluids
F-12.03.09	test and document operation of safety controls and devices
F-12.03.10	perform test procedures according to manufacturers' specifications and jurisdictional regulations

Task 13

Services HVAC/R systems.

Context

Refrigeration and air conditioning mechanics will utilize the most current procedures to troubleshoot and repair a system, and to return it to optimal operation in a timely manner.

types of HVAC systems such as geothermal, split, ductless split, package units, heat reclaim and heat exchangers
types of HVAC components such as compressors, condensers, evaporators, and metering devices
types of HVAC accessories such as IAQ and outdoor temperature sensors
types of refrigeration systems such as coolers, freezers, chillers and process refrigeration systems
types of refrigeration components such as valves, oil separators and accumulators
types of refrigeration accessories such as temperature sensors and transducers
types of electrical components such as motors, transformers, contactors, relays, starters, VSDs, capacitors and resistors
types of insulation such as fibreglass, foam and duct
piping practices and materials
warranties
jurisdictional regulations
OH&S and WHMIS
defects and failures such as wear, abnormalities and leaks
manufacturers' and owners' specifications and recommendations
system operation and history such as service records and log books
industry related calculations
psychrometrics
thermodynamics
electrical principles, wiring, safety and troubleshooting
P/T relationship
refrigerants, oils and lubricants
refrigerant recovery, evacuation and leak test procedures
lock-out and tag-out procedures

K 24		basi	C BAS 0	peratio	n								
K 25		ductwork materials, sizing and practices											
Sub-t	ask												
F-13.0	1	Tro	Troubleshoots HVAC/R systems.										
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>PE NB QC ON MB SK AB BC NT YT NU</u>									<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	Key Competencies												
F-13.01.01 discuss customer concerns about equipment													
F-13.0	1.02		select and use tools and equipment to diagnose problem based on information obtained										
F-13.0	1.03	inte	interpret temperature and pressure readings										
F-13.0	1.04	use electrical schematics and diagrams to diagnose problems such as component failures, ground faults and open circuits											
F-13.0	1.05	identify abnormalities by sensory inspection											
F-13.0	1.06	interpret data to identify cause of problem such as defective components, utility issues and open circuits											
F-13.0	1.07	ider	ntify cor	nponen	ts or ac	cessorie	s that n	eed to b	e repla	ced or r	epaired		
F-13.0	1.08	pres	sent ava	ilable o	ptions f	or repai	ir, repla	cement	or imp	roveme	nt		
Sub-t	ask												
F-13.0)2	Re	pairs H	[VAC/]	R syste	ems.							
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV	
Key C	ompete	encies											
F-13.02	2.01	sele	ct and u	se tools	s and eq	uipmer	nt accor	ding to	the task	being p	erform	ed	
F-13.02	2.02	shu	t down	and/or	isolate f	ailed co	mpone	nt or ac	cessory	for repa	air		
F-13.02	2.03		or rem		O			•			ir or		
F-13.02	2.04	-	tect syst isolatir				n using	method	ds such	as sealii	ng, cap _l	oing	

basic BAS operation

K 24

F-13.02.05	select compatible replacement components
F-13.02.06	replace electrical or mechanical system components and accessories such as compressors, motors, coils and pumps
F-13.02.07	repair electrical or mechanical system components and accessories such as valves, motors and contactors
F-13.02.08	repair or replace electrical or mechanical system components and accessories to repair leaks
F-13.02.09	test operation of the system and update legislated documents and on-site logbooks
F-13.02.10	present available options for additional repair, replacement or improvement

Task 14 Maintains and services control systems.

Context

Control systems need to be maintained to ensure accuracy, reliability and efficiency of systems. Maintenance includes routine inspection, testing and calibration activities. When control systems malfunction, refrigeration and air conditioning mechanics need to troubleshoot and repair or replace the system components.

K 1	types of control systems such as electric, electronic, pneumatic and wireless
K 2	types of control system components such as thermostats, timers and pressure controls
K 3	electrical and electronic theory
K 4	operation, capabilities and application of control systems and components
K 5	sequence of operation
K 6	repair procedures
K 7	available alternative components to complete repair
K 8	lock-out and tag-out procedures
K 9	maintenance schedule requirements
K 10	system requirements such as safety controls
K 11	emergency procedures
K 12	CEC and jurisdictional regulations
K 13	end user requirements

Sub-ta	ask											
F-14.01 Performs maintenance on control systems.												
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	ncies										
F-14.01	1.01	select and use tools and equipment according to the task being performed									ed	
F-14.01	1.02	perf wire	perform visual inspection of control systems such as connections, hoses and wire terminals according to manufacturers' specifications, customer requirements, and jurisdictional regulations									
F-14.01	1.03		clean equipment components such as circuit boards, contactors and thermostats									
F-14.01	1.04		verify system operation such as voltages, amperages, temperatures and pressures are within specifications									
F-14.01	1.05	-	perform run checks to determine proper sequence of operations									
F-14.01	1.06		ensure test procedures are performed according to manufacturers' specifications, customer requirements and jurisdictional regulations									
F-14.01	1.07	secu	secure electrical connections on control system components									
F-14.01	1.08	ider	ntify cor	nponen	ts that r	need to	be repla	aced or 1	epairec	ł		
F-14.01	1.09	-	repair or replace components according to manufacturers' recommendations and maintenance schedule									
F-14.01	1.10	make recommendations such as available upgrades and maintenance frequency										
Sub-ta	ask											
F-14.0	F-14.02 Troubleshoots control systems.											
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	ncies										
F-14.02	2.01	discuss customer concerns about equipment										
F-14.02	2.02		select and use tools and equipment to diagnose problem based on information obtained									
F-14.02	2.03	ider	identify abnormalities by sensory inspection									
F-14.02	2.04	inte	rpret sy	stem re	adings	such as	temper	ature, h	umidity	and pi	essure	

F-14.02	2.05	use	use electrical schematics and diagrams for diagnostics									
F-14.02	2.06		interpret data to identify cause of problem such as defective components, utility issues and open circuits									
F-14.02	2.07	identify components or accessories that need to be replaced or repaired										
F-14.02	2.08	pres	present available options for repair, replacement or improvement									
Sub-ta	Sub-task											
F-14.0	3	Rej	pairs co	ontrol s	system	s.						
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key C	ompete	encies										
F-14.03	3.01	sele	ct and u	se tools	s and eq	uipmer	ıt appro	priate t	o the ta	sk being	g perfor	med
F-14.03	3.02	de-e	de-energize and lock-out system to perform repair									
F-14.03	3.03	sele	select compatible replacement component									
F-14.03	3.04	adjust, repair or replace control components that are operating outside established parameters										
F-14.03	3.05	test	test operation of repaired control components in system									
F-14.03	3.06	pres	sent ava	ilable o	ptions f	or addi	tional re	epair, re	placem	ent or ii	nprove	ment
F-14.03	3.07	upd	ate legi	slated d	locumei	nts and	on-site	logbook	S			
Sub-ta	ask											
F-14.0	4	Cal	librates	opera	ting an	ıd safet	y cont	rols.				
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV
Key Competencies												
F-14.04	4.01	sele	ct and u	se tools	s and eq	uipmer	it appro	priate t	o the ta	sk being	g perfor	med
F-14.04	4.02	select and use tools and equipment appropriate to the task being performed test and record conditions such as temperature, pressure and humidity to compare to system set point										
F-14.04	4.03	veri	fy safety	y contro	ol comp	onents (operate	properl	.y			
F-14.04	4.04	verify safety controls operate at established system set point										
F-14.04	4.05	adjust controls that are operating outside established parameters										

F-14.04.06	identify faulty controls that cannot be calibrated and remedied such as replacement
F-14.04.07	update legislated documents and on-site logbooks



APPENDIX A

TOOLS AND EQUIPMENT

Hand Tools

bending tools and springs

bolt cutters

brushes (wire, paint, acid, tube)

caulking guns chalk lines Chisels

Crowbars

crimpers (wire, tin, pipe, fitting)

cutters (side, wire) drywall saws

Files

fin combs

fish tapes

flare nut wrenches

flaring tools Flashlights folding pliers Funnels

fuse pullers grease guns hack saws

Hammers hand carts

hand sprayers hex keys knock-out kits labelling machine

levels (laser, bubble, precision, line, transit)

inspection mirrors

nut drivers

orifice drill sets

O-ring removal tools

paint equipment

pipe cutters pipe dies

pipe threaders

pliers pry bars pullers

punches reamers

regulators (CO₂, nitrogen, oxygen, acetylene)

Schrader removers

scrapers

screw extractors screwdrivers snap ring pliers socket sets squares staplers

straight edges swaging tools tap and die sets

tin snips tube cutters utility knives wire strippers

wrenches (pipe, open end, adjustable, valve,

torque)

vices

Portable and Stationary Power Tools

air compressors and regulators powder-actuated tools

drill index power washers

drills (electric, cordless, hammer) pumps (circulating, transfer, sump)

glue guns routers

Grinders saws (jig, reciprocating, band, chop)

heat guns trouble lights
hole saw kits vacuum cleaners
impact guns power threaders

Brazing and Soldering Tools

air fuel equipment soldering iron/gun

brazing barriers (fire blankets) striker cloth (sand, emery, sandpaper) torch kits

oxy-fuel equipment

Recovery and Recycling Equipment

filter/driers recovery and recycle units hazardous waste containers recovery and storage cylinders

liquid pumps subcoolers

pressure/temperature charts

Charging Tools and Equipment

charging cylinders refrigerant oil pumps charging manifolds tank heater (heat blankets)

charging scales vacuum pumps

refrigerant hoses

capacitor testers

Diagnostic and Measuring Equipment

air flow hoods circuit tracers

air flow/volume test equipment flame safeguard testers

air quality testers flowmeters air volume test equipment gauges alignment tools hydrometers belt tension indicators hygrometers

black lights infrared thermography cameras and display

units

Calculators leak detectors (electronic, ultrasonic, halide,

soap tests, litmus test, sulphur test,

ultraviolet)

Calipers litmus papers

magnahelic gauges

Diagnostic and Measuring Equipment (continued)

manifold gauge sets tachometers

manometers (U-tube, incline, thermocouple testers

electronic)measuring tapes

megohmmeters thermometers (infrared, electronic,

mechanical)

micrometers transducers (humidity, pressure, amps,

current, voltage)

micron gauges (mechanical, electronic) vacuum gauges

multimeters (true root mean square (RMS)) vibration analysis equipment non-contact voltage (NCV) testers video scope (inspection camera)

oil test kits water analysis kits

pH testing kits carbon monoxide analyzers/detectors

phase meters (mechanical, electronic) combustion analyzers

potentiometers compound gaugescomputers refractometers decibel meters dial indicators

refrigerant scales (mechanical, electronic) dye penetrant kits rulers eddy current testers

psychrometers feeler gauges smoke testers Pitot tubes

stethoscopes pneumatic calibration kits

sulphur candles

Access Equipment

ladders (step, extension) scaffolding/staging

personnel lift

Rigging, Hoisting and Lifting Equipment

blocks and tackles johnson bars chain falls material lifts

chains and cables ropes come-alongs shackles Cranes slings

Dollies spreader bars eye bolts stair climber trolley

fork lifts toe jacks Hoists winches

jacks (hydraulic, mechanical)

Personal Protective Equipment (PPE) and Safety Equipment

barricades/pylons

electrical live test safety equipment /arc flash

fall arrest equipment

fire blankets fire extinguishers

first aid kits/stations

Flagging

gloves (rubber, insulated, leather)

hard hats

hearing protection (ear plugs, muffs)

lock-out kits

masks (dust, particle, filter)

rain suits

respirators

rubber aprons and coveralls

rubber boots safety boots

safety face shields

safety glasses

safety goggles

two-way radios

warning signs welding gloves

welding goggles

welding helmets

APPENDIX B GLOSSARY

accessories optional parts added to equipment or system

access equipment equipment used to allow mechanics to reach work location (e.g.

ladder, scaffolds, personnel lift)

accumulator a vessel in the suction line that collects liquid refrigerant to be boiled

off

analog controls an electrical or mechanical control which is a variable type

commission final start-up activities before a system is fully functional to ensure

system meets manufacturers' specifications

component parts required as part of a system

compressor component that creates pressure differential in a system that allows a

refrigerant to flow

condenser heat rejection component that provides a state change of refrigerant

(from gas to a liquid)

control system electrical, electronic, mechanical and pneumatic components and

wiring used to operate the system

digital controls electronic-based control

evaporator heat absorption component that provides a state change of

refrigerant (from liquid to a gas)

field wiring wiring required to be done on site

flow control device for metering the flow of primary and secondary refrigerants

(e.g. crankcase pressure regulator (CPR) /evaporator pressure

regulator(EPR), solenoid valve)

heat exchanger device used to transfer heat energy from one medium to another

holding charge temporary or partial charge used for the protection of the system

until commissioning

humidifier device introducing water vapour to conditioned space in order to

raise relative humidity

humidity total amount of moisture in air

internal wiring wiring inside the system includes factory and optional wiring

maintain performing functions to prevent premature deterioration and

breakdown of system

metering device designed to regulate flow of liquid refrigerant entering the

evaporator

oil separator device used to remove oil from refrigerant

predictive monitoring trends to components for future replacement or repair

using methods such as vibration analysis and sensory inspection

pressure control pressure-activated safety or operational control

preventative scheduled system maintenance maintenance

maintenance

receiver storage vessel for liquid refrigerant

refrigerant heat transfer fluid used in a primary or secondary refrigeration

system

refrigeration transferring of heat from a place where it is not wanted to a place

where it is unobjectionable

regulator device that controls voltage or the pressure of liquid or gases

repair fix system by repairing or replacing components and accessories

replace change a component on a system

sensory inspection inspection done without tools, using sight, smell, touch and sound

service troubleshoot and repair system

solenoid valve device that permits or stops liquid and gas flow

take-off the listing of material and components required for a project as taken

from design drawings

Terminate final connection of wiring or tubing to any device

trade standards procedures based on codes, regulations, manufacturers'

recommendations and best practices

Transducer electronic device that sends a digital or analog signal to a control

board

troubleshoot diagnosing system failures and malfunctions

Utilities services such as electricity, drainage, water or gas provided by the

city or utility companies

APPENDIX C ACRONYMS

AC Alternating Current

BACnet Building Automation and Control Network

BAS Building Automation Systems

BMS Building Management System

CCDA Canadian Council Of Directors Of Apprenticeship

CEC Canadian Electrical Code

CPR Crankcase Pressure Regulator

DDC Direct Digital Control

DC Direct Current

EPR Evaporator Pressure Regulator

GWP Global Warming Potential

HVAC/R Heating, Ventilation, Air Conditioning And Refrigeration

IAQ Indoor Air Quality

mA Milliamps

NOA National Occupational Analysis

ODS Ozone Depleting Substance

OH&S Occupational Health And Safety

PLCs Programmable Logic Controllers

PPE Personal Protective Equipment

P/T Pressure/Temperature

SOP Safe Operating Procedures

TDG Transport of Dangerous Goods

VAV Variable Air Volume

VRF Variable Refrigerant Flow

VSD Variable Speed Drive

VRV Variable Refrigerant Volume

WHMIS Workplace Hazardous Materials Information System

BLOCK AND TASK WEIGHTING

BLOCK A COMMON OCCUPATIONAL SKILLS

%	<u>NL</u> 10	<u>NS</u> 10	<u>PE</u> 12			<u>QC</u> NV	<u>ON</u> 7	<u>[M</u>		6 6	<u>AB</u> 15	<u>BC</u> 10		<u>Γ</u> <u>`</u>	Y <u>T</u> NV	<u>NU</u> NV	National Average 9%
	Task	1	Perf	orms	s saf	ety-r	elate	d fun	ction	ıs.							
		%	<u>NL</u> 15	<u>NS</u> 33	<u>PE</u> 50		<u>QC</u> NV		<u>MB</u> 30	<u>SK</u> 22	<u>AB</u> 15		<u>NT</u> NV				28%
	Task	2	Use	s and	d ma	intai	ns to	ols aı	nd eq	uipı	nent	•					
		%					<u>QC</u> NV		MB 40	<u>SK</u> 48			NT NV				44%
	Task	3	Org	anize	es w	ork.											
		0/.	<u>NL</u>	<u>NS</u>				<u>ON</u>					NT NV	YT NIV		_	28%

BLOCK B ROUTINE TRADE ACTIVITIES

	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	National Average
%	10	15	15	18	NV	15	25	11	20	20	NV	NV	NV	17%

% 15 25 20 18 NV 40 30 30 30 40 NV NV NV

Task 4 Performs work site preparation.

NL NS PE NB QC ON MB SK AB BC NT YT NU % 30 35 50 36 NV 25 40 15 30 20 NV NV NV 31%

Task 5 Performs routine trade activities.

NL NS PE NB QC ON MB SK AB BC NT YT NU 69%

BLOCK C INSTALLATION PLANNING

%	<u>NL</u> 10	<u>NS</u> 15	<u>PE</u> 10	<u>NI</u> 14		QC NV	<u>ON</u> 10	<u>M</u> 10		<u>6K</u> 14	<u>AB</u> 10	<u>BC</u> 13	<u>N'</u> N'		<u>YT</u> NV	<u>NU</u> NV	National Average 12%
	Task	6	Plan	s ins	talla	ation	of H	VAC	/R sy	ster	ns.						
		%	<u>NL</u> 50	<u>NS</u> 60	<u>PE</u> 40	<u>NB</u> 60	<u>QC</u> NV	<u>ON</u> 50	<u>MB</u> 50	<u>SK</u> 60	<u>AB</u> 65	<u>BC</u> 60			NU NV	_	55%
	Task	7	Plan	s ins	talla	ation	of co	ntrol	syst	ems	•						
		%	<u>NL</u> 50	NS 40	<u>PE</u> 60	NB 40	<u>QC</u> NV	<u>ON</u> 50	<u>MB</u> 50	<u>SK</u> 40	<u>AB</u> 35	<u>BC</u> 40		<u>YT</u> NV	<u>NU</u> NV	_	45%

BLOCK D INSTALLATION

%	<u>NL</u> 30	<u>NS</u> 20	<u>PE</u> 18	<u>NB</u> 21	<u>QC</u> NV	<u>ON</u> 18	<u>MB</u> 15	<u>SK</u> 24	<u>AB</u> 20	<u>BC</u> 12	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	National Average 19%
---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	----------------------------

Task 8 Installs HVAC/R systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 64%

Task 9 Installs control systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 36% 30 40 55 36 NV 25 50 27 30 30 NV NV NV

BLOCK E COMMISSIONING

%	<u>NL</u> 10	<u>NS</u> 20	<u>PE</u> 12	<u>NB</u> 20	<u>QC</u> NV	<u>ON</u> 23	<u>MB</u> 20	<u>SK</u> 23	<u>AB</u> 10	<u>BC</u> 15	<u>NT</u> NV	YT NV	<u>NU</u> NV	National Average 17%
---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	----------	-----------------	----------------------------

Task 10 Commissions HVAC/R systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 60%

Task 11 Commissions control systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 40%

BLOCK F MAINTENANCE AND SERVICE

	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	National Average
%	30	20	33	19	NV	27	25	22	25	30	NV	NV	NV	26%

Task 12 Maintains HVAC/R systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 32% 32%


Task 13 Services HVAC/R systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 40%

Task 14 Maintains and services control systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU % 20 22 40 25 NV 35 40 27 20 20 NV NV NV 28%

APPENDIX E PIE CHART*



TITLES OF BLOCKS

BLOCK A	Common Occupational Skills	BLOCK E	Commissioning
BLOCK B	Routine trade activities	BLOCK F	Maintenance and service
BLOCK C	Installation planning		
BLOCK D	Installation		

^{*}Average percentage of the total number of questions on an interprovincial examination, assigned to assess each block of the analysis, as derived from the collective input from workers within the occupation from all areas of Canada. Interprovincial examinations typically have from 100 to 150 multiple-choice questions.

TASK PROFILE CHART —

Refrigeration and Air Conditioning Mechanic

BLOCKS

A – COMMON OCCUPATIONAL SKILLS

TASKS

- 1. Performs safety-related functions.
- 2. Uses and maintains tools and equipment.

3. Organizes work.

4. Performs work

site preparation.

5. Performs

routine trade

activities.

B - ROUTINE TRADE ACTIVITIES

1.01 Maintains safe work environment.

2.01 Maintains

2.06 Maintains

3.01 Interprets

codes, regulations

and procedures.

4.01 Prepares

work site.

equipment.

charging tools and

hand tools.

- 1.02 Performs lock-out, tag-out and isolation procedures.
- 2.02 Maintains portable and stationary power tools.
- 2.07 Maintains diagnostic and measuring tools and equipment.
- 3.02 Interprets blueprints and specifications.
- 4.02 Handles materials and supplies.
- 5.01 Uses refrigerants, gases and oils.
- 5.02 Performs brazing and soldering.
- 5.03 Performs leak and pressure tests on system.

SUB-TASKS

1.03 Uses personal

equipment (PPE)

protective

and safety

equipment.

2.03 Maintains

brazing and

equipment.

2.08 Uses access

equipment.

3.03 Uses

material.

4.03 Installs

and hangers.

fasteners, brackets

documentation

and reference

soldering

- 2.04 Maintains recovery and recycling
 - evacuation tools and equipment. equipment.
 - 2.09 Uses rigging, hoisting and lifting equipment.
- 2.10 Uses digital technology.

5.05 Performs

field wiring of

systems.

2.05 Maintains

- 3.04 Plans job tasks and
- 3.05 Communicates procedures. with others.

5.04 Evacuates systems.

5.06 Applies sealants and adhesives.

BLOCKS	TASKS			SUB-TASKS	5	
C – INSTALLATION PLANNING	6. Plans installation of HVAC/R systems.	6.01 Verifies HVAC/R system parameters and requirements.	6.02 Selects HVAC/R equipment, components and accessories.	6.03 Determines placement of HVAC/R equipment, components and accessories.	6.04 Performs HVAC/R material take-off.	
	7. Plans installation of control systems.	7.01 Verifies control system parameters and requirements.	7.02 Selects control system components and accessories.	7.03 Determines placement of control system components and accessories.	7.04 Performs control system take-off.	
D – INSTALLATION	8. Installs HVAC/R systems.	8.01 Confirms system layout.	8.02 Assembles HVAC/R equipment, components and accessories.	8.03 Places HVAC/R equipment, components and accessories.	8.04 Installs HVAC/R piping and tubing.	8.05 Applies HVAC/R holding charge.
	9. Installs control systems.	9.01 Places control system components.	9.02 Connects system wiring and control tubing.			
E – COMMISSIONING	10. Commissions HVAC/R systems.	10.01 Performs pre-start-up checks for HVAC/R systems.	10.02 Performs start-up of HVAC/R systems.	10.03 Completes HVAC/R system charge.	10.04 Sets up primary and secondary HVAC/R components.	
	11. Commissions control systems.	11.01 Performs start-up checks for control systems.	11.02 Verifies/sets operating parameters.			

BLOCKS

F – MAINTENANCE AND SERVICE

TASKS

12. Maintains HVAC/R systems. 12.01 Inspects HVAC/R systems. 12.02 Performs predictive and scheduled maintenance on HVAC/R systems. 12.03 Tests HVAC/R system components and accessories.

SUB-TASKS

13. Services HVAC/R systems. 13.01 Troubleshoots HVAC/R systems. 13.02 Repairs HVAC/R systems.

14. Maintains and services control systems.

14.01 Performs maintenance on control systems.

14.02 Troubleshoots control systems. 14.03 Repairs control systems.

14.04 Calibrates operating and safety controls.