



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

NOTICES TO MARINERS PUBLICATION WESTERN EDITION

MONTHLY EDITION N° 12
December 27, 2013



Safety First, Service Always

Published monthly by the
CANADIAN COAST GUARD
www.notmar.gc.ca/subscribe

CONTENTS

	Page
Section 1	Safety and General Information 1 - 4
Section 2	Chart Corrections 5 - 8
Section 3	Radio Aids to Marine Navigation Corrections 9 - 10
Section 4	Sailing Directions and Small Craft Guide Corrections 11
Section 5	List of Lights, Buoys and Fog Signals Corrections 12

Maritime Services Directorate
Aids to Navigation

EXPLANATORY NOTES.

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile	= 1 852 metres (6,076.1 feet)
1 statute mile	= 1 609.3 metres (5,280 feet)
1 metre	= 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) before the chart action and in the section 1. Please note that Nautical charts are not amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet.

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.

Canadian Hydrographic Service.

Information Published in Section 2 Notices to Mariners - Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in Chart Corrections - Section 2. This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or height of a light may not result in the production of a chart correction, in *Notices to Mariners*, but may result in a *List of Light, Buoys and Fog Signals* correction.

In case of discrepancy between information provided on CHS charts related to aids to navigation, and the List of Light publication, the latter shall be deemed as containing the most up to date information

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & Publications* is published in Notice No. 14 of the *Notices to Mariners Annual Edition April 2012*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following website:

www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp


NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2.

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction.



1 - Chart Number	5 - Last Correction	9 - List of light number
2 - Chart Title	6 - Chart action	10 - CHS reference number
3 - Chart's latest New Edition date	7 - Notice type	11 - CCG reference number
4 - Horizontal Chart Datum	8 - Weekly chart correction date	12 - Chart No 1 reference number

The last correction number is identified with the **LN/D** or **Last Notice to Mariners Number / Date**. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

ADVISORY NOTICES TO SHIPPING (WRITTEN AND BROADCAST).

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are available on the Canadian Coast Guard Website at
www.ccg-gcc.gc.ca/eng/CCG/NOTSHIP.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

Pacific

Fisheries and Oceans Canada
Canadian Coast Guard
Vancouver MCTS Centre
Suite 2380, PO Box 12107
555 West Hastings Street
VANCOUVER BC V6B 4N6

Telephone : (604) 666-6011
Facsimile : (604) 666-8453
Telex Number: 043-52586 CGTC VAS VCR

RMIC Email: rmic-pacific@pac.dfo-mpo.gc.ca
Website: www.ccg-gcc.gc.ca/e0003907

* Fisheries and Oceans Canada
Canadian Coast Guard
Iqaluit MCTS Centre
Notices to Shipping Series "A" and Series "H"
P.O. Box 189
IQALUIT NU X0A 0H0

Telephone: (867) 979-5269
Facsimile: (867) 979-4264

Email: IQANORDREG@INNAV.GC.CA
Website: www.ccg-gcc.gc.ca/eng/CCG/Notship_Home

*** Services provided in English and French**

MONTHLY EDITION OF NOTICES TO MARINERS

WEB ACCESS

We are offering a feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners. We are encouraging our clients to visit the website to subscribe for this service:

www.notmar.gc.ca/subscribe

Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the following web page :

www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25lJmxhbmc9ZSI7

This feature permits users to register the nautical charts they currently have in their possession.

Registrants are then automatically notified by e-mail when a Notice to Mariners is published concerning these charts.

INDEX

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.....	1
CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.....	1
CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.....	1
CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.....	1
CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS.....	2
CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES.....	2
CANADIAN COAST GUARD PUBLICATION - RADIO AIDS TO MARINE NAVIGATION (ATLANTIC, ST. LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND EASTERN ARCTIC) PUBLICATION – 2013 - THE COMMERCIAL PUBLIC CORRESPONDENCE SERVICE.....	2
CANADIAN COAST GUARD PUBLICATION - AMENDMENT TO THE RADIO AIDS TO MARINE NAVIGATION (ATLANTIC, ST. LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND EASTERN ARCTIC) PUBLICATION – 2013	3
*1201 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS.....	3
*1202 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS.....	3
*1203 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4).....	3
*1204 TRANSPORT CANADA – SHIP SAFETY BULLETIN.....	4
*1214 CANADIAN COAST GUARD PUBLICATION - AMENDMENT TO THE RADIO AIDS TO MARINE NAVIGATION (PACIFIC AND WESTERN ARCTIC) PUBLICATION – 2013.....	9-10

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED					
Chart No.	Page	Chart No.	Page	Chart No.	Page
2283	3				
3058	5				
3311	5				
3456	6				
3459	6				
3536	6				
3724	6-7				
3741	7				
3742	7				
3956	8				
3957	8				
3984	8				
4654	3				
4565	3				

**Monthly Notices to Mariners - Western Edition
Edition 12 /2013**

**SECTION 1
SAFETY AND GENERAL INFORMATION**

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world.

CHS welcomes your feedback on this service at chsinfo@dfo-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.

The cumulative Notices to Mariners corrections for charts can now be accessed at www.notmar.gc.ca/search/notmar-eng.php

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notices to Mariners and making existing editions obsolete.

REPRINTS

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notices to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force

The current chart edition dates can be accessed at www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

**Monthly Notices to Mariners - Western Edition
Edition 12 /2013**

**SECTION 1
SAFETY AND GENERAL INFORMATION**

CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS.

Mariners are advised that ECDIS may not display some isolated shoal depths when operating in "base or standard display" mode. Route planning and monitoring alarms for these shoal depths may not always be activated. To ensure safe navigation and to confirm that a planned route is clear of such dangers, mariners should visually inspect the planned route and any deviations from it using ECDIS configured to display "all data". The automated voyage planning check function should not be solely relied upon.

CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES

The Canadian Coast Guard is consolidating and modernizing its Marine Communications and Traffic Services. These changes will result in a configuration of 12 MCTS Centres strategically located across the country by spring 2015. Information pertaining to consolidation will be advertised to clients by all available means.

Phase I (completed Spring 2014)

Western Region

Tofino MCTS will close; services will be provided remotely by Prince Rupert MCTS

Phase II (completed Spring 2015)

Western Region

Comox MCTS and Vancouver MCTS will close; services will be provided remotely by Victoria MCTS

There will be no reduction in the MCTS level of service provided to clients. Mariners should be aware that, as a result of consolidation, contact information, weather and other pertinent marine broadcast schedules may change. These changes will be advertised in RAMN, as they become available.

Mariners should check NOTMAR PART 3 on a monthly basis for updates.

CANADIAN COAST GUARD PUBLICATION - RADIO AIDS TO MARINE NAVIGATION (ATLANTIC, ST. LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND EASTERN ARCTIC) PUBLICATION – 2013 - THE COMMERCIAL PUBLIC CORRESPONDENCE SERVICE.

Part I – Page 1 of 10
ADVANCE NOTICES

The Commercial Public Correspondence Service

Effective January 1, 2014, the following changes to the Canadian Coast Guard commercial public correspondence service, provided through select Marine Communications and Traffic Services centres, will be in effect:

All long distance ship-shore calls will be administered through the regular telephone service provider as a collect call.

Individuals intending to place shore-ship calls will be required to direct-dial the appropriate MCTS centre.

MCTS centres providing a commercial public correspondence service are identified in RAMN, Part 2.

Monthly Notices to Mariners - Western Edition
Edition 12 /2013

SECTION 1
SAFETY AND GENERAL INFORMATION

CANADIAN COAST GUARD PUBLICATION - AMENDMENT TO THE RADIO AIDS TO MARINE NAVIGATION
(ATLANTIC, ST. LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND EASTERN ARCTIC) PUBLICATION – 2013

Part I – Page 1 of 10
ADVANCE NOTICES

ECAREG CANADA and Pre-Arrival Information Correspondence

Effective 0001UTC, 1 January 2014, ECAREG and Pre-Arrival Information Reports previously submitted to the ECAREG Canada office in St. John's, NL will now be processed by Halifax MCTS. As of this date, all ECAREG and Pre-Arrival Information correspondence shall be forwarded to:

Halifax MCTS Centre
Telephone: 902-426-4956
Facsimile: 902-426-4483
Email: HLXECAREG1@INNAV.GC.CA

***1201 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS.**

CHARTS	MAIN TITLE	SCALE	PUBLISHED	CAT#	PRICE
New Editions					
2283	Owen Sound to/à Giant's Tomb Island	1:80000	31-AUG-2012	3	25.00
4654	Lark Harbour and/et York Harbour (Bay of Islands)	1:12000	25-JAN-2013	1	20.00
Charts Permanently Withdrawn	All temporary and preliminary notices affecting the previous versions of the following chart(s) (is / are) now cancelled. For any outstanding notices please consult section 2 of this edition.				
4565IC	St John's to Cape St-Francis and Conception Bay				

***1202 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS.**

NEW PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA476275	Caraquet Harbour, Baie de Shippegan and/et Miscou Harbour
CA476276	Continuation A
CA576696	Lark Harbour and/et York Harbour (Bay of Islands)

***1203 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4).**

CHARTS	MAIN TITLE	SCALE	PUBLISHED
New Editions	All temporary and preliminary notices affecting the previous versions of the following chart(s) (is / are) now cancelled. For any outstanding notices please consult section 2 of this edition.		
R/M1312	Lac Saint-Pierre	1:40000	24-MAY-2013
R/M1313	Batiscan au/to Lac Saint-Pierre	1:40000	07-JUN-2013
R/M1314	Donnacona à/to Batiscan	1:40000	21-JUN-2013
R/M2029	Couchiching Lock to Port Severn / Écluse de Couchiching a Port Severn	1:20000	21-DEC-2012
R/M4654	Lark Harbour and/et York Harbour (Bay of Islands)	1:12000	25-JAN-2013

Monthly Notices to Mariners - Western Edition
Edition 12 /2013

SECTION 1
SAFETY AND GENERAL INFORMATION

***1204 TRANSPORT CANADA – SHIP SAFETY BULLETIN.**

New Ship Safety Bulletin - Nouveau Bulletin de la sécurité des navires - 07/2013

This is to notify you that a new **Ship Safety Bulletin** has recently been posted to the Transport Canada website at:
www.tc.gc.ca/ssb-bsn/

To go online to view or download this bulletin, please click on the link below:

Subject: Declaration of Maritime Labour Compliance and Maritime Labour Certificate

Issue: Bulletin No.: 07/2013

Date: 2013-11-21

Link: <http://www.tc.gc.ca/eng/marinesafety/bulletins-2013-07-eng.html>

Sign yourself up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our Web site.

Contact us at: marinesafety-securitemaritime@tc.gc.ca or 1-855-859-3123 (Toll Free)

**Monthly Notices to Mariners - Western Edition
Edition 12 /2013**

**SECTION 2
CHART CORRECTIONS**

3058 - Arrowhead to/à Blanket Creek - Sheet/Feuille 1 - New Chart - 21-JUN-1991 - NAD 1983
27-DEC-2013

Delete	red starboard hand spar buoy, marked A32 (See Chart No. 1, Qf)	50°45'47.0"N 118°00'00.0"W
		<i>DFO(6202782-01)</i>

Delete	green port hand spar buoy, marked A37 (See Chart No. 1, Qg)	50°49'01.0"N 118°03'17.0"W
		<i>DFO(6202782-02)</i>

3058 - Blanket Creek To/à Revelstoke - Sheet/Feuille 2 - New Chart - 21-JUN-1991 - NAD 1983
27-DEC-2013

Delete	red starboard hand spar buoy, marked A44 (See Chart No. 1, Qf)	50°52'33.0"N 118°06'07.0"W
		<i>DFO(6202782-03)</i>

Delete	red starboard hand spar buoy, marked A50 (See Chart No. 1, Qf)	50°54'06.0"N 118°09'05.0"W
		<i>DFO(6202782-04)</i>

Delete	red starboard hand spar buoy, marked A52 (See Chart No. 1, Qf)	50°54'54.0"N 118°09'37.0"W
		<i>DFO(6202782-05)</i>

Delete	red starboard hand spar buoy, marked A54 (See Chart No. 1, Qf)	50°56'37.0"N 118°11'01.0"W
		<i>DFO(6202782-06)</i>

Delete	red starboard hand spar buoy, marked A58 (See Chart No. 1, Qf)	50°57'10.0"N 118°12'13.0"W
		<i>DFO(6202782-07)</i>

3311 - Grief Point to/à Desolation Sound - Sheet/Feuille 5 - New Edition - 31-DEC-1993 - NAD 1983
20-DEC-2013 LNM/D. 17-MAY-2013

Affix	patch Download Patch - http://www.chs-shc.gc.ca/patches/3311PA_20131112_01.pdf	49°50'12.0"N 124°32'00.0"W
		<i>DFO(6202781-01)</i>

3311 - Westview - Sheet/Feuille 5 - New Edition - 31-DEC-1993 - NAD 1983
20-DEC-2013 LNM/D. 17-MAY-2013

Affix	patch Download Patch - http://www.chs-shc.gc.ca/patches/3311PA_20131112_02.pdf	49°50'00.0"N 124°32'00.0"W
		<i>DFO(6202781-02)</i>

**Monthly Notices to Mariners - Western Edition
Edition 12 /2013**

**SECTION 2
CHART CORRECTIONS**

3456 - Halibut Bank to/à Ballenas Channel - New Chart - 01-JUL-2011 - NAD 1983

20-DEC-2013

LNMD. 26-JUL-2013

Reposition yellow spherical buoy, marked NAVY
(See Chart No. 1, Q22)

from 49°17'09.4"N 124°04'57.3"W

to 49°17'07.7"N 124°05'04.4"W

This notice affects Electronic Navigational Chart: CA470756

DFO(6202762-01)

3459 - Approaches to/Approches à Nanoose Harbour - New Edition - 24-OCT-1997 - NAD 1983

20-DEC-2013

LNMD. 26-JUL-2013

Affix patch

49°17'24.0"N 124°05'00.0"W

Download Patch - http://www.chs-shc.gc.ca/patches/3459PA_20131112.pdf

This notice affects Electronic Navigational Chart: CA570193

DFO(6202780-01)

3536 - Powell River and/et Westview - New Chart - 21-APR-1978 - NAD 1927

20-DEC-2013

LNMD. 27-MAY-2011

Affix patch

49°50'00.0"N 124°32'00.0"W

Download Patch - http://www.chs-shc.gc.ca/patches/3536PA_20131112.pdf

This notice affects Electronic Navigational Chart: CA570159

DFO(6202781-03)

3724 - Caamaño Sound and Approaches/et les approches - New Edition - 23-MAY-1980 - Unknown

20-DEC-2013

LNMD. 06-DEC-2013

Add depth of 6 ¾ fathoms
(See Chart No. 1, I10)

52°57'50.6"N 129°28'15.6"W

DFO(6202763-01)

06-DEC-2013

LNMD. 18-OCT-2013

Add depth of 12 fathoms
(See Chart No. 1, I10)

53°04'59.6"N 129°48'38.6"W

DFO(6202757-01)

Add depth of 13 fathoms
(See Chart No. 1, I10)

53°05'03.3"N 129°48'58.1"W

DFO(6202757-02)

Delete depth of 7 fathoms
(See Chart No. 1, I10)

53°02'00.7"N 129°27'28.0"W

DFO(6202759-01)

Delete depth of 7 ½ fathoms
(See Chart No. 1, I10)

53°01'28.0"N 129°27'04.8"W

DFO(6202759-02)

Add depth of 2 fathoms
(See Chart No. 1, I10)

53°02'21.5"N 129°27'37.4"W

DFO(6202759-03)

Monthly Notices to Mariners - Western Edition
Edition 12 /2013

SECTION 2
CHART CORRECTIONS

Add depth of 3 ½ fathoms
(See Chart No. 1, I10) 53°02'02.1"N 129°27'25.5"W

DFO(6202759-04)

Add depth of 4 ¼ fathoms
(See Chart No. 1, I10) 53°01'29.0"N 129°27'27.4"W

DFO(6202759-05)

Add depth of 2 ¾ fathoms
(See Chart No. 1, I10) 53°01'35.0"N 129°27'15.0"W

DFO(6202759-06)

Add depth of 3 ¾ fathoms
(See Chart No. 1, I10) 53°01'29.7"N 129°27'08.3"W

DFO(6202759-07)

Add depth of 4 ¼ fathoms
(See Chart No. 1, I10) 53°01'22.0"N 129°26'46.3"W

DFO(6202759-08)

Add depth of 2 fathoms
(See Chart No. 1, I10) 52°59'53.6"N 129°24'42.0"W

DFO(6202759-09)

3741 - Otter Passage to Bonilla Island - New Edition - 15-FEB-1963 - NAD 1927
06-DEC-2013

LNMD. 27-SEP-2013

Add depth of 12 fathoms (See Chart No. 1, I10) 53°04'58.3"N 129°48'40.8"W

DFO(6202757-03)

Add depth of 13 fathoms (See Chart No. 1, I10) 53°05'02.0"N 129°49'00.3"W

DFO(6202757-04)

Add depth of 13 fathoms (See Chart No. 1, I10) 53°09'05.9"N 129°50'42.2"W

DFO(6202757-05)

3742 - Otter Passage to McKay Reach - New Edition - 16-JUL-1982 - NAD 1927
06-DEC-2013

LNMD. 11-OCT-2013

Add depth of 12 fathoms (See Chart No. 1, I10) 53°04'58.2"N 129°48'40.8"W

DFO(6202757-06)

Add depth of 13 fathoms (See Chart No. 1, I10) 53°05'01.9"N 129°49'00.3"W

DFO(6202757-07)

Monthly Notices to Mariners - Western Edition
Edition 12 /2013

SECTION 2
CHART CORRECTIONS

3956 - Malacca Passage to/à Bell Passage - New Edition - 01-MAR-1996 - NAD 1983
06-DEC-2013

LNMD. 18-JAN-2013

Delete depth of 7.3 metres (See Chart No. 1, I10) 54°12'19.8"N 130°33'05.1"W

This notice affects Electronic Navigational Chart: CA470315

DFO(6202758-01)

Add depth of 5.7 metres (See Chart No. 1, I10) 54°12'19.1"N 130°33'04.6"W

This notice affects Electronic Navigational Chart: CA470315

DFO(6202758-02)

3957 - Approaches to/Approches à Prince Rupert Harbour - New Edition - 05-JUN-1998 - NAD 1983
06-DEC-2013

LNMD. 29-MAR-2013

Delete depth of 7.3 metres (See Chart No. 1, I10) 54°12'18.8"N 130°33'07.7"W

This notice affects Electronic Navigational Chart: CA470315

DFO(6202758-03)

Add depth of 5.7 metres (See Chart No. 1, I10) 54°12'19.1"N 130°33'04.6"W

This notice affects Electronic Navigational Chart: CA470315

DFO(6202758-04)

3984 - Principe Channel Southern Portion/Partie Sud - New Chart - 25-DEC-2009 - NAD 1983
06-DEC-2013

LNMD. 27-SEP-2013

Add depth of 23.8 metres (See Chart No. 1, I10) 53°09'05.0"N 129°50'48.3"W

This notice affects Electronic Navigational Chart: CA470657

DFO(6202757-08)

SECTION 3
CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

*1214 CANADIAN COAST GUARD PUBLICATION - AMENDMENT TO THE RADIO AIDS TO MARINE NAVIGATION
(PACIFIC AND WESTERN ARCTIC) PUBLICATION – 2013.

Part 3 – Vessel Traffic Services

PAGE 19 of 35

Vessel Traffic Services Zone Schedules

Prince Rupert VTS Zone

Sector and Boundaries

AMEND

Sector1 Boundaries

All Canadian waters north of Vancouver Island from a line joining Cape Caution light 51°09'50"N 127°47'06"W; to Mexicana Point 50° 54' 51.96"N 127° 59' 59.58.04"W thence to Cape Sutil 50° 52'34.23"N 128° 3' 7.24"W. Then following the northwestern shore line to Cape Scott thence; a line extending 281° (T) from 50°46'57"N 128°25'32"W; to 50°52'00"N 129°05'00"W following a line 220 degrees (T) to the limit of the Territorial Sea; and thence to the Alaska/British Columbia border, but not including those waters described in Sector 2 or mainland inlets and channels outside VHF coverage

TO READ

All Canadian waters north of Vancouver Island from a line joining Cape Caution light 51°09'50"N 127°47'06"W; to Mexicana Point 50° 54' 51.96"N 127° 59' 58.04"W thence to Cape Sutil 50° 52'34.23"N 128° 3' 7.24"W. Then following the northwestern shore line to Cape Scott thence; a line extending 281° (T) from 50°46'57"N 128°25'32"W; to 50°52'00"N 129°05'00"W following a line 220 degrees (T) to the limit of the Territorial Sea; and thence to the Alaska/British Columbia border, but not including those waters described in Sector 2 or mainland inlets and channels outside VHF coverage.

PAGE 19 of 35

Table Calling-In-Points

AMEND

Calling-In-Point 1A

Calling-In-Points				
Number	Sector	Name	General Description and Conditions	Geographic Description
1A	Change	Cape Caution Cape Sutil	A line from Cape Caution light to Mexicana Point thence to Cape Sutil	A line running from 51°09'50"N 127°47'06"W to – 50° 54' 51.96"N 127° 59' 59.58.04"W to - 50° 52'34.23"N 128° 3' 7.24"W

TO READ

Calling-In-Points				
Number	Sector	Name	General Description and Conditions	Geographic Description
1A	Change	Cape Caution Cape Sutil	A line from Cape Caution light to Mexicana Point thence to Cape Sutil	A line running from 51°09'50"N 127°47'06"W to – 50° 54' 51.96"N 127° 59' 58.04"W to - 50° 52'34.23"N 128° 3' 7.24"W

Part 3

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

SECTION 3
CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

PAGE 28 of 35
Vancouver VTS Zone

AMEND
Sector and Boundaries

Sector4 Boundaries

All Canadian waters bounded on the south by a line from Reception Point light, 49°28'15.9"N 123°53'12"W; to Merry Island light 49°28'03.5"N 123°54'40"W; to Ballenas Island light 49°21'02"N 124°09'32"W; to Cottam Point 49°18'57"N 124°12'45"W; and bounded on the north by a line from Cape Sutil 50° 52'34.23"N 128° 3' 7.24"W to Mexicana Point 50° 54' 51.96"N 127° 59' 59.58.04"W then to Cape Caution 51°09'50"N 127°47'06"W.

TO READ

Sector4 Boundaries

All Canadian waters bounded on the south by a line from Reception Point light, 49°28'15.9"N 123°53'12"W; to Merry Island light 49°28'03.5"N 123°54'40"W; to Ballenas Island light 49°21'02"N 124°09'32"W; to Cottam Point 49°18'57"N 124°12'45"W; and bounded on the north by a line from Cape Sutil 50° 52'34.23"N 128° 3' 7.24"W to Mexicana Point 50° 54' 51.96"N 127° 59' 58.04"W then to Cape Caution 51°09'50"N 127°47'06"W.

PAGE 32 of 35

AMEND
Calling-In-Points

Calling-In-Points				
Number	Sector	Name	General Description and Conditions	Geographic Description
39	Change	Cape Caution Cape Sutil	A line from Cape Caution light to Mexicana Point thence to Cape Sutil When southbound at Cape Caution, mariners shall indicate whether their route is through Scott Channel, Goletas Channel (Nahwitti Bar), Gordon Channel (Pine Island), Bolivar Passage, Ripple Passage or Richards Channel.	A line running from 51°09'50"N 127°47'06"W to – 50° 54' 51.96"N 127° 59' 59.58.04"W to - 50° 52'34.23"N 128° 3' 7.24"W

TO READ

Calling-In-Points				
Number	Sector	Name	General Description and Conditions	Geographic Description
39	Change	Cape Caution Cape Sutil	A line from Cape Caution light to Mexicana Point thence to Cape Sutil When southbound at Cape Caution, mariners shall indicate whether their route is through Scott Channel, Goletas Channel (Nahwitti Bar), Gordon Channel (Pine Island), Bolivar Passage, Ripple Passage or Richards Channel.	A line running from 51°09'50"N 127°47'06"W to – 50° 54' 51.96"N 127° 59' 58.04"W to - 50° 52'34.23"N 128° 3' 7.24"W

Monthly Notices to Mariners - Western Edition
Edition 12 /2013

SECTION 4
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

PAC 201 — Juan de Fuca Strait and Strait of Georgia, First Edition, 2012

Chapter 9 — Paragraph 319

Delete: “It is shown from ... middle **breakwater**.”

(P2013-14.1)

Chapter 9 — Paragraph 320

Delete: 7.6 m

Replace by: 6.1 m

(P2013-14.2)

Chapter 9 — Paragraph 325

Delete: two rock mound **breakwaters**

Replace by: a rock mound **breakwater**

(P2013-14.3)

Monthly Notices to Mariners - Western Edition
Edition 12 /2013

SECTION 5
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

The amendments have been highlighted in yellow

Pacific

361	City Reach range 2	On S. bank of river. 49 09 17.9 122 56 41	Q	Y	1s	13.4	13	Mast, Red daymark, white vertical stripe	In operation 24 hours. Year round.
362		095°20' 161m from front.	Iso	Y	2s	19.2	15	Mast, red daymark, white vertical stripe.	In operation 24 hours. Year round.

Chart:3490
Ed12/13)

Monthly Notices to Mariners - Western Edition
Edition 12 /2013

CANADIAN COAST GUARD MARINE INFORMATION REPORT AND SUGGESTION SHEET.

Name of Ship or Sender:..... Date:

Address of Sender:

Street #

Street Name

Town / City:..... Prov / State:..... Postal Code / Zip Code:

Tel / Fax / E-mail address of sender (if appropriate):

Observation Date:..... Time (UTC):

Geographical Position:

Coordinate Position: Lat: Long:

Position Method: ☐ DGPS ☐ GPS with WAAS ☐ GPS ☐ Radar ☐ Other

Horizontal Datum Used: ☐ WGS 84 ☐ NAD 27 ☐ Other

Estimated Position Accuracy:.....

Chart #: Datum: ☐ NAD 27 ☐ NAD 83

Chart Edition: Last Correction applied:

Publications affected: (Quote Volume and page):.....

*Full details (Attach additional sheets as necessary)

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Director, Navigation Systems
Canadian Coast Guard
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of information concerning aids to navigation
or the List of Lights, Buoys and Fog Signals.

atn-aln@dfo-mpo.gc.ca

OR

Dominion Hydrographer
Canadian Hydrographic Service
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of new or suspected dangers to navigation
or where corrections to "Sailing Directions" appear
to be necessary.

CHSINFO@DFO-MPO.GC.CA

Or general questions on Coast Guard programs or services please send an e-mail message to:
info@dfo-mpo.gc.ca (Please include your postal code and e-mail address).