

281

DFO - Library / MPO - Bibliothèque




12033734

Canadian Pacific Coast Ichthyoplankton Survey. 1980. Hydrography. Part Three. Vertical Profiles of Temperature, Salinity, and Sigma-T by Station

J.C. Mason, O.D. Kennedy, and T.H. Mullin

Department of Fisheries and Oceans
Resource Services Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6



August 1981

Canadian Data Report of Fisheries and Aquatic Sciences No. 281

QH
90.5
C 33
#281
C-1



Government of Canada
Fisheries and Oceans

Gouvernement du Canada
Pêches et Océans

Canadian Data Report of Fisheries and Aquatic Sciences

These reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of Data Reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was changed with report number 161.

Data Reports are not intended for general distribution and the contents must not be referred to in other publications without prior written clearance from the issuing establishment. The correct citation appears above the abstract of each report.

Rapport statistique canadien des sciences halieutiques et aquatiques

Ces rapports servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des Rapports statistiques reflètent la vaste gamme des intérêts et politiques du Ministère des Pêches et des Océans, notamment gestion des pêches, techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les numéros 1 à 25 de cette série ont été publiés à titre de Records statistiques, Service des pêches et de la mer. Les numéros 26-160 ont été publiés à titre de Rapports statistiques du Service des pêches et de la mer, Ministère des Pêches et de l'Environnement. Le nom de la série a été modifié à partir du numéro 161.

Les Rapports statistiques ne sont pas préparés pour une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au haut du résumé de chaque rapport.

Canadian Data Report of Fisheries
and Aquatic Sciences No. 281

August 1981

CANADIAN PACIFIC COAST ICHTHYOPLANKTON SURVEY, 1980. HYDROGRAPHY.

PART THREE. VERTICAL PROFILES OF TEMPERATURE,
SALINITY, AND SIGMA-T BY STATION

by

J. C. Mason, O. D. Kennedy, and T. H. Mullin

Department of Fisheries and Oceans
Resource Services Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

(c) Minister of Supply and Services Canada 1981

Cat. No. Fs 97-13/281

ISSN 0706-6465

ABSTRACT

Mason, J. C.; O. D. Kennedy, and T. H. Mullin. 1981. Canadian Pacific Coast Ichthyoplankton Survey, 1980. Hydrography. Part Three. Vertical Profiles of Temperature, Salinity, and Sigma-t by Station. Can. Data Rep. Fish. Aquat. Sci. 281:114 p.

This report contains time-series graphs illustrating vertical profiling of temperature, salinity, and sigma-t at individual stations. It is one of three such reports concerning the physical-chemical data base collected on the survey. This survey involved four monthly cruises of some nine days duration conducted on the G. B. REED (January 15-22, February 13-20, March 12-20, and April 15-23, 1980).

The survey encompassed the entire length of the Canadian outer coast and also included Dixon Entrance, Hecate Strait, and Queen Charlotte Sound.

The physical-chemical data base was digitized and corrected, then sent to the Marine Environmental Data Service (Ottawa) for computer processing, including interpolation and horizontal contouring of temperature, salinity, and sigma-t. The present report (Part Three) is a compilation of vertical profiles of temperature, salinity, and sigma-t for individual stations, presented in that sequence of order, from cruise one to cruise four.

Key words: Hydrography, Canadian Pacific outer shelf, Dixon Entrance, Hecate Strait, Queen Charlotte Sound.

RESUME

Mason, J. C., O. D. Kennedy, and T. H. Mullin. 1981. Canadian Pacific Coast Ichthyoplankton Survey, 1980. Hydrography. Part Three. Vertical Profiles of Temperature, Salinity, and Sigma-t by station. Can. Data Rep. Fish. Aquat. Sci. 281: 114 p.

Le présent rapport contient une série chronologique de graphiques montrant le profil vertical de la température, de la salinité et de sigma-t à certaines stations. Il s'agit de l'un des trois rapports concernant la base de données physico-chimiques constituée lors des levés. Les levés ont été effectués depuis le G. B. REED lors de quatre expéditions mensuelles d'une durée de neuf jours environ (du 15 au janvier, du 13 au 20 février, du 12 au 20 mars et du 15 au 23 avril 1980).

Les levés portaient sur toute la longueur de la côte canadienne la plus à l'ouest ainsi que sur l'entrée Dixon, le détroit d'Hécate et le bassin Reine-Charlotte.

La base de données physico-chimiques a été convertie en données numériques, corrigée, puis envoyée au Service des données sur le milieu marin à Ottawa pour traitement à l'ordinateur, ce qui comprenait l'interpolation et le tracé des courbes horizontales de température, de salinité et de sigma-t. Le présent rapport (troisième partie) est une compilation des profils verticaux de température, de salinité et de sigma-t pour chaque station, présentée chronologiquement, depuis la première jusqu'à la quatrième expédition.

Mots clés: Hydrographie, plateau continental du Pacifique le plus à l'ouest, entrée Dixon, détroit d'Hécate, bassin Reine-Charlotte.

ORIENTATION AND METHODOLOGY

The Pacific Coast Ichthyoplankton Survey was conducted by staff of the Groundfish Program at the Pacific Biological Station, Nanaimo (Resource Services Branch). The survey involved four monthly cruises of some nine days duration each made on the G. B. REED (January 15~22, February 13~20, March 12~20, and April 15~23, 1980).

The survey encompassed the entire length of the Canadian outer coast and also included Dixon Entrance, Hecate Strait, and Queen Charlotte Sound. A total of 77 stations on 18 transect lines were occupied routinely (Fig. 1). The stations are listed by number, location (latitude and longitude), and depth in Table 1.

On station, following oblique tows for ichthyoplankton, an STD cast (Bissett Berman) was made, supplemented irregularly by XBT casts, and by Nansen casts, with salinometry done ashore.

The physical-chemical data base was digitized and corrected, then sent to the Marine Environmental Data Service (Ottawa) for computer processing, including interpolation and horizontal contouring of temperature, salinity, and sigma-t. The present report (Part Three) is a compilation of vertical profiles of temperature, salinity, and sigma-t for individual stations, presented in that sequence of order. The corrected data base is available from MEDS as Accession No. A8019801.

ACKNOWLEDGEMENTS

The assistance of Wolfgang Carolsfeld and Antan Phillips in data collection is gratefully acknowledged, as is the cooperation and support of the Marine Resources Branch (Provincial Ministry of Environment) in providing their salaries. The Master and crew of the G. B. REED are duly thanked for their enthusiastic and efficient support at sea. Finally, we are particularly grateful for the cooperation and support of John Garrett and his staff at the Institute of Ocean Sciences, Sidney, British Columbia who provided the Bissett Berman STD equipment and technical assistance in the installation and calibration of same.

TABLE 1. Tracklines and their associated stations, station locations, and station depths for the West Coast Ichthyoplankton Survey, January through April, 1980.

Trackline no.	Station no.	Latitude	Longitude to nearest min.	Station depth (m)
1	1	48° 30'	124° 23'	91
	2		124° 33'	182
	3		124° 52'	182
	4		125° 18'	182
	5		125° 43'	100
	6		126° 05'	182
	7		126° 24'	910
2	8	49° 00'	126° 56'	910
	9		126° 33'	182
	10		126° 14'	100
	11		126° 04'	55
3	12	49° 30'	126° 44'	55
	13		126° 54'	100
	14		127° 14'	182
	15		127° 34'	910
4	16	50° 00'	127° 59'	910
	17		127° 52'	100
	18		127° 43'	182
	19		127° 35'	55
5	20	50° 30'	128° 14'	55
	21		128° 19'	100
	22		128° 26'	182
	23		128° 40'	910
6	24	51° 00'	129° 48'	910
	25		129° 21'	182
	26		128° 56'	76
	27		128° 31'	100
	28		128° 06'	100
7	29	51° 30'	128° 31'	164
	30		128° 56'	100
	31		129° 21'	100
	32		129° 51'	182
	33		130° 24'	910

TABLE 1 (contd).

Trackline no.	Station no.	Latitude	Longitude to nearest min.	Station depth (m)
8	34	52° 00'	131° 09'	100
	35		131° 12'	182
	36		131° 23'	910
9	37	52° 30'	131° 56'	910
	38		131° 47'	182
10	39	53° 00'	132° 26'	182
	40		132° 40'	910
	41		132° 53'	910
11	42	53° 20'	133° 19'	910
	43b		133° 09'	637
	43a		133° 05'	218
	43		133° 01'	182
	44		132° 57'	100
12	45	54° 00'	133° 13'	55
	46		133° 27'	64
	47		133° 31'	182
	48		133° 48'	910
13	49	54° 30'	134° 06'	910
	50		133° 49'	182
	51		133° 22'	364
	52		132° 55'	365
	53		132° 27'	364
	54		132° 00'	246
	55		131° 34'	282
	56		131° 07'	146
14	57	54° 00'	131° 25'	18
	58		131° 08'	55
	59		130° 50'	100
15	60	53° 30'	130° 42'	100
	61		131° 05'	55
	62		131° 02'	22
16	63	53° 00'	131° 06'	55
	64		130° 40'	100
	65		130° 13'	228
	66		129° 47'	55
17	67	52° 30'	129° 48'	182
	68		130° 13'	273
	69		130° 40'	100
	70		131° 07'	55

TABLE 1 (cont'd).

Trackline no.	Station no.	Latitude	Longitude to nearest min.	Station depth (m)
18	71	52° 00'	130° 41'	228
	72		130° 14'	100
	73		129° 48'	100
	74		129° 21'	182
	75		128° 56'	100







FIGURE 1. Tracklines and associated stations in numbered sampling sequence for the West Coast Ichthyoplankton Survey, January through April, 1980.





WEST COAST OF VANCOUVER ISLAND

Transect Lines 1-5
Stations 1-23












STN 1 σ^T
Cruises WC 80 - 2, 3 + 4





STN 2 σ^T
Cruises WC 80 - 2, 3 + 4





STN 3 σ^T
Cruises WC 80 - 3 + 4



























STn 8 S ‰
Cruises WC 80-1, 2 & 4



















































Stn 21 G^T
Cruises NC 80-1, 2, 3 & 4



Stn 22 G^T
Cruises NC 80-1, 2, 3 & 4













QUEEN CHARLOTTE SOUND


Transect Lines 6-7
Stations 24-33








































WEST COAST OF QUEEN CHARLOTTE ISLANDS


Transect Lines 8-12
Stations 34-48







































Stn 38 6T
Cruises WC 80-2, 3 & 4





Stn 39 6T
Cruises WC 80-1, 2, 3 & 4























Stn 13 B T °C
Cruises NC 80 - 2, 3 + 4



Stn 44 T °C Cruises NC 80 - 1, 3 + 4




100

200

300

400


Stn 43 S‰
Cruises WC 80-1, 2, 3 + 4



100

200


Stn 43A S‰
Cruises WC 80-2, 3 + 4





100


200


Stn 44 S‰
Cruises WC 80-3 + 4












100

200

300


Stn 45 5%
Cruises WC 80- 1 + 4



100

200


Stn 46 5%
Cruises WC 80- 2,3 + 4





100


200

Stn 47 5%
Cruises WC 80- 3 + 4













DIXON ENTRANCE


Transect Line 13
Stations 49-56

































HECATE STRAIT


Transect Lines 14-18
Stations 57-75






























Stn 71 $T(^{\circ}\text{C})$
Cruises WC 80-1, 2, 3 & 4



Stn 72 $T(^{\circ}\text{C})$
Cruises WC 80-1, 2, 3 & 4

