

Canadian Technical Report of
Fisheries and Aquatic Sciences 1760

October 1990

ENVIRONMENTAL MONITORING OF THE BAY OF FUNDY SALMONID
MARICULTURE INDUSTRY DURING 1988-89

by

D. J. Wildish, J. L. Martin, A. J. Wilson and M. Ringuette
Department of Fisheries and Oceans
Biological Station
St. Andrews, New Brunswick E0G 2X0

This is the two hundred and ninth Technical Report of
the Biological Station, St. Andrews, N. B.

INTRODUCTION

By December 1989, the Bay of Fundy salmonid mariculture industry consisted of 44 farms which were operational, plus another five which had received N.B. Dept. of Fisheries and Aquaculture approval to occupy specific sites (Fig. 1). This report records ecological observations during a 2-yr period beginning in January 1988 until December 1989. As in previous reports (Wildish et al. 1986; Wildish et al. 1988), the geographic focus of sampling is the Letang/Western Isles regions of the Bay of Fundy where the salmonid mariculture industry is concentrated. We hoped that our ecological studies would be a means of determining the extent of environmental changes caused by the salmonid mariculture industry. Two major ecological changes were considered possible a priori (Wildish et al. 1990):

- site-specific benthic effects caused by the buildup of faeces and waste food. This often results in deoxygenation due to increased aerobic bacterial activity and eventually replacement by anaerobic microflora which produce compounds with high chemical oxygen demand and which may be toxic, e.g. hydrogen sulphide gas;
- nutrient enrichment of seawater caused by the microbial breakdown of wastes from salmonid culture which could stimulate a localized microalgal event with direct lethal or indirect effects on caged salmon.

An overview of the environmental monitoring and research recommended for the salmonid mariculture industry based on these two possibilities is presented elsewhere (Wildish et al. 1990). We have concentrated on the latter possibility and instituted a phytoplankton monitoring project on an industry-wide basis. We believe that if the samples can be sorted and identified soon after they are collected, some early warning of a potentially toxic bloom could be given. Our benthic studies have been limited to relatively few sites and there is an urgent need for annual, benthic monitoring at each sea pen site (Wildish et al. 1990) to aid in responsible management of the nearshore marine environment. In addition, we report on the environmental effects of two other competing industries present in the area: a pulp mill discharging into Letang and a fish processing plant at Black's Harbour, as examples of possible multiple use resource conflict with the salmonid mariculture industry.

MATERIALS AND METHODS

FIELD SAMPLING FOR PHYTOPLANKTON MONITORING PROJECT

The PANDALUS III was employed for seawater sampling. This 45-ft research vessel is equipped with an hydraulic crane winch and a set of Niskin bottles (PVC of 1.8 or 5.0 L capacity equipped with reversing thermometer) worked from a separate hydrographic winch and wire. Where possible, three depths were sampled at each station: surface (bucket), 10 m, and 1 m above the sediment-water interface. The sampling frequency aimed for was weekly in the summer to monthly in the winter. Stations sampled on each trip ranged from 4-17 (Fig. 2).

CHEMICAL OCEANOGRAPHY

A mercury thermometer (read to 0.1°C) was used to measure seawater surface temperatures and, at other depths, a reversing thermometer was used. Dissolved oxygen (DO) concentrations were determined by the azide modification of the Winkler method in 300-mL bottles. Values were expressed as a percentage of the expected DO value at the same temperature and salinity. Salinity was determined on 100-200 mL samples by measuring conductance. Values were expressed as parts per thousand (‰) salinity (S). Chlorophyll *a* was determined fluorometrically as in Strickland and Parsons (1968) on a 500-mL seawater sample and the results expressed as mg chlorophyll *a* per m³. Adenosine triphosphate (ATP) was determined by firefly bioluminescence assay on 15-mL samples of seawater. The results are expressed as µg ATP/m³ after correction for salinity carryover on the filter.

All methods used are unchanged from our earlier work (Wildish et al. 1988). A detailed presentation of the methods has been given elsewhere (Wildish et al. 1990).

PHYTOPLANKTON ANALYSIS

The method used was unchanged from 1986-87 (Wildish et al. 1988). A 200-mL seawater sample from the Niskin bottle was preserved in 2.5% formalin:acetic mixture (1:1) or 1.0% Lugol's Iodine. A 50-mL subsample was settled in a counting chamber, the plankton species identified, and cell densities counted (number of cells/L) with an inverted microscope.




Fig. 1. Map showing the location of registered salmon farms in 1989.

PLANT NUTRIENT ANALYSIS

Plant nutrients were analyzed with a Technicon Autoanalyzer by the Physical and Chemical Sciences Branch, Bedford Institute of Oceanography. Silicate, phosphate, and nitrate were measured according to slightly modified methods in the Technicon manual (P. M. Strain, Bedford Institute of Oceanography, Dartmouth, Nova Scotia, pers. commun.). Four stations, numbers 3, 15, 16, and 17 (see Fig. 2), were analyzed for these nutrients.

SEDIMENT SAMPLING AND ANALYSIS

Sediment was sampled either with a 20-kg Kajak corer or by hand-held core liner carried by a SCUBA diver. The plastic core liner was modified by drilling at 5-cm intervals in a spiral pattern so that the tip of an Orion redox probe (#96-78) could be pushed into the sediment after removal of duct tape which covered the hole. Eh was determined as previously (Wildish et al. 1990) and the value presented as mV normal to the hydrogen electrode (NHE).

OTHER FIELD SAMPLING AND ANALYSIS

Upper Letang

In addition to transect surveys for determining dissolved oxygen concentrations downstream from the point of entry of a pulp mill effluent into Letang in early fall, we have surveyed the newly created second pond in upper Letang to determine salinity distributions. We used a small dinghy and a horizontal 1.5-L PVC bottle which could be closed by messenger. Analytical methods used were similar to those described above.

In the same dinghy, a gas sample was collected in a 500-mL bottle from the upper pond at the point at which gas bubbling was most active (Poole et al. 1976). Other samples were obtained by SCUBA diver at cage pen sites. The bottle was closed under water by means of pinch clamps on rubber hoses. The sample was stored at 0°C until gas chromatographic analysis by V. Zitko and H. M. Akagi (Marine Chemistry Division, Biological Station, St. Andrews, N. B.)

Black's Harbour area

Seawater samples were collected at various depths with 5-L capacity Niskin bottles from the J.L. HART following reports of large amounts of effluent originating from a fish meal

plant at Black's Harbour utilizing imported menhaden. Temperature, salinity, and dissolved oxygen were determined by methods given above.

RESULTS

PLANT NUTRIENT ANALYSIS

Data were obtained only in 1989 (Appendix 1) for the total nitrate, phosphate, and silicate in the period from May to December.

CHEMICAL OCEANOGRAPHY

The data are shown in Appendix 2.

PHYTOPLANKTON ANALYSIS

Up to 17 stations (Fig. 2) were sampled during 1988-89. Because of the large numbers of species of phytoplankters and smaller zooplankters identified, it was found necessary to limit the species/density matrices shown here to surface samples only (Appendices 3 and 4). Those interested in the raw data from samples collected at depths other than the surface should contact the first author.

The species list for the 3-yr period 1987-89 included 179 species identified. Additional species to those found in 1987 (Wildish et al. 1988) are listed in Appendix 5.

The dominant species based on frequency of occurrence at all depths and stations sampled are compared with 1987 dominants (Table 1).

SEDIMENTARY CONDITIONS NEAR SALMONID NET PENS

Sedimentary Eh values (Table 2) show that a control station in Scotch Bay near station 1 (Fig. 2) has a uniformly aerobic sediment with no evidence of input from salmon farms or from pulp mill effluents from the landward end of Letang. Negative values at stations 7, 13, and 19 indicate the development of anaerobic microbial communities.

From transect samples at a sea pen site in Bliss Harbour and obtained by SCUBA diver (Fig. 3), we have obtained seasonal samples (Table 3). Eh values were recorded within the top 10 cm so as to avoid sampling disturbance during collection (the surface layers were "fluffy" and easily resuspended); this was usually at 5




Fig. 2. Map showing station numbers sampled for phytoplankton and plant nutrients during 1988-89.

Table 1. Dominant species arranged in descending order of density as found at all stations sampled and at all depths.

1987	1988	1989
<i>Nitzschia pseudodelicatissima</i>	<i>Nitzschia pseudodelicatissima</i>	<i>Nitzschia pseudodelicatissima</i>
<i>Chaetoceros</i> sp.	<i>Thalassiosira gravida</i>	<i>Skeletonema costatum</i>
<i>Thalassiosira gravida</i>	<i>Chaetoceros debilis</i>	<i>Ceratium minutum</i>
<i>Alexandrium fundyense</i>	<i>Eutreptia</i> sp.	<i>Mesodinium rubrum</i>
<i>Mesodinium rubrum</i>	<i>Mesodinium rubrum</i>	<i>Alexandrium fundyense</i>
<i>Rhizosolenia delicatula</i>	<i>Peridinium</i> sp.	<i>Leptocylindrus minimus</i>
<i>Chaetoceros debilis</i>	<i>Chaetoceros</i> sp.	<i>Nitzschia closterium</i>
<i>Peridinium</i> sp.	<i>Peridinium triquetra</i>	<i>Thalassiosira gravida</i>
<i>Skeletonema costatum</i>	<i>Leptocylindrus minimus</i>	<i>Distephanus speculum</i>
<i>Nitzschia pungens</i>	<i>Thalassiosira rotula</i>	Tintinnids

Table 2. Values of the oxidation-reduction potential (E_{NHE} at ca. 14°C) at various depths in the core.

Sediment depth (cm)	Sea pen sites			Control Scotch Bay
	Lime Kiln Bay	Bliss Harbour	Bliss Harbour	
0	+107	-41	-11	+249
5	-56	+39	+9	+139
10	+30	+89	+69	+149
15	+189	+49	+119	+149
20	+189	+169	+119	+219
25	+169	+189	+119	+219
30	+129	+169	+179	+239
35	+229	+239	+199	+249
40	+229	+209		
45	+249			

Table 3. Seasonal redox values in mV as E_{NHE} uncorrected for sedimentary temperature at a sea pen site in Bliss Harbour.

Transect station	13.7.89	Dates 4.8.89	5.9.89	9.1.90
0	+122	+72	+158	+170
25		-143	+148	+170
50		-72	-17	
75		-133	-102	-10
100	-158	-193	-142	-5
125	-162	-153	-42	+45
150		-93	-62	+195
175		-193	-2	+55
200		-183	-112	0
225	-128	-173	-102	+120
250	-123	-173	-192	-20
275		-153	-132	+5
300		-73	-7	+65
325		-113	+58	-75
350		+2	-82	-110
375		-8	+58	-110
400		-68	-27	-110
425		-58	-67	0
450		-33	-52	-95
475		-133	-107	-25
500		-98	+188	-110
Lowest	-162	-193	-192	-110
Highest	+122	+72	+188	+195
Mean	-90	-103	-30	+8
n	5	21	21	20
Temp (°C) sediment at analysis	11.8-14.5	12-13	13.8-15.6	3.0-6.3
Seawater temp (°C)				2-3




Fig. 3. Coring transect in Bliss Harbour sampled by a SCUBA diver. The 21 staked sampling points are 25 ft apart and pass through the centre of the sea-pen site. Each pen is 40 ft square.

cm depth. Mean ENHE values show a decline to more negative values from July to August, but after then until early September, show a sharp change to less negative values. Thereafter, there is a slower change until in mid-winter, the mean $E_{NHE} = +8$. Gas samples could be collected at this site only until October (when the seawater temperature was 10.5°C) after which no further gassing occurred. The major portion of the gas was methane with small amounts of nitrogen, carbon dioxide, and hydrogen sulphide.

Similar sampling at another sea pen site on Campobello Island on 8 September 1989 showed ENHE of sediments down to -160 mV and some gassing (again mostly methane). Dissolved oxygen levels of the overlying bottom seawater were 72-75% of saturation and 75-85% of saturation in the surface seawater. Although this was a relatively small site with 10 Mallock-type cages on the southern bank of Head Harbour, a mariculture sludge was present. We conclude that this is due to the shallow depths of a few metres under the net pens and the relatively poor flushing of Head Harbour.

SURVEY OF UPPER LETANG

A gas sample was collected from the original first pond receiving pulp mill effluents from the Lake Utopia mill (Wildish 1983) on 2 November 1989 (surface temperature = 10.4°C).

Gases which lacked the characteristic rotten egg smell of H_2S were still bubbling to the surface and could readily be collected. The bubbling action here causes flocs of pulp fibres to rise from the bottom and float on the surface. Gas analysis of our sample showed that it consisted of methane (H. Akagi, Marine Chemistry Division, pers. commun.) with no evidence for the presence of H_2S .

Beginning in the summer of 1988 and continuing through the following winter, a causeway and dam was built at Pull-and-be-Damned Narrows indicated by Dam 2 (Fig. 4), thus creating a 'second' pond. Surface and bottom salinities were determined on 21 September 1989 along a transect in this pond and the results are shown in Table 4. Nearly full strength seawater was present in the second pond at <4.5-6.0 m depth. The seawater sampled was ca. 1 ± 0.5 m off the bottom.




Fig. 4. The second pond in Upper Letang showing the locations sampled on 21 September 1989.

Table 4. Salinity conditions in second pond, upper Letang on 21 September 1989.

Station no.	Time DST	Depth (m)	Salinity (‰)
1	0950	0	1.3650
		2.5	4.6244
2	0955	0	1.3455
		6	26.5729
3	1000	0	1.5139
		5.5	1.3821
4	1005	0	1.3345
		5	1.3471
5	1010	0	1.3303
		5	1.2988
6	1015	0	1.3376
		5	12.2691
7	1020	0	1.3488
		5	27.2058
8	1025	0	1.3917
		5	18.2320
9	1027	0	1.3640
		4	19.4464
10	1030	0	1.2640
		4.5	26.4647
11	1100	0	1.7489
		0	1.7364
12	1125	0	1.1125
		0	1.2415

LW predicted at 1100 DST.

SURVEY OF BLACK'S HARBOUR AREA

During August-September 1989, concerns were expressed by salmon mariculture operators about large quantities of fish wastes entering Black's Harbour from a fish meal rendering plant. This plant received shipments of menhaden from the USA ('pogey boats') and was operating round the clock during this period. We investigated some receiving water variables to determine the effect of the effluent.

On 6-7 September 1989, the J.L. HART undertook three transect surveys in the area (Fig. 5) to determine the temperature, salinity, and dissolved oxygen content of the seawater receiving the fish plant wastes. Results (Table 5) show that within Black's Harbour itself the effects on dissolved oxygen levels near low tide were marked, particularly in surface waters. The cause of the low dissolved oxygen levels is associated with aerobic microbial respiration of the fish wastes. Outside Black's Harbour, the effects were much less noticeable due to the

dilution and mixing that the wastes receive once outside the harbour. However, visual appraisal of the area showed that some of the oily wastes carried on the seawater surface reached salmon net pen sites in Bliss Harbour.

DISCUSSION

Preliminary analysis of the phytoplankton data showed that of nine species classified as dominants during the summers of 1988 and 1989, only two, *Alexandrium fundyense* and *Nitzschia pseudodelicatissima*, are known to produce toxins of potential economic importance in the marine environment. As far as we could determine, these or other unrecognized marine phycotoxins have had no effect on the Bay of Fundy salmonid culture industry during 1988 and 1989. A marked drop in both silicate and nitrate concentrations occurred in the spring of 1989 corresponding to a spring phytoplankton bloom in which diatoms were dominant and presumably utilizing these nutrients. Nutrient concentrations during the *Chrysochromulina*




Fig. 5. Black's Harbour transects: A, B, and C and stations (numbered) sampled on 6-7 September 1989 from the J.L. HART.

Table 5. Seawater dissolved oxygen (DO) in the Black's Harbour area along three transects sampled on 6-7 September 1989.

Stn #		Time (min) + or - LW	Depth (m)	Temp (°C)	% DO sat.	Salinity o/oo
<u>Transect A - 6 September 1989.</u>						
A1	Surface Bottom	+10	3.5	13.1 13.5	0 8.9	32.2 32.4
A2	Surface Bottom	+26	4.8	13.2 12.9	0 38.8	32.2 32.3
A3	Surface Bottom	+35	6.9	13.0 12.5	14.4 79.0	32.2 32.3
A4	Surface Bottom	+46	7.7	14.0 12.5	0 75.0	32.2 32.3
A5	Surface Bottom	+58	12.0	13.7 12.5	2.6 84.7	32.2 32.3
A6	Surface Bottom	+71	19.0	12.4 12.2	90.4 87.6	32.3 32.3
A7	Surface Bottom	+135	23.0	12.5 12.6	94.8 96.7	32.3 32.3
A8	Surface Bottom	+145	23.0	12.9 12.2	96.6 94.9	32.3 32.3
A9	Surface Bottom	+156	22.0	13.2 12.0	98.5 94.9	32.3 32.3
A10	Surface Bottom	+169	16 to 7.5	13.2 12.1	98.9 95.1	32.3 32.3
A11	Surface Bottom	+180	14.0	12.7 12.1	98.9 95.3	32.3 32.3
A12	Surface Bottom	+200	10.0	13.0 12.5	94.0 95.9	32.3 32.3
<u>Transect A - 7 September 1989.</u>						
A11	Surface Bottom	0	12.0	13.5 12.4	101.7 99.3	32.3 32.3
A12	Surface Bottom	+12	8.0	13.0 12.5	96.9 80.1	32.3 32.3

Table 5. (cont'd)

Stn #		Time (min) + or - LW	Depth (m)	Temp (°C)	% DO sat.	Salinity o/oo
<u>Transect B</u>						
B1	Surface Bottom	-25	11.0	13.4 12.7	6.0 84.9	32.3 32.3
B2	Surface Bottom	-14	24.0	12.6 12.3	81.4 97.0	32.3 32.3
B3	Surface Bottom	+35	24.0	12.7 12.4	81.2 77.0	32.3 32.3
B4	Surface Bottom	+47	17.0	13.0 12.6	83.2 74.5	32.3 32.3
B5	Surface Bottom	+90	19.0	13.4 12.6	80.5 81.2	32.2 32.3
<u>Transect C</u>						
C1	Surface Bottom	+105	14.0	12.8 12.5	77.0 76.2	32.3 32.3
C2	Surface Bottom	+116	22.0	12.9 12.0	82.1 85.6	32.3 32.3
C3	Surface Bottom	+126	29.0	12.8 11.9	80.4 86.5	32.3 32.4
C4	Surface Bottom	+135	32.0	13.0 11.8	93.6 86.4	32.3 32.4
C5	Surface Bottom	+157	30.0	12.8 12.0	95.5 85.9	32.3 32.4

polylepis bloom off southern Norway in 1988 which killed cultured salmon are available for comparison (Skjoldal and Dundas 1989). Many environmental factors, oceanographic, chemical, and biological - inclusive of microbiological mediators which stimulate or inhibit phytoplankton (Aubert 1990) - are involved in bloom events. Estep and MacIntyre (1989) have proposed that *C. polylepis*' strategy is to produce haemolysin-like toxins which cause cell membrane dysfunction and cell leaking of target organisms, so that they can then utilize the released nutrients. Major sources of nitrate possibly contributing to eutrophication, in addition to salmonid aquaculture, include municipal sewage and fish processing plants. Large inputs of nutrients can also be expected in the spring freshets, particularly from the Saint John and St. Croix estuaries. Values of nitrate measured do not indicate hypernutrification in any of these sources.

During a temporal study of redox values at one net pen site, Eh values became progressively more negative until August 1989. This indicated a progressive development of anaerobiosis by sulphate reducing and methanogenic bacteria. By early September 1989, the Eh began to increase again until, by mid-winter, the average E_{NHE} = +8 mV. The termination of anaerobiosis in late summer may be due to a buildup in the sediments of toxic levels of H_2S gas which effectively killed the anaerobic microbiota. Gas production at sea pen sites had markedly slowed by September and, by October, it was impossible to obtain a sample, indicating that gas had been purged from the sediments. Seawater temperatures had not declined by October and it was considered to be unlikely that temperature was regulating anaerobiosis as supposed in the sediments under a salmon farm in Scotland (Brown et al. 1987). Parkes and Poole (1976) first noted that toxic levels of sulphide, which killed anaerobes, including sulphate-reducing bacteria, were reached in late summer in pulp fibre polluted sediments. Where mariculture sludge was present under Bay of Fundy salmon farms, it was colonized by *Beggiatoa*-like mats during summer months. This bacterium oxidizes H_2S as an energy source and is present only where there is a sharp interface between oxic seawater and anoxic sediment in which sulphate reduction is occurring. If the seawater becomes deoxygenated, the *Beggiatoa* disappears and a turbid layer may be present (Lumb and Fowler 1989). The absence of sulphide in sediments during winter may mean that *Beggiatoa* disappears or is at least metabolically inactive

then. Many of the core samples taken during the winter had many small worms present (*Capitella capitata*) and on microscopic examination of surface sediments was extremely rich in ciliates and free living nematodes. At these locations in summer, the redox discontinuity layer had reached the sediment surface and the sediments were azoic.

Further evidence for the sulphide poisoning hypothesis is that gas production in the first pond of upper Letang was still active in November - presumably this station had not undergone a lethal buildup of sulphide. If this interpretation is correct, it is evidence that the newly built dam 2 at Pull-and-be-Damned Narrows is effective in preventing seawater entry. The presence of nearly full strength seawater in the deepest parts of the newly created second pond in upper Letang could be due either to hydraulic conditions which did not allow seawater to drain into lower Letang at the bed log settings used and/or seepage across the dam at high tide which ensured that the seawater was regularly replenished. At the time of spring freshets, an attempt should be made to flush seawater from the second pond. The dam and one-way flap gate were constructed to limit seawater entry to upper Letang which, in time, should become a completely freshwater system. The overall purpose was to remove seawater with its high content of sulphate which had been utilized by some anaerobic bacteria as an electron acceptor producing the offensive gas H_2S as a byproduct.

ACKNOWLEDGMENTS

We thank Captain Francis Guptill of the PANDALUS III and Captain Wayne Miner and the crew of the J.L. HART for their competence in field sampling and Captain Joe Hunt of the SHADED LADY for SCUBA diving during sampling. Ms. Murielle LeGresley and Ms. Joanne Power provided assistance in phytoplankton analysis and Ms. Carol James and Ms. Aline Saulnier in chemical oceanography and data preparation. Mr. Frank Cunningham prepared the figures and Ms. Brenda Best typed the manuscript. We thank Dr. K. Haya and Mr. B. Chang for critically reviewing the manuscript.

REFERENCES

- Aubert, M. 1990. Mediators of microbiological origin and eutrophication phenomena. Mar. Pollut. Bull. 21: 24-29.

- Brown, J. R., R. J. Gowen, and D. S. McClusky. 1987. The effect of salmon farming on the benthos of a Scottish sea loch. *J. Exp. Mar. Biol.* 109: 39-51.
- Estep, K. W., and F. MacIntyre. 1989. Taxonomy, life cycle, distribution and dasmotrophy of *Chrysochromulina*: a theory accounting for scales, haptonema, muciferous bodies and toxicity. *Mar. Ecol. Prog. Ser.* 57: 11-21.
- Lumb, C. M., and S. L. Fowler. 1989. Assessing the benthic impact of fish farming, p. 75-78. In J. McManus and M. Elliott (ed.) *Developments in estuarine and coastal study techniques*. Olsen and Olsen, Fredensborg, Denmark.
- Parkes, R. J., and N. J. Poole. 1976. The seasonal variations of selected bacterial populations in estuarine sediments. *J. Appl. Bact.* 41: 10.
- Poole, N. J., D. Wildish, and N. A. Lister. 1976. Effects of a neutral-sulfite pulp effluent on some chemical and biological parameters in the L'Etang Inlet, New Brunswick. *L'Etang Inlet survey III. Fish. Res. Board Can. MS Rep.* 1404: 27 p.
- Strickland, J. D. H., and T. R. Parsons. 1968. A practical handbook of seawater analysis. *Fish. Res. Board Can. Bull.* 167: 311 p.
- Wildish, D. J. 1983. Coastal zone management and the pulp and paper industry. *Pulp Paper Can.* 84(6): T145-T148.
- Wildish, D. J., J. D. Martin, A. J. Wilson, and A. M. DeCoste. 1986. Hydrographic and sedimentary conditions in the L'Etang Inlet during 1985. *Can. Tech. Rep. Fish. Aquat. Sci.* 1473: 14 p.
- Wildish, D. J., J. L. Martin, A. J. Wilson, and A. M. DeCoste. 1988. Environmental monitoring of the Bay of Fundy salmonid mariculture industry during 1986 and 1987. *Can. Tech. Rep. Fish. Aquat. Sci.* 1648: 44 p.
- Wildish, D. J., J. L. Martin, R. W. Trites, and A. M. Saulnier. 1990. A proposal for environmental research and monitoring of organic pollution caused by salmonid mariculture in the Bay of Fundy. *Can. Tech. Rep. Fish. Aquat. Sci.* 1724: 24 p.
- Skjoldal, H. R., and I. Dundas (Ed.). 1989. The *Chrysochromulina polylepis* bloom in the Skagerrak and Kattegat in May-June 1988: environmental conditions, possible causes, and effects. ACMP 1989/13.1

APPENDIX 1. Plant nutrient concentrations in µg/L in seawater during 1989 at stations 3, 15, 16, and 17.

STN #3							
DATE	SILICATES		PHOSPHATES		NITRATES		BTM
	SURF	BTM	SURF	BTM	SURF	BTM	
24/05/89	8.3	7.38	0.78	0.84	7.17	8.02	
12/07/89	3.25	3.38	0.747	0.668	3.45	4.18	
18/07/89	3.29	2.99	0.716	0.574	2.33	1.94	
26/07/89	5.609	4.762	0.91	0.678	4.439	4.335	
02/08/89	4.38	4.332	0.721	0.648	3.437	3.352	
09/08/89	4.934	5.981	0.793	0.791	3.922	4.39	
16/08/89	2.855	3.567	0.562	0.534	2.428	3.184	
23/08/89	6.75	5.775	0.917	0.768	5.333	5.108	
30/08/89	3.152	4.141	0.612	0.551	2.931	3.873	
06/09/89	8.097	7.696	1.061	0.971	6.982	6.869	
13/09/89	4.147	4.525	0.716	0.673	2.707	2.894	
20/09/89	2.702	2.988	0.783	0.681	2.382	2.438	
27/09/89	3.125	4.02	0.679	0.633	3.079	3.759	
05/10/89	8.931	6.254	0.989	0.778	9.083	6.018	
11/10/89	10.39	10.044	1.143	1.038	9.704	9.891	
18/10/89	4.793	9.758	0.712	1.014	4.333	8.903	
25/10/89	10.914	5.394	1.083	0.766	9.476	4.877	
07/11/89	5.41	11.66	1.173	1.239	3.792	10.852	
20/11/89	8.064	11.387	0.848	1.071	6.671	10.547	
12/12/89	7.783	5.422	0.925	0.63	8.576	5.466	

STN #15							
DATE	SILICATES		PHOSPHATES		NITRATES		BTM
	SURF	BTM	SURF	BTM	SURF	BTM	
24/05/89	8.57	8.03	0.67	0.8	7.5	7.79	
12/07/89	1.99	2.4	0.482	0.556	1.44	2.96	
18/07/89	2.08	2.47	0.494	0.487	0.27	0.82	
26/07/89	3.738	3.578	0.694	0.589	2.757	3.066	
02/08/89	3.269	4.061	0.488	0.618	0.313	3.16	
09/08/89	4.61	4.524	0.714	0.725	3.254	3.723	
16/08/89	2.241	3.59	0.472	0.638	1.735	3.244	
23/08/89	5.425	5.601	0.855	0.729	4.503	5.123	
30/08/89	4.117	6.811	0.573	0.793	3.112	6.319	
06/09/89	6.762	7.124	0.798	0.747	5.649	6.506	
13/09/89	0.155	0.405	0.325	0.283	-0.035	-0.063	
20/09/89	0.902	5.071	0.456	0.515	0.674	2.98	
27/09/89	5.86	8.384	0.819	0.882	5.794	8.085	
05/10/89	10.407	8.864	1.073	0.875	10.063	8.366	
11/10/89	9.039	5.489	0.929	0.707	8.535	5.293	
18/10/89	8.923	5.734	0.945	0.686	8.209	4.977	
25/10/89	5.076		0.729		4.29		
07/11/89	10.222	4.405	0.984	0.647	9.12	3.934	
20/11/89	5.419	11.372	0.752	1.008	5.163	10.757	
12/12/89	4.116	7.568	0.678	0.699	4.241	6.833	

APPENDIX 1. (cont'd)

DATE	SURF	STN #16			SILICATES			PHOSPHATES			NITRATES		
		10m	25m	50m	SURF	10m	25m	50m	SURF	10m	25m	50m	
24/05/89	7.34	7.29	7.36	7.06	0.76	0.76	0.83	0.84	7.16	7.7	7.99	8.02	
07/12/89	1.7	1.64	3.26	4.89	0.499	0.444	0.582	0.799	1.4	1.4	4.01	6.77	
18/07/89	2.44	3.09	3.48	4.8	0.52	0.576	0.647	0.695	1.58	3.53	4.26	6.6	
26/07/89	2.876	3.861	5.201	6.558	0.499	0.589	0.721	0.837	2.244	4.372	6.397	8.057	
08/09/89	3.862	3.906	3.837	5.828	0.566	0.56	0.561	0.712	3.863	3.888	4.58	6.549	
16/08/89	1.738	4.025	2.165	4.691	0.299	0.576	0.437	0.685	1.542	4.405	2.746	6.425	
23/08/89	4.492	4.61	5.473	6.963	0.656	0.627	0.686	0.769	4.239	5.033	6.639	8.035	
30/08/89	5.76	3.502	3.62	7.519	0.694	0.511	0.561	0.875	4.858	4.087	4.546	10.018	15
02/09/89	2.283	2.143	3.536	5.279	0.532	0.423	0.69	0.745	0.995	1.524	4.415	6.759	
06/09/89	6.448	6.453	6.532	7.957	0.792	0.712	0.814	0.846	6.012	6.622	7.224	8.837	
13/09/89	0.892	2.002	7.097	8.866	0.357	0.379	0.774	0.918	0.037	0.217	7.351	10.945	
20/09/89	0.386	2.258	4.971	7.045	0.889	0.329	0.534	0.653	0.115	2.966	3.856	6.498	
10/05/89	3.922	8.482	8.467	4.379	0.676	0.863	0.882	0.601	4.643	9.402	9.52	5.151	
25/10/89	9.802	9.826	9.767	8.275	1.021	0.98	0.964	0.938	10.342	10.164	10.425	9.163	
11/07/89	5.447	9.719	9.703	3.93	0.834	0.922	0.925	0.64	5.345	9.604	9.696	3.84	

APPENDIX 1. (cont'd)

DATE	SILICATES		PHOSPHATE		NITRATES	
	SURF	BTM	SURF	BTM	SURF	BTM
24/05/89	13.02	9.07	0.34	0.72	2.7	7.13
12/07/89	3.98	2.23	0.743	0.502	4.21	2.98
18/07/89	3.67	2.92	0.61	0.605	3.85	3.06
26/07/89	4.652	3.731	0.652	0.586	3.512	2.272
02/08/89	5.205	5.046	0.627	0.589	3.471	3.542
09/08/89	4.645	3.926	0.555	0.537	3.359	3.001
16/08/89	3.172	2.15	0.551	0.406	1.163	0.761
30/08/89	7.918	5.804	0.821	0.614	5.774	4.793
06/09/89	8.975	8.815	0.938	0.856	6.787	7.313
13/09/89	7.968	7.249	0.837	0.743	5.181	5.473
20/09/89	5.937	6.572	0.702	0.659	4.025	4.288
27/09/89	6.253	8.274	0.755	0.883	4.828	6.301
05/10/89	8.377	8.524	1.074	0.933	7.661	6.563
11/10/89	4.335	11.807	0.662	0.892	3.982	9.041
18/10/89	10.86	7.041	1.032	0.764	9.817	6.274
25/10/89	8.487	11.541	0.823	1.009	6.089	10.351
07/11/89	7.378	11.514	0.821	1.001	5.988	10.652
20/11/89	12.073	11.566	1.066	1.019	10.948	10.905
12/12/89	11.388	8.682	0.983	0.879	10.032	7.548

Where values of 0.0 are given, sampling or analysis was not done.

Appendix 2. Chemical oceanographic data obtained during phytoplankton sampling at 4-17 stations during 1988 and 1989.

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 1						
88 1 20	0 m	1.5	10.36	91.8	31.81	0.319
	10 m	2.3	10.52	95.2	31.98	0.284
	Btm	2.4	10.67	96.9	32.03	0.321
88 3 16	0 m	1.8	10.51	93.9	31.78	0.257
	10 m	1.9	10.60	94.7	31.71	0.235
88 5 25	0 m	8.2	8.37	86.6	30.52	0.660
	10 m	7.3	9.27	94.0	30.77	0.748
	Btm	7.4	9.78	99.4	30.89	1.326
88 6 1	0 m	8.0	10.27	105.9	30.88	5.120
	10 m	6.5	11.43	114.0	30.99	5.220
	Btm	7.4	11.24	114.4	30.99	5.240
88 6 7	0 m	8.0	11.67	120.6	31.11	0.680
	10 m	7.8	9.02	92.8	31.14	0.770
88 6 14	0 m	9.5	11.14	119.4	31.37	0.550
	10 m	8.1	12.19	126.5	31.42	0.560
	Btm	7.8	12.04	124.1	31.46	0.570
88 6 22	0 m	12.0	10.32	116.5	31.31	0.200
	10 m	8.9	11.51	121.6	31.48	0.250
88 6 28	0 m	10.7	9.94	110.8	33.59	0.170
	10 m	9.4	9.56	103.6	33.59	0.220
88 7 5	0 m	11.5	7.82	87.3	31.20	0.070
	10 m	10.3	8.62	93.9	31.31	0.050
88 7 12	0 m	11.5	8.24	92.3	31.49	0.130
	10 m	10.7	8.67	95.4	31.54	0.070
	Btm	9.9	9.06	98.0	31.59	0.050
88 7 19	0 m	13.0	7.46	86.2	31.43	0.060
	10 m	11.7	8.22	92.4	31.47	0.020
88 7 28	0 m	12.8	8.36	96.0	31.07	0.030
	10 m	12.0	8.92	100.7	31.17	0.040
	Btm	12.0	9.09	102.8	31.22	0.040
88 8 2	0 m	12.8	8.78	101.0	31.45	0.040
	10 m	11.0	9.07	100.4	31.55	0.020
	Btm	10.9	9.15	101.0	31.58	0.020
88 8 9	0 m	14.4	7.67	91.2	31.50	0.150
	10 m	11.4	8.92	99.8	31.75	0.040
88 8 16	0 m	12.9	8.22	94.8	31.56	0.100
	10 m	12.1	8.62	97.9	31.69	0.040
88 8 23	0 m	13.1	7.46	86.4	31.69	0.070
	10 m	11.8	8.11	91.5	31.84	0.030
88 8 30	0 m	12.8	8.36	96.2	31.37	0.060
	10 m	12.0	8.34	94.4	31.64	0.060
	Btm	11.7	11.16	125.6	31.77	0.070
88 9 6	0 m	12.3	9.52	108.3	31.30	0.090
	10 m	12.0	8.40	95.2	31.61	0.020
88 9 13	0 m	11.6	6.25	70.4	32.13	0.070
	10 m	11.3	6.38	71.4	32.16	0.050
88 9 21	0 m	12.0	9.36	106.3	32.09	0.050
	10 m	11.3	7.08	79.4	32.14	0.040
88 9 27	0 m	11.5	8.11	91.3	32.32	0.060
	10 m	11.1	8.12	90.5	32.29	0.080
88 10 4	0 m	11.2	7.53	83.1	32.28	0.040
	10 m	11.5	7.85	87.5	32.36	0.040
88 10 11	0 m	10.3	0.00	0.0	32.44	0.040
	10 m	10.3	0.00	0.0	32.43	0.030
88 10 18	0 m	10.0	7.85	85.6	32.38	0.030

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 1						
	10 m	10.0	8.07	88.0	32.48	0.020
88 10 25	0 m	10.0	8.83	96.2	32.39	0.040
	10 m	9.9	8.81	95.8	32.40	0.030
88 11 8	0 m	9.2	8.46	90.3	31.89	0.070
	10 m	9.5	8.42	90.6	32.07	0.040
	Btm	10.0	8.54	92.9	32.12	0.030
88 12 1	0 m	6.5	8.17	81.9	31.64	0.020
	10 m	6.8	8.57	86.7	31.98	0.020
88 12 8	0 m	5.8	8.94	88.4	32.36	0.020
	10 m	6.9	8.58	87.1	32.36	0.020
	Btm	6.4	8.69	87.2	32.37	0.030
89 1 19	0 m	1.9	10.36	93.0	32.37	0.020
	10 m	2.0	10.44	94.0	32.39	0.020
89 2 2	0 m	0.8	10.95	95.7	32.27	0.020
	10 m	0.8	11.02	96.1	32.30	0.020
	Btm	1.4	0.00	0.0	0.00	0.000
89 3 15	0 m	1.0	10.95	95.7	31.87	0.020
	10 m	0.7	11.08	96.2	31.98	0.020
89 8 10	0 m	14.5	0.00	0.0	31.73	0.000
	10 m	14.0	0.00	0.0	31.87	0.000
89 8 17	0 m	14.1	0.00	0.0	31.66	0.000
	10 m	15.6	0.00	0.0	31.76	0.000
89 8 23	0 m	13.8	0.00	0.0	31.96	0.000
	10 m	0.0	0.00	0.0	31.93	0.000
89 8 30	0 m	12.9	0.00	0.0	32.11	0.000
	10 m	13.7	0.00	0.0	32.16	0.000
89 9 6	0 m	13.1	0.00	0.0	32.19	0.000
	10 m	13.5	0.00	0.0	32.22	0.000
89 9 13	0 m	14.2	0.00	0.0	32.16	0.000
	10 m	15.2	0.00	0.0	32.13	0.000
89 9 20	0 m	13.0	0.00	0.0	32.11	0.000
	10 m	13.9	0.00	0.0	32.24	0.000
89 9 27	0 m	11.8	0.00	0.0	32.22	0.000
	10 m	13.4	0.00	0.0	32.28	0.000
89 10 11	0 m	10.2	0.00	0.0	32.37	0.000
	10 m	10.5	0.00	0.0	32.57	0.000
89 10 18	0 m	9.6	0.00	0.0	32.47	0.000
	10 m	8.7	0.00	0.0	32.46	0.000
89 10 25	0 m	10.1	0.00	0.0	32.04	0.000
	10 m	16.5	0.00	0.0	32.54	0.000
89 11 7	0 m	9.7	0.00	0.0	32.74	0.000
	10 m	11.8	0.00	0.0	32.17	0.000
89 11 20	0 m	8.3	0.00	0.0	31.84	0.000
	10 m	6.8	0.00	0.0	31.97	0.000
89 12 12	0 m	3.8	0.00	0.0	32.66	0.000
	10 m	4.5	0.00	0.0	32.50	0.000

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 2						
88 1 20	0 m	2.2	11.20	101.2	32.11	0.368
	10 m	2.6	10.60	96.7	32.08	0.297
	Btm	2.6	11.42	104.2	32.10	0.331
88 3 16	0 m	1.8	10.60	94.5	31.74	0.169
	10 m	1.8	10.77	96.0	31.73	0.200
88 5 11	0 m	6.2	11.34	0.0	0.00	0.000
	10 m	5.3	12.07	0.0	0.00	0.000
88 5 25	0 m	8.2	8.71	89.9	30.55	1.793
	10 m	7.6	1.70	17.4	30.75	0.641
	Btm	7.7	3.65	37.5	31.13	0.445
88 6 1	0 m	7.5	10.95	111.9	31.01	0.685
	10 m	6.9	11.54	116.1	31.01	0.527
	Btm	7.1	11.07	112.1	31.07	0.683
88 6 7	0 m	8.3	10.18	106.0	31.13	0.610
	10 m	7.7	10.61	109.0	31.15	0.660
	Btm	7.7	10.18	104.6	31.15	0.770
88 6 14	0 m	8.9	12.55	132.6	31.50	0.630
	10 m	7.6	11.29	115.8	31.48	0.540
	Btm	7.3	9.11	92.9	31.50	0.680
88 6 22	0 m	12.0	10.27	116.1	31.29	0.210
	10 m	9.6	11.40	122.2	31.45	0.300
	Btm	9.0	10.25	108.6	31.50	0.340
88 6 28	0 m	10.9	10.99	122.8	33.44	0.200
	10 m	9.9	10.47	114.6	33.45	0.230
	Btm	9.1	11.61	125.0	33.68	0.270
88 7 5	0 m	11.8	8.57	96.3	31.26	0.030
	10 m	10.5	8.81	96.5	31.33	0.060
88 7 12	0 m	10.7	8.94	98.3	31.59	0.060
	10 m	9.7	9.17	98.8	31.62	0.070
	Btm	9.4	9.41	100.7	31.63	0.080
88 7 19	0 m	13.0	7.53	86.9	31.46	0.060
	10 m	11.7	8.03	90.4	31.49	0.020
	Btm	10.9	8.17	90.3	31.56	0.000
88 7 28	0 m	11.4	9.33	104.2	31.29	0.050
	10 m	11.2	9.48	105.3	31.28	0.050
	Btm	11.3	9.69	108.0	31.29	0.040
88 8 9	0 m	12.8	8.51	97.9	31.65	0.080
	10 m	13.0	8.84	102.3	31.73	0.040
	Btm	11.2	8.79	97.8	31.78	0.040
88 8 16	0 m	12.4	8.18	93.4	31.63	0.060
	10 m	12.1	8.44	95.8	31.68	0.050
	Btm	11.8	8.68	97.9	31.72	0.050
88 8 23	0 m	12.7	7.96	91.4	31.78	0.070
	10 m	11.9	8.19	92.5	31.82	0.020
	Btm	11.8	8.06	91.1	31.85	0.040
88 8 30	0 m	11.7	8.20	92.4	31.80	0.060
	10 m	11.5	8.94	100.3	31.86	0.060
	Btm	11.3	8.80	98.3	31.91	0.070
88 9 6	0 m	12.1	8.74	99.1	31.51	0.080
	10 m	11.8	7.87	88.8	31.90	0.040
	Btm	11.6	10.24	115.2	31.90	0.040
88 9 13	0 m	11.3	6.44	72.1	32.21	0.070
	10 m	11.2	6.18	69.0	32.21	0.060
	Btm	11.5	6.35	71.4	32.24	0.070
88 9 21	0 m	11.8	8.00	90.5	32.13	0.080

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 2						
	10 m	11.3	7.93	88.7	32.20	0.070
	Btm	11.6	7.85	88.4	32.20	0.080
88 9 27	0 m	11.4	8.21	92.2	32.33	0.080
	10 m	11.2	8.13	90.9	32.33	0.080
	Btm	11.1	8.22	91.8	32.35	0.100
88 10 4	0 m	11.3	7.27	81.4	32.25	0.060
	10 m	11.5	7.69	86.6	32.31	0.040
	Btm	11.4	7.72	86.6	32.33	0.040
88 10 11	0 m	10.3	0.00	0.0	32.47	0.040
	10 m	10.3	0.00	0.0	32.47	0.040
	Btm	10.1	0.00	0.0	32.42	0.040
88 10 18	0 m	10.0	8.16	89.1	32.46	0.040
	10 m	9.8	8.03	87.4	32.46	0.030
	Btm	9.9	8.04	87.6	32.52	0.030
88 10 25	0 m	10.5	9.04	99.6	32.45	0.040
	10 m	12.7	9.06	104.9	32.43	0.040
	Btm	10.0	8.96	97.7	32.43	0.050
88 11 8	0 m	9.5	8.88	95.7	32.34	0.050
	10 m	10.0	8.65	94.2	32.16	0.060
	Btm	9.5	8.94	96.3	32.29	0.040
88 12 1	0 m	6.4	8.42	84.4	31.71	0.030
	10 m	7.9	8.58	89.2	31.99	0.020
	Btm	7.1	8.82	89.4	31.16	0.030
88 12 8	0 m	6.0	8.79	87.4	32.52	0.020
	10 m	6.4	8.94	90.1	32.57	0.030
	Btm	6.5	8.89	89.6	32.59	0.030
89 1 19	0 m	2.0	10.48	94.7	32.45	0.020
	10 m	1.9	10.68	96.0	32.48	0.030
	Btm	2.2	10.56	95.6	32.50	0.020
89 2 7	0 m	0.9	11.23	98.3	32.29	0.030
	10 m	1.1	11.20	98.4	32.22	0.020
	Btm	0.9	11.21	97.9	32.22	0.020
89 3 15	0 m	0.9	11.29	98.5	31.93	0.000
	10 m	0.7	11.36	98.7	32.00	0.000
	Btm	0.9	11.40	99.6	32.01	0.020

Appendix 2. (cont'd)

	Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 3							
88	1 20	0 m	2.3	10.60	96.0	32.11	0.319
		10 m	2.6	11.39	104.0	32.11	0.277
		Btm	2.6	10.94	99.8	32.10	0.276
88	3 16	0 m	1.8	10.84	96.8	31.88	0.259
		10 m	2.1	10.78	97.0	31.85	0.257
88	5 11	0 m	5.6	11.78	0.0	0.00	0.000
		10 m	4.9	12.37	0.0	0.00	0.000
		Btm	4.7	12.09	0.0	0.00	0.000
88	5 25	0 m	7.0	10.49	105.8	30.91	1.841
		10 m	6.5	10.57	105.4	30.99	1.375
		Btm	5.5	10.62	103.7	31.35	0.744
88	6 1	0 m	7.0	11.45	115.4	31.09	5.750
		10 m	6.8	11.20	112.5	31.04	4.750
		Btm	6.8	11.47	115.3	31.07	5.710
88	6 7	0 m	8.0	10.78	111.3	31.20	0.670
		10 m	7.4	11.33	115.5	31.28	0.670
		Btm	6.9	11.26	113.7	31.35	0.670
88	6 14	0 m	8.4	12.14	126.8	31.51	0.570
		10 m	7.5	11.09	113.4	31.53	0.430
		Btm	7.2	11.30	115.0	31.50	0.590
88	6 22	0 m	11.9	10.27	115.9	31.38	0.200
		10 m	8.7	12.06	126.9	31.51	0.360
		Btm	7.9	12.05	124.9	31.55	0.460
88	6 28	0 m	11.0	10.30	115.6	33.54	0.300
		10 m	9.3	10.27	111.0	33.56	0.360
		Btm	8.5	11.13	118.2	33.63	0.470
88	7 5	0 m	10.8	9.06	99.8	31.37	0.070
		10 m	9.7	9.37	100.9	31.44	0.090
		Btm	9.1	9.83	104.4	31.54	0.110
88	7 12	0 m	10.2	9.41	102.6	31.63	0.080
		10 m	9.6	9.02	96.8	31.62	0.090
		Btm	9.2	9.75	103.9	31.66	0.080
88	7 19	0 m	11.8	8.93	100.7	31.56	0.060
		10 m	10.6	7.69	84.6	31.60	0.030
		Btm	10.4	9.42	103.0	31.65	0.030
88	7 28	0 m	0.0	9.59	0.0	31.36	0.040
		10 m	10.8	9.73	107.2	31.33	0.040
		Btm	10.7	9.83	107.9	31.36	0.040
88	8 2	0 m	11.2	9.15	101.7	31.56	0.040
		10 m	10.8	9.20	101.5	31.60	0.030
		Btm	10.5	9.32	102.2	31.68	0.040
88	8 9	0 m	11.9	9.35	105.7	31.84	0.100
		10 m	11.0	9.52	105.6	31.80	0.080
		Btm	10.7	5.88	64.7	31.84	0.050
88	8 16	0 m	12.8	8.49	97.9	31.64	0.100
		10 m	12.0	8.65	98.1	31.72	0.050
		Btm	11.7	8.71	98.0	31.78	0.050
88	8 23	0 m	11.8	8.28	93.5	31.93	0.050
		10 m	11.3	8.52	95.3	31.91	0.040
		Btm	11.3	8.75	97.8	31.92	0.050
88	8 30	0 m	11.8	10.01	113.0	31.77	0.070
		10 m	11.6	10.89	122.5	31.83	0.060
		Btm	11.5	8.85	99.4	31.86	0.060
88	9 6	0 m	11.9	10.04	113.4	31.42	0.130
		10 m	11.5	9.24	103.7	31.92	0.050

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 3						
	Btm	11.5	8.72	98.0	31.97	0.040
88 9 13	0 m	11.0	6.57	73.1	32.25	0.090
	10 m	11.1	6.54	73.0	32.25	0.080
	Btm	11.1	6.62	74.0	32.25	0.090
88 9 21	0 m	11.5	7.46	84.0	32.23	0.170
	10 m	11.4	8.17	91.7	32.24	0.120
	Btm	11.3	8.93	100.2	32.33	0.200
88 9 27	0 m	11.2	8.29	92.8	32.35	0.080
	10 m	11.3	8.26	92.6	32.35	0.090
	Btm	11.1	8.24	92.0	32.36	0.090
88 10 4	0 m	11.0	7.99	88.9	32.44	0.060
	10 m	11.2	7.96	89.1	32.45	0.050
	Btm	0.0	7.92	0.0	32.49	0.050
88 10 11	0 m	10.3	8.82	96.9	32.50	0.050
	10 m	10.4	8.74	96.2	32.44	0.060
	Btm	10.2	8.65	94.7	32.45	0.040
88 10 18	0 m	9.8	8.26	89.5	32.52	0.040
	10 m	9.9	8.32	90.6	32.52	0.030
	Btm	10.0	8.39	91.7	32.62	0.040
88 10 25	0 m	10.0	8.93	97.3	32.43	0.050
	10 m	10.1	9.02	98.6	32.46	0.050
	Btm	10.1	9.04	98.7	32.31	0.040
88 11 8	0 m	9.5	9.04	97.4	32.34	0.050
	10 m	9.6	9.00	97.2	32.34	0.040
	Btm	10.0	9.00	98.1	32.42	0.040
88 12 1	0 m	6.8	8.73	88.5	32.04	0.020
	10 m	7.5	8.92	91.8	32.20	0.030
	Btm	0.0	9.12	0.0	32.43	0.030
88 12 8	0 m	6.5	8.95	90.2	32.72	0.020
	10 m	6.3	8.89	89.2	32.61	0.020
	Btm	6.5	8.99	90.6	32.66	0.030
89 1 19	0 m	2.2	10.60	95.9	32.50	0.020
	10 m	2.0	10.56	95.1	32.50	0.020
	Btm	2.4	10.06	91.6	32.61	0.020
89 2 2	0 m	1.2	11.23	99.1	32.34	0.020
	10 m	1.2	11.16	98.3	32.23	0.040
	Btm	1.5	11.20	99.5	32.33	0.030
89 3 15	0 m	0.8	11.39	99.3	31.97	0.020
	10 m	0.4	11.40	98.3	32.02	0.020
	Btm	3.3	11.46	106.4	32.06	0.020
89 4 12	0 m	2.9	10.60	96.7	30.99	0.020
	10 m	0.0	11.02	0.0	30.99	0.020
	Btm	0.5	11.35	97.7	31.46	0.020
89 4 25	0 m	0.0	10.62	0.0	31.03	0.020
	10 m	0.0	11.09	0.0	31.12	0.020
	Btm	0.0	11.10	0.0	31.30	0.020
89 5 10	0 m	5.8	8.79	0.0	0.00	0.638
	10 m	5.4	9.85	0.0	0.00	1.050
	Btm	4.9	10.12	0.0	0.00	0.702
89 5 25	0 m	6.2	10.26	0.0	0.00	0.000
	10 m	6.6	10.59	0.0	0.00	0.000
	Btm	6.7	10.36	0.0	0.00	0.000
89 6 7	0 m	8.0	0.00	0.0	30.99	0.000
	10 m	6.7	0.00	0.0	31.35	0.000
	Btm	6.5	0.00	0.0	31.29	0.000

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 3						
89 6 14	0 m	9.5	0.00	0.0	30.72	0.000
	10 m	8.0	0.00	0.0	30.82	0.000
	Btm	6.9	0.00	0.0	31.31	0.000
89 6 21	0 m	10.0	0.00	0.0	31.03	0.000
	10 m	8.0	0.00	0.0	31.14	0.000
	Btm	7.6	0.00	0.0	31.26	0.000
89 6 28	0 m	11.0	0.00	0.0	0.00	0.000
	10 m	10.5	0.00	0.0	0.00	0.000
	Btm	10.5	0.00	0.0	0.00	0.000
89 7 4	0 m	9.5	0.00	0.0	31.55	0.000
	10 m	10.5	0.00	0.0	0.00	0.000
	Btm	9.7	0.00	0.0	0.00	0.000
89 7 12	0 m	11.4	0.00	0.0	0.00	0.000
	Btm	12.5	0.00	0.0	31.29	0.000
89 7 18	0 m	11.5	0.00	0.0	31.70	0.000
	Btm	13.5	0.00	0.0	31.71	0.000
89 7 26	0 m	13.0	0.00	0.0	31.81	0.000
	Btm	15.5	0.00	0.0	31.89	0.000
89 8 2	0 m	12.0	0.00	0.0	31.96	0.000
	Btm	13.0	0.00	0.0	31.96	0.000
89 8 10	0 m	13.2	0.00	0.0	31.84	0.001
	Btm	13.3	0.00	0.0	31.99	0.001
89 8 17	0 m	13.2	8.54	99.3	31.93	1.090
	Btm	14.8	8.68	104.3	31.90	0.831
89 8 23	0 m	14.0	7.68	90.8	31.95	3.140
	Btm	12.9	8.00	92.5	32.02	1.580
89 8 30	0 m	11.9	8.56	97.0	32.21	1.800
	Btm	12.4	8.72	100.0	32.20	0.840
89 9 6	0 m	12.8	8.16	94.2	32.27	0.720
	Btm	12.5	7.77	89.2	32.29	0.660
89 9 13	0 m	13.8	0.00	0.0	32.17	1.060
	Btm	14.3	7.18	85.6	32.09	0.680
89 9 20	0 m	12.8	7.91	91.4	32.00	7.050
	Btm	13.8	7.94	93.6	32.07	6.760
89 9 27	0 m	11.2	7.89	88.2	32.51	1.090
	Btm	11.8	7.84	89.0	32.51	0.740
89 10 5	0 m	10.4	7.73	85.0	32.64	0.620
	Btm	10.6	7.78	86.1	32.64	0.820
89 10 11	0 m	10.2	7.28	79.8	32.64	0.620
	Btm	10.5	7.25	80.0	32.70	0.760
89 10 18	0 m	10.2	7.59	83.1	32.60	0.530
	Btm	8.9	7.70	82.0	32.59	0.670
89 10 25	0 m	10.9	7.79	86.5	32.38	0.300
	Btm	11.2	7.82	87.6	32.75	0.770
89 11 7	0 m	10.6	7.44	82.0	32.09	0.540
	Btm	10.3	7.96	87.3	32.46	0.390
89 11 20	0 m	8.5	8.24	86.7	32.16	0.640
	Btm	8.2	8.35	87.4	32.36	1.000
89 12 12	0 m	4.0	8.69	82.5	32.75	0.360
	Btm	3.6	8.34	86.5	32.47	0.400

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 4						
88 1 20	0 m	1.9	10.92	97.7	31.82	0.416
	10 m	2.5	10.69	97.3	31.99	0.296
88 3 16	0 m	1.8	11.29	100.7	31.78	0.263
88 5 11	0 m	5.9	11.93	0.0	0.00	0.000
	10 m	5.2	11.87	0.0	0.00	0.000
88 5 25	0 m	7.6	10.24	104.5	30.51	3.628
88 6 1	0 m	7.4	11.13	113.2	30.94	5.680
	10 m	7.3	0.00	0.0	30.94	6.460
88 6 7	0 m	8.0	13.14	136.1	31.31	0.710
	10 m	6.9	11.89	119.1	31.33	1.720
88 6 14	0 m	8.2	9.55	99.2	31.50	0.560
	10 m	7.6	12.52	128.4	31.47	0.590
88 6 22	0 m	10.0	11.84	128.3	31.54	0.440
88 6 28	0 m	10.8	10.74	0.0	0.00	0.270
88 7 12	0 m	10.5	9.05	99.1	31.59	0.050
	10 m	10.4	8.94	97.7	31.58	0.060
88 7 19	0 m	11.3	8.81	98.4	31.64	0.070
88 7 28	0 m	11.9	9.04	101.9	31.25	0.050
	10 m	10.9	9.54	105.2	31.29	0.040
88 8 9	0 m	13.0	9.06	104.9	31.75	0.060
	10 m	11.2	9.37	104.5	31.79	0.090
88 8 16	0 m	12.8	8.36	96.3	31.63	0.130
88 8 23	0 m	12.4	8.09	92.7	31.86	0.070
	10 m	11.5	8.41	94.4	31.90	0.060
88 8 30	0 m	12.4	8.72	99.6	31.50	0.070
	10 m	11.8	8.87	100.0	31.76	0.060
88 9 6	0 m	11.8	8.99	101.3	31.42	0.110
	10 m	11.6	8.68	97.7	31.97	0.080
88 9 13	0 m	11.6	6.13	69.1	32.09	0.070
	10 m	11.0	6.75	75.1	32.24	0.060
88 9 21	0 m	11.5	8.37	94.2	32.26	0.200
88 9 27	0 m	11.1	8.33	93.0	32.37	0.120
	10 m	11.0	8.21	91.4	32.34	0.090
88 10 4	0 m	11.0	7.82	87.2	32.44	0.060
88 10 11	0 m	10.3	8.66	95.2	32.47	0.050
	10 m	10.4	8.63	95.0	32.46	0.050
88 10 18	0 m	9.8	8.56	93.0	32.62	0.050
88 10 25	0 m	9.9	9.02	98.1	32.47	0.040
	10 m	10.0	8.95	97.5	32.45	0.040
88 11 8	0 m	9.2	8.79	93.9	32.15	0.050
	10 m	10.0	8.89	96.8	32.35	0.030
88 12 1	0 m	6.9	9.12	92.5	32.09	0.040
	10 m	7.2	0.00	0.0	0.00	0.000
88 12 8	0 m	6.5	8.88	89.5	32.68	0.020
	10 m	6.8	9.00	91.4	32.65	0.020
89 1 19	0 m	2.2	10.57	95.7	32.47	0.020
	10 m	2.2	10.58	95.9	32.55	0.020
89 2 2	0 m	0.9	11.17	97.5	32.23	0.020
	10 m	1.2	11.21	98.7	32.25	0.030
89 3 15	0 m	0.5	11.36	98.1	31.92	0.020
	10 m	0.4	11.43	98.6	32.06	0.020

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 5						
88 1 20	0 m	2.1	11.09	160.2	32.05	0.353
	10 m	2.6	11.06	100.9	32.15	0.281
	Btm	2.6	10.00	96.0	32.12	0.296
88 3 16	0 m	1.8	10.52	91.5	31.75	0.244
	10 m	1.9	10.52	93.9	31.75	0.259
	Btm	2.0	10.63	95.4	31.79	0.249
88 5 25	0 m	0.0	0.00	0.0	30.59	1.753
88 6 1	0 m	6.9	11.81	119.0	31.10	6.120
	10 m	6.8	11.88	119.2	31.05	5.080
	Btm	6.2	11.64	115.3	31.21	4.360
88 6 7	0 m	8.2	10.83	112.4	31.14	0.870
	10 m	7.2	10.80	109.7	31.23	0.710
	Btm	7.4	10.97	111.8	31.25	0.780
88 6 14	0 m	8.4	12.40	129.6	31.50	0.250
	10 m	7.3	12.24	124.6	31.49	0.580
	Btm	7.1	11.28	114.3	31.52	0.530
88 6 22	0 m	11.2	11.28	125.4	31.43	0.300
	10 m	8.4	11.96	124.9	31.52	0.360
	Btm	8.3	11.93	124.4	31.53	0.530
88 6 28	0 m	10.4	10.69	118.3	33.56	0.240
	10 m	9.0	10.38	111.5	33.61	0.430
	Btm	8.9	11.36	121.6	33.62	0.450
88 7 5	0 m	10.8	9.00	99.2	31.37	0.080
	10 m	9.8	9.30	100.3	31.40	0.080
	Btm	9.7	9.41	101.3	31.45	0.110
88 7 12	0 m	10.5	9.31	102.2	31.62	0.070
	10 m	9.5	9.60	103.0	31.63	0.110
	Btm	9.4	9.65	103.1	31.64	0.100
88 7 19	0 m	12.0	8.19	92.7	31.53	0.040
	10 m	10.8	8.72	96.1	31.58	0.020
	Btm	10.6	9.33	102.6	31.59	0.020
88 7 28	0 m	11.2	9.61	106.8	31.32	0.040
	10 m	10.8	9.66	106.4	31.33	0.040
	Btm	11.1	9.64	106.9	31.35	0.050
88 8 2	0 m	11.3	9.11	101.5	31.60	0.040
	10 m	11.0	9.31	103.0	31.59	0.030
	Btm	10.4	9.39	102.6	31.73	0.040
88 8 9	0 m	12.8	8.57	98.9	31.74	0.070
	10 m	10.6	9.33	102.7	31.81	0.080
	Btm	11.0	9.27	102.7	31.82	0.080
88 8 16	0 m	12.3	8.69	99.2	31.73	0.070
	10 m	11.8	8.86	100.0	31.74	0.060
	Btm	11.2	9.16	102.1	31.84	0.050
88 8 23	0 m	12.2	8.07	91.8	31.84	0.050
	10 m	11.6	8.35	93.9	31.89	0.050
	Btm	11.4	8.56	95.9	31.95	0.060
88 8 30	0 m	11.7	9.27	104.5	31.84	0.090
	10 m	11.5	9.13	102.4	31.88	0.070
	Btm	11.1	9.69	107.8	32.00	0.070
88 9 6	0 m	11.5	9.69	108.8	31.91	0.100
	10 m	11.5	9.76	109.5	31.91	0.060
	Btm	11.3	9.72	108.7	32.00	0.040
88 9 13	0 m	11.1	6.98	77.9	32.28	0.130
	10 m	11.1	6.40	71.3	32.26	0.110
	Btm	11.0	6.71	74.7	32.40	0.100
88 9 21	0 m	11.5	8.27	92.9	32.21	0.200
	10 m	11.3	8.35	93.4	32.24	0.090
	Btm	11.4	8.31	93.2	32.28	0.230
88 9 27	0 m	11.1	8.26	92.2	32.35	0.110
	10 m	11.1	8.32	92.8	32.33	0.100
	Btm	10.9	8.24	91.6	32.33	0.090

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 5						
88 10 4	0 m	11.0	8.12	90.6	32.46	0.060
	10 m	10.9	8.27	91.9	32.44	0.060
	Btm	11.2	8.30	92.9	32.46	0.050
88 10 11	0 m	10.2	8.51	93.2	32.44	0.060
	10 m	10.3	8.36	91.7	32.44	0.050
	Btm	10.3	8.42	92.5	32.68	0.050
88 10 18	0 m	9.8	7.86	85.4	32.54	0.030
	10 m	10.0	8.34	91.0	32.60	0.040
	Btm	9.9	8.30	90.2	32.61	0.030
88 10 25	0 m	9.8	9.04	98.1	32.48	0.040
	10 m	10.1	9.10	99.4	32.49	0.040
	Btm	10.1	8.98	98.2	32.48	0.030
88 11 8	0 m	9.1	8.88	94.9	32.36	0.040
	10 m	9.6	8.92	96.3	32.31	0.040
	Btm	10.0	8.90	97.0	32.38	0.040
88 12 1	0 m	6.5	8.79	88.0	31.72	0.030
	10 m	7.8	9.37	97.0	32.37	0.030
	Btm	7.5	9.05	93.2	32.40	0.020
88 12 8	0 m	6.8	9.41	95.4	32.65	0.010
	10 m	6.5	8.93	90.0	32.59	0.030
	Btm	6.8	9.04	91.8	32.60	0.030
89 1 19	0 m	2.2	10.42	94.4	32.38	0.040
	10 m	1.6	10.50	93.7	32.48	0.020
	Btm	2.1	10.49	94.4	32.48	0.020
89 2 2	0 m	1.1	11.21	98.8	32.28	0.020
	10 m	1.1	11.08	97.4	32.24	0.020
	Btm	1.4	11.16	98.8	32.27	0.020
89 3 15	0 m	0.5	11.46	99.0	31.99	0.020
	10 m	0.7	11.39	99.1	32.04	0.010
	Btm	0.4	11.48	99.0	32.06	0.020
89 8 10	0 m	13.0	0.00	0.0	31.84	0.000
	Btm	12.8	0.00	0.0	31.98	0.000
89 8 17	0 m	13.8	0.00	0.0	31.93	0.000
	Btm	13.0	0.00	0.0	31.92	0.000
89 8 23	0 m	12.8	0.00	0.0	32.07	0.000
	Btm	14.2	0.00	0.0	32.11	0.000
89 8 30	0 m	11.9	0.00	0.0	32.21	0.000
	Btm	12.5	0.00	0.0	32.20	0.000
89 9 6	0 m	12.3	0.00	0.0	32.30	0.000
	Btm	12.8	0.00	0.0	32.31	0.000
89 9 13	0 m	13.9	0.00	0.0	32.12	0.000
	Btm	14.8	0.00	0.0	32.16	0.000
89 9 20	0 m	13.1	0.00	0.0	32.15	0.000
	Btm	13.5	0.00	0.0	32.16	0.000
89 9 27	0 m	11.5	0.00	0.0	32.53	0.000
	Btm	11.1	0.00	0.0	32.51	0.000
89 10 5	0 m	10.5	0.00	0.0	32.63	0.000
	Btm	10.6	0.00	0.0	32.62	0.000
89 10 11	0 m	10.1	0.00	0.0	32.56	0.000
	Btm	10.6	0.00	0.0	32.66	0.000
89 10 18	0 m	9.8	0.00	0.0	32.51	0.000
	Btm	9.8	0.00	0.0	32.51	0.000
89 10 25	0 m	10.3	0.00	0.0	32.40	0.000
	Btm	11.7	0.00	0.0	32.52	0.000
89 11 7	0 m	9.6	0.00	0.0	32.22	0.000
	Btm	10.5	0.00	0.0	32.46	0.000
89 11 20	0 m	8.9	0.00	0.0	32.24	0.000
	Btm	6.9	0.00	0.0	32.44	0.000
89 12 12	0 m	3.6	0.00	0.0	32.74	0.000
	Btm	3.5	0.00	0.0	32.73	0.000

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 6						
88 1 20	0 m	2.2	7.05	63.7	32.06	0.367
	10 m	2.5	11.01	100.2	32.06	0.294
	Btm	2.5	11.06	100.6	32.08	0.263
88 3 16	0 m	1.8	10.63	94.9	31.82	0.262
	10 m	2.1	10.83	97.4	31.85	0.263
88 5 11	0 m	6.0	12.50	0.0	0.00	0.000
	10 m	4.9	11.75	0.0	0.00	0.000
88 5 25	0 m	7.3	9.58	97.0	30.71	2.720
	10 m	6.5	11.05	110.1	31.06	0.803
	Btm	7.6	10.74	109.9	31.00	0.872
88 6 1	0 m	7.5	11.23	114.7	30.96	3.590
	10 m	7.2	11.17	113.0	30.94	4.000
	Btm	7.1	11.36	114.9	31.05	5.180
88 6 7	0 m	7.5	10.09	103.0	31.26	0.810
	10 m	7.4	11.65	118.9	31.27	0.840
88 6 14	0 m	9.0	11.72	124.2	31.43	0.330
	10 m	7.7	12.00	123.4	31.45	0.340
	Btm	7.5	12.15	124.4	31.47	0.460
88 6 22	0 m	10.7	11.17	122.8	31.46	0.350
	10 m	9.4	11.27	120.5	31.47	0.450
88 6 28	0 m	9.9	11.36	124.4	33.62	0.460
	10 m	8.8	10.58	113.0	33.63	0.490
88 7 5	0 m	10.7	9.25	101.7	31.43	0.110
	10 m	9.6	9.42	101.1	31.47	0.120
88 7 12	0 m	10.2	9.09	98.9	31.63	0.060
	10 m	9.9	9.24	99.8	31.61	0.080
	Btm	9.6	9.37	100.8	31.63	0.090
88 7 19	0 m	12.2	8.58	97.5	31.53	0.030
	10 m	11.1	8.58	95.2	31.55	0.020
88 7 28	0 m	11.8	8.80	99.0	31.21	0.040
	10 m	11.0	9.27	102.4	31.28	0.040
	Btm	10.9	9.39	103.5	31.29	0.040
88 8 2	0 m	12.1	8.82	100.0	31.50	0.030
	10 m	11.1	8.92	99.0	31.53	0.020
	Btm	10.7	9.05	99.8	31.63	0.030
88 8 9	0 m	12.7	8.74	100.5	31.73	0.070
	10 m	11.0	9.05	100.5	31.81	0.040
	Btm	10.8	9.39	103.6	31.85	0.060
88 8 16	0 m	13.0	8.28	95.8	31.60	0.080
	10 m	12.0	8.54	96.8	31.74	0.040
88 8 23	0 m	12.3	8.31	94.9	31.84	0.070
	10 m	11.6	8.27	93.3	31.86	0.040
	Btm	11.3	8.51	95.1	31.92	0.050
88 8 30	0 m	12.2	8.98	102.0	31.47	0.090
	10 m	11.9	8.72	98.6	31.68	0.050
	Btm	11.7	8.90	100.2	31.80	0.050
88 9 6	0 m	11.9	8.53	96.5	31.86	0.080
	10 m	11.8	9.13	103.1	31.93	0.040
	Btm	11.5	8.69	97.6	31.95	0.050
88 9 13	0 m	11.5	6.54	73.6	32.14	0.080
	10 m	11.1	6.44	71.8	32.24	0.080
	Btm	11.0	6.65	74.0	32.34	0.090
88 9 21	0 m	11.3	8.87	99.3	32.24	0.170
	10 m	12.0	7.89	89.7	32.30	0.140
88 9 27	0 m	11.2	8.12	90.7	32.29	0.080

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 6						
	10 m	11.2	8.20	91.5	32.30	0.080
	Btm	11.1	8.18	91.3	32.31	0.090
88 10 4	0 m	11.0	8.16	91.0	32.45	0.060
	10 m	10.9	7.96	88.5	32.48	0.050
88 10 11	0 m	10.2	8.59	94.2	32.58	0.040
	10 m	10.2	8.43	92.4	32.41	0.050
	Btm	10.2	8.66	94.9	32.42	0.050
88 10 18	0 m	9.8	8.42	91.5	32.63	0.040
	10 m	10.0	8.31	90.6	32.60	0.040
88 10 25	0 m	10.0	8.94	97.4	32.33	0.050
	10 m	9.9	8.95	97.2	32.40	0.040
	Btm	10.0	8.86	96.6	32.44	0.030
88 11 8	0 m	9.1	8.59	91.7	32.22	0.030
	10 m	10.0	8.88	96.7	32.26	0.030
	Btm	9.5	8.92	96.1	32.33	0.030
88 12 1	0 m	6.7	9.07	91.5	32.08	0.050
	10 m	8.3	8.96	94.0	32.38	0.030
88 12 8	0 m	6.0	9.07	90.2	32.51	0.020
	10 m	5.8	9.00	89.2	32.50	0.020
	Btm	6.3	8.97	89.9	32.50	0.030
89 1 19	0 m	2.0	10.32	93.1	32.45	0.020
	10 m	2.2	10.25	92.9	32.46	0.020
	Btm	2.3	10.22	92.7	32.48	0.020
89 2 2	0 m	0.8	11.08	96.6	32.25	0.020
	10 m	1.2	11.13	98.0	32.24	0.020
	Btm	1.0	11.05	96.8	32.24	0.020
89 3 15	0 m	0.5	11.32	97.8	31.89	0.030
	10 m	0.0	11.35	0.0	31.97	1.320
	Btm	0.4	11.27	97.1	32.01	0.020

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 7						
88 1 20	0 m	2.4	10.79	97.9	32.03	0.220
	Btm	2.7	10.84	99.2	32.03	0.328
88 3 16	0 m	1.8	11.31	101.0	31.78	0.337
	Btm	2.0	11.22	100.7	31.77	0.257
88 5 11	0 m	5.2	11.47	111.0	31.11	0.000
	Btm	4.3	11.71	110.9	31.25	0.000
88 6 1	0 m	7.5	0.00	0.0	31.01	9.520
	Btm	6.3	0.00	0.0	31.27	5.760
88 6 7	0 m	7.5	11.14	114.1	31.39	0.760
	Btm	6.8	11.23	113.1	31.41	0.530
88 6 14	0 m	8.5	10.97	114.9	31.53	0.470
	Btm	7.1	11.98	121.6	31.54	0.480
88 6 22	0 m	10.0	11.92	129.1	31.59	0.250
	Btm	7.8	11.27	116.3	31.62	0.510
88 6 28	0 m	9.5	11.54	125.4	33.78	0.330
	Btm	8.1	11.03	116.2	33.76	0.360
88 7 5	0 m	9.4	9.97	106.7	31.62	0.050
	Btm	8.4	9.76	102.0	31.71	0.070
88 7 12	0 m	10.5	9.53	104.5	31.73	0.040
	Btm	9.4	9.73	104.2	31.70	0.060
88 7 19	0 m	11.3	9.79	109.2	31.61	0.090
	Btm	9.7	9.43	101.7	31.74	0.050
88 7 28	0 m	11.4	9.53	106.4	31.29	0.090
	Btm	10.8	9.75	107.3	31.47	0.050
88 8 2	0 m	11.3	9.94	110.9	31.71	0.070
	Btm	10.5	8.60	94.4	31.75	0.050
88 8 9	0 m	11.8	9.46	106.8	31.92	0.100
	Btm	10.5	9.54	104.8	31.92	0.080
88 8 16	0 m	12.7	8.98	103.1	31.46	0.090
	Btm	11.3	9.17	101.0	31.86	0.090
88 8 23	0 m	11.3	8.71	97.5	32.03	0.120
	Btm	11.2	8.84	98.6	32.02	0.080
	Btm	11.1	8.88	98.8	32.01	0.070
88 8 30	0 m	11.8	9.13	102.8	31.54	0.130
	Btm	11.1	9.29	103.4	32.04	0.080
88 9 6	0 m	0.0	8.56	0.0	31.64	0.230
	10 m	0.0	9.83	0.0	31.96	0.120
	Btm	0.0	9.50	0.0	32.03	0.080
88 9 13	0 m	11.3	7.04	78.9	32.27	0.250
	Btm	11.1	7.72	86.0	32.21	0.240
88 9 21	0 m	11.3	9.34	104.4	32.28	0.450
	Btm	11.3	9.15	102.5	32.32	0.270
88 9 27	0 m	11.1	8.77	97.9	32.35	0.160
	Btm	11.7	8.64	97.7	32.34	0.160
88 10 4	0 m	10.9	8.54	95.1	32.50	0.100
	Btm	10.9	8.34	92.8	32.50	0.050
88 10 11	0 m	10.3	8.74	96.0	32.39	0.060
	Btm	10.9	8.60	95.6	32.48	0.060
88 10 18	0 m	9.8	8.88	96.3	32.58	0.070
	Btm	9.9	8.97	97.8	32.57	0.080
88 10 25	0 m	9.7	9.00	97.2	31.99	0.070
	Btm	9.9	9.02	98.0	32.35	0.040
88 11 8	0 m	9.0	9.13	97.2	32.23	0.040
	10 m	9.4	8.96	96.3	32.23	0.040
	Btm	10.0	9.12	99.2	32.23	0.040

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 7						
88 12 1	0 m	6.3	9.49	94.3	31.48	0.040
	Btm	7.5	9.34	96.1	32.22	0.040
88 12 8	0 m	6.0	9.30	92.6	32.43	0.020
	Btm	5.3	9.04	88.5	32.50	0.010
89 1 19	0 m	2.0	10.74	96.8	32.42	0.020
	10 m	1.6	10.56	94.1	32.44	0.020
	Btm	1.7	10.50	93.9	32.45	0.020
89 2 2	0 m	1.0	11.34	99.5	32.21	0.020
	Btm	0.4	11.26	97.3	32.25	0.020
89 3 15	0 m	0.6	11.44	99.1	31.94	0.030
	10 m	1.0	11.51	100.7	31.99	0.020
	Btm	0.0	11.51	0.0	32.04	0.020
89 8 10	0 m	13.1	0.00	0.0	31.97	0.000
	Btm	12.5	0.00	0.0	32.07	0.000
89 8 17	0 m	14.5	0.00	0.0	31.68	0.000
	Btm	0.0	0.00	0.0	31.93	0.000
89 8 23	0 m	13.0	0.00	0.0	32.03	0.000
	Btm	14.0	0.00	0.0	32.08	0.000
89 8 30	0 m	12.0	0.00	0.0	32.23	0.000
	Btm	12.7	0.00	0.0	32.22	0.000
89 9 6	0 m	12.5	0.00	0.0	32.30	0.000
	Btm	0.0	0.00	0.0	32.31	0.000
89 9 13	0 m	13.4	0.00	0.0	32.14	0.000
	Btm	15.5	0.00	0.0	32.26	0.000
89 9 20	0 m	12.5	0.00	0.0	32.22	0.000
	Btm	0.0	0.00	0.0	32.29	0.000
89 9 27	0 m	11.4	0.00	0.0	32.41	0.000
	Btm	10.9	0.00	0.0	32.48	0.000
89 10 5	0 m	0.0	0.00	0.0	32.51	0.000
	Btm	10.7	0.00	0.0	32.53	0.000
89 10 11	0 m	10.3	0.00	0.0	32.59	0.000
	Btm	10.4	0.00	0.0	32.59	0.000
89 10 18	0 m	10.2	0.00	0.0	32.51	0.000
	Btm	8.5	0.00	0.0	32.56	0.000
89 10 25	0 m	10.5	0.00	0.0	32.19	0.000
	Btm	15.2	0.00	0.0	32.43	0.000
89 11 7	0 m	9.5	0.00	0.0	32.23	0.000
	Btm	0.0	0.00	0.0	32.52	0.000
89 11 20	0 m	8.1	0.00	0.0	32.16	0.000
	Btm	6.3	0.00	0.0	32.24	0.000
89 12 12	0 m	2.4	0.00	0.0	32.83	0.000
	Btm	2.6	0.00	0.0	32.56	0.000

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 8						
88 1 20	0 m	2.5	10.99	99.9	32.09	0.325
	10 m	2.8	10.75	98.6	32.11	0.261
	Btm	2.8	11.16	102.4	32.07	0.257
88 3 16	0 m	1.8	10.88	97.1	31.76	0.237
	10 m	2.2	11.06	99.6	31.76	0.263
88 5 11	0 m	5.4	11.96	0.0	0.00	0.000
	10 m	4.8	11.80	0.0	0.00	0.000
	Btm	5.4	12.03	0.0	0.00	0.000
88 5 25	0 m	6.8	0.00	0.0	30.90	1.996
	10 m	5.7	0.00	0.0	31.28	1.393
	Btm	0.0	0.00	0.0	30.99	0.000
88 6 1	0 m	7.1	11.56	116.9	31.13	7.530
	10 m	6.3	11.55	114.8	31.18	5.380
88 6 7	0 m	7.0	10.85	109.7	31.35	0.800
	10 m	6.9	10.99	111.0	31.37	0.740
88 6 14	0 m	8.4	11.62	121.4	31.50	0.650
	10 m	7.3	11.88	121.1	31.51	0.470
88 6 22	0 m	9.3	12.52	133.6	31.56	0.520
	10 m	7.9	12.01	124.3	31.56	0.590
88 6 28	0 m	9.4	10.76	116.6	33.67	0.400
	10 m	8.6	10.99	116.9	33.66	0.420
88 7 5	0 m	9.9	9.75	105.5	31.57	0.180
	10 m	9.0	9.92	105.1	31.57	0.180
88 7 12	0 m	10.0	9.81	106.3	31.63	0.070
	10 m	9.7	9.78	105.4	31.64	0.120
	Btm	9.1	9.84	104.6	31.67	0.100
88 7 19	0 m	12.0	7.42	84.0	31.50	0.070
	10 m	9.7	9.57	103.0	31.63	0.050
88 7 28	0 m	11.3	9.19	102.2	31.28	0.080
	10 m	10.6	9.69	106.3	31.33	0.040
	Btm	11.1	9.65	107.1	31.44	0.030
88 8 2	0 m	10.7	8.50	93.7	31.77	0.060
	10 m	10.4	10.20	111.6	31.78	0.040
88 8 9	0 m	11.9	9.42	106.6	31.82	0.120
	10 m	10.8	9.32	103.0	31.84	0.070
88 8 16	0 m	12.8	8.80	101.4	31.75	0.140
	10 m	11.8	9.09	102.8	31.90	0.060
88 8 23	0 m	11.8	8.32	94.2	31.95	0.050
	10 m	11.3	8.55	95.7	31.94	0.040
	Btm	11.0	8.52	94.7	31.98	0.040
88 8 30	0 m	12.1	8.48	96.3	31.69	0.090
	10 m	11.4	9.12	105.1	31.90	0.070
88 9 6	0 m	11.4	10.46	117.2	31.98	0.130
	10 m	11.4	8.61	96.6	31.98	0.060
88 9 13	0 m	11.1	6.66	74.3	32.26	0.160
	10 m	11.1	6.61	73.6	32.25	0.120
88 9 21	0 m	11.2	6.58	73.6	32.29	0.330
	10 m	0.0	7.97	0.0	32.23	0.220
88 9 27	0 m	11.0	8.32	92.6	32.34	0.130
	10 m	10.9	8.96	93.9	32.38	0.120
88 10 4	0 m	10.9	8.08	88.9	32.48	0.070
	10 m	11.0	8.33	92.7	32.49	0.070
88 10 11	0 m	10.3	8.60	93.0	32.40	0.060
	10 m	10.3	8.57	93.9	32.45	0.050
	Btm	10.3	8.62	93.5	32.48	0.040

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 8						
88 10 18	0 m	10.0	9.11	99.3	32.62	0.050
	10 m	10.0	8.33	90.9	32.65	0.030
88 10 25	0 m	10.0	9.00	98.1	32.38	0.040
	10 m	9.9	9.08	98.8	32.47	0.040
	Btm	10.3	9.00	98.8	32.48	0.040
88 11 8	0 m	9.2	8.94	95.7	32.39	0.050
	10 m	10.0	9.00	98.0	32.30	0.040
	Btm	9.5	9.19	99.0	32.35	0.040
88 12 1	0 m	7.1	9.21	93.9	32.33	0.030
	10 m	7.5	9.31	96.0	32.36	0.030
88 12 8	0 m	6.8	9.00	91.4	32.58	0.020
	10 m	7.1	9.17	93.5	32.54	0.020
	Btm	6.3	9.13	91.4	32.56	0.020
89 1 19	0 m	2.2	10.76	97.6	32.43	0.020
	10 m	1.8	10.63	95.2	32.45	0.020
	Btm	2.0	10.62	95.7	32.46	0.020
89 2 2	0 m	1.1	11.26	99.1	32.20	0.020
	10 m	1.3	11.21	98.9	32.20	0.020
	Btm	1.3	11.20	98.9	32.23	0.020
89 3 15	0 m	0.2	11.46	98.2	31.95	0.020
	10 m	0.5	11.41	98.6	32.05	0.020
	Btm	0.6	11.49	99.4	31.99	0.020
89 8 10	0 m	12.8	0.00	0.0	32.02	0.000
	Btm	13.0	0.00	0.0	32.05	0.000
89 8 17	0 m	13.9	0.00	0.0	31.01	0.000
	Btm	14.8	0.00	0.0	31.93	0.000
89 8 23	0 m	13.0	0.00	0.0	32.07	0.000
	Btm	13.8	0.00	0.0	32.05	0.000
89 8 30	0 m	12.6	0.00	0.0	32.19	0.000
	Btm	12.9	0.00	0.0	32.22	0.000
89 9 6	0 m	12.9	0.00	0.0	32.31	0.000
	Btm	13.4	0.00	0.0	32.31	0.000
89 9 13	0 m	14.0	0.00	0.0	32.09	0.000
	Btm	15.6	0.00	0.0	32.09	0.000
89 9 20	0 m	12.8	0.00	0.0	32.08	0.000
	Btm	13.5	0.00	0.0	32.22	0.000
89 9 27	0 m	11.8	0.00	0.0	32.47	0.000
	Btm	11.0	0.00	0.0	32.54	0.000
89 10 5	0 m	10.5	0.00	0.0	32.65	0.000
	Btm	0.0	0.00	0.0	32.61	0.000
89 10 11	0 m	10.2	0.00	0.0	32.61	0.000
	Btm	10.5	0.00	0.0	32.65	0.000
89 10 18	0 m	10.2	0.00	0.0	32.56	0.000
	Btm	8.6	0.00	0.0	32.49	0.000
89 10 25	0 m	10.9	0.00	0.0	32.53	0.000
	Btm	11.9	0.00	0.0	32.49	0.000
89 11 7	0 m	10.0	0.00	0.0	32.50	0.000
	Btm	11.0	0.00	0.0	32.47	0.000
89 11 20	0 m	8.8	0.00	0.0	32.44	0.000
	Btm	6.5	0.00	0.0	32.44	0.000
89 12 12	0 m	3.8	0.00	0.0	32.82	0.000
	Btm	0.0	0.00	0.0	32.68	0.000

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 9						
88 1 20	0 m	2.5	10.93	99.6	32.08	0.357
	10 m	2.7	10.92	99.7	32.07	0.291
	Btm	2.7	11.07	101.3	32.08	0.270
88 3 16	0 m	1.9	11.22	100.4	31.76	0.281
	10 m	2.0	11.41	102.3	31.72	0.270
88 5 25	0 m	6.5	0.00	0.0	30.93	2.941
	10 m	6.7	0.00	0.0	31.01	2.437
	Btm	6.9	0.00	0.0	31.34	1.540
88 6 1	0 m	7.0	11.97	120.8	31.02	10.600
	10 m	7.0	12.07	121.8	31.00	16.700
88 6 7	0 m	7.3	11.43	116.3	31.37	0.006
	10 m	6.5	10.97	109.6	31.41	0.005
88 6 14	0 m	7.9	11.86	122.5	31.56	0.340
	10 m	7.0	11.91	120.7	31.51	0.420
88 6 22	0 m	10.5	12.50	137.0	31.57	0.480
	10 m	7.9	11.83	122.3	31.57	0.400
88 6 28	0 m	9.9	0.00	0.0	33.73	0.160
	10 m	8.3	11.72	124.0	33.70	0.340
88 7 5	0 m	10.0	10.23	111.0	31.65	0.170
	10 m	8.8	10.16	107.2	31.62	0.190
88 7 12	0 m	10.2	10.13	110.3	31.65	0.080
	10 m	9.5	9.84	105.6	31.65	0.110
	Btm	9.5	9.99	107.2	31.64	0.130
88 7 19	0 m	11.2	9.51	148.4	31.62	0.070
	10 m	10.2	9.38	102.1	31.62	0.060
88 7 28	0 m	11.4	9.53	106.4	31.30	0.060
	10 m	10.7	9.79	107.5	31.35	0.040
	Btm	10.9	9.75	107.6	31.51	0.030
88 8 2	0 m	11.8	8.98	101.3	31.69	0.070
	10 m	10.3	9.05	99.0	31.76	0.060
88 8 9	0 m	12.9	9.43	108.8	31.81	0.110
	10 m	11.4	9.53	106.7	31.84	0.080
	Btm	11.3	9.28	103.6	31.85	0.080
88 8 16	0 m	12.3	9.02	102.8	31.72	0.130
	10 m	11.7	9.07	102.0	31.79	0.060
88 8 23	0 m	12.2	8.43	96.0	31.90	0.050
	10 m	11.2	8.66	96.6	32.00	0.050
	Btm	11.1	8.68	96.6	31.95	0.150
88 8 30	0 m	11.8	8.82	99.6	31.82	0.140
	10 m	11.6	9.74	109.5	31.85	0.120
88 9 6	0 m	0.0	11.64	0.0	31.97	0.170
	10 m	0.0	9.11	0.0	31.94	0.100
	Btm	0.0	9.28	0.0	32.02	0.050
88 9 13	0 m	11.0	6.65	74.1	32.25	0.170
	10 m	11.1	6.77	75.6	32.27	0.140
88 9 21	0 m	11.3	7.72	86.4	32.28	0.340
	10 m	11.3	8.93	100.1	32.23	0.140
88 9 27	0 m	10.9	8.56	95.1	32.33	0.150
	10 m	10.9	8.45	93.9	32.35	0.130
88 10 4	0 m	10.9	8.47	94.2	32.50	0.090
	10 m	10.9	8.27	92.1	32.48	0.060
88 10 11	0 m	10.3	0.00	0.0	32.27	0.060
	10 m	10.3	8.57	93.9	32.46	0.070
	Btm	10.9	8.61	95.6	32.46	0.060
88 10 18	0 m	10.0	8.71	95.0	32.61	0.060

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 9						
	10 m	10.0	8.60	93.8	32.63	0.060
88 10 25	0 m	9.8	8.96	97.2	32.38	0.050
	10 m	9.9	8.86	96.4	32.44	0.040
	Btm	9.8	8.83	95.8	32.47	0.040
88 11 8	0 m	9.2	9.15	97.9	32.28	0.060
	10 m	10.0	9.04	98.4	32.27	0.040
	Btm	9.5	8.96	96.5	32.30	0.020
88 12 1	0 m	7.0	9.17	93.3	32.28	0.030
	10 m	7.7	9.25	95.6	32.27	0.030
88 12 8	0 m	6.4	9.08	91.3	32.63	0.010
	10 m	4.7	9.31	89.7	32.44	0.020
	Btm	6.0	9.15	91.2	32.54	0.020
89 1 19	0 m	2.2	10.52	95.2	32.43	0.020
	10 m	2.0	10.58	95.4	32.44	0.020
	Btm	1.9	10.69	96.2	32.45	0.020
89 2 2	0 m	1.1	11.23	98.7	32.21	0.010
	10 m	0.7	11.20	97.4	32.21	0.020
	Btm	0.9	11.28	98.5	32.20	0.020
89 3 15	0 m	0.2	11.49	98.3	31.85	0.020
	10 m	0.0	11.56	0.0	32.00	0.020
	Btm	0.9	11.54	100.7	32.02	0.020
89 8 10	0 m	13.5	0.00	0.0	32.05	0.000
	10 m	13.0	0.00	0.0	32.01	0.000
89 8 17	0 m	14.5	0.00	0.0	31.94	0.000
	10 m	13.2	0.00	0.0	31.80	0.000
89 8 23	0 m	13.4	0.00	0.0	32.04	0.000
	10 m	13.8	0.00	0.0	32.09	0.000
89 8 30	0 m	12.0	0.00	0.0	32.21	0.000
	10 m	13.1	0.00	0.0	32.22	0.000
89 9 6	0 m	12.9	0.00	0.0	32.31	0.000
	10 m	13.0	0.00	0.0	32.32	0.000
89 9 13	0 m	14.3	0.00	0.0	32.08	0.000
	10 m	15.3	0.00	0.0	32.20	0.000
89 9 20	0 m	12.9	0.00	0.0	32.14	0.000
	10 m	13.6	0.00	0.0	32.21	0.000
89 9 27	0 m	11.3	0.00	0.0	32.46	0.000
	10 m	11.5	0.00	0.0	32.45	0.000
89 10 5	0 m	0.0	0.00	0.0	32.58	0.000
	10 m	0.0	0.00	0.0	32.59	0.000
89 10 11	0 m	10.3	0.00	0.0	32.60	0.000
	10 m	10.6	0.00	0.0	32.62	0.000
89 10 18	0 m	10.2	0.00	0.0	32.55	0.000
	10 m	8.5	0.00	0.0	32.54	0.000
89 10 25	0 m	10.8	0.00	0.0	32.54	0.000
	10 m	11.6	0.00	0.0	32.51	0.000
89 11 7	0 m	10.3	0.00	0.0	32.50	0.000
	10 m	0.0	0.00	0.0	32.54	0.000
89 11 20	0 m	8.9	0.00	0.0	32.47	0.000
	10 m	6.8	0.00	0.0	32.48	0.000
89 12 12	0 m	4.0	0.00	0.0	0.00	0.000
	10 m	3.6	0.00	0.0	0.00	0.000

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 10						
88 1 20	0 m	2.5	11.28	102.7	32.08	0.395
	10 m	2.7	10.90	99.7	32.08	0.260
	Btm	2.7	11.20	102.5	32.08	0.255
88 3 16	0 m	1.9	10.92	97.7	31.78	0.236
	10 m	2.0	11.23	100.8	31.75	0.236
	Btm	2.0	10.91	97.8	31.77	0.184
88 5 11	0 m	5.0	12.03	0.0	0.00	0.000
	10 m	4.8	0.00	0.0	0.00	0.000
	Btm	4.7	11.84	0.0	0.00	0.000
88 5 25	0 m	6.5	0.00	0.0	30.99	1.818
	10 m	5.7	0.00	0.0	31.24	1.642
	Btm	6.5	0.00	0.0	31.54	0.936
88 6 1	0 m	6.8	11.76	118.1	31.12	7.090
	10 m	6.6	11.94	119.5	31.10	9.010
	Btm	6.3	11.65	115.6	31.27	3.350
88 6 7	0 m	7.0	12.20	123.3	31.35	0.005
	10 m	6.5	10.82	108.0	31.39	0.005
	Btm	6.3	10.85	107.9	31.45	0.004
88 6 14	0 m	7.9	11.60	119.9	31.53	0.650
	10 m	7.0	11.72	118.7	31.53	0.620
	Btm	7.3	11.64	118.8	31.52	0.500
88 6 22	0 m	10.5	12.33	135.0	31.55	0.180
	10 m	7.8	11.96	123.2	31.56	0.490
	Btm	7.3	11.54	117.7	31.60	0.650
88 6 28	0 m	9.4	11.43	123.8	33.66	0.300
	10 m	8.3	11.12	117.7	33.68	0.330
	Btm	8.1	10.94	115.2	33.71	0.420
88 7 5	0 m	10.0	10.19	110.5	31.58	0.090
	10 m	8.8	10.07	102.0	31.61	0.120
	Btm	8.5	10.42	109.2	31.63	0.130
88 7 12	0 m	10.0	9.86	107.0	31.67	0.090
	10 m	9.6	9.83	105.6	31.65	0.130
	Btm	9.2	9.82	104.7	31.66	0.110
88 7 19	0 m	10.8	9.54	105.1	31.63	0.070
	10 m	9.5	9.69	104.0	31.66	0.050
	Btm	9.9	9.71	105.1	31.65	0.050
88 7 28	0 m	11.8	9.64	108.5	31.32	0.050
	10 m	10.8	9.70	106.8	31.35	0.040
	Btm	11.0	9.68	107.2	31.54	0.060
88 8 2	0 m	10.9	9.01	99.8	31.77	0.070
	10 m	10.1	9.36	101.8	31.76	0.060
	Btm	10.8	9.97	110.2	31.80	0.050
88 8 9	0 m	12.0	9.64	109.3	31.90	0.200
	10 m	10.9	9.60	106.3	31.82	0.080
	Btm	11.3	9.42	105.2	31.84	0.070
88 8 16	0 m	12.4	9.36	106.9	31.71	0.120
	10 m	11.7	9.26	104.3	31.78	0.070
	Btm	11.0	9.21	102.4	31.93	0.070
88 8 23	0 m	12.0	8.50	96.3	31.93	0.100
	10 m	11.4	8.47	94.9	31.95	0.060
	Btm	10.9	8.71	96.6	32.03	0.050
88 8 30	0 m	11.7	9.89	111.4	31.86	0.150
	10 m	11.3	8.99	100.5	31.92	0.100
	Btm	11.3	9.16	102.4	31.94	0.090
88 9 6	0 m	11.3	11.41	127.6	31.97	0.140

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 10						
	10 m	11.5	10.43	117.1	31.97	0.110
	Btm	11.3	9.64	107.8	32.03	0.080
88 9 13	0 m	10.1	5.90	64.4	32.28	0.160
	10 m	11.0	6.73	74.1	32.26	0.150
	Btm	10.9	6.81	75.6	32.27	0.140
88 9 21	0 m	11.2	8.99	100.4	32.27	0.330
	10 m	11.4	9.02	103.4	32.30	0.200
	Btm	11.3	7.94	89.0	32.32	0.150
88 9 27	0 m	10.9	8.34	92.6	32.36	0.150
	10 m	10.9	8.21	93.0	32.33	0.140
	Btm	10.9	8.36	92.8	32.34	0.140
88 10 4	0 m	10.8	8.25	91.5	32.50	0.070
	10 m	11.0	8.35	93.2	32.49	0.070
	Btm	10.9	8.18	90.8	32.50	0.060
88 10 11	0 m	10.3	8.51	93.4	32.40	0.050
	10 m	10.9	8.66	96.4	32.46	0.050
	Btm	10.4	8.37	92.5	32.56	0.370
88 10 18	0 m	10.0	8.64	94.2	32.59	0.060
	10 m	10.0	8.73	95.3	32.60	0.060
	Btm	10.0	8.59	93.8	32.67	0.040
88 10 25	0 m	9.9	9.00	97.9	32.46	0.040
	10 m	9.8	9.14	99.3	32.45	0.030
	Btm	9.9	8.92	97.1	32.47	0.040
88 11 8	0 m	9.2	9.06	96.9	32.31	0.040
	10 m	9.5	8.96	96.5	32.30	0.040
	Btm	10.0	8.98	97.8	32.33	0.030
88 12 1	0 m	7.0	9.24	94.0	32.27	0.040
	10 m	7.6	9.17	94.6	32.32	0.030
	Btm	7.7	9.18	94.9	32.45	0.040
88 12 8	0 m	6.6	9.21	92.9	32.64	0.020
	10 m	6.1	9.18	91.6	32.57	0.020
	Btm	6.7	8.97	90.8	32.59	0.020
89 1 19	0 m	2.0	10.83	97.4	32.43	0.020
	10 m	2.2	10.60	95.9	32.44	0.030
	Btm	1.9	10.80	97.0	32.46	0.010
89 2 2	0 m	1.0	11.32	99.2	32.26	0.020
	10 m	0.8	11.19	97.6	32.25	0.030
	Btm	1.1	11.28	99.1	32.29	0.020
89 3 15	0 m	0.2	11.53	98.7	31.91	0.020
	10 m	0.0	11.58	0.0	32.01	0.020
	Btm	0.7	11.52	100.2	32.03	0.100

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 11						
88 1 20	0 m	2.3	11.09	100.4	32.03	0.369
	10 m	2.7	11.25	102.8	32.03	0.269
	Btm	2.2	10.63	96.0	32.03	0.310
88 3 16	0 m	2.0	10.97	98.3	31.61	0.246
	10 m	1.8	11.26	100.4	31.61	0.183
	Btm	2.0	11.19	100.3	31.75	0.233
88 5 11	0 m	5.3	11.15	108.3	31.23	0.000
	10 m	4.9	11.56	110.8	31.43	0.000
	Btm	4.5	11.20	106.8	31.61	0.000
88 5 25	0 m	7.1	11.29	114.2	31.25	3.984
	10 m	6.4	11.22	111.8	31.33	3.775
	Btm	6.7	10.76	108.2	31.64	2.991
88 6 1	0 m	7.8	11.49	118.2	31.32	1.220
	10 m	6.6	11.55	115.7	31.33	2.420
	Btm	7.2	11.50	116.9	31.53	3.030
88 6 7	0 m	8.0	11.13	115.0	31.30	0.003
	10 m	7.3	10.69	108.8	31.31	0.003
	Btm	7.2	10.59	107.5	31.48	0.003
88 6 14	0 m	8.9	11.55	122.0	31.54	0.290
	10 m	8.1	11.74	121.8	31.56	0.340
	Btm	7.9	12.48	129.0	31.53	0.200
88 6 22	0 m	9.8	12.11	130.8	31.68	0.220
	10 m	8.8	12.33	130.0	31.65	0.220
88 6 28	0 m	9.7	10.58	115.6	33.76	0.150
	10 m	9.1	10.75	115.8	33.67	0.170
	Btm	7.9	9.98	104.6	33.86	0.000
88 7 5	0 m	10.3	9.88	107.9	31.70	0.100
	10 m	8.9	9.68	102.4	31.65	0.090
	Btm	8.8	9.81	103.5	31.64	0.100
88 7 12	0 m	10.5	9.52	104.6	31.79	0.030
	10 m	10.0	9.42	102.2	31.75	0.030
	Btm	9.5	9.33	100.3	31.78	0.030
88 7 19	0 m	11.2	9.67	107.6	31.83	0.000
	10 m	9.9	9.77	105.9	31.80	0.030
	Btm	9.8	9.83	106.1	31.83	0.040
88 7 28	0 m	11.1	9.68	0.0	0.00	0.060
	10 m	10.7	9.49	0.0	0.00	0.070
	Btm	10.2	9.76	0.0	0.00	0.060
88 8 9	0 m	12.9	9.22	106.6	31.98	0.090
	10 m	11.3	9.17	102.6	31.98	0.080
	Btm	10.4	9.13	100.2	32.08	0.060
88 8 16	0 m	11.2	8.91	99.3	32.04	0.080
	10 m	10.9	9.10	100.9	32.07	0.070
	Btm	10.7	9.11	100.5	32.11	0.070
88 8 23	0 m	13.2	8.86	103.3	32.00	0.070
	10 m	11.4	8.60	96.4	32.00	0.070
	Btm	10.6	8.49	93.6	32.19	0.060
88 8 30	0 m	12.2	9.26	105.5	31.94	0.080
	10 m	11.1	9.19	102.1	31.68	0.000
	Btm	10.7	9.35	103.0	31.61	0.060
88 9 6	0 m	12.1	9.10	103.3	31.63	0.070
	10 m	12.7	9.84	113.2	31.77	0.090
	Btm	0.0	0.00	0.0	0.00	0.120
88 9 21	0 m	11.2	8.14	91.1	32.26	0.090
	10 m	11.1	8.08	90.1	32.30	0.070

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 11						
	Btm	11.3	8.15	91.4	32.47	0.050
88 9 27	0 m	11.2	8.30	92.9	32.38	0.070
	10 m	11.0	8.27	92.0	32.34	0.060
	Btm	11.0	8.23	91.7	32.45	0.050
88 10 4	0 m	11.0	8.38	93.4	32.54	0.070
	10 m	10.9	8.07	89.8	32.58	0.050
	Btm	10.7	8.16	90.5	32.61	0.040
88 10 18	0 m	10.0	8.88	96.7	32.63	0.060
	10 m	10.4	8.80	96.8	32.67	0.050
	Btm	9.9	8.56	93.2	32.61	0.040
88 10 25	0 m	10.0	8.89	96.8	32.30	0.040
	10 m	10.0	8.00	87.1	32.31	0.040
	Btm	9.9	8.79	95.6	32.46	0.040
88 11 8	0 m	9.0	9.20	97.6	31.82	0.040
	10 m	9.4	9.11	97.6	31.79	0.030
	Btm	9.9	0.00	0.0	32.28	0.020
88 12 1	0 m	7.0	9.61	97.4	31.88	0.030
	10 m	8.0	9.34	97.0	31.88	0.040
	Btm	7.8	9.44	97.6	32.05	0.040
88 12 8	0 m	6.0	9.45	94.0	32.25	0.020
	10 m	5.8	9.14	90.4	32.25	0.030
	Btm	5.8	9.01	89.2	32.45	0.020
89 1 19	0 m	2.2	10.54	95.2	32.18	0.020
	10 m	1.9	10.56	94.8	32.38	0.020
	Btm	1.9	9.98	89.6	32.40	0.020
89 2 2	0 m	1.1	11.23	98.7	32.23	0.020
	10 m	0.7	11.24	97.7	32.16	0.020
	Btm	0.8	11.26	98.5	32.48	0.030
89 3 15	0 m	1.0	11.86	103.8	32.05	0.020
	10 m	2.7	11.84	108.3	32.03	0.020
	Btm	1.0	11.67	102.3	32.06	0.020
Station 12						
88 1 20	0 m	2.2	11.30	102.0	31.94	0.316
88 3 16	0 m	1.5	11.30	99.9	31.58	0.271
88 5 11	0 m	5.2	11.58	112.0	31.18	0.000
88 5 25	0 m	0.0	11.19	0.0	31.32	3.272
88 6 1	0 m	9.2	11.41	121.1	31.25	3.290
88 6 7	0 m	8.5	11.20	117.1	31.22	0.330
88 6 14	0 m	10.5	11.95	131.0	31.51	0.210
88 6 22	0 m	10.8	11.30	124.7	31.69	0.160
88 6 28	0 m	10.9	10.65	119.3	33.72	0.080
88 7 5	0 m	10.5	9.87	108.1	31.63	0.710
88 7 12	0 m	11.6	9.80	110.0	31.79	0.030
88 7 19	0 m	11.2	10.02	111.6	31.79	0.070
88 8 9	0 m	14.8	10.13	121.9	31.92	0.070
88 8 16	0 m	12.1	9.17	104.4	31.96	0.080
88 8 23	0 m	13.9	8.74	110.2	32.00	0.080
88 8 30	0 m	12.2	11.07	125.8	31.46	0.060
88 9 6	0 m	12.5	10.06	0.0	0.00	0.100
88 9 21	0 m	11.2	8.36	93.4	32.25	0.120
88 9 27	0 m	11.2	8.51	95.2	32.34	0.070
88 10 4	0 m	11.4	8.98	0.0	0.00	0.100
88 10 18	0 m	0.0	9.11	0.0	32.63	0.070
88 10 25	0 m	10.0	8.83	95.9	31.93	0.050
88 11 8	0 m	8.9	9.65	102.2	31.79	0.060
88 12 1	0 m	6.5	9.38	93.9	31.70	0.040
88 12 8	0 m	5.0	9.77	94.6	32.08	0.030
89 1 19	0 m	1.8	10.90	97.6	32.30	0.020
89 2 2	0 m	2.4	11.62	105.6	32.13	0.020
89 3 15	0 m	1.5	11.94	105.9	32.04	0.020

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 13						
88 5 11	0 m	4.9	11.36	109.2	31.27	0.000
	10 m	5.1	11.60	112.0	31.30	0.000
	Btm	5.0	11.02	106.3	31.38	0.000
88 5 25	0 m	6.5	11.12	111.0	31.28	4.448
	10 m	5.8	11.27	110.9	31.46	3.248
	Btm	5.6	11.26	110.2	31.52	2.807
88 6 1	0 m	7.1	11.57	117.2	31.45	7.650
	10 m	6.5	11.41	113.9	31.34	3.810
	Btm	6.1	11.46	113.5	31.47	1.070
88 6 7	0 m	7.5	0.00	0.0	31.37	0.410
	10 m	6.6	10.33	103.5	31.39	0.430
	Btm	6.7	10.74	107.8	31.43	0.410
88 6 14	0 m	8.3	11.51	120.0	31.59	0.420
	10 m	7.1	11.78	119.4	31.57	0.410
	Btm	6.9	11.74	118.5	31.57	0.360
88 6 22	0 m	9.8	11.61	125.4	31.65	0.350
	10 m	7.7	11.83	121.8	31.64	0.450
	Btm	7.6	11.53	118.5	31.66	0.530
88 6 28	0 m	9.8	10.79	118.1	33.79	0.110
	10 m	8.2	10.76	113.5	33.75	0.290
	Btm	8.1	10.63	112.1	33.74	0.230
88 7 5	0 m	9.9	10.06	108.7	31.66	0.090
	10 m	8.6	9.98	104.8	31.67	0.130
88 7 19	0 m	10.5	9.34	102.5	31.72	0.060
	10 m	10.0	9.40	102.0	31.73	0.050
	Btm	9.6	9.28	99.7	31.78	0.040
88 7 28	0 m	10.8	9.80	108.1	31.61	0.040
	10 m	10.4	9.91	108.2	31.60	0.050
	Btm	10.5	9.83	107.6	31.62	0.050
88 8 9	0 m	12.5	9.53	109.4	31.95	0.090
	10 m	11.6	9.43	106.0	31.95	0.090
	Btm	10.5	9.25	101.7	32.00	0.070
88 8 16	0 m	11.4	9.17	102.8	31.95	0.070
	10 m	11.1	9.11	101.3	31.94	0.070
	Btm	11.2	9.08	101.3	31.94	0.070
88 8 23	0 m	12.3	8.91	101.8	32.08	0.070
	10 m	11.1	8.61	95.8	32.05	0.000
	Btm	10.9	8.68	96.3	32.08	0.080
88 8 30	0 m	11.7	9.27	104.6	31.96	0.090
	10 m	11.2	8.50	94.8	32.00	0.080
	Btm	11.1	9.59	106.8	32.06	0.090
88 9 6	0 m	11.8	9.46	107.0	32.05	0.140
	10 m	12.4	9.28	106.2	32.03	0.120
	Btm	11.1	10.12	112.6	32.07	0.130
88 9 21	0 m	11.1	8.63	96.4	32.31	0.200
	10 m	11.3	8.44	94.7	32.28	0.170
	Btm	11.1	8.36	93.2	32.32	0.170
88 9 27	0 m	11.0	8.32	92.7	32.45	0.090
	10 m	11.0	8.33	92.7	32.40	0.090
	Btm	11.0	8.32	92.7	32.41	0.100
88 10 4	0 m	11.0	8.43	94.0	32.52	0.070
	10 m	11.0	8.45	94.0	32.47	0.070
	Btm	10.9	8.18	90.9	32.56	0.050
88 10 18	0 m	10.0	8.55	93.4	32.63	0.050
	10 m	10.2	8.58	94.0	32.65	0.050

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 13						
	Btm	10.0	8.53	93.0	32.67	0.050
88 10 25	0 m	10.0	8.87	96.6	32.42	0.040
	10 m	10.0	8.77	95.6	32.44	0.040
	Btm	10.0	8.81	96.0	32.51	0.040
88 11 8	0 m	9.9	8.88	96.5	32.23	0.030
	10 m	9.4	8.88	95.5	32.27	0.020
	Btm	7.2	8.94	91.4	32.29	0.020
88 12 1	0 m	7.2	8.94	91.4	32.29	0.030
	10 m	7.5	9.44	97.1	32.35	0.040
	Btm	8.8	9.26	98.2	32.33	0.040
88 12 8	0 m	6.5	9.31	93.7	32.47	0.020
	10 m	5.9	9.20	91.3	32.45	0.030
	Btm	6.4	9.17	92.0	32.46	0.030
89 1 20	0 m	2.2	10.51	95.3	32.46	0.020
	10 m	2.2	10.54	95.4	32.47	0.020
	Btm	2.4	10.45	95.0	32.47	0.020
89 2 2	0 m	1.2	10.72	94.5	32.23	0.030
	10 m	0.8	10.76	93.8	32.22	0.030
	Btm	1.2	10.66	94.0	32.36	0.020
89 3 15	0 m	1.0	11.79	103.3	32.09	0.020
	10 m	0.0	11.81	0.0	32.09	0.020
	Btm	0.0	11.66	0.0	32.09	0.020
89 8 10	0 m	11.9	0.00	0.0	32.05	0.000
	Btm	11.5	0.00	0.0	32.03	0.000
89 8 17	0 m	11.8	0.00	0.0	31.92	0.000
	Btm	12.2	0.00	0.0	31.99	0.000
89 8 23	0 m	12.7	0.00	0.0	32.05	0.000
	Btm	0.0	0.00	0.0	32.04	0.000
89 8 30	0 m	11.5	0.00	0.0	32.21	0.000
	Btm	0.0	0.00	0.0	32.19	0.000
89 9 6	0 m	12.1	0.00	0.0	32.27	0.000
	Btm	0.0	0.00	0.0	32.29	0.000
89 9 13	0 m	12.4	0.00	0.0	32.26	0.000
	Btm	14.0	0.00	0.0	32.23	0.000
89 9 20	0 m	12.2	0.00	0.0	32.20	0.000
	Btm	12.7	0.00	0.0	32.29	0.000
89 9 27	0 m	11.2	0.00	0.0	32.48	0.000
	Btm	0.0	0.00	0.0	32.48	0.000
89 10 5	0 m	10.8	0.00	0.0	32.61	0.000
	Btm	10.6	0.00	0.0	32.58	0.000
89 10 11	0 m	10.2	0.00	0.0	32.62	0.000
	Btm	10.8	0.00	0.0	32.62	0.000
89 10 18	0 m	10.0	0.00	0.0	32.55	0.000
	Btm	8.0	0.00	0.0	32.50	0.000
89 10 25	0 m	10.0	0.00	0.0	32.59	0.000
	Btm	12.0	0.00	0.0	32.54	0.000
89 11 7	0 m	9.9	0.00	0.0	32.48	0.000
	Btm	11.7	0.00	0.0	32.51	0.000
89 11 20	0 m	8.9	0.00	0.0	32.35	0.000
	Btm	6.9	0.00	0.0	32.43	0.000
89 12 12	0 m	3.9	0.00	0.0	32.88	0.000
	Btm	2.9	0.00	0.0	32.07	0.000

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 14						
88 5 11	0 m	5.0	11.22	107.4	30.91	0.000
	10 m	4.8	11.97	114.6	31.03	0.000
	Btm	5.3	11.77	114.2	31.20	0.000
88 5 25	0 m	7.2	11.68	118.3	31.01	1.895
	10 m	5.9	11.03	108.8	31.41	7.117
88 6 1	0 m	7.9	11.43	117.9	31.09	7.430
	10 m	6.4	11.24	112.1	31.41	0.840
88 6 7	0 m	7.8	11.58	119.2	31.25	0.004
	10 m	7.5	11.57	118.3	31.19	0.003
88 6 14	0 m	9.1	10.86	115.2	31.45	0.450
	10 m	7.3	10.80	110.1	31.48	0.410
88 6 22	0 m	11.0	9.73	107.5	31.10	0.170
	10 m	8.9	9.80	103.4	31.40	0.270
88 6 28	0 m	9.5	10.98	119.1	33.44	0.150
	10 m	9.2	9.82	105.9	33.48	0.170
88 7 5	0 m	10.3	9.93	108.4	31.58	0.090
	10 m	9.0	9.80	103.7	31.58	0.100
88 7 12	0 m	11.8	9.21	103.9	31.61	0.020
	10 m	9.3	9.38	100.2	31.70	0.040
88 7 19	0 m	12.0	9.83	111.2	31.60	0.110
	10 m	10.3	9.87	107.6	31.68	0.060
	Btm	10.1	9.28	100.8	31.70	0.050
88 7 28	0 m	11.8	9.55	0.0	0.00	0.070
	10 m	11.0	9.78	0.0	0.00	0.050
88 8 2	0 m	12.0	9.93	112.6	31.75	0.070
	10 m	10.4	9.59	104.9	31.79	0.060
	Btm	10.5	8.95	98.1	31.82	0.060
88 8 9	0 m	13.5	9.82	114.8	31.74	0.170
	10 m	11.2	9.36	104.3	31.84	0.110
88 8 16	0 m	11.8	8.74	98.7	31.87	0.080
	10 m	11.2	9.11	101.5	31.96	0.070
88 8 23	0 m	13.0	8.93	0.0	0.00	0.060
88 8 30	0 m	12.7	8.87	101.6	31.32	0.090
	10 m	11.4	0.00	0.0	0.00	0.000
88 9 6	0 m	12.1	9.82	111.3	31.39	0.260
	10 m	12.5	10.32	118.2	31.75	0.160
88 9 21	0 m	11.1	8.23	91.7	32.27	0.120
	10 m	11.3	8.20	91.7	32.31	0.040
88 9 27	0 m	11.3	8.29	92.8	32.24	0.070
	10 m	11.0	8.25	91.8	32.35	0.070
88 10 4	0 m	11.0	8.48	94.3	32.23	0.070
	10 m	10.9	8.30	92.3	32.39	0.050
88 10 18	0 m	10.0	8.69	94.8	32.51	0.040
	10 m	9.9	8.76	95.2	32.53	0.040
88 10 25	0 m	9.7	8.75	94.7	32.38	0.040
	10 m	10.0	9.58	104.4	32.40	0.040
88 11 8	0 m	8.8	9.04	95.2	31.28	0.050
	10 m	9.5	8.86	0.0	0.00	0.030
88 12 1	0 m	7.0	9.56	96.8	31.72	0.030
	10 m	8.6	9.27	97.8	32.10	0.000
88 12 12	0 m	6.0	9.20	91.3	32.12	0.020
	10 m	5.8	9.36	92.3	32.10	0.020
89 1 19	0 m	2.2	10.64	96.2	32.33	0.020
	10 m	1.9	10.49	94.1	32.38	0.020
89 2 7	0 m	0.9	11.31	98.8	32.09	0.010

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 14						
	10 m	0.6	11.36	98.4	32.07	0.020
89 3 15	0 m	1.0	11.73	102.6	32.01	0.020
	10 m	1.0	11.59	101.4	32.00	0.020
89 8 10	0 m	12.5	0.00	0.0	31.43	0.000
	Btm	13.5	0.00	0.0	31.81	0.000
89 8 17	0 m	12.2	0.00	0.0	31.62	0.000
	Btm	11.9	0.00	0.0	31.73	0.000
89 8 23	0 m	12.6	0.00	0.0	32.01	0.000
	Btm	13.4	0.00	0.0	31.92	0.000
89 8 30	0 m	12.0	0.00	0.0	32.01	0.000
	Btm	12.6	0.00	0.0	32.00	0.000
89 9 6	0 m	11.9	0.00	0.0	32.05	0.000
	Btm	12.3	0.00	0.0	32.25	0.000
89 9 13	0 m	13.3	0.00	0.0	31.14	0.000
	Btm	13.5	0.00	0.0	31.98	0.000
89 9 20	0 m	12.6	0.00	0.0	31.98	0.000
	Btm	13.6	0.00	0.0	32.00	0.000
89 9 27	0 m	11.8	0.00	0.0	32.24	0.000
	Btm	12.7	0.00	0.0	32.15	0.000
89 10 5	0 m	10.5	0.00	0.0	32.08	0.000
	Btm	10.6	0.00	0.0	32.23	0.000
89 10 11	0 m	10.2	0.00	0.0	32.22	0.000
	Btm	10.8	0.00	0.0	32.51	0.000
89 10 18	0 m	9.6	0.00	0.0	32.41	0.000
	Btm	7.1	0.00	0.0	32.34	0.000
89 10 25	0 m	10.8	0.00	0.0	32.06	0.000
	Btm	9.4	0.00	0.0	32.41	0.000
89 11 7	0 m	9.5	0.00	0.0	32.20	0.000
	Btm	0.0	0.00	0.0	32.38	0.000
89 11 20	0 m	8.5	0.00	0.0	31.78	0.000
	Btm	6.1	0.00	0.0	32.27	0.000
89 12 12	0 m	3.2	0.00	0.0	32.50	0.000
	Btm	0.4	0.00	0.0	32.43	0.000
Station 15						
88 5 25	0 m	0.0	11.10	0.0	30.77	1.385
88 6 1	0 m	8.0	12.36	127.4	30.87	5.310
	1 m	8.0	12.38	127.7	30.77	14.200
	Btm	7.7	12.29	125.9	30.87	9.730
88 6 7	0 m	7.5	11.43	116.7	31.18	0.005
	1 m	7.4	12.29	125.3	31.20	0.005
	Btm	6.1	4.15	41.1	31.43	0.006
88 6 14	0 m	8.9	13.68	144.8	31.53	0.370
	1 m	8.4	12.69	132.7	31.50	0.400
	Btm	7.1	11.64	118.2	31.53	0.670
88 6 22	0 m	10.8	13.28	146.5	31.54	0.050
	1 m	10.0	12.55	135.9	31.49	0.020
	Btm	8.3	10.86	113.4	31.53	0.690
88 6 28	0 m	10.1	12.41	136.7	33.71	0.070
	1 m	10.0	12.26	134.7	33.69	0.080
	Btm	8.1	11.21	118.0	33.76	0.570
88 7 5	0 m	11.6	10.70	120.0	31.42	0.050
	1 m	11.0	10.32	114.1	31.40	0.040
	Btm	8.8	10.96	115.5	31.37	0.180
88 7 12	0 m	11.0	10.23	113.4	31.57	0.050
	1 m	10.9	10.06	111.1	31.56	0.060
	Btm	9.8	10.30	111.3	31.59	0.080
88 7 19	0 m	11.8	10.48	118.3	31.55	0.050
	1 m	11.3	10.35	115.2	31.54	0.020
	Btm	10.1	10.01	108.8	31.65	0.050

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 15						
88 7 28	0 m	12.5	9.68	110.4	31.17	0.050
	1 m	11.3	9.96	110.8	31.21	0.060
	Btm	11.3	10.16	113.0	31.26	0.040
88 8 2	0 m	13.7	10.38	121.7	31.50	0.050
	1 m	11.3	10.15	113.0	31.56	0.050
	Btm	10.1	8.97	97.6	31.72	0.030
88 8 9	0 m	14.7	10.16	121.7	31.72	0.150
	1 m	13.0	9.97	115.4	31.71	0.080
	Btm	11.4	10.19	113.9	31.80	0.170
88 8 16	0 m	13.0	9.12	105.4	31.50	0.110
	1 m	12.4	9.21	105.2	31.52	0.100
	Btm	11.9	9.40	106.2	31.68	0.080
88 8 23	0 m	12.8	9.33	107.7	31.90	0.050
	1 m	12.3	9.18	104.8	31.88	0.040
	Btm	11.2	9.09	101.5	31.99	0.060
88 8 30	0 m	12.6	9.33	107.0	31.71	0.070
	1 m	12.4	8.45	96.7	31.66	0.060
	Btm	11.2	8.67	96.6	31.95	0.050
88 9 6	0 m	12.1	9.91	111.5	30.34	0.390
	1 m	12.0	10.76	120.8	30.21	0.270
	Btm	11.7	12.11	136.5	31.89	0.760
88 9 21	0 m	12.0	9.56	108.6	32.00	0.470
	1 m	11.4	9.57	107.1	31.82	0.330
	Btm	11.8	9.66	109.3	32.21	0.450
88 9 27	0 m	11.7	8.73	98.8	32.36	0.210
	1 m	11.5	8.52	95.8	32.34	0.160
	Btm	11.0	8.22	91.6	32.44	0.090
88 10 4	0 m	10.7	8.28	91.8	32.56	0.100
	1 m	10.9	8.27	92.1	32.53	0.180
	Btm	10.8	8.16	90.7	32.61	0.090
88 10 11	0 m	10.5	0.00	0.0	32.37	0.080
	1 m	10.2	0.00	0.0	32.40	0.090
	Btm	10.3	0.00	0.0	32.48	0.070
88 10 18	0 m	10.5	8.63	95.3	32.74	0.100
	1 m	9.8	8.80	95.6	32.72	0.110
	Btm	10.3	8.83	97.0	32.71	0.100
88 11 8	0 m	9.5	9.25	99.6	32.34	0.060
	1 m	10.0	9.08	98.8	32.25	0.070
	Btm	9.7	9.19	99.4	32.29	0.070
88 12 1	0 m	6.8	9.45	95.2	31.84	0.050
	1 m	7.0	9.35	94.9	31.88	0.050
	Btm	8.1	9.31	97.5	32.66	0.050
88 12 8	0 m	6.4	9.58	96.3	32.74	0.030
	1 m	5.7	9.47	93.6	32.69	0.050
	Btm	6.3	9.23	92.7	32.77	0.040
89 1 19	0 m	2.0	10.89	96.1	32.49	0.020
	1 m	1.4	10.86	94.3	32.48	0.030
	Btm	1.9	10.74	94.6	32.52	0.030
89 2 2	0 m	1.5	11.29	100.3	32.25	0.090
	1 m	0.8	11.32	98.7	32.30	0.080
	Btm	0.0	11.33	0.0	32.28	0.030
89 4 12	0 m	2.5	11.51	104.3	31.45	0.020
	1 m	3.4	11.48	106.3	31.44	0.020
	Btm	3.3	11.51	106.5	31.59	0.030
89 4 25	0 m	0.0	11.54	0.0	31.17	0.020
	1 m	0.0	11.48	0.0	31.07	0.020
	Btm	0.0	11.56	0.0	31.50	0.000
89 5 10	0 m	0.0	11.12	0.0	0.00	1.650
	1 m	0.0	11.29	0.0	0.00	1.810
	Btm	0.0	11.10	0.0	0.00	1.450

Appendix 2. (cont'd)

	Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 15							
89	5 24	0 m	7.0	10.66	0.0	0.00	0.000
		1 m	7.2	10.75	0.0	0.00	0.000
		Btm	6.3	10.81	0.0	0.00	0.510
89	6 7	0 m	8.8	0.00	0.0	30.98	0.000
		1 m	7.1	0.00	0.0	30.93	0.000
		Btm	7.0	0.00	0.0	30.98	0.000
89	6 21	0 m	10.4	0.00	0.0	30.86	0.000
		1 m	10.5	0.00	0.0	30.83	0.000
		Btm	8.8	0.00	0.0	31.06	0.000
89	6 28	0 m	11.0	0.00	0.0	0.00	0.000
		1 m	11.5	0.00	0.0	0.00	0.000
		Btm	9.3	0.00	0.0	0.00	0.000
89	7 4	0 m	9.5	0.00	0.0	31.57	0.000
		1 m	10.5	0.00	0.0	0.00	0.000
		Btm	9.6	0.00	0.0	0.00	0.000
89	7 12	0 m	11.4	0.00	0.0	0.00	0.000
		Btm	12.5	0.00	0.0	31.72	0.000
89	7 18	0 m	12.5	0.00	0.0	31.72	0.000
		Btm	13.5	0.00	0.0	32.13	0.000
89	7 26	0 m	12.5	0.00	0.0	31.91	0.000
		Btm	13.5	0.00	0.0	31.91	0.000
89	8 2	0 m	13.5	0.00	0.0	31.95	0.000
		Btm	11.5	0.00	0.0	32.90	0.000
89	8 10	0 m	13.0	0.00	0.0	31.89	0.001
		Btm	14.5	0.00	0.0	31.93	0.009
89	8 17	0 m	13.9	9.09	107.2	31.81	1.150
		Btm	15.6	8.77	107.2	31.95	0.570
89	8 23	0 m	13.2	8.34	97.0	32.05	1.590
		Btm	11.8	8.44	95.5	32.04	1.850
89	8 30	0 m	13.4	9.02	105.5	32.13	4.820
		Btm	12.5	8.44	97.0	32.22	0.990
89	9 6	0 m	13.0	8.49	98.7	32.31	1.270
		Btm	13.0	5.75	66.7	32.31	0.940
89	9 13	0 m	14.9	11.28	135.8	31.77	7.210
		Btm	17.2	0.00	0.0	31.99	9.070
89	9 20	0 m	13.3	8.60	100.3	31.96	6.780
		Btm	13.8	7.97	94.1	32.29	2.480
89	9 27	0 m	11.1	7.87	88.1	32.56	0.640
		Btm	11.8	7.71	87.3	32.59	0.640
89	10 5	0 m	10.3	8.12	89.2	32.62	1.830
		Btm	10.6	8.07	89.0	32.51	1.910
89	10 11	0 m	9.9	7.92	86.3	32.78	1.400
		Btm	10.8	7.85	87.3	32.74	1.460
89	10 18	0 m	10.0	7.86	85.8	32.59	0.890
		Btm	8.2	7.83	82.1	32.62	0.990
89	10 25	0 m	10.8	8.40	93.2	32.40	0.440
		Btm	14.5	7.97	95.8	32.71	0.150
89	11 7	0 m	9.8	8.43	91.4	32.56	1.620
		Btm	11.2	8.44	94.5	32.54	0.630
89	11 20	0 m	8.4	8.61	90.4	32.50	0.960
		Btm	7.2	8.72	89.2	32.45	1.050
89	12 12	0 m	1.5	9.24	0.0	0.00	0.350
		Btm	1.2	9.08	0.0	0.00	0.380

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 16						
88 5 25	0 m	6.7	11.05	110.8	31.36	2.630
	10 m	5.6	11.09	108.4	31.42	3.206
	Btm	5.6	11.46	112.1	31.41	3.653
88 6 1	0 m	6.8	11.69	117.5	31.42	3.830
	10 m	6.1	11.73	116.3	31.50	5.010
	25 m	5.8	11.41	112.2	31.62	3.160
	50 m	5.3	11.66	113.5	31.85	2.100
88 6 7	0 m	6.8	10.50	105.7	31.35	0.005
	10 m	6.6	11.02	110.3	31.31	0.004
	25 m	6.4	11.11	110.8	31.37	0.003
	50 m	6.2	10.84	107.7	31.47	0.003
88 6 14	0 m	8.8	13.09	138.8	31.53	0.510
	10 m	7.5	12.17	124.7	31.53	0.470
	25 m	6.7	12.27	123.4	31.63	0.430
	50 m	6.3	11.00	109.6	31.71	0.310
88 6 22	0 m	8.8	12.68	134.0	31.61	0.350
	10 m	7.6	11.56	118.8	31.57	0.320
	25 m	7.4	12.20	124.8	31.62	0.180
	50 m	6.6	11.24	112.8	31.73	0.290
88 6 28	0 m	8.6	10.44	111.2	33.72	0.120
	10 m	9.0	11.77	126.4	33.74	0.150
	25 m	7.9	10.50	110.0	33.75	0.140
	50 m	7.8	10.09	105.5	33.79	0.160
88 7 5	0 m	9.4	10.02	107.1	31.67	0.090
	10 m	8.3	10.07	105.1	31.65	0.090
	25 m	8.3	9.88	103.2	31.70	0.090
	50 m	8.5	9.83	103.0	31.65	0.100
88 7 12	0 m	10.0	10.12	109.8	31.67	0.110
	10 m	9.2	9.83	104.7	31.70	0.070
	25 m	8.6	9.41	99.0	31.79	0.040
	50 m	7.9	9.35	96.8	31.94	0.000
88 7 19	0 m	10.1	9.53	103.6	31.71	0.090
	10 m	9.6	10.02	107.7	31.74	0.040
	25 m	9.6	10.02	107.7	31.75	0.050
	50 m	9.0	9.58	101.7	31.88	0.030
88 7 28	0 m	10.2	9.85	107.4	31.69	0.040
	10 m	10.0	9.84	106.7	31.67	0.040
	25 m	9.6	9.66	103.9	31.82	0.040
	50 m	9.0	9.89	105.2	32.01	0.030
88 8 2	0 m	11.1	9.57	106.4	31.74	0.060
	10 m	10.2	9.97	108.7	31.75	0.050
	25 m	8.8	9.98	105.6	32.14	0.020
	50 m	8.0	9.44	98.4	32.51	0.010
88 8 9	0 m	11.2	9.48	105.7	31.94	0.090
	10 m	10.7	9.44	104.1	31.89	0.090
	25 m	10.4	9.45	103.7	31.95	0.070
	50 m	10.2	9.33	102.0	32.04	0.060
88 8 16	0 m	11.8	9.67	109.0	31.74	0.130
	10 m	11.1	9.38	104.3	31.90	0.080
	25 m	10.9	9.22	102.2	31.97	0.060
	50 m	10.5	9.14	100.5	32.09	0.050
88 8 23	0 m	11.7	8.84	99.6	32.04	0.090
	10 m	11.0	8.81	97.9	32.03	0.090
	25 m	11.0	8.86	98.6	32.06	0.080
	50 m	10.7	8.75	96.7	32.14	0.060

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 16						
88 8 30	0 m	11.2	11.12	123.9	31.95	0.100
	10 m	10.9	9.05	100.5	32.10	0.070
	25 m	10.8	9.16	101.4	32.14	0.060
	50 m	10.2	8.97	98.0	32.36	0.050
88 9 6	0 m	12.0	9.79	110.9	31.68	0.000
	10 m	11.5	9.17	102.8	31.81	0.000
	25 m	11.5	9.09	102.0	32.01	0.000
	50 m	10.4	9.08	99.8	32.31	0.000
88 9 21	0 m	10.9	8.47	94.1	32.35	0.190
	10 m	11.0	8.55	95.4	32.35	0.130
	25 m	10.9	8.42	93.5	32.36	0.140
	50 m	10.4	8.18	90.1	32.51	0.070
88 9 27	0 m	11.2	8.38	93.7	32.38	0.110
	10 m	11.0	8.17	91.0	32.49	0.070
	25 m	11.0	8.22	91.7	32.49	0.070
	50 m	11.1	8.17	91.3	32.54	0.070
88 10 4	0 m	10.9	8.35	93.0	32.47	0.050
	10 m	10.9	8.28	92.1	32.43	0.060
	25 m	10.8	8.32	92.3	32.46	0.050
	50 m	10.9	8.27	91.9	32.54	0.040
88 10 25	0 m	10.0	8.96	97.7	32.53	0.040
	10 m	10.0	8.96	97.7	32.49	0.040
	25 m	10.0	8.88	96.9	32.53	0.040
	50 m	9.9	8.73	95.0	32.59	0.030
88 11 8	0 m	9.0	9.15	97.1	31.74	0.020
	10 m	9.5	8.96	96.3	31.93	0.020
	25 m	9.5	9.00	96.9	32.20	0.030
	50 m	10.0	8.73	95.3	32.59	0.020
88 12 1	0 m	7.0	9.66	98.1	32.08	0.030
	10 m	7.8	9.37	96.9	32.18	0.040
	25 m	7.5	9.56	98.3	32.35	0.030
	50 m	7.8	9.25	95.9	32.53	0.030
88 12 8	0 m	6.9	9.01	91.7	32.68	0.020
	10 m	6.5	9.03	91.0	32.70	0.030
	25 m	6.6	9.02	91.0	32.68	0.020
	50 m	6.7	8.80	89.2	32.84	0.020
89 1 19	0 m	2.0	10.79	97.1	32.38	0.030
	10 m	2.4	10.49	95.4	32.48	0.020
	25 m	2.4	10.52	95.7	32.47	0.020
	50 m	2.4	10.51	95.8	32.54	0.020
89 2 2	0 m	1.5	11.19	99.4	32.26	0.020
	10 m	1.9	11.18	100.3	32.25	0.020
	25 m	1.6	11.14	99.2	32.36	0.030
	50 m	1.5	11.22	99.6	32.26	0.020
89 4 12	0 m	2.8	11.61	105.4	30.55	0.020
	10 m	0.0	11.49	0.0	31.03	0.020
	25 m	0.0	11.62	0.0	31.34	0.020
	50 m	0.3	11.57	99.2	31.71	0.020
89 4 25	0 m	3.0	11.30	103.4	30.90	0.020
	10 m	0.0	11.36	0.0	31.08	0.030
	25 m	3.0	11.31	103.7	31.31	0.030
	50 m	0.0	11.16	0.0	31.66	0.020
89 5 10	0 m	4.9	11.51	0.0	0.00	1.390
	10 m	4.2	11.10	0.0	0.00	0.752
	25 m	6.8	11.00	0.0	0.00	0.421

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 16						
89 5 25	50 m	6.8	10.83	0.0	0.00	0.649
	0 m	6.5	10.57	0.0	0.00	0.000
	10 m	0.0	10.52	0.0	0.00	1.720
	25 m	0.0	10.46	0.0	0.00	1.350
	50 m	6.2	10.50	0.0	0.00	0.760
89 6 7	0 m	7.8	0.00	0.0	31.23	0.000
	10 m	5.9	0.00	0.0	31.27	0.000
	25 m	5.8	0.00	0.0	31.54	0.000
	50 m	7.9	0.00	0.0	31.82	0.000
89 6 14	0 m	8.9	0.00	0.0	30.92	0.000
	10 m	8.2	0.00	0.0	30.90	0.000
	25 m	7.3	0.00	0.0	31.14	0.000
	50 m	5.9	0.00	0.0	31.86	0.000
89 6 21	0 m	9.5	0.00	0.0	30.91	0.000
	10 m	7.7	0.00	0.0	31.31	0.000
	25 m	7.3	0.00	0.0	31.57	0.000
	50 m	6.3	0.00	0.0	32.18	0.000
89 6 28	0 m	9.5	0.00	0.0	0.00	0.000
	10 m	8.7	0.00	0.0	0.00	0.000
	25 m	7.3	0.00	0.0	0.00	0.000
	50 m	8.0	0.00	0.0	0.00	0.000
89 7 4	0 m	8.5	0.00	0.0	0.00	0.000
	10 m	9.0	0.00	0.0	0.00	0.000
	25 m	8.5	0.00	0.0	32.28	0.000
	50 m	7.9	0.00	0.0	0.00	0.000
89 7 12	0 m	10.3	0.00	0.0	0.00	0.000
	10 m	12.5	0.00	0.0	0.00	0.000
	25 m	8.8	0.00	0.0	0.00	0.000
	50 m	0.0	0.00	0.0	0.00	0.000
89 7 18	0 m	11.0	0.00	0.0	31.79	0.000
	10 m	12.5	0.00	0.0	0.00	0.000
	25 m	11.5	0.00	0.0	0.00	0.000
	50 m	10.5	0.00	0.0	30.09	0.000
89 7 26	0 m	10.0	0.00	0.0	0.00	0.000
	10 m	12.0	0.00	0.0	31.98	0.000
	25 m	11.5	0.00	0.0	31.13	0.000
	50 m	11.0	0.00	0.0	32.35	0.000
89 8 2	0 m	12.0	0.00	0.0	31.90	0.000
	10 m	11.5	0.00	0.0	32.02	0.000
	25 m	11.5	0.00	0.0	32.09	0.000
	50 m	11.0	0.00	0.0	32.31	0.000
89 8 10	0 m	12.3	0.00	0.0	32.87	0.007
	10 m	13.3	0.00	0.0	32.01	0.009
	25 m	12.0	0.00	0.0	32.16	0.008
	50 m	12.6	0.00	0.0	32.26	0.007
89 8 17	0 m	14.2	9.30	110.4	31.79	2.000
	10 m	14.0	9.08	107.4	32.02	0.350
	25 m	11.9	8.81	100.0	32.28	0.740
	50 m	12.4	8.38	96.3	32.59	0.685
89 8 23	0 m	13.3	9.12	106.4	32.02	0.000
	10 m	11.3	8.83	98.7	32.07	0.000
	25 m	12.8	8.51	98.3	32.23	0.000
	50 m	11.8	8.21	92.9	32.40	0.000
89 8 30	0 m	12.3	9.13	104.4	32.19	2.520
	10 m	11.3	8.71	97.5	32.28	2.090

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity ‰	Chl a(µg/L)
Station 16						
	25 m	11.4	8.18	92.0	32.54	1.520
	50 m	11.3	7.87	88.6	32.77	0.530
89 9 6	0 m	12.2	6.09	70.0	32.34	2.550
	10 m	13.2	8.64	100.7	32.39	0.960
	25 m	14.5	8.84	106.0	32.52	0.560
	50 m	13.2	0.00	0.0	32.34	0.960
89 9 13	0 m	14.2	10.52	125.1	32.09	4.980
	10 m	0.0	9.68	0.0	32.37	7.550
	25 m	14.0	0.00	0.0	32.15	1.100
	50 m	13.6	0.00	0.0	32.89	63.750
89 9 20	0 m	13.0	9.38	108.8	32.05	56.650
	10 m	12.0	8.21	93.4	32.34	3.920
	25 m	12.8	7.82	90.8	32.71	2.150
	50 m	12.2	7.51	85.8	32.26	0.740
89 10 5	0 m	10.4	7.69	84.7	32.82	0.810
	10 m	10.7	7.65	84.8	32.73	0.730
	25 m	10.7	7.68	85.2	32.73	0.860
	50 m	10.4	7.21	79.5	32.90	1.950
89 10 25	0 m	10.9	7.99	89.0	32.65	0.270
	10 m	10.4	7.90	87.0	32.68	0.280
	25 m	10.5	7.70	85.0	32.82	0.220
	50 m	10.3	7.44	82.0	33.27	0.210
89 11 7	0 m	10.4	8.33	91.8	32.69	1.700
	10 m	10.2	8.30	90.9	32.64	0.290
	25 m	10.7	8.18	90.7	32.86	0.450
	50 m	10.4	8.41	92.7	32.68	0.410
Station 17						
88 5 25	0 m	9.2	0.00	0.0	26.08	12.530
88 6 1	0 m	8.7	11.18	115.2	28.26	6.730
	1 m	8.5	11.21	115.2	28.62	6.930
	Btm	7.7	11.41	115.6	29.39	4.260
88 6 7	0 m	9.0	11.28	118.5	30.27	0.020
	1 m	8.2	10.35	106.8	30.24	0.020
	Btm	7.7	11.00	112.5	30.55	0.020
88 6 14	0 m	8.9	11.42	119.9	30.43	0.410
	1 m	8.9	11.67	122.6	30.45	0.400
	Btm	8.9	11.56	121.3	30.41	0.450
88 6 22	0 m	11.6	10.98	121.6	29.41	0.060
	1 m	10.8	11.39	124.6	30.23	0.090
	Btm	8.4	12.14	126.6	31.22	0.530
88 6 28	0 m	10.8	11.39	126.8	33.08	0.040
	1 m	10.4	10.72	118.3	33.07	0.170
	Btm	9.2	11.43	123.0	33.28	0.180
88 7 5	0 m	10.0	9.79	105.9	31.25	0.070
	1 m	9.8	9.79	105.4	31.23	0.080
	Btm	9.2	9.63	102.5	31.42	0.090
88 7 12	0 m	12.1	9.19	103.6	30.49	0.020
	1 m	11.9	9.11	102.4	30.65	0.060
	Btm	11.0	9.23	102.0	31.20	0.050
88 7 19	0 m	12.0	7.67	86.5	31.05	0.130
	1 m	11.7	9.67	108.5	31.06	0.070
	Btm	10.9	9.02	99.4	31.34	0.060
88 7 28	0 m	12.0	9.29	104.7	30.68	0.240
	1 m	12.0	9.38	105.6	30.78	0.150
	Btm	11.2	9.50	105.5	31.28	0.160
88 8 2	0 m	12.7	10.50	120.0	30.85	0.190
	1 m	12.5	9.18	104.4	30.70	0.110
	Btm	11.9	9.40	105.9	31.15	0.110

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 17						
88 8 9	0 m	13.6	9.72	113.3	30.97	0.310
	1 m	13.4	9.60	111.4	30.86	0.250
	Btm	11.8	9.38	105.7	31.57	0.160
88 8 16	0 m	13.0	9.08	104.7	31.19	0.110
	1 m	12.9	9.06	104.3	31.16	0.160
	Btm	12.8	9.05	104.0	31.16	0.150
88 8 23	0 m	12.5	8.68	98.7	30.62	0.280
	1 m	12.4	8.75	99.6	31.01	0.120
	Btm	12.1	8.71	98.9	31.53	0.110
88 8 30	0 m	13.1	9.57	109.5	29.56	0.200
	1 m	13.1	8.88	102.0	30.32	0.130
	Btm	12.8	9.05	103.7	30.66	0.130
88 9 6	0 m	0.0	9.74	0.0	29.16	0.000
	1 m	0.0	9.48	0.0	31.36	0.000
	Btm	0.0	9.92	0.0	29.70	0.000
88 9 13	0 m	12.3	6.77	76.5	30.08	0.160
	1 m	12.3	6.54	73.6	30.18	0.140
	Btm	11.8	6.37	71.7	31.34	0.150
88 9 21	0 m	11.8	8.61	96.8	31.38	0.220
	1 m	11.9	8.65	97.5	31.40	0.160
	Btm	11.6	8.66	97.3	31.78	0.190
88 9 27	0 m	11.1	8.43	93.2	30.89	0.110
	1 m	10.3	8.51	92.4	30.88	0.100
	Btm	11.4	8.46	94.0	30.89	0.110
88 10 4	0 m	11.0	8.49	73.9	31.16	0.080
	1 m	11.4	8.35	93.4	31.44	0.070
	Btm	11.3	8.47	94.7	31.85	0.060
88 10 11	0 m	10.5	8.70	95.2	31.22	0.050
	1 m	10.4	8.59	93.9	31.36	0.060
	Btm	11.0	8.64	95.9	31.90	0.060
88 10 18	0 m	10.0	8.90	96.7	31.84	0.040
	1 m	10.0	8.75	0.0	0.00	0.040
	Btm	10.0	8.57	93.1	32.12	0.060
88 10 25	0 m	9.8	9.12	97.6	30.39	0.050
	1 m	9.9	9.15	98.0	29.88	0.040
	Btm	9.7	9.08	97.9	31.79	0.030
88 11 8	0 m	8.5	9.65	97.0	24.91	0.040
	1 m	9.9	9.27	96.9	26.18	0.040
	Btm	9.2	9.00	95.2	30.54	0.030
88 12 1	0 m	6.0	9.67	95.0	30.52	0.030
	1 m	6.7	9.69	96.9	30.74	0.030
	Btm	7.3	9.58	97.7	31.61	0.030
88 12 8	0 m	4.2	9.78	90.9	28.88	0.020
	1 m	6.4	9.51	94.1	30.20	0.030
	Btm	6.3	9.13	90.7	31.14	0.020
89 1 19	0 m	1.5	10.74	94.8	31.28	0.010
	1 m	2.5	10.84	98.1	31.30	0.020
	Btm	2.4	11.20	101.7	32.09	0.030
89 2 2	0 m	0.0	11.27	0.0	31.26	0.020
	1 m	1.4	11.27	99.2	31.31	0.020
	Btm	1.0	11.82	103.3	31.84	0.020
89 3 15	0 m	1.0	12.03	105.0	31.49	0.020
	1 m	0.0	11.87	0.0	31.56	0.020
	Btm	0.0	11.96	0.0	31.55	0.020
89 4 12	0 m	2.0	11.94	102.2	24.85	0.050
	1 m	0.0	11.98	0.0	25.12	0.020
	Btm	0.0	11.57	0.0	30.46	0.040
89 4 25	0 m	2.8	11.66	103.7	27.50	0.030
	1 m	0.0	11.58	0.0	27.53	0.030
	Btm	3.0	11.52	105.3	29.75	0.050

Appendix 2. (cont'd)

Date	Depth	Temp. °C	DO(mg/L)	DO(% sat.)	Salinity (‰)	Chl a(µg/L)
Station 17						
89 5 10	0 m	6.8	10.86	0.0	0.00	0.741
	1 m	6.8	10.83	0.0	0.00	1.060
	Btm	4.6	10.87	0.0	0.00	1.440
89 5 25	0 m	10.0	10.74	0.0	0.00	92.600
	1 m	10.6	10.69	0.0	0.00	0.000
	Btm	0.0	10.45	0.0	0.00	1.880
89 6 7	0 m	8.0	0.00	0.0	29.82	0.000
	1 m	8.0	0.00	0.0	28.94	0.000
	Btm	5.0	0.00	0.0	29.91	0.000
89 6 21	0 m	10.5	0.00	0.0	27.03	0.000
	1 m	10.4	0.00	0.0	27.36	0.000
	Btm	8.2	0.00	0.0	30.01	0.000
89 6 28	0 m	11.0	0.00	0.0	0.00	0.000
	1 m	10.2	0.00	0.0	30.91	0.000
	Btm	9.6	0.00	0.0	31.02	0.000
89 7 4	0 m	11.0	0.00	0.0	0.00	0.000
	1 m	13.0	0.00	0.0	0.00	0.000
	Btm	10.7	0.00	0.0	0.00	0.000
89 7 12	0 m	11.0	0.00	0.0	0.00	0.000
	Btm	13.5	0.00	0.0	0.00	0.000
89 7 18	0 m	12.0	0.00	0.0	29.90	0.000
	Btm	13.5	0.00	0.0	0.00	0.000
89 7 26	0 m	12.0	0.00	0.0	30.45	0.000
	Btm	18.0	0.00	0.0	31.05	0.000
89 8 2	0 m	13.3	0.00	0.0	29.69	0.000
	Btm	12.5	0.00	0.0	30.62	0.000
89 8 10	0 m	13.0	0.00	0.0	30.07	0.001
	Btm	16.0	0.00	0.0	30.83	0.000
89 8 17	0 m	17.0	9.84	122.2	30.08	0.580
	Btm	17.3	9.96	125.0	30.45	0.451
89 8 23	0 m	14.4	8.90	105.3	30.72	1.350
	Btm	14.5	8.20	98.2	32.21	2.090
89 8 30	0 m	13.2	8.52	98.2	30.48	2.730
	Btm	14.6	8.57	102.2	31.23	2.230
89 9 6	0 m	13.0	8.49	97.8	30.98	3.200
	Btm	13.6	8.44	98.7	31.75	2.120
89 9 13	0 m	13.8	8.15	95.0	30.22	9.950
	Btm	15.8	6.95	85.1	31.29	6.220
89 9 20	0 m	13.0	7.86	90.9	31.61	1.670
	Btm	13.6	7.81	91.2	31.05	1.870
89 9 27	0 m	11.8	0.00	0.0	30.55	2.240
	Btm	12.0	8.26	93.1	30.74	1.890
89 10 5	0 m	10.4	8.03	86.7	29.73	0.870
	Btm	11.1	7.76	85.9	31.23	1.230
89 10 11	0 m	10.3	7.57	82.6	31.57	0.800
	Btm	11.2	7.72	85.9	31.63	0.580
89 10 18	0 m	10.0	7.79	84.4	31.61	0.980
	Btm	9.1	7.69	81.8	31.91	1.000
89 10 25	0 m	10.7	8.25	89.2	28.35	1.240
	Btm	12.2	8.05	89.3	27.46	1.420
89 11 7	0 m	9.5	8.37	90.3	32.71	1.350
	Btm	10.7	8.12	89.5	31.91	5.260
89 11 20	0 m	9.0	8.76	92.7	31.26	0.530
	Btm	8.1	8.50	88.4	31.96	0.440
89 12 12	0 m	1.8	8.70	80.8	30.99	0.470
	Btm	1.4	10.62	97.1	31.36	0.440

APPENDIX 3. Phytoplankton densities as number of cells/L for surface seawater in the Western Isles region during 1988.

DATE: 20-01-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Ceratium longipes</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Dinophysis norvegica</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Gyrodinium aureolum</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	0	0	0	40	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Peridinium sp.</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	20	0	0	0
<i>Biddulphia aurita</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	20	0	0	0
<i>Biddulphia obtusa</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	20	20	0	0
<i>Chaetoceros debilis</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros socialis</i>	0	0	0	0	20	0	0	0	20	0	0	0	0	20	0	0	0
<i>Corethron criophilum</i>	0	0	0	20	0	0	20	0	0	20	0	0	0	0	0	0	0
<i>Gyrosigma fasciola</i>	20	0	0	40	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrosigma tenuissimum</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus danicus</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus minimus</i>	0	0	40	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Lymnephora lyngbyei</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Melosira nummuloides</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Navicula sp.</i>	40	0	0	20	0	20	0	40	60	40	0	0	0	0	0	0	0
<i>Nitzschia closterium</i>	80	120	440	180	220	120	80	460	380	380	0	60	0	0	0	0	0
<i>Nitzschia pseudodelicatissima</i>	0	60	60	300	40	40	0	180	120	40	0	0	0	0	0	0	0
<i>Pleurosigma angulatum</i>	0	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0
<i>Pleurosigma sp.</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	0	40	0	20	20	40	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia setigera</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	0	0	20	20	0	40	20	100	40	40	60	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0
<i>Acartia sp.</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
<i>Distephanus speculum</i>	0	0	0	40	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Euglena sp.</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Mesodinium rubrum</i>	180	80	0	0	0	60	200	0	20	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	0	20	40	0	40	0	20	0	0	80	0	0	0	0	0	0	0

DATE: 16-03-88 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Gyrodinium minutum</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
<i>Gyrodinium paradoxum</i>	0	0	0	0	40	40	0	20	0	0	0	0	0	0	0	0	0
<i>Achnanthes sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Peridinium triquetra</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bacillaria paradoxa</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Bacillaria acutula</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Biddulphia obtusa</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Biddulphia sp.</i>	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chetoceros debilis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chetoceros sociabilis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Ditylum brightwellii</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gymnadiaphora marina</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrosigma littoralis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrosigma protologatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrosigma tenueissimum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrosigma punctatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Melosira sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Naufragium</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Nitzschia closterium</i>	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Nitzschia pseudodelicatissima</i>	0	0	0	0	120	100	0	60	80	0	40	180	20	0	0	0	0
<i>Rhabdonema acutatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia hebetula</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia setigera</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Schizothrix costatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira gracilis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira nordenskioldii</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira speculum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Acartia sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tetraslöderia</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Eurypletia sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Mesodinium rubrum</i>	40	0	20	80	80	40	40	0	0	0	100	0	0	0	0	0	0
<i>Tintinnids</i>	0	0	80	180	80	40	40	0	20	0	140	40	0	0	0	0	0

DATE: 12-05-88 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Alexandrium fundyense</i>	0	60	140		100	100	20		20	20	0	40	20				
<i>Alexandrium (duplet)</i>	0	20	60		0	20	0		0	0	0	0	0	0	0		
<i>Alexandrium (quadruplet)</i>	0	0	0		20	0	0		0	0	0	0	0	0	0		
<i>Gonyaulax spinifera</i>	0	20	0		0	0	0		0	0	0	0	0	0	0		
<i>Gyrodinium sp.</i>	140	100	160		40	20	0		0	20	20	0	0	60			
<i>Peridinium sp.</i>	20	120	20		160	140	60		80	40	40	0	0	100			
<i>Peridinium triquetra</i>	0	0	0		20	40	0		40	0	0	20	20	20			
<i>Scrippsiella trochoidea</i>	0	20	0		0	0	0		0	0	0	0	0	0	0		
<i>Achnanthes sp.</i>	0	0	20		20	0	0		0	0	0	0	0	0	0		
<i>Biddulphia obtusa</i>	0	0	0		0	20	60		0	0	20	0	0	0	0		
<i>Chaetoceros affinis</i>	0	0	0		0	0	20		40	0	0	0	0	0	0		
<i>Chaetoceros debilis</i>	0	0	20		0	0	40		20	20	20	20	20	0	0		
<i>Chaetoceros laciniosus</i>	0	20	0		0	0	0		20	0	0	0	0	60			
<i>Chaetoceros socialis</i>	20	0	0		0	0	0		0	0	0	0	0	0	0		
<i>Chaetoceros sp.</i>	20	20	0		20	20	0		40	0	120	20	20	60			
<i>Corethron criophilum</i>	0	0	0		0	0	20		0	0	0	0	0	0	0		
<i>Coscinodiscus sp.</i>	60	60	40		0	20	0		60	0	0	0	20	0	0		
<i>Ditylum brightwelli</i>	0	20	0		0	0	0		0	0	0	0	0	0	0		
<i>Fragilaria sp.</i>	40	0	0		0	0	20		0	0	0	0	0	0	0		
<i>Gyrosigma baltica</i>	0	0	0		0	20	0		0	0	0	0	0	0	0		
<i>Leptocylindrus minimus</i>	0	0	20		0	0	0		0	0	60	0	0	0	0		
<i>Lycmophora lyngbyei</i>	20	0	0		0	20	0		0	0	0	0	0	0	0		
<i>Melosira nummuloides</i>	80	20	120		0	0	0		0	0	0	0	0	0	0		
<i>Navicula sp.</i>	0	0	40		0	0	0		0	0	0	0	0	0	0		
<i>Nitzschia closterium</i>	0	0	0		40	0	20		20	0	80	80	0	0	0		
<i>Nitzschia pseudodelicatissima</i>	0	0	0		40	0	40		0	0	60	0	0	20			
<i>Skeletonema costatum</i>	0	0	0		0	0	0		20	0	100	0	0	0			
<i>Thalassiosira decipiens</i>	0	0	0		0	40	0		0	0	20	0	0	0			
<i>Thalassiosira gravida</i>	0	20	0		0	20	20		20	60	0	0	0	60			
<i>Thalassiosira nordenskioeldii</i>	20	0	0		0	0	40		100	0	0	0	0	0	0		
<i>Thalassiosira rotula</i>	0	0	160		100	0	0		100	40	20	40	0	0	0		
<i>Thalassiosira sp.</i>	0	120	0		0	60	20		40	0	0	0	0	20			
<i>Acartia sp.</i>	0	20	0		20	0	0		0	0	0	0	0	0	0		
<i>Distephanus speculum</i>	0	0	20		80	0	0		0	0	60	0	0	40			
<i>Euglena sp.</i>	0	0	20		60	120	20		120	120	0	20	0	0			
<i>Eutreptia sp.</i>	0	0	0		0	80	80		100	140	0	80	0	0			
<i>Mesodinium rubrum</i>	260	80	120		160	160	180		640	40	40	300	20				
<i>Tintinnids</i>	900	340	820		1000	140	120		440	20	800	60	200				

DATE: 25-05-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	280	140	480	80	0	300		20	460	120	40	20	40	180	380	40	140
<i>Alexandrium (duplet)</i>	0	0	20	0	0	0		0	0	0	0	0	0	0	20	0	0
<i>Dinophysis acuminata</i>	0	0	0	20	0	0		0	0	0	0	0	0	0	0	0	0
<i>Dinophysis norvegica</i>	0	0	20	0	0	0		0	20	0	0	0	0	0	0	0	0
<i>Gonyaulax spinifera</i>	0	0	0	40	0	0		0	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	0	80	40	1080	260	40		400	60	640	0	0	0	0	180	0	40
<i>Peridinium sp.</i>	400	0	320	780	140	520		240	160	340	0	20	220	120	0	0	0
<i>Peridinium triquetra</i>	40	0	60	80	0	40		60	80	80	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	40	20	60	220	0	100		60	120	20	0	0	0	0	0	0	0
<i>Biddulphia aurita</i>	0	0	0	60	0	0		0	0	0	0	0	0	0	0	0	0
<i>Biddulphia obtusa</i>	0	0	0	60	0	0		0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros constrictus</i>	40	0	20	0	0	0		0	0	0	80	20	0	180	0	0	0
<i>Chaetoceros convolutus</i>	0	0	0	0	0	0		20	0	0	40	0	0	0	0	0	0
<i>Chaetoceros debilis</i>	0	0	80	160	60	100		880	560	540	2660	1940	6080	5980	0	0	0
<i>Chaetoceros decipiens</i>	0	0	20	0	0	20		60	0	80	260	120	280	180	0	0	0
<i>Chaetoceros laciniosus</i>	0	0	0	0	0	0		20	0	0	20	0	200	60	0	0	0
<i>Chaetoceros sp.</i>	40	0	60	160	80	0		620	60	740	200	300	4260	1200	40	60	40
<i>Chaetoceros teres</i>	0	0	20	0	0	0		20	0	40	100	100	380	200	0	0	0
<i>Coscinodiscus sp.</i>	160	20	80	40	200	160		40	240	40	20	0	100	60	60	0	0
<i>Coscinodiscus polychorda</i>	0	0	40	80	0	0		80	0	120	60	20	0	40	0	0	60
<i>Fragilaria sp.</i>	0	0	0	20	0	0		0	0	0	0	0	0	20	0	0	0
<i>Gyrosigma sp.</i>	0	0	0	20	0	0		0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus minimus</i>	0	0	0	0	0	0		60	0	0	0	0	200	0	0	0	20
<i>Lycmophora lyngbyei</i>	0	0	0	20	0	0		0	0	0	0	0	0	0	0	0	0
<i>Melosira nummuloides</i>	0	0	0	140	0	0		40	0	20	0	0	0	0	0	0	0
<i>Navicula sp.</i>	0	0	0	20	20	0		40	20	20	0	40	0	0	0	0	0
<i>Nitzschia closterium</i>	0	0	0	80	20	0		40	0	60	0	20	60	20	0	0	0
<i>Nitzschia pseudodelicatissima</i>	0	0	0	40	0	0		60	0	100	0	0	1000	20	0	0	0
<i>Pleurosigma angulatum</i>	0	0	0	0	0	0		0	0	40	0	0	20	20	0	0	0
<i>Skeletonema costatum</i>	0	0	0	20	0	0		20	0	0	0	0	100	0	0	0	0
<i>Thalassiosira condensata</i>	0	0	0	0	0	20		0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira decipiens</i>	40	0	100	80	60	0		760	0	500	0	100	80	0	0	0	0
<i>Thalassiosira gravida</i>	20	0	20	140	0	0		580	460	160	1560	1820	4480	3460	0	160	140
<i>Thalassiosira nordenskioeldii</i>	0	20	0	0	0	120		0	120	100	100	40	920	60	40	0	0
<i>Thalassiosira sp.</i>	20	0	0	20	0	0		60	0	0	20	0	0	0	0	0	0
<i>Acartia sp.</i>	0	0	0	40	0	0		0	0	0	0	0	0	0	0	0	0
<i>Brachionus sp.</i>	0	0	40	0	20	0		0	0	0	0	0	0	0	0	0	0
<i>Distephanus speculum</i>	40	0	0	0	40	0		20	60	40	0	0	20	0	0	0	0
<i>Euglena sp.</i>	220	2900	160	60	0	100		0	220	0	40	20	80	0	20	40	20
<i>Eutreptia sp.</i>	5780	0	26120	13280	2040	36320		17800	32640	10000	50600	110980	0	120	0	0	0
<i>Favella sp.</i>	0	20	0	0	0	0		20	0	20	0	0	0	0	0	0	0
<i>Helicostomella sp.</i>	0	0	0	20	0	0		0	0	0	0	0	0	0	0	0	0

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Mesodinium rubrum</i>	540	800	400	220	620	1500		100	180	40	340	140	80	120	100	40	10600
<i>Notholca sp.</i>	0	0	0	0	0	0		0	20	0	0	0	0	0	0	0	0
<i>Parasavella sp.</i>	0	0	40	0	0	0		0	0	0	0	0	0	0	0	0	0
<i>Ptychocylis sp.</i>	0	0	0	0	0	20		0	0	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	260	0	500	2840	100	440		1080	260	2900	0	0	440	180	40	0	0
<i>Tintinnopsis sp.</i>	0	60	0	0	0	0		0	0	0	0	0	0	0	120	0	100

DATE: 01-06-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	280	140	100	200	40	100	80	60	80	100	20	40	20	100	180	60	0
<i>Alexandrium (duplet)</i>	80	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Dinophysis acuminata</i>	0	0	20	0	0	0	0	0	20	0	0	40	0	0	40	0	0
<i>Dinophysis norvegica</i>	0	0	0	0	0	0	0	0	0	20	20	0	20	0	0	0	0
<i>Gonyaulax spinifera</i>	20	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	0	0	0	0	0	0	220	20	280	120	0	0	0	0	0	0	0
<i>Peridinium denticulatum</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	20	0	0
<i>Peridinium sp.</i>	240	180	80	280	60	80	300	140	240	100	0	80	320	500	220	0	0
<i>Peridinium triqueta</i>	60	0	20	20	20	20	40	20	40	20	0	0	0	0	80	0	0
<i>Scrippsiella trochoidea</i>	0	0	20	60	0	20	60	40	100	0	0	0	40	20	40	0	0
<i>Achnanthes sp.</i>	0	0	0	0	0	100	0	20	20	0	20	0	0	0	0	0	0
<i>Biddulphia obtusa</i>	0	0	0	60	0	0	0	0	0	20	0	0	0	20	0	0	0
<i>Chaetoceros compressus</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	80
<i>Chaetoceros constrictus</i>	40	20	100	120	240	100	0	200	0	0	0	20	0	60	0	0	0
<i>Chaetoceros debilis</i>	3060	3240	3320	3860	4640	2840	7240	5940	11200	8500	120	1440	5320	5000	8740	500	820
<i>Chaetoceros decipiens</i>	120	80	140	120	160	40	180	200	500	320	0	40	200	460	220	0	0
<i>Chaetoceros furcellatus</i>	20	0	0	20	0	0	20	20	80	0	0	0	440	140	0	0	0
<i>Chaetoceros laciniosus</i>	80	0	40	40	20	0	100	60	60	0	100	80	140	80	20	0	380
<i>Chaetoceros sp.</i>	740	200	280	400	420	160	4760	400	5660	2440	100	120	2080	660	1100	0	60
<i>Chaetoceros teres</i>	60	160	240	100	160	60	240	60	400	80	0	100	60	160	0	0	0
<i>Coscinodiscus sp.</i>	140	180	180	180	140	280	140	100	220	120	0	20	80	20	260	40	0
<i>Coscinosira polychorda</i>	120	80	140	100	200	120	100	300	360	300	0	0	20	80	460	0	0
<i>Ditylum brightwelli</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Fragilaria sp.</i>	0	0	0	0	0	0	120	0	0	0	20	0	0	20	20	0	0
<i>Guinardia flaccida</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Leptocylindrus danicus</i>	0	0	0	100	0	0	0	20	0	0	0	0	0	40	20	0	0
<i>Leptocylindrus minimus</i>	0	0	0	0	20	20	280	40	40	20	0	0	140	20	0	0	100
<i>Lycmophora lyngbyei</i>	0	40	0	0	0	0	0	40	40	0	0	40	0	0	40	0	0
<i>Melosira ambigua</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Melosira moniliformis</i>	0	0	0	0	40	0	0	0	0	0	0	0	0	0	0	0	0

STATION NUMBERS

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Melosira nummuloides</i>	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0
<i>Navicula sp.</i>	0	40	0	0	60	40	20	40	100	20	0	60	40	0	0	0	0
<i>Nitzschia closterium</i>	60	60	80	100	60	20	480	0	420	100	0	0	260	0	40	0	20
<i>Nitzschia pseudodelicatissima</i>	20	0	20	40	40	40	3380	60	3860	1180	0	40	2440	0	60	0	80
<i>Pleurosigma angulatum</i>	20	20	80	80	60	80	80	20	20	60	0	0	60	40	0	20	0
<i>Pleurosigma sp.</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	0	0	0	0	0	40	0	100	20	40	0	400	0	0	0	0
<i>Rhizosolenia fragillima</i>	20	0	0	0	40	20	120	20	20	60	20	40	120	140	20	0	0
<i>Rhizosolenia hebetata</i>	0	0	0	60	0	0	100	0	0	20	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	100	380	260	120	60	40	140	20	380	120	0	0	60	0	120	0	0
<i>Thalassiosira condensata</i>	0	0	0	0	0	20	0	60	0	0	0	0	40	0	0	0	0
<i>Thalassiosira decipiens</i>	1600	980	1920	1460	680	420	1200	800	3260	1420	0	0	860	80	0	0	0
<i>Thalassiosira gravida</i>	1600	4840	5560	4060	5140	2820	6560	5720	7560	9980	620	1740	4900	5260	12000	0	280
<i>Thalassiosira nordenskioldii</i>	200	100	0	80	160	160	360	0	480	0	80	0	1100	140	100	800	160
<i>Thalassiosira sp.</i>	20	0	0	0	0	0	560	20	140	0	0	0	20	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	20	0	0	0	0	0	0	20	0	0	0	0	40	0	0
<i>Acaria sp.</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Brachionus sp.</i>	0	20	20	0	40	0	0	40	0	0	20	0	0	20	20	0	0
<i>Distephanus speculum</i>	20	0	0	0	20	60	0	40	160	0	0	40	0	0	0	0	0
<i>Euglena sp.</i>	240	160	360	200	100	0	120	20	0	20	0	160	0	540	0	0	0
<i>Eureptia sp.</i>	920	340	440	740	400	580	320	320	420	320	0	500	0	240	1100	0	0
<i>Favella sp.</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Helicostomella sp.</i>	0	0	0	0	20	0	20	0	0	0	0	20	0	0	0	0	0
<i>Mesodinium rubrum</i>	380	40	340	540	320	320	180	120	200	100	140	380	200	180	400	40	160
<i>Parafavella sp.</i>	0	0	20	20	20	20	0	0	0	0	0	0	0	0	20	0	0
<i>Ptychocylis sp.</i>	0	20	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	460	60	300	160	60	80	860	60	1180	200	40	200	420	60	80	0	0

DATE: 07-06-88 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Alexandrium fundyense</i>	280	160	200	80	60	120	100	0	140	320	100	200	100	100	20	20	40
<i>Alexandrium (duplet)</i>	0	0	40	0	20	0	0	0	40	40	0	0	0	0	0	0	0
<i>Ceratium minutum</i>	0	0	0	0	0	0	0	160	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	0	360	80	40	0	80	0	160	0	160	0	0	0	0	20	0	20
<i>Peridinium sp.</i>	40	560	640	120	220	120	0	440	380	280	400	1100	500	1800	0	0	0
<i>Peridinium triquetra</i>	0	40	0	80	40	80	0	0	40	0	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	0	40	80	0	20	80	0	200	60	40	0	100	0	0	20	0	40
<i>Biddulphia obtusa</i>	0	0	0	0	0	0	0	0	0	120	0	0	0	0	0	0	0
<i>Chaetoceros compressus</i>	360	480	520	360	0	320	0	480	0	1160	0	0	0	0	0	0	0
<i>Chaetoceros constrictus</i>	40	0	0	80	60	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros debilis</i>	8520	8520	10640	7840	5360	7440	3200	6640	4320	7080	7800	5600	6500	14300	200	240	340
<i>Chaetoceros decipiens</i>	120	160	120	80	120	320	100	200	100	320	0	300	200	200	0	0	0
<i>Chaetoceros furcellatus</i>	0	0	40	40	100	40	0	80	20	80	0	0	100	500	0	0	0
<i>Chaetoceros laciniatus</i>	120	80	120	160	100	160	0	40	40	0	0	0	400	600	60	40	40
<i>Chaetoceros socialis</i>	0	40	0	0	220	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros sp.</i>	720	640	760	200	780	1000	500	400	1780	960	6300	4200	5700	10400	20	80	0
<i>Chaetoceros teres</i>	200	40	40	40	200	40	200	120	0	120	100	0	300	0	0	0	0
<i>Corethron criophilum</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	0	120	240	120	100	120	0	160	20	0	100	0	200	100	20	0	0
<i>Coscinistra polychorda</i>	200	280	160	40	200	400	200	40	40	80	0	100	300	100	20	0	0
<i>Detonula cystifera</i>	80	0	0	40	0	80	0	40	0	40	0	0	0	0	0	0	0
<i>Ditylum brightwelli</i>	0	0	0	0	0	0	100	0	0	0	0	0	0	0	0	0	0
<i>Eucampia sp.</i>	0	40	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Fragilaria sp.</i>	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus danicus</i>	0	120	160	0	0	80	0	40	0	80	0	0	0	0	0	0	0
<i>Leptocylindrus minimus</i>	0	0	0	0	60	0	100	0	100	0	1300	1000	1400	1600	60	20	0
<i>Lycophora lyngbyei</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Melosira moniliformis</i>	0	0	40	40	0	40	0	0	0	0	0	0	0	0	0	0	0
<i>Navicula sp.</i>	40	80	40	80	20	0	0	40	0	0	0	0	0	0	0	0	0
<i>Nitzschia closterium</i>	40	120	80	80	100	40	0	80	80	80	100	100	800	600	0	0	0
<i>Nitzschia pseudodelicatissima</i>	360	280	120	720	860	160	1000	1600	1340	160	10900	6800	11900	18000	120	0	0
<i>Pleurosigma angulatum</i>	0	0	0	40	20	0	0	40	20	40	100	100	0	0	20	0	0
<i>Pleurosigma sp.</i>	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20
<i>Pleurosigma strigosum</i>	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Porosira glacialis</i>	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	0	0	0	0	0	100	0	100	0	800	500	1300	3800	0	40	0
<i>Rhizosolenia fragillima</i>	40	40	80	40	0	40	0	120	40	120	100	100	0	300	0	0	0
<i>Rhizosolenia gracillima</i>	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0
<i>Rhizosolenia hebetata</i>	0	0	0	80	0	0	0	80	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia setigera</i>	0	40	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia shrubsolei</i>	0	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	160	80	80	120	80	160	0	200	200	360	200	700	200	500	40	0	0

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Thalassiosira condensata</i>	0	0	0	0	20	80	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira decipiens</i>	1080	1040	920	1480	80	1120	0	840	20	1640	600	0	0	1100	0	0	0
<i>Thalassiosira gravida</i>	8440	9200	10400	8720	10240	10000	5700	11440	12560	10840	5600	6100	5100	7000	200	20	120
<i>Thalassiosira nordenskioeldii</i>	3200	2320	200	200	5300	960	700	240	440	40	4100	1600	1400	5600	240	100	80
<i>Thalassiosira rotula</i>	0	0	0	120	400	0	0	0	300	0	600	400	1900	500	380	180	240
<i>Thalassiosira subtilis</i>	0	0	0	0	0	0	0	40	0	0	0	0	0	0	320	60	20
<i>Thalassiothrix nitzschiodes</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Acartia sp.</i>	0	0	0	0	20	0	0	0	0	0	0	100	0	0	0	0	0
<i>Brachionus sp.</i>	0	40	0	0	20	80	0	0	20	120	0	200	0	100	0	20	0
<i>Distephanus speculum</i>	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0
<i>Euglena sp.</i>	160	0	0	280	160	0	0	0	60	0	200	300	200	100	0	0	0
<i>Eutreptia sp.</i>	0	0	0	0	0	0	0	0	0	200	0	0	0	0	0	0	0
<i>Helicostomella sp.</i>	0	0	40	0	60	0	0	0	80	40	0	100	0	0	20	0	0
<i>Mesodinium rubrum</i>	440	4240	1800	960	660	1160	700	560	180	1200	1100	2600	0	600	80	20	460
<i>Parafavella sp.</i>	0	0	0	0	20	0	0	40	0	0	0	0	0	0	0	0	0
<i>Ptychocylis sp.</i>	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0
<i>Tintinnids</i>	200	680	480	280	420	560	100	80	380	160	2600	5000	300	1600	0	0	20

DATE: 14-06-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	180	0	160	0	120	20	0	160	0	0	0	0	60	100	20	120	20
<i>Alexandrium (duplet)</i>	0	0	40	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alexandrium (triplet)</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	20	0	0	0
<i>Dinophysis acuminata</i>	0	0	20	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Dinophysis norvegica</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	20	0	0	60	0	0	0	0	0	0	0	0	0	20	0	60	0
<i>Peridinium sp.</i>	0	500	320	120	200	20	500	260	400	300	500	100	100	100	0	0	0
<i>Peridinium triquetula</i>	40	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	20	0	20	0	0	20	0	0	0	200	0	0	60	200	0	60	40
<i>Biddulphia obtusa</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros constrictus</i>	100	0	0	0	220	120	0	40	0	0	0	0	0	0	0	0	0
<i>Chaetoceros debilis</i>	4780	13500	5740	400	4460	5120	5400	4820	9100	6000	2800	1600	400	4400	80	60	100
<i>Chaetoceros decipiens</i>	40	500	180	0	160	80	300	180	200	100	100	0	20	100	0	0	0
<i>Chaetoceros furcellatus</i>	40	0	0	0	20	0	100	20	0	0	0	0	0	0	0	0	0
<i>Chaetoceros laciniosus</i>	140	500	160	0	260	240	800	260	600	100	300	300	20	500	0	0	80
<i>Chaetoceros sp.</i>	300	7100	2720	6800	260	120	4200	140	9200	5600	2800	2500	1400	5100	0	20	20
<i>Chaetoceros teres</i>	100	100	0	60	240	340	0	220	100	100	0	0	40	100	0	0	0
<i>Corethron criophilum</i>	0	0	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	0	0	0	0	20	0	0	0	0	0	0	600	0	0	0	0	0
<i>Coscinosira polychorda</i>	40	100	20	0	220	140	0	40	200	100	0	0	0	0	0	0	0

STATION NUMBERS

ORGANISMS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Ditylum brightwelli</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Eucampia</i> sp.	0	0	0	0	0	0	0	60	0	0	0	0	0	0	0	0	0
<i>Fragilaria</i> sp.	0	0	0	0	20	0	0	0	0	0	0	0	20	100	0	0	0
<i>Leptocylindrus danicus</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	c	0
<i>Leptocylindrus minimus</i>	200	1600	380	60	100	140	1900	280	1400	1400	1100	700	140	1300	0	0	0
<i>Lycmophora lyngbyei</i>	0	0	20	20	0	0	0	20	0	0	0	0	20	0	0	0	0
<i>Navicula</i> sp.	0	0	0	20	20	0	0	0	0	0	0	0	60	200	0	0	0
<i>Nitzschia closterium</i>	100	1300	200	20	160	0	1300	40	1700	600	500	400	120	1100	0	0	0
<i>Nitzschia pseudodelicatissima</i>	200	23800	11940	900	140	60	12300	420	22900	21500	8000	5600	2660	12800	200	0	0
<i>Pleurosigma angulatum</i>	40	0	0	100	0	0	0	0	100	0	0	60	0	0	0	0	40
<i>Rhizosolenia delicatula</i>	60	800	180	300	0	20	2100	0	4300	400	900	200	880	2800	0	20	60
<i>Rhizosolenia fragillima</i>	100	0	20	40	20	0	500	40	100	400	0	0	0	100	0	0	0
<i>Rhizosolenia hebetata</i>	0	0	0	20	0	0	0	0	300	0	0	0	20	0	40	0	0
<i>Rhizosolenia setigera</i>	0	0	20	0	0	0	0	20	100	0	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	40	1700	120	180	120	100	100	60	700	500	100	200	60	400	0	0	0
<i>Stephanopyxis turris</i>	0	200	0	0	20	0	0	0	0	100	0	0	20	0	0	0	0
<i>Thalassiosira decipiens</i>	100	0	0	0	340	120	0	20	0	0	0	100	0	0	0	0	0
<i>Thalassiosira gravida</i>	20960	15200	13120	30680	11720	21300	10800	19920	33600	28500	10000	6800	9040	5800	0	29820	0
<i>Thalassiosira nordenskioeldii</i>	1820	8400	100	40	2120	1800	300	900	800	2300	1400	1600	0	700	0	80	20440
<i>Thalassiosira rotula</i>	320	2600	720	0	1080	760	1300	320	3000	3200	2000	400	140	2000	32380	300	0
<i>Thalassiosira</i> sp.	0	0	0	40	80	60	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	20	0	0	0	0	0	0	0	0	0	40	0	0	0	0
<i>Acartia</i> sp.	0	100	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Distephanus speculum</i>	0	0	20	0	20	0	0	20	0	0	0	0	0	0	0	0	0
<i>Euglena</i> sp.	160	500	200	60	160	0	0	160	400	0	100	300	100	0	0	0	0
<i>Favella</i> sp.	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	20	0
<i>Helicostomella</i> sp.	80	200	40	0	40	0	0	40	0	0	100	0	160	0	0	20	0
<i>Mesodinium rubrum</i>	1840	300	40	0	140	80	700	40	300	100	100	300	40	100	0	200	60
<i>Notholca</i> sp.	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	160	700	140	40	140	40	700	120	100	400	200	1200	40	300	0	0	0

DATE: 22-06-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	180	340	320	200	20	160	80	80	320	0	80	20	240	560	40	120	140
<i>Alexandrium (duplet)</i>	0	0	0	20	0	0	0	0	0	0	0	0	20	80	0	0	0
<i>Alexandrium (fusing)</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Ceratium longipes</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Ceratium minutum</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Dinophysis acuminata</i>	0	20	0	0	0	0	0	0	0	0	0	0	20	0	0	0	0
<i>Dinophysis norvegica</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	0	40	0	0	0	0	20	0	0	0	0	0	0	0	0	40	0
<i>Peridinium conicum</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Peridinium ovatum</i>	0	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Peridinium sp.</i>	60	240	40	60	20	200	20	180	220	80	0	0	140	160	0	0	0
<i>Peridinium triquetra</i>	0	40	0	0	0	20	0	0	140	0	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	0	140	40	0	0	60	40	0	260	0	0	0	40	60	0	80	80
<i>Cerataulina pelagica</i>	0	0	20	0	0	0	0	0	0	40	0	0	0	0	0	0	0
<i>Chaetoceros constrictus</i>	0	20	40	40	20	40	40	140	180	120	20	0	140	40	0	0	0
<i>Chaetoceros convolutus</i>	20	0	0	0	0	0	0	0	20	0	20	0	0	0	0	20	0
<i>Chaetoceros debilis</i>	800	640	480	1480	660	640	980	1900	180	480	200	160	420	260	20	320	80
<i>Chaetoceros decipiens</i>	0	20	20	100	60	0	40	60	20	60	20	0	20	60	0	0	0
<i>Chaetoceros laciniatus</i>	60	120	60	160	120	140	220	140	120	180	160	60	120	40	60	140	20
<i>Chaetoceros sp.</i>	0	100	100	260	60	140	200	420	200	140	240	60	360	260	60	0	0
<i>Chaetoceros teres</i>	20	120	100	140	40	160	100	200	200	40	60	40	100	20	0	0	0
<i>Chaetoceros willei</i>	20	0	0	20	0	0	20	20	0	20	20	0	0	0	0	0	0
<i>Coscinosira polychorda</i>	20	20	0	60	0	0	0	80	0	0	20	60	0	20	0	0	0
<i>Ditylum brightwelli</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	40	0
<i>Eucampia sp.</i>	0	0	0	0	0	0	20	20	0	0	40	0	0	0	0	0	0
<i>Fragilaria sp.</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus danicus</i>	60	100	0	140	20	100	560	100	20	580	220	60	420	740	0	0	0
<i>Leptocylindrus minimus</i>	200	160	200	320	20	140	720	220	220	440	600	20	1080	1500	80	220	460
<i>Navicula sp.</i>	20	0	0	20	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Nitzschia closterium</i>	60	0	0	40	0	20	20	20	0	0	0	0	0	20	60	0	0
<i>Nitzschia pseudodelicatissima</i>	0	60	140	300	60	60	660	0	100	440	720	0	1320	100	240	800	120
<i>Nitzschia pungens</i>	0	0	20	40	0	40	0	0	20	0	0	0	0	0	20	100	140
<i>Nitzschia seriata</i>	0	0	0	20	0	0	0	0	0	0	40	0	0	0	0	0	140
<i>Pleurosigma angulatum</i>	0	0	0	0	0	20	40	40	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	40	0	60	0	0	100	0	0	0	20	20	0	140	0	80	0
<i>Rhizosolenia fragillima</i>	0	20	0	20	20	20	140	0	20	20	0	0	20	0	0	0	0
<i>Rhizosolenia hebetata</i>	0	40	60	20	0	220	0	160	60	60	20	0	40	0	20	0	0
<i>Rhizosolenia setigera</i>	20	0	0	0	60	20	40	0	0	0	0	0	20	0	0	0	0
<i>Skeletonema costatum</i>	20	0	20	20	0	20	0	20	0	0	20	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	0	20	2360	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira decipiens</i>	40	60	40	40	0	0	40	40	0	40	0	0	40	20	0	0	0
<i>Thalassiosira gravida</i>	3020	2160	0	6460	3820	5220	3300	9340	420	2040	3420	2100	3780	1760	200	1880	60

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Thalassiosira nordenskioeldii</i>	20	20	100	360	260	240	80	140	0	100	80	40	100	40	0	100	0
<i>Thalassiosira rotula</i>	80	40	120	280	80	180	180	480	220	160	240	20	400	200	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	0	20	0	40	0	20	0	0	0	0	0	0	0	0	0
<i>Acartia sp.</i>	0	0	0	40	0	0	0	20	0	0	0	20	0	0	40	0	0
<i>Brachionus sp.</i>	0	80	0	0	0	0	0	20	0	0	0	0	20	0	0	0	0
<i>Distephanus speculum</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Euglena sp.</i>	200	100	0	100	20	60	100	100	360	240	40	20	180	100	0	0	0
<i>Eutreptia sp.</i>	0	100	0	0	0	0	0	0	0	0	0	60	0	460	0	0	0
<i>Helicostomella sp.</i>	500	1040	120	180	80	200	0	140	80	0	20	0	240	80	0	100	140
<i>Mesodinium rubrum</i>	2260	2700	120	300	80	320	120	400	220	80	80	40	200	320	80	140	80
<i>Notholca sp.</i>	40	0	20	20	0	0	0	0	40	0	0	0	0	0	0	0	0
<i>Ptychocylis sp.</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	380	1080	40	100	60	220	120	120	340	0	80	80	160	240	0	20	0

DATE: 28-06-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	62
ORGANISMS																		
<i>Alexandrium fundyense</i>	80	220	220	360	140	240	260	120	340	340	80	40	120	140	180	0	20	
<i>Alexandrium (duplet)</i>	0	0	0	0	0	60	0	40	40	0	0	0	0	0	20	0	0	
<i>Dinophysis acuminata</i>	0	0	0	40	0	0	0	0	20	0	0	0	0	0	60	0	20	
<i>Dinophysis sp.</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	20	20	0	0	
<i>Gonyaulax spinifera</i>	0	0	0	40	0	0	0	0	0	20	0	0	0	0	0	0	0	
<i>Gyrodinium aureolum</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Gyrodinium sp.</i>	0	0	20	0	0	0	0	0	40	0	0	0	0	40	0	0	0	
<i>Peridinium sp.</i>	40	60	280	280	80	160	160	120	380	240	120	20	820	160	140	80	0	
<i>Peridinium triquetra</i>	0	0	0	160	20	0	20	100	200	100	0	0	40	20	0	0	0	
<i>Scrippsiella trochoidea</i>	20	20	40	180	100	160	0	60	100	80	80	0	120	120	80	0	0	
<i>Actinoptychus undulatus</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Chaetoceros constrictus</i>	20	40	20	40	0	80	160	60	100	60	0	0	0	0	0	0	0	
<i>Chaetoceros convolutus</i>	0	20	0	0	20	0	0	0	20	20	0	0	0	0	0	0	20	
<i>Chaetoceros debilis</i>	240	240	220	320	360	620	680	840	1020	200	40	20	140	20	300	20	40	
<i>Chaetoceros decipiens</i>	120	20	0	0	40	80	80	0	0	20	60	40	40	40	0	0	0	
<i>Chaetoceros furcellatus</i>	0	0	0	0	20	0	20	0	0	0	0	0	0	0	0	0	0	
<i>Chaetoceros laciniatus</i>	80	0	40	40	40	120	220	80	220	100	40	20	160	20	0	0	0	
<i>Chaetoceros lorenzianus</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Chaetoceros sp.</i>	160	40	20	80	80	300	640	460	500	180	160	0	60	100	820	380	320	
<i>Chaetoceros teres</i>	40	20	20	40	0	80	20	120	20	20	0	0	20	40	0	0	0	
<i>Chaetoceros willei</i>	0	0	0	20	0	0	0	80	0	0	0	0	20	0	40	0	0	

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Corethron criophilum</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	0	0	0	0	0	0	0	20	0	20	0	0	0	0	0	0	0
<i>Coscinosira polychorda</i>	0	0	60	0	0	40	20	20	0	40	0	0	0	0	0	0	0
<i>Ditylum brightwelli</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Eucampia sp.</i>	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0	0
<i>Fragilaria sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrosigma tenuissimum</i>	20	0	0	0	0	0	0	400	200	260	100	140	0	60	60	260	900
<i>Leptocylindrus danicus</i>	60	0	0	60	0	40	400	700	1180	160	1900	1020	6440	27260	480	5380	11700
<i>Leptocylindrus minimus</i>	140	260	200	920	160	300	6100	700	0	0	0	0	0	0	0	20	0
<i>Lycmophora lyngbyei</i>	0	0	20	0	0	0	0	20	0	0	0	0	0	0	20	0	20
<i>Navicula sp.</i>	40	0	20	0	60	20	20	20	80	20	0	0	0	0	20	80	0
<i>Nitzschia closterium</i>	20	20	20	80	100	140	100	180	160	80	40	40	0	40	20	80	0
<i>Nitzschia pseudodelicatissima</i>	160	40	20	60	0	220	140	640	360	20	20	0	0	0	500	100	620
<i>Nitzschia pungens</i>	0	40	20	0	60	40	280	120	40	40	80	0	20	0	100	0	0
<i>Nitzschia seriata</i>	0	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pleurosigma angulatum</i>	0	0	0	0	40	20	80	80	20	0	0	0	0	0	20	0	0
<i>Pleurosigma strigosum</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia alata</i>	20	0	0	0	0	0	0	0	0	0	100	20	140	640	160	40	0
<i>Rhizosolenia delicatula</i>	20	0	20	0	0	60	160	100	0	0	40	0	20	20	0	0	0
<i>Rhizosolenia fragillima</i>	0	0	0	0	0	0	20	80	0	0	40	0	0	0	220	0	20
<i>Rhizosolenia hebetata</i>	160	100	140	40	160	80	320	320	140	120	0	80	0	0	0	0	0
<i>Rhizosolenia setigera</i>	20	0	20	60	0	0	20	20	40	20	0	0	40	0	0	0	0
<i>Skeletonema costatum</i>	0	0	0	0	0	0	20	0	20	0	0	0	0	0	0	0	0
<i>Stephanopyxis turris</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira baltica</i>	0	20	0	0	0	0	0	0	0	0	20	20	60	40	0	0	0
<i>Thalassiosira decipiens</i>	20	20	20	20	20	20	60	20	0	0	20	20	60	40	0	0	0
<i>Thalassiosira gravida</i>	2620	1060	4000	3160	2800	5520	6460	7560	5040	12000	1920	820	3080	1660	2840	2320	1260
<i>Thalassiosira nordenskioeldii</i>	0	60	0	0	0	100	0	40	0	40	0	20	40	0	0	0	20
<i>Thalassiosira rotula</i>	60	0	40	80	60	180	200	80	100	180	40	0	40	60	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	20	0	0
<i>Acartia sp.</i>	100	0	0	0	20	20	0	0	80	20	0	60	0	20	60	0	40
<i>Brachionus sp.</i>	0	0	20	20	0	60	40	80	40	80	0	20	0	0	20	20	60
<i>Euglena sp.</i>	120	120	140	140	100	80	160	160	220	100	80	60	80	140	100	100	80
<i>Eutintinnus sp.</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Eutreptia sp.</i>	20	60	0	40	40	0	120	0	0	0	60	700	40	240	0	0	0
<i>Favella sp.</i>	0	0	0	0	0	0	20	20	0	0	0	40	0	40	0	20	0
<i>Helicostomella sp.</i>	600	380	420	920	300	300	240	520	1040	860	60	0	100	340	20	100	280
<i>Mesodinium rubrum</i>	1040	760	2220	5640	420	580	1140	880	600	680	400	6360	40	1020	0	200	280
<i>Parafavella sp.</i>	20	20	0	20	0	0	0	0	0	0	0	0	0	0	0	0	80
<i>Ptychocylis sp.</i>	0	0	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	480	180	260	520	280	120	20	140	480	100	60	1920	40	520	120	0	20

DATE: 05-07-88 DEPTH: SURFACE

STATION NUMBERS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

ORGANISMS	1860	660	880	1200	2960	80	1400	760	1240	200	280	420	220	1880	1620	100
Alexandrium fundyense	200	20	100	100	380	0	0	20	140	0	20	20	20	100	100	0
Ceratium longipes	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
Dinophysis acuminata	40	0	20	0	0	40	60	20	0	0	0	0	0	0	0	0
Dinophysis norvegica	40	0	20	0	0	0	0	20	40	0	0	40	40	0	20	0
Gonyaulax triacanthia	20	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
Gyrodinium sp.	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gyrodinium conticum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gyrodinium ovatum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Peridinium sp.	1100	460	380	320	1400	160	520	500	440	120	180	100	240	520	100	200
Peridinium triquestra	100	180	40	80	280	0	220	360	260	0	0	0	0	0	0	0
Scaphisoma affinis	160	200	80	80	280	0	220	360	260	0	0	0	0	20	0	0
Scaphisoma trochoides	100	180	40	80	280	0	220	360	260	0	0	0	0	0	0	0
Chatecoreos decipiens	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos laciniatus	40	20	40	40	40	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos sociatis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos sp.	240	60	100	100	320	0	40	40	40	0	0	0	0	0	0	0
Chatecoreos debilis	120	180	140	40	40	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos constellatus	0	40	40	20	20	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos endovalutus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos debilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos laciniatus	40	20	40	40	40	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos sp.	240	60	100	100	320	0	40	40	40	0	0	0	0	0	0	0
Coscinodiscus sp.	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Coscinodiscus teres	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Fragilaria sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Coscinodiscus polykora	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gyrosigma fasciola	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gyrosigma prolarginatum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Leprocyclindrus danicus	840	400	1040	9280	1240	9280	840	740	800	300	1580	740	2040	180	1500	3300
Melosira monolithormis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia closterium	120	40	100	100	40	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicatissima	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pungens	80	120	140	140	140	0	0	0	0	0	0	0	0	0	0	0
Nitzschia setigera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rhizosolenia hebetula	140	220	300	180	180	180	220	140	140	260	280	140	200	240	160	1880
Rhizosolenia delicatula	260	20	280	80	80	0	0	0	0	0	0	0	0	0	0	0
Rhizosolenia hebetula	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rhizosolenia angulatum	40	0	40	40	40	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicatissima	20	40	100	100	100	0	0	0	0	0	0	0	0	0	0	0
Nitzschia ciliata	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia longipes	200	20	100	100	380	0	20	140	0	20	20	20	20	100	100	0
Alexandrium fundyense	1860	660	880	1200	2960	80	1400	760	1240	200	280	420	220	1880	1620	100

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Skeletonema costatum</i>	20	0	0		0	0	0	20	80	100	40	0	20	0	0	100	0
<i>Thalassiosira baltica</i>	20	0	0		0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	20	0	80		40	120	40	80	200	60	160	60	20	20	0	120	0
<i>Thalassiosira gravida</i>	780	1000	560		620	1600	440	2740	2160	1880	900	620	760	300	480	940	140
<i>Thalassiosira nordenskioeldii</i>	0	0	20		0	80	0	0	200	20	0	0	0	0	0	0	0
<i>Thalassiosira rotula</i>	0	0	20		20	0	60	100	180	180	40	240	80	40	140	540	0
<i>Thalassiothrix nitzschiodes</i>	0	0	0		0	0	0	0	0	20	0	40	0	0	0	0	0
<i>Acartia sp.</i>	20	0	20		40	20	60	0	0	0	60	0	0	0	440	0	0
<i>Brachionus sp.</i>	20	0	40		0	60	0	100	0	0	0	20	0	40	0	0	0
<i>Distephanus speculum</i>	0	0	0		0	0	0	20	0	0	0	0	20	40	60	40	0
<i>Euglena sp.</i>	100	120	160		120	200	60	120	120	20	20	160	60	80	140	100	80
<i>Eutreptia sp.</i>	40	0	100		80	200	0	40	340	40	0	20	0	40	0	0	0
<i>Helicostomella sp.</i>	540	200	620		640	400	80	640	40	20	20	120	80	140	1160	120	100
<i>Mesodinium rubrum</i>	1900	480	1600		1700	3140	280	400	160	180	140	1360	100	480	840	840	1760
<i>Parafavella sp.</i>	0	0	0		0	40	0	0	0	0	0	0	0	0	0	0	0
<i>Ptychocylis sp.</i>	0	0	0		0	0	0	0	20	20	40	0	0	0	0	0	0
<i>Tintinnids</i>	520	80	540		100	260	80	100	20	20	20	280	0	200	20	0	0
<i>Tintinnopsis sp.</i>	0	0	0		40	0	0	0	0	0	0	0	0	0	0	0	480

DATE: 12-07-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	2380	1340	2080	2180	3200	1000	1380	7020	8000	6980	320	160	520	1860	7460	100	
<i>Alexandrium (cyst)</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Alexandrium (duplet)</i>	0	0	40	0	0	0	0	60	40	40	20	0	20	0	0	0	0
<i>Alexandrium (fusing)</i>	0	0	20	20	0	0	20	20	0	0	0	0	0	0	0	0	0
<i>Alexandrium (planozygote)</i>	60	40	120	60	220	60	0	220	240	360	0	0	0	0	0	0	0
<i>Ceratium longipes</i>	20	40	20	0	0	40	40	60	140	20	0	0	0	20	0	0	0
<i>Dinophysis acuminata</i>	140	140	80	60	220	40	80	240	260	320	40	0	140	140	220	0	0
<i>Dinophysis norvegica</i>	80	20	20	0	80	20	60	60	180	160	20	0	40	40	120	120	0
<i>Dinophysis sp.</i>	20	0	20	60	0	0	0	140	0	100	0	0	40	0	0	0	0
<i>Gonyaulax spinifera</i>	40	20	20	0	0	0	0	40	0	40	0	0	0	0	0	0	0
<i>Gonyaulax triacantha</i>	0	0	0	0	0	0	40	20	20	0	0	0	0	20	0	0	20
<i>Gyrodinium aureolum</i>	0	0	0	0	0	0	0	0	180	0	0	0	0	40	40	100	0
<i>Peridinium conicum</i>	60	0	40	80	20	0	20	80	140	80	0	0	40	40	40	100	0
<i>Peridinium depressum</i>	0	0	0	20	0	0	0	0	20	60	0	0	0	0	0	20	0
<i>Peridinium ovatum</i>	20	0	0	20	0	0	0	20	60	40	0	0	0	0	0	0	0
<i>Peridinium sp.</i>	1680	740	680	1340	640	560	520	2520	2500	3100	140	60	320	640	1620	100	
<i>Peridinium triquetra</i>	260	40	100	180	160	40	160	740	900	940	20	60	20	0	0	0	0
<i>Prorocentrum micans</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	360	300	60	160	220	60	100	440	440	580	40	0	0	180	160	60	
<i>Chaetoceros constrictus</i>	0	0	20	40	20	0	20	120	20	40	0	0	20	0	0	0	0

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Chaetoceros convolutus</i>	0	20	0	20	0	0	0	0	0	0	0	0	0	0	20	20	0
<i>Chaetoceros debilis</i>	60	240	60	280	180	100	0	320	280	100	20	0	0	40	160	0	
<i>Chaetoceros decipiens</i>	0	0	20	40	0	0	20	40	0	0	0	0	0	20	120	0	
<i>Chaetoceros laciniosus</i>	20	0	20	20	120	20	20	80	40	60	0	0	0	0	0	40	20
<i>Chaetoceros sp.</i>	0	60	20	80	80	20	0	120	20	60	0	0	0	500	540	20	
<i>Chaetoceros teres</i>	0	0	40	0	40	0	0	20	0	20	0	0	0	0	0	0	0
<i>Corethron criophilum</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	20	0	0	20	20	0	20	0	20	40	0	0	0	0	0	0	0
<i>Coscinosira polychorda</i>	0	20	0	0	20	0	0	40	0	80	20	0	0	0	0	20	0
<i>Ditylum brightwelli</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Fragilaria sp.</i>	0	0	0	0	0	20	0	20	0	0	0	0	0	20	0	0	0
<i>Grammatophora marina</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Gyrosigma fasciola</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
<i>Leptocylindrus danicus</i>	0	0	0	0	0	0	0	60	0	0	0	0	0	0	320	260	0
<i>Leptocylindrus minimus</i>	20	60	20	0	40	20	0	20	0	40	0	0	0	0	20	60	0
<i>Lymnophora lyngbyei</i>	0	0	0	0	0	20	20	0	0	0	0	0	0	0	0	0	0
<i>Navicula sp.</i>	0	20	0	0	0	40	40	0	0	0	0	0	0	0	0	0	0
<i>Nitzschia closterium</i>	40	80	60	80	20	40	0	140	120	180	120	20	40	40	0	80	
<i>Nitzschia pseudodelicatissima</i>	20	0	0	60	0	0	0	80	0	40	0	60	0	0	0	40	60
<i>Nitzschia pungens</i>	40	160	200	180	380	100	0	200	200	80	20	20	0	20	220	40	
<i>Pleurosigma angulatum</i>	0	20	60	20	20	0	20	0	40	60	60	0	0	0	0	0	0
<i>Rhabdonema adriaticum</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia alata</i>	0	20	0	0	40	0	0	20	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	160	700	740	180	980	620	20	1300	680	2180	60	20	60	920	580	160	
<i>Rhizosolenia fragillima</i>	0	20	20	20	0	0	0	40	0	0	0	0	0	0	0	0	20
<i>Rhizosolenia hebetata</i>	40	40	40	40	40	60	40	0	120	140	20	60	40	0	160	0	
<i>Rhizosolenia setigera</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia sp.</i>	0	0	0	0	0	0	0	40	0	0	0	20	0	0	0	0	0
<i>Skeletonema costatum</i>	0	20	20	20	20	0	0	20	0	20	0	0	0	0	0	20	0
<i>Stephanopyxis turris</i>	0	0	0	0	40	0	0	0	40	0	0	0	0	0	0	0	0
<i>Striatella sp.</i>	0	0	0	0	0	0	0	0	0	160	0	0	0	0	0	0	0
<i>Thalassiosira baltica</i>	0	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	0	0	60	0	100	0	0	100	120	20	0	20	0	0	0	0	0
<i>Thalassiosira gravida</i>	0	40	40	80	200	20	20	80	100	60	20	0	0	0	0	120	0
<i>Thalassiosira rotula</i>	0	0	40	0	20	0	0	20	0	60	0	0	0	0	0	160	20
<i>Thalassiothrix nitzschiodes</i>	0	20	0	0	40	0	0	0	20	0	0	0	0	0	0	0	0
<i>Acartia sp.</i>	20	40	20	80	0	0	0	20	20	0	0	0	0	0	200	0	0
<i>Brachionus sp.</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Distephanus speculum</i>	0	20	20	20	0	20	40	80	20	0	40	0	40	40	40	20	
<i>Euglena sp.</i>	80	120	80	100	0	40	0	60	0	20	80	60	100	100	20	0	
<i>Eutreptia sp.</i>	520	120	80	60	0	20	20	80	0	40	80	80	0	0	0	0	
<i>Favella sp.</i>	20	0	0	0	20	0	0	0	40	40	0	0	0	60	0	0	
<i>Helicostomella sp.</i>	1720	880	500	1180	860	580	460	1740	1620	1420	20	0	260	1420	880	160	
<i>Mesodinium rubrum</i>	24100	3680	1880	3320	2360	600	1320	2960	6500	3060	380	980	380	4920	5040	1000	
<i>Parafavella sp.</i>	20	0	0	0	0	0	0	0	20	0	0	0	20	0	0	0	0
<i>Ptychocylis sp.</i>	20	0	0	0	0	0	0	0	20	20	0	0	0	0	0	20	0
<i>Tintinnids</i>	340	460	260	580	300	220	140	420	340	160	40	100	400	380	400	640	

DATE: 19-07-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	320	1840	2580	760	240	1800	100	5120	1660	4760	420	380	1420	1100	720	3320	40
<i>Alexandrium (cyst)</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Alexandrium (duplet)</i>	0	0	0	0	0	0	0	60	0	60	0	0	0	0	0	0	0
<i>Alexandrium (fusing)</i>	0	0	40	0	0	0	0	20	0	0	0	0	20	0	0	0	0
<i>Alexandrium (planozygote)</i>	0	60	140	0	0	20	0	0	20	80	60	20	40	0	0	0	0
<i>Alexandrium (triplet)</i>	0	20	0	0	0	0	0	0	440	120	20	20	0	20	20	0	0
<i>Ceratium longipes</i>	0	20	0	20	0	0	0	440	120	20	20	0	20	20	0	20	0
<i>Ceratium minutum</i>	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0
<i>Dinophysis acuminata</i>	200	60	220	80	40	160	160	300	820	440	160	40	80	280	180	320	120
<i>Dinophysis norvegica</i>	20	0	60	40	0	80	140	200	60	60	20	20	100	40	0	100	0
<i>Dinophysis rotundata</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Dinophysis sp.</i>	0	0	0	40	100	20	80	80	140	40	20	20	0	80	0	0	0
<i>Gonyaulax spinifera</i>	0	0	0	0	0	0	0	40	40	60	0	0	40	0	0	0	0
<i>Gonyaulax triacantha</i>	0	0	0	0	0	0	0	0	40	20	40	0	0	0	0	0	20
<i>Gyrodinium sp.</i>	20	0	20	0	0	0	0	0	40	20	40	0	0	0	0	0	0
<i>Peridinium conicum</i>	20	0	80	20	40	40	20	60	140	60	0	0	0	60	40	120	0
<i>Peridinium denticulatum</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Peridinium depressum</i>	0	0	0	0	0	20	0	0	40	20	0	0	0	0	0	0	0
<i>Peridinium ovatum</i>	0	0	20	0	0	20	0	320	120	40	0	0	20	0	0	0	0
<i>Peridinium sp.</i>	180	540	2180	700	260	1120	160	3840	1880	1700	220	400	820	1220	140	1600	560
<i>Peridinium triqueta</i>	40	140	900	160	20	220	20	1500	240	480	60	60	360	320	0	700	0
<i>Prorocentrum micans</i>	0	0	0	0	0	0	20	20	0	0	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	0	40	400	60	0	100	0	260	200	240	20	60	200	260	0	20	40
<i>Chaetoceros constrictus</i>	0	0	0	0	0	0	0	0	20	40	0	0	0	0	0	0	0
<i>Chaetoceros convolutus</i>	0	0	0	0	0	0	20	0	20	60	0	0	0	0	0	0	0
<i>Chaetoceros debilis</i>	20	0	0	20	0	20	20	40	200	260	0	0	20	0	80	140	0
<i>Chaetoceros decipiens</i>	0	0	0	0	0	20	0	0	40	160	0	0	20	0	0	0	0
<i>Chaetoceros laciniosus</i>	0	0	0	0	0	40	20	20	0	0	0	0	0	0	0	0	60
<i>Chaetoceros socialis</i>	0	0	0	0	0	0	0	0	20	0	0	0	20	0	0	40	0
<i>Chaetoceros sp.</i>	0	0	0	40	0	20	20	0	220	100	0	0	60	20	200	40	40
<i>Chaetoceros teres</i>	20	20	20	0	0	0	20	0	200	180	20	0	40	0	0	0	0
<i>Coscinosira polychorda</i>	0	0	0	0	0	0	0	0	20	40	0	0	0	0	0	0	0
<i>Fragilaria sp.</i>	0	0	0	0	0	0	0	0	20	0	0	0	20	0	0	0	0
<i>Gyrosigma prolongatum</i>	0	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	120
<i>Leptocylindrus danicus</i>	0	20	0	0	0	0	0	0	560	0	0	140	0	0	0	0	0
<i>Leptocylindrus minimus</i>	20	20	40	20	20	20	20	100	200	280	20	0	40	20	60	0	20
<i>Lycmophora lyngbyei</i>	0	0	0	0	0	0	0	0	0	20	60	20	0	40	0	0	0
<i>Melosira sp.</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Navicula sp.</i>	0	0	20	0	0	60	0	0	0	0	0	0	20	20	0	20	0
<i>Nitzschia closterium</i>	20	20	40	40	20	0	40	60	80	100	100	0	60	140	20	0	0
<i>Nitzschia pseudodelicatissima</i>	20	0	20	20	0	20	80	240	140	60	11940	1900	9780	32240	80	6160	45700
<i>Nitzschia pungens</i>	0	20	0	0	0	0	0	0	20	60	20	0	0	40	40	100	20

ORGANISMS

STATION NUMBERS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

<i>Paratia sulcata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Pleurostigma angulatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Pleurostigma strigosum</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Rhizosolenia alata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Rhizosolenia detricatula</i>	40	20	240	40	60	160	320	400	180	220	420	400	160	320	220	400	160	
<i>Rhizosolenia hebetata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Rhizosolenia sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Sheltonema costatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Thalassistria gracilida</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Brachionus sp.</i>	0	20	60	40	40	40	80	580	120	140	20	40	80	180	60	60	0	
<i>Bulgenia sp.</i>	20	20	80	100	80	40	40	80	120	140	20	40	100	160	60	20	240	
<i>Dileptanus speculum</i>	20	20	100	0	0	0	0	80	580	120	100	80	20	160	680	20	340	200
<i>Eutreptia sp.</i>	100	120	260	80	100	80	40	40	80	120	140	20	40	100	160	60	20	240
<i>Favellia sp.</i>	0	0	20	40	40	40	80	360	120	140	20	40	100	160	60	20	60	0
<i>Heterostoma sp.</i>	220	420	600	180	200	260	80	280	760	560	20	0	20	20	20	60	60	60
<i>Mesodinium rubrum</i>	2180	3260	5100	580	1160	2240	400	9840	5300	3440	3640	1780	12960	400	21740	13300	100	100
<i>Paracavella sp.</i>	0	0	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Phychoctis sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	480	340	560	440	220	240	340	400	480	380	300	400	380	660	220	520	2820	0

DATE: 28-07-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	40	60	20	220	80	120	40	160	80	60	40		80	140	820	140	80
<i>Alexandrium (cyst)</i>	0	0	0	0	0	0	0	20	0	0	0		0	0	0	0	0
<i>Ceratium longipes</i>	20	140	200	100	60	60	100	400	160	260	20		40	180	200	20	0
<i>Ceratium minutum</i>	0	20	0	0	20	20	20	60	20	20	0		0	0	40	20	0
<i>Dinophysis acuminata</i>	100	420	540	860	600	660	640	1200	840	1600	140		440	980	360	480	20
<i>Dinophysis acuta</i>	0	0	40	40	0	40	0	0	0	0	0		0	0	0	0	0
<i>Dinophysis norvegica</i>	40	180	120	140	180	140	80	280	140	360	40		80	80	180	140	20
<i>Dinophysis rotundata</i>	20	0	0	0	20	0	20	40	20	40	0		0	0	0	0	0
<i>Dinophysis sp.</i>	20	180	120	0	40	260	0	260	100	100	60		160	120	0	0	0
<i>Gonyaulax spinifera</i>	60	20	80	60	0	40	40	140	20	60	40		80	80	0	0	0
<i>Gonyaulax triacantha</i>	0	20	20	0	0	0	0	20	0	20	20		0	0	80	40	20
<i>Gyrodinium sp.</i>	0	20	0	40	0	20	20	0	0	60	0		0	120	120	40	260
<i>Peridinium conicum</i>	0	40	80	80	0	20	0	0	20	0	20		0	20	0	80	0
<i>Peridinium depressum</i>	0	0	20	0	0	0	0	0	0	0	0		0	0	0	0	0
<i>Peridinium ovatum</i>	0	60	20	20	40	20	20	60	0	40	0		40	80	0	0	0
<i>Peridinium sp.</i>	360	520	680	1200	600	580	760	1060	560	840	300		340	780	1480	240	240
<i>Peridinium triqueta</i>	60	60	40	160	80	240	80	120	160	140	120		80	420	1680	180	120
<i>Prorocentrum micans</i>	0	0	0	0	0	0	0	20	0	0	0		0	0	0	0	0
<i>Scrippsiella trochoidea</i>	40	20	100	100	40	60	40	120	140	120	60		100	80	200	60	60
<i>Coscinodiscus sp.</i>	0	0	0	0	0	0	20	0	0	0	0		0	0	0	0	0
<i>Fragilaria sp.</i>	0	0	0	0	20	0	0	0	40	0	0		0	0	0	0	0
<i>Gyrosigma fasciola</i>	0	0	0	0	0	20	0	0	0	0	0		20	0	0	0	0
<i>Gyrosigma littorale</i>	0	0	0	0	0	0	20	0	0	0	0		0	0	0	0	0
<i>Gyrosigma prolongatum</i>	0	0	0	0	0	20	0	0	0	0	20		20	40	0	60	160
<i>Leptocylindrus minimus</i>	0	0	0	0	20	0	0	20	20	40	0		60	20	0	0	200
<i>Lycophora lyngbyei</i>	0	0	0	20	0	0	0	0	0	0	0		0	0	0	0	0
<i>Navicula sp.</i>	20	20	20	40	40	20	20	40	80	20	20		80	0	0	60	0
<i>Nitzschia closterium</i>	20	80	0	20	40	20	20	0	0	160	40		40	40	0	60	0
<i>Nitzschia pseudodelicatissima</i>	20	100	40	40	300	60	2020	40	360	160	6400		13700	81800	0	5080	91400
<i>Pleurosigma angulatum</i>	20	0	80	60	40	0	140	40	40	0	40		80	0	0	0	0
<i>Pleurosigma strigosum</i>	0	20	0	0	0	0	0	0	0	0	0		60	20	0	0	0
<i>Rhizosolenia delicatula</i>	0	0	0	0	0	0	20	0	0	0	0		40	60	0	0	840
<i>Acartia sp.</i>	20	160	100	120	60	140	60	60	20	160	60		520	60	320	40	100
<i>Distephanus speculum</i>	20	40	20	0	40	40	60	40	40	20	0		220	900	140	80	120
<i>Euglena sp.</i>	0	0	80	0	60	60	0	0	0	0	0		20	40	0	0	100
<i>Eutreptia sp.</i>	20	60	0	0	0	0	20	60	0	40	40		80	120	0	0	0
<i>Favella sp.</i>	20	20	20	200	20	60	0	60	20	60	20		0	60	60	0	20
<i>Helicostomella sp.</i>	20	40	20	120	40	120	0	320	0	60	80		120	60	20	60	140
<i>Mesodinium rubrum</i>	140	840	800	2120	1620	940	2020	1680	880	6080	420		280	760	600	1000	4780
<i>Notholca sp.</i>	0	0	0	20	0	0	0	0	0	20	0		0	0	0	0	0
<i>Tintinnids</i>	120	680	700	380	480	240	480	120	580	180	200		60	1060	1620	200	3020

DATE: 02-08-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0		0		0	0	0	20	0	0				60	40	20	40
<i>Ceratium longipes</i>	0		20		20	40	40	40	80	140				60	320	120	40
<i>Ceratium minutum</i>	0		0		0	0	0	0	0	20				0	60	0	0
<i>Dinophysis acuminata</i>	100		140		120	120	180	140	40	180				280	280	360	120
<i>Dinophysis norvegica</i>	0		60		0	60	120	80	0	40				40	420	160	40
<i>Dinophysis rotundata</i>	0		0		0	0	0	20	0	0				0	40	20	0
<i>Dinophysis sp.</i>	20		20		0	0	40	60	0	0				0	0	0	0
<i>Gonyaulax spinifera</i>	20		0		0	0	20	20	0	0				20	0	0	0
<i>Gyrodinium sp.</i>	0		20		100	0	0	80	0	20				0	0	0	20
<i>Peridinium conicum</i>	0		0		0	0	0	20	0	0				20	40	40	0
<i>Peridinium ovatum</i>	20		20		0	0	0	40	0	0				20	0	0	0
<i>Peridinium sp.</i>	180		80		80	200	200	240	720	280				120	480	200	160
<i>Peridinium triquetra</i>	0		0		20	0	40	0	100	0				20	60	0	0
<i>Scrippsiella trochoidea</i>	0		0		0	0	0	20	40	20				20	60	0	0
<i>Chaetoceros sp.</i>	0		0		0	0	0	0	0	20				0	0	0	80
<i>Coscinodiscus sp.</i>	0		0		20	0	0	0	0	0				0	0	0	0
<i>Fragilaria sp.</i>	0		0		0	0	20	20	0	0				0	0	0	0
<i>Guinardia flaccida</i>	0		0		100	0	0	0	0	0				0	0	0	0
<i>Gyrosigma fasciola</i>	0		0		20	0	0	0	0	0				0	0	0	0
<i>Leptocylindrus minimus</i>	0		0		0	0	0	20	20	0				40	0	0	120
<i>Navicula sp.</i>	20		40		0	0	0	40	20	60				20	0	20	0
<i>Nitzschia closterium</i>	40		40		80	0	0	60	120	0				40	0	0	0
<i>Nitzschia pseudodelicatissima</i>	1260		6840		4540	2680	18200	23760	16060	620160				29540	0	1060	57120
<i>Paralia sulcata</i>	0		20		0	0	0	20	0	0				0	0	0	0
<i>Pleurosigma angulatum</i>	0		40		80	40	120	40	0	120				40	0	0	0
<i>Pleurosigma strigosum</i>	0		20		0	0	0	0	0	0				0	0	0	0
<i>Rhizosolenia delicatula</i>	0		40		0	0	20	60	20	20				120	0	0	1220
<i>Rhizosolenia gracillima</i>	0		0		0	0	20	20	0	0				0	0	0	0
<i>Rhizosolenia shrubsolei</i>	0		0		0	0	0	20	0	0				0	0	0	0
<i>Thalassiosira gravida</i>	0		0		0	0	20	0	0	0				0	0	0	0
<i>Acartia sp.</i>	0		60		60	0	20	60	0	0				0	0	100	60
<i>Distephanus speculum</i>	60		40		20	20	120	100	1200	280				420	360	20	300
<i>Euglena sp.</i>	40		20		0	0	0	0	0	0				40	0	0	40
<i>Eutreptia sp.</i>	0		0		20	0	40	40	0	0				80	0	0	0
<i>Favella sp.</i>	0		0		0	0	0	0	0	20				0	0	20	0
<i>Helicostomella sp.</i>	20		0		0	0	0	60	0	0				60	40	40	40
<i>Mesodinium rubrum</i>	140		120		280	80	360	340	60	600				620	1700	740	1680
<i>Notholca sp.</i>	40		0		20	0	40	20	0	0				0	0	0	0
<i>Tintinnids</i>	40		320		340	160	220	360	40	200				400	340	40	340

DATE: 09-08-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	20	0	0	80	0	0	20	0	0	0	0	0	0	0	300	0	20
<i>Ceratium fusus</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Ceratium longipes</i>	0	60	120	40	80	40	140	80	40	120	20	0	40	40	60	140	40
<i>Ceratium minutum</i>	0	0	20	0	0	0	0	0	0	20	0	0	0	20	0	20	0
<i>Dinophysis acuminata</i>	20	0	260	160	120	40	40	160	160	340	160	100	660	440	120	200	160
<i>Dinophysis acuta</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Dinophysis norvegica</i>	0	40	220	280	140	0	140	40	20	60	0	20	200	100	0	60	20
<i>Dinophysis sp.</i>	0	0	0	0	0	0	80	0	0	60	0	0	20	0	40	120	60
<i>Gonyaulax spinifera</i>	0	20	0	140	40	0	40	0	0	20	0	20	60	160	820	0	40
<i>Gonyaulax triacantha</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	20	0	320	200	0	180	40	140	20	120	0	0	20	20	60	0	220
<i>Peridinium conicum</i>	0	0	0	0	0	0	20	0	0	0	20	0	20	20	0	80	40
<i>Peridinium ovatum</i>	0	0	0	80	0	0	20	0	0	40	0	0	0	0	0	0	0
<i>Peridinium sp.</i>	200	260	1600	1840	400	240	20	680	120	540	140	0	660	400	4640	100	440
<i>Peridinium triqueta</i>	220	140	460	180	100	160	80	840	0	240	60	0	280	100	14420	60	40
<i>Scrippsiella trochoidea</i>	0	80	140	620	40	80	0	80	40	60	0	0	20	0	1940	0	0
<i>Chaetoceros simplex</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	40	0	0	0
<i>Chaetoceros socialis</i>	0	0	0	0	0	0	0	0	40	0	0	0	140	20	0	0	0
<i>Ditylum brightwelli</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Fragilaria sp.</i>	0	0	20	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Gyrosigma fasciola</i>	0	0	0	0	0	0	0	0	0	20	20	0	20	0	0	0	0
<i>Gyrosigma prolongatum</i>	0	0	0	0	0	20	0	0	0	0	0	0	20	0	0	0	0
<i>Leptocylindrus minimus</i>	0	0	60	40	0	0	20	0	0	0	20	20	160	320	0	60	1040
<i>Lycmophora lyngbyei</i>	0	0	20	120	0	0	20	0	20	0	0	0	20	0	0	0	0
<i>Nitzschia closterium</i>	100	140	1200	400	120	480	100	340	1560	340	20	40	20	60	80	60	0
<i>Nitzschia pseudodelicatissima</i>	1000	860	1060	2340	1080	2960	6620	0	8960	2480	2140	720	12340	11720	1020	14180	31000
<i>Nitzschia seriata</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Pleurosigma angulatum</i>	0	0	0	0	20	0	0	20	0	0	20	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	0	0	0	0	0	120	0	0	0	480	480	560	12760	0	180	20300
<i>Rhizosolenia shrubsolei</i>	0	0	20	0	0	0	0	0	0	0	0	0	20	0	0	0	0
<i>Skeletonema costatum</i>	0	0	0	0	0	0	0	0	0	60	0	0	20	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	0	0	0	20	40	0	40	20	0	0	0	0	0	0	0
<i>Acartia sp.</i>	40	0	20	40	20	20	20	0	0	20	0	0	20	0	80	40	0
<i>Distephanus speculum</i>	100	180	860	840	180	660	260	780	1400	680	400	160	1540	2780	8280	1040	960
<i>Euglena sp.</i>	0	60	0	0	40	0	0	0	0	0	0	0	40	0	40	0	20
<i>Eutreptia sp.</i>	0	80	0	60	40	0	60	0	0	20	80	0	20	620	0	0	0
<i>Favella sp.</i>	0	0	20	0	0	20	0	0	0	0	0	0	0	20	0	0	0
<i>Helicostomella sp.</i>	20	20	60	0	20	0	40	0	0	0	20	0	140	0	0	0	200
<i>Mesodinium rubrum</i>	760	540	640	140	460	20	320	600	0	1380	700	20	3900	1860	260	1440	7180
<i>Notholca sp.</i>	0	0	0	20	0	0	60	0	0	0	0	0	0	0	0	0	0
<i>Parafavella sp.</i>	0	0	0	0	0	0	20	0	0	20	0	0	0	0	0	0	0
<i>Tintinnids</i>	360	300	800	180	200	240	160	640	0	320	220	60	280	220	460	340	860

DATE: 16-08-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	20	20	0	20	0	0	0	180	60	160	0	0	20	0	0	20	20
<i>Ceratium longipes</i>	120	20	40	120	60	60	140	160	180	320	40	0	140	100	480	360	40
<i>Ceratium minutum</i>	100	20	0	20	40	40	100	60	80	200	0	0	40	0	800	280	20
<i>Dinophysis acuminata</i>	260	0	240	80	300	200	220	160	220	340	100	200	20	20	340	280	0
<i>Dinophysis norvegica</i>	100	40	100	100	20	160	140	240	320	160	0	20	0	60	440	200	20
<i>Dinophysis rotundata</i>	0	0	0	20	0	0	0	20	20	40	0	20	20	20	40	20	0
<i>Dinophysis sp.</i>	20	0	0	0	0	0	20	0	40	100	0	0	0	20	120	140	0
<i>Gonyaulax spinifera</i>	200	120	1620	1720	280	820	200	4360	2140	1680	40	100	60	40	800	300	100
<i>Gonyaulax triacantha</i>	0	0	0	20	0	0	20	80	20	0	0	0	0	0	20	40	0
<i>Gyrodinium sp.</i>	60	20	80	260	100	120	60	120	480	180	40	80	60	20	160	0	180
<i>Peridinium conicum</i>	0	0	0	0	0	60	0	80	60	140	0	40	0	0	300	180	20
<i>Peridinium excentricum</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
<i>Peridinium ovatum</i>	0	20	0	0	0	0	0	40	220	160	0	0	0	20	60	60	0
<i>Peridinium sp.</i>	1720	460	9260	10300	1040	3180	1280	29820	44300	35900	220	300	180	260	2620	2820	320
<i>Peridinium triquetula</i>	560	240	7840	11060	1260	2700	1120	34920	60500	37540	80	400	40	60	2920	7640	0
<i>Prorocentrum micans</i>	20	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	20	20	340	600	120	340	280	7660	17900	1760	60	20	0	0	400	2080	20
<i>Chaetoceros socialis</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	20	20	0	400
<i>Corethron criophilum</i>	0	20	0	0	0	0	40	0	0	20	0	0	0	0	0	0	0
<i>Gyrosigma littorale</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrosigma prolongatum</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	20	0	0	0
<i>Leptocylindrus danicus</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	60	0
<i>Leptocylindrus minimus</i>	0	20	0	0	20	40	40	140	20	20	960	420	500	560	0	20	700
<i>Navicula sp.</i>	0	0	0	20	40	40	40	0	0	0	0	0	0	20	0	20	40
<i>Nitzschia closterium</i>	40	120	100	220	140	280	100	60	120	120	560	140	0	80	40	0	20
<i>Nitzschia pseudodelicatissima</i>	920	2800	23860	26120	29120	13320	6620	6720	9940	50600	9540	3840	60380	5580	5420	32640	27740
<i>Nitzschia pungens</i>	0	0	0	0	20	0	80	0	0	20	0	0	0	0	0	0	0
<i>Pleurosigma angulatum</i>	0	0	20	60	100	20	100	40	20	40	80	100	380	0	0	60	60
<i>Rhizosolenia delicatula</i>	0	0	20	0	0	0	500	0	0	0	5100	3320	4000	2300	0	0	100
<i>Rhizosolenia gracillima</i>	0	0	0	0	0	0	40	0	40	20	80	60	380	400	0	0	0
<i>Rhizosolenia shrubsolei</i>	0	0	0	0	0	0	60	0	0	20	0	0	60	0	0	0	0
<i>Skeletonema costatum</i>	60	40	60	80	380	0	60	20	160	400	560	100	140	40	0	0	0
<i>Thalassiosira condensata</i>	0	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0
<i>Thalassiosira gravida</i>	0	0	20	0	40	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira sp.</i>	40	20	0	0	0	0	0	60	0	80	60	0	0	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	20	20	0	20	20	0	20	20	40	0	120	0	40	20	20	40	0
<i>Acartia sp.</i>	40	20	0	40	0	40	40	0	0	120	20	40	60	0	240	120	40
<i>Brachionus sp.</i>	0	0	0	0	0	0	0	20	20	20	0	0	0	0	0	20	0
<i>Distephanus speculum</i>	140	20	240	300	280	100	280	140	100	160	300	280	300	260	1680	220	60
<i>Euglena sp.</i>	0	20	0	0	0	0	40	40	80	100	0	0	0	20	0	0	100
<i>Eutreptia sp.</i>	120	100	0	0	0	0	220	200	40	140	0	0	0	280	0	0	0
<i>Favella sp.</i>	0	0	0	0	0	0	0	20	0	0	20	0	0	0	0	0	0

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Helicostomella sp.</i>	20	20	100	140	0	40	40	100	80	180	60	180	20	60	620	100	200
<i>Mesodinium rubrum</i>	440	120	500	140	100	160	460	360	1200	220	140	1200	20	80	80	2360	540
<i>Notholca sp.</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	80	220	280	140	140	440	200	580	200	20	280	500	0	80	260	1640	420
<i>Tintinnopsis campanula</i>	0	0	0	0	0	0	0	0	60	20	0	0	0	0	0	0	0

DATE: 30-08-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0	0	0	0	0	40	40	0	40	20	0	0	0	0	0	0	0
<i>Ceratium longipes</i>	20	0	40	40	40	40	40	40	60	20	40	20	40	40	40	60	20
<i>Ceratium minutum</i>	40	40	80	60	40	80	120	100	200	40	20	80	60	60	80	120	0
<i>Dinophysis acuminata</i>	100	60	80	80	20	140	200	60	160	80	100	100	0	160	60	120	0
<i>Dinophysis acuta</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Dinophysis norvegica</i>	0	0	40	20	40	20	60	100	60	60	40	40	60	140	20	40	0
<i>Dinophysis rotundata</i>	0	0	0	40	0	20	20	80	0	0	0	0	0	20	0	0	0
<i>Dinophysis sp.</i>	0	0	0	20	0	0	0	0	40	0	0	0	0	0	0	0	0
<i>Gonyaulax spinifera</i>	120	40	60	60	60	140	0	80	240	160	80	20	40	20	100	2180	20
<i>Gonyaulax triacantha</i>	0	0	0	20	0	0	0	20	20	0	0	0	0	0	40	20	0
<i>Gyrodinium sp.</i>	80	0	60	60	40	80	140	20	40	40	40	40	40	20	0	0	0
<i>Peridinium sp.</i>	1100	540	1460	1240	280	2320	2320	4040	2680	200	2320	460	680	440	6640	3000	100
<i>Peridinium triqueta</i>	2220	140	1000	1260	200	5260	4820	6760	3700	1140	1720	280	900	440	1300	1720	0
<i>Scrippsiella trochoidea</i>	320	120	120	240	40	460	660	300	580	120	200	220	200	120	1740	360	0
<i>Cerataulina pelagica</i>	0	0	0	0	0	0	0	20	0	0	0	20	0	0	0	0	0
<i>Chaetoceros debilis</i>	0	0	0	0	0	0	40	40	120	20	20	0	40	20	0	0	0
<i>Chaetoceros laciniatus</i>	0	20	20	0	20	0	40	40	40	20	40	0	0	0	100	0	20
<i>Chaetoceros simplex</i>	0	20	0	0	40	0	60	40	20	0	0	0	80	60	0	0	0
<i>Chaetoceros socialis</i>	0	0	0	0	260	0	480	0	160	320	0	120	80	280	20	0	0
<i>Chaetoceros sp.</i>	0	0	0	0	0	0	0	0	0	40	20	80	100	100	0	0	120
<i>Corethron criophilum</i>	20	20	20	20	0	0	0	0	80	0	0	0	40	20	20	0	0
<i>Coscinodiscus sp.</i>	0	20	0	0	0	0	0	0	20	0	20	0	0	0	40	20	0
<i>Ditylum brightwelli</i>	20	20	0	0	0	0	20	0	0	0	20	60	20	0	0	0	20
<i>Guinardia flaccida</i>	40	0	80	20	120	20	300	80	20	240	40	40	20	40	0	0	120
<i>Gyrosigma littorale</i>	0	0	0	0	20	0	0	40	0	0	0	0	0	0	0	0	0
<i>Gyrosigma tenuissimum</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus danicus</i>	0	0	0	0	0	0	0	0	60	0	0	0	0	0	40	0	0
<i>Leptocylindrus minimus</i>	40	60	20	0	20	20	20	40	100	20	40	0	40	40	20	20	200
<i>Lycmophora lyngbyei</i>	0	0	0	0	0	0	60	20	0	0	40	0	40	40	0	20	20
<i>Melosira ambigua</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Navicula</i> sp.	0	0	20	20	0	0	0	20	0	20	0	0	0	0	0	0	0
<i>Nitzschia closterium</i>	40	40	180	20	60	80	180	120	140	60	20	80	100	40	20	40	20
<i>Nitzschia pseudodelicatissima</i>	2820	14240	7100	5200	55480	2520	93020	19400	122400	54520	5960	35900	88120	76700	660	23060	75080
<i>Nitzschia pungens</i>	60	40	120	0	140	40	100	20	60	60	20	60	60	0	20	140	60
<i>Pleurosigma angulatum</i>	20	60	20	20	40	20	40	20	0	40	20	80	140	120	20	20	0
<i>Pleurosigma strigosum</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Rhabdonema</i> sp.	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia alata</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	40	100	80	0	280	20	540	220	260	380	60	400	640	360	0	60	60
<i>Rhizosolenia gracillima</i>	40	280	20	80	200	100	120	220	200	80	160	280	360	60	0	0	0
<i>Rhizosolenia shrubsolei</i>	0	20	20	40	40	60	80	140	160	360	60	60	340	220	0	0	0
<i>Rhizosolenia</i> sp.	0	20	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	20	20	20	0	140	0	20	40	40	160	0	0	0	0	0	60	0
<i>Stephanopyxis turris</i>	0	20	40	0	40	0	40	20	100	20	40	20	20	40	0	20	0
<i>Thalassiosira baltica</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira gravida</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira rotula</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira</i> sp.	0	0	0	0	20	0	0	20	20	0	0	0	20	20	0	20	0
<i>Thalassiothrix nitzchioides</i>	0	0	0	0	80	0	20	40	40	40	0	20	0	0	0	0	0
<i>Acartia</i> sp.	20	0	0	40	40	40	60	0	20	40	0	0	0	0	60	0	20
<i>Brachionus</i> sp.	20	0	20	0	40	20	20	0	20	0	20	0	20	0	0	0	0
<i>Distephanus speculum</i>	20	60	0	60	0	40	280	40	120	60	20	80	60	140	20	80	0
<i>Euglena</i> sp.	0	0	0	40	0	0	0	100	20	0	20	0	40	0	20	0	80
<i>Eutreptia</i> sp.	0	0	0	40	0	20	0	120	0	0	0	0	0	0	20	0	0
<i>Favella</i> sp.	40	0	0	0	0	0	20	0	0	0	0	0	0	0	20	0	0
<i>Helicostomella</i> sp.	80	0	60	280	120	100	120	160	20	160	60	40	80	160	60	60	40
<i>Mesodinium rubrum</i>	360	40	360	480	80	520	240	20	1200	220	940	300	100	0	1280	680	20
<i>Tintinnids</i>	400	180	440	480	160	200	420	40	120	300	460	260	320	260	120	160	740

DATE: 06-09-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0	0	40	20	0	20	0	20	40	40	20	40	0	0	320	20	0
<i>Ceratium longipes</i>	20	0	40	20	20	60	40	40	60	180	20	0	20	20	460	100	0
<i>Ceratium minutum</i>	120	80	100	260	60	140	180	180	100	500	20	0	180	160	4860	140	80
<i>Dinophysis acuminata</i>	20	100	40	80	60	140	40	20	40	200	40	40	160	80	120	100	60
<i>Dinophysis acuta</i>	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Dinophysis norvegica</i>	20	60	20	160	20	20	40	0	40	80	20	0	20	0	500	60	20
<i>Dinophysis rotundata</i>	20	0	40	20	20	0	0	0	20	20	0	0	0	0	40	0	0
<i>Dinophysis sp.</i>	0	0	20	20	0	20	0	20	0	0	0	0	0	0	40	0	0
<i>Gonyaulax spinifera</i>	160	40	100	140	80	60	40	100	160	180	0	0	20	20	1660	60	0
<i>Gyrodinium aureolum</i>	0	0	40	0	20	0	0	20	20	0	0	0	0	0	160	20	0
<i>Gyrodinium sp.</i>	120	0	60	40	20	60	0	20	60	80	20	0	60	0	1660	80	0
<i>Peridinium conicum</i>	20	0	20	20	0	20	0	40	0	0	0	0	20	0	140	20	0
<i>Peridinium ovatum</i>	0	0	20	0	0	0	0	0	0	0	0	20	0	0	20	0	0
<i>Peridinium sp.</i>	1620	480	1120	1140	360	520	360	440	580	940	260	20	440	320	18860	460	100
<i>Peridinium triqueta</i>	1060	300	1320	1200	540	300	1100	360	500	4960	340	20	80	240	34940	60	20
<i>Prorocentrum micans</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	1560	380	1240	1260	680	380	500	220	320	1800	60	0	200	160	29820	120	0
<i>Chaetoceros debilis</i>	0	0	0	0	0	20	20	0	0	40	40	0	60	40	60	100	80
<i>Chaetoceros laciniatus</i>	0	0	0	20	0	0	40	0	0	20	60	40	120	100	0	20	80
<i>Chaetoceros socialis</i>	0	0	580	340	480	180	400	20	260	2220	300	160	760	200	20	440	1060
<i>Chaetoceros sp.</i>	0	0	0	0	0	0	20	0	0	0	0	20	0	0	0	0	0
<i>Coscinodiscus sp.</i>	20	0	20	0	20	20	0	0	0	20	20	0	0	0	0	0	20
<i>Ditylum brightwelli</i>	0	0	0	0	0	0	20	0	0	0	0	40	200	0	40	540	0
<i>Guinardia flaccida</i>	0	0	0	0	20	0	80	60	60	140	100	0	40	40	0	0	20
<i>Gyrosigma fasciola</i>	0	0	0	20	0	0	0	0	0	0	0	0	40	40	0	0	20
<i>Leptocylindrus danicus</i>	0	0	80	80	120	60	20	0	20	140	0	20	20	0	0	0	0
<i>Leptocylindrus minimus</i>	0	0	20	140	0	40	20	0	0	40	80	0	20	0	0	0	20
<i>Lycmophora lyngbyei</i>	0	0	0	0	20	0	60	0	0	0	0	0	0	0	0	0	20
<i>Nitzschia closterium</i>	0	20	20	0	20	20	0	80	20	60	0	80	20	0	0	20	20
<i>Nitzschia pseudodelicatissima</i>	720	720	7760	15600	2080	1240	52220	4300	14480	13380	60380	47320	127300	380260	20	564680	158300
<i>Nitzschia pungens</i>	0	0	20	100	80	0	0	20	20	20	60	20	40	160	0	60	0
<i>Pleurosigma angulatum</i>	0	0	0	20	20	0	40	0	0	0	20	0	20	0	0	20	0
<i>Porosira glacialis</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	20	40	20	20	60	0	0	40	40	40	40	20	120	0	20	160
<i>Rhizosolenia hebetata</i>	60	60	80	0	0	40	40	20	0	20	60	0	160	200	0	420	600
<i>Skeletonema costatum</i>	20	0	0	20	40	0	0	0	0	40	20	0	0	0	0	0	0
<i>Stephanopyxis turris</i>	0	20	0	0	0	20	20	0	0	40	0	0	80	100	20	120	60
<i>Thalassiosira rotula</i>	0	0	0	0	60	0	0	0	0	20	0	0	0	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	0	0	20	0	0	20	20	20	0	0	60	0	40	0	40
<i>Acartia sp.</i>	0	20	20	40	20	20	0	60	40	160	0	20	60	80	120	40	20
<i>Distephanus speculum</i>	20	60	60	100	40	80	0	60	40	160	0	20	60	80	120	40	20
<i>Eutreptia sp.</i>	0	0	0	0	0	40	20	20	0	0	3580	0	0	0	0	0	0

STATION NUMBERS

ORGANISMS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Favella</i> sp.	0	0	20	0	0	0	0	0	40	0	0	0	0	0	120	0	0
<i>Helicostomella</i> sp.	100	20	80	180	100	20	20	80	60	20	40	0	100	40	160	60	100
<i>Mesodinium rubrum</i>	3040	720	2540	1080	1620	300	820	1180	1140	220	300	200	300	420	11620	480	2040
Tintinnids	240	180	360	500	220	80	220	220	380	80	40	20	160	100	980	440	460

DATE: 13-09-88 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Alexandrium fundyense</i>	0	0	0	0	0	0	60	0	0	0					0	0	
<i>Ceratium longipes</i>	0	0	0	0	20	20	0	0	0	0					0	0	
<i>Ceratium minutum</i>	0	40	0	0	40	20	0	0	0	0	100				20	0	
<i>Dinophysis acuminata</i>	0	20	20	0	20	0	20	0	0	0	60				20	0	
<i>Dinophysis norvegica</i>	20	20	0	0	0	20	20	0	0	0	20				20	0	
<i>Gonyaulax spinifera</i>	0	0	20	0	0	0	0	0	0	0	0				0	0	
<i>Gyrodinium</i> sp.	20	0	0	20	0	20	0	0	0	0	0				20	20	
<i>Peridinium</i> sp.	20	60	40	40	60	0	0	0	0	0	60				100	0	
<i>Peridinium triqueta</i>	0	0	20	0	0	0	0	0	0	0	0				0	20	
<i>Scrippsiella trochoidea</i>	0	20	0	0	0	20	20	0	0	0	40				0	0	
<i>Bacteriosira fragilis</i>	0	0	0	0	0	0	40	20	0	0	0				0	0	
<i>Biddulphia aurita</i>	0	0	0	0	0	0	0	20	0	0	0				0	0	
<i>Cerataulina pelagica</i>	0	0	0	0	0	20	0	0	0	0	40				0	0	
<i>Chaetoceros constrictus</i>	0	0	0	0	20	0	0	0	0	0	0				0	0	
<i>Chaetoceros debilis</i>	0	0	60	20	200	20	0	20	0	0	80				80	20	
<i>Chaetoceros decipiens</i>	40	20	0	0	0	0	0	0	0	0	0				0	0	
<i>Chaetoceros laciniatus</i>	0	0	0	0	0	0	0	40	0	0	60				20	20	
<i>Chaetoceros simplex</i>	0	0	40	40	40	40	20	0	0	0	100				0	0	
<i>Chaetoceros socialis</i>	40	100	500	40	0	20	0	240	0	5540					1240	40	
<i>Chaetoceros</i> sp.	20	40	120	0	1380	80	0	140	40	40					0	0	
<i>Corethron criophilum</i>	0	20	60	20	0	0	0	0	0	0	40				20	0	
<i>Coscinodiscus</i> sp.	0	20	0	40	0	40	0	0	0	0	0				20	0	
<i>Ditylum brightwelli</i>	20	0	0	0	0	0	0	0	0	0	40				0	20	
<i>Fragilaria</i> sp.	0	0	20	80	20	20	0	0	0	0	0				0	0	
<i>Guinardia flaccida</i>	0	160	0	0	340	20	0	0	0	0	40				80	360	
<i>Gyrosigma</i> sp.	0	0	0	0	20	0	0	0	0	0	0				0	0	
<i>Leptocylindrus minimus</i>	0	40	80	20	60	40	0	0	0	0	20				0	40	
<i>Lymnophora lyngbyei</i>	0	0	0	40	20	100	0	0	0	0	0				0	0	
<i>Melosira nummuloides</i>	0	0	0	0	60	0	0	0	0	0	0				0	0	
<i>Melosira</i> sp.	0	0	0	0	0	0	0	0	0	0	20				0	0	

STATION NUMBERS

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Navicula</i> sp.	20	0	60	20	0	0	0	0	0	20	20	0	0	0	0	0	0
<i>Nitzschia closterium</i>	160	80	180	80	140	20	0	0	0	0	0	0	0	0	0	0	20
<i>Nitzschia pseudodelicatissima</i>	31520	48960	89760	32640	62200	44060	551620	88120	150140	197480	406360	66920	80	100	80	0	0
<i>Nitzschia pungens</i>	40	20	20	0	60	40	80	160	100	120	0	0	0	0	0	0	0
<i>Nitzschia seriata</i>	0	0	0	0	0	0	0	20	40	0	0	0	0	0	0	0	0
<i>Pleurosigma angulatum</i>	20	20	0	20	80	20	0	20	0	0	40	0	0	0	0	20	20
<i>Rhizosolenia alata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	60	140	520	140	200	180	40	40	40	60	1120	60	40	60	60	40	60
<i>Rhizosolenia fragilima</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia gracillima</i>	0	20	140	40	0	40	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia hebetata</i>	0	0	0	0	0	0	0	80	0	0	200	0	0	0	0	0	0
<i>Rhizosolenia shrubsolei</i>	40	40	200	0	160	20	0	0	0	0	220	0	0	0	0	0	0
<i>Skeletonema costatum</i>	0	0	0	0	0	0	60	20	0	0	0	0	0	0	20	0	0
<i>Stephanopyxis turris</i>	60	0	120	40	100	40	20	60	40	240	0	0	0	0	80	60	0
<i>Striatella unipunctata</i>	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	0	0	0	0	40	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira rotula</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira</i> sp.	20	100	60	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiothrix nitzschioides</i>	0	80	0	0	20	0	0	0	0	0	20	0	0	0	0	0	0
<i>Acartia</i> sp.	40	20	20	40	0	0	0	0	0	0	40	0	0	0	20	0	0
<i>Disiphonanus speculum</i>	20	40	20	0	20	40	0	0	0	0	20	0	0	0	0	0	0
<i>Euglena</i> sp.	0	0	20	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Favella</i> sp.	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Helicosomella</i> sp.	20	0	20	0	0	20	0	0	0	0	20	0	0	0	0	0	20
<i>Mesodinium rubrum</i>	120	60	40	0	0	40	180	60	0	0	240	0	0	0	0	0	20
<i>Tintinnids</i>	100	120	40	100	40	260	0	0	0	0	20	80	0	0	0	0	0

DATE: 21-09-88 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Alexandrium fundyense</i>	0	0	0	0	0	0	40	0	60	100	0	20	0	0	240	0	20
<i>Alexandrium (duplet)</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	20	0	0
<i>Ceratium longipes</i>	0	40	40	60	0	20	20	40	0	80	0	0	0	0	60	0	20
<i>Ceratium minutum</i>	80	100	200	420	240	420	1560	720	620	620	40	40	180	20	860	40	80
<i>Dinophysis acuminata</i>	0	20	20	40	40	0	100	60	100	40	40	0	0	20	160	0	0
<i>Dinophysis norvegica</i>	0	0	40	40	20	0	20	40	20	20	0	0	0	0	120	40	0
<i>Dinophysis rotundata</i>	0	0	20	0	0	0	0	20	40	0	0	20	0	0	0	0	0
<i>Dinophysis sp.</i>	0	0	0	0	0	20	0	0	20	0	0	0	0	40	0	0	0
<i>Gonyaulax spinifera</i>	20	40	60	20	100	40	0	0	100	200	20	20	0	0	220	20	40
<i>Gonyaulax triacantha</i>	0	0	0	0	20	20	0	0	0	0	0	0	0	40	0	0	0
<i>Gyrodinium aureolum</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	0	80	140	120	80	60	160	20	60	140	20	40	20	20	140	40	0
<i>Peridinium conicum</i>	0	0	0	0	0	0	20	0	0	40	0	0	20	0	60	0	0
<i>Peridinium ovatum</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0	20
<i>Peridinium sp.</i>	20	240	200	800	540	520	1360	520	860	860	140	80	540	80	1140	80	80
<i>Peridinium triqueta</i>	0	0	40	0	60	0	180	20	60	180	0	0	40	0	420	0	0
<i>Scrippsiella trochoidea</i>	0	60	280	160	180	120	480	60	440	360	40	20	80	60	640	60	40
<i>Biddulphia obtusa</i>	0	0	0	0	20	0	0	0	0	0	0	20	0	0	0	0	0
<i>Cerataulina pelagica</i>	20	0	0	0	60	0	80	0	20	20	0	0	100	0	0	0	0
<i>Chaetoceros constrictus</i>	0	0	20	20	0	20	0	0	60	20	0	0	0	20	20	0	0
<i>Chaetoceros debilis</i>	20	60	440	320	800	420	1220	960	1460	540	200	140	240	60	1100	260	200
<i>Chaetoceros decipiens</i>	0	0	40	0	20	0	0	0	20	60	20	0	0	0	20	0	0
<i>Chaetoceros didymus</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Chaetoceros laciniatus</i>	20	20	40	80	120	120	140	140	460	100	20	20	80	20	600	60	60
<i>Chaetoceros simplex</i>	0	0	0	0	0	20	0	0	0	20	20	20	20	60	40	0	0
<i>Chaetoceros socialis</i>	0	80	1200	680	1580	580	780	2480	4480	5460	40	0	160	40	3040	100	120
<i>Chaetoceros sp.</i>	20	0	20	40	0	20	740	0	60	0	20	0	0	20	0	0	0
<i>Chaetoceros teres</i>	0	0	0	0	0	0	0	20	0	20	0	0	0	0	20	0	0
<i>Corethron criophilum</i>	0	40	40	40	0	40	60	120	60	40	0	40	0	0	0	60	20
<i>Coscinodiscus sp.</i>	0	0	20	40	20	40	0	0	20	0	0	0	0	0	0	0	0
<i>Coscinosira polychorda</i>	0	20	40	40	0	40	0	0	20	40	20	0	0	0	40	40	0
<i>Ditylum brightwelli</i>	20	20	40	0	40	60	180	60	40	60	0	40	40	0	20	20	0
<i>Fragilaria sp.</i>	0	0	0	40	0	0	0	0	0	0	0	20	0	0	0	0	0
<i>Guinardia flaccida</i>	0	0	0	560	140	80	260	280	20	180	80	0	340	80	100	120	240
<i>Gyrosigma fasciola</i>	0	0	40	0	0	0	0	0	0	0	0	0	0	0	20	0	0
<i>Gyrosigma tenuissimum</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus danicus</i>	0	0	0	0	0	340	0	0	0	0	20	0	0	0	80	0	0
<i>Leptocylindrus minimus</i>	20	0	120	80	20	60	20	40	140	100	240	140	40	100	160	40	20
<i>Lycophora lyngbyei</i>	0	0	0	0	0	0	20	0	0	0	0	20	0	0	0	0	20
<i>Nitzschia closterium</i>	60	60	420	140	320	560	80	120	560	920	40	40	20	40	200	0	20
<i>Nitzschia pseudodelicatissima</i>	1560	3100	15760	16680	14000	15380	173800	39200	27120	23100	48560	62020	202360	105640	6800	127300	355780
<i>Nitzschia pungens</i>	0	100	140	180	260	340	600	180	320	400	200	40	120	260	340	300	160

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Nitzschia seriata</i>	0	0	40	0	0	0	0	0	0	0	40	0	0	0	0	20	0
<i>Paralia sulcata</i>	0	0	0	0	0	20	0	0	0	40	20	0	0	0	0	0	0
<i>Pleurosigma angulatum</i>	0	0	0	0	0	60	0	0	0	0	20	20	0	40	0	0	0
<i>Pleurosigma strigosum</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizodolenia stolterfothii</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia alata</i>	0	0	0	0	0	40	20	0	0	0	0	0	0	20	0	0	0
<i>Rhizosolenia delicatula</i>	0	60	220	200	400	800	200	320	120	200	200	20	320	280	20	0	180
<i>Rhizosolenia gracillima</i>	0	0	60	0	40	0	0	0	0	40	0	0	0	20	0	0	0
<i>Rhizosolenia hebetata</i>	0	0	0	0	0	20	20	0	80	0	20	0	0	0	100	120	100
<i>Rhizosolenia shrubsolei</i>	0	0	40	0	140	160	60	20	40	60	120	20	40	0	0	0	0
<i>Rhizosolenia sp.</i>	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	0	0	0	20	40	0	160	0	20	40	760	160	20	260	0	0	40
<i>Stephanopyxis turris</i>	0	160	380	420	540	540	2300	880	1580	1080	40	40	300	100	20	160	40
<i>Thalassiosira baltica</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	40	0	0	0
<i>Thalassiosira condensata</i>	40	0	40	20	20	80	60	40	60	60	20	60	0	20	0	0	20
<i>Thalassiosira rotula</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira sp.</i>	0	0	40	40	20	60	60	0	0	0	20	40	0	60	80	0	0
<i>Thalassiosira nitzschiodes</i>	0	20	0	40	20	60	100	20	20	0	0	0	0	20	0	0	0
<i>Acartia sp.</i>	40	20	80	0	60	60	20	20	0	0	0	0	0	0	0	0	40
<i>Brachionus sp.</i>	20	0	0	20	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Disiphonanus speculum</i>	20	0	0	0	40	0	100	0	100	0	20	0	0	20	0	0	40
<i>Euglena sp.</i>	20	0	20	0	0	0	80	40	0	0	20	40	0	0	0	0	0
<i>Eutreptia sp.</i>	0	0	60	0	40	0	0	0	40	0	0	0	0	40	0	0	0
<i>Favella sp.</i>	0	0	0	20	0	0	20	0	20	0	0	0	0	40	0	0	0
<i>Helicosomella sp.</i>	0	0	20	0	20	20	40	20	20	0	0	20	0	0	240	20	40
<i>Mesodinium rubrum</i>	0	1220	1480	2200	1240	500	560	660	680	880	240	3100	740	100	660	60	500
<i>Tintinnids</i>	160	540	380	740	580	280	800	440	200	360	160	20	140	80	280	80	200

DATE: 27-09-88 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Ceratium longipes</i>	0	40	0	0	0	0	0	0	20	0	0	0	0	0	20	0	0
<i>Ceratium minutum</i>	0	20	20	0	0	0	80	0	100	0	40	20	60	20	160	0	0
<i>Dinophysis acuminata</i>	0	0	0	0	0	0	20	0	0	0	0	0	40	0	20	0	0
<i>Gonyaulax spinifera</i>	0	0	0	0	0	0	20	0	20	0	0	0	0	0	20	20	0
<i>Gyrodinium aureolum</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	20	0	40	0	0	0	60	20	180	0	0	0	0	0	0	40	20
<i>Peridinium conicum</i>	0	0	20	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Peridinium sp.</i>	20	40	0	0	0	0	160	0	120	0	0	0	0	20	0	20	120
<i>Peridinium triquetra</i>	0	0	0	0	0	0	0	0	0	40	0	0	0	0	120	0	0
<i>Scrippsiella trochoidea</i>	0	40	0	0	0	0	0	0	60	0	0	0	0	0	80	20	0
<i>Chaetoceros constrictus</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros debilis</i>	40	60	100	0	80	0	160	20	240	0	20	0	20	40	520	20	0
<i>Chaetoceros decipiens</i>	0	20	0	0	0	0	0	0	40	0	0	0	0	0	20	0	0
<i>Chaetoceros laciniosus</i>	20	0	20	0	40	0	60	20	60	0	0	20	0	0	20	0	0
<i>Chaetoceros socialis</i>	40	0	0	0	80	20	20	0	20	40	0	0	20	0	720	20	20
<i>Corethron criophilum</i>	20	0	60	0	0	0	0	0	60	0	0	0	0	0	0	20	0
<i>Coscinodiscus sp.</i>	20	0	0	20	0	0	40	20	0	0	0	0	20	0	0	0	0
<i>Coscinosira polychorda</i>	0	0	0	20	0	0	0	0	0	0	20	0	0	0	0	20	0
<i>Ditylum brightwelli</i>	0	0	0	20	40	0	0	0	20	0	0	0	20	0	0	0	20
<i>Guinardia flaccida</i>	80	0	80	0	40	0	100	140	80	160	0	0	40	40	20	0	20
<i>Gyrosigma fasciola</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus danicus</i>	20	20	0	0	0	0	100	20	20	40	0	0	0	0	0	0	0
<i>Leptocylindrus minimus</i>	0	20	0	0	0	40	0	0	20	0	0	0	20	0	60	20	60
<i>Navicula sp.</i>	0	0	40	0	40	0	20	0	0	0	0	0	20	20	0	0	0
<i>Nitzschia closterium</i>	0	0	20	40	0	20	20	0	0	0	0	0	40	0	40	20	0
<i>Nitzschia pseudodelicatissima</i>	31000	110980	57120	66920	78340	35900	138720	159940	280700	143620	22840	21220	78340	39160	2860	173000	76700
<i>Nitzschia pungens</i>	20	0	100	40	40	100	100	100	80	80	20	0	60	20	160	40	80
<i>Paralia sulcata</i>	0	0	20	20	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Pleurosigma angulatum</i>	0	0	20	0	0	0	20	0	0	80	0	0	20	20	0	0	0
<i>Rhizosolenia delicatula</i>	20	40	0	0	40	20	20	0	100	0	40	0	20	40	0	20	100
<i>Rhizosolenia hebetata</i>	0	0	0	40	40	40	100	20	40	40	120	80	80	0	0	40	160
<i>Skeletonema costatum</i>	0	20	0	0	0	0	0	0	20	0	0	0	0	0	0	0	40
<i>Stephanopyxis turris</i>	0	0	0	0	0	0	0	20	0	40	0	0	0	0	0	20	20
<i>Thalassiosira gravida</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira rotula</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	40	0
<i>Thalassiothrix nitzschiodes</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40
<i>Acartia sp.</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Distephanus speculum</i>	0	0	20	0	0	0	40	0	40	0	20	0	0	20	20	40	0
<i>Eutreptia sp.</i>	0	0	0	0	0	0	120	0	0	0	0	0	0	0	20	0	0
<i>Mesodinium rubrum</i>	100	0	0	0	0	0	200	40	140	40	20	0	40	0	60	140	80
<i>Tintinnids</i>	0	20	0	20	0	0	80	0	20	0	0	40	20	0	0	20	40
<i>Tintinnopsis campanula</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0

80

DATE: 04-10-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0	0	0	0	20	0	20	0	0	0	40	20	0	60	0	0	0
<i>Ceratium longipes</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	40	0	0	0
<i>Ceratium minutum</i>	0	20	0	0	20	20	80	0	100	80	60	60	20	120	0	80	20
<i>Dinophysis acuminata</i>	0	0	0	0	0	0	60	0	20	0	0	0	0	20	0	0	0
<i>Dinophysis norvegica</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Gonyaulax spinifera</i>	0	0	0	0	0	0	20	20	0	0	0	0	0	20	20	0	20
<i>Gonyaulax triacantha</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20
<i>Gyrodinium aureolum</i>	0	0	0	0	0	0	20	0	60	20	0	0	0	20	20	0	0
<i>Gyrodinium sp.</i>	20	0	0	20	40	120	280	60	180	60	40	20	20	160	0	140	260
<i>Peridinium sp.</i>	20	0	0	0	60	20	140	20	200	20	60	0	80	320	100	80	40
<i>Peridinium triqueta</i>	0	0	0	0	0	0	0	20	80	20	0	0	20	60	0	0	0
<i>Prorocentrum micans</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
<i>Asterionella japonica</i>	0	0	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros debilis</i>	0	0	20	20	40	0	60	40	40	40	40	20	0	40	180	0	0
<i>Chaetoceros decipiens</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	20	20	0	0
<i>Chaetoceros laciniatus</i>	0	20	80	20	0	0	0	0	0	0	0	60	60	0	20	0	20
<i>Chaetoceros simplex</i>	0	0	40	0	0	0	0	0	0	0	0	0	0	40	0	0	0
<i>Chaetoceros socialis</i>	0	0	0	0	0	0	20	0	0	0	0	0	40	0	20	100	0
<i>Chaetoceros sp.</i>	0	0	120	20	0	0	0	0	20	0	80	40	0	0	0	0	20
<i>Chaetoceros teres</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	20
<i>Corethron criophilum</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	20	0	0
<i>Coscinodiscus sp.</i>	0	0	40	0	0	0	0	0	0	0	0	0	0	0	0	0	20
<i>Ditylum brightwelli</i>	0	0	0	0	0	20	60	20	0	0	0	40	60	20	20	40	0
<i>Guinardia flaccida</i>	0	0	0	0	0	0	100	100	100	0	180	0	0	0	280	40	280
<i>Gyrosigma fasciola</i>	0	0	0	0	0	20	20	20	0	0	0	20	0	0	0	0	0
<i>Gyrosigma sp.</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus danicus</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	100	0	0
<i>Leptocylindrus minimus</i>	0	20	0	0	60	20	140	20	60	40	60	140	80	40	80	40	60
<i>Lycmophora lyngbyei</i>	0	0	0	0	0	20	0	20	0	0	20	40	0	0	0	0	0
<i>Nitzschia closterium</i>	60	20	20	0	40	0	100	0	60	40	180	40	80	140	160	80	40
<i>Nitzschia pseudodelicatissima</i>	20	40	120	60	80	80	80	20	0	120	40	0	0	180	200	1300	1340
<i>Nitzschia pungens</i>	0	0	0	60	0	0	0	0	80	0	160	20	20	40	0	0	80
<i>Pleurosigma angulatum</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	20
<i>Rhizosolenia delicatula</i>	0	0	0	80	20	20	160	0	60	60	80	140	260	480	0	240	100
<i>Rhizosolenia fragillima</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia hebetata</i>	0	0	0	0	0	20	20	60	40	20	20	0	0	40	0	20	140
<i>Stephanopyxis turris</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	20	0	0
<i>Thalassiosira condensata</i>	0	0	0	0	0	0	0	0	20	0	20	40	0	20	0	0	0
<i>Thalassiosira rotula</i>	0	0	0	0	0	0	20	0	0	0	20	0	0	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	0	0	20	20	20	20	40	20	20	0	0	0	20	20	20
<i>Acartia sp.</i>	20	0	0	0	0	0	20	20	80	120	40	20	0	0	20	20	0
<i>Distephanus speculum</i>	0	0	0	0	0	0	20	20	80	120	40	20	0	140	200	0	100

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
--	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----

ORGANISMS

<i>Euglena</i> sp.	0	0	0	0	0	0	0	0	0	20	0	0	0	40	0	0	20
<i>Eutreptia</i> sp.	0	0	0	0	0	20	20	0	0	20	80	400	0	260	0	120	0
<i>Mesodinium rubrum</i>	100	40	20	80	360	40	740	600	1700	520	120	4260	260	520	800	280	1640
<i>Tintinnids</i>	40	40	0	20	160	60	140	160	280	160	80	60	40	200	140	20	160
<i>Tintinnopsis campanula</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0

DATE: 11-10-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
--	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----

ORGANISMS

<i>Ceratium longipes</i>	20	0	0	0	0	0	0	0	20	0					0	0
<i>Ceratium minutum</i>	80	140	140	120	140	40	160	80	60	40				660	40	
<i>Dinophysis acuminata</i>	20	0	0	0	0	0	20	0	20	0				0	0	
<i>Dinophysis norvegica</i>	0	60	20	20	20	0	0	20	0	20				80	0	
<i>Gonyaulax spinifera</i>	0	0	20	60	60	0	60	40	80	20				480	0	
<i>Gyrodinium aureolum</i>	0	0	20	0	0	0	0	0	0	0				220	0	
<i>Gyrodinium</i> sp.	0	20	0	0	60	0	20	20	0	0				0	40	
<i>Peridinium</i> sp.	0	40	0	20	0	0	100	0	20	0				240	20	
<i>Peridinium triquetra</i>	0	0	0	0	0	0	20	0	0	0				60	0	
<i>Chaetoceros debilis</i>	0	0	20	0	20	0	0	0	20	0				0	0	
<i>Chaetoceros decipiens</i>	0	0	0	0	0	0	40	0	0	0				0	0	
<i>Chaetoceros socialis</i>	0	20	0	0	0	0	0	0	0	20				0	0	
<i>Corethron criophilum</i>	0	0	0	0	0	0	0	20	0	0				0	0	
<i>Coscinodiscus</i> sp.	0	0	0	20	0	20	0	20	20	0				0	40	
<i>Ditylum brightwelli</i>	0	0	20	0	20	0	0	0	0	0				20	0	
<i>Guinardia flaccida</i>	0	0	0	20	0	0	0	0	80	80				20	0	
<i>Gyrosigma fasciola</i>	0	0	0	0	20	0	0	0	0	0				120	0	
<i>Leptocylindrus minimus</i>	20	0	20	0	0	20	40	0	0	20				0	0	
<i>Lycmophora lyngbyei</i>	0	0	0	0	0	0	0	0	20	0				0	20	
<i>Navicula</i> sp.	0	0	0	0	0	0	0	0	0	20				0	0	
<i>Nitzschia closterium</i>	160	80	60	60	40	40	200	20	40	40				280	40	
<i>Nitzschia pseudodelicatissima</i>	0	20	60	0	40	0	20	0	20	20				100	20	
<i>Pleurosigma angulatum</i>	0	0	0	0	40	0	40	0	0	20				0	0	
<i>Rhizosolenia delicatula</i>	0	0	20	0	0	40	0	0	20	0				40	20	
<i>Rhizosolenia hebetata</i>	0	60	20	0	20	0	0	0	0	20				0	20	
<i>Thalassiothrix nitzschiodes</i>	0	0	0	20	20	0	0	0	40	20				0	20	
<i>Acartia</i> sp.	0	0	0	0	0	0	40	20	0	0				0	40	
<i>Distephanus speculum</i>	0	0	20	20	20	0	120	140	20	20				20	0	
<i>Euglena</i> sp.	0	0	0	20	20	0	0	0	0	0				20	60	
<i>Helicostomella</i> sp.	0	0	0	0	20	0	0	0	0	0				20	20	
<i>Mesodinium rubrum</i>	160	420	300	180	280	40	1060	140	500	580				2700	460	
<i>Notholca</i> sp.	0	0	0	0	0	0	0	20	0	0				0	0	
<i>Tintinnids</i>	60	160	260	160	20	20	140	20	60	160				20	80	

882

STATION NUMBERS

ORGANISMS

DATE: 18-10-88 DEPTH: SURFACE

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

Ceratium minimum	20	0	60	60	40	60	120	180	260	100	40	60	160	80	0	0
Dinophysis acuminata	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
Dinophysis norvegica	0	0	0	0	0	0	0	0	60	0	0	0	0	0	0	0
Gonyaulax spinifera	20	0	0	0	0	0	20	40	0	100	0	0	20	20	0	0
Gyrodinium auratum	0	0	0	0	0	0	20	20	0	0	0	0	20	0	0	0
Gyrodinium sp.	20	0	0	0	0	0	0	0	20	0	0	0	40	40	0	60
Perdinium sp.	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Perdinium triquetra	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Prorentrum micans	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Scrippsiella trochoidae	20	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Chatecoreos debilis	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Chatecoreos decipiens	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Gorethron eriphillum	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Goseidoniscus sp.	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Ditylum brachiatum	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Gulinardia flaccida	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Leptoclinidrus dancus	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Naufragia sp.	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Lepidocyrtinus minimus	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Lygmacophaera longbyei	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Nitzschia closterium	20	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Nitzschia pseudodeliciosa	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Pleurosigma angulatum	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Rhizosolenia delicatula	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Rhizosolenia hebetula	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Talassiosira gracilis	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Talassiosira nitzschiae	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Acartia sp.	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Diaptomus speculum	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Mesodinium rubrum	160	540	120	160	120	220	280	340	460	520	560	160	0	0	0	0
Tintinnids	20	200	100	80	100	120	80	0	20	180	20	0	100	100	100	100

DATE: 25-10-88 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Ceratium longipes</i>	0	0	20	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Ceratium minutum</i>	80	40	120	60	100	80	300	220	80	40	40	20	60	120	80	40	
<i>Dinophysis norvegica</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Gonyaulax spinifera</i>	20	20	20	0	0	0	0	0	120	0	0	0	20	20	20	20	20
<i>Gyrodinium aureolum</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Peridinium sp.</i>	20	0	20	0	20	0	20	0	20	20	0	0	20	0	0	0	0
<i>Peridinium triquetra</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Bacillaria paradoxa</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Chaetoceros simplex</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Corethron criophilum</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	20
<i>Coscinodiscus sp.</i>	0	0	0	0	0	20	0	0	20	0	0	0	0	0	0	0	0
<i>Ditylum brightwelli</i>	60	20	0	0	0	0	20	0	0	20	20	20	20	0	0	20	20
<i>Leptocylindrus minimus</i>	0	0	20	20	0	0	0	20	0	20	0	20	0	0	0	0	0
<i>Navicula sp.</i>	20	0	0	0	0	0	0	20	20	20	0	0	20	0	0	0	0
<i>Nitzschia closterium</i>	100	80	140	20	40	80	60	20	20	80	60	0	100	40	20	60	
<i>Nitzschia pseudodelicatissima</i>	60	60	60	0	60	20	0	40	20	40	20	20	20	0	0	20	
<i>Nitzschia pungens</i>	0	20	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Pleurosigma angulatum</i>	20	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	60
<i>Pleurosigma strigosum</i>	0	0	0	0	20	0	0	0	0	0	20	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia hebetata</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	20	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Stephanopyxis turris</i>	20	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira rotula</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	40	0	0	0	20	20	20	0	0	0	0	0	0	0	0	0
<i>Acartia sp.</i>	0	20	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Distephanus speculum</i>	20	20	40	40	20	20	60	0	20	80	0	0	0	20	0	0	0
<i>Euglena sp.</i>	20	0	0	0	0	20	0	0	20	0	0	0	20	0	0	20	
<i>Eutreptia sp.</i>	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Mesodinium rubrum</i>	340	120	140	40	40	320	460	440	100	120	20	200	20	40	20	380	
<i>Tintinnids</i>	60	60	140	40	120	260	40	100	120	80	0	20	60	20	20	80	

84

STATION NUMBERS

DATE: 08-11-88 DEPTH: SURFACE

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

ORGANISMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Alexandrium fundyense	80	280	140	40	100	60	140	360	160	80	0	0	100	400	580	120	60
Ceratium longipes	20	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ceratium mitulum	40	0	0	0	20	0	40	160	160	80	0	0	100	400	580	120	60
Dinophysis norvegica	40	0	0	0	0	0	0	40	60	0	0	0	0	0	0	0	0
Dinophysis rotundata	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dinophysis sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gonyaulax spinifera	0	0	0	0	20	0	0	0	0	0	0	0	0	0	20	0	0
Gonyaulax tracheana	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0
Gymnodinium aureolum	20	0	40	0	0	0	0	20	0	40	0	0	0	0	60	0	0
Gymnodinium sp.	40	0	20	0	20	0	20	0	20	0	0	0	0	0	0	0	0
Peridinium limbatum	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Peridinium triquetra	40	0	20	0	20	0	20	0	20	0	0	0	0	0	0	0	0
Seriphusella trochoidae	20	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Biddulphia regia	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos constictus	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
Chatecoreos simplex	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ditylum brigittae	0	0	20	0	40	0	20	0	20	0	0	0	0	0	40	0	0
Melosira nummuloides	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia closterium	40	20	60	60	40	60	180	140	80	0	40	100	100	40	20	220	20
Nitzschia pseudodelicatissima	0	0	20	0	20	0	60	60	60	60	40	100	100	40	20	220	20
Nitzschia punctigera	0	0	0	0	0	0	0	20	0	20	0	0	0	0	0	0	0
Rhizosolenia setigera	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rhizosolenia delicatula	0	0	0	0	0	0	0	20	0	20	0	0	0	0	0	0	0
Stephanopyxis turris	40	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
Thalassiotrix nitzschiae	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thalassiotrix costalis	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thalassiotrix costatum	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Trichia speculum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Trichia rufum	300	60	120	200	180	20	60	60	80	100	0	80	120	80	160	0	0
Mesodinium rubrum	3560	220	320	420	160	40	340	160	40	40	0	0	120	80	80	160	40
Euglenopsis sp.	20	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Acartia sp.	40	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
Thalassiothrix nitzschiae	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stephanopyxis turris	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thalassiotrix costalis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stephanopyxis turris	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thalassiotrix costatum	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Trichia speculum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Trichia rufum	300	60	120	200	180	20	60	60	80	100	0	80	120	80	160	0	0
Tintinnopsis sp.	200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

DATE: 01-12-88 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Alexandrium fundyense</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Ceratium minutum</i>	20	0	0	0	0	0	40	0	20	0	40	0	40	40	20	40	0
<i>Gonyaulax spinifera</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	20	0
<i>Gyrodinium aureolum</i>	0	0	20	0	0	0	0	0	0	0	20	0	20	0	0	0	0
<i>Peridinium sp.</i>	0	0	20	0	20	0	20	0	0	0	0	0	0	0	0	0	0
<i>Peridinium triqueta</i>	0	0	0	0	0	0	20	0	0	40	0	0	0	0	0	0	0
<i>Scrippsiella trochoidea</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Actinoptychus undulatus</i>	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros torenianus</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Corethron criophilum</i>	20	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	0	0	0	0	0	0	0	0	0	0	20	0	0	0	0	20	0
<i>Ditylum brightwelli</i>	0	0	0	0	0	0	0	40	60	60	20	20	40	20	20	0	20
<i>Fragilaria sp.</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus minimus</i>	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0	0
<i>Melosira ambigua</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Melosira moniliformis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Melosira sp.</i>	20	0	0	0	0	0	0	0	0	0	20	0	0	0	20	0	0
<i>Nauvula sp.</i>	0	0	40	0	0	40	0	20	0	0	20	0	20	0	0	0	0
<i>Nitzschia closterium</i>	80	60	120	40	40	140	340	60	120	180	120	140	20	40	60	80	0
<i>Nitzschia pseudodelicatissima</i>	0	0	20	40	0	80	60	60	100	20	80	100	0	40	40	60	0
<i>Rhabdonema adriaticum</i>	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	0	0	0	0	0	0	20	0	20	0	0	0	0	0	0	0	0
<i>Thalassiosira baltica</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira nitzschioides</i>	0	20	20	0	0	0	0	0	0	0	0	0	0	20	0	0	0
<i>Brachionus sp.</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
<i>Diaphanosus speculum</i>	0	0	20	20	0	0	0	0	0	20	0	0	0	0	0	20	0
<i>Eurepia sp.</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Mesodinium rubrum</i>	420	0	80	160	320	1020	0	0	120	160	100	180	100	100	40	40	40
<i>Tintinnids</i>	20	0	40	60	0	20	0	0	0	0	20	40	40	20	40	40	40

DATE: 08-12-88 DEPTH: SURFACE

STATION NUMBERS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

ORGANISMS	0	0	0	20	0	0	0	0	0	20	20	0	0	0	0	0	0
<i>Ceratium minutum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Perridiolum sp.</i>	0	0	0	0	0	20	0	0	0	0	0	40	0	20	0	0	0
<i>Characceros decipiens</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Characceros sp.</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Corynethon criophyllum</i>	0	20	0	20	40	0	0	0	0	0	0	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Fragilaria sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tetrapylella</i>	0	40	40	0	0	60	40	100	100	20	40	80	60	20	0	0	0
<i>Gymnadiella flaccida</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tetrapylella multiformis</i>	0	40	20	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Nitzschia pseudodelicatissima</i>	60	260	80	20	20	100	240	280	40	40	260	20	500	80	40	0	0
<i>Nitzschia closterium</i>	80	400	200	520	60	200	580	360	500	120	200	160	300	180	980	620	80
<i>Nitzschia sp.</i>	0	20	40	0	0	20	0	0	0	0	0	60	0	0	40	0	20
<i>Mesocista sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Nitzschia pungens</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhabdonema striatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhabdonema deficiatum</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia hebetula</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia granulata</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiotrichia costata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiotrichia nitescitoides</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Euglenia sp.</i>	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Mesocista rubrum</i>	520	80	20	0	0	440	220	20	0	0	0	80	300	40	140	140	60
<i>Nothola sp.</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	160	260	40	200	80	100	140	0	80	40	160	100	0	160	20	20	20

APPENDIX 4. Phytoplankton densities as number of cells/L for surface seawater in the Western Isles region during 1989.

DATE: 19-01-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Ceratium minutum</i>	0	0	0	0	60	0	0	20	0	0	0	0	0	0	0	20	0
<i>Gyrodinium sp.</i>	0	0	0	20	20	0	20	0	0	0	0	60	0	0	0	0	20
<i>Procentrum micans</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Actinoptichus undulatus</i>	0	20	80	0	0	0	0	0	20	20	0	0	20	0	20	0	20
<i>Biddulphia aurita</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Biddulphia obtusa</i>	0	0	0	0	0	0	0	0	20	0	0	20	0	0	20	20	0
<i>Cerataulina pelagica</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros decipiens</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Corethron criophilum</i>	0	0	0	0	40	0	0	20	20	60	0	0	0	20	20	0	0
<i>Coscinosira polychorda</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Detonula cystifera</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Ditylum brightwelli</i>	0	0	0	0	0	20	0	0	0	0	40	20	0	0	20	0	0
<i>Gyrosigma fasciola</i>	40	0	0	0	0	0	0	0	0	0	0	0	1340	0	80	0	0
<i>Leptocylindrus minimus</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	20
<i>Lycmophora lyngbyei</i>	40	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Melosira ambigua</i>	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0
<i>Melosira sp.</i>	0	0	0	0	0	0	0	0	40	0	0	0	0	0	0	0	0
<i>Navicula sp.</i>	0	20	0	20	20	0	0	0	20	0	0	20	20	20	20	20	0
<i>Nitzschia closterium</i>	200	280	280	260	120	280	240	260	440	220	260	120	220	340	40	300	80
<i>Nitzschia pseudodelicatissima</i>	200	200	220	240	80	140	520	240	160	60	520	300	200	680	300	300	20
<i>Paralia sulcata</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Pleurosigma angulatum</i>	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0
<i>Rhabdonema arcuatum</i>	0	0	0	0	0	0	20	0	20	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	0	0	0	0	0	0	0	0	40	0	20	0	20	0	0	0
<i>Rhizosolenia setigera</i>	0	40	0	0	0	20	0	0	0	0	20	0	0	0	0	0	40
<i>Skeletonema costatum</i>	0	0	0	20	0	0	0	0	0	0	20	60	0	0	0	0	0
<i>Tabellaria sp.</i>	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	0	0	0	0	0	0	0	20	20	0	0	0	0	0	0	0	0
<i>Thalassiosira gravida</i>	0	40	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0
<i>Thalassiosira nordenskioeldii</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	20	0
<i>Thalassiosira sp.</i>	0	0	0	20	0	0	0	0	20	0	0	0	0	0	20	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Distephanus speculum</i>	0	20	0	0	0	0	0	0	0	20	0	0	20	20	0	0	0
<i>Eutreptia sp.</i>	0	0	20	0	0	0	0	0	0	20	0	0	0	0	0	0	0
<i>Mesodinium rubrum</i>	120	160	0	100	60	20	20	80	140	0	20	0	80	0	20	120	0
<i>Tintinnids</i>	0	20	0	20	20	0	0	0	20	0	0	120	0	40	20	0	160

DATE: 07-02-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Ceratium fusus</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	0	0	0	0	0	60	40	0	0	20	0	0	0	80	80	0	20
<i>Peridinium sp.</i>	0	20	0	0	0	20	0	0	0	0	20	0	0	0	0	0	0
<i>Biddulphia obtusa</i>	20	20	0	0	0	0	0	0	0	0	0	0	20	0	0	0	0
<i>Chaetoceros decipiens</i>	0	0	20	0	0	0	0	0	0	0	20	0	40	0	0	20	0
<i>Chaetoceros sp.</i>	0	0	0	0	20	0	0	0	0	20	0	0	0	20	0	0	0
<i>Corethron criophilum</i>	0	0	0	0	0	0	0	0	20	0	0	0	20	0	0	0	0
<i>Coscinodiscus sp.</i>	0	20	0	0	0	20	0	0	0	0	0	0	0	0	0	20	0
<i>Ditylum brightwelli</i>	0	0	0	0	20	0	0	0	0	0	20	0	0	0	0	0	0
<i>Gyrosigma fasciola</i>	20	0	0	0	0	0	0	0	0	0	0	180	0	0	0	20	20
<i>Leptocylindrus minimus</i>	0	0	20	40	0	20	0	20	20	0	0	0	0	0	0	0	0
<i>Melosira ambigua</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Navicula sp.</i>	40	60	20	80	80	20	60	40	60	140	80	20	160	60	0	40	40
<i>Nitzschia closterium</i>	140	20	140	80	140	120	240	100	560	40	240	0	60	500	460	120	140
<i>Nitzschia pseudodelicatissima</i>	80	40	280	520	800	1580	1140	180	1820	60	1320	300	420	1600	3100	540	200
<i>Pleurosigma angulatum</i>	0	0	0	0	0	20	40	20	20	0	0	0	20	0	0	20	20
<i>Pleurosigma sp.</i>	0	0	0	0	0	0	0	20	0	0	0	20	0	0	0	0	0
<i>Pleurosigma strigosum</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	20	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia setigera</i>	0	20	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	0	40	20	0	0	0	40	0	0	0	0	20	20	60	20	0	0
<i>Thalassiosira decipiens</i>	0	0	0	20	0	0	0	0	0	0	40	0	0	0	80	20	0
<i>Thalassiosira sp.</i>	0	0	0	0	0	40	40	0	0	0	0	0	0	20	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0	0	0	40	20	40	0	0	0	0	0	0	0	0	0	0	20
<i>Acartia sp.</i>	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Distephanus speculum</i>	0	0	40	0	0	20	0	20	20	20	0	20	0	0	20	0	0
<i>Euglena sp.</i>	0	20	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Eutreptia sp.</i>	0	0	0	0	0	0	0	20	0	0	20	0	0	0	60	20	0
<i>Mesodinium rubrum</i>	400	180	400	220	80	260	340	60	60	260	100	40	100	40	640	120	300
<i>Parafavella sp.</i>	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	100	40	80	40	40	500	100	20	180	20	20	0	100	160	840	20	120

DATE: 21-03-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Dinophysis norvegica</i>	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Gyrodinium sp.</i>	40	0	0	0	40	20	20	0	0	40	0	0	60	0	0	0	0
<i>Peridinium sp.</i>	0	0	0	0	20	20	40	0	0	0	40	0	0	0	0	0	0
<i>Achnanthes sp.</i>	0	0	0	0	0	20	0	0	0	20	0	0	0	0	0	0	0
<i>Actinoptychus undulatus</i>	40	20	0	0	0	0	60	0	0	0	0	0	0	0	0	0	0
<i>Biddulphia aurita</i>	0	20	0	0	0	0	60	20	0	20	0	0	0	0	0	0	0
<i>Biddulphia obtusa</i>	0	60	0	40	0	80	0	0	0	0	0	0	0	80	0	0	0
<i>Chaetoceros decipiens</i>	0	0	0	20	40	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chaetoceros sp.</i>	0	20	20	80	60	160	40	40	0	0	0	20	20	0	40	0	0
<i>Corethron criophilum</i>	0	0	0	0	60	0	0	0	20	0	0	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	0	0	20	0	20	0	0	0	0	0	0	0	0	0	0	0	0
<i>Fragilaria oceanica</i>	0	0	0	0	0	20	60	0	0	0	0	0	0	0	0	0	0
<i>Gyrosigma fasciola</i>	0	0	0	0	0	0	20	0	0	0	0	0	40	0	0	0	0
<i>Gyrosigma sp.</i>	0	0	0	0	0	20	0	0	60	0	0	0	0	0	0	0	0
<i>Leptocylindrus minimus</i>	0	0	0	20	0	0	20	0	40	0	0	0	20	0	0	0	0
<i>Lycmophora lyngbyei</i>	20	20	0	0	40	0	40	0	0	0	0	0	0	0	0	0	0
<i>Melosira ambigua</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Melosira moniliformis</i>	0	0	0	0	0	40	0	0	0	0	0	0	0	0	0	0	0
<i>Navicula sp.</i>	0	80	80	80	120	20	60	80	0	80	20	40	0	120	0	0	0
<i>Nitzschia closterium</i>	80	40	20	40	140	20	60	0	60	0	20	140	0	180	0	0	0
<i>Nitzschia pseudodelicatissima</i>	880	400	200	620	60	1700	840	60	1180	0	520	1040	0	1500	0	0	0
<i>Pleurosigma angulatum</i>	0	20	0	20	20	0	0	0	20	0	0	0	0	40	0	0	0
<i>Pleurosigma sp.</i>	0	20	20	0	20	20	0	20	0	0	0	0	0	0	0	0	0
<i>Rhabdonema arcuatum</i>	0	0	0	0	0	20	20	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia setigera</i>	0	20	0	0	0	0	0	0	0	0	0	0	0	0	60	0	0
<i>Skeletonema costatum</i>	0	40	0	20	100	160	40	20	40	0	0	40	0	40	0	20	0
<i>Thalassiosira decipiens</i>	0	20	0	40	80	140	40	0	20	0	0	0	0	80	0	0	0
<i>Thalassiosira gravida</i>	0	40	0	0	20	0	0	0	0	0	0	0	0	20	0	0	0
<i>Thalassiosira nordenskioeldii</i>	20	80	0	0	20	60	0	0	40	0	0	0	0	20	0	0	0
<i>Thalassiosira sp.</i>	20	40	0	0	20	20	0	0	0	0	0	0	0	0	0	0	0
<i>Distephanus speculum</i>	0	0	20	0	20	40	0	0	40	0	0	0	0	0	0	0	0
<i>Euglena sp.</i>	0	0	20	60	0	0	0	0	0	0	0	0	0	20	0	0	0
<i>Eutreptia sp.</i>	60	0	0	40	100	20	0	0	60	0	0	0	0	0	40	0	0
<i>Mesodinium rubrum</i>	160	160	240	60	140	20	100	160	0	0	80	40	0	20	0	20	0
<i>Tintinnids</i>	100	20	40	0	420	400	20	0	140	0	20	120	0	100	0	0	0

DATE: 12-04-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Biddulphia aurita</i>			240											20	0	380	
<i>Biddulphia obtusa</i>			160											400	60	0	
<i>Biddulphia sp.</i>			100											0	0	20	
<i>Chaetoceros decipiens</i>			20											0	0	0	
<i>Chaetoceros sp.</i>			100											100	120	0	
<i>Fragilaria oceanica</i>			80											0	0	140	
<i>Grammatophora marina</i>			20											0	0	0	
<i>Gyrosigma fasciola</i>			20											0	0	0	
<i>Lycmophora lyngbyei</i>			160											80	0	120	
<i>Melosira moniliformis</i>			260											220	100	480	
<i>Melosira sp.</i>			20											0	0	20	
<i>Navicula sp.</i>			60											80	40	140	
<i>Nitzschia closterium</i>			100											140	0	40	
<i>Nitzschia pseudodelicatissima</i>			260											1360	200	0	
<i>Rhabdonema arcuatum</i>			20											0	0	40	
<i>Skeletonema costatum</i>			20											20	20	0	
<i>Thalassiosira decipiens</i>			20											160	0	0	
<i>Distephanus speculum</i>			20											40	20	0	
<i>Mesodinium rubrum</i>			40											0	0	180	
Tintinnids			20											20	0	100	

DATE: 25-04-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Gyrodinium sp.</i>			40											20	0	0	
<i>Biddulphia sp.</i>			20											0	0	0	
<i>Chaetoceros debilis</i>			40											0	40	0	
<i>Chaetoceros sp.</i>			20											0	80	20	
<i>Coscinodiscus sp.</i>			60											20	20	20	
<i>Fragilaria oceanica</i>			60											0	0	0	
<i>Gyrosigma baltica</i>			20											0	0	0	
<i>Lycmophora lyngbyei</i>			40											0	20	0	
<i>Melosira moniliformis</i>			80											20	0	0	
<i>Navicula sp.</i>			160											0	100	160	
<i>Nitzschia closterium</i>			140											0	140	40	
<i>Nitzschia pseudodelicatissima</i>			420											640	860	60	
<i>Skeletonema costatum</i>			120											120	160	0	
<i>Thalassiosira condensata</i>			80											0	0	0	
<i>Thalassiosira decipiens</i>			80											20	40	0	
<i>Thalassiosira sp.</i>			20											0	40	0	
<i>Eutreptia sp.</i>			60											0	200	0	
<i>Mesodinium rubrum</i>			100											180	100	260	
Tintinnids			100											40	580	0	

DATE: 10-05-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Gyrodinium</i> sp.			120											0	260	40	
<i>Peridinium</i> sp.			20											100	260	60	
<i>Chaetoceros debilis</i>			160											100	1280	80	
<i>Chaetoceros decipiens</i>			20											20	0	20	
<i>Chaetoceros socialis</i>			60											100	1060	0	
<i>Chaetoceros</i> sp.			300											320	80	200	
<i>Coscinodiscus</i> sp.			60											60	0	60	
<i>Coscinosira polychorda</i>			20											0	0	0	
<i>Leptocylindrus minimus</i>			40											20	0	0	
<i>Melosira ambigua</i>			20											0	0	0	
<i>Melosira moniliformis</i>			80											0	0	0	
<i>Navicula</i> sp.			100											0	80	80	
<i>Nitzschia closterium</i>			120											60	60	60	
<i>Nitzschia pseudodelicatissima</i>			720											1480	1980	100	
<i>Skeletonema costatum</i>			40											60	80	80	
<i>Thalassiosira decipiens</i>			140											100	120	40	
<i>Thalassiosira gravida</i>			40											0	20	80	
<i>Thalassiosira nordenskioeldii</i>			460											120	1060	320	
<i>Thalassiosira</i> sp.			200											60	140	0	
<i>Eutreptia</i> sp.			400											140	780	100	
<i>Favella</i> sp.			20											0	0	0	
<i>Mesodinium rubrum</i>			2540											3360	2600	140	
<i>Tintinnids</i>			320											26680	640	36640	

DATE: 24-05-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>			60											500	20	340	
<i>Alexandrium (duplet)</i>			20											0	0	0	
<i>Gyrodinium sp.</i>			300											240	180	0	
<i>Peridinium conicum</i>			20											0	0	0	
<i>Peridinium sp.</i>			200											160	240	20	
<i>Peridinium triqueta</i>			20											20	40	40	
<i>Scrippsiella trochoidea</i>			20											80	0	0	
<i>Actinoptychus undulatus</i>			20											0	0	0	
<i>Biddulphia obtusa</i>			40											0	0	0	
<i>Chaetoceros debilis</i>			580											40	1500	980	
<i>Chaetoceros decipiens</i>			100											0	100	80	
<i>Chaetoceros laciniosus</i>			60											0	0	20	
<i>Chaetoceros socialis</i>			280											0	0	0	
<i>Fragilaria oceanica</i>			40											20	0	0	
<i>Leptocylindrus minimus</i>			20											0	60	0	
<i>Melosira monolithiformis</i>			420											40	0	0	
<i>Melosira sp.</i>			40											0	60	0	
<i>Navicula sp.</i>			20											20	40	40	
<i>Nitzschia closterium</i>			40											0	180	20	
<i>Nitzschia pseudodelicatissima</i>			60											20	160	320	
<i>Thalassiosira decipiens</i>			40											20	40	460	
<i>Thalassiosira nordenskioeldii</i>			800											40	3860	2460	
<i>Distephanus speculum</i>			40											60	100	0	
<i>Euglena sp.</i>			40											60	0	0	
<i>Eutreptia sp.</i>			41740											25560	2540	20	
<i>Favella sp.</i>			20											0	0	0	
<i>Mesodinium rubrum</i>			1000											2140	640	1500	
<i>Tintinnids</i>			2080											2240	540	240	

DATE: 07-06-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Gyrodinium sp.</i>			200											200	40	80	
<i>Peridinium triqueta</i>			140											0	0	0	
<i>Scrippsiella trochoidea</i>			60											200	40	0	
<i>Chaetoceros compressus</i>			60											0	0	520	
<i>Chaetoceros debilis</i>			2940											2340	11120	4580	
<i>Chaetoceros decipiens</i>			200											0	120	80	
<i>Chaetoceros furcellatus</i>			200											140	840	1300	
<i>Chaetoceros sp.</i>			1340											3260	7600	3000	
<i>Nitzschia closterium</i>			140											1140	320	40	
<i>Nitzschia pseudodelicatissima</i>			60											800	360	40	
<i>Skeletonema costatum</i>			140											60	0	880	
<i>Thalassiosira decipiens</i>			660											740	400	20	
<i>Thalassiosira gravida</i>			60											0	0	60	
<i>Thalassiosira nordenskioeldii</i>			3920											7060	24280	3460	
<i>Distephanus speculum</i>			140											200	120	0	
<i>Helicostomella sp.</i>			60											0	0	20	
<i>Mesodinium rubrum</i>			400											60	120	1340	
<i>Tintinnids</i>			60											5120	280	360	

DATE: 14-06-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>			520											840	280	240	
<i>Alexandrium (duplet)</i>			80											160	80	0	
<i>Dinophysis norvegica</i>			40											0	0	0	
<i>Gonyaulax triacantha</i>			40											40	0	0	
<i>Cyrodinium sp.</i>			80											160	80	80	
<i>Peridinium sp.</i>			600											840	520	160	
<i>Peridinium triqueta</i>			240											440	0	40	
<i>Chaetoceros compressus</i>			840											320	0	1200	
<i>Chaetoceros constrictus</i>			80											320	0	120	
<i>Chaetoceros convolutus</i>			80											80	0	0	
<i>Chaetoceros debilis</i>			2920											3040	2640	640	
<i>Chaetoceros decipiens</i>			80											80	0	120	
<i>Chaetoceros furcellatus</i>			480											80	720	760	
<i>Chaetoceros sp.</i>			1160											400	1920	840	
<i>Chaetoceros teres</i>			80											0	20	280	
<i>Coscinodiscus sp.</i>			40											40	0	0	
<i>Gyrosigma littorale</i>			40											0	0	0	
<i>Leptocylindrus danicus</i>			40											0	0	0	
<i>Leptocylindrus minimus</i>			40											0	80	80	
<i>Melosira nummuloides</i>			40											0	0	0	
<i>Nitzschia closterium</i>			920											40	1200	160	
<i>Nitzschia pseudodelicatissima</i>			160											120	2040	120	
<i>Skeletonema costatum</i>			240											400	520	7320	
<i>Thalassiosira decipiens</i>			360											200	1680	120	
<i>Thalassiosira nordenskioeldii</i>			3800											1520	3560	1120	
<i>Thalassiosira sp.</i>			160											240	40	0	
<i>Brachionus sp.</i>			40											40	0	0	
<i>Mesodinium rubrum</i>			2440											5760	2120	1400	
<i>Parapharella sp.</i>			160											80	0	0	
<i>Ptychocylis sp.</i>			40											0	0	0	
<i>Tintinnids</i>			400											360	920	1240	

DATE: 21-06-89 DEPTH: SURFACE

STATION NUMBERS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>																	
<i>Alexandrium (duplet)</i>	4000																
<i>Dinophysis norvegica</i>	500																
<i>Gonyaulax spinifera</i>	100																
<i>Peridinium sp.</i>	100																
<i>Peridinium triquetra</i>	700																
<i>Scrippsiella trochoidea</i>	200																
<i>Chaetoceros compressus</i>	300																
<i>Chaetoceros constrictus</i>	1700																
<i>Chaetoceros convolutus</i>	1600																
<i>Chaetoceros debilis</i>	700																
<i>Chaetoceros laciniosus</i>	2200																
<i>Chaetoceros sp.</i>	100																
<i>Chaetoceros teres</i>	600																
<i>Cosecinosira polychorda</i>	100																
<i>Leptocylindrus minimus</i>	300																
<i>Navicula sp.</i>	400																
<i>Nitzschia closterium</i>	100																
<i>Nitzschia pseudodelicatissima</i>	500																
<i>Rhizosolenia fragillima</i>	1500																
<i>Skeletonema costatum</i>	100																
<i>Thalassiosira decipiens</i>	2400																
<i>Thalassiosira nordenskioeldii</i>	2700																
<i>Eutreptia sp.</i>	16500																
<i>Helicosomella sp.</i>	200																
<i>Mesodinium rubrum</i>	100																
<i>Tintinnids</i>	3100																
	300																

DATE: 28-06-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>			10500											5860	13600	1720	
<i>Alexandrium (duplet)</i>			1800											660	400	200	
<i>Alexandrium (triplet)</i>			100											0	0	0	
<i>Dinophysis norvegica</i>			100											0	0	0	
<i>Gyrodinium sp.</i>			100											140	200	0	
<i>Peridinium conicum</i>			100											0	0	0	
<i>Peridinium sp.</i>		16300												2860	6000	520	
<i>Peridinium triqueta</i>		1200												1540	2600	600	
<i>Scrippsiella trochoidea</i>		2000												740	1400	400	
<i>Biddulphia obtusa</i>		100												0	0	0	
<i>Chaetoceros convolutus</i>		700												660	200	40	
<i>Chaetoceros debilis</i>		2800												2000	3200	1600	
<i>Chaetoceros decipiens</i>		200												200	200	0	
<i>Chaetoceros laciniatus</i>		600												0	0	40	
<i>Chaetoceros sp.</i>		7400												6320	10200	40	
<i>Chaetoceros teres</i>		200												0	0	0	
<i>Coscinodiscus sp.</i>		100												0	0	0	
<i>Coscinosira polychorda</i>		200												460	1400	40	
<i>Leptocylindrus minimus</i>		2100												860	1000	280	
<i>Melosira sp.</i>		100												0	0	0	
<i>Nitzschia closterium</i>		8400												1460	3800	440	
<i>Nitzschia pseudodelicatissima</i>		54400												33840	54600	520	
<i>Rhizosolenia delicatula</i>		800												60	0	0	
<i>Rhizosolenia fragillima</i>		100												260	200	80	
<i>Rhizosolenia hebetata</i>		500												0	0	0	
<i>Rhizosolenia sp.</i>		100												0	0	0	
<i>Skeletonema costatum</i>		13300												16780	25000	600	
<i>Thalassiosira decipiens</i>		11400												3320	5600	80	
<i>Thalassiosira nordenskioeldii</i>		16100												7000	5000	0	
<i>Acartia sp.</i>		200												0	0	0	
<i>Distephanus speculum</i>		100												0	200	0	
<i>Eutreptia sp.</i>		100												0	600	0	
<i>Helicostomella sp.</i>		300												340	200	560	
<i>Mesodinium rubrum</i>		10900												2200	12000	8720	
Tintinnids		2200												460	0	0	

DATE: 04-07-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>			2600											5200	2900	300	
<i>Alexandrium (duplet)</i>			400											1800	500	0	
<i>Alexandrium (quadruplet)</i>			200											0	100	0	
<i>Dinophysis norvegica</i>			200											0	0	100	
<i>Peridinium sp.</i>		3600												7800	5700	800	
<i>Scrippsiella trochoidea</i>			200											1000	1000	400	
<i>Chaetoceros debilis</i>		2600												8600	2900	14000	
<i>Chaetoceros decipiens</i>			200											400	100	0	
<i>Chaetoceros laciniatus</i>			600											1200	400	100	
<i>Chaetoceros simplex</i>			200											0	0	0	
<i>Chaetoceros sp.</i>		7200												18000	6300	400	
<i>Coscinosira polychorda</i>			600											1400	300	100	
<i>Detonula cystifera</i>		5600												6400	3900	100	
<i>Leptocylindrus minimus</i>		5200												2200	1800	600	
<i>Nitzschia closterium</i>		12600												6400	8200	1400	
<i>Nitzschia pseudodelicatissima</i>		106400												424320	82200	1700	
<i>Rhizosolenia fragillima</i>			1200											800	800	0	
<i>Skeletonema costatum</i>			13000											30000	9500	900	
<i>Thalassiosira condensata</i>			400											0	0	0	
<i>Thalassiosira decipiens</i>		10000												19800	8400	300	
<i>Acartia sp.</i>			200											0	0	100	
<i>Euglena sp.</i>			200											0	0	0	
<i>Eutreptia sp.</i>			200											0	100	0	
<i>Helicostomella sp.</i>			400											400	300	200	
<i>Mesodinium rubrum</i>		4000												1200	1300	2300	
<i>Tintinnids</i>			2000											2400	1200	4600	

100

DATE: 12-07-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>			4700											560	39700	0	
<i>Alexandrium (duplet)</i>			380											80	2500	0	
<i>Alexandrium (quadruplet)</i>			20											0	0	0	
<i>Alexandrium (triplet)</i>			60											0	800	0	
<i>Ceratium longipes</i>			20											0	0	0	
<i>Ceratium minutum</i>			100											0	0	0	
<i>Dinophysis acuminata</i>			100											0	400	40	
<i>Dinophysis norvegica</i>			40											0	300	40	
<i>Gonyaulax triacantha</i>			40											0	100	0	
<i>Gyrodinium sp.</i>			60											280	1700	560	
<i>Peridinium conicum</i>			20											40	0	0	
<i>Peridinium sp.</i>			1160											1240	7600	180	
<i>Peridinium triquetra</i>			280											440	3400	0	
<i>Scrippsiella trochoidea</i>			380											120	2400	0	
<i>Biddulphia aurita</i>			20											0	0	0	
<i>Chaetoceros constrictus</i>			20											0	100	0	
<i>Chaetoceros debilis</i>			320											0	1600	3160	
<i>Chaetoceros decipiens</i>			80											0	300	0	
<i>Chaetoceros laciniosus</i>			20											480	800	0	
<i>Chaetoceros sp.</i>			120											800	1200	480	
<i>Coscinosira polychorda</i>			80											440	700	0	
<i>Detonula cystifera</i>			180											3040	200	500	
<i>Fragilaria oceanica</i>			20											0	0	0	
<i>Gyrosigma fasciola</i>			20											0	0	0	
<i>Leptocylindrus minimus</i>			80											240	0	1000	
<i>Lycmophora lyngbyei</i>			60											40	0	0	
<i>Nitzschia closterium</i>			160											4240	800	4420	
<i>Nitzschia pseudodelicatissima</i>			180											1960	0	2940	
<i>Rhizosolenia delicatula</i>			60											0	0	0	
<i>Rhizosolenia fragillima</i>			140											2000	2900	100	
<i>Rhizosolenia hebetata</i>			20											0	0	20	
<i>Skeletonema costatum</i>			20											200	0	2400	
<i>Thalassiosira baltica</i>			20											0	0	0	
<i>Thalassiosira decipiens</i>			160											480	400	360	
<i>Thalassiosira gravida</i>			60											0	0	0	
<i>Thalassiosira sp.</i>			120											0	0	20	
<i>Brachionus sp.</i>			20											0	0	20	
<i>Euglena sp.</i>			60											40	0	20	
<i>Eutreptia sp.</i>			60											40	0	0	
<i>Favella sp.</i>			20											0	200	0	
<i>Helicostomella sp.</i>			100											40	200	60	
<i>Mesodinium rubrum</i>			4080											600	5100	5040	
<i>Tintinnids</i>			820											560	1200	1980	

DATE: 18-07-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>			44500											162740	57400	0	
<i>Alexandrium (duplet)</i>			2500											9380	2200	0	
<i>Alexandrium (fusing)</i>			200											0	200	0	
<i>Alexandrium (planozygote)</i>			200											3400	400	0	
<i>Alexandrium (quadruplet)</i>			300											860	500	0	
<i>Alexandrium (triplet)</i>			300											0	1000	0	
<i>Ceratium minutum</i>			100											320	0	0	
<i>Dinophysis acuminata</i>			100											160	1000	0	
<i>Gonyaulax spinifera</i>			200											440	100	0	
<i>Gonyaulax triacantha</i>			100											0	100	0	
<i>Gyrodinium sp.</i>			300											1640	1000	1000	
<i>Peridinium sp.</i>			600											5160	1000	800	
<i>Peridinium triquetra</i>			100											1040	900	0	
<i>Scrippsiella trochoidea</i>			1300											2000	1600	0	
<i>Biddulphia aurita</i>			100											0	0	0	
<i>Chaetoceros debilis</i>			200											320	600	7600	
<i>Chaetoceros decipiens</i>			200											0	0	0	
<i>Chaetoceros sp.</i>			200											360	0	6600	
<i>Corethron criophilum</i>			100											0	0	0	
<i>Coscinosira polychorda</i>			400											40	800	0	
<i>Leptocylindrus minimus</i>			100											80	100	15200	
<i>Nitzschia closterium</i>			400											520	0	42000	
<i>Nitzschia pseudodelicatissima</i>			600											160	300	40800	
<i>Pleurosigma angulatum</i>			100											0	0	0	
<i>Rhizosolenia delicatula</i>			200											0	0	0	
<i>Skeletonema costatum</i>			300											0	0	30000	
<i>Euglena sp.</i>			100											0	100	0	
<i>Eutreptia sp.</i>			200											0	100	0	
<i>Favella sp.</i>			200											160	200	0	
<i>Helicostomella sp.</i>			300											240	0	200	
<i>Mesodinium rubrum</i>			2000											4360	4100	400	
<i>Tintinnids</i>			900											1920	300	4800	

DATE: 26-07-89 DEPTH: SURFACE

STATION NUMBERS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	540																
<i>Alexandrium (duperet)</i>	100																
<i>Ceratium minutum</i>	100																
<i>Dinophysis acuminata</i>	40																
<i>Dinophysis norvegica</i>	60																
<i>Gyrodinium sp.</i>	460																
<i>Peridinium sp.</i>	1440																
<i>Peridinium triquetra</i>	80																
<i>Cerataulina pelagica</i>	20																
<i>Chaetoceros debilis</i>	40																
<i>Chaetoceros diadema</i>	20																
<i>Chaetoceros sp.</i>	100																
<i>Detonula cystifera</i>	20																
<i>Fragilaria oceanica</i>	80																
<i>Leptocylindrus minimus</i>	1240																
<i>Lycmophora lyngbyei</i>	40																
<i>Melosira moniliformis</i>	20																
<i>Melosira sp.</i>	20																
<i>Navicula sp.</i>	20																
<i>Nitzschia closterium</i>	640																
<i>Nitzschia pseudodelicatissima</i>	1220																
<i>Rhizosolenia fragilima</i>	60																
<i>Skeletonema costatum</i>	100																
<i>Thalassiosira decipiens</i>	40																
<i>Acartia sp.</i>	20																
<i>Disstephanus speculum</i>	280																
<i>Eutreptia sp.</i>	4660																
<i>Favella sp.</i>	260																
<i>Helicosornella sp.</i>	100																
<i>Mesodinium rubrum</i>	1640																
<i>Tintinnids</i>	1940																

103

DATE: 02-08-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>			2520												8220	10560	0
<i>Alexandrium (duplet)</i>			40												100	920	0
<i>Ceratium longipes</i>			160												80	160	0
<i>Ceratium minutum</i>			140												140	560	0
<i>Dinophysis acuminata</i>			160												40	280	0
<i>Dinophysis norvegica</i>			100												40	240	20
<i>Dinophysis sp.</i>			40												0	0	0
<i>Gonyaulax spinifera</i>			20												140	360	0
<i>Gyrodinium sp.</i>			380												300	760	20
<i>Peridinium sp.</i>			400												1580	12040	0
<i>Peridinium triquetra</i>			180												960	840	0
<i>Scrippsiella trochoidea</i>			20												0	40	0
<i>Cerataulina pelagica</i>			40												20	0	120
<i>Chaetoceros debilis</i>			20												20	40	160
<i>Chaetoceros sp.</i>			40												200	80	20
<i>Coscinodiscus sp.</i>			20												0	0	0
<i>Coscinosira polychorda</i>			20												0	80	0
<i>Detonula cystifera</i>			20												0	0	0
<i>Fragilaria oceanica</i>			20												0	0	0
<i>Leptocylindrus danicus</i>			20												0	0	0
<i>Leptocylindrus minimus</i>			200												1100	280	220
<i>Nitzschia closterium</i>			140												180	1200	540
<i>Nitzschia pseudodelicatissima</i>			860												520	1520	40
<i>Nitzschia pungens</i>			40												20	0	0
<i>Rhizosolenia delicatula</i>			60												60	0	20
<i>Skeletonema costatum</i>			140												0	320	40
<i>Thalassiothrix longissima</i>			40												0	0	0
<i>Distephanus speculum</i>			60												580	680	160
<i>Eutreptia sp.</i>			40												140	0	140
<i>Favella sp.</i>			240												800	520	0
<i>Helicostomella sp.</i>			220												140	480	40
<i>Mesodinium rubrum</i>			2540												1860	3040	160
<i>Parafavella sp.</i>			20												0	0	0
<i>Tintinnids</i>			720												100	6200	160

104

DATE: 09-08-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	20		0		0		40	0	100		0		0	80	0	40	0
<i>Ceratium longipes</i>	0		60		0		120	160	400		60		0	0	100	60	0
<i>Ceratium minutum</i>	140		120		220		120	640	1000		140		120	220	520	80	60
<i>Dinophysis acuminata</i>	80		80		140		60	800	120		120		280	660	160	40	180
<i>Dinophysis norvegica</i>	120		80		40		60	160	320		20		100	260	60	0	40
<i>Dinophysis rotundata</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Dinophysis sp.</i>	0		20		0		0	40	0		0		0	0	0	0	0
<i>Gonyaulax spinifera</i>	160		80		40		140	0	620		20		0	0	300	240	0
<i>Gonyaulax triacantha</i>	0		0		0		0	0	40		0		0	0	0	0	0
<i>Gyrodinium sp.</i>	20		100		140		40	560	560		60		280	120	80	20	500
<i>Peridinium conicum</i>	0		0		0		20	0	20		0		40	20	0	0	20
<i>Peridinium denticulatum</i>	0		0		40		0	0	0		0		0	0	0	0	0
<i>Peridinium sp.</i>	60		280		400		200	260	660		120		140	300	260	880	140
<i>Peridinium triqueta</i>	80		240		0		160	100	500		0		40	0	140	520	20
<i>Phalacroma pulchellum</i>	0		0		0		0	20	20		0		0	0	0	0	0
<i>Scrippsiella trochoidea</i>	60		40		0		40	0	240		0		0	40	80	400	60
<i>Chaetoceros debilis</i>	0		0		0		60	0	0		40		20	20	0	0	60
<i>Chaetoceros sp.</i>	0		0		0		20	20	0		440		100	300	0	0	940
<i>Ditylum brightwelli</i>	0		0		0		60	0	0		80		0	0	0	0	0
<i>Fragilaria oceanica</i>	0		0		0		0	20	0		0		0	0	0	0	0
<i>Gyrosigma littorale</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Leptocylindrus minimus</i>	0		60		100		40	40	20		560		100	60	0	0	160
<i>Lycmophora lyngbyei</i>	0		0		0		0	80	0		40		20	60	0	0	0
<i>Melosira ambigua</i>	0		60		0		0	0	0		0		0	0	0	0	0
<i>Nitzschia closterium</i>	0		60		240		20	60	0		780		560	160	0	40	2240
<i>Nitzschia pseudodelicatissima</i>	0		80		100		40	0	0		240		40	20	0	20	180
<i>Pleurosigma angulatum</i>	0		0		0		40	0	0		20		20	20	0	0	20
<i>Pleurosigma sp.</i>	0		0		0		20	0	20		0		0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0		20		20		20	0	0		420		180	60	0	0	380
<i>Acartia sp.</i>	0		20		20		0	0	20		0		0	20	60	0	40
<i>Brachionus sp.</i>	0		0		20		20	0	0		0		0	0	0	0	0
<i>Distephanus speculum</i>	20		220		80		560	200	140		6260		1520	23580	100	120	8520
<i>Euglena sp.</i>	20		0		0		20	0	0		0		0	20	0	0	0
<i>Eutreptia sp.</i>	360		5580		100		46000	80	20		200		60	80	40	0	14560
<i>Favella sp.</i>	0		0		20		20	40	100		0		0	0	60	40	0
<i>Helicostomella sp.</i>	120		0		340		140	100	1060		80		120	1280	40	20	220
<i>Mesodinium rubrum</i>	1900		260		1400		800	360	1580		0		640	4420	1220	2660	6040
<i>Tintinnids</i>	0		920		2720		40	380	680		320		820	1820	60	60	2320

DATE: 17-08-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0		0		0		0	20	0		0		0	0	0	0	0
<i>Ceratium fusus</i>	0		20		0		0	20	20		0		0	0	0	0	0
<i>Ceratium longipes</i>	60		80		120		140	180	160		80		100	120	120	220	80
<i>Ceratium minutum</i>	1660		960		1060		600	1760	3700		100		600	280	420	740	1820
<i>Dinophysis acuminata</i>	160		380		160		180	420	320		120		240	240	60	340	1220
<i>Dinophysis acuta</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Dinophysis norvegica</i>	380		140		160		60	360	280		60		100	80	20	60	140
<i>Dinophysis rotundata</i>	20		0		0		60	0	0		0		0	0	0	0	40
<i>Dinophysis sp.</i>	0		0		0		0	80	0		0		0	0	40	20	20
<i>Gonyaulax spinifera</i>	1340		520		240		240	700	900		20		120	40	1380	900	160
<i>Gyrodinium sp.</i>	20		20		60		20	0	0		0		20	40	0	80	80
<i>Peridinium ovatum</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Peridinium sp.</i>	980		240		180		460	880	720		60		240	240	120	1740	800
<i>Peridinium triqueta</i>	460		120		80		280	1040	700		0		60	40	100	2720	80
<i>Phalacroma pulchellum</i>	0		0		0		0	20	0		0		20	0	0	0	0
<i>Scrippsiella trochoidea</i>	60		0		20		40	20	0		0		0	0	0	140	0
<i>Actinoptychus undulatus</i>	0		20		0		0	0	20		0		0	0	0	0	0
<i>Biddulphia aurita</i>	0		0		0		0	0	80		0		0	0	0	0	0
<i>Biddulphia obtusa</i>	0		20		0		0	0	0		0		0	0	0	0	0
<i>Cerataulina pelagica</i>	0		0		0		40	0	0		120		300	120	0	0	0
<i>Chaetoceros laciniatus</i>	0		0		0		0	20	0		60		20	40	0	0	20
<i>Chaetoceros sp.</i>	0		0		0		0	0	20		300		20	240	0	0	20
<i>Coscinodiscus sp.</i>	0		20		0		20	0	0		20		0	0	0	0	0
<i>Ditylum brightwelli</i>	20		40		0		0	0	0		0		20	0	0	0	20
<i>Gyrosigma fasciola</i>	0		0		0		0	0	20		0		0	0	20	0	0
<i>Gyrosigma sp.</i>	0		0		0		20	0	0		0		0	0	0	0	0
<i>Leptocylindrus minimus</i>	0		20		80		100	80	0		200		40	320	0	160	60
<i>Lycmophora lyngbyei</i>	0		0		0		40	0	20		40		0	0	0	0	0
<i>Melosira sp.</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Nitzschia closterium</i>	20		180		280		540	20	0		0		0	560	60	260	380
<i>Nitzschia pseudodelicatissima</i>	180		600		200		640	240	20		420		140	200	0	360	20
<i>Pleurosigma angulatum</i>	0		20		0		120	0	20		60		80	0	0	0	60
<i>Pleurosigma sp.</i>	20		20		0		20	0	0		20		0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0		20		0		20	0	0		140		60	200	40	140	40
<i>Skeletonema costatum</i>	40		20		0		60	40	0		9120		120	1080	0	120	0
<i>Thalassiosira gravida</i>	0		0		20		0	0	0		0		0	0	0	0	20
<i>Thalassiothrix longissima</i>	0		0		0		0	20	0		0		0	0	0	0	0
<i>Thalassiothrix nitzschiae</i>	0		40		0		40	20	20		100		0	80	0	0	0
<i>Acartia sp.</i>	0		0		20		40	0	0		20		0	40	40	100	0
<i>Brachionus sp.</i>	20		0		0		0	0	20		0		0	0	0	0	0
<i>Distephanus speculum</i>	340		580		380		22840	480	300		6760		27540	46000	240	12520	10780
<i>Euglena sp.</i>	0		0		80		0	20	20		0		0	0	0	0	0

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Eutreptia</i> sp.	420		0		80		1560	100	100		400		120	440	0	140	280
<i>Helicostomella</i> sp.	80		80		20		80	360	240		60		0	40	20	80	300
<i>Mesodinium rubrum</i>	19140		3820		2920		640	5280	13300		280		3440	2480	460	3740	561400
<i>Tintinnids</i>	0		560		120		1980	80	200		380		420	1040	0	40	280

DATE: 23-08-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0		0		0		0	0	20		20		0	0	0	0	0
<i>Ceratium fusus</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Ceratium longipes</i>	0		40		100		20	80	200		0		0	80	60	80	660
<i>Ceratium minutum</i>	1080		1300		1580		600	7000	5380		720		360	2800	800	4140	1740
<i>Dinophysis acuminata</i>	140		60		180		40	560	760		80		40	360	40	200	200
<i>Dinophysis norvegica</i>	60		120		180		60	400	660		60		60	80	100	80	160
<i>Dinophysis rotundata</i>	0		0		0		0	0	40		20		0	0	0	0	0
<i>Dinophysis</i> sp.	0		60		40		20	0	40		0		0	0	40	0	100
<i>Gonyaulax spinifera</i>	280		400		40		320	1600	1960		100		40	200	120	4820	140
<i>Gonyaulax triacantha</i>	0		0		0		0	0	20		20		0	0	0	20	0
<i>Gyrodinium</i> sp.	20		20		20		40	120	60		20		0	80	40	20	0
<i>Peridinium conicum</i>	0		0		0		0	40	0		0		0	0	0	0	0
<i>Peridinium</i> sp.	240		140		200		200	1960	2800		60		20	160	60	2060	160
<i>Peridinium triqueta</i>	0		20		120		320	2440	2200		20		0	0	60	580	80
<i>Scrippsiella trochoidea</i>	20		0		40		20	440	320		0		0	0	0	140	20
<i>Cerataulina pelagica</i>	20		0		40		20	0	80		0		0	160	0	320	20
<i>Chaetoceros compressus</i>	0		0		20		0	0	0		0		0	0	0	0	0
<i>Chaetoceros constrictus</i>	0		0		0		20	0	40		20		20	0	0	0	0
<i>Chaetoceros debilis</i>	0		0		20		20	0	0		40		20	0	0	0	0
<i>Chaetoceros decipiens</i>	0		0		20		0	0	0		60		60	40	0	0	0
<i>Chaetoceros laciniosus</i>	0		0		0		0	0	40		0		20	0	0	20	20
<i>Chaetoceros</i> sp.	0		0		0		60	0	40		40		80	360	0	80	20
<i>Ditylum brightwelli</i>	0		0		0		0	0	40		0		0	0	0	40	0
<i>Fragilaria</i> sp.	20		0		0		0	0	0		0		0	40	40	20	0
<i>Gyrosigma littorale</i>	0		0		0		0	0	0		0		0	0	0	0	0
<i>Gyrosigma</i> sp.	20		0		0		0	0	0		0		0	0	0	0	0
<i>Leptocylindrus danicus</i>	0		0		0		0	0	20		0		80	0	0	0	0
<i>Leptocylindrus minimus</i>	20		20		20		60	80	60		20		140	320	20	400	60
<i>Lycmophora lyngbyei</i>	0		0		0		60	0	120		20		20	80	0	0	0
<i>Nitzschia closterium</i>	140		0		80		120	120	80		160		60	1000	80	120	80
<i>Nitzschia pseudodelicatissima</i>	380		40		80		100	680	820		100		160	520	60	1580	20

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Pleurosigma angulatum</i>	0		20		20		40	0	0		20		0	40	0	0	40
<i>Pleurosigma strigosum</i>	0		0		0		20	0	0		0		0	0	0	0	0
<i>Rhizosolenia delicatula</i>	20		20		60		60	40	100		60		60	160	0	100	80
<i>Skeletonema costatum</i>	20		20		180		60	0	180		1120		80	880	0	1580	120
<i>Thalassiosira gravida</i>	0		20		0		0	0	0		20		20	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	40		0		20		0	80	0		20		0	0	0	0	0
<i>Acartia sp.</i>	60		0		0		0	40	0		0		0	0	80	0	0
<i>Brachionus sp.</i>	0		0		0		20	0	0		0		0	0	0	0	0
<i>Distephanus speculum</i>	400		80		200		1340	880	900		220		340	680	720	2720	540
<i>Eutreptia sp.</i>	80		0		0		5320	0	40		1920		100	120	40	80	60
<i>Helicostomella sp.</i>	140		40		40		160	960	760		60		80	480	20	40	980
<i>Mesodinium rubrum</i>	1080		1520		1040		2680	33220	9360		2580		460	2040	900	6080	2700
<i>Tintinnids</i>	3760		20		200		100	2120	300		80		80	5360	20	260	160

DATE: 30-08-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Ceratium longipes</i>	20		40		20		40	0	20		20		40	80	60	160	20
<i>Ceratium minutum</i>	1280		1400		860		860	2020	2480		280		820	2300	3460	4040	20
<i>Dinophysis acuminata</i>	40		0		60		440	400	240		20		340	100	80	300	420
<i>Dinophysis acuta</i>	20		0		0		0	0	20		0		0	20	20	0	0
<i>Dinophysis norvegica</i>	40		80		80		80	120	60		0		60	100	240	300	20
<i>Dinophysis rotundata</i>	0		0		0		0	20	20		0		0	40	20	20	0
<i>Dinophysis sp.</i>	0		80		0		0	0	40		0		0	20	80	40	80
<i>Gonyaulax spinifera</i>	20		20		20		0	0	60		20		0	0	60	100	0
<i>Gonyaulax triacantha</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Gyrodinium aureolum</i>	0		0		20		0	0	0		0		0	0	0	0	0
<i>Gyrodinium sp.</i>	0		20		0		100	40	0		0		100	140	0	60	0
<i>Peridinium sp.</i>	220		580		60		100	160	260		40		40	120	140	1060	580
<i>Peridinium triquetra</i>	0		20		0		0	0	60		0		0	0	140	280	0
<i>Scrippsiella trochoidea</i>	0		80		0		0	100	0		0		0	0	0	60	0
<i>Actinoptychus undulatus</i>	0		0		20		0	0	0		0		0	20	0	0	0
<i>Cerataulina pelagica</i>	0		0		40		0	340	40		60		0	0	0	40	0
<i>Chaetoceros debilis</i>	0		0		20		0	0	0		20		0	20	40	40	0
<i>Chaetoceros laciniatosus</i>	0		0		0		0	40	40		20		0	0	0	0	40
<i>Chaetoceros simplex</i>	0		0		0		0	0	20		0		0	40	0	0	40
<i>Chaetoceros socialis</i>	0		0		0		0	0	40		0		0	0	0	0	20
<i>Chaetoceros sp.</i>	0		0		20		20	140	20		120		40	80	180	20	180

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Corethron criophilum</i>	0		20		0		0	0	0		40		0	60	0	20	40
<i>Coscinodiscus sp.</i>	0		0		40		0	0	0		0		0	0	0	0	20
<i>Ditylum brightwelli</i>	0		20		40		40	20	0		0		60	0	0	60	0
<i>Fragilaria sp.</i>	0		0		0		0	20	0		0		0	20	0	100	0
<i>Guinardia flaccida</i>	0		0		0		420	0	20		100		440	140	0	0	160
<i>Gyrosigma littorale</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Gyrosigma tenuissimum</i>	0		20		0		0	0	0		0		0	0	0	0	0
<i>Leptocylindrus danicus</i>	20		0		0		0	0	0		0		0	0	0	0	20
<i>Leptocylindrus minimus</i>	0		140		40		80	120	200		60		100	140	180	100	960
<i>Lycmophora lyngbyei</i>	0		0		0		20	40	100		0		0	40	20	0	0
<i>Nitzschia closterium</i>	140		40		60		180	240	220		160		320	180	40	180	680
<i>Nitzschia pseudodelicatissima</i>	280		160		200		300	1240	820		260		560	80	20	360	40
<i>Nitzschia pungens</i>	0		20		20		0	40	0		0		0	0	0	0	40
<i>Pleurosigma angulatum</i>	0		0		20		20	0	0		0		40	0	0	0	0
<i>Pleurosigma sp.</i>	0		0		0		0	0	20		0		0	20	0	0	0
<i>Rhizosolenia delicatula</i>	80		500		180		760	320	580		100		580	260	740	780	820
<i>Skeletonema costatum</i>	20		20		40		140	20	120		13980		660	1440	20	40	80
<i>Thalassiosira condensata</i>	0		0		0		0	0	20		40		0	0	0	0	40
<i>Thalassiosira gravida</i>	0		0		0		0	0	20		20		0	40	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0		0		0		0	60	0		0		0	0	20	0	20
<i>Acartia sp.</i>	80		20		0		60	120	80		0		0	20	0	0	100
<i>Distephanus speculum</i>	360		40		200		380	580	440		20		220	460	1700	720	400
<i>Eutreptia sp.</i>	320		0		60		7220	40	220		280		0	100	60	460	680
<i>Helicostomella sp.</i>	60		40		20		140	80	60		0		20	60	20	20	80
<i>Mesodinium rubrum</i>	14960		6800		2280		5500	6060	6220		440		1080	8120	1640	4160	1260
<i>Tintinnids</i>	100		180		140		1520	2080	340		160		680	340	40	180	1060
<i>Tintinnopsis campanula</i>	0		0		0		0	0	20		0		0	40	0	0	80

DATE: 06-09-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0		0		0		0	40	100		0		0	0	20	0	0
<i>Ceratium longipes</i>	20		0		20		0	0	0		0		40	40	20	0	0
<i>Ceratium minutum</i>	1540		1160		1660		1680	2840	4620		260		980	540	2000	7280	60
<i>Dinophysis acuminata</i>	40		60		20		220	60	140		60		260	140	60	340	220
<i>Dinophysis norvegica</i>	20		40		60		40	40	40		20		60	0	160	80	20
<i>Dinophysis rotundata</i>	20		0		40		0	0	0		0		0	0	40	60	0
<i>Dinophysis sp.</i>	0		0		140		20	0	0		0		0	0	40	0	0
<i>Gonyaulax spinifera</i>	0		0		0		0	0	20		0		0	0	40	0	20
<i>Gyrodinium sp.</i>	20		40		80		80	20	120		40		0	0	40	20	120
<i>Peridinium sp.</i>	120		220		200		500	1240	1080		80		240	140	120	6680	320
<i>Peridinium triqueta</i>	20		0		40		140	220	380		0		0	40	20	680	0
<i>Scrippsiella trochoidea</i>	40		40		20		20	680	380		20		0	0	0	660	0
<i>Actinoptychus undulatus</i>	0		0		0		0	20	0		0		0	20	0	0	0
<i>Cerataulina pelagica</i>	0		0		0		60	0	0		100		0	100	0	0	20
<i>Chaetoceros constrictus</i>	0		0		0		40	20	0		20		40	0	0	0	60
<i>Chaetoceros decipiens</i>	0		0		0		20	0	0		0		20	0	0	0	20
<i>Chaetoceros laciniosus</i>	0		0		0		20	40	0		40		40	60	20	0	60
<i>Chaetoceros simplex</i>	0		0		0		60	0	40		0		80	20	0	0	40
<i>Chaetoceros sp.</i>	0		0		0		20	40	20		60		80	0	160	120	120
<i>Corethron criophilum</i>	0		20		0		40	20	20		0		20	0	0	0	20
<i>Coscinodiscus sp.</i>	0		0		20		0	20	20		0		0	0	0	0	0
<i>Ditylum brightwelli</i>	0		20		0		20	0	0		40		20	0	40	0	40
<i>Guinardia flaccida</i>	0		20		0		740	80	0		560		420	340	0	0	540
<i>Gyrosigma littorale</i>	0		0		0		20	0	0		0		0	0	0	0	0
<i>Gyrosigma tenuissimum</i>	0		0		0		0	20	0		0		0	0	0	0	0
<i>Leptocylindrus danicus</i>	20		0		20		60	0	0		80		240	40	0	0	20
<i>Leptocylindrus minimus</i>	20		100		100		200	60	20		180		340	240	120	0	320
<i>Lycmophora lyngbyei</i>	0		0		0		20	0	40		20		20	80	0	0	0
<i>Nitzschia closterium</i>	40		0		100		40	60	20		0		360	80	80	80	120
<i>Nitzschia pseudodelicatissima</i>	20		120		280		200	340	440		300		240	80	260	1080	80
<i>Nitzschia pungens</i>	0		0		40		20	0	0		0		40	60	0	0	0
<i>Pleurosigma angulatum</i>	0		20		20		20	0	0		0		20	0	0	0	20
<i>Pleurosigma formosum</i>	0		0		0		20	0	0		0		20	0	0	0	0
<i>Pleurosigma sp.</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Rhizosolenia delicatula</i>	20		40		0		820	60	0		620		1620	900	0	120	2740
<i>Skeletonema costatum</i>	0		20		40		60	40	20		6980		1980	2260	20	40	0
<i>Thalassiosira gravida</i>	0		0		0		0	0	20		20		40	0	0	0	0
<i>Thalassiosira sp.</i>	0		20		0		20	0	0		0		0	0	0	0	0
<i>Acartia sp.</i>	0		60		0		0	0	40		0		20	0	20	20	20
<i>Distephanus speculum</i>	240		40		80		1320	300	320		200		420	580	180	400	620
<i>Eutreptia sp.</i>	20		0		0		60	0	0		980		20	40	0	20	60
<i>Helicostomella sp.</i>	0		20		0		20	0	20		0		0	0	0	0	20

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
--	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----

ORGANISMS

<i>Mesodinium rubrum</i>	1640	1020		500		440	1700	840		120		940	700	4100	6600	1200
<i>Notholca</i> sp.	0	0		0		0	0	20		20		0	0	0	0	0
<i>Tintinnids</i>	700	120		400		140	140	220		20		20	280	100	520	1160
<i>Tintinnopsis campanula</i>	0	20		0		0	0	0		0		0	0	0	20	0

DATE: 13-09-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
--	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----

ORGANISMS

<i>Alexandrium fundyense</i>	2320	840		3800		2400	12720	5120		120		160	40	1920	120	60
<i>Alexandrium (duplet)</i>	240	80		360		400	880	480		40		0	0	200	20	0
<i>Alexandrium (quadruplet)</i>	0	0		20		0	0	0		0		0	0	0	0	0
<i>Ceratium fusus</i>	0	0		0		200	0	0		0		0	0	0	0	0
<i>Ceratium longipes</i>	240	120		20		0	0	80		40		0	0	40	200	0
<i>Ceratium minutum</i>	0	75080		68540		81600	124040	153400		2240		9360	2580	128920	47320	540
<i>Ceratium tripos</i>	80	40		80		100	160	80		0		0	20	0	0	0
<i>Cochlodinium</i> sp.	0	0		80		0	0	80		0		0	0	0	0	0
<i>Dinophysis acuminata</i>	80	240		420		400	160	320		80		120	200	480	80	320
<i>Dinophysis acuta</i>	0	0		0		0	80	80		0		0	0	0	0	0
<i>Dinophysis norvegica</i>	0	80		120		200	480	0		20		120	20	0	100	20
<i>Dinophysis rotundata</i>	0	160		0		100	320	80		0		40	80	160	60	0
<i>Dinophysis</i> sp.	0	0		80		100	0	0		0		40	20	0	0	40
<i>Gonyaulax spinifera</i>	400	160		460		600	960	2320		0		120	0	7400	100	20
<i>Gyrodinium aureolum</i>	7040	2240		8140		5700	29380	6880		120		520	60	6040	1860	0
<i>Gyrodinium</i> sp.	1360	720		1580		2000	2480	3520		60		200	60	1520	280	160
<i>Peridinium conicum</i>	0	0		60		0	0	0		40		0	20	0	0	0
<i>Peridinium excentricum</i>	80	0		0		0	160	0		0		0	0	0	0	0
<i>Peridinium ovatum</i>	0	40		0		0	0	400		0		0	0	0	0	0
<i>Peridinium</i> sp.	4720	2240		3560		5300	11200	10640		220		640	240	4600	1820	100
<i>Peridinium triquetra</i>	560	280		200		300	1600	640		60		160	20	440	180	0
<i>Scrippsiella trochoidea</i>	1680	640		5020		1900	14800	10080		60		280	20	5480	440	20
<i>Biddulphia obtusa</i>	0	40		0		0	0	0		0		0	0	0	0	0
<i>Cerataulina pelagica</i>	240	160		0		600	0	0		860		1280	420	0	0	200
<i>Chaetoceros compressus</i>	160	0		0		300	0	240		20		0	0	0	0	0
<i>Chaetoceros constrictus</i>	0	240		0		200	320	400		80		120	100	0	20	0
<i>Chaetoceros convolutus</i>	0	0		0		0	80	0		0		0	0	0	0	0
<i>Chaetoceros debilis</i>	0	80		0		100	160	160		140		120	160	0	40	80
<i>Chaetoceros decipiens</i>	0	80		0		100	80	0		0		0	0	0	20	0

ORGANISMS																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Chaetoceros latiniatus	240	160	0	300	240	320	120	160	80	0	60	60	120			
Chaetoceros simplex	80	0	0	0	0	80	80	160	0	0	0	0	0	0	0	0
Chaetoceros scotialis	480	160	0	0	100	0	160	260	0	0	0	0	80			
Chaetoceros sp.	320	560	0	600	800	480	320	1320	500	40	0	0	420	160		
Chateoceros tress	0	0	0	0	100	0	160	0	0	0	0	0	0	0	0	0
Corythion criophyllum	160	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Diatomula cystifera	0	0	0	0	200	80	160	60	0	0	0	0	0	0	0	0
Ditylum brigitteae	0	0	0	0	120	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella faceta	0	0	0	0	240	300	480	240	20	160	20	0	0	0	0	0
Gymnosigma littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lepidocyrtus dentatus	480	40	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Lepidocyrtus digitatus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lycophora longibeyti	0	0	0	0	180	0	240	0	140	40	200	40	60	0	0	0
Nitzschia pseudodelicatissima	97920	179520	0	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Platostigma strigosum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rhizosolenia delicatula	0	0	0	0	100	0	160	0	0	0	0	0	0	0	0	0
Skeletocystis condensata	114240	146880	42440	70180	202360	323140	4060	13040	640	204000	218680	0				
Thalassiosira gracilida	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thalassiosira nordenstielii	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thalassiosira recipiens	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thalassiosira rotundata	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Thalassiosira rotundata costatum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rhizosolenia delicatula	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Leptocylindrus denticus	480	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Leptocylindrus puligenes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Diatomula cylindrica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella faceta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Diatomula cylindrica	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Leptocylindrus puligenes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Leptocylindrus puligenes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Leptocylindrus puligenes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Leptocylindrus puligenes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Leptocylindrus puligenes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Leptocylindrus puligenes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Leptocylindrus puligenes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligenes	80	0	0	0	1300	400	400	2040	1080	2180	0	0	60	2100		
Nitzschia seritala	80	0	0	0	100	0	80	480	7400	580	7340	117500	460			
Leptocylindrus puligenes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gymnadiella littoralis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200			
Nitzschia puligena	97920	179520	114240	37540	150140	143620	1540	7400	580	7340	117500	460				
Nitzschia pseudodelicata	160	280	120	0	300	80	0	420	640	280	0	200	200</td			

DATE: 20-09-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	1600		840		8840		900	16320			60		1260	20	540	70180	100
<i>Alexandrium (duplet)</i>	40		80		560		80	1640			0		0	0	20	9800	0
<i>Alexandrium (planozygote)</i>	0		0		20		0	0			0		0	0	0	0	0
<i>Ceratium fusus</i>	0		0		20		0	0			0		0	0	20	0	0
<i>Ceratium longipes</i>	20		0		20		0	0			0		0	0	80	0	0
<i>Ceratium minutum</i>	109340		47320		169720		26980	205640			5300		8760	10140	57120	522240	7520
<i>Ceratium tripos</i>	40		0		0		0	0			0		0	0	0	0	20
<i>Dinophysis acuminata</i>	240		80		360		120	4880			0		140	60	160	1640	100
<i>Dinophysis acuta</i>	20		0		0		0	0			0		0	0	0	0	0
<i>Dinophysis norvegica</i>	300		140		540		40	1640			20		60	40	300	0	80
<i>Dinophysis rotundata</i>	0		40		140		0	0			0		0	0	40	0	20
<i>Dinophysis sp.</i>	80		60		60		20	0			40		0	60	20	3260	100
<i>Gonyaulax spinifera</i>	80		0		120		40	0			0		0	0	0	0	0
<i>Gyrodinium aureolum</i>	3880		2580		37540		2160	31000			40		0	260	1420	75080	160
<i>Gyrodinium sp.</i>	600		480		520		240	6520			80		40	60	180	3260	360
<i>Peridinium conicum</i>	0		60		20		0	0			0		40	0	80	3260	0
<i>Peridinium depressum</i>	0		0		0		40	0			0		0	0	0	0	0
<i>Peridinium ovatum</i>	60		0		0		0	0			0		0	20	0	0	0
<i>Peridinium sp.</i>	2960		1620		6900		400	8160			120		200	200	1120	27740	400
<i>Peridinium triqueta</i>	100		20		260		80	0			0		0	0	80	3260	80
<i>Scrippsiella trochoidea</i>	120		180		940		100	8160			20		100	80	160	16320	0
<i>Cerataulina pelagica</i>	0		40		20		20	0			20		0	20	40	0	0
<i>Chaetoceros compressus</i>	20		0		0		0	0			0		0	0	20	0	0
<i>Chaetoceros constrictus</i>	40		0		0		20	0			0		0	0	40	0	0
<i>Chaetoceros debilis</i>	0		20		60		40	0			0		20	0	140	0	0
<i>Chaetoceros decipiens</i>	0		20		20		0	0			0		0	20	0	0	0
<i>Chaetoceros laciniosus</i>	40		20		60		20	1640			0		20	0	40	1640	0
<i>Chaetoceros simplex</i>	20		0		0		0	0			0		80	0	0	0	20
<i>Chaetoceros socialis</i>	80		40		40		20	0			0		0	0	180	0	0
<i>Chaetoceros sp.</i>	100		100		100		100	1640			40		0	40	400	3260	60
<i>Corethron criophilum</i>	20		40		40		40	0			0		0	20	0	0	20
<i>Coscinodiscus sp.</i>	0		20		0		20	0			0		0	20	20	0	20
<i>Coscinosira polychorda</i>	0		20		100		0	0			0		40	0	80	0	0
<i>Ditylum brightwelli</i>	120		200		360		180	3260			100		120	140	300	0	0
<i>Guinardia flaccida</i>	80		340		60		960	0			420		360	460	0	0	2860
<i>Gyrosigma littorale</i>	0		0		0		40	0			0		0	0	0	0	0
<i>Leptocylindrus minimus</i>	80		100		20		40	0			200		380	420	60	0	440
<i>Nitzschia closterium</i>	320		220		180		220	0			280		700	400	120	1640	200
<i>Nitzschia pseudodelicatissima</i>	2120		4240		2880		960	3260			1020		4160	1240	16320	16320	420
<i>Nitzschia pungens</i>	0		20		0		40	0			0		60	40	60	0	20
<i>Pleurosigma angulatum</i>	0		20		0		0	0			0		20	0	20	0	0
<i>Rhizosolenia delicatula</i>	80		20		20		40	0			60		100	140	0	0	60

<i>Rhizosolenia shrubsolei</i>	0	0	0	20	0	20	0	20	0	0	0	40
<i>Skeletonema costatum</i>	16040	53860	50600	13040	45700	3240	7220	6220	106080	106080	360	
<i>Synedra sp.</i>	20	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	0	0	80	0	0	0	40	0	60	0	0	0
<i>Thalassiosira gravida</i>	420	740	460	260	6520	100	600	100	880	1640	40	
<i>Thalassiosira sp.</i>	0	0	60	20	0	0	0	20	0	0	0	0
<i>Thalassiothrix nitzschiodes</i>	120	0	80	80	0	20	20	120	20	1640	20	
<i>Acartia sp.</i>	0	0	0	120	0	0	0	20	20	0	40	
<i>Brachionus sp.</i>	40	0	20	0	0	0	0	0	20	0	0	0
<i>Distephanus speculum</i>	60	20	20	100	0	80	0	100	60	0	300	
<i>Euglena sp.</i>	40	0	40	0	0	0	300	0	100	3260	0	
<i>Eutreptia sp.</i>	40	20	0	20	0	40	0	100	20	0	40	
<i>Favella sp.</i>	0	0	0	20	0	0	0	0	0	0	0	0
<i>Helicostomella sp.</i>	140	60	140	0	0	0	0	40	80	0	80	
<i>Mesodinium rubrum</i>	2060	700	4700	1020	8160	220	680	300	340	19580	2560	
<i>Notholca sp.</i>	20	0	0	0	0	20	0	0	0	0	0	0
<i>Tintinnids</i>	1060	360	1660	620	1640	180	240	160	280	3260	260	
<i>Tintinnopsis campanula</i>	40	40	20	20	0	0	60	20	40	0	0	0

DATE: 27-09-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	40		0		0		0	0	0		0		0	0	0	0	0
<i>Ceratium minutum</i>	3780		1420		1020		3660	2440	3660		1020		3020	1500	80	140	
<i>Ceratium tripos</i>	0		0		0		0	40	0		0		0	0	0	0	0
<i>Dinophysis acuminata</i>	40		20		0		180	40	20		0		40	0	40	60	
<i>Dinophysis norvegica</i>	60		0		0		0	20	0		0		80	0	0	0	0
<i>Dinophysis rotundata</i>	0		0		0		20	0	0		0		0	0	0	0	0
<i>Dinophysis sp.</i>	0		0		40		0	60	0		20		20	0	0	0	0
<i>Gonyaulax spinifera</i>	0		20		0		0	0	0		0		0	0	0	20	
<i>Gyrodinium aureolum</i>	40		0		0		20	20	100		120		20	0	0	0	0
<i>Gyrodinium sp.</i>	120		40		40		40	80	20		0		40	0	140	80	
<i>Peridinium sp.</i>	160		100		0		260	220	80		0		260	40	60	40	
<i>Peridinium triqueta</i>	0		0		0		20	20	0		0		20	0	0	0	0
<i>Prorocentrum micans</i>	0		0		0		0	0	20		0		0	0	0	0	0
<i>Scrippsiella trochoidea</i>	0		0		0		60	0	0		0		20	0	0	0	0
<i>Actinoptychus undulatus</i>	0		0		0		60	0	40		0		0	0	20	0	0
<i>Chaetoceros constrictus</i>	0		0		0		0	20	0		0		0	0	0	0	0
<i>Chaetoceros decipiens</i>	0		20		0		0	0	0		0		0	0	0	0	0
<i>Chaetoceros laciniatus</i>	0		20		0		0	0	0		0		0	0	0	0	0
<i>Chaetoceros simplex</i>	0		0		0		40	20	0		0		0	0	20	0	0
<i>Corethron criophilum</i>	20		20		0		0	0	0		0		0	0	0	40	
<i>Coscinodiscus sp.</i>	20		20		20		0	0	0		20		40	20	0	0	0
<i>Ditylum brightwelli</i>	20		80		20		40	40	60		20		0	20	40	40	
<i>Guinardia flaccida</i>	80		0		0		100	40	160		0		320	80	0	100	
<i>Gyrosigma fasciola</i>	0		0		0		20	0	0		0		0	0	0	0	0
<i>Gyrosigma littorale</i>	0		0		0		0	0	20		0		0	20	0	0	0
<i>Leptocylindrus minimus</i>	0		0		0		80	80	60		80		20	0	80	180	
<i>Nitzschia closterium</i>	180		180		0		160	320	20		140		20	120	320	0	
<i>Nitzschia pseudodelicatissima</i>	440		640		580		620	960	720		720		640	360	2100	180	
<i>Paralia sulcata</i>	0		0		0		0	20	0		0		0	0	40	0	
<i>Pleurosigma angulatum</i>	20		0		0		0	0	20		0		0	0	40	0	
<i>Rhizosolenia delicatula</i>	0		0		0		20	0	0		0		20	0	0	0	
<i>Rhizosolenia hebetata</i>	0		0		0		0	0	20		0		0	0	0	20	
<i>Rhizosolenia shrubssolei</i>	0		0		0		0	0	20		0		0	0	0	0	
<i>Skeletonema costatum</i>	660		1380		1360		660	840	1140		1240		1540	760	2000	140	
<i>Synedra sp.</i>	0		0		0		20	0	0		0		0	0	0	0	0
<i>Thalassiosira gravida</i>	20		40		0		40	60	100		20		40	20	0	0	
<i>Thalassiosira sp.</i>	0		0		40		60	60	60		20		40	0	40	0	
<i>Thalassiothrix nitzschiodes</i>	20		80		0		0	60	100		40		60	20	120	0	
<i>Distephanus speculum</i>	20		20		0		40	0	20		20		0	20	0	0	
<i>Euglena sp.</i>	0		0		0		20	0	0		0		0	0	0	0	
<i>Eutreptia sp.</i>	20		0		0		160	60	20		40		0	20	0	0	
<i>Helicostomella sp.</i>	20		0		0		40	0	0		0		0	0	0	0	

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Mesodinium rubrum</i>	860		60		60		880	380	120		0		100	0	40		520
<i>Tintinnids</i>	340		220		100		60	100	120		80		20	40	80		340
<i>Tintinnopsis campanula</i>	0		0		0		0	0	20		0		0	0	0		0

DATE: 05-10-89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Ceratium minutum</i>		440		400		980	300	420		320		480	420	400	700	60	
<i>Dinophysis acuminata</i>	60		20		140	80	40		40		40	0	20	20	0		
<i>Dinophysis sp.</i>	0		0		20	0	0		0		0	0	0	0	0		0
<i>Gyrodinium sp.</i>	0		40		60	40	20		0		40	20	20	40	20		
<i>Peridinium sp.</i>	20		20		40	60	20		0		40	40	80	0	20		0
<i>Prorocentrum micans</i>	0		0		20	0	0		0		0	0	0	0	0		0
<i>Actinopychus undulatus</i>	20		40		0	0	40		0		0	0	0	0	0		0
<i>Biddulphia regia</i>	20		0		0	0	0		0		0	0	0	0	0		0
<i>Chaetoceros debilis</i>	0		0		0	0	20		0		0	0	0	0	0		0
<i>Chaetoceros furcellatus</i>	0		0		0	0	20		0		0	0	0	0	0		0
<i>Chaetoceros simplex</i>	40		0		0	40	60		20		60	20	0	0	0		60
<i>Chaetoceros socialis</i>	0		0		0	20	0		0		0	0	0	0	0		0
<i>Corethron criophilum</i>	0		20		40	0	20		0		0	0	0	20	40	20	
<i>Coscinodiscus sp.</i>	20		0		0	20	20		0		0	0	0	0	0		0
<i>Ditylum brightwelli</i>	20		60		20	40	20		20		0	0	0	120	40	0	
<i>Guinardia flaccida</i>	0		0		0	40	40		0		20	0	0	0	0		0
<i>Cyrosigma fasciola</i>	0		0		20	0	20		0		0	0	0	160	0	20	
<i>Cyrosigma tenuissimum</i>	0		0		20	0	0		0		0	0	0	0	0		20
<i>Leptocylindrus minimus</i>	20		120		0	60	0		180		100	100	320	80	20		
<i>Lycmophora lyngbyei</i>	0		20		0	20	0		20		0	0	20	0	0		0
<i>Navicula sp.</i>	0		0		0	0	20		20		0	0	0	20	0	0	
<i>Nitzschia closterium</i>	60		160		160	240	220		80		200	120	1380	260	20		
<i>Nitzschia pseudodelicatissima</i>	280		500		60	420	580		520		520	100	5480	240	160		
<i>Paralia sulcata</i>	0		0		0	0	20		0		0	0	20	0	0		0
<i>Pleurosigma angulatum</i>	0		0		20	0	0		0		0	0	20	0	0		0
<i>Pleurosigma sp.</i>	0		0		20	0	40		20		0	0	0	0	0		0
<i>Skeletonema costatum</i>	340		860		380	380	420		940		1140	480	5060	540	80		
<i>Thalassiosira condensata</i>	20		80		0	40	20		100		0	40	0	20	40		
<i>Thalassiosira decipiens</i>	0		20		0	20	0		20		100	0	40	0	0		
<i>Thalassiosira sp.</i>	0		40		0	0	40		0		0	0	40	0	0		
<i>Thalassiothrix nitzschiodes</i>	0		60		60	0	0		0		40	40	320	20	0		
<i>Acartia sp.</i>	0		40		20	0	20		0		0	0	0	0	0		0
<i>Distephanus speculum</i>	20		20		20	20	20		0		0	20	40	20	20		
<i>Eutreptia sp.</i>	40		0		40	0	0		0		40	80	0	0	20		
<i>Mesodinium rubrum</i>	120		140		1820	240	140		260		40	500	280	60	400		
<i>Tintinnids</i>	260		120		1180	160	80		160		80	200	80	220	60		

DATE: 11-10-89 DEPTH: SURFACE

STATION NUMBERS

DATE: 18- 10- 89 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Alexandrium fundyense</i>	0		40		20		0	0	0		0		0	0	120		0
<i>Ceratium minutum</i>	200		280		440		220	240	140		80		140	140	820		20
<i>Dinophysis acuta</i>	0		20		0		0	0	0		0		0	0	0		0
<i>Gyrodinium aureolum</i>	0		20		0		0	0	0		0		20	0	20		0
<i>Gyrodinium sp.</i>	20		0		40		0	20	20		0		40	40	0		20
<i>Peridinium sp.</i>	20		20		0		0	0	0		0		0	20	0		20
<i>Actinoptychus undulatus</i>	0		20		40		20	0	0		0		0	0	0		0
<i>Chaetoceros debilis</i>	20		20		0		0	0	0		0		0	0	20		0
<i>Chaetoceros simplex</i>	20		0		0		60	120	120		0		40	20	0		40
<i>Corethron criophilum</i>	20		0		0		60	20	40		20		0	0	20		0
<i>Coscinodiscus sp.</i>	0		0		0		0	0	20		20		0	0	40		20
<i>Ditylum brightwelli</i>	0		20		0		40	0	0		40		0	20	60		40
<i>Leptocylindrus minimus</i>	20		0		20		0	40	60		40		40	20	0		60
<i>Navicula sp.</i>	0		20		20		0	0	0		20		0	20	20		40
<i>Nitzschia closterium</i>	100		100		260		100	180	300		180		180	120	680		100
<i>Nitzschia pseudodelicatissima</i>	80		220		140		240	180	380		140		60	260	380		120
<i>Pleurosigma strigosum</i>	0		0		20		0	0	0		0		0	40	0		0
<i>Rhabdonema adriaticum</i>	0		0		0		20	0	0		0		0	0	0		0
<i>Rhizololenia stolterfothii</i>	0		80		20		180	0	0		0		0	0	0		0
<i>Rhizosolenia delicatula</i>	0		60		40		20	0	0		0		0	0	80		0
<i>Rhizosolenia fragillima</i>	0		0		20		0	0	0		0		20	0	0		0
<i>Skeletonema costatum</i>	300		240		260		400	260	340		200		440	320	360		220
<i>Streptotheca thamensis</i>	0		20		0		0	0	0		0		0	0	0		0
<i>Thalassiosira condensata</i>	0		20		0		20	20	20		40		40	0	0		0
<i>Thalassiosira decipiens</i>	0		0		0		20	40	0		0		0	0	0		0
<i>Thalassiothrix nitzschioides</i>	0		20		20		0	0	20		0		20	20	20		0
<i>Distephanus speculum</i>	0		0		20		40	60	60		0		60	20	0		40
<i>Eutreptia sp.</i>	20		20		40		0	0	20		20		40	0	20		0
<i>Mesodinium rubrum</i>	240		0		260		20	120	0		160		180	80	0		160
<i>Tintinnids</i>	140		40		200		20	60	20		40		100	40	220		40

118

DATE: 25- 10- 89 DEPTH: SURFACE

STATION NUMBERS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ORGANISMS																	
<i>Alexandrium fundyense</i>	0		40		0		0	0	0		0			0	80	20	0
<i>Ceratium minutum</i>	20		80		180		80	140	140		40			80	160	60	0
<i>Dinophysis acuta</i>	0		0		0		0	0	20		0			0	0	0	0
<i>Dinophysis norvegica</i>	0		0		20		0	20	20		0			0	0	0	0
<i>Dinophysis sp.</i>	0		0		0		0	20	0		0			0	0	0	0
<i>Gonyaulax spinifera</i>	0		0		0		0	20	0		0			0	0	0	0
<i>Gyrodinium aureolum</i>	20		0		40		0	180	80		40			20	0	20	0
<i>Gyrodinium sp.</i>	60		0		60		20	0	20		0			20	0	0	20
<i>Peridinium sp.</i>	0		0		20		0	100	20		0			0	0	20	0
<i>Peridinium triquetra</i>	0		0		0		0	20	0		0			0	0	0	0
<i>Scrippsiella trochoidea</i>	0		0		0		0	40	0		0			0	20	20	0
<i>Actinoptychus undulatus</i>	20		20		0		20	80	60		20			20	0	20	0
<i>Biddulphia obtusa</i>	0		0		20		0	0	0		0			0	0	0	0
<i>Chaetoceros debilis</i>	0		0		0		0	20	0		0			0	20	0	0
<i>Chaetoceros laciniatus</i>	0		20		0		0	0	20		0			0	0	0	0
<i>Chaetoceros simplex</i>	20		20		0		60	100	40		20			80	0	20	0
<i>Corethron criophilum</i>	0		0		0		80	60	60		0			20	0	20	60
<i>Coscinodiscus sp.</i>	0		20		0		0	0	0		0			0	0	0	0
<i>Coscinosira polychorda</i>	0		0		0		20	20	0		0			20	0	0	0
<i>Ditylum brightwelli</i>	0		0		20		80	20	40		20			40	40	0	20
<i>Leptocylindrus danicus</i>	0		0		0		20	0	0		60			20	20	0	0
<i>Leptocylindrus minimus</i>	20		40		0		0	20	0		20			20	100	0	0
<i>Lymnophora lyngbyei</i>	0		20		20		20	0	0		0			0	0	0	0
<i>Navicula sp.</i>	0		0		20		0	0	0		0			0	0	0	20
<i>Nitzschia closterium</i>	160		280		280		300	260	220		380			480	140	120	60
<i>Nitzschia pseudodelicatissima</i>	20		400		240		480	480	160		140			280	640	200	100
<i>Nitzschia pungens</i>	0		20		0		0	0	0		0			0	0	0	0
<i>Pleurosigma strigosum</i>	0		20		0		0	20	0		0			20	0	0	0
<i>Rhizololenia stolterfothii</i>	0		40		0		0	0	0		0			0	0	0	0
<i>Rhizosolenia delicatula</i>	0		60		80		20	60	40		0			20	0	20	0
<i>Rhizosolenia setigera</i>	0		0		20		0	0	0		0			0	20	0	0
<i>Skeletonema costatum</i>	120		220		260		500	220	120		440			340	220	160	60
<i>Thalassiosira condensata</i>	0		0		0		0	20	0		0			0	0	0	0
<i>Thalassiosira decipiens</i>	0		0		0		0	0	40		20			0	0	0	0
<i>Thalassiosira gravida</i>	0		0		20		20	0	0		0			0	0	0	0
<i>Thalassiosira sp.</i>	0		20		0		0	0	0		20			20	0	0	0
<i>Thalassiothrix nitzschiodes</i>	0		60		20		0	20	20		0			20	40	0	20
<i>Acartia sp.</i>	0		0		0		0	20	0		0			0	0	0	0
<i>Distephanus speculum</i>	60		0		40		80	200	100		40			60	20	40	20
<i>Eutreptia sp.</i>	0		0		40		0	0	0		0			0	0	0	0
<i>Mesodinium rubrum</i>	220		340		2240		320	880	20		400			260	0	100	0
<i>Tintinnids</i>	80		40		100		40	160	20		20			40	0	60	0

DATE: 07-11-89 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

STATION NUMBERS

DATE: 20-11-89 DEPTH: SURFACE

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Ceratium minutum</i>	0	0	60	0	0	40	40	80	20	0	20	0	0	0	0	0	20
<i>Cyrodinium aureolum</i>	0	0	0	0	0	20	40	40	20	0	0	0	0	0	0	0	20
<i>Cyrodinium sp.</i>	20	20	20	0	0	20	20	40	0	0	0	0	0	0	0	0	20
<i>Peridinium sp.</i>	40	0	40	40	0	0	20	0	0	0	0	0	0	0	0	0	0
<i>Actinopeltis undulatus</i>	120	80	0	0	140	180	0	100	80	180	180	0	0	0	0	0	0
<i>Chaitoceros planula</i>	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0
<i>Chaitoceros simplex</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Chaitoceros sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Corallina triquetra</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Corallina pulchella</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Characodes sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Characodes stimpfii</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Characodes sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Corallina prolifera</i>	40	0	0	0	0	20	40	0	20	0	20	20	0	0	0	0	0
<i>Corallina sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Ditylum brightwelli</i>	0	60	0	0	0	40	0	20	20	40	0	0	0	0	0	0	20
<i>Eucalyptidium multinerve</i>	20	0	0	0	0	20	20	20	0	0	0	0	0	0	0	0	0
<i>Typhochora lyngbyae</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Naufragium sp.</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Nitzschia closterium</i>	140	100	500	1740	600	700	160	880	180	260	220	480	360	360	360	360	360
<i>Nitzschia pseudodelicatissima</i>	120	80	160	1240	440	200	180	720	440	20	20	20	20	20	20	20	20
<i>Pleurosigma angulatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia stoliferofolii</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira costata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira condensata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira ballota</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira nitzschiodes</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Euterpita speculum</i>	40	20	0	0	120	0	0	20	0	0	0	0	0	0	0	0	0
<i>Mesodinium rubrum</i>	300	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Tintinnids</i>	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

DATE: 12-12-89 DEPTH: SURFACE

STATION NUMBERS

ORGANISMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
<i>Ceratium minutum</i>	100		120		0		20	0	20	0	0	0	0	0	0	0	0
<i>Cyrodinium sp.</i>	20	0		0		0	0	0	0	0	0	0	0	0	0	0	0
<i>Peridinium sp.</i>	20	0		0		0	0	0	0	20	0	0	0	0	0	0	20
<i>Actinoplychus undulatus</i>	0	40		20		0	40	40	0	20	40	40	0	0	0	0	0
<i>Chaetoceros simplex</i>	0	0		20		0	0	0	0	0	0	0	0	0	0	0	0
<i>Corethron criophilum</i>	20	0		20		0	0	0	80	20	20	0	0	0	0	0	0
<i>Coscinodiscus sp.</i>	0	0		20		0	20	0	0	0	0	0	0	0	0	0	0
<i>Coscinosira polychorda</i>	0	0		20		0	0	20	0	0	40	0	20	0	0	0	0
<i>Ditylum brightwellii</i>	0	20		20		20	20	60	20	20	60	20	20	20	20	20	0
<i>Gyrosigma ballica</i>	0	0		0		20	0	0	0	0	0	0	0	0	0	0	0
<i>Leptocylindrus minimus</i>	0	0		0		20	0	40	0	0	20	0	20	0	0	0	20
<i>Lycophora lyngbyei</i>	0	0		0		0	20	0	0	0	0	0	0	0	0	0	0
<i>Melosira ambigua</i>	0	0		20		0	0	0	0	0	0	0	0	0	0	0	0
<i>Melosira sp.</i>	0	0		20		20	0	0	0	0	0	0	0	0	0	0	0
<i>Navicula sp.</i>	0	0		20		20	80	0	0	0	20	0	0	0	0	0	0
<i>Nitzschia closterium</i>	780	420		160		260	180	240	560	620	280	40	1740	520	520	520	480
<i>Nitzschia pseudodelicatissima</i>	800	580		120		980	0	740									
<i>Pleurosigma striosum</i>	0	0		20		20	0	20	0	0	0	0	0	0	0	0	0
<i>Rhizosolenia delicatula</i>	0	20		0		0	40	40	0	0	0	0	40	0	0	0	0
<i>Rhizosolenia setigera</i>	20	0		0		0	20	20	0	0	0	0	0	0	0	0	0
<i>Skeletonema costatum</i>	100	140		40		60	0	100	40	40	0	40	0	40	580	120	120
<i>Thalassiosira condensata</i>	0	20		20		20	0	0	0	0	20	0	0	0	0	0	0
<i>Thalassiosira decipiens</i>	20	0		0		0	0	0	0	20	0	0	0	0	0	0	20
<i>Thalassiosira gravida</i>	20	20		0		0	0	0	0	0	0	0	0	0	0	0	0
<i>Thalassiosira sp.</i>	0	20		0		0	0	0	0	20	0	20	0	20	0	0	0
<i>Thalassiosira nitzschioides</i>	0	0		0		0	0	0	0	20	0	20	0	20	0	0	20
<i>Eureptia sp.</i>	0	0		0		0	60	0	0	0	0	0	0	40	0	0	0
<i>Mesodinium rubrum</i>	40	0		40		0	0	100	80	80	40	80	20	40	60	60	40
<i>Tintinnids</i>	20	40		0		0	0	0	0	0	0	0	0	0	0	0	0

APPENDIX 5. List of marine microalgal species observed for the first time during 1988 and 1989.

Ceratium tripos
Cochlodinium sp.
Peridinium excentricum
Peridinium willei
Phalacroma pulchellum
Achnanthes sp.
Amphiprora sp.
Asterionella formosa
Bacteriastrum sp.
Cerataulina bergenii
Cerataulina sp.
Chaetoceros divorsus
Chaetoceros radicans
Chaetoceros subtilis
Eucampia zoodiacus
Fragilaria oceanica
Fragilaria striatula
Grammatophora sp.
Rhabdonema sp.
Rhizosolenia gracillima
Streptotheca thamensis
Striatella sp.
Surirella sp.
Synedra ulna
Tabellaria sp.
Thalassiothrix longissima
Dinobryon sp.
Eutintinnus sp.
Proplectella sp.
Tintinnopsis sacculus