

Canadian Survey on Disability, 2012

Mental health-related disabilities among Canadians aged 15 years and older, 2012

by Christine Bizier, Carley Marshall and Gail Fawcett

Release date: December 3rd, 2014



Statistics
Canada

Statistique
Canada

Canada 

How to obtain more information

For information about this product or the wide range of services and data available from Statistics Canada, visit our website, www.statcan.gc.ca.

You can also contact us by

email at infostats@statcan.gc.ca,

telephone, from Monday to Friday, 8:30 a.m. to 4:30 p.m., at the following toll-free numbers:

- | | |
|---|----------------|
| • Statistical Information Service | 1-800-263-1136 |
| • National telecommunications device for the hearing impaired | 1-800-363-7629 |
| • Fax line | 1-877-287-4369 |

Depository Services Program

- | | |
|------------------|----------------|
| • Inquiries line | 1-800-635-7943 |
| • Fax line | 1-800-565-7757 |

To access this product

This product, Catalogue no. 89-654-X, is available free in electronic format. To obtain a single issue, visit our website, www.statcan.gc.ca, and browse by "Key resource" > "Publications."

Standards of service to the public

Statistics Canada is committed to serving its clients in a prompt, reliable and courteous manner. To this end, Statistics Canada has developed standards of service that its employees observe. To obtain a copy of these service standards, please contact Statistics Canada toll-free at 1-800-263-1136. The service standards are also published on www.statcan.gc.ca under "About us" > "The agency" > "Providing services to Canadians."

Published by authority of the Minister responsible for
Statistics Canada

© Minister of Industry, 2014

All rights reserved. Use of this publication is governed by the
Statistics Canada Open Licence Agreement (www.statcan.gc.ca/reference/copyright-droit-auteur-eng.htm).

Cette publication est aussi disponible en français.

Note of appreciation

Canada owes the success of its statistical system to a long-standing partnership between Statistics Canada, the citizens of Canada, its businesses, governments and other institutions. Accurate and timely statistical information could not be produced without their continued co-operation and goodwill.

Standard symbols

The following symbols are used in Statistics Canada publications:

- | | |
|----------------|--|
| . | not available for any reference period |
| .. | not available for a specific reference period |
| ... | not applicable |
| 0 | true zero or a value rounded to zero |
| 0 ^s | value rounded to 0 (zero) where there is a meaningful distinction between true zero and the value that was rounded |
| ^p | preliminary |
| ^r | revised |
| X | suppressed to meet the confidentiality requirements of the <i>Statistics Act</i> |
| E | use with caution |
| F | too unreliable to be published |
| * | significantly different from reference category (p < 0.05) |

Mental health-related disabilities among Canadians aged 15 years and older, 2012

The results presented in this fact sheet are from the 2012 Canadian Survey on Disability (CSD), which surveyed residents of private dwellings who reported an activity limitation and who were aged 15 years and older at the time of the 2011 National Household Survey (NHS).

According to the CSD, respondents are considered to have a disability not only if they report a difficulty or impairment due to a long-term condition or health problem, but also if they report that they are limited in their daily activities as a result of their condition. Appendix A describes how the CSD defines mental health-related disabilities.

It should be noted that the population living in institutions, including residential care facilities, was not included in the 2012 CSD. Further details are available in the *Canadian Survey on Disability, 2012: Concepts and Methods Guide*. [89-654-X2014001](#).

According to the 2012 Canadian Survey on Disability (CSD), some type of disability was reported by 3,775,900 (13.7%) Canadians aged 15 years and older, among whom 1,059,600 (3.9%) reported having a mental health-related disability (Table 1).¹ The most prevalent underlying mental health conditions reported were anxiety, depression, and bipolar disorder. Other underlying mental health conditions reported on the survey included schizophrenia, substance abuse, and anorexia.

Table 1
Prevalence of disability by type, 15 years and older, Canada, 2012

Disability type	Population	Percentage
Total disability	3,775,900	13.7
Pain-related	2,664,200	9.7
Flexibility	2,078,000	7.6
Mobility	1,971,800	7.2
Mental health-related	1,059,600	3.9
Dexterity	953,000	3.5
Hearing	874,600	3.2
Seeing	756,400	2.7
Memory	628,200	2.3
Learning	622,300	2.3
Developmental	160,600	0.6
Unknown	79,500	0.3

Note: Individuals may have more than one type of disability; therefore, the sum of all individual disability types is greater than the number of "total disabilities".

Source: Statistics Canada, Canadian Survey on Disability, 2012.

1. It should be noted that some mental health-related disabilities can be cyclical in nature. This prevalence rate represents the situation at the time of the interview in 2012. It does not provide an estimate of the proportion of the population that may have been or may be affected by a mental health-related disability at some point in their lifetime. This should be taken into consideration when interpreting these results.


As highlighted in Chart 1, mental health-related disability as a proportion of all disability declined as age increased. Mental health-related disability was the most prevalent disability type reported by young adults aged 15 to 24, and this was followed closely by learning disabilities in terms of prevalence for this age group. Among young adults, 4.4% reported some type of disability, and half of them (2.2%) reported a mental health-related disability.

The prevalence of mental health-related disabilities was higher for women than men among those aged 25 to 44 (3.2% and 2.3% respectively) and among those aged 45 to 64 (5.9% and 4.7%), but not among those aged 15 to 24 or among those aged 65 or older.

Chart 1

Prevalence of mental health-related disabilities and total disabilities by age group, aged 15 years and older, Canada, 2012

percent



Source: Statistics Canada, Canadian Survey on Disability, 2012.

Multiple disabilities


Mental health-related disability frequently co-occurred with other types of disability: 91.6% of those with mental health-related disabilities also reported at least one other type of disability in 2012.

The pattern of co-occurrence varied by age. Adults aged 15 to 24 who reported mental health-related disabilities also reported learning and developmental disabilities more frequently than those in the older age groups. On the other hand, older adults aged 65 or older who reported mental health-related disabilities also reported memory, sensory and physical disabilities more frequently than did adults aged 15 to 24.

While both younger adults and seniors with mental health-related disabilities had high rates of co-occurrence with physical disability types, there were some interesting nuances. Among those aged 15 to 24 with mental health-related disabilities, over half (53.9%) also reported at least one of the physical disability types. However, this was mostly driven by having a pain-related disability (40.9% of those aged 15 to 24 with mental health-related disabilities had a pain-related disability). Among seniors aged 65 and older, with mental health-related disabilities, 90.0% also had a physical disability, which comprised almost an equal representation of pain-related disabilities (75.9%) as well as mobility (74.3%) and flexibility (70.8%) disabilities.

Chart 2

Prevalence of co-occurring disability types among adults with a mental health-related disability, by age group, aged 15 years and older, Canada, 2012



Note: Physical includes mobility, flexibility, dexterity, and pain-related disability types.

Source: Statistics Canada, Canadian Survey on Disability, 2012.

Education

Educational attainment

Adults with mental health-related disabilities² had overall lower levels of educational attainment than those who did not have any type of disability. For example, adults aged 15 to 64 who were not in school and who reported a mental health-related disability were more likely than those without any type of disability to have not completed high school (23.3% versus 13.1%); and this pattern was particularly pronounced among those aged 25 to 44 with mental health-related disabilities who were more than twice as likely to have not completed high school, compared with their counterparts without any type of disability (25.8% versus 9.5%).


Similarly, those aged 15 to 64 with a mental health-related disability were also less likely (46.3%) than their counterparts without any disability (61.1%) to have completed post-secondary qualifications.³

2. It is important to note that 91.6% of those reporting a mental health-related disability, also reported at least one other type of disability.

3. Post-secondary includes trades certificates, college diplomas, university certificates below bachelor level and university degrees.

Chart 3

Proportion of adults with a mental health-related disability compared to those without any disability, by highest level of education, aged 15 to 64 years, Canada, 2012



Notes: Excludes population still in school.

Post-secondary includes trades certificates, college diplomas, university certificates below bachelor level and university degrees.

Source: Statistics Canada, Canadian Survey on Disability, 2012.

Effect of disability on educational experiences

In the 2012 CSD, adults with a disability who were currently or had recently been in school were asked a series of questions about their educational experiences and how their condition or conditions may have affected these experiences.⁴ More than half of the adults with a mental health-related disability reported that their condition(s) had influenced their choice of courses/careers, resulted in them taking fewer courses and resulted in them taking longer to achieve their current level of education (Table 2).

Table 2

Effect of disability on educational experiences of adults with a mental health-related disability, aged 15 years and older, Canada, 2012

Effect of disability	Percentage
Choice of courses/career influenced by disability	59.8
Took fewer courses due to disability	58.1
Took longer to achieve current level due to disability	58.0
People avoided/excluded you in school due to disability	48.8
Education interrupted due to disability	45.7
Bullied at school because of disability	43.0
Discontinued education due to disability	41.0
Changed course of studies due to disability	40.5

Note: Includes individuals currently in school or in school within the last five years and who had a disability while in school.

Source: Statistics Canada, Canadian Survey on Disability, 2012

4. Note that these individuals could have multiple disabilities, and thus their educational experiences could have been a result of any combination of them.

Employment

Labour force status


More than half (55.3%) of adults aged 15 to 64 with a mental health-related disability were not in the labour force, and another 8.8% were unemployed.⁵

The employment rate of working-age adults, aged 15 to 64, with mental health-related disabilities was 35.9%, less than half the employment rate of those aged 15 to 64 who did not have any type of disability (73.6%). There were no statistically significant gender differences in employment rates between women and men with a mental health-related disability regardless of age.

In each age group, those without any disability were roughly twice as likely to be employed as those with a mental health-related disability. This pattern was more pronounced in the older age groups (Chart 4).

Chart 4

Employment rate of adults with a mental health-related disability and adults without any disability, by age group, aged 15 to 64 years, Canada, 2012



Source: Statistics Canada, Canadian Survey on Disability, 2012.

Disability in the workplace


Nearly a third (30.3%) of adults with a mental health-related disability and who were employed indicated that their employer was unaware of their condition(s).

Among those with a mental health-related disability and who were either currently in the labour market or had been within the previous five years, 63.7% reported that they felt disadvantaged in employment and 61.5% reported that they believed their employer considered them disadvantaged in employment (Chart 5). With respect to more specific indicators of disadvantage in the labour market, 19.4% believed that they had been refused a job, 14.8% felt they had been refused a promotion, and 12.5% believed they had been refused a job interview – all due to their disability or disabilities. It is important to remember that this is based upon the impact of all disability types these individuals with a mental health-related disability may have had.

5. It is important to note that 91.6% of those reporting a mental health-related disability, also reported at least one other type of disability.

Chart 5

Perceived employment discrimination/disadvantage among adults with a mental health-related disability, aged 15 years and older, Canada, 2012



Note: Includes individuals currently in the labour force or within the last five years.

Source: Statistics Canada, Canadian Survey on Disability, 2012.

Job modifications

Overall, 52.0% of adults with a mental health-related disability who were or had been recently employed⁶, stated that they needed at least one type of work accommodation such as modified work hours (35.1%), modified duties (20.3%), and other job accommodations. Of those requiring modifications, 44.1% reported that all of their needs had been met, while 27.3% indicated that some needs had been met. Another 28.6% reported that none of their needs had been met. Given the high rate of co-occurrence with other types of disabilities, some of these accommodations may have been for disabilities other than mental health-related.

Hours worked

Employed, working-age adults aged 15 to 64 with a mental health-related disability worked an average of 30 hours per week⁷, less than the average number of hours worked per week by those without any reported type of disability (37 hours).⁸

6. Includes those who were employed, those who were unemployed and had worked in the past five years, those who were not in the labour force but had worked in the past five years (and were able to work or stated that an accommodation would allow them to work), and those who retired within the past five years who stated that their retirement was involuntary.

7. Refers to the actual number of hours worked for pay during the week prior to the reference week on the National Household Survey.

8. Within each age group, those with a mental health-related disability worked fewer hours per week than those without any reported disability.

Not in the labour force


As noted earlier, 55.3% of adults between the ages of 15 and 64 with a mental health-related disability were not in the labour force. The majority (77.9%) of them reported that their condition(s) prevented them from working. Of these individuals,

- 17.3% indicated that some type of accommodation would allow them to work.
- 26.2% indicated that they would look for work in the next 12 months.⁹ Respondents who planned to look for work were asked why they intended to do so:
 - 36.2% expected their condition to improve,
 - 13.5% expected workplace changes/improvements, and
 - 14.3% planned to take training.

Many of those who were not in the labour force encountered barriers that discouraged them from looking for work. Some of the most commonly reported job search barriers for those with a mental health-related disability were inadequate training or experience (25.0%) and a lack of available local jobs (24.6%) (Chart 6).

Chart 6

Prevalence of job search barriers for adults with a mental health-related disability who were not in the labour force, aged 15 to 64 years, Canada, 2012



Note: Excludes individuals who retired more than five years ago, those who retired voluntarily, and those who stated that they had never worked but that their condition did not limit the amount or kind of work they could perform.

Source: Statistics Canada, Canadian Survey on Disability, 2012.

9. It is important to note that some individuals indicated that an accommodation would allow them to work and that they would look for work in the next 12 months.

Income

Personal income for working-age adults

The median personal income (before taxes) of working-age adults aged 15 to 64 with a mental health-related disability¹⁰ was \$14,700—less than half that of those without any reported type of disability (\$33,800).¹¹ Those with a mental health-related disability were also more likely to be reliant on government transfers (57.8%)¹² as their major source of income compared to those without any reported type of disability (18.7%). Furthermore, it was found that employed adults in this age group who had a mental health-related disability had a lower median employment income¹³ than those without any reported type of disability (\$19,500 versus \$34,400 respectively).

Conclusion

Adults with a mental health-related disability face many challenges. According to the 2012 CSD, co-occurrence with other disability types was very high. At the same time, employment levels among those with a mental health-related disability were less than half compared to those who did not report any disability. Even when employed, those with a mental health-related disability had lower levels of employment income. Consequently, it is not surprising that working-age adults with a mental health-related disability were also three times more likely than those without any disability to rely on government transfers as their major source of income.

10. It is important to note that 91.6% of those reporting a mental health-related disability, also reported at least one other type of disability.

11. This calculation includes those with zero or negative personal income amounts before taxes.

12. Government transfers include a variety of transfer payments from federal, provincial, territorial or municipal governments such as: Old Age Security; Guaranteed Income Supplements; Canada or Quebec Pension Plan; Employment Insurance; Social Assistance; Child Benefits; and other income from government sources.

13. This includes income from wages, salaries, and self-employment.

Appendix A

Identification of adults with a mental health-related disability

The 2012 Canadian Survey on Disability (CSD) identified adults with a mental health-related disability as those whose daily activities were limited because of difficulties caused by a psychological or mental health condition. The survey used the newly developed Disability Screening Questions (DSQ) to identify disability. The initial step involved in identifying a mental health-related disability was to establish the existence of a mental or psychological condition:

DSQ_04 Do you have any emotional, psychological or mental health conditions? These may include anxiety, depression, bipolar disorder, substance abuse, anorexia as well as other conditions?

For those who said yes to such a condition, another question was asked to determine if the condition limited their daily activities:

DSQ_33 How often are your daily activities limited by this condition?

- ☐ Never
- ☐ Rarely
- ☐ Sometimes
- ☐ Often
- ☐ Always

Those who reported being limited at least rarely were asked a follow-up question to determine the amount of difficulty experienced:

DSQ_34 When you are experiencing this condition, how much difficulty do you have with your daily activities?

- ☐ No difficulty
- ☐ Some difficulty
- ☐ A lot of difficulty
- ☐ You cannot do most activities

A mental health-related disability was identified when respondents reported being limited at least sometimes, regardless of degree of difficulty. As well, those who reported being limited only rarely, were considered to have mental health-related disabilities if they also indicated having a lot of difficulty or being unable to do most activities when being limited.

An estimated 1,589,600 Canadian adults reported having a mental health condition. Of these, 530,000 (1.9% of the adult population) reported not being limited by their condition. However, 1,059,600 (3.9%) of Canadian adults were identified as having a mental health-related disability based on the methodology described above.