

Analytical Paper

Canadian Agriculture at a Glance

The changing face of the Canadian fruit and vegetable sector: 1941 to 2011

by Erik Dorff
Agriculture Division



How to obtain more information

For information about this product or the wide range of services and data available from Statistics Canada, visit our website, www.statcan.gc.ca.

You can also contact us by

email at infostats@statcan.gc.ca,

telephone, from Monday to Friday, 8:30 a.m. to 4:30 p.m., at the following toll-free numbers:

- | | |
|---|----------------|
| • Statistical Information Service | 1-800-263-1136 |
| • National telecommunications device for the hearing impaired | 1-800-363-7629 |
| • Fax line | 1-877-287-4369 |

Depository Services Program

- | | |
|------------------|----------------|
| • Inquiries line | 1-800-635-7943 |
| • Fax line | 1-800-565-7757 |

To access this product

This product, Catalogue no. 96-325-X, is available free in electronic format. To obtain a single issue, visit our website, www.statcan.gc.ca, and browse by “Key resource” > “Publications.”

Standards of service to the public

Statistics Canada is committed to serving its clients in a prompt, reliable and courteous manner. To this end, Statistics Canada has developed standards of service that its employees observe. To obtain a copy of these service standards, please contact Statistics Canada toll-free at 1-800-263-1136. The service standards are also published on www.statcan.gc.ca under “About us” > “The agency” > “Providing services to Canadians.”

Published by authority of the Minister responsible for
Statistics Canada

© Minister of Industry, 2014

All rights reserved. Use of this publication is governed by the
Statistics Canada Open Licence Agreement ([http://www.
statcan.gc.ca/reference/licence-eng.htm](http://www.statcan.gc.ca/reference/licence-eng.htm)).

Cette publication est aussi disponible en français.

Note of appreciation

Canada owes the success of its statistical system to a long-standing partnership between Statistics Canada, the citizens of Canada, its businesses, governments and other institutions. Accurate and timely statistical information could not be produced without their continued co-operation and goodwill.

Standard symbols

The following symbols are used in Statistics Canada publications:

- | | |
|----------------|--|
| . | not available for any reference period |
| .. | not available for a specific reference period |
| ... | not applicable |
| 0 | true zero or a value rounded to zero |
| 0 ^s | value rounded to 0 (zero) where there is a meaningful distinction between true zero and the value that was rounded |
| P | preliminary |
| r | revised |
| X | suppressed to meet the confidentiality requirements of the <i>Statistics Act</i> |
| E | use with caution |
| F | too unreliable to be published |
| * | significantly different from reference category ($p < 0.05$) |

The changing face of the Canadian fruit and vegetable sector: 1941 to 2011

By Erik Dorff, Statistics Canada

The 2011 Census of agriculture revealed a number of shifts in the Horticulture sector. Growth in the domestic greenhouse industry and an increase in imports have offered a greater range of food choices in recent decades. Changes in farming practices, such as increasing reliance on mechanization, have also played a role in shaping the mix of commodities grown on Canadian farms in 2011.

This article compares 2011 Census data on horticulture to the figures reported on the 1941 Census. The 1941 Census is noteworthy as it counted the most farms ever reported since agriculture data began to be collected in Canada. This comparison also provides a description of the changes that have occurred in horticulture over the span of seventy years.

Horticulture produces a wide range of foods and other products

Horticulture is a type of agriculture that encompasses a wide range of crop production. Fruit, vegetable, ornamental and medicinal plant culture all fall under the umbrella of horticulture. There are two broad categories of crops within horticulture: edible and non-edible crops.

Edible horticulture crops, such as fruits, vegetables and nuts, are products grown for human food that are either consumed fresh or processed into value-added products, such as frozen foods, preserves and wine. Although they are not biologically classified as plants, mushrooms are considered to be an edible product of horticulture. Medicinal plants which are grown for teas and supplements such as ginseng are also considered to be edible horticultural products.

Non-edible horticulture crops are not used as food but are rather produced for other purposes. For instance, cut flowers, bedding plants, shrubs, trees, and perennials are grown as ornamental plants to enhance the appearance of homes, offices, gardens and public spaces. Sod farming is another type of non-edible horticulture which produces established turf for lawns, parks and sports fields.

Blueberries and cranberries gain prominence

The commercial harvesting of wild berries is not new, as evidenced in the 1941 Census of Agriculture that reported over 1.47 million kilograms of wild blueberries and 157,000 kilograms of wild cranberries harvested on farms (Table 1). At that time, crops of wild berries were harvested by hand or by raking.

Table 1
Blueberries and cranberries harvested on farms, Canada and provinces, 1940 and 2011¹

Province	Blueberries, Wild (unmanaged)	Blueberries, Highbush and Lowbush (managed)	Cranberries, Wild (unmanaged)	Cranberries, Cultivated (managed)	
	1940	2011	1940	1940	2011
	kilograms				
Newfoundland and Labrador	..	97,000	x
Prince Edward Island	96,421	6,050,000	27,898	1,642	357,000
Nova Scotia	112,412	13,347,000	19,805	86,878	1,472,000
New Brunswick	264,511	12,511,000	26,967	3,036	6,024,000
Quebec	642,103	28,149,000	13,953	1,197	50,573,000
Ontario	172,290	868,000	13,219	1,129	x
Manitoba	18,619	..	8,899	0	..
Saskatchewan	74,644	..	17,030	27	..
Alberta	83,236	..	27,364	159	..
British Columbia	8,979	44,120,000	2,233	2,778	27,414,000
Canada	1,473,215	105,142,000	157,368	96,846	86,286,000

1. The 1941 Census collected the area in production for that year as well as the production that occurred the preceding year. The 1941 Census did not collect any information on cultivated blueberries.

Sources: Statistics Canada, Census of Agriculture, 1941 and 2011, and CANSIM table 001-0009.

What is relatively new, however, is the intensifying management of wild crops made possible by two recent developments—land was cleared to encourage the spread of wild berry crops, and, beginning in the mid-1980s, machinery was used for harvesting wild crops. Together, these factors have led to enhanced efficiency and productivity in the sector.

Blueberry varieties

There are two broad families of blueberries named for their height – highbush and lowbush. Highbush blueberry plants stand between 2 and 3 metres, while their lowbush counterparts are generally less than 0.4 metres (40 cm) tall. Highbush blueberries are planted and managed in much the same way as other berries and orchards and produce a larger berry. Since production is focused on pre-existing stands, lowbush blueberries are also commonly referred to as wild blueberries. Lowbush blueberry production is focused on managing existing stands of wild plants by encouraging their spread on land holdings and promoting the maximum production of smaller berries. Today, lowbush blueberries are more prevalent in Eastern Canada, whereas highbush berries dominate the sector in British Columbia.


The Census of Agriculture began collecting specific information on managed lowbush and highbush blueberry area in 1986, at which time 16,247 hectares of the two types combined were reported across the country. The emergence of mechanical harvesting facilitated the rapid growth of the wild blueberry industry since growers were no longer dependent on manual labour for harvesting.

The blueberry sector has since undergone significant expansion as agronomic management techniques became further sophisticated—for instance, the adoption of fertilization, burning or mowing, and weed control—and commercial potential was realized. In fact, farmers reported 70,852 hectares of managed highbush and lowbush blueberries in the 2011 Census, making blueberries the single largest contributor to the area of total fruit and berries as it accounted for over half (56.1%) of that land base. Chart 1 shows the growth of highbush and lowbush blueberry area since 1986 for the four Atlantic Provinces, Quebec and British Columbia. Together, these provinces accounted for 99.5% of the blueberry area in the country as reported in the 2011 Census.



A photo of several rows of highbush blueberries growing under nets that protect the fruit from birds.
Photo: Cyd Rainville


Chart 1
Managed blueberry area, selected provinces, 1986 to 2011



Sources: Statistics Canada, Census of Agriculture, 1986 to 2011.

The cranberry sector experienced similar growth rates with production increasing from less than 800 hectares in 1986 to 6,100 hectares in 2011. In fact, 99.4% of the total cranberry area was reported in the four Atlantic Provinces, Quebec and British Columbia, the same regions that held the majority of blueberry area. As with blueberries, this growth was driven by mechanized harvesting (Chart 2).

Chart 2
Managed cranberry area, selected provinces, 1986 to 2011




Sources: Statistics Canada, Census of Agriculture, 1986 to 2011.

Grape area declines for the first time in four censuses

The 2011 Census of Agriculture marked the first decline in grape area nationally in four Censuses as it dropped by 0.2% to 12,144 hectares since 2006. This drop occurred in Ontario, while grape area increased in all other provinces (Chart 3). Of interest is the fact that much of the expansion between 1991 and 2006 occurred outside of the Okanagan Valley of British Columbia and the Niagara region of Ontario, regions where grape production was predominantly concentrated in the past (Map 1). Underlying this expansion was the increase in demand for grape varieties suited to producing higher quality wines.

Map 1
Grape area in 2011, Canada




Note: cross-hatched areas indicate regions where there is a grape production, but the data is suppressed to meet the confidentiality requirements of the *Statistics Act*.

The last time a drop in grape area was observed was in the 1991 Census. At that time, production was centred on labrusca grapes because they were often used to produce wines. However, the implementation of the Canada-United States Free Trade Agreement in 1989 opened the Canadian market to competition from American wines made from vinifera and hybrid grapes. This prompted the realignment of the Canadian sector to compete with imported American wines, and much of the market for labrusca grapes was lost as vintners transitioned to vinifera and hybrid grapes. The result was the substantial drop in grape area noted by the 1991 Census of Agriculture (Chart 3).



A photo of young chardonnay grapes.
Photo: Paul Rainville

Chart 3
Grape area, selected provinces, 1986 to 2011



Sources: Statistics Canada, Census of Agriculture, 1986 to 2011.

Tree fruits face challenges

With the exception of cherries, the area dedicated to major tree fruits has shrunk since 1941 (Table 2).

Table 2
Area of selected tree fruits, Canada, 1941 and 2011

Fruit	1941	2011
	hectares	
Apples	53,820	18,243
Peaches	8,260	3,154
Pears	3,822	944
Plums and Prunes	3,410	684
Cherries (sweet and sour)	2,570	3,099

Sources: Statistics Canada, Census of Agriculture, 1941 and 2011.

Cherries are the only tree fruit that gained in area between 1941 and 2011. Once again, this increase was mostly attributable to the advantages of mechanical harvesting. In particular, cherries that are primarily intended for processing are harvested using tree shakers, thereby reducing the labour requirements of this crop.

Although the area dedicated to most tree fruits declined during the last 70 years, there were notable increases in production efficiency in terms of the weight of fruit produced per hectare. The greatest gains occurred for apples, which were produced 4.3 times more intensively in 2011 compared to 1941.¹ Over the same period, productivity (in terms of yield per hectare) was 2.4 times higher for pears, 2.0 times higher for cherries, 1.9 times greater for peaches, and 1.2 times higher for plums and prunes.

1. Weight per hectare calculation for 1940/41 is based on data from the 1941 Census of Agriculture which provides area in 1941 and production for 1940. Weight per hectare calculation for 2011 is based on area data from the 2011 Census of Agriculture and production for 2011 from the Fruit and Vegetable Survey.

While tree fruits continue to be principally harvested manually imposing financial and logistical hurdles, many orchard operators have adopted reduced-stature trees (dwarf and columnar) to make harvesting faster and easier and also to simplify the pruning process. Compared to standard trees, reduced-stature fruit trees yield fruit at a younger age. Such agronomic changes have led to notable increases in production efficiency.



A photo of an orchard of dwarf apple trees.
Photo: Yan Brisson

The increased productivity of major tree fruits did not compensate for declining land area, however, as total production dropped for major tree fruits. The exception was apples as productivity gains boosted 2011 production by 44.1% since 1941.

Nationally, the average per capita marketed production fell by half for apples in the past 70 years, and by a quarter for peaches and peaches in that same period. Plums and prunes showed the greatest drop in per capita production in that time span since in 2011 it was less than a tenth of that reported in the 1941 Census (Table 3).

Table 3
Per capita marketed production of selected tree fruits, Canada, 1940/1941 and 2011¹

Fruit	1940/1941	2011
	kilograms per person	
Apples	23.6	11.8
Peaches	2.8	0.7
Pears	1.2	0.2
Plums and Prunes	0.9	0.1
Cherries (sweet and sour)	0.5	0.4

1. Per capita marketed production (for fresh and processed fruits) calculation for 1940/41 is based on production data from the 1941 Census of Agriculture which collected production for 1940, and the Population figure from the Census of Population for 1941. Per capita marketed production calculations for 2011 employ Fruit and Vegetable survey data for 2011, and the population figure from the 2011 Census of Population.

Sources: Statistics Canada, Census of Agriculture, 1941; Census of Population, 1941 and 2011; and CANSIM table 001-0009.

The decline in per capita production was partly due to the seasonality of fresh fruit production in Canada, expanding consumer choices not limited by what can be produced in the country, and the decline of market gardens. While fruit used to be more often canned, both in the home and in commercial processing, consumer choices are evolving towards fresh products that are available year-round. Historically, smaller operations had greater access to local markets, whereas today, large packing, marketing, and distribution operations, both in Canada and overseas, have a relative advantage in supplying fruit products to major store chains, which often demand large quantities of products on set schedules. This tends to favour larger operations that can produce at the lowest cost.

Vegetables show gains

The land area dedicated to most field vegetables increased significantly between 1941 and 2011 (Table 4).

Table 4
Area of selected field vegetables, Canada, 1941 and 2011

Vegetable	1941	2011
	hectares	
Beets	859	1,556
Cabbage	2,423	4,156
Carrots	2,477	9,480
Cauliflowers	847	1,829
Celery	546	840
Cucumbers	1,183	2,339
Green Beans	1,850	8,497
Green Peas	7,524	11,965
Lettuce	934	3,382
Onions	2,438	5,927
Sweet Corn	8,543	23,173
Tomatoes	13,643	7,424

Sources: Statistics Canada, Census of Agriculture, 1941 and 2011.

The notable exception was field tomatoes, whose decline may be due to shifting preferences highlighted by the 18.7% increase in greenhouse vegetable area between 2006 and 2011. Part of this decline may be explained by the fact that the area dedicated to the production of greenhouse tomatoes grew almost tenfold, from just under 571,000 square meters in 1940 to 5.3 million square metres in 2011. In addition, greenhouse tomato production increased 80 fold in this same time period, from 3.4 million kilograms to 266.5 million kilograms. Growth in greenhouse vegetable area continued to be supported by consumer demand for year-round, high-quality produce, as well as export markets in the United States.

Moreover, while most areas of field vegetables increased, they also made significant gains in productivity. Specifically, beets, carrots, cucumbers, and tomatoes more than doubled in production per unit area between the 1941 and 2011 censuses (Table 5).

Table 5
Marketed production per unit area of selected field vegetables, Canada, 1941 and 2011

Vegetable	1940/1941	2011
	kilograms per hectare	
Beets	9,526	19,967
Carrots	13,706	43,477
Cucumbers	6,752	18,370
Green Beans	4,309	5,119
Green Peas	4,567	3,596
Tomatoes	13,958	63,524

Sources: Statistics Canada, Census of Agriculture, 1941 and 2011, and CANSIM table 001-0013.

With the exception of green peas and tomatoes, per capita marketed production also increased for most field vegetables between 1941 and 2011 (Table 6).


Table 6
Per capita marketed production of selected field vegetables, Canada, 1941 and 2011

Vegetable	1940/1941	2011
	kilograms per person	
Beets	0.7	0.9
Carrots	3.0	12.4
Cucumbers	0.7	1.3
Green Beans	0.7	1.3
Green Peas	3.0	1.3
Onions	3.1	5.7
Tomatoes	16.5	14.1

Sources: Statistics Canada, Census of Agriculture, 1941; Census of Population, 1941 and 2011; and CANSIM table 001-0013.

As mentioned previously, greenhouse vegetable production contributed to the increasing diversity of fresh vegetables available year-round in grocery stores. Nationally, 12.5 million square metres were reported in the 2011 Census, a figure corresponding to a tenfold increase since 1941. This growth has been particularly pronounced since 1991, driven in large part by expansion in Ontario followed by British Columbia (Chart 4).

Chart 4
Total greenhouse area in use, selected provinces, 1981 to 2011



Sources: Statistics Canada, Census of Agriculture, 1986 to 2011.

Floriculture

The expansion of greenhouse area allocated to growing vegetables did not follow suit in the floriculture sector. Although greenhouse floriculture area increased by nearly 25 times over the past seven decades, from 506,000 square metres in 1941 to 8.6 million square metres in 2011, it however dropped by 7.4% (most notably in Ontario) in the most recent intercensal period. A number of factors can account for this decrease, including greater competition due to imported products from countries such as Ecuador, Colombia, and the United States, a higher Canadian dollar, weakening exports and rising production costs.

Evolution of a sector

Analysis of Census of Agriculture data over time makes clear that the Canadian horticulture sector has evolved considerably since the 1940s. In particular, areas that produce premium products capable of offsetting higher production costs, such as the production of greenhouse vegetables and grapes for wine have grown considerably. The development and growth of these horticultural sectors have been shaped by the Canadian climate, agricultural production techniques, and farmers' ability to compete in domestic and global markets.