



Health
Canada Santé
Canada

*Your health and
safety... our priority.*

*Votre santé et votre
sécurité... notre priorité.*

Proposed Maximum Residue Limit

PMRL2015-08

Propiconazole

(publié aussi en français)

19 March 2015

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6607-D
Ottawa, Ontario K1A 0K9

Internet: pmra.publications@hc-sc.gc.ca
healthcanada.gc.ca/pmra
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
pmra.infoserv@hc-sc.gc.ca

Canada 

ISSN: 1925-0835 (print)
1925-0843 (online)

Catalogue number: H113-24/2015-8E (print version)
H113-24/2015-8E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2015

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has received applications to register technical grade benzovindiflupyr and the end-use product A18993 Fungicide, a co-formulation with technical grade propiconazole, for use in Canada on various commodities, including those in CSG 20A.

The evaluation of this propiconazole application indicated that the end-use product has merit and value and the human health and environmental risks associated with the new uses are acceptable.

Before registering a pesticide for food use in Canada, the PMRA must determine the quantity of residues that are likely to remain in or on the food when the pesticide is used according to label directions and that such residues will not be a concern to human health. This quantity is then legally established as a maximum residue limit (MRL). An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it.

Consultation on the proposed MRLs for propiconazole is being conducted via this document (see Next Steps, the last section of this document). A summary of the field trial data used to support the proposed MRLs can be found in Appendix I. MRL consultation for the other active ingredient, benzovindiflupyr, present in A18993 Fungicide is being conducted under a separate action.

To comply with Canada's international trade obligations, consultation on the proposed MRLs is also being conducted internationally by notifying the World Trade Organization, as coordinated by Canada's Notification Authority and Enquiry Point.

The proposed MRLs, to be added to the MRLs already established for propiconazole, are as follows.

Table 1 Proposed Maximum Residue Limits for Propiconazole

Common Name	Residue Definition	MRL (ppm) ¹	Food Commodity
Propiconazole	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1 <i>H</i> -1,2,4-triazole	0.02	Borage seeds, cuphea seeds, echium seeds, flaxseeds, gold of pleasure seeds, hare's eat mustard seeds, milkweed seeds, mustard seeds (oilseed type), oil radish seeds, poppy seeds, sesame seeds, sweet rocket seeds

¹ ppm = parts per million

MRLs established in Canada may be found using the Maximum Residue Limit Database on the Maximum Residue Limits for Pesticides webpage. The database allows users to search for established MRLs, regulated under the *Pest Control Products Act*, both for pesticides or for food commodities.

International Situation and Trade Implications

MRLs may vary from one country to another for a number of reasons, including differences in pesticide use patterns and the locations of the field crop trials used to generate residue chemistry data.

Table 2 compares the MRLs proposed for propiconazole in Canada with corresponding American tolerances and Codex MRLs.¹ American tolerances are listed in the Electronic Code of Federal Regulations, 40 CFR Part 180, by pesticide. A listing of established Codex MRLs is available on the Codex Alimentarius Pesticide Residues in Food website, by pesticide or commodity.

Table 2 Comparison of Canadian MRLs, American Tolerances and Codex MRLs (where different)

Food Commodity	Canadian MRL (ppm) ¹	American Tolerance (ppm) ¹	Codex MRL (ppm) ¹
Borage seeds	0.02	0.30 (Rapeseed Subgroup 20A)	None established
Cuphea seeds			
Echium seeds			
Flaxseeds			
Gold of pleasure seeds			
Hare's ear mustard seeds			
Milkweed seeds			
Mustard seeds (oilseed type)			
Oil radish seeds			
Poppy seeds			
Sesame seeds			
Sweet rocket seeds			

¹ppm = parts per million

¹ The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

Next Steps

The PMRA invites the public to submit written comments on the proposed MRLs for propiconazole up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRLs. Comments received will be addressed in a separate document linked to this PMRL. The established MRLs will be legally in effect as of the date that they are entered into the Maximum Residue Limit Database.

Appendix I

Summary of Field Trial Data Used to Support the Proposed Maximum residue Limits

Residue data from field trials conducted in Canada were previously submitted and reviewed to support the domestic use of QUILT Fungicide on rapeseeds (canola). Propiconazole was applied to rapeseed (canola) at label rates, and harvested according to label directions. In addition, a processing study in treated canola was previously submitted and reviewed to determine the potential for concentration of residues of propiconazole into processed commodities.

Maximum Residue Limit(s)

The recommendation for MRLs for propiconazole in borage seeds, cuphea seeds, echium seeds, flaxseeds, gold of pleasure seeds, hare's eat mustard seeds, milkweed seeds, mustard seeds (oilseed type), oil radish seeds, poppy seeds, sesame seeds and sweet rocket seeds were extended from the MRL for propiconazole on rapeseeds (canola), the representative commodity for the rapeseeds crop subgroup (CSG 20A Revised). Table A1 summarizes the residue data used to calculate the MRL previously proposed for rapeseeds (canola).

Table A1 Summary of Field Trial and Processing Data Used to Support MRLs

Commodity	Application Method/ Total Application Rate (g a.i./ha) ¹	Preharvest Interval (days)	Minimum Residues (ppm)	Maximum Residues (ppm)	Experimental Processing Factor
Rapeseeds (canola)	Foliar ² /117.7-138.1	29-30	<0.01	0.014	<0.16× (refined oil)

¹ g a.i./ha = grams of active ingredient per hectare

² Includes both ultra-low and high spray volume applications.

No significant increase to propiconazole is anticipated to the dietary burden of livestock.

Following the review of all available data, MRLs as proposed in Table 1 are recommended to cover residues of propiconazole. Residues of propiconazole in these crops at the proposed MRLs will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.