




Catalogue no. 82-231-XIE

Cancer Incidence in Canada

2004 to 2005



Statistics
Canada

Statistique
Canada

Canada

How to obtain more information

Specific inquiries about this product and related statistics or services should be directed to: Health Statistics Division, Statistics Canada, Ottawa, Ontario, K1A 0T6 (telephone: (1 800 263-1136; 613 951-1746 (*hd-ds@statcan.ca*)). To enquire about the concepts, methods or data quality of this release, contact Michel Cormier (613 951-1775; *michel.cormier@statcan.ca*).

For information on the wide range of data available from Statistics Canada, you can contact us by calling one of our toll free numbers. You can also contact us by e-mail or by visiting our website at www.statcan.ca.

National inquiries line **1-800-263-1136**

National telecommunications device for the hearing impaired **1-800-363-7629**

Depository Services Program inquiries **1-800-700-1033**

Fax line for Depository Services Program **1-800-889-9734**

E-mail inquiries [*infostats@statcan.ca*](mailto:infostats@statcan.ca)

Website [*www.statcan.ca*](http://www.statcan.ca)

Information to access the product

This product, catalogue no. 82-231-XIE, is available for free in electronic format. To obtain a single issue, visit our website at www.statcan.ca and select Publications.

Standards of service to the public

Statistics Canada is committed to serving its clients in a prompt, reliable and courteous manner. To this end, the Agency has developed *standards of service* which its employees observe in serving its clients.

To obtain a copy of these service standards, please contact Statistics Canada toll free at 1-800-263-1136. The service standards are also published on www.statcan.ca under About us > Providing services to Canadians.



Statistics Canada
Health Statistics Division

Cancer Incidence in Canada

2004 to 2005

Published by authority of the Minister responsible for Statistics Canada

© Minister of Industry, 2007

All rights reserved. The content of this electronic publication may be reproduced, in whole or in part, and by any means, without further permission from Statistics Canada, subject to the following conditions: that it be done solely for the purposes of private study, research, criticism, review or newspaper summary, and/or for non-commercial purposes; and that Statistics Canada be fully acknowledged as follows: Source (or "Adapted from", if appropriate): Statistics Canada, year of publication, name of product, catalogue number, volume and issue numbers, reference period and page(s). Otherwise, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, by any means—electronic, mechanical or photocopy—or for any purposes without prior written permission of Licensing Services, Client Services Division, Statistics Canada, Ottawa, Ontario, Canada K1A 0T6.

July 2007

Catalogue no. 82-231-XIE

ISSN 1715-8168

Frequency: Annual

Ottawa

La version française de cette publication est disponible sur demande (n° 82-231-XIF au catalogue).

Note of appreciation

Canada owes the success of its statistical system to a long standing partnership between Statistics Canada, the citizens of Canada, its businesses, governments and other institutions. Accurate and timely statistical information could not be produced without their continued cooperation and goodwill.

User information

Symbols

The following standard symbols are used in Statistics Canada publications:

- . not available for any reference period
- .. not available for a specific reference period
- ... not applicable
- 0 true zero or a value rounded to zero
- 0^s value rounded to 0 (zero) where there is a meaningful distinction between true zero and the value that was rounded
- p preliminary
- r revised
- x suppressed to meet the confidentiality requirements of the *Statistics Act*
- E use with caution
- F too unreliable to be published

Acknowledgements

The Canadian Cancer Registry data used to produce the cancer incidence tables were provided to Statistics Canada by the provincial and territorial cancer registries. Their cooperation is gratefully acknowledged.

Table of contents

Highlights	5
About the Canadian Cancer Registry	6
Objectives	6
Content	7
Related products	8
Statistical tables	
1 New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography	10
1-1 Canada	10
1-2 Newfoundland and Labrador	11
1-3 Prince Edward Island	12
1-4 Nova Scotia	13
1-5 New Brunswick	14
1-6 Quebec	15
1-7 Ontario	16
1-8 Manitoba	17
1-9 Saskatchewan	18
1-10 Alberta	19
1-11 British Columbia	20
1-12 Yukon Territory	21
1-13 Northwest Territories	22
1-14 Nunavut	23
2 Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography	24
2-1 Canada	24
2-2 Newfoundland and Labrador	25
2-3 Prince Edward Island	26
2-4 Nova Scotia	27
2-5 New Brunswick	28
2-6 Quebec	29
2-7 Ontario	30
2-8 Manitoba	31

Table of contents – continued

2-9	Saskatchewan	32
2-10	Alberta	33
2-11	British Columbia	34
2-12	Yukon Territory	35
2-13	Northwest Territories	36
2-14	Nunavut	37
3	New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography	38
3-1	Canada	38
3-2	Newfoundland and Labrador	40
3-3	Prince Edward Island	43
3-4	Nova Scotia	46
3-5	New Brunswick	49
3-6	Quebec	52
3-7	Ontario	54
3-8	Manitoba	57
3-9	Saskatchewan	60
3-10	Alberta	63
3-11	British Columbia	66
3-12	Yukon Territory	69
3-13	Northwest Territories	72
3-14	Nunavut	75
Data quality, concepts and methodology		
	Canadian Cancer Registry (CCR)	78
	Explanatory notes for the tables	82
Appendix		
I	Cancer sites	83

Highlights

The tables in this publication provide cancer incidence data for cases diagnosed in 2004 and 2005 for Canada, the provinces and territories. Data for 2005 are not available for Canada and Quebec. Cancer incidence data for 1992 to 2005 are available on CANSIM. Trends and cancer estimates for 2007 based on these data are available in the Canadian Cancer Statistics 2007 monograph released in April 2007 by the National Cancer Institute of Canada and the Canadian Cancer Society.

About the Canadian Cancer Registry

The patient-oriented Canadian Cancer Registry evolved from the event-oriented National Cancer Incidence Reporting System established in 1969. The Canadian Cancer Registry is an administrative survey. Beginning with cases diagnosed in 1992, cancer incidence collected by provincial and territorial cancer registries have been reported to the Canadian Cancer Registry, which is maintained by Statistics Canada. The Canadian Cancer Registry has been developed to provide Canadian incidence and survival information required for cancer control. The Canadian Cancer Registry forms a personal information bank which is listed in the annual publication Info Source: Sources of Federal Government Information.

The Canadian Cancer Registry is a collaborative effort between the thirteen Canadian provincial and territorial cancer registries and the Health Statistics Division of Statistics Canada. The data that come into the Canadian Cancer Registry describe both the individual with the cancer, and the characteristics of the cancer. The Canadian Council of Cancer Registries works with the cancer registries to establish national definitions and standards. Ultimate authority and responsibility for the degree of coverage and the quality of the data submitted to the Canadian Cancer Registry reside with the provinces and territories.

The Canadian Cancer Registry is a dynamic database of all Canadian residents alive or dead who have been diagnosed with cancer. The function of the Canadian Cancer Registry is to produce standardized and comparable cancer incidence data for each newly diagnosed primary site of cancer. The Canadian Cancer Registry system records the kind and number (incidence) of primary cancers diagnosed for each person over a number of years until death. The advantage of this system is that longitudinal data are available for each cancer patient. New primary cancers occurring for previous cancer patients are also identified. The patient data are linked annually to the Canadian Mortality Data Base so that the date, place and cause of death of every cancer patient are eventually known.

In addition to information on cancer incidence, data are available about the characteristics of patients as well as about the nature and frequency of their tumour(s). Since patients' records remain active on the Canadian Cancer Registry until confirmation of their death, survival rates for the various sites of cancer can be calculated.

The Canadian Cancer Registry also employs specialized internal record linkage software for detecting duplicate records and for clearing death records. These procedures are done annually. Conflicting information and other problems with the cancer data are resolved through consultation with the reporting provinces and territories.

Objectives

The primary objective of the Canadian Cancer Registry is to provide a database of information that can be used to study cancer patterns and trends and to monitor differences in cancer risks and survival among different populations in Canada.

Health-related statistics are used to provide accurate, timely and relevant information about the health of Canadians and the health care system. Statistics Canada provides statistical analyses and other information about the health of the population, the determinants of health, and the scope and utilization of Canada's health care resources. This information is used to assist and support health planners and decision-makers at all levels of government, to sustain demographic and epidemiological research, and to report to the Canadian public about their collective health and the health care system.

Content

Each provincial and territorial cancer registry records all cases of cancer among the population in its jurisdiction by combining information from multiple sources such as cancer clinic files and radiotherapy reports, records from in-patient hospitals, out-patient clinics and private hospitals, pathology and other laboratory/autopsy reports, radiology and screening program reports, reports from physicians in private practice, and reports on cancer deaths from Vital Statistics registrars.

Each year, approximately 145,000 new cancer tumour records are loaded on the Canadian Cancer Registry database. Subsequent changes to registrations due to errors or omissions are also transmitted to Statistics Canada, as the information becomes available in the cancer registries.

The Canadian Council of Cancer Registries, which oversees the Canadian Cancer Registry, recommends that the following tumours should be reported to the Canadian Cancer Registry:

- All primary, malignant tumours (ICD-O-3, topography codes C00.0 to C80.9) with behaviour codes of 3 (except squamous cell skin cancer (ICD-O-3 morphology codes 805_ to 808_) and basal cell skin cancer (ICD-O-3 morphology codes 809_ to 811_) with topographies C44.0 to C44.9;
- In situ/intraepithelial/non-infiltrating/non-invasive carcinomas (all topographies in ICD-O-3 with behaviour codes of 2; except C530-C539 (cervix) in situ or cervical intraepithelial neoplasia (CIN III) due to inconsistencies in collecting and reporting rules);
- Primary, benign tumours of the brain and central nervous system (topographies C70.0 to C72.9 with ICD-O-3 behaviour codes of 0), and;
- Borderline malignancies (all topographies in ICD-O-3 with behaviour codes of 1).

Patient records include nominal, demographic and mortality information about the person. Tumour records contain information about the characteristics of the tumour and its diagnosis.

Related products

Selected publications from Statistics Canada

82-221-X	Health Indicators
82-226-X	Cancer Survival Statistics
82-401-X	Comparable Health Indicators - Canada, Provinces and Territories

Selected CANSIM tables from Statistics Canada

103-0551	New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group and sex, Canada, provinces and territories, annual
103-0552	Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group and sex, Canada, provinces and territories, annual
103-0553	New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, Canada, provinces and territories, annual

Selected surveys from Statistics Canada

3207	Canadian Cancer Registry
------	--------------------------

Selected summary tables from Statistics Canada

- *Cancer, new cases, by selected primary site of cancer, by sex*
- *Deaths and death rate, by province and territory*

Statistical tables

Table 1-1

New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Canada¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2004												
All ages	147,108	460.1	457.7	462.4	77,042	486.5	483.1	490.0	70,066	434.1	430.9	437.3
0 to 4 years	368	21.6	19.5	23.9	200	23.0	19.9	26.3	168	20.2	17.3	23.4
5 to 9 years	x	x	x	x	122	12.4	10.4	14.8	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	99	9.6	7.8	11.6
15 to 19 years	445	20.9	19.0	22.9	237	21.7	19.1	24.6	208	20.1	17.5	22.9
20 to 24 years	709	31.9	29.6	34.3	358	31.5	28.3	34.9	351	32.3	29.0	35.8
25 to 29 years	1,042	48.2	45.4	51.2	463	42.3	38.6	46.3	579	54.4	50.1	58.9
30 to 34 years	1,717	77.1	73.5	80.8	635	56.5	52.2	61.0	1,082	98.1	92.4	104.1
35 to 39 years	2,707	112.2	108.0	116.4	913	75.2	70.5	80.2	1,794	149.5	142.7	156.6
40 to 44 years	5,085	185.0	180.0	190.1	1,609	116.5	110.9	122.3	3,476	254.2	245.9	262.8
45 to 49 years	7,876	306.5	299.8	313.3	3,015	235.5	227.2	244.0	4,861	377.0	366.5	387.7
50 to 54 years	10,982	491.4	482.3	500.7	4,876	440.8	428.5	453.2	6,106	541.1	527.7	554.8
55 to 59 years	15,060	781.1	768.7	793.6	7,951	832.8	814.7	851.1	7,109	730.4	713.6	747.5
60 to 64 years	17,246	1,184.5	1,167.0	1,202.2	9,955	1,394.0	1,367.0	1,421.4	7,291	982.8	960.5	1,005.4
65 to 69 years	18,827	1,606.9	1,584.2	1,629.7	11,392	2,020.5	1,984.0	2,057.5	7,435	1,223.2	1,195.8	1,251.0
70 to 74 years	20,685	1,981.4	1,954.8	2,008.2	12,483	2,556.2	2,512.2	2,600.8	8,202	1,476.1	1,444.7	1,508.1
75 to 79 years	18,946	2,226.3	2,195.1	2,257.8	10,702	2,906.3	2,852.4	2,960.9	8,244	1,707.6	1,671.3	1,744.4
80 to 84 years	14,425	2,367.3	2,329.3	2,405.7	7,411	3,175.6	3,105.0	3,247.3	7,014	1,865.5	1,822.7	1,909.2
85 years and over	10,555	2,262.9	2,220.5	2,305.9	4,612	3,236.7	3,145.8	3,329.5	5,943	1,834.5	1,788.7	1,881.2
Age group, not stated	x	.	.	.	x	.	.	.	x	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-2
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Newfoundland and Labrador¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	2,328	453.0	434.9	471.6	1,243	492.2	465.5	520.1	1,085	415.0	390.9	440.2
0 to 4 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	x	x	x	x	x	x	x	x	x	x	x	x
20 to 24 years	x	x	x	x	x	x	x	x	x	x	x	x
25 to 29 years	16	51.9	30.7	82.2	10	65.1	33.1	115.7	6	38.7	15.7	80.0
30 to 34 years	29	89.1	60.8	126.1	15	95.1	55.2	152.9	14	83.4	47.5	136.2
35 to 39 years	37	96.7	69.1	131.7	11	59.4	31.2	102.8	26	131.7	87.8	189.9
40 to 44 years	79	182.8	145.7	226.5	22	103.8	66.7	154.3	57	258.9	197.9	332.7
45 to 49 years	102	235.1	192.7	284.1	33	153.6	107.4	212.8	69	315.2	247.2	396.1
50 to 54 years	211	498.5	434.6	568.9	95	454.8	370.0	552.9	116	541.0	449.2	645.9
55 to 59 years	296	777.4	692.7	869.3	144	763.6	646.6	895.4	152	790.9	672.7	923.5
60 to 64 years	325	1,186.5	1,063.2	1,319.8	178	1,309.0	1,127.8	1,510.3	147	1,065.8	904.2	1,247.4
65 to 69 years	316	1,508.9	1,350.2	1,680.6	196	1,896.7	1,646.5	2,172.9	120	1,131.2	942.6	1,345.8
70 to 74 years	328	1,931.9	1,732.7	2,147.0	213	2,603.9	2,274.7	2,965.4	115	1,307.1	1,085.0	1,560.4
75 to 79 years	290	2,155.2	1,919.6	2,410.6	168	2,839.8	2,438.3	3,285.6	122	1,618.0	1,350.8	1,921.3
80 to 84 years	167	1,872.2	1,605.7	2,168.9	92	2,584.3	2,099.3	3,143.4	75	1,399.3	1,109.5	1,740.0
85 years and over	107	1,443.4	1,189.8	1,733.8	56	2,425.3	1,853.5	3,111.9	51	999.2	752.4	1,300.2
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	2,213	427.8	410.3	445.9	1,202	472.6	446.5	499.8	1,011	384.5	361.3	408.7
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	x	x	x	x	x	x	x	x	x	x	x	x
20 to 24 years	x	x	x	x	6	33.2	13.5	68.6	x	x	x	x
25 to 29 years	x	x	x	x	x	x	x	x	x	x	x	x
30 to 34 years	22	65.3	42.0	97.1	9	55.5	27.1	101.5	13	74.4	41.4	123.7
35 to 39 years	56	140.8	107.3	181.3	19	98.3	60.9	150.4	37	180.9	129.2	246.4
40 to 44 years	72	165.1	130.1	206.5	22	102.1	65.6	151.8	50	226.5	169.9	295.9
45 to 49 years	139	318.6	268.8	374.7	58	268.7	205.9	344.6	81	367.3	293.6	453.8
50 to 54 years	180	429.8	370.4	495.9	90	435.2	352.1	531.9	90	424.6	343.5	519.0
55 to 59 years	257	705.6	623.4	795.4	144	795.9	673.9	933.3	113	616.4	510.5	737.5
60 to 64 years	296	1,132.5	1,009.4	1,266.1	175	1,345.8	1,158.1	1,554.6	121	921.2	768.1	1,095.4
65 to 69 years	310	1,521.2	1,359.8	1,696.1	195	1,944.7	1,687.6	2,228.7	115	1,111.0	922.0	1,326.6
70 to 74 years	299	1,771.7	1,580.6	1,978.9	167	2,067.6	1,773.6	2,394.8	132	1,500.2	1,261.3	1,770.0
75 to 79 years	274	2,080.5	1,846.7	2,334.6	165	2,842.4	2,437.1	3,292.8	109	1,480.0	1,222.2	1,774.7
80 to 84 years	165	1,815.8	1,555.8	2,105.5	88	2,445.8	1,977.0	2,988.3	77	1,402.8	1,115.8	1,739.6
85 years and over	108	1,539.8	1,270.5	1,847.8	50	2,285.2	1,717.9	2,974.1	58	1,201.8	921.8	1,538.7
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-3
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Prince Edward Island¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	745	539.2	501.6	578.8	406	603.9	547.4	664.6	339	477.8	429.0	530.6
0 to 4 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	x	x	x	x	x	x	x	x	x	x	x	x
20 to 24 years	x	x	x	x	x	x	x	x	x	x	x	x
25 to 29 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
30 to 34 years	x	x	x	x	x	x	x	x	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	18	164.9	100.8	255.0	11	204.5	107.6	353.9	7	126.5	55.4	248.6
45 to 49 years	35	327.4	231.6	449.6	14	269.9	153.7	440.5	21	381.7	242.6	571.8
50 to 54 years	46	458.3	339.5	605.0	23	468.7	304.4	690.2	23	448.3	291.2	660.2
55 to 59 years	65	661.5	514.9	836.5	34	696.2	490.1	959.3	31	627.3	433.9	877.1
60 to 64 years	109	1,579.7	1,304.7	1,894.1	70	2,075.9	1,633.3	2,598.0	39	1,105.4	797.7	1,491.2
65 to 69 years	119	2,100.6	1,750.3	2,498.2	75	2,710.5	2,151.8	3,364.3	44	1,518.3	1,118.2	2,012.3
70 to 74 years	98	2,077.2	1,697.9	2,513.2	66	2,949.1	2,305.0	3,709.8	32	1,290.3	898.7	1,792.3
75 to 79 years	94	2,557.8	2,082.5	3,105.0	42	2,600.6	1,903.2	3,461.2	52	2,524.3	1,909.1	3,267.8
80 to 84 years	80	2,809.0	2,247.1	3,462.9	42	3,984.8	2,920.8	5,288.5	38	2,118.2	1,523.5	2,861.8
85 years and over	58	2,181.3	1,674.7	2,788.2	20	2,587.3	1,630.0	3,884.9	38	2,014.8	1,449.0	2,722.9
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	749	543.3	505.5	583.1	416	619.9	562.5	681.4	333	470.7	422.2	523.1
0 to 4 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
5 to 9 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	x	x	x	x	x	x	x	x	x	x	x	x
25 to 29 years	x	x	x	x	x	x	x	x	x	x	x	x
30 to 34 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	11	236.2	124.3	408.6
40 to 44 years	24	217.5	142.5	318.0	13	242.3	134.8	402.4	11	193.9	102.0	335.6
45 to 49 years	36	339.9	241.7	464.8	13	251.5	139.9	417.6	23	424.4	275.6	624.9
50 to 54 years	50	501.6	376.3	654.9	24	494.8	324.5	723.0	26	507.9	338.9	731.6
55 to 59 years	83	896.7	719.2	1,104.2	46	993.1	736.1	1,309.7	37	800.2	572.0	1,088.4
60 to 64 years	100	1,500.4	1,228.4	1,813.2	59	1,812.6	1,394.4	2,313.7	41	1,202.3	875.1	1,610.1
65 to 69 years	106	1,908.2	1,572.1	2,292.8	68	2,499.1	1,959.9	3,135.5	38	1,340.9	963.6	1,814.7
70 to 74 years	99	2,136.8	1,748.6	2,582.8	68	3,075.5	2,413.2	3,855.4	31	1,279.9	886.1	1,786.9
75 to 79 years	97	2,640.9	2,157.4	3,196.1	57	3,596.2	2,758.4	4,595.5	40	1,915.7	1,389.6	2,570.6
80 to 84 years	66	2,354.6	1,839.3	2,964.7	33	3,257.7	2,287.6	4,482.5	33	1,843.6	1,292.4	2,545.3
85 years and over	57	2,246.7	1,721.0	2,877.6	23	3,079.0	2,006.5	4,498.4	34	1,899.4	1,339.0	2,610.1
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-4
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Nova Scotia¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	5,241	559.9	544.9	575.1	2,775	606.0	583.8	628.7	2,466	515.7	495.7	536.3
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	13	20.6	11.5	34.3	7	21.7	9.5	42.7	6	19.5	7.9	40.3
20 to 24 years	17	26.8	16.1	42.0	11	34.1	18.0	59.1	6	19.3	7.8	39.8
25 to 29 years	34	59.3	41.7	81.8	16	57.0	33.7	90.4	18	61.5	37.6	95.1
30 to 34 years	41	68.0	49.4	91.3	15	50.7	29.5	81.6	26	84.7	56.5	122.1
35 to 39 years	82	126.4	101.2	156.0	31	96.5	66.7	135.1	51	155.9	117.3	203.1
40 to 44 years	176	219.7	189.0	253.9	54	135.2	102.5	174.9	122	303.8	253.4	361.2
45 to 49 years	265	343.5	304.0	386.7	100	262.9	215.0	318.1	165	422.0	361.3	489.9
50 to 54 years	373	531.9	480.0	587.7	186	542.3	468.5	624.1	187	522.0	451.2	600.6
55 to 59 years	544	833.0	765.4	904.9	296	912.3	813.1	1,020.1	248	754.7	665.3	852.6
60 to 64 years	633	1,294.4	1,197.0	1,397.4	364	1,511.0	1,362.5	1,670.8	269	1,084.2	960.8	1,218.7
65 to 69 years	705	1,840.9	1,709.8	1,979.1	430	2,315.1	2,105.9	2,538.6	275	1,394.4	1,237.5	1,565.1
70 to 74 years	718	2,214.8	2,058.6	2,379.1	440	2,923.8	2,663.2	3,201.7	278	1,600.5	1,421.5	1,795.0
75 to 79 years	667	2,602.6	2,412.8	2,802.7	369	3,352.7	3,028.0	3,700.9	298	2,038.0	1,818.0	2,276.4
80 to 84 years	524	2,669.0	2,450.2	2,901.2	282	3,672.4	3,268.2	4,109.9	242	2,024.4	1,783.0	2,288.3
85 years and over	437	2,435.6	2,217.4	2,668.7	167	3,091.4	2,653.6	3,577.5	270	2,153.1	1,909.6	2,418.0
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	5,207	555.4	540.5	570.6	2,822	614.5	592.2	637.4	2,385	498.7	479.0	519.0
0 to 4 years	16	35.8	21.2	56.7	8	35.0	16.3	66.2	8	36.6	17.0	69.2
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	x	x	x	x	7	21.6	9.5	42.6	x	x	x	x
20 to 24 years	x	x	x	x	10	31.3	15.9	55.6	x	x	x	x
25 to 29 years	31	54.0	37.3	75.6	18	63.9	39.1	98.8	13	44.5	24.7	73.9
30 to 34 years	56	90.7	69.1	116.8	20	65.7	41.2	99.4	36	115.0	81.7	157.3
35 to 39 years	78	114.9	91.4	142.5	30	89.0	61.1	125.3	48	140.4	104.7	184.4
40 to 44 years	153	189.3	161.0	221.0	49	121.3	90.7	158.9	104	257.2	211.2	310.2
45 to 49 years	228	297.4	260.7	337.9	102	269.4	220.8	325.4	126	324.9	271.8	385.2
50 to 54 years	368	534.5	482.0	591.0	179	528.2	455.1	609.6	189	540.5	467.6	621.5
55 to 59 years	519	825.4	756.8	898.3	278	890.9	791.0	999.7	241	760.8	669.4	860.9
60 to 64 years	628	1,339.6	1,238.4	1,446.6	367	1,597.9	1,441.5	1,766.0	261	1,091.5	965.4	1,229.0
65 to 69 years	676	1,798.0	1,667.3	1,936.0	441	2,404.6	2,190.0	2,633.6	235	1,220.3	1,072.3	1,382.7
70 to 74 years	754	2,357.0	2,194.9	2,527.4	470	3,186.0	2,911.3	3,478.3	284	1,647.5	1,465.2	1,845.5
75 to 79 years	678	2,649.8	2,458.1	2,851.8	367	3,364.8	3,038.1	3,715.2	311	2,118.5	1,894.6	2,360.7
80 to 84 years	541	2,738.4	2,517.4	2,972.7	274	3,636.8	3,230.9	4,076.8	267	2,184.6	1,936.2	2,454.8
85 years and over	445	2,599.9	2,369.1	2,846.1	198	3,834.2	3,334.8	4,382.9	247	2,066.6	1,822.6	2,333.0
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-5
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — New Brunswick¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	3,976	529.1	512.9	545.7	2,153	580.5	556.4	605.3	1,823	479.0	457.4	501.3
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	6	31.2	12.7	64.4
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	12	24.4	13.2	41.3	6	23.6	9.6	48.7	6	25.2	10.2	52.1
20 to 24 years	19	37.4	23.2	57.2	8	30.5	14.2	57.6	11	44.8	23.6	77.6
25 to 29 years	x	x	x	x	x	x	x	x	12	50.7	27.5	85.9
30 to 34 years	32	63.6	44.2	88.6	17	67.1	40.4	105.1	15	60.1	34.9	96.6
35 to 39 years	54	101.9	77.3	131.9	20	75.3	47.3	114.0	34	128.8	90.6	177.7
40 to 44 years	119	187.7	156.2	223.7	37	117.3	83.8	159.9	82	257.3	206.0	317.5
45 to 49 years	211	338.9	295.5	386.9	73	235.2	185.7	293.8	138	442.1	372.8	520.3
50 to 54 years	281	486.3	431.9	545.5	139	487.8	411.7	573.7	142	484.8	409.9	569.3
55 to 59 years	466	886.3	808.8	969.1	240	919.0	808.5	1,040.2	226	853.9	748.2	970.1
60 to 64 years	494	1,285.5	1,176.4	1,401.7	308	1,615.3	1,443.4	1,801.4	186	960.6	830.2	1,105.3
65 to 69 years	551	1,855.8	1,706.8	2,014.0	348	2,400.5	2,160.4	2,658.9	203	1,336.1	1,162.4	1,527.9
70 to 74 years	529	2,121.3	1,947.7	2,305.5	321	2,805.2	2,514.0	3,119.4	208	1,541.3	1,343.4	1,759.4
75 to 79 years	498	2,412.9	2,209.9	2,628.8	285	3,263.1	2,905.2	3,650.7	213	1,789.2	1,562.2	2,038.8
80 to 84 years	387	2,440.9	2,208.9	2,689.5	208	3,446.0	3,006.9	3,927.8	179	1,823.0	1,571.9	2,101.6
85 years and over	292	2,142.8	1,909.4	2,395.9	133	3,188.7	2,686.0	3,753.5	159	1,681.5	1,436.4	1,955.3
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	3,761	500.1	484.3	516.2	2,037	548.6	525.2	572.8	1,724	452.8	431.8	474.4
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	x	x	x	x	x	x	x	x	6	25.0	10.1	51.6
20 to 24 years	13	25.4	14.1	42.3	7	26.5	11.6	52.1	6	24.3	9.9	50.2
25 to 29 years	21	43.9	27.9	65.8	8	33.4	15.5	63.1	13	54.4	30.3	90.4
30 to 34 years	46	90.3	66.9	119.3	15	58.5	34.0	94.1	31	122.6	84.8	171.6
35 to 39 years	41	74.1	53.8	99.4	13	46.8	26.0	77.8	28	101.5	68.8	144.5
40 to 44 years	105	164.8	135.5	198.6	32	101.0	70.2	140.7	73	228.0	180.0	284.8
45 to 49 years	209	337.0	293.7	385.0	69	223.5	175.2	281.0	140	449.6	379.7	528.5
50 to 54 years	293	516.8	460.2	578.3	133	474.8	399.2	560.4	160	557.8	476.3	648.9
55 to 59 years	416	828.5	751.9	910.6	223	889.3	778.5	1,011.2	193	767.8	665.3	881.3
60 to 64 years	446	1,206.6	1,099.0	1,321.7	278	1,517.6	1,347.9	1,702.2	168	901.1	772.7	1,044.3
65 to 69 years	480	1,661.6	1,518.8	1,813.7	301	2,153.7	1,922.5	2,404.1	179	1,200.4	1,034.6	1,384.6
70 to 74 years	492	1,974.7	1,807.3	2,152.9	325	2,826.1	2,534.5	3,140.5	167	1,244.9	1,067.3	1,443.0
75 to 79 years	483	2,324.7	2,126.1	2,536.1	279	3,198.8	2,844.2	3,583.2	204	1,692.2	1,473.0	1,933.9
80 to 84 years	371	2,376.1	2,145.6	2,623.6	194	3,291.5	2,857.6	3,769.2	177	1,821.0	1,568.8	2,101.0
85 years and over	319	2,430.7	2,177.2	2,704.4	148	3,686.2	3,134.7	4,301.3	171	1,877.3	1,613.1	2,171.1
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-6
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Quebec^{1,2}

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2004												
All ages	37,508	496.9	491.9	502.0	19,490	523.2	516.0	530.6	18,018	471.3	464.5	478.2
0 to 4 years	92	24.8	20.1	30.2	50	26.2	19.7	34.3	42	23.2	17.0	31.1
5 to 9 years	62	14.8	11.4	18.8	33	15.4	10.8	21.3	29	14.2	9.7	20.1
10 to 14 years	43	8.9	6.5	11.8	21	8.5	5.4	12.7	22	9.3	6.0	13.8
15 to 19 years	96	21.0	17.1	25.6	55	23.5	17.9	30.4	41	18.4	13.4	24.7
20 to 24 years	160	31.3	26.7	36.4	93	35.5	28.8	43.2	67	26.9	21.0	33.9
25 to 29 years	211	40.7	35.5	46.5	106	40.0	32.9	48.1	105	41.5	34.1	50.0
30 to 34 years	343	69.5	62.5	77.2	135	53.4	45.0	63.0	208	86.4	75.3	98.8
35 to 39 years	550	99.3	91.3	107.8	178	63.0	54.3	72.8	372	137.0	123.6	151.5
40 to 44 years	1,206	185.4	175.1	196.1	388	118.0	106.7	130.2	818	254.2	237.2	272.0
45 to 49 years	1,843	291.4	278.4	304.9	710	225.2	209.1	242.2	1,133	357.3	337.0	378.5
50 to 54 years	2,801	503.1	484.8	522.0	1,173	426.8	402.9	451.6	1,628	577.6	550.1	606.1
55 to 59 years	3,989	808.4	783.7	833.7	2,059	850.1	814.1	887.2	1,930	768.3	734.7	803.0
60 to 64 years	4,688	1,221.1	1,186.7	1,256.2	2,724	1,459.8	1,406.1	1,514.9	1,964	995.4	952.3	1,039.9
65 to 69 years	4,817	1,627.8	1,582.7	1,673.9	2,882	2,062.7	1,989.1	2,138.1	1,935	1,238.8	1,184.8	1,294.6
70 to 74 years	5,216	1,964.1	1,911.8	2,017.3	3,038	2,540.3	2,452.3	2,630.6	2,178	1,492.0	1,430.7	1,555.1
75 to 79 years	4,799	2,273.7	2,210.8	2,338.0	2,664	3,046.8	2,934.4	3,162.3	2,135	1,727.0	1,655.4	1,800.7
80 to 84 years	3,695	2,595.6	2,513.9	2,679.1	1,921	3,756.0	3,593.7	3,923.3	1,774	1,944.9	1,856.7	2,036.0
85 years and over	2,897	2,692.1	2,596.6	2,790.0	1,260	4,258.8	4,032.9	4,493.1	1,637	2,098.0	1,999.2	2,200.3
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

2. For Quebec, 2003 to 2004 data do not include Quebec residents diagnosed and treated in Ontario.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-7
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Ontario^{1,2}

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	58,645	467.0	463.2	470.8	30,427	490.6	485.2	496.2	28,218	443.9	438.7	449.1
0 to 4 years	137	20.3	17.1	23.9	60	17.4	13.4	22.2	77	23.3	18.5	29.0
5 to 9 years	x	x	x	x	52	13.3	10.0	17.3	x	x	x	x
10 to 14 years	99	11.8	9.7	14.3	44	10.3	7.5	13.6	55	13.5	10.2	17.4
15 to 19 years	183	21.8	18.8	25.1	97	22.5	18.4	27.3	86	21.0	16.9	25.8
20 to 24 years	315	36.6	32.7	40.8	141	32.2	27.2	37.8	174	41.1	35.3	47.6
25 to 29 years	489	58.2	53.2	63.5	200	47.5	41.2	54.4	289	69.0	61.4	77.3
30 to 34 years	782	87.0	81.0	93.2	283	62.9	55.9	70.5	499	111.1	101.7	121.1
35 to 39 years	1,253	129.7	122.6	137.0	358	74.2	66.8	82.2	895	184.9	173.1	197.3
40 to 44 years	2,165	197.8	189.6	206.3	696	126.6	117.5	136.3	1,469	269.6	256.0	283.6
45 to 49 years	3,302	332.1	320.9	343.5	1,214	245.3	231.8	259.4	2,088	418.0	400.4	436.2
50 to 54 years	4,538	529.9	514.7	545.4	2,076	493.0	472.2	514.5	2,462	565.6	543.6	588.2
55 to 59 years	6,189	823.1	802.8	843.7	3,235	873.8	844.2	904.1	2,954	773.9	746.5	802.1
60 to 64 years	6,774	1,208.4	1,180.0	1,237.2	3,941	1,437.9	1,393.9	1,483.0	2,833	988.8	953.1	1,025.5
65 to 69 years	7,610	1,668.0	1,631.1	1,705.4	4,619	2,114.8	2,055.0	2,175.7	2,991	1,257.6	1,213.4	1,303.0
70 to 74 years	7,988	1,996.4	1,953.4	2,040.1	4,773	2,543.1	2,472.6	2,615.0	3,215	1,513.4	1,462.1	1,566.0
75 to 79 years	7,520	2,250.6	2,200.7	2,301.3	4,214	2,870.7	2,786.2	2,957.0	3,306	1,764.6	1,705.7	1,825.0
80 to 84 years	5,502	2,271.6	2,212.8	2,331.5	2,782	2,950.9	2,844.3	3,060.4	2,720	1,838.6	1,771.1	1,908.0
85 years and over	3,710	2,086.4	2,020.7	2,153.6	1,642	2,948.7	2,810.6	3,091.6	2,068	1,693.2	1,621.9	1,766.7
Age group, not stated	x	.	.	.	0	.	.	.	x	.	.	.
2004												
All ages	55,936	450.8	447.1	454.6	29,062	474.3	468.9	479.7	26,874	427.9	422.9	433.1
0 to 4 years	154	22.7	19.3	26.5	84	24.2	19.4	29.8	70	21.0	16.5	26.4
5 to 9 years	x	x	x	x	x	x	x	x	47	12.3	9.1	16.2
10 to 14 years	x	x	x	x	48	11.2	8.4	14.8	x	x	x	x
15 to 19 years	193	23.3	20.2	26.7	98	23.0	18.8	27.9	95	23.5	19.1	28.6
20 to 24 years	292	34.5	30.7	38.6	139	32.3	27.2	38.0	153	36.8	31.3	43.0
25 to 29 years	456	54.9	50.0	60.1	191	45.7	39.6	52.6	265	64.1	56.7	72.1
30 to 34 years	779	86.4	80.5	92.7	270	59.8	53.0	67.3	509	113.1	103.6	123.3
35 to 39 years	1,209	123.3	116.5	130.3	384	78.3	70.8	86.5	825	168.1	156.9	179.9
40 to 44 years	2,112	195.0	186.8	203.4	660	121.3	112.3	130.8	1,452	269.2	255.7	283.3
45 to 49 years	3,105	321.2	310.0	332.6	1,180	245.9	232.2	260.2	1,925	395.4	378.0	413.3
50 to 54 years	4,193	505.1	490.0	520.5	1,883	461.7	441.2	482.9	2,310	547.1	525.1	569.6
55 to 59 years	5,743	797.9	777.5	818.6	3,060	861.1	831.1	891.8	2,683	736.2	708.8	764.3
60 to 64 years	6,413	1,182.9	1,154.4	1,211.9	3,668	1,385.7	1,341.7	1,430.7	2,745	989.4	953.1	1,026.7
65 to 69 years	7,342	1,633.5	1,596.8	1,670.9	4,449	2,065.5	2,006.0	2,126.2	2,893	1,236.0	1,191.8	1,281.4
70 to 74 years	7,941	1,983.0	1,940.2	2,026.5	4,776	2,543.8	2,473.3	2,615.7	3,165	1,488.0	1,437.2	1,540.1
75 to 79 years	7,113	2,157.9	2,108.7	2,207.9	3,999	2,793.4	2,708.9	2,879.7	3,114	1,670.0	1,612.6	1,728.9
80 to 84 years	5,265	2,245.9	2,186.5	2,306.5	2,669	2,945.7	2,837.0	3,057.2	2,596	1,805.1	1,737.2	1,874.8
85 years and over	3,433	2,052.1	1,985.0	2,120.9	1,454	2,814.4	2,674.4	2,959.6	1,979	1,711.6	1,638.0	1,787.5
Age group, not stated	x	.	.	.	x	.	.	.	x	.	.	.

1. Data for 2005 are not available for Canada and Quebec.
 2. The 2003, 2004 and 2005 Ontario data are provisional. Missing are the death certificate only cases which are estimated to be approximately 2%. Ontario does not report in situ for bladder cases to the Canadian Cancer Registry.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-8
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Manitoba^{1,2}

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	5,248	447.0	435.0	459.1	2,602	446.2	429.3	463.5	2,646	447.7	430.9	465.0
0 to 4 years	18	25.8	15.8	40.0	9	25.3	12.4	46.3	9	26.4	12.9	48.2
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	16	18.9	11.2	30.0	6	13.9	5.7	28.8	10	24.1	12.2	42.8
20 to 24 years	22	26.4	16.9	39.2	13	30.3	16.8	50.3	9	22.2	10.8	40.6
25 to 29 years	39	50.0	36.0	67.6	17	42.7	25.7	66.8	22	57.6	37.0	85.6
30 to 34 years	55	71.3	54.2	92.0	28	70.8	47.9	100.8	27	71.8	48.3	102.9
35 to 39 years	67	86.0	67.2	108.5	27	68.0	45.7	97.5	40	104.6	75.7	140.9
40 to 44 years	154	165.4	140.8	193.1	57	121.0	92.5	155.6	97	210.9	171.9	256.0
45 to 49 years	260	290.2	256.6	327.1	83	182.5	146.3	224.9	177	401.4	345.5	463.7
50 to 54 years	385	482.5	436.2	532.4	155	392.7	334.5	458.0	230	570.5	500.4	647.6
55 to 59 years	508	728.8	667.6	794.0	255	736.9	650.8	831.1	253	720.8	636.2	813.3
60 to 64 years	560	1,091.2	1,003.9	1,183.8	282	1,112.6	988.8	1,247.2	278	1,070.3	950.4	1,200.8
65 to 69 years	668	1,648.0	1,527.4	1,775.4	377	1,935.9	1,749.2	2,136.4	291	1,381.8	1,230.6	1,546.1
70 to 74 years	709	1,932.3	1,795.1	2,076.9	420	2,444.7	2,221.4	2,683.4	289	1,481.1	1,318.5	1,657.7
75 to 79 years	717	2,200.3	2,045.1	2,363.7	384	2,709.8	2,451.6	2,986.5	333	1,808.3	1,623.1	2,008.2
80 to 84 years	539	2,068.3	1,900.6	2,246.3	254	2,543.6	2,247.8	2,865.8	285	1,773.0	1,577.3	1,985.6
85 years and over	518	2,242.8	2,057.6	2,439.6	228	3,228.1	2,834.0	3,658.9	290	1,808.8	1,610.8	2,023.6
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	5,472	467.6	455.4	480.1	2,786	479.6	462.0	497.6	2,686	455.8	438.8	473.2
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	6	13.9	5.6	28.7	x	x	x	x
15 to 19 years	15	17.9	10.4	28.7	9	21.0	10.3	38.4	6	14.6	5.9	30.2
20 to 24 years	31	37.6	26.0	52.7	13	30.7	17.1	51.0	18	45.1	27.5	69.7
25 to 29 years	36	46.2	32.9	63.3	13	32.7	18.2	54.4	23	60.4	39.2	89.0
30 to 34 years	60	77.6	59.7	99.1	21	53.1	33.7	79.6	39	103.3	74.4	139.6
35 to 39 years	94	117.0	95.1	142.5	38	92.9	66.7	126.1	56	142.1	108.3	183.0
40 to 44 years	146	154.9	131.3	181.6	53	110.7	83.8	143.6	93	200.5	162.7	244.3
45 to 49 years	282	319.7	284.0	358.6	116	260.3	216.1	310.9	166	380.4	325.8	441.4
50 to 54 years	395	507.5	459.4	559.3	154	400.2	340.7	467.0	241	612.5	538.9	693.2
55 to 59 years	511	764.6	700.6	832.7	261	784.3	693.6	883.4	250	745.0	657.1	841.3
60 to 64 years	597	1,204.5	1,111.2	1,303.3	320	1,316.2	1,178.5	1,465.1	277	1,096.9	973.8	1,230.9
65 to 69 years	614	1,523.9	1,407.6	1,646.9	377	1,944.7	1,757.2	2,146.1	237	1,133.7	996.7	1,283.9
70 to 74 years	751	2,015.9	1,876.7	2,162.2	425	2,444.8	2,222.7	2,682.1	326	1,640.7	1,470.8	1,824.2
75 to 79 years	777	2,381.0	2,219.6	2,550.5	433	3,080.8	2,804.3	3,375.8	344	1,851.7	1,665.0	2,052.9
80 to 84 years	674	2,612.3	2,422.7	2,812.1	344	3,523.1	3,170.5	3,902.1	330	2,057.7	1,846.3	2,285.9
85 years and over	466	2,088.6	1,906.9	2,282.3	195	2,859.7	2,483.0	3,274.8	271	1,749.2	1,551.3	1,964.5
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

2. The 2005 Manitoba data are provisional. Prostate and male genitourinary cases are under reported. This situation will be rectified for the next annual release.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-9

New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Saskatchewan¹

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	4,659	470.6	457.3	484.3	2,571	522.7	502.8	543.1	2,088	419.2	401.6	437.5
0 to 4 years	x	x	x	x	10	32.7	16.6	58.1	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	17	22.1	13.3	34.6	11	27.8	14.6	48.2	6	16.1	6.5	33.2
20 to 24 years	24	32.4	21.2	47.4	16	41.5	24.6	65.8	8	22.5	10.5	42.6
25 to 29 years	30	47.5	32.6	66.8	9	28.1	13.7	51.3	21	67.5	42.9	101.2
30 to 34 years	32	54.9	38.2	76.5	13	44.4	24.7	73.8	19	65.4	40.6	100.1
35 to 39 years	54	90.2	68.4	116.8	16	53.4	31.6	84.7	38	127.0	91.2	172.4
40 to 44 years	132	176.0	147.9	208.0	50	133.4	100.0	174.2	82	218.7	175.1	269.9
45 to 49 years	194	254.7	220.7	292.4	73	189.4	149.5	236.6	121	321.6	268.1	382.7
50 to 54 years	307	453.9	405.3	506.7	129	377.1	316.1	446.3	178	532.5	458.6	614.8
55 to 59 years	388	699.2	632.4	771.1	206	741.4	645.4	847.3	182	656.9	566.7	757.2
60 to 64 years	539	1,272.9	1,169.4	1,383.0	317	1,516.0	1,356.8	1,688.3	222	1,035.8	906.6	1,177.9
65 to 69 years	621	1,724.9	1,594.1	1,863.2	393	2,256.5	2,043.5	2,484.9	228	1,226.7	1,075.7	1,392.5
70 to 74 years	639	1,904.5	1,762.2	2,054.8	411	2,601.9	2,361.9	2,858.6	228	1,284.1	1,126.1	1,457.5
75 to 79 years	678	2,237.3	2,075.1	2,408.2	420	3,106.0	2,823.2	3,408.2	258	1,537.3	1,359.1	1,731.7
80 to 84 years	543	2,286.5	2,102.0	2,482.3	293	3,086.5	2,752.1	3,448.3	250	1,753.8	1,547.6	1,978.9
85 years and over	434	1,842.7	1,676.6	2,020.2	199	2,559.5	2,225.2	2,927.8	235	1,489.4	1,308.9	1,687.2
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	4,909	493.7	480.1	507.6	2,750	556.8	536.3	577.8	2,159	431.5	413.6	449.9
0 to 4 years	x	x	x	x	7	22.9	10.0	45.0	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	15	19.3	11.2	31.0	8	20.0	9.3	37.8	7	18.5	8.1	36.5
20 to 24 years	18	24.3	14.9	37.7	9	23.5	11.5	42.9	9	25.3	12.3	46.2
25 to 29 years	22	35.0	22.5	52.0	9	28.1	13.7	51.3	13	42.2	23.5	70.1
30 to 34 years	39	66.6	48.0	90.0	21	71.6	45.5	107.4	18	61.6	37.6	95.2
35 to 39 years	43	68.6	50.2	91.4	13	41.4	23.0	68.9	30	95.7	65.7	134.7
40 to 44 years	144	186.9	158.2	219.3	46	119.1	88.2	157.3	98	255.2	208.3	309.4
45 to 49 years	231	303.5	266.2	344.5	84	218.6	175.5	269.1	147	390.1	330.8	456.8
50 to 54 years	296	454.3	404.8	508.1	151	457.6	389.0	534.8	145	450.9	381.9	528.6
55 to 59 years	410	772.0	700.1	849.1	228	856.0	750.5	972.0	182	687.4	593.1	792.4
60 to 64 years	509	1,229.5	1,126.6	1,339.0	301	1,476.1	1,317.1	1,648.4	208	990.2	862.7	1,130.8
65 to 69 years	646	1,796.2	1,662.7	1,937.3	415	2,383.8	2,164.8	2,618.1	231	1,244.9	1,092.7	1,412.0
70 to 74 years	739	2,155.3	2,005.4	2,312.9	482	2,993.8	2,738.6	3,265.2	257	1,413.0	1,248.9	1,592.2
75 to 79 years	741	2,424.8	2,256.7	2,601.7	440	3,243.6	2,955.0	3,551.4	301	1,771.2	1,580.7	1,977.6
80 to 84 years	538	2,267.5	2,083.6	2,462.6	293	3,113.4	2,776.1	3,478.3	245	1,711.4	1,508.2	1,933.4
85 years and over	498	2,174.2	1,991.1	2,369.0	236	3,112.6	2,738.7	3,520.9	262	1,709.8	1,513.3	1,924.1
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-10
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Alberta^{1,2}

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	12,361	377.1	370.5	383.8	6,510	393.1	383.6	402.7	5,851	360.9	351.7	370.2
0 to 4 years	32	16.0	11.1	22.3	24	23.5	15.4	34.3	8	8.2	3.8	15.4
5 to 9 years	27	13.1	8.8	18.8	20	18.9	11.9	28.6	7	7.0	3.1	13.8
10 to 14 years	21	9.5	6.0	14.2	11	9.6	5.1	16.6	10	9.3	4.7	16.5
15 to 19 years	49	20.7	15.5	27.2	30	24.7	17.0	34.8	19	16.5	10.2	25.3
20 to 24 years	76	29.9	23.7	37.1	43	32.7	24.0	43.6	33	26.8	18.7	37.1
25 to 29 years	129	50.5	42.4	59.8	52	39.2	29.6	51.0	77	62.8	49.9	78.0
30 to 34 years	179	73.4	63.2	84.8	61	48.3	37.2	61.6	118	100.4	83.5	119.8
35 to 39 years	239	98.9	87.0	112.0	92	73.9	59.9	90.2	147	125.4	106.3	146.9
40 to 44 years	496	178.9	163.6	195.1	176	125.3	107.8	144.8	320	233.9	209.3	260.6
45 to 49 years	767	285.4	265.7	306.1	308	225.7	201.5	251.9	459	347.0	316.3	379.7
50 to 54 years	1,027	460.0	432.6	488.8	462	407.9	372.0	446.3	565	513.7	472.8	557.3
55 to 59 years	1,340	748.5	709.4	789.2	751	831.1	773.4	891.8	589	664.4	612.4	719.4
60 to 64 years	1,433	1,122.7	1,066.0	1,181.6	796	1,243.7	1,160.0	1,331.8	637	1,000.9	925.7	1,080.5
65 to 69 years	1,544	1,556.6	1,480.9	1,635.0	932	1,919.9	1,800.6	2,044.7	612	1,208.4	1,116.0	1,306.3
70 to 74 years	1,648	1,933.6	1,842.7	2,027.6	984	2,406.9	2,261.6	2,558.8	664	1,497.2	1,387.3	1,613.4
75 to 79 years	1,485	2,150.3	2,044.1	2,260.5	869	2,777.0	2,599.1	2,963.3	616	1,631.1	1,506.9	1,762.5
80 to 84 years	1,066	2,194.3	2,066.8	2,327.4	547	2,818.1	2,592.0	3,057.8	519	1,779.2	1,632.1	1,935.6
85 years and over	803	2,014.6	1,880.0	2,155.9	352	2,762.3	2,487.9	3,057.3	451	1,663.2	1,515.9	1,820.4
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	12,867	401.5	394.6	408.5	6,757	417.3	407.4	427.3	6,110	385.4	375.8	395.1
0 to 4 years	31	15.9	11.0	22.2	15	15.0	8.7	24.2	16	16.8	9.9	26.6
5 to 9 years	23	11.2	7.3	16.5	14	13.2	7.5	21.6	9	9.0	4.4	16.5
10 to 14 years	28	12.5	8.5	17.9	16	13.9	8.2	22.1	12	11.1	6.0	18.8
15 to 19 years	50	21.5	16.1	28.1	25	20.9	13.8	30.3	25	22.1	14.6	32.1
20 to 24 years	74	29.9	23.7	37.3	31	24.3	16.8	34.0	43	35.9	26.3	47.9
25 to 29 years	121	49.4	41.2	58.8	47	36.9	27.4	48.6	74	63.1	49.9	78.7
30 to 34 years	172	72.1	61.9	83.5	64	51.7	40.2	65.6	108	94.0	77.5	113.0
35 to 39 years	306	126.9	113.3	141.8	119	96.3	80.1	114.7	187	159.2	137.6	183.3
40 to 44 years	517	185.8	170.3	202.3	159	112.7	96.1	131.2	358	260.9	235.0	289.0
45 to 49 years	805	307.3	286.7	329.1	296	222.1	197.9	248.5	509	395.6	362.4	431.0
50 to 54 years	1,063	500.5	471.1	531.2	486	451.3	412.6	492.7	577	551.1	507.5	597.3
55 to 59 years	1,292	765.7	724.9	808.1	711	836.1	776.5	899.0	581	694.2	639.6	752.1
60 to 64 years	1,503	1,231.7	1,170.9	1,294.7	885	1,449.4	1,356.8	1,546.4	618	1,013.6	936.4	1,095.5
65 to 69 years	1,573	1,624.0	1,545.8	1,705.0	935	1,973.3	1,850.9	2,101.4	638	1,289.5	1,192.8	1,391.7
70 to 74 years	1,777	2,098.7	2,003.8	2,196.9	1,093	2,691.3	2,537.2	2,852.0	684	1,552.5	1,440.1	1,671.1
75 to 79 years	1,556	2,333.7	2,221.1	2,450.3	904	3,026.3	2,836.4	3,225.0	652	1,771.5	1,640.4	1,910.0
80 to 84 years	1,144	2,414.9	2,279.4	2,555.9	597	3,186.5	2,941.9	3,445.0	547	1,910.0	1,756.2	2,073.3
85 years and over	832	2,227.6	2,081.5	2,380.9	360	3,035.4	2,737.5	3,355.3	472	1,851.8	1,691.5	2,022.6
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.
2. The 2005 Alberta data are provisional. New cancer cases estimated to be approximately 2% were excluded to meet the reporting deadline set by the Canadian Council of Cancer Registries.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-11
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — British Columbia¹

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	18,635	437.7	431.4	444.0	9,784	463.4	454.3	472.7	8,851	412.3	403.8	421.0
0 to 4 years	48	23.3	17.4	30.6	27	25.5	17.1	36.5	21	21.0	13.3	31.4
5 to 9 years	19	8.3	5.1	12.7	13	11.0	6.1	18.3	6	5.4	2.2	11.1
10 to 14 years	29	11.1	7.6	15.8	20	14.9	9.4	22.6	9	7.1	3.5	13.0
15 to 19 years	36	12.9	9.1	17.6	20	13.9	8.7	21.1	16	11.7	6.9	18.6
20 to 24 years	89	29.3	23.7	35.9	45	28.9	21.3	38.3	44	29.8	21.9	39.6
25 to 29 years	120	43.1	35.9	51.3	52	37.2	28.0	48.3	68	49.1	38.4	61.8
30 to 34 years	185	63.5	54.9	73.2	79	54.4	43.4	67.4	106	72.6	59.7	87.4
35 to 39 years	320	101.9	91.1	113.5	108	69.4	57.2	83.4	212	133.7	116.6	152.7
40 to 44 years	607	170.1	156.9	184.0	210	118.2	103.0	135.0	397	221.4	200.4	243.9
45 to 49 years	934	266.8	250.1	284.3	336	194.3	174.3	215.9	598	337.5	311.3	365.3
50 to 54 years	1,357	427.0	404.8	450.2	599	379.8	350.3	411.1	758	473.6	440.8	508.1
55 to 59 years	1,896	682.0	651.9	713.1	987	714.3	670.9	759.7	909	650.0	608.9	693.2
60 to 64 years	2,161	1,051.6	1,008.2	1,096.4	1,206	1,186.4	1,121.1	1,254.3	955	919.8	863.0	979.2
65 to 69 years	2,340	1,441.1	1,384.0	1,499.9	1,378	1,722.2	1,633.8	1,814.1	962	1,168.0	1,096.3	1,243.0
70 to 74 years	2,607	1,829.7	1,761.0	1,900.2	1,588	2,268.8	2,160.3	2,381.0	1,019	1,405.7	1,321.9	1,493.3
75 to 79 years	2,497	2,101.2	2,020.7	2,183.8	1,410	2,586.8	2,455.9	2,722.5	1,087	1,689.7	1,592.2	1,791.4
80 to 84 years	1,875	2,100.1	2,007.6	2,195.7	999	2,755.2	2,590.3	2,927.3	876	1,652.2	1,546.2	1,763.3
85 years and over	1,515	2,063.2	1,962.2	2,167.9	707	2,885.4	2,681.1	3,100.3	808	1,651.5	1,541.3	1,767.2
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	18,269	434.8	428.5	441.1	9,602	461.0	451.9	470.3	8,667	409.0	400.5	417.7
0 to 4 years	43	20.9	15.3	27.8	21	19.8	12.6	29.7	22	22.0	14.1	32.6
5 to 9 years	17	7.3	4.4	11.4	10	8.3	4.2	14.8	7	6.2	2.7	12.1
10 to 14 years	16	6.1	3.6	9.7	8	6.0	2.8	11.3	8	6.3	2.9	11.9
15 to 19 years	49	17.5	13.1	22.9	29	20.2	13.7	28.5	20	14.7	9.2	22.3
20 to 24 years	92	31.1	25.2	38.0	48	31.8	23.7	41.7	44	30.4	22.4	40.5
25 to 29 years	124	45.6	38.1	54.1	60	43.9	33.8	56.1	64	47.3	36.7	59.9
30 to 34 years	194	65.8	57.0	75.6	80	54.5	43.5	67.4	114	77.1	63.8	92.2
35 to 39 years	309	98.4	87.8	109.8	114	73.1	60.6	87.5	195	123.2	106.8	141.4
40 to 44 years	590	165.1	152.2	178.8	181	101.9	87.9	117.6	409	227.5	206.3	250.4
45 to 49 years	978	284.2	266.9	302.4	381	224.6	202.9	248.0	597	342.2	315.6	370.5
50 to 54 years	1,321	427.7	405.2	451.2	593	386.0	355.9	417.9	728	469.1	436.0	504.0
55 to 59 years	1,805	687.3	656.3	719.5	923	706.4	662.0	752.9	882	668.5	625.5	713.5
60 to 64 years	2,036	1,032.2	988.3	1,077.6	1,157	1,183.5	1,117.1	1,252.7	879	883.6	826.8	943.1
65 to 69 years	2,242	1,411.4	1,354.2	1,470.2	1,312	1,673.2	1,585.1	1,764.7	930	1,156.1	1,084.0	1,231.7
70 to 74 years	2,586	1,820.4	1,751.9	1,890.9	1,621	2,326.9	2,216.8	2,440.8	965	1,333.1	1,251.4	1,418.5
75 to 79 years	2,414	2,071.7	1,991.0	2,154.6	1,384	2,624.1	2,490.2	2,763.0	1,030	1,614.9	1,519.2	1,714.8
80 to 84 years	1,958	2,225.7	2,129.7	2,324.7	995	2,806.1	2,637.8	2,981.7	963	1,833.8	1,721.6	1,951.1
85 years and over	1,495	2,171.0	2,064.1	2,281.8	685	3,013.2	2,796.7	3,241.3	810	1,756.0	1,639.0	1,878.8
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-12
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Yukon Territory¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	98	314.9	257.0	381.8	41	261.5	190.1	350.8	57	369.2	282.2	474.3
0 to 4 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
25 to 29 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
30 to 34 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	11	702.9	370.1	1,213.4
50 to 54 years	x	x	x	x	x	x	x	x	7	559.1	245.2	1,095.9
55 to 59 years	x	x	x	x	x	x	x	x	12	1,265.8	687.2	2,132.8
60 to 64 years	x	x	x	x	x	x	x	x	x	x	x	x
65 to 69 years	x	x	x	x	8	1,606.4	748.8	3,005.7	x	x	x	x
70 to 74 years	16	2,631.6	1,563.3	4,131.3	9	2,803.7	1,374.3	5,041.6	7	2,439.0	1,072.9	4,717.8
75 to 79 years	x	x	x	x	x	x	x	x	x	x	x	x
80 to 84 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
85 years and over	x	x	x	x	x	x	x	x	x	x	x	x
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	84	272.2	218.5	335.1	49	314.0	234.9	411.3	35	229.5	162.3	315.1
0 to 4 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
25 to 29 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
30 to 34 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	x	x	x	x	x	x	x	x	x	x	x	x
45 to 49 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	x	x	x	x
55 to 59 years	16	804.4	476.6	1,271.7	8	738.7	343.9	1,389.7	8	883.0	411.1	1,659.7
60 to 64 years	x	x	x	x	x	x	x	x	x	x	x	x
65 to 69 years	x	x	x	x	x	x	x	x	x	x	x	x
70 to 74 years	x	x	x	x	11	3,606.6	1,907.5	6,136.0	x	x	x	x
75 to 79 years	x	x	x	x	x	x	x	x	x	x	x	x
80 to 84 years	x	x	x	x	x	x	x	x	x	x	x	x
85 years and over	x	x	x	x	x	x	x	x	x	x	x	x
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-13
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Northwest Territories¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	69	161.9	126.9	203.5	33	150.0	105.0	208.0	36	174.5	124.0	238.6
0 to 4 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
25 to 29 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
30 to 34 years	x	x	x	x	x	x	x	x	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	x	x	x	x
55 to 59 years	x	x	x	x	x	x	x	x	x	x	x	x
60 to 64 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
65 to 69 years	x	x	x	x	x	x	x	x	x	x	x	x
70 to 74 years	x	x	x	x	6	2,222.2	906.5	4,513.3	x	x	x	x
75 to 79 years	x	x	x	x	8	4,678.4	2,191.5	8,584.8	x	x	x	x
80 to 84 years	x	x	x	x	x	x	x	x	x	x	x	x
85 years and over	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	85	198.4	159.4	243.9	44	199.2	146.5	264.7	41	197.5	143.6	265.0
0 to 4 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
20 to 24 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
25 to 29 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
30 to 34 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	x	x	x	x	x	x	x	x	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	7	570.0	250.0	1,117.2
55 to 59 years	x	x	x	x	x	x	x	x	x	x	x	x
60 to 64 years	x	x	x	x	9	1,355.4	662.9	2,457.9	x	x	x	x
65 to 69 years	x	x	x	x	8	2,030.5	947.1	3,788.8	0	0.0	0.0	0.0
70 to 74 years	x	x	x	x	x	x	x	x	x	x	x	x
75 to 79 years	x	x	x	x	6	3,703.7	1,514.4	7,434.8	x	x	x	x
80 to 84 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
85 years and over	x	x	x	x	x	x	x	x	x	x	x	x
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 1-14
New cases for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Nunavut¹

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	70	233.0	183.0	292.4	36	231.4	164.5	316.4	34	234.8	165.2	323.9
0 to 4 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
5 to 9 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
25 to 29 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
30 to 34 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
35 to 39 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
40 to 44 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	x	x	x	x
55 to 59 years	x	x	x	x	8	1,941.7	905.6	3,625.3	x	x	x	x
60 to 64 years	x	x	x	x	x	x	x	x	7	2,287.6	1,006.0	4,429.5
65 to 69 years	x	x	x	x	x	x	x	x	x	x	x	x
70 to 74 years	x	x	x	x	6	4,838.7	1,982.1	9,627.2	x	x	x	x
75 to 79 years	x	x	x	x	x	x	x	x	x	x	x	x
80 to 84 years	x	x	x	x	x	x	x	x	x	x	x	x
85 years and over	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	48	161.8	120.6	212.5	25	162.8	107.7	236.3	23	160.7	104.3	236.8
0 to 4 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
25 to 29 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
30 to 34 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
35 to 39 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
40 to 44 years	x	x	x	x	x	x	x	x	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	x	x	x	x
55 to 59 years	x	x	x	x	x	x	x	x	x	x	x	x
60 to 64 years	x	x	x	x	x	x	x	x	x	x	x	x
65 to 69 years	x	x	x	x	x	x	x	x	x	x	x	x
70 to 74 years	x	x	x	x	x	x	x	x	x	x	x	x
75 to 79 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
80 to 84 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
85 years and over	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0551).

Table 2-1
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Canada¹

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2004												
All ages	144,660	452.4	450.1	454.8	75,517	476.9	473.5	480.3	69,143	428.4	425.2	431.6
0 to 4 years	368	21.6	19.5	23.9	200	23.0	19.9	26.3	168	20.2	17.3	23.4
5 to 9 years	220	11.5	10.0	13.1	121	12.3	10.3	14.7	99	10.6	8.6	12.8
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	444	20.9	19.0	22.9	236	21.6	19.0	24.5	208	20.1	17.5	22.9
20 to 24 years	704	31.6	29.4	34.0	355	31.2	28.1	34.6	349	32.1	28.9	35.6
25 to 29 years	1,037	48.0	45.2	51.0	460	42.0	38.3	46.0	577	54.2	49.9	58.7
30 to 34 years	1,710	76.8	73.2	80.5	634	56.4	52.1	60.9	1,076	97.5	91.8	103.5
35 to 39 years	2,687	111.3	107.2	115.6	908	74.8	70.1	79.8	1,779	148.3	141.5	155.3
40 to 44 years	5,044	183.5	178.5	188.6	1,600	115.9	110.3	121.6	3,444	251.9	243.6	260.4
45 to 49 years	7,793	303.2	296.6	310.0	2,979	232.7	224.4	241.1	4,814	373.3	362.9	384.0
50 to 54 years	10,877	486.7	477.7	495.9	4,829	436.5	424.4	448.9	6,048	536.0	522.6	549.5
55 to 59 years	14,859	770.7	758.4	783.1	7,835	820.6	802.7	838.9	7,024	721.7	705.0	738.6
60 to 64 years	16,945	1,163.8	1,146.5	1,181.3	9,769	1,368.0	1,341.3	1,395.1	7,176	967.3	945.2	989.7
65 to 69 years	18,485	1,577.7	1,555.2	1,600.4	11,150	1,977.6	1,941.5	2,014.2	7,335	1,206.7	1,179.5	1,234.4
70 to 74 years	20,258	1,940.5	1,914.1	1,967.1	12,172	2,492.5	2,449.1	2,536.5	8,086	1,455.3	1,424.0	1,487.0
75 to 79 years	18,534	2,177.8	2,147.0	2,209.0	10,431	2,832.7	2,779.5	2,886.7	8,103	1,678.4	1,642.4	1,714.9
80 to 84 years	14,129	2,318.7	2,281.1	2,356.7	7,233	3,099.3	3,029.5	3,170.2	6,896	1,834.2	1,791.6	1,877.4
85 years and over	10,356	2,220.2	2,178.2	2,262.8	4,498	3,156.7	3,066.9	3,248.4	5,858	1,808.3	1,762.8	1,854.6
Age group, not stated	x	.	.	.	x	.	.	.	x	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-2
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Newfoundland and Labrador¹

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	2,295	446.5	428.6	465.0	1,218	482.3	455.8	509.9	1,077	412.0	388.0	437.1
0 to 4 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	x	x	x	x	x	x	x	x	x	x	x	x
20 to 24 years	x	x	x	x	x	x	x	x	x	x	x	x
25 to 29 years	16	51.9	30.7	82.2	10	65.1	33.1	115.7	6	38.7	15.7	80.0
30 to 34 years	29	89.1	60.8	126.1	15	95.1	55.2	152.9	14	83.4	47.5	136.2
35 to 39 years	37	96.7	69.1	131.7	11	59.4	31.2	102.8	26	131.7	87.8	189.9
40 to 44 years	79	182.8	145.7	226.5	22	103.8	66.7	154.3	57	258.9	197.9	332.7
45 to 49 years	102	235.1	192.7	284.1	33	153.6	107.4	212.8	69	315.2	247.2	396.1
50 to 54 years	209	493.7	430.2	563.9	94	450.0	365.7	547.7	115	536.4	444.9	640.8
55 to 59 years	294	772.1	687.8	863.8	142	753.0	636.8	883.9	152	790.9	672.7	923.5
60 to 64 years	315	1,150.0	1,028.7	1,281.4	172	1,264.9	1,086.9	1,463.0	143	1,036.8	877.5	1,216.0
65 to 69 years	311	1,485.1	1,327.6	1,655.5	192	1,857.9	1,610.4	2,131.6	119	1,121.8	934.0	1,335.5
70 to 74 years	323	1,902.5	1,704.8	2,116.0	208	2,542.8	2,217.6	2,900.3	115	1,307.1	1,085.0	1,560.4
75 to 79 years	287	2,132.9	1,898.6	2,387.1	166	2,805.9	2,406.9	3,249.3	121	1,604.8	1,338.7	1,906.9
80 to 84 years	163	1,827.4	1,564.2	2,120.7	89	2,500.0	2,023.4	3,050.9	74	1,380.6	1,092.9	1,719.3
85 years and over	105	1,416.4	1,165.4	1,704.3	54	2,338.7	1,778.0	3,014.5	51	999.2	752.4	1,300.2
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	2,193	423.9	406.5	441.9	1,190	467.9	441.9	495.0	1,003	381.4	358.4	405.5
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	x	x	x	x	x	x	x	x	x	x	x	x
20 to 24 years	x	x	x	x	6	33.2	13.5	68.6	x	x	x	x
25 to 29 years	x	x	x	x	x	x	x	x	x	x	x	x
30 to 34 years	22	65.3	42.0	97.1	9	55.5	27.1	101.5	13	74.4	41.4	123.7
35 to 39 years	56	140.8	107.3	181.3	19	98.3	60.9	150.4	37	180.9	129.2	246.4
40 to 44 years	72	165.1	130.1	206.5	22	102.1	65.6	151.8	50	226.5	169.9	295.9
45 to 49 years	139	318.6	268.8	374.7	58	268.7	205.9	344.6	81	367.3	293.6	453.8
50 to 54 years	179	427.4	368.2	493.4	90	435.2	352.1	531.9	89	419.9	339.2	513.8
55 to 59 years	255	700.1	618.2	789.6	143	790.4	668.9	927.3	112	610.9	505.5	731.6
60 to 64 years	293	1,121.0	998.5	1,254.0	173	1,330.5	1,143.8	1,538.1	120	913.6	761.1	1,087.1
65 to 69 years	305	1,496.7	1,336.6	1,670.2	191	1,904.9	1,650.5	2,186.1	114	1,101.3	913.3	1,316.1
70 to 74 years	294	1,742.1	1,552.6	1,947.7	165	2,042.8	1,750.6	2,368.3	129	1,466.1	1,230.1	1,733.1
75 to 79 years	271	2,057.7	1,825.3	2,310.5	163	2,807.9	2,405.2	3,255.9	108	1,466.4	1,209.9	1,759.9
80 to 84 years	165	1,815.8	1,555.8	2,105.5	88	2,445.8	1,977.0	2,988.3	77	1,402.8	1,115.8	1,739.6
85 years and over	107	1,525.5	1,257.6	1,832.3	49	2,239.5	1,678.4	2,922.4	58	1,201.8	921.8	1,538.7
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-3
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Prince Edward Island¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	729	527.6	490.4	566.8	394	586.1	530.4	645.9	335	472.2	423.7	524.6
0 to 4 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	x	x	x	x	x	x	x	x	x	x	x	x
20 to 24 years	x	x	x	x	x	x	x	x	x	x	x	x
25 to 29 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
30 to 34 years	x	x	x	x	x	x	x	x	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	18	164.9	100.8	255.0	11	204.5	107.6	353.9	7	126.5	55.4	248.6
45 to 49 years	35	327.4	231.6	449.6	14	269.9	153.7	440.5	21	381.7	242.6	571.8
50 to 54 years	45	448.3	331.0	593.6	22	448.3	288.2	665.7	23	448.3	291.2	660.2
55 to 59 years	65	661.5	514.9	836.5	34	696.2	490.1	959.3	31	627.3	433.9	877.1
60 to 64 years	107	1,550.7	1,278.4	1,862.5	69	2,046.3	1,607.0	2,565.0	38	1,077.1	773.8	1,458.5
65 to 69 years	115	2,030.0	1,685.9	2,421.5	72	2,602.1	2,055.4	3,244.2	43	1,483.8	1,088.7	1,972.9
70 to 74 years	96	2,034.8	1,659.6	2,466.8	64	2,859.7	2,226.1	3,610.2	32	1,290.3	898.7	1,792.3
75 to 79 years	91	2,476.2	2,009.0	3,015.5	40	2,476.8	1,797.8	3,319.6	51	2,475.7	1,866.9	3,213.0
80 to 84 years	78	2,738.8	2,184.4	3,385.4	40	3,795.1	2,758.8	5,072.4	38	2,118.2	1,523.5	2,861.8
85 years and over	57	2,143.7	1,641.8	2,746.0	19	2,458.0	1,528.4	3,729.0	38	2,014.8	1,449.0	2,722.9
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	736	533.9	496.4	573.4	410	610.9	554.0	672.0	326	460.8	412.8	512.7
0 to 4 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
5 to 9 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	x	x	x	x	x	x	x	x	x	x	x	x
25 to 29 years	x	x	x	x	x	x	x	x	x	x	x	x
30 to 34 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	11	236.2	124.3	408.6
40 to 44 years	24	217.5	142.5	318.0	13	242.3	134.8	402.4	11	193.9	102.0	335.6
45 to 49 years	35	330.5	233.8	453.8	13	251.5	139.9	417.6	22	405.9	260.9	602.7
50 to 54 years	50	501.6	376.3	654.9	24	494.8	324.5	723.0	26	507.9	338.9	731.6
55 to 59 years	83	896.7	719.2	1,104.2	46	993.1	736.1	1,309.7	37	800.2	572.0	1,088.4
60 to 64 years	98	1,470.4	1,201.3	1,780.3	59	1,812.6	1,394.4	2,313.7	39	1,143.7	825.4	1,542.7
65 to 69 years	104	1,872.2	1,539.4	2,253.5	67	2,462.3	1,927.4	3,094.6	37	1,305.6	933.8	1,773.9
70 to 74 years	95	2,050.5	1,670.6	2,488.3	66	2,985.1	2,333.2	3,754.9	29	1,197.4	818.0	1,690.1
75 to 79 years	94	2,559.2	2,083.7	3,106.7	55	3,470.0	2,648.0	4,454.1	39	1,867.8	1,349.0	2,515.6
80 to 84 years	65	2,318.9	1,807.9	2,924.9	32	3,158.9	2,205.2	4,368.2	33	1,843.6	1,292.4	2,545.3
85 years and over	57	2,246.7	1,721.0	2,877.6	23	3,079.0	2,006.5	4,498.4	34	1,899.4	1,339.0	2,610.1
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-4
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Nova Scotia¹

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	5,165	551.7	536.9	566.9	2,733	596.8	574.8	619.4	2,432	508.6	488.7	529.0
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	13	20.6	11.5	34.3	7	21.7	9.5	42.7	6	19.5	7.9	40.3
20 to 24 years	17	26.8	16.1	42.0	11	34.1	18.0	59.1	6	19.3	7.8	39.8
25 to 29 years	34	59.3	41.7	81.8	16	57.0	33.7	90.4	18	61.5	37.6	95.1
30 to 34 years	41	68.0	49.4	91.3	15	50.7	29.5	81.6	26	84.7	56.5	122.1
35 to 39 years	81	124.9	99.8	154.3	31	96.5	66.7	135.1	50	152.8	114.6	199.7
40 to 44 years	175	218.5	187.9	252.6	54	135.2	102.5	174.9	121	301.3	251.1	358.5
45 to 49 years	261	338.3	299.1	381.2	99	260.2	212.6	315.3	162	414.3	354.2	481.7
50 to 54 years	368	524.8	473.2	580.3	183	533.5	460.4	614.8	185	516.4	446.0	594.6
55 to 59 years	536	820.8	753.7	892.1	292	900.0	801.4	1,007.1	244	742.6	653.9	839.7
60 to 64 years	622	1,271.9	1,175.4	1,374.1	358	1,486.1	1,338.9	1,644.6	264	1,064.0	941.8	1,197.3
65 to 69 years	693	1,809.6	1,679.6	1,946.7	425	2,288.1	2,080.2	2,510.4	268	1,358.9	1,204.1	1,527.5
70 to 74 years	702	2,165.4	2,011.0	2,328.0	426	2,830.8	2,574.4	3,104.5	276	1,588.9	1,410.7	1,782.9
75 to 79 years	660	2,575.3	2,386.5	2,774.4	365	3,316.4	2,993.5	3,662.8	295	2,017.5	1,798.7	2,254.7
80 to 84 years	516	2,628.2	2,411.1	2,858.8	277	3,607.2	3,206.7	4,041.2	239	1,999.3	1,759.5	2,261.7
85 years and over	434	2,418.9	2,201.4	2,651.2	167	3,091.4	2,653.6	3,577.5	267	2,129.2	1,887.0	2,392.7
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	5,110	545.1	530.3	560.1	2,765	602.1	580.0	624.7	2,345	490.3	470.8	510.4
0 to 4 years	16	35.8	21.2	56.7	8	35.0	16.3	66.2	8	36.6	17.0	69.2
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	x	x	x	x	7	21.6	9.5	42.6	x	x	x	x
20 to 24 years	x	x	x	x	10	31.3	15.9	55.6	x	x	x	x
25 to 29 years	31	54.0	37.3	75.6	18	63.9	39.1	98.8	13	44.5	24.7	73.9
30 to 34 years	55	89.1	67.7	115.0	20	65.7	41.2	99.4	35	111.8	79.1	153.6
35 to 39 years	77	113.4	90.1	140.9	30	89.0	61.1	125.3	47	137.5	102.2	181.1
40 to 44 years	152	188.0	159.9	219.7	49	121.3	90.7	158.9	103	254.7	209.0	307.5
45 to 49 years	224	292.2	255.8	332.3	100	264.1	216.0	319.6	124	319.7	267.0	379.6
50 to 54 years	364	528.7	476.5	584.9	177	522.3	449.6	603.3	187	534.8	462.3	615.4
55 to 59 years	516	820.6	752.3	893.3	278	890.9	791.0	999.7	238	751.3	660.5	850.9
60 to 64 years	620	1,322.5	1,222.0	1,428.9	363	1,580.5	1,425.0	1,747.8	257	1,074.7	949.7	1,211.3
65 to 69 years	662	1,760.8	1,631.4	1,897.4	429	2,339.1	2,127.6	2,565.2	233	1,209.9	1,062.5	1,371.6
70 to 74 years	729	2,278.8	2,119.4	2,446.6	453	3,070.8	2,801.1	3,358.1	276	1,601.1	1,421.5	1,796.5
75 to 79 years	662	2,587.3	2,397.8	2,787.0	358	3,282.3	2,959.7	3,628.7	304	2,070.8	1,849.5	2,310.5
80 to 84 years	530	2,682.7	2,464.0	2,914.8	269	3,570.5	3,168.3	4,006.7	261	2,135.5	1,890.0	2,402.9
85 years and over	436	2,547.3	2,318.9	2,791.2	192	3,718.0	3,226.4	4,259.1	244	2,041.5	1,799.0	2,306.4
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-5
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — New Brunswick¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	3,918	521.4	505.3	537.8	2,112	569.4	545.6	594.0	1,806	474.6	453.1	496.8
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	6	31.2	12.7	64.4
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	12	24.4	13.2	41.3	6	23.6	9.6	48.7	6	25.2	10.2	52.1
20 to 24 years	19	37.4	23.2	57.2	8	30.5	14.2	57.6	11	44.8	23.6	77.6
25 to 29 years	x	x	x	x	x	x	x	x	12	50.7	27.5	85.9
30 to 34 years	32	63.6	44.2	88.6	17	67.1	40.4	105.1	15	60.1	34.9	96.6
35 to 39 years	53	100.1	75.7	129.8	19	71.5	44.3	109.4	34	128.8	90.6	177.7
40 to 44 years	119	187.7	156.2	223.7	37	117.3	83.8	159.9	82	257.3	206.0	317.5
45 to 49 years	210	337.3	294.0	385.2	72	232.0	182.8	290.2	138	442.1	372.8	520.3
50 to 54 years	279	482.8	428.7	541.8	139	487.8	411.7	573.7	140	478.0	403.7	561.9
55 to 59 years	459	873.0	796.0	955.1	236	903.7	794.2	1,023.9	223	842.6	737.6	958.1
60 to 64 years	489	1,272.4	1,163.9	1,388.1	304	1,594.3	1,423.5	1,779.3	185	955.5	825.5	1,099.8
65 to 69 years	539	1,815.4	1,668.1	1,971.9	340	2,345.3	2,108.0	2,601.0	199	1,309.8	1,137.9	1,499.8
70 to 74 years	516	2,069.1	1,897.8	2,251.2	312	2,726.6	2,439.5	3,036.6	204	1,511.7	1,315.7	1,727.8
75 to 79 years	488	2,364.5	2,163.5	2,578.3	277	3,171.5	2,818.7	3,554.1	211	1,772.4	1,546.5	2,020.9
80 to 84 years	383	2,415.6	2,184.9	2,663.1	204	3,379.7	2,944.9	3,857.3	179	1,823.0	1,571.9	2,101.6
85 years and over	289	2,120.8	1,888.6	2,372.7	131	3,140.7	2,642.0	3,701.7	158	1,670.9	1,426.6	1,943.9
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	3,715	494.0	478.3	510.0	2,009	541.1	517.9	565.1	1,706	448.0	427.2	469.6
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	x	x	x	x	x	x	x	x	6	25.0	10.1	51.6
20 to 24 years	13	25.4	14.1	42.3	7	26.5	11.6	52.1	6	24.3	9.9	50.2
25 to 29 years	21	43.9	27.9	65.8	8	33.4	15.5	63.1	13	54.4	30.3	90.4
30 to 34 years	46	90.3	66.9	119.3	15	58.5	34.0	94.1	31	122.6	84.8	171.6
35 to 39 years	41	74.1	53.8	99.4	13	46.8	26.0	77.8	28	101.5	68.8	144.5
40 to 44 years	105	164.8	135.5	198.6	32	101.0	70.2	140.7	73	228.0	180.0	284.8
45 to 49 years	209	337.0	293.7	385.0	69	223.5	175.2	281.0	140	449.6	379.7	528.5
50 to 54 years	291	513.2	456.9	574.6	133	474.8	399.2	560.4	158	550.8	469.9	641.4
55 to 59 years	415	826.5	750.0	908.5	222	885.3	774.8	1,006.9	193	767.8	665.3	881.3
60 to 64 years	441	1,193.1	1,086.1	1,307.6	278	1,517.6	1,347.9	1,702.2	163	874.3	747.9	1,015.5
65 to 69 years	469	1,623.5	1,482.4	1,774.0	294	2,103.6	1,875.1	2,351.2	175	1,173.6	1,009.7	1,355.8
70 to 74 years	482	1,934.6	1,768.9	2,111.1	317	2,756.5	2,468.6	3,067.3	165	1,230.0	1,053.5	1,426.9
75 to 79 years	474	2,281.4	2,084.7	2,490.9	272	3,118.6	2,768.5	3,498.4	202	1,675.7	1,457.6	1,916.2
80 to 84 years	366	2,344.1	2,115.2	2,590.0	191	3,240.6	2,810.2	3,714.9	175	1,800.4	1,549.7	2,078.9
85 years and over	316	2,407.8	2,155.5	2,680.3	146	3,636.4	3,088.7	4,247.7	170	1,866.3	1,602.9	2,159.3
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-6
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Quebec^{1,2}

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2004												
All ages	36,445	482.9	477.9	487.8	18,795	504.6	497.4	511.8	17,650	461.7	454.9	468.5
0 to 4 years	92	24.8	20.1	30.2	50	26.2	19.7	34.3	42	23.2	17.0	31.1
5 to 9 years	61	14.6	11.2	18.6	32	14.9	10.4	20.8	29	14.2	9.7	20.1
10 to 14 years	41	8.5	6.1	11.4	20	8.1	5.1	12.2	21	8.9	5.6	13.3
15 to 19 years	95	20.8	16.9	25.3	54	23.1	17.5	29.9	41	18.4	13.4	24.7
20 to 24 years	159	31.1	26.5	36.2	92	35.1	28.4	42.8	67	26.9	21.0	33.9
25 to 29 years	208	40.1	35.0	45.9	105	39.6	32.5	47.7	103	40.7	33.4	49.1
30 to 34 years	342	69.3	62.3	77.0	135	53.4	45.0	63.0	207	86.0	74.9	98.3
35 to 39 years	544	98.2	90.2	106.7	176	62.3	53.6	72.0	368	135.5	122.2	149.9
40 to 44 years	1,189	182.8	172.6	193.4	383	116.5	105.3	128.6	806	250.4	233.6	268.1
45 to 49 years	1,813	286.7	273.7	300.1	691	219.1	203.3	235.9	1,122	353.8	333.6	374.9
50 to 54 years	2,763	496.3	478.1	515.0	1,155	420.2	396.5	444.9	1,608	570.5	543.2	598.8
55 to 59 years	3,898	790.0	765.6	815.0	2,004	827.4	791.9	864.0	1,894	754.0	720.7	788.4
60 to 64 years	4,549	1,184.9	1,151.0	1,219.5	2,627	1,407.8	1,355.0	1,462.0	1,922	974.2	931.5	1,018.2
65 to 69 years	4,674	1,579.5	1,535.0	1,624.9	2,780	1,989.7	1,917.4	2,063.8	1,894	1,212.6	1,159.2	1,267.7
70 to 74 years	5,049	1,901.2	1,849.7	1,953.6	2,916	2,438.3	2,352.0	2,526.9	2,133	1,461.1	1,400.5	1,523.6
75 to 79 years	4,613	2,185.6	2,123.9	2,248.6	2,544	2,909.6	2,799.7	3,022.5	2,069	1,673.6	1,603.2	1,746.2
80 to 84 years	3,563	2,502.8	2,422.6	2,584.9	1,832	3,582.0	3,423.4	3,745.6	1,731	1,897.7	1,810.7	1,987.8
85 years and over	2,792	2,594.5	2,500.8	2,690.7	1,199	4,052.6	3,832.2	4,281.6	1,593	2,041.7	1,944.1	2,142.6
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

2. For Quebec, 2003 to 2004 data do not include Quebec residents diagnosed and treated in Ontario.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-7
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Ontario^{1,2}

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	57,920	461.2	457.5	465.0	30,003	483.8	478.4	489.3	27,917	439.1	434.0	444.3
0 to 4 years	135	20.0	16.8	23.6	60	17.4	13.4	22.2	75	22.7	18.0	28.3
5 to 9 years	x	x	x	x	52	13.3	10.0	17.3	x	x	x	x
10 to 14 years	98	11.7	9.5	14.2	44	10.3	7.5	13.6	54	13.2	10.0	17.1
15 to 19 years	181	21.5	18.6	24.9	95	22.0	17.9	26.8	86	21.0	16.9	25.8
20 to 24 years	314	36.4	32.6	40.6	141	32.2	27.2	37.8	173	40.9	35.1	47.3
25 to 29 years	487	58.0	53.0	63.3	200	47.5	41.2	54.4	287	68.5	60.9	76.8
30 to 34 years	776	86.3	80.4	92.5	280	62.2	55.2	69.8	496	110.4	101.0	120.4
35 to 39 years	1,243	128.6	121.6	135.9	353	73.2	65.8	81.1	890	183.9	172.1	196.3
40 to 44 years	2,144	195.9	187.7	204.3	689	125.4	116.3	135.0	1,455	267.0	253.5	281.0
45 to 49 years	3,269	328.8	317.6	340.1	1,202	242.9	229.5	256.9	2,067	413.8	396.3	431.9
50 to 54 years	4,490	524.3	509.2	539.8	2,059	489.0	468.3	510.4	2,431	558.4	536.6	580.9
55 to 59 years	6,109	812.4	792.3	832.9	3,188	861.1	831.7	891.2	2,921	765.2	738.0	793.3
60 to 64 years	6,705	1,196.1	1,167.9	1,224.8	3,895	1,421.1	1,377.3	1,466.0	2,810	980.8	945.2	1,017.3
65 to 69 years	7,501	1,644.1	1,607.5	1,681.3	4,547	2,081.8	2,022.5	2,142.3	2,954	1,242.1	1,198.1	1,287.2
70 to 74 years	7,872	1,967.4	1,924.7	2,010.8	4,694	2,501.0	2,431.1	2,572.4	3,178	1,496.0	1,445.0	1,548.3
75 to 79 years	7,407	2,216.7	2,167.2	2,267.1	4,139	2,819.6	2,735.8	2,905.2	3,268	1,744.4	1,685.8	1,804.4
80 to 84 years	5,425	2,239.8	2,181.4	2,299.3	2,742	2,908.5	2,802.6	3,017.2	2,683	1,813.6	1,746.5	1,882.5
85 years and over	3,675	2,066.7	2,001.3	2,133.6	1,623	2,914.6	2,777.2	3,056.7	2,052	1,680.1	1,609.1	1,753.3
Age group, not stated	x	.	.	.	0	.	.	.	x	.	.	.
2004												
All ages	55,346	446.1	442.4	449.8	28,717	468.7	463.3	474.1	26,629	424.0	419.0	429.1
0 to 4 years	154	22.7	19.3	26.5	84	24.2	19.4	29.8	70	21.0	16.5	26.4
5 to 9 years	x	x	x	x	x	x	x	x	47	12.3	9.1	16.2
10 to 14 years	x	x	x	x	48	11.2	8.4	14.8	x	x	x	x
15 to 19 years	193	23.3	20.2	26.7	98	23.0	18.8	27.9	95	23.5	19.1	28.6
20 to 24 years	288	34.0	30.3	38.1	137	31.8	26.8	37.5	151	36.4	30.9	42.5
25 to 29 years	455	54.7	49.9	59.9	190	45.5	39.4	52.3	265	64.1	56.7	72.1
30 to 34 years	775	86.0	80.1	92.2	269	59.6	52.8	67.0	506	112.5	103.0	122.6
35 to 39 years	1,200	122.3	115.6	129.4	381	77.7	70.2	85.8	819	166.9	155.8	178.6
40 to 44 years	2,095	193.4	185.2	201.8	657	120.8	111.8	130.3	1,438	266.6	253.1	280.7
45 to 49 years	3,077	318.3	307.2	329.6	1,170	243.8	230.1	258.0	1,907	391.7	374.4	409.5
50 to 54 years	4,161	501.3	486.2	516.6	1,865	457.3	436.9	478.4	2,296	543.7	521.9	566.3
55 to 59 years	5,680	789.1	768.9	809.7	3,028	852.1	822.2	882.7	2,652	727.7	700.5	755.7
60 to 64 years	6,341	1,169.6	1,141.2	1,198.5	3,626	1,369.8	1,326.0	1,414.6	2,715	978.6	942.5	1,015.7
65 to 69 years	7,258	1,614.8	1,578.3	1,652.0	4,391	2,038.6	1,979.5	2,098.9	2,867	1,224.9	1,180.9	1,270.1
70 to 74 years	7,840	1,957.8	1,915.2	2,001.0	4,700	2,503.3	2,433.4	2,574.7	3,140	1,476.2	1,425.6	1,528.1
75 to 79 years	7,020	2,129.7	2,080.8	2,179.4	3,937	2,750.1	2,666.3	2,835.7	3,083	1,653.4	1,596.2	1,712.0
80 to 84 years	5,206	2,220.8	2,161.7	2,281.0	2,644	2,918.1	2,809.9	3,029.1	2,562	1,781.4	1,714.0	1,850.7
85 years and over	3,410	2,038.4	1,971.5	2,106.9	1,442	2,791.2	2,651.7	2,935.8	1,968	1,702.0	1,628.6	1,777.8
Age group, not stated	x	.	.	.	x	.	.	.	x	.	.	.

1. Data for 2004 are not available for Canada, Newfoundland and Labrador and Quebec.
 2. The 2003, 2004 and 2005 Ontario data are provisional. Missing are the death certificate only cases which are estimated to be approximately 2%. Ontario does not report in situ for bladder cases to the Canadian Cancer Registry.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (population estimates) (CANSIM table 103-0552).

Table 2-8
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Manitoba^{1,2}

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	5,155	439.0	427.2	451.1	2,546	436.6	419.9	453.8	2,609	441.5	424.8	458.6
0 to 4 years	18	25.8	15.8	40.0	9	25.3	12.4	46.3	9	26.4	12.9	48.2
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	16	18.9	11.2	30.0	6	13.9	5.7	28.8	10	24.1	12.2	42.8
20 to 24 years	22	26.4	16.9	39.2	13	30.3	16.8	50.3	9	22.2	10.8	40.6
25 to 29 years	39	50.0	36.0	67.6	17	42.7	25.7	66.8	22	57.6	37.0	85.6
30 to 34 years	54	70.0	53.1	90.6	28	70.8	47.9	100.8	26	69.2	46.1	99.7
35 to 39 years	67	86.0	67.2	108.5	27	68.0	45.7	97.5	40	104.6	75.7	140.9
40 to 44 years	154	165.4	140.8	193.1	57	121.0	92.5	155.6	97	210.9	171.9	256.0
45 to 49 years	258	288.0	254.5	324.7	82	180.3	144.3	222.5	176	399.1	343.4	461.3
50 to 54 years	384	481.3	435.0	531.1	155	392.7	334.5	458.0	229	568.0	498.1	644.9
55 to 59 years	503	721.6	660.8	786.5	253	731.2	645.3	825.0	250	712.2	628.2	804.2
60 to 64 years	556	1,083.4	996.5	1,175.7	280	1,104.7	981.3	1,238.9	276	1,062.6	943.1	1,192.7
65 to 69 years	647	1,596.2	1,477.5	1,721.6	363	1,864.0	1,680.9	2,061.0	284	1,348.6	1,199.2	1,511.0
70 to 74 years	692	1,886.0	1,750.4	2,028.9	410	2,386.5	2,165.9	2,622.6	282	1,445.3	1,284.7	1,619.8
75 to 79 years	703	2,157.4	2,003.7	2,319.3	375	2,646.2	2,391.2	2,919.9	328	1,781.2	1,597.4	1,979.6
80 to 84 years	524	2,010.7	1,845.4	2,186.4	243	2,433.4	2,144.3	2,749.1	281	1,748.2	1,553.8	1,959.3
85 years and over	505	2,186.5	2,003.6	2,381.0	221	3,129.0	2,741.1	3,553.7	284	1,771.3	1,575.5	1,984.1
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	5,379	459.7	447.5	472.0	2,730	469.9	452.6	487.8	2,649	449.5	432.7	466.9
0 to 4 years	x	x	x	x	x	x	x	x	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	6	13.9	5.6	28.7	x	x	x	x
15 to 19 years	15	17.9	10.4	28.7	9	21.0	10.3	38.4	6	14.6	5.9	30.2
20 to 24 years	31	37.6	26.0	52.7	13	30.7	17.1	51.0	18	45.1	27.5	69.7
25 to 29 years	35	45.0	31.8	61.8	12	30.2	16.4	51.2	23	60.4	39.2	89.0
30 to 34 years	60	77.6	59.7	99.1	21	53.1	33.7	79.6	39	103.3	74.4	139.6
35 to 39 years	94	117.0	95.1	142.5	38	92.9	66.7	126.1	56	142.1	108.3	183.0
40 to 44 years	146	154.9	131.3	181.6	53	110.7	83.8	143.6	93	200.5	162.7	244.3
45 to 49 years	280	317.4	281.9	356.2	114	255.8	212.0	306.0	166	380.4	325.8	441.4
50 to 54 years	393	504.9	456.9	556.6	154	400.2	340.7	467.0	239	607.4	534.1	687.8
55 to 59 years	501	749.6	686.3	817.1	254	763.3	673.9	861.1	247	736.1	648.7	831.8
60 to 64 years	587	1,184.3	1,091.8	1,282.3	315	1,295.6	1,159.0	1,443.5	272	1,077.1	955.2	1,210.0
65 to 69 years	602	1,494.1	1,379.0	1,616.0	369	1,903.4	1,717.9	2,102.8	233	1,114.6	978.7	1,263.6
70 to 74 years	739	1,983.7	1,845.7	2,128.9	419	2,410.3	2,189.8	2,646.0	320	1,610.5	1,442.2	1,792.4
75 to 79 years	760	2,328.9	2,169.3	2,496.7	422	3,002.5	2,729.5	3,294.0	338	1,819.4	1,634.3	2,018.9
80 to 84 years	655	2,538.7	2,351.8	2,735.8	333	3,410.5	3,063.5	3,783.8	322	2,007.9	1,799.0	2,233.4
85 years and over	458	2,052.7	1,872.6	2,244.8	190	2,786.3	2,414.7	3,196.5	268	1,729.8	1,533.1	1,944.0
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

2. The 2005 Manitoba data are provisional. Prostate and male genitourinary cases are under reported. This situation will be rectified for the next annual release.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-9
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Saskatchewan¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	4,586	463.3	450.0	476.8	2,529	514.1	494.4	534.4	2,057	413.0	395.5	431.1
0 to 4 years	x	x	x	x	10	32.7	16.6	58.1	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	17	22.1	13.3	34.6	11	27.8	14.6	48.2	6	16.1	6.5	33.2
20 to 24 years	24	32.4	21.2	47.4	16	41.5	24.6	65.8	8	22.5	10.5	42.6
25 to 29 years	30	47.5	32.6	66.8	9	28.1	13.7	51.3	21	67.5	42.9	101.2
30 to 34 years	32	54.9	38.2	76.5	13	44.4	24.7	73.8	19	65.4	40.6	100.1
35 to 39 years	54	90.2	68.4	116.8	16	53.4	31.6	84.7	38	127.0	91.2	172.4
40 to 44 years	130	173.4	145.4	205.1	50	133.4	100.0	174.2	80	213.4	170.3	264.0
45 to 49 years	194	254.7	220.7	292.4	73	189.4	149.5	236.6	121	321.6	268.1	382.7
50 to 54 years	304	449.5	401.1	502.0	129	377.1	316.1	446.3	175	523.5	450.2	605.2
55 to 59 years	384	692.0	625.5	763.5	204	734.2	638.7	839.6	180	649.7	560.0	749.5
60 to 64 years	534	1,261.1	1,158.0	1,370.7	313	1,496.9	1,338.7	1,668.1	221	1,031.1	902.2	1,172.9
65 to 69 years	613	1,702.7	1,572.8	1,840.1	388	2,227.8	2,016.2	2,454.8	225	1,210.6	1,060.6	1,375.3
70 to 74 years	625	1,862.8	1,722.1	2,011.5	402	2,544.9	2,307.6	2,799.0	223	1,255.9	1,099.7	1,427.6
75 to 79 years	663	2,187.8	2,027.4	2,356.9	411	3,039.5	2,759.7	3,338.6	252	1,501.5	1,325.5	1,693.8
80 to 84 years	533	2,244.4	2,061.6	2,438.5	289	3,044.3	2,712.3	3,403.9	244	1,711.7	1,508.1	1,934.3
85 years and over	422	1,791.7	1,628.0	1,966.9	190	2,443.7	2,117.3	2,804.3	232	1,470.4	1,291.1	1,667.0
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	4,836	486.4	472.8	500.2	2,703	547.2	526.9	568.1	2,133	426.3	408.5	444.6
0 to 4 years	x	x	x	x	7	22.9	10.0	45.0	x	x	x	x
5 to 9 years	x	x	x	x	x	x	x	x	x	x	x	x
10 to 14 years	x	x	x	x	x	x	x	x	x	x	x	x
15 to 19 years	15	19.3	11.2	31.0	8	20.0	9.3	37.8	7	18.5	8.1	36.5
20 to 24 years	18	24.3	14.9	37.7	9	23.5	11.5	42.9	9	25.3	12.3	46.2
25 to 29 years	22	35.0	22.5	52.0	9	28.1	13.7	51.3	13	42.2	23.5	70.1
30 to 34 years	39	66.6	48.0	90.0	21	71.6	45.5	107.4	18	61.6	37.6	95.2
35 to 39 years	43	68.6	50.2	91.4	13	41.4	23.0	68.9	30	95.7	65.7	134.7
40 to 44 years	144	186.9	158.2	219.3	46	119.1	88.2	157.3	98	255.2	208.3	309.4
45 to 49 years	229	300.9	263.8	341.7	84	218.6	175.5	269.1	145	384.8	325.9	451.1
50 to 54 years	294	451.2	401.9	504.9	150	454.6	386.2	531.5	144	447.8	379.1	525.3
55 to 59 years	408	768.2	696.6	845.1	227	852.3	747.0	968.0	181	683.7	589.6	788.3
60 to 64 years	501	1,210.2	1,108.2	1,318.9	296	1,451.5	1,294.0	1,622.5	205	975.9	849.4	1,115.6
65 to 69 years	638	1,774.0	1,641.3	1,914.2	410	2,355.1	2,137.4	2,588.1	228	1,228.8	1,077.5	1,394.8
70 to 74 years	722	2,105.7	1,957.6	2,261.6	467	2,900.6	2,649.4	3,168.1	255	1,402.0	1,238.5	1,580.5
75 to 79 years	728	2,382.3	2,215.6	2,557.6	431	3,177.3	2,891.6	3,482.1	297	1,747.7	1,558.5	1,952.8
80 to 84 years	528	2,225.3	2,043.2	2,418.7	289	3,070.9	2,736.0	3,433.5	239	1,669.5	1,468.9	1,889.0
85 years and over	487	2,126.2	1,945.1	2,318.9	229	3,020.3	2,652.0	3,423.0	258	1,683.7	1,488.7	1,896.5
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-10
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Alberta^{1,2}

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	12,165	371.2	364.6	377.8	6,384	385.4	376.1	395.0	5,781	356.6	347.5	365.8
0 to 4 years	32	16.0	11.1	22.3	24	23.5	15.4	34.3	8	8.2	3.8	15.4
5 to 9 years	27	13.1	8.8	18.8	20	18.9	11.9	28.6	7	7.0	3.1	13.8
10 to 14 years	21	9.5	6.0	14.2	11	9.6	5.1	16.6	10	9.3	4.7	16.5
15 to 19 years	49	20.7	15.5	27.2	30	24.7	17.0	34.8	19	16.5	10.2	25.3
20 to 24 years	76	29.9	23.7	37.1	43	32.7	24.0	43.6	33	26.8	18.7	37.1
25 to 29 years	129	50.5	42.4	59.8	52	39.2	29.6	51.0	77	62.8	49.9	78.0
30 to 34 years	179	73.4	63.2	84.8	61	48.3	37.2	61.6	118	100.4	83.5	119.8
35 to 39 years	239	98.9	87.0	112.0	92	73.9	59.9	90.2	147	125.4	106.3	146.9
40 to 44 years	492	177.4	162.3	193.6	174	123.9	106.4	143.3	318	232.5	207.9	259.0
45 to 49 years	764	284.3	264.6	304.9	307	224.9	200.8	251.1	457	345.5	314.9	378.2
50 to 54 years	1,019	456.5	429.1	485.1	460	406.1	370.3	444.4	559	508.3	467.5	551.6
55 to 59 years	1,320	737.3	698.5	777.8	736	814.5	757.4	874.7	584	658.7	607.0	713.6
60 to 64 years	1,416	1,109.4	1,053.0	1,167.9	781	1,220.3	1,137.4	1,307.5	635	997.8	922.7	1,077.2
65 to 69 years	1,512	1,524.4	1,449.5	1,602.0	910	1,874.5	1,756.7	1,998.0	602	1,188.7	1,097.0	1,285.8
70 to 74 years	1,614	1,893.7	1,803.8	1,986.8	960	2,348.2	2,204.7	2,498.3	654	1,474.7	1,365.6	1,590.0
75 to 79 years	1,447	2,095.3	1,990.4	2,204.1	848	2,709.9	2,534.1	2,894.0	599	1,586.1	1,463.6	1,715.7
80 to 84 years	1,046	2,153.1	2,026.8	2,285.0	535	2,756.3	2,532.7	2,993.5	511	1,751.8	1,605.8	1,907.0
85 years and over	783	1,964.4	1,831.5	2,104.0	340	2,668.1	2,398.5	2,958.4	443	1,633.7	1,487.7	1,789.6
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	12,670	395.3	388.5	402.3	6,633	409.6	399.9	419.5	6,037	380.8	371.3	390.5
0 to 4 years	31	15.9	11.0	22.2	15	15.0	8.7	24.2	16	16.8	9.9	26.6
5 to 9 years	23	11.2	7.3	16.5	14	13.2	7.5	21.6	9	9.0	4.4	16.5
10 to 14 years	28	12.5	8.5	17.9	16	13.9	8.2	22.1	12	11.1	6.0	18.8
15 to 19 years	50	21.5	16.1	28.1	25	20.9	13.8	30.3	25	22.1	14.6	32.1
20 to 24 years	74	29.9	23.7	37.3	31	24.3	16.8	34.0	43	35.9	26.3	47.9
25 to 29 years	121	49.4	41.2	58.8	47	36.9	27.4	48.6	74	63.1	49.9	78.7
30 to 34 years	172	72.1	61.9	83.5	64	51.7	40.2	65.6	108	94.0	77.5	113.0
35 to 39 years	306	126.9	113.3	141.8	119	96.3	80.1	114.7	187	159.2	137.6	183.3
40 to 44 years	513	184.3	168.9	200.8	159	112.7	96.1	131.2	354	258.0	232.2	285.9
45 to 49 years	795	303.5	283.0	325.1	293	219.9	195.8	246.1	502	390.2	357.2	425.4
50 to 54 years	1,054	496.3	467.0	526.8	484	449.5	410.8	490.7	570	544.4	501.1	590.3
55 to 59 years	1,275	755.6	715.1	797.8	700	823.2	764.1	885.6	575	687.0	632.7	744.6
60 to 64 years	1,476	1,209.5	1,149.3	1,272.0	869	1,423.2	1,331.4	1,519.4	607	995.6	919.0	1,076.7
65 to 69 years	1,543	1,593.0	1,515.5	1,673.3	913	1,926.9	1,805.9	2,053.5	630	1,273.3	1,177.2	1,374.9
70 to 74 years	1,748	2,064.5	1,970.3	2,161.9	1,072	2,639.6	2,486.9	2,798.8	676	1,534.3	1,422.6	1,652.2
75 to 79 years	1,520	2,279.7	2,168.4	2,395.0	877	2,936.0	2,748.9	3,131.8	643	1,747.1	1,616.9	1,884.7
80 to 84 years	1,120	2,364.2	2,230.2	2,503.9	581	3,101.1	2,859.8	3,356.4	539	1,882.1	1,729.4	2,044.3
85 years and over	821	2,198.2	2,053.0	2,350.5	354	2,984.8	2,689.5	3,302.2	467	1,832.2	1,672.8	2,002.2
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

2. The 2005 Alberta data are provisional. New cancer cases estimated to be approximately 2% were excluded to meet the reporting deadline set by the Canadian Council of Cancer Registries.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-11
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — British Columbia¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	18,378	431.6	425.4	437.9	9,621	455.7	446.7	464.9	8,757	407.9	399.5	416.5
0 to 4 years	48	23.3	17.4	30.6	27	25.5	17.1	36.5	21	21.0	13.3	31.4
5 to 9 years	19	8.3	5.1	12.7	13	11.0	6.1	18.3	6	5.4	2.2	11.1
10 to 14 years	29	11.1	7.6	15.8	20	14.9	9.4	22.6	9	7.1	3.5	13.0
15 to 19 years	36	12.9	9.1	17.6	20	13.9	8.7	21.1	16	11.7	6.9	18.6
20 to 24 years	89	29.3	23.7	35.9	45	28.9	21.3	38.3	44	29.8	21.9	39.6
25 to 29 years	120	43.1	35.9	51.3	52	37.2	28.0	48.3	68	49.1	38.4	61.8
30 to 34 years	185	63.5	54.9	73.2	79	54.4	43.4	67.4	106	72.6	59.7	87.4
35 to 39 years	316	100.6	89.9	112.1	105	67.5	55.4	81.3	211	133.1	116.0	152.0
40 to 44 years	605	169.5	156.4	183.4	210	118.2	103.0	135.0	395	220.3	199.3	242.8
45 to 49 years	929	265.3	248.7	282.8	334	193.1	173.2	214.6	595	335.8	309.7	363.6
50 to 54 years	1,344	423.0	400.8	446.0	594	376.6	347.3	407.8	750	468.6	436.0	502.9
55 to 59 years	1,873	673.7	643.8	704.6	973	704.1	661.1	749.3	900	643.6	602.7	686.5
60 to 64 years	2,139	1,040.9	997.7	1,085.5	1,192	1,172.6	1,107.8	1,240.1	947	912.1	855.5	971.2
65 to 69 years	2,301	1,417.1	1,360.4	1,475.4	1,350	1,687.2	1,599.7	1,778.2	951	1,154.6	1,083.3	1,229.3
70 to 74 years	2,560	1,796.7	1,728.7	1,866.6	1,551	2,215.9	2,108.7	2,326.9	1,009	1,391.9	1,308.5	1,479.1
75 to 79 years	2,464	2,073.4	1,993.5	2,155.5	1,388	2,546.4	2,416.6	2,681.1	1,076	1,672.6	1,575.6	1,773.8
80 to 84 years	1,836	2,056.5	1,964.9	2,151.1	975	2,689.0	2,526.1	2,859.1	861	1,623.9	1,518.8	1,734.1
85 years and over	1,485	2,022.4	1,922.4	2,126.0	693	2,828.2	2,626.0	3,041.2	792	1,618.8	1,509.7	1,733.4
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	18,014	428.7	422.5	435.0	9,448	453.6	444.5	462.8	8,566	404.2	395.8	412.9
0 to 4 years	43	20.9	15.3	27.8	21	19.8	12.6	29.7	22	22.0	14.1	32.6
5 to 9 years	17	7.3	4.4	11.4	10	8.3	4.2	14.8	7	6.2	2.7	12.1
10 to 14 years	16	6.1	3.6	9.7	8	6.0	2.8	11.3	8	6.3	2.9	11.9
15 to 19 years	49	17.5	13.1	22.9	29	20.2	13.7	28.5	20	14.7	9.2	22.3
20 to 24 years	92	31.1	25.2	38.0	48	31.8	23.7	41.7	44	30.4	22.4	40.5
25 to 29 years	124	45.6	38.1	54.1	60	43.9	33.8	56.1	64	47.3	36.7	59.9
30 to 34 years	193	65.5	56.7	75.2	80	54.5	43.5	67.4	113	76.4	63.2	91.4
35 to 39 years	305	97.1	86.6	108.4	114	73.1	60.6	87.5	191	120.7	104.4	138.7
40 to 44 years	588	164.6	151.7	178.2	180	101.4	87.3	117.0	408	227.0	205.8	249.8
45 to 49 years	972	282.5	265.2	300.7	381	224.6	202.9	248.0	591	338.8	312.3	366.9
50 to 54 years	1,306	422.9	400.4	446.2	587	382.1	352.1	413.9	719	463.3	430.4	498.0
55 to 59 years	1,793	682.8	651.8	714.8	915	700.3	656.1	746.6	878	665.4	622.6	710.4
60 to 64 years	2,009	1,018.6	974.9	1,063.6	1,142	1,168.2	1,102.2	1,237.0	867	871.5	815.1	930.7
65 to 69 years	2,209	1,390.6	1,333.9	1,449.0	1,289	1,643.8	1,556.6	1,734.6	920	1,143.7	1,071.9	1,218.9
70 to 74 years	2,530	1,781.0	1,713.2	1,850.8	1,580	2,268.0	2,159.4	2,380.5	950	1,312.4	1,231.3	1,397.2
75 to 79 years	2,378	2,040.8	1,960.7	2,123.1	1,362	2,582.4	2,449.5	2,720.3	1,016	1,592.9	1,497.9	1,692.2
80 to 84 years	1,923	2,185.9	2,090.8	2,284.0	971	2,738.4	2,572.2	2,912.0	952	1,812.8	1,701.3	1,929.5
85 years and over	1,467	2,130.4	2,024.5	2,240.2	671	2,951.7	2,737.3	3,177.5	796	1,725.6	1,609.7	1,847.4
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-12
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Yukon Territory¹

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	96	308.5	251.2	374.8	40	255.1	184.7	343.5	56	362.7	276.6	467.0
0 to 4 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
25 to 29 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
30 to 34 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	11	702.9	370.1	1,213.4
50 to 54 years	x	x	x	x	x	x	x	x	6	479.2	195.0	986.8
55 to 59 years	x	x	x	x	x	x	x	x	12	1,265.8	687.2	2,132.8
60 to 64 years	x	x	x	x	x	x	x	x	x	x	x	x
65 to 69 years	x	x	x	x	8	1,606.4	748.8	3,005.7	x	x	x	x
70 to 74 years	15	2,467.1	1,438.4	3,929.3	8	2,492.2	1,163.4	4,636.9	7	2,439.0	1,072.9	4,717.8
75 to 79 years	x	x	x	x	x	x	x	x	x	x	x	x
80 to 84 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
85 years and over	x	x	x	x	x	x	x	x	x	x	x	x
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	83	269.0	215.6	331.5	48	307.6	229.4	404.0	35	229.5	162.3	315.1
0 to 4 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
25 to 29 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
30 to 34 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	x	x	x	x	x	x	x	x	x	x	x	x
45 to 49 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	x	x	x	x
55 to 59 years	16	804.4	476.6	1,271.7	8	738.7	343.9	1,389.7	8	883.0	411.1	1,659.7
60 to 64 years	x	x	x	x	x	x	x	x	x	x	x	x
65 to 69 years	x	x	x	x	x	x	x	x	x	x	x	x
70 to 74 years	x	x	x	x	10	3,278.7	1,674.6	5,721.3	x	x	x	x
75 to 79 years	x	x	x	x	x	x	x	x	x	x	x	x
80 to 84 years	x	x	x	x	x	x	x	x	x	x	x	x
85 years and over	x	x	x	x	x	x	x	x	x	x	x	x
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-13
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Northwest Territories¹

	Both sexes				Males				Females			
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	69	161.9	126.9	203.5	33	150.0	105.0	208.0	36	174.5	124.0	238.6
0 to 4 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
25 to 29 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
30 to 34 years	x	x	x	x	x	x	x	x	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	x	x	x	x
55 to 59 years	x	x	x	x	x	x	x	x	x	x	x	x
60 to 64 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
65 to 69 years	x	x	x	x	x	x	x	x	x	x	x	x
70 to 74 years	x	x	x	x	6	2,222.2	906.5	4,513.3	x	x	x	x
75 to 79 years	x	x	x	x	8	4,678.4	2,191.5	8,584.8	x	x	x	x
80 to 84 years	x	x	x	x	x	x	x	x	x	x	x	x
85 years and over	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	85	198.4	159.4	243.9	44	199.2	146.5	264.7	41	197.5	143.6	265.0
0 to 4 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
20 to 24 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
25 to 29 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
30 to 34 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
35 to 39 years	x	x	x	x	x	x	x	x	x	x	x	x
40 to 44 years	x	x	x	x	x	x	x	x	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	7	570.0	250.0	1,117.2
55 to 59 years	x	x	x	x	x	x	x	x	x	x	x	x
60 to 64 years	x	x	x	x	9	1,355.4	662.9	2,457.9	x	x	x	x
65 to 69 years	x	x	x	x	8	2,030.5	947.1	3,788.8	0	0.0	0.0	0.0
70 to 74 years	x	x	x	x	x	x	x	x	x	x	x	x
75 to 79 years	x	x	x	x	6	3,703.7	1,514.4	7,434.8	x	x	x	x
80 to 84 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
85 years and over	x	x	x	x	x	x	x	x	x	x	x	x
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 2-14
Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the June 2007 CCR tabulation file), by age group, sex and geography — Nunavut¹

	Both sexes			Males			Females					
	Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval		Number	Rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
All ages	70	233.0	183.0	292.4	36	231.4	164.5	316.4	34	234.8	165.2	323.9
0 to 4 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
5 to 9 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
25 to 29 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
30 to 34 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
35 to 39 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
40 to 44 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	x	x	x	x
55 to 59 years	x	x	x	x	8	1,941.7	905.6	3,625.3	x	x	x	x
60 to 64 years	x	x	x	x	x	x	x	x	7	2,287.6	1,006.0	4,429.5
65 to 69 years	x	x	x	x	x	x	x	x	x	x	x	x
70 to 74 years	x	x	x	x	6	4,838.7	1,982.1	9,627.2	x	x	x	x
75 to 79 years	x	x	x	x	x	x	x	x	x	x	x	x
80 to 84 years	x	x	x	x	x	x	x	x	x	x	x	x
85 years and over	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.
2004												
All ages	48	161.8	120.6	212.5	25	162.8	107.7	236.3	23	160.7	104.3	236.8
0 to 4 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
5 to 9 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
10 to 14 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
15 to 19 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
20 to 24 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
25 to 29 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
30 to 34 years	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
35 to 39 years	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
40 to 44 years	x	x	x	x	x	x	x	x	x	x	x	x
45 to 49 years	x	x	x	x	x	x	x	x	x	x	x	x
50 to 54 years	x	x	x	x	x	x	x	x	x	x	x	x
55 to 59 years	x	x	x	x	x	x	x	x	x	x	x	x
60 to 64 years	x	x	x	x	x	x	x	x	x	x	x	x
65 to 69 years	x	x	x	x	x	x	x	x	x	x	x	x
70 to 74 years	x	x	x	x	x	x	x	x	x	x	x	x
75 to 79 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
80 to 84 years	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
85 years and over	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Age group, not stated	0	.	.	.	0	.	.	.	0	.	.	.

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0552).

Table 3-1
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Canada¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2004												
Total, all primary sites of cancer	147,108	393.2	391.2	395.3	77,042	456.2	452.9	459.4	70,066	347.2	344.6	349.9
Lip (C00.0-C00.9)	362	0.9	0.8	1.0	267	1.6	1.4	1.8	95	0.4	0.3	0.5
Tongue (C01.9-C02.9)	751	2.0	1.9	2.1	516	2.9	2.6	3.2	235	1.2	1.0	1.3
Major salivary glands (C07.9-C08.9)	378	1.0	0.9	1.1	222	1.3	1.2	1.5	156	0.8	0.7	0.9
Floor of mouth (C04.0-C04.9)	214	0.6	0.5	0.6	147	0.8	0.7	1.0	67	0.3	0.2	0.4
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	421	1.1	1.0	1.2	232	1.3	1.2	1.5	189	0.9	0.8	1.1
Nasopharynx (C11.0-C11.9)	231	0.6	0.5	0.7	153	0.9	0.7	1.0	78	0.4	0.3	0.5
Oropharynx (C10.0-C10.9)	113	0.3	0.2	0.4	84	0.5	0.4	0.6	29	0.1	0.1	0.2
Hypopharynx (C12.9, C13.0-C13.9)	212	0.6	0.5	0.6	177	1.0	0.9	1.2	35	0.2	0.1	0.2
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	535	1.4	1.3	1.5	397	2.1	1.9	2.3	138	0.7	0.6	0.8
Esophagus (C15.0-C15.9)	1,376	3.6	3.4	3.8	1,020	6.0	5.6	6.4	356	1.6	1.4	1.8
Stomach (C16.0-C16.9)	2,951	7.7	7.4	8.0	1,890	11.2	10.7	11.7	1,061	4.9	4.6	5.2
Small intestine (C17.0-C17.9)	531	1.4	1.3	1.5	297	1.7	1.5	1.9	234	1.1	1.0	1.3
Colon excluding rectum (C18.0-C18.9, C26.0)	12,740	33.3	32.8	33.9	6,389	37.9	37.0	38.9	6,351	29.5	28.8	30.3
Rectum and rectosigmoid (C19.9, C20.9)	6,263	16.5	16.1	16.9	3,887	22.7	21.9	23.4	2,376	11.4	10.9	11.8
Anus (C21.0-C21.8)	515	1.3	1.2	1.5	250	1.4	1.3	1.6	265	1.3	1.1	1.5
Liver (C22.0)	1,182	3.1	3.0	3.3	892	5.1	4.8	5.5	290	1.4	1.3	1.6
Gallbladder (C23.9)	413	1.1	1.0	1.2	138	0.8	0.7	1.0	275	1.3	1.1	1.4
Pancreas (C25.0-C25.9)	3,470	9.1	8.8	9.4	1,734	10.2	9.7	10.7	1,736	8.0	7.6	8.4
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	1,434	3.8	3.6	4.0	671	4.0	3.7	4.3	763	3.6	3.3	3.9
Larynx (C32.0-C32.9)	1,097	2.9	2.8	3.1	905	5.2	4.9	5.6	192	1.0	0.8	1.1
Lung and bronchus (C34.0-C34.9)	20,874	55.6	54.8	56.4	11,724	69.6	68.3	70.8	9,150	45.1	44.1	46.0
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	329	0.9	0.8	1.0	203	1.2	1.0	1.4	126	0.6	0.5	0.8
Bones and joints (C40.0-C41.9)	295	0.9	0.8	1.0	166	1.0	0.9	1.2	129	0.7	0.6	0.9
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	882	2.5	2.3	2.7	463	2.8	2.5	3.0	419	2.3	2.0	2.5
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	4,096	11.2	10.8	11.5	2,155	12.5	12.0	13.0	1,941	10.2	9.8	10.7
Other skin (C44.0-C44.9)	332	0.9	0.8	1.0	173	1.0	0.9	1.2	159	0.8	0.7	0.9
Breast (C50.0-C50.9)	19,428	50.8	50.1	51.5	153	0.9	0.7	1.0	19,275	95.9	94.5	97.3
Cervix uteri (C53.0-C53.9)	1,321	3.8	3.6	4.1	1,321	7.5	7.1	7.9
Corpus uteri (C54.0-C54.9)	3,774	9.9	9.6	10.3	3,774	18.9	18.3	19.5
Uterus, not otherwise specified (C55.9)	87	0.2	0.2	0.3	87	0.4	0.3	0.5
Ovary (C56.9)	2,214	5.9	5.6	6.1	2,214	11.1	10.6	11.5
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	682	1.8	1.7	1.9	682	3.3	3.1	3.6
Prostate (C61.9)	20,387	55.3	54.5	56.0	20,387	120.9	119.3	122.6
Testis (C62.0-C62.9)	806	2.7	2.5	2.9	806	5.4	5.1	5.8
Penis (C60.0-C60.9)	129	0.3	0.3	0.4	129	0.8	0.6	0.9
Other male genital system (C63.0-C63.9)	48	0.1	0.1	0.2	48	0.3	0.2	0.4
Bladder (including in situ) (C67.0-C67.9)	6,339	16.7	16.3	17.1	4,730	28.3	27.5	29.1	1,609	7.5	7.1	7.9
Kidney and renal pelvis (C64.9, C65.9)	3,930	10.4	10.1	10.8	2,398	13.7	13.2	14.3	1,532	7.6	7.2	8.0
Ureter (C66.9)	191	0.5	0.4	0.6	115	0.7	0.6	0.8	76	0.4	0.3	0.4
Other urinary system (C68.0-C68.9)	252	0.7	0.6	0.8	187	1.1	1.0	1.3	65	0.3	0.2	0.4
Eye (C69.0-C69.9)	229	0.6	0.6	0.7	127	0.7	0.6	0.9	102	0.6	0.5	0.7
Brain (C71.0-C71.9)	2,064	5.8	5.6	6.1	1,198	7.1	6.7	7.5	866	4.7	4.4	5.0
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	132	0.4	0.3	0.5	66	0.4	0.3	0.5	66	0.4	0.3	0.5
Thyroid (C73.9)	3,233	9.5	9.1	9.8	672	3.9	3.6	4.2	2,561	15.0	14.4	15.6
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	255	0.7	0.6	0.8	124	0.8	0.6	0.9	131	0.7	0.6	0.8
Hodgkin's disease (M-9650-M-9667)	891	2.8	2.6	3.0	500	3.2	2.9	3.5	391	2.4	2.2	2.7
Non-Hodgkin's lymphomas	6,189	16.6	16.2	17.0	3,316	19.4	18.8	20.1	2,873	14.2	13.7	14.7
Multiple myeloma (M-9731, M-9732, M-9734)	1,876	4.9	4.7	5.1	1,020	6.0	5.6	6.4	856	4.1	3.8	4.3
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	297	1.0	0.9	1.1	172	1.2	1.0	1.4	125	0.9	0.7	1.0
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	1,777	4.6	4.4	4.8	1,046	6.2	5.8	6.5	731	3.4	3.1	3.6

See footnotes at the end of the table.

Table 3-1 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Canada¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	951	2.6	2.4	2.8	523	3.1	2.8	3.4	428	2.2	2.0	2.4
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	395	1.1	0.9	1.2	236	1.5	1.3	1.6	159	0.8	0.6	0.9
Other leukemias	672	1.9	1.7	2.0	406	2.5	2.2	2.7	266	1.3	1.2	1.5
Other, ill-defined and unknown sites	6,092	15.7	15.3	16.1	3,126	18.7	18.1	19.4	2,966	13.5	13.0	14.0
Mesothelioma (M-9050-M-9055)	406	1.1	1.0	1.2	351	2.1	1.9	2.3	55	0.3	0.2	0.3
Kaposi sarcoma (M-9140)	64	0.2	0.1	0.2	54	0.3	0.2	0.4	10	0.0	0.0	0.1

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-2
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Newfoundland and Labrador¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	2,328	366.2	351.0	381.4	1,243	424.7	400.6	448.8	1,085	321.1	301.4	340.7
Lip (C00.0-C00.9)	x	x	x	x	x	x	x	x	x	x	x	x
Tongue (C01.9-C02.9)	x	x	x	x	x	x	x	x	x	x	x	x
Major salivary glands (C07.9-C08.9)	x	x	x	x	x	x	x	x	x	x	x	x
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	x	x	x	x	x	x	x	x
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Oropharynx (C10.0-C10.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	10	3.1	1.1	5.0	x	x	x	x
Esophagus (C15.0-C15.9)	x	x	x	x	22	7.6	4.4	10.9	x	x	x	x
Stomach (C16.0-C16.9)	79	12.3	9.6	15.1	55	19.2	14.1	24.4	24	6.8	4.0	9.5
Small intestine (C17.0-C17.9)	x	x	x	x	x	x	x	x	x	x	x	x
Colon excluding rectum (C18.0-C18.9, C26.0)	300	46.5	41.2	51.8	153	52.5	44.1	61.0	147	41.3	34.5	48.1
Rectum and rectosigmoid (C19.9, C20.9)	135	20.5	17.0	24.0	89	29.5	23.3	35.8	46	12.7	8.9	16.4
Anus (C21.0-C21.8)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Liver (C22.0)	x	x	x	x	x	x	x	x	x	x	x	x
Gallbladder (C23.9)	6	1.0	0.2	1.8	0	0.0	0.0	0.0	6	1.8	0.4	3.3
Pancreas (C25.0-C25.9)	29	4.6	2.9	6.3	20	6.7	3.7	9.7	9	2.6	0.9	4.3
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	x	x	x	x	x	x	x	x	6	1.6	0.3	2.9
Larynx (C32.0-C32.9)	x	x	x	x	28	9.4	5.9	12.9	x	x	x	x
Lung and bronchus (C34.0-C34.9)	309	48.0	42.6	53.5	183	61.3	52.3	70.3	126	36.9	30.4	43.4
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	x	x	x	x
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	x	x	x	x
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	15	2.8	1.3	4.2	9	3.8	1.2	6.4	6	1.7	0.3	3.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	66	10.6	8.0	13.3	29	9.6	6.0	13.2	37	11.7	7.8	15.6
Other skin (C44.0-C44.9)	12	2.1	0.9	3.3	6	2.3	0.5	4.2	6	2.2	0.3	4.0
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	316	91.5	81.2	101.8
Cervix uteri (C53.0-C53.9)	10	2.1	0.7	3.5	10	4.0	1.4	6.7
Corpus uteri (C54.0-C54.9)	57	8.5	6.2	10.7	57	16.5	12.1	20.9
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	20	2.9	1.6	4.2	20	5.6	3.1	8.2
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	14	2.2	1.0	3.4	14	3.9	1.8	6.0
Prostate (C61.9)	288	45.3	40.0	50.6	288	96.0	84.7	107.2
Testis (C62.0-C62.9)	10	2.4	0.9	3.9	10	4.9	1.7	8.0
Penis (C60.0-C60.9)	x	x	x	x	x	x	x	x
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	107	16.9	13.6	20.1	71	26.1	19.9	32.3	36	10.3	6.9	13.7
Kidney and renal pelvis (C64.9, C65.9)	70	11.2	8.5	13.9	42	13.9	9.6	18.1	28	8.9	5.5	12.3
Ureter (C66.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Brain (C71.0-C71.9)	x	x	x	x	29	10.1	6.3	13.9	x	x	x	x
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Thyroid (C73.9)	67	10.8	8.1	13.5	19	5.8	3.1	8.6	48	15.5	10.9	20.1
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	14	3.0	1.4	4.6	7	3.1	0.7	5.5	7	2.9	0.7	5.1
Non-Hodgkin's lymphomas	69	11.3	8.6	14.0	45	15.7	11.1	20.4	24	7.5	4.4	10.6
Multiple myeloma (M-9731, M-9732, M-9734)	x	x	x	x	x	x	x	x	x	x	x	x
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	x	x	x	x	x	x	x	x	x	x	x	x

See footnotes at the end of the table.

Table 3-2 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Newfoundland and Labrador¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	x	x	x	x	7	2.5	0.5	4.4	x	x	x	x
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	x	x	x	x	x	x	x	x
Other leukemias	x	x	x	x	x	x	x	x	x	x	x	x
Other, ill-defined and unknown sites	79	12.3	9.6	15.0	46	15.8	11.1	20.4	33	10.0	6.5	13.4
Mesothelioma (M-9050-M-9055)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
2004												
Total, all primary sites of cancer	2,213	355.3	340.2	370.3	1,202	415.9	391.9	439.8	1,011	306.3	287.0	325.6
Lip (C00.0-C00.9)	x	x	x	x	x	x	x	x	x	x	x	x
Tongue (C01.9-C02.9)	x	x	x	x	x	x	x	x	x	x	x	x
Major salivary glands (C07.9-C08.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	x	x	x	x	x	x	x	x
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	x	x	x	x
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	8	2.6	0.8	4.4	x	x	x	x
Esophagus (C15.0-C15.9)	x	x	x	x	11	3.7	1.4	6.0	x	x	x	x
Stomach (C16.0-C16.9)	96	15.2	12.2	18.3	64	22.3	16.7	27.8	32	9.8	6.4	13.3
Small intestine (C17.0-C17.9)	15	2.4	1.2	3.6	8	2.9	0.9	4.9	7	2.0	0.5	3.5
Colon excluding rectum (C18.0-C18.9, C26.0)	301	47.6	42.1	53.0	162	56.9	48.0	65.7	139	40.3	33.5	47.1
Rectum and rectosigmoid (C19.9, C20.9)	140	22.1	18.4	25.8	96	31.7	25.2	38.1	44	13.6	9.5	17.7
Anus (C21.0-C21.8)	x	x	x	x	x	x	x	x	x	x	x	x
Liver (C22.0)	x	x	x	x	8	3.0	0.9	5.1	x	x	x	x
Gallbladder (C23.9)	x	x	x	x	x	x	x	x	x	x	x	x
Pancreas (C25.0-C25.9)	27	4.3	2.7	6.0	15	5.1	2.5	7.7	12	3.6	1.5	5.7
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	15	2.5	1.2	3.7	6	2.0	0.4	3.6	9	2.9	1.0	4.9
Larynx (C32.0-C32.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Lung and bronchus (C34.0-C34.9)	262	42.1	36.9	47.2	173	59.2	50.3	68.1	89	27.1	21.4	32.8
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	x	x	x	x
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	x	x	x	x	x	x	x	x	x	x	x	x
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	54	8.5	6.2	10.9	26	8.4	5.0	11.7	28	8.7	5.4	12.0
Other skin (C44.0-C44.9)	x	x	x	x	x	x	x	x	8	2.8	0.8	4.9
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	294	87.0	76.9	97.1
Cervix uteri (C53.0-C53.9)	32	6.1	3.9	8.3	32	11.8	7.5	16.1
Corpus uteri (C54.0-C54.9)	61	9.2	6.8	11.5	61	17.7	13.2	22.2
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	28	4.8	3.0	6.6	28	9.3	5.8	12.9
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	17	2.9	1.5	4.3	17	5.4	2.8	8.0
Prostate (C61.9)	270	43.8	38.6	49.1	270	93.3	82.0	104.5
Testis (C62.0-C62.9)	10	2.3	0.8	3.8	10	4.7	1.7	7.7
Penis (C60.0-C60.9)	7	1.2	0.3	2.1	7	2.5	0.6	4.4
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	105	16.9	13.6	20.2	83	30.2	23.6	36.8	22	6.5	3.7	9.2
Kidney and renal pelvis (C64.9, C65.9)	x	x	x	x	50	15.7	11.3	20.1	x	x	x	x
Ureter (C66.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	x	x	x	x	x	x	x	x	x	x	x	x
Brain (C71.0-C71.9)	30	5.5	3.5	7.6	17	6.7	3.4	9.9	13	4.4	1.9	7.0
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	31	5.3	3.4	7.2	8	3.1	0.8	5.3	23	7.3	4.2	10.4
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	x	x	x	x	9	3.6	1.2	6.1	x	x	x	x

See footnotes at the end of the table.

Table 3-2 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Newfoundland and Labrador¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	72	11.5	8.8	14.2	38	12.8	8.6	17.0	34	10.3	6.8	13.9
Multiple myeloma (M-9731, M-9732, M-9734)	21	3.3	1.8	4.7	11	3.4	1.4	5.5	10	3.0	1.1	4.9
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	x	x	x	x	9	2.8	0.9	4.7	x	x	x	x
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	x	x	x	x	x	x	x	x
Other leukemias	x	x	x	x	x	x	x	x	x	x	x	x
Other, ill-defined and unknown sites	85	13.7	10.8	16.6	41	14.5	10.0	19.1	44	13.5	9.4	17.5
Mesothelioma (M-9050-M-9055)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	x	x	x	x	x	x	x	x	x	x	x	x

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-3
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Prince Edward Island¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	745	431.7	400.1	463.3	406	519.7	468.7	570.7	339	356.9	317.4	396.3
Lip (C00.0-C00.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Tongue (C01.9-C02.9)	x	x	x	x	x	x	x	x	x	x	x	x
Major salivary glands (C07.9-C08.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	x	x	x	x	x	x	x	x
Nasopharynx (C11.0-C11.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Esophagus (C15.0-C15.9)	x	x	x	x	x	x	x	x	x	x	x	x
Stomach (C16.0-C16.9)	13	7.3	3.3	11.3	6	7.2	1.4	13.0	7	7.3	1.8	12.7
Small intestine (C17.0-C17.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Colon excluding rectum (C18.0-C18.9, C26.0)	78	44.3	34.3	54.3	34	43.7	29.0	58.5	44	44.1	30.6	57.5
Rectum and rectosigmoid (C19.9, C20.9)	30	16.7	10.6	22.9	16	21.5	10.8	32.2	14	13.8	6.3	21.3
Anus (C21.0-C21.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Liver (C22.0)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Gallbladder (C23.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Pancreas (C25.0-C25.9)	18	9.6	5.1	14.1	9	10.7	3.6	17.8	9	7.9	2.5	13.2
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	x	x	x	x	x	x	x	x	x	x	x	x
Larynx (C32.0-C32.9)	x	x	x	x	x	x	x	x	x	x	x	x
Lung and bronchus (C34.0-C34.9)	108	62.6	50.7	74.5	61	76.6	57.3	95.9	47	50.5	35.7	65.3
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	x	x	x	x
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	x	x	x	x	x	x	x	x	18	20.8	10.5	31.1
Other skin (C44.0-C44.9)	x	x	x	x	x	x	x	x	x	x	x	x
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	78	83.3	64.3	102.3
Cervix uteri (C53.0-C53.9)	6	3.9	0.5	7.3	6	7.0	0.6	13.4
Corpus uteri (C54.0-C54.9)	x	x	x	x	x	x	x	x
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	11	6.1	2.5	9.8	11	11.3	4.5	18.1
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	x	x	x	x	x	x	x	x
Prostate (C61.9)	107	62.9	50.9	74.9	107	135.3	109.6	161.0
Testis (C62.0-C62.9)	x	x	x	x	x	x	x	x
Penis (C60.0-C60.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	31	17.2	11.0	23.4	21	28.1	16.1	40.0	10	9.1	3.3	14.9
Kidney and renal pelvis (C64.9, C65.9)	x	x	x	x	20	25.3	14.2	36.5	x	x	x	x
Ureter (C66.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Brain (C71.0-C71.9)	x	x	x	x	11	16.1	6.2	26.0	x	x	x	x
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Thyroid (C73.9)	x	x	x	x	x	x	x	x	6	8.8	1.4	16.1
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Non-Hodgkin's lymphomas	31	17.8	11.5	24.1	18	23.1	12.4	33.9	13	13.1	5.8	20.4
Multiple myeloma (M-9731, M-9732, M-9734)	x	x	x	x	x	x	x	x	x	x	x	x
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	x	x	x	x	x	x	x	x	x	x	x	x

See footnotes at the end of the table.

Table 3-3 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Prince Edward Island¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	x	x	x	x	x	x	x	x	x	x	x	x
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	x	x	x	0	0.0	0.0	0.0	0.0
Other leukemias	x	x	x	x	x	x	x	x	x	x	x	x
Other, ill-defined and unknown sites	x	x	x	x	22	27.9	16.2	39.6	x	x	x	x
Mesothelioma (M-9050-M-9055)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
2004												
Total, all primary sites of cancer	749	443.1	410.7	475.4	416	542.7	490.1	595.3	333	362.2	321.8	402.5
Lip (C00.0-C00.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Tongue (C01.9-C02.9)	x	x	x	x	x	x	x	x	x	x	x	x
Major salivary glands (C07.9-C08.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Floor of mouth (C04.0-C04.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Nasopharynx (C11.0-C11.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	x	x	x	x	x	x	x	x
Esophagus (C15.0-C15.9)	x	x	x	x	6	6.9	1.3	12.5	x	x	x	x
Stomach (C16.0-C16.9)	x	x	x	x	11	14.0	5.7	22.3	x	x	x	x
Small intestine (C17.0-C17.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Colon excluding rectum (C18.0-C18.9, C26.0)	71	40.4	30.9	49.9	33	43.4	28.5	58.2	38	36.3	24.3	48.3
Rectum and rectosigmoid (C19.9, C20.9)	38	22.4	15.1	29.6	22	28.4	16.4	40.4	16	16.7	8.1	25.3
Anus (C21.0-C21.8)	x	x	x	x	x	x	x	x	x	x	x	x
Liver (C22.0)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Gallbladder (C23.9)	x	x	x	x	x	x	x	x	x	x	x	x
Pancreas (C25.0-C25.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	x	x	x	x	x	x	x	x	x	x	x	x
Larynx (C32.0-C32.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Lung and bronchus (C34.0-C34.9)	114	67.3	54.8	79.8	62	81.8	61.4	102.2	52	58.8	42.5	75.1
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bones and joints (C40.0-C41.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	x	x	x	x	x	x	x	x	15	19.2	9.2	29.1
Other skin (C44.0-C44.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Breast (C50.0-C50.9)	97	56.2	44.8	67.7	0	0.0	0.0	0.0	97	105.6	83.9	127.2
Cervix uteri (C53.0-C53.9)	6	3.8	0.6	7.1	6	7.3	1.1	13.5
Corpus uteri (C54.0-C54.9)	19	10.4	5.6	15.2	19	19.4	10.4	28.4
Uterus, not otherwise specified (C55.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ovary (C56.9)	8	4.0	1.2	6.9	8	7.4	2.2	12.6
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	x	x	x	x	x	x	x	x
Prostate (C61.9)	126	75.4	62.1	88.7	126	162.8	134.2	191.3
Testis (C62.0-C62.9)	x	x	x	x	x	x	x	x
Penis (C60.0-C60.9)	x	x	x	x	x	x	x	x
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	x	x	x	x	26	34.4	21.1	47.6	x	x	x	x
Kidney and renal pelvis (C64.9, C65.9)	x	x	x	x	14	19.4	9.2	29.6	x	x	x	x
Ureter (C66.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Brain (C71.0-C71.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Thyroid (C73.9)	x	x	x	x	x	x	x	x	6	7.8	1.3	14.3
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

See footnotes at the end of the table.

Table 3-3 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Prince Edward Island¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	33	19.8	12.8	26.7	19	24.0	13.0	35.0	14	16.4	7.5	25.3
Multiple myeloma (M-9731, M-9732, M-9734)	x	x	x	x	8	10.2	3.1	17.4	x	x	x	x
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	x	x	x	x	9	11.8	4.1	19.6	x	x	x	x
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	x	x	x	x	x	x	x	x
Other leukemias	x	x	x	x	x	x	x	x	x	x	x	x
Other, ill-defined and unknown sites	x	x	x	x	13	17.1	7.7	26.4	x	x	x	x
Mesothelioma (M-9050-M-9055)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

**Table 3-4
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Nova Scotia¹**

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	5,241	436.7	424.7	448.8	2,775	511.5	492.2	530.7	2,466	378.7	363.2	394.2
Lip (C00.0-C00.9)	x	x	x	x	7	1.2	0.3	2.1	x	x	x	x
Tongue (C01.9-C02.9)	x	x	x	x	15	2.6	1.3	3.9	x	x	x	x
Major salivary glands (C07.9-C08.9)	x	x	x	x	x	x	x	x	x	x	x	x
Floor of mouth (C04.0-C04.9)	x	x	x	x	8	1.3	0.4	2.2	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	15	1.1	0.5	1.7	8	1.4	0.4	2.4	7	0.8	0.2	1.5
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	x	x	x	x
Oropharynx (C10.0-C10.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	6	1.2	0.2	2.2	x	x	x	x
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	14	2.4	1.1	3.6	x	x	x	x
Esophagus (C15.0-C15.9)	60	5.0	3.7	6.3	44	8.1	5.7	10.5	16	2.2	1.1	3.4
Stomach (C16.0-C16.9)	94	7.6	6.0	9.1	64	11.6	8.7	14.5	30	4.3	2.7	5.9
Small intestine (C17.0-C17.9)	18	1.5	0.8	2.2	10	1.9	0.7	3.1	8	1.2	0.3	2.0
Colon excluding rectum (C18.0-C18.9, C26.0)	492	39.3	35.7	42.8	241	44.1	38.5	49.7	251	34.7	30.2	39.2
Rectum and rectosigmoid (C19.9, C20.9)	246	20.3	17.7	22.9	141	25.8	21.5	30.1	105	15.6	12.5	18.7
Anus (C21.0-C21.8)	x	x	x	x	x	x	x	x	10	1.3	0.5	2.2
Liver (C22.0)	18	1.5	0.8	2.1	12	2.1	0.9	3.4	6	0.8	0.1	1.5
Gallbladder (C23.9)	x	x	x	x	x	x	x	x	8	1.2	0.3	2.1
Pancreas (C25.0-C25.9)	130	10.5	8.7	12.3	61	11.1	8.3	14.0	69	9.8	7.4	12.2
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	52	4.2	3.1	5.4	22	4.1	2.4	5.8	30	4.5	2.9	6.2
Larynx (C32.0-C32.9)	x	x	x	x	31	5.5	3.5	7.4	x	x	x	x
Lung and bronchus (C34.0-C34.9)	815	67.8	63.1	72.6	469	86.6	78.7	94.4	346	54.0	48.2	59.8
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	8	1.4	0.4	2.4
Bones and joints (C40.0-C41.9)	x	x	x	x	6	1.4	0.2	2.5	x	x	x	x
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	38	3.5	2.3	4.6	21	3.9	2.2	5.6	17	3.2	1.6	4.8
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	170	14.4	12.1	16.6	82	14.9	11.6	18.2	88	14.0	11.0	17.1
Other skin (C44.0-C44.9)	22	1.5	0.9	2.2	7	1.3	0.3	2.3	15	1.7	0.8	2.6
Breast (C50.0-C50.9)	672	55.2	51.0	59.5	14	2.6	1.2	4.0	658	102.1	94.1	110.1
Cervix uteri (C53.0-C53.9)	45	4.7	3.2	6.1	45	9.0	6.2	11.8
Corpus uteri (C54.0-C54.9)	124	10.3	8.5	12.2	124	19.7	16.2	23.3
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	69	5.6	4.3	7.0	69	10.6	8.0	13.1
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	26	2.1	1.3	3.0	26	3.8	2.2	5.3
Prostate (C61.9)	719	60.5	56.1	65.0	719	131.5	121.9	141.2
Testis (C62.0-C62.9)	24	3.0	1.8	4.3	24	6.2	3.6	8.7
Penis (C60.0-C60.9)	7	0.6	0.1	1.0	7	1.2	0.3	2.2
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	236	19.0	16.5	21.4	179	32.9	28.1	37.8	57	8.2	6.0	10.5
Kidney and renal pelvis (C64.9, C65.9)	182	14.7	12.5	16.8	114	20.4	16.6	24.2	68	9.8	7.4	12.1
Ureter (C66.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	x	x	x	x	6	1.0	0.2	1.9	x	x	x	x
Brain (C71.0-C71.9)	77	6.9	5.3	8.5	52	9.5	6.8	12.2	25	4.3	2.5	6.0
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	97	9.4	7.5	11.4	29	5.6	3.5	7.7	68	13.2	9.9	16.5
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	x	x	x	x	9	1.8	0.6	3.0	x	x	x	x
Hodgkin's disease (M-9650-M-9667)	25	2.7	1.6	3.8	16	3.5	1.7	5.3	9	1.9	0.6	3.3
Non-Hodgkin's lymphomas	198	16.9	14.5	19.4	93	17.6	13.9	21.2	105	16.4	13.1	19.6
Multiple myeloma (M-9731, M-9732, M-9734)	54	4.4	3.2	5.6	30	5.6	3.6	7.6	24	3.5	2.0	4.9
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	x	x	x	x	x	x	x	x
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	47	3.8	2.7	4.9	24	4.2	2.5	5.9	23	3.5	2.0	5.0

See footnotes at the end of the table.

Table 3-4 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Nova Scotia¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	29	2.4	1.5	3.3	19	3.4	1.8	5.0	10	1.6	0.6	2.6
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	13	1.1	0.5	1.7	7	1.2	0.3	2.1	6	1.0	0.2	1.9
Other leukemias	x	x	x	x	10	2.0	0.7	3.2	x	x	x	x
Other, ill-defined and unknown sites	198	15.9	13.6	18.1	116	21.9	17.8	25.9	82	10.9	8.4	13.4
Mesothelioma (M-9050-M-9055)	x	x	x	x	x	x	x	x	x	x	x	x
Kaposi sarcoma (M-9140)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
2004												
Total, all primary sites of cancer	5,207	441.8	429.6	454.1	2,822	534.2	514.3	554.1	2,385	370.4	355.0	385.8
Lip (C00.0-C00.9)	x	x	x	x	23	4.3	2.5	6.1	x	x	x	x
Tongue (C01.9-C02.9)	29	2.6	1.6	3.6	21	4.0	2.3	5.8	8	1.2	0.3	2.1
Major salivary glands (C07.9-C08.9)	x	x	x	x	6	1.2	0.2	2.3	x	x	x	x
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	x	x	x	x	10	1.6	0.6	2.6
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	x	x	x	x
Oropharynx (C10.0-C10.9)	x	x	x	x	x	x	x	x	x	x	x	x
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	6	1.1	0.2	2.0	x	x	x	x
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	19	3.2	1.8	4.7	x	x	x	x
Esophagus (C15.0-C15.9)	54	4.5	3.3	5.7	41	7.7	5.3	10.1	13	1.8	0.8	2.9
Stomach (C16.0-C16.9)	102	8.4	6.7	10.0	64	12.0	9.0	15.0	38	5.5	3.7	7.4
Small intestine (C17.0-C17.9)	21	2.0	1.1	2.8	7	1.4	0.4	2.5	14	2.5	1.1	3.8
Colon excluding rectum (C18.0-C18.9, C26.0)	506	40.9	37.3	44.5	228	43.0	37.4	48.7	278	39.5	34.7	44.3
Rectum and rectosigmoid (C19.9, C20.9)	226	19.0	16.5	21.6	158	29.6	25.0	34.3	68	10.7	8.1	13.3
Anus (C21.0-C21.8)	17	1.4	0.7	2.1	8	1.3	0.4	2.2	9	1.6	0.5	2.6
Liver (C22.0)	26	2.2	1.3	3.0	18	3.2	1.7	4.6	8	1.4	0.4	2.4
Gallbladder (C23.9)	x	x	x	x	x	x	x	x	6	0.9	0.2	1.6
Pancreas (C25.0-C25.9)	138	11.4	9.5	13.4	65	12.4	9.4	15.4	73	10.6	8.0	13.1
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	36	3.0	2.0	4.0	19	3.7	2.0	5.4	17	2.3	1.2	3.5
Larynx (C32.0-C32.9)	x	x	x	x	35	6.4	4.3	8.6	x	x	x	x
Lung and bronchus (C34.0-C34.9)	792	66.8	62.1	71.5	461	86.9	78.9	94.8	331	51.4	45.8	57.1
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	x	x	x	x
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	6	1.2	0.2	2.3
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	x	x	x	x	x	x	x	x	12	1.7	0.7	2.7
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	192	16.7	14.3	19.1	94	17.5	13.9	21.1	98	16.0	12.7	19.3
Other skin (C44.0-C44.9)	28	2.3	1.4	3.1	13	2.5	1.1	3.8	15	2.2	1.1	3.4
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	604	94.5	86.7	102.2
Cervix uteri (C53.0-C53.9)	63	5.8	4.3	7.3	63	11.4	8.4	14.3
Corpus uteri (C54.0-C54.9)	119	9.8	8.0	11.6	119	18.6	15.2	22.1
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	53	4.3	3.1	5.4	53	7.9	5.7	10.1
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	25	2.1	1.3	2.9	25	3.9	2.3	5.5
Prostate (C61.9)	734	63.4	58.8	68.1	734	137.7	127.7	147.7
Testis (C62.0-C62.9)	34	4.2	2.8	5.7	34	8.5	5.6	11.5
Penis (C60.0-C60.9)	x	x	x	x	x	x	x	x
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	242	19.9	17.3	22.4	181	34.2	29.2	39.2	61	9.0	6.7	11.4
Kidney and renal pelvis (C64.9, C65.9)	163	13.7	11.6	15.9	99	18.1	14.5	21.7	64	10.1	7.5	12.7
Ureter (C66.9)	x	x	x	x	6	1.2	0.2	2.1	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	x	x	x	x
Eye (C69.0-C69.9)	x	x	x	x	x	x	x	x	x	x	x	x
Brain (C71.0-C71.9)	73	6.3	4.8	7.8	36	6.7	4.4	8.9	37	6.0	4.0	8.1
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	67	6.5	4.9	8.1	17	3.3	1.7	4.9	50	9.5	6.7	12.3
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	x	x	x	x	x	x	x	x	x	x	x	x
Hodgkin's disease (M-9650-M-9667)	33	3.6	2.4	4.9	18	4.2	2.2	6.2	15	3.0	1.4	4.7

See footnotes at the end of the table.

Table 3-4 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Nova Scotia¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	202	17.4	14.9	19.9	122	23.0	18.8	27.2	80	12.5	9.6	15.3
Multiple myeloma (M-9731, M-9732, M-9734)	46	3.9	2.7	5.0	27	5.1	3.2	7.0	19	3.0	1.6	4.4
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	x	x	x	x	6	1.7	0.3	3.1
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	x	x	x	x	28	5.2	3.3	7.1	x	x	x	x
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	33	2.9	1.9	3.9	17	3.4	1.8	5.1	16	2.4	1.1	3.7
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	7	1.3	0.3	2.2	x	x	x	x
Other leukemias	37	3.3	2.2	4.3	23	4.6	2.7	6.5	14	2.1	1.0	3.3
Other, ill-defined and unknown sites	214	17.1	14.7	19.4	115	22.1	18.0	26.1	99	13.4	10.7	16.2
Mesothelioma (M-9050-M-9055)	x	x	x	x	11	2.0	0.8	3.2	x	x	x	x
Kaposi sarcoma (M-9140)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-5
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — New Brunswick¹

	1991 Census population structure											
	Both sexes				Males			Females				
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	3,976	418.5	405.3	431.8	2,153	502.5	481.0	523.9	1,823	355.2	338.3	372.1
Lip (C00.0-C00.9)	x	x	x	x	10	2.6	1.0	4.2	x	x	x	x
Tongue (C01.9-C02.9)	x	x	x	x	9	2.0	0.7	3.4	x	x	x	x
Major salivary glands (C07.9-C08.9)	15	1.5	0.7	2.3	8	2.1	0.6	3.6	7	1.0	0.2	1.8
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	7	1.6	0.4	2.7	x	x	x	x
Nasopharynx (C11.0-C11.9)	x	x	x	x	8	1.9	0.6	3.2	x	x	x	x
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	12	2.5	1.1	3.9	x	x	x	x
Esophagus (C15.0-C15.9)	46	4.8	3.4	6.2	33	7.4	4.8	10.0	13	2.5	1.1	3.9
Stomach (C16.0-C16.9)	78	7.8	6.1	9.6	55	12.8	9.4	16.2	23	4.2	2.4	6.0
Small intestine (C17.0-C17.9)	x	x	x	x	x	x	x	x	x	x	x	x
Colon excluding rectum (C18.0-C18.9, C26.0)	311	31.8	28.2	35.4	157	36.3	30.6	42.1	154	28.2	23.6	32.8
Rectum and rectosigmoid (C19.9, C20.9)	188	19.3	16.5	22.1	118	27.4	22.4	32.4	70	13.2	10.0	16.4
Anus (C21.0-C21.8)	x	x	x	x	x	x	x	x	x	x	x	x
Liver (C22.0)	x	x	x	x	6	1.3	0.3	2.4	x	x	x	x
Gallbladder (C23.9)	x	x	x	x	x	x	x	x	x	x	x	x
Pancreas (C25.0-C25.9)	93	9.6	7.6	11.6	43	10.1	7.1	13.2	50	8.9	6.3	11.4
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	32	3.1	2.0	4.2	10	2.3	0.9	3.7	22	3.7	2.1	5.2
Larynx (C32.0-C32.9)	x	x	x	x	26	6.1	3.7	8.5	x	x	x	x
Lung and bronchus (C34.0-C34.9)	611	64.3	59.2	69.5	337	79.8	71.2	88.4	274	53.4	46.9	59.9
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	x	x	x	x
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	x	x	x	x
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	x	x	x	x	16	3.6	1.8	5.3	x	x	x	x
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	129	14.0	11.5	16.4	81	18.7	14.6	22.9	48	10.0	7.1	12.9
Other skin (C44.0-C44.9)	x	x	x	x	10	2.5	0.9	4.1	x	x	x	x
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	515	99.1	90.3	107.9
Cervix uteri (C53.0-C53.9)	30	3.5	2.2	4.8	30	6.7	4.2	9.3
Corpus uteri (C54.0-C54.9)	89	9.3	7.3	11.3	89	17.7	13.9	21.4
Uterus, not otherwise specified (C55.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ovary (C56.9)	56	6.0	4.4	7.6	56	11.2	8.2	14.3
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	20	2.2	1.2	3.1	20	4.0	2.2	5.9
Prostate (C61.9)	620	66.3	61.0	71.6	620	143.7	132.3	155.1
Testis (C62.0-C62.9)	15	2.2	1.0	3.3	15	4.3	2.1	6.5
Penis (C60.0-C60.9)	x	x	x	x	x	x	x	x
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	190	19.7	16.8	22.5	141	32.8	27.3	38.3	49	9.2	6.6	11.9
Kidney and renal pelvis (C64.9, C65.9)	125	13.2	10.8	15.6	79	17.6	13.7	21.6	46	9.5	6.7	12.3
Ureter (C66.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	x	x	x	x	x	x	x	x	x	x	x	x
Brain (C71.0-C71.9)	55	5.9	4.3	7.5	31	6.7	4.3	9.1	24	5.2	2.9	7.4
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	112	12.6	10.2	15.0	22	5.1	2.9	7.4	90	19.9	15.6	24.2
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	x	x	x	x	x	x	x	x	x	x	x	x
Hodgkin's disease (M-9650-M-9667)	27	4.0	2.5	5.5	18	5.2	2.8	7.6	9	2.8	0.9	4.7
Non-Hodgkin's lymphomas	171	17.7	15.0	20.4	84	19.7	15.4	24.0	87	16.2	12.7	19.7
Multiple myeloma (M-9731, M-9732, M-9734)	49	5.2	3.7	6.7	30	6.9	4.4	9.5	19	3.9	2.1	5.7
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	x	x	x	x	x	x	x	x
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	33	3.3	2.2	4.4	25	5.4	3.3	7.6	8	1.5	0.4	2.5

See footnotes at the end of the table.

Table 3-5 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — New Brunswick¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	18	2.2	1.1	3.2	9	2.3	0.8	3.8	9	2.1	0.6	3.5
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	x	x	x	x	x	x	x	x
Other leukemias	17	1.8	0.9	2.7	10	2.5	0.9	4.1	7	1.2	0.3	2.2
Other, ill-defined and unknown sites	94	9.3	7.4	11.2	53	12.3	8.9	15.6	41	7.2	4.9	9.4
Mesothelioma (M-9050-M-9055)	x	x	x	x	8	1.7	0.5	2.8	x	x	x	x
Kaposi sarcoma (M-9140)	x	x	x	x	x	x	x	x	x	x	x	x
2004												
Total, all primary sites of cancer	3,761	400.5	387.5	413.6	2,037	485.2	463.9	506.5	1,724	338.3	321.7	354.9
Lip (C00.0-C00.9)	x	x	x	x	8	2.0	0.6	3.4	x	x	x	x
Tongue (C01.9-C02.9)	15	1.5	0.7	2.3	9	1.9	0.6	3.1	6	1.4	0.2	2.5
Major salivary glands (C07.9-C08.9)	x	x	x	x	x	x	x	x	x	x	x	x
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	9	2.3	0.8	3.8	x	x	x	x
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	x	x	x	x
Oropharynx (C10.0-C10.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	9	1.8	0.6	3.1	x	x	x	x
Esophagus (C15.0-C15.9)	42	4.4	3.0	5.7	31	7.4	4.8	10.0	11	1.8	0.7	2.8
Stomach (C16.0-C16.9)	75	7.8	6.0	9.6	48	11.5	8.2	14.8	27	4.6	2.8	6.5
Small intestine (C17.0-C17.9)	x	x	x	x	9	2.1	0.7	3.5	0	0.0	0.0	0.0
Colon excluding rectum (C18.0-C18.9, C26.0)	277	28.7	25.2	32.1	130	31.0	25.6	36.4	147	26.4	22.0	30.8
Rectum and rectosigmoid (C19.9, C20.9)	167	17.3	14.6	20.0	106	24.7	20.0	29.5	61	11.0	8.1	13.8
Anus (C21.0-C21.8)	x	x	x	x	x	x	x	x	x	x	x	x
Liver (C22.0)	x	x	x	x	12	2.8	1.2	4.4	x	x	x	x
Gallbladder (C23.9)	x	x	x	x	x	x	x	x	x	x	x	x
Pancreas (C25.0-C25.9)	120	12.5	10.3	14.8	68	16.3	12.4	20.2	52	9.5	6.8	12.1
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	41	4.1	2.8	5.4	21	5.1	2.9	7.3	20	3.8	2.1	5.5
Larynx (C32.0-C32.9)	37	3.8	2.5	5.0	30	6.9	4.4	9.5	7	1.4	0.4	2.5
Lung and bronchus (C34.0-C34.9)	622	66.3	61.0	71.6	364	87.4	78.3	96.4	258	50.9	44.5	57.2
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	x	x	x	x
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	x	x	x	x	14	3.7	1.7	5.7	x	x	x	x
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	105	11.8	9.5	14.1	55	13.4	9.8	16.9	50	10.9	7.8	14.1
Other skin (C44.0-C44.9)	18	1.9	1.0	2.8	11	2.8	1.1	4.4	7	1.2	0.3	2.2
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	435	85.1	76.9	93.3
Cervix uteri (C53.0-C53.9)	40	4.9	3.3	6.4	40	9.4	6.4	12.5
Corpus uteri (C54.0-C54.9)	81	8.6	6.7	10.5	81	16.2	12.5	19.8
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	66	6.9	5.2	8.6	66	13.0	9.8	16.3
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	x	x	x	x	x	x	x	x
Prostate (C61.9)	550	59.7	54.7	64.8	550	130.7	119.7	141.7
Testis (C62.0-C62.9)	8	1.2	0.4	2.1	8	2.4	0.7	4.1
Penis (C60.0-C60.9)	12	1.2	0.5	1.9	12	2.8	1.2	4.4
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	177	18.4	15.7	21.2	128	30.7	25.3	36.0	49	9.1	6.5	11.8
Kidney and renal pelvis (C64.9, C65.9)	142	14.8	12.3	17.3	92	20.5	16.3	24.8	50	9.8	6.9	12.6
Ureter (C66.9)	x	x	x	x	6	1.4	0.3	2.6	x	x	x	x
Other urinary system (C68.0-C68.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	x	x	x	x	x	x	x	x	x	x	x	x
Brain (C71.0-C71.9)	53	6.1	4.4	7.8	33	8.1	5.3	10.9	20	4.3	2.3	6.2
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	77	8.9	6.8	11.0	9	1.9	0.6	3.2	68	15.8	11.9	19.7
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	x	x	x	x	x	x	x	x	x	x	x	x
Hodgkin's disease (M-9650-M-9667)	20	2.8	1.5	4.0	10	2.8	1.0	4.6	10	2.8	1.0	4.6

See footnotes at the end of the table.

Table 3-5 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — New Brunswick¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	180	19.0	16.2	21.9	102	23.7	19.1	28.4	78	14.9	11.5	18.4
Multiple myeloma (M-9731, M-9732, M-9734)	52	5.3	3.9	6.8	26	6.2	3.8	8.6	26	4.9	2.9	6.8
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	x	x	x	x	x	x	x	x
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	46	4.7	3.4	6.1	26	6.1	3.7	8.5	20	3.6	1.9	5.2
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	x	x	x	x	x	x	x	x	12	2.8	1.2	4.5
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	x	x	x	x	x	x	x	x
Other leukemias	15	1.6	0.8	2.4	8	2.1	0.6	3.6	7	1.2	0.3	2.2
Other, ill-defined and unknown sites	82	8.1	6.3	9.9	41	9.6	6.6	12.6	41	6.9	4.7	9.1
Mesothelioma (M-9050-M-9055)	x	x	x	x	x	x	x	x	x	x	x	x
Kaposi sarcoma (M-9140)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-6
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Quebec^{1,2}

	1991 Census population structure											
	Both sexes				Males			Females				
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2004												
Total, all primary sites of cancer	37,508	402.4	398.3	406.5	19,490	480.5	473.6	487.3	18,018	351.9	346.6	357.2
Lip (C00.0-C00.9)	69	0.7	0.5	0.9	48	1.3	0.9	1.6	21	0.4	0.2	0.5
Tongue (C01.9-C02.9)	203	2.2	1.9	2.5	156	3.7	3.1	4.3	47	0.9	0.6	1.2
Major salivary glands (C07.9-C08.9)	85	0.9	0.7	1.1	50	1.3	0.9	1.7	35	0.7	0.5	1.0
Floor of mouth (C04.0-C04.9)	59	0.6	0.5	0.8	45	1.0	0.7	1.3	14	0.3	0.1	0.5
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	99	1.1	0.8	1.3	52	1.2	0.9	1.6	47	0.9	0.6	1.2
Nasopharynx (C11.0-C11.9)	37	0.4	0.3	0.6	23	0.6	0.3	0.8	14	0.3	0.1	0.5
Oropharynx (C10.0-C10.9)	x	x	x	x	28	0.6	0.4	0.9	x	x	x	x
Hypopharynx (C12.9, C13.0-C13.9)	55	0.6	0.4	0.8	47	1.1	0.8	1.4	8	0.2	0.1	0.3
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	152	1.6	1.3	1.8	109	2.4	1.9	2.9	43	0.8	0.6	1.1
Esophagus (C15.0-C15.9)	293	3.1	2.8	3.5	222	5.4	4.7	6.1	71	1.3	1.0	1.6
Stomach (C16.0-C16.9)	771	8.1	7.5	8.7	490	12.2	11.1	13.3	281	5.1	4.5	5.7
Small intestine (C17.0-C17.9)	129	1.4	1.1	1.6	67	1.6	1.2	2.0	62	1.2	0.9	1.5
Colon excluding rectum (C18.0-C18.9, C26.0)	3,224	34.0	32.8	35.2	1,572	39.3	37.3	41.2	1,652	30.1	28.6	31.6
Rectum and rectosigmoid (C19.9, C20.9)	1,778	18.8	17.9	19.7	1,082	26.0	24.5	27.6	696	13.1	12.1	14.1
Anus (C21.0-C21.8)	73	0.8	0.6	0.9	34	0.9	0.6	1.2	39	0.7	0.5	1.0
Liver (C22.0)	322	3.4	3.0	3.8	246	6.0	5.2	6.7	76	1.4	1.1	1.8
Gallbladder (C23.9)	115	1.2	1.0	1.4	32	0.8	0.5	1.1	83	1.5	1.2	1.8
Pancreas (C25.0-C25.9)	987	10.4	9.7	11.0	515	12.6	11.5	13.7	472	8.5	7.7	9.3
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	402	4.3	3.9	4.7	188	4.8	4.1	5.5	214	4.0	3.4	4.5
Larynx (C32.0-C32.9)	365	3.9	3.5	4.3	300	7.1	6.3	7.9	65	1.3	1.0	1.6
Lung and bronchus (C34.0-C34.9)	6,538	69.4	67.7	71.1	3,868	94.8	91.8	97.8	2,670	51.6	49.6	53.6
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	97	1.1	0.9	1.3	61	1.5	1.1	1.9	36	0.7	0.5	1.0
Bones and joints (C40.0-C41.9)	95	1.2	0.9	1.4	53	1.4	1.0	1.8	42	1.0	0.7	1.3
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	188	2.2	1.9	2.5	94	2.4	1.9	2.9	94	2.1	1.6	2.5
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	502	5.6	5.1	6.1	277	6.6	5.8	7.4	225	4.9	4.2	5.6
Other skin (C44.0-C44.9)	121	1.3	1.1	1.5	64	1.6	1.2	2.1	57	1.1	0.8	1.4
Breast (C50.0-C50.9)	4,914	51.7	50.3	53.2	38	0.9	0.6	1.2	4,876	96.4	93.7	99.2
Cervix uteri (C53.0-C53.9)	277	3.2	2.8	3.6	277	6.2	5.5	7.0
Corpus uteri (C54.0-C54.9)	834	8.7	8.1	9.3	834	16.3	15.2	17.4
Uterus, not otherwise specified (C55.9)	36	0.4	0.3	0.5	36	0.7	0.4	0.9
Ovary (C56.9)	548	5.8	5.3	6.3	548	10.7	9.8	11.6
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	141	1.5	1.2	1.7	141	2.7	2.2	3.1
Prostate (C61.9)	4,087	43.8	42.4	45.1	4,087	100.2	97.0	103.3
Testis (C62.0-C62.9)	167	2.4	2.0	2.7	167	4.7	4.0	5.4
Penis (C60.0-C60.9)	30	0.3	0.2	0.4	30	0.8	0.5	1.0
Other male genital system (C63.0-C63.9)	13	0.1	0.1	0.2	13	0.3	0.1	0.5
Bladder (including in situ) (C67.0-C67.9)	2,045	21.8	20.8	22.8	1,510	37.5	35.6	39.4	535	9.9	9.0	10.7
Kidney and renal pelvis (C64.9, C65.9)	1,145	12.3	11.5	13.0	696	16.6	15.3	17.8	449	8.7	7.9	9.6
Ureter (C66.9)	87	0.9	0.7	1.1	50	1.3	0.9	1.6	37	0.7	0.5	0.9
Other urinary system (C68.0-C68.9)	27	0.3	0.2	0.4	16	0.4	0.2	0.6	11	0.2	0.1	0.3
Eye (C69.0-C69.9)	52	0.6	0.4	0.7	28	0.6	0.4	0.9	24	0.5	0.3	0.8
Brain (C71.0-C71.9)	540	6.2	5.7	6.7	318	7.8	6.9	8.7	222	4.9	4.2	5.6
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	45	0.6	0.4	0.7	24	0.6	0.4	0.9	21	0.5	0.3	0.7
Thyroid (C73.9)	710	8.4	7.8	9.1	158	3.8	3.2	4.4	552	13.1	12.0	14.2
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	83	1.0	0.8	1.2	41	1.1	0.7	1.4	42	0.9	0.6	1.2
Hodgkin's disease (M-9650-M-9667)	235	3.2	2.8	3.6	134	3.7	3.0	4.3	101	2.7	2.2	3.3
Non-Hodgkin's lymphomas	1,473	16.0	15.2	16.8	754	18.2	16.9	19.5	719	14.1	13.0	15.2
Multiple myeloma (M-9731, M-9732, M-9734)	460	4.9	4.4	5.3	221	5.5	4.8	6.3	239	4.4	3.8	5.0
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	96	1.5	1.2	1.8	53	1.7	1.2	2.1	43	1.4	0.9	1.8
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	426	4.4	4.0	4.9	242	6.1	5.3	6.9	184	3.2	2.7	3.7

See footnotes at the end of the table.

Table 3-6 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Quebec^{1,2}

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	207	2.3	2.0	2.6	116	2.9	2.3	3.4	91	1.9	1.5	2.3
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	93	1.0	0.8	1.2	55	1.5	1.1	2.0	38	0.7	0.5	1.0
Other leukemias	160	1.8	1.5	2.0	88	2.3	1.8	2.8	72	1.4	1.1	1.7
Other, ill-defined and unknown sites	1,625	17.1	16.2	17.9	797	20.7	19.3	22.2	828	14.8	13.8	15.9
Mesothelioma (M-9050-M-9055)	135	1.5	1.2	1.7	113	2.8	2.3	3.3	22	0.4	0.3	0.6
Kaposi sarcoma (M-9140)	x	x	x	x	18	0.5	0.2	0.7	x	x	x	x

1. Data for 2005 are not available for Canada and Quebec.

2. For Quebec, 2003 and 2004 data do not include Quebec residents diagnosed and treated in Ontario.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-7
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Ontario^{1,2}

	1991 Census population structure											
	Both sexes				Males			Females				
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	58,645	404.4	401.0	407.7	30,427	461.0	455.7	466.2	28,218	362.6	358.3	367.0
Lip (C00.0-C00.9)	130	0.9	0.7	1.0	93	1.4	1.1	1.7	37	0.4	0.3	0.6
Tongue (C01.9-C02.9)	332	2.2	2.0	2.5	214	3.1	2.6	3.5	118	1.5	1.2	1.8
Major salivary glands (C07.9-C08.9)	188	1.3	1.1	1.4	118	1.8	1.4	2.1	70	0.9	0.7	1.2
Floor of mouth (C04.0-C04.9)	75	0.5	0.4	0.6	58	0.8	0.6	1.0	17	0.2	0.1	0.3
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	188	1.3	1.1	1.5	99	1.4	1.2	1.7	89	1.1	0.9	1.3
Nasopharynx (C11.0-C11.9)	106	0.8	0.6	0.9	75	1.1	0.8	1.3	31	0.5	0.3	0.6
Oropharynx (C10.0-C10.9)	42	0.3	0.2	0.4	33	0.5	0.3	0.6	9	0.1	0.0	0.2
Hypopharynx (C12.9, C13.0-C13.9)	75	0.5	0.4	0.6	61	0.9	0.7	1.1	14	0.2	0.1	0.3
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	240	1.6	1.4	1.8	173	2.4	2.0	2.7	67	0.9	0.6	1.1
Esophagus (C15.0-C15.9)	550	3.7	3.4	4.0	405	6.0	5.4	6.6	145	1.7	1.4	2.0
Stomach (C16.0-C16.9)	1,077	7.3	6.8	7.7	689	10.5	9.7	11.3	388	4.7	4.2	5.2
Small intestine (C17.0-C17.9)	212	1.4	1.2	1.6	123	1.8	1.5	2.2	89	1.1	0.9	1.4
Colon excluding rectum (C18.0-C18.9, C26.0)	5,054	34.2	33.2	35.1	2,581	39.1	37.6	40.7	2,473	29.9	28.7	31.1
Rectum and rectosigmoid (C19.9, C20.9)	2,227	15.1	14.5	15.8	1,355	20.2	19.1	21.3	872	10.7	10.0	11.5
Anus (C21.0-C21.8)	259	1.8	1.5	2.0	114	1.7	1.4	2.0	145	1.8	1.5	2.1
Liver (C22.0)	506	3.4	3.1	3.7	384	5.5	5.0	6.1	122	1.6	1.3	1.8
Gallbladder (C23.9)	124	0.8	0.7	1.0	40	0.6	0.4	0.8	84	1.0	0.8	1.2
Pancreas (C25.0-C25.9)	1,201	8.1	7.7	8.6	587	8.8	8.1	9.6	614	7.4	6.8	8.0
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	528	3.6	3.3	3.9	276	4.1	3.7	4.6	252	3.1	2.7	3.5
Larynx (C32.0-C32.9)	419	2.9	2.6	3.2	345	5.1	4.6	5.7	74	1.0	0.7	1.2
Lung and bronchus (C34.0-C34.9)	7,394	50.7	49.5	51.9	3,965	60.4	58.5	62.3	3,429	43.3	41.9	44.8
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	149	1.1	0.9	1.2	91	1.4	1.1	1.7	58	0.8	0.6	1.0
Bones and joints (C40.0-C41.9)	141	1.1	0.9	1.3	77	1.2	0.9	1.5	64	1.0	0.7	1.2
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	445	3.2	2.9	3.5	240	3.6	3.1	4.1	205	2.8	2.4	3.2
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	1,967	13.7	13.1	14.4	1,035	15.6	14.6	16.5	932	12.4	11.6	13.3
Other skin (C44.0-C44.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Breast (C50.0-C50.9)	7,753	52.5	51.3	53.7	66	1.0	0.7	1.2	7,687	99.2	97.0	101.5
Cervix uteri (C53.0-C53.9)	507	3.7	3.4	4.0	507	7.3	6.6	7.9
Corpus uteri (C54.0-C54.9)	1,483	10.1	9.6	10.6	1,483	19.2	18.2	20.1
Uterus, not otherwise specified (C55.9)	42	0.3	0.2	0.4	42	0.5	0.4	0.7
Ovary (C56.9)	1,006	6.9	6.5	7.4	1,006	13.2	12.4	14.0
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	366	2.5	2.2	2.7	366	4.6	4.1	5.1
Prostate (C61.9)	8,997	63.1	61.8	64.5	8,997	137.0	134.2	139.9
Testis (C62.0-C62.9)	328	2.9	2.5	3.2	328	5.7	5.1	6.4
Penis (C60.0-C60.9)	31	0.2	0.1	0.3	31	0.5	0.3	0.6
Other male genital system (C63.0-C63.9)	24	0.2	0.1	0.2	24	0.4	0.2	0.5
Bladder (including in situ) (C67.0-C67.9)	1,845	12.4	11.8	12.9	1,354	20.7	19.6	21.8	491	5.8	5.2	6.3
Kidney and renal pelvis (C64.9, C65.9)	1,451	10.0	9.4	10.5	875	12.8	12.0	13.7	576	7.4	6.8	8.0
Ureter (C66.9)	69	0.5	0.3	0.6	40	0.6	0.4	0.8	29	0.3	0.2	0.5
Other urinary system (C68.0-C68.9)	185	1.3	1.1	1.5	148	2.3	1.9	2.7	37	0.5	0.3	0.6
Eye (C69.0-C69.9)	105	0.8	0.6	0.9	58	0.9	0.7	1.1	47	0.6	0.5	0.8
Brain (C71.0-C71.9)	829	6.0	5.6	6.4	441	6.7	6.0	7.3	388	5.4	4.8	5.9
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	73	0.5	0.4	0.7	37	0.6	0.4	0.7	36	0.5	0.4	0.7
Thyroid (C73.9)	1,906	14.0	13.4	14.7	395	5.8	5.2	6.4	1,511	22.1	20.9	23.2
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	116	0.9	0.7	1.0	51	0.8	0.5	1.0	65	0.9	0.7	1.2
Hodgkin's disease (M-9650-M-9667)	345	2.7	2.4	3.0	186	3.0	2.5	3.4	159	2.5	2.1	2.9
Non-Hodgkin's lymphomas	2,529	17.4	16.7	18.1	1,394	20.9	19.8	22.0	1,135	14.5	13.6	15.4
Multiple myeloma (M-9731, M-9732, M-9734)	806	5.4	5.0	5.8	444	6.7	6.1	7.3	362	4.4	4.0	4.9
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	113	1.0	0.8	1.2	62	1.1	0.8	1.3	51	0.9	0.6	1.2
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	732	4.9	4.6	5.3	445	6.7	6.1	7.4	287	3.6	3.1	4.0

See footnotes at the end of the table.

Table 3-7 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Ontario^{1,2}

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	402	2.8	2.5	3.1	205	3.2	2.7	3.6	197	2.5	2.2	2.9
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	153	1.1	0.9	1.3	89	1.4	1.1	1.7	64	0.8	0.6	1.0
Other leukemias	288	2.0	1.8	2.3	168	2.6	2.2	3.0	120	1.5	1.2	1.8
Other, ill-defined and unknown sites	2,384	16.0	15.4	16.7	1,239	19.0	17.9	20.0	1,145	13.8	13.0	14.6
Mesothelioma (M-9050-M-9055)	136	0.9	0.8	1.1	107	1.6	1.3	1.9	29	0.4	0.2	0.5
Kaposi sarcoma (M-9140)	12	0.1	0.0	0.1	12	0.2	0.1	0.3	0	0.0	0.0	0.0
2004												
Total, all primary sites of cancer	55,936	394.9	391.6	398.2	29,062	451.7	446.4	456.9	26,874	352.8	348.5	357.2
Lip (C00.0-C00.9)	141	1.0	0.8	1.1	106	1.6	1.3	1.9	35	0.4	0.3	0.6
Tongue (C01.9-C02.9)	294	2.0	1.8	2.3	196	2.8	2.4	3.3	98	1.3	1.0	1.6
Major salivary glands (C07.9-C08.9)	180	1.3	1.1	1.5	111	1.7	1.4	2.1	69	0.9	0.7	1.1
Floor of mouth (C04.0-C04.9)	80	0.6	0.4	0.7	55	0.8	0.6	1.1	25	0.3	0.2	0.4
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	181	1.3	1.1	1.5	107	1.6	1.3	1.9	74	1.0	0.7	1.2
Nasopharynx (C11.0-C11.9)	107	0.8	0.6	0.9	76	1.1	0.9	1.4	31	0.4	0.3	0.6
Oropharynx (C10.0-C10.9)	31	0.2	0.1	0.3	24	0.4	0.2	0.5	7	0.1	0.0	0.2
Hypopharynx (C12.9, C13.0-C13.9)	70	0.5	0.4	0.6	60	0.9	0.7	1.1	10	0.1	0.0	0.2
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	182	1.2	1.1	1.4	130	1.8	1.5	2.2	52	0.7	0.5	0.9
Esophagus (C15.0-C15.9)	548	3.8	3.5	4.2	400	6.2	5.6	6.8	148	1.8	1.5	2.1
Stomach (C16.0-C16.9)	1,109	7.7	7.2	8.2	700	10.9	10.1	11.7	409	5.0	4.5	5.5
Small intestine (C17.0-C17.9)	217	1.5	1.3	1.7	123	1.9	1.5	2.2	94	1.2	1.0	1.5
Colon excluding rectum (C18.0-C18.9, C26.0)	4,953	34.4	33.4	35.3	2,533	39.4	37.8	40.9	2,420	30.1	28.8	31.3
Rectum and rectosigmoid (C19.9, C20.9)	2,055	14.3	13.7	14.9	1,254	19.3	18.2	20.4	801	10.1	9.4	10.8
Anus (C21.0-C21.8)	274	1.9	1.7	2.1	152	2.3	1.9	2.7	122	1.6	1.3	1.9
Liver (C22.0)	431	3.1	2.8	3.4	330	5.0	4.4	5.5	101	1.4	1.1	1.6
Gallbladder (C23.9)	152	1.1	0.9	1.2	55	0.9	0.6	1.1	97	1.2	0.9	1.4
Pancreas (C25.0-C25.9)	1,122	7.8	7.3	8.2	554	8.6	7.9	9.3	568	7.0	6.4	7.5
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	496	3.4	3.1	3.7	252	3.9	3.4	4.4	244	3.0	2.7	3.4
Larynx (C32.0-C32.9)	413	2.9	2.6	3.2	337	5.1	4.6	5.7	76	1.0	0.8	1.2
Lung and bronchus (C34.0-C34.9)	6,914	48.7	47.5	49.8	3,793	59.2	57.3	61.1	3,121	40.6	39.1	42.0
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	125	0.9	0.8	1.1	75	1.2	0.9	1.5	50	0.7	0.5	0.9
Bones and joints (C40.0-C41.9)	94	0.7	0.6	0.9	58	1.0	0.7	1.2	36	0.6	0.4	0.7
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	420	3.1	2.8	3.4	221	3.4	2.9	3.8	199	2.8	2.4	3.2
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	1,863	13.3	12.7	13.9	978	15.0	14.0	15.9	885	12.1	11.3	13.0
Other skin (C44.0-C44.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Breast (C50.0-C50.9)	7,519	51.9	50.7	53.1	75	1.2	0.9	1.4	7,444	97.6	95.3	99.8
Cervix uteri (C53.0-C53.9)	520	3.9	3.6	4.3	520	7.7	7.1	8.4
Corpus uteri (C54.0-C54.9)	1,539	10.7	10.2	11.3	1,539	20.4	19.3	21.4
Uterus, not otherwise specified (C55.9)	26	0.2	0.1	0.2	26	0.3	0.2	0.4
Ovary (C56.9)	894	6.2	5.8	6.7	894	11.8	11.1	12.6
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	316	2.2	2.0	2.5	316	4.2	3.7	4.6
Prostate (C61.9)	8,439	60.4	59.1	61.7	8,439	131.7	128.8	134.5
Testis (C62.0-C62.9)	325	2.9	2.6	3.2	325	5.8	5.1	6.4
Penis (C60.0-C60.9)	35	0.2	0.2	0.3	35	0.6	0.4	0.7
Other male genital system (C63.0-C63.9)	19	0.1	0.1	0.2	19	0.3	0.2	0.4
Bladder (including in situ) (C67.0-C67.9)	1,886	13.1	12.5	13.7	1,404	22.1	20.9	23.2	482	6.0	5.4	6.5
Kidney and renal pelvis (C64.9, C65.9)	1,343	9.4	8.9	9.9	783	11.7	10.8	12.5	560	7.3	6.7	7.9
Ureter (C66.9)	56	0.4	0.3	0.5	34	0.6	0.4	0.7	22	0.3	0.1	0.4
Other urinary system (C68.0-C68.9)	206	1.5	1.3	1.7	155	2.5	2.1	2.8	51	0.7	0.5	0.8
Eye (C69.0-C69.9)	93	0.7	0.5	0.8	54	0.8	0.6	1.0	39	0.6	0.4	0.8
Brain (C71.0-C71.9)	774	5.7	5.3	6.2	438	6.8	6.2	7.5	336	4.8	4.3	5.3
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	55	0.4	0.3	0.5	27	0.4	0.3	0.6	28	0.4	0.2	0.6
Thyroid (C73.9)	1,648	12.6	12.0	13.2	333	5.1	4.5	5.6	1,315	20.0	18.9	21.1
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	104	0.8	0.6	0.9	53	0.8	0.6	1.0	51	0.7	0.5	0.9
Hodgkin's disease (M-9650-M-9667)	341	2.8	2.5	3.1	188	3.1	2.6	3.5	153	2.5	2.1	2.9

See footnotes at the end of the table.

Table 3-7 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Ontario^{1,2}

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	2,457	17.3	16.7	18.0	1,300	20.1	19.0	21.2	1,157	15.1	14.2	16.0
Multiple myeloma (M-9731, M-9732, M-9734)	782	5.4	5.0	5.8	422	6.5	5.9	7.2	360	4.4	4.0	4.9
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	79	0.7	0.5	0.8	44	0.8	0.5	1.0	35	0.6	0.4	0.8
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	772	5.3	4.9	5.7	448	6.9	6.2	7.5	324	4.0	3.6	4.4
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	409	2.9	2.6	3.2	224	3.5	3.0	4.0	185	2.5	2.2	2.9
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	129	0.9	0.7	1.0	72	1.1	0.9	1.4	57	0.7	0.5	0.9
Other leukemias	298	2.3	2.0	2.5	185	3.0	2.5	3.4	113	1.6	1.3	1.9
Other, ill-defined and unknown sites	2,297	15.7	15.1	16.4	1,217	19.0	17.9	20.1	1,080	13.2	12.4	14.0
Mesothelioma (M-9050-M-9055)	113	0.8	0.7	0.9	98	1.5	1.2	1.8	15	0.2	0.1	0.3
Kaposi sarcoma (M-9140)	10	0.1	0.0	0.1	10	0.1	0.1	0.2	0	0.0	0.0	0.0

1. Data for 2005 are not available for Canada and Quebec.
 2. The 2003, 2004 and 2005 Ontario data are provisional. Missing are the death certificate only cases which are estimated to be approximately 2%. Ontario does not report in situ for bladder cases to the Canadian Cancer Registry.
Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.
Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-8
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Manitoba^{1,2}

	1991 Census population structure											
	Both sexes				Males			Females				
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	5,248	376.2	365.8	386.7	2,602	415.3	399.2	431.5	2,646	350.8	336.8	364.7
Lip (C00.0-C00.9)	43	3.1	2.1	4.0	32	5.1	3.3	6.9	11	1.3	0.5	2.1
Tongue (C01.9-C02.9)	37	2.8	1.9	3.7	20	3.1	1.7	4.5	17	2.5	1.2	3.7
Major salivary glands (C07.9-C08.9)	x	x	x	x	x	x	x	x	x	x	x	x
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	x	x	x	x	8	1.0	0.3	1.6
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	x	x	x	x
Oropharynx (C10.0-C10.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	7	1.1	0.3	2.0	x	x	x	x
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	x	x	x	x	x	x	x	x
Esophagus (C15.0-C15.9)	55	4.0	2.9	5.1	39	6.3	4.3	8.3	16	2.0	1.0	3.1
Stomach (C16.0-C16.9)	118	8.3	6.7	9.8	71	11.2	8.6	13.8	47	6.1	4.3	7.9
Small intestine (C17.0-C17.9)	32	2.2	1.4	3.0	18	2.9	1.5	4.3	14	1.7	0.7	2.6
Colon excluding rectum (C18.0-C18.9, C26.0)	467	30.7	27.8	33.6	230	35.2	30.6	39.8	237	27.4	23.7	31.1
Rectum and rectosigmoid (C19.9, C20.9)	230	16.5	14.3	18.7	142	22.2	18.5	25.9	88	11.5	9.0	14.0
Anus (C21.0-C21.8)	17	1.3	0.7	1.9	7	1.2	0.3	2.0	10	1.4	0.5	2.4
Liver (C22.0)	41	2.9	2.0	3.9	29	4.6	2.9	6.2	12	1.6	0.6	2.5
Gallbladder (C23.9)	19	1.3	0.7	1.9	7	1.1	0.3	2.0	12	1.6	0.7	2.5
Pancreas (C25.0-C25.9)	114	7.8	6.3	9.3	59	9.2	6.9	11.6	55	6.7	4.8	8.5
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	47	3.4	2.4	4.4	27	4.5	2.8	6.2	20	2.5	1.3	3.6
Larynx (C32.0-C32.9)	x	x	x	x	18	2.9	1.5	4.2	x	x	x	x
Lung and bronchus (C34.0-C34.9)	807	58.0	53.9	62.1	425	67.8	61.3	74.3	382	50.6	45.4	55.9
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	x	x	x	x
Bones and joints (C40.0-C41.9)	x	x	x	x	9	1.4	0.5	2.4	x	x	x	x
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	29	2.2	1.4	3.0	16	2.5	1.3	3.8	13	2.0	0.9	3.1
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	135	10.2	8.4	12.0	71	11.0	8.4	13.6	64	9.9	7.3	12.4
Other skin (C44.0-C44.9)	x	x	x	x	x	x	x	x	6	0.5	0.1	0.9
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	723	96.1	88.8	103.3
Cervix uteri (C53.0-C53.9)	52	4.4	3.1	5.6	52	8.7	6.2	11.1
Corpus uteri (C54.0-C54.9)	157	11.3	9.5	13.1	157	21.9	18.4	25.3
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	82	5.9	4.6	7.2	82	11.3	8.8	13.8
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	26	2.0	1.2	2.8	26	3.9	2.3	5.4
Prostate (C61.9)	559	41.5	38.0	45.1	559	90.9	83.3	98.5
Testis (C62.0-C62.9)	28	2.7	1.7	3.8	28	5.4	3.3	7.4
Penis (C60.0-C60.9)	6	0.3	0.1	0.6	6	0.9	0.2	1.6
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	257	17.8	15.6	20.0	180	28.6	24.4	32.8	77	9.4	7.2	11.6
Kidney and renal pelvis (C64.9, C65.9)	190	13.9	11.9	15.9	111	17.7	14.4	21.1	79	10.3	7.9	12.6
Ureter (C66.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	x	x	x	x
Eye (C69.0-C69.9)	x	x	x	x	x	x	x	x	x	x	x	x
Brain (C71.0-C71.9)	74	5.6	4.3	7.0	39	6.3	4.3	8.4	35	5.0	3.3	6.7
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Thyroid (C73.9)	63	5.2	3.9	6.5	15	2.4	1.2	3.6	48	8.0	5.6	10.3
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	x	x	x	x	x	x	x	x	x	x	x	x
Hodgkin's disease (M-9650-M-9667)	31	2.7	1.7	3.7	17	3.1	1.6	4.5	14	2.4	1.1	3.7
Non-Hodgkin's lymphomas	236	17.1	14.8	19.3	135	21.7	18.0	25.4	101	13.1	10.4	15.8
Multiple myeloma (M-9731, M-9732, M-9734)	63	4.4	3.3	5.5	36	5.6	3.8	7.5	27	3.3	2.0	4.6
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	14	1.3	0.6	1.9	8	1.5	0.4	2.6	6	1.0	0.2	1.8
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	68	4.6	3.5	5.8	33	5.2	3.4	7.0	35	4.1	2.7	5.6

See footnotes at the end of the table.

Table 3-8 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Manitoba^{1,2}

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	23	1.7	1.0	2.4	13	2.2	1.0	3.4	10	1.3	0.4	2.2
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	x	x	x	x	6	1.0	0.2	1.8
Other leukemias	16	1.2	0.6	1.9	6	1.1	0.2	1.9	10	1.4	0.5	2.3
Other, ill-defined and unknown sites	220	15.0	12.9	17.0	113	17.6	14.3	20.9	107	13.0	10.4	15.6
Mesothelioma (M-9050-M-9055)	x	x	x	x	17	2.7	1.4	3.9	x	x	x	x
Kaposi sarcoma (M-9140)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
2004												
Total, all primary sites of cancer	5,472	395.0	384.3	405.7	2,786	447.9	431.1	464.7	2,686	358.4	344.2	372.5
Lip (C00.0-C00.9)	35	2.5	1.6	3.3	24	3.8	2.2	5.3	11	1.3	0.5	2.2
Tongue (C01.9-C02.9)	32	2.4	1.6	3.3	18	2.9	1.5	4.2	14	2.0	0.9	3.2
Major salivary glands (C07.9-C08.9)	15	1.1	0.5	1.7	7	1.2	0.3	2.0	8	1.0	0.3	1.8
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	15	1.1	0.5	1.7	7	1.0	0.3	1.8	8	1.1	0.3	1.9
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Oropharynx (C10.0-C10.9)	x	x	x	x	x	x	x	x	x	x	x	x
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	7	1.1	0.3	2.0	x	x	x	x
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	25	1.8	1.1	2.5	19	2.9	1.6	4.2	6	0.7	0.1	1.3
Esophagus (C15.0-C15.9)	33	2.4	1.6	3.3	24	4.0	2.4	5.6	9	0.9	0.3	1.5
Stomach (C16.0-C16.9)	118	8.1	6.6	9.6	80	12.6	9.8	15.4	38	4.4	2.9	5.9
Small intestine (C17.0-C17.9)	x	x	x	x	10	1.6	0.6	2.6	x	x	x	x
Colon excluding rectum (C18.0-C18.9, C26.0)	480	33.1	30.1	36.2	246	39.5	34.5	44.5	234	27.9	24.1	31.6
Rectum and rectosigmoid (C19.9, C20.9)	249	18.0	15.7	20.3	140	22.3	18.5	26.0	109	14.1	11.3	16.9
Anus (C21.0-C21.8)	x	x	x	x	x	x	x	x	9	1.2	0.4	2.0
Liver (C22.0)	38	2.8	1.9	3.7	26	4.2	2.6	5.8	12	1.5	0.6	2.4
Gallbladder (C23.9)	19	1.3	0.7	2.0	9	1.5	0.5	2.4	10	1.3	0.4	2.1
Pancreas (C25.0-C25.9)	152	10.6	8.9	12.3	80	12.6	9.8	15.4	72	9.2	7.0	11.4
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	54	3.7	2.7	4.7	22	3.6	2.1	5.1	32	3.7	2.3	5.0
Larynx (C32.0-C32.9)	x	x	x	x	26	4.2	2.6	5.9	x	x	x	x
Lung and bronchus (C34.0-C34.9)	803	57.3	53.3	61.4	422	67.7	61.2	74.2	381	49.8	44.6	55.0
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	8	1.2	0.4	2.1	x	x	x	x
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	6	0.7	0.1	1.3
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	36	2.9	1.9	3.8	21	3.5	2.0	5.1	15	2.3	1.1	3.6
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	125	9.4	7.7	11.0	72	11.5	8.8	14.3	53	7.3	5.2	9.3
Other skin (C44.0-C44.9)	15	1.0	0.5	1.6	8	1.2	0.4	2.1	7	0.9	0.2	1.7
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	716	98.7	91.3	106.2
Cervix uteri (C53.0-C53.9)	49	4.2	3.0	5.5	49	8.4	6.0	10.9
Corpus uteri (C54.0-C54.9)	177	13.0	11.1	15.0	177	24.9	21.1	28.7
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	100	7.3	5.9	8.8	100	13.8	11.0	16.6
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	17	1.3	0.7	1.9	17	2.4	1.2	3.7
Prostate (C61.9)	692	50.9	47.0	54.7	692	112.4	104.0	120.9
Testis (C62.0-C62.9)	36	3.3	2.2	4.4	36	6.6	4.4	8.8
Penis (C60.0-C60.9)	x	x	x	x	x	x	x	x
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	236	16.1	14.0	18.2	171	26.8	22.8	30.9	65	8.0	6.0	10.1
Kidney and renal pelvis (C64.9, C65.9)	193	13.9	11.9	15.9	131	20.4	16.8	23.9	62	8.4	6.2	10.5
Ureter (C66.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	x	x	x	x	7	1.1	0.3	1.9	x	x	x	x
Brain (C71.0-C71.9)	66	5.3	4.0	6.6	34	5.7	3.7	7.6	32	5.0	3.2	6.7
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	81	6.8	5.3	8.3	14	2.4	1.1	3.6	67	11.3	8.5	14.1
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	x	x	x	x	x	x	x	x	x	x	x	x
Hodgkin's disease (M-9650-M-9667)	30	2.5	1.6	3.4	13	2.3	1.0	3.6	17	2.6	1.3	3.9

See footnotes at the end of the table.

Table 3-8 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Manitoba^{1,2}

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	247	17.7	15.5	20.0	113	18.4	14.9	21.8	134	16.8	13.8	19.8
Multiple myeloma (M-9731, M-9732, M-9734)	67	4.5	3.4	5.6	40	6.2	4.3	8.2	27	3.2	1.9	4.5
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	13	2.2	1.0	3.4	x	x	x	x
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	62	4.3	3.2	5.3	35	5.4	3.6	7.2	27	3.5	2.2	4.9
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	30	2.1	1.3	2.8	16	2.6	1.3	3.8	14	1.7	0.8	2.7
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	7	1.1	0.3	2.0	x	x	x	x
Other leukemias	25	1.7	1.0	2.4	15	2.4	1.2	3.6	10	1.1	0.4	1.8
Other, ill-defined and unknown sites	223	15.1	13.1	17.2	123	19.8	16.2	23.3	100	11.6	9.2	14.0
Mesothelioma (M-9050-M-9055)	x	x	x	x	11	1.9	0.8	3.1	x	x	x	x
Kaposi sarcoma (M-9140)	x	x	x	x	x	x	x	x	x	x	x	x

1. Data for 2005 are not available for Canada and Quebec.

2. The 2005 Manitoba data are provisional. Prostate and male genitourinary cases are under reported. This situation will be rectified for the next annual release.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-9
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Saskatchewan¹

	1991 Census population structure											
	Both sexes				Males			Females				
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	4,659	381.1	369.8	392.4	2,571	456.6	438.7	474.5	2,088	320.6	306.0	335.1
Lip (C00.0-C00.9)	x	x	x	x	x	x	x	x	x	x	x	x
Tongue (C01.9-C02.9)	24	2.1	1.2	3.0	15	2.8	1.3	4.2	9	1.5	0.5	2.4
Major salivary glands (C07.9-C08.9)	x	x	x	x	11	2.0	0.8	3.3	x	x	x	x
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	10	1.8	0.7	2.9	x	x	x	x
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	11	1.8	0.7	2.9	x	x	x	x
Esophagus (C15.0-C15.9)	x	x	x	x	30	5.0	3.2	6.7	x	x	x	x
Stomach (C16.0-C16.9)	75	5.8	4.5	7.2	50	8.6	6.2	11.1	25	3.4	1.9	4.8
Small intestine (C17.0-C17.9)	x	x	x	x	x	x	x	x	7	1.0	0.2	1.8
Colon excluding rectum (C18.0-C18.9, C26.0)	413	32.3	29.0	35.5	215	37.4	32.3	42.5	198	28.2	24.0	32.4
Rectum and rectosigmoid (C19.9, C20.9)	228	18.5	16.0	21.0	153	27.2	22.8	31.6	75	10.9	8.3	13.5
Anus (C21.0-C21.8)	x	x	x	x	x	x	x	x	x	x	x	x
Liver (C22.0)	x	x	x	x	13	2.4	1.1	3.8	x	x	x	x
Gallbladder (C23.9)	x	x	x	x	x	x	x	x	9	1.3	0.4	2.3
Pancreas (C25.0-C25.9)	120	9.2	7.5	10.8	51	8.8	6.4	11.2	69	9.5	7.1	11.9
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	47	3.5	2.5	4.6	20	3.2	1.8	4.7	27	3.9	2.3	5.4
Larynx (C32.0-C32.9)	x	x	x	x	21	3.8	2.2	5.4	x	x	x	x
Lung and bronchus (C34.0-C34.9)	627	51.0	46.9	55.1	346	60.9	54.4	67.4	281	43.6	38.3	48.9
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	x	x	x	x
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	x	x	x	x
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	21	1.6	0.9	2.3	11	2.0	0.8	3.2	10	1.2	0.4	2.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	129	10.6	8.7	12.5	74	13.0	10.0	16.0	55	8.4	6.0	10.7
Other skin (C44.0-C44.9)	25	2.3	1.3	3.2	11	2.1	0.8	3.4	14	2.4	1.0	3.8
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	571	91.0	83.2	98.7
Cervix uteri (C53.0-C53.9)	33	3.4	2.2	4.6	33	6.7	4.3	9.1
Corpus uteri (C54.0-C54.9)	108	8.8	7.1	10.5	108	16.9	13.6	20.3
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	65	5.2	3.9	6.6	65	10.0	7.4	12.5
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	21	1.5	0.8	2.2	21	2.8	1.5	4.1
Prostate (C61.9)	827	69.2	64.3	74.0	827	148.3	138.1	158.5
Testis (C62.0-C62.9)	15	1.8	0.9	2.7	15	3.5	1.7	5.4
Penis (C60.0-C60.9)	x	x	x	x	x	x	x	x
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	192	14.6	12.5	16.8	144	24.3	20.2	28.3	48	6.7	4.7	8.7
Kidney and renal pelvis (C64.9, C65.9)	124	10.5	8.6	12.4	82	15.3	11.9	18.6	42	6.1	4.1	8.0
Ureter (C66.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Eye (C69.0-C69.9)	x	x	x	x	x	x	x	x	x	x	x	x
Brain (C71.0-C71.9)	61	5.4	4.0	6.7	31	5.8	3.7	7.8	30	4.9	3.1	6.8
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Thyroid (C73.9)	x	x	x	x	x	x	x	x	55	10.2	7.4	13.1
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	x	x	x	x	8	1.6	0.5	2.8	x	x	x	x
Hodgkin's disease (M-9650-M-9667)	28	3.0	1.8	4.2	14	2.9	1.4	4.5	14	3.0	1.3	4.7
Non-Hodgkin's lymphomas	185	14.9	12.7	17.2	95	16.5	13.1	19.9	90	13.7	10.7	16.8
Multiple myeloma (M-9731, M-9732, M-9734)	51	4.1	3.0	5.3	30	5.3	3.4	7.2	21	3.2	1.8	4.6
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	22	2.3	1.3	3.3	13	2.7	1.2	4.2	9	1.9	0.6	3.1
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	74	5.8	4.4	7.1	43	7.5	5.2	9.8	31	4.3	2.7	5.9

See footnotes at the end of the table.

Table 3-9 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Saskatchewan¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	31	2.6	1.7	3.6	16	2.9	1.5	4.4	15	2.3	1.1	3.6
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	x	x	x	x	x	x	x	x
Other leukemias	x	x	x	x	13	2.3	1.0	3.7	x	x	x	x
Other, ill-defined and unknown sites	221	16.4	14.2	18.7	128	22.0	18.1	25.8	93	11.9	9.3	14.5
Mesothelioma (M-9050-M-9055)	x	x	x	x	7	1.3	0.3	2.3	x	x	x	x
Kaposi sarcoma (M-9140)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
2004												
Total, all primary sites of cancer	4,909	400.3	388.7	411.9	2,750	489.5	471.0	508.1	2,159	328.2	313.6	342.7
Lip (C00.0-C00.9)	26	1.7	1.0	2.4	20	3.2	1.8	4.6	6	0.6	0.1	1.2
Tongue (C01.9-C02.9)	x	x	x	x	10	1.8	0.7	2.9	x	x	x	x
Major salivary glands (C07.9-C08.9)	x	x	x	x	x	x	x	x	7	1.3	0.3	2.3
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	x	x	x	x	9	1.3	0.4	2.2
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	x	x	x	x
Oropharynx (C10.0-C10.9)	x	x	x	x	x	x	x	x	x	x	x	x
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	10	1.8	0.6	2.9	x	x	x	x
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	11	0.9	0.4	1.5	11	1.9	0.8	3.1	0	0.0	0.0	0.0
Esophagus (C15.0-C15.9)	41	3.1	2.1	4.1	32	5.5	3.5	7.4	9	1.2	0.4	2.0
Stomach (C16.0-C16.9)	81	6.1	4.7	7.5	53	9.1	6.6	11.6	28	3.4	2.0	4.8
Small intestine (C17.0-C17.9)	19	1.5	0.8	2.2	10	1.9	0.7	3.0	9	1.1	0.3	1.8
Colon excluding rectum (C18.0-C18.9, C26.0)	438	33.9	30.6	37.2	219	38.4	33.2	43.5	219	29.9	25.7	34.2
Rectum and rectosigmoid (C19.9, C20.9)	229	18.3	15.9	20.8	139	24.5	20.4	28.6	90	12.8	10.0	15.6
Anus (C21.0-C21.8)	x	x	x	x	x	x	x	x	7	0.9	0.2	1.6
Liver (C22.0)	x	x	x	x	13	2.5	1.1	3.8	x	x	x	x
Gallbladder (C23.9)	x	x	x	x	x	x	x	x	12	1.7	0.7	2.7
Pancreas (C25.0-C25.9)	115	8.5	6.9	10.2	52	8.9	6.4	11.3	63	8.2	6.0	10.3
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	38	3.1	2.1	4.1	19	3.4	1.9	5.0	19	2.8	1.5	4.2
Larynx (C32.0-C32.9)	x	x	x	x	24	4.1	2.5	5.8	x	x	x	x
Lung and bronchus (C34.0-C34.9)	622	50.5	46.4	54.6	343	60.3	53.8	66.7	279	43.0	37.7	48.2
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	x	x	x	x
Bones and joints (C40.0-C41.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	27	2.0	1.3	2.8	13	2.2	1.0	3.4	14	2.0	0.9	3.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	110	9.2	7.4	11.0	51	8.9	6.4	11.4	59	9.6	7.0	12.2
Other skin (C44.0-C44.9)	25	1.7	1.0	2.4	11	1.8	0.7	2.8	14	1.7	0.6	2.7
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	585	93.1	85.2	101.0
Cervix uteri (C53.0-C53.9)	45	4.2	2.9	5.5	45	8.3	5.8	10.9
Corpus uteri (C54.0-C54.9)	122	10.7	8.8	12.6	122	20.6	16.9	24.4
Uterus, not otherwise specified (C55.9)	7	0.6	0.1	1.0	7	1.1	0.3	1.9
Ovary (C56.9)	67	5.6	4.2	7.0	67	10.7	8.1	13.3
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	23	1.6	0.9	2.3	23	3.0	1.7	4.3
Prostate (C61.9)	951	80.0	74.8	85.2	951	172.3	161.3	183.3
Testis (C62.0-C62.9)	17	1.9	0.9	2.8	17	3.7	1.9	5.5
Penis (C60.0-C60.9)	8	0.8	0.2	1.4	8	1.7	0.5	2.9
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	223	17.0	14.7	19.4	179	30.8	26.2	35.3	44	5.9	4.0	7.7
Kidney and renal pelvis (C64.9, C65.9)	136	11.4	9.4	13.4	82	14.9	11.6	18.1	54	8.6	6.2	11.0
Ureter (C66.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	x	x	x	x	7	1.3	0.3	2.3	x	x	x	x
Brain (C71.0-C71.9)	57	5.2	3.8	6.6	34	6.6	4.3	8.8	23	3.8	2.2	5.5
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	45	4.0	2.8	5.2	11	1.9	0.8	3.0	34	6.1	3.9	8.2
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	x	x	x	x	x	x	x	x	x	x	x	x
Hodgkin's disease (M-9650-M-9667)	x	x	x	x	15	3.2	1.5	4.9	x	x	x	x

See footnotes at the end of the table.

Table 3-9 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Saskatchewan¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	197	16.3	14.0	18.7	117	20.6	16.8	24.4	80	12.8	9.8	15.7
Multiple myeloma (M-9731, M-9732, M-9734)	63	5.0	3.8	6.3	33	5.6	3.7	7.6	30	4.6	2.9	6.4
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	8	1.7	0.5	2.9	x	x	x	x
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	84	6.4	5.0	7.9	56	9.8	7.2	12.5	28	3.4	2.1	4.8
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	37	3.2	2.1	4.3	23	4.4	2.6	6.3	14	2.1	0.9	3.2
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	15	1.3	0.6	2.0	8	1.6	0.5	2.8	7	1.1	0.2	1.9
Other leukemias	30	2.4	1.5	3.3	19	3.2	1.7	4.7	11	1.8	0.6	2.9
Other, ill-defined and unknown sites	188	13.6	11.6	15.6	95	15.9	12.7	19.2	93	11.8	9.3	14.4
Mesothelioma (M-9050-M-9055)	x	x	x	x	12	2.1	0.9	3.3	x	x	x	x
Kaposi sarcoma (M-9140)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-10
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Alberta^{1,2}

	1991 Census population structure											
	Both sexes				Males			Females				
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	12,361	374.3	367.6	381.0	6,510	427.0	416.5	437.6	5,851	333.1	324.4	341.8
Lip (C00.0-C00.9)	28	0.8	0.5	1.2	21	1.4	0.8	2.0	7	0.4	0.1	0.6
Tongue (C01.9-C02.9)	56	1.5	1.1	1.9	37	2.1	1.4	2.7	19	1.0	0.5	1.5
Major salivary glands (C07.9-C08.9)	21	0.6	0.4	0.9	12	0.7	0.3	1.1	9	0.5	0.2	0.8
Floor of mouth (C04.0-C04.9)	24	0.7	0.4	1.0	13	0.8	0.4	1.3	11	0.6	0.2	1.0
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	36	1.1	0.7	1.5	15	1.0	0.5	1.6	21	1.2	0.7	1.7
Nasopharynx (C11.0-C11.9)	x	x	x	x	13	0.7	0.3	1.1	x	x	x	x
Oropharynx (C10.0-C10.9)	x	x	x	x	6	0.4	0.1	0.7	x	x	x	x
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	13	0.9	0.4	1.3	x	x	x	x
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	46	1.4	1.0	1.8	37	2.3	1.5	3.0	9	0.5	0.2	0.9
Esophagus (C15.0-C15.9)	107	3.3	2.7	4.0	89	5.8	4.6	7.0	18	1.1	0.6	1.6
Stomach (C16.0-C16.9)	217	6.6	5.7	7.4	144	9.6	8.0	11.2	73	4.0	3.1	5.0
Small intestine (C17.0-C17.9)	58	1.8	1.3	2.2	42	2.7	1.9	3.5	16	0.9	0.5	1.4
Colon excluding rectum (C18.0-C18.9, C26.0)	926	28.2	26.3	30.0	479	32.0	29.1	34.9	447	24.6	22.3	27.0
Rectum and rectosigmoid (C19.9, C20.9)	563	17.1	15.7	18.5	352	22.8	20.4	25.2	211	12.0	10.4	13.7
Anus (C21.0-C21.8)	21	0.6	0.3	0.9	7	0.5	0.1	0.8	14	0.7	0.3	1.1
Liver (C22.0)	111	3.3	2.6	3.9	86	5.2	4.1	6.4	25	1.4	0.9	2.0
Gallbladder (C23.9)	39	1.2	0.8	1.6	13	0.9	0.4	1.4	26	1.5	0.9	2.1
Pancreas (C25.0-C25.9)	303	9.2	8.1	10.2	144	9.7	8.1	11.3	159	8.9	7.5	10.4
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	130	3.8	3.2	4.5	56	3.6	2.7	4.6	74	4.2	3.2	5.1
Larynx (C32.0-C32.9)	63	1.9	1.4	2.3	54	3.4	2.4	4.3	9	0.5	0.2	0.8
Lung and bronchus (C34.0-C34.9)	1,474	46.1	43.7	48.5	773	53.0	49.2	56.7	701	41.2	38.1	44.3
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	17	0.5	0.3	0.8	10	0.6	0.2	1.0	7	0.4	0.1	0.7
Bones and joints (C40.0-C41.9)	18	0.6	0.3	0.8	8	0.5	0.1	0.8	10	0.6	0.2	1.0
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	90	2.7	2.1	3.2	52	3.3	2.4	4.2	38	2.1	1.4	2.7
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	380	10.9	9.8	12.1	189	11.5	9.9	13.2	191	10.7	9.1	12.2
Other skin (C44.0-C44.9)	59	1.8	1.3	2.2	33	2.1	1.4	2.9	26	1.5	0.9	2.0
Breast (C50.0-C50.9)	1,638	47.2	44.9	49.6	12	0.8	0.4	1.3	1,626	90.7	86.2	95.2
Cervix uteri (C53.0-C53.9)	135	4.1	3.4	4.8	135	8.2	6.8	9.7
Corpus uteri (C54.0-C54.9)	384	11.4	10.3	12.6	384	22.3	20.0	24.5
Uterus, not otherwise specified (C55.9)	x	x	x	x	6	0.3	0.1	0.6
Ovary (C56.9)	179	5.2	4.4	5.9	179	9.9	8.4	11.4
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	51	1.5	1.1	1.9	51	2.8	2.0	3.5
Prostate (C61.9)	1,859	58.2	55.5	60.9	1,859	123.2	117.5	128.8
Testis (C62.0-C62.9)	117	3.7	3.0	4.3	117	7.1	5.8	8.4
Penis (C60.0-C60.9)	15	0.5	0.2	0.7	15	1.0	0.5	1.6
Other male genital system (C63.0-C63.9)	6	0.2	0.0	0.4	6	0.4	0.1	0.8
Bladder (including in situ) (C67.0-C67.9)	574	17.7	16.2	19.2	415	28.2	25.5	30.9	159	8.9	7.5	10.4
Kidney and renal pelvis (C64.9, C65.9)	334	10.0	8.9	11.1	225	14.3	12.4	16.2	109	6.3	5.1	7.5
Ureter (C66.9)	x	x	x	x	9	0.6	0.2	1.0	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	6	0.4	0.1	0.7	x	x	x	x
Eye (C69.0-C69.9)	17	0.5	0.3	0.8	9	0.6	0.2	0.9	8	0.5	0.1	0.8
Brain (C71.0-C71.9)	180	5.4	4.6	6.2	108	6.3	5.1	7.5	72	4.5	3.5	5.6
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	336	10.1	9.0	11.2	70	4.2	3.2	5.2	266	16.0	14.1	18.0
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	23	0.7	0.4	1.0	12	0.7	0.3	1.1	11	0.6	0.3	1.0
Hodgkin's disease (M-9650-M-9667)	84	2.6	2.1	3.2	55	3.4	2.5	4.3	29	1.9	1.2	2.6
Non-Hodgkin's lymphomas	546	16.4	15.0	17.8	314	19.9	17.7	22.1	232	13.3	11.5	15.0
Multiple myeloma (M-9731, M-9732, M-9734)	156	4.8	4.0	5.5	93	6.2	4.9	7.5	63	3.5	2.6	4.4
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	38	1.2	0.8	1.6	25	1.6	1.0	2.3	13	0.8	0.4	1.3
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	180	5.4	4.6	6.3	109	7.1	5.8	8.5	71	4.0	3.0	4.9

See footnotes at the end of the table.

Table 3-10 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Alberta^{1,2}

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	83	2.6	2.0	3.2	46	3.1	2.2	4.0	37	2.2	1.5	2.9
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	51	1.5	1.1	2.0	30	1.9	1.2	2.5	21	1.3	0.7	1.8
Other leukemias	28	0.8	0.5	1.1	21	1.3	0.8	1.9	7	0.4	0.1	0.7
Other, ill-defined and unknown sites	442	13.4	12.1	14.7	220	14.7	12.8	16.7	222	12.3	10.6	13.9
Mesothelioma (M-9050-M-9055)	41	1.3	0.9	1.7	31	2.1	1.4	2.9	10	0.6	0.2	1.0
Kaposi sarcoma (M-9140)	x	x	x	x	x	x	x	x	x	x	x	x
2004												
Total, all primary sites of cancer	12,867	402.4	395.4	409.5	6,757	461.0	449.9	472.2	6,110	357.4	348.3	366.6
Lip (C00.0-C00.9)	28	0.9	0.5	1.2	22	1.5	0.9	2.2	6	0.3	0.1	0.6
Tongue (C01.9-C02.9)	62	1.9	1.4	2.3	38	2.3	1.6	3.1	24	1.4	0.8	1.9
Major salivary glands (C07.9-C08.9)	30	0.9	0.6	1.3	12	0.9	0.4	1.4	18	1.1	0.6	1.5
Floor of mouth (C04.0-C04.9)	14	0.5	0.2	0.7	6	0.4	0.1	0.7	8	0.5	0.2	0.9
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	27	0.8	0.5	1.2	13	0.9	0.4	1.5	14	0.8	0.4	1.3
Nasopharynx (C11.0-C11.9)	16	0.4	0.2	0.7	10	0.5	0.2	0.8	6	0.4	0.1	0.7
Oropharynx (C10.0-C10.9)	x	x	x	x	8	0.5	0.1	0.8	x	x	x	x
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	16	1.1	0.5	1.6	x	x	x	x
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	45	1.3	0.9	1.7	37	2.1	1.4	2.9	8	0.4	0.1	0.8
Esophagus (C15.0-C15.9)	112	3.5	2.8	4.1	84	5.6	4.3	6.8	28	1.6	1.0	2.2
Stomach (C16.0-C16.9)	228	7.1	6.2	8.1	144	10.1	8.4	11.7	84	4.6	3.6	5.6
Small intestine (C17.0-C17.9)	45	1.4	1.0	1.8	27	1.8	1.1	2.5	18	1.0	0.5	1.5
Colon excluding rectum (C18.0-C18.9, C26.0)	949	29.9	28.0	31.8	494	34.3	31.2	37.4	455	26.3	23.8	28.8
Rectum and rectosigmoid (C19.9, C20.9)	561	17.4	16.0	18.9	355	24.2	21.6	26.7	206	11.6	10.0	13.3
Anus (C21.0-C21.8)	30	0.9	0.6	1.3	9	0.6	0.2	1.0	21	1.2	0.7	1.7
Liver (C22.0)	126	3.8	3.1	4.5	93	6.0	4.7	7.2	33	1.8	1.2	2.4
Gallbladder (C23.9)	31	1.0	0.6	1.3	8	0.6	0.2	0.9	23	1.3	0.8	1.9
Pancreas (C25.0-C25.9)	302	9.4	8.4	10.5	135	9.2	7.7	10.8	167	9.5	8.0	10.9
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	160	4.9	4.1	5.7	64	4.3	3.3	5.4	96	5.5	4.4	6.6
Larynx (C32.0-C32.9)	59	1.9	1.4	2.4	46	3.2	2.3	4.1	13	0.8	0.4	1.2
Lung and bronchus (C34.0-C34.9)	1,559	50.1	47.6	52.6	833	57.9	53.9	61.9	726	44.1	40.8	47.3
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	19	0.6	0.3	0.9	13	0.9	0.4	1.3	6	0.4	0.1	0.7
Bones and joints (C40.0-C41.9)	40	1.2	0.9	1.6	25	1.6	1.0	2.3	15	0.9	0.4	1.3
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	68	2.2	1.7	2.8	39	2.7	1.8	3.5	29	1.8	1.1	2.5
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	451	13.6	12.3	14.9	229	14.7	12.8	16.7	222	12.9	11.1	14.6
Other skin (C44.0-C44.9)	52	1.7	1.2	2.1	30	2.2	1.4	2.9	22	1.4	0.8	1.9
Breast (C50.0-C50.9)	1,763	52.6	50.1	55.1	11	0.7	0.3	1.2	1,752	101.4	96.6	106.3
Cervix uteri (C53.0-C53.9)	146	4.4	3.7	5.2	146	8.9	7.4	10.4
Corpus uteri (C54.0-C54.9)	346	10.5	9.4	11.6	346	20.5	18.3	22.6
Uterus, not otherwise specified (C55.9)	x	x	x	x	7	0.4	0.1	0.7
Ovary (C56.9)	183	5.6	4.8	6.4	183	10.7	9.1	12.2
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	60	1.8	1.4	2.3	60	3.5	2.6	4.4
Prostate (C61.9)	1,989	64.8	62.0	67.7	1,989	137.9	131.8	144.1
Testis (C62.0-C62.9)	100	3.2	2.6	3.9	100	6.3	5.0	7.5
Penis (C60.0-C60.9)	19	0.6	0.3	0.9	19	1.2	0.7	1.8
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	569	18.2	16.7	19.7	438	30.8	27.9	33.8	131	7.7	6.4	9.1
Kidney and renal pelvis (C64.9, C65.9)	362	11.2	10.0	12.4	219	14.2	12.3	16.1	143	8.6	7.2	10.0
Ureter (C66.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	8	0.6	0.2	1.0	x	x	x	x
Eye (C69.0-C69.9)	x	x	x	x	x	x	x	x	10	0.6	0.2	1.0
Brain (C71.0-C71.9)	181	5.6	4.8	6.5	112	7.1	5.8	8.5	69	4.1	3.1	5.1
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	328	9.8	8.7	10.8	68	4.0	3.0	5.0	260	15.7	13.8	17.7
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	21	0.7	0.4	1.0	9	0.6	0.2	1.0	12	0.7	0.3	1.2
Hodgkin's disease (M-9650-M-9667)	95	2.9	2.3	3.5	51	3.1	2.2	3.9	44	2.8	1.9	3.6

See footnotes at the end of the table.

Table 3-10 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Alberta^{1,2}

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	525	16.4	15.0	17.8	304	20.3	18.0	22.6	221	12.9	11.1	14.6
Multiple myeloma (M-9731, M-9732, M-9734)	168	5.4	4.5	6.2	103	7.2	5.8	8.6	65	4.0	3.0	5.0
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	28	0.9	0.6	1.3	15	1.0	0.5	1.5	13	0.9	0.4	1.4
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	142	4.5	3.8	5.3	85	5.9	4.7	7.2	57	3.4	2.5	4.2
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	72	2.2	1.7	2.8	39	2.5	1.7	3.3	33	2.0	1.3	2.7
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	50	1.5	1.1	1.9	34	2.3	1.5	3.1	16	0.8	0.4	1.2
Other leukemias	38	1.2	0.8	1.5	25	1.6	1.0	2.2	13	0.7	0.3	1.1
Other, ill-defined and unknown sites	533	16.6	15.2	18.0	272	19.1	16.8	21.4	261	14.6	12.8	16.4
Mesothelioma (M-9050-M-9055)	x	x	x	x	42	3.0	2.1	3.9	x	x	x	x
Kaposi sarcoma (M-9140)	x	x	x	x	6	0.4	0.1	0.7	x	x	x	x

1. Data for 2005 are not available for Canada and Quebec.

2. The 2005 Alberta data are provisional. New cancer cases estimated to be approximately 2% were excluded to meet the reporting deadline set by the Canadian Council of Cancer Registries.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-11
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — British Columbia¹

	1991 Census population structure											
	Both sexes				Males			Females				
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	18,635	354.0	348.8	359.2	9,784	399.1	391.1	407.1	8,851	318.2	311.3	325.0
Lip (C00.0-C00.9)	x	x	x	x	12	0.5	0.2	0.8	x	x	x	x
Tongue (C01.9-C02.9)	108	2.1	1.7	2.5	78	3.1	2.4	3.8	30	1.2	0.7	1.6
Major salivary glands (C07.9-C08.9)	44	0.9	0.6	1.2	27	1.2	0.7	1.6	17	0.6	0.3	1.0
Floor of mouth (C04.0-C04.9)	30	0.5	0.3	0.7	15	0.6	0.3	0.9	15	0.5	0.2	0.7
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	60	1.1	0.8	1.4	28	1.1	0.7	1.6	32	1.1	0.7	1.5
Nasopharynx (C11.0-C11.9)	43	0.8	0.6	1.1	30	1.2	0.7	1.6	13	0.5	0.2	0.8
Oropharynx (C10.0-C10.9)	x	x	x	x	13	0.5	0.2	0.8	x	x	x	x
Hypopharynx (C12.9, C13.0-C13.9)	34	0.6	0.4	0.8	26	1.0	0.6	1.4	8	0.3	0.1	0.5
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	76	1.4	1.1	1.7	53	2.0	1.5	2.5	23	0.8	0.5	1.2
Esophagus (C15.0-C15.9)	212	3.9	3.4	4.5	139	5.5	4.6	6.5	73	2.4	1.8	2.9
Stomach (C16.0-C16.9)	358	6.6	5.9	7.3	239	9.6	8.4	10.8	119	4.1	3.3	4.9
Small intestine (C17.0-C17.9)	64	1.2	0.9	1.5	35	1.4	0.9	1.8	29	1.1	0.7	1.4
Colon excluding rectum (C18.0-C18.9, C26.0)	1,603	29.6	28.2	31.1	841	34.1	31.8	36.4	762	25.9	24.0	27.8
Rectum and rectosigmoid (C19.9, C20.9)	794	14.9	13.8	15.9	479	19.4	17.6	21.1	315	10.8	9.6	12.0
Anus (C21.0-C21.8)	78	1.4	1.1	1.7	29	1.1	0.7	1.5	49	1.6	1.2	2.1
Liver (C22.0)	194	3.7	3.2	4.2	142	5.6	4.7	6.6	52	1.8	1.3	2.3
Gallbladder (C23.9)	58	1.0	0.8	1.3	17	0.7	0.4	1.0	41	1.3	0.9	1.8
Pancreas (C25.0-C25.9)	449	8.1	7.3	8.8	226	8.9	7.7	10.0	223	7.3	6.3	8.3
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	162	3.0	2.5	3.4	74	3.0	2.3	3.7	88	2.9	2.3	3.6
Larynx (C32.0-C32.9)	93	1.7	1.4	2.1	83	3.3	2.6	4.0	10	0.4	0.1	0.6
Lung and bronchus (C34.0-C34.9)	2,533	47.6	45.7	49.5	1,334	53.9	51.0	56.8	1,199	42.5	40.1	45.0
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	36	0.7	0.5	1.0	22	0.9	0.5	1.3	14	0.5	0.3	0.8
Bones and joints (C40.0-C41.9)	32	0.7	0.5	1.0	19	0.8	0.5	1.2	13	0.6	0.3	0.9
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	122	2.5	2.0	2.9	63	2.7	2.0	3.4	59	2.2	1.6	2.8
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	662	13.0	12.0	14.1	348	14.2	12.7	15.7	314	12.0	10.7	13.4
Other skin (C44.0-C44.9)	42	0.8	0.5	1.0	24	1.0	0.6	1.4	18	0.5	0.3	0.8
Breast (C50.0-C50.9)	2,583	48.4	46.5	50.3	12	0.5	0.2	0.7	2,571	93.0	89.3	96.7
Cervix uteri (C53.0-C53.9)	144	3.0	2.5	3.6	144	6.0	5.0	7.0
Corpus uteri (C54.0-C54.9)	516	9.8	9.0	10.7	516	19.1	17.4	20.8
Uterus, not otherwise specified (C55.9)	9	0.1	0.0	0.2	9	0.3	0.1	0.4
Ovary (C56.9)	306	5.8	5.1	6.4	306	11.1	9.8	12.4
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	70	1.2	0.9	1.5	70	2.3	1.8	2.9
Prostate (C61.9)	2,647	50.9	48.9	52.8	2,647	108.1	103.9	112.2
Testis (C62.0-C62.9)	125	3.2	2.7	3.8	125	6.5	5.3	7.7
Penis (C60.0-C60.9)	16	0.3	0.2	0.5	16	0.7	0.3	1.0
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	857	15.8	14.7	16.8	660	26.7	24.7	28.8	197	6.7	5.7	7.7
Kidney and renal pelvis (C64.9, C65.9)	362	6.9	6.2	7.6	223	9.1	7.9	10.3	139	4.9	4.0	5.7
Ureter (C66.9)	22	0.4	0.2	0.6	13	0.5	0.2	0.8	9	0.3	0.1	0.5
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	x	x	x	x
Eye (C69.0-C69.9)	38	0.8	0.5	1.1	23	1.0	0.6	1.4	15	0.7	0.3	1.0
Brain (C71.0-C71.9)	259	5.2	4.6	5.9	155	6.5	5.4	7.5	104	4.1	3.3	4.9
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	x	x	x	x
Thyroid (C73.9)	229	5.0	4.4	5.7	62	2.7	2.0	3.4	167	7.3	6.2	8.5
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	19	0.4	0.2	0.7	11	0.5	0.2	0.9	8	0.4	0.1	0.6
Hodgkin's disease (M-9650-M-9667)	102	2.4	1.9	2.8	55	2.5	1.8	3.1	47	2.3	1.6	3.0
Non-Hodgkin's lymphomas	853	16.4	15.3	17.5	487	20.0	18.2	21.8	366	13.2	11.8	14.6
Multiple myeloma (M-9731, M-9732, M-9734)	209	3.9	3.3	4.4	126	5.1	4.2	6.0	83	2.9	2.3	3.6
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	39	1.0	0.7	1.4	21	1.1	0.6	1.6	18	1.0	0.5	1.5
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	192	3.5	3.0	4.0	120	4.7	3.9	5.6	72	2.5	1.9	3.1

See footnotes at the end of the table.

Table 3-11 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — British Columbia¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	103	2.1	1.6	2.5	61	2.5	1.9	3.2	42	1.6	1.1	2.2
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	48	0.9	0.7	1.2	23	1.0	0.6	1.4	25	0.9	0.5	1.2
Other leukemias	63	1.2	0.9	1.5	38	1.5	1.0	2.0	25	0.9	0.5	1.3
Other, ill-defined and unknown sites	804	14.7	13.6	15.7	426	17.1	15.4	18.7	378	12.9	11.5	14.2
Mesothelioma (M-9050-M-9055)	63	1.2	0.9	1.4	52	2.1	1.5	2.7	11	0.4	0.2	0.6
Kaposi sarcoma (M-9140)	18	0.4	0.2	0.6	18	0.8	0.4	1.2	0	0.0	0.0	0.0
2004												
Total, all primary sites of cancer	18,269	354.9	349.6	360.1	9,602	402.5	394.4	410.7	8,667	317.0	310.1	323.8
Lip (C00.0-C00.9)	20	0.4	0.2	0.6	11	0.5	0.2	0.8	9	0.3	0.1	0.5
Tongue (C01.9-C02.9)	92	1.8	1.4	2.2	59	2.4	1.8	3.0	33	1.3	0.8	1.7
Major salivary glands (C07.9-C08.9)	37	0.7	0.5	0.9	26	1.1	0.6	1.5	11	0.4	0.2	0.7
Floor of mouth (C04.0-C04.9)	x	x	x	x	26	1.1	0.7	1.5	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	53	1.0	0.7	1.3	32	1.3	0.9	1.8	21	0.7	0.4	1.1
Nasopharynx (C11.0-C11.9)	41	0.8	0.6	1.1	24	0.9	0.6	1.3	17	0.7	0.4	1.0
Oropharynx (C10.0-C10.9)	25	0.5	0.3	0.7	18	0.7	0.4	1.1	7	0.3	0.1	0.4
Hypopharynx (C12.9, C13.0-C13.9)	30	0.6	0.4	0.8	24	1.0	0.6	1.4	6	0.2	0.0	0.3
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	71	1.4	1.0	1.7	51	2.0	1.4	2.5	20	0.8	0.4	1.1
Esophagus (C15.0-C15.9)	230	4.4	3.8	4.9	166	6.9	5.8	7.9	64	2.1	1.6	2.6
Stomach (C16.0-C16.9)	352	6.6	5.9	7.4	234	9.6	8.4	10.9	118	4.0	3.3	4.8
Small intestine (C17.0-C17.9)	60	1.1	0.9	1.4	36	1.5	1.0	2.0	24	0.8	0.5	1.2
Colon excluding rectum (C18.0-C18.9, C26.0)	1,514	28.5	27.0	29.9	752	31.2	29.0	33.5	762	26.1	24.2	28.1
Rectum and rectosigmoid (C19.9, C20.9)	803	15.6	14.5	16.6	524	21.7	19.8	23.6	279	10.1	8.9	11.4
Anus (C21.0-C21.8)	78	1.5	1.1	1.8	32	1.3	0.8	1.7	46	1.6	1.2	2.1
Liver (C22.0)	190	3.6	3.1	4.1	142	5.7	4.7	6.6	48	1.8	1.3	2.3
Gallbladder (C23.9)	54	1.0	0.7	1.2	17	0.7	0.4	1.0	37	1.2	0.8	1.6
Pancreas (C25.0-C25.9)	483	9.1	8.3	10.0	236	9.8	8.5	11.1	247	8.4	7.3	9.5
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	186	3.5	3.0	4.0	77	3.2	2.5	3.9	109	3.9	3.1	4.6
Larynx (C32.0-C32.9)	108	2.1	1.7	2.5	89	3.6	2.8	4.3	19	0.7	0.4	1.1
Lung and bronchus (C34.0-C34.9)	2,615	50.4	48.4	52.3	1,388	58.2	55.1	61.3	1,227	44.5	41.9	47.0
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	51	1.0	0.7	1.3	30	1.3	0.8	1.8	21	0.8	0.4	1.1
Bones and joints (C40.0-C41.9)	31	0.7	0.4	1.0	14	0.6	0.3	1.0	17	0.8	0.4	1.1
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	86	1.8	1.4	2.2	45	2.0	1.4	2.5	41	1.6	1.1	2.1
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	663	13.3	12.2	14.3	359	15.0	13.4	16.6	304	12.0	10.6	13.4
Other skin (C44.0-C44.9)	59	1.2	0.9	1.5	33	1.4	0.9	1.9	26	1.0	0.6	1.4
Breast (C50.0-C50.9)	2,454	47.0	45.1	48.9	14	0.6	0.3	0.9	2,440	90.0	86.3	93.6
Cervix uteri (C53.0-C53.9)	140	3.1	2.5	3.6	140	6.0	5.0	7.0
Corpus uteri (C54.0-C54.9)	470	9.0	8.2	9.8	470	17.4	15.8	19.0
Uterus, not otherwise specified (C55.9)	6	0.1	0.0	0.2	6	0.1	0.0	0.2
Ovary (C56.9)	265	5.1	4.5	5.7	265	9.8	8.6	11.0
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	69	1.3	1.0	1.6	69	2.4	1.8	3.0
Prostate (C61.9)	2,530	49.7	47.8	51.7	2,530	105.8	101.7	110.0
Testis (C62.0-C62.9)	104	2.6	2.1	3.1	104	5.2	4.2	6.2
Penis (C60.0-C60.9)	8	0.2	0.0	0.3	8	0.3	0.1	0.6
Other male genital system (C63.0-C63.9)	x	x	x	x	x	x	x	x
Bladder (including in situ) (C67.0-C67.9)	815	15.4	14.3	16.4	607	25.5	23.4	27.5	208	7.0	6.0	7.9
Kidney and renal pelvis (C64.9, C65.9)	361	7.1	6.4	7.9	232	9.7	8.4	10.9	129	4.9	4.0	5.7
Ureter (C66.9)	x	x	x	x	9	0.4	0.1	0.6	x	x	x	x
Other urinary system (C68.0-C68.9)	x	x	x	x	x	x	x	x	x	x	x	x
Eye (C69.0-C69.9)	37	0.8	0.5	1.1	18	0.8	0.4	1.1	19	0.8	0.4	1.2
Brain (C71.0-C71.9)	279	5.8	5.1	6.5	170	7.4	6.3	8.6	109	4.4	3.5	5.2
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	6	0.3	0.1	0.6
Thyroid (C73.9)	229	5.2	4.5	5.8	48	2.1	1.5	2.8	181	8.1	6.9	9.3
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	26	0.6	0.3	0.8	12	0.5	0.2	0.8	14	0.6	0.3	0.9
Hodgkin's disease (M-9650-M-9667)	105	2.6	2.1	3.1	62	3.0	2.2	3.8	43	2.1	1.4	2.7

See footnotes at the end of the table.

Table 3-11 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — British Columbia¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	794	15.6	14.5	16.7	440	18.5	16.7	20.2	354	12.9	11.5	14.3
Multiple myeloma (M-9731, M-9732, M-9734)	204	3.9	3.3	4.4	127	5.2	4.3	6.1	77	2.7	2.1	3.4
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	44	1.2	0.8	1.5	28	1.5	0.9	2.1	16	0.8	0.4	1.3
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	192	3.6	3.1	4.1	114	4.7	3.8	5.6	78	2.6	2.0	3.2
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	130	2.6	2.1	3.0	70	3.0	2.3	3.7	60	2.3	1.7	2.9
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	67	1.4	1.0	1.7	43	1.8	1.3	2.4	24	1.0	0.6	1.4
Other leukemias	53	1.0	0.7	1.2	35	1.5	1.0	2.0	18	0.5	0.3	0.8
Other, ill-defined and unknown sites	820	15.2	14.2	16.3	409	17.0	15.4	18.7	411	13.5	12.1	14.8
Mesothelioma (M-9050-M-9055)	x	x	x	x	55	2.3	1.7	2.9	x	x	x	x
Kaposi sarcoma (M-9140)	x	x	x	x	15	0.7	0.3	1.0	x	x	x	x

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-12
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Yukon Territory¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	98	363.4	284.5	442.2	41	345.6	230.9	460.3	57	379.5	271.1	487.8
Lip (C00.0-C00.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Tongue (C01.9-C02.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Major salivary glands (C07.9-C08.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Floor of mouth (C04.0-C04.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Nasopharynx (C11.0-C11.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Esophagus (C15.0-C15.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Stomach (C16.0-C16.9)	x	x	x	x	x	x	x	x	x	x	x	x
Small intestine (C17.0-C17.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Colon excluding rectum (C18.0-C18.9, C26.0)	x	x	x	x	x	x	x	x	9	69.2	20.4	118.0
Rectum and rectosigmoid (C19.9, C20.9)	x	x	x	x	x	x	x	x	x	x	x	x
Anus (C21.0-C21.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Liver (C22.0)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Gallbladder (C23.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas (C25.0-C25.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Larynx (C32.0-C32.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Lung and bronchus (C34.0-C34.9)	x	x	x	x	6	46.2	6.6	85.8	x	x	x	x
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bones and joints (C40.0-C41.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	x	x	x	x	x	x	x	x	x	x	x	x
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other skin (C44.0-C44.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Breast (C50.0-C50.9)	x	x	x	x	x	x	x	x	19	120.7	60.4	181.0
Cervix uteri (C53.0-C53.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Corpus uteri (C54.0-C54.9)	x	x	x	x	x	x	x	x
Uterus, not otherwise specified (C55.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ovary (C56.9)	x	x	x	x	x	x	x	x
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Prostate (C61.9)	13	65.1	29.1	101.2	13	131.6	55.4	207.8
Testis (C62.0-C62.9)	x	x	x	x	x	x	x	x
Penis (C60.0-C60.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	x	x	x	x	x	x	x	x	x	x	x	x
Kidney and renal pelvis (C64.9, C65.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Ureter (C66.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Brain (C71.0-C71.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Thyroid (C73.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Non-Hodgkin's lymphomas	x	x	x	x	x	x	x	x	x	x	x	x
Multiple myeloma (M-9731, M-9732, M-9734)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

See footnotes at the end of the table.

Table 3-12 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Yukon Territory¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
		Low	High			Low	High			Low	High	
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other leukemias	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other, ill-defined and unknown sites	x	x	x	x	x	x	x	x	x	x	x	x
Mesothelioma (M-9050-M-9055)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
2004												
Total, all primary sites of cancer	84	318.4	244.4	392.4	49	378.8	261.1	496.4	35	253.5	162.2	344.7
Lip (C00.0-C00.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Tongue (C01.9-C02.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Major salivary glands (C07.9-C08.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Floor of mouth (C04.0-C04.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Nasopharynx (C11.0-C11.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Esophagus (C15.0-C15.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Stomach (C16.0-C16.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Small intestine (C17.0-C17.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Colon excluding rectum (C18.0-C18.9, C26.0)	x	x	x	x	x	x	x	x	x	x	x	x
Rectum and rectosigmoid (C19.9, C20.9)	x	x	x	x	x	x	x	x	x	x	x	x
Anus (C21.0-C21.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Liver (C22.0)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Gallbladder (C23.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas (C25.0-C25.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Larynx (C32.0-C32.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Lung and bronchus (C34.0-C34.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bones and joints (C40.0-C41.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	x	x	x	x	x	x	x	x	x	x	x	x
Other skin (C44.0-C44.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Breast (C50.0-C50.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Cervix uteri (C53.0-C53.9)	x	x	x	x	x	x	x	x
Corpus uteri (C54.0-C54.9)	x	x	x	x	x	x	x	x
Uterus, not otherwise specified (C55.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ovary (C56.9)	x	x	x	x	x	x	x	x
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Prostate (C61.9)	x	x	x	x	x	x	x	x
Testis (C62.0-C62.9)	x	x	x	x	x	x	x	x
Penis (C60.0-C60.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	x	x	x	x	x	x	x	x	x	x	x	x
Kidney and renal pelvis (C64.9, C65.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ureter (C66.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Brain (C71.0-C71.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Thyroid (C73.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

See footnotes at the end of the table.

Table 3-12 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Yukon Territory¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	x	x	x	x	x	x	x	x	x	x	x	x
Multiple myeloma (M-9731, M-9732, M-9734)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other leukemias	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other, ill-defined and unknown sites	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Mesothelioma (M-9050-M-9055)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-13
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Northwest Territories¹

	1991 Census population structure											
	Both sexes				Males			Females				
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	69	264.7	194.4	335.0	33	288.1	180.1	396.1	36	239.6	151.8	327.5
Lip (C00.0-C00.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Tongue (C01.9-C02.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Major salivary glands (C07.9-C08.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Floor of mouth (C04.0-C04.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Nasopharynx (C11.0-C11.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Esophagus (C15.0-C15.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Stomach (C16.0-C16.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Small intestine (C17.0-C17.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Colon excluding rectum (C18.0-C18.9, C26.0)	x	x	x	x	x	x	x	x	x	x	x	x
Rectum and rectosigmoid (C19.9, C20.9)	x	x	x	x	x	x	x	x	6	31.4	5.2	57.5
Anus (C21.0-C21.8)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Liver (C22.0)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Gallbladder (C23.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Pancreas (C25.0-C25.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Larynx (C32.0-C32.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Lung and bronchus (C34.0-C34.9)	x	x	x	x	7	73.4	14.8	132.0	x	x	x	x
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	x	x	x	x	x	x	x	x	x	x	x	x
Other skin (C44.0-C44.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Breast (C50.0-C50.9)	11	34.6	11.3	58.0	0	0.0	0.0	0.0	11	70.4	23.4	117.5
Cervix uteri (C53.0-C53.9)	x	x	x	x	x	x	x	x
Corpus uteri (C54.0-C54.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Uterus, not otherwise specified (C55.9)	x	x	x	x	x	x	x	x
Ovary (C56.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	x	x	x	x	x	x	x	x
Prostate (C61.9)	10	49.9	16.7	83.0	10	94.5	31.8	157.1
Testis (C62.0-C62.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Penis (C60.0-C60.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Kidney and renal pelvis (C64.9, C65.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Ureter (C66.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Brain (C71.0-C71.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Thyroid (C73.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Non-Hodgkin's lymphomas	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Multiple myeloma (M-9731, M-9732, M-9734)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

See footnotes at the end of the table.

Table 3-13 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Northwest Territories¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other leukemias	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other, ill-defined and unknown sites	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Mesothelioma (M-9050-M-9055)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
2004												
Total, all primary sites of cancer	85	339.0	258.6	419.4	44	366.7	248.5	484.9	41	305.1	197.9	412.3
Lip (C00.0-C00.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Tongue (C01.9-C02.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Major salivary glands (C07.9-C08.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Floor of mouth (C04.0-C04.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	x	x	x	x
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Esophagus (C15.0-C15.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Stomach (C16.0-C16.9)	x	x	x	x	x	x	x	x	x	x	x	x
Small intestine (C17.0-C17.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Colon excluding rectum (C18.0-C18.9, C26.0)	x	x	x	x	8	78.0	20.9	135.2	x	x	x	x
Rectum and rectosigmoid (C19.9, C20.9)	x	x	x	x	x	x	x	x	x	x	x	x
Anus (C21.0-C21.8)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Liver (C22.0)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Gallbladder (C23.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas (C25.0-C25.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Larynx (C32.0-C32.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Lung and bronchus (C34.0-C34.9)	x	x	x	x	x	x	x	x	7	70.6	14.9	126.2
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Bones and joints (C40.0-C41.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other skin (C44.0-C44.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Breast (C50.0-C50.9)	15	41.4	16.7	66.2	0	0.0	0.0	0.0	15	86.4	35.7	137.1
Cervix uteri (C53.0-C53.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Corpus uteri (C54.0-C54.9)	x	x	x	x	x	x	x	x
Uterus, not otherwise specified (C55.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ovary (C56.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Prostate (C61.9)	9	47.2	15.4	79.0	9	89.0	28.7	149.3
Testis (C62.0-C62.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Penis (C60.0-C60.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Kidney and renal pelvis (C64.9, C65.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ureter (C66.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Brain (C71.0-C71.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Thyroid (C73.9)	x	x	x	x	x	x	x	x	x	x	x	x
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

See footnotes at the end of the table.

Table 3-13 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Northwest Territories¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Multiple myeloma (M-9731, M-9732, M-9734)	x	x	x	x	x	x	x	x	x	x	x	x
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other leukemias	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other, ill-defined and unknown sites	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Mesothelioma (M-9050-M-9055)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Table 3-14
New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Nunavut¹

	1991 Census population structure											
	Both sexes				Males			Females				
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
2005												
Total, all primary sites of cancer	70	662.1	473.4	850.8	36	665.2	418.8	911.6	34	648.9	361.0	936.8
Lip (C00.0-C00.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Tongue (C01.9-C02.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Major salivary glands (C07.9-C08.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Floor of mouth (C04.0-C04.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	x	x	x	x
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Esophagus (C15.0-C15.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Stomach (C16.0-C16.9)	x	x	x	x	x	x	x	x	x	x	x	x
Small intestine (C17.0-C17.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Colon excluding rectum (C18.0-C18.9, C26.0)	x	x	x	x	x	x	x	x	x	x	x	x
Rectum and rectosigmoid (C19.9, C20.9)	x	x	x	x	6	100.7	9.1	192.4	x	x	x	x
Anus (C21.0-C21.8)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Liver (C22.0)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Gallbladder (C23.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas (C25.0-C25.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Larynx (C32.0-C32.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Lung and bronchus (C34.0-C34.9)	21	246.5	129.3	363.7	13	265.2	113.8	416.6	8	227.5	31.1	423.8
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bones and joints (C40.0-C41.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other skin (C44.0-C44.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Breast (C50.0-C50.9)	10	60.0	18.1	101.9	0	0.0	0.0	0.0	10	135.4	36.0	234.8
Cervix uteri (C53.0-C53.9)	x	x	x	x	x	x	x	x
Corpus uteri (C54.0-C54.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Uterus, not otherwise specified (C55.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ovary (C56.9)	x	x	x	x	x	x	x	x
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Prostate (C61.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Testis (C62.0-C62.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Penis (C60.0-C60.9)	x	x	x	x	x	x	x	x
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Kidney and renal pelvis (C64.9, C65.9)	x	x	x	x	x	x	x	x	x	x	x	x
Ureter (C66.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Brain (C71.0-C71.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Thyroid (C73.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Non-Hodgkin's lymphomas	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Multiple myeloma (M-9731, M-9732, M-9734)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

See footnotes at the end of the table.

Table 3-14 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Nunavut¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	x	x	x	x	x	x	x	x	x	x	x	x
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other leukemias	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Other, ill-defined and unknown sites	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Mesothelioma (M-9050-M-9055)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
2004												
Total, all primary sites of cancer	48	352.7	227.8	477.7	25	347.2	184.5	509.9	23	374.4	178.4	570.3
Lip (C00.0-C00.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Tongue (C01.9-C02.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Major salivary glands (C07.9-C08.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Floor of mouth (C04.0-C04.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Gum and other mouth (C03.0-C03.9, C05.0-C05.9, C06.0-C06.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Nasopharynx (C11.0-C11.9)	x	x	x	x	x	x	x	x	x	x	x	x
Oropharynx (C10.0-C10.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hypopharynx (C12.9, C13.0-C13.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other buccal cavity and pharynx (C09.0-C09.9, C14.0-C14.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Esophagus (C15.0-C15.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Stomach (C16.0-C16.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Small intestine (C17.0-C17.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Colon excluding rectum (C18.0-C18.9, C26.0)	x	x	x	x	x	x	x	x	x	x	x	x
Rectum and rectosigmoid (C19.9, C20.9)	x	x	x	x	x	x	x	x	x	x	x	x
Anus (C21.0-C21.8)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Liver (C22.0)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Gallbladder (C23.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Pancreas (C25.0-C25.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other digestive system (C22.1, C24.0-C24.9, C26.8-C26.9, C48.0-C48.8)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Larynx (C32.0-C32.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Lung and bronchus (C34.0-C34.9)	x	x	x	x	8	157.3	35.3	279.3	x	x	x	x
Other respiratory system (C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.8, C39.0-C39.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Bones and joints (C40.0-C41.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Soft tissue (including heart) (C38.0, C47.0-C47.9, C49.0-C49.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Melanomas of the skin (C44.0-C44.9, M-8720-M-8790)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other skin (C44.0-C44.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Breast (C50.0-C50.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Cervix uteri (C53.0-C53.9)	x	x	x	x	x	x	x	x
Corpus uteri (C54.0-C54.9)	x	x	x	x	x	x	x	x
Uterus, not otherwise specified (C55.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ovary (C56.9)	x	x	x	x	x	x	x	x
Other female genital system (C51.0-C51.9, C52.9, C57.0-C58.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Prostate (C61.9)	x	x	x	x	x	x	x	x
Testis (C62.0-C62.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Penis (C60.0-C60.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other male genital system (C63.0-C63.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Bladder (including in situ) (C67.0-C67.9)	x	x	x	x	x	x	x	x	0	0.0	0.0	0.0
Kidney and renal pelvis (C64.9, C65.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Ureter (C66.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other urinary system (C68.0-C68.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Eye (C69.0-C69.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Brain (C71.0-C71.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other nervous system (C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Thyroid (C73.9)	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other endocrine (C37.9, C74.0-C74.9, C75.0-C75.9)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Hodgkin's disease (M-9650-M-9667)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

See footnotes at the end of the table.

Table 3-14 – continued

New cases for ICD-O-3 primary sites of cancer (based on the June 2007 CCR tabulation file), by sex, 1991 Census population structure, by geography — Nunavut¹

	1991 Census population structure											
	Both sexes				Males				Females			
	Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval		Number	Age-standardized rate per 100,000	95% confidence interval	
			Low	High			Low	High			Low	High
Non-Hodgkin's lymphomas	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Multiple myeloma (M-9731, M-9732, M-9734)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Acute lymphocytic leukemia (M-9826, M-9835-M-9837)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Chronic lymphocytic leukemia (C42.0, M-9823; C42.1, M-9823; C42.4, M-9823)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Acute myeloid leukemia (M-9840, M-9861, M-9866, M-9867, M-9871-M-9874, M-9895-M-9897, M-9910, M-9920)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Chronic myeloid leukemia (M-9863, M-9875, M-9876, M-9945, M-9946)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Other leukemias	x	x	x	x	0	0.0	0.0	0.0	x	x	x	x
Other, ill-defined and unknown sites	x	x	x	x	x	x	x	x	x	x	x	x
Mesothelioma (M-9050-M-9055)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0
Kaposi sarcoma (M-9140)	0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0.0

1. Data for 2005 are not available for Canada and Quebec.

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables" section. Please note that CANSIM tables also provide the crude rates per 100,000 population as well as their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR) Database (June 2007 file) and Demography Division (population estimates) (CANSIM table 103-0553).

Canadian Cancer Registry (CCR)

Description

The Canadian Cancer Registry (CCR) is an administrative survey that collects information on cancer incidence in Canada.

The CCR is a collaborative effort between the thirteen Canadian provincial and territorial cancer registries and the Health Statistics Division of Statistics Canada, where the data are housed. Ultimate authority and responsibility for the degree of coverage and the quality of the data reside with the provinces and territories. Beginning with reference year 1992, information collected by the provincial and territorial cancer registries has been reported to the CCR. The data that comes into the CCR describes both, the individual with the cancer, and the characteristics of the cancer.

The primary objective of the CCR is to provide a large database to study cancer patterns and trends and to monitor differences in cancer risks among different populations. Information about cancer incidence and survival in Canada is generated by the CCR. The information is used for descriptive and analytic epidemiological studies to: identify risk factors for the cancer; plan, monitor and evaluate a broad range of cancer control programs (e.g., screening); and, conduct research in health services and economics.

The CCR is a dynamic database, maintained at Statistics Canada, of all Canadian residents alive or dead who have been diagnosed with cancer. The function of the Canadian Cancer Registry is to produce standardized and comparable cancer incidence and survival data for each primary site of cancer. The CCR is a patient-based system, in which are recorded the kind and number (incidence) of primary cancers diagnosed for each person over a number of years until death. The advantage of this system is that longitudinal data is available for each cancer patient. New primary cancers occurring for previous cancer patients are identified. The patient data is regularly linked to mortality data so that the date and cause of death of every cancer patient is eventually known.

In addition to information on cancer incidence, data is available about the characteristics of patients with single and multiple tumours, as well as about the nature and frequency of these tumours. Since patients' records remain active on the CCR until confirmation of their death, survival rates for the various forms of cancer can be calculated. In addition, the CCR has the capability of identifying and eliminating the duplicate reporting of tumours.

The CCR also employs specialized internal record linkage software for detecting duplicate records and for clearing death records. These procedures are done annually. Conflicting information and other problems with the data uncovered by these annual processes are resolved through consultation with the reporting provinces and territories.

The patient-oriented Canadian Cancer Registry (CCR) evolved from the event-oriented National Cancer Incidence Reporting System (NCIRS).

The NCIRS was established in 1969 at Statistics Canada in co-operation with the National Cancer Institute of Canada and nine of the ten existing provincial cancer registries.

A tenth registry, Ontario, joined the national system in 1981.

Beginning with reference year 1992, the CCR replaced the NCIRS as Statistics Canada's vehicle for collecting information about cancer across the country.

All Canadian provincial and territorial cancer registries now report their data to the CCR.

Note: The CCR data are used by the Public Health Agency of Canada and by Health Canada, the North American Association of Central Cancer Registries (NAACCR), the National Cancer Institute of Canada, the Canadian Cancer Society, the International Agency for Research in Cancer (IARC), provincial and territorial ministries of health, pharmaceutical companies, medical and health researchers and the general public.

Data sources and methodology

Target population

The conceptual universe of the Canadian Cancer Registry database is persons whose usual place of residence is Canada or who are non-permanent residents. The residence at diagnosis is generally the place of usual residence, as stated by the patient or, as stated by the Census Bureau, "the dwelling in Canada where a person lives most of the time". Residency is their usual place of residence, regardless of where they are when diagnosed. For patients with multiple tumours, the address may be different for each primary tumour.

Sampling

This survey is a census.

Data are collected for all units of the target population, therefore no sampling is done.

Data sources

Data are extracted from administrative files.

The Canadian Cancer Registry (CCR) is comprised of administrative data. Each provincial and territorial cancer registry supplies data on cancer patients and tumours in a standard, pre-edited format, on diskette or CD-ROM. Each year, approximately 145,000 new cancer tumour records are loaded on the Canadian Cancer Registry (CCR) patient-oriented database which is housed and maintained at Statistics Canada. Subsequent changes to registrations due to errors or omissions are also transmitted to Statistics Canada, as the information becomes available. Cancer records are loaded on the CCR database and those failing edits that ensure the validity of each data field and check the compatibility of different data elements within a record, are rejected and returned to the province for verification or correction. Each provincial and territorial cancer registry has the ability to add, update, delete, and change the ownership (by province) of records. The CCR can be updated with new records or changes to previous records, as part of regular submissions from the registries to Statistics Canada. The following three software modules perform the tasks of building and maintaining the data in the CCR database: Core Edit, Internal Record Linkage, and Death Clearance. An internal record linkage and a national death clearance of cancer tumours diagnosed since 1992 are done annually.

- The Canadian Council of Cancer Registries recommends that the following tumours should be reported to the CCR;
- All primary, malignant tumours (ICD-O-3, topography codes C00.0-C80.9) with behaviour codes of 3 except squamous cell skin cancer (ICD-O-3 morphology codes 805_-808_) and basal cell skin cancer (ICD-O-3 morphology codes 809_-811_) with topographies C44.0-C44.9;
- In situ/intraepithelial/non-infiltrating/non-invasive carcinomas (all topographies in ICD-O-3 with behaviour codes of 2; except C530-C539 (cervix) in situ or cervical intraepithelial neoplasia (CIN III) due to inconsistencies in collecting and reporting rules);
- Primary, benign tumours of the brain and central nervous system (topographies C70.0-C72.9 with ICD-O-3 behaviour codes of 0); and,
- Borderline malignancies (all topographies in ICD-O-3 with behaviour codes of 1).

The list of the Canadian Cancer Registry data elements on the Patient record and the Tumour record is provided in the Canadian Cancer Registry System Guide.

Error detection

Each cancer registry supplies information to the Canadian Cancer Registry (CCR) for each new patient and each new tumour in a standard, pre-edited format, on magnetic tape or diskette. Validity edits verify that fields contain valid entries and correlation edits verify that relationships between patient and tumour records make sense. Those failing edits are rejected and returned to the provincial and territorial cancer registries for verification or correction. The CCR can be updated with new records or changes to previous records, as part of regular submissions from registries to Statistics Canada. Data are edited by computer to ensure validity of each field and to check on the compatibility of different data elements within a record. An internal record linkage and a national death clearance of cancer tumours diagnosed since 1992 are done annually by Statistics Canada. Although the CCR is an administrative data application, the CCR edits ensure a consistency of editing across all provincial and territorial cancer registries.

Imputation

Statistics Canada does not impute missing data.

Quality evaluation

Statistics Canada produces the Canadian Cancer Registry (CCR) Data Quality Reports that provide detailed feedback to the PTCRs on the quality of data submitted each year through the CCR Core Edit system. The Report presents data quality indicator percentages on all invasive tumour records reported in a given data year, including the number of breast tumours and the number of deaths reported in each data year and provides information on the percentage of missing values for all invasive tumours and for all patients, as well as the number of deaths that are reported for each year.

The CCR Data Quality Reports are used by the provincial and territorial cancer registries to monitor the quality of their information on the CCR database. Potential errors may be identified in situations where the information provided meets all edit requirements, but lacks in completeness or accuracy. Adherence to these guidelines help provincial and territorial cancer registries meet standards for acceptance in international publications such as Cancer Incidence in Five Continents, and Cancer Incidence in North America.

Before the availability of cancer statistics is announced in The Daily, the publication data files are reviewed and approved for official release by each Provincial and Territorial Cancer Registry.

Disclosure control

Statistics Canada is prohibited by law from releasing any data which would divulge information obtained under the Statistics Act that relates to any identifiable person, business or organization without the prior knowledge or the consent in writing of that person, business or organization. Various confidentiality rules are applied to all data that are released or published to prevent the publication or disclosure of any information deemed confidential. If necessary, data are suppressed to prevent direct or residual disclosure of identifiable data.

To increase the overall integrity of published cancer data, Statistics Canada developed the Merrigan suppression program to suppress low cell counts in cancer data. It suppresses cells with a small count, and also suppresses any cell that could result in the disclosure of a previously suppressed cell by using the column or row total. If the variables which define the rows and columns are province/territory and age group, then the program suppresses low counts first within each province/territory. If any province/territory contains only one suppressed cell, it suppresses the next lowest count in that province/territory. It then does the same thing within each age group.

Data accuracy

Coverage

Since each Canadian province and territory has a legislated responsibility for cancer collection and control, reporting is virtually complete. All primary malignant tumours (except squamous cell skin cancer and basal cell skin cancer) are reported to the Canadian Cancer Registry (CCR). Each provincial and territorial cancer registry records all cases of cancer in its population by combining information from sources such as: cancer clinic files and radiotherapy reports; records from in-patient hospitals; out-patient clinics and private hospitals; pathology and other laboratory/autopsy reports; radiology and screening program reports; reports from physicians in private practice; and, reports on cancer deaths from Vital Statistics registrars. Periodically, some provincial and territorial cancer registries experience problems in submitting data to Statistics Canada on a timely basis.

To check for overcoverage, the CCR accepts tumour records only when the reporting provincial and territorial cancer registry is the same as the province or territory of residence of the cancer patient. Each provincial and territorial cancer registry is required to return records for residents of other jurisdictions to the appropriate provincial and territorial cancer registry. Undercoverage remains a stronger concern than overcoverage because of the following reasons: some provincial and territorial cancer registries do not use, or have had periods in the past where they have not used, death certificates as a source of cancer incidence; differing definitions of what is a cancer among the provincial and territorial cancer registries; differing definitions of what constitutes a malignant neoplasm; some cancers are difficult to diagnose because of their location (or site) in the body; differences among provincial and territorial cancer registries in coding practices, data entry or processing procedures; and, failure to report cancer cases treated in a province/territory/country outside of the residence province/territory.

Designed studies are used by the provincial and territorial cancer registries to assess the completeness of case ascertainment (check for under and over-registration of cases). Re-abstraction is used to evaluate accuracy and completeness of reported items.

Explanatory notes for the tables

Table 1 New cases for all combined primary sites of cancer (based on the August 2006 CCR tabulation file)

Cancer incidence refers to new primary sites of malignant neoplasms. The Canadian Cancer Registry (CCR) is a dynamic database that can be updated with new records or changes to previous records, therefore, the incidence counts may vary from one release to the next.

The 95% confidence interval (CI) illustrates the degree of variability associated with a rate. Wide confidence intervals indicate high variability, thus, these rates should be interpreted and compared with due caution.

Table 2 Persons diagnosed with a primary invasive tumour for all combined primary sites of cancer (based on the August 2006 CCR tabulation file)

Cancer incidence refers to new primary sites of malignant neoplasms. The Canadian Cancer Registry (CCR) is a dynamic database that can be updated with new records or changes to previous records, therefore, the incidence counts may vary from one release to the next.

The 95% confidence interval (CI) illustrates the degree of variability associated with a rate. Wide confidence intervals indicate high variability, thus, these rates should be interpreted and compared with due caution.

Table 3 New cases for ICD-O-3 primary sites of cancer (based on the August 2006 CCR tabulation file)

World Health Organization, International Classification of Diseases for Oncology, Third Edition (ICD-O-3) and the International Agency for Research on Cancer (IARC) rules for determining multiple primaries sites.

Cancer incidence refers to new primary sites of malignant neoplasms. The Canadian Cancer Registry (CCR) is a dynamic database that can be updated with new records or changes to previous records, therefore, the incidence counts may vary from one release to the next.

The table was prepared using the Surveillance, Epidemiology and End Results (SEER) Groups for Primary Site based on International Classification of Diseases for Oncology, Third Edition (ICD-O-3). Included are all invasive sites and in situ for bladder.

Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.

The Canadian Council of Cancer Registries (CCCR) Data Quality Committee has requested that morphology types M-8000 to M-8004 and M-8010 to M-8045 be included in "Other skin" (C44.0 to C44.9).

Cancer incidence rates are age-standardized using the direct method and the 1991 Canadian Census population structure.

The confidence intervals for the age-standardized cancer incidence rates were produced using the Spiegelman method. Reference: Spiegelman M. "Introduction to Demography", Revised Edition, Cambridge, Massachusetts: Harvard University Press, 1968, page 113, Formula 4.29.

The 95% confidence interval (CI) illustrates the degree of variability associated with a rate. Wide confidence intervals indicate high variability, thus, these rates should be interpreted and compared with due caution.

Appendix I

Cancer sites

List of cancer sites for cancer cases diagnosed in Canada, International Classification of Diseases for Oncology, Third Edition (ICD-O-3) names and codes¹

Primary sites	ICD-O-3 codes
Lip	C00.0 to C00.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Tongue	C01.9 to C02.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Major salivary glands	C07.9 to C08.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Floor of mouth	C04.0 to C04.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Gum and other mouth	C03.0 to C03.9, C05.0 to C05.9, C06.0 to C06.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Nasopharynx	C11.0 to C11.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Oropharynx	C10.0 to C10.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Hypopharynx	C12.9, C13.0 to C13.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Other buccal cavity and pharynx	C09.0 to C09.9, C14.0, C14.2 to C14.8 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Esophagus	C15.0 to C15.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Stomach	C16.0 to C16.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Small intestine	C17.0 to C17.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)

1. **Source:** World Health Organization, *International Classification of Diseases for Oncology, Third Edition (ICD-O-3)*, and *Surveillance, Epidemiology, and End Results Program (SEER)*.

Colon excluding rectum	C18.0 to C18.9, C26.0 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Rectum and rectosigmoid	C19.9, C20.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Anus	C21.0 to C21.2, C21.8 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Liver	C22.0 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Gallbladder	C23.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Pancreas	C25.0 to C25.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Other digestive system	C22.1, C24.0 to C24.9, C26.8 to C26.9, C48.0, C48.1 to C48.2, C48.8 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Larynx	C32.0 to C32.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Lung and bronchus	C34.0 to C34.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Other respiratory system	C30.0 to C30.1, C31.0 to C31.9, C33.9, C38.1 to C38.3, C38.4, C38.8, C39.0, C39.8, C39.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Bones and joints	C40.0 to C41.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Soft tissue (including heart)	C38.0, C47.0 to C47.9, C49.0 to C49.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Melanomas of the skin	C44.0 to C44.9, M-8720 to M-8790
Other skin	C44.0 to C44.9 (Excluding morphology types M-8050 to M-8084, M-8090 to M-8110, M-8720 to M-8790, M-9050 to M-9055, M-9140, M-9590 to M-9989.)
Breast	C50.0 to C50.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Cervix uteri	C53.0 to C53.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Corpus uteri	C54.0 to C54.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)

Uterus, not otherwise specified	C55.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Ovary	C56.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Other female genital system	C51.0 to C51.9, C52.9, C57.0 to -C58.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Prostate	C61.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Testis	C62.0 to C62.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Penis	C60.0 to C60.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Other male genital system	C63.0 to C63.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Bladder (including in situ)	C67.0 to C67.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Kidney and renal pelvis	C64.9, C65.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Ureter	C66.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Other urinary system	C68.0 to C68.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Eye	C69.0 to C69.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Brain	C71.0 to C71.9 (Excluding morphology types M-9530 to M-9539, M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Other nervous system	C71.0 to C71.9, M-9530 to M-9539; C70.0 to C70.9, C72.0 to C72.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Thyroid	C73.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Other endocrine	C37.9, C74.0 to C74.9, C75.0 to C75.9 (Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.)
Hodgkin's disease	M-9650 to M-9667
Non-Hodgkin's lymphomas	M-9590 to M-9596, M-9670 to M-9719, M-9727 to M-9729; M- 9823, all sites except C42.0, C42.1, C42.4; M-9827, all sites except C42.0, C42.1, C42.4

Multiple myeloma	M-9731, M-9732, M-9734
Acute lymphocytic leukemia	M-9826, M-9835 to M-9837
Chronic lymphocytic leukemia	C42.0, M-9823; C42.1, M-9823; C42.4, M-9823
Acute myeloid leukemia	M-9840, M-9861, M-9866, M-9867, M-9871 to M-9874, M-9895 to M-9897, M-9910, M-9920
Chronic myeloid leukemia	M-9863, M-9875, M-9876, M-9945, M-9946
Other leukemias	M-9733, M-9742, M-9800, M-9801, M-9805, M-9820, M-9831, M-9832 to M-9834, M-9860, M-9870, M-9891, M-9930, M-9931, M-9940, M-9948, M-9963, M-9964; C42.0, M-9827; C42.1, M-9827; C42.4, M-9827
Other, ill-defined and unknown sites	C42.0 to C42.4, M-8000 to M-9049, M-9056 to M-9139, M-9141 to M-9589; C76.0 to C76.8, M-8000 to M-9049, M-9056 to M-9139, M-9141 to M-9589; C77.0 to C77.9, M-8000 to M-9049, M-9056 to M-9139, M-9141 to M-9589; C80.9, M-8000 to M-9049, M-9056 to M-9139, M-9141 to M-9589; M-9740, M-9741, M-9750 to M-9758, M-9760 to M-9769, M-9950 to M-9962, M-9970 to M-9989
Mesothelioma	M-9050 to M-9055
Kaposi sarcoma	M-9140