

Gouvernement du Canada

Canadian General Standards Board Office des normes générales du Canada



Canadian General Standards Board

Catalogue 2010

Également disponible en français















Ordering Standards

This PDF catalogue is produced annually by the Canadian General Standards Board and contains all CGSB standards current on January 1, 2010.

Regulations, codes and other documents may reference standards by a specific date, which may not be the latest issue. Therefore, when ordering, please specify the edition you require. If the client does not specify a dated edition, the CGSB will provide the latest version.

Orders placed by fax or mail should always be confirmed by phone. Our Sales Agent will be happy to verify the details of your order.

By Internet

www.ongc-cgsb.gc.ca

By Telephone

819-956-0425 or 1-800-665-2472

By Email

ncr.cgsb-ongc@pwgsc.gc.ca

By Mail

Sales Centre Canadian General Standards Board 11 Laurier Street Gatineau, Canada K1A 1G6

By Fax

819-956-5740

Surcharges

Prices listed in this catalogue are in Canadian dollars. All prices are subject to change without notice.

Taxes are not included in the listed prices. Clients can obtain full price information when ordering.

Purchased CGSB standards are shipped by courier. Shipping costs depend on your requested delivery time and the price of your order.

Notice to Readers

The CANADIAN GENERAL STANDARDS BOARD (CGSB) encourages the widest possible distribution of this catalogue. The CGSB therefore authorizes its reproduction, including storing it in retrieval system and transmission in any form or by any means, including photocopying, electronic, mechanical or otherwise, without prior written permission of the CGSB.

For all other CGSB publications, all rights are reserved. No part of any other CGSB publication, including standards and related documents, conformity assessment program lists, or government forms (GC forms), may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means (photocopying, electronic, mechanical, recording, or otherwise) without prior written permission of the CGSB. For more information on obtaining photocopying or reprinting rights, please call the CGSB at 1-800-665-2472 or 819-956-0425.

This publication was prepared by the CGSB and published under the authority of the Minister of Public Works and Government Services Canada.

© HER MAJESTY THE QUEEN IN RIGHT OF CANADA, as represented by the Minister of Public Works and Government Services, the Minister responsible for the Canadian General Standards Board, (2010).

CGSB 2010 Catalogue P27-2010E-PDF ISBN 978-1-100-14291-3 ISSN 1484-1738

Using the Catalogue

Organization of the Catalogue

The publications listed in this catalogue are organized in two sections:

- Standards Numerical Index (see p. 1);
- Government of Canada (GC) Forms (prepared by the CGSB) (see p. 30).


The Standards Numerical Index lists our standards numerically by product and service and includes:

- document title:
- date of publication of the latest issue and its price; and
- the latest amendment, if any, and its price.

Standard and Specification Identification

Several elements are included in the numerical designation of a standard or specification. For instance, the designation numbers:

CAN/CGSB-171.100-2009, CGSB-192.2-2009, 3-GP-11d and 14.6M contain the following elements:



Some standards and specifications published before January 1, 1992, show an "M" before the year of the latest edition. This indicates that the standard was written using metric (SI) units. Documents published after January 1, 1992, do not include the "M" because they all use metric units.

The letter "P" indicates a provisional standard. Standards are no longer published as provisional standards.

Other Important Terms Related to Standards

Adopted Standard: A standard approved as a National Standard of Canada or CGSB standard by a CGSB standards committee, with any modifications from the standard identified. The adopted standard may be republished or endorsed.

Republished Standard

The standard is published under CGSB cover bearing the designations of the CGSB and of the originating organization with permission of the copyright holder. The preface of an adopted standard contains any variations required for use in Canada.

An example of an adopted, republished standard is CAN/CGSB-4.2 No. 4.1-2008, which is also ISO 22198:2006.

Endorsed Standard

An endorsed standard is not republished as a CGSB document. Endorsed ISO standards are listed in the catalogue in the relevant subject areas.

Extended Standard: An existing standard determined through canvass of committee members and possibly other interested parties, to be technically valid, requiring no changes. Standards are no longer extended.

Reaffirmation of Standards: The declaration that an existing standard continues to be valid as is and that it still conforms to the requirements of a CGSB or National Standard of Canada, as applicable.

Time-dated Standard: A standard that has passed the systematic review date, usually five years after publication. The date of publication of the standard, or the date of the most recent technical amendment if the amendment includes a full review of the standard, is the latest date of the standard. This date is used to calculate the period for systematic review.

Conformity Assessment Services

The notation "CPL" following the standard title indicates that a CGSB Certification Program exists for this standard.

The notation "QPL" following the standard title indicates that a CGSB Qualification Program exists for this standard.

Lists of qualified or certified products and their suppliers are available on our Web site at www.ongc-cgsb.gc.ca.

| | Number | Title | 8 | Standa | ırd | An | nendn | nent |
|------------|---|---|--------------|----------|----------------|-----|------------|-------------|
| | | | Late Issu | | Price \$ | | est ndt | Price \$ |
| | | PAINTS, PIGMENTS AND RELATED PRODUCTS | | | | | | |
| (| CAN/CGSB-1.2-98 | Boiled Linseed Oil | Aug | 98 | 35.50 | | | |
| (1) | CAN/CGSB-1.4-2000 CAN/CGSB-1.5-M91 | Petroleum Spirits Thinner QPL Low Flash Petroleum Spirits Thinner (Reaffirmation of | Sep | 00 | 35.50 | | | |
| 4 | CAN/CGSB-1.28-98 | December 1991) Exterior Alkyd House Paint QPL | Mar Sep | 99 98 | 35.50 35.50 | | | |
| • | CAN/CGSB-1.26-96 CAN/CGSB-1.36-97 | General Purpose Interior Alkyd Varnish | May | 97 | 35.50 | | | |
| • | CAN/CGSB-1.38-2000 | Interior Enamel Undercoater QPL | Apr | 00 | 35.50 | | | |
| 4 | CAN/CGSB-1.40-97 | Anticorrosive Structural Steel Alkyd Primer | Nov | 97 | 35.50 | | | |
| ⊕ | CAN/CGSB-1.57-2003 | Interior Alkyd Semigloss Enamel QPL | Sep | 03 | 35.50 | | | |
| 4 | CAN/CGSB-1.59-97 | Alkyd Exterior Gloss Enamel QPL | Nov | 97 | 35.50 | | | |
| 4 | CAN/CGSB-1.60-97 | Interior Alkyd Gloss Enamel QPL | May | 97 | 35.50 | | | |
| # | CAN/CGSB-1.61-2004 | Exterior and Interior Marine Alkyd Enamel QPL | May | 04 | 45.00 | | | |
| (1) | CAN/CGSB-1.69-98 | Aluminum Paint | Sep | 98 | 35.50 | | | |
| 9 | CAN/CGSB-1.70-99 | High-Solvency Thinner | Aug | 99 | 35.50 | | | |
| ⊕⊔ | 1-GP-71 1-GP-71 | Methods of Testing Paints and Pigments (Issue of August 1974 reprinted, incorporating amendments 1 to 12 and Supplement 1) Methods of Testing Paints and Pigments | Oct | 83 | 83.50 63.50 | Mar | 95 | 45.00 |
| | # 5-96 | Drying Times of Paints and Related Coatings | May | 96 | 35.50 | | | |
| | 4 38-96 | Blushing Resistance of Lacquer Finishes | May | 96 | 24.00 | | | |
| | 4 73-96 | Beilstein Test for Chlorinated Solvents | May | 96 | 24.00 | | | |
| (4) | CAN/CGSB-1.73-97 | Exterior and Interior Enamel for Floors | Nov | 97 | 35.50 | | | |
| 4 | CAN/CGSB-1.74-2001 | Alkyd Traffic Paint QPL | Mar | 01 | 35.50 | May | 03 | 9.50 |
| ⊕ | CAN/CGSB-1.76-2000 | Interior and Exterior Heat-Resistant Enamel | Apr | 00 | 35.50 | , | | |
| 4 | CAN/CGSB-1.81-M90 | Air Drying and Baking Alkyd Primer for Vehicles and Equipment | May | 90 | 35.50 | | | |
| 4 | CAN/CGSB-1.84-M91 | Alkyd Primer for Hardwood | May | 91 | 35.50 | | | |
| 4 | CAN/CGSB-1.88-92 | Gloss Alkyd Enamel, Air Drying and Baking | Nov | 92 | 35.50 | | | |
| 4 | CAN/CGSB-1.100-99 | Interior Flat Latex Paint QPL | Nov | 99 | 35.50 | | | |
| (1) | CAN/CGSB-1.104-M91 | Semigloss Alkyd Air Drying and Baking Enamel | Dec | 91 | 35.50 | | | |
| (1) | CAN/CGSB-1.105-M91 | Quick-Drying Primer | Dec | 91 | 35.50 | | | |
| (1) | CAN/CGSB-1.110-M91 | General Purpose Thinner for Lacquers | May | 91 | 45.00 | | | |
| (4) | CAN/CGSB-1.114-M91 CAN/CGSB-1.118-95 | Quick-Drying Flat EnamelInterior Flat Alkyd Finish QPL | May Dec | 91 95 | 45.00 35.50 | Jan | 97 | 8.50 |
| • | CAN/CGSB-1.110-93 | Interior Latex Primer-Sealer QPL | Apr | 00 | 35.50 | Jan | 91 | 0.50 |
| (| CAN/CGSB-1.119-2000 CAN/CGSB-1.122-99 | Anticorrosive Vinyl Primer | July | 99 | 45.00 | | | |
| • | CAN/CGSB-1.123-92 | Vinyl Antifouling Paint for Ships' Bottoms | July | 92 | 35.50 | Sep | 98 | 8.50 |
| (4) | CAN/CGSB-1.124-99 | Thinner for Vinyl Coatings | May | 99 | 35.50 | | | |
| 4 | CAN/CGSB-1.132-M90 | Zinc Chromate Primer, Low Moisture Sensitivity | Oct | 90 | 35.50 | | | |
| ⊕ | CAN/CGSB-1.135-99 | Flat Alkyd Enamel for Equipment | Sep | 99 | 35.50 | | | |
| ⊕ | CAN/CGSB-1.136-92 | Antiblush Thinner for Cellulose Nitrate Lacquer | Sep | 92 | 35.50 | | | |
| 4 | CAN/CGSB-1.138-97 | Exterior Latex Flat Paint QPL | Dec | 97 | 35.50 | | | |
| ⊕ | CAN/CGSB-1.143-98 | Silicone Alkyd Heat-Resistant Aluminum Enamel | Sep | 98 | 35.50 | | | |
| (4) | CAN/CGSB-1.145-97 | Solvent-Based Pigmented Stain QPL | May | 97 | 35.50 | | | |
| (4) | CAN/CGSB-1.146-99 | Cold Curing, Gloss Epoxy Coating | Sep | 99 | 35.50 | | | |
| (1) | CAN/CGSB-1.150-M91 | Clear Lacquer for Wood Furniture | May | 91 | 45.00 | | | |
| (H) | CAN/CGSB-1.153-2000 CAN/CGSB-1.154-M89 | High-Build, Gloss Epoxy CoatingLatex Type Paint for Concrete Floors | Apr Nov | 00 89 | 35.50 35.50 | | | |
| • | CAN/CGSB-1.154-M89 | Cellulose Nitrate Primer, Modified Alkyd Type | Dec | 89 | 35.50 | | | |
| 4 | CAN/CGSB-1.159-92 | Acrylic Cellulose Nitrate Gloss Lacquer | Nov | 92 | 45.00 | | | |
| (4) | CAN/CGSB-1.160-93 | Low Gloss Acrylic Cellulose Nitrate Lacquer | Oct | 93 | 45.00 | | | |
| • | CAN/CGSB-1.162-2004 | Emulsion Coating for Stucco and Masonry QPL | May | 04 | 35.50 | | | |
| (1) | CAN/CGSB-1.164-99 | Solvent for Vinyl Pretreatment Coating | Sep | 99 | 35.50 | | | |
| 4 | CAN/CGSB-1.165-2004 | Cold-Curing Epoxy Primer | May | 04 | 35.50 | | | |
| ⊕ | CAN/CGSB-1.171-98 | Inorganic Zinc Coating | Dec | 98 | 45.00 | | | |
| (1) | CAN/CGSB-1.175-97 | Polyurethane Interior Coating | May | 97 | 35.50 | | | |
| (1) | CAN/CGSB-1.176-2000 | Interior Clear Moisture-Curing Polyurethane Coating | Apr | 00 | 35.50 | | | |
| 4 | CAN/CGSB-1.177-M91 | Two-Component Polyurethane Coating, Resistant to Chalking and Yellowing (Extension of December 1991) | Dec | 96 | 45.00 | | | |
| 4 | 1-GP-180Ma | Coating, Polyurethane, Two-Package, General Purpose (Extension of October 1982) | Feb | 96 | 35.50 | | | |

Time-dated standard.
 QPL Indicates a qualification program.
 Separate English and French Editions.



| | Number | Title | s | tanda | ırd | An | nendn | nent |
|------------|--|---|---------------|----------|----------------|-------|-------------|-------------|
| | | | Late: Issu | | Price \$ | | test mdt | Price \$ |
| | | PAINTS, PIGMENTS AND RELATED PRODUCTS | | | | | | |
| 4 | CAN/CGSB-1.181-99 | Ready-Mixed Organic Zinc-Rich Coating | June | 99 | 35.50 | | | |
| (1) | CAN/CGSB-1.183-99 | Zinc-Rich Epoxy Coating | Dec | 99 | 45.00 | | | |
| (1) | CAN/CGSB-1.184-98 | Coal Tar-Epoxy Coating | Aug | 98 | 45.00 | | | |
| () | CAN/CGSB-1.188-2004 CAN/CGSB-1.189-2000 | Emulsion Filler for Masonry Block QPL Exterior Alkyd Primer for Wood QPL | Jan Anr | 04 00 | 35.50 35.50 | | | |
| (1) | CAN/CGSB-1.199-2000 CAN/CGSB-1.190-M90 | Sanding Type Primer Surfacer | Apr Apr | 90 | 35.50 | | | |
| _ | 1-GP-191M | Enamel, Automotive Refinishing, Fast Drying, Gloss | Apr | 80 | 35.50 | Mar | 81 | 8.50 |
| (| 1-GP-192Ma | Deck Coating, Nonslip, Epoxy | Feb | 85 | 35.50 | iviai | 01 | 0.50 |
| (4) | CAN/CGSB-1.193-99 | High-Build Epoxy Marine Coating. | Nov | 99 | 45.00 | | | |
| • | CAN/CGSB-1.195-99 | Interior Latex Semigloss Paint QPL | Sep | 99 | 35.50 | | | |
| ⊕ | CAN/CGSB-1.198-2001 | Cementitious Primer for Galvanized Surfaces | Feb | 01 | 35.50 | | | |
| 4 | 1-GP-200Ma | Deck Coating, Nonslip, Polyurethane | Jan | 85 | 35.50 | | | |
| ⊕ | CAN/CGSB-1.202-2003 | Interior Alkyd Low Gloss Enamel QPL | Sep | 03 | 35.50 | | | |
| 4 | CAN/CGSB-1.203-2003 | Exterior Latex Wood Primer | Sep | 03 | 35.50 | | | |
| 4 | CAN/CGSB-1.204-98 | Exterior Latex Pigmented Stain QPL | Oct | 98 | 35.50 | | | |
| 4 | CAN/CGSB-1.205-2003 | Sealer for Application to Asbestos-Fibre Releasing Materials QPL | Sep | 03 | 35.50 | | | |
| 4 | CAN/CGSB-1.207-98 | Low-Temperature Curing Epoxy Coating | Oct | 98 | 45.00 | | | |
| ⊕ | CAN/CGSB-1.208-99 | Marine Interior Water-Borne Gloss Enamel | Apr | 99 | 35.50 | | | |
| (1) | CAN/CGSB-1.209-2003 | Interior Latex Low Gloss Paint QPL | Sep | 03 | 35.50 | | | |
| (1) | CAN/CGSB-1.210-2003 | Quick-Drying Alkyd Primer for Structural Steel | Apr | 03 | 35.50 | Гаь | 00 | 0.50 |
| (1) | CAN/CGSB-1.211-95 CAN/CGSB-1.212-2004 | Coating Systems for Marine Floating Navigational Aids (Buoys) Heavy-Metal-Free Marine Primer for Steel and Light-Alloy Surfaces QPL | May May | 95 04 | 45.00 35.50 | Feb | 99 | 8.50 |
| 4 | CAN/CGSB-1.213-2004 | Etch Primer (Pretreatment Coating or Tie Coat) for Steel and Aluminum | May | 04 | 45.00 | | | |
| • | CAN/CGSB-1.214-2004 | Heavy-Metal-Free, Water-Borne, Marine Primer for Steel and Light- Alloy Surfaces | July | 04 | 35.50 | | | |
| 4 | CAN/CGSB-1.215-96 | Two-Package Epoxy Blockfiller | Nov | 96 | 35.50 | | | |
| (1) | CAN/CGSB-1.216-97 | Exterior Water-Borne Gloss Enamel | May | 97 | 35.50 | | | |
| ⊕ | CAN/CGSB-1.219-2001 | Lead and Chromate-Free Waterborne Traffic Paint | Mar | 01 | 35.50 | May | 03 | 9.50 |
| 4 | CAN/CGSB-1.220-2001 | Lead and Chromate-Free Alkyd Traffic Paint | Mar | 01 | 35.50 | May | 03 | 9.50 |
| (1) | CAN/CGSB-1.223-2004 CAN/CGSB-1.300-2000 | Heavy-Metal-Free, Water-Borne Wash Primer-Tie Coat Applied Coating System of Semigloss Baked Finish for Metal Office | May | 04 | 35.50 | | | |
| ФП | CAN/CCSB 1 500 75 | Furniture | Apr | 00 | 35.50 | | | |
| ⊕ □ | CAN/CGSB-1.500-75 | Methods of Test for Toxic Trace Elements in Protective Coatings (Reprint of July 1975) | Aug | 84 | 45.00 | | | |
| ⊕■• | CAN/CGSB-1.501-M89 | Method for Permeance of Coated Wallboard QPL | Feb | 89 | 35.50 | | | |
| | 5,44,6565 1.661 Med | modes of a singulation of course managed at 2 | . 00 | 00 | 00.00 | | | |
| | | SOAPS AND DETERGENTS | | | | | | |
| (1) | CAN/CGSB-2.1-96 | Skin Cleaning Lotion | Oct | 96 | 35.50 | | | |
| (1) | CAN/CGSB-2.5-93 | Toilet Soap | June | 93 | 35.50 | | | |
| | CAN/CGSB-2.9-97 | Scouring Powder | Jan | 97 | 35.50 | | | |
| ⊕ □ | | Methods of Sampling and Testing Soaps and Detergents | Oct | 94 | 71.00 | | | |
| ⊕ | CAN/CGSB-2.16-94 | Waterless Hand Cleaner | Sep | 94 | 35.50 | | | |
| (1) | CAN/CGSB-2.19-96 | Hand Dishwashing Compound | Oct | 96 | 35.50 | | | |
| (1) | CAN/CGSB-2.20-94 | Machine Dishwashing Compound | Dec | 94 | 45.00 | | | |
| (P) | CAN/CGSB-2.22-97 | Concentrated Dishwashing Rinse Additive | Jan | 97 05 | 45.00 | | | |
| 9 | CAN/CGSB-2.34-95 CAN/CGSB-2.42-97 | Guide to the Selection and Use of Soaps and Detergents Stain Remover for Tableware | Sep | 95 97 | 49.00 35.50 | | | |
| 9 | CAN/CGSB-2.42-97 CAN/CGSB-2.43-93 | Scale-Removing Compound for Lime Deposits | Jan May | 93 | 35.50 35.50 | | | |
| (| CAN/CGSB-2.46-95 | Toilet Bowl and Urinal Cleaning Compound | June | 95 95 | 35.50 | | | |
| • | CAN/CGSB-2.47-94 | Toilet Bowl Cleaning Compound (Granular or Crystalline) | July | 94 | 35.50 | | | |
| 4 | CAN/CGSB-2.49-94 | Alkali Drain Cleaner | Oct | 94 | 35.50 | | | |
| (| CAN/CGSB-2.55-97 | Glass Cleaner | Jan | 97 | 35.50 | | | |
| (1) | CAN/CGSB-2.60-92 | Remover for Water-Emulsion Floor Polish and Wax | Nov | 92 | 35.50 | Apr | 95 | 8.50 |
| • | CAN/CGSB-2.107-92 | General Purpose Built Liquid Detergent | Sep | 92 | 35.50 | • | | |
| | | | | | | | | |

Time-dated standard.
 QPL Indicates a qualification program.
 Separate English and French Editions.
 Referenced in the National Building Code of Canada.
 Referenced in the National Housing Code.

| Number | Title | 5 | Stand | ard | Ar | nendn | nent |
|---|---|--|----------------------------------|---|--------------------|----------------|------------------------|
| | | Late Issu | | Price \$ | | test mdt | Price \$ |
| | SOAPS AND DETERGENTS | | | | | | |
| CAN/CGSB-2.112-92 CAN/CGSB-2.115-95 CAN/CGSB-2.141-92 CAN/CGSB-2.160-95 CAN/CGSB-2.161-97 | Remover for Water-Emulsion Floor Polish Built Powder Laundry Detergent | Oct Aug Oct Sep Aug May | 92 95 92 95 97 93 | 35.50 35.50 35.50 35.50 35.50 | | | |
| ⊕ CAN/CGSB-2.180-94 | Carpet and Upholstery Shampoo | Nov | 94 | 35.50 | | | |
| | PETROLEUM AND RELATED PRODUCTS | | | | | | |
| CAN/CGSB-3.0 ① 14.3-99 | Methods of Testing Petroleum and Associated Products Standard Test Method for the Identification of Hydrocarbon Components in Automotive Gasoline Using Gas | I | 00 | 474.00 | F-' | 0.4 | 40.50 |
| 15.0-2002 | Chromatography Standard Test Method for the Determination of Aromatic Hydrocarbons by their Ring Number in Petroleum Middle | June | | 119.50 | Feb | 04 | 10.50 |
| ⊕ 16.0-2004 | Distillates by Supercritical Fluid Chromatography Sulphur in Diesel Fuel and Similar Middle Distillates by Energy Dispersive X-Ray Fluorescence Spectrometry (EDXRF) | Sep July | 02 04 | 45.00 45.00 | Feb | 04 | 10.50 |
| 18.5-2006 | Test for Ethyl Mercaptan Odorant in Propane, Field Method Determination of Lead in Automotive Gasoline (Atomic | Apr | 06 | 45.00 | | | |
| 20.9-2005 28.8-2007 140.1-2005 | Absorption) CGSB Cetane Index of Diesel Fuels Visual Haze Rating of Distillate Fuel Oils Low Temperature Flow Test (LTFT) for Diesel Fuels | Feb July July July | 04 05 07 05 | 35.50 35.50 45.00 45.00 | | | |
| CAN/CGSB-3.2-2007 CAN/CGSB-3.3-2007 CAN/CGSB-3.5-2004 | Heating Fuel Oil | July July Nov | 07 07 04 | 45.00 45.00 49.00 | Apr | 07 | 35.50 |
| CAN/CGSB-3.6-20003-GP-11dCAN/CGSB-3.14-2006 | Regular Sulphur Diesel Fuel Naval Distillate Fuel Liquefied Petroleum Gas (Propane) for Fuel Purposes | Dec Nov June | 00 02 06 | 49.00 45.00 49.00 | Sep Sep | 04 04 | 35.50 9.50 |
| CAN/CGSB-3.16-99CAN/CGSB-3.18-2000CAN/CGSB-3.22-2002 | Mining Diesel Fuel Diesel Fuel for Locomotive-Type Medium-Speed Diesel Engines Wide-Cut Type Aviation Turbine Fuel | Feb Dec July | 99 00 02 | 49.00 49.00 45.00 | Apr Sep July | 01 04 04 | 9.50 10.50 10.50 |
| CAN/CGSB-3.23-2009 CGSB-3.24-2008 CAN/CGSB-3.27-2005 | Aviation Turbine Fuel (Grades JET A and JET A-1) Aviation Turbine Fuel (Military Grades F-34 and F-44) Naphtha Fuel | Jan Nov Aug | 09 08 05 | 49.00 49.00 35.50 | | | |
| 3-GP-36Mb3-GP-44Mb3-GP-357c | Petroleum Hydraulic Fluid, Inhibited Refrigerant Compressor Lubricating Oil, Uninhibited Steam Turbine Lubricating Oils | Dec Dec Dec | 90 90 96 | 35.50 35.50 35.50 | | | |
| CAN/CGSB-3.511-2005 CAN/CGSB-3.517-2007 CAN/CGSB-3.520-2005 | Oxygenated Unleaded Automotive Gasoline Containing Ethanol Automotive (On-road) Diesel Fuel | Sep July | 05 07 | 55.00 55.00 | Apr | 07 | 35.50 |
| ① 3-GP-525Ma ① 3-GP-531M ② CAN/CGSB-3.532-M85 ② 3-GP-664c | Biodiesel Esters (B1– B5) | Apr Sep Sep Nov | 05 88 82 85 | 55.00 35.50 35.50 35.50 | Apr | 07 | 45.00 |
| ① 3-GP-691c | No. 2) General Purpose Grease | Sep Aug | 95 95 | 35.50 35.50 | | | |
| 3-GP-855MCAN/CGSB-3.890-M83 CAN/CGSB-3.1000-2007 | Ethylene Glycol, Uninhibited Coolant Concentrate, Automotive Engine | Oct May July | 79 83 07 | 24.00 35.50 96.50 | | | |
| ① CAN/CGSB-3.1010-93 | Re-Refined Base Oils | Nov | 93 | 45.00 | | | |

① Time-dated standard.



| | Number | Title | 8 | Stand | ard | An | nendn | nent |
|------------|-----------------------------|--|--------------|-------|-------------|-----|-------------|-------------|
| | | | Late Issu | | Price \$ | | test mdt | Price \$ |
| | | PETROLEUM AND RELATED PRODUCTS | | | | | | |
| | ISO 8216-1: 1996 | Petroleum Products — Fuels (class F) — Classification — Part 1: | | | | | | |
| | ISO 8217: 1996 | Categories of Marine Fuels (Endorsed standard) Petroleum Products — Fuels (class F) — Specifications of Marine Fuels (Endorsed standard) | | | | | | |
| | | TEXTILES | | | | | | |
| | CAN/CGSB-4.2 | Textile Test Methods | | | 1643.50 | | | |
| (4) | 0-2001 | Moisture Regain Values, SI Units Used in CAN/CGSB-4.2 and Fibre, Yarn, Fabric, Garment and Carpet Properties | May | 01 | 45.00 | | | |
| ⊕ | 1-M87 | Precision and Accuracy of Measurements (Reaffirmation of December 1987) | Apr | 02 | 45.00 | | | |
| • | 2-M88 | Conditioning Textile Materials for Testing (Reaffirmation of February 1988) | May | 01 | 24.00 | | | |
| • | 3-M88 | Determination of Moisture in Textiles (Reaffirmation of March | | 02 | 24.00 | | | |
| | 4.1-2008/ | 1988) Textiles — Fabrics — Determination of Width and | Apr | | | | | |
| | ISO 22198:2006 4.3-M87 | LengthBootlaces and Shoelaces — Measurement of Length | Feb | 80 | 60.00 | | | |
| | 4.4-M87 | (Reaffirmation of December 1998) Determination of Length of Yarns and Threads (Reaffirmation of | Feb | 80 | 24.00 | | | |
| (| 4.5-M86 | November 1998) Retail Packages of Yarn — Determination of Mass (Reaffirmation | Feb | 80 | 45.00 | | | |
| 4 | E 1 MOO | of August 1986) | Apr | 04 | 35.50 | | | |
| • | 5.1-M90 5.2-M87 | Unit Mass of Fabrics (Reaffirmation of July 1990) Linear Density of Yarns in SI Units (Reaffirmation of December | Apr | 04 | 35.50 | | | |
| (1) | 6-M89/ | 1987) Textiles — Woven Fabrics — Construction — Methods of | Mar | 03 | 24.00 | | | |
| | ISO 7211/2:1984 | Analysis — Part 2: Determination of Number of Threads per Unit Length | Sep | 89 | 60.50 | May | 00 | 8.50 |
| 4 | 7-M88 | Knitted Fabric Count — Wales and Courses per Centimetre (Reaffirmation of February 1988) | May | 01 | 24.00 | • | | |
| (1) | 8.1-M89/ ISO 7211/4:1984 | Textiles — Woven Fabrics — Construction — Methods of Analysis — Part 4: Determination of Twist in Yarns Removed | , | | | | | |
| | 130 7211/4.1904 | from Fabric (Reaffirmation of December 1989) | Apr | 04 | 45.50 | | | |
| 4 | 8.2-2004/ | Textiles — Determination of Twist in Yarns — Direct Counting | D | 0.4 | 04.50 | | | |
| (| ISO 2061:1995 8.3-M89/ | Method Textiles — Designation of the Direction of Twist in Yarns and | Dec | 04 | 81.50 | | | |
| _ | ISO 2:1973 | Related Products (Reaffirmation of December 1989) | Apr | 04 | 45.50 | | | |
| 4 | 9.1-M90 | Breaking Strength of Fabrics — Strip Method — Constant-time- | • | 0.4 | 05.50 | | | |
| 4 | 9.2-M90 | to-break Principle (Reaffirmation of May 1990) | Apr | 04 | 35.50 | | | |
| • | 9.3-M90 | to-break Principle (Reaffirmation of June 1990) | Apr | 04 | 35.50 | | | |
| | | break Principle (Reaffirmation of April 1990) | Apr | 04 | 45.00 | | | |
| • | 9.4-M91 | Breaking Strength of Yarns — Single Strand Method (Reaffirmation of November 1991) | Apr | 04 | 45.00 | | | |
| ⊕ | 9.5-M89 | Breaking Strength of Yarns — Skein Method (Reaffirmation of November 1989) | Apr | 04 | 35.50 | | | |
| 4 | 9.6-93 | Breaking Strength of Nonwoven Textiles (Extension of April 1993) | June | 00 | 45.00 | | | |
| • | 10-M87 | Elongation (Reaffirmation of May 1987) | Nov | 98 | 24.00 | | | |
| • | 11.1-94 | Bursting Strength — Diaphragm Pressure Test (Extension of May 1994) | June | 00 | 35.50 | | | |
| ⊕ | 11.2-M89 | Bursting Strength — Ball Burst Test (Reaffirmation of September 1989) | Nov | 04 | 24.00 | | | |
| 4 | 12.1-M90 | Tearing Strength — Single-Rip Method (Reaffirmation of June 1990) | Nov | 04 | 45.00 | Nov | 04 | 8.50 |
| 4 | 12.2-95 | Tearing Strength — Trapezoid Method | June | 95 | 45.00 | May | 00 | 8.50 |
| | 12.3-2005/ | Textiles — Tear Properties of Fabrics — Part 1: Determination of | | | | | | |
| | ISO 13937-1:2000 | Tear Force Using Ballistic Pendulum Method (Elmendorf) (ISO 13937-1:2000, IDT) | Apr | 05 | 81.50 | | | |
| <u></u> | Time dated atondered | | | | | | | |

① Time-dated standard.



| | Number | Title | 8 | Standa | ard | Ar | nendr | nent |
|------------|------------------------------|---|--------------|----------------|----------------|-----|-------------|-------------|
| | | | Late Issu | | Price \$ | | test mdt | Price \$ |
| | | TEXTILES | | | | | | |
| | CAN/CGSB-4.2 | Textile Test Methods | | | | | | |
| | 14-2005 | Quantitative Analysis of Fibre Mixtures | Dec | 05 | 71.00 | | | |
| (1) | 15-2003 | Non-Fibrous Materials on Textiles | Sep | 03 | 45.00 | | | |
| • | 18.2-97/ | Textiles — Tests for Colourfastness — Part B01: Colourfastness | _ | 0.7 | 04.50 | | | |
| ₼ | ISO 105-B01:1994 | to Light: Daylight | Dec | 97 | 81.50 | | | |
| 4 | 18.3-97/ ISO 105-B02:1994 | Textiles — Tests for Colourfastness — Part B02: Colourfastness to Artificial Light: Xenon Arc Fading Lamp Test | Dec | 97 | 107.00 | Apr | 02 | 45.00 |
| (| 19.1-2004 | Colourfastness to Washing — Accelerated Test — Launder- | DCC | 51 | 107.00 | Дрі | 02 | 40.00 |
| | 10.1 2001 | Ometer | Aug | 04 | 35.50 | | | |
| (1) | 19.2-2003/ | Textiles — Textiles for Colourfastness — Part C06: | J | | | | | |
| | ISO 105-C06:1994 | Colourfastness to Domestic and Commercial Laundering | Sep | 03 | 61.00 | | | |
| 4 | 20-M89 | Colourfastness to Water (Reaffirmation of September 1989) | Nov | 04 | 24.00 | | | |
| (1) | 21-M90 | Colourfastness to Sea Water (Reaffirmation of July 1990) | Nov | 04 | 24.00 | | | |
| 4 | 22-2004 | Colourfastness to Rubbing (Crocking) | June | 04 | 45.00 | | | |
| (1) | 23-M90 | Colourfastness to Perspiration (Reaffirmation of June 1990) | Nov | 04 | 24.00 | | | |
| 4 | 24-2002 | Colourfastness and Dimensional Change in Commercial | lide | 00 | 40.00 | | | |
| (4) | 25.1-97 | Laundering Dimensional Change in Wetting | July Sep | 02 97 | 49.00 35.50 | | | |
| • | 25.2-M89 | Dimensional Change of Textile Fabrics to Open-Head Steaming | ОСР | 51 | 00.00 | | | |
| | 20.2 WOO | (Reaffirmation of December 1989) | Nov | 04 | 24.00 | | | |
| (4) | 26.1-M88 | Water Resistance — Static Head Penetration Test (Reaffirmation | | | | | | |
| | | of September 1988) | May | 01 | 24.00 | | | |
| 4 | 26.2-94/ | Textile Fabrics — Determination of Resistance to Surface Wetting | | | | | | |
| | ISO 4920:1981 | (Spray Test) (Reaffirmation of September 1994) | Dec | 03 | 53.00 | | | |
| (1) | 26.3-95/ | Textile Fabrics — Determination of Resistance to Water | | | | | | |
| | ISO 811:1981 | Penetration — Hydrostatic Pressure Test (Reaffirmation of | _ | 00 | 50.00 | | | |
| ₼ | 00 F M00 | February 1995) | Dec | 03 | 53.00 | | | |
| 4 | 26.5-M89 | Water Resistance — High-Pressure Penetration Test (Reaffirmation of January 1989) | Nov | 04 | 24.00 | | | |
| (4) | 27-98 | Burning Behavior — Selection of Methods | May | 98 | 35.50 | | | |
| • | 27.1-94 | Flame-Resistance — Vertical Burning Test (Extension of May | iviay | 50 | 00.00 | | | |
| | | 1994) | June | 00 | 45.00 | | | |
| 1 | 27.2-94 | Flame-Resistance — Surface Burning Test | May | 94 | 45.00 | | | |
| 4 | 27.3-94/ | Textile Fabrics — Burning Behaviour — Measurement of Flame | | | | | | |
| | ISO 6941:1984 | Spread Properties of Vertically Oriented Specimens (Extension | | | | | | |
| ₼ | 27 4 04/ | of December 1994) | June | 00 | 50.50 | | | |
| 4 | 27.4-94/ ISO 6940:1984 | Textile Fabrics — Burning Behaviour — Determination of Ease of Ignition of Vertically Oriented Specimens (Extension of | | | | | | |
| | 130 0340.1304 | December 1994) | June | 00 | 50.50 | | | |
| | 27.5-2008 | Flame Resistance — 45° Angle Test — One Second Flame | ouno | 00 | 00.00 | | | |
| | | Impingement | July | 80 | 45.00 | | | |
| 4 | 27.6-M91 | Flame Resistance — Methenamine Tablet Test for Textile Floor | • | | | | | |
| | | Coverings (Reaffirmation of June 1991) | Nov | 04 | 35.50 | | | |
| (1) | 27.7-M89 | Combustion Resistance of Mattresses — Cigarette Test | Jan | 89 | 45.00 | Apr | 02 | 8.50 |
| • | 27.10-2000 | Flame Resistance — Vertically Oriented Textile Fabric or Fabric | 0 | 00 | 45.00 | | | |
| (1) | 07.44.04/ | Assembly Test | Sep | 00 | 45.00 | | | |
| | 27.11-94/ ISO 10047:1993 | Textiles — Determination of Surface Burning Time of Fabrics (Extension of December 1994) | June | 00 | 73.00 | | | |
| (| 28.1-M91 | Resistance to Micro-organisms — Fungus Damage Test — Pure | Julie | 00 | 73.00 | | | |
| | 20.1 11101 | Culture — Quantitative (Extension of August 1991) | Apr | 97 | 45.00 | | | |
| 4 | 28.2-M91 | Resistance to Micro-organisms — Surface-Growing Fungus Test | | | | | | |
| | | — Pure Culture (Extension of August 1991) | Apr | 97 | 45.00 | | | |
| 4 | 28.4-M91 | Resistance to Micro-organisms — Fungus Damage Test — Pure | | | | | | |
| | | Culture — Qualitative (Extension of August 1991) | Apr | 97 | 45.00 | | | |
| (4) | 29.1-M89 | Colourfastness to Dry Cleaning Solvent (Extension of December | ۸ | ^ - | 04.00 | | | |
| ₼ | 20 M00 | 1989) | Apr | 97 | 24.00 | | | |
| 4 | 30-M90 30.1-M89 | Dimensional Change in Dry Cleaning Effect of Solvents on the Permanence of Textile Finishes | July | 90 | 24.00 | | | |
| | JU. I-IVIUJ | (Reaffirmation of April 1987) | May | 06 | 24.00 | | | |
| 4 | 30.2-M90 | Procedure for the Removal of Non-Permanent Flame-Retardant | ividy | 50 | 2-7.00 | | | |
| _ | | Treatments on Textile Floor Coverings | Jan | 90 | 24.00 | Sep | 97 | 9.50 |
| | | Č | | | | • | | |
| (A) | Time-dated standard | | | | | | | |

[⊕] Time-dated standard.□ Separate English and French Editions.



| | Number | Title | S | Standa | ard | Ar | nendn | nent |
|------------|------------------------------|--|--------------|----------|----------------|-------|-------------|-------------|
| | | | Late Issu | | Price \$ | | test mdt | Price \$ |
| | | TEXTILES | | | | | | |
| 4 | CAN/CGSB-4.2 30.3-94 | Textile Test Methods Procedure for the Removal of Non-Permanent Flame-Retardant | | | | | | |
| _ | | Treatments from Textile Products | June | 94 | 35.50 | Mar | 01 | 9.50 |
| 4 | 31-2004/ | Textiles — Tests for Colourfastness — Part X11: Colourfastness | Doo | 04 | E2 00 | | | |
| 4 | ISO 105-X11:1994 32.1-98 | to Hot PressingResistance of Woven Fabrics to Seam Slippage | Dec June | 04 98 | 53.00 45.00 | | | |
| 4 | 32.2-M89 | Breaking Strength of Seams in Woven Fabrics (Extension of | June | 50 | 45.00 | | | |
| | | January 1989) | Apr | 97 | 24.00 | | | |
| (1) | 33-94 | Methods of Pressing (Extension of June 1994) | June | 00 | 45.00 | | | |
| (1) | 35.1-M90 | Colourfastness to Burnt Gas Fumes (Extension of January 1990). | Apr | 97 | 45.00 | | | |
| (4) | 36-M89 | Air Permeability (Extension of December 1989) | Apr | 97 | 24.00 | | | |
| • | 37-2002 39-2004/ | Fabric Thickness Textiles — Woven Fabrics — Construction — Methods of | July | 02 | 24.00 | | | |
| | ISO 7211/3:1984 | Analysis — Part 3: Determination of Crimp of Yarn in Fabric | Aug | 04 | 53.00 | | | |
| (1) | 41-M91 | Standard Light Sources for Colour Matching of Textiles (Extension | Aug | 04 | 55.00 | | | |
| | | of November 1991) | Apr | 97 | 24.00 | | | |
| (1) | 42-M91 | Copper Content of Textiles (Extension of June 1991) | Apr | 97 | 24.00 | | | |
| 4 | 45-M88 | Textile Fabrics — Determination of the Recovery from Creasing of | | | | | | |
| | | a Horizontally Folded Specimen by Measuring the Angle-of- | | | | | | |
| | | Recovery (Reaffirmation of February 1988) | May | 01 | 24.00 | | | |
| • | 46-96/ | Textiles — Tests for Colourfastness — Part A02: Grey Scale for | D | 00 | 45.50 | | | |
| (4) | ISO 105-A02:1993 47-96/ | Assessing Change in Colour (Reaffirmation of April 1996) Textiles — Tests for Colourfastness — Part A03: Grey Scale for | Dec | 03 | 45.50 | | | |
| | ISO 105-A03:1993 | Assessing Staining (Reaffirmation of April 1996) | Dec | 03 | 45.50 | | | |
| (| 48-M91/ | Wool — Determination of Fibre Diameter — Projection | Dec | 03 | 45.50 | | | |
| | ISO 137:1975 | Microscope Method (Extension of June 1991) | Apr | 97 | 73.00 | | | |
| 4 | 49-99 | Resistance of Materials to Water Vapour Diffusion | Mar | 99 | 49.00 | | | |
| 4 | 51.1-95 | Resistance to Pilling, Rotating Box Method | Nov | 95 | 45.00 | | | |
| 4 | 51.2-M87 | Resistance to Pilling — Random Tumble Pilling Tester (Extension | _ | | | | | |
| • | 50.0.004 | of December 1987) | Apr | 97 | 45.00 | | | |
| • | 52.2-98/ ISO 105-E03:1994 | Textiles — Tests for Colourfastness — Part E03: Colourfastness | ۸۰۰۰ | 00 | 53.00 | | | |
| (| 55-M90 | to Chlorinated Water (Swimming-Pool Water) Loss in Strength and Colour Change of Fabrics Due to Retained | Aug | 98 | 55.00 | | | |
| | 30-W30 | Chlorine (Extension of July 1990) | Apr | 97 | 45.00 | | | |
| 4 | 56.1-M87 | Unidirectional Extension and Recovery Properties of Elastic | | ٠. | .0.00 | | | |
| | | Fabrics (Reaffirmation of December 1987) | Dec | 98 | 45.00 | | | |
| 4 | 57-M90 | Determination of Maximum Safe Ironing Temperature (Extension | | | | | | |
| | | of July 1990) | Apr | 97 | 24.00 | | | |
| (4) | 58-2004 | Dimensional Change in Domestic Laundering of Textiles | Nov | 04 | 45.00 | | | |
| • | 59.1-M88 | Appearance After Repeated Domestic Launderings — Smoothness of Fabrics (Extension of March 1988) | Dec | 93 | 45.00 | Mor | 01 | 8.50 |
| (| 59.2-M88 | Appearance After Repeated Domestic Launderings — Seams | Dec | 93 | 45.00 | iviai | υı | 0.50 |
| | 33.Z-1000 | (Extension of October 1988) | Dec | 93 | 24.00 | Mar | 94 | 8.50 |
| 4 | 59.3-M88 | Appearance After Repeated Domestic Launderings — Pressed- | 200 | | | | ٠. | 0.00 |
| | | in Creases (Extension of December 1988) | Dec | 93 | 45.00 | Mar | 94 | 8.50 |
| 1 | 60-M89 | Resistance to Snagging — Mace Test | Sep | 89 | 45.00 | | | |
| | 63.4-2007/ | Textiles — Determination of Formaldehyde — Part 1: Free and | _ | | | | | |
| | ISO 14184-1:1998 | Hydrolyzed Formaldehyde (Water Extraction Method) | Oct | 07 | 72.00 | | | |
| | 63.5-2007/ | Textiles — Determination of Formaldehyde — Part 2: Released Formaldehyde (Vapour Absorption Method) | Oot | 07 | 04 50 | | | |
| 4 | ISO 14184-2:1998 65-M91 | Determination of Strength of Bonds of Bonded, Laminated and | Oct | 07 | 81.50 | | | |
| | 00-IVI0 I | Fused Fabrics (Extension of June 1991) | Apr | 97 | 45.00 | | | |
| 4 | 66-M91 | Dimensional Change and Appearance After Dry Cleaning of | , .p. | 0. | 10.00 | | | |
| | | Coated Bonded, Laminated and Fused Fabrics (Extension of | | | | | | |
| | | June 1991) | Apr | 97 | 45.00 | | | |
| 4 | 67-M90 | Dimensional Change and Appearance After Laundering of | | | | _ | | |
| • | 00 0004/ | Coated, Bonded, Laminated and Fused Fabrics | Nov | 90 | 45.00 | Sep | 97 | 9.50 |
| ⊕ | 68-2004/ ISO 105-101:1007 | Textiles — Tests for Colourfastness — Part J01: General Principles for Measurement of Surface Colour | lan | 04 | 00 50 | | | |
| | ISO 105-J01:1997 | i inicipies foi ineasurement di sulface coloui | Jan | 04 | 99.50 | | | |
| | | | | | | | | |

① Time-dated standard.



| | Number | Title | 8 | Standa | ard | An | nendn | nent |
|------------|--------------------------------------|---|--------------|----------|----------------|------|-------------|-------------|
| | | | Late Issu | | Price \$ | | test mdt | Price \$ |
| | | TEXTILES | | | | | | |
| | CAN/CGSB-4.2 | Textile Test Methods | | | | | | |
| 4 | 69-M91 | Weather Resistance — Xenon Arc Radiation (Extension of August 1991) | Apr | 97 | 45.00 | | | |
| 4 | 71-M91/ ISO/TR 8091:1983 | Textiles — Twist Factor Related to the Tex System (Extension of June 1991) | Apr | 97 | 53.00 | | | |
| 4 | 72.1-M91/ ISO 6741-1:1989 | Textiles — Fibres and Yarns — Determination of Commercial Mass of Consignments — Part 1: Mass Determination and | | | | | | |
| 4 | 72.2-M91/ | Calculations (Extension of June 1991) Textiles — Fibres and Yarns — Determination of Commercial | Apr | 97 | 81.50 | | | |
| | ISO 6741-2:1987 | Mass of Consignments — Part 2: Methods for Obtaining Laboratory Samples (Extension of June 1991) | Apr | 97 | 61.00 | | | |
| 4 | 72.3-M91/ ISO 6741-3:1987 | Textiles — Fibres and Yarns — Determination of Commercial Mass of Consignments — Part 3: Specimen Cleaning | | | | | | |
| 4 | 73.1-M91/ | Procedures (Extension of June 1991) | Apr | 97 | 54.50 | | | |
| 4 | ISO 2647:1973 73.2-M91/ | Projection Microscope (Extension of June 1991) | Apr | 97 | 45.50 | | | |
| 4 | ISO 2648:1974 73.3-M91/ | Electronic Method (Extension of June 1991) | Apr | 97 | 122.00 | | | |
| | ISO 2649:1974 | of Slivers, Rovings and Yarns by Means of an Electronic Evenness Tester (Extension of June 1991) | Apr | 97 | 99.50 | | | |
| 4 | 73.4-M91/ ISO 2916:1975 | Wool — Determination of Alkali Content (Extension of June 1991) | Apr | 97 | 54.50 | | | |
| 4 | 73.5-M91/ ISO 3073:1975 | Wool — Determination of Acid Content (Extension of June 1991) | Apr | 97 | 45.50 | | | |
| ⊕ | 74-M91/ ISO 3071:1980 | Textiles — Determination of pH of the Aqueous Extract (Extension of November 1991) | Apr | 97 | 45.00 | | | |
| 4 | 75-2004/ ISO 105-A01:1994 | Textiles — Tests for Colourfastness — Part A01: General Principles of Testing | Aug | 04 | 71.00 | | | |
| 4 | 76-94/ ISO 2551:1981 | Machine-made Textile Floor Coverings — Determination of Dimensional Changes Due to the Effects of Varied Water and | | | | | | |
| 4 | 77.1-94/ | Heat Conditions Carpets — Determination of Tuft Withdrawal Force (Extension of | Dec | 94 | 45.50 | | | |
| | ISO 4919:1978 | September 1994) | June | 00 | 53.00 | | | |
| (4) | 78.1-2001 | Thermal Protective Performance of Materials for Clothing | July | 01 | 45.00 | | | |
| • | CAN/CGSB-4.6-95 CAN/CGSB-4.22-95 | Cotton/Polyester Flannelette Sheeting, Sheets and Blankets Serge Wool Cloth, 362 g/m ² | Mar Mar | 95 95 | 35.50 35.50 | | | |
| • | CAN/CGSB-4.22-95 CAN/CGSB-4.31-95 | Terry Towels and Towelling | Mar | 95 | 35.50 | | | |
| | 4-GP-35Ma | Felt Sheet, Low-Density | May | 88 | 35.50 | | | |
| | 4-GP-36M | Carpet Underlay, Fiber Type | Nov | 78 | 35.50 | | | |
| 4 | CAN/CGSB-4.69-95 | Terry Washcloths | Mar | 95 | 35.50 | | | |
| 4 | 4-GP-80Ma | Cotton Thread | June | 90 | 35.50 | | | |
| 4 | 4-GP-85Ma | Nylon Thread (Continuous Multifilament) | July | 90 | 35.50 | | | |
| | CAN/CGSB-4.89-M90 | Acetate Satin Cloth Lining, 155 g/m ² | Apr | 90 | 35.50 | | | |
| 4 | | Acetate Twill Cloth Lining, 135 g/m ² | May | 90 | 35.50 | | | |
| | 4-GP-97Ma | Polyester Thread (Continuous Multifilament) | July | 90 | 35.50 | | | |
| | 4-GP-112Ma | Wool Braid Cloth | Apr | 90 | 35.50 | | | |
| | 4-GP-115Ma | Pressed Wool Felt | Feb | 89 | 45.00 | | | |
| ⊕ | CAN/CGSB-4.117-2001 | 170 a/m^2 | June | 01 | 45.00 | | | |
| 4 | 4-GP-119Ma | 170 g/m²) Utility Cotton Cloth, 155 g/m² | Aug | 90 | 35.50 | | | |
| | 4-GP-123Ma | Interlining, Cotton Warp and Spun Hair/Rayon Filling Cloth | Apr | 90 | 35.50 | | | |
| | CAN/CGSB-4.129-93 | Carpet for Commercial Use QPL | Dec | 93 | 63.50 | Sep | 97 | 8.50 |
| <u>—</u> | | Cotton-Covered or Polyester-Covered Polyester Thread | Dec | 93 | 45.00 | - I= | | |
| 4 | | Cotton/Polyester Bleached or Dyed Sheeting and Sheets | Mar | 95 | 35.50 | | | |
| 4 | CAN/CGSB-4.136-M90 | Nylon Taffeta Cloth, 60 g/m ² | May | 90 | 35.50 | | | |
| 4 | CAN/CGSB-4.137-M90 | Nylon Taffeta Cloth, 120 g/m ² | Aug | 90 | 35.50 | | | |
| 4 | | Polyester Staple Thread | Feb | 94 | 45.00 | | | |
| ⊕ | CAN/CGSB-4.141-2001 | Polyester/Cotton Twill Fabric (170 g/m², 235 g/m² and 255 g/m²) | June | 01 | 45.00 | | | |
| A | Time dated standard | | | | | | | |

① Time-dated standard.



Referenced in the National Building Code of Canada.

QPL Indicates a qualification program.

| | Number | Title | s | stand | ard | An | nendn | nent |
|------------------|--|--|----------------------------|----------------------|-----------------------------------|------|---------------|-------------|
| | | | Late Issu | | Price \$ | | est ndt | Price \$ |
| | | TEXTILES | | | | | | |
| ⊕ ⊕ ⊕ ⊕ | CAN/CGSB-4.145-95 4-GP-152Ma CAN/CGSB-4.155-M88 4-GP-156 | Cotton/Polyester Bleached or Dyed Pillowcases Drapes Flammability of Soft Floor Coverings — Sampling Plans Direct Glue-Down Carpet, Guide to Selection and Installation | Aug June Apr June | 95 88 88 75 | 24.00 35.50 35.50 24.00 | | | |
| 4 | CAN/CGSB-4.157-M91 CAN/CGSB-4.158-75 CAN/CGSB-4.159-75 | Generic Names for Man-Made Fibres Designation of Yarns (Reaffirmation of July 1975) Universal System for Designating Linear Density (Tex System) | Nov June | 91 81 | 45.00 45.00 | July | 07 | 10.50 |
| • | CAN/CGSB-4.160-75 | (Reaffirmation of July 1975) | June | 81 81 | 45.00 45.00 | | | |
| ⊕ △⊕ ⊕ | CAN/CGSB-4.161-M87 CAN/CGSB-4.162-M80 | Carpet for Residential Use QPL | June June | 87 80 | 55.00 24.00 | luna | 04 | 24.00 |
| | CAN/CGSB-4.175-M87 Part 1/ISO 4880-1984 CAN/CGSB-4.175-M91 Part 2/ISO 6348:1980 | Burning Behaviour of Textiles and Textile Products — Vocabulary Textiles — Determination of Mass — Vocabulary (Extension of June 1991) | May | 87 | 36.50 45.50 | June | 34 | 24.00 |
| | CAN/CGSB-4.175-M91 Part 3/ISO 3572:1976 CAN/CGSB-4.175-M91 | Textiles — Weaves — Definitions of General Terms and Basic Weaves (Extension of February 1991) | June | 00 | 45.50 | | | |
| | Part 4/ISO 8159:1987 CAN/CGSB-4.175-M91 Part 5/ISO 8160:1987 | (Extension of February 1991) Textiles — Textured Filament Yarns — Vocabulary (Extension of June 1991) | June June | 00 | 53.00 45.50 | | | |
| | CAN/CGSB-4.175-M91 Part 6/ISO 9092:1988 | Textiles — Nonwovens — Definition (Extension of February 1991) Textile Floor Coverings — Vocabulary (Extension of October 1994) | June June | 00 | 45.50 137.50 | | | |
| • | Part 7/ISO 2424:1992 CAN/CGSB-4.175-2004 Part 8/ISO105-A08:2001 | Textiles — Tests for Colourfastness — Part A08: Vocabulary Used in Colour Measurement | Aug | 04 | 61.00 | | | |
| 4 | 4-GP-176M | Quantitative Analysis of Fibre Mixtures — Flotation Method | Jan | 89 | 35.50 | Apr | 02 | 10.50 |
| | | FORMS | | | | | | |
| | CAN/CGSB-6.2-2009 | Forms Management | Aug | 09 | 83.50 | | | |
| | | STEEL FRAMING AND COLUMNS | | | | | | |
| ⊕∙■ | CAN/CGSB-7.1-98 CAN/CGSB-7.2-94 | Lightweight Steel Wall Framing Components Adjustable Steel Columns | Dec May | 98 94 | 45.00 35.50 | May | 97 | 8.50 |
| | | TESTING SIEVES | | | | | | |
| (1) | CAN/CGSB-8.1-88 CAN/CGSB-8.2-M88 | Sieves, Testing, Woven Wire, Inch Series | Mar Apr | 88 88 | 35.50 35.50 | | | |
| | | PAPER AND PAPER PRODUCTS | | | | | | |
| | CAN/CGSB-9.0 ① 1-92 ② 2-93 ② 3-92 ② 4-92 | Methods of Testing Pulp and Paper Kappa Number of Pulp The Determination of Freeness Consistency of Stocks Tensile Breaking Properties of Paper and Paperboard (Using Constant Rate-of-Elongation Apparatus) | Jan Sep Jan Jan | 92 93 92 | 328.00 45.00 49.00 45.00 | | | |
| | ⊕ 5-93 ⊕ 6-93 | Brightness of Pulp, Paper and Paperboard Opacity of Paper | Sep Sep | 93 93 | 45.00 45.00 45.00 | | | |



 [⊕] Time-dated standard.
 □ Separate English and French Editions.
 QPL Indicates a qualification listing program.
 △ Referenced in the National Fire Code.
 • Referenced in the National Housing Code of Canada.

■ Referenced in the National Building Code of Canada.

| | Number | Title | S | tanda | ırd | An | nendn | nent |
|------------|--------------------------------------|--|--------------|----------|----------------|-----|-------------|-------------|
| | | | Late Issu | | Price \$ | | test mdt | Price \$ |
| | | PAPER AND PAPER PRODUCTS | | | | | | |
| | CAN/CGSB-9.0 | Methods of Testing Pulp and Paper | | | | | | |
| | ⊕ 7-93 ⊕ 8-93 | Grammage of Paper and Paperboard Conditioning Paper or Paperboard for Testing in a Standard | Sep | 93 | 24.00 | | | |
| | | Atmosphere | Sep | 93 | 45.00 | | | |
| | 9-93 | Air-Dry Weight Determination of Wood Pulp | Sep | 93 | 45.00 | | | |
| | 10-96 | The Laboratory Beating of Pulp (Valley Beater Method) | Mar | 96 | 45.00 | | | |
| | 9 11-96 | Physical Testing of Pulp Handsheets | Mar | 96 | 45.00 | | | |
| | ① 12-96 | Determination of Water Absorptiveness (Cobb Method) Forming Handsheets for Optical Tests of Pulp (British Sheet | Mar | 96 | 45.00 | | | |
| | 13-98 | | Feb | 98 | 35.50 | | | |
| | 4 14-98 | Machine Method) Pulp, Paper and Paperboard — Colour Measurement with a | reb | 90 | 33.30 | | | |
| | © 14-98 | Diffuse/Zero Geometry Tristimulus Reflectance Meter | Feb | 98 | 35.50 | | | |
| (4) | CAN/CGSB-9.1-93 | Bond Paper | Sep | 93 | 35.50 | | | |
| | CAN/CGSB-9.2 | Methods of Testing Pulp and Paper Mill Effluents and Water | ОСР | 55 | 117.00 | | | |
| | ⊕ 1-94 | Determination of Solids Contents of Pulp and Paper Mill Effluents | June | 94 | 35.50 | | | |
| | ⊕ 2-94 | Determination of Biochemical Oxygen Demand (BOD) | June | 94 | 45.00 | | | |
| | ⊕ 3-94 | Determination of Chemical Oxygen Demand (COD) | June | 94 | 35.50 | | | |
| | 4-94 | Colour of Pulp Mill Effluents | June | 94 | 35.50 | | | |
| 4 | CAN/CGSB-9.4-94 | Facial Tissue for Institutional Use | Mar | 94 | 35.50 | Nov | 96 | 8.50 |
| (| 9-GP-5b | Unbleached Kraft Wrapping Paper | Apr | 02 | 35.50 | | | |
| (| CAN/CGSB-9.11-94 | Paper Table Napkins, Junior Dispenser Type, for Institutional Use | Mar | 94 | 35.50 | Nov | 96 | 8.50 |
| (1) | CAN/CGSB-9.12-94 | Paper Table Napkins for Institutional Use | Mar | 94 | 35.50 | Nov | 96 | 8.50 |
| 4 | CAN/CGSB-9.13-94 | Paper Toilet Tissue for Institutional Use | Mar | 94 | 35.50 | Nov | 96 | 8.50 |
| 4 | CAN/CGSB-9.14-94 | Paper Towels for Institutional Use | Mar | 94 | 35.50 | | | |
| ⊕ | 9-GP-24M | Paperboard, Boxboard Grades | July | 78 | 35.50 | | | |
| 4 | CAN/CGSB-9.28-93 | No. 1 and No. 2 Offset Paper | Oct | 93 | 35.50 | | | |
| 4 | CAN/CGSB-9.29-93 | Opaque Litho Book Paper | Oct | 93 | 35.50 | | | |
| 4 | CAN/CGSB-9.36-94 | Bristol Printing Paper | June | 94 | 35.50 | | | |
| (1) | CAN/CGSB-9.37-93 | Index Bristol Paper | Nov | 93 | 35.50 | | | |
| 4 | CAN/CGSB-9.38-93 | Antique Finish Cover Paper | Sep | 93 | 35.50 | | | |
| 4 | CAN/CGSB-9.40-93 | Mimeograph Stencil Duplicating Paper | Sep | 93 | 35.50 | | | |
| 4 | CAN/CGSB-9.41-93 | Ledger Paper | Sep | 93 | 35.50 | | | |
| • | CAN/CGSB-9.44-93 | Spirit Process Duplicating Copy Paper | Sep | 93 | 35.50 | | | |
| • | CAN/CGSB-9.47-93 | Bond Paper for Magnetic Ink Character Recognition Cheque | _ | | | | | |
| | | Printing | Sep | 93 | 35.50 | Dec | 98 | 8.50 |
| (4) | CAN/CGSB-9.48-93 | Stationery Bristol Paper Kid and Plate Finish | Sep | 93 | 35.50 | | | |
| (4) | CAN/CGSB-9.50-93 | Register Bond Paper | Sep | 93 | 35.50 | | | |
| ⊕ | CAN/CGSB-9.51-93 | Dry Toner Xerographic Copy and Electrostatic Duplicating Copy | NI. | 00 | 05.50 | | | |
| A | CANUCCED 0 F2 02 | Paper | Nov | 93 | 35.50 | | | |
| (4) | CAN/CGSB-9.52-93 | No. 1 Exercise-Book Writing Paper Paper Sizes for Correspondence | Sep | 93 | 35.50 35.50 | | | |
| • | CAN/CGSB-9.60-94 | | June | | | | | |
| | CAN/CGSB-9.61-94 CAN/CGSB-9.62-94 | Paper Sizes for PrintingPaper Sizes for Single-Part Continuous Business Forms | June June | 94 94 | 24.00 35.50 | | | |
| | CAN/CGSB-9.62-94 CAN/CGSB-9.63-94 | Grammage of Fine Papers | June | 94 | 24.00 | | | |
| | CAN/CGSB-9.63-94 CAN/CGSB-9.64-94 | Drawing Sheet Sizes | June | 94 | 45.00 | | | |
| (| CAN/CGSB-9.66-93 | Coated Offset Paper | Feb | 93 | 45.00 | | | |
| • | CAN/CGSB-9.67-94 | Coated Mechanical Offset Paper | Nov | 94 | 35.50 | | | |
| • | CAN/CGSB-9.70-2000 | Permanence of Paper for Records, Books and Other Documents | Sep | 00 | 45.00 | | | |
| | 0/114/0000 0.70 2000 | remainence of raper for records, books and other bookinents | ОСР | 00 | 40.00 | | | |
| | | REFRACTORIES | | | | | | |
| (4) | CAN/CGSB-10.1-92 | Fireclay Refractory Brick for Stationary Boiler Service | Aug | 92 | 35.50 | | | |
| | CAN/CGSB-10.3-92 | Air Setting Refractory Mortar | Aug | 92 | 35.50 | | | |
| | CAN/CGSB-10.4-92 | Fireclay Refractory Brick for Marine Oil-Fired Boilers | Aug | 92 | 35.50 | | | |
| • | CAN/CGSB-10.5-92 | Insulating Refractory Brick | Aug | 92 | 35.50 | | | |
| • | CAN/CGSB-10.6-92 | Heat-Setting Refractory Mortar | Aug | 92 | 35.50 | | | |
| • | CAN/CGSB-10.7-93 | Fireclay and Alumina Refractory Plastic | Feb | 93 | 35.50 | | | |
| • | CAN/CGSB-10.8-92 | Castable Refractory Materials | Aug | 92 | 35.50 | | | |
| (| Time-dated standard. | , | 3 | | 22.00 | | | |
| _ | aa.oa olaridara. | | | | | | | |

- Time-dated standard.
 Referenced in the National Housing Code.
 Referenced in the National Building Code of Canada.



| | Number | Title | 5 | Standa | ırd | An | nendn | nent |
|-----|---|---|--|--|--|-------------------|----------------|----------------------|
| | | | Late Issu | | Price \$ | | test mdt | Price \$ |
| | | WOOD FIBREBOARD AND RELATED PRODUCTS | | | | | | |
| ⊕∙■ | CAN/CGSB-11.3-M87 CAN/CGSB-11.5-M87 CAN/CGSB-11.6-M87 | Hardboard Hardboard, Precoated, Factory Finished, for Exterior Cladding Installation of Exterior Hardboard Cladding | Aug Aug Aug | 87 87 87 | 35.50 35.50 35.50 | | | |
| | | GLASS AND RELATED PRODUCTS | | | | | | |
| | CAN/CGSB-12.1-M90 CAN/CGSB-12.2-M91 CAN/CGSB-12.3-M91 CAN/CGSB-12.4-M91 CAN/CGSB-12.6-M91 CAN/CGSB-12.9-M91 CAN/CGSB-12.10-M76 CAN/CGSB-12.11-M90 CAN/CGSB-12.11-M90 CAN/CGSB-12.12-M90 CAN/CGSB-12.12-M91 CAN/CGSB-12.13-M91 CAN/CGSB-12.13-M91 CAN/CGSB-14.13-M91 CAN/CGSB-14.4-M88 CAN/CGSB-14.5-M88 | Tempered or Laminated Safety Glass Flat, Clear Sheet Glass Flat, Clear Float Glass Heat Absorbing Glass Transparent (One-Way) Mirrors Insulating Glass Units Spandrel Glass Glass, Light and Heat Reflecting Wired Safety Glass Plastic Safety Glazing Sheets Patterned Glass Structural Design of Glass for Buildings THERMOMETERS Thermometers, Liquid-in-Glass, Test, Shipboard Use Thermometers, Liquid-in-Glass, Self-Indicating, Commercial/Industrial Type Thermometers, Bimetallic, Self-Indicating, Commercial/Industrial Type | Nov Apr Apr Apr Mar Nov Nov Apr Dec | 90 91 91 91 91 97 91 76 90 91 89 | 45.00 45.00 45.00 45.00 45.00 45.00 45.00 45.00 96.50 45.00 45.00 | Jan | 01 | 9.50 |
| • | 14.6M | Thermometers, Bimetallic, Self-Indicating, Shipboard Use | May | 89 | 45.00 | | | |
| | | CHEMICALS | | | | | | |
| | CAN/CGSB-15.1-92 CAN/CGSB-15.5-93 CAN/CGSB-15.7-92 CAN/CGSB-15.8-92 CAN/CGSB-15.19-92 CAN/CGSB-15.30-92 CAN/CGSB-15.31-93 CAN/CGSB-15.32-93 CAN/CGSB-15.32-93 CAN/CGSB-15.33-92 CAN/CGSB-15.50-92 CAN/CGSB-15.50-92 CAN/CGSB-15.52-92 | Calcium Chloride Soda Ash Caustic Soda (Lye) Sulphuric Acid, Battery Electrolyte Grade Sodium Chloride, Pavement De-Icer Insect Repellent Diethyltoluamide Aqueous Ammonia Solution (Ammonium Hydroxide), Technical Grade Sodium Hypochlorite Calcium Hypochlorite Hydrochloric (Muriatic) Acid, Technical Grade Sodium Tripolyphosphate Technical Grade Acetone Technical Grade Methyl Ethyl Ketone | Aug Apr Dec Nov Nov Dec Apr May Dec Apr Nov Nov | 92 93 92 92 92 92 93 93 93 92 93 92 | 35.50 35.50 35.50 45.00 35.50 35.50 35.50 35.50 35.50 35.50 35.50 35.50 | | | |
| ⊕□ | 18-GP-4a 18-GP-5a 18-GP-7 | Methods of Sampling Coal Deliveries | Sep Sep May | 66 66 69 | 45.00 35.50 35.50 | Feb Feb Feb | 80 80 80 | 8.50 8.50 8.50 |



Time-dated standard.
 Referenced in the National Housing Code.
 Referenced in the National Building Code of Canada.
 Separate English and French Editions.

| | Number | Title | S | standa | rd | An | nendn | nent |
|------------|--|--|--------------|----------|----------------|-------|-------------|-------------|
| | | | Late Issu | | Price \$ | | test ndt | Price \$ |
| | | CAULKING AND SEALING COMPOUNDS | | | | | | |
| ⊕∙■ | 19-GP-5M | Sealing Compound, One Component, Acrylic Base, Solvent Curing | | | | | | |
| ⊕•■ | CAN/CGSB-19.13-M87 | (Issue of April 1976 reaffirmed, incorporating Amendment No. 1) Sealing Compound, One-Component, Elastomeric, Chemical | June | 84 | 35.50 | | | |
| ⊕•■ | 19-GP-14M | Curing | May | 87 | 35.50 | | | |
| A | CAN/CGSB-19.17-M90 | Polymer Base, Solvent Curing (Reaffirmation of April 1976) One-Component Acrylic Emulsion Base Sealing Compound | June Jan | 84 90 | 35.50 35.50 | | | |
| ⊕•■ | CAN/CGSB-19.17-M90 CAN/CGSB-19.24-M90 | Multicomponent, Chemical-Curing Sealing Compound | Jan | 90 | 35.50 | | | |
| | | RUBBER PRODUCTS AND CARPET UNDERCUSHION | | | | | | |
| ⊕△ | 20-GP-12Ma | Braided Water Hose, Knitted or Spiral Wound Reinforcement | July | 89 | 35.50 | | | |
| | 20-GP-13Ma | Pneumatic Hose (Acetylene, Hydrogen, Oxygen, Air) | July | 89 | 35.50 | | | |
| | 20-GP-16Ma 20-GP-23M | Fuel Resistant Tubing, Synthetic, Flexible | Jan July | 89 78 | 35.50 35.50 | | | |
| | CAN/CGSB-20.25-M91 | Sterile Surgical Rubber Gloves, Disposable | June | 91 | 45.00 | | | |
| 4 | 20-GP-32M | Matting, Floor, Rubber or Plastic (Extension of May 1979 and of | _ | | | _ | | |
| A | CAN/CCCD 20 25 2002 | Amendment No. 1, May 1981) | Sep | 95 | 35.50 | Sep | 95 | 8.50 |
| • | CAN/CGSB-20.35-2003 | Single-Use Rubber Examination Gloves — Specification (ISO/DIS 11193:2000, MOD) | Dec | 03 | 55.00 | | | |
| | | PRINTING AND BOOKBINDING SUPPLIES | | | | | | |
| 4 | CAN/CGSB-21.1-93 | Offset Lithographic Printing Ink | May | 93 | 35.50 | | | |
| 4 | CAN/CGSB-21.4-93 | Lithographic Blanket and Roller Wash Solvent | May | 93 | 35.50 | | | |
| | CAN/CGSB-21.5-93 | Rubber Offset Lithographic Blankets | May | 93 | 35.50 | | | |
| 4 | 21-GP-7M | Measuring Viscosity of Letterpress and Lithographic Inks with the | May | 00 | 40.00 | | | |
| (| CAN/CGSB-21.11-M91 | Falling Rod Viscometer (Reaffirmation of January 1978)Black and White Photomechanical Film | May Dec | 89 91 | 49.00 49.00 | | | |
| | CAN/CGSB-21.11-M91 | Hot Melt Adhesives | Dec | 91 | 35.50 | | | |
| | CAN/CGSB-21.13-M91 | Padding Adhesives | Dec | 91 | 35.50 | | | |
| ⊕ | CAN/CGSB-21.14-M91 | Stitching Wire | Dec | 91 | 35.50 | | | |
| • | CAN/CGSB-21.15-93 | Presensitized, Aqueous Based, Offset Lithographic, Aluminum Printing Plate | May | 93 | 35.50 | | | |
| | | · mang · late | way | 00 | 00.00 | | | |
| | | BRUSHES, BROOMS AND MOPS | | | | | | |
| (4) | 22.1 | Flat Hog-Bristle Brushes for Paint, Varnish, Enamel and Lacquer | Nov | 95 | 35.50 | | | |
| | 22-GP-2M | Brooms, Upright, (Corn), Household (Reaffirmation of July 1981) | May | 89 | 45.00 | | | |
| | 22.3 | Sash Brushes with Hog Bristles | Nov | 95 | 35.50 | | | |
| | 22.7a | Yacht Type Wet MopsFlat Brushes with Nylon or Polyester Filaments for Paint, Varnish, | Apr | 93 | 35.50 | | | |
| • | 22.8 | Enamel and Lacquer | Nov | 95 | 35.50 | | | |
| • | 22-GP-10M | Brooms, Upright, (Corn), Warehouse (Reaffirmation of December 1981) | May | 89 | 45.00 | | | |
| (4) | 22-GP-13M | Brush, Floor Sweeping (With Brace) 90 and 120 cm (Reaffirmation of March 1983) | May | 89 | 45.00 | | | |
| ⊕ | 22-GP-14M | Brush, Floor Sweeping, 35 cm, 45 cm and 60 cm (Reaffirmation of | | 00 | 45.00 | | | |
| A | 22 CD 45M | March 1983) | May | 89 | 45.00 | | | |
| ⊕ ⊕ | 22-GP-15M 22.22M | Broom, Push, 35 cm (Reaffirmation of November 1982) Brush, Scrubbing | May Feb | 89 86 | 35.50 45.00 | Mar | 93 | 8.50 |
| • | 22.24M | Bench Dusting Brush | May | 88 | 35.50 | ivial | 55 | 0.00 |
| _ | | | , | | | | | |

① Time-dated standard.



| Number | Title | 5 | Standa | ard | An | nendn | nent |
|---|---|---|---|---|-----|-------------|-------------|
| | | Late Issu | | Price \$ | | test ndt | Price \$ |
| | BRUSHES, BROOMS AND MOPS | | | | | | |
| ① 22.27M ① 22.32M ② 22.35M ② 22.36M ④ 22.38a ④ 22.40a ④ 22.41 ② 22.42 ④ CAN/CGSB-22.50-92 | Brush, Wire, Painter's Scrub Brush, Deck, Scrub, Hand (Reaffirmation of May 1986) Brush, Toilet Bowl Window-Washing Brush Flat-Head String Mop Heads Floor Mops for Dusting Mop Stick Assemblies, Screw-Clamp Type Paint Rollers and Accessories Synthetic Monofilaments for Brushes | May Jan Jan May Apr Apr July Dec Sep | 86 93 89 88 93 92 92 | 35.50 35.50 35.50 35.50 35.50 45.00 45.00 45.00 35.50 | Jan | 93 | 8.50 |
| | IDENTIFICATION OF COMPRESSED GAS CONTAINERS AND PIPELINES | | | | | | |
| CAN/CGSB-24.2-M86CAN/CGSB-24.3-92 | Identification of Medical Gas Containers, Pipelines and Valves Identification of Piping Systems | Apr Dec | 86 92 | 35.50 45.00 | | | |
| | WAXES AND POLISHES | | | | | | |
| CAN/CGSB-25.1 ① 1-95 ② 2-95 ③ 5.1-95 ③ 5.2-95 ③ 5.3-95 ④ 7-95 ④ 10.1-95 ④ 14.1-95 ④ 20.1-95 ④ 22.1-95 ④ 24.1-96 ④ 26.1-95 ④ 26.2-95 ④ 27.1-95 ④ 28.1-95 ④ 28.1-95 ④ 29.1-95 ④ 44.1-96 ④ 26.1-95 ⑤ 26.2-95 ⑤ 27.1-95 ⑤ 28.1-95 ⑤ 28.1-95 ⑥ 28.1-95 ⑥ 29.1-95 ⑥ 44.1-95 ⑤ 45.1-95 ⑥ 45.1-95 ⑥ 50.1-96 ⑥ CAN/CGSB-25.3-92 ⑥ CAN/CGSB-25.3-92 ⑥ CAN/CGSB-25.10-96 ⑥ CAN/CGSB-25.10-96 ⑥ CAN/CGSB-25.11-95 ⑥ CAN/CGSB-25.12-95 ⑥ CAN/CGSB-25.12-95 ⑥ CAN/CGSB-25.13-95 ⑥ CAN/CGSB-25.20-95 ⑥ CAN/CGSB-25.20-95 | Methods of Sampling and Testing Waxes and Polishes Sampling Flash Point Sediment and Stability of Emulsions Stability of Waxes and Polishes Following Heating Stability of Waxes and Polishes in Liquid Form Non-Volatile Matter Gloss and Drying Time Acidity Free Alkali Sweeping Compound Formulation Tackiness Performance Characteristics of Liquid Metal Polish Performance Characteristics Polishing Properties of Paste Floor Wax Resistance to Water Spotting Resistance to Wet Traffic Removability Absorption Solubility in Water Floor Test Paste Floor Wax Buffable Water-Emulsion Floor Wax Metal Polish Furniture Polish Oil-Based Sweeping Compound Wax-Based Sweeping Compound Absorbent Material for Oils, Liquid Fuels and Water Surface Sealer for Floors Detergent-Resistant Floor Polish Burnishable, Detergent-Resistant Water Emulsion Floor Polish | Dec July June Aug June Dec May June Dec July June June June Dec July Bec June Dec June Dec Hov Dec Nov Aug Feb Dec July Mar Sep Feb | 955955955955955955955955955955955955955 | 442.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 35.50 35.50 35.50 35.50 35.50 35.50 35.50 | | | |
| | X-RAY FILMS | | | | | | |
| © CAN/CGSB-29.1-200 ⁻ ISO 3665-1996 | Intensifying Screen Type Diagnostic X-Ray Film Photography — Intra-oral dental radiographic film — Specification (Endorsed standard) | Mar | 01 | 35.50 | | | |

Time-dated standard.



| | Number | Title | S | Standa | ard | Amendr | nent |
|------------|---------------------|--|--------------|--------|-------------|----------------|-------------|
| | | | Late Issu | | Price \$ | Latest Amdt | Price \$ |
| | | ABRASIVES | | | | | |
| • | 30.23M | Non-Slip Surfacing Safety Material, Lightweight, Pressure-Sensitive Adhesive, with Edge-Sealing Compound | Mar | 88 | 45.00 | | |
| | | CORROSION PREVENTION | | | | | |
| ⊕□ | 31-GP-0a | Methods of testing Corrosion-Prevention Materials and Processes (Issue of March 1957 reprinted, incorporating Amendments 1 to 7) | May | 83 | 55.00 | | |
| 4 | 31-GP-107Ma | Non-inhibited Phosphoric Acid Base Metal Conditioner and Rust | | | | | |
| (| 31-GP-108Ma | Remover | Nov | 90 | 35.50 | | |
| • | 04.444 | Remover | Nov | 90 | 35.50 | | |
| (| 31.111 | Inhibited Rust-Stain Remover | July | 96 | 35.50 | | |
| (| CAN/CGSB-31.114-M91 | Black Oxide Conversion Coatings for Ferrous Metals | Jan | 91 | 35.50 | | |
| (1) | 31.202 | Grease-Removing Cleaning Compound | July | 96 | 35.50 | | |
| • | CAN/CGSB-31.206-M91 | Alkali Cleaning Compound | Dec | 91 | 35.50 | | |
| • | CAN/CGSB-31.207-M91 | Stabilized Degreasing Trichloroethylene | July | 91 | 35.50 | | |
| 4 | 31-GP-213Ma | Vapour Degreasing and Cold Cleaning Inhibited 1,1,1- | | | | | |
| | | Trichloroethane | June | 91 | 35.50 | | |
| 4 | 31.220 | Sodium Hydroxide Base, Corrosion-Removing Compound | Sep | 96 | 45.00 | | |
| ⊕ | CAN/CGSB-31.277-93 | Self-Extinguishing, Solvent Type, Paint Remover | Apr | 93 | 35.50 | | |
| | | FOOD | | | | | |
| | 32.1M | Bread, White Enriched White and Whole Wheat | Dec | 87 | 35.50 | | |
| | 32.2M | Bread, Fruit and Raisins | June | 88 | 35.50 | | |
| | 32.3M | Rye Bread | Apr | 88 | 35.50 | | |
| | 32.4M | Breads Rolls | June | 88 | 35.50 | | |
| 4 | 32.5M | Wheat Flour | June | 88 | 35.50 | | |
| 4 | 32.6M | Flours, Specialty | Dec | 87 | 35.50 | | |
| | 32.9M | Cake Mixes, Prepared, Complete | Aug | 88 | 35.50 | | |
| 4 | 32.11M | Pancake and Waffle Mixes | Aug | 88 | 35.50 | | |
| (4) | 32.13M | Cereals, Breakfast, Prepared, Ready-to-Eat | July | 88 | 35.50 | | |
| 4 | 32.14M | Cereal, Rolled Oats | Dec | 87 | 35.50 | | |
| (4) | 32.15M | Wheat Cereal, Uncooked | Dec | 87 | 35.50 | | |
| (1) | 32.16M | Pasta Products | Mar | 88 | 35.50 | | |
| (1) | 32.17M | Rice, Brown, Milled, Parboiled or Precooked | July | 89 | 45.00 | | |
| | 32.44 | Beef Cuts | Dec | 92 | 63.50 | | |
| (| 32.46 | Veal Cuts | Dec | 92 | 45.00 | | |
| | 32.48 | Lamb Cuts | Dec | 92 | 45.00 | | |
| | 32.50 | Pork Cuts | Nov | 92 | 49.00 | | |
| | 32.56M | Fresh or Frozen Organs | Feb | 90 | 35.50 | | |
| | 32.60M | Cottage Rolls | Sep | 90 | 35.50 | | |
| | 32.61M | Back Bacon and Side Bacon | Aug | 90 | 35.50 | | |
| | 32.63M | Smoked Hams | Jan | 91 | 35.50 | | |
| | 32.65M | Canned or Boil-in-Bag Ham | Dec | 90 | 35.50 | | |
| (4) | 32.69M | Fresh or Cooked Sausages | Aug | 90 | 35.50 | | |
| ⊕ | 32.72M | Handling, Packaging and Labelling of Meat, Poultry and Fish for Food Services | Dec | 91 | 45.00 | | |
| 4 | 32.75M | Shortening | Mar | 89 | 35.50 | | |
| (1) | 32.76M | Vegetable Oil | Mar | 89 | 35.50 | | |
| 4 | 32.77M | Lard | Mar | 89 | 35.50 | | |
| 4 | 32.78M | Margarine | Mar | 89 | 35.50 | | |
| 4 | 32.110 | Roasted and Ground Coffee | May | 92 | 45.00 | | |
| | | | | | | | |

[⊕] Time-dated standard.□ Separate English and French Editions.



| | Number | Title | s | tanda | rd | Am | endm | nent |
|-----------|--------------------------|--|---------------|----------|----------------|-----------|------------|-------------|
| | | | Late: Issu | | Price \$ | Lat An | est ndt | Price \$ |
| | | FOOD | | | | | | |
| 4 | 32.113M 32.141M | Instant CoffeeFresh, Chilled or Frozen Fish and Fish Products | Dec Dec | 91 91 | 35.50 45.00 | | | |
| ⊕ | 32.142M | Preserved Fish (Salted, Dried, Smoked or Pickled) | Aug | 91 | 35.50 | | | |
| ⊕ | 32.143M | Canned Fish | May | 91 | 45.00 | | | |
| 4 | 32.161M | Butter | Mar | 89 | 35.50 | | | |
| (4) | 32.163M | Ice Cream, Ice Milk and Sherbet | Apr | 89 | 35.50 | | | |
| ⊕ | 32.165M | Milk and Cream, Pasteurized or Sterilized (UHT) | Aug | 89 | 35.50 | | | |
| ⊕ | 32.166M | Milk, Condensed or Evaporated | May | 89 | 35.50 | | | |
| 4 | 32.168M | Milk Powder | May | 89 | 35.50 | | | |
| ⊕ | 32.172M | Cheese and Cheese Products | Sep | 88 | 35.50 | | | |
| ⊕ | 32.175M | Code of Practice for Sampling Dairy Products | July | 89 | 35.50 | | | |
| 4 | 32.181M | Eviscerated Chickens and Chicken Parts | Aug | 90 | 35.50 | | | |
| ⊕ | 32.183M | Turkeys, Eviscerated | Mar | 88 | 35.50 | | | |
| ⊕ | 32.184M | Shell Eggs | Mar | 88 | 35.50 | | | |
| ⊕ | 32.208M | Maple-Flavoured Syrup | Dec | 87 | 35.50 | | | |
| 4 | 32.211M | Molasses | Dec | 87 | 35.50 | | | |
| 4 | 32.234 | Canned Pie Fillings | Dec | 92 | 35.50 | | | |
| ⊕ | 32.236M | Jams, Marmalades, Jellies and Cranberry Sauce | Mar | 89 | 35.50 | | | |
| ⊕ | 32.237M | Peanut Butter | Dec | 87 | 35.50 | | | |
| ⊕ | 32.250M | Fresh Fruits and Vegetables | June | 88 | 35.50 | | | |
| ⊕ | 32.252M | Dehydrated Vegetables | June | 89 | 35.50 | | | |
| ⊕ | 32.253M | Canned Fruits or Vegetables and Canned or Refrigerated Juices | Mar | 89 | 35.50 | | | |
| ⊕ | 32.254M | Frozen Fruits, Vegetables and Juices | Mar | 89 | 35.50 | | | |
| ⊕ | 32.258M | Tomato Catsup | Mar | 89 | 35.50 | | | |
| ⊕ | 32.262M | Dried Beans and Peas | Mar | 89 | 35.50 | | | |
| ⊕ | 32.276M | Dried Fruit | Mar | 89 | 35.50 | | | |
| ⊕ | 32.281M | Dehydrated Soup Mixes, Instant and Simmer | Aug | 91 | 35.50 | | | |
| ⊕ | 32.283M | Beverage Powders, Fruit-Flavoured | Dec | 87 | 35.50 | | | |
| ⊕ | CAN/CGSB-32.300-M87 | Canola Oil, Crude, Degummed and Refined | June | 87 | 35.50 | Dec | 94 | 8.50 |
| ⊕ | CAN/CGSB-32.301-M87 | Canola Meal | Apr | 87 | 35.50 | | | |
| ⊕ | CAN/CGSB-32.302-M87 | Use of Flexible Laminated Pouches for Thermally Processed Foods | Nov | 87 | 45.00 | | | |
| ⊕ | CAN/CGSB-32.303-M90 | Soya Oil | June | 90 | 35.50 | | | |
| | CAN/CGSB-32.310-2006 | Organic Production Systems — General Principles and Management standards (Amended October 2008) | Oct | 80 | 30.00 | Dec | 09 | 17.50 |
| | CAN/CGSB-32.311-2006 | Organic Production Systems — Permitted Substances Lists (Amended December 2009) | Dec | 09 | 30.00 | | | |
| ⊕ | CAN/CGSB-32.315-2004 | Voluntary Labelling and Advertising of Foods That Are and Are Not | | | | | | |
| | | Products of Genetic Engineering | Apr | 04 | 55.00 | | | |
| | | ASBESTOS-CEMENT PRODUCTS | | | | | | |
| ⊕☆ | CAN/CGSB-34.1-94 | Asbestos-Cement Pressure Pipe | May | 94 | 35.50 | | | |
| (P | CAN/CGSB-34.4-M89 | Siding, Asbestos-Cement, Shingles and Clapboards | June | 89 | 35.50 | | | |
| (| CAN/CGSB-34.5-M89 | Sheets, Asbestos-Cement, Corrugated | July | 89 | 35.50 | | | |
| _ | CAN/CGSB-34.9-94 | Asbestos-Cement Sewer Pipe | May | 94 | 35.50 | | | |
| 9 | CAN/CGSB-34.10-94 | Asbestos-Cement Industrial Vent Pipe | Mar | 94 | 35.50 | | | |
| • | CAN/CGSB-34.14-M89 | Sheets. Asbestos-Cement. Decorative | June | 89 | 35.50 | | | |
| • | CAN/CGSB-34.16-M89 | Sheets, Asbestos-Cement, Flat, Fully Compressed | July | 89 | 35.50 | | | |
| e | CAN/CGSB-34.17-M89 | Sheets, Asbestos-Cement, Flat, Semicompressed | Apr | 89 | 35.50 | | | |
| e | CAN/CGSB-34.17-M69 | Low Density Asbestos Sheets | May | 94 | 35.50 | | | |
| • | CAN/CGSB-34.19-M89 | Tiles or Panels, Asbestos Cement, Acoustical | July | 89 | 35.50 | | | |
| • | CAN/CGSB-34.19-M89 | Panels, Sandwich, Asbestos-Cement with Insulating Cores | May | 89 | 35.50 | | | |
| ⊕☆∙■ | CAN/CGSB-34.22-94 | Asbestos-Cement Drain Pipe | Apr | 94 | 45.00 | | | |
| ⊕ # | CAN/CGSB-34.23-94 | Asbestos-Cement House Connection Sewer Pipe | Apr | 94 | 35.50 | | | |
| - A | J 17 O O O D O T. 20 O T | The state of the s | , بار | 0-1 | 55.50 | | | |



Time-dated standard.

 [☆] Referenced in the National Plumbing Code.
 Referenced in the National Housing Code.
 ■ Referenced in the National Building Code of Canada.

| | Number | Title | S | Standa | ard | Ar | nent | |
|------------|---|---|--------------|----------|----------------|-----|-------------|-------------|
| | | | Late Issu | | Price \$ | | test mdt | Price \$ |
| | | ROOFING AND WATERPROOFING MATERIALS | | | | | | |
| ⊕•■ | 37-GP-9Ma | Primer, Asphalt, Unfilled, for Asphalt Roofing, Dampproofing and | | | | | | |
| | 0.1110.000.00 | Waterproofing | July | 83 | 35.50 | | | |
| ⊕•■ | CAN/CGSB-37.54-95 | Polyvinyl Chloride Roofing and Waterproofing Membrane | May | 95 | 45.00 | | | |
| ⊕•■ | 37-GP-56M | Membrane, Modified, Bituminous, Prefabricated, and Reinforced for Roofing | July | 80 | 24.00 | Dec | 85 | 35.50 |
| | | Ç | , | | | | | |
| | | CLOTHING | | | | | | |
| (1) | CAN/CGSB-38.5-93 | Uniform Neckties | July | 93 | 45.00 | | | |
| (| CAN/CGSB-38.7-M90 | Men's Cotton Smock (Surgeon's and Laboratory) | Oct | 90 | 45.00 | | | |
| 4 | 38-GP-8a | Men's Elevator Operator Uniform | July | 93 | 55.00 | | | |
| • | CAN/CGSB-38.10-M90 | Man's Ward Orderly Shirt | Aug | 90 | 45.00 | | | |
| 4 | CAN/CGSB-38.12-93 | Men's Hospital and Institutional Cotton Pants (Ward Orderly, | ,9 | | | | | |
| | | Maintenance and General Service Use) | June | 93 | 45.00 | | | |
| (1) | CAN/CGSB-38.14-M91 | Men's General Purpose Smock (Utility and Storemen's) | May | 91 | 55.00 | | | |
| 4 | CAN/CGSB-38.15-M91 | Men's Industrial Coveralls | May | 91 | 55.00 | | | |
| ⊕ | CAN/CGSB-38.16-92 | Operating Surgical Gown | Sep | 92 | 45.00 | | | |
| 4 | CAN/CGSB-38.17-92 | Men's Uniform Dress Shirts | Dec | 92 | 63.50 | | | |
| 4 | CAN/CGSB-38.20-93 | Men's Hospital Polyester/Cotton Pajamas | July | 93 | 45.00 | | | |
| 4 | CAN/CGSB-38.21-93 | Park Warden Felt Hat | June | 93 | 45.00 | | | |
| (1) | 38-GP-22a | Men's and Boy's Swim Trunks | July | 93 | 45.00 | | | |
| (1) | CAN/CGSB-38.23-93 | Multipurpose Hospital Patient Gowns | Apr | 93 | 35.50 | | | |
| 4 | CAN/CGSB-38.24-93 | Construction Details for Uniform Dress Pants | July | 93 | 45.00 | | | |
| • | 38-GP-27Ma | Firefighter Dress Uniform (Federal Public Service) | Aug | 90 | 49.00 | | | |
| (| CAN/CGSB-38.30-93 | Men's Polyester/Cotton Pants, Hospitals and Institutions | May | 93 | 45.00 | | | |
| (| CAN/CGSB-38.31-93 | Women's Princess Style Dress Uniform, Hospitals and Institutions | July | 93 | 49.00 | | | |
| (4) | CAN/CGSB-38.32-92 | Down-Filled Reversible Vest | Dec | 92 | 45.00 | | | |
| | CAN/CGSB-38.38-93 | Colour Code, for Size Identification of Clothing and Linen | July | 93 | 35.50 | | | |
| (1) | CAN/CGSB-38.39-93 | Polyester/Cotton Isolation Gowns | July | 93 | 45.00 | | | |
| (4) | CAN/CGSB-38.41-M91 CAN/CGSB-38.43-93 | Machine Embroidered Badges and Insignia (Schiffli Type) | June | 91 | 45.00 | | | |
| | CAN/CCCD 20 45 02 | Interlining) | July | 93 | 55.00 | | | |
| ⊕ ⊕ | CAN/CGSB-38.45-93 CAN/CGSB-38.46-93 | Men's Industrial Polyester/Cotton Coveralls | July | 93 | 45.00 | | | |
| | CAN/CGSB-36.40-93 | Storemen's) | luly | 93 | 45.00 | | | |
| (| CAN/CGSB-38.48-93 | Women's Dress and Uniform Dress Shirts | July June | 93 | 63.50 | | | |
| e | CAN/CGSB-38.101-93 | Hospital Ward Orderly and Maintenance Staff Trousers — | Julie | 90 | 00.00 | | | |
| | C/ 11 4/ C C C D-30. 10 1-33 | Dimensions | June | 93 | 35.50 | | | |
| (| CAN/CGSB-38.102-92 | Men's Dress and Uniform Dress Shirts — Dimensions | Jan | 92 | 45.00 | | | |
| • | CAN/CGSB-38.103-M90 | Surgical Operating Gowns — Dimensions | Sep | 90 | 45.00 | | | |
| • | CAN/CGSB-38.104-93 | Men's Hospital Pajamas — Dimensions and Colour Size Coding | July | 93 | 45.00 | | | |
| • | CAN/CGSB-38.107-93 | Men's Smock (Hospital, Laboratory, Storemen and General | | | | | | |
| _ | | Purpose) — Dimensions | June | 93 | 35.50 | | | |
| • | CAN/CGSB-38.108-93 | Men's Industrial Coveralls — Dimensions | Aug | 93 | 45.00 | | | |
| (| CAN/CGSB-38.109-92 | Men's Uniform Dress Trousers — Dimensions | Jan | 92 | 45.00 | | | |
| ⊕ | CAN/CGSB-38.110-92 | Men's Uniform Dress Single-Breasted Tunics and Jackets — | | 00 | 45.00 | | | |
| (4) | 38-GP-111a | Dimensions Women's Dress and Uniform Dress Shirts — Dimensions | Jan Aug | 92 93 | 45.00 45.00 | | | |
| | | | | | | | | |
| | | HAND TOOLS | | | | | | |
| ⊕□ | 39-GP-1c | Hammers, Hand (Forged Steel Head) | Apr | 75 | 45.00 | Sep | 80 | 8.50 |
| | 39-GP-2a | Hammers, Hand (Sledge Type) | Aug | 75 | 45.00 | • | | |
| | | | | | | | | |

① Time-dated standard.



Referenced in the National Housing Code.
 Referenced in the National Building Code of Canada.
 Separate English and French Editions.

| Number | Title | 5 | Standa | ard | An | nendn | nent |
|-------------------------------|---|--------------|----------|----------------|------------|-------------|-------------|
| | | Late Issu | | Price \$ | | test mdt | Price \$ |
| | HAND TOOLS | | | | | | |
| | | _ | | | | | |
| ① 39-GP-3M | Axes | Sep | 79 | 45.00 | | | 0.50 |
| ① 39-GP-10M | Handle, Hickory, Striking Tool (Metric) | Sep | 79 | 45.00 | Jan | 84 | 8.50 |
| ① 39-GP-11c | Wrenches, Box, Open End and Combination (Inch Series) | Aug | 86 | 49.00 | ۸۰۰ | 0.4 | 0.50 |
| ⊕ 39-GP-11M ⊕□ 39-GP-12b | Wrenches, Box, Open End, Combination and Flare Nut Wrenches, Socket | July | 79 74 | 35.50 | Apr Mar | 84 83 | 8.50 |
| 4 39-GP-12Ma | Wrenches, Socket, Hand | June Nov | 74 88 | 35.50 49.00 | IVIAI | 03 | 8.50 |
| 4 39-GP-13M | Wrenches, Adjustable, Open-End and Monkey | Feb | 81 | 45.00 | | | |
| 4 39-GP-16c | Pliers and Nippers | Jan | 78 | 49.00 | Mar | 87 | 8.50 |
| 9 39-GP-17c | Screwdrivers and Screw Starters (Hand) | Oct | 77 | 49.00 | Aug | 79 | 8.50 |
| ① CAN/CGSB-39.18-96 | Micrometers | Feb | 96 | 55.00 | Aug | 13 | 0.50 |
| ① CAN/CGSB-39.19-98 | Vernier, Dial and Digital Calipers and Gauges | Mar | 98 | 49.00 | | | |
| © CAN/CGSB-39.21-98 | Diemakers', Machinists and Cylinder Squares | Mar | 98 | 55.00 | | | |
| ⊕ CAN/CGSB-39.22-94 | Measuring Tapes | May | 94 | 49.00 | May | 95 | 8.50 |
| CAN/CGSB-39.23-94 | Measuring Rules | May | 94 | 49.00 | - , | | |
| CAN/CGSB-39.26-92 | Bevel and Plain Protractors | May | 92 | 45.00 | | | |
| CAN/CGSB-39.27-M90 | Scribers | Sep | 90 | 35.50 | | | |
| ⊕□ 39-GP-28b | Levels and Plumbs, and Levels | Mar | 75 | 45.00 | | | |
| ⊕□ 39-GP-30b | Files and Rasps, Hand, American Pattern | June | 75 | 55.00 | | | |
| 39-GP-31a | Granite Surface Plate | Feb | 93 | 35.50 | | | |
| 39-GP-33M | Shears, Metal Cutting, Bench and Hand | Mar | 83 | 45.00 | | | |
| ⊕□ 39-GP-37a | Straightedges, Steel, Not Graduated | Aug | 75 | 35.50 | | | |
| ⊕□ 39-GP-38a | "V" Blocks and Clamps | Sep | 75 | 24.00 | | | |
| ⊕□ 39-GP-39 | Indicators, Dial, Mechanical, and Accessories | Nov | 59 | 45.00 | | | |
| ⊕□ 39-GP-40a | Parallels, Machinists, Precision Ground | July | 64 | 45.00 | Nov | 67 | 8.50 |
| © CAN/CGSB-39.41-94 | Sine Bars | May | 94 | 45.00 | D | 70 | 0.50 |
| ⊕□ 39-GP-43a | Chisels, Hand, Cutting and Swaging (for Metals) | Aug | 74 74 | 45.00 | Dec | 78 | 9.50 |
| ⊕□ 39-GP-44a | Punches, Hand, Mechanics | Sep | 74 74 | 45.00 | Mor | 75 | 0.50 |
| ⊕□ 39-GP-45a ⊕□ 39-GP-46a | Bars, Steel | Nov | 74 74 | 45.00 | Mar | 75 | 8.50 |
| ⊕□ 39-GP-46a ⊕□ 39-GP-47a | Punches, Hand, Toolmakers' and Machinists Nail Sets | Aug June | 74 74 | 45.00 24.00 | | | |
| ⊕ 39-GP-48b | Wrenches, Pipe | Oct | 82 | 49.00 | | | |
| ⊕□ 39-GP-49 | Cutters, Pipe, and Cutters, Tube | Oct | 57 | 45.00 | Dec | 64 | 8.50 |
| ⊕□ 39-GP-52a | Hammers, Hand, Soft Face and Mallets | Aug | 74 | 45.00 | DCC | 0-1 | 0.00 |
| ⊕□ 39-GP-53 | Files, Hand, Swiss Pattern | June | 62 | 49.00 | | | |
| ④ 39-GP-54b | Vises | Aug | 84 | 35.50 | | | |
| - 33 3. 3.3 | | ,9 | ٠. | 00.00 | | | |
| | CORDAGE | | | | | | |
| AC OD 414 | Mathada of Complian and Tables of Conde | Δ | 70 | 05.50 | | | |
| ⊕ 40-GP-1M | Methods of Sampling and Testing Cordage | Apr | | 35.50 | | | |
| CAN/CGSB-40.20-200 | Reduced recoil Rope | July | 80 | 49.00 | | | |
| | PLASTICS | | | | | | |
| ⊕ 41-GP-1M | Tableware, Plastic | San | 80 | 45.00 | | | |
| 41-GP-1M 41-GP-2M | Trays, Service, Plastic | Sep Sep | 80 | 45.00 45.00 | | | |
| ⊕• ■ □ 41-GP-6M | Sheets, Thermosetting Polyester Plastics, Glass Fiber Reinforced | Oep | 00 | ₹3.00 | | | |
| | (Reaffirmation of September 1976) | Nov | 83 | 35.50 | | | |
| 41-GP-10M | Film, Plastic, Flexible, Vinyl | Aug | 79 | 45.00 | | | |
| 41-GP-19Ma | Rigid Vinyl Extrusions for Windows and Doors (Reaffirmation of | - 9 | - | | | | |
| | September 1978) | Feb | 84 | 45.00 | | | |
| 41-GP-20M | Extrusions, Vinyl, Nonrigid, for Windows and Doors (Reaffirmation | | | | | | |
| | of December 1976) | Feb | 83 | 35.50 | | | |
| CAN/CGSB-41.22-93 | Fibreglass-Reinforced Plastic Corrosion-Resistant Equipment | July | 93 | 96.50 | | | |
| ⊕• ■ CAN/CGSB-41.24-95 | Rigid Vinyl Siding, Soffits and Fascia | Feb | 95 | 45.00 | | | |
| | | | | | | | |



Time-dated standard.
 Separate English and French Editions.
 Referenced in the National Housing Code.
 Referenced in the National Building Code of Canada.

| | Number | Title | s | tanda | ard | An | nendn | nent |
|---------------|---|---|---------------|----------|-----------------|-------|------------|-------------|
| | | | Late: Issu | | Price \$ | | est ndt | Price \$ |
| | | PLASTICS | | | | | | |
| | 41-GP-25M 41-GP-30M | Pipe, Polyethylene, for the Transport of Liquids | Oct | 77 | 45.00 | | | |
| | 41-GF-30M | 1977) | Feb | 82 | 45.00 | | | |
| (1) | CAN/CGSB-41.33-M87 | Installation of Rigid Vinyl Residential Siding, Soffits and Fascia | Dec | 87 | 35.50 | | | |
| 4 | 41-GP-34M | Mouldings, Trim, Interior, Cellular Plastic | Oct | 81 | 45.00 | | | |
| (1) | 41-GP-35M | Polyvinyl Chloride Waterstop | July | 83 | 45.00 | | | |
| | | PACKAGING AND PACKAGING MATERIALS | | | | | | |
| A | OANI/OOOD 40 47 MO4 | Folding Department Department | 1 | 0.4 | 55.00 | | | |
| | CAN/CGSB-43.17-M91 | Folding Paperboard Boxes | July | 91 | 55.00 | | | |
| 9 | CAN/CGSB-43.22-2001 CAN/CGSB-43.24-M91 | Corrugated Fibreboard Boxes | Oct Oct | 01 91 | 63.50 49.00 | | | |
| | CAN/CGSB-43.30-96 | Low-Density, Polyethylene, Packaging Film | Feb | 96 | 45.00 | | | |
| | CAN/CGSB-43.34-94 | Non-Metallic Strapping and Joining Methods | Aug | 94 | 45.00 | | | |
| | CAN/CGSB-43.44-96 | Bags for Transport of Food Aid | Nov | 96 | 35.50 | | | |
| $\oplus \Box$ | 43-GP-103P | Packaging of Paper, Printing and Stationery | May | 70 | 71.00 | Apr | 73 | 8.50 |
| 49 | CAN/CGSB-43.123-M86 | Containers, Metal, Aerosol (TC-2P, TC-2Q) | Apr | 86 | 35.50 | | | |
| • | CAN/CGSB-43.125-2003 | Design and Manufacture of Packaging for the Transportation of Infectious Substances, Diagnostic Specimens, Biological | | | | | | |
| | | Products or (Bio) Medical Waste | May | 03 | 55.00 | Feb | 04 | 8.50 |
| G | CGSB-43.126-2008 | Reconditioning, Remanufacturing and Repair of Drums for the Transportation of Dangerous Goods | Sep | 08 | 63.50 | | | |
| ⊕@□ | CAN/CGSB-43.146-2002 | Design, Manufacture and Use of Intermediate Bulk Containers for | | 02 | | | | |
| æΠ | CAN/CGSB-43.147-2005 | the Transportation of Dangerous Goods | Jan | 02 | 71.00 | | | |
| | OAN/000B-40.147-2000 | Selection and Use of Means of Containment for the Handling, | | | | | | |
| | | Offering for Transport, or Transporting of Dangerous Goods by | D | 0.5 | 440.00 | leder | 00 | 00.50 |
| ФПа | CAN/CGSB-43.150-97 | Rail | Dec Dec | 05 97 | 148.00 71.00 | July | 80 | 96.50 |
| | CAN/CGSB-43.151-97 | Performance Packagings for Transportation of Dangerous Goods Packing of Explosives (Class 1) for Transportation | Dec | 97 | 83.50 | | | |
| | CAN/CGSB-43.165-95 | Plastic Jugs, Fibreboard Boxes and Pallets for Export of Oil as Food | | | | | | |
| | CANUCACE 40 400 05 | Aid | Nov | 95 | 49.00 | July | 98 | 8.50 |
| (4) | CAN/CGSB-43.166-95 CAN/CGSB-43.167-96 | Fibreboard Boxes for Export of Canned Fish as Food Aid | Sep May | 95 96 | 45.00 45.00 | | | |
| | | | | | | | | |
| | | FURNITURE, FURNISHINGS AND RELATED | | | | | | |
| | | PRODUCTS | | | | | | |
| 4 | CAN/CGSB-44.40-2001 | Steel Clothing Locker | June | 01 | 45.00 | May | 02 | 24.00 |
| | 44.153 | Credenza, Modular, Single Case with Bookcase | June | 85 | 55.00 | iviay | 02 | 24.00 |
| | 44.214 | Printer Stand with Shelf | June | 91 | 49.00 | | | |
| | CAN/CGSB-44.227-2008 | Free-standing Office Desk Products and Components QPL | Sep | 08 | 45.00 | | | |
| | CAN/CGSB-44.229-2008 | Interconnecting Panel Systems and Supported Components QPL | Sep | 80 | 49.00 | | | |
| | CAN/CGSB-44.232-2008 | Task Chairs for Office Environments QPL | Dec | 80 | 45.00 | | | |

QPL Indicates a qualification program.

□ Separate English and French Editions.

□ Used for Transportation of Dangerous Goods.



① Time-dated standard.

| | Number | Title | s | tanda | ard | Am | nendn | nent |
|------------|--|--|---|----------------------------------|--|-------------|------------|--------------|
| | | | Late: Issu | | Price \$ | | est ndt | Price \$ |
| | | CUTTING TOOLS | | | | | | |
| | 46-GP-1a 46-GP-2 46-GP-3 46-GP-4 46-GP-5a 46-GP-7 | Blades, Hack Saw Blades, Band Saw, Flexible Back Blades, Band Saw, Spring Tempered Saws, Hand Drills, Twist, and Drill Sets Taps, Thread Cutting, Screw and Bolt | May Oct Nov Oct Aug June | 84 61 61 75 74 60 | 45.00 24.00 24.00 24.00 49.00 45.00 | Jan July | 84 67 | 9.50 8.50 |
| | | NON-DESTRUCTIVE TESTING | | | | | | |
| • | CAN/CGSB-48.20-94 CAN/CGSB-48.9712-2006/ ISO 9712:2005 | Certification of Nondestructive Testing Personnel (Police and Security Radiography Method) | May Mar | 94 06 | 83.50 137.50 | | | |
| | | GARMENT SIZES | | | | | | |
| 4 | CAN/CGSB-49.5-M85 | Canada Standard System for Sizing Girls' and Boys' Apparel (Extension of October 1985) | Nov | 92 | 49.00 | | | |
| • | CAN/CGSB-49.6-M78 | Application of the Canada Standard System for the Sizing of Girls' and Boys' Apparel (Extension of August 1978) | Nov | 92 | 49.00 | Nov | 92 | 10.50 |
| (1) | CAN/CGSB-49.6-M78 CAN/CGSB-49.7-M78 | Supplement | June | 91 | 24.00 | | | |
| () | CAN/CGSB-49.7-M78 CAN/CGSB-49.8-M89 | September 1978) Supplement Girls' and Boys' Canada Standard Sizes Model Forms, Regular | Nov June | 92 91 | 45.00 24.00 | Nov | 92 | 8.50 |
| • | CAN/CGSB-49.0-IVI09 | Range — Dimensions (Extension of July 1989) | Apr | 94 | 45.00 | | | |
| • | CAN/CGSB-49.11-M84 | (Extension of July 1989) | Apr | 94 | 35.50 | | | |
| (| CAN/CGSB-49.12-M84 | Dimensions (Extension of November 1984) | Nov | 92 | 35.50 | | | |
| (4) | CAN/CGSB-49.13-M78 | Dimensions (Extension of March 1984) | Nov | 92 | 35.50 | Nov | 02 | 10.50 |
| 4 | CAN/CGSB-49.14-M78 | Range — Dimensions (Extension of July 1978) | Nov | 92 | 45.00 | Nov | 92 | 10.50 |
| • | CAN/CGSB-49.15-M78 | of July 1978 and of Amendment No. 2, October 1988) Briefs, Knitted, Little Boys' and Boys', Regular Range — | Apr | 94 | 45.00 | Apr | 94 | 10.50 |
| (4) | CAN/CGSB-49.16-M78 | Dimensions (Extension of July 1978) Drawers, Knitted, Ankle-Length, Little Boys' and Boys', Regular | Nov | 92 | 45.00 | Nov | 92 | 10.50 |
| 4 | CAN/CGSB-49.18-93 | Range — Dimensions (Extension of July 1978) | Nov | 92 | 45.00 | Nov | 92 | 10.50 |
| (4) | CAN/CGSB-49.21-M79 | Dimensions Shirts, Dress, Woven or Tricot Knit, Boys' — Dimensions (Extension) | Aug | 93 | 49.00 | | | |
| • | CAN/CGSB-49.22-M79 | of May 1979 and of Amendment No. 2, October 1988) | Apr | 94 | 24.00 | Apr | 94 | 9.50 |
| • | CAN/CGSB-49.23-M78 | of May 1979) Drawers, Knitted, Ankle-Length, Little Girls' and Girls', Regular Range — Dimensions (Extension of July 1978) | Nov Nov | 92 92 | 24.00 45.00 | Nov Nov | 92 92 | 9.50 |
| • | CAN/CGSB-49.25-M78 | Undershirts, Knitted, Short Sleeves, Little Girls' and Girls', Regular Range — Dimensions (Extension of July 1978 and of Amendment | INOV | 32 | - 5.00 | 1404 | 34 | 10.50 |
| | | No. 2, October 1988) | Apr | 94 | 45.00 | Apr | 94 | 10.50 |



[⊕] Time-dated standard.□ Separate English and French Editions.

| | Number | Title | S | Standa | rd | An | nendn | nent |
|------------|--------------------|--|--------------|--------|-------------|-----|------------|-------------|
| | | | Late Issu | | Price \$ | | est ndt | Price \$ |
| | | GARMENT SIZES | | | | | | |
| 4 | CAN/CGSB-49.26-M79 | T-Shirts and Polo Shirts, Knitted, Outerwear, Little Boys' and Boys', Regular Range — Dimensions (Extension of April 1979 and of Amendment No. 2, October 1988) | Apr | 94 | 45.00 | Apr | 94 | 10.50 |
| 4 | CAN/CGSB-49.29-M91 | Boys' Canada Standard Sizes 2 to 20 Slim and Regular Ranges and Sizes 8 to 18 Husky Range, Regular-Rise Pants and Shorts — Dimensions | Dec | 91 | 45.00 | | | |
| • | CAN/CGSB-49.30-M91 | Canada Standard Children's Sizes 2 to 6X, Girls' Sizes 7 to 16 and Boys' Sizes 7 to 20, Unlined or Lightweight-Lined Outerwear | | | | | | |
| (| CAN/CGSB-49.32-M83 | Coats and Jackets, Regular Range — Dimensions | Dec | 91 | 49.00 | | | |
| (1) | CAN/CGSB-49.34-M81 | Regular Range — Dimensions (Extension of April 1983) | Nov | 92 | 35.50 | | | |
| (| CAN/CGSB-49.35-M81 | Regular Range — Dimensions (Extension of July 1981) | Nov | 92 | 24.00 | Nov | 92 | 8.50 |
| (| CAN/CGSB-49.38-M83 | Regular Range — Dimensions (Extension of October 1981) Skirts, Girls' Sizes 2 to 16, Regular Range — Dimensions | Nov | 92 | 24.00 | Nov | 92 | 8.50 |
| • | CAN/CGSB-49.40-M79 | (Extension of March 1983) | Nov | 92 | 35.50 | | | |
| ⊕ | CAN/CGSB-49.41-M87 | of Amendment No. 2, October 1988) | Apr | 94 | 45.00 | Apr | 94 | 10.50 |
| • | CAN/CGSB-49.44-93 | Range — Dimensions (Extension of November 1987) | Apr | 94 | 35.50 | | | |
| (1) | CAN/CGSB-49.45-M80 | Dimensions | July | 93 | 49.00 | | | |
| (4) | CAN/CGSB-49.46-M79 | October 1988) Dresses, Little Girls' and Girls', Regular and Chubby Ranges — Dimensions (Extension of November 1979 and of Amendment | Apr | 94 | 24.00 | Apr | 94 | 9.50 |
| (1) | CAN/CGSB-49.47-M91 | No. 2, October 1988) Girls' Canada Standard Sizes 2 to 16 Woven and Tricot Knit Slips, | Apr | 94 | 24.00 | Apr | 94 | 9.50 |
| (| CAN/CGSB-49.48-93 | Regular Range — Dimensions | Dec | 91 | 45.00 | | | |
| (1) | CAN/CGSB-49.49-M83 | Dimensions Jump Suits and Coveralls, Children's Sizes 2 to 6X, Regular Range | Apr | 93 | 45.00 | | | |
| <u> </u> | CAN/CGSB-49.50-94 | Dimensions (Extension of July 1983) Children's Canada Standard Sizes 2 to 6X Sleepers, One-Piece | Nov | 92 | 35.50 | | | |
| • | CAN/CGSB-49.52-M78 | and Two-Piece, Regular Range — Dimensions Sweaters and Cardigans, Girls', Regular Range — Dimensions | May | 94 | 45.00 | | | |
| 4 | CAN/CGSB-49.53-M78 | (Extension of September 1978 and of Amendment No. 2, October 1988) Sweaters and Cardigans, Boys', Regular Range — Dimensions | Apr | 94 | 45.00 | Apr | 94 | 9.50 |
| • | CAN/CGSB-49.54-M87 | (Extension of September 1978 and of Amendment No. 2, October 1988) | Apr | 94 | 45.00 | Apr | 94 | 8.50 |
| (1) | CAN/CGSB-49.55-M87 | Range — Dimensions (Extension of November 1987) Training Panties, Knitted, Children's Sizes 2 to 6, Regular Range — | Apr | 94 | 35.50 | | | |
| 4 | CAN/CGSB-49.56-92 | Dimensions (Extension of February 1987) Canada Standard Children's Sizes 2 to 6X, Girls' Sizes 7 to 16 and Boys' Sizes 7 to 20, Winter Coats and Jackets, Regular Range — | Apr | 94 | 35.50 | | | |
| 4 | CAN/CGSB-49.57-M91 | Dimensions | Mar | 92 | 49.00 | | | |
| (4) | CAN/CGSB-49.65-M91 | Dimensions | Dec | 91 | 45.00 | | | |
| | | Regular Range — Dimensions | Dec | 91 | 49.00 | | | |

① Time-dated standard.



| | Number | Title | s | tanda | rd | An | nendm | ent |
|-----------------|--|---|---------------|----------|----------------|------|------------|-------------|
| | | | Late: Issu | | Price \$ | | est ndt | Price \$ |
| | | GARMENT SIZES | | | | | | |
| (4) | CAN/CGSB-49.66-M91 | Boys' Canada Standard Sizes 2 to 20 Overalls, Regular Range — | D | 04 | 45.00 | | | |
| • | CAN/CGSB-49.74-M91 | Dimensions Girls' Canada Standard Sizes 7 to 16 Woven and Tricot Knit Half- | Dec | 91 | 45.00 | | | |
| • | CAN/CGSB-49.75-M79 | Slips, Regular Range — Dimensions | Dec | 91 | 35.50 | Nov | 02 | 9.50 |
| (4) | CAN/CGSB-49.76-M79 | Shirts, Sport, Little Boys', Regular Range — Dimensions (Extension of February 1979 and of Amendment No. 2, October 1988) | Nov | 92 | 45.00 | Nov | 92 | 8.50 |
| • | CAN/CGSB-49.78-M85 | Jump Suits and Coveralls, Girls' Sizes 7 to 16, Regular Range — | Apr | 94 92 | 24.00 | Apr | 94 | 8.50 |
| • | 49-GP-89a | Dimensions (Extension of July 1985) | Nov | 92 | 35.50 45.00 | Nov | 92 | 8.50 |
| • | CAN/CGSB-49.92-M91 | Boys' (Extension of January 1977) | Nov | 91 | 45.00 | INOV | 92 | 6.50 |
| • | CAN/CGSB-49.94-M91 | Girls' Canada Standard Sizes 2 to 16 Overalls, Regular Range — Dimensions | Dec Dec | 91 | 45.00 | | | |
| ⊕ □ ⊕ | CAN/CGSB-49.201-92 CAN/CGSB-49.202-92 | Canada Standard System for Sizing Women's Apparel Application of the Canada Standard System for the Sizing of | Dec | 92 | 83.50 | | | |
| • | CAN/CGSB-49.202-92 | Women's Wearing Apparel | June | 92 | 55.00 | | | |
| • | CAN/CGSB-49.203-M87 | (Extension of August 1987) | Nov June | 92 91 | 55.00 45.00 | | | |
| • | CAN/CGSB-49.204-M89 | Junior, Misses and Women's Canada Standard Sizes Model Forms — Dimensions | July | 89 | 35.50 | | | |
| • | CAN/CGSB-49.210-M84 | Blouses, Junior, Misses and Women's Sizes — Dimensions (Extension of September 1984) | Nov | 92 | 35.50 | | | |
| • | CAN/CGSB-49.211-M84 | Pants, Junior, Misses and Women's Sizes — Dimensions (Extension of March 1984) | Nov | 92 | 35.50 | | | |
| (4) | CAN/CGSB-49.212-M84 | Skirts, Junior, Misses and Women's Sizes — Dimensions (Extension of March 1984) | Nov | 92 | 35.50 | | | |
| • | CAN/CGSB-49.213-M84 | Dresses, Junior, Misses and Women's Sizes — Dimensions (Extension of October 1984) | Nov | 92 | 35.50 | | | |
| 4 | CAN/CGSB-49.214-M89 | Junior, Misses and Women's Canada Standard Sizes Blazers — Dimensions | May | 89 | 35.50 | | | |
| ⊕ | CAN/CGSB-49.215-92 | Juniors, Misses and Women's Canada Standard Sizes Sweaters — Dimensions | June | 92 | 45.00 | | | |
| • | CAN/CGSB-49.216-92 | Juniors, Misses and Women's Canada Standard Sizes Coats — Dimensions | July | 92 | 49.00 | | | |
| • | CAN/CGSB-49.217-92 | Juniors, Misses and Women's Canada Standard Sizes Jumpsuits — Dimensions | June | 92 | 49.00 | | | |
| 4 | CAN/CGSB-49.218-92 | Juniors, Misses and Women's Canada Standard Sizes Tricot Knit Full and Half Slips — Dimensions | July | 92 | 49.00 | | | |
| 4 | CAN/CGSB-49.300-93 | Infants' Canada Standard Sizes Blanket and One-Piece Sleepers — Dimensions | July | 93 | 45.00 | | | |
| 4 | CAN/CGSB-49.301-M84 | Jump Suits, Coveralls and Rompers, Infants' — Dimensions (Extension of February 1984) | Nov | 92 | 35.50 | Nov | 92 | 8.50 |
| 4 | CAN/CGSB-49.302-M84 | T-Shirts, Knitted, Infants' — Dimensions (Extension of January 1984) | Nov | 92 | 35.50 | | | |
| • | CAN/CGSB-49.303-M85 | Undervests, Knitted, Infants' — Dimensions (Extension of November 1985) | Nov | 92 | 35.50 | | | |
| • | CAN/CGSB-49.304-M85 | Underpants, Knitted, Infants' — Dimensions (Extension of November 1985) | Nov | 92 | 35.50 | | | |
| • | CAN/CGSB-49.306-M89 | Infants' Canada Standard Sizes Pants — Dimensions (Extension of April 1989) | Apr | 94 | 35.50 | | | |
| • | CAN/CGSB-49.307-M91 | Infants' Canada Standard Sizes One-Piece Snowsuits — Dimensions | Dec | 91 | 45.00 | | | |
| ⊕ ⊕ | CAN/CGSB-49.308-M90 CAN/CGSB-49.309-M91 | Infants' Canada Standard Sizes Shorts — Dimensions Infants' Canada Standard Sizes Overalls and Sunsuits — | May | 90 | 35.50 | | | |
| | | Dimensions | Dec | 91 | 45.00 | | | |



[⊕] Time-dated standard.□ Separate English and French Editions.

| | Number | Title | s | tanda | rd | An | nendm | nent |
|---|--|---|----------------------------|----------------------|----------------------------------|--------------|------------|--------------|
| | | | Late: Issu | | Price \$ | Lat Ar | est ndt | Price \$ |
| | | THIN FILM, WEATHER STRIPPING AND RELATED BUILDING CONSTRUCTION PRODUCTS | | | | | | |
| ⊕•■ | CAN/CGSB-51.32-M77 CAN/CGSB-51.33-M89 | Sheating, Membrane, Breather Type CPL | Apr | 77 | 24.00 | | | |
| ⊕∙■ | CAN/CGSB-51.34-M86 | Construction | Aug | 89 | 35.50 | | | |
| (1) | 51-GP-51M 51-GP-52Ma | Polyethylene Sheet for Use in Building Construction | Oct Feb | 86 81 | 45.00 35.50 | Nov | 88 | 8.50 |
| (| CAN/CGSB-51.53-95 | Equipment Thermal Insulation | Feb | 89 | 35.50 | | | |
| 4 | CAN/CGSB-51.71-2005 CAN/CGSB-51.90-92 CAN/CGSB-51.91-92 | and Round Ducts Depressurization Test Weather Stripping Test Methods Guidelines for the Testing and Labelling of Weather Stripping | July Apr Oct | 95 05 92 | 45.00 63.50 83.50 | | | |
| (| CAN/CGSB-51.92-92 | (Residential Buildings) Installation of Weather Strip Products | Sep Sep | 92 92 | 45.00 45.00 | | | |
| | | OFFICE SUPPLIES | | | | | | |
| (±) (±) (±) (±) (±) (±) (±) (±) (±) (±) | CAN/CGSB-53.23-93 CAN/CGSB-53.30-M89 CAN/CGSB-53.41-96 CAN/CGSB-53.148-2004 | Ring Type Loose-Leaf Binder File Folders Loose-Leaf Binder for Flexible Prong Fastener Remanufactured Toner Cartridges QPL | Mar Jan July June | 93 89 96 04 | 45.00 45.00 35.50 45.00 | | | |
| | | STITCHES, SEAMS AND STITCHINGS | | | | | | |
| (4) | Part 1/ISO 4915:1981 | Stitches and Seams — Part 1: Textiles — Stitch Types — Classification and Terminology | Mar Mar | 90 90 | 45.00 83.50 | | | |
| | | DECALCOMANIAS | | | | | | |
| ⊕□ | 62-GP-2b | Decalcomanias, General Purpose, for Use on Exterior and Interior Surfaces | Nov | 65 | 35.50 | Oct | 70 | 8.50 |
| (4) | 62-GP-3M 62-GP-6M | Prefabricated Markings, Exterior for Aircraft Prefabricated, Transparent-Base Markings, General-Purpose, for | May | 80 | 45.00 | OCI | 70 | 0.50 |
| • | 62-GP-7M | Use on Exterior and Interior Surfaces Prefabricated "Mirrorized" Markings, General Purpose, for Use on | Nov | 82 | 35.50 | | | |
| 4 | 62-GP-8M | Exterior and Interior Surfaces Prefabricated Opaque Markings, General Purpose, for Use on Exterior and Interior Surfaces | Nov Apr | 82 80 | 35.50 45.00 | | | |
| • | 62-GP-9M | Prefabricated Markings, Positionable, Exterior, for Aircraft, Ground Equipment and Facilities | Apr | 80 | 45.00 | | | |
| ⊕□ | 62-GP-10 | Photosensitive Anodized Aluminum Markings, Plates and Foil, Photographic | Apr | 69 | 45.00 | | | |
| ⊕ ⊕ □ | 62-GP-11M 62-GP-12 | Marking Material, Retroreflective, Enclosed Lens, Adhesive Backing Marking Material, Retroreflective, Enclosed Lens, Flexible Type | May Jan | 78 75 | 45.00 45.00 | July July | 87 87 | 9.50 9.50 |



Time-dated standard. Referenced in the National Housing Code.

Referenced in the National Building Code of Canada.

CPL indicates a certification program with more frequent testing.

QPL Indicates a qualification program.

Separate English and French Editions.

| | Number | Title | s | tanda | ırd | Am | endn | nent |
|---|---|---|---|--|--|--------------------|----------------|----------------------|
| | | | Late: Issu | | Price \$ | Late An | est ndt | Price \$ |
| | | SKYLIGHTS | | | | | | |
| ⊕∙■ | CAN/CGSB-63.14-M89 | Plastic Skylights | Oct | 89 | 35.50 | | | |
| | | LIFE JACKETS AND IMMERSION SUITS | | | | | | |
| • | CAN/CGSB-65.7-2007 CAN/CGSB-65.16-2005 CAN/CGSB-65.17-99 CAN/CGSB-65.19-2004 | Life Jackets Immersion Suit Systems Helicopter Passenger Transportation Suit Systems Textile Components of Life Jackets and Personal Flotation Devices | June Nov Dec May | 07 05 99 04 | 71.00 71.00 71.00 55.00 | June | 05 | 24.00 |
| | | ADHESIVES | | | | | | |
| ①①①①①①①① | 71-GP-2 CAN/CGSB-71.19-M88 CAN/CGSB-71.20-M88 71-GP-22M 71-GP-24M CAN/CGSB-71.25-M88 CAN/CGSB-71.26-M88 | Adhesive, Rubber, Office Type | May Sep Sep Mar July Dec | 72 88 88 78 77 88 | 24.00 35.50 35.50 45.00 45.00 35.50 | Sep June Nov | 75 78 83 | 8.50 8.50 9.50 |
| • | CAN/CGSB-71.27-M88 | Systems | Sep Sep | 88 88 | 45.00 35.50 | | | |
| (1) (1) (2) (3) | CAN/CGSB-71.28-M88 71-GP-29M 71-GP-30M | Adhesive, for Direct Glue-Down Carpet Installation | July Nov | 88 79 | 45.00 45.00 | | | |
| | | Quarry Tiles | Nov | 79 | 45.00 | | | |
| | | MICROGRAPHICS AND IMAGE MANAGEMENT | | | | | | |
| (H) | CAN/CGSB-72.7-M88 CAN/CGSB-72.8-M80 CAN/CGSB-72.9-M81 CAN/CGSB-72.10-M78/ ISO 3334:1976 | Manual Drafting Requirements for Drawings to be Microfilmed Examination and Preparation of Drawings to be Microfilmed Operating Procedures for Microfilming of Technical Drawings Microcopying — ISO Test Chart No. 2 | Feb Sep July Sep | 88 80 81 78 | 45.00 45.00 35.50 45.00 | | | |
| + + + + + + + + + + + + + + + + + + + | CAN/CGSB-72.11-93 CAN/CGSB-72.12-M81 CAN/CGSB-72.13-M80 CAN/CGSB-72.14-M89 CAN/CGSB-72.15-M83 CAN/CGSB-72.16-M83 CAN/CGSB-72.18-M85 CAN/CGSB-72.19-M85 | Microfilm and Electronic Images as Documentary Evidence Microcopying of Technical Drawings — Quality Criteria and Control Microfiche of Documents Unitized 35 mm Microfilm Carriers (Aperture Cards) Computer Output Microfilm (COM), Microfiche Computer Output Microfilm (COM) 16 mm Roll Paper Enclosures for the Filing and Storage of Processed Microfiche Criteria for the Evaluation of Micrographic Service Bureaux | Oct Dec Sep Apr June Feb May May | 93 81 80 89 83 83 85 | 96.50 35.50 45.00 45.00 45.00 45.00 45.00 35.50 | Apr | 00 | 10.50 |



Time-dated standard.
 Referenced in the National Housing Code.
 Referenced in the National Building Code of Canada.
 Separate English and French Editions.

| | Number | Title | St | anda | rd | Amen | dmen | nt |
|---------------------------|--|---|--|----------------------------------|--|----------------|------|-------------|
| | | | Lates Issue | | Price \$ | Latest Amdt | | Price \$ |
| | | MICROGRAPHICS AND IMAGE MANAGEMENT | | | | | | |
| • | CAN/CGSB-72.21-M89/ ISO 8126:1986 CAN/CGSB-72.22-M87/ ISO 6829:1983 CAN/CGSB-72.28-M88/ BS 6660-1985 CAN/CGSB-72.34-2005 | Micrographics — Diazo and Vesicular Films — Visual Density — Specifications | Nov May Nov | 89 87 88 | 35.50 55.00 45.00 | | | |
| • | 72-GP-100P | Provisional Glossary of Micrographic Terms | Nov | 83 | 131.50 | | | |
| | | CERAMIC TILE | | | | | | |
| • | CAN/CGSB-75.1-M88 | Tile, Ceramic | Apr | 88 | 45.00 | | | |
| | | WINDOW SCREENS | | | | | | |
| • | CAN/CGSB-79.1-M91 | Insect Screens | Feb | 91 | 45.00 | | | |
| | | FLOORING | | | | | | |
| ⊕ ⊕ ⊕ | 81-GP-1M 81-GP-2M 81-GP-4M 81-GP-5M 81-GP-6M 81-GP-10M | Flooring, Conductive and Spark Resistant Flooring, Seamless, Polyurethane with Plastic Chips Flooring, Seamless, Decorative Epoxy, Troweled Finish Flooring, Seamless, Epoxy, Broadcast Quartz Flooring, Seamless, Epoxy Terrazo Application of Seamless Flooring | Dec Mar Mar Mar Mar Feb | 77 78 77 78 77 79 | 45.00 35.50 35.50 35.50 35.50 35.50 | | | |
| | | DOORS | | | | | | |
| ⊕ ⊕ ⊕∆¹∆²• ≡ | CAN/CGSB-82.1-M89 82-GP-3M 82-GP-4M CAN/CGSB-82.5-M88 CAN/CGSB-82.6-M86 | Sliding Doors Doors, Aluminum, Combination Storm and Screen Doors, Steel, Combination Storm and Screen Insulated Steel Doors Doors, Mirrored Glass, Sliding or Folding, Wardrobe | July June June Feb Aug | 89 79 79 88 86 | 63.50 45.00 45.00 45.00 45.00 | Aug | 81 | 8.50 |
| | | PAINTING | | | | | | |
| _ | CAN/CGSB-85.10-99 CAN/CGSB-85.100-93 | Protective Coatings for Metals | Mar Dec | 99 93 | 49.00 71.00 | | | |
| | | CARE LABELLING TEXTILES | | | | | | |
| • | CAN/CGSB-86.1-2003 | Care Labelling of Textiles | Dec | 03 | 55.00 | | | |



① Time-dated standard.

 [□] Infie-dated standard.
 □ Referenced in the National Energy Code for Building.
 • Referenced in the National Housing Code.
 □ Referenced in the National Building Code of Canada.
 □ Referenced in the National Energy Code for Housing.
 □ Separate English and French Editions.

| | Number | Title | s | tanda | rd | An | nendm | ent |
|----------|---|---|--------------------------|----------------------|----------------------------------|-----|------------|-------------|
| | | | Late: Issu | | Price \$ | | est ndt | Price \$ |
| | | DRAFTING AND GRAPHIC ARTS MATERIALS AND EQUIPMENT | | | | | | |
| 4 | CAN/CGSB-88.20-M88 CAN/CGSB-88.21-M90 | Scales for Charts, Maps and PlansGraduations and Markings on Linear Measuring Instruments for | May | 88 | 35.50 | | | |
| • | CAN/CGSB-88.22-M88 | Construction Surveying and Special Applications | Dec Mar | 90 88 | 45.00 45.00 | | | |
| | | ACOUSTICAL MATERIALS | | | | | | |
| ⊕ | CAN/CGSB-92.1-M89 CAN/CGSB-92.2-M90 | Sound Absorptive Prefabricated Acoustical Units | July Sep | 89 90 | 35.50 35.50 | | | |
| | | METAL SHEET AND SIDING FOR BUILDING CONSTRUCTION | | | | | | |
| | CAN/CGSB-93.1-M85 CAN/CGSB-93.2-M91 | Sheet, Aluminum Alloy, Prefinished, Residential | Dec | 85 | 35.50 | | | |
| | CAN/CGSB-93.3-M91 | Use | Mar | 91 | 45.00 | | | |
| ⊕∙■ | CAN/CGSB-93.4-92 | Residential Use | Apr July | 91 92 | 45.00 35.50 | | | |
| • | CAN/CGSB-93.5-92 | Installation of Metal Residential Siding, Soffits and Fascia | Aug | 92 | 35.50 | | | |
| | | GRAPHIC ARTS TERMINOLOGY | | | | | | |
| | 94-GP-1 94-GP-2 | Glossary of Photographic Terms in General Use in the Graphic Arts Glossary of Editorial Terms in General Use in the Graphic Arts | Mar Sep | 72 73 | 63.50 45.00 | | | |
| | | NATIONAL FLAG OF CANADA | | | | | | |
| A | CAN/CGSB-98.1-2003 CAN/CGSB-98.2-92 | National Flag of Canada (Outdoor Use) | Oct Dec | 03 02 | 55.00 49.00 | Mar | 05 | 45.00 |
| | CAN/CGSB-98.3-M91 | National Flag of Canada (Macor Osc) (Neariffination of May 1991) | Dec | 02 | 45.00 | | | |
| | | BLOOD GROUPING REAGENTS | | | | | | |
| • | CAN/CGSB-106.5-95 | Blood Grouping and Anti-Human Globulin Reagents | June | 95 | 55.00 | | | |
| | | SIGNAGE | | | | | | |
| ⊕ ⊕ | 109.1M 109.2M CAN/CGSB-109.4-2000 109-GP-5MP | Signage System, Extruded Aluminum, Federal Identity Program Letters and Symbols, Die-Cut Film, Federal Identity Program Passenger Information Symbols | Aug Aug Apr Aug | 89 89 00 84 | 45.00 35.50 63.50 35.50 | | | |

Time-dated standard.



Referenced in the National Building Code of Canada.
 Referenced in the National Housing Code.
 Separate English and French Editions.

| Number | | Title | | tanda | rd | Amendment | | |
|------------|---|---|---------------|----------|----------------|----------------|-------------|--|
| | | | Lates Issu | | Price \$ | Latest Amdt | Price \$ | |
| | | AIR FILTERS | | | | | | |
| 4 | CAN/CGSB-115.10-M90 | Disposable Air Filters for the Removal of Particulate Matter from | | | | | | |
| 4 | CAN/CGSB-115.11-M85 | Ventilating Systems Filters, Air, High Efficiency, Disposable, Bag Type (Reaffirmation of | Nov | 90 | 35.50 | | | |
| (4) | CAN/CGSB-115.12-M85 | September 1978) | Apr | 85 | 35.50 | | | |
| () | CAN/CGSB-115.13-85 CAN/CGSB-115.14-M91 | of May 1979) | Apr Apr | 85 85 | 35.50 45.00 | | | |
| 4 | CAN/CGSB-115.15-M91 | Removal of Particulate Matter from Ventilating Systems | Mar | 91 | 35.50 | | | |
| (1) | CAN/CGSB-115.16-M82 | Matter from Ventilating Systems Activated Carbon for Odor Removal from Ventilating Systems | Mar Oct | 91 82 | 35.50 35.50 | | | |
| (1) | CAN/CGSB-115.18-M85 | Filter, Air, Extended Area Panel Type, Medium Efficiency | Feb | 85 | 35.50 | | | |
| 4 | CAN/CGSB-115.20-95 | Polarized Media Air Filter | Nov | 95 | 35.50 | | | |
| | MATERIAL MANAGEMENT TERMINOLOGY | | | | | | | |
| • | CAN/CGSB-116.1-90 | Glossary of Materials Management Terms | June | 90 | 115.50 | | | |
| | | CONSUMER INFORMATIVE LABELLING | | | | | | |
| 4 | CAN/CGSB-130.7-M80 | Consumer Informative Labelling of Upholstery Fabrics for Furniture | June | 80 | 35.50 | | | |
| | | INTERPRETATION SYSTEMS | | | | | | |
| (1) | CAN/CGSB-131.1-M88 | Permanent Simultaneous Interpretation Systems (Physical | | | | | | |
| ⊕□ | CAN/CGSB-131.2-M88 | Facilities) Electroacoustic Performance of Simultaneous Interpretation | Apr | 88 | 45.00 | | | |
| (1) | CAN/CGSB-131.3-M88 | Systems Portable Booths for Simultaneous Interpretation (Physical Facilities) | Aug Apr | 88 88 | 49.00 35.50 | | | |
| | CAN/CGSB-131.10-2008 | Translation Services. | Sep | 80 | 55.00 | | | |
| | | SECURITY PERSONNEL | | | | | | |
| | CAN/CGSB-133.1-2008 | Security Officers and Security Officer Supervisors QPL | Mar | 80 | 71.00 | | | |
| | | FENCING PRODUCTS | | | | | | |
| | CAN/CGSB-138.1-96 | Fabric for Chain Link Fence | Feb | 96 | 45.00 | | | |
| (1) | CAN/CGSB-138.2-96 CAN/CGSB-138.3-96 | Steel Framework for Chain Link Fence | Feb Feb | 96 96 | 45.00 45.00 | | | |
| (| CAN/CGSB-138.4-96 | Gates for Chain Link Fence | Feb | 96 | 35.50 | | | |
| | | FEATUEDS AND DOWN | | | | | | |
| | | FEATHERS AND DOWN | | | | | | |
| ⊕ ⊕ | CAN/CGSB-139.1-M86 CAN/CGSB-139.2-M86 | Feathers and Down — Terminology and Characteristics Determination of Composition of Mixtures of Feathers and Down, by Manual Sorting | Mar May | 86 86 | 45.00 45.00 | | | |
| 4 | CAN/CGSB-139.3-M90 | Determination of Cleanliness of Plumage by Oxygen Number | Sep | 90 | 35.50 | | | |
| • | 139-GP-4M | Determination of Composition of Mixtures of Feathers and Down, by Mechanical Sorting | Mar | 84 | 45.00 | | | |

 [⊕] Time-dated standard.
 □ Separate English and French Editions.
 QPL Indicates a qualification program.





| Number | | Title | | Standard | | | Amendment | | |
|---|--|---|---|--|---|------------|------------|--------------|--|
| | | | Late: Issu | | Price \$ | Lat An | est ndt | Price \$ | |
| | | CANNING DEVICES | | | | | | | |
| • | CAN/CGSB-143.1-M85 | Lids, Home Canning Jar (Reaffirmation of February 1985) | Feb | 91 | 35.50 | | | | |
| | | CANADIAN CONTENT | | | | | | | |
| (4) | CAN/CGSB-147.3-82 | Definition of Canadian Content | June | 82 | 24.00 | Mar | 92 | 8.50 | |
| | | GEOSYNTHETICS | | | | | | | |
| • | CAN/CGSB-148.1 ① 1-94 ① 2-M85 ① 3-M85 ① 4-94 ① 6.1-93 ② 7.3-92 ② 10-94 ② 14-93 ② 100-95 CAN/CGSB-148.2-M89 | Methods of Testing Geosynthetics Geotextiles — Sampling and Preparation of Test Specimens Mass per Unit Area Thickness of Geotextiles Geotextiles — Normal Water Permeability Under No Compressive Load Bursting Strength of Geotextiles Under No Compressive Load Grab Tensile Test for Geotextiles Geotextiles — Filtration Opening Size Stiffness of Geotextiles Conditioning Geosynthetics for Testing Geotextiles and Geomembranes — Definitions | Aug Dec Dec Aug Sep Nov Sep Sep July May | 94 85 85 94 93 92 94 93 95 89 | 165.00 24.00 24.00 24.00 45.00 45.00 35.50 45.00 35.50 45.00 | Jan | 93 | 8.50 | |
| | | ENERGY PERFORMANCE OF BUILDINGS | | | | | | | |
| 2 | 149-GP-2MP CAN/CGSB-149.10-M86 CAN/CGSB-149.15-96 | Manual for Thermographic Analysis of Building Enclosures Determination of the Airtightness of Building Envelopes by the Fan Depressurization Method Determination of the Overall Envelope Airtightness of Buildings by | Feb Dec | 86 86 | 63.50 63.50 | | | | |
| | | the Fan Pressurization Method Using the Building's Air Handling Systems | Mar | 96 | 71.00 | Apr | 99 | 35.50 | |
| | | JANITORIAL EQUIPMENT | | | | | | | |
| ⊕ ⊕ ⊕ | CAN/CGSB-152.1-92 CAN/CGSB-152.3-93 CAN/CGSB-152.4-93 | Electric Floor Polisher and Scrubber | Mar Nov Nov | 92 93 93 | 45.00 45.00 45.00 | | | | |
| | | PROTECTIVE CLOTHING | | | | | | | |
| ①①①①①①①① | CAN/CGSB-155.1-2001 CAN/CGSB-155.20-2000 CAN/CGSB-155.21-2000 CAN/CGSB-155.22-97 CAN/CGSB-155.23-97 | Firefighters' Protective Clothing for Protection Against Heat and Flame CPL | Dec Sep Sep Mar | 01 00 00 97 97 | 63.50 49.00 45.00 45.00 | Jan Dec | 01 00 | 9.50 8.50 | |
| | | GARBAGE BAGS | | | | | | | |
| • | 156.1 | Plastic Garbage Bags | Nov | 95 | 45.00 | | | | |

Time-dated standard.

[□] Separate English and French Editions.
□ Referenced in the National Energy Code for Housing.
□ Indicates a certification program with more frequent testing.

| Number | Title | | tanda | ard | Amendment | | |
|--|--|---------------|-------|---------------------------------|----------------|-------------|--|
| | | Late: Issu | | Price \$ | Latest Amdt | Price \$ | |
| | MEASUREMENT OF LIQUID FLOW IN OPEN CHANNELS | | | | | | |
| ⊕ CAN/CGSB-157.1-M91 | Liquid Flow Measurement in Open Channels — Vocabulary and | _ | | | | | |
| ⊕ CAN/CGSB-157.2-M91/ | SymbolsLiquid Flow Measurement in Open Channels — Velocity-Area | Dec | 91 | 83.50 | | | |
| ISO 748:1979 ① CAN/CGSB-157.3-M91 | MethodsLiquid Flow Measurement in Open Channels — Establishment and | June | 91 | 63.50 | | | |
| ① CAN/CGSB-157.4-M91/ | Operation of a Gauging Station | Aug | 91 | 71.00 | | | |
| ISO 1100-2:1982 CAN/CGSB-157.6-M91/ ISO 1088:1985 | Determination of Stage-Discharge Relation Liquid Flow Measurement in Open Channels — Velocity-Area Methods — Collection and Processing of Data for Determination | June | | 63.50 | | | |
| | of Errors in Measurement | June | 91 | 130.00 | | | |
| | METROLOGY | | | | | | |
| ① CAN/CGSB-158.1-98 | International Vocabulary of Basic and General Terms in Metrology | Nov | 98 | 71.00 | | | |
| | TEMPORARY HELP SERVICES | | | | | | |
| ① CAN/CGSB-168.1-91 | Classification and Descriptions for Administrative Support Temporary Help | May | 91 | 83.50 | | | |
| | GEOMATICS | | | | | | |
| ⊕ CAN/CGSB-171.1-95 | CGIS-SAIF — Canadian Geomatics Interchange Standard — Spatial Archive and Interchange Format: Formal Definition (Release 3.2) | Jan | 95 | 35.50 | | | |
| ⊕ CAN/CGSB-171.4-94 | Canadian Geomatics Interchange Standard — Digital Geographic | | | | | | |
| ☐ CAN/CGSB-171.100-2009 | Information Exchange Standard (CGIS-DIGEST) | Aug | 94 | 10.50 | | | |
| | Information — Metadata (NAP — Metadata) | May | 09 | 40.00 PDF/ 74.00 Paper | | | |
| ISO 19101:2002 ISO 19105:2000 | Geographic Information — Reference Model (Endorsed standard) Geographic Information — Conformance and Testing (Endorsed standard) | | | Тары | | | |
| ISO 19106:2004 ISO 19107:2003 | Geographic Information — Profiles (Endorsed standard) Geographic Information — Spatial Schema (Endorsed standard) | | | | | | |
| ISO 19108:2002 | Geographic Information — Temporal Schema (Endorsed standard) | | | | | | |
| ISO 19110:2005 | Geographic Information — Methodology for Feature Cataloguing (Endorsed standard) | | | | | | |
| ISO 19112:2003 | Geographic Information — Spatial Referencing by Geographic Identifiers (Endorsed standard) | | | | | | |
| ISO 19113:2002 ISO 19114:2003 | Geographic Information — Quality Principles (Endorsed standard) Geographic Information — Quality Evaluation Procedures (Endorsed standard) | | | | | | |
| ISO 19115:2003 ISO 19116:2004 | Geographic Information — Metadata (Endorsed standard) Geographic Information — Positioning Services (Endorsed standard) | | | | | | |
| ISO 19119:2005 ISO 19125-1:2004 | Geographic Information — Services (Endorsed standard) Geographic Information — Simple Feature Access — Part 1: Common Architecture (Endorsed standard) | | | | | | |
| ISO 19125-2:2004 | Geographic Information — Simple Feature Access — Part 2: SQL Option (Endorsed standard) | | | | | | |

① Time-dated standard.

[☐] Separate English and French Editions.



| Number | Title | s | tanda | ırd | Amendn | nent |
|---|---|---------------|-------|-------------|----------------|-------------|
| | | Late: Issu | | Price \$ | Latest Amdt | Price \$ |
| | TOBACCO | | | | | |
| CAN/CGSB-176.1-92 CAN/CGSB-176.2 1-96 | Preparation of Cigarettes from Cigarette Tobacco for Testing Methods of Sampling and Testing Tobacco Determination of Programment in Test Portionate Methods of | Dec | 92 | 35.50 | | |
| ⊕ 1-90 | Determination of Benzo(α)pyrene in Total Particulate Matter of Tobacco Smoke | Mar | 96 | 49.00 | | |
| | WINE | | | | | |
| ① CAN/CGSB-177.1-96 | Wine | June | 96 | 63.50 | | |
| | PERSONAL BODY ARMOUR | | | | | |
| ① CAN/CGSB-179.1-2001 | Personal Body Armour | Apr | 01 | 96.50 | | |
| | SORBENT MATERIALS | | | | | |
| ① CAN/CGSB-183.2-94 | Method for Testing Sorbents | Feb | 94 | 49.00 | | |
| | QUALITY MANAGEMENT SYSTEMS | | | | | |
| ① CGSB 184.1-2002 | Guidelines for Implementing ISO 9000 Quality Management Systems in Public Sector Organizations | Oct | 02 | 96.50 | | |
| | PROJECT MANAGEMENT | | | | | |
| ① CAN/CGSB-187.2-99 | Project Performance Management | June | 99 | 49.00 | | |
| | ACCESSIBLE TRANSPORTATION | | | | | |
| ⊕ CAN/CGSB-189.1-95 | Lifting Systems for Aircraft Boarding of Passengers with Mobility Impairments | Apr | 95 | 55.00 | | |
| | AT-SEA FISHERIES OBSERVERS | | | | | |
| ① CAN/CGSB-190.1-97 | Training and Certification of At-Sea Fisheries Observers | Dec | 97 | 49.00 | | |
| | COMPETENCIES | | | | | |
| CGSB-192.1-2005 | Competencies of the Federal Government Procurement, Materiel Management and Real Property Community C PL | Mar | 05 | 96.50 | | |
| CGSB-192.2-2009 | Competencies of the Federal Government Information Management Community | June | 09 | 55.00 | | |
| | | | | | | |



Time-dated standard.

CPL indicates a certification program with more frequent testing.

| Number | | Title | | | ard | Amendment | |
|------------|---|--|--------------|----|-------------|----------------|-------------|
| | | | Late Issu | | Price \$ | Latest Amdt | Price \$ |
| | | TRADE DOCUMENTS AND ELECTRONIC DATA INTERCHANGE | | | | | |
| 4 | CAN/CGSB-200.2-M79 | Common Image Area for Paper Sizes P4 and A4 | Apr | 79 | 45.00 | | |
| (4) | CAN/CGSB-200.3-M82 | The Canadian Trade-Document Alignment System — Layout Key and Master | Oct | 82 | 45.00 | | |
| 4 | CAN/CGSB-200.8-87/ ISO 8440:1986 | Location of Codes in Trade Documents | Oct | 87 | 49.00 | | |
| 4 | CAN/CGSB-200.9-91/ CAN/CSA-Z243.302-91 | Trade Data Elements Directory (UNTDED 1990) | July | 91 | 133.50 | | |
| @ □ | CAN/CSA-2243.302-91 CAN/CGSB-200.10-89/ ISO 9735:1988 | Electronic Data Interchange for Administration, Commerce, and Transport (EDIFACT) — Application Level Syntax Rules | Aug | 89 | 122.00 | | |
| | | MICROCOMPUTER SALES AND AFTER SALES SERVICE | | | | | |
| 4 | CAN/CGSB-201.1-2003 | Minimum Product and Warranty Service Requirements for Microcomputer-based Equipment | Sep | 03 | 45.00 | | |

[⊕] Time-dated standard.□ Separate English and French Editions.



GOVERNMENT OF CANADA FORMS

The following is a listing of Government of Canada standardized forms as prepared by the Canadian General Standards Board Committee on GC (Government of Canada) Forms Standardization.

| Form Number | Title | Form Number | Title |
|--------------------|---|------------------|---|
| GC 13 | Tag, Urgent | GC 109 | Cash Blotter |
| GC 22 | Memorandum — 3 Parts | GC 111 | Purchase Order |
| GC 24 | Motor Vehicle Accident Notes | GC 114 | Application for Parking Permit |
| GC 25 | Temporary Pass | GC 115 | Requisition for Payment (Foreign Funds) |
| GC 29 | Oath of Allegiance/Oath of Office and Secrecy | GC 116 | Parking Permit |
| GC 31 | Closed Volume | GC 117 | File Recall |
| GC 32 | Disciplinary Action Report | GC 120 | Unavailable File Notice |
| GC 34 | Petty Cash Voucher | GC 121 | Application for Identification Card |
| GC 35 | Petty Cash Statement | GC 124 | Materiel Discrepancy or Services Complaint |
| GC 39-1 | Shelf Folder "Unclassified" Legal Size | GC 132 | Report of Lost Identification Card |
| GC 39-1 GC 39-2 | Shelf Folder "Confidential" Legal Size | GC 132 | Publication Purchase Request |
| GC 39-2 GC 39-3 | Shelf Folder "Secret" Legal Size | GC 135 | Specimen Signature |
| GC 39-3 GC 39-4 | Shelf Folder "Top Secret" Legal Size | GC 130 GC 143 | Daily Vehicle/Equipment Operating Record |
| | | GC 143 GC 157 | |
| GC 39-5 | Shelf Folder "Protected" Legal Size | | Confirmation of Telephone Conversation or Personnel Interview |
| GC 40-2 | Label - Single | GC 161 | Certificate of Motor Vehicle Business-Rate |
| | | | Insurance Coverage (MV9) |
| GC 40-3 | Label - Double | GC 168 | Hospitality Expense Claim |
| GC 43 | Official Receipt | GC 172 | Entry and Key Control Register |
| GC 44 | Transmittal Note and Receipt | GC 177 | Memorandum (Single Page) |
| GC 46 | Motor Vehicle Accident Report | GC 178 | Leave Application and Absence Report |
| GC 48 | Termination Report | GC 179 | Extra Duty Pay and Shiftwork Report (EDR) |
| GC 49 | Pick-Up and Delivery Order | GC 181 | Notification of Security Check |
| GC 56 | Monthly Attendance Register | GC 186 | Taxi Usage Log |
| GC 58 | Flow Chart | GC 187 | New Attachment |
| GC 59 | Round Trip Memorandum | | |
| GC 69 | Cheque Deposit or Mail Request | GC 194 | News Release - English |
| GC 72 | Travel Authority and Advance | GC 195 | Communiqué - French |
| GC 73 | Travel Expense Claim | GC 197 | News Release – Bilingual – French/English |
| GC 74 | Record of Travel Expenses | GC 205 | Authority for Removal of Material from Premises |
| GC 75 | Personal History Record | GC 207 | Requisition for Payment (U.S. Funds) |
| GC 80-1 | Requisition for Payment (Canadian Funds) | GC 208 | Statutory Declaration |
| GC 80-2 | Requisition for Payment (Canadian Funds) – | GC 210-1 | File Folder "Unclassified" Legal Size |
| | Legal Size | 002101 | The Folder Chadosined Logar Size |
| GC 83 | Notice of Interlibrary Loan (Wrapper) | GC 210-2 | File Folder "Confidential" Legal Size |
| GC 85 | Illness in Family | GC 210-3 | File Folder "Secret" Legal Size |
| GC 86 | Identification Label for Governement Vehicles | GC 210-4 | File Folder "Top Secret" Legal Size |
| GC 91 | Internal Requisition for Office Supplies | GC 210-5 | File Folder "Protected" Legal Size |
| GC 92 | Internal Requisition for Material/Services | GC 211 | Training Application and Authorization |
| | • | GC 212 | Longer-Term Training Documentation |
| GC 93 | Invoice | GC 213 | Departmental Training Record |
| GC 95 | File Charge-Out Card | GC 218 | Action Request (Repositionable) |
| GC 97 | File Control | GC 219 | Moving Label |
| | | GC 221 | Government of Canada Letterhead |
| GC 99-1 | Temporary Docket "Unclassified" | GC 221F | Government of Canada Letterhead – French First |
| GC-99-2 | Temporary Docket "Confidential" | GC 222 | Request for Calling Cards |
| GC 99-3 | Temporary Docket "Secret" | GC 224 | Information Kit Folder (English/French) |
| GC 99-4 | Temporary Docket "Top Secret" | GC 225 | Information Kit Folder (French/English) |
| GC 99-5 | Temporary Docket "Protected" | GC 227 | Call-up Against a Contract |
| GC 106 | Messenger Pick-Up/Delivery | 00 221 | can ap riganiot a contidot |
| 50 100 | Wicocongol Flore-op/Dollvory | | |

GC Forms are available in electronic and/or paper format. For a list of paper and electronic GC forms available, and to download or order them, please refer to the following PWGSC Intranet site: http://publiservice.pwgsc.gc.ca/gcforms/text/frms-e.html .

Notice to Users of Government of Canada Forms: The Canadian General Standards Board Committee on GC (Government of Canada) Forms Standardization is responsible for developing GC forms for use by the Government of Canada. These GC forms are the property of the CGSB that holds the copyright. Recreation, revision or distribution in any format, including paper (printed, photocopied) and electronic (floppy, CD ROM, Intra/Internet site, etc.) without written authorization by the CGSB is not permitted. For further information, please contact the Team Leader for the GC Forms at 819-956-0777.

