

Catalogue no. 82-623-X

# Canadian Health Measures Survey: Cycle 1 Data Tables

2007 to 2009



Statistics  
Canada

Statistique  
Canada

Canada

## How to obtain more information

For information about this product or the wide range of services and data available from Statistics Canada, visit our website at [www.statcan.gc.ca](http://www.statcan.gc.ca), e-mail us at [infostats@statcan.gc.ca](mailto:infostats@statcan.gc.ca), or telephone us, Monday to Friday from 8:30 a.m. to 4:30 p.m., at the following numbers:

### Statistics Canada's National Contact Centre

Toll-free telephone (Canada and the United States):

Inquiries line	1-800-263-1136
National telecommunications device for the hearing impaired	1-800-363-7629
Fax line	1-877-287-4369

Local or international calls:

Inquiries line	1-613-951-8116
Fax line	1-613-951-0581

### Depository Services Program

Inquiries line	1-800-635-7943
Fax line	1-800-565-7757

## To access this product

This product, Catalogue no. 82-623-X, is available free in electronic format. To obtain a single issue, visit our website at [www.statcan.gc.ca](http://www.statcan.gc.ca) and select "Publications."

## Standards of service to the public

Statistics Canada is committed to serving its clients in a prompt, reliable and courteous manner. To this end, Statistics Canada has developed *standards of service* that its employees observe. To obtain a copy of these service standards, please contact Statistics Canada toll-free at 1-800-263-1136. The service standards are also published on [www.statcan.gc.ca](http://www.statcan.gc.ca) under "About us" > "Providing services to Canadians."

Statistics Canada  
Physical Health Measures Division

# Canadian Health Measures Survey: Cycle 1 Data Tables

2007 to 2009

Published by authority of the Minister responsible for Statistics Canada

© Minister of Industry, 2010

All rights reserved. The content of this electronic publication may be reproduced, in whole or in part, and by any means, without further permission from Statistics Canada, subject to the following conditions: that it be done solely for the purposes of private study, research, criticism, review or newspaper summary, and/or for non-commercial purposes; and that Statistics Canada be fully acknowledged as follows: Source (or "Adapted from", if appropriate): Statistics Canada, year of publication, name of product, catalogue number, volume and issue numbers, reference period and page(s). Otherwise, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, by any means—electronic, mechanical or photocopy—or for any purposes without prior written permission of Licensing Services, Client Services Division, Statistics Canada, Ottawa, Ontario, Canada K1A 0T6.

March 2010

Catalogue no. 82-623-X

ISSN 1920-6550

Frequency: Irregular

Ottawa

Cette publication est également disponible en français.

---

#### **Note of appreciation**

*Canada owes the success of its statistical system to a long-standing partnership between Statistics Canada, the citizens of Canada, its businesses, governments and other institutions. Accurate and timely statistical information could not be produced without their continued cooperation and goodwill.*

# User information

---

## Symbols

The following standard symbols are used in Statistics Canada publications:

- . not available for any reference period
- .. not available for a specific reference period
- ... not applicable
- 0 true zero or a value rounded to zero
- 0<sup>s</sup> value rounded to 0 (zero) where there is a meaningful distinction between true zero and the value that was rounded
- p preliminary
- r revised
- x suppressed to meet the confidentiality requirements of the *Statistics Act*
- E use with caution
- F too unreliable to be published

# Table of contents

---

## Introduction

6

## Statistical tables

1	Distribution of the household population by the average resting diastolic blood pressure, by age and sex, Canada, 2007 to 2009	8
2	Distribution of the household population by the average resting systolic blood pressure, by age and sex, Canada, 2007 to 2009	9
3	Distribution of the household population by the average resting heart rate, by age and sex, Canada, 2007 to 2009	10
4	Distribution of the household population by blood pressure norms, by age and sex, Canada, 2007 to 2009	11
5	Household population who self-reported being diagnosed with hypertension or taking hypertension medication, by age and sex, Canada, 2007 to 2009	12
6	Total grip strength of the household population, by age and sex, Canada, 2007 to 2009	13
7	Distribution of the household population by grip strength norms, by age and sex, Canada, 2007 to 2009	14
8	Number of partial curl-ups completed by the household population, by age and sex, Canada, 2007 to 2009	15
9	Distribution of the household population by partial curl-up norms, by age and sex, Canada, 2007 to 2009	16
10	Distribution of the household population by back fitness norms, by age and sex, Canada, 2007 to 2009	17
11	Sit and reach measure completed by the household population, by age and sex, Canada, 2007 to 2009	18
12	Distribution of the household population by sit and reach norms, by age and sex, Canada, 2007 to 2009	19
13	Distribution of the household population by musculoskeletal fitness norms, by age and sex, Canada, 2007 to 2009	20
14	Distribution of the household population by aerobic fitness norms, by age and sex, Canada, 2007 to 2009	21
15	Measured waist circumference of the household population, by age and sex, Canada, 2007 to 2009	22
16	Measured hip circumference of the household population, by age and sex, Canada, 2007 to 2009	23
17	Measured waist-to-hip ratio of the household population, by age and sex, Canada, 2007 to 2009	24
18	Distribution of the household population with a body mass index less than 30kg/m <sup>2</sup> , by the average biceps skinfold, by age and sex, Canada, 2007 to 2009	25
19	Distribution of the household population with a body mass index less than 30kg/m <sup>2</sup> , by the average triceps skinfold, by age and sex, Canada, 2007 to 2009	26
20	Distribution of the household population with a body mass index less than 30kg/m <sup>2</sup> , by the average subscapular skinfold, by age and sex, Canada, 2007 to 2009	27
21	Distribution of the household population with a body mass index less than 30kg/m <sup>2</sup> , by average iliac crest skinfold, by age and sex, Canada, 2007 to 2009	28
22	Distribution of the household population with a body mass index less than 30kg/m <sup>2</sup> , by the average medial calf skinfold, by age and sex, Canada, 2007 to 2009	29

**Table of contents – continued**

23	Distribution of the household population with a body mass index less than 30kg/m <sup>2</sup> , by the sum of the five skinfolds, by age and sex, Canada, 2007 to 2009	30
24	Self-reported weight of the household population, by age and sex, Canada, 2007 to 2009	31
25	Self-reported height of the household population, by age and sex, Canada, 2007 to 2009	32
26	Distribution of the household population aged 6 to 17, by body mass index norms based on self-reported inputs—CDC system, by age and sex, Canada, 2007 to 2009	33
27	Distribution of the household population aged 6 to 17, by body mass index norms based on self-reported inputs—Cole system, by age and sex, Canada, 2007 to 2009	33
28	Distribution of the household population aged 18 to 79, by body mass index norms based on self-reported inputs, by age and sex, Canada, 2007 to 2009	34
29	Measured sitting height of the household population, by age and sex, Canada, 2007 to 2009	35
30	Measured standing height of the household population, by age and sex, Canada, 2007 to 2009	36
31	Measured weight of the household population, by age and sex, Canada, 2007 to 2009	37
32	Measured body mass index of the household population, by age and sex, Canada, 2007 to 2009	38
33	Distribution of the household population aged 6 to 17, by body mass index norms based on measured inputs—CDC system, by age and sex, Canada, 2007 to 2009	39
34	Distribution of the household population aged 6 to 17, by body mass index norms based on measured inputs—Cole system, by age and sex, Canada, 2007 to 2009	39
35	Distribution of the household population aged 18 to 79, by body mass index norms based on measured inputs, by age and sex, Canada, 2007 to 2009	40
36	Mean predicted maximal aerobic power of the household population, by age and sex, Canada, 2007 to 2009	41
37	Ratio of the best forced expiratory volume in one second to the best forced vital capacity in the household population, by age and sex, Canada, 2007 to 2009	42
38	Best forced expiratory volume in one second of the household population, by age and sex, Canada, 2007 to 2009	43
39	Best forced vital capacity in the household population, by age and sex, Canada, 2007 to 2009	44
40	Distribution of the household population by dental status, by age and sex, Canada, 2007 to 2009	45
41	Distribution of the household population by the concentration of serum vitamin B12, by age and sex, Canada, 2007 to 2009	46
42	Distribution of the household population by the concentration of plasma vitamin D, by age and sex, Canada, 2007 to 2009	47
43	Distribution of the household population by the concentration of plasma homocysteine, by age and sex, Canada, 2007 to 2009	48
44	Distribution of the household population by the concentration of whole blood red cell folate, by age and sex, Canada, 2007 to 2009	49
45	Distribution of the household population (full sample) by the concentration of serum total cholesterol, by age and sex, Canada, 2007 to 2009	50
46	Distribution of the household population (fasted sub-sample) by the concentration of serum total cholesterol, by age and sex, Canada, 2007 to 2009	51
47	Distribution of the household population (fasted sub-sample) by the concentration of serum triglycerides, by age and sex, Canada, 2007 to 2009	52

**Table of contents – continued**

48	Distribution of the household population (fasted sub-sample) by the concentration of serum low density lipoproteins, by age and sex, Canada, 2007 to 2009	53
49	Distribution of the household population (full sample) by the concentration of serum high density lipoproteins, by age and sex, Canada, 2007 to 2009	54
50	Distribution of the household population (fasted sub-sample) by the concentration of serum high density lipoproteins, by age and sex, Canada, 2007 to 2009	55
51	Distribution of the household population (full sample) by the ratio of serum total cholesterol to serum high density lipoproteins, by age and sex, Canada, 2007 to 2009	56
52	Distribution of the household population (fasted sub-sample) by the ratio of serum total cholesterol to serum high density lipoproteins, by age and sex, Canada, 2007 to 2009	57
53	Distribution of the household population (fasted sub-sample) by the concentration of serum apolipoprotein A1, by age and sex, Canada, 2007 to 2009	58
54	Distribution of the household population (fasted sub-sample) by the concentration of serum apolipoprotein B, by age and sex, Canada, 2007 to 2009	59
55	Distribution of the household population (fasted sub-sample) by the concentration of plasma glucose, by age and sex, Canada, 2007 to 2009	60
56	Prevalence of hepatitis A antibody within the household population, by age and sex, Canada, 2007 to 2009	61
57	Prevalence of hepatitis B surface antibody within the household population, by age and sex, Canada, 2007 to 2009	61

## Introduction

---

The Canadian Health Measures Survey (CHMS) is the most extensive national survey on physical health measures ever conducted in the country. Data collection consists of two steps, a personal interview at the respondent's household followed later by a visit to the CHMS mobile clinic where physical measurements and blood and urine samples are taken.

The CHMS captures a broad portrait of the health of Canadians by gathering baseline data on a variety of concerns, including cardiovascular health, nutritional status, chronic diseases and physical activity, as well as exposure to infectious diseases and environmental contaminants. The survey collects health information that can't be otherwise captured, or that may be inaccurately reported, through self-report questionnaires or health care records.

The CHMS is conducted by Statistics Canada in partnership with Health Canada and the Public Health Agency of Canada.

During CHMS cycle 1, physical measurements were collected in 15 sites across Canada from about 5,600 people representing the Canadian population aged 6 to 79. Collection sites were located in five provinces: New Brunswick, Quebec, Ontario, Alberta and British Columbia. Collection started in March 2007 and continued until February 2009. Data are representative at the national level.

This publication is part of the release of CHMS data that began in January 2010. Data are presented by gender and the following age groups (depending on the measure): 6 to 11 years, 12 to 19 years, 20 to 39 years, 40 to 59 years and 60 to 79 years.

Each release of data will be accompanied by data tables, a user guide, derived variable documentation, and several articles published in *Health Reports*, a quarterly peer-reviewed journal published by Statistics Canada.

For additional information about the Canadian Health Measures Survey:

Toll-free number:	1-888-253-1087
E-mail:	<a href="mailto:chms-ecms@statcan.gc.ca">chms-ecms@statcan.gc.ca</a>
Telecommunication device for the hearing impaired:	1-866-753-7083
Statistics Canada website:	<a href="http://www.statcan.gc.ca/chms">www.statcan.gc.ca/chms</a>



# Statistical tables

---

---

**Table 1**  
**Distribution of the household population by the average resting diastolic blood pressure, by age and sex, Canada, 2007 to 2009**

	Average resting diastolic blood pressure											
	Mean		5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile			
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimetres of mercury												
<b>Both sexes</b>												
Age 6 to 11	61	60	61	49	48	50	51	49	53	56	55	57
Age 12 to 19	63	62	64	52	51	53	54	53	55	58	57	59
Age 20 to 39	69	68	71	56	55	57	58	57	59	63	62	64
Age 40 to 59	75	74	76	61	60	62	64	63	65	68	67	69
Age 60 to 79	73	72	73	57	55	59	61	60	62	67	66	68
<b>Age 6 to 79</b>	<b>70</b>	<b>70</b>	<b>71</b>	<b>55</b>	<b>54</b>	<b>56</b>	<b>58</b>	<b>57</b>	<b>59</b>	<b>63</b>	<b>62</b>	<b>64</b>
<b>Males</b>												
Age 6 to 11	61	59	62	49	47	51	51	49	53	56	55	57
Age 12 to 19	63	62	64	51	50	52	53	52	54	58	56	60
Age 20 to 39	72	70	73	56	54	58	59	56	62	66	64	68
Age 40 to 59	78	76	79	65	62	68	67	65	69	72	70	74
Age 60 to 79	74	73	75	58	57	59	62	61	63	68	67	69
<b>Age 6 to 79</b>	<b>72</b>	<b>71</b>	<b>73</b>	<b>55</b>	<b>54</b>	<b>56</b>	<b>58</b>	<b>56</b>	<b>60</b>	<b>65</b>	<b>64</b>	<b>66</b>
<b>Females</b>												
Age 6 to 11	60	60	61	50	48	52	52	50	54	55	54	56
Age 12 to 19	63	62	64	53	51	55	55	54	56	57	56	58
Age 20 to 39	67	66	69	55	53	57	58	57	59	62	61	63
Age 40 to 59	72	71	73	60	59	61	62	61	63	66	65	67
Age 60 to 79	72	71	73	57	54	60	60	58	62	65	63	67
<b>Age 6 to 79</b>	<b>69</b>	<b>68</b>	<b>69</b>	<b>55</b>	<b>54</b>	<b>56</b>	<b>57</b>	<b>56</b>	<b>58</b>	<b>62</b>	<b>61</b>	<b>63</b>

  

	Average resting diastolic blood pressure											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimetres of mercury												
<b>Both sexes</b>												
Age 6 to 11	61	60	62	65	64	66	70	69	71	72	70	74
Age 12 to 19	63	61	65	68	66	70	72	71	73	75	74	76
Age 20 to 39	69	68	70	75	73	77	81	79	83	84	82	86
Age 40 to 59	74	73	75	81	79	83	86	85	87	89	87	91
Age 60 to 79	73	72	74	78	77	79	83	82	84	88	86	90
<b>Age 6 to 79</b>	<b>70</b>	<b>69</b>	<b>71</b>	<b>77</b>	<b>76</b>	<b>78</b>	<b>83</b>	<b>82</b>	<b>84</b>	<b>86</b>	<b>85</b>	<b>87</b>
<b>Males</b>												
Age 6 to 11	60	59	61	64	63	65	69	67	71	72	69	75
Age 12 to 19	63	61	65	68	66	70	72	70	74	77	74	80
Age 20 to 39	72	70	74	78	76	80	82	80	84	86	83	89
Age 40 to 59	78	76	80	83	82	84	87	86	88	90	88	92
Age 60 to 79	75	74	76	80	79	81	84	83	85	88	86	90
<b>Age 6 to 79</b>	<b>73</b>	<b>72</b>	<b>74</b>	<b>79</b>	<b>78</b>	<b>80</b>	<b>84</b>	<b>83</b>	<b>85</b>	<b>87</b>	<b>86</b>	<b>88</b>
<b>Females</b>												
Age 6 to 11	61	60	62	65	64	66	70	69	71	73	71	75
Age 12 to 19	63	61	65	68	66	70	72	71	73	74	73	75
Age 20 to 39	66	64	68	72	70	74	78	75	81	83	80	86
Age 40 to 59	71	70	72	77	76	78	82	80	84	87	84	90
Age 60 to 79	72	71	73	77	76	78	83	81	85	88	86	90
<b>Age 6 to 79</b>	<b>68</b>	<b>67</b>	<b>69</b>	<b>74</b>	<b>73</b>	<b>75</b>	<b>80</b>	<b>79</b>	<b>81</b>	<b>85</b>	<b>83</b>	<b>87</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 2**  
**Distribution of the household population by the average resting systolic blood pressure, by age and sex,**  
**Canada, 2007 to 2009**

	Average resting systolic blood pressure											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimetres of mercury												
<b>Both sexes</b>												
Age 6 to 11	93	92	94	82	80	84	84	83	85	88	87	89
Age 12 to 19	99	98	101	86	84	88	89	88	90	93	91	95
Age 20 to 39	106	104	107	90	89	91	93	92	94	98	96	100
Age 40 to 59	114	112	116	95	94	96	99	97	101	105	104	106
Age 60 to 79	125	124	126	102	100	104	105	104	106	113	112	114
<b>Age 6 to 79</b>	<b>110</b>	<b>109</b>	<b>111</b>	<b>89</b>	<b>88</b>	<b>90</b>	<b>92</b>	<b>91</b>	<b>93</b>	<b>99</b>	<b>98</b>	<b>100</b>
<b>Males</b>												
Age 6 to 11	93	92	94	81	78	84	84	82	86	88	87	89
Age 12 to 19	101	99	103	87	86	88	89	88	90	94	92	96
Age 20 to 39	110	108	112	93	91	95	98	96	100	103	101	105
Age 40 to 59	116	115	118	99	98	100	102	101	103	108	106	110
Age 60 to 79	122	121	124	100	98	102	104	102	106	113	111	115
<b>Age 6 to 79</b>	<b>112</b>	<b>111</b>	<b>113</b>	<b>90</b>	<b>89</b>	<b>91</b>	<b>94</b>	<b>93</b>	<b>95</b>	<b>102</b>	<b>101</b>	<b>103</b>
<b>Females</b>												
Age 6 to 11	93	93	94	82	80	84	84	82	86	88	87	89
Age 12 to 19	98	96	99	86	84	88	89	87	91	92	90	94
Age 20 to 39	101	100	103	87	85	89	91	90	92	94	92	96
Age 40 to 59	112	110	114	93	92	94	96	94	98	102	101	103
Age 60 to 79	127	125	129	103	101	105	105	103	107	115	113	117
<b>Age 6 to 79</b>	<b>108</b>	<b>107</b>	<b>110</b>	<b>88</b>	<b>87</b>	<b>89</b>	<b>91</b>	<b>90</b>	<b>92</b>	<b>97</b>	<b>96</b>	<b>98</b>

  

	Average resting systolic blood pressure											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimetres of mercury												
<b>Both sexes</b>												
Age 6 to 11	93	92	94	98	96	100	103	102	104	106	104	108
Age 12 to 19	98	96	100	105	103	107	111	108	114	115	113	117
Age 20 to 39	105	103	107	113	111	115	119	117	121	125	122	128
Age 40 to 59	113	111	115	121	118	124	131	127	135	138	135	141
Age 60 to 79	123	121	125	134	132	136	146	143	149	156	151	161
<b>Age 6 to 79</b>	<b>108</b>	<b>106</b>	<b>110</b>	<b>118</b>	<b>117</b>	<b>119</b>	<b>129</b>	<b>127</b>	<b>131</b>	<b>138</b>	<b>136</b>	<b>140</b>
<b>Males</b>												
Age 6 to 11	92	91	93	97	95	99	102	100	104	105	102	108
Age 12 to 19	101	99	103	106	104	108	113	110	116	116	113	119
Age 20 to 39	110	108	112	117	115	119	122	119	125	127	124	130
Age 40 to 59	116	114	118	123	121	125	131	126	136	138	132	144
Age 60 to 79	121	119	123	132	129	135	142	140	144	146	143	149
<b>Age 6 to 79</b>	<b>111</b>	<b>110</b>	<b>112</b>	<b>119</b>	<b>117</b>	<b>121</b>	<b>129</b>	<b>128</b>	<b>130</b>	<b>137</b>	<b>135</b>	<b>139</b>
<b>Females</b>												
Age 6 to 11	93	92	94	99	98	100	104	103	105	107	105	109
Age 12 to 19	97	96	98	102	101	103	109	107	111	112	109	115
Age 20 to 39	100	98	102	107	104	110	115	113	117	119	115	123
Age 40 to 59	110	108	112	119	116	122	130	125	135	138	134	142
Age 60 to 79	125	123	127	136	133	139	152	146	158	163	154	172
<b>Age 6 to 79</b>	<b>105</b>	<b>104</b>	<b>106</b>	<b>117</b>	<b>115</b>	<b>119</b>	<b>129</b>	<b>126</b>	<b>132</b>	<b>139</b>	<b>136</b>	<b>142</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 3**  
**Distribution of the household population by the average resting heart rate, by age and sex, Canada, 2007 to 2009**

	Average resting heart rate											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	beats per minute											
<b>Both sexes</b>												
Age 6 to 11	80	79	81	63	61	65	67	66	68	72	71	73
Age 12 to 19	75	74	76	56	54	58	60	59	61	67	65	69
Age 20 to 39	69	68	71	53	51	55	56	54	58	62	60	64
Age 40 to 59	67	66	68	51	49	53	55	54	56	61	60	62
Age 60 to 79	66	65	67	50	48	52	53	52	54	59	58	60
<b>Age 6 to 79</b>	<b>69</b>	<b>69</b>	<b>70</b>	<b>52</b>	<b>51</b>	<b>53</b>	<b>56</b>	<b>55</b>	<b>57</b>	<b>62</b>	<b>61</b>	<b>63</b>
<b>Males</b>												
Age 6 to 11	77	76	78	62	60	64	64	62	66	69	68	70
Age 12 to 19	74	72	76	55	52	58	59	57	61	65	62	68
Age 20 to 39	68	66	70	50	47	53	54	52	56	61	60	62
Age 40 to 59	66	65	67	49	47	51	52	49	55	59	57	61
Age 60 to 79	65	64	66	48	46	50	52	51	53	58	57	59
<b>Age 6 to 79</b>	<b>68</b>	<b>67</b>	<b>69</b>	<b>50</b>	<b>48</b>	<b>52</b>	<b>54</b>	<b>53</b>	<b>55</b>	<b>60</b>	<b>59</b>	<b>61</b>
<b>Females</b>												
Age 6 to 11	82	81	83	66	64	68	69	67	71	75	73	77
Age 12 to 19	75	74	76	58	55	61	61	59	63	68	66	70
Age 20 to 39	71	69	73	55	53	57	58	56	60	63	61	65
Age 40 to 59	68	67	69	54	53	55	57	55	59	62	61	63
Age 60 to 79	66	65	68	52	50	54	54	53	55	59	58	60
<b>Age 6 to 79</b>	<b>71</b>	<b>70</b>	<b>71</b>	<b>54</b>	<b>53</b>	<b>55</b>	<b>58</b>	<b>57</b>	<b>59</b>	<b>63</b>	<b>62</b>	<b>64</b>

  

	Average resting heart rate											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	beats per minute											
<b>Both sexes</b>												
Age 6 to 11	79	78	80	87	86	88	93	91	95	98	96	100
Age 12 to 19	74	73	75	82	80	84	91	90	92	95	94	96
Age 20 to 39	69	67	71	76	75	77	83	81	85	88	85	91
Age 40 to 59	66	65	67	73	71	75	81	79	83	85	83	87
Age 60 to 79	65	64	66	72	71	73	78	76	80	84	81	87
<b>Age 6 to 79</b>	<b>68</b>	<b>67</b>	<b>69</b>	<b>76</b>	<b>75</b>	<b>77</b>	<b>84</b>	<b>83</b>	<b>85</b>	<b>89</b>	<b>88</b>	<b>90</b>
<b>Males</b>												
Age 6 to 11	76	75	77	85	83	87	91	89	93	96	93	99
Age 12 to 19	73	71	75	81	78	84	92	88	96	97	95	99
Age 20 to 39	68	66	70	75	73	77	81	79	83	85	81	89
Age 40 to 59	65	64	66	72	70	74	80	77	83	84	81	87
Age 60 to 79	65	64	66	71	69	73	78	75	81	86	80	92
<b>Age 6 to 79</b>	<b>67</b>	<b>66</b>	<b>68</b>	<b>75</b>	<b>74</b>	<b>76</b>	<b>83</b>	<b>81</b>	<b>85</b>	<b>88</b>	<b>87</b>	<b>89</b>
<b>Females</b>												
Age 6 to 11	82	80	84	88	86	90	96	93	99	100	96	104
Age 12 to 19	74	73	75	83	81	85	91	89	93	94	92	96
Age 20 to 39	71	69	73	77	76	78	84	82	86	89	86	92
Age 40 to 59	67	66	68	74	72	76	82	80	84	86	84	88
Age 60 to 79	66	64	68	73	71	75	79	77	81	83	80	86
<b>Age 6 to 79</b>	<b>70</b>	<b>69</b>	<b>71</b>	<b>77</b>	<b>76</b>	<b>78</b>	<b>85</b>	<b>84</b>	<b>86</b>	<b>89</b>	<b>87</b>	<b>91</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 4**  
**Distribution of the household population by blood pressure norms, by age and sex, Canada, 2007 to 2009**

	Blood pressure norms								
	Within the acceptable range			Acceptable, but at the high end of the acceptable range			Above the acceptable range		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 18 to 39	95.4	93.8	96.9	3.9 <sup>E</sup>	2.6	5.1	F	...	...
Age 40 to 59	82.4	78.8	85.9	11.3	8.7	13.9	5.3	4.0	6.6
Age 60 to 79	66.7	64.2	69.1	15.7	12.8	18.6	13.8	11.6	15.9
<b>Age 18 to 79</b>	<b>84.4</b>	<b>82.8</b>	<b>86.0</b>	<b>9.2</b>	<b>8.0</b>	<b>10.4</b>	<b>5.1</b>	<b>4.5</b>	<b>5.8</b>
<b>Males</b>									
Age 18 to 39	93.9	91.3	96.5	4.9 <sup>E</sup>	2.9	7.0	F	...	...
Age 40 to 59	78.0	72.6	83.3	14.7	10.5	18.9	6.5	4.7	8.4
Age 60 to 79	69.7	65.3	74.0	15.2	10.5	19.9	13.8	10.7	16.9
<b>Age 18 to 79</b>	<b>82.8</b>	<b>80.7</b>	<b>84.9</b>	<b>10.8</b>	<b>9.1</b>	<b>12.6</b>	<b>5.7</b>	<b>4.7</b>	<b>6.7</b>
<b>Females</b>									
Age 18 to 39	96.8	94.6	99.1	F	...	...	F	...	...
Age 40 to 59	86.7	82.5	90.8	7.9 <sup>E</sup>	5.2	10.7	4.0 <sup>E</sup>	2.2	5.9
Age 60 to 79	63.9	60.7	67.1	16.1	13.9	18.3	13.8	10.3	17.3
<b>Age 18 to 79</b>	<b>86.0</b>	<b>83.9</b>	<b>88.1</b>	<b>7.6</b>	<b>6.2</b>	<b>9.0</b>	<b>4.6</b>	<b>3.5</b>	<b>5.6</b>

  

	Blood pressure norms								
	Moderately high			High			Very high		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 18 to 39	F	...	...	0.0	0.0	0.0	0.0	0.0	0.0
Age 40 to 59	0.7 <sup>E</sup>	0.3	1.1	F	...	...	0.0	0.0	0.0
Age 60 to 79	2.4 <sup>E</sup>	1.4	3.4	F	...	...	0.0	0.0	0.0
<b>Age 18 to 79</b>	<b>0.8<sup>E</sup></b>	<b>0.5</b>	<b>1.1</b>	<b>F</b>	<b>...</b>	<b>...</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
<b>Males</b>									
Age 18 to 39	F	...	...	0.0	0.0	0.0	0.0	0.0	0.0
Age 40 to 59	F	...	...	F	...	...	0.0	0.0	0.0
Age 60 to 79	1.0 <sup>E</sup>	0.4	1.6	F	...	...	0.0	0.0	0.0
<b>Age 18 to 79</b>	<b>0.5<sup>E</sup></b>	<b>0.2</b>	<b>0.9</b>	<b>F</b>	<b>...</b>	<b>...</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
<b>Females</b>									
Age 18 to 39	F	...	...	0.0	0.0	0.0	0.0	0.0	0.0
Age 40 to 59	F	...	...	F	...	...	0.0	0.0	0.0
Age 60 to 79	3.6 <sup>E</sup>	1.9	5.3	F	...	...	0.0	0.0	0.0
<b>Age 18 to 79</b>	<b>1.0<sup>E</sup></b>	<b>0.5</b>	<b>1.6</b>	<b>F</b>	<b>...</b>	<b>...</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** The norms used in this table can be found in D. Abbott, N. Campbell, P. Carruthers-Czyzewski, A. Chockalingam, M. David, G. Dunkley, E. Ellis, J.G. Fodor, D. McKay, V.R. Ramsden, 1994, "Guidelines for measurement of blood pressure, follow-up, and lifestyle counselling", *Canadian Journal of Public Health*, Vol. 85 (suppl 2), p. S29-S35.

Total household population aged 18 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 5**  
**Household population who self-reported being diagnosed with hypertension or taking hypertension medication, by age and sex, Canada, 2007 to 2009**

	Diagnosed with hypertension or taking hypertension medication			Not diagnosed with hypertension and not taking hypertension medication		
	Estimate	Confidence interval		Estimate	Confidence interval	
		To	From		To	From
percent						
<b>Both sexes</b>						
Age 12 to 19	F	...	...	99.7	99.4	99.9
Age 20 to 39	2.5 <sup>E</sup>	1.4	3.5	97.5	96.5	98.6
Age 40 to 59	17.3	14.1	20.6	82.7	79.4	85.9
Age 60 to 79	48.0	43.7	52.3	52.0	47.7	56.3
<b>Age 12 to 79</b>	<b>15.8</b>	<b>14.7</b>	<b>17.0</b>	<b>84.2</b>	<b>83.0</b>	<b>85.3</b>
<b>Males</b>						
Age 12 to 19	F	...	...	99.7	99.5	100.0
Age 20 to 39	2.6 <sup>E</sup>	1.2	4.0	97.4	96.0	98.8
Age 40 to 59	18.9	13.3	24.5	81.1	75.5	86.7
Age 60 to 79	47.9	42.5	53.3	52.1	46.7	57.5
<b>Age 12 to 79</b>	<b>16.1</b>	<b>14.5</b>	<b>17.7</b>	<b>83.9</b>	<b>82.3</b>	<b>85.5</b>
<b>Females</b>						
Age 12 to 19	F	...	...	99.7	99.2	100.1
Age 20 to 39	F	...	...	97.6	95.9	99.4
Age 40 to 59	15.8	13.5	18.2	84.2	81.8	86.5
Age 60 to 79	48.1	42.5	53.7	51.9	46.3	57.5
<b>Age 12 to 79</b>	<b>15.6</b>	<b>14.3</b>	<b>16.9</b>	<b>84.4</b>	<b>83.1</b>	<b>85.7</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** Total household population aged 12 to 79.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 6**  
**Total grip strength of the household population, by age and sex, Canada, 2007 to 2009**

	Total grip strength											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
kilograms												
<b>Both sexes</b>												
Age 6 to 11	26	25	28	12	11	13	14	12	16	19	17	21
Age 12 to 19	62	60	64	35	33	37	39	37	41	46	44	48
Age 20 to 39	76	75	78	43	42	44	47	46	48	56	54	58
Age 40 to 59	73	72	75	42	39	45	47	46	48	54	53	55
Age 60 to 79	61	60	62	34	32	36	36	35	37	44	43	45
<b>Age 6 to 79</b>	<b>67</b>	<b>66</b>	<b>69</b>	<b>28</b>	<b>26</b>	<b>30</b>	<b>37</b>	<b>35</b>	<b>38</b>	<b>49</b>	<b>48</b>	<b>50</b>
<b>Males</b>												
Age 6 to 11	27	26	29	12	10	14	16	13	19	21	18	24
Age 12 to 19	72	69	74	35	32	38	39	35	43	51	48	54
Age 20 to 39	97	94	99	72	66	78	77	74	80	87	82	92
Age 40 to 59	93	91	95	68	64	72	73	69	77	83	81	85
Age 60 to 79	78	75	80	51	45	57	57	52	62	68	65	71
<b>Age 6 to 79</b>	<b>84</b>	<b>82</b>	<b>86</b>	<b>29</b>	<b>27</b>	<b>31</b>	<b>46</b>	<b>43</b>	<b>49</b>	<b>74</b>	<b>72</b>	<b>76</b>
<b>Females</b>												
Age 6 to 11	25	24	27	12	11	13	13	12	14	19	18	20
Age 12 to 19	51	49	53	35	31	39	39	37	41	43	41	45
Age 20 to 39	56	54	58	39	36	42	43	42	44	49	48	50
Age 40 to 59	54	53	55	38	35	41	42	39	45	48	46	50
Age 60 to 79	46	45	47	31	30	32	34	33	35	39	38	40
<b>Age 6 to 79</b>	<b>51</b>	<b>50</b>	<b>52</b>	<b>26</b>	<b>24</b>	<b>28</b>	<b>34</b>	<b>32</b>	<b>36</b>	<b>44</b>	<b>43</b>	<b>45</b>

	Total grip strength											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
kilograms												
<b>Both sexes</b>												
Age 6 to 11	26	25	27	32	30	34	39	37	41	43	41	45
Age 12 to 19	56	53	59	75	72	78	93	90	96	102	98	106
Age 20 to 39	73	69	77	98	95	101	109	105	113	117	113	121
Age 40 to 59	68	65	71	92	90	94	106	104	108	113	110	116
Age 60 to 79	57	54	60	78	75	81	90	87	93	97	93	101
<b>Age 6 to 79</b>	<b>63</b>	<b>61</b>	<b>65</b>	<b>88</b>	<b>86</b>	<b>90</b>	<b>104</b>	<b>102</b>	<b>106</b>	<b>111</b>	<b>108</b>	<b>114</b>
<b>Males</b>												
Age 6 to 11	27	25	29	33	31	35	40	38	42	43	41	45
Age 12 to 19	73	70	76	89	84	94	102	98	106	108	102	114
Age 20 to 39	98	95	101	106	103	109	117	113	121	123	117	129
Age 40 to 59	92	90	94	103	101	105	113	110	116	116	114	118
Age 60 to 79	79	76	82	89	86	92	98	94	102	103	100	106
<b>Age 6 to 79</b>	<b>88</b>	<b>86</b>	<b>90</b>	<b>101</b>	<b>99</b>	<b>103</b>	<b>111</b>	<b>108</b>	<b>114</b>	<b>117</b>	<b>115</b>	<b>119</b>
<b>Females</b>												
Age 6 to 11	24	22	26	31	29	33	38	35	41	43	40	46
Age 12 to 19	51	49	53	58	55	61	66	64	68	70	68	72
Age 20 to 39	56	54	58	63	60	66	70	67	73	74	71	77
Age 40 to 59	54	53	55	60	59	61	67	65	69	71	68	74
Age 60 to 79	45	44	46	52	50	54	59	57	61	63	61	65
<b>Age 6 to 79</b>	<b>52</b>	<b>51</b>	<b>53</b>	<b>59</b>	<b>58</b>	<b>60</b>	<b>66</b>	<b>64</b>	<b>68</b>	<b>71</b>	<b>69</b>	<b>73</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 7**  
**Distribution of the household population by grip strength norms, by age and sex, Canada, 2007 to 2009**

	Grip strength norms								
	Needs improvement			Fair			Good		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 15 to 19	32.9	24.1	41.8	19.5	14.8	24.2	23.0	19.1	27.0
Age 20 to 39	26.1	22.1	30.0	23.0	18.8	27.1	20.7	16.1	25.2
Age 40 to 59	18.2	15.1	21.3	17.4	13.6	21.1	24.1	19.6	28.5
Age 60 to 69	25.4	21.6	29.2	21.9	17.6	26.1	15.2	12.0	18.3
<b>Age 15 to 69</b>	<b>23.4</b>	<b>20.4</b>	<b>26.3</b>	<b>20.2</b>	<b>17.1</b>	<b>23.4</b>	<b>21.5</b>	<b>19.2</b>	<b>23.8</b>
<b>Males</b>									
Age 15 to 19	37.7	25.8	49.6	21.4	15.0	27.8	18.8 <sup>E</sup>	12.6	24.9
Age 20 to 39	20.7	14.8	26.7	21.5	16.3	26.8	23.6 <sup>E</sup>	14.8	32.4
Age 40 to 59	16.4	12.2	20.6	18.4	14.4	22.5	19.0 <sup>E</sup>	10.9	27.0
Age 60 to 69	28.4	23.8	32.9	29.6	25.6	33.6	17.7	12.4	22.9
<b>Age 15 to 69</b>	<b>21.3</b>	<b>17.7</b>	<b>25.0</b>	<b>21.3</b>	<b>17.8</b>	<b>24.8</b>	<b>20.5</b>	<b>17.1</b>	<b>24.0</b>
<b>Females</b>									
Age 15 to 19	28.8	20.4	37.2	17.8	13.2	22.5	26.8	21.8	31.9
Age 20 to 39	31.3	26.1	36.5	24.4	19.9	28.9	17.7	13.6	21.9
Age 40 to 59	20.0	15.2	24.8	16.3	12.0	20.7	29.1	23.8	34.4
Age 60 to 69	22.6	15.7	29.6	14.6 <sup>E</sup>	7.8	21.5	12.8	8.7	16.9
<b>Age 15 to 69</b>	<b>25.4</b>	<b>21.2</b>	<b>29.5</b>	<b>19.2</b>	<b>16.0</b>	<b>22.5</b>	<b>22.5</b>	<b>20.5</b>	<b>24.5</b>

  

	Grip strength norms					
	Very good			Excellent		
	Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To
	percent					
<b>Both sexes</b>						
Age 15 to 19	14.5	11.2	17.7	10.0	7.5	12.6
Age 20 to 39	18.9	15.6	22.2	11.4	7.9	14.9
Age 40 to 59	23.3	19.3	27.3	17.0	12.3	21.7
Age 60 to 69	17.6	13.5	21.6	20.0	17.2	22.8
<b>Age 15 to 69</b>	<b>20.2</b>	<b>18.8</b>	<b>21.5</b>	<b>14.7</b>	<b>11.5</b>	<b>17.9</b>
<b>Males</b>						
Age 15 to 19	12.6	9.2	15.9	9.6 <sup>E</sup>	5.2	14.0
Age 20 to 39	21.2	15.6	26.7	13.0 <sup>E</sup>	7.5	18.5
Age 40 to 59	24.8	20.3	29.3	21.3	15.6	27.0
Age 60 to 69	12.2 <sup>E</sup>	6.6	17.9	12.1	8.6	15.7
<b>Age 15 to 69</b>	<b>20.8</b>	<b>18.9</b>	<b>22.7</b>	<b>16.0</b>	<b>12.1</b>	<b>20.0</b>
<b>Females</b>						
Age 15 to 19	16.1	11.2	21.0	10.4 <sup>E</sup>	6.5	14.4
Age 20 to 39	16.7	12.4	21.0	9.8 <sup>E</sup>	5.0	14.6
Age 40 to 59	21.9	16.6	27.2	12.7 <sup>E</sup>	7.0	18.5
Age 60 to 69	22.5	16.8	28.3	27.4	21.0	33.8
<b>Age 15 to 69</b>	<b>19.5</b>	<b>16.8</b>	<b>22.3</b>	<b>13.4</b>	<b>10.3</b>	<b>16.5</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

**Note(s):** The norms used in this table can be found in Canadian Society for Exercise Physiology, 2004, The Canadian Physical Activity, Fitness and Lifestyle Approach (CPAFLA), 3rd edition, Ottawa.  
 Total household population aged 15 to 69, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.



**Table 8**  
**Number of partial curl-ups completed by the household population, by age and sex, Canada, 2007 to 2009**

	Number of partial curl-ups											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	number											
<b>Both sexes</b>												
Age 6 to 11	9	8	10	0	0	0	0	0	0	0	0	0
Age 12 to 19	19	18	20	0	-2	2	F	...	...	15	12	18
Age 20 to 39	16	16	17	0	0	0	0	0	0	F	...	...
Age 40 to 59	11	10	12	0	0	0	0	0	0	0	0	0
Age 60 to 69	4	3	6	0	0	0	0	0	0	0	0	0
<b>Age 6 to 69</b>	<b>13</b>	<b>12</b>	<b>14</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Males</b>												
Age 6 to 11	8	7	10	0	0	0	0	0	0	0	0	0
Age 12 to 19	21	20	22	F	...	...	10 <sup>E</sup>	5	15	20	17	23
Age 20 to 39	20	19	21	0	0	0	0	-5	5	19	17	21
Age 40 to 59	15	13	16	0	0	0	0	0	0	0	-2	2
Age 60 to 69	6	4	7	0	0	0	0	0	0	0	0	0
<b>Age 6 to 69</b>	<b>16</b>	<b>15</b>	<b>17</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>F</b>	<b>...</b>	<b>...</b>
<b>Females</b>												
Age 6 to 11	10	8	11	0	0	0	0	0	0	0	0	0
Age 12 to 19	17	16	19	0	0	0	F	...	...	11	9	13
Age 20 to 39	13	12	14	0	0	0	0	0	0	0	0	0
Age 40 to 59	7	6	8	0	0	0	0	0	0	0	0	0
Age 60 to 69	3 <sup>E</sup>	1	4	0	0	0	0	0	0	0	0	0
<b>Age 6 to 69</b>	<b>10</b>	<b>9</b>	<b>11</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

  

	Number of partial curl-ups											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	number											
<b>Both sexes</b>												
Age 6 to 11	6 <sup>E</sup>	4	8	18	15	21	25	24	26	25	25	25
Age 12 to 19	24	23	25	25	25	25	25	25	25	25	25	25
Age 20 to 39	23	21	25	25	25	25	25	25	25	25	25	25
Age 40 to 59	F	...	...	24	23	25	25	25	25	25	25	25
Age 60 to 69	0	0	0	0	-6	6	23	19	27	25	25	25
<b>Age 6 to 69</b>	<b>15</b>	<b>13</b>	<b>17</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>
<b>Males</b>												
Age 6 to 11	5 <sup>E</sup>	2	8	15	11	19	25	23	27	25	25	25
Age 12 to 19	25	25	25	25	25	25	25	25	25	25	25	25
Age 20 to 39	25	25	25	25	25	25	25	25	25	25	25	25
Age 40 to 59	20	17	23	25	25	25	25	25	25	25	25	25
Age 60 to 69	0	0	0	F	...	...	25	24	26	25	25	25
<b>Age 6 to 69</b>	<b>22</b>	<b>20</b>	<b>24</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>
<b>Females</b>												
Age 6 to 11	7 <sup>E</sup>	4	10	20	17	23	25	25	25	25	25	25
Age 12 to 19	22	19	25	25	25	25	25	25	25	25	25	25
Age 20 to 39	15	11	19	25	25	25	25	25	25	25	25	25
Age 40 to 59	0	0	0	16	11	21	25	25	25	25	25	25
Age 60 to 69	0	0	0	0	0	0	F	...	...	23	19	27
<b>Age 6 to 69</b>	<b>6<sup>E</sup></b>	<b>3</b>	<b>9</b>	<b>23</b>	<b>22</b>	<b>24</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** Total household population aged 6 to 69, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 9**  
**Distribution of the household population by partial curl-up norms, by age and sex, Canada, 2007 to 2009**

	Partial curl-up norms								
	Needs improvement			Fair			Good		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 15 to 19	20.9	16.7	25.0	8.6 <sup>E</sup>	4.9	12.3	7.6 <sup>E</sup>	4.9	10.3
Age 20 to 39	26.8	22.8	30.7	5.5 <sup>E</sup>	3.5	7.5	8.1	6.3	9.8
Age 40 to 59	47.8	43.3	52.4	6.5 <sup>E</sup>	4.2	8.8	7.2	5.0	9.4
Age 60 to 69	79.4	73.5	85.2	1.6 <sup>E</sup>	0.8	2.4	2.9 <sup>E</sup>	1.4	4.4
<b>Age 15 to 69</b>	<b>41.0</b>	<b>37.7</b>	<b>44.2</b>	<b>5.7</b>	<b>4.7</b>	<b>6.8</b>	<b>7.1</b>	<b>5.8</b>	<b>8.3</b>
<b>Males</b>									
Age 15 to 19	12.2 <sup>E</sup>	7.9	16.6	8.0 <sup>E</sup>	4.6	11.4	F	...	...
Age 20 to 39	14.7	10.2	19.2	3.9 <sup>E</sup>	2.0	5.8	6.5 <sup>E</sup>	4.1	8.9
Age 40 to 59	34.2	28.5	39.8	F	...	...	5.0 <sup>E</sup>	2.8	7.2
Age 60 to 69	73.9	67.8	79.9	F	...	...	2.8 <sup>E</sup>	1.1	4.5
<b>Age 15 to 69</b>	<b>29.5</b>	<b>25.6</b>	<b>33.4</b>	<b>4.3<sup>E</sup></b>	<b>2.6</b>	<b>6.1</b>	<b>5.4</b>	<b>3.9</b>	<b>6.9</b>
<b>Females</b>									
Age 15 to 19	28.7	21.4	36.0	9.2 <sup>E</sup>	4.5	13.9	9.1	6.6	11.6
Age 20 to 39	39.0	33.5	44.5	7.2 <sup>E</sup>	3.6	10.7	9.6	6.6	12.7
Age 40 to 59	61.8	54.6	69.1	8.1	5.6	10.6	9.5	6.5	12.5
Age 60 to 69	85.1	77.8	92.4	2.0 <sup>E</sup>	0.8	3.3	F	...	...
<b>Age 15 to 69</b>	<b>52.5</b>	<b>48.5</b>	<b>56.6</b>	<b>7.1</b>	<b>5.8</b>	<b>8.4</b>	<b>8.7</b>	<b>7.0</b>	<b>10.4</b>

  

	Partial curl-up norms					
	Very good			Excellent		
	Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To
	percent					
<b>Both sexes</b>						
Age 15 to 19	12.6	9.9	15.3	50.3	43.5	57.1
Age 20 to 39	16.5	14.6	18.3	43.2	39.0	47.4
Age 40 to 59	13.5	10.1	16.9	24.9	22.7	27.1
Age 60 to 69	8.3 <sup>E</sup>	5.2	11.4	7.8 <sup>E</sup>	5.1	10.5
<b>Age 15 to 69</b>	<b>14.0</b>	<b>12.0</b>	<b>16.0</b>	<b>32.3</b>	<b>29.6</b>	<b>34.9</b>
<b>Males</b>						
Age 15 to 19	9.8 <sup>E</sup>	6.4	13.3	63.9	57.9	69.9
Age 20 to 39	19.5	14.5	24.5	55.5	49.2	61.7
Age 40 to 59	19.8	14.5	25.1	36.0	33.2	38.8
Age 60 to 69	10.4	7.4	13.4	11.7 <sup>E</sup>	7.7	15.7
<b>Age 15 to 69</b>	<b>17.7</b>	<b>14.2</b>	<b>21.2</b>	<b>43.0</b>	<b>39.9</b>	<b>46.2</b>
<b>Females</b>						
Age 15 to 19	15.0	11.0	19.0	38.0	26.0	50.0
Age 20 to 39	13.5	10.7	16.2	30.8	26.1	35.4
Age 40 to 59	7.1 <sup>E</sup>	3.9	10.3	13.5	10.3	16.7
Age 60 to 69	F	...	...	3.7 <sup>E</sup>	1.7	5.8
<b>Age 15 to 69</b>	<b>10.2</b>	<b>8.5</b>	<b>12.0</b>	<b>21.4</b>	<b>18.6</b>	<b>24.1</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** The norms used in this table can be found in Canadian Society for Exercise Physiology, 2004, *The Canadian Physical Activity, Fitness and Lifestyle Approach (CPAFLA)*, 3rd edition, Ottawa.

Total household population aged 15 to 69, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 10**  
**Distribution of the household population by back fitness norms, by age and sex, Canada, 2007 to 2009**

	Back fitness norms								
	Needs improvement			Fair			Good		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 15 to 19	6.2 <sup>E</sup>	3.7	8.7	11.4	7.9	15.0	21.1	17.4	24.7
Age 20 to 39	11.9	8.8	15.0	13.9	11.0	16.8	18.8	14.6	23.0
Age 40 to 59	18.3	13.9	22.8	19.8	16.8	22.9	22.2	18.7	25.8
Age 60 to 69	29.4	26.3	32.5	32.1	26.9	37.2	19.0	15.5	22.5
<b>Age 15 to 69</b>	<b>16.3</b>	<b>13.8</b>	<b>18.9</b>	<b>18.5</b>	<b>16.7</b>	<b>20.4</b>	<b>20.4</b>	<b>18.3</b>	<b>22.6</b>
<b>Males</b>									
Age 15 to 19	F	...	...	9.7 <sup>E</sup>	6.2	13.2	28.7	22.5	34.9
Age 20 to 39	6.6 <sup>E</sup>	3.0	10.1	14.9	11.9	18.0	20.8	14.8	26.8
Age 40 to 59	13.8	10.5	17.1	20.0	15.0	25.0	23.5	18.2	28.7
Age 60 to 69	28.0	23.2	32.8	32.4	25.7	39.1	20.7	15.4	25.9
<b>Age 15 to 69</b>	<b>12.0</b>	<b>9.9</b>	<b>14.1</b>	<b>18.8</b>	<b>16.7</b>	<b>21.0</b>	<b>22.5</b>	<b>19.4</b>	<b>25.6</b>
<b>Females</b>									
Age 15 to 19	8.8 <sup>E</sup>	5.2	12.4	12.9 <sup>E</sup>	5.4	20.5	14.3 <sup>E</sup>	8.5	20.2
Age 20 to 39	17.4	13.5	21.4	12.8	8.9	16.8	16.7	11.8	21.5
Age 40 to 59	22.8 <sup>E</sup>	15.0	30.5	19.7	14.2	25.1	21.0	17.2	24.8
Age 60 to 69	30.7	24.6	36.8	31.7	25.7	37.8	17.5	13.0	21.9
<b>Age 15 to 69</b>	<b>20.6</b>	<b>16.2</b>	<b>25.0</b>	<b>18.2</b>	<b>14.6</b>	<b>21.8</b>	<b>18.3</b>	<b>15.5</b>	<b>21.2</b>

  

	Back fitness norms					
	Very good			Excellent		
	Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To
	percent					
<b>Both sexes</b>						
Age 15 to 19	47.4	43.0	51.9	13.9	9.5	18.3
Age 20 to 39	38.8	35.7	41.9	16.6	13.9	19.3
Age 40 to 59	27.0	22.3	31.6	12.7	10.7	14.6
Age 60 to 69	14.4	10.6	18.2	5.1 <sup>E</sup>	3.3	6.8
<b>Age 15 to 69</b>	<b>31.5</b>	<b>29.0</b>	<b>34.0</b>	<b>13.2</b>	<b>12.0</b>	<b>14.5</b>
<b>Males</b>						
Age 15 to 19	51.1	44.9	57.3	7.3 <sup>E</sup>	3.3	11.3
Age 20 to 39	41.0	36.2	45.8	16.7	13.6	19.8
Age 40 to 59	25.5	19.8	31.3	17.2	14.0	20.4
Age 60 to 69	13.8	9.8	17.8	5.1 <sup>E</sup>	3.3	6.8
<b>Age 15 to 69</b>	<b>32.0</b>	<b>29.4</b>	<b>34.6</b>	<b>14.6</b>	<b>13.3</b>	<b>16.0</b>
<b>Females</b>						
Age 15 to 19	44.2	37.3	51.2	19.7 <sup>E</sup>	13.2	26.2
Age 20 to 39	36.5	32.2	40.9	16.5	13.3	19.7
Age 40 to 59	28.4	22.3	34.5	8.2 <sup>E</sup>	5.4	10.9
Age 60 to 69	15.0 <sup>E</sup>	9.9	20.1	5.1 <sup>E</sup>	2.2	8.0
<b>Age 15 to 69</b>	<b>31.0</b>	<b>26.4</b>	<b>35.5</b>	<b>11.8</b>	<b>10.1</b>	<b>13.6</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** The norms used in this table can be found in Canadian Society for Exercise Physiology, 2004, *The Canadian Physical Activity, Fitness and Lifestyle Approach (CPAFLA)*, 3rd edition, Ottawa.

Total household population aged 15 to 69, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 11**  
**Sit and reach measure completed by the household population, by age and sex, Canada, 2007 to 2009**

	Sit and reach measure											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
centimetres												
<b>Both sexes</b>												
Age 6 to 11	26.5	25.9	27.1	12.8	11.7	13.9	15.7	14.8	16.6	21.0	19.9	22.1
Age 12 to 19	25.7	25.0	26.4	8.7	7.5	9.9	12.8	12.0	13.6	18.0	16.6	19.4
Age 20 to 39	28.0	27.3	28.6	11.0	9.7	12.3	14.0	12.3	15.7	21.1	20.3	21.9
Age 40 to 59	27.0	26.0	27.9	8.4	6.6	10.2	12.2	9.7	14.7	20.2	19.0	21.4
Age 60 to 69	22.2	21.1	23.2	4.5 <sup>E</sup>	1.6	7.4	8.5	6.4	10.6	14.4	13.2	15.6
<b>Age 6 to 69</b>	<b>26.6</b>	<b>26.2</b>	<b>26.9</b>	<b>9.0</b>	<b>7.7</b>	<b>10.3</b>	<b>12.4</b>	<b>11.4</b>	<b>13.4</b>	<b>20.0</b>	<b>19.5</b>	<b>20.5</b>
<b>Males</b>												
Age 6 to 11	24.2	23.1	25.2	11.1	9.3	12.9	14.3	12.0	16.6	18.7	17.8	19.6
Age 12 to 19	22.2	21.3	23.2	8.3	7.1	9.5	10.8	9.2	12.4	15.7	14.4	17.0
Age 20 to 39	25.4	24.2	26.6	9.0	6.2	11.8	12.1	10.5	13.7	18.4	16.3	20.5
Age 40 to 59	25.1	24.1	26.1	7.1	5.4	8.8	10.6	8.6	12.6	18.7	17.2	20.2
Age 60 to 69	17.4	16.2	18.5	0.0	-1.5	1.5	4.6 <sup>E</sup>	2.0	7.2	10.0	8.5	11.5
<b>Age 6 to 69</b>	<b>23.9</b>	<b>23.4</b>	<b>24.4</b>	<b>7.1</b>	<b>5.9</b>	<b>8.3</b>	<b>10.2</b>	<b>9.0</b>	<b>11.4</b>	<b>17.0</b>	<b>15.9</b>	<b>18.1</b>
<b>Females</b>												
Age 6 to 11	29.0	28.3	29.6	14.2	13.4	15.0	18.4	15.7	21.1	24.9	23.6	26.2
Age 12 to 19	29.5	27.9	31.1	12.0	8.2	15.8	15.3	12.9	17.7	23.3	20.7	25.9
Age 20 to 39	30.6	30.2	31.1	14.4	13.3	15.5	17.7	15.3	20.1	25.5	24.3	26.7
Age 40 to 59	28.7	27.2	30.3	10.4	7.3	13.5	14.7 <sup>E</sup>	9.8	19.6	23.4	21.5	25.3
Age 60 to 69	26.9	25.6	28.2	12.3	11.0	13.6	14.4	13.2	15.6	21.4	19.9	22.9
<b>Age 6 to 69</b>	<b>29.3</b>	<b>28.6</b>	<b>29.9</b>	<b>12.2</b>	<b>10.4</b>	<b>14.0</b>	<b>15.9</b>	<b>14.4</b>	<b>17.4</b>	<b>24.0</b>	<b>23.1</b>	<b>24.9</b>

  

	Sit and reach measure											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
centimetres												
<b>Both sexes</b>												
Age 6 to 11	27.2	26.6	27.8	32.0	31.4	32.6	36.4	35.5	37.3	38.4	37.3	39.5
Age 12 to 19	25.5	24.7	26.3	32.7	31.0	34.4	39.0	37.5	40.5	43.0	41.5	44.5
Age 20 to 39	28.2	27.7	28.7	35.4	34.7	36.1	40.9	39.2	42.6	43.7	42.4	45.0
Age 40 to 59	27.7	26.8	28.6	34.1	33.4	34.8	39.0	37.9	40.1	42.3	40.4	44.2
Age 60 to 69	22.6	21.1	24.1	29.7	28.4	31.0	35.5	33.6	37.4	38.7	37.1	40.3
<b>Age 6 to 69</b>	<b>27.2</b>	<b>26.8</b>	<b>27.6</b>	<b>33.6</b>	<b>33.2</b>	<b>34.0</b>	<b>39.2</b>	<b>38.7</b>	<b>39.7</b>	<b>42.6</b>	<b>42.0</b>	<b>43.2</b>
<b>Males</b>												
Age 6 to 11	25.2	23.7	26.7	29.7	28.7	30.7	33.3	32.4	34.2	35.2	33.6	36.8
Age 12 to 19	23.1	21.7	24.5	28.6	27.3	29.9	33.8	32.4	35.2	36.6	35.0	38.2
Age 20 to 39	25.4	23.8	27.0	32.4	31.3	33.5	39.2	37.0	41.4	43.1	41.1	45.1
Age 40 to 59	25.2	24.0	26.4	32.9	31.3	34.5	37.6	35.4	39.8	41.9	37.7	46.1
Age 60 to 69	17.6	15.8	19.4	24.2	22.7	25.7	29.1	27.1	31.1	33.7	31.0	36.4
<b>Age 6 to 69</b>	<b>24.2</b>	<b>23.6</b>	<b>24.8</b>	<b>30.9</b>	<b>30.5</b>	<b>31.3</b>	<b>36.3</b>	<b>35.4</b>	<b>37.2</b>	<b>40.6</b>	<b>39.2</b>	<b>42.0</b>
<b>Females</b>												
Age 6 to 11	29.4	28.1	30.7	34.2	33.3	35.1	38.2	37.1	39.3	40.7	39.2	42.2
Age 12 to 19	28.9	26.6	31.2	37.4	35.4	39.4	43.0	41.3	44.7	47.0	44.5	49.5
Age 20 to 39	30.6	29.8	31.4	36.9	36.4	37.4	42.3	41.3	43.3	45.2	43.9	46.5
Age 40 to 59	29.8	28.4	31.2	35.2	34.0	36.4	39.6	38.5	40.7	42.6	40.9	44.3
Age 60 to 69	27.7	25.8	29.6	33.5	31.4	35.6	38.5	36.6	40.4	40.9	38.8	43.0
<b>Age 6 to 69</b>	<b>29.7</b>	<b>28.9</b>	<b>30.5</b>	<b>36.0</b>	<b>35.3</b>	<b>36.7</b>	<b>40.7</b>	<b>39.8</b>	<b>41.6</b>	<b>43.3</b>	<b>42.6</b>	<b>44.0</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

**Note(s):** Total household population aged 6 to 69, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 12**  
**Distribution of the household population by sit and reach norms, by age and sex, Canada, 2007 to 2009**

	Sit and reach norms								
	Needs improvement			Fair			Good		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 15 to 19	47.5	40.4	54.5	15.7	13.4	18.0	14.9	11.9	17.8
Age 20 to 39	37.3	34.1	40.4	20.7	17.3	24.1	16.0	13.1	18.9
Age 40 to 59	24.2	19.8	28.5	20.4	17.0	23.8	19.5	15.6	23.4
Age 60 to 69	35.1	30.4	39.7	16.6	14.1	19.2	18.4	15.3	21.6
<b>Age 15 to 69</b>	<b>32.6</b>	<b>30.2</b>	<b>35.0</b>	<b>19.6</b>	<b>17.7</b>	<b>21.5</b>	<b>17.6</b>	<b>16.1</b>	<b>19.1</b>
<b>Males</b>									
Age 15 to 19	48.5	41.9	55.1	19.6	13.3	25.8	18.5	12.5	24.5
Age 20 to 39	42.6	37.1	48.0	18.1	14.2	22.0	16.5	11.8	21.2
Age 40 to 59	20.0	15.9	24.1	21.9	17.8	26.0	18.8	15.3	22.3
Age 60 to 69	40.7	35.7	45.6	16.7	13.3	20.0	18.8	14.4	23.1
<b>Age 15 to 69</b>	<b>33.7</b>	<b>30.8</b>	<b>36.7</b>	<b>19.6</b>	<b>17.4</b>	<b>21.7</b>	<b>17.9</b>	<b>15.5</b>	<b>20.3</b>
<b>Females</b>									
Age 15 to 19	46.5	34.8	58.3	12.2	9.1	15.3	11.6 <sup>E</sup>	7.7	15.5
Age 20 to 39	31.8	27.8	35.7	23.4	17.8	29.1	15.5	12.0	19.0
Age 40 to 59	28.2	21.7	34.8	18.9	14.2	23.6	20.2	14.2	26.2
Age 60 to 69	29.5	21.6	37.5	16.6	12.6	20.6	18.1	13.6	22.5
<b>Age 15 to 69</b>	<b>31.4</b>	<b>27.4</b>	<b>35.4</b>	<b>19.7</b>	<b>16.9</b>	<b>22.5</b>	<b>17.4</b>	<b>14.9</b>	<b>19.9</b>

  

	Sit and reach norms					
	Very good			Excellent		
	Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To
	percent					
<b>Both sexes</b>						
Age 15 to 19	12.6	8.5	16.7	9.4	6.6	12.1
Age 20 to 39	13.2	11.1	15.4	12.8	10.3	15.3
Age 40 to 59	19.1	16.9	21.2	16.8	14.2	19.5
Age 60 to 69	16.4	13.1	19.7	13.4	10.3	16.5
<b>Age 15 to 69</b>	<b>16.0</b>	<b>14.4</b>	<b>17.5</b>	<b>14.2</b>	<b>12.8</b>	<b>15.7</b>
<b>Males</b>						
Age 15 to 19	8.5 <sup>E</sup>	4.0	13.1	4.9 <sup>E</sup>	2.9	6.9
Age 20 to 39	11.5	7.8	15.3	11.3	8.4	14.3
Age 40 to 59	20.9	16.9	24.9	18.5	14.9	22.1
Age 60 to 69	17.7	12.1	23.3	6.2 <sup>E</sup>	3.5	8.9
<b>Age 15 to 69</b>	<b>15.8</b>	<b>13.2</b>	<b>18.5</b>	<b>13.0</b>	<b>11.1</b>	<b>14.9</b>
<b>Females</b>						
Age 15 to 19	16.3 <sup>E</sup>	9.5	23.0	13.4 <sup>E</sup>	8.1	18.6
Age 20 to 39	14.9	11.3	18.5	14.4	11.3	17.5
Age 40 to 59	17.3	13.7	21.0	15.3	11.8	18.7
Age 60 to 69	15.2	11.7	18.8	20.5 <sup>E</sup>	13.8	27.3
<b>Age 15 to 69</b>	<b>16.1</b>	<b>13.5</b>	<b>18.7</b>	<b>15.4</b>	<b>12.9</b>	<b>17.9</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

**Note(s):** The norms used in this table can be found in Canadian Society for Exercise Physiology, 2004, *The Canadian Physical Activity, Fitness and Lifestyle Approach (CPAFLA)*, 3rd edition, Ottawa.  
 Total household population aged 15 to 69, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 13**  
**Distribution of the household population by musculoskeletal fitness norms, by age and sex, Canada, 2007 to 2009**

	Musculoskeletal fitness norms								
	Needs improvement			Fair			Good		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 15 to 19	14.4 <sup>E</sup>	9.3	19.5	31.8	28.1	35.6	29.4	22.9	35.8
Age 20 to 39	10.6	8.3	13.0	30.0	26.3	33.8	30.1	26.6	33.5
Age 40 to 59	11.0	8.8	13.2	25.1	20.7	29.4	33.0	29.0	37.1
Age 60 to 69	17.3	13.5	21.0	31.6	27.7	35.6	31.7	27.3	36.1
<b>Age 15 to 69</b>	<b>12.0</b>	<b>10.0</b>	<b>14.0</b>	<b>28.4</b>	<b>25.8</b>	<b>31.0</b>	<b>31.4</b>	<b>29.2</b>	<b>33.7</b>
<b>Males</b>									
Age 15 to 19	9.8 <sup>E</sup>	4.5	15.1	35.9	28.9	43.0	29.7	20.8	38.7
Age 20 to 39	4.2 <sup>E</sup>	2.5	5.8	26.2	21.3	31.1	32.1	26.1	38.1
Age 40 to 59	5.3 <sup>E</sup>	3.0	7.6	23.9	18.8	28.9	29.6	23.6	35.6
Age 60 to 69	16.3	11.9	20.7	44.3	36.7	51.8	25.0	18.7	31.2
<b>Age 15 to 69</b>	<b>6.6</b>	<b>5.1</b>	<b>8.2</b>	<b>28.4</b>	<b>25.0</b>	<b>31.7</b>	<b>30.0</b>	<b>27.4</b>	<b>32.5</b>
<b>Females</b>									
Age 15 to 19	18.5 <sup>E</sup>	12.5	24.5	28.2	20.1	36.2	29.0	20.1	38.0
Age 20 to 39	17.2	12.7	21.6	33.9	29.0	38.9	28.0	23.1	32.9
Age 40 to 59	16.7	11.7	21.6	26.2	21.5	30.9	36.4	31.7	41.2
Age 60 to 69	18.1	13.2	23.1	19.8	14.5	25.0	38.0	33.1	42.9
<b>Age 15 to 69</b>	<b>17.2</b>	<b>13.3</b>	<b>21.1</b>	<b>28.4</b>	<b>25.7</b>	<b>31.1</b>	<b>32.9</b>	<b>29.9</b>	<b>35.8</b>

  

	Musculoskeletal fitness norms					
	Very good			Excellent		
	Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To
	percent					
<b>Both sexes</b>						
Age 15 to 19	19.1	15.0	23.2	5.3 <sup>E</sup>	2.7	7.9
Age 20 to 39	23.3	20.8	25.7	6.0	4.2	7.8
Age 40 to 59	22.7	20.0	25.4	8.2	6.5	9.9
Age 60 to 69	15.8	12.6	18.9	3.7	2.9	4.4
<b>Age 15 to 69</b>	<b>21.7</b>	<b>20.2</b>	<b>23.2</b>	<b>6.5</b>	<b>5.8</b>	<b>7.3</b>
<b>Males</b>						
Age 15 to 19	20.0	15.0	25.1	4.5 <sup>E</sup>	1.8	7.2
Age 20 to 39	30.5	25.2	35.8	7.0 <sup>E</sup>	3.9	10.2
Age 40 to 59	28.6	24.1	33.2	12.6	9.1	16.2
Age 60 to 69	11.1 <sup>E</sup>	6.2	16.0	3.3 <sup>E</sup>	1.4	5.2
<b>Age 15 to 69</b>	<b>26.4</b>	<b>23.5</b>	<b>29.3</b>	<b>8.6</b>	<b>7.3</b>	<b>9.9</b>
<b>Females</b>						
Age 15 to 19	18.3	12.8	23.8	6.0 <sup>E</sup>	2.6	9.4
Age 20 to 39	15.9	13.1	18.7	4.9 <sup>E</sup>	2.5	7.3
Age 40 to 59	16.8	12.7	21.0	3.9 <sup>E</sup>	1.8	6.0
Age 60 to 69	20.2 <sup>E</sup>	13.6	26.7	4.0 <sup>E</sup>	2.0	6.0
<b>Age 15 to 69</b>	<b>17.1</b>	<b>14.9</b>	<b>19.3</b>	<b>4.5</b>	<b>3.5</b>	<b>5.4</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

**Note(s):** The norms used in this table can be found in Canadian Society for Exercise Physiology, 2004, *The Canadian Physical Activity, Fitness and Lifestyle Approach (CPAFLA)*, 3rd edition, Ottawa.  
 Total household population aged 15 to 69, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 14**  
**Distribution of the household population by aerobic fitness norms, by age and sex, Canada, 2007 to 2009**

	Aerobic fitness norms								
	Needs improvement			Fair			Good		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 15 to 19	9.3 <sup>E</sup>	5.8	12.7	15.9	11.9	19.9	43.1	36.2	50.1
Age 20 to 39	13.7	9.9	17.5	28.2	23.6	32.8	33.0	29.1	37.0
Age 40 to 59	14.6	12.5	16.7	29.2	25.6	32.9	29.8	25.3	34.3
Age 60 to 69	40.0	32.6	47.3	35.8	28.9	42.7	19.3	15.8	22.9
<b>Age 15 to 69</b>	<b>15.6</b>	<b>13.2</b>	<b>18.0</b>	<b>28.0</b>	<b>25.0</b>	<b>31.0</b>	<b>31.7</b>	<b>28.6</b>	<b>34.7</b>
<b>Males</b>									
Age 15 to 19	F	...	...	22.3	16.8	27.9	30.6	23.6	37.6
Age 20 to 39	12.0 <sup>E</sup>	7.6	16.4	34.2	26.0	42.4	26.3	19.7	33.0
Age 40 to 59	11.2 <sup>E</sup>	6.9	15.4	20.9	17.5	24.2	39.5	31.8	47.2
Age 60 to 69	22.8 <sup>E</sup>	13.4	32.1	36.5	27.1	45.9	30.8	23.8	37.7
<b>Age 15 to 69</b>	<b>12.2</b>	<b>9.9</b>	<b>14.6</b>	<b>28.1</b>	<b>23.9</b>	<b>32.3</b>	<b>32.2</b>	<b>27.3</b>	<b>37.1</b>
<b>Females</b>									
Age 15 to 19	9.2 <sup>E</sup>	5.0	13.4	F	...	...	54.1	46.6	61.6
Age 20 to 39	15.5 <sup>E</sup>	10.2	20.8	21.7	18.3	25.1	40.3	36.5	44.0
Age 40 to 59	18.1	13.8	22.4	37.6	32.1	43.2	20.0	16.2	23.8
Age 60 to 69	56.5	48.4	64.6	35.2	25.4	44.9	8.3 <sup>E</sup>	4.5	12.1
<b>Age 15 to 69</b>	<b>19.1</b>	<b>15.9</b>	<b>22.2</b>	<b>27.9</b>	<b>24.9</b>	<b>30.9</b>	<b>31.1</b>	<b>28.3</b>	<b>33.9</b>

  

	Aerobic fitness norms					
	Very good			Excellent		
	Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To
	percent					
<b>Both sexes</b>						
Age 15 to 19	22.7	18.6	26.9	9.0 <sup>E</sup>	5.6	12.3
Age 20 to 39	17.6	13.6	21.6	7.5 <sup>E</sup>	4.2	10.9
Age 40 to 59	19.7	16.4	23.0	6.6	4.8	8.5
Age 60 to 69	4.1 <sup>E</sup>	1.8	6.4	F	...	...
<b>Age 15 to 69</b>	<b>17.9</b>	<b>15.2</b>	<b>20.6</b>	<b>6.8</b>	<b>5.1</b>	<b>8.5</b>
<b>Males</b>						
Age 15 to 19	24.9	20.6	29.1	12.9 <sup>E</sup>	7.9	17.9
Age 20 to 39	17.4 <sup>E</sup>	10.4	24.3	10.1 <sup>E</sup>	5.0	15.1
Age 40 to 59	20.8	15.4	26.2	7.6 <sup>E</sup>	4.4	10.8
Age 60 to 69	8.4 <sup>E</sup>	3.6	13.2	F	...	...
<b>Age 15 to 69</b>	<b>18.7</b>	<b>14.5</b>	<b>22.9</b>	<b>8.7<sup>E</sup></b>	<b>5.8</b>	<b>11.6</b>
<b>Females</b>						
Age 15 to 19	20.9	15.0	26.8	5.5 <sup>E</sup>	2.0	9.0
Age 20 to 39	17.8	13.1	22.5	4.8 <sup>E</sup>	2.7	6.9
Age 40 to 59	18.6	15.9	21.3	5.7 <sup>E</sup>	3.3	8.0
Age 60 to 69	0.0	0.0	0.0	0.0	0.0	0.0
<b>Age 15 to 69</b>	<b>17.1</b>	<b>14.1</b>	<b>20.1</b>	<b>4.8<sup>E</sup></b>	<b>3.2</b>	<b>6.5</b>

<sup>E</sup> use with caution (use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** The norms used in this table can be found in Canadian Society for Exercise Physiology, 2004, *The Canadian Physical Activity, Fitness and Lifestyle Approach (CPAFLA)*, 3rd edition, Ottawa.

Total household population aged 15 to 69, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 15**  
**Measured waist circumference of the household population, by age and sex, Canada, 2007 to 2009**

	Measured waist circumference													
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile			
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval			
		From	To		From	To		From	To		From	To		
centimetres														
<b>Both sexes</b>														
Age 6 to 11	60.8	60.1	61.5	49.3	48.0	50.6	51.2	50.1	52.3	54.0	53.2	54.8		
Age 12 to 19	76.2	74.4	77.9	61.3	60.5	62.1	63.1	62.2	64.0	67.4	66.5	68.3		
Age 20 to 39	86.9	85.5	88.4	67.0	65.2	68.8	70.2	68.7	71.7	76.1	74.6	77.6		
Age 40 to 59	93.4	91.9	94.9	70.4	68.5	72.3	75.0	73.6	76.4	82.9	81.6	84.2		
Age 60 to 79	97.6	96.2	98.9	74.9	73.6	76.2	79.7	77.8	81.6	87.5	85.5	89.5		
<b>Age 6 to 79</b>	<b>87.7</b>	<b>86.5</b>	<b>88.9</b>	<b>60.7</b>	<b>59.9</b>	<b>61.5</b>	<b>66.7</b>	<b>65.9</b>	<b>67.5</b>	<b>75.2</b>	<b>74.2</b>	<b>76.2</b>		
<b>Males</b>														
Age 6 to 11	61.3	60.1	62.5	50.2	48.5	51.9	51.5	50.0	53.0	54.6	53.6	55.6		
Age 12 to 19	77.5	75.2	79.8	61.5	59.1	63.9	64.1	62.7	65.5	67.8	66.2	69.4		
Age 20 to 39	90.7	89.7	91.7	72.0	70.1	73.9	75.1	73.5	76.7	80.6	78.7	82.5		
Age 40 to 59	98.7	96.8	100.7	80.9	78.9	82.9	84.0	82.2	85.8	90.9	88.4	93.4		
Age 60 to 79	102.5	101.0	104.0	83.0	80.7	85.3	87.5	85.7	89.3	94.1	91.6	96.6		
<b>Age 6 to 79</b>	<b>91.5</b>	<b>90.4</b>	<b>92.6</b>	<b>61.2</b>	<b>60.1</b>	<b>62.3</b>	<b>68.8</b>	<b>67.7</b>	<b>69.9</b>	<b>80.3</b>	<b>79.0</b>	<b>81.6</b>		
<b>Females</b>														
Age 6 to 11	60.3	59.2	61.4	48.7	47.3	50.1	50.7	49.5	51.9	53.2	52.4	54.0		
Age 12 to 19	74.8	73.0	76.5	61.0	60.3	61.7	62.5	61.4	63.6	67.4	66.2	68.6		
Age 20 to 39	82.9	80.7	85.1	64.9	63.3	66.5	67.2	65.3	69.1	72.3	70.3	74.3		
Age 40 to 59	88.1	86.1	90.1	68.1	66.8	69.4	70.5	68.4	72.6	76.7	75.2	78.2		
Age 60 to 79	93.0	91.1	95.0	72.7	71.3	74.1	76.0	74.1	77.9	82.8	80.9	84.7		
<b>Age 6 to 79</b>	<b>83.9</b>	<b>82.2</b>	<b>85.6</b>	<b>60.0</b>	<b>59.3</b>	<b>60.7</b>	<b>65.3</b>	<b>64.4</b>	<b>66.2</b>	<b>72.5</b>	<b>71.0</b>	<b>74.0</b>		

  

	Measured waist circumference											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
centimetres												
<b>Both sexes</b>												
Age 6 to 11	58.7	57.9	59.5	65.7	64.5	66.9	74.2	71.5	76.9	81.5	78.0	85.0
Age 12 to 19	73.0	71.4	74.6	81.6	78.2	85.0	93.3	88.2	98.4	102.2	97.4	107.0
Age 20 to 39	84.5	82.5	86.5	96.0	92.6	99.4	105.5	103.3	107.7	113.6	111.0	116.2
Age 40 to 59	92.9	91.2	94.6	102.5	100.7	104.3	112.6	109.2	116.0	119.0	115.5	122.5
Age 60 to 79	96.4	94.8	98.0	107.2	105.5	108.9	115.6	114.2	117.0	121.5	118.7	124.3
<b>Age 6 to 79</b>	<b>87.0</b>	<b>85.7</b>	<b>88.3</b>	<b>99.4</b>	<b>97.6</b>	<b>101.2</b>	<b>110.0</b>	<b>108.4</b>	<b>111.6</b>	<b>116.2</b>	<b>114.2</b>	<b>118.2</b>
<b>Males</b>												
Age 6 to 11	59.4	57.9	60.9	66.0	64.6	67.4	74.4	71.6	77.2	81.2	77.9	84.5
Age 12 to 19	74.3	72.6	76.0	85.1	81.2	89.0	96.6	89.6	103.6	103.1	97.2	109.0
Age 20 to 39	89.0	87.0	91.0	99.5	97.8	101.2	108.0	104.9	111.1	115.7	111.3	120.1
Age 40 to 59	97.5	95.7	99.3	104.3	102.3	106.3	114.0	110.7	117.3	122.5	118.3	126.7
Age 60 to 79	101.0	98.6	103.4	110.6	109.3	111.9	118.1	116.9	119.3	124.0	120.2	127.8
<b>Age 6 to 79</b>	<b>92.4</b>	<b>90.9</b>	<b>93.9</b>	<b>102.3</b>	<b>100.7</b>	<b>103.9</b>	<b>112.4</b>	<b>110.4</b>	<b>114.4</b>	<b>118.9</b>	<b>117.6</b>	<b>120.2</b>
<b>Females</b>												
Age 6 to 11	57.4	56.5	58.3	65.0	63.2	66.8	73.8	68.6	79.0	81.8	74.6	89.0
Age 12 to 19	72.2	70.8	73.6	79.1	74.3	83.9	91.6	87.4	95.8	101.2	93.3	109.1
Age 20 to 39	79.1	75.9	82.3	90.7	86.8	94.6	103.7	101.5	105.9	110.2	105.5	114.9
Age 40 to 59	85.6	83.4	87.8	97.5	94.0	101.0	110.5	104.2	116.8	116.2	111.3	121.1
Age 60 to 79	92.0	89.7	94.3	101.0	97.5	104.5	111.4	109.0	113.8	117.4	111.1	123.7
<b>Age 6 to 79</b>	<b>81.9</b>	<b>80.0</b>	<b>83.8</b>	<b>94.2</b>	<b>91.4</b>	<b>97.0</b>	<b>105.8</b>	<b>102.2</b>	<b>109.4</b>	<b>113.0</b>	<b>110.2</b>	<b>115.8</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.



**Table 16**  
**Measured hip circumference of the household population, by age and sex, Canada, 2007 to 2009**

	Measured hip circumference											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	centimetres											
<b>Both sexes</b>												
Age 6 to 11	73.2	72.3	74.2	59.5	58.0	61.0	61.7	60.5	62.9	66.0	64.8	67.2
Age 12 to 19	94.7	93.4	96.0	78.0	77.1	78.9	82.1	80.4	83.8	87.6	86.9	88.3
Age 20 to 39	102.7	101.5	103.8	88.5	87.4	89.6	90.8	89.3	92.3	95.5	94.3	96.7
Age 40 to 59	104.3	103.3	105.3	90.4	89.7	91.1	93.0	92.1	93.9	97.0	95.8	98.2
Age 60 to 79	105.1	104.3	105.9	91.0	89.9	92.1	93.5	92.8	94.2	98.0	97.1	98.9
<b>Age 6 to 79</b>	<b>100.5</b>	<b>99.7</b>	<b>101.4</b>	<b>75.5</b>	<b>74.5</b>	<b>76.5</b>	<b>86.2</b>	<b>85.6</b>	<b>86.8</b>	<b>93.8</b>	<b>93.2</b>	<b>94.4</b>
<b>Males</b>												
Age 6 to 11	73.2	71.5	74.9	59.6	57.8	61.4	61.5	60.2	62.8	66.2	64.4	68.0
Age 12 to 19	93.7	91.9	95.5	77.3	76.1	78.5	79.4	76.6	82.2	86.3	85.3	87.3
Age 20 to 39	102.2	101.5	103.0	89.7	88.6	90.8	91.6	89.7	93.5	96.0	95.0	97.0
Age 40 to 59	103.5	102.5	104.6	92.4	91.5	93.3	94.0	92.9	95.1	98.0	96.6	99.4
Age 60 to 79	103.7	102.6	104.7	89.9	88.3	91.5	93.3	91.8	94.8	97.8	96.8	98.8
<b>Age 6 to 79</b>	<b>99.7</b>	<b>98.9</b>	<b>100.5</b>	<b>75.3</b>	<b>73.3</b>	<b>77.3</b>	<b>85.3</b>	<b>84.5</b>	<b>86.1</b>	<b>94.0</b>	<b>93.2</b>	<b>94.8</b>
<b>Females</b>												
Age 6 to 11	73.3	72.3	74.2	59.5	58.0	61.0	62.0	60.5	63.5	65.6	64.6	66.6
Age 12 to 19	95.9	94.8	96.9	80.6	77.9	83.3	84.1	82.6	85.6	89.3	88.5	90.1
Age 20 to 39	103.1	101.3	105.0	87.6	86.3	88.9	89.7	87.9	91.5	94.5	92.9	96.1
Age 40 to 59	105.1	103.5	106.6	89.4	88.8	90.0	91.4	90.0	92.8	96.2	94.9	97.5
Age 60 to 79	106.4	105.1	107.6	91.5	90.9	92.1	93.8	93.0	94.6	98.5	96.9	100.1
<b>Age 6 to 79</b>	<b>101.4</b>	<b>100.2</b>	<b>102.5</b>	<b>76.0</b>	<b>75.1</b>	<b>76.9</b>	<b>86.9</b>	<b>86.4</b>	<b>87.4</b>	<b>93.6</b>	<b>92.9</b>	<b>94.3</b>
	centimetres											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	centimetres											
<b>Both sexes</b>												
Age 6 to 11	72.1	70.8	73.4	79.5	78.2	80.8	86.6	85.2	88.0	90.7	88.7	92.7
Age 12 to 19	93.1	91.9	94.3	100.9	98.5	103.3	108.5	104.7	112.3	115.9	113.2	118.6
Age 20 to 39	100.6	99.3	101.9	108.1	106.5	109.7	117.5	114.4	120.6	122.8	118.7	126.9
Age 40 to 59	102.8	102.0	103.6	109.3	108.0	110.6	117.7	115.0	120.4	126.0	123.1	128.9
Age 60 to 79	103.5	102.2	104.8	110.0	108.6	111.4	118.7	116.3	121.1	125.1	120.9	129.3
<b>Age 6 to 79</b>	<b>100.4</b>	<b>99.5</b>	<b>101.3</b>	<b>107.7</b>	<b>106.7</b>	<b>108.7</b>	<b>115.9</b>	<b>114.3</b>	<b>117.5</b>	<b>122.6</b>	<b>120.2</b>	<b>125.0</b>
<b>Males</b>												
Age 6 to 11	72.4	70.4	74.4	79.5	77.4	81.6	85.5	83.4	87.6	89.5	88.1	90.9
Age 12 to 19	92.0	90.9	93.1	100.1	96.6	103.6	108.5	103.0	114.0	115.5	110.8	120.2
Age 20 to 39	101.0	99.6	102.4	107.5	106.0	109.0	113.8	111.3	116.3	118.9	115.9	121.9
Age 40 to 59	102.7	101.8	103.6	107.8	106.2	109.4	113.6	111.3	115.9	117.7	115.0	120.4
Age 60 to 79	102.5	101.3	103.7	108.3	107.3	109.3	114.5	113.1	115.9	120.4	116.1	124.7
<b>Age 6 to 79</b>	<b>100.5</b>	<b>99.4</b>	<b>101.6</b>	<b>106.8</b>	<b>106.0</b>	<b>107.6</b>	<b>113.0</b>	<b>111.3</b>	<b>114.7</b>	<b>117.5</b>	<b>116.1</b>	<b>118.9</b>
<b>Females</b>												
Age 6 to 11	71.9	70.5	73.3	79.0	77.0	81.0	87.0	84.8	89.2	92.3	89.0	95.6
Age 12 to 19	94.7	93.0	96.4	101.8	99.7	103.9	109.4	106.1	112.7	116.5	113.9	119.1
Age 20 to 39	100.1	98.4	101.8	108.5	105.4	111.6	121.2	116.8	125.6	127.8	122.9	132.7
Age 40 to 59	103.0	101.7	104.3	111.0	108.9	113.1	122.2	116.6	127.8	129.0	126.2	131.8
Age 60 to 79	104.2	102.3	106.1	112.8	111.2	114.4	120.5	116.8	124.2	129.0	124.7	133.3
<b>Age 6 to 79</b>	<b>100.3</b>	<b>99.3</b>	<b>101.3</b>	<b>108.7</b>	<b>106.8</b>	<b>110.6</b>	<b>119.7</b>	<b>117.3</b>	<b>122.1</b>	<b>127.1</b>	<b>125.0</b>	<b>129.2</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 17**  
**Measured waist-to-hip ratio of the household population, by age and sex, Canada, 2007 to 2009**

	Measured waist-to-hip ratio											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	ratio											
<b>Both sexes</b>												
Age 6 to 11	0.83	0.82	0.84	0.75	0.74	0.76	0.77	0.77	0.77	0.79	0.78	0.80
Age 12 to 19	0.80	0.79	0.81	0.71	0.70	0.72	0.73	0.72	0.74	0.76	0.75	0.77
Age 20 to 39	0.84	0.84	0.85	0.72	0.71	0.73	0.74	0.72	0.76	0.78	0.77	0.79
Age 40 to 59	0.89	0.89	0.90	0.75	0.74	0.76	0.77	0.76	0.78	0.83	0.82	0.84
Age 60 to 79	0.93	0.92	0.94	0.78	0.77	0.79	0.81	0.80	0.82	0.86	0.85	0.87
<b>Age 6 to 79</b>	<b>0.87</b>	<b>0.86</b>	<b>0.87</b>	<b>0.73</b>	<b>0.72</b>	<b>0.74</b>	<b>0.75</b>	<b>0.74</b>	<b>0.76</b>	<b>0.80</b>	<b>0.79</b>	<b>0.81</b>
<b>Males</b>												
Age 6 to 11	0.84	0.83	0.84	0.76	0.75	0.77	0.77	0.76	0.78	0.80	0.79	0.81
Age 12 to 19	0.82	0.82	0.83	0.75	0.74	0.76	0.76	0.76	0.76	0.78	0.77	0.79
Age 20 to 39	0.88	0.88	0.89	0.78	0.76	0.80	0.79	0.77	0.81	0.83	0.82	0.84
Age 40 to 59	0.95	0.94	0.96	0.85	0.84	0.86	0.87	0.86	0.88	0.90	0.89	0.91
Age 60 to 79	0.99	0.98	1.00	0.88	0.86	0.90	0.91	0.90	0.92	0.94	0.92	0.96
<b>Age 6 to 79</b>	<b>0.91</b>	<b>0.91</b>	<b>0.92</b>	<b>0.78</b>	<b>0.77</b>	<b>0.79</b>	<b>0.80</b>	<b>0.79</b>	<b>0.81</b>	<b>0.84</b>	<b>0.83</b>	<b>0.85</b>
<b>Females</b>												
Age 6 to 11	0.82	0.81	0.83	0.75	0.74	0.76	0.77	0.76	0.78	0.79	0.78	0.80
Age 12 to 19	0.78	0.76	0.79	0.69	0.68	0.70	0.71	0.70	0.72	0.74	0.73	0.75
Age 20 to 39	0.80	0.79	0.81	0.71	0.70	0.72	0.72	0.71	0.73	0.75	0.73	0.77
Age 40 to 59	0.84	0.83	0.85	0.72	0.71	0.73	0.75	0.74	0.76	0.78	0.77	0.79
Age 60 to 79	0.87	0.86	0.88	0.76	0.75	0.77	0.78	0.77	0.79	0.82	0.81	0.83
<b>Age 6 to 79</b>	<b>0.82</b>	<b>0.82</b>	<b>0.83</b>	<b>0.72</b>	<b>0.71</b>	<b>0.73</b>	<b>0.73</b>	<b>0.72</b>	<b>0.74</b>	<b>0.77</b>	<b>0.76</b>	<b>0.78</b>

  

	Measured waist-to-hip ratio											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	ratio											
<b>Both sexes</b>												
Age 6 to 11	0.83	0.82	0.84	0.86	0.85	0.87	0.90	0.89	0.91	0.93	0.91	0.95
Age 12 to 19	0.79	0.78	0.80	0.83	0.82	0.84	0.88	0.86	0.90	0.92	0.90	0.94
Age 20 to 39	0.84	0.83	0.85	0.90	0.89	0.91	0.95	0.94	0.96	0.99	0.98	1.00
Age 40 to 59	0.89	0.88	0.90	0.96	0.95	0.97	1.01	1.00	1.02	1.04	1.03	1.05
Age 60 to 79	0.93	0.92	0.94	0.99	0.98	1.00	1.04	1.02	1.06	1.08	1.06	1.10
<b>Age 6 to 79</b>	<b>0.86</b>	<b>0.85</b>	<b>0.87</b>	<b>0.93</b>	<b>0.92</b>	<b>0.94</b>	<b>1.00</b>	<b>0.99</b>	<b>1.01</b>	<b>1.03</b>	<b>1.02</b>	<b>1.04</b>
<b>Males</b>												
Age 6 to 11	0.83	0.82	0.84	0.86	0.85	0.87	0.91	0.89	0.93	0.93	0.91	0.95
Age 12 to 19	0.81	0.80	0.82	0.85	0.83	0.87	0.90	0.89	0.91	0.92	0.89	0.95
Age 20 to 39	0.88	0.87	0.89	0.93	0.92	0.94	0.98	0.97	0.99	1.01	1.00	1.02
Age 40 to 59	0.95	0.94	0.96	1.00	0.98	1.02	1.04	1.02	1.06	1.06	1.04	1.08
Age 60 to 79	0.98	0.97	0.99	1.03	1.02	1.04	1.08	1.06	1.10	1.10	1.09	1.11
<b>Age 6 to 79</b>	<b>0.91</b>	<b>0.90</b>	<b>0.92</b>	<b>0.97</b>	<b>0.96</b>	<b>0.98</b>	<b>1.02</b>	<b>1.01</b>	<b>1.03</b>	<b>1.06</b>	<b>1.05</b>	<b>1.07</b>
<b>Females</b>												
Age 6 to 11	0.81	0.80	0.82	0.85	0.83	0.87	0.90	0.89	0.91	0.92	0.90	0.94
Age 12 to 19	0.77	0.76	0.78	0.81	0.79	0.83	0.86	0.84	0.88	0.90	0.86	0.94
Age 20 to 39	0.79	0.77	0.81	0.85	0.84	0.86	0.89	0.88	0.90	0.94	0.92	0.96
Age 40 to 59	0.83	0.82	0.84	0.88	0.87	0.89	0.93	0.91	0.95	0.97	0.95	0.99
Age 60 to 79	0.87	0.86	0.88	0.92	0.90	0.94	0.96	0.95	0.97	0.99	0.97	1.01
<b>Age 6 to 79</b>	<b>0.82</b>	<b>0.81</b>	<b>0.83</b>	<b>0.87</b>	<b>0.86</b>	<b>0.88</b>	<b>0.93</b>	<b>0.92</b>	<b>0.94</b>	<b>0.96</b>	<b>0.95</b>	<b>0.97</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 18**  
**Distribution of the household population with a body mass index less than 30 kg/m<sup>2</sup>, by the average biceps skinfold, by age and sex, Canada, 2007 to 2009**

	Average biceps skinfold											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimetres											
<b>Both sexes</b>												
Age 6 to 11	6.4	6.2	6.7	3.0	2.8	3.2	3.4	3.2	3.6	4.2	4.0	4.4
Age 12 to 19	6.7	6.4	7.0	3.0	2.9	3.1	3.3	3.2	3.4	4.1	3.9	4.3
Age 20 to 39	6.4	6.1	6.7	3.0	2.8	3.2	3.2	3.1	3.3	3.8	3.6	4.0
Age 40 to 59	7.6	7.2	8.0	3.0	2.7	3.3	3.5	3.2	3.8	4.6	4.3	4.9
Age 60 to 79	8.0	7.6	8.4	3.2	3.0	3.4	3.7	3.5	3.9	5.0	4.6	5.4
<b>Age 6 to 79</b>	<b>7.1</b>	<b>6.9</b>	<b>7.3</b>	<b>3.0</b>	<b>2.9</b>	<b>3.1</b>	<b>3.3</b>	<b>3.2</b>	<b>3.4</b>	<b>4.3</b>	<b>4.2</b>	<b>4.4</b>
<b>Males</b>												
Age 6 to 11	6.2	5.8	6.5	2.9	2.8	3.0	3.2	3.0	3.4	3.7	3.4	4.0
Age 12 to 19	5.6	5.4	5.8	2.8	2.7	2.9	3.1	3.0	3.2	3.4	3.2	3.6
Age 20 to 39	4.9	4.6	5.1	2.7	2.5	2.9	3.0	2.9	3.1	3.4	3.2	3.6
Age 40 to 59	5.4	5.1	5.8	2.7	2.5	2.9	3.1	2.8	3.4	3.9	3.6	4.2
Age 60 to 79	5.5	5.2	5.8	2.8	2.6	3.0	3.2	3.0	3.4	4.0	3.8	4.2
<b>Age 6 to 79</b>	<b>5.4</b>	<b>5.2</b>	<b>5.5</b>	<b>2.8</b>	<b>2.7</b>	<b>2.9</b>	<b>3.1</b>	<b>3.0</b>	<b>3.2</b>	<b>3.7</b>	<b>3.6</b>	<b>3.8</b>
<b>Females</b>												
Age 6 to 11	6.7	6.5	6.9	3.4	3.1	3.7	3.8	3.5	4.1	4.6	4.4	4.8
Age 12 to 19	7.8	7.4	8.3	4.1	3.9	4.3	4.4	4.0	4.8	5.5	5.1	5.9
Age 20 to 39	8.1	7.5	8.7	3.5	3.2	3.8	4.0	3.4	4.6	5.1	4.5	5.7
Age 40 to 59	9.7	9.2	10.2	3.8	3.2	4.4	4.7	4.0	5.4	6.3	5.5	7.1
Age 60 to 79	10.3	9.7	10.8	4.7	4.0	5.4	5.9	5.2	6.6	7.3	6.9	7.7
<b>Age 6 to 79</b>	<b>8.8</b>	<b>8.5</b>	<b>9.1</b>	<b>3.6</b>	<b>3.4</b>	<b>3.8</b>	<b>4.4</b>	<b>4.2</b>	<b>4.6</b>	<b>5.6</b>	<b>5.3</b>	<b>5.9</b>

  

	Average biceps skinfold											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimetres											
<b>Both sexes</b>												
Age 6 to 11	5.5	5.2	5.8	8.0	7.5	8.5	10.9	10.2	11.6	12.7	12.1	13.3
Age 12 to 19	5.9	5.5	6.3	8.1	7.7	8.5	11.1	10.1	12.1	13.8	12.4	15.2
Age 20 to 39	5.4	5.1	5.7	8.0	7.4	8.6	11.1	10.3	11.9	13.7	12.6	14.8
Age 40 to 59	6.6	6.0	7.2	9.8	8.9	10.7	13.6	13.1	14.1	15.2	14.5	15.9
Age 60 to 79	7.0	6.7	7.3	10.0	9.4	10.6	13.6	12.1	15.1	16.5	14.8	18.2
<b>Age 6 to 79</b>	<b>6.1</b>	<b>5.8</b>	<b>6.4</b>	<b>8.7</b>	<b>8.3</b>	<b>9.1</b>	<b>12.4</b>	<b>12.0</b>	<b>12.8</b>	<b>14.9</b>	<b>14.3</b>	<b>15.5</b>
<b>Males</b>												
Age 6 to 11	5.0	4.5	5.5	7.6	6.9	8.3	10.7	10.1	11.3	13.7	12.1	15.3
Age 12 to 19	4.5	4.1	4.9	6.6	5.9	7.3	10.0	9.1	10.9	11.4	10.4	12.4
Age 20 to 39	4.3	4.0	4.6	5.8	5.4	6.2	7.3	6.3	8.3	9.1	7.6	10.6
Age 40 to 59	4.9	4.6	5.2	6.6	6.0	7.2	8.2	7.3	9.1	9.8	8.7	10.9
Age 60 to 79	5.2	4.8	5.6	6.8	6.3	7.3	8.1	7.4	8.8	9.1	8.5	9.7
<b>Age 6 to 79</b>	<b>4.7</b>	<b>4.5</b>	<b>4.9</b>	<b>6.5</b>	<b>6.2</b>	<b>6.8</b>	<b>8.4</b>	<b>7.9</b>	<b>8.9</b>	<b>10.0</b>	<b>9.7</b>	<b>10.3</b>
<b>Females</b>												
Age 6 to 11	5.9	5.5	6.3	8.3	7.8	8.8	11.3	10.4	12.2	12.3	11.7	12.9
Age 12 to 19	7.2	6.8	7.6	8.9	8.3	9.5	12.4	10.2	14.6	15.2	13.9	16.5
Age 20 to 39	7.6	6.6	8.6	10.3	9.4	11.2	13.7	12.6	14.8	16.6	15.3	17.9
Age 40 to 59	8.8	8.0	9.6	13.0	12.2	13.8	15.2	14.5	15.9	16.6	15.9	17.3
Age 60 to 79	9.8	9.2	10.4	12.1	10.8	13.4	16.1	14.4	17.8	17.6	16.0	19.2
<b>Age 6 to 79</b>	<b>8.0</b>	<b>7.7</b>	<b>8.3</b>	<b>11.2</b>	<b>10.7</b>	<b>11.7</b>	<b>14.6</b>	<b>13.9</b>	<b>15.3</b>	<b>16.4</b>	<b>15.7</b>	<b>17.1</b>

**Note(s):** Total household population aged 6 to 79, with a body mass index less than 30 kg/m<sup>2</sup>, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 19**  
**Distribution of the household population with a body mass index less than 30 kg/m<sup>2</sup>, by the average triceps skinfold, by age and sex, Canada, 2007 to 2009**

	Average triceps skinfold											
	Mean		5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile			
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimetres												
<b>Both sexes</b>												
Age 6 to 11	12.4	12.0	12.7	6.6	6.4	6.8	7.3	7.0	7.6	8.6	8.2	9.0
Age 12 to 19	13.9	13.4	14.4	5.7	5.3	6.1	6.6	6.2	7.0	8.7	8.2	9.2
Age 20 to 39	14.3	13.8	14.9	5.4	5.0	5.8	6.5	5.9	7.1	9.2	8.4	10.0
Age 40 to 59	16.0	15.3	16.6	5.9	5.4	6.4	7.5	6.7	8.3	10.2	9.3	11.1
Age 60 to 79	16.0	15.4	16.6	6.7	6.5	6.9	7.4	7.1	7.7	10.1	9.4	10.8
<b>Age 6 to 79</b>	<b>14.9</b>	<b>14.5</b>	<b>15.2</b>	<b>5.9</b>	<b>5.7</b>	<b>6.1</b>	<b>7.0</b>	<b>6.7</b>	<b>7.3</b>	<b>9.4</b>	<b>9.0</b>	<b>9.8</b>
<b>Males</b>												
Age 6 to 11	11.9	11.3	12.4	6.4	6.2	6.6	6.8	6.4	7.2	8.1	7.8	8.4
Age 12 to 19	11.1	10.6	11.6	5.1	4.5	5.7	5.7	5.3	6.1	7.0	6.5	7.5
Age 20 to 39	10.3	9.8	10.8	4.8	4.6	5.0	5.5	5.0	6.0	7.2	6.5	7.9
Age 40 to 59	10.9	10.1	11.7	5.4	5.0	5.8	5.9	5.4	6.4	8.0	7.1	8.9
Age 60 to 79	10.5	10.1	11.0	5.4	4.8	6.0	6.7	6.5	6.9	7.6	7.1	8.1
<b>Age 6 to 79</b>	<b>10.8</b>	<b>10.4</b>	<b>11.1</b>	<b>5.2</b>	<b>5.0</b>	<b>5.4</b>	<b>5.9</b>	<b>5.6</b>	<b>6.2</b>	<b>7.6</b>	<b>7.2</b>	<b>8.0</b>
<b>Females</b>												
Age 6 to 11	12.9	12.5	13.3	7.1	6.7	7.5	8.0	7.7	8.3	9.6	9.1	10.1
Age 12 to 19	16.7	16.0	17.5	8.7	8.0	9.4	9.7	8.8	10.6	12.6	11.8	13.4
Age 20 to 39	18.7	17.8	19.7	9.4	8.1	10.7	11.5	10.4	12.6	13.8	12.6	15.0
Age 40 to 59	20.7	20.1	21.4	10.8	10.0	11.6	12.7	11.3	14.1	16.1	15.4	16.8
Age 60 to 79	20.9	20.2	21.7	11.2	9.4	13.0	13.6	12.8	14.4	17.0	15.9	18.1
<b>Age 6 to 79</b>	<b>18.9</b>	<b>18.5</b>	<b>19.4</b>	<b>9.1</b>	<b>8.7</b>	<b>9.5</b>	<b>10.8</b>	<b>10.5</b>	<b>11.1</b>	<b>14.0</b>	<b>13.5</b>	<b>14.5</b>

	Average triceps skinfold											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimetres												
<b>Both sexes</b>												
Age 6 to 11	11.1	10.6	11.6	14.8	13.9	15.7	20.0	19.1	20.9	22.8	21.7	23.9
Age 12 to 19	12.7	12.0	13.4	17.6	17.1	18.1	22.6	21.1	24.1	25.1	23.8	26.4
Age 20 to 39	13.1	12.7	13.5	18.7	17.2	20.2	23.9	22.9	24.9	27.0	25.8	28.2
Age 40 to 59	14.5	13.9	15.1	21.4	20.2	22.6	26.8	26.0	27.6	28.9	28.0	29.8
Age 60 to 79	15.1	14.6	15.6	20.8	19.1	22.5	26.1	25.4	26.8	28.5	27.1	29.9
<b>Age 6 to 79</b>	<b>13.4</b>	<b>13.0</b>	<b>13.8</b>	<b>19.2</b>	<b>18.7</b>	<b>19.7</b>	<b>25.0</b>	<b>24.5</b>	<b>25.5</b>	<b>27.9</b>	<b>27.4</b>	<b>28.4</b>
<b>Males</b>												
Age 6 to 11	10.2	9.5	10.9	14.6	13.4	15.8	19.4	17.8	21.0	22.4	20.9	23.9
Age 12 to 19	9.4	8.7	10.1	13.4	12.4	14.4	19.0	17.6	20.4	22.6	20.1	25.1
Age 20 to 39	9.9	8.9	10.9	12.7	12.1	13.3	15.9	14.7	17.1	17.2	16.0	18.4
Age 40 to 59	10.4	9.5	11.3	13.1	12.0	14.2	15.0	13.3	16.7	19.1	14.3	23.9
Age 60 to 79	9.9	9.2	10.6	12.8	11.8	13.8	15.4	14.8	16.0	17.0	15.7	18.3
<b>Age 6 to 79</b>	<b>10.0</b>	<b>9.5</b>	<b>10.5</b>	<b>13.0</b>	<b>12.5</b>	<b>13.5</b>	<b>16.3</b>	<b>15.6</b>	<b>17.0</b>	<b>19.1</b>	<b>18.1</b>	<b>20.1</b>
<b>Females</b>												
Age 6 to 11	11.7	11.4	12.0	15.1	13.8	16.4	20.2	18.8	21.6	22.9	21.2	24.6
Age 12 to 19	16.6	16.0	17.2	19.4	18.3	20.5	24.3	23.0	25.6	26.8	24.1	29.5
Age 20 to 39	18.1	16.4	19.8	23.1	21.7	24.5	27.1	25.8	28.4	30.8	28.7	32.9
Age 40 to 59	20.5	19.5	21.5	25.6	24.3	26.9	28.9	28.0	29.8	31.4	30.2	32.6
Age 60 to 79	20.3	18.8	21.8	25.0	24.2	25.8	28.2	26.9	29.5	30.7	28.7	32.7
<b>Age 6 to 79</b>	<b>18.6</b>	<b>17.9</b>	<b>19.3</b>	<b>23.4</b>	<b>22.9</b>	<b>23.9</b>	<b>27.6</b>	<b>26.9</b>	<b>28.3</b>	<b>30.3</b>	<b>29.4</b>	<b>31.2</b>

**Note(s):** Total household population aged 6 to 79, with a body mass index less than 30 kg/m<sup>2</sup>, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

Table 20

Distribution of the household population with a body mass index less than 30 kg/m<sup>2</sup>, by the average subscapular skinfold, by age and sex, Canada, 2007 to 2009

	Average subscapular skinfold											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimetres											
<b>Both sexes</b>												
Age 6 to 11	8.4	8.1	8.8	4.1	3.9	4.3	4.4	4.2	4.6	4.9	4.7	5.1
Age 12 to 19	11.6	11.0	12.1	5.5	5.3	5.7	6.1	5.9	6.3	7.2	7.0	7.4
Age 20 to 39	16.0	15.2	16.8	7.2	6.9	7.5	8.0	7.6	8.4	9.8	9.3	10.3
Age 40 to 59	18.7	17.5	19.9	7.6	6.7	8.5	8.9	7.9	9.9	12.5	11.7	13.3
Age 60 to 79	19.1	18.5	19.7	8.4	7.7	9.1	9.9	9.2	10.6	13.3	12.5	14.1
<b>Age 6 to 79</b>	<b>16.0</b>	<b>15.6</b>	<b>16.4</b>	<b>5.7</b>	<b>5.5</b>	<b>5.9</b>	<b>6.9</b>	<b>6.7</b>	<b>7.1</b>	<b>9.4</b>	<b>9.0</b>	<b>9.8</b>
<b>Males</b>												
Age 6 to 11	7.9	7.5	8.4	4.0	3.7	4.3	4.3	4.1	4.5	4.7	4.5	4.9
Age 12 to 19	10.0	9.6	10.4	5.0	4.6	5.4	5.7	5.4	6.0	6.6	6.2	7.0
Age 20 to 39	15.0	14.3	15.8	7.2	6.8	7.6	7.8	7.3	8.3	9.8	9.1	10.5
Age 40 to 59	17.9	16.3	19.5	8.1	6.9	9.3	9.0	7.6	10.4	12.6	11.5	13.7
Age 60 to 79	17.9	16.9	18.8	8.4	7.8	9.0	9.7	8.7	10.7	12.2	11.0	13.4
<b>Age 6 to 79</b>	<b>15.0</b>	<b>14.4</b>	<b>15.5</b>	<b>5.3</b>	<b>5.0</b>	<b>5.6</b>	<b>6.5</b>	<b>6.3</b>	<b>6.7</b>	<b>9.0</b>	<b>8.5</b>	<b>9.5</b>
<b>Females</b>												
Age 6 to 11	9.0	8.3	9.7	4.2	4.0	4.4	4.5	4.3	4.7	5.2	5.0	5.4
Age 12 to 19	13.2	12.2	14.1	6.1	5.9	6.3	6.8	6.3	7.3	8.3	7.9	8.7
Age 20 to 39	17.0	15.8	18.2	7.2	7.0	7.4	8.2	7.6	8.8	10.1	9.4	10.8
Age 40 to 59	19.5	18.2	20.8	7.4	6.3	8.5	8.7	7.9	9.5	12.4	11.5	13.3
Age 60 to 79	20.2	19.4	21.0	8.0	6.6	9.4	10.2	9.1	11.3	14.4	13.3	15.5
<b>Age 6 to 79</b>	<b>17.1</b>	<b>16.6</b>	<b>17.6</b>	<b>6.0</b>	<b>5.9</b>	<b>6.1</b>	<b>7.2</b>	<b>7.1</b>	<b>7.3</b>	<b>9.9</b>	<b>9.5</b>	<b>10.3</b>

  

	Average subscapular skinfold											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimetres											
<b>Both sexes</b>												
Age 6 to 11	6.1	5.8	6.4	9.5	9.0	10.0	16.3	14.3	18.3	20.7	18.7	22.7
Age 12 to 19	9.6	9.0	10.2	14.4	13.4	15.4	19.9	18.3	21.5	24.8	21.9	27.7
Age 20 to 39	13.3	12.3	14.3	20.3	18.7	21.9	27.2	25.8	28.6	32.9	28.6	37.2
Age 40 to 59	17.2	15.5	18.9	23.4	21.5	25.3	30.3	29.4	31.2	34.1	32.3	35.9
Age 60 to 79	18.4	17.6	19.2	23.4	22.0	24.8	29.2	27.3	31.1	35.1	32.2	38.0
<b>Age 6 to 79</b>	<b>14.2</b>	<b>13.6</b>	<b>14.8</b>	<b>20.6</b>	<b>19.8</b>	<b>21.4</b>	<b>28.0</b>	<b>27.0</b>	<b>29.0</b>	<b>31.8</b>	<b>29.7</b>	<b>33.9</b>
<b>Males</b>												
Age 6 to 11	5.7	5.3	6.1	8.9	7.5	10.3	15.6	13.4	17.8	21.0	18.1	23.9
Age 12 to 19	8.0	7.5	8.5	11.5	10.5	12.5	17.2	15.3	19.1	20.7	17.4	24.0
Age 20 to 39	13.0	11.9	14.1	18.3	16.7	19.9	25.2	22.9	27.5	27.9	23.9	31.9
Age 40 to 59	16.0	14.6	17.4	22.0	19.3	24.7	29.9	27.0	32.8	30.8	27.1	34.5
Age 60 to 79	16.8	15.2	18.4	22.0	20.9	23.1	27.7	24.7	30.7	30.7	25.3	36.1
<b>Age 6 to 79</b>	<b>13.5</b>	<b>12.8</b>	<b>14.2</b>	<b>19.2</b>	<b>18.4</b>	<b>20.0</b>	<b>25.8</b>	<b>24.4</b>	<b>27.2</b>	<b>30.0</b>	<b>28.7</b>	<b>31.3</b>
<b>Females</b>												
Age 6 to 11	6.6	6.1	7.1	10.2	9.0	11.4	17.4	14.7	20.1	20.2	17.7	22.7
Age 12 to 19	11.4	10.0	12.8	16.3	14.6	18.0	21.8	18.7	24.9	26.7	23.4	30.0
Age 20 to 39	14.5	12.6	16.4	21.2	18.7	23.7	29.0	25.4	32.6	36.7	31.0	42.4
Age 40 to 59	18.4	16.9	19.9	25.1	22.5	27.7	31.2	30.0	32.4	35.4	31.9	38.9
Age 60 to 79	19.1	18.3	19.9	25.4	24.2	26.6	31.0	28.2	33.8	36.2	34.0	38.4
<b>Age 6 to 79</b>	<b>15.2</b>	<b>14.3</b>	<b>16.1</b>	<b>22.0</b>	<b>20.8</b>	<b>23.2</b>	<b>29.3</b>	<b>28.1</b>	<b>30.5</b>	<b>34.6</b>	<b>32.2</b>	<b>37.0</b>

**Note(s):** Total household population aged 6 to 79, with a body mass index less than 30 kg/m<sup>2</sup>, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 21**  
**Distribution of the household population with a body mass index less than 30 kg/m<sup>2</sup>, by average iliac crest skinfold, by age and sex, Canada, 2007 to 2009**

	Average iliac crest skinfold											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimetres											
<b>Both sexes</b>												
Age 6 to 11	11.6	10.7	12.5	4.0	3.8	4.2	4.5	4.3	4.7	5.4	5.1	5.7
Age 12 to 19	17.5	16.5	18.4	6.0	5.6	6.4	7.2	6.7	7.7	9.1	8.4	9.8
Age 20 to 39	21.6	20.9	22.2	8.2	7.4	9.0	9.8	8.8	10.8	13.9	12.8	15.0
Age 40 to 59	22.3	21.2	23.5	9.0	8.3	9.7	10.5	9.5	11.5	15.6	14.2	17.0
Age 60 to 79	19.5	18.8	20.2	8.1	6.8	9.4	9.8	8.7	10.9	14.1	13.7	14.5
<b>Age 6 to 79</b>	<b>20.0</b>	<b>19.6</b>	<b>20.5</b>	<b>6.4</b>	<b>6.1</b>	<b>6.7</b>	<b>7.9</b>	<b>7.7</b>	<b>8.1</b>	<b>12.5</b>	<b>11.8</b>	<b>13.2</b>
<b>Males</b>												
Age 6 to 11	11.1	9.8	12.3	3.9	3.7	4.1	4.3	4.0	4.6	5.2	4.9	5.5
Age 12 to 19	14.2	13.6	14.8	5.6	5.4	5.8	6.1	5.6	6.6	7.7	7.1	8.3
Age 20 to 39	21.7	20.8	22.6	7.4	6.5	8.3	9.3	8.3	10.3	13.3	11.4	15.2
Age 40 to 59	23.0	21.4	24.5	9.0	7.9	10.1	11.3	9.4	13.2	15.7	13.6	17.8
Age 60 to 79	19.2	18.4	20.1	7.7	6.3	9.1	9.8	8.3	11.3	14.0	12.9	15.1
<b>Age 6 to 79</b>	<b>19.7</b>	<b>19.1</b>	<b>20.4</b>	<b>5.7</b>	<b>5.3</b>	<b>6.1</b>	<b>7.2</b>	<b>6.9</b>	<b>7.5</b>	<b>11.1</b>	<b>10.0</b>	<b>12.2</b>
<b>Females</b>												
Age 6 to 11	12.2	11.1	13.2	4.4	4.1	4.7	4.8	4.5	5.1	6.2	5.8	6.6
Age 12 to 19	20.9	19.4	22.3	7.8	6.8	8.8	9.6	8.9	10.3	13.2	11.8	14.6
Age 20 to 39	21.4	20.3	22.5	8.6	7.3	9.9	10.7	9.0	12.4	14.1	12.6	15.6
Age 40 to 59	21.7	20.3	23.1	8.7	7.4	10.0	10.4	9.2	11.6	15.6	14.2	17.0
Age 60 to 79	19.7	18.8	20.7	8.4	6.5	10.3	9.9	8.3	11.5	14.1	13.2	15.0
<b>Age 6 to 79</b>	<b>20.3</b>	<b>19.8</b>	<b>20.8</b>	<b>7.1</b>	<b>6.8</b>	<b>7.4</b>	<b>8.9</b>	<b>8.4</b>	<b>9.4</b>	<b>13.5</b>	<b>12.9</b>	<b>14.1</b>

	Average iliac crest skinfold											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimetres											
<b>Both sexes</b>												
Age 6 to 11	7.9	7.1	8.7	15.1	13.0	17.2	24.5	21.8	27.2	30.3	27.6	33.0
Age 12 to 19	15.2	13.9	16.5	23.8	22.4	25.2	31.2	29.4	33.0	36.8	33.3	40.3
Age 20 to 39	20.6	19.5	21.7	27.9	26.7	29.1	34.3	32.7	35.9	38.5	36.8	40.2
Age 40 to 59	21.0	19.4	22.6	27.9	26.4	29.4	34.8	33.3	36.3	38.5	37.1	39.9
Age 60 to 79	19.1	18.3	19.9	24.1	22.9	25.3	29.2	26.9	31.5	31.8	29.3	34.3
<b>Age 6 to 79</b>	<b>19.3</b>	<b>18.6</b>	<b>20.0</b>	<b>26.2</b>	<b>25.5</b>	<b>26.9</b>	<b>33.1</b>	<b>32.3</b>	<b>33.9</b>	<b>38.1</b>	<b>36.9</b>	<b>39.3</b>
<b>Males</b>												
Age 6 to 11	6.8	6.0	7.6	13.4	9.7	17.1	25.4	22.4	28.4	31.1	26.8	35.4
Age 12 to 19	10.2	9.0	11.4	18.1	15.6	20.6	27.6	26.0	29.2	34.6	31.2	38.0
Age 20 to 39	20.6	18.9	22.3	28.2	26.3	30.1	34.3	30.2	38.4	40.5	35.3	45.7
Age 40 to 59	21.8	20.0	23.6	28.5	26.1	30.9	36.1	33.3	38.9	40.2	37.0	43.4
Age 60 to 79	18.9	17.8	20.0	23.4	22.2	24.6	27.8	25.6	30.0	31.1	28.8	33.4
<b>Age 6 to 79</b>	<b>18.7</b>	<b>17.9</b>	<b>19.5</b>	<b>26.2</b>	<b>25.1</b>	<b>27.3</b>	<b>33.2</b>	<b>32.0</b>	<b>34.4</b>	<b>38.5</b>	<b>37.0</b>	<b>40.0</b>
<b>Females</b>												
Age 6 to 11	9.0	8.2	9.8	15.7	14.2	17.2	23.9	20.0	27.8	29.6	24.4	34.8
Age 12 to 19	19.6	18.0	21.2	26.6	23.5	29.7	33.1	29.4	36.8	39.6	35.2	44.0
Age 20 to 39	20.5	19.1	21.9	27.3	25.6	29.0	34.3	32.6	36.0	36.6	35.2	38.0
Age 40 to 59	20.4	18.9	21.9	27.6	25.4	29.8	34.1	32.3	35.9	38.1	35.9	40.3
Age 60 to 79	19.3	18.2	20.4	24.3	23.0	25.6	29.9	27.1	32.7	32.3	28.9	35.7
<b>Age 6 to 79</b>	<b>19.7</b>	<b>19.1</b>	<b>20.3</b>	<b>26.1</b>	<b>25.1</b>	<b>27.1</b>	<b>32.8</b>	<b>31.7</b>	<b>33.9</b>	<b>36.7</b>	<b>35.4</b>	<b>38.0</b>

**Note(s):** Total household population aged 6 to 79, with a body mass index less than 30 kg/m<sup>2</sup>, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 22**  
**Distribution of the household population with a body mass index less than 30 kg/m<sup>2</sup>, by the average medial calf skinfold, by age and sex, Canada, 2007 to 2009**

	Average medial calf skinfold											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimetres												
<b>Both sexes</b>												
Age 6 to 11	11.9	11.3	12.4	5.2	4.7	5.7	6.0	5.7	6.3	7.7	7.3	8.1
Age 12 to 19	14.0	13.3	14.7	5.2	4.7	5.7	6.1	5.7	6.5	8.7	7.9	9.5
Age 20 to 39	13.1	12.5	13.6	4.6	4.2	5.0	5.5	5.2	5.8	7.5	7.2	7.8
Age 40 to 59	14.2	13.6	14.9	4.8	4.3	5.3	6.0	5.3	6.7	8.2	7.4	9.0
Age 60 to 79	15.4	14.7	16.1	4.5	4.0	5.0	5.7	5.3	6.1	8.0	7.5	8.5
<b>Age 6 to 79</b>	<b>13.8</b>	<b>13.4</b>	<b>14.2</b>	<b>4.8</b>	<b>4.5</b>	<b>5.1</b>	<b>5.8</b>	<b>5.5</b>	<b>6.1</b>	<b>7.9</b>	<b>7.6</b>	<b>8.2</b>
<b>Males</b>												
Age 6 to 11	11.4	10.6	12.1	4.8	4.2	5.4	5.6	5.2	6.0	7.2	6.6	7.8
Age 12 to 19	11.3	10.6	11.9	4.5	4.1	4.9	5.2	4.7	5.7	6.7	6.3	7.1
Age 20 to 39	9.5	8.9	10.0	4.1	3.7	4.5	4.7	4.3	5.1	6.0	5.5	6.5
Age 40 to 59	9.8	9.1	10.6	4.3	4.0	4.6	4.9	4.4	5.4	6.7	6.0	7.4
Age 60 to 79	8.8	8.4	9.2	3.5	3.0	4.0	4.5	4.1	4.9	6.0	5.6	6.4
<b>Age 6 to 79</b>	<b>9.9</b>	<b>9.6</b>	<b>10.2</b>	<b>4.2</b>	<b>4.0</b>	<b>4.4</b>	<b>4.9</b>	<b>4.6</b>	<b>5.2</b>	<b>6.3</b>	<b>5.9</b>	<b>6.7</b>
<b>Females</b>												
Age 6 to 11	12.4	11.7	13.1	5.8	5.3	6.3	6.7	6.0	7.4	8.3	8.0	8.6
Age 12 to 19	16.8	15.8	17.8	7.8	7.0	8.6	9.0	8.4	9.6	12.0	11.0	13.0
Age 20 to 39	17.0	15.9	18.0	7.4	7.1	7.7	8.4	7.4	9.4	11.5	10.3	12.7
Age 40 to 59	18.4	17.6	19.2	7.6	6.8	8.4	9.4	7.9	10.9	12.6	11.9	13.3
Age 60 to 79	21.6	20.4	22.8	10.6	9.4	11.8	12.5	11.7	13.3	15.7	14.6	16.8
<b>Age 6 to 79</b>	<b>17.7</b>	<b>17.2</b>	<b>18.2</b>	<b>7.4</b>	<b>7.2</b>	<b>7.6</b>	<b>8.6</b>	<b>8.0</b>	<b>9.2</b>	<b>12.0</b>	<b>11.4</b>	<b>12.6</b>

  

	Average medial calf skinfold											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimetres												
<b>Both sexes</b>												
Age 6 to 11	10.2	9.3	11.1	15.0	14.1	15.9	19.8	19.0	20.6	22.9	21.5	24.3
Age 12 to 19	12.7	11.9	13.5	18.2	16.8	19.6	23.3	22.3	24.3	27.4	25.8	29.0
Age 20 to 39	11.6	10.7	12.5	17.1	15.9	18.3	22.3	20.5	24.1	27.0	24.5	29.5
Age 40 to 59	12.8	11.8	13.8	18.8	17.6	20.0	25.6	24.0	27.2	28.7	27.3	30.1
Age 60 to 79	13.7	12.7	14.7	22.0	19.9	24.1	27.1	25.4	28.8	31.9	29.5	34.3
<b>Age 6 to 79</b>	<b>12.2</b>	<b>11.7</b>	<b>12.7</b>	<b>18.2</b>	<b>17.6</b>	<b>18.8</b>	<b>24.4</b>	<b>23.4</b>	<b>25.4</b>	<b>28.5</b>	<b>27.4</b>	<b>29.6</b>
<b>Males</b>												
Age 6 to 11	9.3	8.2	10.4	14.4	13.1	15.7	19.9	18.9	20.9	22.8	21.5	24.1
Age 12 to 19	9.6	9.0	10.2	13.8	12.7	14.9	20.2	17.9	22.5	24.3	19.9	28.7
Age 20 to 39	8.3	7.6	9.0	12.1	10.8	13.4	16.0	14.5	17.5	18.3	16.6	20.0
Age 40 to 59	8.7	7.9	9.5	12.6	10.9	14.3	15.7	13.5	17.9	18.5	14.6	22.4
Age 60 to 79	8.0	7.6	8.4	10.8	10.2	11.4	14.4	13.3	15.5	16.6	14.6	18.6
<b>Age 6 to 79</b>	<b>8.7</b>	<b>8.3</b>	<b>9.1</b>	<b>12.4</b>	<b>11.7</b>	<b>13.1</b>	<b>16.6</b>	<b>15.7</b>	<b>17.5</b>	<b>19.7</b>	<b>18.3</b>	<b>21.1</b>
<b>Females</b>												
Age 6 to 11	10.9	10.2	11.6	15.4	14.4	16.4	19.4	17.9	20.9	23.1	19.8	26.4
Age 12 to 19	16.2	15.2	17.2	20.4	19.0	21.8	25.3	22.7	27.9	29.5	26.8	32.2
Age 20 to 39	16.2	14.5	17.9	20.7	19.1	22.3	27.4	24.9	29.9	31.0	29.1	32.9
Age 40 to 59	17.5	16.3	18.7	23.3	22.0	24.6	28.7	27.4	30.0	31.3	29.7	32.9
Age 60 to 79	21.3	19.2	23.4	26.1	24.6	27.6	31.4	28.9	33.9	34.9	31.1	38.7
<b>Age 6 to 79</b>	<b>16.6</b>	<b>15.8</b>	<b>17.4</b>	<b>22.4</b>	<b>21.7</b>	<b>23.1</b>	<b>28.1</b>	<b>27.0</b>	<b>29.2</b>	<b>31.3</b>	<b>30.4</b>	<b>32.2</b>

**Note(s):** Total household population aged 6 to 79, with a body mass index less than 30 kg/m<sup>2</sup>, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 23**  
**Distribution of the household population with a body mass index less than 30 kg/m<sup>2</sup>, by the sum of the five skinfolds, by age and sex, Canada, 2007 to 2009**

	Sum of five skinfolds											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimetres											
<b>Both sexes</b>												
Age 6 to 11	50.5	48.1	52.9	24.4	23.1	25.7	27.1	26.0	28.2	31.3	29.9	32.7
Age 12 to 19	63.3	60.5	66.1	28.1	26.5	29.7	31.4	30.1	32.7	39.1	36.5	41.7
Age 20 to 39	71.2	68.9	73.5	31.3	29.2	33.4	36.3	34.1	38.5	49.8	47.4	52.2
Age 40 to 59	78.6	75.0	82.2	37.2	32.3	42.1	43.0	38.7	47.3	56.3	51.9	60.7
Age 60 to 79	78.0	75.4	80.5	36.2	31.8	40.6	43.6	40.7	46.5	57.5	55.6	59.4
<b>Age 6 to 79</b>	<b>71.6</b>	<b>70.0</b>	<b>73.1</b>	<b>30.0</b>	<b>29.4</b>	<b>30.6</b>	<b>34.7</b>	<b>33.5</b>	<b>35.9</b>	<b>48.5</b>	<b>46.4</b>	<b>50.6</b>
<b>Males</b>												
Age 6 to 11	48.4	45.3	51.5	23.4	21.8	25.0	25.7	24.5	26.9	29.3	27.7	30.9
Age 12 to 19	51.6	49.8	53.4	25.5	24.6	26.4	28.2	26.6	29.8	33.4	32.2	34.6
Age 20 to 39	61.3	58.9	63.7	28.6	26.5	30.7	31.8	29.6	34.0	42.1	38.5	45.7
Age 40 to 59	66.6	62.1	71.1	32.3	29.3	35.3	38.8	34.1	43.5	51.3	46.5	56.1
Age 60 to 79	62.0	59.9	64.0	31.5	28.2	34.8	36.5	32.1	40.9	47.3	43.3	51.3
<b>Age 6 to 79</b>	<b>60.5</b>	<b>58.6</b>	<b>62.3</b>	<b>27.4</b>	<b>26.6</b>	<b>28.2</b>	<b>31.2</b>	<b>30.5</b>	<b>31.9</b>	<b>41.4</b>	<b>38.9</b>	<b>43.9</b>
<b>Females</b>												
Age 6 to 11	52.8	49.7	55.9	26.9	24.7	29.1	29.3	28.4	30.2	34.5	33.0	36.0
Age 12 to 19	75.3	71.1	79.6	36.6	32.8	40.4	40.9	36.8	45.0	54.0	49.9	58.1
Age 20 to 39	82.0	77.6	86.4	39.6	36.8	42.4	46.1	42.6	49.6	58.7	54.6	62.8
Age 40 to 59	89.9	86.0	93.9	44.7	40.1	49.3	53.8	49.4	58.2	64.8	59.9	69.7
Age 60 to 79	92.8	89.8	95.8	53.8	49.1	58.5	60.6	55.8	65.4	75.4	72.7	78.1
<b>Age 6 to 79</b>	<b>82.7</b>	<b>80.8</b>	<b>84.6</b>	<b>37.2</b>	<b>36.5</b>	<b>37.9</b>	<b>43.3</b>	<b>41.4</b>	<b>45.2</b>	<b>59.1</b>	<b>56.5</b>	<b>61.7</b>

	Sum of five skinfolds											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimetres											
<b>Both sexes</b>												
Age 6 to 11	41.2	38.5	43.9	61.8	56.9	66.7	92.4	85.9	98.9	105.8	99.6	112.0
Age 12 to 19	57.1	52.8	61.4	81.9	76.8	87.0	104.0	98.5	109.5	123.4	114.2	132.6
Age 20 to 39	65.5	61.0	70.0	88.8	84.7	92.9	111.8	106.2	117.4	125.5	122.3	128.7
Age 40 to 59	73.5	67.2	79.8	99.3	93.9	104.7	121.0	114.8	127.2	131.1	124.5	137.7
Age 60 to 79	76.3	74.0	78.6	93.3	88.0	98.6	117.2	112.0	122.4	127.3	116.4	138.2
<b>Age 6 to 79</b>	<b>67.3</b>	<b>64.5</b>	<b>70.1</b>	<b>90.4</b>	<b>88.6</b>	<b>92.2</b>	<b>113.7</b>	<b>110.5</b>	<b>116.9</b>	<b>126.3</b>	<b>123.1</b>	<b>129.5</b>
<b>Males</b>												
Age 6 to 11	37.1	33.5	40.7	60.3	51.4	69.2	92.4	84.5	100.3	107.4	99.4	115.4
Age 12 to 19	42.9	40.7	45.1	63.6	57.6	69.6	92.2	82.9	101.5	105.5	95.8	115.2
Age 20 to 39	58.0	52.8	63.2	76.5	73.9	79.1	91.6	84.7	98.5	103.7	95.1	112.3
Age 40 to 59	63.4	58.0	68.8	80.6	72.4	88.8	98.2	91.0	105.4	109.3	98.6	120.0
Age 60 to 79	60.2	56.5	63.9	76.1	72.7	79.5	85.0	82.1	87.9	93.3	86.9	99.7
<b>Age 6 to 79</b>	<b>57.5</b>	<b>55.0</b>	<b>60.0</b>	<b>75.7</b>	<b>73.0</b>	<b>78.4</b>	<b>93.4</b>	<b>90.3</b>	<b>96.5</b>	<b>104.9</b>	<b>100.8</b>	<b>109.0</b>
<b>Females</b>												
Age 6 to 11	44.8	42.6	47.0	62.9	58.0	67.8	92.8	84.6	101.0	103.8	93.5	114.1
Age 12 to 19	71.1	65.8	76.4	90.5	83.9	97.1	117.4	106.0	128.8	131.6	121.7	141.5
Age 20 to 39	77.3	70.3	84.3	103.0	97.3	108.7	124.7	120.0	129.4	132.2	125.7	138.7
Age 40 to 59	88.7	83.3	94.1	110.0	106.3	113.7	129.2	124.3	134.1	141.6	131.8	151.4
Age 60 to 79	89.1	84.4	93.8	110.0	103.4	116.6	124.3	117.0	131.6	143.1	132.8	153.4
<b>Age 6 to 79</b>	<b>80.7</b>	<b>77.2</b>	<b>84.2</b>	<b>104.7</b>	<b>102.4</b>	<b>107.0</b>	<b>124.7</b>	<b>121.6</b>	<b>127.8</b>	<b>136.5</b>	<b>130.8</b>	<b>142.2</b>

**Note(s):** Total household population aged 6 to 79 with a body mass index less than 30 kg/m<sup>2</sup>, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.



**Table 24**  
**Self-reported weight of the household population, by age and sex, Canada, 2007 to 2009**

	Self-reported weight											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
kilograms												
<b>Both sexes</b>												
Age 6 to 11	32	32	33	19	18	20	20	19	21	25	24	26
Age 12 to 19	62	60	63	41	40	42	45	44	46	50	48	52
Age 20 to 39	75	73	76	52	50	54	54	53	55	61	58	64
Age 40 to 59	78	76	80	53	51	55	57	55	59	65	63	67
Age 60 to 79	76	75	77	54	52	56	57	55	59	64	62	66
<b>Age 6 to 79</b>	<b>72</b>	<b>70</b>	<b>73</b>	<b>36</b>	<b>35</b>	<b>37</b>	<b>49</b>	<b>48</b>	<b>50</b>	<b>59</b>	<b>58</b>	<b>60</b>
<b>Males</b>												
Age 6 to 11	33	32	34	20	19	21	22	20	24	26	24	28
Age 12 to 19	66	63	68	41	40	42	45	42	48	53	51	55
Age 20 to 39	82	81	84	59	56	62	65	62	68	70	68	72
Age 40 to 59	86	84	89	66	64	68	69	67	71	76	74	78
Age 60 to 79	84	82	85	61	59	63	66	64	68	73	71	75
<b>Age 6 to 79</b>	<b>78</b>	<b>77</b>	<b>80</b>	<b>37</b>	<b>35</b>	<b>39</b>	<b>54</b>	<b>53</b>	<b>55</b>	<b>68</b>	<b>67</b>	<b>69</b>
<b>Females</b>												
Age 6 to 11	32	31	33	18	17	19	20	19	21	24	23	25
Age 12 to 19	57	56	59	43	42	44	44	42	46	50	49	51
Age 20 to 39	67	65	70	49	47	51	52	51	53	56	53	59
Age 40 to 59	69	67	72	50	49	51	53	52	54	59	58	60
Age 60 to 79	70	68	71	52	50	54	54	52	56	60	58	62
<b>Age 6 to 79</b>	<b>65</b>	<b>63</b>	<b>66</b>	<b>36</b>	<b>35</b>	<b>37</b>	<b>48</b>	<b>47</b>	<b>49</b>	<b>54</b>	<b>53</b>	<b>55</b>

  

	Self-reported weight											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
kilograms												
<b>Both sexes</b>												
Age 6 to 11	32	31	33	39	38	40	45	43	47	50	48	52
Age 12 to 19	59	58	60	69	65	73	83	80	86	91	88	94
Age 20 to 39	73	71	75	85	82	88	98	95	101	104	99	109
Age 40 to 59	77	76	78	88	85	91	100	95	105	108	103	113
Age 60 to 79	75	73	77	86	84	88	98	94	102	104	101	107
<b>Age 6 to 79</b>	<b>72</b>	<b>70</b>	<b>74</b>	<b>84</b>	<b>82</b>	<b>86</b>	<b>96</b>	<b>92</b>	<b>100</b>	<b>104</b>	<b>100</b>	<b>108</b>
<b>Males</b>												
Age 6 to 11	32	31	33	39	38	40	46	43	49	50	47	53
Age 12 to 19	64	61	67	77	72	82	88	83	93	95	89	101
Age 20 to 39	79	76	82	91	88	94	102	99	105	109	104	114
Age 40 to 59	84	81	87	93	90	96	107	101	113	116	110	122
Age 60 to 79	82	80	84	91	89	93	104	102	106	109	106	112
<b>Age 6 to 79</b>	<b>79</b>	<b>77</b>	<b>81</b>	<b>91</b>	<b>89</b>	<b>93</b>	<b>102</b>	<b>99</b>	<b>105</b>	<b>109</b>	<b>106</b>	<b>112</b>
<b>Females</b>												
Age 6 to 11	30	28	32	37	35	39	45	43	47	50	46	54
Age 12 to 19	56	53	59	64	61	67	73	67	79	82	79	85
Age 20 to 39	64	61	67	75	72	78	88	81	95	100	93	107
Age 40 to 59	66	64	68	77	73	81	91	85	97	100	92	108
Age 60 to 79	68	66	70	76	73	79	86	81	91	95	89	101
<b>Age 6 to 79</b>	<b>64</b>	<b>63</b>	<b>65</b>	<b>75</b>	<b>72</b>	<b>78</b>	<b>86</b>	<b>82</b>	<b>90</b>	<b>95</b>	<b>89</b>	<b>101</b>

**Note(s):** Total household population aged 6 to 79.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 25**  
**Self-reported height of the household population, by age and sex, Canada, 2007 to 2009**

	Self-reported height											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
centimetres												
<b>Both sexes</b>												
Age 6 to 11	134	132	135	104	97	111	117	112	122	122	120	124
Age 12 to 19	167	167	168	150	148	152	155	153	157	160	159	161
Age 20 to 39	171	170	172	155	154	156	157	156	158	163	162	164
Age 40 to 59	170	169	170	155	155	155	157	157	157	163	161	165
Age 60 to 79	168	167	168	152	149	155	155	153	157	160	160	160
<b>Age 6 to 79</b>	<b>167</b>	<b>167</b>	<b>168</b>	<b>145</b>	<b>142</b>	<b>148</b>	<b>155</b>	<b>152</b>	<b>158</b>	<b>160</b>	<b>160</b>	<b>160</b>
<b>Males</b>												
Age 6 to 11	133	131	135	104	95	113	117	110	124	122	120	124
Age 12 to 19	171	170	172	152	150	154	155	153	157	165	163	167
Age 20 to 39	177	176	178	168	165	171	168	166	170	173	170	176
Age 40 to 59	176	175	177	163	160	166	168	166	170	170	167	173
Age 60 to 79	174	174	175	163	161	165	165	162	168	170	169	171
<b>Age 6 to 79</b>	<b>173</b>	<b>172</b>	<b>173</b>	<b>145</b>	<b>142</b>	<b>148</b>	<b>160</b>	<b>158</b>	<b>162</b>	<b>170</b>	<b>168</b>	<b>172</b>
<b>Females</b>												
Age 6 to 11	134	132	136	104	94	114	117	112	122	122	119	125
Age 12 to 19	164	163	165	150	148	152	155	152	158	157	154	160
Age 20 to 39	164	163	165	152	150	154	155	154	156	157	154	160
Age 40 to 59	163	163	164	152	151	153	155	154	156	157	154	160
Age 60 to 79	161	161	162	152	150	154	155	152	158	157	157	157
<b>Age 6 to 79</b>	<b>161</b>	<b>161</b>	<b>162</b>	<b>145</b>	<b>143</b>	<b>147</b>	<b>152</b>	<b>152</b>	<b>152</b>	<b>157</b>	<b>157</b>	<b>157</b>

  

	Self-reported height											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
centimetres												
<b>Both sexes</b>												
Age 6 to 11	135	133	137	145	142	148	152	151	153	157	155	159
Age 12 to 19	168	168	168	175	174	176	180	178	182	185	183	187
Age 20 to 39	170	169	171	178	177	179	183	183	183	185	181	189
Age 40 to 59	170	169	171	178	176	180	183	181	185	185	183	187
Age 60 to 79	168	168	168	175	174	176	180	180	180	183	182	184
<b>Age 6 to 79</b>	<b>168</b>	<b>167</b>	<b>169</b>	<b>175</b>	<b>172</b>	<b>178</b>	<b>183</b>	<b>181</b>	<b>185</b>	<b>185</b>	<b>184</b>	<b>186</b>
<b>Males</b>												
Age 6 to 11	135	132	138	145	142	148	152	150	154	155	151	159
Age 12 to 19	173	170	176	180	178	182	185	183	187	188	184	192
Age 20 to 39	178	177	179	183	180	186	185	181	189	191	188	194
Age 40 to 59	175	172	178	180	177	183	185	183	187	188	186	190
Age 60 to 79	175	174	176	180	179	181	183	182	184	185	185	185
<b>Age 6 to 79</b>	<b>175</b>	<b>174</b>	<b>176</b>	<b>180</b>	<b>180</b>	<b>180</b>	<b>185</b>	<b>183</b>	<b>187</b>	<b>188</b>	<b>186</b>	<b>190</b>
<b>Females</b>												
Age 6 to 11	135	133	137	145	142	148	152	149	155	157	155	159
Age 12 to 19	165	163	167	168	166	170	175	173	177	178	175	181
Age 20 to 39	163	161	165	170	168	172	173	171	175	175	172	178
Age 40 to 59	163	162	164	168	168	168	173	170	176	175	172	178
Age 60 to 79	160	158	162	165	164	166	170	168	172	173	170	176
<b>Age 6 to 79</b>	<b>163</b>	<b>162</b>	<b>164</b>	<b>168</b>	<b>168</b>	<b>168</b>	<b>173</b>	<b>171</b>	<b>175</b>	<b>175</b>	<b>174</b>	<b>176</b>

**Note(s):** Total household population aged 6 to 79.  
**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 26**  
**Distribution of the household population aged 6 to 17, by body mass index norms based on self-reported inputs—CDC system, by age and sex, Canada, 2007 to 2009**

	Body mass index norms based on self-reported inputs—CDC system											
	Underweight			Normal weight			Overweight			Obese		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	percent											
<b>Both sexes</b>												
Age 6 to 11	7.5	5.8	9.2	58.8	53.2	64.4	16.0	12.3	19.8	17.7	13.9	21.4
Age 12 to 17	3.2 <sup>E</sup>	1.6	4.7	74.4	67.4	81.3	12.3	8.4	16.1	10.2 <sup>E</sup>	5.3	15.1
<b>Age 6 to 17</b>	<b>5.0</b>	<b>4.0</b>	<b>6.0</b>	<b>67.6</b>	<b>62.1</b>	<b>73.2</b>	<b>13.9</b>	<b>10.6</b>	<b>17.2</b>	<b>13.4</b>	<b>10.4</b>	<b>16.5</b>
<b>Males</b>												
Age 6 to 11	8.1	5.7	10.5	50.6	43.1	58.2	19.3	14.7	23.9	22.0	15.2	28.9
Age 12 to 17	3.6 <sup>E</sup>	1.4	5.8	68.9	60.9	76.8	13.7	9.5	17.9	13.8 <sup>E</sup>	7.1	20.6
<b>Age 6 to 17</b>	<b>5.5</b>	<b>4.0</b>	<b>6.9</b>	<b>61.2</b>	<b>55.2</b>	<b>67.3</b>	<b>16.0</b>	<b>12.3</b>	<b>19.8</b>	<b>17.3</b>	<b>12.8</b>	<b>21.7</b>
<b>Females</b>												
Age 6 to 11	6.9 <sup>E</sup>	4.5	9.3	67.4	60.9	74.0	12.6	8.6	16.7	13.1	10.1	16.0
Age 12 to 17	2.7 <sup>E</sup>	1.5	3.8	80.9	73.7	88.0	10.6 <sup>E</sup>	5.1	16.1	F	...	...
<b>Age 6 to 17</b>	<b>4.5</b>	<b>3.1</b>	<b>6.0</b>	<b>74.9</b>	<b>69.1</b>	<b>80.7</b>	<b>11.5</b>	<b>8.1</b>	<b>14.9</b>	<b>9.1</b>	<b>6.2</b>	<b>11.9</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** The norms used in this table can be found in National Center for Health Statistics, 2000, *Clinical Growth Charts*, Department of Health and Human Services, Public Health Service, Center for Disease Control, Hyattsville, MD. <http://www.cdc.gov/nchs/about/major/nhanes/growthcharts/clinicalcharts.htm> (accessed Dec. 19, 2006).

Total household population aged 6 to 17.

Center for Disease Control (CDC).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 27**  
**Distribution of the household population aged 6 to 17, by body mass index norms based on self-reported inputs—Cole system, by age and sex, Canada, 2007 to 2009**

	Body mass index norms based on self-reported inputs—Cole system								
	Neither overweight or obese			Overweight			Obese		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 6 to 11	69.1	63.9	74.3	19.3	14.7	23.9	11.6	8.2	15.1
Age 12 to 17	76.2	68.1	84.3	15.5	10.7	20.3	8.3 <sup>E</sup>	3.4	13.1
<b>Age 6 to 17</b>	<b>73.2</b>	<b>67.6</b>	<b>78.7</b>	<b>17.1</b>	<b>12.9</b>	<b>21.3</b>	<b>9.7</b>	<b>7.1</b>	<b>12.4</b>
<b>Males</b>									
Age 6 to 11	64.1	56.5	71.7	22.7	17.9	27.5	13.2 <sup>E</sup>	7.8	18.6
Age 12 to 17	71.6	63.1	80.2	16.8	13.5	20.1	11.6 <sup>E</sup>	4.8	18.3
<b>Age 6 to 17</b>	<b>68.5</b>	<b>62.5</b>	<b>74.5</b>	<b>19.3</b>	<b>15.8</b>	<b>22.8</b>	<b>12.2</b>	<b>8.3</b>	<b>16.2</b>
<b>Females</b>									
Age 6 to 11	74.4	69.0	79.7	15.6 <sup>E</sup>	10.2	21.1	10.0	7.3	12.7
Age 12 to 17	81.7	72.5	90.8	14.0 <sup>E</sup>	6.9	21.0	F	...	...
<b>Age 6 to 17</b>	<b>78.4</b>	<b>72.2</b>	<b>84.6</b>	<b>14.7<sup>E</sup></b>	<b>9.1</b>	<b>20.3</b>	<b>6.9</b>	<b>5.2</b>	<b>8.5</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** The norms used in this table can be found in T.J. Cole, M.C. Bellizzi, K.M. Flegal & W.H. Dietz, 2000, "Establishing a Standard Definition for Child Overweight and Obesity Worldwide: International survey," *The BMJ*, Vol. 320, p. 1240-1243.

Total household population aged 6 to 17.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 28**  
**Distribution of the household population aged 18 to 79, by body mass index norms based on self-reported inputs, by age and sex, Canada, 2007 to 2009**

	Body mass index norms based on self-reported inputs								
	Underweight			Normal Weight			Overweight		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 18 to 39	3.3 <sup>E</sup>	1.6	4.9	53.2	48.9	57.5	28.5	24.9	32.0
Age 40 to 59	1.0 <sup>E</sup>	0.6	1.3	37.3	33.0	41.6	38.2	33.6	42.8
Age 60 to 79	F	...	...	33.8	28.4	39.3	41.7	37.3	46.1
<b>Age 18 to 79</b>	<b>1.8<sup>E</sup></b>	<b>1.2</b>	<b>2.5</b>	<b>42.9</b>	<b>39.2</b>	<b>46.5</b>	<b>35.1</b>	<b>32.4</b>	<b>37.7</b>
<b>Males</b>									
Age 18 to 39	F	...	...	49.0	44.7	53.3	35.1	31.8	38.3
Age 40 to 59	F	...	...	25.0	19.6	30.3	49.9	42.8	56.9
Age 60 to 79	F	...	...	31.3	25.1	37.4	43.4	37.6	49.2
<b>Age 18 to 79</b>	<b>0.7<sup>E</sup></b>	<b>0.3</b>	<b>1.1</b>	<b>35.9</b>	<b>32.0</b>	<b>39.7</b>	<b>42.7</b>	<b>39.3</b>	<b>46.0</b>
<b>Females</b>									
Age 18 to 39	5.6 <sup>E</sup>	2.4	8.7	57.7	52.2	63.1	21.5	15.6	27.4
Age 40 to 59	1.4	1.0	1.7	49.7	44.8	54.6	26.3	22.2	30.5
Age 60 to 79	F	...	...	36.2	29.8	42.6	40.2	34.8	45.6
<b>Age 18 to 79</b>	<b>2.9<sup>E</sup></b>	<b>1.8</b>	<b>4.1</b>	<b>50.0</b>	<b>45.6</b>	<b>54.3</b>	<b>27.4</b>	<b>24.6</b>	<b>30.2</b>

	Body mass index norms based on self-reported inputs								
	Obese, class I			Obese, class II			Obese, class III		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 18 to 39	9.5	7.2	11.8	4.1 <sup>E</sup>	1.8	6.4	1.4 <sup>E</sup>	0.6	2.3
Age 40 to 59	17.0	12.7	21.3	4.3	3.2	5.4	2.3 <sup>E</sup>	1.4	3.3
Age 60 to 79	17.7	14.9	20.5	4.4 <sup>E</sup>	2.9	5.8	1.6 <sup>E</sup>	1.1	2.2
<b>Age 18 to 79</b>	<b>14.2</b>	<b>12.2</b>	<b>16.2</b>	<b>4.2</b>	<b>3.1</b>	<b>5.4</b>	<b>1.8<sup>E</sup></b>	<b>1.2</b>	<b>2.5</b>
<b>Males</b>									
Age 18 to 39	9.9 <sup>E</sup>	6.2	13.6	F	...	...	0.8 <sup>E</sup>	0.4	1.3
Age 40 to 59	18.8	13.1	24.5	3.9 <sup>E</sup>	2.5	5.2	1.9 <sup>E</sup>	0.7	3.2
Age 60 to 79	19.4	15.9	22.9	4.4 <sup>E</sup>	3.0	5.8	F	...	...
<b>Age 18 to 79</b>	<b>15.3</b>	<b>12.5</b>	<b>18.2</b>	<b>4.1<sup>E</sup></b>	<b>2.6</b>	<b>5.6</b>	<b>1.3<sup>E</sup></b>	<b>0.7</b>	<b>2.0</b>
<b>Females</b>									
Age 18 to 39	9.1	6.8	11.3	F	...	...	F	...	...
Age 40 to 59	15.1	11.1	19.1	4.8 <sup>E</sup>	3.0	6.5	F	...	...
Age 60 to 79	16.1	12.6	19.5	4.3 <sup>E</sup>	1.6	7.0	2.1 <sup>E</sup>	1.3	2.9
<b>Age 18 to 79</b>	<b>13.0</b>	<b>11.2</b>	<b>14.8</b>	<b>4.4<sup>E</sup></b>	<b>2.8</b>	<b>6.0</b>	<b>2.3<sup>E</sup></b>	<b>1.0</b>	<b>3.7</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** The norms used in this table can be found in Health Canada, 2003, "Description of the Canadian Guidelines for Body Weight Classification in Adults," *Canadian Guidelines for Body Weight Classification in Adults*, Health Canada Catalogue no. H49-179/2003E, p. 9-12. [http://www.hc-sc.gc.ca/fn-an/nutrition/weights-poids/guide-ld-adult/weight\\_book\\_tc-livres\\_des\\_poids\\_tm-eng.php](http://www.hc-sc.gc.ca/fn-an/nutrition/weights-poids/guide-ld-adult/weight_book_tc-livres_des_poids_tm-eng.php) (accessed Dec 19 2006). Total household population aged 18 to 79.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 29**  
**Measured sitting height of the household population, by age and sex, Canada, 2007 to 2009**

	Measured sitting height											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	centimetres											
<b>Both sexes</b>												
Age 6 to 11	71.69	71.07	72.31	62.58	61.97	63.19	63.78	63.08	64.48	66.96	66.04	67.88
Age 12 to 19	87.99	87.57	88.41	79.00	77.83	80.17	80.54	79.74	81.34	84.45	83.77	85.13
Age 20 to 39	90.95	90.57	91.32	83.71	82.98	84.44	85.22	84.85	85.59	87.73	87.32	88.14
Age 40 to 59	90.14	89.76	90.51	83.04	82.66	83.42	84.21	83.79	84.63	86.38	85.86	86.90
Age 60 to 79	87.54	87.13	87.95	79.20	78.04	80.36	81.23	80.24	82.22	84.39	84.01	84.77
<b>Age 6 to 79</b>	<b>88.33</b>	<b>88.03</b>	<b>88.64</b>	<b>74.15</b>	<b>73.65</b>	<b>74.65</b>	<b>80.68</b>	<b>80.22</b>	<b>81.14</b>	<b>85.28</b>	<b>84.98</b>	<b>85.58</b>
<b>Males</b>												
Age 6 to 11	71.66	70.70	72.62	63.00	62.29	63.71	63.98	62.87	65.09	67.45	65.89	69.01
Age 12 to 19	89.07	88.29	89.85	77.16	75.51	78.81	79.55	78.55	80.55	84.30	82.59	86.01
Age 20 to 39	93.86	93.30	94.41	88.25	87.05	89.45	88.93	88.20	89.66	91.26	90.55	91.97
Age 40 to 59	93.22	92.69	93.75	87.11	85.83	88.39	88.43	87.49	89.37	90.54	89.53	91.55
Age 60 to 79	90.89	90.41	91.38	85.01	84.26	85.76	86.53	86.01	87.05	88.46	87.97	88.95
<b>Age 6 to 79</b>	<b>90.91</b>	<b>90.51</b>	<b>91.32</b>	<b>73.94</b>	<b>73.25</b>	<b>74.63</b>	<b>82.76</b>	<b>81.65</b>	<b>83.87</b>	<b>88.94</b>	<b>88.43</b>	<b>89.45</b>
<b>Females</b>												
Age 6 to 11	71.72	71.02	72.41	61.77	60.86	62.68	63.55	62.65	64.45	66.50	65.45	67.55
Age 12 to 19	86.85	86.44	87.27	80.14	79.43	80.85	81.01	80.30	81.72	84.46	83.90	85.02
Age 20 to 39	88.01	87.62	88.40	82.30	81.18	83.42	83.79	83.08	84.50	85.81	85.36	86.26
Age 40 to 59	87.11	86.83	87.39	82.21	81.72	82.70	83.04	82.64	83.44	84.93	84.54	85.32
Age 60 to 79	84.46	84.02	84.90	78.35	77.61	79.09	79.69	78.45	80.93	82.45	81.58	83.32
<b>Age 6 to 79</b>	<b>85.78</b>	<b>85.50</b>	<b>86.06</b>	<b>74.48</b>	<b>73.90</b>	<b>75.06</b>	<b>80.37</b>	<b>79.82</b>	<b>80.92</b>	<b>83.91</b>	<b>83.63</b>	<b>84.19</b>

  

	Measured sitting height											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	centimetres											
<b>Both sexes</b>												
Age 6 to 11	71.85	70.99	72.71	75.55	74.80	76.30	79.25	78.32	80.18	81.60	80.69	82.51
Age 12 to 19	88.39	87.84	88.94	91.75	91.38	92.12	94.70	93.93	95.47	96.81	95.87	97.75
Age 20 to 39	90.93	90.47	91.39	94.10	93.49	94.71	96.98	96.26	97.70	98.82	97.96	99.68
Age 40 to 59	89.77	89.27	90.27	93.62	93.10	94.14	96.30	95.90	96.70	97.60	97.02	98.18
Age 60 to 79	87.57	87.17	87.97	91.13	90.29	91.97	93.80	93.38	94.22	95.20	94.69	95.71
<b>Age 6 to 79</b>	<b>89.03</b>	<b>88.73</b>	<b>89.33</b>	<b>92.86</b>	<b>92.55</b>	<b>93.17</b>	<b>95.90</b>	<b>95.48</b>	<b>96.32</b>	<b>97.46</b>	<b>97.07</b>	<b>97.85</b>
<b>Males</b>												
Age 6 to 11	72.07	70.70	73.44	75.39	74.37	76.41	78.42	77.66	79.18	80.16	79.07	81.25
Age 12 to 19	90.41	89.55	91.27	93.59	92.92	94.26	96.60	95.64	97.56	98.33	97.57	99.09
Age 20 to 39	93.91	93.35	94.47	96.35	95.62	97.08	98.82	97.88	99.76	99.95	99.24	100.66
Age 40 to 59	93.48	92.86	94.10	95.84	95.23	96.45	97.66	97.07	98.25	99.01	98.17	99.85
Age 60 to 79	91.16	90.29	92.03	93.38	92.98	93.78	95.26	94.78	95.74	96.02	95.35	96.69
<b>Age 6 to 79</b>	<b>92.42</b>	<b>91.94</b>	<b>92.90</b>	<b>95.19</b>	<b>94.69</b>	<b>95.69</b>	<b>97.46</b>	<b>97.07</b>	<b>97.85</b>	<b>99.01</b>	<b>98.42</b>	<b>99.60</b>
<b>Females</b>												
Age 6 to 11	71.77	70.88	72.66	75.91	74.99	76.83	80.85	79.86	81.84	82.52	81.10	83.94
Age 12 to 19	87.05	86.53	87.57	89.63	88.95	90.31	91.74	90.75	92.73	92.95	91.83	94.07
Age 20 to 39	87.96	87.53	88.39	90.40	89.81	90.99	92.16	91.70	92.62	92.82	92.71	92.93
Age 40 to 59	86.88	86.33	87.43	89.27	88.89	89.65	91.51	91.09	91.93	92.82	92.43	93.21
Age 60 to 79	84.84	84.39	85.29	86.67	86.25	87.09	88.88	88.64	89.12	89.36	88.78	89.94
<b>Age 6 to 79</b>	<b>86.50</b>	<b>86.15</b>	<b>86.85</b>	<b>89.14</b>	<b>88.83</b>	<b>89.45</b>	<b>91.35</b>	<b>91.09</b>	<b>91.61</b>	<b>92.58</b>	<b>92.30</b>	<b>92.86</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 30**  
**Measured standing height of the household population, by age and sex, Canada, 2007 to 2009**

	Measured standing height											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
centimetres												
<b>Both sexes</b>												
Age 6 to 11	135.34	134.14	136.55	116.06	114.81	117.31	119.34	117.82	120.86	125.87	123.80	127.94
Age 12 to 19	166.66	166.24	167.09	150.45	148.08	152.82	154.88	152.93	156.83	160.01	158.89	161.13
Age 20 to 39	169.99	169.30	170.68	155.45	153.56	157.34	157.83	156.85	158.81	163.07	162.26	163.88
Age 40 to 59	168.82	168.16	169.48	154.84	154.05	155.63	157.03	156.17	157.89	161.41	160.24	162.58
Age 60 to 79	165.46	164.79	166.12	150.74	148.99	152.49	153.90	152.48	155.32	158.57	158.01	159.13
<b>Age 6 to 79</b>	<b>165.89</b>	<b>165.41</b>	<b>166.36</b>	<b>141.27</b>	<b>140.00</b>	<b>142.54</b>	<b>151.86</b>	<b>151.00</b>	<b>152.72</b>	<b>159.43</b>	<b>158.95</b>	<b>159.91</b>
<b>Males</b>												
Age 6 to 11	135.41	133.38	137.43	115.93	113.22	118.64	119.99	116.14	123.84	126.15	122.56	129.74
Age 12 to 19	169.83	168.87	170.79	149.53	146.50	152.56	155.10	152.23	157.97	162.63	161.70	163.56
Age 20 to 39	176.39	175.49	177.29	165.82	163.98	167.66	167.78	166.11	169.45	171.38	169.73	173.03
Age 40 to 59	175.15	174.19	176.11	162.31	160.52	164.10	165.73	164.03	167.43	169.96	168.33	171.59
Age 60 to 79	172.31	171.59	173.03	161.00	159.08	162.92	164.00	163.31	164.69	167.67	166.53	168.81
<b>Age 6 to 79</b>	<b>171.44</b>	<b>170.82</b>	<b>172.05</b>	<b>141.15</b>	<b>139.15</b>	<b>143.15</b>	<b>157.99</b>	<b>156.87</b>	<b>159.11</b>	<b>167.81</b>	<b>166.89</b>	<b>168.73</b>
<b>Females</b>												
Age 6 to 11	135.28	133.87	136.68	116.34	114.58	118.10	118.58	117.36	119.80	125.07	122.87	127.27
Age 12 to 19	163.31	162.31	164.31	151.06	148.62	153.50	153.98	151.83	156.13	158.49	156.72	160.26
Age 20 to 39	163.52	162.76	164.28	152.31	150.42	154.20	155.45	153.52	157.38	158.87	157.78	159.96
Age 40 to 59	162.59	161.95	163.23	152.30	151.48	153.12	154.86	154.05	155.67	158.50	157.54	159.46
Age 60 to 79	159.21	158.41	160.01	148.92	147.77	150.07	150.95	149.16	152.74	155.21	154.26	156.16
<b>Age 6 to 79</b>	<b>160.38</b>	<b>159.91</b>	<b>160.86</b>	<b>141.52</b>	<b>139.77</b>	<b>143.27</b>	<b>150.53</b>	<b>149.54</b>	<b>151.52</b>	<b>156.78</b>	<b>156.21</b>	<b>157.35</b>

  

	Measured standing height											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
centimetres												
<b>Both sexes</b>												
Age 6 to 11	135.63	134.23	137.03	143.93	142.57	145.29	151.36	150.23	152.49	154.90	153.08	156.72
Age 12 to 19	166.29	165.55	167.03	173.46	172.43	174.49	179.68	178.85	180.51	183.39	181.52	185.26
Age 20 to 39	169.82	168.70	170.94	177.00	176.13	177.87	181.68	180.49	182.87	184.71	182.62	186.80
Age 40 to 59	168.46	167.40	169.52	175.46	174.51	176.41	181.24	180.10	182.38	184.58	183.21	185.95
Age 60 to 79	165.23	164.48	165.98	172.52	171.30	173.74	178.13	177.41	178.85	179.98	179.01	180.95
<b>Age 6 to 79</b>	<b>167.00</b>	<b>166.52</b>	<b>167.48</b>	<b>174.74</b>	<b>173.93</b>	<b>175.55</b>	<b>180.25</b>	<b>179.70</b>	<b>180.80</b>	<b>183.22</b>	<b>182.34</b>	<b>184.10</b>
<b>Males</b>												
Age 6 to 11	135.64	133.16	138.12	143.21	141.60	144.82	150.44	149.30	151.58	153.23	151.97	154.49
Age 12 to 19	171.08	169.78	172.38	177.75	176.76	178.74	182.30	180.25	184.35	186.37	184.54	188.20
Age 20 to 39	176.65	175.40	177.90	180.59	179.62	181.56	184.71	182.49	186.93	189.85	185.59	194.11
Age 40 to 59	175.14	173.97	176.31	179.74	178.81	180.67	184.58	183.21	185.95	187.65	186.29	189.01
Age 60 to 79	172.62	171.38	173.86	177.42	176.65	178.19	180.13	179.07	181.19	182.37	181.46	183.28
<b>Age 6 to 79</b>	<b>173.90</b>	<b>172.86</b>	<b>174.94</b>	<b>179.00</b>	<b>178.33</b>	<b>179.67</b>	<b>183.10</b>	<b>182.24</b>	<b>183.96</b>	<b>186.86</b>	<b>185.49</b>	<b>188.23</b>
<b>Females</b>												
Age 6 to 11	135.50	133.51	137.49	144.96	143.47	146.45	152.49	150.72	154.26	156.27	154.17	158.37
Age 12 to 19	163.65	162.58	164.72	167.88	166.30	169.46	172.20	170.04	174.36	175.32	173.40	177.24
Age 20 to 39	163.42	162.63	164.21	167.82	166.96	168.68	171.94	169.92	173.96	175.32	173.00	177.64
Age 40 to 59	162.39	161.07	163.71	167.06	166.19	167.93	171.02	170.48	171.56	172.57	170.41	174.73
Age 60 to 79	159.13	158.34	159.92	163.17	161.97	164.37	167.83	166.82	168.84	169.24	168.09	170.39
<b>Age 6 to 79</b>	<b>161.46</b>	<b>160.91</b>	<b>162.01</b>	<b>166.54</b>	<b>165.99</b>	<b>167.09</b>	<b>170.87</b>	<b>169.98</b>	<b>171.76</b>	<b>173.13</b>	<b>171.12</b>	<b>175.14</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 31**  
**Measured weight of the household population, by age and sex, Canada, 2007 to 2009**

	Measured weight											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
kilograms												
<b>Both sexes</b>												
Age 6 to 11	33.3	32.5	34.0	20.8	19.9	21.7	22.0	21.1	22.9	25.2	24.2	26.2
Age 12 to 19	63.1	61.2	65.1	41.0	39.5	42.5	44.2	42.5	45.9	51.4	50.2	52.6
Age 20 to 39	76.0	74.2	77.7	51.8	50.9	52.7	55.2	54.0	56.4	62.4	60.4	64.4
Age 40 to 59	79.2	77.4	80.9	53.5	51.9	55.1	57.5	56.2	58.8	66.4	65.0	67.8
Age 60 to 79	77.5	76.4	78.6	54.0	52.6	55.4	57.9	56.3	59.5	66.0	64.5	67.5
<b>Age 6 to 79</b>	<b>72.7</b>	<b>71.3</b>	<b>74.0</b>	<b>35.3</b>	<b>34.5</b>	<b>36.1</b>	<b>48.9</b>	<b>48.5</b>	<b>49.3</b>	<b>59.5</b>	<b>58.4</b>	<b>60.6</b>
<b>Males</b>												
Age 6 to 11	33.4	32.0	34.8	20.9	19.9	21.9	22.2	21.0	23.4	25.8	24.5	27.1
Age 12 to 19	66.1	63.1	69.0	39.6	37.6	41.6	43.3	40.4	46.2	53.4	51.0	55.8
Age 20 to 39	82.7	81.2	84.2	59.2	56.8	61.6	64.5	61.4	67.6	70.8	69.5	72.1
Age 40 to 59	87.1	84.5	89.6	66.2	64.6	67.8	69.3	67.4	71.2	75.6	73.3	77.9
Age 60 to 79	84.2	82.7	85.7	62.0	60.0	64.0	66.2	64.6	67.8	72.8	70.4	75.2
<b>Age 6 to 79</b>	<b>78.7</b>	<b>77.2</b>	<b>80.2</b>	<b>35.2</b>	<b>33.2</b>	<b>37.2</b>	<b>51.0</b>	<b>49.6</b>	<b>52.4</b>	<b>68.0</b>	<b>66.7</b>	<b>69.3</b>
<b>Females</b>												
Age 6 to 11	33.2	31.9	34.4	20.0	18.9	21.1	21.8	20.9	22.7	24.2	23.1	25.3
Age 12 to 19	60.0	58.6	61.5	41.4	40.0	42.8	45.0	43.3	46.7	51.0	49.5	52.5
Age 20 to 39	69.1	66.6	71.6	49.5	48.1	50.9	51.9	50.7	53.1	56.9	55.3	58.5
Age 40 to 59	71.4	69.3	73.6	50.4	48.6	52.2	53.9	52.6	55.2	59.7	58.2	61.2
Age 60 to 79	71.4	69.8	73.1	52.2	50.7	53.7	54.8	53.1	56.5	60.9	59.2	62.6
<b>Age 6 to 79</b>	<b>66.7</b>	<b>65.0</b>	<b>68.3</b>	<b>35.4</b>	<b>34.2</b>	<b>36.6</b>	<b>47.9</b>	<b>47.4</b>	<b>48.4</b>	<b>55.4</b>	<b>54.2</b>	<b>56.6</b>
Measured weight												
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	kilograms											
<b>Both sexes</b>												
Age 6 to 11	31.4	30.7	32.1	38.8	37.9	39.7	47.2	45.5	48.9	54.6	51.5	57.7
Age 12 to 19	60.2	58.7	61.7	71.0	67.3	74.7	86.2	82.2	90.2	94.6	90.1	99.1
Age 20 to 39	72.7	70.5	74.9	86.0	82.6	89.4	100.3	94.1	106.5	110.0	106.3	113.7
Age 40 to 59	77.6	75.4	79.8	90.0	88.4	91.6	101.3	97.3	105.3	109.7	105.1	114.3
Age 60 to 79	75.8	74.4	77.2	87.2	86.0	88.4	98.8	95.7	101.9	106.3	102.6	110.0
<b>Age 6 to 79</b>	<b>72.0</b>	<b>70.5</b>	<b>73.5</b>	<b>85.8</b>	<b>83.9</b>	<b>87.7</b>	<b>98.2</b>	<b>95.0</b>	<b>101.4</b>	<b>107.4</b>	<b>103.5</b>	<b>111.3</b>
<b>Males</b>												
Age 6 to 11	31.6	29.8	33.4	38.8	37.2	40.4	47.0	44.5	49.5	52.2	50.0	54.4
Age 12 to 19	63.6	61.2	66.0	76.1	70.8	81.4	89.9	85.0	94.8	95.8	87.0	104.6
Age 20 to 39	80.0	77.2	82.8	92.0	89.6	94.4	105.2	98.5	111.9	113.7	109.3	118.1
Age 40 to 59	85.7	81.9	89.5	95.0	91.7	98.3	106.5	101.0	112.0	116.6	110.7	122.5
Age 60 to 79	82.9	80.7	85.1	92.8	90.9	94.7	104.2	102.0	106.4	112.6	108.5	116.7
<b>Age 6 to 79</b>	<b>79.3</b>	<b>77.1</b>	<b>81.5</b>	<b>91.3</b>	<b>89.6</b>	<b>93.0</b>	<b>103.0</b>	<b>99.2</b>	<b>106.8</b>	<b>112.6</b>	<b>109.7</b>	<b>115.5</b>
<b>Females</b>												
Age 6 to 11	31.1	30.0	32.2	38.7	37.2	40.2	48.0	43.2	52.8	56.6	51.5	61.7
Age 12 to 19	57.5	55.6	59.4	64.7	62.2	67.2	80.3	75.2	85.4	88.6	82.7	94.5
Age 20 to 39	65.9	63.5	68.3	78.6	74.5	82.7	92.6	85.5	99.7	103.4	93.4	113.4
Age 40 to 59	69.0	66.8	71.2	80.8	77.0	84.6	93.8	89.0	98.6	102.6	95.4	109.8
Age 60 to 79	69.6	67.6	71.6	79.3	76.7	81.9	91.0	86.8	95.2	97.4	92.2	102.6
<b>Age 6 to 79</b>	<b>64.8</b>	<b>63.1</b>	<b>66.5</b>	<b>76.9</b>	<b>74.0</b>	<b>79.8</b>	<b>90.4</b>	<b>87.1</b>	<b>93.7</b>	<b>99.2</b>	<b>94.0</b>	<b>104.4</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 32**  
**Measured body mass index of the household population, by age and sex, Canada, 2007 to 2009**

	Measured body mass index											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
kilograms per metre squared												
<b>Both sexes</b>												
Age 6 to 11	17.76	17.57	17.95	14.06	13.69	14.43	14.59	14.29	14.89	15.48	15.37	15.59
Age 12 to 19	22.50	21.80	23.19	16.74	16.19	17.29	17.42	16.99	17.85	19.14	18.69	19.59
Age 20 to 39	26.20	25.64	26.77	19.02	18.39	19.65	20.35	19.92	20.78	22.16	21.73	22.59
Age 40 to 59	27.69	27.18	28.19	20.50	20.06	20.94	21.56	21.21	21.91	24.18	23.59	24.77
Age 60 to 79	28.23	27.85	28.62	21.27	20.54	22.00	22.64	22.25	23.03	24.59	24.01	25.17
<b>Age 6 to 79</b>	<b>25.99</b>	<b>25.57</b>	<b>26.41</b>	<b>17.12</b>	<b>16.91</b>	<b>17.33</b>	<b>18.92</b>	<b>18.80</b>	<b>19.04</b>	<b>21.90</b>	<b>21.63</b>	<b>22.17</b>
<b>Males</b>												
Age 6 to 11	17.86	17.57	18.16	14.36	14.01	14.71	14.87	14.48	15.26	15.63	15.37	15.89
Age 12 to 19	22.62	21.73	23.51	16.67	16.08	17.26	17.40	16.98	17.82	19.00	18.63	19.37
Age 20 to 39	26.54	26.27	26.80	20.09	19.58	20.60	21.53	20.86	22.20	23.09	22.65	23.53
Age 40 to 59	28.34	27.71	28.97	22.01	21.34	22.68	23.47	22.44	24.50	25.47	24.74	26.20
Age 60 to 79	28.28	27.85	28.70	21.95	21.46	22.44	23.20	22.70	23.70	24.96	24.34	25.58
<b>Age 6 to 79</b>	<b>26.30</b>	<b>25.96</b>	<b>26.64</b>	<b>17.18</b>	<b>16.88</b>	<b>17.48</b>	<b>19.21</b>	<b>18.87</b>	<b>19.55</b>	<b>22.78</b>	<b>22.36</b>	<b>23.20</b>
<b>Females</b>												
Age 6 to 11	17.65	17.29	18.01	13.87	13.42	14.32	14.33	13.93	14.73	15.38	15.20	15.56
Age 12 to 19	22.37	21.79	22.95	16.74	15.83	17.65	17.59	16.86	18.32	19.35	18.78	19.92
Age 20 to 39	25.85	24.89	26.81	18.38	17.79	18.97	19.65	18.94	20.36	21.22	20.73	21.71
Age 40 to 59	27.04	26.34	27.75	19.67	19.03	20.31	20.76	20.45	21.07	22.41	21.81	23.01
Age 60 to 79	28.20	27.57	28.83	20.57	19.69	21.45	22.28	21.70	22.86	24.22	23.54	24.90
<b>Age 6 to 79</b>	<b>25.69</b>	<b>25.09</b>	<b>26.28</b>	<b>16.98</b>	<b>16.67</b>	<b>17.29</b>	<b>18.77</b>	<b>18.64</b>	<b>18.90</b>	<b>21.21</b>	<b>20.93</b>	<b>21.49</b>
Measured body mass index												
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
kilograms per metre squared												
<b>Both sexes</b>												
Age 6 to 11	16.85	16.65	17.05	19.21	18.82	19.60	22.24	21.40	23.08	24.28	23.42	25.14
Age 12 to 19	21.48	20.91	22.05	24.40	23.32	25.48	29.38	27.43	31.33	32.55	31.10	34.00
Age 20 to 39	25.03	24.28	25.78	28.99	28.14	29.84	33.70	32.31	35.09	37.70	35.59	39.81
Age 40 to 59	27.00	26.54	27.46	30.08	29.29	30.87	34.78	33.51	36.05	38.24	37.11	39.37
Age 60 to 79	27.35	26.85	27.85	31.07	30.50	31.64	34.71	33.69	35.73	37.85	36.21	39.49
<b>Age 6 to 79</b>	<b>25.43</b>	<b>24.84</b>	<b>26.02</b>	<b>29.30</b>	<b>28.84</b>	<b>29.76</b>	<b>33.62</b>	<b>32.89</b>	<b>34.35</b>	<b>37.05</b>	<b>36.04</b>	<b>38.06</b>
<b>Males</b>												
Age 6 to 11	17.06	16.66	17.46	19.38	18.81	19.95	22.36	21.34	23.38	24.21	23.36	25.06
Age 12 to 19	21.60	21.03	22.17	24.79	23.17	26.41	30.12	26.45	33.79	32.68	30.87	34.49
Age 20 to 39	25.72	25.37	26.07	28.99	28.15	29.83	33.50	32.27	34.73	36.37	34.65	38.09
Age 40 to 59	27.88	27.18	28.58	30.27	29.42	31.12	34.02	32.80	35.24	36.39	34.19	38.59
Age 60 to 79	27.70	27.02	28.38	31.11	30.29	31.93	34.15	33.21	35.09	35.81	34.23	37.39
<b>Age 6 to 79</b>	<b>26.16</b>	<b>25.71</b>	<b>26.61</b>	<b>29.46</b>	<b>29.03</b>	<b>29.89</b>	<b>32.88</b>	<b>32.05</b>	<b>33.71</b>	<b>35.81</b>	<b>35.12</b>	<b>36.50</b>
<b>Females</b>												
Age 6 to 11	16.67	16.47	16.87	19.01	18.33	19.69	22.16	20.85	23.47	24.50	22.66	26.34
Age 12 to 19	21.47	20.79	22.15	24.13	23.03	25.23	29.00	28.18	29.82	30.96	29.21	32.71
Age 20 to 39	24.26	23.23	25.29	28.99	27.67	30.31	35.33	32.58	38.08	39.33	36.26	42.40
Age 40 to 59	25.61	24.97	26.25	29.80	28.59	31.01	35.77	33.49	38.05	38.76	37.09	40.43
Age 60 to 79	27.09	26.45	27.73	31.06	30.10	32.02	35.55	33.42	37.68	39.11	37.04	41.18
<b>Age 6 to 79</b>	<b>24.59</b>	<b>24.00</b>	<b>25.18</b>	<b>29.04</b>	<b>28.32</b>	<b>29.76</b>	<b>34.69</b>	<b>33.24</b>	<b>36.14</b>	<b>38.15</b>	<b>36.81</b>	<b>39.49</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.



**Table 33**  
**Distribution of the household population aged 6 to 17, by body mass index norms based on measured inputs—CDC system, by age and sex, Canada, 2007 to 2009**

	Body mass index norms based on measured inputs—CDC system											
	Underweight			Normal weight			Overweight			Obese		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	percent											
<b>Both sexes</b>												
Age 6 to 11	3.7 <sup>E</sup>	1.5	6.0	70.7	67.7	73.7	13.9	10.4	17.4	11.6	9.0	14.3
Age 12 to 17	3.5 <sup>E</sup>	1.5	5.6	69.3	62.6	76.0	12.4	10.0	14.7	14.8 <sup>E</sup>	9.0	20.6
<b>Age 6 to 17</b>	<b>3.6<sup>E</sup></b>	<b>2.4</b>	<b>4.9</b>	<b>69.9</b>	<b>65.8</b>	<b>74.1</b>	<b>13.1</b>	<b>10.9</b>	<b>15.3</b>	<b>13.4</b>	<b>10.7</b>	<b>16.0</b>
<b>Males</b>												
Age 6 to 11	3.1 <sup>E</sup>	1.2	5.0	68.4	64.6	72.2	14.1	10.7	17.5	14.4	10.9	17.8
Age 12 to 17	3.8 <sup>E</sup>	1.8	5.8	66.9	60.5	73.4	12.8	9.4	16.3	16.5 <sup>E</sup>	9.4	23.5
<b>Age 6 to 17</b>	<b>3.5<sup>E</sup></b>	<b>2.2</b>	<b>4.7</b>	<b>67.6</b>	<b>63.7</b>	<b>71.5</b>	<b>13.4</b>	<b>11.1</b>	<b>15.7</b>	<b>15.5</b>	<b>12.2</b>	<b>18.8</b>
<b>Females</b>												
Age 6 to 11	F	...	...	73.1	68.8	77.3	13.8 <sup>E</sup>	9.2	18.3	8.8 <sup>E</sup>	5.4	12.1
Age 12 to 17	F	...	...	72.1	62.8	81.3	11.9	9.3	14.4	12.9 <sup>E</sup>	6.7	19.1
<b>Age 6 to 17</b>	<b>3.7<sup>E</sup></b>	<b>2.2</b>	<b>5.3</b>	<b>72.5</b>	<b>67.0</b>	<b>78.1</b>	<b>12.8</b>	<b>10.2</b>	<b>15.3</b>	<b>11.0</b>	<b>8.1</b>	<b>13.8</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** The norms used in this table can be found in National Center for Health Statistics, 2000, *Clinical Growth Charts*, Department of Health and Human Services, Public Health Service, Center for Disease Control, Hyattsville, MD. <http://www.cdc.gov/nchs/about/major/nhanes/growthcharts/clinicalcharts.htm> (accessed Dec. 19, 2006).

Total household population aged 6 to 17, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data*

*User Guide: Cycle 1*).

Center for Disease Control (CDC).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 34**  
**Distribution of the household population aged 6 to 17, by body mass index norms based on measured inputs—Cole system, by age and sex, Canada, 2007 to 2009**

	Body mass index norms based on measured inputs—Cole system								
	Neither overweight or obese			Overweight			Obese		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 6 to 11	76.8	74.1	79.5	16.8	13.8	19.7	6.4	4.7	8.2
Age 12 to 17	72.1	65.6	78.7	17.4	13.8	21.0	10.5 <sup>E</sup>	5.2	15.8
<b>Age 6 to 17</b>	<b>74.3</b>	<b>69.9</b>	<b>78.7</b>	<b>17.1</b>	<b>14.2</b>	<b>20.0</b>	<b>8.6</b>	<b>5.9</b>	<b>11.3</b>
<b>Males</b>									
Age 6 to 11	75.8	72.7	78.8	17.2	13.7	20.6	7.1	5.0	9.1
Age 12 to 17	70.7	64.3	77.1	16.9	13.5	20.3	12.4 <sup>E</sup>	5.4	19.4
<b>Age 6 to 17</b>	<b>73.0</b>	<b>69.0</b>	<b>77.0</b>	<b>17.0</b>	<b>14.3</b>	<b>19.7</b>	<b>10.0<sup>E</sup></b>	<b>6.3</b>	<b>13.7</b>
<b>Females</b>									
Age 6 to 11	77.9	73.8	82.0	16.3	11.6	21.1	5.8 <sup>E</sup>	2.9	8.6
Age 12 to 17	73.8	65.2	82.4	18.0	12.4	23.5	8.3 <sup>E</sup>	3.8	12.7
<b>Age 6 to 17</b>	<b>75.7</b>	<b>70.3</b>	<b>81.2</b>	<b>17.2</b>	<b>13.3</b>	<b>21.1</b>	<b>7.1</b>	<b>4.8</b>	<b>9.3</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

**Note(s):** The norms used in this table can be found in T.J. Cole, M.C. Bellizzi, K.M. Flegal & W.H. Dietz, 2000, "Establishing a Standard Definition for Child Overweight and Obesity Worldwide: International survey," *The BMJ*, Vol. 320, p. 1240-1243.

Total household population aged 6 to 17, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data*

*User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 35**  
**Distribution of the household population aged 18 to 79, by body mass index norms based on measured inputs, by age and sex, Canada, 2007 to 2009**

	Body mass index norms based on measured inputs								
	Underweight			Normal Weight			Overweight		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 18 to 39	3.0 <sup>E</sup>	1.6	4.4	48.2	42.8	53.7	29.7	25.4	33.9
Age 40 to 59	F	...	...	32.7	28.0	37.4	41.4	38.0	44.8
Age 60 to 79	F	...	...	27.9	22.5	33.3	41.2	37.2	45.3
<b>Age 18 to 79</b>	<b>1.5<sup>E</sup></b>	<b>0.9</b>	<b>2.1</b>	<b>37.9</b>	<b>33.3</b>	<b>42.4</b>	<b>36.7</b>	<b>33.7</b>	<b>39.7</b>
<b>Males</b>									
Age 18 to 39	F	...	...	44.2	39.1	49.4	36.2	29.4	43.0
Age 40 to 59	F	...	...	20.6	15.2	26.0	51.9	47.1	56.7
Age 60 to 79	F	...	...	24.7	19.4	30.1	44.3	39.7	48.8
<b>Age 18 to 79</b>	<b>0.8<sup>E</sup></b>	<b>0.3</b>	<b>1.2</b>	<b>31.0</b>	<b>26.6</b>	<b>35.4</b>	<b>44.1</b>	<b>39.6</b>	<b>48.5</b>
<b>Females</b>									
Age 18 to 39	5.0 <sup>E</sup>	2.4	7.6	52.4	44.5	60.4	22.9	17.3	28.5
Age 40 to 59	F	...	...	44.6	39.7	49.5	31.0	27.1	35.0
Age 60 to 79	F	...	...	30.8	24.6	37.1	38.4	33.8	43.1
<b>Age 18 to 79</b>	<b>2.2<sup>E</sup></b>	<b>1.2</b>	<b>3.2</b>	<b>44.7</b>	<b>39.0</b>	<b>50.4</b>	<b>29.5</b>	<b>26.6</b>	<b>32.3</b>

  

	Body mass index norms based on measured inputs								
	Obese, class I			Obese, class II			Obese, class III		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 18 to 39	11.3	9.8	12.7	5.0	3.4	6.5	2.8 <sup>E</sup>	1.6	4.0
Age 40 to 59	15.9	12.8	19.0	6.3 <sup>E</sup>	4.2	8.5	3.2	2.2	4.2
Age 60 to 79	21.0	16.1	25.8	6.5	4.5	8.5	3.0 <sup>E</sup>	1.9	4.1
<b>Age 18 to 79</b>	<b>15.1</b>	<b>13.3</b>	<b>16.9</b>	<b>5.8</b>	<b>4.7</b>	<b>7.0</b>	<b>3.0</b>	<b>2.3</b>	<b>3.7</b>
<b>Males</b>									
Age 18 to 39	12.4	9.3	15.6	4.6 <sup>E</sup>	2.9	6.3	1.4 <sup>E</sup>	0.8	2.0
Age 40 to 59	19.9	15.0	24.9	3.7 <sup>E</sup>	2.0	5.4	3.3 <sup>E</sup>	1.8	4.8
Age 60 to 79	22.8	16.5	29.1	6.3	4.3	8.4	F	...	...
<b>Age 18 to 79</b>	<b>17.4</b>	<b>14.7</b>	<b>20.2</b>	<b>4.6</b>	<b>3.6</b>	<b>5.6</b>	<b>2.2</b>	<b>1.5</b>	<b>2.8</b>
<b>Females</b>									
Age 18 to 39	10.1	7.4	12.8	5.3 <sup>E</sup>	2.6	8.0	4.3 <sup>E</sup>	2.1	6.5
Age 40 to 59	11.9	9.3	14.5	8.9 <sup>E</sup>	5.8	12.0	3.1 <sup>E</sup>	1.1	5.1
Age 60 to 79	19.2	14.3	24.2	6.7 <sup>E</sup>	3.6	9.8	4.4 <sup>E</sup>	2.7	6.0
<b>Age 18 to 79</b>	<b>12.7</b>	<b>10.6</b>	<b>14.9</b>	<b>7.1</b>	<b>5.4</b>	<b>8.8</b>	<b>3.8<sup>E</sup></b>	<b>2.4</b>	<b>5.3</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** The norms used in this table can be found in Health Canada, 2003, "Description of the *Canadian Guidelines for Body Weight Classification in Adults*," Canadian Guidelines for Body Weight Classification in Adults, Health Canada Catalogue no. H49-179/2003E, p. 9-12.

[http://www.hc-sc.gc.ca/fn-an/nutrition/weights-poids/guide-ld-adult/weight\\_book\\_tc-livres\\_des\\_poids\\_tm-eng.php](http://www.hc-sc.gc.ca/fn-an/nutrition/weights-poids/guide-ld-adult/weight_book_tc-livres_des_poids_tm-eng.php) (accessed Dec 19 2006).

Total household population aged 18 to 79, except those meeting the exclusion criteria (see the Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 36**  
**Mean predicted maximal aerobic power of the household population, by age and sex, Canada, 2007 to 2009**

	Mean predicted maximal aerobic power											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millilitres per kilogram per minute												
<b>Both sexes</b>												
Age 6 to 11	53.3	53.0	53.5	45.2	44.5	45.9	46.7	45.9	47.5	49.9	49.4	50.4
Age 12 to 19	48.6	48.0	49.2	37.6	36.7	38.5	40.3	39.7	40.9	43.0	42.2	43.8
Age 20 to 39	41.4	40.6	42.1	32.0	31.4	32.6	33.2	32.4	34.0	36.5	35.9	37.1
Age 40 to 59	33.9	33.3	34.4	23.3	22.6	24.0	25.6	25.0	26.2	30.0	29.6	30.4
Age 60 to 79	25.8	25.2	26.4	19.3	18.9	19.7	19.8	18.9	20.7	22.3	21.5	23.1
<b>Age 6 to 79</b>	<b>39.6</b>	<b>39.2</b>	<b>40.1</b>	<b>24.1</b>	<b>23.3</b>	<b>24.9</b>	<b>28.0</b>	<b>27.3</b>	<b>28.7</b>	<b>32.5</b>	<b>31.9</b>	<b>33.1</b>
<b>Males</b>												
Age 6 to 11	56.4	55.9	56.8	49.7	48.8	50.6	50.8	49.8	51.8	54.8	53.8	55.8
Age 12 to 19	52.5	51.7	53.4	43.4	39.2	47.6	45.3	44.0	46.6	49.9	48.3	51.5
Age 20 to 39	44.1	43.1	45.1	32.7	31.7	33.7	34.5	33.0	36.0	40.0	38.1	41.9
Age 40 to 59	36.6	35.6	37.6	26.8	25.6	28.0	28.3	26.9	29.7	31.6	30.9	32.3
Age 60 to 79	27.6	26.6	28.5	19.4	18.1	20.7	21.0	19.7	22.3	24.7	22.4	27.0
<b>Age 6 to 79</b>	<b>42.5</b>	<b>41.9</b>	<b>43.1</b>	<b>27.1</b>	<b>26.2</b>	<b>28.0</b>	<b>30.0</b>	<b>29.3</b>	<b>30.7</b>	<b>35.1</b>	<b>33.5</b>	<b>36.7</b>
<b>Females</b>												
Age 6 to 11	50.4	50.0	50.8	44.5	43.8	45.2	45.3	44.6	46.0	47.4	46.6	48.2
Age 12 to 19	44.5	43.8	45.1	36.3	34.7	37.9	38.4	37.4	39.4	41.1	40.5	41.7
Age 20 to 39	38.4	37.6	39.3	31.4	30.2	32.6	32.4	31.5	33.3	35.5	34.6	36.5
Age 40 to 59	31.2	30.5	31.8	22.4	20.7	24.1	23.5	22.8	24.2	28.4	26.3	30.5
Age 60 to 79	24.1	23.6	24.6	18.8	18.0	19.6	19.6	19.2	20.0	21.5	20.4	22.6
<b>Age 6 to 79</b>	<b>36.7</b>	<b>36.1</b>	<b>37.2</b>	<b>22.8</b>	<b>22.3</b>	<b>23.3</b>	<b>25.0</b>	<b>24.1</b>	<b>25.9</b>	<b>30.9</b>	<b>30.3</b>	<b>31.5</b>

  

	Mean predicted maximal aerobic power											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millilitres per kilogram per minute												
<b>Both sexes</b>												
Age 6 to 11	54.0	52.2	55.8	57.2	56.8	57.6	59.3	59.1	59.5	59.8	59.5	60.1
Age 12 to 19	48.8	48.1	49.5	54.0	53.7	54.3	57.1	56.6	57.6	58.1	57.5	58.7
Age 20 to 39	40.6	39.9	41.3	45.6	44.4	46.8	50.6	49.9	51.3	52.3	51.3	53.3
Age 40 to 59	33.0	32.1	33.9	38.8	38.1	39.5	41.9	40.6	43.2	45.2	44.0	46.4
Age 60 to 79	25.3	23.7	26.9	28.9	28.5	29.3	31.4	30.5	32.3	32.7	28.4	37.0
<b>Age 6 to 79</b>	<b>39.3</b>	<b>38.8</b>	<b>39.8</b>	<b>46.2</b>	<b>45.4</b>	<b>47.0</b>	<b>52.6</b>	<b>51.8</b>	<b>53.4</b>	<b>56.3</b>	<b>55.8</b>	<b>56.8</b>
<b>Males</b>												
Age 6 to 11	57.2	56.4	58.0	59.1	58.7	59.5	59.8	59.4	60.2	60.2	60.0	60.4
Age 12 to 19	53.6	52.8	54.4	56.4	55.7	57.1	58.1	57.5	58.7	60.0	58.9	61.1
Age 20 to 39	44.0	42.7	45.3	49.4	48.6	50.2	52.0	51.2	52.8	54.2	51.2	57.2
Age 40 to 59	38.2	36.5	39.9	40.0	39.6	40.4	44.5	43.3	45.7	46.3	44.4	48.2
Age 60 to 79	27.6	26.6	28.6	30.2	29.5	30.9	32.5	27.7	37.3	37.3	35.6	39.0
<b>Age 6 to 79</b>	<b>42.1</b>	<b>41.0</b>	<b>43.2</b>	<b>50.1</b>	<b>49.5</b>	<b>50.7</b>	<b>55.9</b>	<b>55.0</b>	<b>56.8</b>	<b>58.2</b>	<b>57.8</b>	<b>58.6</b>
<b>Females</b>												
Age 6 to 11	50.4	50.1	50.7	52.3	50.9	53.7	56.2	55.8	56.6	56.8	56.4	57.2
Age 12 to 19	43.2	42.3	44.1	48.0	47.3	48.7	53.0	51.4	54.6	54.0	53.5	54.5
Age 20 to 39	38.1	37.1	39.1	40.8	39.9	41.7	45.2	43.7	46.7	47.1	44.4	49.8
Age 40 to 59	31.0	30.3	31.7	34.6	34.2	35.0	37.2	35.8	38.6	40.4	38.4	42.4
Age 60 to 79	23.1	22.6	23.6	27.6	26.4	28.8	29.2	28.8	29.6	30.8	28.6	33.0
<b>Age 6 to 79</b>	<b>36.4</b>	<b>35.8</b>	<b>37.0</b>	<b>41.8</b>	<b>41.1</b>	<b>42.5</b>	<b>48.4</b>	<b>47.5</b>	<b>49.3</b>	<b>51.1</b>	<b>50.5</b>	<b>51.7</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

Equation for predicted maximal aerobic power has not been validated for children aged 6 to 14 years.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 37**  
**Ratio of the best forced expiratory volume in one second to the best forced vital capacity in the household population, by age and sex, Canada, 2007 to 2009**

	Ratio of the best forced expiratory volume in one second to the best forced vital capacity											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	ratio											
<b>Both sexes</b>												
Age 6 to 11	0.846	0.839	0.852	0.738	0.719	0.757	0.769	0.759	0.779	0.813	0.807	0.819
Age 12 to 19	0.840	0.835	0.845	0.717	0.708	0.726	0.754	0.746	0.762	0.798	0.791	0.805
Age 20 to 39	0.804	0.797	0.811	0.690	0.666	0.714	0.723	0.711	0.735	0.767	0.759	0.775
Age 40 to 59	0.762	0.755	0.768	0.642	0.621	0.663	0.680	0.668	0.692	0.726	0.720	0.732
Age 60 to 79	0.729	0.725	0.733	0.583	0.561	0.605	0.631	0.618	0.644	0.696	0.692	0.700
<b>Age 6 to 79</b>	<b>0.784</b>	<b>0.779</b>	<b>0.789</b>	<b>0.648</b>	<b>0.637</b>	<b>0.659</b>	<b>0.693</b>	<b>0.685</b>	<b>0.701</b>	<b>0.741</b>	<b>0.735</b>	<b>0.747</b>
<b>Males</b>												
Age 6 to 11	0.835	0.825	0.845	0.723	0.696	0.750	0.760	0.735	0.785	0.806	0.797	0.815
Age 12 to 19	0.826	0.816	0.836	0.712	0.692	0.732	0.749	0.737	0.761	0.785	0.776	0.794
Age 20 to 39	0.794	0.781	0.806	0.666	0.627	0.705	0.711	0.687	0.735	0.756	0.742	0.770
Age 40 to 59	0.764	0.755	0.773	0.643	0.615	0.671	0.679	0.653	0.705	0.724	0.712	0.736
Age 60 to 79	0.716	0.708	0.725	0.553	0.506	0.600	0.605	0.591	0.619	0.686	0.674	0.698
<b>Age 6 to 79</b>	<b>0.778</b>	<b>0.771</b>	<b>0.785</b>	<b>0.643</b>	<b>0.630</b>	<b>0.656</b>	<b>0.685</b>	<b>0.667</b>	<b>0.703</b>	<b>0.735</b>	<b>0.728</b>	<b>0.742</b>
<b>Females</b>												
Age 6 to 11	0.856	0.849	0.862	0.756	0.740	0.772	0.778	0.769	0.787	0.821	0.817	0.825
Age 12 to 19	0.854	0.849	0.860	0.717	0.708	0.726	0.765	0.752	0.778	0.815	0.809	0.821
Age 20 to 39	0.815	0.806	0.824	0.707	0.682	0.732	0.737	0.720	0.754	0.779	0.767	0.791
Age 40 to 59	0.760	0.753	0.766	0.622	0.581	0.663	0.680	0.665	0.695	0.727	0.722	0.732
Age 60 to 79	0.741	0.734	0.748	0.609	0.569	0.649	0.658	0.639	0.677	0.704	0.695	0.713
<b>Age 6 to 79</b>	<b>0.790</b>	<b>0.785</b>	<b>0.796</b>	<b>0.661</b>	<b>0.643</b>	<b>0.679</b>	<b>0.698</b>	<b>0.687</b>	<b>0.709</b>	<b>0.745</b>	<b>0.736</b>	<b>0.754</b>

  

	Ratio of the best forced expiratory volume in one second to the best forced vital capacity											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	ratio											
<b>Both sexes</b>												
Age 6 to 11	0.848	0.840	0.856	0.885	0.876	0.894	0.917	0.912	0.922	0.939	0.929	0.949
Age 12 to 19	0.845	0.836	0.854	0.888	0.882	0.894	0.923	0.917	0.929	0.940	0.935	0.945
Age 20 to 39	0.805	0.798	0.812	0.845	0.841	0.849	0.882	0.869	0.895	0.910	0.896	0.924
Age 40 to 59	0.774	0.767	0.781	0.808	0.802	0.814	0.835	0.827	0.843	0.852	0.844	0.860
Age 60 to 79	0.741	0.734	0.748	0.782	0.778	0.786	0.810	0.804	0.816	0.828	0.817	0.839
<b>Age 6 to 79</b>	<b>0.791</b>	<b>0.787</b>	<b>0.795</b>	<b>0.833</b>	<b>0.827</b>	<b>0.839</b>	<b>0.874</b>	<b>0.867</b>	<b>0.881</b>	<b>0.904</b>	<b>0.897</b>	<b>0.911</b>
<b>Males</b>												
Age 6 to 11	0.837	0.828	0.846	0.876	0.868	0.884	0.910	0.903	0.917	0.920	0.915	0.925
Age 12 to 19	0.830	0.818	0.842	0.875	0.864	0.886	0.907	0.897	0.917	0.932	0.920	0.944
Age 20 to 39	0.801	0.787	0.815	0.837	0.827	0.847	0.862	0.849	0.875	0.891	0.876	0.906
Age 40 to 59	0.777	0.767	0.787	0.811	0.803	0.819	0.845	0.834	0.856	0.857	0.849	0.865
Age 60 to 79	0.729	0.718	0.740	0.778	0.769	0.787	0.804	0.796	0.812	0.823	0.809	0.837
<b>Age 6 to 79</b>	<b>0.788</b>	<b>0.781</b>	<b>0.795</b>	<b>0.830</b>	<b>0.821</b>	<b>0.839</b>	<b>0.862</b>	<b>0.855</b>	<b>0.869</b>	<b>0.891</b>	<b>0.881</b>	<b>0.901</b>
<b>Females</b>												
Age 6 to 11	0.860	0.850	0.870	0.895	0.888	0.902	0.930	0.914	0.946	0.947	0.939	0.955
Age 12 to 19	0.865	0.859	0.871	0.900	0.893	0.907	0.930	0.921	0.939	0.945	0.932	0.958
Age 20 to 39	0.812	0.800	0.824	0.855	0.848	0.862	0.904	0.882	0.926	0.918	0.901	0.935
Age 40 to 59	0.772	0.765	0.779	0.801	0.794	0.808	0.825	0.817	0.833	0.841	0.836	0.846
Age 60 to 79	0.750	0.738	0.762	0.787	0.779	0.795	0.816	0.810	0.822	0.832	0.818	0.846
<b>Age 6 to 79</b>	<b>0.793</b>	<b>0.790</b>	<b>0.796</b>	<b>0.840</b>	<b>0.834</b>	<b>0.846</b>	<b>0.887</b>	<b>0.878</b>	<b>0.896</b>	<b>0.916</b>	<b>0.907</b>	<b>0.925</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 38**  
**Best forced expiratory volume in one second of the household population, by age and sex, Canada, 2007 to 2009**

	Best forced expiratory volume in one second											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	litres											
<b>Both sexes</b>												
Age 6 to 11	1.86	1.82	1.90	1.19	1.14	1.24	1.28	1.21	1.35	1.51	1.44	1.58
Age 12 to 19	3.45	3.40	3.50	2.26	2.12	2.40	2.50	2.43	2.57	2.87	2.81	2.93
Age 20 to 39	3.66	3.59	3.74	2.54	2.44	2.64	2.73	2.65	2.81	3.05	2.98	3.12
Age 40 to 59	3.11	3.05	3.18	2.00	1.85	2.15	2.19	2.10	2.28	2.56	2.48	2.64
Age 60 to 79	2.43	2.37	2.49	1.39	1.30	1.48	1.60	1.50	1.70	1.92	1.87	1.97
<b>Age 6 to 79</b>	<b>3.13</b>	<b>3.08</b>	<b>3.17</b>	<b>1.66</b>	<b>1.61</b>	<b>1.71</b>	<b>1.95</b>	<b>1.89</b>	<b>2.01</b>	<b>2.47</b>	<b>2.42</b>	<b>2.52</b>
<b>Males</b>												
Age 6 to 11	1.88	1.81	1.94	1.22	1.15	1.29	1.29	1.19	1.39	1.57	1.47	1.67
Age 12 to 19	3.73	3.63	3.84	2.24	2.09	2.39	2.44	2.34	2.54	3.02	2.81	3.23
Age 20 to 39	4.17	4.06	4.29	3.03	2.83	3.23	3.30	3.09	3.51	3.79	3.68	3.90
Age 40 to 59	3.62	3.52	3.72	2.53	2.23	2.83	2.85	2.67	3.03	3.20	3.09	3.31
Age 60 to 79	2.84	2.74	2.95	1.63	1.43	1.83	1.97	1.78	2.16	2.41	2.29	2.53
<b>Age 6 to 79</b>	<b>3.57</b>	<b>3.50</b>	<b>3.65</b>	<b>1.87</b>	<b>1.75</b>	<b>1.99</b>	<b>2.28</b>	<b>2.16</b>	<b>2.40</b>	<b>3.02</b>	<b>2.94</b>	<b>3.10</b>
<b>Females</b>												
Age 6 to 11	1.84	1.79	1.89	1.17	1.11	1.23	1.27	1.20	1.34	1.47	1.43	1.51
Age 12 to 19	3.15	3.10	3.20	2.30	2.08	2.52	2.54	2.45	2.63	2.83	2.77	2.89
Age 20 to 39	3.12	3.07	3.18	2.40	2.32	2.48	2.54	2.44	2.64	2.80	2.72	2.88
Age 40 to 59	2.61	2.55	2.67	1.76	1.67	1.85	2.06	1.98	2.14	2.32	2.27	2.37
Age 60 to 79	2.05	2.02	2.09	1.26	1.11	1.41	1.48	1.41	1.55	1.79	1.74	1.84
<b>Age 6 to 79</b>	<b>2.68</b>	<b>2.64</b>	<b>2.71</b>	<b>1.53</b>	<b>1.48</b>	<b>1.58</b>	<b>1.79</b>	<b>1.74</b>	<b>1.84</b>	<b>2.25</b>	<b>2.20</b>	<b>2.30</b>

  

	Best forced expiratory volume in one second											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	litres											
<b>Both sexes</b>												
Age 6 to 11	1.81	1.75	1.87	2.17	2.12	2.22	2.46	2.37	2.55	2.68	2.59	2.77
Age 12 to 19	3.36	3.30	3.42	3.90	3.81	3.99	4.60	4.43	4.77	4.87	4.74	5.00
Age 20 to 39	3.59	3.49	3.69	4.30	4.19	4.41	4.70	4.51	4.89	5.01	4.84	5.18
Age 40 to 59	3.05	2.98	3.12	3.65	3.57	3.73	4.18	3.97	4.39	4.46	4.33	4.59
Age 60 to 79	2.36	2.30	2.42	2.91	2.81	3.01	3.45	3.32	3.58	3.70	3.54	3.86
<b>Age 6 to 79</b>	<b>3.09</b>	<b>3.05</b>	<b>3.13</b>	<b>3.75</b>	<b>3.70</b>	<b>3.80</b>	<b>4.39</b>	<b>4.31</b>	<b>4.47</b>	<b>4.68</b>	<b>4.53</b>	<b>4.83</b>
<b>Males</b>												
Age 6 to 11	1.85	1.74	1.96	2.19	2.13	2.25	2.44	2.33	2.55	2.61	2.52	2.70
Age 12 to 19	3.77	3.66	3.88	4.43	4.34	4.52	4.86	4.73	4.99	5.15	4.96	5.34
Age 20 to 39	4.27	4.14	4.40	4.52	4.35	4.69	4.98	4.81	5.15	5.11	4.93	5.29
Age 40 to 59	3.62	3.54	3.70	4.03	3.85	4.21	4.46	4.33	4.59	4.56	4.39	4.73
Age 60 to 79	2.91	2.81	3.01	3.31	3.18	3.44	3.72	3.57	3.87	3.85	3.73	3.97
<b>Age 6 to 79</b>	<b>3.69</b>	<b>3.61</b>	<b>3.77</b>	<b>4.29</b>	<b>4.17</b>	<b>4.41</b>	<b>4.68</b>	<b>4.53</b>	<b>4.83</b>	<b>4.95</b>	<b>4.83</b>	<b>5.07</b>
<b>Females</b>												
Age 6 to 11	1.77	1.71	1.83	2.14	2.05	2.23	2.48	2.35	2.61	2.69	2.56	2.82
Age 12 to 19	3.20	3.12	3.28	3.48	3.42	3.54	3.74	3.64	3.84	3.87	3.74	4.00
Age 20 to 39	3.10	3.04	3.16	3.42	3.35	3.49	3.72	3.58	3.86	3.88	3.76	4.00
Age 40 to 59	2.62	2.55	2.69	2.94	2.85	3.03	3.25	3.16	3.34	3.42	3.34	3.50
Age 60 to 79	2.07	2.03	2.11	2.36	2.31	2.41	2.65	2.56	2.74	2.74	2.67	2.81
<b>Age 6 to 79</b>	<b>2.70</b>	<b>2.65</b>	<b>2.75</b>	<b>3.14</b>	<b>3.08</b>	<b>3.20</b>	<b>3.49</b>	<b>3.43</b>	<b>3.55</b>	<b>3.71</b>	<b>3.61</b>	<b>3.81</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 39**  
**Best forced vital capacity in the household population, by age and sex, Canada, 2007 to 2009**

	Best forced vital capacity											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
litres												
<b>Both sexes</b>												
Age 6 to 11	2.20	2.15	2.25	1.34	1.27	1.41	1.51	1.42	1.60	1.79	1.71	1.87
Age 12 to 19	4.13	4.05	4.21	2.69	2.54	2.84	2.94	2.84	3.04	3.45	3.35	3.55
Age 20 to 39	4.59	4.49	4.69	3.03	2.85	3.21	3.35	3.19	3.51	3.77	3.67	3.87
Age 40 to 59	4.09	4.01	4.18	2.65	2.54	2.76	2.87	2.79	2.95	3.41	3.30	3.52
Age 60 to 79	3.34	3.25	3.42	2.02	1.86	2.18	2.34	2.28	2.40	2.68	2.61	2.75
<b>Age 6 to 79</b>	<b>4.00</b>	<b>3.93</b>	<b>4.06</b>	<b>2.20</b>	<b>2.13</b>	<b>2.27</b>	<b>2.55</b>	<b>2.50</b>	<b>2.60</b>	<b>3.19</b>	<b>3.11</b>	<b>3.27</b>
<b>Males</b>												
Age 6 to 11	2.26	2.18	2.34	1.35	1.23	1.47	1.52	1.40	1.64	1.85	1.75	1.95
Age 12 to 19	4.53	4.38	4.67	2.70	2.50	2.90	3.04	2.85	3.23	3.72	3.55	3.89
Age 20 to 39	5.28	5.14	5.42	3.80	3.49	4.11	4.14	3.93	4.35	4.78	4.57	4.99
Age 40 to 59	4.75	4.63	4.87	3.46	3.04	3.88	3.71	3.52	3.90	4.16	3.97	4.35
Age 60 to 79	3.96	3.84	4.09	2.62	2.46	2.78	2.91	2.69	3.13	3.38	3.20	3.56
<b>Age 6 to 79</b>	<b>4.61</b>	<b>4.51</b>	<b>4.71</b>	<b>2.49</b>	<b>2.41</b>	<b>2.57</b>	<b>3.03</b>	<b>2.85</b>	<b>3.21</b>	<b>3.94</b>	<b>3.82</b>	<b>4.06</b>
<b>Females</b>												
Age 6 to 11	2.15	2.09	2.21	1.34	1.28	1.40	1.47	1.37	1.57	1.71	1.61	1.81
Age 12 to 19	3.70	3.65	3.75	2.67	2.45	2.89	2.91	2.85	2.97	3.30	3.24	3.36
Age 20 to 39	3.85	3.77	3.93	2.84	2.68	3.00	3.02	2.83	3.21	3.46	3.34	3.58
Age 40 to 59	3.44	3.37	3.51	2.45	2.35	2.55	2.67	2.57	2.77	3.02	2.93	3.11
Age 60 to 79	2.76	2.70	2.82	1.74	1.53	1.95	2.04	1.85	2.23	2.42	2.35	2.49
<b>Age 6 to 79</b>	<b>3.39</b>	<b>3.35</b>	<b>3.43</b>	<b>2.02</b>	<b>1.93</b>	<b>2.11</b>	<b>2.38</b>	<b>2.33</b>	<b>2.43</b>	<b>2.89</b>	<b>2.85</b>	<b>2.93</b>

  

	Best forced vital capacity											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
litres												
<b>Both sexes</b>												
Age 6 to 11	2.15	2.09	2.21	2.58	2.51	2.65	2.97	2.89	3.05	3.16	3.07	3.25
Age 12 to 19	3.94	3.87	4.01	4.79	4.66	4.92	5.53	5.37	5.69	5.90	5.73	6.07
Age 20 to 39	4.45	4.30	4.60	5.35	5.22	5.48	5.98	5.87	6.09	6.28	6.10	6.46
Age 40 to 59	3.97	3.85	4.09	4.74	4.57	4.91	5.48	5.29	5.67	5.91	5.68	6.14
Age 60 to 79	3.22	3.13	3.31	3.94	3.82	4.06	4.60	4.38	4.82	5.00	4.86	5.14
<b>Age 6 to 79</b>	<b>3.92</b>	<b>3.85</b>	<b>3.99</b>	<b>4.81</b>	<b>4.70</b>	<b>4.92</b>	<b>5.58</b>	<b>5.45</b>	<b>5.71</b>	<b>5.98</b>	<b>5.90</b>	<b>6.06</b>
<b>Males</b>												
Age 6 to 11	2.26	2.15	2.37	2.62	2.53	2.71	2.97	2.90	3.04	3.15	3.04	3.26
Age 12 to 19	4.56	4.42	4.70	5.34	5.18	5.50	5.89	5.72	6.06	6.15	5.88	6.42
Age 20 to 39	5.31	5.15	5.47	5.86	5.73	5.99	6.26	6.09	6.43	6.58	6.37	6.79
Age 40 to 59	4.67	4.49	4.85	5.28	5.12	5.44	5.91	5.68	6.14	6.28	6.02	6.54
Age 60 to 79	3.95	3.82	4.08	4.53	4.40	4.66	5.00	4.87	5.13	5.24	5.04	5.44
<b>Age 6 to 79</b>	<b>4.69</b>	<b>4.52</b>	<b>4.86</b>	<b>5.40</b>	<b>5.28</b>	<b>5.52</b>	<b>5.98</b>	<b>5.90</b>	<b>6.06</b>	<b>6.30</b>	<b>6.13</b>	<b>6.47</b>
<b>Females</b>												
Age 6 to 11	2.08	2.01	2.15	2.52	2.42	2.62	2.97	2.82	3.12	3.16	2.99	3.33
Age 12 to 19	3.69	3.62	3.76	4.09	3.97	4.21	4.46	4.32	4.60	4.82	4.51	5.13
Age 20 to 39	3.84	3.76	3.92	4.24	4.18	4.30	4.68	4.56	4.80	4.87	4.74	5.00
Age 40 to 59	3.47	3.37	3.57	3.81	3.72	3.90	4.14	4.01	4.27	4.41	4.31	4.51
Age 60 to 79	2.77	2.71	2.83	3.17	3.08	3.26	3.44	3.34	3.54	3.57	3.47	3.67
<b>Age 6 to 79</b>	<b>3.44</b>	<b>3.38</b>	<b>3.50</b>	<b>3.90</b>	<b>3.83</b>	<b>3.97</b>	<b>4.32</b>	<b>4.26</b>	<b>4.38</b>	<b>4.64</b>	<b>4.51</b>	<b>4.77</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 40**  
**Distribution of the household population by dental status, by age and sex, Canada, 2007 to 2009**

	Dental Status								
	Dentate—both arches			Dentate—upper arch only			Dentate—lower arch only		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To
	percent								
<b>Both sexes</b>									
Age 6 to 11	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Age 12 to 19	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Age 20 to 39	99.3	98.9	99.8	F	...	...	F	...	...
Age 40 to 59	88.4	84.0	92.7	0.0	0.0	0.0	7.3 <sup>E</sup>	3.7	10.9
Age 60 to 79	62.9	53.5	72.2	F	...	...	15.1	11.3	19.0
<b>Age 6 to 79</b>	<b>89.6</b>	<b>86.8</b>	<b>92.5</b>	<b>F</b>	<b>...</b>	<b>...</b>	<b>5.1<sup>E</sup></b>	<b>3.4</b>	<b>6.8</b>
<b>Males</b>									
Age 6 to 11	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Age 12 to 19	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Age 20 to 39	99.7	99.2	100.1	0.0	0.0	0.0	F	...	...
Age 40 to 59	89.0	84.5	93.5	0.0	0.0	0.0	6.7 <sup>E</sup>	2.4	11.0
Age 60 to 79	60.9	51.2	70.6	F	...	...	16.5 <sup>E</sup>	10.7	22.3
<b>Age 6 to 79</b>	<b>89.9</b>	<b>87.2</b>	<b>92.7</b>	<b>F</b>	<b>...</b>	<b>...</b>	<b>5.0<sup>E</sup></b>	<b>3.1</b>	<b>6.8</b>
<b>Females</b>									
Age 6 to 11	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Age 12 to 19	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
Age 20 to 39	99.0	98.3	99.8	F	...	...	F	...	...
Age 40 to 59	87.7	83.0	92.4	0.0	0.0	0.0	7.8 <sup>E</sup>	4.4	11.3
Age 60 to 79	64.7	54.9	74.5	F	...	...	13.9 <sup>E</sup>	8.8	19.0
<b>Age 6 to 79</b>	<b>89.4</b>	<b>86.3</b>	<b>92.5</b>	<b>F</b>	<b>...</b>	<b>...</b>	<b>5.2<sup>E</sup></b>	<b>3.4</b>	<b>7.1</b>

	Dental Status					
	Edentulous with one or more implants			Edentulous		
	Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To
	percent					
<b>Both sexes</b>						
Age 6 to 11	0.0	0.0	0.0	0.0	0.0	0.0
Age 12 to 19	0.0	0.0	0.0	0.0	0.0	0.0
Age 20 to 39	0.0	0.0	0.0	F	...	...
Age 40 to 59	F	...	...	4.4 <sup>E</sup>	2.7	6.0
Age 60 to 79	F	...	...	20.8	14.7	26.9
<b>Age 6 to 79</b>	<b>0.2<sup>E</sup></b>	<b>0.1</b>	<b>0.2</b>	<b>5.0</b>	<b>3.7</b>	<b>6.4</b>
<b>Males</b>						
Age 6 to 11	0.0	0.0	0.0	0.0	0.0	0.0
Age 12 to 19	0.0	0.0	0.0	0.0	0.0	0.0
Age 20 to 39	0.0	0.0	0.0	F	...	...
Age 40 to 59	0.0	0.0	0.0	4.3 <sup>E</sup>	2.2	6.4
Age 60 to 79	F	...	...	22.1	15.0	29.2
<b>Age 6 to 79</b>	<b>F</b>	<b>...</b>	<b>...</b>	<b>5.0</b>	<b>3.5</b>	<b>6.5</b>
<b>Females</b>						
Age 6 to 11	0.0	0.0	0.0	0.0	0.0	0.0
Age 12 to 19	0.0	0.0	0.0	0.0	0.0	0.0
Age 20 to 39	0.0	0.0	0.0	F	...	...
Age 40 to 59	F	...	...	4.4 <sup>E</sup>	2.3	6.6
Age 60 to 79	F	...	...	19.6 <sup>E</sup>	13.2	26.0
<b>Age 6 to 79</b>	<b>F</b>	<b>...</b>	<b>...</b>	<b>5.1</b>	<b>3.7</b>	<b>6.4</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

<sup>F</sup> too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 41**  
**Distribution of the household population by the concentration of serum vitamin B12, by age and sex,**  
**Canada, 2007 to 2009**

	Concentration of serum vitamin B12											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	picomoles per litre											
<b>Both sexes</b>												
Age 6 to 11	462	450	474	228	214	242	267	255	279	348	332	364
Age 12 to 19	347	334	359	153	142	164	178	159	197	233	225	241
Age 20 to 39	321	312	330	148	134	162	176	164	188	218	209	227
Age 40 to 59	332	318	346	145	136	154	169	156	182	218	205	231
Age 60 to 79	351	340	362	153	143	163	177	169	185	230	221	239
Age 6 to 19	387	378	396	163	150	176	202	194	210	262	252	272
Age 20 to 79	332	323	340	147	140	154	174	167	181	221	214	228
<b>Age 6 to 79</b>	<b>341</b>	<b>334</b>	<b>349</b>	<b>150</b>	<b>144</b>	<b>156</b>	<b>177</b>	<b>171</b>	<b>183</b>	<b>227</b>	<b>220</b>	<b>234</b>
<b>Males</b>												
Age 6 to 11	453	434	471	223	193	253	269	250	288	337	312	362
Age 12 to 19	358	340	376	177	155	199	204	191	217	252	235	269
Age 20 to 39	328	315	341	178	166	190	194	186	202	241	229	253
Age 40 to 59	315	304	325	144	129	159	162	148	176	213	195	231
Age 60 to 79	327	315	339	150	135	165	171	163	179	220	207	233
Age 6 to 19	391	376	406	190	172	208	212	200	224	276	267	285
Age 20 to 79	322	314	330	154	145	163	178	173	183	224	212	236
<b>Age 6 to 79</b>	<b>334</b>	<b>329</b>	<b>340</b>	<b>156</b>	<b>149</b>	<b>163</b>	<b>181</b>	<b>177</b>	<b>185</b>	<b>232</b>	<b>226</b>	<b>238</b>
<b>Females</b>												
Age 6 to 11	473	454	491	238	222	254	266	234	298	359	319	399
Age 12 to 19	334	317	352	139	117	161	157	138	176	225	208	242
Age 20 to 39	315	300	330	140	125	155	156	139	173	201	187	215
Age 40 to 59	350	327	372	148	135	161	175	158	192	221	204	238
Age 60 to 79	374	359	389	153	133	173	181	166	196	244	231	257
Age 6 to 19	382	372	393	151	134	168	177	149	205	246	228	264
Age 20 to 79	342	328	355	144	135	153	170	157	183	218	211	225
<b>Age 6 to 79</b>	<b>349</b>	<b>336</b>	<b>361</b>	<b>144</b>	<b>136</b>	<b>152</b>	<b>170</b>	<b>157</b>	<b>183</b>	<b>221</b>	<b>213</b>	<b>229</b>

  

	Concentration of serum vitamin B12											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	picomoles per litre											
<b>Both sexes</b>												
Age 6 to 11	448	431	465	589	571	607	671	655	687	702	696	708
Age 12 to 19	312	298	326	449	419	479	567	524	610	618	584	652
Age 20 to 39	291	284	298	411	391	431	529	503	555	582	557	607
Age 40 to 59	301	279	323	432	409	455	553	528	578	620	592	648
Age 60 to 79	320	304	336	451	424	478	592	567	617	654	631	677
Age 6 to 19	364	352	376	508	489	527	618	599	637	665	647	683
Age 20 to 79	299	288	310	426	408	444	553	540	566	618	604	632
<b>Age 6 to 79</b>	<b>308</b>	<b>299</b>	<b>317</b>	<b>440</b>	<b>429</b>	<b>451</b>	<b>570</b>	<b>560</b>	<b>580</b>	<b>629</b>	<b>617</b>	<b>641</b>
<b>Males</b>												
Age 6 to 11	443	418	468	569	531	607	659	638	680	700	692	708
Age 12 to 19	323	308	338	467	428	506	567	526	608	614	576	652
Age 20 to 39	301	290	312	398	367	429	514	475	553	573	545	601
Age 40 to 59	288	268	308	390	375	405	513	473	553	597	554	640
Age 60 to 79	298	280	316	398	381	415	563	525	601	621	581	661
Age 6 to 19	362	339	385	508	485	531	612	591	633	658	642	674
Age 20 to 79	296	287	305	394	380	408	520	493	547	590	570	610
<b>Age 6 to 79</b>	<b>305</b>	<b>298</b>	<b>312</b>	<b>415</b>	<b>399</b>	<b>431</b>	<b>544</b>	<b>529</b>	<b>559</b>	<b>613</b>	<b>595</b>	<b>631</b>
<b>Females</b>												
Age 6 to 11	454	426	482	594	573	615	682	669	695	705	696	714
Age 12 to 19	302	277	327	441	402	480	567	506	628	626	579	673
Age 20 to 39	277	262	292	413	381	445	532	495	569	596	563	629
Age 40 to 59	320	287	353	479	433	525	575	554	596	629	584	674
Age 60 to 79	344	326	362	485	449	521	632	614	650	671	650	692
Age 6 to 19	364	350	378	506	483	529	626	606	646	675	659	691
Age 20 to 79	305	283	327	450	423	477	575	560	590	632	613	651
<b>Age 6 to 79</b>	<b>313</b>	<b>295</b>	<b>331</b>	<b>461</b>	<b>437</b>	<b>485</b>	<b>584</b>	<b>569</b>	<b>599</b>	<b>646</b>	<b>628</b>	<b>664</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria. For more information regarding the exclusion criteria and the limit of detection for serum vitamin B12, please refer to the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*.

**Source(s):** Canadian Health Measures Survey, Cycle 1.



**Table 42**  
**Distribution of the household population by the concentration of plasma vitamin D, by age and sex,**  
**Canada, 2007 to 2009**

	Concentration of plasma vitamin D											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	nanomoles per litre											
<b>Both sexes</b>												
Age 6 to 11	75.0	70.4	79.6	39.3	33.7	45.0	45.7	39.3	52.1	60.0	54.0	66.1
Age 12 to 19	68.1	63.8	72.4	27.5	23.5	31.4	34.9	28.5	41.2	48.9	43.5	54.4
Age 20 to 39	65.0	61.0	69.0	27.4	23.6	31.3	34.9	31.6	38.2	46.3	42.8	49.9
Age 40 to 59	66.5	63.9	69.1	28.1	25.6	30.7	36.7	32.5	40.9	49.3	46.3	52.3
Age 60 to 79	72.0	69.5	74.5	33.9	31.3	36.4	42.2	40.4	43.9	54.6	51.5	57.7
Age 6 to 19	70.6	67.1	74.2	30.5	25.7	35.2	38.4	33.5	43.4	53.1	48.9	57.4
Age 20 to 79	67.1	64.8	69.4	29.3	26.6	32.0	36.6	34.0	39.3	49.0	46.3	51.6
<b>Age 6 to 79</b>	<b>67.7</b>	<b>65.3</b>	<b>70.1</b>	<b>29.4</b>	<b>26.7</b>	<b>32.1</b>	<b>36.9</b>	<b>34.1</b>	<b>39.7</b>	<b>49.5</b>	<b>46.8</b>	<b>52.2</b>
<b>Males</b>												
Age 6 to 11	76.8	73.0	80.6	44.1	39.4	48.9	49.5	44.1	54.9	63.6	59.7	67.5
Age 12 to 19	65.6	60.9	70.4	26.7	22.4	31.0	31.9	26.4	37.5	44.5	39.0	50.1
Age 20 to 39	60.7	55.3	66.0	25.9	21.9	29.9	32.7	27.8	37.7	44.4	40.3	48.5
Age 40 to 59	66.0	62.4	69.5	27.4	25.0	29.7	31.7	25.8	37.6	48.2	44.2	52.2
Age 60 to 79	70.5	67.5	73.5	32.9	30.3	35.6	40.7	35.9	45.6	53.4	50.0	56.7
Age 6 to 19	69.7	65.8	73.6	30.5	25.5	35.4	37.3	31.6	42.9	51.2	45.7	56.8
Age 20 to 79	64.8	61.6	68.0	27.2	24.3	30.2	33.8	30.1	37.6	47.1	43.9	50.3
<b>Age 6 to 79</b>	<b>65.7</b>	<b>62.6</b>	<b>68.8</b>	<b>27.5</b>	<b>24.7</b>	<b>30.3</b>	<b>34.4</b>	<b>30.5</b>	<b>38.3</b>	<b>47.4</b>	<b>44.2</b>	<b>50.7</b>
<b>Females</b>												
Age 6 to 11	73.1	67.1	79.1	36.0	28.9	43.0	42.4	33.9	50.9	56.3	49.1	63.5
Age 12 to 19	70.8	65.9	75.8	27.7	20.6	34.8	38.4	29.5	47.4	53.7	48.6	58.8
Age 20 to 39	69.5	65.9	73.2	31.9	27.6	36.3	38.0	34.4	41.6	49.3	45.7	52.9
Age 40 to 59	67.1	65.0	69.2	30.7	26.4	35.0	38.7	34.9	42.4	50.0	46.3	53.6
Age 60 to 79	73.3	70.3	76.3	35.0	30.4	39.6	43.0	40.4	45.6	55.8	52.0	59.6
Age 6 to 19	71.7	67.8	75.6	30.5	23.9	37.1	39.4	33.3	45.6	54.7	50.7	58.7
Age 20 to 79	69.3	67.5	71.2	32.1	29.3	34.9	39.5	36.5	42.4	50.9	48.3	53.5
<b>Age 6 to 79</b>	<b>69.7</b>	<b>67.8</b>	<b>71.7</b>	<b>32.0</b>	<b>29.0</b>	<b>34.9</b>	<b>39.5</b>	<b>36.5</b>	<b>42.4</b>	<b>51.3</b>	<b>48.5</b>	<b>54.0</b>

  

	Concentration of plasma vitamin D											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	nanomoles per litre											
<b>Both sexes</b>												
Age 6 to 11	74.1	70.4	77.9	87.5	83.4	91.6	103.5	96.8	110.3	114.9	107.4	122.4
Age 12 to 19	64.2	59.8	68.7	85.0	79.4	90.7	104.0	97.9	110.1	115.9	110.0	121.9
Age 20 to 39	61.2	56.6	65.8	78.8	73.6	84.1	95.6	89.6	101.5	110.5	96.6	124.5
Age 40 to 59	65.8	62.4	69.2	81.0	78.3	83.6	97.5	93.8	101.1	110.5	102.5	118.6
Age 60 to 79	71.2	66.7	75.7	88.9	84.9	92.9	103.1	101.0	105.2	112.2	109.5	114.8
Age 6 to 19	69.0	65.4	72.6	86.5	82.8	90.2	103.8	98.7	109.0	115.8	111.2	120.4
Age 20 to 79	65.1	62.3	68.0	82.0	79.9	84.0	98.6	95.4	101.8	111.4	106.7	116.0
<b>Age 6 to 79</b>	<b>65.7</b>	<b>63.0</b>	<b>68.5</b>	<b>82.9</b>	<b>80.8</b>	<b>85.0</b>	<b>99.5</b>	<b>96.5</b>	<b>102.5</b>	<b>112.2</b>	<b>107.9</b>	<b>116.4</b>
<b>Males</b>												
Age 6 to 11	76.0	73.1	79.0	88.0	83.2	92.8	102.2	96.0	108.5	113.2	105.1	121.3
Age 12 to 19	63.0	58.3	67.7	83.5	76.8	90.1	101.5	94.4	108.6	111.3	105.1	117.5
Age 20 to 39	56.8	51.9	61.7	72.9	65.9	79.8	90.0	81.3	98.7	98.8	73.2	124.3
Age 40 to 59	65.3	60.6	70.0	81.4	76.4	86.3	97.6	92.1	103.1	112.5	100.6	124.4
Age 60 to 79	69.2	64.5	73.9	86.9	81.6	92.3	101.3	97.1	105.4	109.9	102.1	117.7
Age 6 to 19	69.1	64.9	73.2	86.1	81.3	90.9	101.8	95.6	107.9	112.0	106.7	117.3
Age 20 to 79	62.6	58.8	66.5	80.1	76.0	84.3	95.4	90.9	99.9	108.4	100.3	116.5
<b>Age 6 to 79</b>	<b>63.9</b>	<b>60.3</b>	<b>67.5</b>	<b>81.0</b>	<b>77.2</b>	<b>84.8</b>	<b>97.4</b>	<b>93.2</b>	<b>101.6</b>	<b>108.7</b>	<b>102.5</b>	<b>114.9</b>
<b>Females</b>												
Age 6 to 11	72.1	66.7	77.6	86.1	81.0	91.2	106.9	97.3	116.5	115.8	104.3	127.3
Age 12 to 19	66.4	60.5	72.4	87.0	80.4	93.5	105.3	94.6	116.0	119.2	106.5	131.9
Age 20 to 39	66.1	61.4	70.9	84.1	81.5	86.6	104.0	96.8	111.3	121.1	108.2	133.9
Age 40 to 59	66.3	63.3	69.3	80.6	77.5	83.7	96.1	92.3	99.8	110.2	102.9	117.4
Age 60 to 79	73.0	68.4	77.6	90.8	87.4	94.2	105.1	100.6	109.6	112.3	108.4	116.2
Age 6 to 19	68.9	64.7	73.1	86.9	82.9	90.9	106.6	99.3	113.9	116.7	107.7	125.8
Age 20 to 79	67.4	65.3	69.5	83.8	82.8	84.8	101.8	98.6	104.9	113.3	107.9	118.7
<b>Age 6 to 79</b>	<b>67.9</b>	<b>65.7</b>	<b>70.1</b>	<b>84.1</b>	<b>82.6</b>	<b>85.5</b>	<b>102.3</b>	<b>99.5</b>	<b>105.1</b>	<b>114.9</b>	<b>110.1</b>	<b>119.7</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria. For more information regarding the exclusion criteria and the limit of detection for plasma vitamin D, please refer to the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 43**  
**Distribution of the household population by the concentration of plasma homocysteine, by age and sex,**  
**Canada, 2007 to 2009**

	Concentration of plasma homocysteine											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
micromoles per litre												
<b>Both sexes</b>												
Age 6 to 11	4.0	3.6	4.4	2.0	1.7	2.3	2.3	2.0	2.6	3.0	2.7	3.3
Age 12 to 19	5.8	5.5	6.0	3.2	2.8	3.6	3.7	3.5	3.9	4.5	4.3	4.7
Age 20 to 39	7.1	6.7	7.4	3.7	3.3	4.1	4.2	3.8	4.6	5.4	5.0	5.8
Age 40 to 59	8.1	7.7	8.4	4.6	4.3	4.9	5.2	4.9	5.5	6.2	5.9	6.5
Age 60 to 79	9.8	9.4	10.2	5.6	5.0	6.2	6.4	6.0	6.8	7.6	7.1	8.1
Age 6 to 19	5.1	4.9	5.4	2.3	2.0	2.6	2.8	2.5	3.1	3.8	3.6	4.0
Age 20 to 79	8.1	7.7	8.4	4.2	3.8	4.6	4.9	4.5	5.3	6.1	5.7	6.5
<b>Age 6 to 79</b>	<b>7.5</b>	<b>7.2</b>	<b>7.9</b>	<b>3.5</b>	<b>3.2</b>	<b>3.8</b>	<b>4.2</b>	<b>3.9</b>	<b>4.5</b>	<b>5.5</b>	<b>5.2</b>	<b>5.8</b>
<b>Males</b>												
Age 6 to 11	4.1	3.7	4.4	2.1	1.9	2.3	2.4	2.0	2.8	3.0	2.7	3.3
Age 12 to 19	6.1	5.8	6.4	3.5	3.3	3.7	3.8	3.6	4.0	4.5	4.2	4.8
Age 20 to 39	8.1	7.7	8.5	5.2	4.5	5.9	5.6	5.3	5.9	6.5	6.1	6.9
Age 40 to 59	8.9	8.5	9.2	5.5	5.2	5.8	6.1	5.8	6.4	7.0	6.6	7.4
Age 60 to 79	10.4	9.8	11.0	5.8	4.9	6.7	6.6	6.0	7.2	8.0	7.4	8.6
Age 6 to 19	5.3	5.1	5.6	2.5	2.1	2.9	3.0	2.7	3.3	3.9	3.7	4.1
Age 20 to 79	8.9	8.5	9.2	5.4	5.0	5.8	5.8	5.4	6.2	6.9	6.6	7.2
<b>Age 6 to 79</b>	<b>8.2</b>	<b>7.9</b>	<b>8.6</b>	<b>3.9</b>	<b>3.6</b>	<b>4.2</b>	<b>4.8</b>	<b>4.4</b>	<b>5.2</b>	<b>6.2</b>	<b>5.9</b>	<b>6.5</b>
<b>Females</b>												
Age 6 to 11	3.9	3.5	4.3	1.9	1.5	2.3	2.2	1.8	2.6	2.9	2.5	3.3
Age 12 to 19	5.5	5.1	5.9	2.9	2.4	3.4	3.5	3.1	3.9	4.4	4.0	4.8
Age 20 to 39	6.0	5.6	6.4	3.2	2.8	3.6	3.7	3.4	4.0	4.6	4.2	5.0
Age 40 to 59	7.3	6.9	7.7	4.1	3.7	4.5	4.7	4.4	5.0	5.6	5.3	5.9
Age 60 to 79	9.3	8.9	9.7	5.5	5.0	6.0	6.2	5.8	6.6	7.3	6.9	7.7
Age 6 to 19	4.9	4.5	5.3	2.2	1.8	2.6	2.7	2.3	3.1	3.7	3.3	4.1
Age 20 to 79	7.2	6.9	7.6	3.7	3.4	4.0	4.3	4.0	4.6	5.4	5.0	5.8
<b>Age 6 to 79</b>	<b>6.8</b>	<b>6.5</b>	<b>7.2</b>	<b>3.2</b>	<b>2.8</b>	<b>3.6</b>	<b>3.8</b>	<b>3.5</b>	<b>4.1</b>	<b>4.9</b>	<b>4.5</b>	<b>5.3</b>

  

	Concentration of plasma homocysteine											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
micromoles per litre												
<b>Both sexes</b>												
Age 6 to 11	3.9	3.5	4.3	4.8	4.4	5.2	5.9	5.2	6.6	6.7	6.1	7.3
Age 12 to 19	5.5	5.3	5.7	6.7	6.3	7.1	8.1	7.7	8.5	8.9	8.4	9.4
Age 20 to 39	6.8	6.5	7.1	8.3	8.0	8.6	10.1	9.4	10.8	11.8	11.1	12.5
Age 40 to 59	7.6	7.2	8.0	9.3	8.9	9.7	11.4	10.7	12.1	13.3	12.2	14.4
Age 60 to 79	9.2	8.8	9.6	11.2	10.8	11.6	13.7	13.1	14.3	16.5	15.4	17.6
Age 6 to 19	4.8	4.5	5.1	6.2	5.8	6.6	7.6	7.1	8.1	8.4	8.1	8.7
Age 20 to 79	7.6	7.2	8.0	9.4	9.0	9.8	11.7	11.3	12.1	13.5	12.9	14.1
<b>Age 6 to 79</b>	<b>7.1</b>	<b>6.7</b>	<b>7.5</b>	<b>8.9</b>	<b>8.5</b>	<b>9.3</b>	<b>11.2</b>	<b>10.8</b>	<b>11.6</b>	<b>13.1</b>	<b>12.5</b>	<b>13.7</b>
<b>Males</b>												
Age 6 to 11	3.9	3.6	4.2	4.9	4.4	5.4	6.1	5.2	7.0	6.9	6.3	7.5
Age 12 to 19	5.6	5.4	5.8	7.0	6.6	7.4	8.5	8.2	8.8	9.3	8.7	9.9
Age 20 to 39	7.7	7.4	8.0	9.2	8.5	9.9	11.3	10.3	12.3	12.7	11.5	13.9
Age 40 to 59	8.4	7.9	8.9	10.1	9.6	10.6	12.2	11.5	12.9	14.0	12.9	15.1
Age 60 to 79	9.8	9.4	10.2	11.8	10.9	12.7	14.7	13.4	16.0	17.7	16.6	18.8
Age 6 to 19	5.0	4.6	5.4	6.5	6.1	6.9	8.0	7.4	8.6	8.6	8.3	8.9
Age 20 to 79	8.3	7.9	8.7	10.2	9.7	10.7	12.5	11.9	13.1	14.3	13.6	15.0
<b>Age 6 to 79</b>	<b>7.9</b>	<b>7.5</b>	<b>8.3</b>	<b>9.7</b>	<b>9.3</b>	<b>10.1</b>	<b>12.0</b>	<b>11.6</b>	<b>12.4</b>	<b>14.0</b>	<b>13.4</b>	<b>14.6</b>
<b>Females</b>												
Age 6 to 11	3.8	3.3	4.3	4.8	4.4	5.2	5.8	5.2	6.4	6.5	5.9	7.1
Age 12 to 19	5.3	4.9	5.7	6.6	6.1	7.1	7.7	7.0	8.4	8.2	7.1	9.3
Age 20 to 39	5.8	5.2	6.4	7.1	6.7	7.5	8.4	7.8	9.0	9.4	8.5	10.3
Age 40 to 59	7.0	6.4	7.6	8.3	7.9	8.7	10.0	9.2	10.8	11.6	10.3	12.9
Age 60 to 79	8.6	8.2	9.0	10.7	10.4	11.0	12.9	12.5	13.3	14.9	13.6	16.2
Age 6 to 19	4.7	4.5	4.9	6.0	5.5	6.5	7.3	6.7	7.9	8.0	7.3	8.7
Age 20 to 79	6.8	6.4	7.2	8.4	8.0	8.8	10.6	10.1	11.1	12.3	11.6	13.0
<b>Age 6 to 79</b>	<b>6.5</b>	<b>6.2</b>	<b>6.8</b>	<b>8.1</b>	<b>7.7</b>	<b>8.5</b>	<b>10.1</b>	<b>9.6</b>	<b>10.6</b>	<b>11.8</b>	<b>11.2</b>	<b>12.4</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria. For more information regarding the exclusion criteria and the limit of detection for plasma homocysteine, please refer to the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 44**  
**Distribution of the household population by the concentration of whole blood red cell folate, by age and sex, Canada, 2007 to 2009**

	Concentration of whole blood red cell folate											
	Mean			5 <sup>th</sup> percentile			10 <sup>th</sup> percentile			25 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	nanomoles per litre											
<b>Both sexes</b>												
Age 6 to 11	1,250	1,195	1,306	668	562	774	775	695	855	1,007	946	1,068
Age 12 to 19	1,137	1,058	1,217	594	555	632	661	592	730	848	756	940
Age 20 to 39	1,260	1,191	1,329	638	525	752	749	668	830	944	886	1,001
Age 40 to 59	1,383	1,281	1,484	622	572	672	751	674	828	987	888	1,086
Age 60 to 79	1,516	1,397	1,635	634	513	756	800	709	891	1,058	951	1,165
Age 6 to 19	1,179	1,113	1,245	597	554	641	699	632	766	901	820	982
Age 20 to 79	1,363	1,279	1,447	623	545	701	758	691	825	971	905	1,038
<b>Age 6 to 79</b>	<b>1,331</b>	<b>1,250</b>	<b>1,411</b>	<b>622</b>	<b>553</b>	<b>691</b>	<b>741</b>	<b>675</b>	<b>807</b>	<b>960</b>	<b>890</b>	<b>1,030</b>
<b>Males</b>												
Age 6 to 11	1,274	1,211	1,336	675	583	767	786	695	877	1,073	993	1,153
Age 12 to 19	1,125	1,047	1,202	560	495	626	647	571	723	841	733	948
Age 20 to 39	1,241	1,176	1,306	658	561	756	740	664	817	939	883	995
Age 40 to 59	1,332	1,226	1,437	618	549	686	715	617	814	951	837	1,065
Age 60 to 79	1,453	1,307	1,600	633	500	765	764	642	886	1,005	878	1,132
Age 6 to 19	1,180	1,112	1,248	592	542	642	691	615	767	913	824	1,001
Age 20 to 79	1,320	1,238	1,402	622	551	693	732	671	794	957	882	1,033
<b>Age 6 to 79</b>	<b>1,295</b>	<b>1,217</b>	<b>1,372</b>	<b>619</b>	<b>557</b>	<b>681</b>	<b>726</b>	<b>667</b>	<b>786</b>	<b>950</b>	<b>876</b>	<b>1,024</b>
<b>Females</b>												
Age 6 to 11	1,225	1,164	1,286	643	502	783	765	680	850	967	903	1,032
Age 12 to 19	1,151	1,060	1,242	602	548	656	681	610	753	849	762	935
Age 20 to 39	1,279	1,180	1,379	600	461	740	749	635	863	944	868	1,019
Age 40 to 59	1,433	1,322	1,544	626	545	707	781	696	865	1,005	878	1,131
Age 60 to 79	1,573	1,468	1,678	661	524	798	814	729	898	1,119	1,030	1,208
Age 6 to 19	1,179	1,109	1,249	603	539	667	701	636	766	889	811	967
Age 20 to 79	1,406	1,310	1,502	634	533	735	772	692	853	987	909	1,065
<b>Age 6 to 79</b>	<b>1,367</b>	<b>1,277</b>	<b>1,456</b>	<b>623</b>	<b>537</b>	<b>709</b>	<b>757</b>	<b>679</b>	<b>834</b>	<b>966</b>	<b>888</b>	<b>1,045</b>

  

	Concentration of whole blood red cell folate											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	nanomoles per litre											
<b>Both sexes</b>												
Age 6 to 11	1,212	1,141	1,283	1,492	1,441	1,542	1,726	1,674	1,779	1,872	1,786	1,959
Age 12 to 19	1,120	1,047	1,193	1,378	1,281	1,474	1,686	1,544	1,828	1,846	1,711	1,982
Age 20 to 39	1,191	1,123	1,259	1,482	1,392	1,572	1,873	1,753	1,992	2,108	1,938	2,279
Age 40 to 59	1,292	1,181	1,402	1,697	1,562	1,831	2,120	1,987	2,253	2,429	2,224	2,634
Age 60 to 79	1,410	1,285	1,536	1,899	1,769	2,028	2,395	2,154	2,636	2,737	2,513	2,960
Age 6 to 19	1,150	1,097	1,204	1,423	1,354	1,493	1,710	1,620	1,799	1,847	1,742	1,952
Age 20 to 79	1,266	1,191	1,342	1,672	1,568	1,777	2,098	1,973	2,222	2,404	2,226	2,582
<b>Age 6 to 79</b>	<b>1,248</b>	<b>1,173</b>	<b>1,323</b>	<b>1,619</b>	<b>1,514</b>	<b>1,724</b>	<b>2,044</b>	<b>1,920</b>	<b>2,169</b>	<b>2,316</b>	<b>2,165</b>	<b>2,467</b>
<b>Males</b>												
Age 6 to 11	1,249	1,168	1,330	1,520	1,440	1,600	1,729	1,642	1,816	1,852	1,776	1,929
Age 12 to 19	1,125	1,047	1,203	1,353	1,266	1,440	1,593	1,453	1,732	1,898	1,700	2,096
Age 20 to 39	1,211	1,124	1,297	1,454	1,376	1,533	1,816	1,702	1,930	1,928	1,777	2,079
Age 40 to 59	1,256	1,122	1,391	1,690	1,532	1,848	2,072	1,921	2,223	2,291	2,153	2,429
Age 60 to 79	1,355	1,214	1,497	1,800	1,619	1,981	2,289	1,998	2,579	2,584	2,257	2,910
Age 6 to 19	1,158	1,105	1,212	1,415	1,346	1,485	1,680	1,589	1,770	1,885	1,749	2,021
Age 20 to 79	1,255	1,171	1,339	1,622	1,507	1,738	1,994	1,862	2,125	2,249	2,073	2,425
<b>Age 6 to 79</b>	<b>1,233</b>	<b>1,148</b>	<b>1,317</b>	<b>1,566</b>	<b>1,460</b>	<b>1,673</b>	<b>1,925</b>	<b>1,811</b>	<b>2,040</b>	<b>2,216</b>	<b>2,057</b>	<b>2,376</b>
<b>Females</b>												
Age 6 to 11	1,164	1,084	1,243	1,454	1,405	1,503	1,715	1,659	1,772	1,884	1,758	2,010
Age 12 to 19	1,113	1,029	1,198	1,413	1,281	1,545	1,729	1,574	1,884	1,822	1,708	1,936
Age 20 to 39	1,175	1,097	1,253	1,549	1,399	1,700	2,013	1,778	2,247	2,256	2,089	2,424
Age 40 to 59	1,337	1,222	1,451	1,726	1,573	1,879	2,220	2,005	2,436	2,656	2,371	2,940
Age 60 to 79	1,488	1,356	1,619	1,938	1,835	2,041	2,461	2,188	2,735	2,834	2,645	3,023
Age 6 to 19	1,127	1,061	1,194	1,442	1,360	1,525	1,724	1,621	1,827	1,832	1,746	1,918
Age 20 to 79	1,300	1,211	1,389	1,706	1,581	1,831	2,172	2,029	2,315	2,552	2,310	2,794
<b>Age 6 to 79</b>	<b>1,261</b>	<b>1,175</b>	<b>1,347</b>	<b>1,664</b>	<b>1,557</b>	<b>1,771</b>	<b>2,112</b>	<b>1,984</b>	<b>2,240</b>	<b>2,461</b>	<b>2,228</b>	<b>2,694</b>

**Note(s):** Total household population aged 6 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 45**  
**Distribution of the household population (full sample) by the concentration of serum total cholesterol, by age and sex, Canada, 2007 to 2009**

	Concentration of serum total cholesterol - full sample											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimoles per litre												
<b>Both sexes</b>												
Age 6 to 11	4.2	4.2	4.3	3.3	3.2	3.4	3.5	3.4	3.6	3.8	3.7	3.9
Age 12 to 19	4.1	4.0	4.2	3.0	2.8	3.2	3.2	3.1	3.3	3.6	3.5	3.7
Age 20 to 39	4.8	4.7	4.8	3.4	3.2	3.6	3.7	3.6	3.8	4.1	4.0	4.2
Age 40 to 59	5.2	5.1	5.3	3.7	3.4	4.0	4.0	3.8	4.2	4.6	4.5	4.7
Age 60 to 79	5.2	5.1	5.3	3.5	3.3	3.7	3.8	3.7	3.9	4.4	4.2	4.6
Age 6 to 19	4.1	4.1	4.2	3.0	2.9	3.1	3.3	3.2	3.4	3.7	3.6	3.8
Age 20 to 79	5.0	5.0	5.1	3.5	3.3	3.7	3.8	3.7	3.9	4.3	4.2	4.4
<b>Age 6 to 79</b>	<b>4.9</b>	<b>4.8</b>	<b>5.0</b>	<b>3.3</b>	<b>3.2</b>	<b>3.4</b>	<b>3.6</b>	<b>3.5</b>	<b>3.7</b>	<b>4.1</b>	<b>4.0</b>	<b>4.2</b>
<b>Males</b>												
Age 6 to 11	4.3	4.2	4.3	3.4	3.3	3.5	3.5	3.4	3.6	3.8	3.7	3.9
Age 12 to 19	4.0	3.9	4.1	3.0	2.8	3.2	3.2	3.1	3.3	3.5	3.4	3.6
Age 20 to 39	4.8	4.7	5.0	3.5	3.3	3.7	3.7	3.6	3.8	4.2	4.1	4.3
Age 40 to 59	5.2	5.1	5.3	3.6	3.2	4.0	4.0	3.7	4.3	4.5	4.3	4.7
Age 60 to 79	5.1	4.9	5.2	3.2	3.0	3.4	3.6	3.4	3.8	4.2	4.0	4.4
Age 6 to 19	4.1	4.0	4.2	3.1	3.0	3.2	3.3	3.2	3.4	3.6	3.5	3.7
Age 20 to 79	5.0	4.9	5.2	3.4	3.2	3.6	3.8	3.6	4.0	4.3	4.1	4.5
<b>Age 6 to 79</b>	<b>4.9</b>	<b>4.8</b>	<b>5.0</b>	<b>3.3</b>	<b>3.2</b>	<b>3.4</b>	<b>3.6</b>	<b>3.5</b>	<b>3.7</b>	<b>4.1</b>	<b>4.0</b>	<b>4.2</b>
<b>Females</b>												
Age 6 to 11	4.2	4.1	4.3	3.2	3.0	3.4	3.3	3.2	3.4	3.8	3.7	3.9
Age 12 to 19	4.2	4.0	4.3	2.9	2.6	3.2	3.2	3.0	3.4	3.7	3.5	3.9
Age 20 to 39	4.7	4.6	4.8	3.4	3.1	3.7	3.6	3.4	3.8	4.1	4.0	4.2
Age 40 to 59	5.2	5.1	5.4	3.7	3.5	3.9	4.0	3.8	4.2	4.6	4.5	4.7
Age 60 to 79	5.4	5.3	5.5	3.6	3.3	3.9	3.9	3.7	4.1	4.7	4.5	4.9
Age 6 to 19	4.2	4.1	4.3	3.0	2.8	3.2	3.3	3.2	3.4	3.7	3.6	3.8
Age 20 to 79	5.1	5.0	5.1	3.5	3.3	3.7	3.8	3.7	3.9	4.4	4.3	4.5
<b>Age 6 to 79</b>	<b>4.9</b>	<b>4.8</b>	<b>5.0</b>	<b>3.4</b>	<b>3.2</b>	<b>3.6</b>	<b>3.7</b>	<b>3.6</b>	<b>3.8</b>	<b>4.2</b>	<b>4.1</b>	<b>4.3</b>

  

	Concentration of serum total cholesterol - full sample											
	50 <sup>th</sup> percentile		75 <sup>th</sup> percentile				90 <sup>th</sup> percentile				95 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimoles per litre												
<b>Both sexes</b>												
Age 6 to 11	4.2	4.1	4.3	4.6	4.5	4.7	5.0	4.9	5.1	5.3	5.2	5.4
Age 12 to 19	4.0	3.9	4.1	4.5	4.3	4.7	5.2	5.0	5.4	5.5	5.3	5.7
Age 20 to 39	4.7	4.6	4.8	5.3	5.2	5.4	6.0	5.8	6.2	6.4	6.2	6.6
Age 40 to 59	5.2	5.1	5.3	5.9	5.7	6.1	6.5	6.4	6.6	6.9	6.7	7.1
Age 60 to 79	5.3	5.2	5.4	6.1	6.0	6.2	6.7	6.6	6.8	7.1	6.9	7.3
Age 6 to 19	4.1	4.0	4.2	4.6	4.5	4.7	5.1	4.9	5.3	5.4	5.3	5.5
Age 20 to 79	5.0	4.9	5.1	5.7	5.6	5.8	6.4	6.3	6.5	6.8	6.7	6.9
<b>Age 6 to 79</b>	<b>4.8</b>	<b>4.7</b>	<b>4.9</b>	<b>5.5</b>	<b>5.4</b>	<b>5.6</b>	<b>6.3</b>	<b>6.2</b>	<b>6.4</b>	<b>6.7</b>	<b>6.6</b>	<b>6.8</b>
<b>Males</b>												
Age 6 to 11	4.2	4.1	4.3	4.6	4.5	4.7	5.0	4.9	5.1	5.3	5.2	5.4
Age 12 to 19	3.9	3.8	4.0	4.4	4.2	4.6	5.0	4.7	5.3	5.4	5.0	5.8
Age 20 to 39	4.8	4.6	5.0	5.5	5.4	5.6	6.1	5.9	6.3	6.3	6.1	6.5
Age 40 to 59	5.2	5.1	5.3	5.8	5.6	6.0	6.5	6.4	6.6	6.9	6.5	7.3
Age 60 to 79	5.1	4.9	5.3	5.8	5.6	6.0	6.6	6.3	6.9	7.0	6.8	7.2
Age 6 to 19	4.0	3.9	4.1	4.5	4.4	4.6	5.0	4.8	5.2	5.4	5.2	5.6
Age 20 to 79	5.0	4.9	5.1	5.7	5.5	5.9	6.3	6.2	6.4	6.7	6.5	6.9
<b>Age 6 to 79</b>	<b>4.8</b>	<b>4.7</b>	<b>4.9</b>	<b>5.5</b>	<b>5.4</b>	<b>5.6</b>	<b>6.3</b>	<b>6.2</b>	<b>6.4</b>	<b>6.6</b>	<b>6.4</b>	<b>6.8</b>
<b>Females</b>												
Age 6 to 11	4.3	4.2	4.4	4.7	4.6	4.8	5.1	4.9	5.3	5.4	5.3	5.5
Age 12 to 19	4.1	3.9	4.3	4.6	4.4	4.8	5.2	5.0	5.4	5.6	5.4	5.8
Age 20 to 39	4.6	4.5	4.7	5.1	5.0	5.2	5.9	5.6	6.2	6.4	6.3	6.5
Age 40 to 59	5.2	5.0	5.4	5.9	5.7	6.1	6.5	6.3	6.7	7.0	6.5	7.5
Age 60 to 79	5.4	5.3	5.5	6.1	6.0	6.2	6.7	6.5	6.9	7.1	6.9	7.3
Age 6 to 19	4.2	4.1	4.3	4.6	4.5	4.7	5.2	5.1	5.3	5.4	5.2	5.6
Age 20 to 79	5.0	4.9	5.1	5.7	5.5	5.9	6.4	6.3	6.5	6.9	6.7	7.1
<b>Age 6 to 79</b>	<b>4.8</b>	<b>4.7</b>	<b>4.9</b>	<b>5.5</b>	<b>5.4</b>	<b>5.6</b>	<b>6.3</b>	<b>6.2</b>	<b>6.4</b>	<b>6.7</b>	<b>6.5</b>	<b>6.9</b>

**Note(s):** Total household population aged 6 to 79 based on the full sample, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

Table 46

Distribution of the household population (fasted sub-sample) by the concentration of serum total cholesterol, by age and sex, Canada, 2007 to 2009

	Concentration of serum total cholesterol - fasted sub-sample											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimoles per litre												
<b>Both sexes</b>												
Age 6 to 11	4.2	4.0	4.3	3.1	2.8	3.4	3.3	3.1	3.5	3.7	3.5	3.9
Age 12 to 19	3.9	3.8	4.1	2.8	2.5	3.1	3.0	2.9	3.1	3.4	3.3	3.5
Age 20 to 39	4.6	4.5	4.7	3.1	2.8	3.4	3.6	3.3	3.9	3.9	3.7	4.1
Age 40 to 59	5.1	4.9	5.2	3.5	3.2	3.8	3.8	3.5	4.1	4.3	4.2	4.4
Age 60 to 79	5.2	5.0	5.3	3.2	3.0	3.4	3.7	3.5	3.9	4.3	4.1	4.5
Age 6 to 19	4.0	3.9	4.1	2.9	2.7	3.1	3.1	2.9	3.3	3.5	3.4	3.6
Age 20 to 79	4.9	4.8	5.0	3.3	3.0	3.6	3.7	3.5	3.9	4.1	4.0	4.2
<b>Age 6 to 79</b>	<b>4.7</b>	<b>4.6</b>	<b>4.9</b>	<b>3.1</b>	<b>2.9</b>	<b>3.3</b>	<b>3.5</b>	<b>3.3</b>	<b>3.7</b>	<b>4.0</b>	<b>3.8</b>	<b>4.2</b>
<b>Males</b>												
Age 6 to 11	4.2	4.1	4.3	3.3	3.1	3.5	3.4	3.2	3.6	3.8	3.6	4.0
Age 12 to 19	3.9	3.7	4.0	2.8	2.4	3.2	3.1	2.9	3.3	3.4	3.3	3.5
Age 20 to 39	4.7	4.5	4.8	3.3	3.0	3.6	3.6	3.4	3.8	3.9	3.7	4.1
Age 40 to 59	5.0	4.8	5.1	3.4	3.0	3.8	3.7	3.4	4.0	4.3	4.1	4.5
Age 60 to 79	5.0	4.7	5.2	3.1	2.8	3.4	3.5	3.1	3.9	4.1	3.8	4.4
Age 6 to 19	4.0	3.9	4.1	3.0	2.8	3.2	3.2	3.1	3.3	3.5	3.4	3.6
Age 20 to 79	4.9	4.7	5.0	3.3	3.1	3.5	3.7	3.5	3.9	4.1	3.9	4.3
<b>Age 6 to 79</b>	<b>4.7</b>	<b>4.6</b>	<b>4.8</b>	<b>3.2</b>	<b>3.0</b>	<b>3.4</b>	<b>3.5</b>	<b>3.3</b>	<b>3.7</b>	<b>3.9</b>	<b>3.7</b>	<b>4.1</b>
<b>Females</b>												
Age 6 to 11	4.1	3.9	4.3	3.0	2.5	3.5	3.2	2.8	3.6	3.6	3.3	3.9
Age 12 to 19	4.0	3.8	4.2	2.8	2.4	3.2	3.0	2.7	3.3	3.5	3.3	3.7
Age 20 to 39	4.5	4.3	4.7	3.1	2.6	3.6	3.4	3.0	3.8	3.9	3.7	4.1
Age 40 to 59	5.2	4.9	5.4	3.6	3.1	4.1	3.9	3.6	4.2	4.4	4.2	4.6
Age 60 to 79	5.4	5.2	5.5	3.7	3.3	4.1	3.9	3.6	4.2	4.6	4.3	4.9
Age 6 to 19	4.0	3.8	4.2	2.8	2.5	3.1	3.0	2.8	3.2	3.5	3.3	3.7
Age 20 to 79	5.0	4.8	5.1	3.4	3.1	3.7	3.7	3.5	3.9	4.2	4.1	4.3
<b>Age 6 to 79</b>	<b>4.8</b>	<b>4.7</b>	<b>4.9</b>	<b>3.1</b>	<b>2.8</b>	<b>3.4</b>	<b>3.5</b>	<b>3.3</b>	<b>3.7</b>	<b>4.0</b>	<b>3.9</b>	<b>4.1</b>

  

	Concentration of serum total cholesterol - fasted sub-sample											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimoles per litre												
<b>Both sexes</b>												
Age 6 to 11	4.2	4.0	4.4	4.5	4.4	4.6	5.0	4.8	5.2	5.4	5.2	5.6
Age 12 to 19	3.8	3.6	4.0	4.4	4.2	4.6	4.9	4.6	5.2	5.2	4.9	5.5
Age 20 to 39	4.5	4.3	4.7	5.2	5.0	5.4	5.8	5.6	6.0	6.1	5.9	6.3
Age 40 to 59	5.1	4.9	5.3	5.7	5.4	6.0	6.5	6.2	6.8	6.7	6.3	7.1
Age 60 to 79	5.3	5.1	5.5	6.0	5.8	6.2	6.6	6.5	6.7	7.0	6.8	7.2
Age 6 to 19	4.0	3.8	4.2	4.5	4.4	4.6	5.0	4.8	5.2	5.3	5.1	5.5
Age 20 to 79	4.9	4.8	5.0	5.5	5.3	5.7	6.3	6.1	6.5	6.6	6.4	6.8
<b>Age 6 to 79</b>	<b>4.6</b>	<b>4.5</b>	<b>4.7</b>	<b>5.4</b>	<b>5.3</b>	<b>5.5</b>	<b>6.1</b>	<b>6.0</b>	<b>6.2</b>	<b>6.6</b>	<b>6.5</b>	<b>6.7</b>
<b>Males</b>												
Age 6 to 11	4.2	4.1	4.3	4.5	4.4	4.6	5.1	4.9	5.3	5.4	5.2	5.6
Age 12 to 19	3.8	3.7	3.9	4.3	4.0	4.6	4.9	4.6	5.2	5.2	4.9	5.5
Age 20 to 39	4.6	4.3	4.9	5.4	5.2	5.6	5.8	5.6	6.0	6.0	5.7	6.3
Age 40 to 59	5.0	4.8	5.2	5.6	5.4	5.8	6.3	6.1	6.5	6.6	6.2	7.0
Age 60 to 79	5.1	4.8	5.4	5.8	5.5	6.1	6.3	6.1	6.5	6.7	6.4	7.0
Age 6 to 19	3.9	3.7	4.1	4.4	4.2	4.6	5.0	4.8	5.2	5.2	5.0	5.4
Age 20 to 79	4.9	4.7	5.1	5.5	5.4	5.6	6.1	5.9	6.3	6.5	6.3	6.7
<b>Age 6 to 79</b>	<b>4.6</b>	<b>4.4</b>	<b>4.8</b>	<b>5.4</b>	<b>5.3</b>	<b>5.5</b>	<b>6.1</b>	<b>5.9</b>	<b>6.3</b>	<b>6.4</b>	<b>6.2</b>	<b>6.6</b>
<b>Females</b>												
Age 6 to 11	4.1	3.8	4.4	4.6	4.5	4.7	4.9	4.7	5.1	5.3	5.0	5.6
Age 12 to 19	4.0	3.8	4.2	4.4	4.2	4.6	5.0	4.6	5.4	5.5	5.0	6.0
Age 20 to 39	4.5	4.3	4.7	5.0	4.8	5.2	5.8	5.4	6.2	6.1	5.7	6.5
Age 40 to 59	5.1	4.8	5.4	5.9	5.6	6.2	6.5	6.2	6.8	6.9	6.5	7.3
Age 60 to 79	5.4	5.3	5.5	6.1	5.9	6.3	6.7	6.5	6.9	7.1	6.9	7.3
Age 6 to 19	4.0	3.8	4.2	4.5	4.4	4.6	4.9	4.7	5.1	5.3	4.9	5.7
Age 20 to 79	4.9	4.7	5.1	5.6	5.3	5.9	6.4	6.1	6.7	6.8	6.5	7.1
<b>Age 6 to 79</b>	<b>4.7</b>	<b>4.6</b>	<b>4.8</b>	<b>5.5</b>	<b>5.3</b>	<b>5.7</b>	<b>6.2</b>	<b>6.0</b>	<b>6.4</b>	<b>6.6</b>	<b>6.4</b>	<b>6.8</b>

**Note(s):** Total household population aged 6 to 79 based on the fasted sub-sample, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 47**  
**Distribution of the household population (fasted sub-sample) by the concentration of serum triglycerides, by age and sex, Canada, 2007 to 2009**

	Concentration of serum triglycerides - fasted sub-sample											
	Mean		5 <sup>th</sup> percentile		10 <sup>th</sup> percentile		25 <sup>th</sup> percentile					
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimoles per litre												
<b>Both sexes</b>												
Age 6 to 11	0.76	0.70	0.82	0.30	0.25	0.35	0.36	0.32	0.40	0.49	0.45	0.53
Age 12 to 19	0.94	0.88	1.00	0.38	0.33	0.43	0.45	0.41	0.49	0.59	0.54	0.64
Age 20 to 39	1.16	1.07	1.25	0.43	0.30	0.56	0.52	0.45	0.59	0.70	0.67	0.73
Age 40 to 59	1.40	1.27	1.52	0.46	0.41	0.51	0.54	0.49	0.59	0.83	0.76	0.90
Age 60 to 79	1.60	1.50	1.70	0.61	0.54	0.68	0.74	0.69	0.79	0.99	0.93	1.05
Age 6 to 19	0.87	0.82	0.92	0.33	0.29	0.37	0.40	0.35	0.45	0.53	0.49	0.57
Age 20 to 79	1.35	1.26	1.44	0.47	0.43	0.51	0.56	0.51	0.61	0.77	0.74	0.80
<b>Age 6 to 79</b>	<b>1.26</b>	<b>1.18</b>	<b>1.34</b>	<b>0.43</b>	<b>0.38</b>	<b>0.48</b>	<b>0.51</b>	<b>0.48</b>	<b>0.54</b>	<b>0.73</b>	<b>0.70</b>	<b>0.76</b>
<b>Males</b>												
Age 6 to 11	0.72	0.66	0.78	0.27	0.22	0.32	0.32	0.26	0.38	0.44	0.36	0.52
Age 12 to 19	0.92	0.81	1.03	0.28	0.21	0.35	0.39	0.33	0.45	0.56	0.47	0.65
Age 20 to 39	1.26	1.11	1.40	0.48	0.35	0.61	0.60	0.48	0.72	0.73	0.65	0.81
Age 40 to 59	1.46	1.30	1.61	0.46	0.41	0.51	0.53	0.44	0.62	0.92	0.79	1.05
Age 60 to 79	1.66	1.50	1.82	0.63	0.56	0.70	0.74	0.70	0.78	1.03	0.85	1.21
Age 6 to 19	0.84	0.77	0.91	0.28	0.23	0.33	0.36	0.31	0.41	0.50	0.43	0.57
Age 20 to 79	1.42	1.31	1.53	0.48	0.42	0.54	0.61	0.53	0.69	0.83	0.75	0.91
<b>Age 6 to 79</b>	<b>1.31</b>	<b>1.21</b>	<b>1.40</b>	<b>0.42</b>	<b>0.37</b>	<b>0.47</b>	<b>0.51</b>	<b>0.47</b>	<b>0.55</b>	<b>0.73</b>	<b>0.70</b>	<b>0.76</b>
<b>Females</b>												
Age 6 to 11	0.81	0.73	0.89	0.37	0.33	0.41	0.41	0.35	0.47	0.51	0.46	0.56
Age 12 to 19	0.96	0.88	1.04	0.44	0.41	0.47	0.48	0.44	0.52	0.62	0.54	0.70
Age 20 to 39	1.07	0.96	1.17	0.33 <sup>E</sup>	0.18	0.48	0.50	0.42	0.58	0.67	0.63	0.71
Age 40 to 59	1.34	1.17	1.51	0.46	0.36	0.56	0.54	0.46	0.62	0.76	0.66	0.86
Age 60 to 79	1.54	1.38	1.70	0.60	0.49	0.71	0.74	0.61	0.87	0.97	0.89	1.05
Age 6 to 19	0.90	0.85	0.95	0.41	0.36	0.46	0.46	0.43	0.49	0.58	0.53	0.63
Age 20 to 79	1.28	1.18	1.38	0.45	0.38	0.52	0.54	0.49	0.59	0.74	0.70	0.78
<b>Age 6 to 79</b>	<b>1.21</b>	<b>1.13</b>	<b>1.30</b>	<b>0.44</b>	<b>0.39</b>	<b>0.49</b>	<b>0.51</b>	<b>0.48</b>	<b>0.54</b>	<b>0.71</b>	<b>0.67</b>	<b>0.75</b>

  

	Concentration of serum triglycerides - fasted sub-sample											
	50 <sup>th</sup> percentile		75 <sup>th</sup> percentile		90 <sup>th</sup> percentile		95 <sup>th</sup> percentile					
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimoles per litre												
<b>Both sexes</b>												
Age 6 to 11	0.67	0.60	0.74	0.97	0.89	1.05	1.28	1.21	1.35	1.50	1.35	1.65
Age 12 to 19	0.83	0.75	0.91	1.12	1.06	1.18	1.60	1.36	1.84	2.05	1.85	2.25
Age 20 to 39	0.96	0.89	1.03	1.53	1.38	1.68	1.94	1.68	2.20	2.37	1.99	2.75
Age 40 to 59	1.21	1.08	1.34	1.79	1.57	2.01	2.45	2.24	2.66	2.97	2.60	3.34
Age 60 to 79	1.39	1.30	1.48	1.92	1.73	2.11	2.76	2.29	3.23	3.29	2.91	3.67
Age 6 to 19	0.77	0.72	0.82	1.07	1.02	1.12	1.43	1.33	1.53	1.84	1.62	2.06
Age 20 to 79	1.14	1.05	1.23	1.69	1.57	1.81	2.38	2.17	2.59	2.89	2.56	3.22
<b>Age 6 to 79</b>	<b>1.05</b>	<b>1.00</b>	<b>1.10</b>	<b>1.62</b>	<b>1.52</b>	<b>1.72</b>	<b>2.28</b>	<b>2.05</b>	<b>2.51</b>	<b>2.68</b>	<b>2.35</b>	<b>3.01</b>
<b>Males</b>												
Age 6 to 11	0.65	0.57	0.73	0.91	0.80	1.02	1.16	1.07	1.25	1.39	1.23	1.55
Age 12 to 19	0.78	0.67	0.89	1.12	1.01	1.23	1.60	1.11	2.09	2.07	1.65	2.49
Age 20 to 39	1.01	0.83	1.19	1.63	1.45	1.81	2.10	1.77	2.43	2.67	2.13	3.21
Age 40 to 59	1.26	1.02	1.50	1.86	1.58	2.14	2.39	2.23	2.55	2.78	2.37	3.19
Age 60 to 79	1.47	1.27	1.67	2.06	1.85	2.27	2.96	2.58	3.34	3.29	3.03	3.55
Age 6 to 19	0.74	0.67	0.81	1.06	1.00	1.12	1.43	1.20	1.66	1.88	1.42	2.34
Age 20 to 79	1.24	1.10	1.38	1.79	1.64	1.94	2.39	2.21	2.57	2.95	2.68	3.22
<b>Age 6 to 79</b>	<b>1.09</b>	<b>1.01</b>	<b>1.17</b>	<b>1.69</b>	<b>1.56</b>	<b>1.82</b>	<b>2.33</b>	<b>2.13</b>	<b>2.53</b>	<b>2.82</b>	<b>2.51</b>	<b>3.13</b>
<b>Females</b>												
Age 6 to 11	0.71	0.65	0.77	0.99	0.86	1.12	1.33	1.16	1.50	1.55	1.13	1.97
Age 12 to 19	0.85	0.75	0.95	1.11	0.97	1.25	1.60	1.34	1.86	1.92	1.71	2.13
Age 20 to 39	0.92	0.81	1.03	1.38	1.19	1.57	1.76	1.41	2.11	2.26	1.87	2.65
Age 40 to 59	1.13	0.97	1.29	1.76	1.45	2.07	2.55	2.05	3.05	3.03	2.59	3.47
Age 60 to 79	1.31	1.24	1.38	1.82	1.57	2.07	2.52	2.01	3.03	3.40	2.54	4.26
Age 6 to 19	0.80	0.73	0.87	1.09	0.99	1.19	1.49	1.36	1.62	1.78	1.54	2.02
Age 20 to 79	1.09	0.99	1.19	1.62	1.49	1.75	2.32	1.97	2.67	2.70	2.23	3.17
<b>Age 6 to 79</b>	<b>1.01</b>	<b>0.93</b>	<b>1.09</b>	<b>1.50</b>	<b>1.39</b>	<b>1.61</b>	<b>2.20</b>	<b>1.85</b>	<b>2.55</b>	<b>2.64</b>	<b>2.22</b>	<b>3.06</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

**Note(s):** Total household population aged 6 to 79 based on the fasted sub-sample, except those meeting the exclusion criteria. For more information regarding the exclusion criteria and the limit of detection for serum triglycerides, please refer to the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 48**  
**Distribution of the household population (fasted sub-sample) by the concentration of serum low density lipoproteins, by age and sex, Canada, 2007 to 2009**

	Concentration of serum low density lipoproteins - fasted sub-sample											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimoles per litre											
<b>Both sexes</b>												
Age 6 to 11	2.31	2.19	2.43	1.29	1.11	1.47	1.54	1.39	1.69	1.82	1.67	1.97
Age 12 to 19	2.30	2.14	2.45	1.15	0.96	1.34	1.40	1.31	1.49	1.80	1.67	1.93
Age 20 to 39	2.82	2.74	2.90	1.40	1.19	1.61	1.69	1.51	1.87	2.15	2.07	2.23
Age 40 to 59	3.19	3.07	3.32	1.56	1.33	1.79	1.96	1.74	2.18	2.46	2.34	2.58
Age 60 to 79	3.14	3.04	3.23	1.58	1.40	1.76	1.80	1.57	2.03	2.34	2.20	2.48
Age 6 to 19	2.30	2.20	2.41	1.26	1.13	1.39	1.44	1.35	1.53	1.82	1.72	1.92
Age 20 to 79	3.04	2.97	3.11	1.51	1.33	1.69	1.80	1.63	1.97	2.31	2.22	2.40
<b>Age 6 to 79</b>	<b>2.90</b>	<b>2.83</b>	<b>2.97</b>	<b>1.41</b>	<b>1.28</b>	<b>1.54</b>	<b>1.66</b>	<b>1.54</b>	<b>1.78</b>	<b>2.16</b>	<b>2.10</b>	<b>2.22</b>
<b>Males</b>												
Age 6 to 11	2.34	2.21	2.46	1.44	1.31	1.57	1.54	1.43	1.65	1.84	1.66	2.02
Age 12 to 19	2.28	2.12	2.43	1.31	1.01	1.61	1.41	1.27	1.55	1.80	1.65	1.95
Age 20 to 39	3.05	2.95	3.15	1.69	1.55	1.83	1.93	1.79	2.07	2.39	2.25	2.53
Age 40 to 59	3.23	3.07	3.40	1.64	1.28	2.00	1.89	1.49	2.29	2.49	2.33	2.65
Age 60 to 79	3.14	2.93	3.34	1.37	1.06	1.68	1.75	1.47	2.03	2.26	2.03	2.49
Age 6 to 19	2.30	2.19	2.41	1.33	1.20	1.46	1.48	1.36	1.60	1.83	1.73	1.93
Age 20 to 79	3.14	3.04	3.25	1.65	1.48	1.82	1.89	1.74	2.04	2.43	2.31	2.55
<b>Age 6 to 79</b>	<b>2.98</b>	<b>2.89</b>	<b>3.07</b>	<b>1.50</b>	<b>1.33</b>	<b>1.67</b>	<b>1.74</b>	<b>1.62</b>	<b>1.86</b>	<b>2.25</b>	<b>2.12</b>	<b>2.38</b>
<b>Females</b>												
Age 6 to 11	2.28	2.12	2.45	1.19	0.92	1.46	1.42	1.09	1.75	1.78	1.61	1.95
Age 12 to 19	2.32	2.11	2.53	1.11	0.92	1.30	1.40	1.20	1.60	1.81	1.59	2.03
Age 20 to 39	2.58	2.43	2.74	1.31	1.01	1.61	1.43	1.19	1.67	2.04	1.91	2.17
Age 40 to 59	3.15	2.99	3.31	1.56	1.16	1.96	1.99	1.75	2.23	2.43	2.22	2.64
Age 60 to 79	3.14	3.07	3.21	1.62	1.45	1.79	1.97	1.65	2.29	2.41	2.28	2.54
Age 6 to 19	2.31	2.15	2.46	1.12	0.99	1.25	1.40	1.25	1.55	1.79	1.63	1.95
Age 20 to 79	2.94	2.85	3.02	1.40	1.24	1.56	1.68	1.47	1.89	2.19	2.12	2.26
<b>Age 6 to 79</b>	<b>2.82</b>	<b>2.75</b>	<b>2.90</b>	<b>1.35</b>	<b>1.23</b>	<b>1.47</b>	<b>1.60</b>	<b>1.45</b>	<b>1.75</b>	<b>2.11</b>	<b>2.05</b>	<b>2.17</b>

  

	Concentration of serum low density lipoproteins - fasted sub-sample											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimoles per litre											
<b>Both sexes</b>												
Age 6 to 11	2.25	2.12	2.38	2.74	2.58	2.90	3.25	3.13	3.37	3.49	3.33	3.65
Age 12 to 19	2.19	2.03	2.35	2.79	2.61	2.97	3.14	2.92	3.36	3.53	3.28	3.78
Age 20 to 39	2.71	2.58	2.84	3.48	3.33	3.63	4.13	3.77	4.49	4.48	4.24	4.72
Age 40 to 59	3.18	3.08	3.28	3.84	3.62	4.06	4.44	4.16	4.72	4.95	4.58	5.32
Age 60 to 79	3.11	2.96	3.26	3.84	3.68	4.00	4.49	4.30	4.68	4.97	4.60	5.34
Age 6 to 19	2.22	2.10	2.34	2.76	2.63	2.89	3.17	3.05	3.29	3.53	3.35	3.71
Age 20 to 79	2.95	2.84	3.06	3.68	3.59	3.77	4.35	4.24	4.46	4.80	4.56	5.04
<b>Age 6 to 79</b>	<b>2.78</b>	<b>2.70</b>	<b>2.86</b>	<b>3.56</b>	<b>3.47</b>	<b>3.65</b>	<b>4.22</b>	<b>4.11</b>	<b>4.33</b>	<b>4.67</b>	<b>4.49</b>	<b>4.85</b>
<b>Males</b>												
Age 6 to 11	2.26	2.10	2.42	2.74	2.57	2.91	3.17	2.98	3.36	3.43	3.12	3.74
Age 12 to 19	2.17	1.96	2.38	2.81	2.62	3.00	3.13	2.85	3.41	3.53	3.31	3.75
Age 20 to 39	2.88	2.66	3.10	3.68	3.44	3.92	4.35	4.00	4.70	4.59	4.30	4.88
Age 40 to 59	3.25	3.02	3.48	3.94	3.65	4.23	4.47	4.23	4.71	4.85	4.45	5.25
Age 60 to 79	3.11	2.77	3.45	3.96	3.68	4.24	4.53	4.22	4.84	4.97	4.48	5.46
Age 6 to 19	2.24	2.11	2.37	2.76	2.62	2.90	3.15	3.00	3.30	3.53	3.33	3.73
Age 20 to 79	3.13	2.91	3.35	3.75	3.57	3.93	4.43	4.30	4.56	4.80	4.63	4.97
<b>Age 6 to 79</b>	<b>2.85</b>	<b>2.74</b>	<b>2.96</b>	<b>3.65</b>	<b>3.52</b>	<b>3.78</b>	<b>4.35</b>	<b>4.22</b>	<b>4.48</b>	<b>4.70</b>	<b>4.54</b>	<b>4.86</b>
<b>Females</b>												
Age 6 to 11	2.22	2.02	2.42	2.74	2.49	2.99	3.28	3.09	3.47	3.50	3.23	3.77
Age 12 to 19	2.22	1.99	2.45	2.79	2.56	3.02	3.16	2.87	3.45	3.67	3.22	4.12
Age 20 to 39	2.43	2.26	2.60	3.06	2.81	3.31	3.80	3.50	4.10	4.30	3.84	4.76
Age 40 to 59	3.15	2.98	3.32	3.80	3.56	4.04	4.34	3.88	4.80	5.06	4.56	5.56
Age 60 to 79	3.11	2.99	3.23	3.80	3.65	3.95	4.44	4.13	4.75	4.97	4.53	5.41
Age 6 to 19	2.22	2.04	2.40	2.76	2.60	2.92	3.27	3.09	3.45	3.62	3.32	3.92
Age 20 to 79	2.82	2.68	2.96	3.59	3.48	3.70	4.19	3.93	4.45	4.80	4.36	5.24
<b>Age 6 to 79</b>	<b>2.71</b>	<b>2.59</b>	<b>2.83</b>	<b>3.45</b>	<b>3.35</b>	<b>3.55</b>	<b>4.08</b>	<b>3.89</b>	<b>4.27</b>	<b>4.66</b>	<b>4.32</b>	<b>5.00</b>

**Note(s):** Total household population aged 6 to 79 based on the fasted sub-sample, except those meeting the exclusion criteria. For more information regarding the exclusion criteria and the limit of detection for serum low density lipoproteins, please refer to the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 49**  
**Distribution of the household population (full sample) by the concentration of serum high density lipoproteins, by age and sex, Canada, 2007 to 2009**

	Concentration of serum high density lipoproteins - full sample											
	Mean			5 <sup>th</sup> percentile		10 <sup>th</sup> percentile		25 <sup>th</sup> percentile				
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimoles per litre											
<b>Both sexes</b>												
Age 6 to 11	1.39	1.34	1.43	0.93	0.87	0.99	1.01	0.95	1.07	1.16	1.10	1.22
Age 12 to 19	1.28	1.24	1.32	0.86	0.79	0.93	0.92	0.88	0.96	1.09	1.04	1.14
Age 20 to 39	1.32	1.27	1.37	0.83	0.78	0.88	0.89	0.85	0.93	1.08	1.03	1.13
Age 40 to 59	1.32	1.26	1.37	0.76	0.67	0.85	0.89	0.81	0.97	1.05	1.00	1.10
Age 60 to 79	1.37	1.32	1.43	0.86	0.80	0.92	0.93	0.90	0.96	1.08	1.03	1.13
Age 6 to 19	1.32	1.28	1.36	0.88	0.83	0.93	0.95	0.91	0.99	1.11	1.07	1.15
Age 20 to 79	1.33	1.28	1.38	0.81	0.74	0.88	0.90	0.85	0.95	1.07	1.03	1.11
<b>Age 6 to 79</b>	<b>1.33</b>	<b>1.28</b>	<b>1.37</b>	<b>0.82</b>	<b>0.76</b>	<b>0.88</b>	<b>0.91</b>	<b>0.87</b>	<b>0.95</b>	<b>1.08</b>	<b>1.04</b>	<b>1.12</b>
<b>Males</b>												
Age 6 to 11	1.41	1.36	1.45	0.94	0.86	1.02	1.06	1.01	1.11	1.19	1.15	1.23
Age 12 to 19	1.23	1.19	1.28	0.80	0.71	0.89	0.90	0.83	0.97	1.06	1.00	1.12
Age 20 to 39	1.19	1.14	1.24	0.75	0.69	0.81	0.85	0.82	0.88	1.01	0.95	1.07
Age 40 to 59	1.17	1.12	1.23	0.71	0.63	0.79	0.82	0.73	0.91	0.97	0.90	1.04
Age 60 to 79	1.24	1.18	1.31	0.80	0.75	0.85	0.88	0.82	0.94	1.01	0.96	1.06
Age 6 to 19	1.30	1.26	1.34	0.86	0.78	0.94	0.93	0.88	0.98	1.10	1.07	1.13
Age 20 to 79	1.19	1.15	1.24	0.75	0.68	0.82	0.84	0.79	0.89	0.99	0.93	1.05
<b>Age 6 to 79</b>	<b>1.21</b>	<b>1.17</b>	<b>1.25</b>	<b>0.76</b>	<b>0.69</b>	<b>0.83</b>	<b>0.86</b>	<b>0.81</b>	<b>0.91</b>	<b>1.01</b>	<b>0.96</b>	<b>1.06</b>
<b>Females</b>												
Age 6 to 11	1.36	1.30	1.43	0.91	0.83	0.99	0.99	0.92	1.06	1.13	1.05	1.21
Age 12 to 19	1.33	1.28	1.38	0.90	0.87	0.93	0.96	0.92	1.00	1.11	1.03	1.19
Age 20 to 39	1.45	1.39	1.51	0.89	0.82	0.96	1.01	0.91	1.11	1.20	1.13	1.27
Age 40 to 59	1.45	1.38	1.53	0.93	0.84	1.02	1.01	0.94	1.08	1.18	1.10	1.26
Age 60 to 79	1.49	1.42	1.56	0.96	0.92	1.00	1.02	0.98	1.06	1.20	1.14	1.26
Age 6 to 19	1.34	1.29	1.39	0.90	0.87	0.93	0.97	0.93	1.01	1.12	1.04	1.20
Age 20 to 79	1.46	1.40	1.52	0.91	0.85	0.97	1.01	0.95	1.07	1.19	1.13	1.25
<b>Age 6 to 79</b>	<b>1.44</b>	<b>1.38</b>	<b>1.50</b>	<b>0.91</b>	<b>0.86</b>	<b>0.96</b>	<b>1.00</b>	<b>0.95</b>	<b>1.05</b>	<b>1.18</b>	<b>1.12</b>	<b>1.24</b>

  

	Concentration of serum high density lipoproteins - full sample											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile		90 <sup>th</sup> percentile		95 <sup>th</sup> percentile				
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimoles per litre											
<b>Both sexes</b>												
Age 6 to 11	1.35	1.30	1.40	1.56	1.50	1.62	1.79	1.72	1.86	1.96	1.86	2.06
Age 12 to 19	1.26	1.22	1.30	1.45	1.42	1.48	1.66	1.61	1.71	1.79	1.71	1.87
Age 20 to 39	1.27	1.23	1.31	1.51	1.43	1.59	1.81	1.72	1.90	2.00	1.89	2.11
Age 40 to 59	1.25	1.19	1.31	1.52	1.46	1.58	1.84	1.73	1.95	2.03	1.92	2.14
Age 60 to 79	1.30	1.24	1.36	1.62	1.54	1.70	1.93	1.76	2.10	2.18	1.99	2.37
Age 6 to 19	1.29	1.25	1.33	1.50	1.46	1.54	1.70	1.64	1.76	1.85	1.77	1.93
Age 20 to 79	1.27	1.22	1.32	1.53	1.47	1.59	1.83	1.74	1.92	2.05	1.95	2.15
<b>Age 6 to 79</b>	<b>1.28</b>	<b>1.23</b>	<b>1.33</b>	<b>1.52</b>	<b>1.47</b>	<b>1.57</b>	<b>1.81</b>	<b>1.73</b>	<b>1.89</b>	<b>2.02</b>	<b>1.93</b>	<b>2.11</b>
<b>Males</b>												
Age 6 to 11	1.38	1.31	1.45	1.58	1.51	1.65	1.80	1.75	1.85	1.97	1.85	2.09
Age 12 to 19	1.21	1.18	1.24	1.40	1.34	1.46	1.57	1.50	1.64	1.76	1.64	1.88
Age 20 to 39	1.17	1.13	1.21	1.35	1.29	1.41	1.56	1.44	1.68	1.69	1.53	1.85
Age 40 to 59	1.13	1.09	1.17	1.33	1.27	1.39	1.63	1.52	1.74	1.76	1.63	1.89
Age 60 to 79	1.16	1.09	1.23	1.41	1.31	1.51	1.70	1.59	1.81	1.94	1.74	2.14
Age 6 to 19	1.26	1.22	1.30	1.48	1.42	1.54	1.69	1.62	1.76	1.82	1.74	1.90
Age 20 to 79	1.15	1.11	1.19	1.35	1.30	1.40	1.62	1.53	1.71	1.78	1.64	1.92
<b>Age 6 to 79</b>	<b>1.18</b>	<b>1.14</b>	<b>1.22</b>	<b>1.38</b>	<b>1.34</b>	<b>1.42</b>	<b>1.64</b>	<b>1.57</b>	<b>1.71</b>	<b>1.79</b>	<b>1.68</b>	<b>1.90</b>
<b>Females</b>												
Age 6 to 11	1.35	1.30	1.40	1.54	1.46	1.62	1.79	1.67	1.91	1.95	1.79	2.11
Age 12 to 19	1.33	1.27	1.39	1.50	1.43	1.57	1.69	1.63	1.75	1.82	1.71	1.93
Age 20 to 39	1.40	1.33	1.47	1.69	1.60	1.78	1.94	1.87	2.01	2.18	2.06	2.30
Age 40 to 59	1.41	1.33	1.49	1.69	1.58	1.80	1.97	1.84	2.10	2.12	1.96	2.28
Age 60 to 79	1.45	1.38	1.52	1.70	1.62	1.78	2.06	1.86	2.26	2.30	2.14	2.46
Age 6 to 19	1.33	1.28	1.38	1.52	1.46	1.58	1.71	1.63	1.79	1.88	1.77	1.99
Age 20 to 79	1.41	1.35	1.47	1.70	1.63	1.77	1.98	1.88	2.08	2.20	2.08	2.32
<b>Age 6 to 79</b>	<b>1.40</b>	<b>1.34</b>	<b>1.46</b>	<b>1.66</b>	<b>1.59</b>	<b>1.73</b>	<b>1.95</b>	<b>1.86</b>	<b>2.04</b>	<b>2.15</b>	<b>2.03</b>	<b>2.27</b>

**Note(s):** Total household population aged 6 to 79 based on the full sample, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.



**Table 50**  
**Distribution of the household population (fasted sub-sample) by the concentration of serum high density lipoproteins, by age and sex, Canada, 2007 to 2009**

	Concentration of serum high density lipoproteins - fasted sub-sample											
	Mean			5 <sup>th</sup> percentile		10 <sup>th</sup> percentile		25 <sup>th</sup> percentile				
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimoles per litre											
<b>Both sexes</b>												
Age 6 to 11	1.43	1.37	1.48	0.94	0.88	1.00	1.03	0.95	1.11	1.21	1.14	1.28
Age 12 to 19	1.25	1.22	1.29	0.83	0.76	0.90	0.93	0.87	0.99	1.06	1.01	1.11
Age 20 to 39	1.33	1.28	1.38	0.84	0.76	0.92	0.89	0.82	0.96	1.12	1.07	1.17
Age 40 to 59	1.33	1.29	1.38	0.76	0.65	0.87	0.90	0.80	1.00	1.09	1.06	1.12
Age 60 to 79	1.37	1.31	1.42	0.87	0.81	0.93	0.94	0.90	0.98	1.07	1.02	1.12
Age 6 to 19	1.32	1.29	1.35	0.88	0.82	0.94	0.97	0.94	1.00	1.11	1.08	1.14
Age 20 to 79	1.34	1.30	1.39	0.82	0.73	0.91	0.90	0.84	0.96	1.09	1.06	1.12
<b>Age 6 to 79</b>	<b>1.34</b>	<b>1.30</b>	<b>1.38</b>	<b>0.83</b>	<b>0.75</b>	<b>0.91</b>	<b>0.92</b>	<b>0.87</b>	<b>0.97</b>	<b>1.09</b>	<b>1.06</b>	<b>1.12</b>
<b>Males</b>												
Age 6 to 11	1.48	1.43	1.53	1.00	0.90	1.10	1.11	1.05	1.17	1.23	1.18	1.28
Age 12 to 19	1.23	1.18	1.27	0.83	0.74	0.92	0.91	0.83	0.99	1.08	1.02	1.14
Age 20 to 39	1.19	1.14	1.24	0.75	0.60	0.90	0.86	0.79	0.93	1.02	0.94	1.10
Age 40 to 59	1.20	1.14	1.26	0.70	0.60	0.80	0.83	0.73	0.93	0.99	0.93	1.05
Age 60 to 79	1.21	1.15	1.27	0.80	0.72	0.88	0.89	0.85	0.93	1.01	0.96	1.06
Age 6 to 19	1.33	1.30	1.36	0.88	0.80	0.96	0.97	0.91	1.03	1.12	1.09	1.15
Age 20 to 79	1.20	1.16	1.23	0.75	0.64	0.86	0.86	0.79	0.93	1.01	0.96	1.06
<b>Age 6 to 79</b>	<b>1.22</b>	<b>1.19</b>	<b>1.25</b>	<b>0.78</b>	<b>0.69</b>	<b>0.87</b>	<b>0.87</b>	<b>0.81</b>	<b>0.93</b>	<b>1.03</b>	<b>1.00</b>	<b>1.06</b>
<b>Females</b>												
Age 6 to 11	1.37	1.29	1.46	0.92	0.84	1.00	0.98	0.90	1.06	1.13	1.01	1.25
Age 12 to 19	1.28	1.24	1.32	0.83	0.72	0.94	0.96	0.90	1.02	1.04	0.96	1.12
Age 20 to 39	1.47	1.41	1.54	0.89	0.78	1.00	1.07	0.94	1.20	1.21	1.14	1.28
Age 40 to 59	1.47	1.37	1.56	0.84	0.63	1.05	1.02	0.91	1.13	1.21	1.11	1.31
Age 60 to 79	1.51	1.43	1.58	0.97	0.90	1.04	1.04	0.98	1.10	1.20	1.12	1.28
Age 6 to 19	1.32	1.27	1.36	0.88	0.80	0.96	0.96	0.92	1.00	1.08	1.00	1.16
Age 20 to 79	1.48	1.41	1.55	0.90	0.81	0.99	1.04	0.96	1.12	1.21	1.14	1.28
<b>Age 6 to 79</b>	<b>1.45</b>	<b>1.39</b>	<b>1.51</b>	<b>0.90</b>	<b>0.83</b>	<b>0.97</b>	<b>1.00</b>	<b>0.95</b>	<b>1.05</b>	<b>1.18</b>	<b>1.12</b>	<b>1.24</b>

  

	Concentration of serum high density lipoproteins - fasted sub-sample											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile		90 <sup>th</sup> percentile		95 <sup>th</sup> percentile				
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	millimoles per litre											
<b>Both sexes</b>												
Age 6 to 11	1.40	1.34	1.46	1.61	1.55	1.67	1.82	1.67	1.97	2.06	1.87	2.25
Age 12 to 19	1.22	1.18	1.26	1.42	1.39	1.45	1.61	1.54	1.68	1.76	1.67	1.85
Age 20 to 39	1.27	1.21	1.33	1.49	1.40	1.58	1.82	1.74	1.90	1.99	1.76	2.22
Age 40 to 59	1.28	1.23	1.33	1.54	1.46	1.62	1.86	1.74	1.98	2.06	1.93	2.19
Age 60 to 79	1.28	1.21	1.35	1.60	1.51	1.69	1.97	1.80	2.14	2.24	2.04	2.44
Age 6 to 19	1.29	1.25	1.33	1.51	1.47	1.55	1.71	1.62	1.80	1.88	1.71	2.05
Age 20 to 79	1.28	1.24	1.32	1.54	1.47	1.61	1.85	1.75	1.95	2.07	1.92	2.22
<b>Age 6 to 79</b>	<b>1.28</b>	<b>1.25</b>	<b>1.31</b>	<b>1.53</b>	<b>1.47</b>	<b>1.59</b>	<b>1.83</b>	<b>1.74</b>	<b>1.92</b>	<b>2.04</b>	<b>1.91</b>	<b>2.17</b>
<b>Males</b>												
Age 6 to 11	1.48	1.40	1.56	1.63	1.58	1.68	1.89	1.72	2.06	2.26	1.98	2.54
Age 12 to 19	1.20	1.15	1.25	1.39	1.32	1.46	1.54	1.38	1.70	1.76	1.58	1.94
Age 20 to 39	1.20	1.15	1.25	1.37	1.30	1.44	1.53	1.42	1.64	1.65	1.50	1.80
Age 40 to 59	1.14	1.09	1.19	1.34	1.27	1.41	1.66	1.47	1.85	1.86	1.63	2.09
Age 60 to 79	1.13	1.09	1.17	1.35	1.26	1.44	1.69	1.55	1.83	1.87	1.65	2.09
Age 6 to 19	1.27	1.22	1.32	1.51	1.46	1.56	1.73	1.64	1.82	1.88	1.74	2.02
Age 20 to 79	1.16	1.13	1.19	1.35	1.31	1.39	1.59	1.48	1.70	1.76	1.64	1.92
<b>Age 6 to 79</b>	<b>1.18</b>	<b>1.15</b>	<b>1.21</b>	<b>1.39</b>	<b>1.36</b>	<b>1.42</b>	<b>1.63</b>	<b>1.54</b>	<b>1.72</b>	<b>1.80</b>	<b>1.69</b>	<b>1.91</b>
<b>Females</b>												
Age 6 to 11	1.36	1.30	1.42	1.57	1.47	1.67	1.82	1.55	2.09	2.04	1.73	2.35
Age 12 to 19	1.25	1.21	1.29	1.46	1.40	1.52	1.61	1.53	1.69	1.75	1.54	1.96
Age 20 to 39	1.42	1.35	1.49	1.74	1.62	1.86	1.94	1.77	2.11	2.20	2.03	2.37
Age 40 to 59	1.41	1.31	1.51	1.70	1.58	1.82	1.95	1.79	2.11	2.23	1.96	2.50
Age 60 to 79	1.45	1.38	1.52	1.73	1.62	1.84	2.13	1.91	2.35	2.32	2.13	2.51
Age 6 to 19	1.30	1.26	1.34	1.49	1.43	1.55	1.69	1.57	1.81	1.89	1.64	2.14
Age 20 to 79	1.42	1.35	1.49	1.72	1.63	1.81	1.99	1.86	2.12	2.23	2.11	2.35
<b>Age 6 to 79</b>	<b>1.39</b>	<b>1.33</b>	<b>1.45</b>	<b>1.67</b>	<b>1.59</b>	<b>1.75</b>	<b>1.95</b>	<b>1.83</b>	<b>2.07</b>	<b>2.20</b>	<b>2.06</b>	<b>2.34</b>

**Note(s):** Total household population aged 6 to 79 based on the fasted sub-sample, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 51**  
**Distribution of the household population (full sample) by the ratio of serum total cholesterol to serum high density lipoproteins, by age and sex, Canada, 2007 to 2009**

	Ratio of serum total cholesterol to serum high density lipoproteins - full sample											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
ratio												
<b>Both sexes</b>												
Age 6 to 11	3.20	3.09	3.30	2.17	2.04	2.30	2.37	2.28	2.46	2.65	2.56	2.74
Age 12 to 19	3.34	3.28	3.40	2.20	2.14	2.25	2.38	2.32	2.44	2.71	2.62	2.80
Age 20 to 39	3.84	3.69	3.99	2.25	2.16	2.34	2.48	2.40	2.57	2.91	2.78	3.04
Age 40 to 59	4.25	4.09	4.42	2.46	2.30	2.62	2.74	2.63	2.85	3.22	3.08	3.36
Age 60 to 79	4.04	3.93	4.15	2.43	2.36	2.50	2.69	2.58	2.81	3.17	3.04	3.31
Age 6 to 19	3.29	3.22	3.36	2.19	2.13	2.25	2.38	2.33	2.43	2.68	2.62	2.74
Age 20 to 79	4.05	3.93	4.18	2.36	2.28	2.44	2.61	2.54	2.69	3.09	2.97	3.20
<b>Age 6 to 79</b>	<b>3.92</b>	<b>3.80</b>	<b>4.03</b>	<b>2.30</b>	<b>2.24</b>	<b>2.36</b>	<b>2.54</b>	<b>2.48</b>	<b>2.60</b>	<b>2.99</b>	<b>2.90</b>	<b>3.09</b>
<b>Males</b>												
Age 6 to 11	3.16	3.06	3.25	2.17	2.02	2.32	2.32	2.24	2.40	2.59	2.45	2.73
Age 12 to 19	3.41	3.28	3.54	2.16	2.01	2.31	2.40	2.26	2.53	2.80	2.66	2.94
Age 20 to 39	4.29	4.08	4.50	2.53	2.28	2.78	2.86	2.66	3.06	3.33	3.08	3.59
Age 40 to 59	4.69	4.47	4.91	2.77	2.52	3.02	3.04	2.93	3.14	3.69	3.49	3.89
Age 60 to 79	4.29	4.16	4.42	2.54	2.35	2.72	2.76	2.54	2.98	3.40	3.26	3.54
Age 6 to 19	3.32	3.22	3.42	2.16	2.07	2.26	2.37	2.29	2.45	2.71	2.59	2.83
Age 20 to 79	4.45	4.29	4.62	2.62	2.44	2.79	2.95	2.81	3.09	3.53	3.35	3.70
<b>Age 6 to 79</b>	<b>4.25</b>	<b>4.11</b>	<b>4.39</b>	<b>2.43</b>	<b>2.30</b>	<b>2.56</b>	<b>2.74</b>	<b>2.61</b>	<b>2.88</b>	<b>3.23</b>	<b>3.09</b>	<b>3.36</b>
<b>Females</b>												
Age 6 to 11	3.24	3.11	3.37	2.16	1.95	2.38	2.43	2.24	2.62	2.68	2.58	2.78
Age 12 to 19	3.26	3.18	3.35	2.22	2.17	2.28	2.37	2.29	2.45	2.65	2.51	2.79
Age 20 to 39	3.39	3.23	3.55	2.12	2.04	2.20	2.33	2.23	2.42	2.68	2.58	2.78
Age 40 to 59	3.82	3.64	4.01	2.30	2.12	2.48	2.56	2.44	2.68	2.97	2.80	3.15
Age 60 to 79	3.81	3.68	3.94	2.42	2.33	2.52	2.61	2.46	2.76	3.02	2.90	3.13
Age 6 to 19	3.25	3.17	3.34	2.20	2.11	2.28	2.39	2.32	2.45	2.66	2.57	2.74
Age 20 to 79	3.66	3.52	3.80	2.25	2.18	2.33	2.45	2.38	2.51	2.84	2.74	2.94
<b>Age 6 to 79</b>	<b>3.59</b>	<b>3.47</b>	<b>3.72</b>	<b>2.24</b>	<b>2.17</b>	<b>2.31</b>	<b>2.44</b>	<b>2.38</b>	<b>2.49</b>	<b>2.81</b>	<b>2.75</b>	<b>2.88</b>

  

	Ratio of serum total cholesterol to serum high density lipoproteins - full sample											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
ratio												
<b>Both sexes</b>												
Age 6 to 11	3.06	2.96	3.16	3.61	3.46	3.77	4.21	3.94	4.47	4.65	4.42	4.89
Age 12 to 19	3.18	3.11	3.24	3.80	3.65	3.94	4.55	4.28	4.81	5.05	4.72	5.38
Age 20 to 39	3.70	3.51	3.88	4.53	4.34	4.73	5.38	5.05	5.72	6.13	5.73	6.52
Age 40 to 59	4.09	3.87	4.31	5.00	4.81	5.19	5.94	5.55	6.33	6.67	6.26	7.07
Age 60 to 79	3.87	3.71	4.03	4.74	4.55	4.92	5.63	5.46	5.79	6.11	5.97	6.25
Age 6 to 19	3.12	3.06	3.18	3.70	3.56	3.84	4.33	4.10	4.56	4.83	4.62	5.03
Age 20 to 79	3.86	3.72	4.01	4.77	4.59	4.95	5.70	5.48	5.93	6.39	6.06	6.71
<b>Age 6 to 79</b>	<b>3.71</b>	<b>3.57</b>	<b>3.85</b>	<b>4.62</b>	<b>4.47</b>	<b>4.78</b>	<b>5.56</b>	<b>5.36</b>	<b>5.75</b>	<b>6.24</b>	<b>5.94</b>	<b>6.53</b>
<b>Males</b>												
Age 6 to 11	3.05	2.94	3.17	3.55	3.45	3.65	4.12	3.86	4.38	4.55	4.36	4.75
Age 12 to 19	3.19	3.14	3.25	3.80	3.62	3.99	4.68	4.35	5.02	5.29	4.61	5.97
Age 20 to 39	4.20	4.00	4.39	4.92	4.73	5.12	5.95	5.57	6.33	6.67	5.83	7.50
Age 40 to 59	4.53	4.28	4.78	5.37	5.06	5.68	6.48	6.05	6.91	7.27	6.34	8.21
Age 60 to 79	4.20	4.04	4.37	5.14	4.96	5.31	5.96	5.79	6.13	6.27	6.06	6.49
Age 6 to 19	3.17	3.10	3.25	3.70	3.54	3.86	4.55	4.27	4.82	5.06	4.65	5.48
Age 20 to 79	4.29	4.13	4.45	5.17	5.01	5.32	6.12	5.84	6.40	6.74	6.31	7.17
<b>Age 6 to 79</b>	<b>4.11</b>	<b>3.93</b>	<b>4.29</b>	<b>5.00</b>	<b>4.87</b>	<b>5.13</b>	<b>6.02</b>	<b>5.77</b>	<b>6.27</b>	<b>6.63</b>	<b>6.32</b>	<b>6.94</b>
<b>Females</b>												
Age 6 to 11	3.06	2.94	3.19	3.67	3.43	3.92	4.21	3.87	4.54	4.71	4.32	5.10
Age 12 to 19	3.10	3.01	3.20	3.73	3.56	3.90	4.17	3.91	4.44	4.73	4.40	5.05
Age 20 to 39	3.18	2.97	3.39	3.91	3.70	4.13	4.73	4.32	5.14	5.26	4.93	5.60
Age 40 to 59	3.64	3.37	3.91	4.46	4.13	4.80	5.30	4.98	5.62	5.89	5.46	6.33
Age 60 to 79	3.62	3.44	3.80	4.41	4.16	4.65	5.25	4.90	5.61	5.98	5.47	6.49
Age 6 to 19	3.09	3.02	3.17	3.72	3.55	3.88	4.20	4.00	4.39	4.73	4.53	4.92
Age 20 to 79	3.48	3.30	3.65	4.25	4.04	4.46	5.12	4.86	5.38	5.64	5.27	6.01
<b>Age 6 to 79</b>	<b>3.38</b>	<b>3.23</b>	<b>3.53</b>	<b>4.15</b>	<b>3.97</b>	<b>4.32</b>	<b>5.00</b>	<b>4.74</b>	<b>5.26</b>	<b>5.52</b>	<b>5.21</b>	<b>5.84</b>

**Note(s):** Total household population aged 6 to 79 based on the full sample, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 52**  
**Distribution of the household population (fasted sub-sample) by the ratio of serum total cholesterol to serum high density lipoproteins, by age and sex, Canada, 2007 to 2009**

	Ratio of serum total cholesterol to serum high density lipoproteins - fasted sub-sample											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	ratio											
<b>Both sexes</b>												
Age 6 to 11	3.02	2.91	3.13	2.06	1.91	2.21	2.22	2.08	2.37	2.53	2.43	2.64
Age 12 to 19	3.25	3.11	3.38	2.19	2.09	2.30	2.37	2.27	2.47	2.66	2.55	2.76
Age 20 to 39	3.65	3.56	3.75	2.27	2.18	2.37	2.46	2.36	2.55	2.80	2.69	2.91
Age 40 to 59	4.07	3.95	4.19	2.26	1.96	2.55	2.62	2.50	2.74	3.11	2.98	3.23
Age 60 to 79	4.03	3.92	4.14	2.40	2.33	2.47	2.66	2.46	2.85	3.11	2.97	3.25
Age 6 to 19	3.16	3.07	3.24	2.12	2.02	2.22	2.30	2.22	2.39	2.60	2.53	2.67
Age 20 to 79	3.90	3.82	3.99	2.29	2.19	2.39	2.53	2.45	2.62	2.98	2.88	3.08
<b>Age 6 to 79</b>	<b>3.76</b>	<b>3.69</b>	<b>3.84</b>	<b>2.26</b>	<b>2.17</b>	<b>2.35</b>	<b>2.47</b>	<b>2.40</b>	<b>2.54</b>	<b>2.87</b>	<b>2.78</b>	<b>2.95</b>
<b>Males</b>												
Age 6 to 11	2.95	2.84	3.06	2.07	1.85	2.30	2.23	2.07	2.39	2.48	2.37	2.60
Age 12 to 19	3.27	3.08	3.46	2.16	1.96	2.36	2.37	2.18	2.56	2.66	2.42	2.89
Age 20 to 39	4.09	3.94	4.24	2.53	2.32	2.75	2.90	2.63	3.17	3.10	2.97	3.24
Age 40 to 59	4.41	4.24	4.59	2.50	2.05	2.95	2.95	2.63	3.28	3.48	3.27	3.70
Age 60 to 79	4.29	4.14	4.45	2.65	2.40	2.91	2.82	2.60	3.04	3.40	3.32	3.48
Age 6 to 19	3.14	3.03	3.25	2.12	2.00	2.24	2.32	2.21	2.43	2.58	2.45	2.71
Age 20 to 79	4.26	4.16	4.37	2.53	2.36	2.70	2.91	2.73	3.10	3.35	3.21	3.50
<b>Age 6 to 79</b>	<b>4.05</b>	<b>3.95</b>	<b>4.15</b>	<b>2.38</b>	<b>2.26</b>	<b>2.50</b>	<b>2.61</b>	<b>2.51</b>	<b>2.72</b>	<b>3.09</b>	<b>3.04</b>	<b>3.14</b>
<b>Females</b>												
Age 6 to 11	3.09	2.94	3.24	2.03	1.85	2.22	2.20	1.97	2.42	2.55	2.42	2.68
Age 12 to 19	3.22	3.08	3.36	2.24	2.08	2.40	2.37	2.27	2.47	2.63	2.50	2.77
Age 20 to 39	3.21	3.06	3.36	2.13	1.92	2.34	2.31	2.22	2.39	2.58	2.51	2.66
Age 40 to 59	3.74	3.51	3.96	2.11	1.79	2.43	2.50	2.24	2.76	2.86	2.69	3.02
Age 60 to 79	3.79	3.61	3.96	2.29	2.09	2.49	2.44	2.32	2.57	2.88	2.74	3.02
Age 6 to 19	3.17	3.07	3.27	2.13	1.98	2.27	2.30	2.20	2.41	2.60	2.53	2.67
Age 20 to 79	3.55	3.41	3.69	2.15	2.00	2.30	2.40	2.32	2.48	2.75	2.69	2.81
<b>Age 6 to 79</b>	<b>3.48</b>	<b>3.37</b>	<b>3.60</b>	<b>2.14</b>	<b>2.01</b>	<b>2.28</b>	<b>2.38</b>	<b>2.29</b>	<b>2.46</b>	<b>2.73</b>	<b>2.66</b>	<b>2.80</b>

  

	Ratio of serum total cholesterol to serum high density lipoproteins - fasted sub-sample											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	ratio											
<b>Both sexes</b>												
Age 6 to 11	2.91	2.81	3.01	3.41	3.21	3.60	3.96	3.75	4.17	4.41	4.09	4.74
Age 12 to 19	3.11	2.94	3.28	3.68	3.48	3.88	4.27	3.84	4.70	4.82	4.44	5.20
Age 20 to 39	3.42	3.22	3.62	4.37	4.24	4.49	5.21	4.96	5.46	5.75	5.51	5.99
Age 40 to 59	3.84	3.61	4.06	4.81	4.57	5.05	5.67	5.48	5.86	6.31	5.62	7.00
Age 60 to 79	3.76	3.57	3.96	4.77	4.60	4.93	5.74	5.41	6.08	6.43	6.08	6.78
Age 6 to 19	3.04	2.93	3.15	3.55	3.42	3.67	4.11	3.90	4.32	4.70	4.48	4.92
Age 20 to 79	3.67	3.56	3.77	4.62	4.46	4.77	5.51	5.36	5.67	6.10	5.87	6.33
<b>Age 6 to 79</b>	<b>3.51</b>	<b>3.44</b>	<b>3.59</b>	<b>4.44</b>	<b>4.28</b>	<b>4.59</b>	<b>5.34</b>	<b>5.19</b>	<b>5.50</b>	<b>5.92</b>	<b>5.69</b>	<b>6.15</b>
<b>Males</b>												
Age 6 to 11	2.88	2.73	3.02	3.31	3.09	3.53	3.72	3.50	3.94	4.07	3.76	4.37
Age 12 to 19	3.19	2.93	3.45	3.69	3.45	3.93	4.35	3.78	4.93	4.83	4.20	5.46
Age 20 to 39	4.11	3.89	4.34	4.76	4.54	4.98	5.61	5.28	5.93	5.86	5.57	6.15
Age 40 to 59	4.29	4.03	4.54	5.00	4.72	5.28	5.90	5.36	6.43	7.05	5.38	8.72
Age 60 to 79	4.23	3.98	4.48	5.15	4.78	5.52	5.92	5.46	6.38	6.27	5.86	6.69
Age 6 to 19	3.06	2.89	3.22	3.54	3.37	3.72	4.07	3.69	4.44	4.68	4.24	5.13
Age 20 to 79	4.15	4.00	4.29	4.96	4.77	5.16	5.75	5.60	5.91	6.27	5.98	6.57
<b>Age 6 to 79</b>	<b>3.85</b>	<b>3.68</b>	<b>4.02</b>	<b>4.77</b>	<b>4.56</b>	<b>4.97</b>	<b>5.61</b>	<b>5.46</b>	<b>5.76</b>	<b>6.12</b>	<b>5.85</b>	<b>6.38</b>
<b>Females</b>												
Age 6 to 11	2.93	2.80	3.07	3.51	3.26	3.76	4.17	3.90	4.44	4.70	4.21	5.19
Age 12 to 19	3.07	2.91	3.23	3.68	3.43	3.94	4.17	3.73	4.62	4.82	4.39	5.25
Age 20 to 39	2.95	2.71	3.19	3.65	3.39	3.91	4.48	4.05	4.91	5.05	4.86	5.24
Age 40 to 59	3.51	3.19	3.83	4.32	3.93	4.70	5.16	4.65	5.67	5.81	5.15	6.47
Age 60 to 79	3.52	3.34	3.69	4.42	4.09	4.74	5.48	4.68	6.29	6.63	5.76	7.50
Age 6 to 19	3.03	2.93	3.12	3.56	3.39	3.74	4.17	3.89	4.44	4.82	4.49	5.15
Age 20 to 79	3.28	3.13	3.43	4.16	3.95	4.37	5.05	4.73	5.37	5.70	5.14	6.27
<b>Age 6 to 79</b>	<b>3.22</b>	<b>3.12</b>	<b>3.32</b>	<b>4.05</b>	<b>3.87</b>	<b>4.23</b>	<b>4.90</b>	<b>4.63</b>	<b>5.17</b>	<b>5.54</b>	<b>5.08</b>	<b>6.00</b>

**Note(s):** Total household population aged 6 to 79 based on the fasted sub-sample, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 53**  
**Distribution of the household population (fasted sub-sample) by the concentration of serum apolipoprotein A1, by age and sex, Canada, 2007 to 2009**

	Concentration of serum apolipoprotein A1 - fasted sub-sample											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	grams per litre											
<b>Both sexes</b>												
Age 6 to 11	1.40	1.36	1.44	1.06	0.96	1.16	1.14	1.07	1.21	1.27	1.23	1.31
Age 12 to 19	1.28	1.25	1.31	1.01	0.96	1.06	1.05	1.01	1.09	1.14	1.11	1.17
Age 20 to 39	1.39	1.35	1.44	1.03	0.92	1.14	1.12	1.06	1.18	1.24	1.20	1.28
Age 40 to 59	1.45	1.41	1.49	1.02	0.93	1.11	1.12	1.04	1.20	1.29	1.26	1.32
Age 60 to 79	1.51	1.46	1.55	1.10	1.04	1.16	1.19	1.14	1.24	1.29	1.25	1.33
Age 6 to 19	1.33	1.30	1.36	1.02	0.97	1.07	1.07	1.03	1.11	1.18	1.15	1.21
Age 20 to 79	1.44	1.40	1.48	1.04	0.97	1.11	1.14	1.08	1.20	1.27	1.24	1.30
<b>Age 6 to 79</b>	<b>1.42</b>	<b>1.38</b>	<b>1.46</b>	<b>1.03</b>	<b>0.97</b>	<b>1.09</b>	<b>1.12</b>	<b>1.07</b>	<b>1.17</b>	<b>1.25</b>	<b>1.22</b>	<b>1.28</b>
<b>Males</b>												
Age 6 to 11	1.44	1.40	1.48	1.15	1.07	1.23	1.21	1.16	1.26	1.29	1.25	1.33
Age 12 to 19	1.27	1.24	1.29	1.01	0.92	1.10	1.05	1.00	1.10	1.13	1.09	1.17
Age 20 to 39	1.31	1.26	1.35	0.93	0.73	1.13	1.07	0.97	1.17	1.18	1.13	1.23
Age 40 to 59	1.37	1.32	1.41	1.02	0.92	1.12	1.06	0.97	1.15	1.24	1.19	1.29
Age 60 to 79	1.39	1.34	1.44	1.04	0.98	1.10	1.11	1.04	1.18	1.24	1.20	1.28
Age 6 to 19	1.34	1.31	1.36	1.03	0.97	1.09	1.08	1.04	1.12	1.19	1.16	1.22
Age 20 to 79	1.35	1.31	1.38	1.01	0.89	1.13	1.07	1.00	1.14	1.21	1.17	1.25
<b>Age 6 to 79</b>	<b>1.34</b>	<b>1.31</b>	<b>1.38</b>	<b>1.02</b>	<b>0.93</b>	<b>1.11</b>	<b>1.07</b>	<b>1.01</b>	<b>1.13</b>	<b>1.20</b>	<b>1.16</b>	<b>1.24</b>
<b>Females</b>												
Age 6 to 11	1.36	1.30	1.42	1.01	0.90	1.12	1.10	1.01	1.19	1.24	1.16	1.32
Age 12 to 19	1.30	1.26	1.34	1.00	0.95	1.05	1.05	1.01	1.09	1.15	1.10	1.20
Age 20 to 39	1.48	1.43	1.54	1.12	1.06	1.18	1.21	1.17	1.25	1.29	1.24	1.34
Age 40 to 59	1.53	1.46	1.60	1.09	0.96	1.22	1.20	1.08	1.32	1.34	1.26	1.42
Age 60 to 79	1.61	1.55	1.68	1.19	1.12	1.26	1.28	1.23	1.33	1.42	1.37	1.47
Age 6 to 19	1.32	1.28	1.37	1.01	0.96	1.06	1.06	1.01	1.11	1.17	1.13	1.21
Age 20 to 79	1.53	1.48	1.59	1.12	1.05	1.19	1.21	1.16	1.26	1.32	1.27	1.37
<b>Age 6 to 79</b>	<b>1.49</b>	<b>1.44</b>	<b>1.55</b>	<b>1.09</b>	<b>1.03</b>	<b>1.15</b>	<b>1.17</b>	<b>1.11</b>	<b>1.23</b>	<b>1.29</b>	<b>1.25</b>	<b>1.33</b>

  

	Concentration of serum apolipoprotein A1 - fasted sub-sample											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	grams per litre											
<b>Both sexes</b>												
Age 6 to 11	1.40	1.36	1.44	1.53	1.47	1.59	1.65	1.58	1.72	1.77	1.68	1.86
Age 12 to 19	1.26	1.23	1.29	1.39	1.35	1.43	1.55	1.48	1.62	1.67	1.58	1.76
Age 20 to 39	1.36	1.33	1.39	1.54	1.47	1.61	1.70	1.62	1.78	1.90	1.75	2.05
Age 40 to 59	1.43	1.38	1.48	1.61	1.54	1.68	1.80	1.72	1.88	1.94	1.85	2.03
Age 60 to 79	1.46	1.41	1.51	1.67	1.61	1.73	1.87	1.77	1.97	2.06	1.94	2.18
Age 6 to 19	1.31	1.28	1.34	1.47	1.43	1.51	1.62	1.57	1.67	1.71	1.64	1.78
Age 20 to 79	1.40	1.36	1.44	1.59	1.54	1.64	1.80	1.74	1.86	1.95	1.88	2.02
<b>Age 6 to 79</b>	<b>1.38</b>	<b>1.34</b>	<b>1.42</b>	<b>1.57</b>	<b>1.53</b>	<b>1.61</b>	<b>1.76</b>	<b>1.70</b>	<b>1.82</b>	<b>1.91</b>	<b>1.83</b>	<b>1.99</b>
<b>Males</b>												
Age 6 to 11	1.44	1.39	1.49	1.59	1.54	1.64	1.66	1.56	1.76	1.84	1.75	1.93
Age 12 to 19	1.26	1.23	1.29	1.36	1.32	1.40	1.53	1.48	1.58	1.62	1.55	1.69
Age 20 to 39	1.30	1.26	1.34	1.43	1.39	1.47	1.57	1.51	1.63	1.64	1.58	1.70
Age 40 to 59	1.34	1.30	1.38	1.50	1.44	1.56	1.67	1.53	1.81	1.80	1.64	1.96
Age 60 to 79	1.35	1.30	1.40	1.49	1.41	1.57	1.73	1.64	1.82	1.80	1.71	1.89
Age 6 to 19	1.31	1.29	1.33	1.48	1.44	1.52	1.62	1.58	1.66	1.70	1.62	1.78
Age 20 to 79	1.33	1.30	1.36	1.46	1.42	1.50	1.63	1.57	1.69	1.76	1.69	1.83
<b>Age 6 to 79</b>	<b>1.33</b>	<b>1.31</b>	<b>1.35</b>	<b>1.47</b>	<b>1.44</b>	<b>1.50</b>	<b>1.62</b>	<b>1.57</b>	<b>1.67</b>	<b>1.76</b>	<b>1.69</b>	<b>1.83</b>
<b>Females</b>												
Age 6 to 11	1.37	1.32	1.42	1.49	1.44	1.54	1.61	1.51	1.71	1.71	1.62	1.80
Age 12 to 19	1.27	1.22	1.32	1.41	1.34	1.48	1.61	1.47	1.75	1.70	1.58	1.82
Age 20 to 39	1.41	1.33	1.49	1.65	1.58	1.72	1.83	1.68	1.98	2.02	1.86	2.18
Age 40 to 59	1.50	1.44	1.56	1.71	1.63	1.79	1.88	1.77	1.99	1.98	1.83	2.13
Age 60 to 79	1.59	1.53	1.65	1.76	1.68	1.84	2.01	1.85	2.17	2.13	1.89	2.37
Age 6 to 19	1.31	1.26	1.36	1.45	1.40	1.50	1.61	1.51	1.71	1.71	1.62	1.80
Age 20 to 79	1.50	1.45	1.55	1.70	1.64	1.76	1.91	1.82	2.00	2.06	1.95	2.17
<b>Age 6 to 79</b>	<b>1.46</b>	<b>1.41</b>	<b>1.51</b>	<b>1.67</b>	<b>1.62</b>	<b>1.72</b>	<b>1.85</b>	<b>1.77</b>	<b>1.93</b>	<b>2.01</b>	<b>1.91</b>	<b>2.11</b>

**Note(s):** Total household population aged 6 to 79 based on the fasted sub-sample, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 54**  
**Distribution of the household population (fasted sub-sample) by the concentration of serum apolipoprotein B, by age and sex, Canada, 2007 to 2009**

	Concentration of serum apolipoprotein B - fasted sub-sample											
	Mean		5 <sup>th</sup> percentile				10 <sup>th</sup> percentile				25 <sup>th</sup> percentile	
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	grams per litre											
<b>Both sexes</b>												
Age 6 to 11	0.71	0.68	0.73	0.48	0.42	0.54	0.52	0.48	0.56	0.61	0.58	0.64
Age 12 to 19	0.71	0.67	0.75	0.46	0.42	0.50	0.50	0.47	0.53	0.57	0.54	0.60
Age 20 to 39	0.84	0.81	0.87	0.53	0.47	0.59	0.59	0.55	0.63	0.68	0.65	0.71
Age 40 to 59	0.96	0.92	0.99	0.57	0.50	0.64	0.65	0.60	0.70	0.79	0.75	0.83
Age 60 to 79	0.99	0.96	1.02	0.58	0.52	0.64	0.69	0.62	0.76	0.82	0.78	0.86
Age 6 to 19	0.71	0.67	0.74	0.46	0.42	0.50	0.52	0.49	0.55	0.59	0.56	0.62
Age 20 to 79	0.92	0.89	0.94	0.56	0.52	0.60	0.63	0.60	0.66	0.75	0.72	0.78
<b>Age 6 to 79</b>	<b>0.88</b>	<b>0.85</b>	<b>0.90</b>	<b>0.52</b>	<b>0.48</b>	<b>0.56</b>	<b>0.59</b>	<b>0.56</b>	<b>0.62</b>	<b>0.70</b>	<b>0.67</b>	<b>0.73</b>
<b>Males</b>												
Age 6 to 11	0.71	0.69	0.74	0.50	0.47	0.53	0.55	0.51	0.59	0.62	0.59	0.65
Age 12 to 19	0.69	0.65	0.74	0.48	0.38	0.58	0.50	0.47	0.53	0.58	0.55	0.61
Age 20 to 39	0.87	0.84	0.90	0.58	0.54	0.62	0.64	0.61	0.67	0.72	0.68	0.76
Age 40 to 59	0.97	0.93	1.01	0.59	0.49	0.69	0.68	0.62	0.74	0.78	0.73	0.83
Age 60 to 79	0.98	0.93	1.03	0.57	0.50	0.64	0.66	0.58	0.74	0.77	0.71	0.83
Age 6 to 19	0.70	0.67	0.74	0.48	0.44	0.52	0.52	0.49	0.55	0.59	0.56	0.62
Age 20 to 79	0.93	0.90	0.96	0.58	0.54	0.62	0.65	0.62	0.68	0.76	0.74	0.78
<b>Age 6 to 79</b>	<b>0.89</b>	<b>0.86</b>	<b>0.92</b>	<b>0.54</b>	<b>0.50</b>	<b>0.58</b>	<b>0.60</b>	<b>0.57</b>	<b>0.63</b>	<b>0.71</b>	<b>0.68</b>	<b>0.74</b>
<b>Females</b>												
Age 6 to 11	0.70	0.66	0.74	0.42	0.35	0.49	0.51	0.42	0.60	0.60	0.56	0.64
Age 12 to 19	0.72	0.67	0.77	0.45	0.40	0.50	0.50	0.46	0.54	0.56	0.50	0.62
Age 20 to 39	0.80	0.75	0.85	0.49	0.41	0.57	0.56	0.49	0.63	0.65	0.61	0.69
Age 40 to 59	0.95	0.90	0.99	0.57	0.49	0.65	0.64	0.57	0.71	0.79	0.72	0.86
Age 60 to 79	1.00	0.97	1.02	0.60	0.51	0.69	0.73	0.65	0.81	0.83	0.79	0.87
Age 6 to 19	0.71	0.67	0.75	0.44	0.40	0.48	0.51	0.47	0.55	0.59	0.54	0.64
Age 20 to 79	0.90	0.87	0.93	0.56	0.50	0.62	0.61	0.57	0.65	0.73	0.69	0.77
<b>Age 6 to 79</b>	<b>0.87</b>	<b>0.84</b>	<b>0.89</b>	<b>0.51</b>	<b>0.46</b>	<b>0.56</b>	<b>0.57</b>	<b>0.53</b>	<b>0.61</b>	<b>0.69</b>	<b>0.65</b>	<b>0.73</b>

  

	Concentration of serum apolipoprotein B - fasted sub-sample											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile			90 <sup>th</sup> percentile			95 <sup>th</sup> percentile		
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
	grams per litre											
<b>Both sexes</b>												
Age 6 to 11	0.69	0.66	0.72	0.79	0.75	0.83	0.92	0.88	0.96	0.96	0.94	0.98
Age 12 to 19	0.70	0.66	0.74	0.82	0.78	0.86	0.91	0.85	0.97	1.03	0.92	1.14
Age 20 to 39	0.81	0.77	0.85	0.98	0.93	1.03	1.11	1.08	1.14	1.19	1.15	1.23
Age 40 to 59	0.94	0.90	0.98	1.10	1.06	1.14	1.27	1.21	1.33	1.34	1.28	1.40
Age 60 to 79	0.97	0.93	1.01	1.15	1.12	1.18	1.30	1.25	1.35	1.39	1.36	1.42
Age 6 to 19	0.70	0.67	0.73	0.81	0.77	0.85	0.91	0.87	0.95	0.97	0.91	1.03
Age 20 to 79	0.90	0.87	0.93	1.07	1.04	1.10	1.22	1.19	1.25	1.32	1.28	1.36
<b>Age 6 to 79</b>	<b>0.85</b>	<b>0.82</b>	<b>0.88</b>	<b>1.03</b>	<b>1.00</b>	<b>1.06</b>	<b>1.20</b>	<b>1.17</b>	<b>1.23</b>	<b>1.30</b>	<b>1.26</b>	<b>1.34</b>
<b>Males</b>												
Age 6 to 11	0.69	0.66	0.72	0.79	0.75	0.83	0.89	0.85	0.93	0.94	0.90	0.98
Age 12 to 19	0.68	0.63	0.73	0.80	0.75	0.85	0.92	0.83	1.01	1.01	0.87	1.15
Age 20 to 39	0.85	0.80	0.90	1.03	0.99	1.07	1.12	1.08	1.16	1.19	1.15	1.23
Age 40 to 59	0.95	0.91	0.99	1.11	1.05	1.17	1.27	1.21	1.33	1.35	1.26	1.44
Age 60 to 79	0.96	0.89	1.03	1.16	1.11	1.21	1.28	1.21	1.35	1.39	1.32	1.46
Age 6 to 19	0.68	0.64	0.72	0.80	0.77	0.83	0.90	0.84	0.96	0.96	0.87	1.05
Age 20 to 79	0.92	0.88	0.96	1.09	1.05	1.13	1.23	1.18	1.28	1.31	1.25	1.37
<b>Age 6 to 79</b>	<b>0.86</b>	<b>0.82</b>	<b>0.90</b>	<b>1.06</b>	<b>1.02</b>	<b>1.10</b>	<b>1.20</b>	<b>1.16</b>	<b>1.24</b>	<b>1.30</b>	<b>1.25</b>	<b>1.35</b>
<b>Females</b>												
Age 6 to 11	0.69	0.64	0.74	0.80	0.74	0.86	0.93	0.88	0.98	0.97	0.92	1.02
Age 12 to 19	0.70	0.65	0.75	0.84	0.79	0.89	0.91	0.85	0.97	1.05	0.88	1.22
Age 20 to 39	0.76	0.71	0.81	0.90	0.83	0.97	1.10	1.03	1.17	1.18	1.09	1.27
Age 40 to 59	0.92	0.87	0.97	1.09	1.05	1.13	1.23	1.14	1.32	1.32	1.22	1.42
Age 60 to 79	0.98	0.95	1.01	1.14	1.08	1.20	1.32	1.24	1.40	1.40	1.22	1.58
Age 6 to 19	0.70	0.66	0.74	0.82	0.77	0.87	0.92	0.88	0.96	1.00	0.92	1.08
Age 20 to 79	0.88	0.85	0.91	1.05	1.02	1.08	1.22	1.16	1.28	1.32	1.25	1.39
<b>Age 6 to 79</b>	<b>0.84</b>	<b>0.81</b>	<b>0.87</b>	<b>1.02</b>	<b>0.99</b>	<b>1.05</b>	<b>1.20</b>	<b>1.15</b>	<b>1.25</b>	<b>1.31</b>	<b>1.24</b>	<b>1.38</b>

**Note(s):** Total household population aged 6 to 79 based on the fasted sub-sample, except those meeting the exclusion criteria. For more information regarding the exclusion criteria and the limit of detection for serum apolipoprotein B, please refer to the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*.

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 55**  
**Distribution of the household population (fasted sub-sample) by the concentration of plasma glucose, by age and sex, Canada, 2007 to 2009**

	Concentration of plasma glucose - fasted sub-sample											
	Mean			5 <sup>th</sup> percentile		10 <sup>th</sup> percentile		25 <sup>th</sup> percentile				
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimoles per litre												
<b>Both sexes</b>												
Age 6 to 11	4.5	4.5	4.6	3.9	3.8	4.0	4.1	4.0	4.2	4.3	4.2	4.4
Age 12 to 19	4.6	4.5	4.7	3.9	3.8	4.0	4.1	3.9	4.3	4.4	4.3	4.5
Age 20 to 39	4.8	4.7	4.9	4.1	4.0	4.2	4.2	4.0	4.4	4.5	4.4	4.6
Age 40 to 59	5.2	5.1	5.3	4.3	4.2	4.4	4.4	4.3	4.5	4.7	4.6	4.8
Age 60 to 79	5.5	5.3	5.6	4.4	4.2	4.6	4.6	4.5	4.7	4.9	4.8	5.0
Age 6 to 19	4.6	4.5	4.7	3.9	3.8	4.0	4.1	4.0	4.2	4.4	4.3	4.5
Age 20 to 79	5.1	5.1	5.2	4.2	4.1	4.3	4.3	4.2	4.4	4.6	4.5	4.7
<b>Age 6 to 79</b>	<b>5.0</b>	<b>5.0</b>	<b>5.1</b>	<b>4.1</b>	<b>4.0</b>	<b>4.2</b>	<b>4.3</b>	<b>4.2</b>	<b>4.4</b>	<b>4.5</b>	<b>4.4</b>	<b>4.6</b>
<b>Males</b>												
Age 6 to 11	4.6	4.5	4.6	4.0	3.8	4.2	4.2	4.1	4.3	4.4	4.3	4.5
Age 12 to 19	4.7	4.6	4.8	3.9	3.7	4.1	4.2	4.0	4.4	4.5	4.4	4.6
Age 20 to 39	4.9	4.8	5.1	4.2	4.0	4.4	4.3	4.2	4.4	4.6	4.5	4.7
Age 40 to 59	5.3	5.1	5.4	4.3	4.1	4.5	4.5	4.3	4.7	4.7	4.6	4.8
Age 60 to 79	5.7	5.4	5.9	4.5	4.3	4.7	4.7	4.5	4.9	5.1	5.0	5.2
Age 6 to 19	4.7	4.6	4.7	3.9	3.7	4.1	4.2	4.1	4.3	4.4	4.3	4.5
Age 20 to 79	5.2	5.1	5.3	4.3	4.2	4.4	4.5	4.3	4.7	4.7	4.6	4.8
<b>Age 6 to 79</b>	<b>5.1</b>	<b>5.1</b>	<b>5.2</b>	<b>4.2</b>	<b>4.1</b>	<b>4.3</b>	<b>4.3</b>	<b>4.2</b>	<b>4.4</b>	<b>4.6</b>	<b>4.5</b>	<b>4.7</b>
<b>Females</b>												
Age 6 to 11	4.5	4.4	4.6	3.9	3.7	4.1	4.0	3.9	4.1	4.3	4.1	4.5
Age 12 to 19	4.5	4.4	4.7	3.8	3.6	4.0	4.0	3.8	4.2	4.3	4.1	4.5
Age 20 to 39	4.7	4.6	4.7	4.0	3.8	4.2	4.1	4.0	4.2	4.4	4.3	4.5
Age 40 to 59	5.1	5.0	5.3	4.2	4.1	4.3	4.4	4.3	4.5	4.6	4.5	4.7
Age 60 to 79	5.3	5.1	5.5	4.3	4.1	4.5	4.5	4.3	4.7	4.8	4.8	4.8
Age 6 to 19	4.5	4.4	4.6	3.9	3.8	4.0	4.0	3.8	4.2	4.3	4.1	4.5
Age 20 to 79	5.0	4.9	5.1	4.1	4.0	4.2	4.3	4.2	4.4	4.5	4.4	4.6
<b>Age 6 to 79</b>	<b>4.9</b>	<b>4.8</b>	<b>5.0</b>	<b>4.0</b>	<b>3.9</b>	<b>4.1</b>	<b>4.2</b>	<b>4.1</b>	<b>4.3</b>	<b>4.5</b>	<b>4.4</b>	<b>4.6</b>

  

	Concentration of plasma glucose - fasted sub-sample											
	50 <sup>th</sup> percentile			75 <sup>th</sup> percentile		90 <sup>th</sup> percentile		95 <sup>th</sup> percentile				
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval	
		From	To		From	To		From	To		From	To
millimoles per litre												
<b>Both sexes</b>												
Age 6 to 11	4.5	4.4	4.6	4.7	4.6	4.8	5.0	4.9	5.1	5.2	5.1	5.3
Age 12 to 19	4.6	4.5	4.7	4.9	4.8	5.0	5.1	4.9	5.3	5.4	5.2	5.6
Age 20 to 39	4.7	4.6	4.8	5.0	4.9	5.1	5.3	5.1	5.5	5.5	5.4	5.6
Age 40 to 59	5.0	4.9	5.1	5.4	5.3	5.5	6.1	5.8	6.4	6.7	6.1	7.3
Age 60 to 79	5.2	5.1	5.3	5.7	5.5	5.9	6.6	6.1	7.1	7.7	6.9	8.5
Age 6 to 19	4.6	4.5	4.7	4.8	4.7	4.9	5.1	5.0	5.2	5.3	5.1	5.5
Age 20 to 79	4.9	4.8	5.0	5.3	5.2	5.4	5.9	5.7	6.1	6.5	6.2	6.8
<b>Age 6 to 79</b>	<b>4.8</b>	<b>4.7</b>	<b>4.9</b>	<b>5.2</b>	<b>5.1</b>	<b>5.3</b>	<b>5.7</b>	<b>5.5</b>	<b>5.9</b>	<b>6.3</b>	<b>6.0</b>	<b>6.6</b>
<b>Males</b>												
Age 6 to 11	4.5	4.4	4.6	4.8	4.7	4.9	5.0	4.9	5.1	5.2	5.0	5.4
Age 12 to 19	4.7	4.6	4.8	5.0	4.9	5.1	5.2	4.9	5.5	5.6	5.4	5.8
Age 20 to 39	4.8	4.7	4.9	5.1	5.0	5.2	5.5	5.3	5.7	5.6	5.5	5.7
Age 40 to 59	5.1	5.0	5.2	5.5	5.3	5.7	6.2	5.9	6.5	6.7	6.3	7.1
Age 60 to 79	5.4	5.2	5.6	5.9	5.6	6.2	7.0	6.1	7.9	8.1	7.2	9.0
Age 6 to 19	4.7	4.6	4.8	4.9	4.8	5.0	5.2	5.0	5.4	5.4	5.2	5.6
Age 20 to 79	5.0	4.9	5.1	5.4	5.3	5.5	6.1	5.9	6.3	6.7	6.4	7.0
<b>Age 6 to 79</b>	<b>5.0</b>	<b>4.9</b>	<b>5.1</b>	<b>5.3</b>	<b>5.2</b>	<b>5.4</b>	<b>5.9</b>	<b>5.7</b>	<b>6.1</b>	<b>6.4</b>	<b>6.1</b>	<b>6.7</b>
<b>Females</b>												
Age 6 to 11	4.5	4.4	4.6	4.7	4.6	4.8	4.9	4.8	5.0	5.2	5.0	5.4
Age 12 to 19	4.6	4.5	4.7	4.8	4.7	4.9	5.0	4.9	5.1	5.1	4.9	5.3
Age 20 to 39	4.6	4.5	4.7	4.9	4.8	5.0	5.2	5.0	5.4	5.5	5.3	5.7
Age 40 to 59	4.9	4.8	5.0	5.3	5.2	5.4	5.9	5.3	6.5	6.7	5.2	8.2
Age 60 to 79	5.1	5.0	5.2	5.5	5.3	5.7	6.2	5.7	6.7	7.0	6.0	8.0
Age 6 to 19	4.5	4.4	4.6	4.7	4.6	4.8	5.0	4.9	5.1	5.1	4.9	5.3
Age 20 to 79	4.8	4.8	4.8	5.2	5.1	5.3	5.7	5.5	5.9	6.3	5.8	6.8
<b>Age 6 to 79</b>	<b>4.8</b>	<b>4.7</b>	<b>4.9</b>	<b>5.1</b>	<b>5.0</b>	<b>5.2</b>	<b>5.6</b>	<b>5.4</b>	<b>5.8</b>	<b>6.2</b>	<b>5.8</b>	<b>6.6</b>

**Note(s):** Total household population aged 6 to 79 based on the fasted sub-sample, except those meeting the exclusion criteria (see the Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 56**  
**Prevalence of hepatitis A antibody within the household population, by age and sex, Canada, 2007 to 2009**

	Prevalence of hepatitis A antibody		
	Estimate	Confidence interval	
		From	To
	percent		
<b>Both sexes</b>			
Age 14 to 19	17.3 <sup>E</sup>	11.5	23.0
Age 20 to 39	28.0	21.4	34.5
Age 40 to 59	42.7	35.6	49.8
Age 60 to 79	64.6	59.6	69.5
<b>Age 14 to 79</b>	<b>39.5</b>	<b>34.3</b>	<b>44.7</b>
<b>Males</b>			
Age 14 to 19	14.5 <sup>E</sup>	6.9	22.0
Age 20 to 39	27.0	20.6	33.4
Age 40 to 59	42.0	31.9	52.2
Age 60 to 79	66.9	60.9	72.9
<b>Age 14 to 79</b>	<b>38.8</b>	<b>32.5</b>	<b>45.0</b>
<b>Females</b>			
Age 14 to 19	20.0 <sup>E</sup>	13.2	26.9
Age 20 to 39	28.9	21.2	36.7
Age 40 to 59	43.4	37.0	49.7
Age 60 to 79	62.5	56.6	68.3
<b>Age 14 to 79</b>	<b>40.2</b>	<b>35.2</b>	<b>45.2</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

**Note(s):** Total household population aged 14 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.

**Table 57**  
**Prevalence of hepatitis B surface antibody within the household population, by age and sex, Canada, 2007 to 2009**

	Prevalence of hepatitis B surface antibody		
	Estimate	Confidence interval	
		From	To
	percent		
<b>Both sexes</b>			
Age 14 to 19	69.7	66.1	73.2
Age 20 to 39	40.6	35.0	46.2
Age 40 to 59	18.1	12.9	23.2
Age 60 to 79	12.5	9.2	15.8
<b>Age 14 to 79</b>	<b>29.4</b>	<b>25.7</b>	<b>33.1</b>
<b>Males</b>			
Age 14 to 19	72.7	68.1	77.3
Age 20 to 39	36.1	28.8	43.3
Age 40 to 59	14.7 <sup>E</sup>	9.0	20.4
Age 60 to 79	10.9 <sup>E</sup>	5.9	16.0
<b>Age 14 to 79</b>	<b>26.8</b>	<b>22.3</b>	<b>31.3</b>
<b>Females</b>			
Age 14 to 19	66.7	61.1	72.2
Age 20 to 39	45.3	38.3	52.4
Age 40 to 59	21.4	15.1	27.8
Age 60 to 79	13.9	10.1	17.7
<b>Age 14 to 79</b>	<b>32.0</b>	<b>27.7</b>	<b>36.4</b>

<sup>E</sup> use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

**Note(s):** Total household population aged 14 to 79, except those meeting the exclusion criteria (see the *Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1*).

**Source(s):** Canadian Health Measures Survey, Cycle 1.