



NOTICES TO MARINERS

WESTERN EDITION

Published monthly by the

CANADIAN COAST GUARD

CONTENTS

	Page
Section 1 Safety and General Information	1, 2
Section 2 Chart Corrections	3
Section 3 Radio Aids to Marine Navigation Corrections	NIL
Section 4 Sailing Directions and Small Craft Guide Corrections	4,5
Section 5 Light List Corrections	NIL

ADVISORY

NOTICES TO SHIPPING (WRITTEN AND BROADCAST)

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

The publication of Notices to Mariners and chart revisions are being delayed by the volume of changes that are taking place.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are published weekly and are available from local Canadian Coast Guard Offices.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together we are preparing an action plan on the issuing of chart revisions.

For further information contact your local Canadian Coast Guard office.

Newfoundland

St. John's MCTS Centre
Phone: (709) 772-2083
Fax: (709) 772-6285

Maritimes

Maritimes Regional Operations Centre
Toll Free in Maritimes 1-800-565-1633
Phone: (902) 426-6030
Fax: (902) 426-6334
<http://www.mar.dfo.mpo.gc.ca/cg/ops/roc.htm>
Website E-Mail: ROCWeb@mar.dfo-mpo.gc.ca

Laurentian

GC\SO\COR
Notices to Shipping
Phone: (418) 648-5410
Fax: (418) 648-7244
E-Mail: OPSAVIS@dfo-mpo.gc.ca

Central & Arctic

Sarnia MCTS Centre
Toll Free in Ontario 1-800-265-0237
Phone: (519) 337-6360
Fax: (519) 337-2498

Pacific

Vancouver Regional Marine Information Centre
Phone: (604) 666-6011
Fax: (604) 666-8453

EXPLANATORY NOTES

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Original Canadian Information - A star (*) adjacent to the Notice number indicates that this notice is based on original Canadian information.

Distances may be calculated as follows:

1 nautical mile	= 1 852 metres (6,076.1 feet)
1 statute mile	= 1 609.3 metres (5,280 feet)
1 metre	= 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) after the Notice number. Nautical charts and publications are not hand amended for Temporary (T) and Preliminary (P) Notices to Mariners. Listings of Charts Affected by Temporary and Preliminary Notices to Mariners are revised and promulgated quarterly, in Section I. Reference should be made to the latest published listing and to the monthly editions of Notices to Mariners published subsequently.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a significant number of permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet - Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.

Monthly edition of Notices to Mariners - *Notices to Mariners* are issued free of charge on a monthly basis. Mariners now have a choice between specific *Regional* issue(s) they wish to receive. Requests to be placed on or removed from the mailing list should be made by using the form inserted on page *xiii* of each monthly edition. Notification of changes to the mailing addresses, regional issues and/or number of copies required should also be transmitted by means of this form.

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & publications* is published in *Notice No. 14* of the current *Annual Edition of Notices to Mariners*. The source supply and the prices effective at the time of printing are listed. This list is periodically updated in the monthly edition of *Notices to Mariners*.

NOTE: Cette publication est aussi disponible en français.

DGPS INITIAL OPERATIONAL SERVICE

The Canadian Coast Guard (CCG) announces that the Differential Global Positioning Service (DGPS) Initial Operational Service (IOS) is available for positioning and navigation.

IOS means the service will provide a DGPS broadcast using the type 9 RTCM message for pseudorange corrections at a data transmission rate of 200 baud. Refer to Radio Aids to Marine Navigation (RAMN) for estimated advertised coverage for each differential station.

Although the service is IOS, users may experience service interruptions without advance notice. Further, CCG advises that IOS DGPS broadcasts should not be used under any circumstances where a sudden system failure or inaccuracy could constitute a safety hazard. Following a one year verification period, the DGPS service will be declared as being a Full Operational Service (FOS).

Users are also advised that differential corrections are based on the NAD 83 datum position of the reference station antenna and positions obtained using DGPS should be referenced to this coordinate system only. DGPS receivers must be set to the WGS 84 datum in order to obtain optimum positioning accuracy.

Table of DGPS Reference Stations in Canada					
Station Name	Id. Nos of reference stations	DGPS Station ID	Geog. Position Latitude Longitude	Frequency [khz]	Bit/s
Cape Race, NFLD	338,339	940	46 46 N 53 11 W	315	200
Cape Ray, NFLD	340,341	942	47 38 N 59 14 W	290	200
Cape Norman, NFLD	342,343	944	51 30 N 55 49 W	310	200
Rigolet, NFLD	344,345	946	54 15 N 58 30 W	299	200
Partridge Island, NB	326,327	939	45 14 N 66 03 W	295	200
Pt. Escuminiac, NB	332,333	936	47 04 N 64 48 W	319	200
Fox Island, NS	336,337	934	45 20 N 61 05 W	307	200
Western Head, NS	334,335	935	43 59 N 64 40 W	312	200
St.-Jean-sur-Richelieu, QC	312,313	929	45 19 N 73 19 W	296	200
Lauzon, QC	316,317	927	46 49 N 71 10 W	309	200
Riviere du Loup, QC	318,319	926	47 46 N 69 36 W	300	200
Moisie, QC	320,321	925	50 12 N 66 07 W	313	200
Warton, ON	310,311	918	44 45 N 81 07 W	286	200
Cardinal, ON	308,309	919	44 47 N 75 25 W	306	200
Alert Bay, BC	300,301	909	50 35 N 126 55 W	309	200
Amphritrite Pt., BC	302,303	908	48 55 N 125 33 W	315	200
Richmond, BC	304,305	907	49 11 N 123 07 W	320	200
Sandspit, BC	306,307	906	53 14 N 131 49 W	300	200

DGPS RECEIVER - WARNING

The Canadian Coast Guard's Differential Global Positioning System (DGPS) broadcast contains built in health information designed to alert a DGPS user receiver of an out of tolerance or fault condition. During testing, it was found that some user DGPS receivers did not process the health information properly. Improper processing by a user equipment can result in incorrect positions.

Please contact your DGPS manufacturer or supplier to ensure that your receiver is capable of processing the DGPS Reference Station Health information correctly.

DGPS USER ALERT

The Canadian Coast Guard received reports in March 97 of DGPS receivers apparently ignoring the broadcast alarm which should signal the immediate discontinuation of a particular satellite correction. Reports indicate that some user equipment does not properly recognize this "do-not-use" correction flag and as a result erroneously processes it as a correction. This can result in position errors as large as 15 kilometers while the receiver is in DGPS mode. DGPS users are advised that they should contact the manufacturer of their equipment immediately to determine if they require a receiver upgrade.

DISCREPANCY REPORT FOR DGPS USERS

Throughout the service validation period, the Coast Guard will be conducting numerous tests of the differential service. To assist the Coast Guard in this validation testing, mariners are requested to complete the attached anomaly report. Please take note of any DGPS service anomalies you experience and forward the completed form to the Director Marine Aids, Fisheries and Oceans Canada, 200 Kent Street, Station 5130, Ottawa, ON, K1A 0E6.

GPS "Rollover" August 1999

The Global Positioning System accounts for time by using a number for every week the service is in operation and accounts for the seconds within each numeric week. It counts weeks using a starting point of midnight (0000) on the evening of January 5, 1980 / morning of January 6, 1980 (UTC), and has increased its count by 1 for each week since then. Both week and seconds are broadcast as part of the GPS message provided by the satellites and are used by receivers in their computations. The GPS week number field in this message can only provide for numbers up to 1024 which means that, at the completion of the week 1023, the week number field will roll over from 1023 back to 0. This will occur at midnight 21-22 August 1999. On 22 August 1999, unless repaired, many GPS receivers will claim that it is 6 January 1980.

It will be the responsibility of the user to account for this changeover, the satellite themselves will simply start broadcasting the new week number. How it will affect your particular GPS unit will depend on what brand and model of receiver you have. Some receivers may merely display inaccurate date information, but others may also calculate incorrect navigation information or might stop providing positions. If the rollover hasn't been taken into account at the time your GPS receiver was designed and built, then the unit might have problems. Some units will require a software upgrade. Mariners are advised to consult with the manufacturers of their receiver's compliance to GPS rollover.

DGPS station anomaly report / Rapport d'anomalie des stations DGPS

With the purpose of constantly evaluating the quality of the DGPS service offered, the Canadian Coast Guard is providing the mariner with the following anomaly report. This report will allow us to get well-supported information concerning the anomaly and thus, will facilitate the identification of the origin of the problem. Please fill accordingly each section of this report and forward it by the suggested ways. You will find a legend at the end of this document.

Avec le souci d'évaluer constamment la qualité du service DGPS offert, la Garde côtière met à la disposition du navigateur le présent rapport d'anomalie. Ce rapport servira à bien documenter l'anomalie et, de ce fait, facilitera l'identification ou la recherche de la source du problème. Nous vous prions de bien remplir chaque section de ce rapport et de l'acheminer de la façon suggérée. Vous trouverez une légende à la fin de ce document.

User informations / Renseignements sur l'utilisateur

Vessel name / Nom du navire: _____ Destination: _____
Vessel position at the beginning of the anomaly /
Position du navire au début de l'anomalie : _____
Vessel position at the end of the anomaly /
Position du navire à la fin de l'anomalie : _____

Anomaly report / Rapport d'anomalie

Date and time of the anomaly / Date et heure de l'anomalie: _____ Duration / Durée: _____
Number of satellites tracked on GPS receiver / Nombre de satellites reçu par le récepteur: _____
DGPS site using / Station DGPS utilisée: Freq.: _____ kHz SS: _____ dB SNR: _____ dB
DOP Geometry / Géométrie DOP : _____
User receiver operates correctly with other DGPS sites? /
Votre équipement DGPS fonctionne-t-il normalement à l'utilisation d'autres stations DGPS?: Yes/ Oui _____ No /
Non _____
Comments / Commentaires: _____

Point of contact / Personne-ressource: Name/ Nom: _____
Phone / Téléphone : _____

Weather conditions / Conditions météo

Winds / Vents : Direction: _____ Speed / Vitesse: _____ KTS
Temp. °C: _____ VIS: _____ N.M.
Sea State / État de la mer : _____
Bearing and range to electrical storm /
Direction et distance de l'orage : _____
Time of the storm / Heure de l'orage: _____ UTC

Essential informations on user equipment to fill / Renseignements indispensables sur l'équipement à remplir:

User equipment informations / Renseignements sur l'équipement

GPS receiver / Récepteur GPS: Make / Fabricant: _____ Model: _____
DGPS beacon receiver / Démodulateur DGPS: Make / Fabricant : _____ Model: _____
Gyro interface with GPS / Gyro intégré avec le GPS? Yes / Oui : _____ No / Non : _____
DGPS interfaced with an ECDIS / DGPS intégré dans un SVCEI? Yes / Oui: _____ No / Non : _____
If yes, please fill below / Si oui, S.V.P. compléter ci-dessous:
ECDIS / SVCEI: Make / Fabricant: _____ Model: _____
Radar image interfaced / Image radar intégrée?: Yes / Oui: _____ No / Non: _____
Gyro interfaced with ECDIS / Gyro intégré avec SVCEI? Yes / Oui: _____ No / Non: _____
Permanent installation or in evaluation / Installation permanente ou en évaluation : _____

This report can be sent the following ways / Ce rapport peut être acheminé selon les façons suivantes:

- 1) Fax / Par télécopieur : 613-998-8428 attention AWAD.
- 2) Mail / Par la poste: Director Marine Aids
Fisheries and Oceans Canada
200 Kent Street, Station 5130
Ottawa, ON
K1A 0E6.

Canada

**Legend/
Légende**

Position	:	Position can be provided by latitude, longitude, bearing and distance, location of a buoy, etc. La position peut être donnée en latitude, longitude, relèvement et distance, emplacement de bouée, etc.
KTS	:	Wind speed in knots / Vitesse du vent en noeuds.
N.M.	:	Visibility in Nautical Miles / Visibilité en milles nautiques.
Freq. kHz	:	Frequency in kilohertz / Fréquence en kilohertz .
SS	:	Signal strength in decibel / Force de signal en décibel.
SNR	:	Signal to noise ratio in decibel / Rapport signal-bruit en décibel .
DOP (dilution of precision)	:	Measure of the geometrical « strength » of the GPS satellite configuration. The DOP is measured on a scale of 1 to 10 / Mesure de la « force » géométrique de la configuration satellite. Le DOP est mesuré sur une échelle de 1 à 10
SVCEI / ECDIS	:	Electronic Chart Display and Information System / Système de Visualisation de Cartes Electroniques et d'Information .

IMPORTANT NOTICE TO USERS

The Canadian Coast Guard Marine Aids Modernization Program

- The Canadian Coast Guard is initiating an aids to navigation modernization program which takes advantage of modern technology and will result in a more equitable, safe, cost-effective and environmentally friendly service across Canada. Low maintenance buoys, solar power, the elimination of diesel power and the application of national provision and design standards, will be used to realize these objectives.
- In consultation with local users, aids to navigation which are redundant, exceed the national standards or should not be publicly funded, will be downsized, privatized or discontinued.
- Regional plans as well as detailed Notices to Shipping and Notices to Mariners will be issued and distributed in the usual manner in advance of all changes to aids to navigation. All users are encouraged to participate in local consultations and to monitor these Notices. It will be every user's responsibility to adapt to the changes and to take the appropriate measures.

1. Redundant Aids to Navigation

Many conventional aids to navigation were established for commercial mariners who now use radar. As a result these users no longer require as many landfall shore lights, large lighted buoys and fog signals and support their discontinuance.

However, before these commercially redundant marine aids are removed, the Coast Guard is assessing, where required, the local needs of small craft operators and redesigning the old commercial aids to meet these needs within national provision policies and design standards.

Coast Guard policy does not provide for the retention of fog horns for pleasure craft, due to the high cost to provide such a service across Canada. However, where practical and where there is local support, the existing redundant fog horns are being transferred to local authorities at no cost.

The conversion of lightstations to solar power allows major economic and environmental benefits by allowing removal of fuel tanks and diesel generators. Although this eliminates the need for many structures, the Coast Guard will protect all heritage lightstations through continued operation or transfer to provincial, municipal or other authorities for local use.

2. Aids to Navigation Standards

In consultation with local users, all aids to navigation systems across Canada are under review. National system design standards will be used to assess these systems. Systems that do not meet these standards will be upgraded; those systems that exceed them will be downsized.

Adjustments in some channels will result in an increase or a decrease in the number of buoys and/or the conversion of some lighted buoys to unlighted buoys displaying reflective material.

Private Aids to Navigation

Although Coast Guard policy does not provide for the establishment of aids to navigation in inadequately charted waters, or where the traffic volume does not justify the cost of the system, some have been established in the past. These aids to navigation will be transferred to local authorities at no cost, with Coast Guard retaining design and regulatory authority under the *Private Buoy Regulations*.

NEW INITIATIVES

The Canadian Coast Guard is also introducing a new differential correction service to augment the satellite-based Global Positioning System (GPS), with 20 transmitting stations fully operational in April 2000.

This Differential Global Positioning System (DGPS), will improve the accuracy and integrity of GPS and will enable mariners who are equipped with the appropriate receivers to identify their precise position in most major southern Canadian waters, including the Great Lakes and the St. Lawrence River.

The use of DGPS in conjunction with Electronic Chart Display and Information Systems (ECDIS), will greatly improve navigation accuracy. The expanding use of this new technology is expected to increase marine safety and thus provide greater environmental protection to Canadian waters. It is also believed that implementation of DGPS will allow further adjustment to conventional aids in the future.

All mariners and shipowners are encouraged to equip their vessels with GPS receivers which have the capability to receive the Differential signals, particularly where there is frequent risk of reduced visibility.

The Canadian Coast Guard believes that the availability of GPS, particularly when augmented by the Differential service, will make Loran C obsolete. Consultations are underway to assess the impact of discontinuing Loran C in Canada.

CENTRAL & ARCTIC REGION

Aids Modernization consultations are continuing throughout the Central and Arctic Region of the Canadian Coast Guard. Mariners are urged to continue to read and monitor Notices to Shipping and Notices to Mariners for the most recent concerning adjustments to aids to navigation. You may also access the Central and Arctic Website at www.ccg-gcc.gc.ca/cen-arc/main.htm for further information.

Mariners and representatives of user groups seeking clarification, having questions, or wishing to provide comments or recommendations concerning any aids to navigation notice may to contact:

Superintendent Marine Aids Program
Canadian Coast Guard
Department of Fisheries & Oceans
201 Front Street North, Suite 703
Sarnia, ON
N7T 8B1

Telephone (519) 383-1859 or (519) 383-1861
Facsimile (519) 383-1989

MONTHLY EDITION OF NOTICES TO MARINERS

MAILING LIST CHANGES

Superintendent, Information and Publications
Marine Navigation Services Directorate
Canadian Coast Guard
Department of Fisheries and Oceans
Ottawa, ON
K1A 0E6

Telephone - (613) 990-3037
Facsimile - (613) 998-8428

Please indicate which edition you would like to receive.

EASTERN EDITION (will be comprised of Arctic, Newfoundland, Maritimes, Gulf & River St. Lawrence and Central areas) _____

WESTERN EDITION (will be comprised of Arctic and Pacific areas) _____

ADD _____ **AMEND** _____ **REMOVE** _____ **NO. OF COPIES** _____

OLD ADDRESS

NAME

STREET **APT**

CITY **POSTAL CODE**

PROVINCE **COUNTRY**

NEW ADDRESS

NAME

STREET **APT**

CITY **POSTAL CODE**

PROVINCE **COUNTRY**

ID number above address on label

or

Attach complete address label to this sheet

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
3061	1				
LC 3513	1				
3738	3				
7621	3				


NEWSLETTER	xiii
CANADIAN COAST GUARD PUBLICATIONS - Annual Summary of Temporary and Preliminary Notices - 2000.....	2
CANADIAN HYDROGRAPHIC SERVICE - Charts.....	1
- Raster Electronic Navigation Chart.....	1

NEWSLETTER NOTICE TO USERS

In our quest to improve our service to our clients, we are implementing the following changes to the Monthly Edition of Notices to Mariners at the start of the new millennium.

CHART CORRECTIONS - SECTION 2

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately. Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts. The illustration below describes the elements that will comprise a typical Section II chart correction.



- (1) Chart Number
- (2) Chart Title
- (3) Most recent chart edition date
- (4) Chart Datum
- (5) Weekly chart correction date
- (6) Chart action
- (7) Notice type

UPCOMING NEW FEATURES

Activity Reports

A Regional Activity Report will be compiled detailing marine aid activities that have not yet been incorporated on charts or related nautical publications. These activity reports will be updated on a monthly basis and are to be used as a reference tool only and should not differ you from using caution when navigating in these areas. Charts and nautical publications will be updated to reflect the changes mentioned in the activity reports as expeditiously as possible.

Paper Mailing List

A renewal subscription address card will be mailed out through the Monthly Edition.

NotMar Internet Site

Publications

As an Internet user you now have access to all the Notices to Mariners publications free of cost. All volumes of the List of Lights, Buoys & Fog Signals as well as the Annual Edition of Notices to Mariners are kept-up-to date on a Monthly basis.

Chart User Profile

Users can set up a 'user profile' account on the site to receive Notices to Mariners chart correction changes via e-mail.

Weekly Posting of Chart Corrections

Chart corrections will soon be posted to the Internet Site on a weekly basis.

We will keep you posted in future Newsletters on the implementation of these new features.

CANADIAN HYDROGRAPHIC SERVICE - Charts.

CHARTS	TITLE & CONTENTS	SCALE	PUBLISHED	CAT #	PRICE
1. New Editions.					
<u>BRITISH COLUMBIA / COLOMBIE-BRITANNIQUE</u>					
3061	Harrison Lake and / et Harrison River	1:40:000	Oct. 29/99	2	\$ 18.00
L/C 3513	Strait of Georgia - Northern Portion / Partie Nord	1:80:000	Oct. 29/99	2	20.00

(AMA8035-10-35)

(DFO-H00-003)

CANADIAN HYDROGRAPHIC SERVICE - Raster Electronic Navigation Charts.**Notes: (1) The following ENC products are only available from:****Nautical Data International Inc.****P.O. Box 127, Station C****St. John's, Newfoundland****A1C 5H5****Telephone: 1-800-563-0634 or 1-709-576-0634****Facsimile: 709-576-0636****(2) For licencing information and rates please contact the distributor, Nautical Data International Inc. (NDI) at the above-mentioned address.**

CHARTS	TITLE & CONTENTS	PUBLISHED	PRICE
1. New Edition.			

BRITISH COLUMBIA/COLOMBIE-BRITANNIQUE

3061R/M	Harrison Lake and/et Harrison River	Oct. 29/99	See Note (2)
(AMA8035-10-35)		(DFO-H00-022)	

CANADIAN COAST GUARD PUBLICATIONS - Annual Summary of Temporary and Preliminary Notices - 2000.

The Annual Summary of Temporary and Preliminary Notices publication is available on demand at the following address:

Canadian Coast Guard
Marine Navigation Services
200 Kent St., Stn. 5N130
Ottawa, Ontario
K1A 0E6

Telephone: (613) 990-3037
Facsimile: (613) 998-8428

This publication is available on Internet: <http://www.notmar.com>

(AMA8035-10-1)

(CCG-H00-030)

3738 - Sarah Island to Swanson Bay - New Edition - 24-MAR-1995 - NAD 1927

11-FEB-2000.

Affix patch

52°45'00.0"N 128°20'00.0"W

7621 – Amundsen Gulf - New chart - 02-MAY-1997 - NAD 83

18-FEB-2000.

On certain copies this aeronautical radiobeacon was positioned incorrectly

Delete aeronautical radio beacon

69°43'42.0"N 121°43'00.0"W

On certain copies

Add aeronautical radio beacon

69°40'22.0"N 121°40'22.0"W

SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

British Columbia, Volume 1, Sixteenth Edition, 1999 —

Page 48 — Paragraph 503, line 1

Delete: 1,852

Replace by: 1,849

(P00-05.1)

Page 48 — Paragraph 504, line 1

Delete: 1,845

Replace by: 1,838

(P00-05.2)

Page 83 — Paragraph 262, line 1

Delete: “1,852 ... 207½”

Replace by: 1,849 m in a 027°41' – 207°41'

(P00-05.3)

Page 102 — Paragraph 140, line 1

Delete: “1,845 ... 323°”

Replace by: 1,838 m in a 142°48' – 322°48'

(P00-05.4)

Page 112 — Paragraph 289, lines 1 and 2

Delete: “on ... landing, is”

Replace by: and Fulford Harbour Dolphin light (244.1), at the ferry landing, are

(P00-12.1)

Page 172 — Paragraph 354, lines 1, 3 and 4

Line 1 — Delete: **Fog signal.** —

Lines 3 and 4 — Delete: “The fog signal” to end of paragraph.

(P00-07.1)

Page 272 — Paragraph 498, lines 2 and 3

Delete: a vertical clearance of 38 m

Replace by: vertical clearances of 38 and 34 m, respectively

(P00-11.1)

Page 279 — Paragraph 591, line 3

Delete: 52

Replace by: 49

(P00-11.2)

SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

British Columbia, Volume 2, Twelfth Edition, 1991 —

Page 98 — Paragraph 137, lines 3 to 7

Delete: “The passage” to end of paragraph.

Replace by: The passage has drying narrows with hazardous tidal rapids 1.8, 6.8 and 7.8 miles north of Charles Head. A rock awash is 0.4 mile NNW of Charles Head. The north part of the passage has **booming grounds**.

(P00-04.1)

Page 198 — Paragraph 76, lines 1, 5 and 6

Line 1 — Delete: **Fog signal**. —

Lines 5 and 6 — Delete: “The fog signal” to end of paragraph.

(P00-08.1)

Chart 3312 — Jervis Inlet and Desolation Sound —

Sheet 2a — Under **Agamemnon Channel**

Overhead Cables Caldwell Island

Delete: 38 m

Replace by: 34 m

(P00-10.1)

Sheet 2a — Under **Jervis Inlet**

Overhead Cables Delete: 52 m

Replace by: 49 m

(P00-10.2)

**CANADIAN COAST GUARD
MARINE INFORMATION REPORT AND SUGGESTION SHEET**

Navigating Officer or Observer: _____ Captain: _____
Ship (or address) _____
If Merchant Vessel add Line or Company with Head Office address: _____
General locality: _____
Subject: _____
Approx. position: _____ Lat. _____ Long. _____
Chart No. used to plot: _____ (Corrected to N/M No. _____ of 2000 _____)
Publications affected: (Quote Volume and page) _____
* Full details (Attach additional sheets as necessary) _____
Time (UTC) _____ Date _____

INSTRUCTIONS:

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

** In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.*

Reports should be made to the nearest Marine Communications and Traffic Services Centre and should be confirmed in writing to:

Director, Marine Aids,
Coast Guard,
Department of Fisheries and Oceans,
Ottawa, Ontario, K1A 0E6

In the case of information Canadian
navigational aids or the List
of Lights, Buoys and Fog
Signals.

OR

Dominion Hydrographer,
Canadian Hydrographic Service,
Department of Fisheries and Oceans,
Ottawa, Ontario, K1A 0E6

In the case of new or suspected
dangers to navigation, or where
corrections to "Sailing Directions"
appear to be necessary.