

**Angled Catch and Effort Data in  
the Atlantic Salmon Recreational  
Fishery, Newfoundland and  
Labrador, 1980**

R.B. Moores, and R.J. Tucker

Research and Resource Services  
Department of Fisheries and Oceans  
P.O. Box 5667  
St. John's, Newfoundland A1C 5X1

April 1981

**Canadian Data Report of  
Fisheries and Aquatic Sciences  
No. 263**



Government of Canada  
Fisheries and Oceans

Gouvernement du Canada  
Pêches et Océans

## **Canadian Data Report of Fisheries and Aquatic Sciences**

These reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of Data Reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was changed with report number 161.

Data Reports are not intended for general distribution and the contents must not be referred to in other publications without prior written clearance from the issuing establishment. The correct citation appears above the abstract of each report.

## **Rapport statistique canadien des sciences halieutiques et aquatiques**

Ces rapports servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des Rapports statistiques reflètent la vaste gamme des intérêts et politiques du Ministère des Pêches et des Océans, notamment gestion des pêches, techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les numéros 1 à 25 de cette série ont été publiés à titre de Records statistiques, Service des pêches et de la mer. Les numéros 26-160 ont été publiés à titre de Rapports statistiques du Service des pêches et de la mer, Ministère des Pêches et de l'Environnement. Le nom de la série a été modifié à partir du numéro 161.

Les Rapports statistiques ne sont pas préparés pour une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au haut du résumé de chaque rapport.

Canadian Data Report of  
Fisheries and Aquatic Sciences 263

April 1981

ANGLED CATCH AND EFFORT DATA IN THE ATLANTIC SALMON  
RECREATIONAL FISHERY, NEWFOUNDLAND AND LABRADOR, 1980

by

R. B. Moores, and R. J. Tucker  
Research and Resource Services  
Department of Fisheries and Oceans  
P. O. Box 5667  
St. John's, Newfoundland A1C 5X1

This is the eleventh Data Report from  
Research and Resource Services, St. John's, Newfoundland.

© Minister of Supply and Services Canada 1981

Cat. No. Fs 97-13/ 263

ISSN 0706-6465

Correct citation for this publication:

Moore, R. B., and R. J. Tucker. 1981. Angled catch and effort data in the Atlantic salmon recreational fishery, Newfoundland and Labrador, 1980. Can. Data Rep. Fish. Aquat. Sci. 263: xiv + 85 p.

## CONTENTS

River Index .....	111
Abstract .....	x1111
Introduction .....	1
Summary .....	4
Acknowledgments .....	11
References .....	11
Data .....	13

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Scheduled	Angling* data	Page**
Pensons Brook	0105640	1	65			ND
Parker River (West River)	0105680	2	46	x	x	15
Bartletts River	0105710	3	40	x	x	15
Upper Brook	0105720	4	39		x	ND
East River (Pistolet Bay)	0105800	5	61	x	x	15
Northwest Brook	0200330	6	5		x	ND
Ireland's Brook	0300590	7	63			ND
West Brook	0300800	8	254	x	x	15
Salmon River (Ariege R.) (Hare Bay)	0300850	9	730	x	x	16
East Brook (Easter Brook)	0401640	10	90	x	x	16
Northeast Brook	0401670	11	257	x	x	16
Beaver Brook (Western Brook)	0401690	12	242	x	x	16
Shoal Brook	0401770	13	44			ND
Northwest Brook (Canada Bay)	0401790	14	108	x	x	17
Cloud River	0401850	15	533	x	x	17
Soufflets River	0402340	16	393	x	x	ND
Little Harbour Deep River	0402500	17	489	x	x	ND
Cat Arm River	0402660	18	745		x	ND
Coney Arm Brook	0402840	19	33			ND
Coney Arm River	0402880	20	146	x	x	17
Main River (Sops Arm)	0403110	21	1048	x	x	17
Doucens Brook	0403120	22	65	x		ND
Corner Brook	0403140	23	49	x		ND
Natlins Brook	0403160	24	27	x		ND
Saltwater Brook	0403250	25	56			ND
Hampden River	0403360	26	126	x	x	ND
Big Chouse Brook	0403410	27	112			ND
Purbeck's Brook	0403520	28	60			ND
Wild Cove Brook (White Bay)	0403580	29	132	x	x	18
Western Arm Brook	0403620	30	74	x	x	18
Middle Arm Brook	0403670	31	328	x	x	18
Southern Arm Brook	0403700	32	65	x	x	18
South West Brook	0504040	33	195	x	x	19
Pacquet Brook (Woodstock Brook)	0504280	34	119	x	x	ND
East Brook (Burlington Brook)	0604820	35	178	x	x	19
South Brook	0605060	36	30			ND
Indian Brook (Indian River)	0605570	37	1261	x	x	19
Riverhead Brook (West River)	0605640	38	484	x	x	19
South Brook	0605680	39	672	x	x	20
Tommy's Arm Brook	0605940	40	242	x	x	20
Sops Arm Brook	0605990	41	62		x	ND
Shoal Arm Brook	0606050	42	87			ND
Pennys Brook	0606100	43	57			ND
Northwest Arm Brook	0606570	44	65	x	x	20
West Arm Brook (Western Arm)	0606720	45	260	x	x	20
New Bay River	0606820	46	205	x	x	21
Charles Brook	0707660	47	65	x	x	21
Northern Arm Brook	0707760	48	181	x	x	21
Peters River	0707780	49	116	x	x	21
Exploits River	0707790	50	11272	x	x	22

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Scheduled	Angling* data	Page **
Rattling Brook	0707810	51	385	x	x	ND
Southwest River	0708150	52	44			ND
Indian Arm Brook (Campbellton River)	0708210	53	296	x	x	22
Jumpers Brook	0708310	54	46			ND
Dog Bay River (Horwood River)	0708480	55	364	x	x	22
Southwest Brook	0708490	56	65			ND
Gander River	0908610	57	6398	x	x	22
Barry's Brook	0908620	58	74			ND
Ragged Harbour River	0908820	59	440	x	x	23
Anchor Brook	0908940	60	13	x	x	ND
Deadman's Brook (Deadman's Bay)	0908950	61	333	x	x	ND
Windmill Brook	0909030	62	12	x	x	23
Southwest River	1009300	63	98			ND
Northwest River (Indian Bay)	1109480	64	65	x	x	23
Indian Bay Brook	1109490	65	703	x	x	23
Northwest River (Trinity)	1109560	66	65	x	x	24
Traverse Brook	1109750	67	404	x	x	24
Middle Brook (Gambo)	1109760	68	276	x	x	24
Gambo Brook	1109780	69	1152	x	x	24
Northwest Brook (Alexander Bay)	1110130	70	97	x	x	25
Terra Nova River	1110220	71	1883	x	x	25
Big Brook	1210570	72	60			ND
Northwest River (Port Blandford)	1210880	73	689	x	x	25
Salmon Brook (Port Blandford)	1210890	74	110	x	x	25
Middle Brook	1210910	75	63			ND
Southwest Brook (Port Blandford)	1210930	76	491	x	x	26
Southwest Brook	1211080	77	181			ND
Southern Bay River	1211600	78	65			ND
Port Union River	1412240	79	45		ND	ND
Salmon Cove River (Champneys)	1512520	80	74	x	x	26
Lockston River	1512550	81	71			ND
Trout River	1512620	82	90	x	x	26
Popes Harbour River	1612750	83	132	x	x	26
Hickmans Harbour River	1612780	84	102			ND
Shoal Harbour River	1613060	85	129	x	x	27
Deer Harbour Brook	1713950	86	67	x	x	ND
Bellevue Brook (Trout Brook)	1714680	87	49	x	x	27
Spread Eagle Brook	1714870	88	57			27
Heart's Delight Brook	1815060	89	45			ND
Heart's Content Brook	1815150	90	48			ND
Salmon Cove River	2115720	91	68	x	x	27
Harbour Grace Brook	2115810	92	65			ND
South River	2115820	93	38		x	ND
Spaniard's Bay Brook	2215880	94	65			ND
Shearstown Brook	2215910	95	31			ND
North River	2215970	96	61	x	x	28
South River	2215990	97	67	x	x	28
Salmon River	2216180	98	62			ND
North Arm River (Holyrood)	2216220	99	86	x	x	28
South Brook	2216240	100	37			ND
Seal Cove River	2216270	101	53			ND
Lower Gullies River	2216290	102	21			ND
Manuels River	2216370	103	68			ND
Pièrres Brook	2517140	104	65			ND
Cape Broyle River	2517350	105	66		x	28
Renews River	2617640	106	76	x	x	29
Chance Cove Brook	2617740	107	88			ND
Biscay Bay River	2700230	108	239	x	x	29
Northeast Brook (Trepassey)	2700360	109	21	x	x	29
Northwest Brook (Trepassey)	2700380	110	178	x	x	29
St. Shott's River	2800650	111	97			ND
Peter's River (St. Mary's Bay (SMB))	2800860	112	144	x	x	30
Crossing Place River	2801050	113	216			ND
Little Harbour River	2801650	114	184			ND
Salmonier River	2801690	115	257	x	x	30
Colinet River	2801920	116	158	x	x	30
Rocky River	2801930	117	296			ND
North Harbour River (SMB)	2802060	118	74	x	x	30
Little Salmonier River (SMB)	2802170	119	123	x	x	31
Big Barachois River (SMB)	2802210	120	83	x	x	31

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Scheduled	Angling* data	Page **
Little Barachois Brook	2802240	121	50			ND
Red Head River	2802330	122	71			ND
Beckford River	2802350	123	43			ND
Branch River	2802380	124	118	x	x	31
Lance River	2802480	125	53			ND
Cuslett Brook	2802690	126	36			ND
Great Barasway Brook (Placentia Bay)	2902820	127	68	x	x	31
Little Barasway Brook	2902880	128	39			ND
Southeast River (Placentia)	2902980	129	140	x	x	32
Northeast River (Placentia)	2903070	130	94	x	x	32
Placentia Sound River	2903150	131	34			ND
Ship Harbour Brook	2903190	132	34			ND
Come By Chance River	3003740	133	64	x	x	32
Watsons Brook	3003830	134	65	x	x	32
North Harbour River	3003880	135	96	x	x	33
Black River	3004090	136	200	x	x	33
Pipers Hole River	3004160	137	781	x	x	33
Sandy Harbour River	3004480	138	462			ND
Channel Harbour River	3105060	139	65		x	ND
Paradise River	3105180	140	490			ND
Black River	3105210	141	205			ND
Nonsuch Brook	3105470	142	30	x	x	33
Cape Roger Brook	3105560	143	93	x	x	34
Bay de l'Eau River	3105760	144	152	x	x	34
Rushoon River	3105920	145	59			ND
Northeast Branch (Red Harbour)	3105990	146	65	x	x	34
Red Harbour River	3106000	147	73	x	x	34
Northwest Brook	3206370	148	85	x	x	35
Tides Brook	3206410	149	179	x	x	ND
Big Salmonier Brook	3206950	150	33	x	x	35
St. Lawrence River	3207150	151	63	x	x	35
Lawn River	3207280	152	38	x	x	35
Taylor Bay Brook	3207520	153	70	x	x	36
Salmonier River (Lamaline)	3207570	154	115	x	x	36
Pierceys Brook	3207670	155	65	x	x	36
Grand Bank Brook	3308040	156	67	x	x	36
Garnish River	3308440	157	212	x	x	37
Devil Brook	3308540	158	58			ND
Terrenceville Brook	3409170	159	115		x	ND
Long Harbour River (Fortune Bay)	3409780	160	1102	x	x	37
Rencontre Brook	3410270	161	195			ND
Belle Harbour River	3410430	162	46			ND
Northeast Brook	3410650	163	142			ND
Northwest Brook	3410700	164	86			ND
Bay du Nord River	3410790	165	1171	x	x	37
Salmon River	3410920	166	196			ND
Simmons Brook	3410940	167	39	x	x	37
Southwest Brook	3411000	168	6	x	x	38
Mose Ambrose Brook	3411240	169	65		x	ND
Old Brook (Old Bay Brook)	3511530	170	40	x	x	38
Taylor's Bay Brook	3511560	171	31	x	x	38
Little River	3613110	172	183		x	ND
Conne River	3613350	173	602	x	x	38
Southeast Brook	3613410	174	84		x	39
Northwest Brook	3613490	175	111			ND
Long Reach Brook	3614020	176	4	x	x	39
Salmon River (East Bay)	3614070	177	2708		x	39
Hughes Brook	3614230	178	65		x	ND
D'Espoir Brook (North Bay)	3614260	179	285		x	39
Allan's Cove Brook	3614760	180	41	x	x	40
Bottom Brook (Facheaux Bay R.)	3614850	181	175	x	x	40
Brent Cove Brook	3614930	182	44		x	ND
Morgan Brook	3615220	183	178	x	x	ND
Dolland Brook	3615270	184	688	x	x	40
Grey River	3716620	185	2394	x	x	40
White Bear River	3717440	186	2027	x	x	41
Bay de Loup Brook	3717720	187	55	x	x	41
Kelly Brook	3717740	188	65		x	ND
Kings Harbour Brook	3717770	189	128	x	x	41
Grandy Brook	3817890	190	264	x	x	41

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Scheduled	Angling* data	Page**
Connoire Brook	3818190	191	311			ND
Couteau Brook	3818340	192	65			ND
Cinq Cerf Brook	3818490	193	205	x	x	42
East Bay Brook (La Poile)	3818760	194	57	x	x	42
La Poile River	3818800	195	588	x	x	42
Farmers Brook (Farmers Arm)	3819030	196	89	x	x	42
Garia Brook (River)	3819100	197	228	x	x	43
Northwest River (Garia Bay)	3819120	198	119	x	x	43
Rose Blanche Brook	3919460	199	84			ND
Grandys Brook (Burnt Island R.)	3919590	200	273	x	x	43
Isle aux Morts River	3919820	201	214	x	x	43
Grand Bay River	3920100	202	134	x	x	44
Northwest Brook	3920110	203	65	x		ND
Southwest Brook	3920250	204	49		x	ND
Bear Cove Brook	4000020	205	30	x	x	44
Little Codroy River	4000140	206	224	x	x	44
Grand Codroy River	4000330	207	956	x	x	44
Ryans Brook	4000360	208	65	x		ND
Brooms Brook	4000370	209	65	x		ND
Highlands River	4000830	210	183	x	x	ND
Crabbes Brook	4000860	211	551	x	x	45
Barachois Brook	4000900	212	241	x	x	45
Robinsons River	4000920	213	439	x	x	45
Fischells Brook	4000960	214	360	x	x	45
Barry Brook	4000970	215	31			ND
Middle Brook	4000980	216	30			ND
Journois Brook	4000990	217	64			ND
Flat Bay Brook	4101080	218	635	x	x	46
Little Barachois Brook	4101110	219	354	x	x	46
Southwest and Bottom Brooks	4101150	220	814	x	x	46
Harrys River	4101200	221	816	x	x	46
Blanche Brook	4101260	222	124			ND
Gaudon's Brook	4101270	223	65			ND
Romaines Brook	4101300	224	98			ND
Georges Brook (Mainland Brook)	4201510	225	65			ND
John Whites Brook (Lourdes Brook)	4301570	226	65			ND
Victors Brook	4301580	227	65			ND
Harrys Brook	4301600	228	65			ND
Fox Island River (Fox Brook)	4301920	229	194	x	x	ND
Little River	4301940	230	65			ND
Lewis Brook	4402010	231	33			ND
Serpentine River (Coal River)	4402090	232	433	x	x	47
Wild Cove Brook	4402100	233	80			ND
Blow Me Down Brook	4402250	234	64			ND
Clarks Brook	4402340	235	34			ND
Cooks Brook	4402370	236	101	x	x	ND
Humber River	4402430	237	7679	x	x	47
Hughes Brook	4402450	238	132	x	x	ND
Gillams Brook	4402520	239	45			ND
Cox's Brook	4402640	240	55			ND
Goose Arm Brook	4402740	241	212	x	x	47
Liverpool Brook	4403210	242	64			ND
Lower Crabb Brook	4403280	243	83		x	ND
Trout River	4503520	244	254	x	x	47
Lomond River	4503920	245	470	x	x	48
Deer Brook	4504040	246	126	x	x	48
Western Brook	4604220	247	192	x	x	48
Parsons Pond River	4604560	248	388	x	x	48
Portland Head Creek	4604590	249	65			ND
Portland Creek	4604620	250	985	x	x	49
Bowing Brook	4704650	251	55			ND
Bound Brook	4704660	252	66			ND
Table Point Brook	4704670	253	65			ND
River of Ponds	4704740	254	861	x	x	49
Little Brook Pond	4704750	255	76	x	x	49
Torrent River	4704800	256	619	x	x	ND
Little East River	4704810	257	20			ND
East River (Big East River)	4704840	258	136	x	x	49
Castors River	4805030	259	544	x	x	50
Doctors Brook	4905090	260	65			ND



River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Scheduled	Angling* data	Page**
Cy's Brook	4905120	261	65			ND
Otter Brook	4905150	262	65			ND
St. Genevieve River	4905170	263	318	x	x	50
West Brook (Western Arm Brook)	4905190	264	149	x	x	50
East River (Eastern Arm Brook)	4905200	265	43	x	x	50
Green Island Brook	4905370	266	14			ND
Eddies Cove Brook	4905390	267	90		x	ND
Big Brook	4905460	268	212	x	x	51
Watts Bight Brook (Watsons Brook)	4905510	269	95	x	x	ND
Forteau Brook	5000120	270	389	x	x	55
L'Anse-a-Loup River	5000220	271	130		x	ND
Pinware River	5000360	272	2486	x	x	55
Temple Brook	5000940	273	181			ND
St. Charles River	5101420	274	311			ND
Trout River (St. Mary's River)	5101520	275	414	x	x	55
St. Lewis River	5101720	276	2590		x	ND
Alexis River	5102500	277	3160			55
Shinneys Waters	5102680	278	313	x	x	55
Gilbert River	5102820	279	642	x	x	55
Hawke River	5104500	280	1891	x	x	56
Black Bear River	5105240	281	645			ND
Reed's Pond River	5105560	282	233	x		ND
Sand Hill River	5205820	283	1614	x	x	56
Dykes River	5206440	284	337			ND
Paradise River	5206600	285	5276			ND
Eagle River	5206820	286	10824	x	x	56
White Bear River	5206880	287	1075		x	ND
North River	5207320	288	1389			ND
Flatwater Brook	5207740	289	51			ND
English River	5209000	290	640			ND
Kenemich River	5210020	291	699			ND
Kenamu River	5210100	292	4403			ND
Goose River	5210760	293	3432			ND
Naskaupi River	5211040	294	12691			ND
Sebaskachu River	5211500	295	580			ND
Mulligan River	5211620	296	1062			ND
Double Mer Brook	5212880	297	1425	x		ND
Double Mer River	5212910	298	855			ND
Tom Luscombe Brook	5213520	299	1010	x		ND
West Brook (Double Brook)	5213620	300	149			ND
Middle Brook (Double Brook)	5213660	301	323			ND
St. Michael's River (Shellbird River)	5214280	302	285	x	x	56
Jeannette Bay Brook	5214440	303	67			ND
Tukialik Brook	5214840	304	47			ND
Pamiulik River	5314880	305	394			ND
Stag Bay Brook	5314940	306	155			ND
Rattling Brook	5315020	307	285			ND
Big River	5315040	308	2849	x	x	57
Adlavik River	5315080	309	233			ND
Adlavik Bay Brook	5315120	310	39			ND
Makkovik Brook	5315520	311	111			ND
Makkovik River	5315640	312	259		x	ND
Unnamed	5316060	313	399			ND
Kaipokak River	5316080	314	2499			ND
Unnamed	5316260	315	326			ND
Little Bay River	5317600	316	243	x		ND
Adlatok River	5317900	317	11106	x	x	ND
Hunt River	5319220	318	1344	x	x	57
Flowers River	5319480	319	1443	x	x	57
Sango Brook	5319660	320	805			ND
Notakwanon River	5319740	321	4999			ND

\* Letter x indicates that angling data are available prior to 1980.

\*\* Letters ND indicate that angling data were not obtained in 1980.

Statistical Sections	Page
1 .....	61
3 .....	61
4 .....	61
5 .....	61
6 .....	62
7 .....	62
9 .....	62
11 .....	62
12 .....	63
15 .....	63
16 .....	63
17 .....	63
21 .....	64
22 .....	64
25 .....	64
26 .....	64
27 .....	65
28 .....	65
29 .....	65
30 .....	65
31 .....	66
32 .....	66
33 .....	66
34 .....	66
35 .....	67
36 .....	67
37 .....	67
38 .....	67
39 .....	68
40 .....	68
41 .....	68
44 .....	68
45 .....	69
46 .....	69
47 .....	69
48 .....	69
49 .....	70
50 .....	70
51 .....	70
52 .....	70
53 .....	71
 Statistical Areas	
A .....	75
B .....	75
C .....	75
D .....	75
E .....	76
F .....	76
G .....	76
H .....	76
I .....	77
J .....	77
K .....	77
L .....	77
M .....	78
N .....	78
O .....	78
 Fishing and Industry Areas	
1 .....	81
2 .....	81
3 .....	81
4 .....	81
5 .....	82
 Insular Newfoundland .....	
Labrador .....	85
Province .....	85

River Name	River code	Map #	Drainage Area (km <sup>2</sup> )	Scheduled	Angling* data	Page**
Adlatok River	5317900	317	11106	x	x	ND
Adlavik Bay Brook	5315120	310	39			ND
Adlavik River	5315080	309	233			ND
Alexis River	5102500	277	3160		x	55
Allan's Cove Brook	3614760	180	41	x	x	40
Anchor Brook	0908940	60	13	x	x	ND
Barachois Brook	4000900	212	241	x	x	45
Barry Brook	4000970	215	31			ND
Barry's Brook	0908620	58	74			ND
Bartletts River	0105710	3	40	x	x	15
Bay de l'Eau River	3105760	144	152	x	x	34
Bay de Loup Brook	3717720	187	55	x	x	41
Bay du Nord River	3410790	165	1171	x	x	37
Bear Cove Brook	4000020	205	30	x	x	44
Beaver Brook (Western Brook)	0401690	12	242	x	x	16
Beckford River	2802350	123	43			ND
Belle Harbour River	3410430	162	46			ND
Bellevue Brook (Trout Brook)	1714680	87	49	x	x	27
Big Barachois River (SMB)	2802210	120	83	x	x	31
Big Brook	1210570	72	60		x	ND
Big Brook	4905460	268	212	x	x	51
Big Chouse Brook	0403410	27	112			ND
Big River	5315040	308	2849	x	x	57
Big Salmonier Brook	3206950	150	33	x	x	35
Biscay Bay River	2700230	108	239	x	x	29
Black Bear River	5105240	281	645			ND
Black River	3004090	136	200	x	x	33
Black River	3105210	141	205			ND
Blanche Brook	4101260	222	124			ND
Blow Me Down Brook	4402250	234	64			ND
Bottom Brook (Facheaux Bay R.)	3614850	181	175	x	x	40
Bound Brook	4704660	252	66			ND
Bowing Brook	4704650	251	55			ND
Branch River	2802380	124	118	x	x	31
Brent Cove Brook	3614930	182	44		x	ND
Brooms Brook	4000370	209	65	x		ND
Cape Broyle River	2517350	105	66		x	28
Cape Roger Brook	3105560	143	93	x	x	34
Castors River	4805030	259	544	x	x	50
Cat Arm River	0402660	18	745		x	ND
Chance Cove Brook	2617740	107	88			ND
Channel Harbour River	3105060	139	65		x	ND
Charles Brook	0707660	47	65	x	x	21
Cinq Cerf Brook	3818490	193	205	x	x	42
Clarke Brook	4402340	235	34			ND
Cloud River	0401850	15	533	x	x	17
Colinet River	2801920	116	158	x	x	30
Come By Chance River	3003740	133	64	x	x	32
Coney Arm Brook	0402840	19	33			ND
Coney Arm River	0402880	20	146	x	x	17
Conne River	3613350	173	602	x	x	38
Connoire Brook	3818190	191	311			ND
Cooks Brook	4402370	236	101	x	x	ND
Corner Brook	0403140	23	49	x		ND
Couteau Brook	3818340	192	65			ND
Cox's Brook	4402640	240	55			ND
Crabbes Brook	4000860	211	551	x	x	45
Crossing Place River	2801050	113	216			ND
Cuslett Brook	2802690	126	36			ND
Cy's Brook	4905120	261	65			ND
Deadman's Brook (Deadman's Bay)	0908950	61	333	x	x	ND
Deer Brook	4504040	246	126	x	x	48
Deer Harbour Brook	1713950	86	67	x	x	ND
D'Espoir Brook (North Bay)	3614260	179	285		x	39
Devil Brook	3308540	158	58			ND
Doctors Brook	4905090	260	65			ND
Dog Bay River (Horwood River)	0708480	55	364	x	x	22
Dolland Brook	3615270	184	688	x	x	40
Double Mer Brook	5212880	297	1425	x		ND

River Name	River code	Map #	Drainage Area (km <sup>2</sup> )	Scheduled	Angling* data	Page**
Double Mer River	5212910	298	855			ND
Douciers Brook	0403120	22	65	x		ND
Dykes River	5206440	284	337			ND
Eagle River	5206820	286	10824	x	x	56
East Bay Brook (La Poile)	3818760	194	57	x	x	42
East Brook (Burlington Brook)	0604820	35	178	x	x	39
East Brook (Easter Brook)	0401640	10	90	x	x	16
East River (Big East River)	4704840	258	136	x	x	49
East River (Eastern Arm Brook)	4905200	265	43	x	x	50
East River (Pistolet Bay)	0105800	5	61	x	x	15
Eddies Cove Brook	4905390	267	90		x	ND
English River	5209000	290	640			ND
Exploits River	0707790	50	11272	x	x	22
Farmers Brook (Farmers Arm)	3819030	196	89	x	x	42
Fischells Brook	4000960	214	360	x	x	45
Flat Bay Brook	4101080	218	635	x	x	46
Flatwater Brook	5207740	289	51			ND
Flowers River	5319480	319	1443	x	x	57
Forteau Brook	5000120	270	389	x	x	55
Fox Island River (Fox Brook)	4301920	229	194	x	x	ND
Gambo Brook	1109780	69	1152	x	x	24
Gander River	0908610	57	6398	x	x	22
Garia Brook (River)	3819100	197	228	x	x	43
Garnish River	3308440	157	212	x	x	37
Gaudon's Brook	4101270	223	65			ND
Georges Brook (Mainland Brook)	4201510	225	65			ND
Gilbert River	5102820	279	642	x	x	55
Gillams Brook	4402520	239	45			ND
Goose Arm Brook	4402740	241	212	x	x	47
Goose River	5210760	293	3432			ND
Grand Bank Brook	3308040	156	67	x	x	36
Grand Bay River	3920100	202	134	x	x	44
Grand Codroy River	4000330	207	956	x	x	44
Grandy Brook	3817890	190	264	x	x	41
Grandys Brook (Burnt Island R.)	3919590	200	273	x	x	43
Great Barasway Brook (Placentia Bay)	2902820	127	68	x	x	31
Green Island Brook	4905370	266	14			ND
Grey River	3716620	185	2394	x	x	40
Hampden River	0403360	26	126	x	x	ND
Harbour Grace Brook	2115810	92	65			ND
Harrys Brook	4301600	228	65			ND
Harrys River	4101200	221	816	x	x	46
Hawke River	5104500	280	1891	x	x	56
Heart's Content Brook	1815150	90	48			ND
Heart's Delight Brook	1815060	89	45			ND
Hickmans Harbour River	1612780	84	102			ND
Highlands River	4000830	210	183	x	x	ND
Hughes Brook	3614230	178	65		x	ND
Hughes Brook	4402450	238	132	x	x	ND
Humber River	4402430	237	7679	x	x	47
Hunt River	5319220	318	1344	x	x	57
Indian Arm Brook (Campbellton River)	0708210	53	296	x	x	22
Indian Bay Brook	1109490	65	703	x	x	23
Indian Brook (Indian River)	0605570	37	1261	x	x	19
Ireland's Brook	0300590	7	63			ND
Isle aux Morts River	3919820	201	214	x	x	43
Jeannette Bay Brook	5214440	303	67			ND
John Whites Brook (Lourdes Brook)	4301570	226	65			ND
Journois Brook	4000990	217	64			ND
Jumpers Brook	0708310	54	46			ND
Kaipokak River	5316080	314	2499			ND
Kelly Brook	3717740	188	65		x	ND
Kenamu River	5210100	292	4403			ND
Kenemich River	5210020	291	699			ND
Kings Harbour Brook	3717770	189	128	x	x	41
La Poile River	3818800	195	588	x	x	42
Lance River	2802480	125	53			31
L'Anse-a-Loup River	5000220	271	130		x	ND
Lawn River	3207280	152	38	x	x	35
Lewis Brook	4402010	231	33			ND

River Name	River code	Map #	Drainage Area (km <sup>2</sup> )	Scheduled	Angling* data	Page**
Little Barachois Brook	2802240	121	50			ND
Little Barachois Brook	4101110	219	354	x	x	46
Little Barasway Brook	2902880	128	39			ND
Little Bay River	5317600	316	243	x		ND
Little Brook Pond	4704750	255	76	x	x	49
Little Codroy River	4000140	206	224	x	x	44
Little East River	4704810	257	20			ND
Little Harbour Deep River	0402500	17	489	x	x	ND
Little Harbour River	2801650	114	184			ND
Little River	3613110	172	183		x	ND
Little River	4301940	230	65			ND
Little Salmonier River (SMB)	2802170	119	123	x	x	31
Liverpool Brook	4403210	242	64			ND
Lockston River	1512550	81	71			ND
Lomond River	4503920	245	470	x	x	48
Long Harbour River (Fortune Bay)	3409780	160	1102	x	x	37
Long Reach Brook	3614020	176	4	x	x	39
Lower Crabb Brook	4403280	243	83		x	ND
Lower Gullies River	2216290	102	21			ND
Main River (Sops Arm)	0403110	21	1048	x	x	17
Makkovik Brook	5315520	311	111			ND
Makkovik River	5315640	312	259		x	ND
Manuels River	2216370	103	68			ND
Middle Arm Brook	0403670	31	328	x	x	18
Middle Brook	1210910	75	63			ND
Middle Brook	4000980	216	30			ND
Middle Brook (Double Brook)	5213660	301	323			ND
Middle Brook (Gambo)	1109760	68	276	x	x	24
Morgan Brook	3615220	183	178	x	x	ND
Mose Ambrose Brook	3411240	169	65		x	38
Mulligan River	5211620	296	1062			ND
Naskaupi River	5211040	294	12691			ND
Natlins Brook	0403160	24	27	x		ND
New Bay River	0606820	46	205	x	x	21
Nonsuch Brook	3105470	142	30	x	x	33
North Arm River (Holyrood)	2216220	99	86	x	x	28
North Harbour River	3003880	135	96	x	x	33
North Harbour River (SMB)	2802060	118	74	x	x	ND
North River	2215970	96	61	x	x	28
North River	5207320	288	1389			ND
Northeast Branch (Red Harbour)	3105990	146	65	x	x	34
Northeast Brook	0401670	11	257	x	x	16
Northeast Brook	3410650	163	142			ND
Northeast Brook (Trepassey)	2700360	109	21	x	x	29
Northeast River (Placentia)	2903070	130	94	x	x	32
Northern Arm Brook	0707760	48	181	x	x	21
Northwest Arm Brook	0606570	44	65	x	x	20
Northwest Brook	0200330	6	5		x	ND
Northwest Brook	3206370	148	85	x	x	35
Northwest Brook	3410700	164	86			ND
Northwest Brook	3613490	175	111			39
Northwest Brook	3920110	203	65	x		ND
Northwest Brook (Alexander Bay)	1110130	70	97	x	x	24
Northwest Brook (Canada Bay)	0401790	14	108	x	x	17
Northwest Brook (Trepassey)	2700380	110	178	x	x	29
Northwest River (Garia Bay)	3819120	198	119	x	x	43
Northwest River (Indian Bay)	1109480	64	65	x		23
Northwest River (Port Blandford)	1210880	73	689	x	x	25
Northwest River (Trinity)	1109560	66	65	x	x	24
Notakwanon River	5319740	321	4999			ND
Old Brook (Old Bay Brook)	3511530	170	40	x	x	38
Otter Brook	4905150	262	65			ND
Pacquet Brook (Woodstock Brook)	0504280	34	119	x	x	ND
Pamiulik River	5314880	305	394			ND
Paradise River	3105180	140	490			ND
Paradise River	5206600	285	5276			ND
Parker River (West River)	0105680	2	46	x	x	15
Parsons Pond River	4604560	248	388	x	x	48
Pennys Brook	0606100	43	57			ND
Pensons Brook	0105640	1	65			ND

River Name	River code	Map #	Drainage		Angling*		Page**
			Area (km <sup>2</sup> )	Scheduled	data		
Peters River	0707780	49	116	x	x	21	
Peter's River (St. Mary's Bay (SMB))	2800860	112	144	x	x	30	
Pierceys Brook	3207670	155	65	x	x	36	
Pierres Brook	2517140	104	65			ND	
Pinware River	5000360	272	2486	x	x	55	
Pipers Hole River	3004160	137	781	x	x	33	
Placentia Sound River	2903150	131	34			ND	
Popes Harbour River	1612750	83	132	x	x	26	
Port Union River	1412240	79	45		ND	ND	
Portland Creek	4604620	250	985	x	x	49	
Portland Head Creek	4604590	249	65			ND	
Purbeck's Brook	0403520	28	60			ND	
Ragged Harbour River	0908820	59	440	x	x	23	
Rattling Brook	0707810	51	385	x	x	ND	
Rattling Brook	5315020	307	285			ND	
Red Harbour River	3106000	147	73	x	x	34	
Red Head River	2802330	122	71			ND	
Reed's Pond River	5105560	282	233	x		ND	
Rencontre Brook	3410270	161	195			ND	
Renews River	2617640	106	76	x	x	29	
River of Ponds	4704740	254	861	x	x	49	
Riverhead Brook (West River)	0605640	38	484	x	x	19	
Robinsons River	4000920	213	439	x	x	45	
Rocky River	2801930	117	296			ND	
Romaines Brook	4101300	224	98			ND	
Rose Blanche Brook	3919460	199	84			ND	
Rushoon River	3105920	145	59			ND	
Ryans Brook	4000360	208	65	x		ND	
Salmon Brook (Port Blandford)	1210890	74	110	x	x	25	
Salmon Cove River	2115720	91	68	x	x	27	
Salmon Cove River (Champneys)	1512520	80	74	x	x	26	
Salmon River	2216180	98	62			28	
Salmon River	3410920	166	196			ND	
Salmon River (Ariege R.) (Hare Bay)	0300850	9	730	x	x	16	
Salmon River (East Bay)	3614070	177	2708		x	39	
Salmonier River	2801690	115	257	x	x	30	
Salmonier River (Lamalaine)	3207570	154	115	x	x	36	
Saltwater Brook	0403250	25	56			ND	
Sand Hill River	5205820	283	1614	x	x	56	
Sandy Harbour River	3004480	138	462			ND	
Sango Brook	5319660	320	805			ND	
Seal Cove River	2216270	101	53			ND	
Sebaskachu River	5211500	295	580			ND	
Serpentine River (Coal River)	4402090	232	433	x	x	47	
Shearstown Brook	2215910	95	31			ND	
Shinneys Waters	5102680	278	313	x	x	55	
Ship Harbour Brook	2903190	132	34			ND	
Shoal Arm Brook	0606050	42	87			ND	
Shoal Brook	0401770	13	44			ND	
Shoal Harbour River	1613060	85	129	x	x	27	
Simmons Brook	3410940	167	39	x	x	37	
Sops Arm Brook	0605990	41	62		x	ND	
Soufflets River	0402340	16	393	x	x	ND	
South Brook	0605060	36	30			ND	
South Brook	0605680	39	672	x	x	20	
South Brook	2216240	100	37			ND	
South River	2115820	93	38		x	ND	
South River	2215990	97	67	x	x	28	
South West Brook	0504040	33	195	x	x	19	
Southeast Brook	3613410	174	84		x	39	
Southeast River (Placentia)	2902980	129	140	x	x	32	
Southern Arm Brook	0403700	32	65	x	x	18	
Southern Bay River	1211600	78	65			ND	
Southwest and Bottom Brooks	4101150	220	814	x	x	46	
Southwest Brook	0708490	56	65			ND	
Southwest Brook	1211080	77	181			ND	
Southwest Brook	3411000	168	6	x	x	38	
Southwest Brook	3920250	204	49		x	ND	
Southwest Brook (Port Blandford)	1210930	76	491	x	x	26	
Southwest River	0708150	52	44			ND	

River Name	River code	Map #	Drainage Area (km <sup>2</sup> )	Scheduled	Angling* data	Page**
Southwest River	1009300	63	98		x	ND
Spaniard's Bay Brook	2215880	94	65			ND
Spread Eagle Brook	1714870	88	57			27
St. Charles River	5101420	274	311			ND
St. Genevieve River	4905170	263	318	x	x	50
St. Lawrence River	3207150	151	63	x	x	35
St. Lewis River	5101720	276	2590		x	ND
St. Michael's River (Shellbird River)	5214280	302	285	x	x	56
St. Shott's River	2800650	111	97			ND
Stag Bay Brook	5314940	306	155			ND
Table Point Brook	4704670	253	65			ND
Taylor Bay Brook	3207520	153	70	x	x	36
Taylor's Bay Brook	3511560	171	31	x	x	38
Temple Brook	5000940	273	181			ND
Terra Nova River	1110220	71	1883	x	x	25
Terrenceville Brook	3409170	159	115		x	ND
Tides Brook	3206410	149	179	x	x	ND
Tom Luscombe Brook	5213520	299	1010	x		ND
Tommy's Arm Brook	0605940	40	242	x	x	20
Torrent River	4704800	256	619	x	x	ND
Traverse Brook	1109750	67	404	x	x	24
Trout River	4503520	244	254	x	x	47
Trout River (St. Mary's River)	5101520	275	414	x	x	55
Trouty River	1512620	82	90	x	x	26
Tukialik Brook	5214840	304	47			ND
Unnamed	5316060	313	399			ND
Unnamed	5316260	315	326			ND
Upper Brook	0105720	4	39		x	ND
Victors Brook	4301580	227	65			ND
Watsons Brook	3003830	134	65	x	x	32
Watts Bight Brook (Watsons Brook)	4905510	269	95	x	x	ND
West Arm Brook (Western Arm)	0606720	45	260	x	x	20
West Brook	0300800	8	254	x	x	15
West Brook (Double Brook)	5213620	300	149			ND
West Brook (Western Arm Brook)	4905190	264	149	x	x	50
Western Arm Brook	0403620	30	74	x	x	18
Western Brook	4604220	247	192	x	x	48
White Bear River	3717440	186	2027	x	x	41
White Bear River	5206880	287	1075		x	ND
Wild Cove Brook	4402100	233	80			ND
Wild Cove Brook (White Bay)	0403580	29	132	x	x	ND
Windmill Brook	0909030	62	12	x	x	23

\* Letter x indicates that angling data are available prior to 1980.

\*\* Letters ND indicate that angling data were not obtained in 1980.

## ABSTRACT

Moore, R. B., and R. J. Tucker. 1981. Angled catch and effort data in the Atlantic salmon recreational fishery, Newfoundland and Labrador, 1980. Can. Data Rep. Fish. Aquat. Sci. 263: ~~xiv~~ 85 p. ( )

The 1980 Atlantic salmon recreational fishery in Newfoundland and Labrador was one of the more successful on record. Anglers harvested 42,460 Atlantic salmon with an effort of 109,280 rod days. CUE was 0.39. Angling effort in insular Newfoundland increased by 26% over 1979 but was comparable with the 1975-79 mean effort of 101,965 rod days. Total catch for insular Newfoundland was up by 19% over 1979 and 12% over the 1975-79 mean catch. Catch and effort in Labrador declined slightly in comparison with the 1979 catch and 1975-79 mean catch. Numbers of large salmon angled in 1980 was 2811 which is double the 1979 catch and 28% higher than the 1975-79 mean catch. This may suggest some recovery in large salmon stocks in the province. High water levels provided good angling conditions in 1980.

Key words: Atlantic salmon, angled catch, effort, rod days, catch per unit effort (CUE).

## RÉSUMÉ

Moore, R. B., and R. J. Tucker. 1981. Angled catch and effort data in the Atlantic salmon recreational fishery, Newfoundland and Labrador, 1980. Can. Data Rep. Fish. Aquat. Sci. 263: xiv + 85 p.

L'année 1980 a été l'une des années records pour la pêche sportive du saumon de l'Atlantique à Terre-Neuve et au Labrador. Les pêcheurs ont capturé 42 460 saumons, pour un effort de 109 280 jours de pêche. Les PUE s'élevaient à 0,39. L'effort de pêche dans l'île de Terre-Neuve a augmenté de 26 pour cent par rapport à 1979, mais était pratiquement au même niveau que l'effort moyen de 1975 à 1979, soit 101 965 jours de pêche. Les prises totales pour l'île de Terre-Neuve ont augmenté de 19 pour cent par rapport à 1979 et de 12 pour cent par rapport aux prises moyennes de 1975 à 1979. Au Labrador, les prises et l'effort ont diminué légèrement par rapport aux prises de 1979 et aux prises moyennes de 1975 à 1979. Le nombre de grands saumons capturés en 1980 s'est élevé à 2 811, soit le double des prises de 1979 et une augmentation de 28 pour cent par rapport aux prises moyennes de 1975 à 1979. Cette hausse pourrait être le signe d'un certain rétablissement des stocks de grands saumons de la province. Le niveau élevé des eaux a assuré de bonnes conditions de pêche en 1980.



## INTRODUCTION

This is the eighth annual angling data report published since 1973 by the Freshwater and Anadromous Fisheries Management Program (Button and Wells 1974, 1975; Moores 1976; Moores et al. 1977, 1978; Moores and Tucker 1978, 1979, 1980). The data are provided by the Conservation and Protection Branch, Department of Fisheries and Oceans, Newfoundland Region. Data include both an observed or known fishing effort and catch, and an estimated quantity. The observed census data are normally collected by seasonal river guardians during surveillance of the annual Atlantic salmon migration. The data are submitted to the fisheries officer or warden who, in consultation with the guardian, estimates the catch and effort that occurred but were not observed. Normally factors such as manpower, patrol time, angling pressure, weather, river conditions and personal knowledge of the salmon migration are used to determine the estimated quantities. The angling pressure and accessibility to the rivers had increased to such a degree during the 1970's that observation and recording of total effort and angling catch had become impossible. The addition of the estimated quantity was incorporated into the angling data in 1974 to provide consistency in the reporting.

This report also includes calculated catch-per-unit-effort (CUE). The CUE, defined as the number of fish angled per rod day (a rod day being a day or any part thereof in which an individual angles) is one of the important tools used to assess the condition of not only the total Atlantic salmon stock, but individual populations as well. It is especially valuable for early detection of declines in fish populations that would otherwise appear healthy from high catch statistics which are disguised by increases in effort.

The format of the 1980 report is similar to that of previous years. The data are presented by rivers, statistical sections, statistical areas and Fishing and Industry Areas (Fig. 1 and 2). Rivers are tabulated according to their assigned seven digit code (Waldron 1974) which commence at Cape Norman on the northern tip of the Great Northern Peninsula and proceed consecutively and clockwise around insular Newfoundland and into Labrador. The seven digit codes, developed for quick identification and location of rivers as well as for computer coding, denote not only the individual river numbers but also the statistical section (developed by the Economics and Intelligence Branch in 1968) in which the mouth of the river is located. For example: Humber River is coded 4402430. The number 44 indicates the statistical section and the 02430 is the individual river number.

Data are broken down by weekly effort and catch and include number of grilse (<2.7 kg), number of salmon (≥2.7 kg), and weight of largest fish caught. Angled catch represents only upstream migrants or bright salmon. There is no kelt or black salmon fishery in Newfoundland or Labrador.




Fig. 1. Location of rivers in insular Newfoundland with existing and historic ( $\blacktriangle$ ) Atlantic salmon populations. Boundaries of Fishing and Industry areas, statistical areas and statistical sections are also indicated.




Fig. 2 Location of rivers in Labrador with existing Atlantic salmon populations. Boundaries of Fishing and Industry areas, statistical areas and statistical sections are indicated.

## SUMMARY

In contrast with the previous five years, normal to high water levels were prevalent in Newfoundland and Labrador rivers during 1980 and provided good angling conditions in the Atlantic salmon recreational fishery. As a result of these conditions plus an apparent increase in river escapement of Atlantic salmon, the recreational harvest reached near record levels for 1980. This was in spite of a lower bag limit and a restricted season in some areas. In 1980, the bag limit was two salmon per day but unlike 1979 the reduced limit was in effect for the entire season and large salmon could be included as part of the catch.

Total provincial catch for 1980 was 42,460 Atlantic salmon (Table 1, Fig. 3). In terms of past years, it was 9% higher than the 1975-79 mean catch and one of only six recorded provincial catches to exceed 40,000 fish. The catch was comprised of 39,649 grilse and 2811 large salmon. The number of large salmon angled is higher than the 1170 fish recorded for 1979 and the two previous five year means (1970-74, 1975-79) and suggest an increase in river escapement of large salmon for 1980. This corroborated the good catch of large salmon in the 1980 commercial salmon fishery. It was also possible that the reduced angling season and high water levels allowed many large salmon to safely reach their spawning areas. The angling effort for 1980 was 109,280 rod days, which was a 24% increase over 1979 but comparable with the 1975-79 mean of 108,001 rod days. The increase over 1979 may have resulted from the good angling conditions and the fact that river closures imposed due to low water levels in past years were not necessary in 1980. Catch per unit effort (CUE) was 0.39, which is lower than 1979 but on average higher than recorded for recent years. Observations from some rivers suggest that the CUE for 1980 would have been higher if daily catch limits had been higher.

Insular Newfoundland contributed 89% of the provincial catch and in excess of 95% of angling effort. These percentages remain relatively unchanged from previous years. Total catch for insular Newfoundland was 37,771 Atlantic salmon of which 35,849 were grilse, and 1922 were large salmon (Table 2, Fig. 4). Grilse catch was the highest ever recorded for insular Newfoundland. Large salmon catch in 1980 more than doubled over 1979, was higher than the 1970-74, 1975-79 mean catches but still remains below pre 1970 levels. Angling effort was 104,332 rod days. This was the highest in three years but below record levels set in 1974 and 1976-77. The CUE was 0.36 for insular Newfoundland.

In general, Labrador continued to provide the best fishing. CUE was 0.95 (Table 3) with four rivers having CUE's above 1.00. The high CUE probably reflects the low fishing effort at prime angling spots rather than the overall health of Labrador salmon stocks. Total catch in 1980 was 4689 Atlantic salmon, of which 3800 were grilse and 889 large salmon. The number of large salmon angled was up by 46% from 1979 and was 16% higher than the previous 1975-79 mean. Grilse catch was down by 8% from the previous year and 11% from the 1975-79 mean catch. Angling effort for 1980 was down from previous years due in part to the closure of a fishing camp on Hunt River.

Table 1. Angled catch, effort and catch per unit effort of Atlantic salmon in Newfoundland and Labrador, 1953-80. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (<2.7 kg)	Salmon (≥2.7 kg)	Total catch	CUE	Percent grilse
1953	43024	13564	2461	16025	0.37	84
1954	28672	7409	2050	9459	0.33	78
1955	22628	9942	1718	11660	0.52	85
1956	53499	14515	2561	17076	0.32	85
1957	33897	18739	3306	22045	0.65	85
1958	35085	18768	3521	22289	0.64	84
1959	27038	17007	2813	19820	0.54	85
1960	36393	16302	2068	18370	0.50	88
1961	37129	14492	2560	17052	0.46	84
1962	49982	23501	2680	26181	0.52	89
1963	62072	29258	4024	33282	0.54	87
1964	74330	37872	4610	42482	0.57	89
1965	70069	31151	3796	34947	0.50	89
1966	71033	31068	3558	34626	0.49	89
1967	75894	24719	3157	27876	0.37	88
1968	79629	33195	2549	35744	0.45	92
1969	85692	37842	2703	40545	0.47	93
1970	90220	34472	2695	37167	0.41	92
1971	80686	30623	2088	32711	0.41	93
1972	74384	27371	1804	29175	0.39	93
1973	96706	43004	2932	45936	0.48	93
1974	113691	28986	2016	31002	0.27	93
1975	107116	37362	1568	38930	0.36	95
1976	123002	40189	1881	42070	0.34	95
1977	119070	38946	4041	42987	0.36	90
1978	102905	31310	2330	33640	0.33	93
1979	87911	35287	1170	36457	0.41	97
1980	109280	39649	2811	42460	0.39	93
Means and standard deviations						
1955-59	34429.4	15794.2	2783.8	18578.0	0.54	85
S.D.	11813.8	3703.7	707.6	4400.2	0.13	0.4
1960-64	51981.2	24285.0	3188.4	27473.4	0.52	87
S.D.	16346.7	9612.3	1075.6	10631.8	0.04	2.0
1965-69	76463.4	31595.0	3152.6	34747.6	0.45	90
S.D.	6439.9	4725.9	534.9	4524.2	.05	2.2
1970-74	91137.4	32891.2	2307.0	35198.2	0.39	93
S.D.	15251.4	6237.7	481.3	6694.2	.08	0.4
1975-79	108000.8	36618.8	2198.0	38816.8	0.36	94
S.D.	13945.5	3488.2	1114.5	3884.4	0.03	2.6

Table 2. Angled catch, effort and catch per unit effort of Atlantic salmon in insular Newfoundland, 1953-80. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (<2.7 kg)	Salmon (>2.7 kg)	Total catch	CUE	Percent grilse
1953	43024	13564	2461	16025	0.37	85
1954	28505	6933	1722	8705	0.31	80
1955	21974	9662	1466	11128	0.51	87
1956	53092	14338	2364	16702	0.31	86
1957	33211	17489	2969	20458	0.62	85
1958	34444	17393	3451	20844	0.61	83
1959	36277	15687	2681	18368	0.51	85
1960	35750	15359	1977	17336	0.48	89
1961	36024	13312	2322	15634	0.43	85
1962	49035	22251	2557	24808	0.51	90
1963	60769	27465	3827	31292	0.51	88
1964	71541	35122	4154	39276	0.55	89
1965	66647	28806	3169	31975	0.48	90
1966	66414	27753	2852	30605	0.46	91
1967	72557	22513	2568	25081	0.35	90
1968	75575	29419	1884	31303	0.41	94
1969	82046	34965	2310	37275	0.45	94
1970	84912	30459	2133	32592	0.38	93
1971	75788	26689	1602	28291	0.37	94
1972	69219	24424	1380	25804	0.37	95
1973	88435	35512	1923	37435	0.42	95
1974	108199	26485	1213	27698	0.26	96
1975	102907	33390	1241	34631	0.34	96
1976	115847	34463	1051	35514	0.31	97
1977	111836	34352	2755	37107	0.33	93
1978	96657	28619	1563	30182	0.31	95
1979	82578	31169	561	31730	0.38	98
1980	104332	35849	1922	37771	0.36	95
Means and standard deviations						
1955-59	35799.6	14913.8	2586.2	17500.0	0.51	85
S.D.	11168.4	3212.8	742.9	3934.6	0.12	1.5
1960-64	50623.8	22701.8	2967.4	25669.2	0.49	88
S.D.	15631.4	8933.6	963.4	9844.4	0.04	1.9
1965-69	72647.8	28691.0	2556.6	31247.8	0.43	92
S.D.	6553.1	4442.7	493.8	4338.8	0.05	2.0
1970-74	85310.6	28713.8	1650.2	30364.0	.36	94.6
S.D.	14861.2	4379.8	378.8	4668.0	.06	1.14
1975-79	101965.0	32398.6	1434.2	33832.8	.33	95.8
S.D.	13182.0	2492.8	822.7	2825.5	.03	1.9

Table 3. Angled catch, effort and catch per unit effort of Atlantic salmon in Labrador, 1954-80. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (<2.7 kg)	Salmon (≥2.7 kg)	Total catch	CUE	Percent grilse
1954	167	476	278	754	4.51	63
1955	654	380	252	532	0.81	53
1956	407	177	197	374	0.92	47
1957	686	1250	337	1587	2.31	79
1958	641	1375	70	1445	2.25	95
1959	761	1320	132	1452	1.91	91
1960	643	943	91	1034	1.61	91
1961	1105	1180	238	1418	1.28	83
1962	947	1250	123	1373	1.45	91
1963	1303	1793	197	1990	1.53	90
1964	2789	2750	456	3206	1.15	86
1965	3422	2345	627	2972	0.87	79
1966	4619	3315	706	4021	0.87	82
1967	3337	2206	589	2795	0.84	79
1968	4054	3776	665	4441	1.10	85
1969	3646	2877	393	3270	0.90	88
1970	5308	4013	562	4575	0.86	88
1971	4898	3934	486	4420	0.90	89
1972	5165	2947	424	3371	0.65	87
1973	8271	7492	1009	8501	1.03	88
1974	5492	2501	803	3304	0.60	76
1975	4209	3972	327	4299	1.02	92
1976	7155	5726	830	6556	0.92	87
1977	7234	4594	1286	5880	0.81	78
1978	6248	2691	767	3458	0.55	78
1979	5333	4118	609	4727	0.89	87
1980	4948	3800	889	4689	0.95	81
Means and standard deviations						
1955-59	629.8	900.4	197.6	1098.0	1.64	73
S.D.	132.9	573.9	103.6	553.6	0.72	21.9
1960-64	1357.4	1583.2	221.0	1804.2	1.40	88.2
S.D.	835.9	772.6	143.6	855.5	0.18	3.56
1965-69	3815.6	2903.8	596.0	3499.8	0.92	82.6
S.D.	527.9	657.5	121.5	704.5	0.10	3.9
1970-74	5826.8	4177.4	656.8	4834.2	0.81	85.6
S.D.	1383.5	1961.9	243.8	2131.1	0.18	5.4
1975-79	6035.8	4220.2	763.8	4984.0	0.84	84.4
S.D.	1281.0	1097.4	350.6	1238.7	0.18	6.2




Fig. 3. Effort, catch and catch per unit effort in the Atlantic salmon recreational fishery Newfoundland and Labrador, 1954-80.






Fig. 4. Catch, effort and catch per unit effort in the Atlantic salmon recreational fishery in insular Newfoundland, 1954-80.





Fig. 5. Catch, effort and catch per unit of effort in the Atlantic salmon recreational fishery in Labrador 1954-80.

## ACKNOWLEDGMENTS


We thank the field staff of Conservation and Protection Branch for collecting the data, Economic Branch for assistance in data processing, H. Mullett for drafting the figures, A. Chaytor for key punching, J. Lannon for typing and M. Chadwick and R. Porter for editing.

## REFERENCES

- Button, C. E., and T. J. Wells. 1974. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1973. Fish. Mar. Serv. Data Record Ser. No. New/D-74-10, 57 p.
1975. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1974. Fish. Mar. Serv. Data Record Ser. No. New/D-75-4, 58 p.
- Moores, R. B. 1976. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1975. Fish. Mar. Serv. Data. Record Ser. No. NEW/D-76-1, 298 p.
- Moores, R. B., E.M.P. Chadwick, and R. J. Tucker. 1977. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1976. Fish. Mar. Serv. Data Rep. No. 24, 181 p.
- Moores, R. B., R. W. Penney, and R. J. Tucker. 1978. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1953-77. Fish. Mar. Serv. Data Rep. No. 84, 274 p.
- Moores, R. B., and R. J. Tucker. 1978. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1977. Fish. Mar. Serv. Data Rep. No. 60, 180 p.
1979. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1978. Fish. Mar. Serv. Data Rep. 147, 106 p.
1980. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1979. Can. Data Rep. Fish. Aquat. Sci. 212: xiv + 86 p.
- Waldron, D. E. 1974. Codes used in the Newfoundland commercial and recreational fisheries. Fish. Mar. Serv. Data Record Series No. NEW/D-74-2, 128 p.



INSULAR NEWFOUNDLAND



0105600  
PARKER RIVER (WEST RIVER)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END LEVEL	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	22	6	HI	4	10	2	6	0	0	2	6	0.0	0.25	0.60	100.00	100.00
2	29	6	HI	18	23	0	0	0	0	0	0	0.0	0.0	0.09	0.0	0.0
3	6	7	HI	22	26	2	5	0	0	2	5	0.0	0.09	0.19	100.00	100.00
4	13	7	HI	24	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	HI	31	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	HI	23	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	HI	4	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	HI	2	6	2	3	0	0	2	3	0.0	0.50	0.50	100.00	100.00
9	17	8	HI	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL			HI	147	170	6	16	0	0	6	16	0.0	0.04	0.09	100.00	100.00

0105710  
HAPLETT'S RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END LEVEL	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	22	6	HI	3	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	HI	21	26	3	5	0	0	3	5	0.0	0.14	0.19	100.00	100.00
3	6	7	HI	17	20	3	4	0	0	3	4	0.0	0.18	0.40	100.00	100.00
4	13	7	HI	19	24	2	3	0	0	2	3	0.0	0.11	0.13	100.00	100.00
5	20	7	HI	13	17	2	3	0	0	2	3	0.0	0.15	0.18	100.00	100.00
6	27	7	HI	14	22	4	5	0	0	4	5	0.0	0.21	0.17	100.00	100.00
7	3	8	HI	11	15	1	2	0	0	1	2	0.0	0.09	0.13	100.00	100.00
8	10	8	HI	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	HI	2	3	0	1	0	0	1	0	0.0	0.0	0.33	0.0	100.00
10	24	8	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL			HI	107	141	15	27	0	0	15	27	0.0	0.14	0.19	100.00	100.00

0105800  
EAST RIVER (PISTOLET BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END LEVEL	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	22	6	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	HI	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	HI	9	11	2	3	0	0	2	3	0.0	0.22	0.27	100.00	100.00
4	13	7	HI	37	45	4	6	0	0	4	6	0.0	0.11	0.13	100.00	100.00
5	20	7	HI	42	52	7	9	0	0	7	9	0.0	0.17	0.17	100.00	100.00
6	27	7	MED	45	61	5	7	0	0	5	7	0.0	0.11	0.11	100.00	100.00
7	3	8	MED	47	57	3	3	0	0	3	3	0.0	0.06	0.06	100.00	100.00
8	10	8	HI	38	48	2	3	0	0	2	3	0.0	0.05	0.06	100.00	100.00
9	17	8	MED	21	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	MED	11	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL			HI	258	326	23	33	0	0	23	33	0.0	0.09	0.10	100.00	100.00

0300800  
WEST BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END LEVEL	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	22	6	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	HI	5	7	7	9	0	0	7	9	0.0	1.40	1.29	100.00	100.00
7	3	8	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	HI	0	0	3	5	0	0	3	5	0.0	0.60	0.71	100.00	100.00
11	31	8	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL			HI	10	14	10	14	0	0	10	14	0.0	1.00	1.00	100.00	100.00

0300850  
SALMON (ARIEGL) RIVER (HARE BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	AFU	9	13	2	5	0	0	2	5	0.0	0.22	0.38	100.00	100.00
4	13	7	80	MED	15	20	13	18	0	0	13	18	0.0	0.87	0.90	100.00	100.00
5	20	7	80	HI	26	31	13	17	0	0	13	17	0.0	0.56	0.55	100.00	100.00
6	27	7	80	HI	14	35	13	17	0	0	13	17	0.0	0.93	0.49	100.00	100.00
7	3	8	80	HI	10	13	9	11	0	0	9	11	0.0	0.90	0.85	100.00	100.00
8	10	8	80	HI	12	15	7	9	0	0	7	9	0.0	0.58	0.60	100.00	100.00
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	9	12	7	9	0	0	7	9	0.0	0.76	0.75	100.00	100.00
11	31	8	80	HI	11	14	4	7	0	0	4	7	0.0	0.38	0.50	100.00	100.00
TOTAL				HI	116	167	68	93	0	0	66	93	0.0	0.59	0.56	100.00	100.00

0401640  
EAST BROOK (EASTER BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	1	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	4	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	4	6	1	2	0	0	1	2	1.6	0.25	0.33	100.00	100.00
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	31	44	1	2	0	0	1	2	1.6	0.03	0.05	100.00	100.00

0401670  
NORTHEAST BROOK (CHIMNEY BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	11	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	18	22	10	13	0	0	10	13	1.8	0.56	0.59	100.00	100.00
3	6	7	80	MED	46	56	23	28	0	0	23	28	1.8	0.50	0.50	100.00	100.00
4	13	7	80	MED	34	42	23	28	0	0	23	28	1.6	0.68	0.67	100.00	100.00
5	20	7	80	MED	23	27	16	20	0	0	16	20	1.8	0.70	0.74	100.00	100.00
6	27	7	80	MED	27	33	19	23	0	0	19	23	2.0	0.70	0.70	100.00	100.00
7	3	8	80	MED	13	15	4	6	0	0	4	6	0.0	0.31	0.40	100.00	100.00
8	10	8	80	MED	9	12	9	11	0	0	9	11	1.6	1.00	0.92	100.00	100.00
9	17	8	80	HI	2	3	1	3	0	0	1	3	1.6	0.50	1.00	100.00	100.00
10	24	8	80	MED	2	3	2	3	0	0	2	3	1.6	1.00	1.00	100.00	100.00
11	31	8	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	188	231	107	135	0	0	107	135	2.0	0.57	0.58	100.00	100.00

0401690  
BEAVER BROOK (WESTERN BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	1	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	53	63	34	42	1	1	35	43	4.1	0.66	0.68	97.14	97.67
3	6	7	80	MED	48	60	53	63	0	0	53	63	2.0	1.10	1.05	100.00	100.00
4	13	7	80	MED	55	65	59	71	0	0	59	71	2.0	1.07	1.09	100.00	100.00
5	20	7	80	MED	28	30	37	41	1	1	38	42	4.5	1.36	1.40	97.37	97.62
6	27	7	80	MED	28	32	23	27	0	0	23	27	1.6	0.82	0.84	100.00	100.00
7	3	8	80	MED	23	27	21	26	0	0	21	26	1.8	0.91	0.96	100.00	100.00
8	10	8	80	MED	12	15	8	10	0	0	8	10	2.0	0.67	0.67	100.00	100.00
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	3	5	3	4	0	0	3	4	0.0	1.00	0.80	100.00	100.00
TOTAL				MED	251	300	238	284	2	2	240	286	4.5	0.96	0.97	99.17	99.30



0401790  
NORTHWEST BROOK (CANADA BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	6	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

0401850  
CLOUD RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	7	9	8	10	0	0	8	10	1.8	1.14	1.11	100.00	100.00
5	20	7	80	HI	8	10	4	6	0	0	4	6	1.8	0.50	0.60	100.00	100.00
6	27	7	80	HI	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	HI	2	3	2	3	0	0	2	3	1.6	1.00	1.00	100.00	100.00
8	10	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	29	38	14	19	0	0	14	19	1.8	0.48	0.50	100.00	100.00

0402880  
CONEY ARM RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	30	40	6	8	0	0	6	8	1.8	0.20	0.20	100.00	100.00
3	6	7	80	LOW	88	98	13	15	0	0	13	15	1.8	0.15	0.15	100.00	100.00
4	13	7	80	MED	21	27	11	14	0	0	11	14	1.6	0.52	0.52	100.00	100.00
5	20	7	80	HI	49	59	18	24	0	0	18	24	1.8	0.37	0.41	100.00	100.00
6	27	7	80	HI	47	57	21	25	0	0	21	25	1.8	0.45	0.44	100.00	100.00
7	3	8	80	MED	35	45	16	20	0	0	16	20	1.4	0.46	0.44	100.00	100.00
8	10	8	80	MED	23	35	9	15	0	0	9	15	1.8	0.39	0.43	100.00	100.00
9	17	8	80	HI	20	30	8	12	0	0	8	12	1.6	0.40	0.40	100.00	100.00
10	24	8	80	MED	20	30	10	15	0	0	10	15	1.8	0.50	0.50	100.00	100.00
11	31	8	80	HI	15	25	9	14	0	0	9	14	1.4	0.60	0.56	100.00	100.00
TOTAL				MED	348	446	121	162	0	0	121	162	1.8	0.35	0.36	100.00	100.00

0403110  
MAIN RIVER (SOPS ARM)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	49	59	32	40	4	4	36	44	2.7	0.73	0.75	88.89	90.91
2	29	6	80	MED	108	120	117	127	8	13	125	140	3.6	1.16	1.17	93.60	90.71
3	6	7	80	LOW	244	274	305	355	11	15	316	370	3.2	1.30	1.35	96.52	95.95
4	13	7	80	LOW	174	204	241	256	2	2	243	258	2.7	1.40	1.26	99.18	99.22
5	20	7	80	HI	73	93	67	97	1	1	68	98	2.7	0.93	1.05	98.53	98.98
6	27	7	80	MED	48	58	34	40	0	0	34	40	1.8	0.71	0.69	100.00	100.00
7	3	8	80	MED	24	34	14	18	0	0	14	18	1.8	0.58	0.53	100.00	100.00
8	10	8	80	MED	17	23	13	15	0	0	13	15	1.6	0.76	0.65	100.00	100.00
9	17	8	80	HI	7	14	2	4	0	0	2	4	1.8	0.29	0.29	100.00	100.00
10	24	8	80	MED	11	21	7	12	0	0	7	12	2.0	0.64	0.57	100.00	100.00
11	31	8	80	HI	8	16	6	12	0	0	6	12	1.8	0.75	0.75	100.00	100.00
TOTAL				MED	763	916	838	976	26	35	864	1011	3.6	1.13	1.10	96.99	96.54

0403500  
WILD COVE BROOK (WHITE BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	4	4	1	1	0	0	1	1	1.8	0.25	0.25	100.00	100.00
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	3	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	8	12	2	3	0	0	2	3	1.6	0.25	0.25	100.00	100.00
6	27	7	80	HI	7	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	4	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	28	56	3	4	0	0	3	4	1.8	0.11	0.07	100.00	100.00

0403620  
WESTERN ARM RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	4	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	10	15	2	2	0	0	2	2	1.6	0.20	0.13	100.00	100.00
6	27	7	80	HI	2	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	9	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	25	45	2	2	0	0	2	2	1.6	0.08	0.04	100.00	100.00

0403570  
MIDDLE ARM BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	11	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	13	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	8	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	11	21	4	5	0	0	4	5	1.8	0.36	0.24	100.00	100.00
6	27	7	80	HI	1	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	19	29	4	8	0	0	4	8	0.0	0.21	0.28	100.00	100.00
8	10	8	80	MED	6	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	79	139	8	13	0	0	8	13	1.8	0.10	0.09	100.00	100.00

0403700  
SOUTHERN ARM BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

0504040  
SOUTH WEST BROOK (BAIE VERTE)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	9	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	22	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	19	29	3	5	0	0	3	5	1.8	0.16	0.17	100.00	100.00
5	20	7	80	HI	13	23	3	9	0	0	3	9	1.6	0.23	0.39	100.00	100.00
6	27	7	80	HI	22	32	7	11	0	0	7	11	1.8	0.32	0.34	100.00	100.00
7	3	8	80	MED	16	26	4	8	0	0	4	8	0.0	0.25	0.31	100.00	100.00
8	10	8	80	MED	12	22	3	6	0	0	3	6	1.8	0.25	0.27	100.00	100.00
9	17	8	80	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	118	180	20	39	0	0	20	39	1.8	0.17	0.22	100.00	100.00

0604820  
EAST BROOK (BURLINGTON RIVER)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	24	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	12	17	2	2	0	0	2	2	1.8	0.17	0.12	100.00	100.00
4	13	7	80	MED	31	41	13	15	0	0	13	15	1.8	0.42	0.37	100.00	100.00
5	20	7	80	HI	30	35	20	22	0	0	20	22	1.8	0.67	0.63	100.00	100.00
6	27	7	80	HI	17	23	7	10	0	0	7	10	1.8	0.41	0.43	100.00	100.00
7	3	8	80	MED	19	25	7	10	0	0	7	10	1.8	0.37	0.40	100.00	100.00
8	10	8	80	MED	7	10	2	4	0	0	2	4	1.8	0.29	0.40	100.00	100.00
9	17	8	80	HI	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	142	177	51	63	0	0	51	63	1.8	0.36	0.36	100.00	100.00

0605570  
INDIAN BROOK (INDIAN RIVER)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	51	61	27	30	0	0	27	30	0.0	0.53	0.49	100.00	100.00
3	6	7	80	HI	112	152	48	68	0	0	48	68	0.0	0.43	0.45	100.00	100.00
4	13	7	80	HI	195	240	111	136	0	0	111	136	0.0	0.57	0.57	100.00	100.00
5	20	7	80	HI	228	258	98	118	0	0	98	118	0.0	0.43	0.46	100.00	100.00
6	27	7	80	HI	96	131	47	67	0	0	47	67	0.0	0.49	0.51	100.00	100.00
7	3	8	80	HI	94	125	34	45	0	0	34	45	1.8	0.36	0.36	100.00	100.00
8	10	8	80	MED	88	95	41	45	0	0	41	45	1.6	0.47	0.47	100.00	100.00
9	17	8	80	HI	38	48	14	18	0	0	14	18	1.8	0.37	0.38	100.00	100.00
10	24	8	80	HI	25	30	7	10	0	0	7	10	1.6	0.28	0.33	100.00	100.00
11	31	8	80	MED	22	28	5	7	0	0	5	7	1.8	0.23	0.25	100.00	100.00
TOTAL				HI	949	1168	432	544	0	0	432	544	1.8	0.46	0.47	100.00	100.00

060564  
WEST RIVER (RIVERHEAD BROOK)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	10	10	6	6	0	0	6	6	1.8	0.60	0.60	100.00	100.00
2	29	6	80	HI	81	81	52	64	2	2	54	66	4.3	0.67	0.81	96.30	96.47
3	6	7	80	HI	123	125	98	118	0	0	98	118	1.8	0.80	0.94	100.00	100.00
4	13	7	80	HI	126	135	117	125	0	0	117	125	2.3	0.93	0.93	100.00	100.00
5	20	7	80	HI	159	181	137	159	0	0	137	159	1.8	0.86	0.88	100.00	100.00
6	27	7	80	HI	129	145	73	89	0	0	73	89	2.3	0.57	0.61	100.00	100.00
7	3	8	80	HI	103	116	70	83	0	0	70	83	1.8	0.68	0.72	100.00	100.00
8	10	8	80	HI	36	45	19	25	0	0	19	25	1.6	0.53	0.56	100.00	100.00
9	17	8	80	HI	28	37	26	32	0	0	26	32	1.8	0.93	0.86	100.00	100.00
10	24	8	80	HI	15	21	12	16	0	0	12	16	1.6	0.80	0.76	100.00	100.00
11	31	8	80	MED	34	41	20	26	0	0	20	26	1.8	0.54	0.63	100.00	100.00
TOTAL				HI	844	937	630	743	2	2	632	745	4.3	0.75	0.80	99.68	99.73

060580  
SOUTH BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	29	6	80	MED	5	7	2	4	0	0	2	4	0.0	0.40	0.57	100.00	
3	6	7	80	MED	57	60	41	51	0	0	41	51	1.8	0.72	0.45	100.00	
4	13	7	80	MED	46	86	12	42	0	0	12	42	2.3	0.26	0.49	100.00	
5	20	7	80	MED	104	114	51	81	1	6	52	87	2.7	0.50	0.76	98.08	
6	27	7	80	HI	75	95	28	33	3	4	31	37	2.7	0.41	0.39	90.32	
7	3	8	80	HI	68	98	33	53	1	6	34	59	2.9	0.50	0.60	97.06	
8	10	8	80	MED	70	95	25	35	1	3	26	38	2.7	0.37	0.40	96.15	
9	17	8	80	MED	27	37	7	9	0	0	7	9	1.8	0.26	0.24	100.00	
10	24	8	80	HI	10	21	5	6	0	0	5	6	1.8	0.31	0.29	100.00	
11	31	8	80	HI	34	44	11	16	0	0	11	16	1.6	0.32	0.36	100.00	
TOTAL				MED	502	657	215	330	6	19	221	349	2.9	0.44	0.53	97.29	

060590  
TOMMY'S ARM RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	29	6	80	HI	6	8	4	4	0	0	4	4	2.3	0.67	0.50	100.00	
3	6	7	80	HI	21	21	9	9	0	0	9	9	2.3	0.43	0.43	100.00	
4	13	7	80	HI	24	30	8	12	1	1	9	13	3.2	0.38	0.43	88.89	
5	20	7	80	MED	54	59	39	41	0	0	39	41	1.8	0.72	0.69	100.00	
6	27	7	80	HI	23	23	11	15	5	5	16	20	3.6	0.70	0.87	68.75	
7	3	8	80	HI	17	67	5	25	1	7	6	32	2.7	0.35	0.48	83.33	
8	10	8	80	HI	29	59	17	37	5	9	22	46	3.2	0.76	0.78	77.27	
9	17	8	80	HI	10	20	2	8	0	2	2	10	1.4	0.20	0.50	100.00	
10	24	8	80	HI	3	5	0	2	0	0	0	2	0.0	0.0	0.40	0.0	
11	31	8	80	MED	5	8	4	5	0	0	4	5	1.8	0.80	0.63	100.00	
TOTAL				HI	192	300	99	158	12	24	111	182	3.6	0.58	0.61	89.19	

060650  
NORTHWEST ARM BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	29	6	80	HI	22	23	3	4	0	0	3	4	1.4	0.14	0.17	100.00	
3	6	7	80	HI	22	28	3	6	0	0	3	6	1.8	0.14	0.21	100.00	
4	13	7	80	MED	20	32	8	11	0	0	8	11	1.8	0.40	0.34	100.00	
5	20	7	80	HI	27	33	0	0	11	15	11	15	1.8	0.41	0.45	0.0	
6	27	7	80	HI	44	52	14	18	6	6	20	24	2.7	0.45	0.46	70.00	
7	3	8	80	HI	13	15	8	9	1	2	9	11	2.9	0.69	0.73	88.89	
8	10	8	80	HI	25	31	2	2	7	10	9	12	2.7	0.36	0.39	22.22	
9	17	8	80	HI	32	36	10	12	5	6	15	18	2.7	0.47	0.50	66.67	
10	24	8	80	HI	22	25	9	10	3	3	12	13	2.9	0.55	0.52	75.00	
11	31	8	80	HI	19	21	3	3	1	1	4	4	2.7	0.21	0.19	75.00	
TOTAL				HI	251	301	60	75	34	43	94	118	2.9	0.37	0.39	63.83	

060670  
WEST ARM BROOK (WESTERN ARM)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	13	16	2	3	0	0	2	3	1.4	0.15	0.19	100.00	
2	29	6	80	HI	45	51	15	18	0	0	15	18	1.8	0.33	0.35	100.00	
3	6	7	80	HI	70	72	23	24	3	4	26	28	2.7	0.37	0.39	88.46	
4	13	7	80	MED	44	47	44	46	4	5	48	51	3.2	1.09	1.09	91.67	
5	20	7	80	HI	29	31	26	28	11	13	37	41	3.2	1.28	1.32	70.27	
6	27	7	80	HI	45	57	19	25	0	0	19	25	2.3	0.42	0.44	100.00	
7	3	8	80	HI	23	27	17	19	4	5	21	24	2.9	0.91	0.89	80.95	
8	10	8	80	HI	32	38	6	9	10	13	16	22	2.7	0.50	0.58	37.50	
9	17	8	80	HI	35	41	13	16	2	2	15	18	2.9	0.43	0.44	86.67	
10	24	8	80	HI	17	20	7	8	1	1	8	9	2.7	0.47	0.45	86.89	
11	31	8	80	HI	12	13	3	3	0	0	3	3	2.7	0.25	0.23	100.00	
TOTAL				HI	365	413	175	199	35	43	210	242	3.2	0.58	0.59	83.33	

060682  
NEW BAY RIVER (PT. LEAMINGTON)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	70	72	11	13	0	0	11	13	1.8	0.16	0.18	100.00	100.00
2	29	6	80	HI	172	174	39	41	2	4	41	45	2.8	0.24	0.26	95.12	91.11
3	6	7	80	HI	121	123	63	65	2	2	65	67	3.6	0.54	0.54	96.92	97.01
4	13	7	80	MED	180	193	74	80	3	3	77	83	3.2	0.43	0.43	96.10	96.39
5	20	7	80	HI	98	102	35	37	2	3	37	40	3.0	0.38	0.39	94.59	92.50
6	27	7	80	HI	69	83	25	31	0	0	25	31	2.7	0.36	0.37	100.00	100.00
7	3	8	80	HI	32	37	12	14	1	2	13	16	2.9	0.41	0.43	92.31	87.50
8	10	8	80	HI	51	58	12	15	20	20	32	35	2.7	0.63	0.60	37.50	42.86
9	17	8	80	HI	33	40	12	15	3	3	15	18	2.7	0.45	0.45	80.00	83.33
10	24	8	80	HI	21	25	10	10	0	0	10	10	2.3	0.48	0.40	100.00	100.00
11	31	8	80	HI	19	22	4	4	0	0	4	4	2.3	0.21	0.18	100.00	100.00
TOTAL				HI	866	929	297	325	33	37	330	362	3.6	0.38	0.39	90.00	89.78

0707660  
CHARLES BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	21	31	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	50	70	16	26	0	0	16	26	1.8	0.32	0.37	100.00	100.00
4	13	7	80	HI	88	108	43	68	0	0	43	68	1.8	0.49	0.63	100.00	100.00
5	20	7	80	HI	73	93	26	41	0	0	26	41	1.8	0.36	0.44	100.00	100.00
6	27	7	80	HI	40	50	12	15	0	0	12	15	1.8	0.30	0.30	100.00	100.00
7	3	8	80	HI	23	28	8	11	0	0	8	11	1.8	0.35	0.39	100.00	100.00
8	10	8	80	HI	24	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	319	414	105	161	0	0	105	161	1.8	0.33	0.39	100.00	100.00

070776  
NORTHERN ARM BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	14	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	50	65	24	30	0	0	24	30	1.8	0.48	0.46	100.00	100.00
3	6	7	80	HI	151	176	89	114	4	6	93	120	4.1	0.62	0.68	95.70	95.00
4	13	7	80	HI	222	248	100	136	3	5	103	141	3.2	0.46	0.57	97.09	96.45
5	20	7	80	HI	153	188	69	100	4	6	73	106	3.2	0.46	0.56	94.52	94.34
6	27	7	80	HI	94	114	34	44	2	2	36	46	3.2	0.38	0.40	94.44	95.65
7	3	8	80	HI	45	61	9	11	0	0	9	11	1.8	0.20	0.18	100.00	100.00
8	10	8	80	HI	38	48	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	793	951	325	435	13	19	338	454	4.1	0.43	0.48	96.15	95.81

0707780  
PETERS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	14	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	19	29	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	34	54	0	5	0	0	0	5	0.0	0.0	0.09	0.0	100.00
4	13	7	80	HI	97	122	51	76	7	9	58	85	3.6	0.60	0.70	87.93	89.41
5	20	7	80	HI	133	153	56	81	3	5	59	86	4.1	0.44	0.56	94.92	94.19
6	27	7	80	HI	27	37	7	10	1	2	8	12	3.2	0.30	0.32	87.50	83.33
7	3	8	80	HI	12	15	2	7	1	1	3	8	3.2	0.25	0.53	66.67	87.50
8	10	8	80	HI	5	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	13	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	19	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	373	491	116	179	12	17	128	196	4.1	0.34	0.40	90.63	91.33

070779  
EXPLOITS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END		WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO				YR	OBS.	TOT.	OBS.	TOT.	OBS.		TOT.	OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	210	249	64	78	0	8	70	86	3.4	0.33	0.35	91.43	90.70
2	29	6	80	HI	560	620	232	245	10	15	242	260	3.2	0.43	0.42	95.87	94.23
3	6	7	80	HI	1464	1576	334	361	0	10	334	371	0.0	0.23	0.24	100.00	97.33
4	13	7	80	MED	1584	1664	408	433	0	0	408	433	0.0	0.26	0.26	100.00	100.00
5	20	7	80	MED	1322	1402	266	278	0	0	266	278	0.0	0.20	0.20	100.00	100.00
6	27	7	80	HI	719	764	119	133	0	0	119	133	0.0	0.17	0.17	100.00	100.00
7	3	8	80	HI	442	487	79	87	0	0	79	87	2.2	0.18	0.18	100.00	100.00
8	10	8	80	HI	228	262	57	65	0	0	57	65	2.3	0.25	0.25	100.00	100.00
9	17	8	80	HI	154	176	30	34	0	0	30	34	1.8	0.15	0.19	100.00	100.00
10	24	8	80	HI	141	167	28	33	0	0	28	33	2.3	0.20	0.20	100.00	100.00
11	31	8	80	HI	51	60	8	10	0	0	8	10	2.3	0.16	0.17	100.00	100.00
TOTAL				HI	6877	7427	1625	1757	16	33	1641	1790	3.4	0.24	0.24	99.02	98.16

070821  
CAMPBELLTON RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END		WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO				YR	OBS.	TOT.	OBS.	TOT.	OBS.		TOT.	OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	9	26	3	15	0	0	3	15	1.8	0.33	0.58	100.00	100.00
2	29	6	80	MED	132	204	41	76	0	0	41	76	2.3	0.31	0.37	100.00	100.00
3	6	7	80	MED	328	400	186	250	0	0	188	250	2.3	0.57	0.63	100.00	100.00
4	13	7	80	MED	286	351	151	192	0	0	151	192	2.3	0.53	0.55	100.00	100.00
5	20	7	80	MED	284	334	131	173	0	0	131	173	2.3	0.46	0.52	100.00	100.00
6	27	7	80	MED	234	300	122	154	0	0	122	154	2.3	0.52	0.51	100.00	100.00
7	3	8	80	MED	158	200	50	69	0	0	50	69	2.3	0.32	0.34	100.00	100.00
8	10	8	80	HI	168	220	59	87	0	0	59	87	2.3	0.35	0.40	100.00	100.00
9	17	8	80	HI	88	114	28	41	0	0	28	41	2.3	0.32	0.36	100.00	100.00
10	24	8	80	HI	62	100	15	27	0	0	15	27	1.8	0.24	0.27	100.00	100.00
11	31	8	80	HI	37	49	22	28	0	0	22	28	2.3	0.59	0.57	100.00	100.00
TOTAL				MED	1786	2298	810	1112	0	0	810	1112	2.3	0.45	0.48	100.00	100.00

0708480  
DOG BAY RIVER (HORWOOD RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END		WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO				YR	OBS.	TOT.	OBS.	TOT.	OBS.		TOT.	OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	29	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	56	86	9	17	0	0	9	17	1.8	0.14	0.20	100.00	100.00
3	6	7	80	MED	86	106	21	31	0	0	21	31	2.0	0.24	0.29	100.00	100.00
4	13	7	80	MED	98	123	28	40	0	0	28	40	2.3	0.29	0.33	100.00	100.00
5	20	7	80	MED	102	127	38	52	0	0	38	52	2.0	0.37	0.41	100.00	100.00
6	27	7	80	HI	96	116	26	38	0	0	26	38	1.8	0.27	0.33	100.00	100.00
7	3	8	80	MED	95	120	17	27	0	0	17	27	1.8	0.18	0.22	100.00	100.00
8	10	8	80	MED	79	99	13	21	0	0	13	21	1.8	0.16	0.21	100.00	100.00
9	17	8	80	HI	48	60	9	12	0	0	9	12	1.8	0.19	0.20	100.00	100.00
10	24	8	80	HI	17	22	3	5	0	0	3	5	1.6	0.18	0.23	100.00	100.00
11	31	8	80	HI	9	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	725	909	164	243	0	0	164	243	2.3	0.23	0.27	100.00	100.00

090861  
GANDER RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END		WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO				YR	OBS.	TOT.	OBS.	TOT.	OBS.		TOT.	OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	37	56	6	8	0	0	6	8	2.3	0.16	0.14	100.00	100.00
3	6	7	80	HI	986	1126	345	396	29	47	374	443	4.1	0.38	0.39	92.25	89.39
4	13	7	80	HI	791	1005	350	449	28	40	378	489	4.1	0.48	0.49	92.59	91.82
5	20	7	80	HI	840	1053	361	468	22	24	383	492	6.6	0.46	0.47	94.26	95.12
6	27	7	80	HI	788	892	324	414	25	33	349	447	4.1	0.44	0.50	92.84	92.62
7	3	8	80	HI	710	806	312	401	42	55	354	456	7.5	0.50	0.57	88.14	87.94
8	10	8	80	HI	679	817	305	356	25	44	330	400	6.4	0.49	0.49	92.42	89.00
9	17	8	80	HI	196	267	47	74	6	9	53	83	4.3	0.27	0.31	88.68	89.16
10	24	8	80	HI	157	187	48	54	7	9	55	63	4.1	0.35	0.34	87.27	85.71
11	31	8	80	HI	133	175	38	44	5	7	43	51	5.0	0.32	0.29	88.37	86.27
TOTAL				HI	5317	6384	2136	2664	189	268	2325	2932	7.5	0.44	0.46	91.87	90.86

090842  
RAGGED HARBOUR RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NU GRILSE		NU SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	23	25	6	6	0	0	6	6	1.6	0.26	0.24	100.00	100.00
2	29	6	80	HI	143	147	37	39	0	0	37	39	2.3	0.26	0.27	100.00	100.00
3	6	7	80	HI	176	191	86	93	0	0	86	93	2.3	0.49	0.49	100.00	100.00
4	13	7	80	HI	146	149	36	38	0	0	36	38	2.3	0.25	0.26	100.00	100.00
5	20	7	80	MED	110	113	26	27	0	0	26	27	2.3	0.24	0.24	100.00	100.00
6	27	7	80	HI	16	24	7	10	0	0	7	10	1.6	0.44	0.42	100.00	100.00
7	3	8	80	HI	74	86	14	22	0	0	14	22	2.3	0.19	0.26	100.00	100.00
8	10	8	80	HI	63	65	36	37	1	1	37	38	4.5	0.59	0.58	97.30	97.37
9	17	8	80	HI	12	13	5	6	0	0	5	6	1.8	0.42	0.46	100.00	100.00
10	24	8	80	HI	12	16	8	8	1	1	9	9	2.9	0.75	0.56	88.89	88.89
11	31	8	80	HI	18	18	12	12	0	0	12	12	1.8	0.67	0.67	100.00	100.00
TOTAL				HI	793	847	273	298	2	2	275	300	4.5	0.35	0.35	99.27	99.33

0909030  
WINDMILL BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NU GRILSE		NU SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	27	37	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	49	64	7	9	0	0	7	9	2.5	0.14	0.14	100.00	100.00
3	6	7	80	HI	71	91	14	20	0	0	14	20	2.5	0.20	0.22	100.00	100.00
4	13	7	80	HI	98	118	20	30	0	0	20	30	2.5	0.20	0.25	100.00	100.00
5	20	7	80	MED	60	80	16	22	0	0	16	22	2.0	0.27	0.27	100.00	100.00
6	27	7	80	MED	62	77	10	13	0	0	10	13	2.3	0.16	0.17	100.00	100.00
7	3	8	80	HI	27	37	5	8	0	0	5	8	2.0	0.19	0.22	100.00	100.00
8	10	8	80	HI	27	37	10	15	0	0	10	15	2.3	0.37	0.41	100.00	100.00
9	17	8	80	HI	11	16	5	8	0	0	5	8	2.0	0.45	0.50	100.00	100.00
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	7	12	1	3	0	0	1	3	2.0	0.14	0.25	100.00	100.00
TOTAL				HI	439	569	88	128	0	0	88	128	2.5	0.20	0.22	100.00	100.00

1109480  
NORTHWEST BROOK (INDIAN BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NU GRILSE		NU SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	32	32	7	14	0	0	7	14	2.3	0.22	0.44	100.00	100.00
3	6	7	80	HI	39	39	5	5	0	0	5	5	1.6	0.13	0.13	100.00	100.00
4	13	7	80	HI	28	58	6	9	0	0	6	9	2.3	0.21	0.16	100.00	100.00
5	20	7	80	HI	6	13	9	13	0	0	9	13	2.0	1.50	1.00	100.00	100.00
6	27	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	HI	26	29	5	6	0	0	5	6	2.0	0.19	0.21	100.00	100.00
8	10	8	80	MED	23	25	6	8	0	0	6	8	2.0	0.26	0.32	100.00	100.00
9	17	8	80	HI	19	21	3	5	0	0	3	5	1.8	0.16	0.24	100.00	100.00
10	24	8	80	HI	20	20	7	10	0	0	7	10	0.0	0.35	0.50	100.00	100.00
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	193	237	48	70	0	0	48	70	2.3	0.25	0.30	100.00	100.00

110949  
INDIAN BAY BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NU GRILSE		NU SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	155	175	43	47	0	0	43	47	0.0	0.28	0.27	100.00	100.00
3	6	7	80	HI	209	227	98	108	0	0	98	108	0.0	0.47	0.48	100.00	100.00
4	13	7	80	HI	226	250	69	87	0	0	69	87	0.0	0.31	0.35	100.00	100.00
5	20	7	80	HI	152	168	61	73	0	0	61	73	0.0	0.40	0.43	100.00	100.00
6	27	7	80	HI	81	92	37	43	0	0	37	43	0.0	0.46	0.47	100.00	100.00
7	3	8	80	HI	121	137	31	40	0	0	31	40	0.0	0.26	0.29	100.00	100.00
8	10	8	80	HI	50	57	24	29	0	0	24	29	0.0	0.48	0.51	100.00	100.00
9	17	8	80	HI	28	33	12	16	0	0	12	16	0.0	0.43	0.48	100.00	100.00
10	24	8	80	HI	30	37	24	28	0	0	24	28	0.0	0.80	0.76	100.00	100.00
11	31	8	80	HI	18	20	4	6	0	0	4	6	0.0	0.22	0.30	100.00	100.00
TOTAL				HI	1070	1196	403	477	0	0	403	477	0.0	0.38	0.40	100.00	100.00

110976  
MIDDLE BROOK (GAMHO)

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END MO YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	WT LG (KGS)	C/F OBS.	C/F TOT.	% GRILSE OBS.	% GRILSE TOT.	
1	22	6	RO	HI	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
2	29	6	RO	HI	96	96	20	20	0	0	20	20	2.7	0.21	0.21	100.00	100.00
3	6	7	RO	HI	198	198	143	143	0	0	143	143	2.4	0.72	0.72	100.00	100.00
4	13	7	RO	HI	293	293	107	107	1	1	108	108	2.8	0.37	0.37	99.97	99.97
5	20	7	RO	HI	255	255	75	75	1	1	76	76	3.0	0.30	0.30	98.68	98.68
6	27	7	RO	HI	186	186	55	55	0	0	55	55	2.3	0.30	0.30	100.00	100.00
7	3	8	RO	HI	96	96	52	52	0	0	52	52	1.8	0.54	0.54	100.00	100.00
8	10	8	RO	HI	97	97	49	49	0	0	49	49	2.0	0.51	0.51	100.00	100.00
9	17	8	RO	HI	98	98	31	31	0	0	31	31	1.8	0.32	0.32	100.00	100.00
10	24	8	RO	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	RO	HI	36	36	10	10	0	0	10	10	1.8	0.28	0.28	100.00	100.00
TOTAL				HI	1358	1358	542	542	2	2	544	544	3.9	0.40	0.40	99.63	99.63

110978  
GAMHO BROOK

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END MO YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	WT LG (KGS)	C/F OBS.	C/F TOT.	% GRILSE OBS.	% GRILSE TOT.	
1	22	6	RO	HI	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
2	29	6	RO	HI	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
3	6	7	RO	HI	127	127	69	69	0	0	69	69	0.0	0.54	0.54	100.00	100.00
4	13	7	RO	HI	128	128	62	62	0	0	62	62	0.0	0.48	0.48	100.00	100.00
5	20	7	RO	HI	137	137	61	61	0	0	61	61	3.2	0.31	0.31	100.00	100.00
6	27	7	RO	HI	175	175	55	55	0	0	55	55	1.2	0.35	0.35	100.00	100.00
7	3	8	RO	HI	162	162	56	56	0	0	56	56	1.8	0.35	0.35	100.00	100.00
8	10	8	RO	HI	145	145	51	51	0	0	51	51	0.0	0.35	0.35	100.00	100.00
9	17	8	RO	HI	101	101	51	51	0	0	51	51	3.2	0.50	0.50	100.00	100.00
10	24	8	RO	HI	44	44	14	14	0	0	14	14	3.8	0.32	0.32	100.00	100.00
11	31	8	RO	HI	58	58	28	28	0	0	28	28	0.0	0.48	0.48	100.00	100.00
TOTAL				HI	1077	1094	447	467	0	0	447	467	3.8	0.42	0.43	100.00	100.00

1109560  
NORTHWEST RIVER (TRINITY)

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END MO YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	WT LG (KGS)	C/F OBS.	C/F TOT.	% GRILSE OBS.	% GRILSE TOT.	
1	22	6	RO	HI	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
2	29	6	RO	HI	21	21	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
3	6	7	RO	HI	30	30	11	11	0	0	11	11	2.3	0.37	0.37	100.00	100.00
4	13	7	RO	HI	25	25	8	8	0	0	8	8	1.8	0.32	0.32	100.00	100.00
5	20	7	RO	HI	5	5	2	2	0	0	2	2	0.0	0.50	0.50	100.00	100.00
6	27	7	RO	HI	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
7	3	8	RO	HI	24	27	5	6	0	0	5	6	2.3	0.21	0.22	100.00	100.00
8	10	8	RO	WEO	17	20	4	5	0	0	4	5	1.8	0.24	0.25	100.00	100.00
9	17	8	RO	HI	5	6	4	5	0	0	4	5	2.1	0.80	0.83	100.00	100.00
10	24	8	RO	HI	5	5	3	3	0	0	3	3	0.0	0.60	0.60	100.00	100.00
11	31	8	RO	HI	5	5	3	3	0	0	3	3	0.0	0.60	0.60	100.00	100.00
TOTAL				HI	137	177	40	56	0	0	40	56	2.3	0.29	0.32	100.00	100.00

1109750  
TRAVERSE BROOK

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END MO YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	WT LG (KGS)	C/F OBS.	C/F TOT.	% GRILSE OBS.	% GRILSE TOT.	
1	22	6	RO	HI	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
2	29	6	RO	HI	21	26	2	3	0	0	2	3	0.0	0.10	0.12	100.00	100.00
3	6	7	RO	HI	42	102	29	32	0	0	29	30	0.0	0.35	0.38	100.00	100.00
4	13	7	RO	HI	110	150	62	62	0	0	62	62	0.0	0.38	0.41	100.00	100.00
5	20	7	RO	HI	78	118	34	40	0	0	34	40	2.3	0.44	0.42	100.00	100.00
6	27	7	RO	HI	3	3	2	2	0	0	2	2	0.0	0.67	0.67	100.00	100.00
7	3	8	RO	HI	40	80	35	45	0	0	35	45	0.0	0.58	0.56	100.00	100.00
8	10	8	RO	HI	48	73	35	45	0	0	35	45	0.0	0.60	0.62	100.00	100.00
9	17	8	RO	HI	22	32	4	9	1	1	5	5	2.7	0.23	0.31	80.00	90.00
10	24	8	RO	HI	10	10	2	2	0	0	2	2	0.0	0.20	0.20	100.00	100.00
11	31	8	RO	HI	5	5	1	1	0	0	1	1	0.0	0.20	0.20	100.00	100.00
TOTAL				HI	444	600	186	257	1	1	187	258	2.7	0.42	0.43	99.47	99.61



1110130  
 NORTHWEST BROOK (ALEXANDER BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	36	36	1	1	0	0	1	1	1.6	0.03	0.03	100.00	100.00
5	20	7	80	HI	23	23	1	1	0	0	1	1	1.8	0.04	0.04	100.00	100.00
6	27	7	80	HI	37	37	3	3	0	0	3	3	1.8	0.08	0.08	100.00	100.00
7	3	8	80	HI	31	37	3	3	0	0	3	3	2.0	0.10	0.08	100.00	100.00
8	10	8	80	HI	47	50	3	3	0	0	3	3	1.8	0.06	0.06	100.00	100.00
9	17	8	80	HI	41	43	2	2	0	0	2	2	1.8	0.05	0.05	100.00	100.00
10	24	8	80	HI	22	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	31	35	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	268	283	13	13	0	0	13	13	2.0	0.05	0.05	100.00	100.00

 111022  
 TERRA NOVA RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	16	16	4	4	0	0	4	4	0.0	0.25	0.25	100.00	100.00
2	29	6	80	HI	45	45	25	25	0	0	25	25	2.3	0.56	0.56	100.00	100.00
3	6	7	80	HI	163	163	111	111	4	4	115	115	3.6	0.71	0.71	96.52	96.52
4	13	7	80	HI	151	151	96	96	5	5	101	101	3.2	0.67	0.67	95.05	95.05
5	20	7	80	HI	174	174	119	119	6	6	125	125	3.4	0.72	0.72	95.20	95.20
6	27	7	80	HI	118	118	69	69	3	3	72	72	3.2	0.61	0.61	95.83	95.83
7	3	8	80	HI	81	81	46	46	2	2	48	48	3.2	0.59	0.59	95.83	95.83
8	10	8	80	HI	63	63	23	23	1	1	24	24	3.0	0.38	0.38	95.83	95.83
9	17	8	80	HI	44	44	13	13	1	1	14	14	2.7	0.32	0.32	92.86	92.86
10	24	8	80	HI	17	17	6	6	0	0	6	6	2.3	0.35	0.35	100.00	100.00
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	872	872	512	512	22	22	534	534	3.6	0.61	0.61	95.86	95.86

 1210880  
 NORTHWEST RIVER (PORT BLANDFORD)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	14	24	2	3	0	0	2	3	0.0	0.14	0.13	100.00	100.00
2	29	6	80	HI	88	118	2	4	0	0	2	4	2.0	0.02	0.03	100.00	100.00
3	6	7	80	HI	225	255	10	14	0	0	10	14	1.8	0.04	0.05	100.00	100.00
4	13	7	80	HI	221	266	37	51	0	0	37	51	2.3	0.17	0.19	100.00	100.00
5	20	7	80	HI	198	238	30	40	2	2	32	42	2.7	0.16	0.18	93.75	95.24
6	27	7	80	HI	180	230	28	39	2	2	30	41	3.4	0.17	0.18	93.33	95.12
7	3	8	80	HI	192	232	10	14	0	0	10	14	2.5	0.05	0.06	100.00	100.00
8	10	8	80	HI	55	65	6	10	0	0	6	10	1.8	0.11	0.15	100.00	100.00
9	17	8	80	HI	16	21	4	8	0	0	4	8	1.8	0.25	0.38	100.00	100.00
10	24	8	80	HI	11	15	2	2	0	0	2	2	1.8	0.16	0.13	100.00	100.00
11	31	8	80	HI	2	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	1202	1471	131	185	4	4	135	189	3.4	0.11	0.13	97.04	97.88

 1210890  
 SALMON BROOK (PORT BLANDFORD)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	19	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	30	37	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	89	109	13	16	0	0	13	16	1.8	0.15	0.15	100.00	100.00
5	20	7	80	MED	113	143	16	23	0	0	16	23	2.3	0.14	0.16	100.00	100.00
6	27	7	80	HI	53	73	17	22	0	0	17	22	2.3	0.32	0.30	100.00	100.00
7	3	8	80	HI	62	82	8	10	0	0	8	10	1.8	0.13	0.12	100.00	100.00
8	10	8	80	HI	25	29	6	9	0	0	6	9	2.0	0.24	0.31	100.00	100.00
9	17	8	80	MED	9	12	3	6	0	0	3	6	1.8	0.33	0.50	100.00	100.00
10	24	8	80	HI	7	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	417	532	63	66	0	0	63	86	2.3	0.15	0.16	100.00	100.00

1210930  
 SOUTHWEST BROOK (PORT BLANCFORD)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	4	8	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	45	55	1	2	0	0	1	2	1.8	0.02	0.04	100.00	100.00
3	6	7	80	HI	34	44	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	63	73	3	7	0	0	3	7	1.8	0.05	0.10	100.00	100.00
5	20	7	80	MED	25	40	3	5	0	0	3	5	1.6	0.12	0.13	100.00	100.00
6	27	7	80	HI	25	35	6	11	0	0	6	11	1.8	0.24	0.31	100.00	100.00
7	3	8	80	HI	30	40	3	6	0	0	3	6	1.6	0.10	0.15	100.00	100.00
8	10	8	80	MED	18	23	1	2	0	0	1	2	1.6	0.06	0.09	100.00	100.00
9	17	8	80	MED	14	17	3	4	0	0	3	4	1.8	0.21	0.24	100.00	100.00
10	24	8	80	HI	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	259	336	20	37	0	0	20	37	1.8	0.08	0.11	100.00	100.00

 1512520  
 SALMON CUEVE RIVER (CHAMPNEYS)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	16	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	31	37	1	2	0	0	1	2	1.4	0.03	0.05	100.00	100.00
4	13	7	80	HI	29	36	5	5	0	0	5	5	1.6	0.17	0.14	100.00	100.00
5	20	7	80	HI	81	91	6	8	0	0	6	8	2.3	0.07	0.09	100.00	100.00
6	27	7	80	HI	72	72	8	8	0	0	8	8	0.0	0.11	0.11	100.00	100.00
7	3	8	80	MED	63	78	6	9	0	0	6	9	1.8	0.10	0.12	100.00	100.00
8	10	8	80	MED	41	51	3	4	0	0	3	4	0.0	0.07	0.08	100.00	100.00
9	17	8	80	MED	20	25	1	2	0	0	1	2	1.4	0.05	0.08	100.00	100.00
10	24	8	80	HI	18	24	1	2	0	0	1	2	1.8	0.06	0.08	100.00	100.00
11	31	8	80	MED	5	10	1	2	0	0	1	2	1.6	0.20	0.20	100.00	100.00
TOTAL				HI	379	446	32	42	0	0	32	42	2.3	0.08	0.09	100.00	100.00

 1512620  
 TROUTY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	12	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	32	42	2	3	0	0	2	3	1.6	0.06	0.07	100.00	100.00
3	6	7	80	MED	22	32	1	3	0	0	1	3	1.4	0.05	0.09	100.00	100.00
4	13	7	80	MED	41	56	3	9	0	0	3	9	1.6	0.07	0.16	100.00	100.00
5	20	7	80	MED	65	75	4	6	0	0	4	6	0.0	0.06	0.08	100.00	100.00
6	27	7	80	MED	61	73	4	5	0	0	4	5	0.0	0.07	0.07	100.00	100.00
7	3	8	80	MED	49	59	5	5	0	0	3	5	1.8	0.06	0.08	100.00	100.00
8	10	8	80	MED	30	40	2	5	0	0	2	5	1.6	0.07	0.13	100.00	100.00
9	17	8	80	MED	36	41	4	6	0	0	4	6	1.8	0.11	0.15	100.00	100.00
10	24	8	80	HI	15	25	3	6	0	0	3	6	2.0	0.20	0.24	100.00	100.00
11	31	8	80	HI	10	13	0	1	0	0	0	1	0.0	0.0	0.08	0.0	100.00
TOTAL				MED	373	478	26	49	0	0	26	49	2.0	0.07	0.10	100.00	100.00

 1612750  
 POPES HARBOUR RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	28	36	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	24	31	2	4	0	0	2	4	1.4	0.08	0.13	100.00	100.00
4	13	7	80	MED	36	46	15	18	0	0	15	18	2.3	0.42	0.39	100.00	100.00
5	20	7	80	MED	47	55	12	16	1	1	13	17	2.7	0.28	0.31	92.31	94.12
6	27	7	80	MED	37	52	21	31	1	4	22	35	2.7	0.59	0.67	95.45	88.57
7	3	8	80	MED	43	53	16	24	2	3	18	27	2.7	0.42	0.51	88.89	88.89
8	10	8	80	MED	44	58	18	21	3	5	21	26	2.7	0.48	0.45	85.71	80.77
9	17	8	80	MED	35	43	5	8	0	0	5	8	2.3	0.14	0.19	100.00	100.00
10	24	8	80	HI	23	33	4	6	1	1	5	7	2.7	0.22	0.21	80.00	85.71
11	31	8	80	MED	14	20	4	5	0	0	4	5	2.3	0.29	0.25	100.00	100.00
TOTAL				MED	341	440	97	133	8	14	105	147	2.7	0.31	0.37	92.38	90.48

1613060  
SHOAL HARBOUR RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	5	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	13	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	15	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	22	32	2	4	0	0	2	4	0.0	0.09	0.13	100.00	100.00
5	20	7	80	HI	30	42	2	4	0	0	2	4	2.0	0.07	0.10	100.00	100.00
6	27	7	80	HI	32	42	4	6	0	0	4	6	1.6	0.13	0.14	100.00	100.00
7	3	8	80	HI	24	34	2	3	0	0	2	3	1.0	0.08	0.09	100.00	100.00
8	10	8	80	MED	29	40	4	6	0	0	4	6	1.8	0.14	0.15	100.00	100.00
9	17	8	80	HI	14	18	1	2	0	0	1	2	1.0	0.07	0.11	100.00	100.00
10	24	8	80	HI	17	22	1	2	0	0	1	2	1.4	0.06	0.09	100.00	100.00
11	31	8	80	HI	11	16	1	2	0	0	1	2	0.7	0.09	0.13	100.00	100.00
TOTAL				HI	212	292	17	29	0	0	17	29	2.0	0.08	0.10	100.00	100.00

171468  
BELLEVUE BROOK (TROUT BROOK)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	20	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	20	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	68	94	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	87	117	1	2	0	0	1	2	1.8	0.01	0.02	100.00	100.00
5	20	7	80	HI	67	92	5	7	0	0	5	7	1.8	0.07	0.08	100.00	100.00
6	27	7	80	HI	105	125	7	10	0	0	7	10	2.0	0.07	0.08	100.00	100.00
7	3	8	80	HI	115	141	8	10	0	0	8	10	1.8	0.07	0.07	100.00	100.00
8	10	8	80	HI	70	90	13	20	0	0	13	20	2.3	0.19	0.22	100.00	100.00
9	17	8	80	HI	53	68	6	8	0	0	6	8	2.3	0.11	0.12	100.00	100.00
10	24	8	80	HI	39	54	4	6	0	0	4	6	2.3	0.10	0.11	100.00	100.00
11	31	8	80	HI	44	59	3	4	0	0	3	4	2.3	0.07	0.07	100.00	100.00
TOTAL				HI	688	894	47	67	0	0	47	67	2.3	0.07	0.07	100.00	100.00

1714870  
SPREAD EAGLE BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	13	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	14	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	18	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	31	36	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	HI	27	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	HI	35	43	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	12	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	12	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	17	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	22	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	201	257	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

2115720  
SALMON COVE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	11	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	17	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	23	33	1	1	0	0	1	1	1.8	0.04	0.03	100.00	100.00
4	13	7	80	HI	26	40	3	4	0	0	3	4	1.8	0.12	0.10	100.00	100.00
5	20	7	80	HI	16	30	1	3	0	0	1	3	1.6	0.05	0.10	100.00	100.00
6	27	7	80	MED	18	28	1	2	0	0	1	2	1.4	0.05	0.07	100.00	100.00
7	3	8	80	MED	19	29	1	3	0	0	1	3	1.4	0.05	0.10	100.00	100.00
8	10	8	80	MED	21	31	1	2	0	0	1	2	1.6	0.05	0.06	100.00	100.00
9	17	8	80	MED	14	24	1	3	0	0	1	3	1.4	0.07	0.13	100.00	100.00
10	24	8	80	HI	12	22	1	2	0	0	1	2	1.1	0.08	0.09	100.00	100.00
11	31	8	80	MED	5	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	182	299	10	20	0	0	10	20	1.8	0.05	0.07	100.00	100.00

2215970  
NORTH RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	46	76	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	72	82	1	1	0	0	1	1	2.3	0.01	0.01	100.00	100.00
4	13	7	80	HI	38	48	0	2	0	0	0	2	0.0	0.0	0.04	0.0	100.00
5	20	7	80	MED	38	58	2	7	0	0	2	7	1.8	0.05	0.12	100.00	100.00
6	27	7	80	MED	38	58	1	4	0	0	1	4	1.6	0.03	0.07	100.00	100.00
7	3	8	80	MED	30	40	3	7	0	0	3	7	2.3	0.10	0.17	100.00	100.00
8	10	8	80	HI	22	30	0	4	0	0	0	4	0.0	0.0	0.13	0.0	100.00
9	17	8	80	HI	16	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	19	25	2	3	0	0	2	3	2.5	0.11	0.12	100.00	100.00
11	31	8	80	HI	17	27	1	3	0	0	1	3	1.4	0.06	0.11	100.00	100.00
TOTAL				HI	336	494	10	31	0	0	10	31	2.5	0.03	0.06	100.00	100.00

2215990  
SOUTH RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	17	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	43	43	2	2	0	0	2	2	2.0	0.05	0.05	100.00	100.00
3	6	7	80	HI	16	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	12	17	0	1	0	0	0	1	0.0	0.0	0.06	0.0	100.00
5	20	7	80	HI	19	25	1	5	0	0	1	5	2.0	0.05	0.20	100.00	100.00
6	27	7	80	MED	16	31	0	2	0	0	0	2	0.0	0.0	0.06	0.0	100.00
7	3	8	80	MED	12	20	0	2	0	0	0	2	0.0	0.0	0.10	0.0	100.00
8	10	8	80	HI	10	15	0	1	0	0	0	1	0.0	0.0	0.07	0.0	100.00
9	17	8	80	HI	3	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	14	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	38	38	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	200	256	3	13	0	0	3	13	2.0	0.01	0.05	100.00	100.00

2216220  
NORTH ARM RIVER (HOLYRUDD)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	22	27	0	1	0	0	0	1	0.0	0.0	0.04	0.0	100.00
2	29	6	80	HI	42	48	0	1	0	0	0	1	0.0	0.0	0.02	0.0	100.00
3	6	7	80	HI	50	56	3	5	1	1	4	6	3.2	0.08	0.11	75.00	83.33
4	13	7	80	HI	59	63	9	11	0	0	9	11	2.3	0.15	0.17	100.00	100.00
5	20	7	80	MED	49	54	5	7	0	0	5	7	2.3	0.10	0.13	100.00	100.00
6	27	7	80	HI	57	63	5	6	0	0	5	6	2.0	0.09	0.10	100.00	100.00
7	3	8	80	MED	46	49	3	4	0	0	3	4	1.8	0.07	0.08	100.00	100.00
8	10	8	80	HI	31	34	1	2	0	0	1	2	1.6	0.03	0.06	100.00	100.00
9	17	8	80	HI	30	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	40	40	1	1	0	0	1	1	1.8	0.02	0.02	100.00	100.00
11	31	8	80	MED	31	31	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	457	497	27	38	1	1	28	39	3.2	0.06	0.08	96.43	97.44

2517350  
CAPE BROYLE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	7	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	8	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	7	7	2	3	0	0	2	3	1.8	0.29	0.43	100.00	100.00
6	27	7	80	HI	12	12	2	3	0	0	2	3	2.0	0.17	0.25	100.00	100.00
7	3	8	80	MED	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	60	72	4	6	0	0	4	6	2.0	0.07	0.08	100.00	100.00

2617540  
RENEAS RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	24	6	80	HI	19	27	5	8	0	0	5	8	1.8	0.26	0.30	100.00	100.00
3	5	7	80	HI	22	30	9	12	0	0	9	12	0.0	0.41	0.40	100.00	100.00
4	13	7	80	HI	39	39	23	28	0	0	23	28	2.0	0.59	0.72	100.00	100.00
5	20	7	80	HI	30	30	14	18	0	0	14	18	2.5	0.47	0.60	100.00	100.00
6	27	7	80	HI	33	33	16	19	0	0	16	19	2.3	0.48	0.58	100.00	100.00
7	3	8	80	MED	35	35	14	17	0	0	14	17	2.3	0.40	0.49	100.00	100.00
8	10	8	80	MED	19	22	6	7	0	0	6	7	2.0	0.32	0.32	100.00	100.00
9	17	8	80	MED	12	14	4	4	0	0	4	4	1.8	0.33	0.29	100.00	100.00
10	24	8	80	HI	5	6	1	1	0	0	1	1	1.8	0.20	0.17	100.00	100.00
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	220	244	92	114	0	0	92	114	2.5	0.42	0.47	100.00	100.00

2700230  
BISCAY BAY RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	70	80	1	2	0	0	1	2	2.0	0.01	0.02	100.00	100.00
2	29	6	80	HI	60	70	13	17	1	1	14	18	3.4	0.23	0.26	92.86	94.44
3	6	7	80	HI	25	32	26	34	5	6	31	40	5.7	1.24	1.25	83.87	85.00
4	13	7	80	HI	60	70	91	103	2	5	93	108	2.9	1.55	1.54	97.85	95.37
5	20	7	80	HI	36	42	30	37	4	5	34	42	3.4	0.94	1.00	88.24	86.10
6	27	7	80	LOW	23	29	32	44	6	9	38	53	3.4	1.65	1.83	84.21	83.02
7	3	8	80	MED	26	31	17	22	2	4	19	26	3.4	0.73	0.84	84.47	84.62
8	10	8	80	MED	19	22	17	19	1	1	18	20	2.9	0.95	0.91	94.44	95.00
9	17	8	80	MED	8	10	2	3	1	1	3	4	3.4	0.38	0.40	66.67	75.00
10	24	8	80	MED	4	6	1	2	0	0	1	2	0.0	0.25	0.33	100.00	100.00
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	331	392	230	283	22	32	252	315	5.7	0.76	0.80	91.27	89.84

2700360  
NORTHEAST BROOK (TREPASSEY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	14	16	1	2	0	0	1	2	2.3	0.07	0.13	100.00	100.00
4	13	7	80	HI	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	4	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	0	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	1	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	55	69	1	2	0	0	1	2	2.3	0.02	0.03	100.00	100.00

2700380  
NORTHWEST BROOK (TREPASSEY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	54	56	11	12	1	1	12	13	5.5	0.22	0.23	91.67	92.31
2	29	6	80	HI	120	123	32	34	1	1	33	35	4.3	0.27	0.28	96.97	97.14
3	6	7	80	HI	110	114	34	36	0	0	34	36	2.3	0.31	0.32	100.00	100.00
4	13	7	80	HI	136	140	38	40	0	0	38	40	1.8	0.28	0.29	100.00	100.00
5	20	7	80	HI	121	125	43	45	0	0	43	45	1.8	0.36	0.36	100.00	100.00
6	27	7	80	MED	90	94	26	28	0	0	26	28	1.8	0.29	0.30	100.00	100.00
7	3	8	80	MED	66	68	10	11	0	0	10	11	1.6	0.15	0.16	100.00	100.00
8	10	8	80	MED	52	55	2	3	0	0	2	3	1.6	0.04	0.05	100.00	100.00
9	17	8	80	MED	6	7	2	3	0	0	2	3	0.0	0.33	0.43	100.00	100.00
10	24	8	80	HI	16	19	5	6	0	0	5	6	1.8	0.31	0.32	100.00	100.00
11	31	8	80	MED	11	13	2	3	0	0	2	3	1.6	0.18	0.23	100.00	100.00
TOTAL				MED	782	814	205	221	2	2	207	223	5.5	0.25	0.27	95.03	95.10

2800860  
 PETER'S RIVER (ST. MARY'S BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/L		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	MED	13	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	18	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	80	HI	25	29	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	24	31	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	8	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	8	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	12	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	8	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	LOW	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	128	167	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

 280169  
 SALMONIER RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	385	396	214	220	0	0	214	220	1.8	0.56	0.56	100.00	100.00
2	29	6	80	HI	689	744	311	337	0	0	311	337	1.8	0.45	0.45	100.00	100.00
3	6	7	80	HI	491	521	245	262	2	2	247	264	2.9	0.50	0.51	99.19	99.24
4	13	7	80	HI	348	389	139	152	0	0	139	152	2.5	0.40	0.39	100.00	100.00
5	20	7	80	MED	166	194	38	49	0	0	38	49	2.5	0.23	0.25	100.00	100.00
6	27	7	80	MED	141	164	26	30	1	3	27	33	3.2	0.19	0.20	96.30	90.91
7	3	8	80	MED	73	84	11	13	1	1	12	14	2.9	0.16	0.17	91.67	92.66
8	10	8	80	MED	46	54	1	2	0	0	1	2	1.1	0.02	0.04	100.00	100.00
9	17	8	80	MED	13	15	0	1	0	0	0	1	0.0	0.0	0.07	0.0	100.00
10	24	8	80	HI	20	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	20	21	2	2	0	0	2	2	1.4	0.10	0.10	100.00	100.00
TOTAL				HI	2392	2609	987	1068	4	6	991	1074	3.2	0.41	0.41	99.60	99.44

 2801920  
 COLINET RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	6	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	19	25	7	8	1	1	8	9	3.2	0.42	0.38	97.50	88.85
3	6	7	80	HI	36	46	10	13	0	0	10	13	2.3	0.28	0.28	100.00	100.00
4	13	7	80	HI	47	57	23	28	0	0	23	28	2.7	0.49	0.49	100.00	100.00
5	20	7	80	HI	36	44	21	26	7	7	28	33	3.2	0.78	0.75	75.00	78.79
6	27	7	80	MED	52	62	20	24	0	0	20	24	2.7	0.38	0.39	100.00	100.00
7	3	8	80	MED	36	42	16	18	0	0	16	18	1.8	0.44	0.43	100.00	100.00
8	10	8	80	MED	36	40	12	16	0	0	12	16	1.8	0.33	0.40	100.00	100.00
9	17	8	80	MED	22	28	6	8	0	0	6	8	2.3	0.27	0.29	100.00	100.00
10	24	8	80	HI	24	29	5	7	0	0	5	7	1.8	0.21	0.24	100.00	100.00
11	31	8	80	MED	9	13	2	3	0	0	2	3	1.8	0.22	0.23	100.00	100.00
TOTAL				HI	323	395	122	151	8	8	130	159	3.2	0.40	0.40	93.85	94.97

 2802060  
 NORTH HARBOUR R (ST. MARY'S BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	3	4	2	3	0	0	2	3	1.4	0.67	0.75	100.00	100.00
2	29	6	80	HI	4	10	1	3	0	0	1	3	1.4	0.25	0.30	100.00	100.00
3	6	7	80	HI	12	14	2	2	0	0	2	2	1.8	0.17	0.14	100.00	100.00
4	13	7	80	HI	16	18	3	3	0	0	3	3	1.8	0.19	0.17	100.00	100.00
5	20	7	80	MED	14	16	1	1	0	0	1	1	2.3	0.07	0.06	100.00	100.00
6	27	7	80	MED	20	24	2	2	0	0	2	2	1.8	0.10	0.08	100.00	100.00
7	3	8	80	MED	20	25	7	9	0	0	7	9	1.8	0.35	0.36	100.00	100.00
8	10	8	80	MED	11	13	2	2	0	0	2	2	2.7	0.18	0.15	100.00	100.00
9	17	8	80	HI	14	18	3	3	0	0	3	3	2.3	0.14	0.17	100.00	100.00
10	24	8	80	HI	14	16	2	3	0	0	2	3	2.3	0.14	0.19	100.00	100.00
11	31	8	80	MED	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	134	166	24	31	0	0	24	31	2.7	0.16	0.19	100.00	100.00

2802170  
 LITTLE SALMONIER RIVER (S.M.B.)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	11	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	25	36	10	18	1	3	11	21	2.5	0.42	0.58	90.91	85.71
3	6	7	80	HI	98	110	61	71	2	2	63	73	2.3	0.64	0.62	95.83	91.25
4	13	7	80	HI	86	98	62	74	3	3	65	77	3.2	0.76	0.79	95.38	98.10
5	20	7	80	MED	74	86	51	59	2	2	53	61	3.6	0.72	0.71	96.23	96.72
6	27	7	80	MED	63	73	69	73	0	0	69	73	2.3	1.10	1.00	100.00	100.00
7	3	8	80	MED	43	49	25	29	0	0	25	29	1.8	0.56	0.59	100.00	100.00
8	10	8	80	MED	21	25	18	20	0	0	18	20	2.5	0.86	0.80	100.00	100.00
9	17	8	80	MED	14	20	10	14	0	0	10	14	2.3	0.71	0.70	100.00	100.00
10	24	8	80	HI	18	22	7	9	0	0	7	9	2.3	0.39	0.41	100.00	100.00
11	31	8	80	MED	20	22	7	8	0	0	7	8	2.3	0.35	0.36	100.00	100.00
TOTAL				MED	474	562	320	375	8	10	328	385	3.6	0.69	0.69	97.56	97.46

 2802210  
 BIG BARACHOIS RIVER (S.M.B.)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	16	21	5	8	0	0	5	8	2.3	0.31	0.38	100.00	100.00
3	6	7	80	HI	49	59	25	30	0	0	25	30	2.7	0.51	0.51	100.00	100.00
4	13	7	80	HI	43	58	22	28	0	0	22	28	2.7	0.51	0.48	100.00	100.00
5	20	7	80	MED	26	36	11	15	0	0	11	15	2.3	0.42	0.42	100.00	100.00
6	27	7	80	MED	44	54	18	20	0	0	18	20	2.3	0.41	0.37	100.00	100.00
7	3	8	80	MED	17	19	5	6	0	0	5	6	1.8	0.29	0.32	100.00	100.00
8	10	8	80	MED	10	14	7	8	0	0	7	8	1.8	0.70	0.57	100.00	100.00
9	17	8	80	MED	10	12	3	4	0	0	3	4	2.0	0.30	0.33	100.00	100.00
10	24	8	80	MED	10	12	3	4	0	0	3	4	1.8	0.30	0.33	100.00	100.00
11	31	8	80	MED	2	4	1	1	0	0	1	1	1.8	0.50	0.25	100.00	100.00
TOTAL				MED	227	289	100	124	0	0	100	124	2.7	0.44	0.43	100.00	100.00

 2802380  
 BRANCH RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	65	70	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	86	96	7	8	0	0	7	8	0.0	0.08	0.08	100.00	100.00
3	6	7	80	HI	72	82	16	20	0	0	16	20	0.0	0.22	0.24	100.00	100.00
4	13	7	80	MED	100	110	24	27	0	0	24	27	0.0	0.24	0.25	100.00	100.00
5	20	7	80	MED	102	117	28	33	3	3	31	36	3.4	0.30	0.31	90.32	91.67
6	27	7	80	LOW	89	99	8	10	0	0	8	10	0.0	0.09	0.10	100.00	100.00
7	3	8	80	LOW	102	112	5	7	0	0	5	7	0.0	0.05	0.06	100.00	100.00
8	10	8	80	MED	85	95	6	10	0	0	6	10	0.0	0.07	0.11	100.00	100.00
9	17	8	80	MED	40	50	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	63	73	4	6	0	0	4	6	0.0	0.06	0.08	100.00	100.00
11	31	8	80	MED	69	74	1	3	0	0	1	3	0.0	0.01	0.04	100.00	100.00
TOTAL				MED	873	983	99	124	3	3	102	127	3.4	0.12	0.13	97.06	97.64

 2902820  
 GREAT BARASWAY BROOK (P.BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	25	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	37	37	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	32	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	33	33	11	11	0	0	11	11	0.0	0.33	0.33	100.00	100.00
5	20	7	80	HI	39	39	11	11	0	0	11	11	0.0	0.28	0.28	100.00	100.00
6	27	7	80	HI	26	26	7	7	0	0	7	7	0.0	0.27	0.27	100.00	100.00
7	3	8	80	HI	20	20	3	3	0	0	3	3	0.0	0.15	0.15	100.00	100.00
8	10	8	80	HI	14	14	2	2	0	0	2	2	0.0	0.14	0.14	100.00	100.00
9	17	8	80	HI	26	26	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	35	35	6	6	0	0	6	6	0.0	0.17	0.17	100.00	100.00
11	31	8	80	HI	35	35	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	322	322	40	40	0	0	40	40	0.0	0.12	0.12	100.00	100.00

2902980  
SOUTHEAST RIVER (PLACENTIA)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	104	129	5	7	0	0	5	7	2.5	0.05	0.05	100.00	100.00
2	29	6	80	HI	145	175	7	9	0	0	7	9	2.3	0.05	0.05	100.00	100.00
3	6	7	80	HI	144	174	16	18	1	1	17	19	2.7	0.11	0.11	94.12	94.74
4	13	7	80	HI	182	207	29	39	1	2	30	41	2.7	0.16	0.20	94.67	95.12
5	20	7	80	MED	152	177	17	22	1	2	18	24	2.7	0.12	0.14	94.94	91.67
6	27	7	80	HI	152	177	11	16	1	2	12	18	3.2	0.08	0.10	91.67	88.69
7	3	8	80	MED	117	147	12	15	0	0	12	15	2.4	0.10	0.10	100.00	100.00
8	10	8	80	MED	103	133	5	7	0	0	5	7	2.5	0.05	0.05	100.00	100.00
9	17	8	80	HI	63	78	5	7	0	0	5	7	2.5	0.05	0.05	100.00	100.00
10	24	8	80	HI	68	83	4	5	0	0	4	5	2.5	0.06	0.06	100.00	100.00
11	31	8	80	MED	35	50	2	3	0	0	2	3	2.5	0.06	0.06	100.00	100.00
TOTAL				HI	1270	1535	113	148	4	7	117	155	3.2	0.09	0.10	96.58	95.48

2903070  
NORTHEAST RIVER (PLACENTIA)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	139	151	9	11	0	0	9	11	1.6	0.06	0.07	100.00	100.00
2	29	6	80	HI	144	174	25	35	0	0	25	35	2.3	0.17	0.20	100.00	100.00
3	6	7	80	HI	251	266	53	70	1	1	54	71	2.7	0.22	0.25	98.15	98.59
4	13	7	80	HI	259	279	40	50	2	3	42	53	2.8	0.16	0.19	95.24	94.34
5	20	7	80	HI	179	199	20	25	0	0	20	25	1.8	0.11	0.13	100.00	100.00
6	27	7	80	HI	151	171	14	24	1	2	15	26	2.7	0.10	0.15	93.33	92.31
7	3	8	80	HI	83	98	3	4	0	0	3	4	1.8	0.04	0.04	100.00	100.00
8	10	8	80	HI	57	69	8	11	0	0	8	11	1.8	0.14	0.16	100.00	100.00
9	17	8	80	HI	51	63	8	11	0	0	8	11	1.8	0.16	0.17	100.00	100.00
10	24	8	80	HI	43	53	3	4	0	0	3	4	1.6	0.07	0.08	100.00	100.00
11	31	8	80	HI	54	69	1	1	0	0	1	1	0.8	0.02	0.01	100.00	100.00
TOTAL				HI	1411	1612	184	246	4	6	188	252	2.8	0.13	0.16	97.87	97.62

3003740  
COME BY CHANCE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	14	19	0	1	0	0	0	1	0.0	0.0	0.05	0.0	100.00
2	29	6	80	MED	25	30	6	7	0	0	6	7	2.3	0.24	0.23	100.00	100.00
3	6	7	80	HI	36	46	2	3	0	0	2	3	1.8	0.06	0.07	100.00	100.00
4	13	7	80	HI	44	59	7	10	0	0	7	10	2.0	0.16	0.17	100.00	100.00
5	20	7	80	HI	62	82	7	10	0	0	7	10	2.3	0.11	0.12	100.00	100.00
6	27	7	80	HI	28	38	4	5	0	0	4	5	2.3	0.14	0.13	100.00	100.00
7	3	8	80	HI	18	24	4	6	1	1	5	7	2.7	0.28	0.29	80.00	85.71
8	10	8	80	HI	12	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	12	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	16	22	0	1	0	0	0	1	0.0	0.0	0.05	0.0	100.00
11	31	8	80	HI	24	30	0	2	0	0	0	2	0.0	0.0	0.07	0.0	100.00
TOTAL				HI	291	382	30	45	1	1	31	46	2.7	0.11	0.12	96.77	97.83

3003830  
WATSONS BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	15	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	10	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	21	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	29	35	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	42	52	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	24	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	15	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	17	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	18	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	209	273	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0



3003880  
 NORTH HARBOUR RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK END			WATER LEVEL	ROD DAYS OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	45	60	2	6	0	0	2	6	2.0	0.04	0.10	100.00	100.00
2	29	6	80	MED	76	86	15	18	0	0	15	18	1.8	0.20	0.21	100.00	100.00
3	5	7	80	HI	70	80	16	20	0	0	16	20	1.6	0.23	0.25	100.00	100.00
4	13	7	80	HI	85	100	12	15	0	0	12	15	2.3	0.14	0.15	100.00	100.00
5	20	7	80	MED	100	120	10	12	0	0	10	12	2.3	0.10	0.10	100.00	100.00
6	27	7	80	MED	70	85	6	8	0	0	6	8	1.8	0.09	0.09	100.00	100.00
7	3	8	80	MED	40	50	5	7	0	0	5	7	1.6	0.13	0.14	100.00	100.00
8	10	8	80	MED	33	43	3	5	0	0	3	5	0.0	0.09	0.12	100.00	100.00
9	17	8	80	MED	22	29	2	3	0	0	2	3	0.0	0.09	0.10	100.00	100.00
10	24	8	80	MED	35	40	1	2	0	0	1	2	0.0	0.03	0.05	100.00	100.00
11	31	8	80	MED	15	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	591	713	72	96	0	0	72	96	2.3	0.12	0.13	100.00	100.00

 3004090  
 BLACK RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK END			WATER LEVEL	ROD DAYS OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	20	40	5	7	0	0	5	7	2.3	0.25	0.17	100.00	100.00
2	29	6	80	HI	43	68	9	19	0	0	9	19	2.3	0.21	0.28	100.00	100.00
3	6	7	80	HI	46	66	8	18	0	0	8	18	2.3	0.17	0.27	100.00	100.00
4	13	7	80	HI	50	70	24	30	0	0	24	30	2.3	0.48	0.43	100.00	100.00
5	20	7	80	HI	53	73	21	31	0	0	21	31	2.3	0.40	0.42	100.00	100.00
6	27	7	80	HI	39	54	6	16	0	0	6	16	2.5	0.15	0.30	100.00	100.00
7	3	8	80	HI	52	62	8	14	0	0	8	14	2.3	0.15	0.23	100.00	100.00
8	10	8	80	HI	24	34	4	6	0	0	4	6	2.3	0.17	0.18	100.00	100.00
9	17	8	80	HI	15	20	4	5	0	0	4	5	1.8	0.27	0.25	100.00	100.00
10	24	8	80	HI	18	28	1	3	0	0	1	3	1.8	0.06	0.11	100.00	100.00
11	31	8	80	HI	4	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	364	525	90	149	0	0	90	149	2.5	0.25	0.28	100.00	100.00

 3004160  
 PIPERS HOLE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK END			WATER LEVEL	ROD DAYS OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	105	115	18	20	0	0	18	20	2.3	0.17	0.17	100.00	100.00
2	29	6	80	HI	164	199	43	53	1	2	44	55	2.9	0.27	0.28	97.73	98.36
3	6	7	80	HI	119	139	18	22	1	1	19	23	2.9	0.16	0.17	94.74	95.65
4	13	7	80	HI	134	164	29	39	0	0	29	39	2.3	0.22	0.24	100.00	100.00
5	20	7	80	HI	183	203	32	42	0	0	32	42	2.5	0.17	0.21	100.00	100.00
6	27	7	80	HI	94	109	19	25	0	0	19	25	2.0	0.19	0.23	100.00	100.00
7	3	8	80	HI	96	116	12	22	0	0	12	22	2.3	0.13	0.19	100.00	100.00
8	10	8	80	HI	37	57	5	10	0	0	5	10	1.6	0.14	0.18	100.00	100.00
9	17	8	80	HI	44	49	7	10	0	0	7	10	2.5	0.16	0.20	100.00	100.00
10	24	8	80	HI	29	39	0	3	0	0	0	3	0.0	0.0	0.08	0.0	100.00
11	31	8	80	HI	48	58	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	1056	1248	183	246	2	3	185	249	2.9	0.17	0.20	98.92	98.80

 3105470  
 NONSUCH BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK END			WATER LEVEL	ROD DAYS OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	2	0	1	0	0	0	1	0.0	0.0	0.50	0.0	100.00
3	6	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80														NO PATROL
8	10	8	80														NO PATROL
9	17	8	80														NO PATROL
10	24	8	80														NO PATROL
11	31	8	80														NO PATROL
TOTAL				MED	0	2	0	1	0	0	0	1	0.0	0.0	0.50	0.0	100.00

3105560  
CAPE RUGER RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	WT LG (KGS)	C/E OBS.	C/E TOT.	% GRILSE OBS.	% GRILSE TOT.
1	22	6	80	MED	19	19	25	25	0	0	25	25	2.0	1.32	1.32	100.00	100.00
2	29	6	80	MED	18	20	24	28	0	0	24	28	2.5	1.33	1.40	100.00	100.00
3	6	7	80	MED	36	40	22	25	0	0	22	25	2.5	0.61	0.63	100.00	100.00
4	13	7	80	MED	12	12	12	12	0	0	12	12	2.3	1.00	1.00	100.00	100.00
5	20	7	80	LOW	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80														
7	3	8	80														NO PATROL
8	10	8	80														NO PATROL
9	17	8	80														NO PATROL
10	24	8	80														NO PATROL
11	31	8	80														NO PATROL
TOTAL				MED	86	94	83	90	0	0	83	90	2.5	0.94	0.96	100.00	100.00

3105760  
BAY DE L'EAU RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	WT LG (KGS)	C/E OBS.	C/E TOT.	% GRILSE OBS.	% GRILSE TOT.
1	22	6	80	MED	110	150	47	67	0	0	47	67	2.0	0.43	0.45	100.00	100.00
2	29	6	80	MED	158	208	45	60	0	0	45	60	2.3	0.28	0.29	100.00	100.00
3	6	7	80	MED	187	237	48	60	1	1	49	61	3.6	0.26	0.26	97.96	98.36
4	13	7	80	MED	199	249	42	52	3	3	45	55	3.6	0.23	0.22	93.33	94.55
5	20	7	80	MED	239	299	37	49	2	2	39	51	3.8	0.16	0.17	94.87	96.08
6	27	7	80	MED	197	218	14	19	1	2	15	21	1.8	0.08	0.10	93.33	90.48
7	3	8	80	MED	190	240	22	32	1	1	23	33	2.9	0.12	0.14	95.65	96.97
8	10	8	80	MED	99	124	11	18	1	1	12	19	3.2	0.12	0.15	91.67	94.74
9	17	8	80	MED	45	65	9	15	0	0	9	15	2.0	0.20	0.23	100.00	100.00
10	24	8	80	HI	16	26	3	6	0	0	3	6	2.5	0.19	0.23	100.00	100.00
11	31	8	80	MED	16	31	1	4	0	0	1	4	2.0	0.06	0.13	100.00	100.00
TOTAL				MED	1456	1847	279	382	9	10	288	392	3.8	0.20	0.21	96.86	97.45

3105990  
NORTHEAST BRANCH (RED HARBOUR)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	WT LG (KGS)	C/E OBS.	C/E TOT.	% GRILSE OBS.	% GRILSE TOT.
1	22	6	80														NO PATROL
2	29	6	80														NO PATROL
3	6	7	80	LOW	13	23	1	4	0	0	1	4	1.6	0.08	0.17	100.00	100.00
4	13	7	80	MED	10	12	1	1	0	0	1	1	0.0	0.10	0.08	100.00	100.00
5	20	7	80	MED	10	14	1	2	0	0	1	2	1.6	0.10	0.14	100.00	100.00
6	27	7	80	LOW	13	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	LOW	8	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	12	14	1	2	0	0	1	2	2.0	0.08	0.14	100.00	100.00
9	17	8	80	MED	5	6	1	1	0	0	1	1	1.6	0.20	0.17	100.00	100.00
10	24	8	80	LOW	7	9	1	1	0	0	1	1	2.3	0.14	0.11	100.00	100.00
11	31	8	80	MED	4	5	1	1	0	0	1	1	2.5	0.25	0.20	100.00	100.00
TOTAL				MED	82	111	7	12	0	0	7	12	2.5	0.09	0.11	100.00	100.00

3106000 -  
RED HARBOUR RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	WT LG (KGS)	C/E OBS.	C/E TOT.	% GRILSE OBS.	% GRILSE TOT.
1	22	6	80	MED	4	6	0	2	0	0	0	2	0.0	0.0	0.33	0.0	100.00
2	29	6	80	MED	12	16	2	3	0	0	2	3	0.0	0.17	0.19	100.00	100.00
3	6	7	80	MED	6	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	5	7	1	2	0	0	1	2	1.4	0.20	0.29	100.00	100.00
6	27	7	80	LOW	6	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	LOW	12	15	1	1	0	0	1	1	1.6	0.08	0.07	100.00	100.00
8	10	8	80	HI	26	28	1	4	0	0	1	4	1.6	0.04	0.14	100.00	100.00
9	17	8	80	MED	27	33	3	5	0	0	3	5	2.0	0.11	0.15	100.00	100.00
10	24	8	80	LOW	13	19	4	6	0	0	4	6	2.3	0.31	0.32	100.00	100.00
11	31	8	80	MED	14	16	1	1	0	0	1	1	2.3	0.07	0.06	100.00	100.00
TOTAL				MED	127	158	13	24	0	0	13	24	2.3	0.10	0.15	100.00	100.00

3206370  
NORTHWEST BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	7	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	10	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	16	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	15	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	19	24	4	6	0	0	4	6	0.0	0.21	0.25	100.00	100.00
7	3	8	80	MED	19	24	1	1	0	0	1	1	0.0	0.05	0.04	100.00	100.00
8	10	8	80	MED	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	100	133	5	7	0	0	5	7	0.0	0.05	0.05	100.00	100.00

3206950  
BIG SALMONIER BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80														NO PATROL
2	29	6	80														NO PATROL
3	6	7	80	MED	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	7	10	1	1	0	0	1	1	1.4	0.14	0.10	100.00	100.00
5	20	7	80	MED	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	18	24	2	4	0	0	2	4	0.0	0.11	0.17	100.00	100.00
7	3	8	80	MED	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	8	11	1	3	0	0	1	3	1.1	0.13	0.27	100.00	100.00
9	17	8	80	HI	0	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	58	80	4	8	0	0	4	8	1.4	0.07	0.10	100.00	100.00

3207150  
ST. LAWRENCE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80														NO PATROL
2	29	6	80														NO PATROL
3	6	7	80	MED	0	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80														NO PATROL
5	20	7	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	18	24	2	3	0	0	2	3	0.0	0.11	0.13	100.00	100.00
7	3	8	80	MED	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80														NO PATROL
9	17	8	80	HI	0	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	34	53	2	3	0	0	2	3	0.0	0.06	0.06	100.00	100.00

3207280  
LAWN RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80														NO PATROL
2	29	6	80														NO PATROL
3	6	7	80	MED	0	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80														NO PATROL
5	20	7	80	MED	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	7	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80														NO PATROL
9	17	8	80	HI	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	17	31	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3207520  
TAYLOR BAY BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	9	13	1	1	0	0	1	1	0.0	0.11	0.08	100.00	100.00
3	6	7	80	MED	10	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	14	18	2	3	0	0	2	3	1.8	0.14	0.17	100.00	100.00
5	20	7	80	MED	12	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	12	15	4	5	0	0	4	5	1.8	0.33	0.33	100.00	100.00
7	3	8	80	MED	9	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	82	106	7	9	0	0	7	9	1.8	0.09	0.08	100.00	100.00

3207570  
SALMONIER RIVER (LAMALINE)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	20	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	41	51	3	4	0	0	3	4	1.8	0.07	0.08	100.00	100.00
3	6	7	80	MED	45	56	1	2	0	0	1	2	1.8	0.02	0.04	100.00	100.00
4	13	7	80	MED	33	41	4	5	0	0	4	5	1.8	0.12	0.12	100.00	100.00
5	20	7	80	MED	26	33	5	6	0	0	5	6	1.8	0.19	0.18	100.00	100.00
6	27	7	80	MED	12	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	19	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	1	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	207	255	13	17	0	0	13	17	1.8	0.06	0.07	100.00	100.00

3207670  
PIERCEY'S BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	14	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	15	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	13	16	1	1	0	0	1	1	1.8	0.08	0.06	100.00	100.00
5	20	7	80	MED	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	12	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	LOW	1	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	86	108	1	1	0	0	1	1	1.8	0.01	0.01	100.00	100.00

3308040  
GRAND BANK BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80														NO PATROL
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	11	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	LOW	15	20	1	2	0	0	1	2	1.8	0.07	0.10	100.00	100.00
5	20	7	80	MED	26	29	1	2	0	0	1	2	0.0	0.04	0.07	100.00	100.00
6	27	7	80	MED	48	63	8	13	0	0	8	13	0.0	0.17	0.21	100.00	100.00
7	3	8	80	MED	17	20	1	1	0	0	1	1	0.0	0.06	0.05	100.00	100.00
8	10	8	80	MED	16	24	3	5	0	0	3	5	0.0	0.19	0.21	100.00	100.00
9	17	8	80	HI	20	25	2	3	0	0	2	3	1.4	0.10	0.12	100.00	100.00
10	24	8	80	MED	8	10	1	1	0	0	1	1	0.0	0.13	0.10	100.00	100.00
11	31	8	80	MED	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	169	214	17	27	0	0	17	27	1.6	0.10	0.13	100.00	100.00

J30844  
GARNISH RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	HI	278	317	164	194	0	0	164	194	1.8	0.54	0.61	100.00	100.00
2	22	6	80	HI	293	325	139	159	0	0	139	159	1.8	0.47	0.49	100.00	100.00
3	29	6	80	MED	234	288	132	163	1	1	133	164	2.7	0.57	0.57	99.25	99.39
4	6	7	80	MED	246	278	130	148	1	1	131	149	2.7	0.53	0.54	99.24	99.33
5	13	7	80	HI	196	226	97	113	0	0	97	113	2.0	0.49	0.50	100.00	100.00
6	20	7	80	MED	158	183	69	80	1	1	70	81	2.9	0.44	0.44	98.57	98.77
7	27	7	80	MED	106	136	45	59	2	2	47	61	0.0	0.44	0.45	95.74	96.72
8	3	8	80	MED	83	100	43	50	0	0	43	50	2.3	0.52	0.50	100.00	100.00
9	10	8	80	MED	64	78	31	38	2	3	33	41	2.9	0.52	0.53	93.94	92.68
10	17	8	80	HI	35	47	6	11	0	0	6	11	1.4	0.17	0.23	100.00	100.00
11	24	8	80	HI	13	19	3	6	0	0	3	6	1.6	0.23	0.32	100.00	100.00
12	31	8	80	MED	14	18	1	3	0	0	1	3	1.8	0.07	0.17	100.00	100.00
TOTAL				MED	1720	2015	860	1024	7	8	867	1032	2.9	0.50	0.51	99.19	99.22

J409780  
LONG HARBOUR RIVER (FORTUNE BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	36	46	49	69	0	0	49	69	1.8	1.36	1.50	100.00	100.00
2	29	6	80	HI	167	177	300	320	1	1	301	321	3.2	1.80	1.81	99.67	99.69
3	6	7	80	HI	48	60	60	100	0	0	60	100	1.8	1.25	1.67	100.00	100.00
4	13	7	80	HI	64	70	60	80	0	0	60	80	1.8	0.94	1.14	100.00	100.00
5	20	7	80	HI	27	33	18	20	0	0	18	20	0.0	0.67	0.61	100.00	100.00
6	27	7	80														
7	3	8	80	HI	4	7	0	4	0	0	0	4	0.0	0.0	0.57	0.0	100.00
8	10	8	80	HI	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	376	425	487	593	1	1	488	594	3.2	1.29	1.40	99.80	99.63

J410790  
BAY DU NORD RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	32	38	11	12	3	3	14	15	3.6	0.44	0.39	78.57	80.00
2	29	6	80	HI	34	40	23	26	4	5	27	31	7.3	0.79	0.77	85.19	83.87
3	6	7	80	HI	60	70	28	32	2	2	30	34	3.6	0.50	0.49	93.33	94.12
4	13	7	80	HI	48	53	12	14	3	3	15	17	5.2	0.31	0.32	80.00	82.35
5	20	7	80	HI	36	42	9	11	1	1	10	12	3.4	0.28	0.29	90.00	91.67
6	27	7	80	HI	48	54	9	11	0	0	9	11	2.3	0.19	0.20	100.00	100.00
7	3	8	80	HI	19	27	5	6	0	0	5	6	2.0	0.26	0.22	100.00	100.00
8	10	8	80	HI	10	10	2	2	1	1	3	3	2.7	0.30	0.30	66.67	66.67
9	17	8	80	HI	9	11	2	3	0	0	2	3	1.8	0.22	0.27	100.00	100.00
10	24	8	80	LOW	10	12	2	2	0	0	2	2	2.3	0.20	0.17	100.00	100.00
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	306	357	103	119	14	15	117	134	7.3	0.38	0.38	88.03	88.81

J410940  
SIMMONS BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	32	40	13	17	1	2	14	19	5.5	0.44	0.47	92.86	89.47
2	29	6	80	HI	82	92	31	37	0	0	31	37	2.3	0.38	0.40	100.00	100.00
3	6	7	80	HI	62	82	24	32	0	0	24	32	2.5	0.39	0.39	100.00	100.00
4	13	7	80	MED	54	64	13	17	1	1	14	18	3.4	0.26	0.28	92.86	94.44
5	20	7	80	LOW	50	64	14	18	0	0	14	18	1.8	0.28	0.28	100.00	100.00
6	27	7	80	HI	33	43	4	6	0	0	4	6	2.0	0.12	0.14	100.00	100.00
7	3	8	80	MED	24	30	5	6	0	0	5	6	1.8	0.21	0.20	100.00	100.00
8	10	8	80	MED	24	30	5	7	0	0	5	7	1.8	0.21	0.23	100.00	100.00
9	17	8	80	MED	16	22	2	3	0	0	2	3	1.8	0.13	0.14	100.00	100.00
10	24	8	80	MED	16	18	4	4	0	0	4	4	4.0	0.25	0.22	100.00	100.00
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	393	485	115	147	2	3	117	150	5.5	0.30	0.31	98.29	96.00

J411000  
SOUTHWEST BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	20	26	3	5	0	0	3	5	1.8	0.15	0.19	100.00	100.00
3	6	7	80	HI	18	28	9	15	0	0	9	15	1.8	0.50	0.54	100.00	100.00
4	13	7	80	MED	28	38	4	8	0	0	4	8	1.8	0.14	0.21	100.00	100.00
5	20	7	80	LOW	32	42	6	10	0	0	6	10	2.0	0.19	0.24	100.00	100.00
6	27	7	80	HI	62	72	5	9	0	0	5	9	1.8	0.08	0.13	100.00	100.00
7	3	8	80	MED	24	34	3	4	0	0	3	4	1.8	0.13	0.12	100.00	100.00
8	10	8	80	MED	10	16	1	3	0	0	1	3	1.8	0.10	0.19	100.00	100.00
9	17	8	80	MED	10	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	15	24	3	3	0	0	3	3	1.8	0.20	0.13	100.00	100.00
11	31	8	80	MED	18	22	1	2	0	0	1	2	1.8	0.06	0.09	100.00	100.00
TOTAL				MED	237	318	35	59	0	0	35	59	2.0	0.15	0.19	100.00	100.00

J511530  
OLD BROOK (OLD BAY BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	6	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	15	18	2	2	0	0	2	2	1.8	0.13	0.11	100.00	100.00
4	13	7	80	MED	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	28	30	3	6	0	0	3	6	2.3	0.11	0.20	100.00	100.00
6	27	7	80	HI	26	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	HI	4	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	13	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	25	36	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	15	26	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	5	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	147	202	5	8	0	0	5	8	2.3	0.03	0.04	100.00	100.00

J511560  
TAYLOR'S BAY BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	13	17	1	1	0	0	1	1	1.8	0.08	0.06	100.00	100.00
3	6	7	80	MED	14	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	22	24	1	3	0	0	1	3	0.0	0.05	0.13	100.00	100.00
6	27	7	80	HI	21	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	HI	5	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	12	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	15	29	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	16	36	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	5	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	141	215	2	4	0	0	2	4	1.8	0.01	0.02	100.00	100.00

J613350  
CONNIE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	HI	760	770	449	469	5	5	454	474	4.3	0.60	0.62	98.90	98.95
2	22	6	80	HI	672	702	476	491	7	9	483	500	4.4	0.72	0.71	98.55	98.20
3	29	6	80	MED	612	637	523	553	0	0	523	553	1.8	0.85	0.87	100.00	100.00
4	6	7	80	HI	503	523	217	247	0	0	217	247	1.6	0.43	0.47	100.00	100.00
5	13	7	80	MED	314	344	190	205	0	0	190	205	2.3	0.61	0.60	100.00	100.00
6	20	7	80	MED	191	211	109	119	0	0	109	119	1.8	0.57	0.56	100.00	100.00
7	27	7	80	HI	86	96	48	53	0	0	48	53	1.8	0.56	0.55	100.00	100.00
8	3	8	80	HI	63	63	30	30	0	0	30	30	1.6	0.48	0.48	100.00	100.00
9	10	8	80	HI	69	69	35	35	0	0	35	35	1.8	0.51	0.51	100.00	100.00
10	17	8	80	MED	51	51	20	20	0	0	20	20	1.6	0.39	0.39	100.00	100.00
11	24	8	80	HI	13	13	5	5	0	0	5	5	1.6	0.38	0.38	100.00	100.00
12	31	8	80	MED	33	33	11	11	0	0	11	11	1.6	0.33	0.33	100.00	100.00
TOTAL				HI	3367	3512	2113	2238	12	14	2125	2252	4.4	0.63	0.64	99.44	99.38

3613410  
SOUTHEAST BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	HI	48	48	7	7	0	0	7	7	1.4	0.15	0.15	100.00	100.00
2	22	6	80	HI	107	127	19	24	0	0	19	24	1.6	0.18	0.19	100.00	100.00
3	29	6	80	HI	94	119	24	29	0	0	24	29	1.4	0.26	0.24	100.00	100.00
4	6	7	80	HI	87	102	28	38	0	0	28	38	1.4	0.32	0.37	100.00	100.00
5	13	7	80	LOW	82	92	17	22	0	0	17	22	1.4	0.21	0.24	100.00	100.00
6	20	7	80	LOW	51	56	6	7	0	0	6	7	1.4	0.12	0.13	100.00	100.00
7	27	7	80	HI	28	28	6	6	0	0	6	6	1.4	0.21	0.21	100.00	100.00
8	3	8	80	HI	38	38	9	9	0	0	9	9	1.4	0.24	0.24	100.00	100.00
9	10	8	80	HI	31	31	3	3	0	0	3	3	1.4	0.10	0.10	100.00	100.00
10	17	8	80	MED	53	53	4	4	0	0	4	4	1.4	0.08	0.08	100.00	100.00
11	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	619	694	123	149	0	0	123	149	1.6	0.20	0.21	100.00	100.00

3614020  
LONG REACH BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	11	13	3	3	0	0	3	3	1.4	0.27	0.23	100.00	100.00
3	6	7	80	HI	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	16	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	28	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	15	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	6	6	1	1	0	0	1	1	1.4	0.17	0.17	100.00	100.00
9	17	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	96	100	4	4	0	0	4	4	1.4	0.04	0.04	100.00	100.00

3614070  
SALMON RIVER (BAY D'EST)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	11	16	2	3	0	0	2	3	1.4	0.18	0.19	100.00	100.00
3	6	7	80	HI	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	33	33	2	2	0	0	2	2	1.4	0.06	0.06	100.00	100.00
6	27	7	80	MED	2	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	54	63	4	5	0	0	4	5	1.4	0.07	0.08	100.00	100.00

3614260  
D'ESPOIR BROOK (BAY DU NORD)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80														NO PATROL
2	29	6	80														NO PATROL
3	6	7	80														NO PATROL
4	13	7	80	HI	12	12	4	4	0	0	4	4	1.4	0.33	0.33	100.00	100.00
5	20	7	80	HI	10	10	4	4	0	0	4	4	1.4	0.40	0.40	100.00	100.00
6	27	7	80	HI	9	11	4	4	0	0	4	4	1.4	0.44	0.36	100.00	100.00
7	3	8	80	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	9	11	2	2	0	0	2	2	1.4	0.22	0.18	100.00	100.00
9	17	8	80	MED	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	47	51	14	14	0	0	14	14	1.4	0.30	0.27	100.00	100.00

3614760  
ALLAN'S COVE BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	10	15	3	5	0	0	3	5	1.4	0.30	0.33	100.00	100.00
4	13	7	80	HI	15	15	2	2	0	0	2	2	1.4	0.13	0.13	100.00	100.00
5	20	7	80	MED	8	8	3	3	0	0	3	3	1.4	0.38	0.38	100.00	100.00
6	27	7	80	MED	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	20	20	3	3	0	0	3	3	1.4	0.15	0.15	100.00	100.00
8	10	8	80	HI	4	6	1	2	0	0	1	2	1.4	0.25	0.33	100.00	100.00
9	17	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	93	100	12	15	0	0	12	15	1.4	0.13	0.15	100.00	100.00

3614850  
BOTTOM BROOK (FACHEAUX BAY R)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	4	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	0	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	16	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3615270  
DOLLAND BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	16	20	9	9	0	0	9	9	1.4	0.56	0.45	100.00	100.00
3	6	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	25	29	17	21	1	1	18	22	2.9	0.72	0.76	94.44	95.45
5	20	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	17	17	6	6	0	0	6	6	1.4	0.35	0.35	100.00	100.00
7	3	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	6	6	1	1	0	0	1	1	1.4	0.17	0.17	100.00	100.00
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	7	9	2	2	0	0	2	2	1.4	0.29	0.22	100.00	100.00
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	71	81	35	39	1	1	36	40	2.9	0.51	0.49	97.22	97.50

3716620  
GREY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	16	16	22	22	0	0	22	22	2.0	1.38	1.38	100.00	100.00
2	29	6	80	HI	57	57	105	105	0	0	105	105	2.3	1.84	1.84	100.00	100.00
3	6	7	80	HI	9	11	14	18	0	0	14	18	2.0	1.56	1.54	100.00	100.00
4	13	7	80	HI	10	10	14	14	0	0	14	14	1.8	1.40	1.40	100.00	100.00
5	20	7	80	HI	1	1	1	1	0	0	1	1	1.8	1.00	1.00	100.00	100.00
6	27	7	80	HI	2	2	4	4	0	0	4	4	1.8	2.00	2.00	100.00	100.00
7	3	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	5	5	9	9	0	0	9	9	2.3	1.80	1.80	100.00	100.00
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	100	102	169	173	0	0	169	173	2.3	1.69	1.70	100.00	100.00



3717440  
WHITE HOOK BROOK

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END DA MO YR	WATER LEVEL	NO. DAYS OBS. TOT.	NO GRILSE OBS. TOT.	NO SALMON OBS. TOT.	NO FISH OBS. TOT.	WT LG (KGS)	C/E OBS. TOT.	% GRILSE OBS. TOT.
1	22	6	HI	15	15	0	0	0	0	0.0
2	29	6	LOW	24	24	9	9	9	2.3	0.34
3	6	7	MED	35	35	12	12	0	2.3	0.34
4	13	7	MED	26	26	12	12	0	1.6	0.46
5	20	7	MED	19	19	4	4	0	2.0	0.21
6	27	7	HI	0	10	0	4	0	0.0	0.40
7	3	8	MED	0	0	0	0	0	0.0	0.0
8	10	8	MED	2	2	0	0	0	0.0	0.0
9	17	8	MED	2	2	0	0	0	0.0	0.0
10	24	8	LOW	0	0	0	0	0	0.0	0.0
11	31	8	LOW	0	0	0	0	0	0.0	0.0
TOTAL			MED	123	133	37	41	0	2.3	0.30

3717720  
RAY DE LOUP BROOK

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END DA MO YR	WATER LEVEL	NO. DAYS OBS. TOT.	NO GRILSE OBS. TOT.	NO SALMON OBS. TOT.	NO FISH OBS. TOT.	WT LG (KGS)	C/E OBS. TOT.	% GRILSE OBS. TOT.
1	22	6	MED	0	4	0	2	0	0.0	0.50
2	29	6	MED	0	4	0	0	0	0.0	0.50
3	6	7	MED	0	0	0	0	0	0.0	0.0
4	13	7	HI	0	0	0	0	0	0.0	0.0
5	20	7	MED	0	2	0	0	0	0.0	0.0
6	27	7	HI	0	0	0	0	0	0.0	0.0
7	3	8	MED	0	0	0	0	0	0.0	0.0
8	10	8	MED	0	0	0	0	0	0.0	0.0
9	17	8	HI	0	0	0	0	0	0.0	0.0
10	24	8	LOW	0	0	0	0	0	0.0	0.0
11	31	8	LOW	0	0	0	0	0	0.0	0.0
TOTAL			MED	0	10	0	4	0	0.0	0.40

3717770  
KINGS HARBOUR BROOK

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END DA MO YR	WATER LEVEL	NO. DAYS OBS. TOT.	NO GRILSE OBS. TOT.	NO SALMON OBS. TOT.	NO FISH OBS. TOT.	WT LG (KGS)	C/E OBS. TOT.	% GRILSE OBS. TOT.
1	22	6	MED	5	8	0	2	0	0.0	0.25
2	29	6	MED	0	6	0	3	0	0.0	0.50
3	6	7	MED	2	2	1	1	0	1.6	0.50
4	13	7	HI	0	5	0	0	0	0.0	0.0
5	20	7	MED	0	5	0	0	0	0.0	0.0
6	27	7	HI	0	0	0	0	0	0.0	0.0
7	3	8	MED	0	0	0	0	0	0.0	0.0
8	10	8	MED	0	0	0	0	0	0.0	0.0
9	17	8	HI	0	0	0	0	0	0.0	0.0
10	24	8	LOW	0	0	0	0	0	0.0	0.0
11	31	8	LOW	0	0	0	0	0	0.0	0.0
TOTAL			MED	7	26	1	6	0	1.6	0.14

3717890  
GRANDY BROOK

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END DA MO YR	WATER LEVEL	NO. DAYS OBS. TOT.	NO GRILSE OBS. TOT.	NO SALMON OBS. TOT.	NO FISH OBS. TOT.	WT LG (KGS)	C/E OBS. TOT.	% GRILSE OBS. TOT.
1	22	6	HI	90	90	47	47	1	48	0.53
2	29	6	MED	197	207	124	144	0	124	0.68
3	6	7	MED	130	130	35	48	0	35	0.27
4	13	7	HI	47	57	28	28	0	28	0.60
5	20	7	HI	103	103	35	35	1	36	0.35
6	27	7	HI	53	53	12	12	0	12	0.23
7	3	8	MED	38	38	8	8	0	8	0.21
8	10	8	MED	45	45	14	14	0	14	0.31
9	17	8	MED	14	14	3	3	0	3	0.21
10	24	8	LOW	28	28	5	5	0	5	0.18
11	31	8	LOW	16	16	0	0	0	0	0.0
TOTAL			MED	747	777	311	344	2	313	0.42

3818490  
CING CERP BROOK (RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	5	0	4	0	0	0	4	0.0	0.0	0.67	0.0	100.00
2	29	6	80	MED	0	30	0	20	0	0	0	20	0.0	0.0	0.67	0.0	100.00
3	6	7	80	MED	25	25	16	16	0	0	16	16	2.0	0.64	0.64	100.00	100.00
4	13	7	80	HI	0	10	0	6	0	0	0	6	0.0	0.0	0.60	0.0	100.00
5	20	7	80	MED	0	10	0	4	0	0	0	4	0.0	0.0	0.40	0.0	100.00
6	27	7	80	HI	0	15	0	6	0	0	0	6	0.0	0.0	0.40	0.0	100.00
7	3	8	80	MED	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	25	106	16	56	0	0	16	56	2.0	0.64	0.53	100.00	100.00

3818760  
EAST BAY BROOK (LA POILE)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3818800  
LA POILE RIVER (NORTH BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	20	20	2	2	0	0	2	2	2.3	0.10	0.10	100.00	100.00
2	29	6	80	MED	41	41	24	24	1	1	25	25	2.7	0.61	0.61	96.00	96.00
3	6	7	80	MED	31	31	25	25	0	0	25	25	2.3	0.81	0.81	100.00	100.00
4	13	7	80	MED	39	39	28	28	0	0	28	28	2.3	0.72	0.72	100.00	100.00
5	20	7	80	MED	54	54	42	42	2	2	44	44	3.2	0.81	0.81	95.45	95.45
6	27	7	80	MED	28	28	20	20	0	0	20	20	2.3	0.71	0.71	100.00	100.00
7	3	8	80	LOW	8	8	2	2	0	0	2	2	1.8	0.25	0.25	100.00	100.00
8	10	8	80	LOW	7	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	7	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	13	13	4	4	0	0	4	4	1.8	0.31	0.31	100.00	100.00
11	31	8	80	LOW	14	14	1	1	0	0	1	1	1.8	0.07	0.07	100.00	100.00
TOTAL				MED	262	262	148	148	3	3	151	151	3.2	0.58	0.58	98.01	98.01

3819030  
FARMERS BROOK (FARMERS ARM)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	10	10	2	2	0	0	2	2	1.6	0.20	0.20	100.00	100.00
2	29	6	80	MED	33	34	3	5	0	0	3	5	1.8	0.09	0.15	100.00	100.00
3	6	7	80	MED	36	40	16	20	0	0	16	20	2.0	0.44	0.50	100.00	100.00
4	13	7	80	HI	27	31	16	18	0	0	16	18	2.0	0.54	0.58	100.00	100.00
5	20	7	80	HI	29	33	8	10	0	0	8	10	1.8	0.28	0.30	100.00	100.00
6	27	7	80	HI	22	22	4	4	0	0	4	4	2.0	0.16	0.18	100.00	100.00
7	3	8	80	MED	35	35	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	66	66	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	56	56	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	LOW	69	69	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	32	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	415	428	49	59	0	0	49	59	2.0	0.12	0.11	100.00	100.00

3819100  
GARJA BROOK (RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END MO YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
						OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	22	6	80	HI	5	5	7	7	0	0	7	7	1.8	1.40	1.40	100.00	100.00
2	29	6	80	MED	22	22	28	28	0	0	28	28	2.3	1.27	1.27	100.00	100.00
3	6	7	80	HI	44	44	33	33	0	0	33	33	2.3	0.75	0.75	100.00	100.00
4	13	7	80	HI	11	11	12	12	0	0	12	12	1.4	1.09	1.09	100.00	100.00
5	20	7	80	MED	9	9	9	9	0	0	9	9	1.8	1.00	1.00	100.00	100.00
6	27	7	80	MED	16	16	13	13	0	0	13	13	1.8	0.81	0.81	100.00	100.00
7	3	8	80	MED	7	7	7	7	0	0	7	7	1.8	1.00	1.00	100.00	100.00
8	10	8	80	HI	6	6	3	3	0	0	3	3	1.8	0.50	0.50	100.00	100.00
9	17	8	80	MED	17	17	3	3	0	0	3	3	1.8	0.18	0.18	100.00	100.00
10	24	8	80	LOW	13	13	1	1	0	0	1	1	1.4	0.08	0.08	100.00	100.00
11	31	8	80	LOW	12	12	1	1	0	0	1	1	1.8	0.08	0.08	100.00	100.00
TOTAL			MED	162	162	117	117	0	0	117	117	2.3	0.72	0.72	100.00	100.00	

3819120  
NORTHWEST BROOK (GARJA BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END MO YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
						OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	10	10	5	5	0	0	5	5	1.8	0.50	0.50	100.00	100.00
4	13	7	80	HI	2	2	2	2	0	0	2	2	1.4	1.00	1.00	100.00	100.00
5	20	7	80	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	6	6	1	1	0	0	1	1	1.4	0.17	0.17	100.00	100.00
7	3	8	80	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	9	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	LOW	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL			MED	58	58	8	8	0	0	8	8	1.8	0.14	0.14	100.00	100.00	

3919590  
GRANDYS BROOK (BURNT ISLAND R)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END MO YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
						OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	22	6	80	MED	66	81	23	32	2	4	25	36	3.6	0.38	0.44	92.00	88.89
2	29	6	80	MED	83	98	22	27	0	0	22	27	1.8	0.27	0.28	100.00	100.00
3	6	7	80	MED	71	96	22	29	2	5	24	34	3.2	0.34	0.35	91.67	85.29
4	13	7	80	MED	71	86	15	20	1	3	16	23	3.6	0.23	0.27	93.75	86.96
5	20	7	80	MED	26	26	8	8	1	1	9	9	3.6	0.35	0.35	88.89	88.89
6	27	7	80	MED	29	34	3	5	0	0	3	5	1.4	0.10	0.15	100.00	100.00
7	3	8	80	MED	17	22	2	3	0	0	2	3	1.4	0.12	0.14	100.00	100.00
8	10	8	80	MED	11	14	3	4	0	0	3	4	1.4	0.27	0.29	100.00	100.00
9	17	8	80	HI	5	6	1	1	0	0	1	1	1.4	0.20	0.17	100.00	100.00
10	24	8	80	HI	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	5	7	2	2	0	0	2	2	1.4	0.40	0.29	100.00	100.00
TOTAL			MED	387	474	101	131	6	13	107	144	3.6	0.28	0.30	94.39	90.97	

3919820  
ISLE AUX MORTS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA MO YR	END MO YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
						OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	22	6	80	HI	78	90	27	31	0	0	27	31	2.0	0.35	0.34	100.00	100.00
2	29	6	80	MED	108	120	18	22	4	4	22	26	4.5	0.20	0.22	81.82	84.62
3	6	7	80	HI	97	107	32	36	4	4	36	40	4.3	0.37	0.37	88.89	90.00
4	13	7	80	HI	68	78	28	32	1	1	29	33	3.2	0.43	0.42	96.55	96.97
5	20	7	80	MED	65	75	22	24	0	0	22	24	2.0	0.34	0.32	100.00	100.00
6	27	7	80	MED	14	20	5	6	0	0	5	6	2.0	0.36	0.30	100.00	100.00
7	3	8	80	LOW	5	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	LOW	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	LOW	5	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	LOW	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL			LOW	451	518	132	151	9	9	141	160	4.5	0.31	0.31	93.62	94.37	

3920100  
GRAND BAY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	16	16	16	16	2	2	18	18	3.6	1.13	1.13	88.89	88.89
2	29	6	80	MED	44	54	24	24	0	0	24	24	0.0	0.55	0.44	100.00	100.00
3	6	7	80	MED	33	43	25	30	0	0	25	30	2.3	0.76	0.70	100.00	100.00
4	13	7	80	MED	37	47	25	36	1	1	26	37	3.2	0.70	0.79	96.15	97.30
5	20	7	80	MED	35	45	39	47	0	0	39	47	0.0	1.11	1.04	100.00	100.00
6	27	7	80	HI	27	32	23	28	1	1	24	29	2.7	0.89	0.91	95.83	96.55
7	3	8	80	LOW	16	21	11	17	0	0	11	17	0.0	0.89	0.81	100.00	100.00
8	10	8	80	HI	8	8	8	8	0	0	8	8	0.0	1.00	1.00	100.00	100.00
9	17	8	80	HI	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	223	273	171	206	4	4	175	210	3.6	0.76	0.77	97.71	98.10

4000020  
BEAR COVE BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	9	9	2	2	0	0	2	2	0.0	0.22	0.22	100.00	100.00
6	27	7	80	MED	13	13	3	3	0	0	3	3	0.0	0.23	0.23	100.00	100.00
7	3	8	80	MED	20	20	4	4	0	0	4	4	0.0	0.20	0.20	100.00	100.00
8	10	8	80	MED	5	5	1	1	0	0	1	1	0.0	0.20	0.20	100.00	100.00
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	55	55	10	10	0	0	10	10	0.0	0.18	0.18	100.00	100.00

4000140  
LITTLE CUDROY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	6	7	80	MED	26	36	0	0	2	2	2	2	6.4	0.08	0.06	0.0	0.0
2	13	7	80	MED	33	38	2	2	1	1	3	3	5.5	0.09	0.08	66.67	66.67
3	20	7	80	MED	26	33	5	5	0	0	5	5	1.8	0.18	0.15	100.00	100.00
4	27	7	80	MED	72	82	19	22	3	3	22	25	6.4	0.31	0.30	86.36	88.00
5	3	8	80	HI	16	20	2	2	1	1	3	3	5.9	0.19	0.15	66.67	66.67
6	10	8	80	LOW	11	15	4	4	1	1	5	5	4.5	0.45	0.33	80.00	80.00
7	17	8	80	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	189	227	32	35	8	8	40	43	6.4	0.21	0.19	80.00	81.40

400033  
GRAND CUDROY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	516	556	75	89	73	84	148	173	5.5	0.29	0.31	50.68	51.45
2	29	6	80	MED	821	886	115	141	61	70	176	211	6.4	0.21	0.24	65.34	66.82
3	6	7	80	MED	813	898	235	275	30	37	265	312	6.4	0.33	0.35	88.68	88.14
4	13	7	80	MED	659	739	183	208	22	24	205	232	5.9	0.31	0.31	89.27	89.66
5	20	7	80	MED	503	568	113	136	11	11	124	147	6.4	0.25	0.26	91.13	92.52
6	27	7	80	MED	301	346	65	74	4	4	69	78	3.6	0.23	0.23	94.20	94.87
7	3	8	80	HI	258	298	43	52	13	13	56	65	5.5	0.22	0.22	76.79	80.00
8	10	8	80	LOW	137	162	20	22	3	3	23	25	3.6	0.17	0.15	86.96	88.00
9	17	8	80	HI	74	79	14	14	3	3	17	17	6.8	0.23	0.22	82.35	82.35
10	24	8	80	MED	80	95	9	9	1	1	10	10	4.5	0.13	0.11	90.00	90.00
11	31	8	80	LOW	18	18	12	12	0	0	12	12	1.8	0.67	0.67	100.00	100.00
TOTAL				MED	4180	4645	884	1032	221	250	1105	1282	6.8	0.26	0.28	80.00	80.50

4000860  
CHABBS BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	90	100	28	36	19	25	47	61	5.5	0.52	0.61	59.57	59.02
2	29	6	80	MED	88	110	29	39	3	6	32	45	5.0	0.36	0.41	50.63	86.87
3	6	7	80	MED	120	170	45	60	22	29	67	89	4.1	0.56	0.52	67.16	67.42
4	13	7	80	MED	122	162	51	67	10	13	61	80	4.1	0.50	0.49	83.61	83.75
5	20	7	80	MED	78	78	34	38	3	3	37	41	4.1	0.47	0.53	91.89	92.68
6	27	7	80	MED	44	60	25	35	1	9	26	44	3.2	0.59	0.73	96.15	79.55
7	3	8	80	MED	51	61	22	26	0	0	22	26	1.4	0.43	0.43	100.00	100.00
8	10	8	80	HI	63	77	23	29	3	5	26	34	5.7	0.41	0.44	88.46	85.29
9	17	8	80	HI	25	32	12	15	0	0	12	15	3.2	0.46	0.47	100.00	100.00
10	24	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	44	52	15	18	1	1	16	19	5.5	0.36	0.37	93.75	94.74
TOTAL				MED	725	902	284	363	62	91	346	454	5.7	0.46	0.50	82.08	79.96

4000900  
BARACHUIS BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	164	202	46	55	18	21	64	76	5.5	0.39	0.38	71.88	72.37
2	29	6	80	LOW	41	56	22	30	1	3	23	33	3.2	0.56	0.59	95.65	90.91
3	6	7	80	MED	77	102	48	57	0	0	48	57	2.3	0.62	0.56	100.00	100.00
4	13	7	80	MED	50	75	42	62	0	0	42	62	3.6	0.84	0.83	100.00	100.00
5	20	7	80	LOW	56	76	36	46	0	0	36	46	2.3	0.64	0.61	100.00	100.00
6	27	7	80	MED	33	43	12	15	0	0	12	15	1.4	0.36	0.35	100.00	100.00
7	3	8	80	HI	17	23	7	9	0	0	7	9	1.8	0.41	0.39	100.00	100.00
8	10	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	26	34	9	12	0	0	9	12	2.3	0.35	0.35	100.00	100.00
10	24	8	80	MED	9	11	3	4	0	0	3	4	1.4	0.33	0.36	100.00	100.00
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	473	622	225	290	19	24	244	314	5.5	0.52	0.50	92.21	92.36

4000920  
ROBINSONS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	302	362	151	183	59	69	210	252	7.3	0.70	0.70	71.90	72.62
2	29	6	80	MED	172	202	83	95	2	10	85	105	4.5	0.49	0.52	97.65	90.48
3	6	7	80	MED	291	371	199	229	26	30	225	259	3.6	0.77	0.70	88.44	88.42
4	13	7	80	MED	96	96	56	56	3	3	59	59	3.6	0.61	0.61	94.92	94.92
5	20	7	80	MED	81	81	42	42	1	1	43	43	3.2	0.53	0.53	97.67	97.67
6	27	7	80	MED	50	50	22	22	0	0	22	22	1.8	0.44	0.44	100.00	100.00
7	3	8	80	MED	58	58	23	23	0	0	23	23	1.8	0.40	0.40	100.00	100.00
8	10	8	80	HI	91	101	18	22	0	0	18	22	1.4	0.20	0.22	100.00	100.00
9	17	8	80	MED	31	31	12	12	0	0	12	12	1.4	0.39	0.39	100.00	100.00
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1172	1352	606	684	91	113	697	797	7.3	0.59	0.59	86.94	85.82

4000960  
FISCHELLS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	54	70	33	41	16	20	49	61	4.5	0.91	0.87	67.35	67.21
2	29	6	80	HI	39	45	19	23	6	6	25	29	2.7	0.64	0.64	76.00	79.31
3	6	7	80	MED	48	72	24	40	9	12	33	52	5.9	0.69	0.72	72.73	76.92
4	13	7	80	MED	33	46	21	30	2	2	23	32	5.5	0.70	0.70	91.30	93.75
5	20	7	80	HI	31	41	21	32	0	0	21	32	2.7	0.68	0.78	100.00	100.00
6	27	7	80	MED	48	58	31	37	0	0	31	37	1.8	0.65	0.64	100.00	100.00
7	3	8	80	MED	9	16	7	10	0	0	7	10	1.4	0.78	0.63	100.00	100.00
8	10	8	80	HI	6	8	3	4	0	0	3	4	1.4	0.50	0.50	100.00	100.00
9	17	8	80	HI	11	13	4	4	0	0	4	4	3.6	0.36	0.31	100.00	100.00
10	24	8	80	MED	6	9	2	3	0	0	2	3	1.4	0.33	0.33	100.00	100.00
11	31	8	80	LOW	4	8	1	3	0	0	1	3	1.4	0.25	0.38	100.00	100.00
TOTAL				MED	289	386	166	227	33	40	199	267	5.9	0.69	0.69	63.42	85.02

4101080  
FLAT BAY BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	20	26	7	9	2	3	9	12	3.6	0.45	0.46	77.78	75.00
2	29	6	80	HI	134	149	40	44	4	5	44	49	4.1	0.33	0.33	90.91	89.80
3	6	7	80	HI	216	246	94	106	5	6	99	112	3.6	0.46	0.46	94.95	94.64
4	13	7	80	HI	211	241	86	96	7	10	93	106	3.6	0.44	0.44	92.47	90.57
5	20	7	80	HI	206	270	147	190	2	2	149	192	4.5	0.72	0.71	98.66	98.96
TOTAL				HI	787	932	374	445	20	26	394	471	4.5	0.50	0.51	94.92	94.48

4101110  
LITTLE MAHACHUIS BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	6	7	80	HI	55	73	19	23	1	2	20	25	3.2	0.36	0.34	95.00	92.00
2	13	7	80	HI	78	93	28	34	5	6	33	40	3.2	0.42	0.43	84.85	85.00
3	20	7	80	HI	83	110	28	38	2	2	30	40	2.7	0.36	0.36	93.33	95.00
4	27	7	80	HI	37	40	22	25	0	0	22	25	2.3	0.59	0.63	100.00	100.00
5	3	8	80	HI	38	40	30	33	0	0	30	33	2.3	0.79	0.82	100.00	100.00
6	10	8	80	HI	55	65	22	26	0	0	22	26	1.8	0.40	0.40	100.00	100.00
7	17	8	80	HI	11	15	3	4	0	0	3	4	1.4	0.27	0.27	100.00	100.00
TOTAL				HI	357	436	152	183	8	10	160	193	3.2	0.45	0.44	95.00	94.62

4101150  
SOUTHWEST AND BOTTOM BROOKS

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	MED	110	140	29	35	2	2	31	37	3.4	0.28	0.26	93.55	94.59
2	22	6	80	HI	149	164	68	68	4	8	72	76	4.5	0.46	0.46	94.44	89.47
3	29	6	80	HI	124	134	45	45	6	11	51	56	4.1	0.41	0.42	88.24	80.36
4	6	7	80	HI	146	146	60	60	14	14	74	74	3.6	0.51	0.51	81.08	81.08
5	13	7	80	HI	109	124	37	40	5	7	42	47	4.1	0.39	0.38	88.10	85.11
6	20	7	80	HI	98	131	43	53	1	1	44	54	2.7	0.45	0.41	97.73	98.15
7	27	7	80	HI	93	126	30	46	0	0	30	46	2.7	0.32	0.37	100.00	100.00
8	3	8	80	HI	75	82	43	45	0	0	43	45	5.5	0.57	0.55	100.00	100.00
9	10	8	80	HI	31	46	17	20	0	1	17	21	1.8	0.55	0.46	100.00	95.24
10	17	8	80	HI	10	20	4	6	0	0	4	6	1.6	0.40	0.30	100.00	100.00
11	24	8	80	MED	29	34	8	8	2	2	10	10	4.1	0.34	0.29	80.00	80.00
12	31	8	80	MED	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	982	1157	384	426	34	46	418	472	5.5	0.43	0.41	91.87	90.25

410120  
HARRY'S RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	6	7	80	HI	510	542	221	240	30	40	251	280	9.1	0.49	0.52	88.05	85.71
2	13	7	80	HI	321	329	100	107	12	13	112	120	5.7	0.35	0.36	89.29	89.17
3	20	7	80	HI	195	270	49	70	3	5	52	75	4.5	0.27	0.28	94.23	93.33
4	27	7	80	HI	139	164	42	47	4	4	46	51	3.6	0.33	0.31	91.30	92.16
5	3	8	80	HI	92	117	17	22	1	2	18	24	3.6	0.20	0.21	94.44	91.67
6	10	8	80	HI	112	137	21	26	0	0	21	26	2.3	0.19	0.19	100.00	100.00
7	17	8	80	HI	33	43	6	6	1	1	7	7	2.7	0.21	0.16	85.71	85.71
TOTAL				HI	1402	1602	456	518	51	65	507	583	9.1	0.36	0.36	89.94	88.85

440209  
SERPENTINE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	6	7	80	HI	41	43	19	23	10	10	29	33	5.5	0.71	0.77	65.52	69.70
2	13	7	80	HI	27	33	18	23	0	0	18	23	0.0	0.67	0.70	100.00	100.00
3	20	7	80	HI	29	34	18	22	0	0	18	22	0.0	0.62	0.65	100.00	100.00
4	27	7	80	HI	39	45	32	36	4	4	36	40	3.6	0.92	0.89	88.89	90.00
5	3	8	80	HI	27	33	9	12	0	0	9	12	0.0	0.33	0.36	100.00	100.00
6	10	8	80	HI	36	42	12	16	0	0	12	16	0.0	0.33	0.38	100.00	100.00
7	17	8	80	HI	29	34	13	18	1	1	14	19	3.6	0.48	0.56	92.86	94.74
8	24	8	80	HI	28	36	7	10	0	0	7	10	0.0	0.25	0.28	100.00	100.00
9	31	8	80	HI	24	29	6	9	0	0	6	9	0.0	0.25	0.31	100.00	100.00
TOTAL				HI	280	329	134	169	15	15	149	184	5.5	0.53	0.56	89.93	91.85

440243  
HUMBER RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	228	263	145	163	13	14	158	177	5.7	0.64	0.67	91.77	92.09
2	29	6	80	MED	845	922	444	492	48	62	492	554	6.8	0.58	0.60	90.24	88.81
3	6	7	80	MED	1139	1260	641	711	64	70	705	781	6.0	0.62	0.62	90.92	91.04
4	13	7	80	MED	1075	1202	552	609	39	44	591	653	6.8	0.55	0.54	93.40	93.26
5	20	7	80	HI	714	827	287	328	29	32	316	360	5.3	0.44	0.44	90.82	91.11
6	27	7	80	MED	842	960	331	377	21	23	352	400	5.0	0.42	0.42	94.03	94.25
7	3	8	80	MED	648	735	239	289	19	23	258	312	7.3	0.40	0.42	92.64	92.63
8	10	8	80	MED	585	663	130	166	4	4	134	170	4.5	0.23	0.26	97.01	97.65
9	17	8	80	MED	420	506	78	109	3	3	81	112	9.6	0.19	0.22	96.30	97.32
10	24	8	80	MED	423	479	122	152	11	11	133	163	10.9	0.31	0.34	91.73	93.25
11	31	8	80	MED	275	319	93	112	10	11	103	123	8.0	0.37	0.39	90.29	91.06
12	7	9	80	HI	64	71	4	4	0	1	4	5	2.3	0.06	0.07	100.00	80.00
13	14	9	80	HI	73	73	0	0	1	5	1	5	9.1	0.01	0.07	0.0	0.0
14	21	9	80	HI	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	7343	8292	3066	3512	262	303	3328	3815	10.9	0.45	0.46	92.13	92.06

4402740  
GOOSE ARM BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	44	54	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	38	48	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	44	48	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	52	62	3	4	0	0	3	4	0.0	0.06	0.06	100.00	100.00
9	17	8	80	MED	48	58	2	4	0	0	2	4	0.0	0.04	0.07	100.00	100.00
10	24	8	80	MED	43	53	3	5	2	2	5	7	0.0	0.12	0.13	60.00	71.43
11	31	8	80	MED	39	49	4	6	0	0	4	6	0.0	0.10	0.12	100.00	100.00
TOTAL				MED	310	376	12	19	2	2	14	21	0.0	0.05	0.06	85.71	90.48

4503520  
TROUT RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	9	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	18	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	17	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	19	21	2	2	0	0	2	2	0.0	0.11	0.10	100.00	100.00
5	20	7	80	HI	17	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	17	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	19	20	1	1	0	0	1	1	0.0	0.05	0.05	100.00	100.00
8	10	8	80	MED	13	14	2	2	0	0	2	2	0.0	0.15	0.14	100.00	100.00
9	17	8	80	MED	16	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	12	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	12	13	3	3	0	0	3	3	0.0	0.25	0.23	100.00	100.00
TOTAL				MED	169	185	8	8	0	0	8	8	0.0	0.05	0.04	100.00	100.00

4503920  
LOMUND RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	86	89	23	23	4	4	27	27	3.4	0.31	0.30	85.19	85.19
2	29	6	80	MED	124	150	31	34	3	4	34	38	4.2	0.27	0.25	91.18	89.47
3	6	7	80	MED	240	270	86	91	2	2	88	93	3.6	0.37	0.34	97.73	97.85
4	13	7	80	MED	183	202	61	65	2	2	63	67	4.1	0.34	0.33	96.83	97.01
5	20	7	80	HI	107	120	27	30	0	0	27	30	0.0	0.25	0.25	100.00	100.00
6	27	7	80	MED	98	108	15	17	0	0	15	17	0.0	0.15	0.16	100.00	100.00
7	3	8	80	MED	87	95	11	12	0	0	11	12	0.0	0.13	0.13	100.00	100.00
8	10	8	80	MED	47	57	4	5	1	1	5	6	4.3	0.11	0.11	80.00	83.33
9	17	8	80	HI	47	53	3	4	0	0	3	4	0.0	0.06	0.08	100.00	100.00
10	24	8	80	MED	29	32	4	4	0	0	4	4	0.0	0.14	0.13	100.00	100.00
11	31	8	80	MED	39	42	8	8	0	0	8	8	0.0	0.21	0.19	100.00	100.00
TOTAL				MED	1087	1218	273	293	12	13	285	306	4.3	0.26	0.25	95.79	95.75

4504040  
DEER BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80														NO PATROL
3	6	7	80	MED	72	82	1	1	0	0	1	1	1.8	0.01	0.01	100.00	100.00
4	13	7	80	MED	23	35	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	27	37	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	MED	21	46	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	37	52	1	1	0	0	1	1	0.0	0.03	0.02	100.00	100.00
8	10	8	80	MED	24	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	18	26	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	11	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	5	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	238	339	2	2	0	0	2	2	1.8	0.01	0.01	100.00	100.00

4604220  
WESTERN BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	16	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	24	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	21	31	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	37	57	4	10	0	0	4	10	0.0	0.11	0.18	100.00	100.00
5	20	7	80	HI	40	60	2	4	1	1	3	5	4.5	0.07	0.08	66.67	80.00
6	27	7	80	MED	47	67	4	7	1	1	5	8	4.3	0.11	0.12	80.00	87.50
7	3	8	80	MED	29	39	4	6	0	0	4	6	0.0	0.14	0.15	100.00	100.00
8	10	8	80	MED	18	28	2	3	0	0	2	3	0.0	0.11	0.11	100.00	100.00
9	17	8	80	HI	21	37	3	5	0	0	3	5	0.0	0.14	0.14	100.00	100.00
10	24	8	80	MED	12	20	2	3	0	0	2	3	0.0	0.17	0.15	100.00	100.00
11	31	8	80	MED	13	19	1	2	0	0	1	2	0.0	0.08	0.11	100.00	100.00
TOTAL				MED	278	416	22	40	2	2	24	42	4.5	0.09	0.10	91.67	95.24

4604560  
PARSONS POND RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	14	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	14	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	28	38	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	29	44	2	3	0	0	2	3	0.0	0.07	0.07	100.00	100.00
5	20	7	80	HI	21	31	1	2	0	0	1	2	0.0	0.05	0.06	100.00	100.00
6	27	7	80	MED	32	42	2	3	0	0	2	3	0.0	0.06	0.07	100.00	100.00
7	3	8	80	MED	20	25	3	4	0	0	3	4	0.0	0.15	0.16	100.00	100.00
8	10	8	80	MED	15	25	1	2	0	0	1	2	0.0	0.07	0.08	100.00	100.00
9	17	8	80	HI	26	46	6	8	0	0	6	8	0.0	0.23	0.17	100.00	100.00
10	24	8	80	LOW	9	12	2	3	0	0	2	3	0.0	0.22	0.25	100.00	100.00
11	31	8	80	MED	16	22	4	5	0	0	4	5	0.0	0.25	0.23	100.00	100.00
TOTAL				MED	224	325	21	30	0	0	21	30	0.0	0.09	0.09	100.00	100.00



460462  
PORTLAND CREEK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	68	82	8	10	0	0	8	10	4.1	0.12	0.12	100.00	100.00
2	29	6	80	HI	236	261	40	50	10	13	50	63	6.8	0.21	0.24	80.00	79.37
3	6	7	80	MED	400	430	104	115	21	26	125	141	5.9	0.31	0.33	83.20	81.56
4	13	7	80	MED	386	421	133	145	23	28	156	173	6.1	0.40	0.41	85.25	83.82
5	20	7	80	HI	349	406	77	90	9	12	86	102	5.5	0.25	0.25	89.53	86.24
6	27	7	80	MED	295	346	66	91	3	3	69	94	6.8	0.23	0.27	95.65	96.81
7	3	8	80	MED	237	279	50	58	4	6	54	64	4.5	0.23	0.23	92.59	90.63
8	10	8	80	MED	231	276	25	35	2	2	27	37	5.5	0.12	0.13	92.59	94.59
9	17	8	80	HI	139	174	19	25	4	4	23	29	6.1	0.17	0.17	82.61	86.21
10	24	8	80	MED	149	184	15	22	3	4	18	26	5.5	0.12	0.14	83.33	84.62
11	31	8	80	MED	94	115	8	11	0	0	8	11	0.0	0.09	0.10	100.00	100.00
TOTAL				MED	2584	2974	545	652	79	98	624	750	6.6	0.24	0.25	87.34	86.93

470474  
RIVER OF PONDS

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	64	72	0	0	2	3	2	3	5.5	0.03	0.04	0.0	0.0
2	29	6	80	HI	133	151	9	11	1	2	10	13	7.3	0.08	0.09	90.00	84.62
3	6	7	80	HI	208	241	31	41	1	1	32	42	3.6	0.15	0.17	96.88	97.62
4	13	7	80	MED	383	423	105	122	1	1	106	123	5.5	0.28	0.29	99.06	99.19
5	20	7	80	HI	387	419	144	179	3	4	147	183	4.5	0.38	0.44	97.96	97.81
6	27	7	80	HI	374	401	86	103	0	0	86	103	2.3	0.23	0.26	100.00	100.00
7	3	8	80	MED	340	364	85	97	2	2	87	99	5.7	0.26	0.27	97.70	97.96
8	10	8	80	MED	255	295	43	55	0	0	43	55	2.3	0.17	0.19	100.00	100.00
9	17	8	80	MED	149	170	42	55	0	0	42	55	2.3	0.28	0.32	100.00	100.00
10	24	8	80	MED	170	192	28	36	0	0	28	36	2.3	0.16	0.19	100.00	100.00
11	31	8	80	MED	91	111	10	15	0	0	10	15	0.0	0.11	0.14	100.00	100.00
TOTAL				MED	2554	2839	583	714	10	13	593	727	7.3	0.23	0.26	98.31	96.21

4704750  
LITTLE BROOK POND

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	14	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	LOW	31	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	LOW	30	38	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	135	145	33	48	0	0	33	48	0.0	0.24	0.33	100.00	100.00
6	27	7	80	MED	98	108	22	34	0	0	22	34	0.0	0.22	0.31	100.00	100.00
7	3	8	80	LOW	36	46	13	20	0	0	13	20	0.0	0.36	0.43	100.00	100.00
8	10	8	80	LOW	36	46	14	18	0	0	14	18	0.0	0.39	0.39	100.00	100.00
9	17	8	80	LOW	18	22	7	9	0	0	7	9	0.0	0.39	0.41	100.00	100.00
10	24	8	80	LOW	17	20	4	7	0	0	4	7	0.0	0.24	0.35	100.00	100.00
11	31	8	80	LOW	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	432	510	93	136	0	0	93	136	0.0	0.22	0.27	100.00	100.00

4704840  
EAST RIVER (BIG EAST RIVER)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	100	110	0	0	5	6	5	6	6.4	0.05	0.05	0.0	0.0
2	29	6	80	MED	184	194	1	2	8	9	9	11	5.5	0.05	0.06	11.11	18.18
3	6	7	80	MED	229	241	16	21	4	5	20	26	5.3	0.09	0.11	80.00	80.77
4	13	7	80	MED	253	265	24	31	1	1	25	32	5.9	0.10	0.12	96.00	96.88
5	20	7	80	MED	252	264	30	37	0	0	30	37	0.0	0.12	0.14	100.00	100.00
6	27	7	80	MED	143	155	15	21	1	1	16	22	4.5	0.11	0.14	93.75	95.45
7	3	8	80	MED	73	78	8	11	0	0	8	11	0.0	0.11	0.14	100.00	100.00
8	10	8	80	HI	42	47	6	8	0	0	6	8	0.0	0.14	0.17	100.00	100.00
9	17	8	80	MED	16	19	5	6	0	0	5	6	0.0	0.31	0.32	100.00	100.00
10	24	8	80	MED	9	12	3	4	0	0	3	4	0.0	0.33	0.33	100.00	100.00
11	31	8	80	MED	5	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1306	1396	108	141	19	22	127	163	6.4	0.10	0.12	85.04	86.50

4805030  
CASTORS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	31	34	2	2	1	1	3	3	4.5	0.10	0.09	66.67	66.67
3	5	7	80	HI	125	135	40	43	2	2	42	45	5.5	0.34	0.33	95.24	95.56
4	13	7	80	HI	163	168	117	120	11	11	128	131	4.1	0.79	0.78	91.41	91.60
5	20	7	80	HI	139	147	116	119	2	2	118	121	3.6	0.85	0.82	98.31	98.35
6	27	7	80	HI	100	110	16	20	0	0	16	20	1.6	0.16	0.18	100.00	100.00
7	3	8	80	MED	42	46	10	11	1	1	11	12	3.2	0.26	0.26	90.91	91.67
8	10	8	80	HI	51	57	18	21	0	0	18	21	2.3	0.35	0.37	100.00	100.00
9	17	8	80	HI	17	17	2	2	0	0	2	2	2.3	0.12	0.12	100.00	100.00
10	24	8	80	MED	9	12	1	2	0	0	1	2	1.8	0.11	0.17	100.00	100.00
11	31	8	80	LOW	5	5	1	1	0	0	1	1	1.6	0.20	0.20	100.00	100.00
TOTAL				HI	696	745	323	341	17	17	340	358	5.5	0.49	0.48	95.00	95.25

490517  
ST. GENEVIEVE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	80	85	3	3	2	2	5	5	2.7	0.06	0.06	60.00	60.00
2	29	6	80	HI	141	151	36	39	2	2	38	41	4.8	0.27	0.27	94.74	95.12
3	6	7	80	HI	258	278	146	161	2	2	148	163	2.7	0.57	0.59	98.65	98.77
4	13	7	80	HI	412	438	274	290	1	1	275	291	4.3	0.67	0.66	99.64	99.66
5	20	7	80	HI	365	395	296	307	3	3	299	310	4.3	0.82	0.78	99.00	99.03
6	27	7	80	MED	227	246	122	130	1	1	123	131	4.4	0.54	0.53	99.19	99.24
7	3	8	80	MED	218	246	70	84	0	0	70	84	2.5	0.32	0.34	100.00	100.00
8	10	8	80	HI	145	165	50	59	0	0	50	59	2.0	0.34	0.36	100.00	100.00
9	17	8	80	MED	39	49	28	34	0	0	28	34	1.8	0.72	0.69	100.00	100.00
10	24	8	80	LOW	55	74	13	20	0	0	13	20	1.8	0.24	0.27	100.00	100.00
11	31	8	80	LOW	13	13	2	2	0	0	2	2	1.8	0.15	0.15	100.00	100.00
TOTAL				HI	1953	2140	1040	1129	11	11	1051	1140	4.8	0.54	0.53	98.95	99.04

4905190  
WEST RIVER (WESTERN ARM BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	3	4	1	1	0	0	1	1	1.6	0.33	0.25	100.00	100.00
3	6	7	80	HI	7	7	1	1	0	0	1	1	1.8	0.14	0.14	100.00	100.00
4	13	7	80	HI	28	28	2	2	2	2	4	4	2.9	0.14	0.14	50.00	50.00
5	20	7	80	MED	21	25	3	4	0	0	3	4	2.3	0.14	0.16	100.00	100.00
6	27	7	80	MED	26	26	6	6	0	0	6	6	1.8	0.23	0.23	100.00	100.00
7	3	8	80	MED	26	26	6	6	0	0	6	6	2.0	0.23	0.23	100.00	100.00
8	10	8	80	HI	30	30	8	8	0	0	8	8	1.8	0.27	0.27	100.00	100.00
9	17	8	80	MED	27	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	2	2	2	2	0	0	2	2	2.0	1.00	1.00	100.00	100.00
TOTAL				HI	170	175	29	30	2	2	31	32	2.9	0.18	0.18	93.55	93.75

4905200  
EAST RIVER (EASTERN ARM BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MU	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	4	4	2	2	0	0	2	2	2.0	0.50	0.50	100.00	100.00
5	20	7	80	HI	6	7	2	3	0	0	2	3	2.0	0.33	0.43	100.00	100.00
6	27	7	80	MED	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	MED	9	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	7	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	29	30	4	5	0	0	4	5	2.0	0.14	0.17	100.00	100.00

4905460  
BIG BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		X GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	3	5	1	2	0	0	1	2	0.0	0.33	0.40	100.00	100.00
2	29	6	80	HI	9	11	3	4	0	0	3	4	0.0	0.33	0.36	100.00	100.00
3	6	7	80	HI	22	27	9	11	0	0	9	11	0.0	0.41	0.41	100.00	100.00
4	13	7	80	HI	37	42	27	28	1	1	28	29	5.9	0.76	0.69	96.43	96.55
5	20	7	80	MED	63	67	34	36	1	1	35	37	2.7	0.56	0.55	97.14	97.30
6	27	7	80	HI	41	46	16	19	0	0	16	19	2.0	0.39	0.41	100.00	100.00
7	3	8	80	MED	32	37	16	19	0	0	16	19	1.8	0.50	0.51	100.00	100.00
8	10	8	80	HI	30	32	20	21	0	0	20	21	1.6	0.67	0.66	100.00	100.00
9	17	8	80	MED	11	14	2	4	0	0	2	4	0.0	0.18	0.29	100.00	100.00
10	24	8	80	MED	5	9	1	2	0	0	1	2	0.0	0.20	0.22	100.00	100.00
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	253	290	129	146	2	2	131	148	5.9	0.52	0.51	98.47	98.65



LABRADOR



5000120  
FOURTEAU BROOK (RIVER)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	29	31	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	29	6	80	HI	22	26	1	2	2	2	3	4	5.0	0.14	0.15	33.33	
3	6	7	80	HI	72	80	26	28	2	2	28	30	4.1	0.39	0.38	92.86	
4	13	7	80	MED	108	118	99	103	11	11	110	114	5.5	1.02	0.97	90.00	
5	20	7	80	MED	119	129	81	85	6	7	87	92	6.9	0.73	0.71	93.10	
6	27	7	80	MED	82	92	33	36	3	3	36	39	3.6	0.44	0.42	91.67	
7	3	8	80	MED	70	82	23	26	3	3	26	29	7.1	0.37	0.35	88.46	
8	10	8	80	MED	85	93	20	23	1	1	21	24	9.1	0.25	0.26	95.24	
9	17	8	80	MED	53	61	13	15	0	0	13	15	2.3	0.25	0.25	100.00	
10	24	8	80	LOW	42	46	14	15	2	2	16	17	4.5	0.38	0.37	87.50	
11	31	8	80	LOW	20	23	6	6	0	0	6	6	1.8	0.30	0.26	100.00	
12	7	9	80	HI	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
13	14	9	80	HI	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
14	21	9	80	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				HI	720	799	316	339	30	31	346	370	9.1	0.48	0.46	91.33	

5000360  
PINNARL RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	95	105	4	4	0	0	4	4	2.3	0.04	0.04	100.00	
2	29	6	80	HI	262	282	5	6	25	27	30	33	5.9	0.11	0.12	16.67	
3	6	7	80	HI	218	228	9	11	67	70	76	81	5.9	0.35	0.36	11.84	
4	13	7	80	HI	223	238	64	69	126	128	190	197	8.6	0.85	0.83	33.68	
5	20	7	80	HI	226	241	134	139	25	27	159	166	5.9	0.70	0.69	84.28	
6	27	7	80	HI	203	213	141	143	33	35	174	178	5.7	0.86	0.84	81.03	
7	3	8	80	MED	78	83	64	69	7	8	71	77	5.2	0.91	0.93	90.14	
8	10	8	80	HI	76	84	56	61	5	5	61	66	5.5	0.80	0.79	91.80	
9	17	8	80	HI	90	95	47	51	5	6	52	57	4.5	0.58	0.60	90.38	
10	24	8	80	MED	51	54	27	29	0	0	27	29	2.3	0.53	0.54	100.00	
11	31	8	80	MED	36	40	15	17	0	0	15	17	2.5	0.42	0.42	100.00	
12	7	9	80	HI	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
13	14	9	80	HI	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
14	21	9	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				HI	1572	1677	566	599	293	306	859	905	8.6	0.55	0.54	65.89	

5101520  
TROUT RIVER (ST. MARY'S RIVER)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80														
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	NO PATROL	
3	6	7	80	HI	22	22	1	1	1	1	2	2	0.0	0.09	0.09	50.00	
4	13	7	80	HI	39	39	15	15	2	2	17	17	0.0	0.44	0.44	88.24	
5	20	7	80	MED	35	35	20	20	2	2	22	22	0.0	0.63	0.63	90.91	
6	27	7	80	MED	15	15	6	6	0	0	6	6	0.0	0.40	0.40	100.00	
7	3	8	80	MED	14	14	1	1	0	0	1	1	0.0	0.07	0.07	100.00	
8	10	8	80	MED	6	6	3	3	0	0	3	3	0.0	0.50	0.50	100.00	
9	17	8	80	HI	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
10	24	8	80	HI	5	5	3	3	0	0	3	3	0.0	0.60	0.60	100.00	
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	7	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
13	14	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
14	21	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				HI	142	142	49	49	5	5	54	54	0.0	0.38	0.38	90.74	

5102680  
ALEXIS, SHINNEY, GILBERT RIVERS

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80														
2	29	6	80													NO PATROL	
3	6	7	80	HI	2	2	4	4	0	0	4	4	0.0	2.00	2.00	100.00	
4	13	7	80	HI	19	19	21	21	0	0	21	21	0.0	1.11	1.11	100.00	
5	20	7	80	MED	9	9	6	6	0	0	6	6	0.0	0.67	0.67	100.00	
6	27	7	80	MED	10	10	6	6	0	0	6	6	0.0	0.60	0.60	100.00	
7	3	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
8	10	8	80	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
9	17	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
11	31	8	80	MED	4	4	6	6	0	0	6	6	0.0	1.50	1.50	100.00	
12	7	9	80													NO PATROL	
13	14	9	80													NO PATROL	
14	21	9	80													NO PATROL	
TOTAL				MED	46	46	43	43	0	0	43	43	0.0	0.93	0.93	100.00	

5104500  
HAWKE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

*K	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	16	16	20	20	9	9	29	29	0.0	1.81	1.81	68.97	68.97
5	20	7	80	HI	16	16	12	12	18	18	30	30	0.0	1.88	1.88	40.00	40.00
6	27	7	80	MED	20	20	74	74	13	13	67	67	0.0	4.35	4.35	85.06	85.06
7	3	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	7	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	14	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	21	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	52	52	106	106	40	40	146	146	0.0	2.81	2.81	72.60	72.60

5205820  
SANDHILL RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

*K	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	90	90	79	79	22	22	101	101	0.0	1.12	1.12	78.22	78.22
4	13	7	80	MED	77	77	183	183	36	36	219	219	0.0	2.84	2.84	83.56	83.56
5	20	7	80	MED	84	84	191	191	21	21	212	212	0.0	2.52	2.52	90.09	90.09
6	27	7	80	MED	85	85	108	108	5	5	113	113	0.0	1.33	1.33	95.58	95.58
7	3	8	80	LOW	84	84	56	56	6	6	62	62	0.0	0.74	0.74	90.32	90.32
8	10	8	80	LOW	72	72	48	48	2	2	50	50	0.0	0.69	0.69	96.00	96.00
9	17	8	80	LOW	32	32	9	9	0	0	9	9	0.0	0.28	0.28	100.00	100.00
10	24	8	80	LOW	37	37	17	17	2	2	19	19	0.0	0.51	0.51	89.47	89.47
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	7	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	14	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	561	561	691	691	94	94	785	785	0.0	1.40	1.40	88.03	88.03

5206820  
EAGLE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

*K	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	135	135	77	77	56	56	133	133	0.0	0.99	0.99	57.89	57.89
5	20	7	80	MED	178	178	433	433	73	73	506	506	0.0	2.84	2.84	85.57	85.57
6	27	7	80	HI	175	175	428	428	31	31	459	459	0.0	2.62	2.62	93.25	93.25
7	3	8	80	MED	140	140	162	162	10	10	172	172	0.0	1.23	1.23	94.19	94.19
8	10	8	80	HI	97	97	101	101	3	3	104	104	0.0	1.07	1.07	97.12	97.12
9	17	8	80	MED	60	60	43	43	1	1	44	44	0.0	0.73	0.73	97.73	97.73
10	24	8	80	MED	35	35	8	8	4	4	12	12	0.0	0.34	0.34	66.67	66.67
11	31	8	80	LOW	28	28	9	9	3	3	12	12	0.0	0.43	0.43	75.00	75.00
12	7	9	80	LOW	43	43	8	8	0	0	8	8	0.0	0.19	0.19	100.00	100.00
13	14	9	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	21	9	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	891	891	1269	1269	181	181	1450	1450	0.0	1.63	1.63	87.52	87.52

5214280  
ST MICHAEL'S RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

*K	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	21	21	1	1	0	0	1	1	0.0	0.05	0.05	100.00	100.00
5	20	7	80	HI	21	21	7	7	1	1	8	8	0.0	0.38	0.38	87.50	87.50
6	27	7	80	MED	9	9	16	16	0	0	16	16	0.0	1.78	1.78	100.00	100.00
7	3	8	80	MED	18	18	3	3	0	0	3	3	0.0	0.17	0.17	100.00	100.00
8	10	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	7	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	14	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	21	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	69	69	27	27	1	1	28	28	0.0	0.41	0.41	96.43	96.43



5315040  
BIG RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	22	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	21	21	34	34	10	10	44	44	0.0	2.10	2.10	77.27	77.27	
6	27	7	80	MED	70	70	128	128	32	32	160	160	0.0	2.29	2.29	80.00	80.00	
7	3	8	80	LOW	63	63	178	178	73	73	251	251	0.0	3.98	3.98	70.92	70.92	
8	10	8	80	LOW	70	70	162	162	8	8	170	170	0.0	2.43	2.43	95.29	95.29	
9	17	8	80	LOW	56	56	58	58	5	5	63	63	0.0	1.13	1.13	92.06	92.06	
10	24	8	80	LOW	63	63	10	10	2	2	12	12	0.0	0.19	0.19	83.33	83.33	
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
12	7	9	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
13	14	9	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
14	21	9	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				LOW	343	343	570	570	130	130	700	700	0.0	2.04	2.04	81.43	81.43	

5319220  
HUNT RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	HI	41	41	6	6	9	9	15	15	0.0	0.37	0.37	40.00	40.00	
7	3	8	80	HI	20	20	8	8	20	20	28	28	0.0	1.40	1.40	28.57	28.57	
8	10	8	80	HI	36	36	12	12	19	19	31	31	0.0	0.86	0.86	38.71	38.71	
9	17	8	80	HI	36	36	13	13	17	17	30	30	0.0	0.83	0.83	43.33	43.33	
10	24	8	80	HI	36	36	12	12	20	20	32	32	0.0	0.89	0.89	37.50	37.50	
11	31	8	80	HI	12	12	0	0	4	4	4	4	0.0	0.33	0.33	0.0	0.0	
12	7	9	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
13	14	9	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
14	21	9	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				HI	181	181	51	51	89	89	140	140	0.0	0.77	0.77	36.43	36.43	


5319480  
FLOWERS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
6	27	7	80	HI	1	1	0	0	1	1	1	1	0.0	1.00	1.00	0.0	0.0	
7	3	8	80	HI	38	38	20	20	6	6	26	26	0.0	0.68	0.68	76.92	76.92	
8	10	8	80	HI	55	55	8	8	2	2	10	10	0.0	0.18	0.18	80.00	80.00	
9	17	8	80	MED	32	32	1	1	1	1	2	2	0.0	0.06	0.06	50.00	50.00	
10	24	8	80	LOW	30	30	11	11	2	2	13	13	0.0	0.43	0.43	84.62	84.62	
11	31	8	80	LOW	19	19	4	4	0	0	4	4	0.0	0.21	0.21	100.00	100.00	
12	7	9	80	LOW	2	2	1	1	0	0	1	1	0.0	0.50	0.50	100.00	100.00	
13	14	9	80	MED	10	10	11	11	0	0	11	11	0.0	1.10	1.10	100.00	100.00	
14	21	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				HI	187	187	56	56	12	12	68	68	0.0	0.36	0.36	82.35	82.35	



STATISTICAL SECTIONS



## STATISTICAL SECTION 1

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6 80	HI	11	13	2	6	0	0	2	6	0.0	0.18	0.46	100.00	100.00
2	29	6 80	HI	47	59	3	7	0	0	3	7	0.0	0.06	0.12	100.00	100.00
3	6	7 80	HI	48	57	7	16	0	0	7	16	0.0	0.15	0.28	100.00	100.00
4	13	7 80	HI	84	99	6	9	0	0	6	9	0.0	0.07	0.09	100.00	100.00
5	20	7 80	HI	86	102	9	12	0	0	9	12	0.0	0.10	0.12	100.00	100.00
6	27	7 80	HI	87	115	9	12	0	0	9	12	0.0	0.10	0.10	100.00	100.00
7	3	8 80	HI	66	82	4	7	0	0	4	7	0.0	0.06	0.09	100.00	100.00
8	10	8 80	HI	44	58	4	6	0	0	4	6	0.0	0.04	0.10	100.00	100.00
9	17	8 80	HI	28	37	0	1	0	0	0	1	0.0	0.0	0.0	0.0	100.00
10	24	8 80	HI	11	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8 80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL			HI	512	637	44	76	0	0	44	76	0.0	0.09	0.12	100.00	100.00

## STATISTICAL SECTION 3

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6 80	HI	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6 80	HI	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7 80	HI	9	13	2	5	0	0	2	5	0.0	0.22	0.34	100.00	100.00
4	13	7 80	HI	15	20	13	18	0	0	13	18	0.0	0.87	0.90	100.00	100.00
5	20	7 80	HI	26	31	13	17	0	0	13	17	0.0	0.50	0.55	100.00	100.00
6	27	7 80	HI	19	42	20	26	0	0	20	26	0.0	1.05	0.62	100.00	100.00
7	3	8 80	HI	10	13	0	11	0	0	0	11	0.0	0.90	0.85	100.00	100.00
8	10	8 80	HI	12	15	7	9	0	0	7	9	0.0	0.52	0.60	100.00	100.00
9	17	8 80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8 80	HI	14	19	10	14	0	0	10	14	0.0	0.71	0.74	100.00	100.00
11	31	8 80	HI	11	14	4	7	0	0	4	7	0.0	0.36	0.50	100.00	100.00
TOTAL			HI	126	181	78	107	0	0	78	107	0.0	0.62	0.59	100.00	100.00

## STATISTICAL SECTION 4

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6 80	MED	76	91	33	41	4	4	37	45	2.7	0.49	0.49	89.19	91.11
2	29	6 80	MED	220	258	167	190	9	14	176	204	4.1	0.80	0.79	94.80	93.14
3	6	7 80	MED	455	538	394	461	11	15	405	476	3.2	0.89	0.88	97.22	96.85
4	13	7 80	MED	310	396	342	379	2	2	344	381	2.7	1.11	0.97	99.42	99.48
5	20	7 80	HI	215	274	150	198	2	2	152	200	6.5	0.71	0.73	98.64	99.00
6	27	7 80	HI	173	241	97	115	0	0	97	115	2.0	0.56	0.50	100.00	100.00
7	3	8 80	MED	132	178	61	81	0	0	61	81	1.8	0.46	0.46	100.00	100.00
8	10	8 80	MED	73	106	40	53	0	0	40	53	2.0	0.55	0.50	100.00	100.00
9	17	8 80	HI	29	47	11	19	0	0	11	19	1.8	0.39	0.40	100.00	100.00
10	24	8 80	HI	34	55	19	30	0	0	19	30	2.0	0.56	0.55	100.00	100.00
11	31	8 80	MED	31	52	18	30	0	0	18	30	1.8	0.58	0.58	100.00	100.00
TOTAL			MED	1748	2224	1332	1597	28	37	1360	1634	4.5	0.78	0.73	97.96	97.74

## STATISTICAL SECTION 5

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6 80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6 80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7 80	MED	22	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7 80	MED	19	29	3	5	0	0	3	5	1.8	0.14	0.17	100.00	100.00
5	20	7 80	HI	13	23	3	9	0	0	3	9	1.6	0.23	0.34	100.00	100.00
6	27	7 80	HI	22	32	7	11	0	0	7	11	1.8	0.32	0.34	100.00	100.00
7	3	8 80	MED	16	26	4	8	0	0	4	8	1.8	0.25	0.31	100.00	100.00
8	10	8 80	MED	12	22	3	6	0	0	3	6	1.8	0.24	0.27	100.00	100.00
9	17	8 80	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8 80	HI	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8 80	MED	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL			MED	118	180	20	39	0	0	20	39	1.8	0.17	0.22	100.00	100.00

STATISTICAL SECTION 6  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/F		% GRILSE	
					ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	(KGS)	ORS.	TOT.	ORS.	TOT.	
1	22	6	80	HI	98	107	19	22	0	0	19	22	1.8	0.19	0.21	100.00	100.00	
2	29	6	80	HI	406	420	142	165	4	6	146	171	4.3	0.36	0.20	97.26	97.65	
3	6	7	80	HI	538	568	287	343	5	6	292	349	3.6	0.54	0.54	98.20	98.20	
4	13	7	80	HI	666	704	387	447	8	9	395	474	3.2	0.50	0.50	97.07	98.11	
5	20	7	80	MED	729	804	486	487	25	37	431	523	3.2	0.50	0.54	94.20	92.93	
6	27	7	80	HI	498	609	224	288	14	15	238	303	3.6	0.48	0.50	94.12	95.05	
7	3	8	80	HI	369	510	184	258	8	22	204	280	2.9	0.53	0.55	95.94	92.14	
8	10	8	80	HI	334	431	124	172	43	55	167	227	3.2	0.49	0.53	76.25	75.77	
9	17	8	80	HI	205	261	84	110	10	13	94	123	2.9	0.46	0.47	89.36	89.43	
10	24	8	80	HI	119	147	50	62	4	4	54	66	2.9	0.45	0.45	92.59	93.94	
11	31	8	80	MED	145	177	50	64	1	1	51	65	2.7	0.35	0.37	98.94	98.44	
TOTAL				HI	4111	4892	1959	2437	122	168	2081	2605	4.3	0.51	0.53	94.14	93.55	

STATISTICAL SECTION 7  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/F		% GRILSE	
					ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	(KGS)	ORS.	TOT.	ORS.	TOT.	
1	22	6	80	HI	276	364	67	93	6	8	73	101	3.4	0.26	0.28	91.78	92.08	
2	29	6	80	HI	848	1035	306	368	10	15	316	383	3.2	0.37	0.37	96.84	96.08	
3	6	7	80	HI	211	2382	648	787	4	16	652	803	4.1	0.31	0.34	90.30	98.01	
4	13	7	80	MED	2375	2616	781	945	10	14	791	949	3.6	0.33	0.37	98.74	98.54	
5	20	7	80	MED	2067	2297	586	725	7	11	543	736	4.1	0.29	0.32	94.82	94.51	
6	27	7	80	HI	1210	1381	320	394	3	4	323	398	3.2	0.27	0.29	93.07	94.94	
7	3	8	80	HI	775	911	165	212	1	1	166	213	3.2	0.21	0.23	95.40	94.57	
8	10	8	80	HI	542	673	129	173	0	0	129	173	2.3	0.24	0.26	100.00	100.00	
9	17	8	80	HI	317	387	67	87	0	0	67	87	2.3	0.21	0.22	100.00	100.00	
10	24	8	80	HI	249	323	46	65	0	0	46	65	2.3	0.18	0.20	100.00	100.00	
11	31	8	80	HI	99	121	30	38	0	0	30	38	2.3	0.30	0.31	100.00	100.00	
TOTAL				HI	10873	12490	3145	3887	41	69	3186	3956	4.1	0.29	0.32	98.71	98.26	

STATISTICAL SECTION 9  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/F		% GRILSE	
					ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	(KGS)	ORS.	TOT.	ORS.	TOT.	
1	22	6	80	HI	50	62	6	6	0	0	6	6	1.6	0.12	0.10	100.00	100.00	
2	29	6	80	HI	229	267	50	56	0	0	50	56	2.5	0.22	0.21	100.00	100.00	
3	6	7	80	HI	1233	1408	445	509	29	47	474	556	4.1	0.38	0.39	93.88	91.55	
4	13	7	80	HI	1035	1272	406	517	28	40	434	557	4.1	0.42	0.44	93.55	92.82	
5	20	7	80	MED	1010	1246	403	517	22	24	425	541	4.6	0.42	0.43	94.82	95.56	
6	27	7	80	HI	866	993	341	437	25	33	366	470	4.1	0.42	0.47	93.17	92.98	
7	3	8	80	HI	811	929	331	431	42	55	373	486	7.5	0.46	0.52	88.74	88.68	
8	10	8	80	HI	769	919	351	408	26	45	377	453	6.4	0.49	0.49	93.10	90.07	
9	17	8	80	HI	219	296	57	88	6	9	63	87	4.3	0.29	0.33	90.48	90.72	
10	24	8	80	HI	169	203	56	62	8	10	64	72	4.1	0.38	0.35	87.50	88.11	
11	31	8	80	HI	158	205	51	59	5	7	56	66	5.0	0.35	0.32	91.07	89.39	
TOTAL				HI	6549	7800	2497	3090	191	270	2688	3360	7.5	0.41	0.43	92.89	91.96	

STATISTICAL SECTION 11  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/F		% GRILSE	
					ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	(KGS)	ORS.	TOT.	ORS.	TOT.	
1	22	6	80	HI	16	16	4	4	0	0	4	4	0.0	0.25	0.25	100.00	100.00	
2	29	6	80	HI	370	395	97	109	0	0	97	109	2.7	0.26	0.24	100.00	100.00	
3	6	7	80	HI	848	886	466	486	4	4	470	480	3.6	0.55	0.55	99.15	99.15	
4	13	7	80	HI	997	1119	391	442	6	6	397	448	3.2	0.40	0.40	98.49	98.66	
5	20	7	80	HI	830	898	362	416	7	7	369	423	3.0	0.44	0.47	98.10	98.35	
6	27	7	80	HI	600	628	221	227	3	3	224	230	3.2	0.37	0.37	98.66	98.70	
7	3	8	80	HI	601	649	233	254	2	2	235	255	3.2	0.30	0.30	99.15	99.22	
8	10	8	80	HI	500	530	195	213	1	1	196	214	3.0	0.30	0.30	99.49	99.53	
9	17	8	80	HI	358	378	120	132	2	2	122	136	3.2	0.34	0.35	94.74	94.61	
10	24	8	80	HI	151	158	56	63	0	0	56	63	3.8	0.37	0.30	100.00	100.00	
11	31	8	80	HI	153	159	46	48	0	0	46	48	1.8	0.30	0.30	100.00	100.00	
TOTAL				HI	5424	5816	2191	2394	25	25	2216	2419	3.9	0.41	0.42	98.67	98.97	

## STATISTICAL SECTION 12

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	28	45	2	3	0	0	2	3	0.0	0.07	0.07	100.00	100.00
2	29	6	80	MED	152	197	3	6	0	0	3	6	2.0	0.02	0.03	100.00	100.00
3	6	7	80	HI	289	336	10	14	0	0	10	14	1.8	0.03	0.04	100.00	100.00
4	13	7	80	HI	373	448	53	74	0	0	53	74	2.3	0.14	0.17	100.00	100.00
5	20	7	80	MED	336	421	49	68	2	2	51	70	2.7	0.15	0.17	96.08	97.14
6	27	7	80	HI	258	338	51	72	2	2	53	74	3.4	0.21	0.22	96.23	97.30
7	3	8	80	HI	284	354	21	30	0	0	21	30	2.5	0.07	0.08	100.00	100.00
8	10	8	80	HI	98	117	13	21	0	0	13	21	2.0	0.13	0.18	100.00	100.00
9	17	8	80	MED	39	50	10	18	0	0	10	18	1.8	0.26	0.36	100.00	100.00
10	24	8	80	HI	19	26	2	2	0	0	2	2	1.8	0.11	0.08	100.00	100.00
11	31	8	80	HI	2	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	1878	2339	214	308	4	4	218	312	3.4	0.12	0.13	98.17	98.72

## STATISTICAL SECTION 15

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	15	26	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	48	60	2	3	0	0	2	3	1.6	0.04	0.05	100.00	100.00
3	6	7	80	HI	53	69	2	5	0	0	2	5	1.4	0.04	0.07	100.00	100.00
4	13	7	80	HI	70	92	8	14	0	0	8	14	1.6	0.11	0.15	100.00	100.00
5	20	7	80	HI	146	166	10	14	0	0	10	14	2.3	0.07	0.08	100.00	100.00
6	27	7	80	HI	133	145	12	13	0	0	12	13	0.0	0.09	0.09	100.00	100.00
7	3	8	80	MED	112	137	9	14	0	0	9	14	1.8	0.08	0.10	100.00	100.00
8	10	8	80	MED	71	91	5	9	0	0	5	9	1.6	0.07	0.10	100.00	100.00
9	17	8	80	MED	56	66	5	8	0	0	5	8	1.8	0.09	0.12	100.00	100.00
10	24	8	80	HI	33	49	4	8	0	0	4	8	2.0	0.12	0.16	100.00	100.00
11	31	8	80	HI	15	23	1	3	0	0	1	3	1.6	0.07	0.13	100.00	100.00
TOTAL				MED	752	924	58	91	0	0	58	91	2.3	0.08	0.10	100.00	100.00

## STATISTICAL SECTION 16

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	15	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	41	53	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	39	54	2	4	0	0	2	4	1.4	0.05	0.07	100.00	100.00
4	13	7	80	HI	58	78	17	22	0	0	17	22	2.3	0.29	0.28	100.00	100.00
5	20	7	80	HI	77	97	14	20	1	1	15	21	2.7	0.19	0.22	93.33	95.24
6	27	7	80	HI	69	94	25	37	1	4	26	41	2.7	0.38	0.44	96.15	98.24
7	3	8	80	HI	67	87	18	27	2	3	20	30	2.7	0.30	0.34	90.00	90.00
8	10	8	80	MED	73	98	22	27	3	5	25	32	2.7	0.34	0.33	88.00	84.38
9	17	8	80	HI	49	61	6	10	0	0	6	10	2.3	0.12	0.16	100.00	100.00
10	24	8	80	HI	40	55	5	8	1	1	6	9	2.7	0.15	0.16	83.33	88.89
11	31	8	80	HI	25	36	5	7	0	0	5	7	2.3	0.20	0.19	100.00	100.00
TOTAL				HI	553	732	114	162	8	14	122	176	2.7	0.22	0.24	93.44	92.05

## STATISTICAL SECTION 17

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	20	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	33	42	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	82	112	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	105	139	1	2	0	0	1	2	1.8	0.01	0.01	100.00	100.00
5	20	7	80	HI	98	128	5	7	0	0	5	7	1.8	0.05	0.05	100.00	100.00
6	27	7	80	HI	132	158	7	10	0	0	7	10	2.0	0.05	0.06	100.00	100.00
7	3	8	80	HI	150	184	8	10	0	0	8	10	1.8	0.05	0.05	100.00	100.00
8	10	8	80	HI	82	110	13	20	0	0	13	20	2.3	0.16	0.18	100.00	100.00
9	17	8	80	HI	65	86	6	8	0	0	6	8	2.3	0.09	0.09	100.00	100.00
10	24	8	80	HI	56	76	4	6	0	0	4	6	2.3	0.07	0.08	100.00	100.00
11	31	8	80	HI	66	86	3	4	0	0	3	4	2.3	0.05	0.05	100.00	100.00
TOTAL				HI	889	1151	47	67	0	0	47	67	2.3	0.05	0.06	100.00	100.00

## STATISTICAL SECTION 21

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END		WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO		YR	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.		TOT.	OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	11	20	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
2	29	6	80	MED	17	27	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
3	6	7	80	HI	23	33	1	1	0	0	1	1.8	0.04	0.03	100.00	100.00	
4	13	7	80	HI	26	40	3	4	0	0	3	4	1.8	0.12	0.10	100.00	100.00
5	20	7	80	HI	16	30	1	3	0	0	1	3	1.8	0.06	0.10	100.00	100.00
6	27	7	80	MED	18	28	1	2	0	0	1	2	1.4	0.06	0.07	100.00	100.00
7	3	8	80	MED	14	29	1	3	0	0	1	3	1.4	0.05	0.10	100.00	100.00
8	10	8	80	MED	21	31	1	2	0	0	1	2	1.6	0.05	0.06	100.00	100.00
9	17	8	80	MED	14	24	1	3	0	0	1	3	1.4	0.07	0.13	100.00	100.00
10	24	8	80	HI	12	22	1	2	0	0	1	2	1.1	0.08	0.09	100.00	100.00
11	31	8	80	MED	5	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	182	299	10	20	0	0	10	20	1.8	0.05	0.07	100.00	100.00

## STATISTICAL SECTION 22

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END		WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO		YR	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.		TOT.	OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	39	74	0	1	0	0	0	1	0.0	0.0	0.01	0.0	100.00
2	29	6	80	HI	131	167	2	3	0	0	2	3	2.0	0.02	0.02	100.00	100.00
3	6	7	80	HI	138	158	4	6	1	1	5	7	3.2	0.04	0.04	80.00	85.71
4	13	7	80	HI	109	128	9	14	0	0	9	14	2.3	0.08	0.11	100.00	100.00
5	20	7	80	MED	106	137	8	19	0	0	8	19	2.3	0.08	0.14	100.00	100.00
6	27	7	80	MED	111	152	6	12	0	0	6	12	2.0	0.05	0.08	100.00	100.00
7	3	8	80	MED	88	109	6	13	0	0	6	13	2.3	0.07	0.12	100.00	100.00
8	10	8	80	HI	63	79	1	7	0	0	1	7	1.8	0.02	0.09	100.00	100.00
9	17	8	80	HI	49	62	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	73	85	3	4	0	0	3	4	2.5	0.04	0.05	100.00	100.00
11	31	8	80	MED	86	96	1	3	0	0	1	3	1.4	0.01	0.03	100.00	100.00
TOTAL				HI	993	1247	40	82	1	1	41	83	3.2	0.04	0.07	97.56	98.80

## STATISTICAL SECTION 25

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END		WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO		YR	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.		TOT.	OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	7	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	8	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	13	7	80	HI	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	HI	7	7	2	3	0	0	2	3	1.8	0.29	0.43	100.00	100.00
6	27	7	80	HI	12	12	2	3	0	0	2	3	2.0	0.17	0.25	100.00	100.00
7	3	8	80	MED	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	HI	0	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	60	72	4	6	0	0	4	6	2.0	0.07	0.08	100.00	100.00

## STATISTICAL SECTION 26

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END		WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO		YR	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.		TOT.	OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	19	27	5	8	0	0	5	8	1.8	0.26	0.30	100.00	100.00
3	6	7	80	HI	22	30	9	12	0	0	9	12	0.0	0.41	0.40	100.00	100.00
4	13	7	80	HI	39	39	23	28	0	0	23	28	2.0	0.59	0.72	100.00	100.00
5	20	7	80	HI	30	30	14	18	0	0	14	18	2.5	0.47	0.60	100.00	100.00
6	27	7	80	HI	33	33	16	19	0	0	16	19	2.3	0.46	0.58	100.00	100.00
7	3	8	80	MED	35	35	14	17	0	0	14	17	2.3	0.40	0.49	100.00	100.00
8	10	8	80	MED	19	22	6	7	0	0	6	7	2.0	0.32	0.32	100.00	100.00
9	17	8	80	MED	12	14	4	4	0	0	4	4	1.8	0.33	0.29	100.00	100.00
10	24	8	80	HI	5	6	1	1	0	0	1	1	1.8	0.20	0.17	100.00	100.00
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	220	244	92	114	0	0	92	114	2.5	0.42	0.47	100.00	100.00



## STATISTICAL SECTION 27

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	125	137	12	14	1	1	13	15	5.5	0.10	0.11	92.31	93.33
2	29	6	80	HI	188	203	45	51	2	2	47	53	4.3	0.25	0.26	95.74	96.23
3	6	7	80	HI	149	162	61	72	5	6	66	78	5.7	0.44	0.48	92.42	92.31
4	13	7	80	HI	206	222	129	143	2	5	131	148	2.9	0.64	0.67	98.47	96.62
5	20	7	80	HI	165	177	73	82	4	5	77	87	3.4	0.47	0.49	94.81	94.25
6	27	7	80	MED	117	128	58	72	6	9	64	81	3.4	0.55	0.53	90.63	88.89
7	3	8	80	MED	96	104	27	33	2	4	29	37	3.4	0.30	0.36	93.10	89.19
8	10	8	80	MED	71	78	19	22	1	1	20	23	2.9	0.28	0.29	95.00	93.65
9	17	8	80	MED	16	20	4	6	1	1	5	7	3.4	0.31	0.35	80.00	85.71
10	24	8	80	HI	23	29	6	8	0	0	6	8	1.0	0.26	0.28	100.00	100.00
11	31	8	80	MED	12	15	2	3	0	0	2	3	1.6	0.17	0.20	100.00	100.00
TOTAL				MED	1168	1275	436	506	24	34	460	540	5.7	0.39	0.42	94.78	93.70

## STATISTICAL SECTION 28

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	483	509	216	223	0	0	216	223	1.8	0.45	0.44	100.00	100.00
2	29	6	80	HI	858	954	341	382	2	4	343	386	3.2	0.40	0.40	99.42	98.96
3	6	7	80	HI	783	869	359	398	4	4	363	402	2.9	0.46	0.46	98.90	99.00
4	13	7	80	HI	664	761	273	312	3	3	276	315	3.2	0.42	0.41	98.91	99.05
5	20	7	80	MED	426	505	150	183	12	12	162	195	3.6	0.38	0.39	92.59	93.85
6	27	7	80	MED	417	488	143	159	1	3	144	162	3.2	0.35	0.33	99.31	96.15
7	3	8	80	MED	303	345	69	82	1	1	70	83	2.9	0.23	0.24	98.57	96.80
8	10	8	80	MED	217	253	46	58	0	0	46	58	2.7	0.21	0.23	100.00	100.00
9	17	8	80	MED	113	143	21	30	0	0	21	30	2.3	0.19	0.21	100.00	100.00
10	24	8	80	HI	155	189	21	29	0	0	21	29	2.3	0.14	0.15	100.00	100.00
11	31	8	80	MED	132	155	13	17	0	0	13	17	2.3	0.10	0.11	100.00	100.00
TOTAL				MED	4551	5171	1652	1873	23	27	1675	1900	3.6	0.37	0.37	98.63	96.58

## STATISTICAL SECTION 29

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	268	305	14	18	0	0	14	18	2.5	0.05	0.06	100.00	100.00
2	29	6	80	HI	326	386	32	44	0	0	32	44	2.3	0.10	0.11	100.00	100.00
3	6	7	80	HI	432	497	69	88	2	2	71	90	2.7	0.16	0.18	97.18	97.78
4	13	7	80	HI	474	519	80	100	3	5	83	105	2.8	0.18	0.20	96.39	95.24
5	20	7	80	HI	370	415	48	58	1	2	49	60	2.7	0.13	0.14	97.96	96.67
6	27	7	80	HI	329	374	32	47	2	4	34	51	3.2	0.10	0.14	94.12	92.16
7	3	8	80	HI	220	265	18	22	0	0	18	22	2.4	0.08	0.08	100.00	100.00
8	10	8	80	HI	174	216	15	20	0	0	15	20	2.5	0.09	0.09	100.00	100.00
9	17	8	80	HI	140	167	13	18	0	0	13	18	2.5	0.09	0.11	100.00	100.00
10	24	8	80	HI	146	171	13	15	0	0	13	15	2.5	0.09	0.09	100.00	100.00
11	31	8	80	HI	124	154	3	4	0	0	3	4	2.5	0.02	0.03	100.00	100.00
TOTAL				HI	3003	3469	337	434	8	13	345	447	3.2	0.11	0.13	97.68	97.09

## STATISTICAL SECTION 30

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	199	259	25	34	0	0	25	34	2.3	0.13	0.13	100.00	100.00
2	29	6	80	MED	318	398	73	97	1	2	74	99	2.9	0.23	0.25	98.65	97.98
3	6	7	80	HI	292	359	44	63	1	1	45	64	2.9	0.15	0.18	97.78	98.44
4	13	7	80	HI	342	428	72	94	0	0	72	94	2.3	0.21	0.22	100.00	100.00
5	20	7	80	HI	440	530	70	95	0	0	70	95	2.5	0.16	0.18	100.00	100.00
6	27	7	80	HI	260	316	35	54	0	0	35	54	2.5	0.13	0.17	100.00	100.00
7	3	8	80	HI	221	272	29	49	1	1	30	50	2.7	0.14	0.18	96.67	96.00
8	10	8	80	HI	123	172	12	21	0	0	12	21	2.3	0.10	0.12	100.00	100.00
9	17	8	80	MED	103	126	13	18	0	0	13	18	2.5	0.13	0.14	100.00	100.00
10	24	8	80	MED	116	153	2	9	0	0	2	9	1.8	0.02	0.06	100.00	100.00
11	31	8	80	HI	99	128	0	2	0	0	0	2	0.0	0.0	0.02	0.0	100.00
TOTAL				HI	2513	3141	375	536	3	4	378	540	2.9	0.15	0.17	99.21	99.26

## STATISTICAL SECTION 31

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	133	175	72	94	0	0	72	94	2.0	0.54	0.54	100.00	100.00
2	29	6	80	MED	188	246	71	92	0	0	71	92	2.5	0.38	0.37	100.00	100.00
3	6	7	80	MED	242	309	71	89	1	1	72	90	3.6	0.30	0.29	98.61	98.69
4	13	7	80	MED	223	275	55	65	3	3	58	68	3.6	0.26	0.25	94.83	95.59
5	20	7	80	MED	257	323	39	53	2	2	41	55	3.8	0.16	0.17	95.12	96.36
6	27	7	80	MED	216	242	14	19	1	2	15	21	1.8	0.07	0.09	93.33	90.48
7	3	8	80	MED	210	266	23	33	1	1	24	34	2.9	0.11	0.13	95.83	97.06
8	10	8	80	MED	137	166	13	24	1	1	14	25	3.2	0.10	0.15	92.86	96.00
9	17	8	80	MED	77	104	13	21	0	0	13	21	2.0	0.17	0.20	100.00	100.00
10	24	8	80	HI	36	54	8	13	0	0	8	13	2.5	0.22	0.24	100.00	100.00
11	31	8	80	MED	34	52	3	6	0	0	3	6	2.5	0.09	0.12	100.00	100.00
TOTAL				MED	1753	2212	382	509	9	10	391	519	3.8	0.22	0.23	97.70	98.07

## STATISTICAL SECTION 32

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	39	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	71	93	4	5	0	0	4	5	1.8	0.06	0.05	100.00	100.00
3	6	7	80	MED	83	118	1	2	0	0	1	2	1.8	0.01	0.02	100.00	100.00
4	13	7	80	MED	83	106	8	10	0	0	8	10	1.8	0.10	0.09	100.00	100.00
5	20	7	80	MED	75	96	5	6	0	0	5	6	1.8	0.07	0.06	100.00	100.00
6	27	7	80	MED	94	124	12	18	0	0	12	18	1.8	0.13	0.15	100.00	100.00
7	3	8	80	MED	88	111	1	1	0	0	1	1	0.0	0.01	0.01	100.00	100.00
8	10	8	80	MED	29	38	1	3	0	0	1	3	1.1	0.03	0.08	100.00	100.00
9	17	8	80	HI	10	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	12	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	584	766	32	45	0	0	32	45	1.8	0.05	0.06	100.00	100.00

## STATISTICAL SECTION 33

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	HI	278	317	164	194	0	0	164	194	1.8	0.59	0.61	100.00	100.00
2	22	6	80	HI	293	325	139	159	0	0	139	159	1.8	0.47	0.49	100.00	100.00
3	29	6	80	MED	234	288	132	163	1	1	133	164	2.7	0.57	0.57	99.25	99.39
4	6	7	80	MED	257	291	130	148	1	1	131	149	2.7	0.51	0.51	99.24	99.33
5	13	7	80	HI	211	246	98	115	0	0	98	115	2.0	0.46	0.47	100.00	100.00
6	20	7	80	MED	184	212	70	82	1	1	71	83	2.9	0.39	0.39	98.59	98.60
7	27	7	80	MED	154	199	53	72	2	2	55	74	0.0	0.36	0.37	96.36	97.30
8	3	8	80	MED	100	120	44	51	0	0	44	51	2.3	0.44	0.42	100.00	100.00
9	10	8	80	MED	80	102	34	43	2	3	36	46	2.9	0.45	0.45	94.44	93.48
10	17	8	80	HI	55	72	8	14	0	0	8	14	1.4	0.15	0.19	100.00	100.00
11	24	8	80	MED	21	29	4	7	0	0	4	7	1.6	0.19	0.24	100.00	100.00
12	31	8	80	MED	22	24	1	3	0	0	1	3	1.8	0.05	0.11	100.00	100.00
TOTAL				MED	1889	2229	877	1051	7	8	884	1059	2.9	0.47	0.48	99.21	99.24

## STATISTICAL SECTION 34

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	100	124	73	98	4	5	77	103	5.5	0.77	0.83	94.81	95.15
2	29	6	80	HI	303	335	357	388	5	6	362	394	7.3	1.19	1.18	98.62	98.48
3	6	7	80	HI	188	240	121	179	2	2	123	181	3.6	0.65	0.75	98.37	98.90
4	13	7	80	HI	194	225	89	119	4	4	93	123	5.2	0.48	0.55	95.70	96.75
5	20	7	80	HI	145	181	47	59	1	1	48	60	3.4	0.33	0.33	97.92	98.33
6	27	7	80	HI	143	169	18	26	0	0	18	26	2.3	0.13	0.15	100.00	100.00
7	3	8	80	HI	71	98	13	20	0	0	13	20	2.0	0.18	0.20	100.00	100.00
8	10	8	80	HI	56	68	8	12	1	1	9	13	2.7	0.16	0.19	88.89	92.31
9	17	8	80	HI	35	49	4	6	0	0	4	6	1.8	0.11	0.12	100.00	100.00
10	24	8	80	MED	47	60	9	9	0	0	9	9	4.0	0.19	0.15	100.00	100.00
11	31	8	80	MED	32	36	1	2	0	0	1	2	1.6	0.03	0.06	100.00	100.00
TOTAL				HI	1314	1585	740	918	17	19	757	937	7.3	0.58	0.59	97.75	97.97

STATISTICAL SECTION 35

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	19	24	1	1	0	0	1	1	1.8	0.05	0.04	100.00	100.00
3	6	7	80	HI	29	37	2	2	0	0	2	2	1.8	0.07	0.05	100.00	100.00
4	13	7	80	MED	20	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	20	7	80	MED	50	54	4	9	0	0	4	9	2.3	0.04	0.17	100.00	100.00
6	27	7	80	HI	47	56	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	3	8	80	HI	9	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	HI	25	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	17	8	80	MED	40	65	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	31	62	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	MED	10	35	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	288	417	7	12	0	0	7	12	2.3	0.02	0.03	100.00	100.00

STATISTICAL SECTION 36

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	HI	808	818	456	476	5	5	461	481	4.3	0.57	0.59	98.92	98.96
2	22	6	80	HI	779	829	495	515	7	9	502	524	4.4	0.64	0.63	98.61	98.28
3	29	6	80	HI	756	817	561	597	0	0	561	597	1.8	0.74	0.73	100.00	100.00
4	6	7	80	HI	616	658	248	290	0	0	248	290	1.6	0.40	0.44	100.00	100.00
5	13	7	80	HI	468	515	230	254	1	1	231	255	2.0	0.49	0.50	92.57	92.61
6	20	7	80	MED	333	358	124	135	0	0	124	135	1.8	0.37	0.38	100.00	100.00
7	27	7	80	HI	171	187	64	69	0	0	64	69	1.8	0.37	0.37	100.00	100.00
8	3	8	80	MED	133	138	42	42	0	0	42	42	1.6	0.32	0.30	100.00	100.00
9	10	8	80	HI	125	129	43	44	0	0	43	44	1.8	0.34	0.34	100.00	100.00
10	17	8	80	MED	107	107	24	24	0	0	24	24	1.6	0.22	0.22	100.00	100.00
11	24	8	80	MED	26	28	7	7	0	0	7	7	1.6	0.27	0.25	100.00	100.00
12	31	8	80	MED	41	41	11	11	0	0	11	11	1.6	0.27	0.27	100.00	100.00
TOTAL				HI	4363	4625	2305	2464	13	15	2318	2479	4.4	0.53	0.54	99.44	99.39

STATISTICAL SECTION 37

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	36	43	22	26	0	0	22	26	2.0	0.61	0.60	100.00	100.00
2	29	6	80	MED	81	91	114	119	0	0	114	119	2.3	1.41	1.31	100.00	100.00
3	6	7	80	MED	46	48	27	31	0	0	27	31	2.3	0.53	0.65	100.00	100.00
4	13	7	80	HI	36	41	26	26	0	0	26	26	2.0	0.72	0.63	100.00	100.00
5	20	7	80	MED	20	27	5	5	0	0	5	5	1.8	0.25	0.19	100.00	100.00
6	27	7	80	HI	2	12	4	4	0	0	4	4	1.8	2.00	0.67	100.00	100.00
7	3	8	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	10	8	80	MED	7	7	9	9	0	0	9	9	0.0	0.0	0.0	0.0	0.0
9	17	8	80	HI	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	230	271	207	224	0	0	207	224	2.3	0.90	0.83	100.00	100.00

STATISTICAL SECTION 38

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	125	131	58	62	1	1	59	63	2.7	0.47	0.48	98.31	98.41
2	29	6	80	MED	280	331	179	221	1	1	180	222	2.7	0.64	0.67	98.44	99.55
3	6	7	80	MED	276	280	130	147	0	0	130	147	2.3	0.47	0.52	100.00	100.00
4	13	7	80	HI	126	150	86	94	0	0	86	94	2.3	0.64	0.63	100.00	100.00
5	20	7	80	MED	197	211	94	100	3	3	97	103	3.2	0.69	0.69	96.91	97.09
6	27	7	80	MED	125	140	50	56	0	0	50	56	2.3	0.40	0.40	100.00	100.00
7	3	8	80	MED	92	102	17	17	0	0	17	17	1.8	0.18	0.17	100.00	100.00
8	10	8	80	MED	132	132	17	17	0	0	17	17	2.3	0.13	0.13	100.00	100.00
9	17	8	80	MED	103	103	6	6	0	0	6	6	2.0	0.06	0.06	100.00	100.00
10	24	8	80	LOW	131	131	10	10	0	0	10	10	2.0	0.08	0.08	100.00	100.00
11	31	8	80	LOW	82	82	2	2	0	0	2	2	1.8	0.02	0.02	100.00	100.00
TOTAL				MED	1669	1793	649	732	5	5	654	737	3.2	0.39	0.41	99.24	99.32

## STATISTICAL SECTION 39

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	160	187	66	79	4	6	70	85	3.6	0.44	0.45	94.29	92.94
2	29	6	80	MED	235	272	64	73	4	4	68	77	4.5	0.29	0.28	94.12	94.81
3	6	7	80	MED	201	246	79	95	6	9	85	104	4.3	0.42	0.42	92.94	91.35
4	13	7	80	MED	176	211	68	88	3	5	71	93	3.6	0.40	0.44	95.77	94.62
5	20	7	80	MED	126	146	69	79	1	1	70	80	3.6	0.56	0.55	98.57	98.75
6	27	7	80	MED	70	86	31	39	1	1	32	40	2.7	0.46	0.47	96.80	97.50
7	3	8	80	LOW	38	51	13	20	0	0	13	20	1.4	0.34	0.39	100.00	100.00
8	10	8	80	HI	27	32	11	12	0	0	11	12	1.4	0.41	0.36	100.00	100.00
9	17	8	80	HI	12	14	1	1	0	0	1	1	1.4	0.08	0.07	100.00	100.00
10	24	8	80	HI	11	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	31	8	80	LOW	5	7	2	2	0	0	2	2	1.4	0.40	0.29	100.00	100.00
TOTAL				MED	1061	1265	404	488	19	26	423	514	4.5	0.40	0.41	95.51	94.94

## STATISTICAL SECTION 40

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	MED	1126	1290	333	404	185	219	518	623	7.3	0.46	0.48	64.29	64.85
2	29	6	80	MED	1161	1299	268	328	73	95	341	423	6.4	0.29	0.33	78.59	77.54
3	6	7	80	MED	1375	1649	551	661	89	110	640	771	6.4	0.47	0.47	86.09	85.73
4	13	7	80	MED	1001	1164	355	425	36	43	393	468	5.9	0.39	0.40	90.33	90.81
5	20	7	80	MED	786	886	253	301	15	15	268	316	6.4	0.34	0.36	94.40	95.25
6	27	7	80	MED	561	652	177	208	8	16	185	224	6.4	0.33	0.34	95.60	92.86
7	3	8	80	HI	429	496	108	126	14	14	122	140	5.9	0.28	0.28	88.52	90.00
8	10	8	80	HI	313	368	69	82	7	9	76	91	5.7	0.24	0.25	90.79	90.11
9	17	8	80	HI	170	192	51	57	3	3	54	60	6.8	0.32	0.31	94.44	95.00
10	24	8	80	MED	95	115	14	16	1	1	15	17	4.5	0.16	0.15	93.33	94.12
11	31	8	80	LOW	66	78	28	33	1	1	29	34	5.5	0.44	0.44	96.55	97.06
TOTAL				MED	7083	8189	2207	2641	434	526	2641	3167	7.3	0.37	0.39	83.57	83.39

## STATISTICAL SECTION 41

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	MED	110	140	29	35	2	2	31	37	3.4	0.28	0.26	93.55	94.59
2	22	6	80	HI	169	190	75	77	6	11	81	88	4.5	0.48	0.46	92.59	87.50
3	29	6	80	HI	258	283	85	89	10	16	95	105	4.1	0.37	0.37	89.47	84.76
4	6	7	80	HI	927	1007	394	429	50	62	444	491	9.1	0.48	0.49	88.74	87.37
5	13	7	80	HI	719	787	251	277	29	36	280	313	5.7	0.39	0.40	89.64	88.50
6	20	7	80	HI	582	781	267	351	8	10	275	361	4.5	0.47	0.46	97.09	97.23
7	27	7	80	HI	269	330	94	118	4	4	98	122	3.6	0.36	0.37	95.92	96.72
8	3	8	80	HI	205	239	90	100	1	2	91	102	5.5	0.44	0.43	98.90	98.04
9	10	8	80	HI	198	248	60	72	0	1	60	73	2.3	0.30	0.29	100.00	98.63
10	17	8	80	HI	54	78	13	16	1	1	14	17	2.7	0.26	0.22	92.66	94.12
11	24	8	80	MED	29	34	8	8	2	2	10	10	4.1	0.34	0.29	80.00	80.00
12	31	8	80	MED	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	3528	4127	1366	1572	113	147	1479	1719	9.1	0.42	0.42	92.36	91.45

## STATISTICAL SECTION 44

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	228	263	145	163	13	14	158	177	5.7	0.69	0.67	91.77	92.09
2	29	6	80	MED	845	922	444	492	48	62	492	554	6.8	0.58	0.60	90.24	86.81
3	6	7	80	MED	1180	1303	660	734	74	80	734	814	6.0	0.62	0.62	89.92	90.17
4	13	7	80	MED	1104	1239	570	632	39	44	609	676	6.8	0.55	0.55	93.60	93.49
5	20	7	80	HI	787	915	305	350	29	32	334	382	5.3	0.42	0.42	91.32	91.62
6	27	7	80	MED	919	1053	363	413	25	27	388	440	5.0	0.42	0.42	93.56	93.86
7	3	8	80	MED	719	816	248	301	19	23	267	324	7.3	0.37	0.40	92.88	92.90
8	10	8	80	MED	673	767	145	186	4	4	149	190	4.5	0.22	0.25	97.32	97.89
9	17	8	80	MED	497	598	93	131	4	4	97	135	9.6	0.20	0.23	95.88	97.04
10	24	8	80	MED	494	568	132	167	13	13	145	180	10.9	0.29	0.32	91.03	92.78
11	31	8	80	MED	338	397	103	127	10	11	113	138	8.0	0.33	0.35	91.15	92.03
12	7	9	80	HI	64	71	4	4	0	1	4	5	2.3	0.06	0.07	100.00	80.00
13	14	9	80	HI	73	73	0	0	1	5	1	5	9.1	0.01	0.01	0.0	0.0
14	21	9	80	HI	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	7933	8997	3212	3700	279	320	3491	4020	10.9	0.44	0.45	92.01	92.04

## STATISTICAL SECTION 45

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	MED	95	99	23	23	4	4	27	27	3.4	0.28	0.27	85.19	85.19
2	29	6	80	MED	142	170	31	34	3	4	34	38	4.2	0.24	0.22	91.18	89.47
3	6	7	80	MED	329	370	87	92	2	2	89	94	3.6	0.27	0.25	97.75	97.87
4	13	7	80	MED	225	258	63	67	2	2	65	69	4.1	0.29	0.27	96.92	97.10
5	20	7	80	HI	151	177	27	30	0	0	27	30	0.0	0.18	0.17	100.00	100.00
6	27	7	80	MED	136	172	15	17	0	0	15	17	0.0	0.11	0.10	100.00	100.00
7	3	8	80	MED	143	167	13	14	0	0	13	14	0.0	0.09	0.08	100.00	100.00
8	10	8	80	MED	84	105	6	7	1	1	7	8	4.3	0.08	0.08	85.71	87.50
9	17	8	80	MED	81	97	3	4	0	0	3	4	0.0	0.04	0.04	100.00	100.00
10	24	8	80	MED	52	62	4	4	0	0	4	4	0.0	0.08	0.06	100.00	100.00
11	31	8	80	MED	56	65	11	11	0	0	11	11	0.0	0.20	0.17	100.00	100.00
TOTAL				MED	1494	1742	283	303	12	13	295	316	4.3	0.20	0.18	95.93	95.89

## STATISTICAL SECTION 46

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	98	126	8	10	0	0	8	10	4.1	0.08	0.08	100.00	100.00
2	29	6	80	HI	274	315	40	50	10	13	50	63	6.8	0.18	0.20	80.00	79.37
3	6	7	80	MED	449	499	104	115	21	26	125	141	5.9	0.28	0.28	83.20	81.56
4	13	7	80	MED	452	522	139	158	23	28	162	186	6.1	0.36	0.36	85.80	84.95
5	20	7	80	HI	410	497	80	96	10	13	90	109	5.5	0.22	0.22	88.89	86.07
6	27	7	80	MED	374	455	72	101	4	4	76	105	6.8	0.20	0.23	94.74	96.19
7	3	8	80	MED	286	343	57	68	4	6	61	74	4.5	0.21	0.22	93.44	91.89
8	10	8	80	MED	264	329	28	40	2	2	30	42	5.5	0.11	0.13	93.33	95.24
9	17	8	80	HI	186	257	28	38	4	4	32	42	6.1	0.17	0.16	87.50	90.48
10	24	8	80	MED	170	216	19	28	3	4	22	32	6.5	0.13	0.15	86.36	87.50
11	31	8	80	MED	123	156	13	18	0	0	13	18	0.0	0.11	0.12	100.00	100.00
TOTAL				MED	3086	3715	588	722	81	100	669	822	6.8	0.22	0.22	87.89	87.83

## STATISTICAL SECTION 47

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	174	195	0	0	7	9	7	9	6.4	0.04	0.05	0.0	0.0
2	29	6	80	HI	331	367	10	13	9	11	19	24	7.3	0.06	0.07	52.63	54.17
3	6	7	80	HI	468	523	47	62	5	6	52	68	5.3	0.11	0.13	90.38	91.18
4	13	7	80	MED	666	726	129	153	2	2	131	155	5.9	0.20	0.21	98.47	98.71
5	20	7	80	HI	774	828	207	264	3	4	210	268	4.5	0.27	0.32	98.57	98.51
6	27	7	80	MED	615	664	123	158	1	1	124	159	4.5	0.20	0.24	99.19	99.37
7	3	8	80	MED	449	488	106	128	2	2	108	130	5.7	0.24	0.27	98.15	98.46
8	10	8	80	MED	333	388	63	81	0	0	63	81	2.3	0.19	0.21	100.00	100.00
9	17	8	80	MED	183	211	54	70	0	0	54	70	2.3	0.30	0.33	100.00	100.00
10	24	8	80	MED	196	224	35	47	0	0	35	47	2.3	0.18	0.21	100.00	100.00
11	31	8	80	MED	103	131	10	15	0	0	10	15	0.0	0.10	0.11	100.00	100.00
TOTAL				MED	4292	4745	784	991	29	35	813	1026	7.3	0.19	0.22	96.43	96.59

## STATISTICAL SECTION 48

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	31	34	2	2	1	1	3	3	4.5	0.10	0.09	66.67	66.67
3	6	7	80	HI	125	135	40	43	2	2	42	45	5.5	0.34	0.33	95.24	95.56
4	13	7	80	HI	163	188	117	120	11	11	128	131	4.1	0.79	0.78	91.41	91.60
5	20	7	80	HI	139	147	116	119	2	2	118	121	3.6	0.85	0.82	98.31	98.35
6	27	7	80	HI	100	110	16	20	0	0	16	20	1.8	0.16	0.18	100.00	100.00
7	3	8	80	MED	42	46	10	11	1	1	11	12	3.2	0.26	0.26	90.91	91.67
8	10	8	80	HI	51	57	18	21	0	0	18	21	2.3	0.35	0.37	100.00	100.00
9	17	8	80	HI	17	17	2	2	0	0	2	2	2.3	0.12	0.12	100.00	100.00
10	24	8	80	MED	9	12	1	2	0	0	1	2	1.8	0.11	0.17	100.00	100.00
11	31	8	80	LO*	5	5	1	1	0	0	1	1	1.6	0.20	0.20	100.00	100.00
TOTAL				HI	696	745	323	341	17	17	340	358	5.5	0.49	0.48	95.00	95.25

STATISTICAL SECTION 49

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	83	90	4	5	2	2	6	7	2.7	0.07	0.08	66.67	71.43
2	29	6	80	HI	153	166	40	44	2	2	42	46	4.6	0.27	0.28	95.24	95.65
3	6	7	80	HI	287	312	156	173	2	2	158	175	2.7	0.55	0.56	98.73	98.86
4	13	7	80	HI	481	512	305	322	4	4	309	326	5.9	0.64	0.64	98.71	98.77
5	20	7	80	HI	455	494	335	350	4	4	339	354	4.3	0.75	0.72	98.82	98.87
6	27	7	80	MED	297	321	144	155	1	1	145	156	4.4	0.49	0.49	99.31	99.36
7	3	8	80	MED	285	318	92	109	0	0	92	109	2.5	0.32	0.34	100.00	100.00
8	10	8	80	HI	212	234	78	88	0	0	78	88	2.0	0.37	0.38	100.00	100.00
9	17	8	80	MED	77	90	30	38	0	0	30	38	1.8	0.39	0.42	100.00	100.00
10	24	8	80	LOW	60	83	14	22	0	0	14	22	1.8	0.23	0.27	100.00	100.00
11	31	8	80	LOW	15	15	4	4	0	0	4	4	2.0	0.27	0.27	100.00	100.00
TOTAL				HI	2405	2635	1202	1310	15	15	1217	1325	5.9	0.51	0.50	98.77	98.87

STATISTICAL SECTION 50

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	124	136	4	4	0	0	4	4	2.3	0.03	0.03	100.00	100.00
2	29	6	80	HI	284	308	6	8	27	29	33	37	5.9	0.12	0.12	18.18	21.62
3	6	7	80	HI	290	308	35	39	69	72	104	111	5.9	0.36	0.36	33.65	35.14
4	13	7	80	HI	331	356	163	172	137	139	300	311	8.6	0.91	0.87	54.33	55.31
5	20	7	80	HI	345	370	215	224	31	34	246	258	6.9	0.71	0.70	87.40	88.82
6	27	7	80	HI	285	305	174	179	36	38	210	217	5.7	0.74	0.71	82.86	84.49
7	3	8	80	MED	148	165	87	95	10	11	97	106	7.1	0.66	0.64	89.69	89.62
8	10	8	80	HI	161	177	76	84	6	6	82	90	9.1	0.51	0.51	92.68	93.33
9	17	8	80	HI	143	156	60	66	5	6	65	72	4.5	0.45	0.46	92.31	91.67
10	24	8	80	MED	93	100	41	44	2	2	43	46	4.5	0.46	0.46	95.35	95.65
11	31	8	80	MED	56	63	21	23	0	0	21	23	2.5	0.38	0.37	100.00	100.00
12	7	9	80	HI	18	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	14	9	80	HI	11	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	21	9	80	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	2292	2476	882	938	323	337	1205	1275	9.1	0.53	0.51	73.20	73.57

STATISTICAL SECTION 51

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	24	24	5	5	1	1	6	6	0.0	0.25	0.25	83.33	83.33
4	13	7	80	HI	74	74	56	56	11	11	67	67	0.0	0.91	0.91	83.58	83.56
5	20	7	80	MED	60	60	38	38	20	20	58	58	0.0	0.97	0.97	65.52	65.52
6	27	7	80	MED	45	45	86	86	13	13	99	99	0.0	2.20	2.20	86.87	86.87
7	3	8	80	MED	14	14	1	1	0	0	1	1	0.0	0.07	0.07	100.00	100.00
8	10	8	80	MED	8	8	3	3	0	0	3	3	0.0	0.38	0.38	100.00	100.00
9	17	8	80	HI	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	24	8	80	MED	5	5	3	3	0	0	3	3	0.0	0.60	0.60	100.00	100.00
11	31	8	80	MED	4	4	6	6	0	0	6	6	0.0	1.50	1.50	100.00	100.00
12	7	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	14	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	21	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	240	240	198	198	45	45	243	243	0.0	1.01	1.01	81.48	81.48

STATISTICAL SECTION 52

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	6	7	80	HI	90	90	79	79	22	22	101	101	0.0	1.12	1.12	78.22	78.22
4	13	7	80	MED	233	233	261	261	92	92	353	353	0.0	1.52	1.52	73.94	73.94
5	20	7	80	MED	283	283	631	631	95	95	726	726	0.0	2.57	2.57	86.91	86.91
6	27	7	80	MED	269	269	552	552	36	36	588	588	0.0	2.19	2.19	93.88	93.88
7	3	8	80	MED	242	242	221	221	16	16	237	237	0.0	0.98	0.98	93.25	93.25
8	10	8	80	HI	169	169	149	149	5	5	154	154	0.0	0.91	0.91	96.75	96.75
9	17	8	80	MED	92	92	52	52	1	1	53	53	0.0	0.58	0.58	98.11	98.11
10	24	8	80	MED	72	72	25	25	6	6	31	31	0.0	0.43	0.43	80.65	80.65
11	31	8	80	MED	28	28	9	9	3	3	12	12	0.0	0.43	0.43	75.00	75.00
12	7	9	80	MED	43	43	8	8	0	0	8	8	0.0	0.19	0.19	100.00	100.00
13	14	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	21	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1521	1521	1987	1987	276	276	2263	2263	0.0	1.49	1.49	87.80	87.80

## STATISTICAL SECTION 53

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YR	WATER LEVEL	HDD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG	C/E		% GRILSE			
					Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	(KGS)	Obs.	TOT.	Obs.	TOT.		
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	
3	6	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	
4	13	7	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	
5	20	7	80	HI	21	21	34	34	10	10	44	44	0.0	2.10	2.10	77.27	77.27	77.27	
6	27	7	80	HI	112	112	134	134	42	42	176	176	0.0	1.57	1.57	76.14	76.14	76.14	
7	3	8	80	HI	121	121	206	206	99	99	305	305	0.0	2.52	2.52	67.54	67.54	67.54	
8	10	8	80	HI	161	161	182	182	29	29	211	211	0.0	1.31	1.31	86.26	86.26	86.26	
9	17	8	80	HI	124	124	72	72	23	23	95	95	0.0	0.77	0.77	75.79	75.79	75.79	
10	24	8	80	LOW	129	129	33	33	24	24	57	57	0.0	0.44	0.44	57.89	57.89	57.89	
11	31	8	80	LOW	31	31	4	4	4	4	8	8	0.0	0.26	0.26	50.00	50.00	50.00	
12	7	9	80	LOW	2	2	1	1	0	0	1	1	0.0	0.50	0.50	100.00	100.00	100.00	
13	14	9	80	HI	10	10	11	11	0	0	11	11	0.0	1.10	1.10	100.00	100.00	100.00	
14	21	9	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	
TOTAL					711	711	677	677	231	231	908	908	0.0	1.28	1.28	74.56	74.56	74.56	74.56





STATISTICAL AREAS



STATISTICAL AREA A  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	FISH TOT.	WT LG (KGS)	C/F OBS.	C/F TOT.	% GRILSE OBS.	% GRILSE TOT.
1	22	6	80	HI	93	112	35	47	4	4	39	51	2.7	0.42	0.46	89.74	92.16
2	29	6	80	MED	280	332	170	197	9	14	179	211	4.1	0.64	0.64	94.97	97.36
3	6	7	80	MED	534	640	403	482	11	15	414	497	7.2	0.74	0.74	97.34	98.98
4	13	7	80	MED	428	542	364	411	2	2	366	413	2.7	0.86	0.76	94.45	98.52
5	20	7	80	HI	340	430	175	236	2	2	177	238	4.5	0.52	0.55	98.87	99.16
6	27	7	80	HI	301	420	133	164	0	0	133	164	2.0	0.44	0.49	100.00	100.00
7	3	8	80	MED	224	299	78	107	0	0	78	107	1.8	0.35	0.36	100.00	100.00
8	10	8	80	MED	141	201	54	74	0	0	54	74	2.0	0.38	0.37	100.00	100.00
9	17	8	80	HI	60	87	11	20	0	0	11	20	1.8	0.18	0.23	100.00	100.00
10	24	8	80	HI	61	91	29	44	0	0	29	44	2.0	0.44	0.48	100.00	100.00
11	31	8	80	MED	42	68	22	37	0	0	22	37	1.8	0.52	0.54	100.00	100.00
TOTAL				HI	2504	3222	1474	1819	28	37	1502	1856	4.5	0.60	0.58	98.14	98.01

STATISTICAL AREA B  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	FISH TOT.	WT LG (KGS)	C/F OBS.	C/F TOT.	% GRILSE OBS.	% GRILSE TOT.
1	22	6	80	HI	424	529	92	121	6	8	98	129	3.4	0.23	0.24	91.88	93.80
2	29	6	80	HI	1483	1731	498	589	14	21	512	610	4.3	0.35	0.35	97.27	98.56
3	6	7	80	HI	3886	4388	1380	1639	38	69	1418	1708	4.1	0.36	0.39	97.32	98.96
4	13	7	80	MED	4076	4692	1574	1929	46	63	1620	1992	4.1	0.40	0.42	97.16	98.04
5	20	7	80	MED	3806	4356	1395	1728	54	72	1449	1800	6.6	0.38	0.41	96.27	98.60
6	27	7	80	HI	2574	2983	885	1119	42	52	927	1171	4.1	0.34	0.39	95.47	98.66
7	3	8	80	HI	1955	2350	682	901	51	78	733	979	7.5	0.37	0.42	91.04	92.83
8	10	8	80	HI	1649	2023	604	753	69	100	673	853	6.4	0.30	0.42	89.75	92.83
9	17	8	80	HI	741	944	208	285	16	22	224	307	4.3	0.30	0.33	92.46	92.83
10	24	8	80	HI	537	673	152	189	12	14	164	203	4.1	0.31	0.30	92.48	93.10
11	31	8	80	HI	402	503	131	161	6	8	137	169	5.0	0.34	0.34	95.62	95.27
TOTAL				HI	21533	25172	7601	9414	354	507	7955	9921	7.5	0.37	0.39	95.55	94.84

STATISTICAL AREA C  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	FISH TOT.	WT LG (KGS)	C/F OBS.	C/F TOT.	% GRILSE OBS.	% GRILSE TOT.
1	22	6	80	HI	44	61	6	7	0	0	6	7	0.0	0.14	0.11	100.00	100.00
2	29	6	80	HI	522	592	100	115	0	0	100	115	2.3	0.19	0.19	100.00	100.00
3	6	7	80	HI	1137	1222	476	500	4	4	480	504	3.6	0.42	0.41	99.17	99.21
4	13	7	80	HI	1370	1567	444	516	6	6	450	522	3.2	0.33	0.33	98.47	98.85
5	20	7	80	HI	1166	1319	411	484	9	9	420	493	3.9	0.34	0.37	97.46	98.17
6	27	7	80	HI	858	966	272	299	5	5	277	304	3.4	0.32	0.31	94.14	98.36
7	3	8	80	HI	885	1003	254	284	2	2	256	286	3.2	0.29	0.29	99.22	99.30
8	10	8	80	HI	598	647	208	234	1	1	209	235	3.0	0.35	0.36	99.52	99.57
9	17	8	80	HI	397	428	130	150	2	2	132	152	3.2	0.33	0.36	98.48	98.68
10	24	8	80	HI	170	184	58	65	0	0	58	65	3.8	0.34	0.35	100.00	100.00
11	31	8	80	HI	155	166	46	48	0	0	46	48	1.8	0.30	0.29	100.00	100.00
TOTAL				HI	7302	8155	2405	2702	29	29	2434	2731	3.9	0.33	0.33	98.81	98.94

STATISTICAL AREA D  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	FISH TOT.	WT LG (KGS)	C/F OBS.	C/F TOT.	% GRILSE OBS.	% GRILSE TOT.
1	22	6	80	HI	50	75	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	29	6	80	MED	122	155	2	3	0	0	2	3	1.6	0.02	0.02	100.00	100.00
3	6	7	80	HI	174	235	4	9	0	0	4	9	1.4	0.02	0.04	100.00	100.00
4	13	7	80	HI	233	309	26	38	0	0	26	38	2.3	0.11	0.12	100.00	100.00
5	20	7	80	HI	321	397	29	41	1	1	30	42	2.7	0.09	0.11	96.27	97.62
6	27	7	80	HI	334	397	44	60	1	4	45	64	2.7	0.13	0.16	97.74	98.75
7	3	8	80	HI	329	408	35	51	2	3	37	54	2.7	0.11	0.13	94.59	94.44
8	10	8	80	MED	226	299	40	56	3	5	43	61	2.7	0.10	0.20	93.02	91.80
9	17	8	80	HI	170	213	17	26	0	0	17	26	2.3	0.10	0.12	100.00	100.00
10	24	8	80	HI	129	180	13	22	1	1	14	23	2.7	0.11	0.13	92.24	95.65
11	31	8	80	HI	106	145	9	14	0	0	9	14	2.3	0.08	0.10	100.00	100.00
TOTAL				HI	2194	2807	219	320	8	14	227	334	2.7	0.10	0.12	95.48	95.41

## STATISTICAL AREA E

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	22	6	80	HI	50	94	0	1	0	0	0	1	0.0	0.0	0.01	0.0	100.00	
2	29	6	80	HI	148	194	2	3	0	0	2	3	2.0	0.01	0.02	100.00	100.00	
3	6	7	80	HI	161	191	5	7	1	1	6	8	3.2	0.04	0.04	83.33	87.50	
4	13	7	80	HI	135	168	12	18	0	0	12	18	2.3	0.09	0.11	100.00	100.00	
5	20	7	80	HI	122	167	9	22	0	0	9	22	2.3	0.07	0.13	100.00	100.00	
6	27	7	80	MED	129	180	7	14	0	0	7	14	2.0	0.05	0.08	100.00	100.00	
7	3	8	80	MED	107	138	7	16	0	0	7	16	2.3	0.07	0.12	100.00	100.00	
8	10	8	80	HI	84	110	2	9	0	0	2	9	1.8	0.02	0.08	100.00	100.00	
9	17	8	80	HI	63	86	1	3	0	0	1	3	1.4	0.02	0.03	100.00	100.00	
10	24	8	80	HI	85	107	4	6	0	0	4	6	2.5	0.05	0.06	100.00	100.00	
11	31	8	80	MED	91	111	1	3	0	0	1	3	1.4	0.01	0.03	100.00	100.00	
TOTAL				HI	1175	1546	50	102	1	1	51	103	3.2	0.04	0.07	98.04	99.03	

## STATISTICAL AREA F

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	22	6	80	HI	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
2	29	6	80	HI	26	37	5	8	0	0	5	8	1.8	0.19	0.22	100.00	100.00	
3	6	7	80	HI	30	41	9	12	0	0	9	12	0.0	0.30	0.29	100.00	100.00	
4	13	7	80	HI	48	50	23	28	0	0	23	28	2.0	0.48	0.56	100.00	100.00	
5	20	7	80	HI	37	37	16	21	0	0	16	21	2.5	0.43	0.57	100.00	100.00	
6	27	7	80	HI	45	45	18	22	0	0	18	22	2.3	0.40	0.49	100.00	100.00	
7	3	8	80	MED	41	41	14	17	0	0	14	17	2.3	0.34	0.41	100.00	100.00	
8	10	8	80	MED	23	27	6	7	0	0	6	7	2.0	0.26	0.26	100.00	100.00	
9	17	8	80	MED	15	18	4	4	0	0	4	4	1.8	0.27	0.22	100.00	100.00	
10	24	8	80	HI	5	7	1	1	0	0	1	1	1.8	0.20	0.14	100.00	100.00	
11	31	8	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				HI	280	316	96	120	0	0	96	120	2.5	0.34	0.38	100.00	100.00	

## STATISTICAL AREA G

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	22	6	80	HI	608	646	228	237	1	1	229	238	5.5	0.38	0.37	99.56	99.58	
2	29	6	80	HI	1046	1157	386	433	4	6	390	439	4.3	0.37	0.38	98.97	98.63	
3	6	7	80	HI	932	1031	420	470	9	10	429	480	5.7	0.46	0.47	97.90	97.92	
4	13	7	80	HI	870	983	402	455	5	8	407	463	3.2	0.47	0.47	98.77	98.27	
5	20	7	80	MED	591	682	223	265	16	17	239	282	3.6	0.40	0.41	93.31	93.97	
6	27	7	80	MED	534	616	201	231	7	12	208	243	3.4	0.39	0.39	96.63	95.06	
7	3	8	80	MED	399	449	96	115	3	5	99	120	3.4	0.25	0.27	96.97	95.83	
8	10	8	80	MED	288	331	65	80	1	1	66	81	2.9	0.23	0.24	98.48	98.77	
9	17	8	80	MED	129	163	25	36	1	1	26	37	3.4	0.20	0.23	96.15	97.30	
10	24	8	80	HI	178	218	27	37	0	0	27	37	2.3	0.15	0.17	100.00	100.00	
11	31	8	80	MED	144	170	15	20	0	0	15	20	2.3	0.10	0.12	100.00	100.00	
TOTAL				MED	5719	6446	2088	2379	47	61	2135	2440	5.7	0.37	0.38	97.80	97.50	

## STATISTICAL AREA H

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	22	6	80	HI	639	780	111	146	0	0	111	146	2.5	0.17	0.19	100.00	100.00	
2	29	6	80	MED	903	1123	180	238	1	2	181	240	2.9	0.20	0.21	99.45	99.17	
3	6	7	80	MED	1049	1283	185	242	4	4	189	246	3.6	0.18	0.19	97.88	98.37	
4	13	7	80	MED	1122	1328	215	269	6	8	221	277	3.6	0.20	0.21	97.29	97.11	
5	20	7	80	MED	1142	1364	162	212	3	4	165	216	3.8	0.14	0.16	98.18	98.15	
6	27	7	80	MED	899	1056	93	138	3	6	96	144	3.2	0.11	0.14	96.88	95.83	
7	3	8	80	MED	739	914	71	105	2	2	73	107	2.9	0.10	0.12	97.26	98.13	
8	10	8	80	MED	463	592	41	68	1	1	42	69	3.2	0.09	0.12	97.62	98.55	
9	17	8	80	MED	330	419	39	57	0	0	39	57	2.5	0.12	0.14	100.00	100.00	
10	24	8	80	HI	310	395	23	37	0	0	23	37	2.5	0.07	0.09	100.00	100.00	
11	31	8	80	MED	257	334	6	12	0	0	6	12	2.5	0.02	0.04	100.00	100.00	
TOTAL				MED	7853	9588	1126	1524	20	27	1146	1551	3.8	0.15	0.16	98.25	98.26	

STATISTICAL AREA I  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1990

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH ORS.	FISH TOT.	WT LG (KGS)	C/F		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.				ORS.	TOT.	ORS.	TOT.
1	15	6	80	HI	278	317	144	194	0	0	164	194	1.8	0.59	0.61	100.00	100.00
2	22	6	80	HI	401	457	212	257	4	5	216	262	5.5	0.54	0.57	98.15	98.09
3	29	6	80	HI	556	649	490	552	6	7	496	559	7.3	0.80	0.86	98.79	98.75
4	6	7	80	HI	474	568	253	329	3	3	256	332	3.6	0.54	0.58	98.83	98.10
5	13	7	80	MED	425	495	187	234	4	4	191	238	5.2	0.45	0.48	97.91	98.32
6	20	7	80	MED	379	447	121	150	2	2	123	152	3.4	0.32	0.34	98.37	98.48
7	27	7	80	HI	344	424	71	198	2	2	73	190	2.3	0.21	0.24	97.26	98.00
8	3	8	80	MED	180	234	57	71	0	0	57	71	2.3	0.32	0.30	100.00	100.00
9	10	8	80	MED	161	204	42	55	3	4	45	59	2.0	0.28	0.29	93.33	93.22
10	17	8	80	MED	130	184	12	20	0	0	12	20	1.8	0.69	0.71	100.00	100.00
11	24	8	80	MED	99	151	13	16	0	0	13	16	4.0	0.13	0.11	100.00	100.00
12	31	8	80	MED	64	99	2	5	0	0	2	5	1.8	0.07	0.05	100.00	100.00
TOTAL				MED	3491	4231	1624	1981	24	27	1648	2008	7.3	0.47	0.47	98.54	98.66

STATISTICAL AREA J  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1990

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH ORS.	FISH TOT.	WT LG (KGS)	C/F		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.				ORS.	TOT.	ORS.	TOT.
1	15	6	80	HI	808	818	456	476	5	5	461	481	4.3	0.57	0.59	98.92	98.94
2	22	6	80	HI	1100	1190	641	682	12	15	653	698	4.4	0.59	0.59	98.16	97.71
3	29	6	80	MED	1352	1511	918	1010	5	5	923	1015	4.5	0.69	0.67	99.46	99.51
4	6	7	80	HI	1139	1232	484	563	6	6	490	572	4.3	0.47	0.46	98.78	98.63
5	13	7	80	HI	896	967	410	462	4	4	414	468	3.6	0.51	0.51	99.03	98.72
6	20	7	80	MED	676	742	292	319	4	4	296	323	3.6	0.44	0.44	98.55	98.76
7	27	7	80	HI	368	425	149	172	1	1	150	173	2.7	0.41	0.41	99.33	99.42
8	3	8	80	MED	263	291	72	79	0	0	72	79	1.8	0.27	0.27	100.00	100.00
9	10	8	80	HI	291	300	80	82	0	0	80	82	2.3	0.27	0.27	100.00	100.00
10	17	8	80	MED	224	226	31	31	0	0	31	31	2.0	0.14	0.14	100.00	100.00
11	24	8	80	MED	168	172	17	17	0	0	17	17	2.0	0.10	0.10	100.00	100.00
12	31	8	80	LOW	128	130	15	15	0	0	15	15	1.8	0.12	0.12	100.00	100.00
TOTAL				MED	7323	7954	3565	3908	37	46	3602	3954	4.5	0.49	0.50	99.97	98.84

STATISTICAL AREA K  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1990

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH ORS.	FISH TOT.	WT LG (KGS)	C/F		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.				ORS.	TOT.	ORS.	TOT.
1	15	6	80	MED	110	140	29	35	2	2	31	37	3.4	0.29	0.26	92.55	94.59
2	22	6	80	MED	1295	1480	408	481	191	230	599	711	7.3	0.46	0.48	88.11	87.65
3	29	6	80	MED	1419	1582	353	417	83	111	436	528	6.4	0.37	0.33	90.06	86.38
4	6	7	80	MED	2302	2656	945	1090	139	172	1084	1262	9.1	0.61	0.48	87.18	86.37
5	13	7	80	MED	1720	1951	606	782	67	79	673	781	5.0	0.39	0.40	90.84	89.88
6	20	7	80	MED	1368	1667	520	652	23	25	543	677	6.6	0.40	0.41	95.76	96.31
7	27	7	80	MED	830	982	271	326	12	20	283	346	6.6	0.34	0.35	95.76	96.22
8	3	8	80	HI	634	735	199	226	15	16	213	242	5.0	0.34	0.33	92.96	93.39
9	10	8	80	HI	514	616	129	153	7	10	136	164	5.7	0.27	0.27	84.85	83.90
10	17	8	80	HI	324	270	64	73	4	4	68	77	2.7	0.30	0.29	94.12	94.81
11	24	8	80	MED	124	149	22	24	3	3	25	27	6.5	0.20	0.18	88.00	88.89
12	31	8	80	LOW	74	88	28	33	1	1	29	34	5.5	0.39	0.39	96.55	97.06
TOTAL				MED	10611	12316	3573	4213	547	673	4120	4886	9.1	0.39	0.40	86.72	86.23

STATISTICAL AREA L  
OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1990

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH ORS.	FISH TOT.	WT LG (KGS)	C/F		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.				ORS.	TOT.	ORS.	TOT.
1	22	6	80	HI	228	263	145	163	13	14	158	177	5.7	0.69	0.67	91.77	92.09
2	29	6	80	MED	845	922	444	492	48	62	492	554	6.8	0.58	0.60	88.24	88.81
3	6	7	80	MED	1180	1303	660	734	39	80	734	814	6.8	0.52	0.62	89.92	89.17
4	13	7	80	MED	1104	1239	570	632	39	44	600	676	6.8	0.55	0.55	93.60	93.69
5	20	7	80	MED	787	915	305	350	20	32	334	382	5.2	0.42	0.42	91.32	91.62
6	27	7	80	MED	919	1053	363	413	25	27	388	440	5.0	0.37	0.40	92.88	92.90
7	3	8	80	MED	719	816	248	301	19	27	269	326	7.3	0.37	0.40	97.32	97.29
8	10	8	80	MED	673	767	145	186	4	4	149	190	4.6	0.22	0.25	93.92	93.29
9	17	8	80	MED	497	598	133	131	4	4	149	135	8.7	0.20	0.23	95.88	97.06
10	24	8	80	MED	494	568	132	167	13	13	145	180	10.0	0.20	0.22	91.03	92.78
11	31	8	80	MED	338	397	103	127	10	11	113	148	8.0	0.33	0.35	91.15	92.03
12	7	9	80	HI	64	71	4	4	0	1	4	5	2.3	0.06	0.07	100.00	98.00
13	14	9	80	HI	63	73	0	0	1	5	1	5	9.1	0.01	0.07	0.00	0.00
14	21	9	80	HI	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.00	0.00
TOTAL				MED	7933	8997	3212	3700	279	320	3491	4020	10.0	0.44	0.45	92.81	92.04

## STATISTICAL AREA M

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK DA	END MO	YEAR YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
					Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	367	420	31	33	11	13	42	46	6.4	0.11	0.11	73.81	71.74
2	29	6	80	HI	747	852	81	97	22	28	103	125	7.3	0.14	0.15	78.64	77.60
3	6	7	80	MED	1246	1392	238	269	28	34	266	303	5.9	0.21	0.22	85.47	88.78
4	13	7	80	MED	1343	1506	331	378	27	32	358	410	6.1	0.27	0.27	92.46	92.20
5	20	7	80	HI	1335	1502	314	390	13	17	327	407	5.5	0.24	0.27	96.02	95.82
6	27	7	80	MED	1125	1291	210	276	5	5	215	281	6.8	0.19	0.22	97.67	98.22
7	3	8	80	MED	878	998	176	210	6	8	182	218	5.7	0.21	0.22	96.70	96.33
8	10	8	80	MED	681	822	97	128	3	3	100	131	5.5	0.15	0.16	97.00	97.71
9	17	8	80	HI	450	565	85	112	4	4	89	116	6.1	0.20	0.21	95.51	96.55
10	24	8	80	MED	418	502	58	79	3	4	61	83	6.5	0.15	0.17	95.06	95.18
11	31	8	80	MED	282	352	34	44	0	0	34	44	0.0	0.12	0.13	100.00	100.00
TOTAL				MED	8972	10202	1655	2016	122	148	1777	2164	7.3	0.20	0.21	93.13	93.16

## STATISTICAL AREA N

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK DA	END MO	YEAR YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
					Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	97	104	4	5	2	2	6	7	2.7	0.06	0.07	66.67	71.43
2	29	6	80	HI	184	200	42	46	3	3	45	49	4.8	0.24	0.24	93.33	93.88
3	6	7	80	HI	412	447	196	216	4	4	200	220	5.5	0.49	0.49	98.00	98.18
4	13	7	80	HI	644	680	422	442	15	15	437	457	5.9	0.68	0.67	96.57	98.72
5	20	7	80	HI	594	641	451	469	6	6	457	475	4.3	0.77	0.74	98.69	98.74
6	27	7	80	MED	397	431	160	175	1	1	161	176	4.4	0.41	0.41	99.38	99.43
7	3	8	80	MED	327	364	102	120	1	1	103	121	3.2	0.31	0.33	99.03	99.17
8	10	8	80	HI	263	291	96	109	0	0	96	109	2.3	0.37	0.37	100.00	100.00
9	17	8	80	MED	94	107	32	40	0	0	32	40	2.3	0.34	0.37	100.00	100.00
10	24	8	80	LOW	69	95	15	24	0	0	15	24	1.6	0.22	0.25	100.00	100.00
11	31	8	80	LOW	20	20	5	5	0	0	5	5	2.0	0.25	0.25	100.00	100.00
TOTAL				HI	3101	3380	1525	1651	32	32	1557	1683	5.9	0.50	0.50	97.94	98.10

## STATISTICAL AREA O

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

#K	WEEK DA	END MO	YEAR YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
					Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	22	6	80	HI	124	136	4	4	0	0	4	4	2.3	0.03	0.03	100.00	100.00
2	29	6	80	HI	284	308	6	8	27	29	33	37	5.9	0.12	0.12	18.18	21.62
3	6	7	80	HI	404	422	119	123	92	95	211	218	5.9	0.52	0.52	56.40	56.42
4	13	7	80	HI	638	663	480	489	240	242	720	731	8.6	1.13	1.10	66.67	66.89
5	20	7	80	MED	704	734	918	927	156	159	1074	1086	6.9	1.51	1.48	85.47	85.36
6	27	7	80	MED	711	731	946	951	127	129	1073	1080	5.7	1.51	1.48	88.16	88.06
7	3	8	80	MED	525	542	515	523	125	126	640	649	7.1	1.22	1.20	80.47	80.59
8	10	8	80	MED	499	515	410	418	40	40	450	458	9.1	0.90	0.89	91.11	91.27
9	17	8	80	MED	365	378	184	190	29	30	213	220	4.5	0.58	0.58	86.38	86.36
10	24	8	80	MED	299	306	102	105	32	32	134	137	4.5	0.45	0.45	76.12	76.64
11	31	8	80	MED	119	126	40	42	7	7	47	49	2.5	0.39	0.39	85.11	85.71
12	7	9	80	MED	63	63	9	9	0	0	9	9	0.0	0.14	0.14	100.00	100.00
13	14	9	80	MED	21	21	11	11	0	0	11	11	0.0	0.52	0.52	100.00	100.00
14	21	9	80	MED	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	4764	4948	3744	3800	875	889	4619	4689	9.1	0.97	0.95	81.06	81.04

FISHING & INDUSTRY AREAS





FISHING AND INDUSTRY AREA 1

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/F		% GRILSE	
					ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	(KGS)	ORS.	TOT.	ORS.	TOT.	
1	22	6	80	HI	985	1132	242	257	1	1	247	258	5.5	0.25	0.23	99.54	99.61	
2	29	6	80	HI	1614	1861	431	495	4	6	435	501	4.3	0.27	0.27	99.04	98.20	
3	6	7	80	HI	1694	1946	505	580	12	13	517	593	5.7	0.31	0.30	97.68	97.81	
4	13	7	80	HI	1705	1953	525	613	8	13	533	626	3.2	0.31	0.32	98.50	97.62	
5	20	7	80	HI	1322	1563	308	383	17	19	325	402	3.6	0.25	0.26	94.77	95.27	
6	27	7	80	MED	1221	1461	264	329	9	16	278	345	3.4	0.23	0.24	95.76	95.16	
7	3	8	80	MED	950	1121	147	186	4	6	151	192	3.6	0.16	0.17	97.35	96.34	
8	10	8	80	MED	680	832	101	136	1	1	102	137	2.0	0.15	0.15	99.02	99.27	
9	17	8	80	MED	434	548	49	69	1	1	50	70	3.4	0.12	0.13	98.00	98.57	
10	24	8	80	HI	504	625	49	66	0	0	49	66	2.5	0.10	0.11	100.00	100.00	
11	31	8	80	MED	457	561	22	33	0	0	22	33	2.5	0.05	0.06	100.00	100.00	
TOTAL				HI	11566	13583	2648	3147	57	76	2705	3223	5.7	0.23	0.24	97.89	97.64	

FISHING AND INDUSTRY AREA 2

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/F		% GRILSE	
					ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	(KGS)	ORS.	TOT.	ORS.	TOT.	
1	15	6	80	HI	278	317	164	194	0	0	164	194	1.8	0.59	0.61	100.00	100.00	
2	22	6	80	HI	729	892	287	358	0	0	287	358	2.3	0.39	0.40	100.00	100.00	
3	29	6	80	MED	1184	1467	579	679	3	4	582	683	3.2	0.40	0.47	99.68	99.61	
4	6	7	80	MED	1246	1522	318	422	3	3	321	425	3.6	0.26	0.28	99.07	99.29	
5	13	7	80	MED	1351	1649	364	464	3	3	367	467	3.6	0.27	0.28	99.18	99.36	
6	20	7	80	MED	1438	1744	268	368	6	6	274	354	3.8	0.19	0.20	99.81	99.31	
7	27	7	80	MED	1132	1390	198	280	6	10	204	290	3.4	0.18	0.21	97.06	96.55	
8	3	8	80	MED	1053	1310	141	203	3	4	144	207	2.9	0.14	0.14	99.92	99.87	
9	10	8	80	MED	594	758	100	148	6	9	106	157	3.2	0.18	0.21	94.34	94.27	
10	17	8	80	MED	367	473	55	89	0	0	55	89	2.5	0.15	0.19	100.00	100.00	
11	24	8	80	HI	249	343	25	46	1	1	26	47	2.7	0.10	0.14	96.15	97.87	
12	31	8	80	MED	179	248	10	19	0	0	10	19	3.5	0.06	0.08	100.00	100.00	
TOTAL				MED	9800	12113	2509	3250	31	40	2540	3290	3.8	0.26	0.27	98.78	98.78	

FISHING AND INDUSTRY AREA 3

OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/F		% GRILSE	
					ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	(KGS)	ORS.	TOT.	ORS.	TOT.	
1	15	6	80	HI	808	818	456	476	5	5	461	481	4.3	0.57	0.59	98.92	98.96	
2	22	6	80	HI	1306	1475	616	670	17	22	633	692	5.5	0.48	0.47	97.31	98.82	
3	29	6	80	HI	2783	3146	1214	1364	18	26	1232	1390	7.3	0.44	0.44	98.54	98.13	
4	6	7	80	HI	5557	6212	2157	2496	44	75	2201	2571	5.1	0.40	0.41	98.00	97.08	
5	13	7	80	HI	5722	6571	2227	2699	57	74	2284	2743	4.2	0.40	0.42	97.50	97.30	
6	20	7	80	HI	5179	5885	1925	2346	62	80	1987	2426	6.6	0.38	0.41	96.88	96.70	
7	27	7	80	HI	3567	4089	1195	1452	45	55	1240	1507	4.1	0.35	0.37	96.37	96.35	
8	3	8	80	HI	2813	3320	978	1229	53	80	1031	1309	7.5	0.37	0.39	94.86	93.89	
9	10	8	80	HI	2363	2809	853	1028	71	102	924	1130	6.4	0.39	0.40	92.32	90.97	
10	17	8	80	HI	1284	1546	356	447	18	24	374	471	4.3	0.29	0.30	95.19	94.90	
11	24	8	80	HI	788	977	224	268	12	14	236	282	4.1	0.30	0.29	94.02	95.04	
12	31	8	80	HI	624	762	189	222	6	8	185	230	5.0	0.31	0.30	96.02	96.52	
TOTAL				HI	32794	37610	12390	14667	408	565	12798	15232	7.5	0.39	0.40	96.41	96.29	

FISHING AND INDUSTRY AREA 4


OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YEAR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/F		% GRILSE	
					ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	(KGS)	ORS.	TOT.	ORS.	TOT.	
1	22	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
2	29	6	80	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
3	6	7	80	HI	114	114	84	84	23	23	107	107	0.0	0.94	0.94	78.50	78.50	
4	13	7	80	HI	307	307	317	317	103	103	420	420	0.0	1.37	1.37	75.48	75.64	
5	20	7	80	MED	364	364	703	703	125	125	828	828	0.0	2.27	2.27	44.90	44.90	
6	27	7	80	MED	426	426	772	772	91	91	863	863	0.0	2.03	2.03	49.46	49.46	
7	3	8	80	MED	377	377	428	428	115	115	543	543	0.0	1.44	1.44	78.92	78.82	
8	10	8	80	MED	338	338	334	334	34	34	368	368	0.0	1.09	1.09	90.76	90.76	
9	17	8	80	MED	222	222	124	124	24	24	148	148	0.0	0.67	0.67	83.74	83.74	
10	24	8	80	MED	206	206	61	61	30	30	91	91	0.0	0.44	0.44	67.03	67.03	
11	31	8	80	MED	63	63	19	19	7	7	25	26	0.0	0.41	0.41	73.00	73.00	
12	7	9	80	MED	45	45	9	9	0	0	9	9	0.0	0.20	0.20	100.00	100.00	
13	14	9	80	MED	10	10	11	11	0	0	11	11	0.0	1.10	1.10	100.00	100.00	
14	21	9	80	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				MED	2472	2472	2862	2862	552	552	3414	3414	0.0	1.38	1.38	83.83	83.83	

FISHING AND INDUSTRY AREA 5  
OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1980

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT (KGS)	C/F		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	MED	110	140	29	35	2	2	31	37	3.4	0.28	0.26	93.55	94.59
2	22	6	80	HI	2510	2861	772	899	226	270	998	1169	7.3	0.40	0.41	77.35	76.90
3	29	6	80	MED	4336	4871	1453	1670	197	252	1650	1922	7.3	0.38	0.39	80.06	82.89
4	6	7	80	MED	6449	7257	2713	3103	331	386	3044	3489	9.1	0.47	0.48	89.13	88.06
5	13	7	80	MED	5877	6610	2633	2940	290	316	2923	3256	3.6	0.50	0.44	90.08	90.29
6	20	7	80	HI	5070	5838	2137	2486	108	120	2245	2606	6.9	0.44	0.45	95.19	95.40
7	27	7	80	MED	4022	4654	1389	1625	80	92	1469	1717	6.8	0.37	0.37	94.55	94.64
8	3	8	80	MED	3012	3454	911	1080	51	59	962	1139	7.3	0.32	0.33	94.70	94.62
9	10	8	80	MED	2576	3008	631	767	20	23	651	790	9.1	0.25	0.26	96.93	97.69
10	17	8	80	HI	1582	1899	352	449	17	18	369	467	9.6	0.23	0.25	95.39	96.15
11	24	8	80	MED	1399	1647	307	392	21	22	328	414	10.9	0.23	0.25	97.40	97.69
12	31	8	80	LOW	899	1075	217	273	11	12	228	285	4.0	0.25	0.27	95.18	95.79
13	7	9	80	HI	82	89	4	4	0	0	4	5	2.3	0.05	0.06	100.00	100.00
14	14	9	80	HI	84	84	0	0	1	5	1	5	9.1	0.01	0.06	0.00	0.00
15	21	9	80	HI	15	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	38023	43502	13548	15723	1355	1578	14903	17301	10.9	0.39	0.40	90.91	90.88

REGIONAL TOTALS



INSULAR NFDL TOTAL  
OBSERVED AND TOTAL (ESTIMATED \* OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		X GRILSE	
							OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	HI	1196	1275	649	705	7	7	656	712	4.3	0.55	0.56	98.93	90.92
2	22	6	80	HI	5406	6224	1913	2180	244	293	2157	2473	7.1	0.40	0.40	88.71	88.17
3	29	6	80	HI	9633	11037	3671	4200	195	250	3866	4459	7.7	0.40	0.40	94.31	93.59
4	6	7	80	HI	14656	16629	5658	6562	321	405	5979	6967	9.1	0.41	0.42	93.37	91.82
5	13	7	80	HI	14324	16427	5586	6514	221	267	5807	6741	8.8	0.41	0.41	92.94	91.22
6	20	7	80	HI	12664	14660	4423	5339	162	191	4585	5570	6.6	0.36	0.38	94.38	94.71
7	27	7	80	HI	9657	11269	2877	3507	104	135	2981	3642	6.8	0.31	0.32	94.30	94.61
8	3	8	80	MED	7680	9040	2090	2603	101	138	2191	2741	7.5	0.20	0.20	96.47	96.07
9	10	8	80	MED	6052	7230	1609	1995	92	129	1701	2124	6.4	0.28	0.29	94.50	93.43
10	17	8	80	HI	3524	4310	752	988	31	37	783	1025	6.6	0.22	0.24	96.04	96.30
11	24	8	80	HI	2847	3492	564	728	32	35	596	763	10.9	0.21	0.22	98.63	98.61
12	31	8	80	MED	2103	2583	417	524	17	20	434	544	8.0	0.21	0.21	96.08	96.32
13	7	9	80	HI	64	71	4	4	0	1	4	5	2.3	0.06	0.07	100.00	100.00
14	14	9	80	HI	73	73	0	0	1	5	5	5	9.1	0.01	0.01	0.0	0.0
15	21	9	80	HI	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	89891	104332	30213	35849	1528	1922	31741	37771	10.9	0.35	0.36	95.19	94.91

LAHRADOR TOTAL

OBSERVED AND TOTAL (ESTIMATED \* OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		X GRILSE	
							OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	22	6	80	HI	124	136	4	4	0	0	4	4	2.3	0.07	0.07	100.00	100.00
2	29	6	80	HI	284	308	6	8	27	29	33	37	5.9	0.12	0.12	100.00	100.00
3	6	7	80	HI	404	422	119	123	52	95	720	731	5.9	0.52	0.52	100.00	100.00
4	13	7	80	HI	638	663	480	489	240	242	720	718	8.6	1.11	1.10	100.00	100.00
5	20	7	80	MED	709	734	918	927	156	159	1070	1086	8.9	1.51	1.48	100.00	100.00
6	27	7	80	MED	111	731	947	951	127	159	1073	1040	5.7	1.22	1.20	100.00	100.00
7	3	8	80	MED	542	542	515	523	126	126	640	649	7.1	0.58	0.58	100.00	100.00
8	10	8	80	MED	499	515	410	418	120	140	450	458	9.1	0.90	0.89	100.00	100.00
9	17	8	80	MED	365	378	184	190	29	30	213	220	4.5	0.60	0.59	100.00	100.00
10	24	8	80	MED	299	306	102	105	32	32	134	137	4.5	0.45	0.45	100.00	100.00
11	31	8	80	MED	119	126	40	42	7	7	47	49	2.5	0.39	0.39	100.00	100.00
12	7	9	80	MED	63	63	9	9	0	0	9	9	0.0	0.14	0.14	100.00	100.00
13	14	9	80	MED	21	21	11	11	0	0	11	11	0.0	0.52	0.52	100.00	100.00
14	21	9	80	MED	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	4764	4948	3744	3800	875	889	4619	4689	9.1	0.97	0.95	81.06	81.06

PROVINCIAL TOTAL

OBSERVED AND TOTAL (ESTIMATED \* OBSERVED) ANGLING CATCH 1980

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/F		X GRILSE	
							OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	80	HI	1196	1275	649	705	7	7	656	712	4.3	0.55	0.56	98.93	90.92
2	22	6	80	HI	5530	6360	1917	2184	244	293	2161	2477	7.3	0.39	0.39	88.71	88.17
3	29	6	80	HI	9917	11345	3677	4208	222	288	3899	4496	7.3	0.39	0.40	94.31	93.59
4	6	7	80	HI	15060	17051	5777	6685	413	500	6190	7185	9.1	0.41	0.42	93.37	91.82
5	13	7	80	HI	14962	17090	6066	7003	461	509	6527	7512	8.6	0.44	0.44	92.94	91.22
6	20	7	80	HI	13173	15394	5341	6266	318	350	5659	6616	8.9	0.42	0.43	94.38	94.71
7	27	7	80	HI	10368	12000	3823	4588	231	264	4054	4722	6.8	0.35	0.36	94.30	94.61
8	3	8	80	MED	8205	9582	2605	3126	126	164	2831	3390	7.5	0.35	0.35	92.02	92.21
9	10	8	80	MED	6551	7746	2019	2413	132	169	2151	2582	9.1	0.33	0.33	93.86	93.45
10	17	8	80	HI	3889	4488	936	1178	60	67	906	1245	9.6	0.28	0.27	93.98	94.62
11	24	8	80	HI	3146	3798	666	833	64	67	730	900	10.9	0.23	0.24	91.23	92.56
12	31	8	80	MED	2222	2709	457	566	24	27	481	593	8.0	0.22	0.22	95.01	95.65
13	7	9	80	MED	127	134	13	13	0	1	13	14	2.3	0.10	0.10	100.00	92.86
14	14	9	80	MED	94	94	11	11	1	5	12	16	5.1	0.13	0.17	41.67	68.75
15	21	9	80	MED	15	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	94655	109280	33957	39649	2403	2811	36360	42460	10.9	0.38	0.39	93.39	93.78

