

Angled Catch and Effort Data for Atlantic Salmon in Newfoundland and Labrador, and for Other Fishes in Labrador, 1981

R.B. Moores and E.G.M. Ash

Fisheries Research Branch
Department of Fisheries and Oceans
P.O. Box 5667
St. John's, Newfoundland A1C 5X1

May 1984



Canadian Data Report of Fisheries and Aquatic Sciences No. 451



Government of Canada
Fisheries and Oceans

Gouvernement du Canada
Pêches et Océans

Canadian Data Report of Fisheries and Aquatic Sciences

These reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of Data Reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was changed with report number 161.

Data Reports are not intended for general distribution and the contents must not be referred to in other publications without prior written clearance from the issuing establishment. The correct citation appears above the abstract of each report.

Rapport statistique canadien des sciences halieutiques et aquatiques

Ces rapports servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des Rapports statistiques reflètent la vaste gamme des intérêts et politiques du Ministère des Pêches et des Océans, notamment gestion des pêches, techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les numéros 1 à 25 de cette série ont été publiés à titre de Records statistiques, Service des pêches et de la mer. Les numéros 26-160 ont été publiés à titre de Rapports statistiques du Service des pêches et de la mer, Ministère des Pêches et de l'Environnement. Le nom de la série a été modifié à partir du numéro 161.

Les Rapports statistiques ne sont pas préparés pour une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au haut du résumé de chaque rapport.

Canadian Data Report of
Fisheries and Aquatic Sciences 451

May 1984



ANGLED CATCH AND EFFORT DATA FOR ATLANTIC SALMON IN NEWFOUNDLAND AND
LABRADOR, AND FOR OTHER FISHES IN LABRADOR, 1981

by

R. B. Moores and E.G.M. Ash

Fisheries Research Branch
Department of Fisheries and Oceans
P.O. Box 5667
St. John's, Newfoundland A1C 5X1

This is the twenty-third Data Report from
Fisheries Research Branch, St. John's, Newfoundland.

(c)Minister of Supply and Services Canada 1984

Cat. No. Fs 97-13/451 ISSN 0706-6465

Correct citation for this publication:

Moores, R. B., and E.G.M. Ash. 1984. Angled catch and effort data for Atlantic salmon in Newfoundland and Labrador, and for other fishes in Labrador, 1981. Can. Data Rep. Fish. Aquat. Sci. 451: 88 p.

CONTENTS

River Index (Geographical)	111
(Alphabetical)	ix
Abstract/Résumé	xv
Part I (Atlantic salmon, Insular Newfoundland and Labrador)	1
Introduction	2
Acknowledgments	13
References	13
Data	
By River	21
By Statistical Section	63
By Statistical Area	75
By Fishing and Industry Area	80
By Region	83
Part II (Arctic Charr, Brook Trout and Other Fishes - Labrador Only)	85

River Name	River code	Map #	Drainage area (km ²)	Sched-uled	Angling* data	Page**
Pensons Brook	0105640	001	65			ND
Parker River (West River)	0105680	002	46	x	x	21
Bartletts River	0105710	003	40	x	x	21
Upper Brook	0105720	004	39		x	ND
East River (Pistolet Bay)	0105800	005	61	x	x	21
Northwest Brook	0200330	006	5		x	ND
Ireland's Brook	0300590	007	63			ND
West Brook	0300800	008	254	x	x	21
Salmon River (Arlege R.) (Hare Bay)	0300850	009	730	x	x	22
East Brook (Easter Brook)	0401640	010	90	x	x	22
Northeast Brook	0401670	011	257	x	x	22
Beaver Brook (Western Brook)	0401690	012	242	x	x	22
Shoal Brook	0401770	013	44			ND
Northwest Brook (Canada Bay)	0401790	014	108	x	x	23
Cloud River	0401850	015	533	x	x	23
Soufflets River	0402340	016	393	x	x	ND
Little Harbour Deep River	0402500	017	489	x	x	23
Cat Arm River	0402660	018	745		x	ND
Coney Arm Brook	0402840	019	33			ND
Coney Arm River	0402880	020	146	x	x	23
Main River (Sops Arm)	0403110	021	1048	x	x	24
Doucers Brook	0403120	022	65	x		ND
Corner Brook	0403140	023	49	x		ND
Natlins Brook	0403160	024	27	x		ND
Saltwater Brook	0403250	025	56			ND
Hampden River	0403360	026	126	x	x	ND
Big Chouse Brook	0403410	027	112			ND
Purbeck's Brook	0403520	028	60			ND
Wild Cove Brook (White Bay)	0403580	029	132	x	x	24
Western Arm Brook	0403620	030	74	x	x	24
Middle Arm Brook	0403670	031	328	x	x	24
Southern Arm Brook	0403700	032	65	x	x	25
South West Brook	0504040	033	195	x	x	25
Pacquet Brook (Woodstock Brook)	0504280	034	119	x	x	ND
East Brook (Burlington Brook)	0604820	035	178	x	x	25
South Brook	0605060	036	30			ND
Indian Brook (Indian River)	0605570	037	1261	x	x	25
Riverhead Brook (West River)	0605640	038	484	x	x	26
South Brook	0605680	039	672	x	x	26
Tommy's Arm Brook	0605940	040	242	x	x	26
Sops Arm Brook	0605990	041	62		x	ND
Shoal Arm Brook	0606050	042	87			ND
Pennys Brook	0606100	043	57			ND
Northwest Arm Brook	0606570	044	65	x	x	26
West Arm Brook (Western Arm)	0606720	045	260	x	x	27
New Bay River	0606820	046	205	x	x	27
Charles Brook	0707660	047	65	x	x	27

River Name	River code	Map #	Drainage area (km ²)	Sched- uled	Angling* data	Page**
Northern Arm Brook	0707760	048	181	x	x	27
Peters River	0707780	049	116	x	x	28
Exploits River	0707790	050	11272	x	x	28
Rattling Brook	0707810	051	385	x	x	ND
Southwest River	0708150	052	44			ND
Indian Arm Brook (Campbellton River)	0708210	053	296	x	x	28
Jumpers Brook	0708310	054	46			ND
Dog Bay River (Horwood River)	0708480	055	364	x	x	28
Southwest Brook	0708490	056	65			ND
Gander River	0908610	057	6398	x	x	29
Barry's Brook	0908620	058	74			ND
Ragged Harbour River	0908820	059	440	x	x	29
Anchor Brook	0908940	060	13	x	x	ND
Deadman's Brook (Deadman's Bay)	0908950	061	333	x	x	ND
Windmill Brook	0909030	062	12	x	x	29
Southwest River	1009300	063	98		x	ND
Northwest River (Indian Bay)	1109480	064	65	x		29
Indian Bay Brook	1109490	065	703	x	x	30
Northwest River (Trinity)	1109560	066	65	x	x	30
Traverse Brook	1109750	067	404	x	x	30
Middle Brook (Gambo)	1109760	068	276	x	x	30
Gambo Brook	1109780	069	1152	x	x	31
Northwest Brook (Alexander Bay)	1110130	070	97	x	x	31
Terra Nova River	1110220	071	1883	x	x	31
Blg Brook	1210570	072	60		x	ND
Northwest River (Port Blandford)	1210880	073	689	x	x	31
Salmon Brook (Port Blandford)	1210890	074	110	x	x	32
Middle Brook	1210910	075	63			ND
Southwest Brook (Port Blandford)	1210930	076	491	x	x	32
Southwest Brook	1211080	077	181			ND
Southern Bay River	1211600	078	65			ND
Port Union River	1412240	079	45			ND
Salmon Cove River (Champneys)	1512520	080	74	x	x	32
Lockston River	1512550	081	71			ND
Trouty River	1512620	082	90	x	x	32
Popes Harbour River	1612750	083	132	x	x	33
Hickmans Harbour River	1612780	084	102			ND
Shoal Harbour River	1613060	085	129	x	x	33
Deer Harbour Brook	1713950	086	67	x	x	33
Bellevue Brook (Trout Brook)	1714680	087	49	x	x	33
Spread Eagle Brook	1714870	088	57		x	34
Heart's Delight Brook	1815060	089	45			ND
Heart's Content Brook	1815150	090	48			ND
Salmon Cove River	2115720	091	68	x	x	34
Harbour Grace Brook	2115810	092	65			ND
South River	2115820	093	38		x	ND
Spaniard's Bay Brook	2215880	094	65			ND
Shearstown Brook	2215910	095	31			ND
North River	2215970	096	61	x	x	34
South River	2215990	097	67	x	x	34
Salmon River	2216180	098	62			ND
North Arm River (Holyrood)	2216220	099	86	x	x	35
South Brook	2216240	100	37			ND
Seal Cove River	2216270	101	53			ND
Lower Gullies River	2216290	102	21			ND
Manuels River	2216370	103	68			ND
Pierres Brook	2517140	104	65			ND
Cape Broyle River	2517350	105	66		x	35
Renews River	2617640	106	76	x	x	35
Chance Cove Brook	2617740	107	88			ND
Biscay Bay River	2700230	108	239	x	x	35
Northeast Brook (Trepassey)	2700360	109	21	x	x	36
Northwest Brook (Trepassey)	2700380	110	178	x	x	36
St. Shott's River	2800650	111	97			ND

River Name	River code	Map #	Drainage area (km ²)	Sched- uled	Angling* data	Page**
Peter's River (St. Mary's Bay (SMB))	2800860	112	144	x	x	36
Crossing Place River	2801050	113	216			ND
Little Harbour River	2801650	114	184			ND
Salmonier River	2801690	115	257	x	x	36
Colinet River	2801920	116	158	x	x	ND
Rocky River	2801930	117	296			ND
North Harbour River (SMB)	2802060	118	74	x	x	37
Little Salmonier River (SMB)	2802170	119	123	x	x	37
Big Barachois River (SMB)	2802210	120	83	x	x	37
Little Barachois Brook	2802240	121	50			ND
Red Head River	2802330	122	71			ND
Beckford River	2802350	123	43			ND
Branch River	2802380	124	118	x	x	37
Lance River	2802480	125	53			ND
Cuslett Brook	2802690	126	36			ND
Great Barasway Brook (Placentia Bay)	2902820	127	68	x	x	38
Little Barasway Brook	2902880	128	39			ND
Southeast River (Placentia)	2902980	129	140	x	x	38
Northeast River (Placentia)	2903070	130	94	x	x	38
Placentia Sound River	2903150	131	34			ND
Ship Harbour Brook	2903190	132	34			ND
Come By Chance River	3003740	133	64	x	x	38
Watsons Brook	3003830	134	65	x	x	39
North Harbour River	3003880	135	96	x	x	39
Black River	3004090	136	200	x	x	39
Pipers Hole River	3004160	137	781	x	x	39
Sandy Harbour River	3004480	138	462			ND
Channel Harbour River	3105060	139	65		x	ND
Paradise River	3105180	140	490			ND
Black River	3105210	141	205			ND
Nonsuch Brook	3105470	142	30	x	x	40
Cape Roger Brook	3105560	143	93	x	x	40
Bay de l'Eau River	3105760	144	152	x	x	40
Rushoon River	3105920	145	59			ND
Northeast Branch (Red Harbour)	3105990	146	65	x	x	40
Red Harbour River	3106000	147	73	x	x	41
Northwest Brook	3206370	148	85	x	x	41
Tides Brook	3206410	149	179	x	x	ND
Big Salmonier Brook	3206950	150	33	x	x	41
St. Lawrence River	3207150	151	63	x	x	41
Lawn River	3207280	152	38	x	x	42
Taylor Bay Brook	3207520	153	70	x	x	42
Salmonier River (Lamaline)	3207570	154	115	x	x	42
Pierceys Brook	3207670	155	65	x	x	42
Grand Bank Brook	3308040	156	67	x	x	43
Garnish River	3308440	157	212	x	x	43
Devil Brook	3308540	158	58			ND
Terrenceville Brook	3409170	159	115		x	ND
Long Harbour River (Fortune Bay)	3409780	160	1102	x	x	43
Rencontre Brook	3410270	161	195			ND
Belle Harbour River	3410430	162	46			ND
Northeast Brook	3410650	163	142			ND
Northwest Brook	3410700	164	86			ND
Bay du Nord River	3410790	165	1171	x	x	43
Salmon River	3410920	166	196			ND
Simmons Brook	3410940	167	39	x	x	44
Southwest Brook	3411000	168	6	x	x	44
Mose Ambrose Brook	3411240	169	65		x	ND
Old Brook (Old Bay Brook)	3511530	170	40	x	x	44
Taylor's Bay Brook	3511560	171	31	x	x	44
Little River	3613110	172	183		x	ND
Conne River	3613350	173	602	x	x	45
Southeast Brook	3613410	174	84		x	ND
Northwest Brook	3613490	175	111			ND

River Name	River code	Map #	Drainage area (km ²)	Sched- uled	Angling* data	Page**
Long Reach Brook	3614020	176	4	x	x	45
Salmon River (East Bay)	3614070	177	2708		x	45
Hughes Brook	3614230	178	65		x	ND
D'Espoir Brook (North Bay)	3614260	179	285	x	x	45
Allan's Cove Brook	3614760	180	41	x	x	46
Bottom Brook (Facheaux Bay R.)	3614850	181	175	x	x	46
Brent Cove Brook	3614930	182	44		x	ND
Morgan Brook	3615220	183	178	x	x	ND
Dolland Brook	3615270	184	688	x	x	46
Grey River	3716620	185	2394	x	x	46
White Bear River	3717440	186	2027	x	x	47
Bay de Loup Brook	3717720	187	55	x	x	47
Kelly Brook	3717740	188	65		x	ND
Kings Harbour Brook	3717770	189	128	x	x	47
Grandy Brook	3817890	190	264	x	x	47
Connoire Brook	3818190	191	311			ND
Couteau Brook	3818340	192	65			ND
Cinq Cerf Brook	3818490	193	205	x	x	48
East Bay Brook (La Poile)	3818760	194	57	x	x	ND
La Poile River	3818800	195	588	x	x	48
Farmers Brook (Farmers Arm)	3819030	196	89	x	x	48
Garla Brook (River)	3819100	197	228	x	x	48
Northwest River (Garla Bay)	3819120	198	119	x	x	49
Rose Blanche Brook	3919460	199	84			ND
Grandys Brook (Burnt Island R.)	3919590	200	273	x	x	49
Isle aux Morts River	3919820	201	214	x	x	49
Grand Bay River	3920100	202	134	x	x	49
Northwest Brook	3920110	203	65	x		ND
Southwest Brook	3920250	204	49		x	ND
Bear Cove Brook	4000020	205	30	x	x	50
Little Codroy River	4000140	206	224	x	x	50
Grand Codroy River	4000330	207	956	x	x	50
Ryans Brook	4000360	208	65	x		ND
Brooms Brook	4000370	209	65	x		ND
Highlands River	4000830	210	183	x	x	ND
Crabbes Brook	4000860	211	551	x	x	50
Barachols Brook	4000900	212	241	x	x	51
Robinsons River	4000920	213	439	x	x	51
Fischells Brook	4000960	214	360	x	x	51
Barry Brook	4000970	215	31			ND
Middle Brook	4000980	216	30			ND
Journals Brook	4000990	217	64			ND
Flat Bay Brook	4101080	218	635	x	x	51
Little Barachols Brook	4101110	219	354	x	x	52
Southwest and Bottom Brooks	4101150	220	814	x	x	52
Harrys River	4101200	221	816	x	x	52
Blanche Brook	4101260	222	124			ND
Gaudon's Brook	4101270	223	65			ND
Romaines Brook	4101300	224	98			ND
Georges Brook (Mainland Brook)	4201510	225	65			ND
John Whites Brook (Lourdes Brook)	4301570	226	65			ND
Victors Brook	4301580	227	65			ND
Harrys Brook	4301600	228	65		x	ND
Fox Island River (Fox Brook)	4301920	229	194	x	x	52
Little River	4301940	230	65			ND
Lewis Brook	4402010	231	33			ND
Serpentine River (Coal River)	4402090	232	433	x	x	53
Wild Cove Brook	4402100	233	80			ND
Blow Me Down Brook	4402250	234	64			ND
Clarkes Brook	4402340	235	34			ND
Cooks Brook	4402370	236	101	x	x	ND
Humber River	4402430	237	7679	x	x	53
Hughes Brook	4402450	238	132	x	x	ND
Gilliams Brook	4402520	239	45			ND

River Name	River code	Map #	Drainage area (km ²)	Sched-uled	Angling* data	Page**
Cox's Brook	4402640	240	55			ND
Goose Arm Brook	4402740	241	212	x	x	53
Liverpool Brook	4403210	242	64			ND
Lower Crabb Brook	4403280	243	83		x	ND
Trout River	4503520	244	254	x	x	53
Lomond River	4503920	245	470	x	x	54
Deer Brook	4504040	246	126	x	x	54
Western Brook	4604220	247	192	x	x	54
Parsons Pond River	4604560	248	388	x	x	54
Portland Head Creek	4604590	249	65			ND
Portland Creek	4604620	250	985	x	x	55
Bowling Brook	4704650	251	55			ND
Bound Brook	4704660	252	66			ND
Table Point Brook	4704670	253	65			ND
River of Ponds	4704740	254	861	x	x	55
Little Brook Pond	4704750	255	76	x	x	55
Torrent River	4704800	256	619	x	x	55
Little East River	4704810	257	20			ND
East River (Big East River)	4704840	258	136	x	x	56
Castors River	4805030	259	544	x	x	56
Doctors Brook	4905090	260	65			ND
Cy's Brook	4905120	261	65			ND
Otter Brook	4905150	262	65			ND
St. Genevieve River	4905170	263	318	x	x	56
West Brook (Western Arm Brook)	4905190	264	149	x	x	56
East River (Eastern Arm Brook)	4905200	265	43	x	x	57
Green Island Brook	4905370	266	14			ND
Eddies Cove Brook	4905390	267	90		x	ND
Big Brook	4905460	268	212	x	x	57
Watts Bight Brook (Watsons Brook)	4905510	269	95	x	x	ND
Forteau Brook	5000120	270	389	x	x	59
L'Anse-a-Loup River	5000220	271	130		x	ND
Pinware River	5000360	272	2486	x	x	59
Temple Brook	5000940	273	181			ND
St. Charles River	5101420	274	311			ND
Trout River (St. Mary's River)	5101520	275	414	x	x	ND
St. Lewis River	5101720	276	2590		x	ND
Alexis River	5102500	277	3160		x	59
Shinneys Waters	5102680	278	313	x	x	ND
Gilbert River	5102820	279	642	x	x	59
Hawke River	5104500	280	1891	x	x	ND
Black Bear River	5105240	281	645			ND
Reed's Pond River	5105560	282	233	x		ND
Sand Hill River	5205820	283	1614	x	x	ND
Dykes River	5206440	284	337			ND
Paradise River	5206600	285	5276			ND
Eagle River	5206820	286	10824	x	x	60
White Bear River	5206880	287	1075		x	ND
North River	5207320	288	1389			ND
Flatwater Brook	5207740	289	51			ND
English River	5209000	290	640			ND
Kenemich River	5210020	291	699			ND
Kenamu River	5210100	292	4403			ND
Goose River	5210760	293	3432			ND
Naskaupl River	5211040	294	12691			ND
Sebaskachu River	5211500	295	580			ND
Mulligan River	5211620	296	1062			ND
Double Mer Brook	5212880	297	1425	x	x	60
Double Mer River	5212910	298	855			ND
Tom Luscombe Brook	5213520	299	1010	x		ND
West Brook (Double Brook)	5213620	300	149			ND
Middle Brook (Double Brook)	5213660	301	323			ND
St. Michael's River (Shellbird River)	5214280	302	285	x	x	ND
Jeannette Bay Brook	5214440	303	67			ND

River Name	River code	Map #	Drainage area (km ²)	Sched- uled	Angling* data	Page**
Tuktalik Brook	5214840	304	47			ND
Pamlulik River	5314880	305	394			ND
Stag Bay Brook	5314940	306	155			ND
Rattling Brook	5315020	307	285			ND
Big River	5315040	308	2849	x	x	60
Adlavik River	5315080	309	233			ND
Adlavik Bay Brook	5315120	310	39			ND
Makkovik Brook	5315520	311	111			ND
Makkovik River	5315640	312	259		x	ND
Unnamed	5316060	313	399			ND
Kaipokak River	5316080	314	2499			ND
Unnamed	5316260	315	326			ND
Little Bay River	5317600	316	243	x		ND
Adlatok River	5317900	317	11106	x	x	60
Hunt River	5319220	318	1344	x	x	ND
Flowers River	5319480	319	1443	x	x	61
Sango Brook	5319660	320	805			ND
Notakwanon River	5319740	321	4999			ND

* Letter x indicates that angling data are available prior to 1981.

** Letters ND indicate that angling data were not obtained in 1981.

RIVER INDEX

River Name	River code	Map #	Drainage area (km ²)	Sched-uled	Angling* data	Page**
Adlatok River	5317900	317	11106	x	x	60
Adlavik Bay Brook	5315120	310	39			ND
Adlavik River	5315080	309	233			ND
Alexis River	5102500	277	3160		x	59
Allan's Cove Brook	3614760	180	41	x	x	46
Anchor Brook	0908940	060	13	x	x	ND
Barachois Brook	4000900	212	241	x	x	51
Barry Brook	4000970	215	31			ND
Barry's Brook	0908620	058	74			ND
Bartletts River	0105710	003	40	x	x	21
Bay de Loup Brook	3717720	187	55	x	x	47
Bay de l'Eau River	3105760	144	152	x	x	40
Bay du Nord River	3410790	165	1171	x	x	43
Bear Cove Brook	4000020	205	30	x	x	50
Beaver Brook (Western Brook)	0401690	012	242	x	x	22
Beckford River	2802350	123	43			ND
Belle Harbour River	3410430	162	46			ND
Bellevue Brook (Trout Brook)	1714680	087	49	x	x	33
Big Barachois River (SMB)	2802210	120	83	x	x	37
Big Brook	4905460	268	212	x	x	57
Big Brook	1210570	072	60		x	ND
Big Chouse Brook	0403410	027	112			ND
Big River	5315040	308	2849	x	x	60
Big Salmonier Brook	3206950	150	33	x	x	41
Biscay Bay River	2700230	108	239	x	x	35
Black Bear River	5105240	281	645			ND
Black River	3105210	141	205			ND
Black River	3004090	136	200	x	x	39
Blanche Brook	4101260	222	124			ND
Blow Me Down Brook	4402250	234	64			ND
Bottom Brook (Facheaux Bay R.)	3614850	181	175	x	x	46
Bound Brook	4704660	252	66			ND
Bowing Brook	4704650	251	55			ND
Branch River	2802380	124	118	x	x	37
Brent Cove Brook	3614930	182	44		x	ND
Brooms Brook	4000370	209	65	x		ND
Cape Broyle River	2517350	105	66		x	35
Cape Roger Brook	3105560	143	93	x	x	40
Castors River	4805030	259	544	x	x	56
Cat Arm River	0402660	018	745		x	ND
Chance Cove Brook	2617740	107	88			ND
Channel Harbour River	3105060	139	65		x	ND
Charles Brook	0707660	047	65	x	x	27
Cinq Cerf Brook	3818490	193	205	x	x	48
Clarkes Brook	4402340	235	34			ND
Cloud River	0401850	015	533	x	x	23
Collnet River	2801920	116	158	x	x	ND
Come By Chance River	3003740	133	64	x	x	38
Coney Arm Brook	0402840	019	33			ND
Coney Arm River	0402880	020	146	x	x	23
Conne River	3613350	173	602	x	x	45
Connoire Brook	3818190	191	311			ND
Cooks Brook	4402370	236	101	x	x	ND
Corner Brook	0403140	023	49	x		ND
Couteau Brook	3818340	192	65			ND
Cox's Brook	4402640	240	55			ND
Crabbes Brook	4000860	211	551	x	x	50
Crossing Place River	2801050	113	216			ND
Cuslett Brook	2802690	126	36			ND
Cy's Brook	4905120	261	65			ND
Deadman's Brook (Deadman's Bay)	0908950	061	333	x	x	ND
Deer Brook	4504040	246	126	x	x	54

River Name	River code	Map #	Drainage area (km ²)	Sched- uled	Angling* data	Page**
Deer Harbour Brook	1713950	086	67	x	x	33
Devil Brook	3308540	158	58			ND
Doctors Brook	4905090	260	65			ND
Dog Bay River (Horwood River)	0708480	055	364	x	x	28
Dolland Brook	3615270	184	688	x	x	46
Double Mer Brook	5212880	297	1425	x	x	60
Double Mer River	5212910	298	855			ND
Doucens Brook	0403120	022	65	x		ND
Dykes River	5206440	284	337			ND
D'Espoir Brook (North Bay)	3614260	179	285		x	45
Eagle River	5206820	286	10824	x	x	60
East Bay Brook (La Poile)	3818760	194	57	x	x	ND
East Brook (Burlington Brook)	0604820	035	178	x	x	25
East Brook (Easter Brook)	0401640	010	90	x	x	22
East River (Big East River)	4704840	258	136	x	x	56
East River (Eastern Arm Brook)	4905200	265	43	x	x	57
East River (Pistolet Bay)	0105800	005	61	x	x	21
Eddles Cove Brook	4905390	267	90		x	ND
English River	5209000	290	640			ND
Exploits River	0707790	050	11272	x	x	28
Farmers Brook (Farmers Arm)	3819030	196	89	x	x	48
Fischells Brook	4000960	214	360	x	x	51
Flat Bay Brook	4101080	218	635	x	x	51
Flatwater Brook	5207740	289	51			ND
Flowers River	5319480	319	1443	x	x	61
Forteau Brook	5000120	270	389	x	x	59
Fox Island River (Fox Brook)	4301920	229	194	x	x	52
Gambo Brook	1109780	069	1152	x	x	31
Gander River	0908610	057	6398	x	x	29
Garla Brook (River)	3819100	197	228	x	x	48
Garnish River	3308440	157	212	x	x	43
Gaudon's Brook	4101270	223	65			ND
Georges Brook (Mainland Brook)	4201510	225	65			ND
Gilbert River	5102820	279	642	x	x	59
Gillams Brook	4402520	239	45			ND
Goose Arm Brook	4402740	241	212	x	x	53
Goose River	5210760	293	3432			ND
Grand Bank Brook	3308040	156	67	x	x	43
Grand Bay River	3920100	202	134	x	x	49
Grand Codroy River	4000330	207	956	x	x	50
Grandy Brook	3817890	190	264	x	x	47
Grandys Brook (Burnt Island R.)	3919590	200	273	x	x	49
Great Barasway Brook (Placentia Bay)	2902820	127	68	x	x	38
Green Island Brook	4905370	266	14			ND
Grey River	3716620	185	2394	x	x	46
Hampden River	0403360	026	126	x	x	ND
Harbour Grace Brook	2115810	092	65			ND
Harrys Brook	4301600	228	65			ND
Harrys River	4101200	221	816	x	x	52
Hawke River	5104500	280	1891	x	x	ND
Heart's Content Brook	1815150	090	48			ND
Heart's Delight Brook	1815060	089	45			ND
Hickmans Harbour River	1612780	084	102			ND
Highlands River	4000830	210	183	x	x	ND
Hughes Brook	3614230	178	65		x	ND
Hughes Brook	4402450	238	132	x	x	ND
Humber River	4402430	237	7679	x	x	53
Hunt River	5319220	318	1344	x	x	ND
Indian Arm Brook (Campbellton River)	0708210	053	296	x	x	28
Indian Bay Brook	1109490	065	703	x	x	30
Indian Brook (Indian River)	0605570	037	1261	x	x	25
Ireland's Brook	0300590	007	63			ND
Isle aux Morts River	3919820	201	214	x	x	49
Jeannette Bay Brook	5214440	303	67			ND

River Name	River code	Map #	Drainage area (km ²)	Sched- uled	Angling* data	Page**
John Whites Brook (Lourdes Brook)	4301570	226	65			ND
Journois Brook	4000990	217	64			ND
Jumpers Brook	0708310	054	46			ND
Kaipokak River	5316080	314	2499			ND
Kelly Brook	3717740	188	65		x	ND
Kenamu River	5210100	292	4403			ND
Kenemich River	5210020	291	699			ND
Kings Harbour Brook	3717770	189	128	x	x	47
La Poile River	3818800	195	588	x	x	48
Lance River	2802480	125	53			ND
Lawn River	3207280	152	38	x	x	42
Lewis Brook	4402010	231	33			ND
Little Barachois Brook	4101110	219	354	x	x	52
Little Barachois Brook	2802240	121	50			ND
Little Barasway Brook	2902880	128	39			ND
Little Bay River	5317600	316	243	x		ND
Little Brook Pond	4704750	255	76	x	x	55
Little Codroy River	4000140	206	224	x	x	50
Little East River	4704810	257	20			ND
Little Harbour Deep River	0402500	017	489	x	x	23
Little Harbour River	2801650	114	184			ND
Little River	3613110	172	183		x	ND
Little River	4301940	230	65			ND
Little Salmonier River (SMB)	2802170	119	123	x	x	37
Liverpool Brook	4403210	242	64			ND
Lockston River	1512550	081	71			ND
Lomond River	4503920	245	470	x	x	54
Long Harbour River (Fortune Bay)	3409780	160	1102	x	x	43
Long Reach Brook	3614020	176	4	x	x	45
Lower Crabb Brook	4403280	243	83		x	ND
Lower Gullies River	2216290	102	21			ND
L'Anse-a-Loup River	5000220	271	130		x	ND
Main River (Sops Arm)	0403110	021	1048	x	x	24
Makkovik Brook	5315520	311	111			ND
Makkovik River	5315640	312	259		x	ND
Manuels River	2216370	103	68			ND
Middle Arm Brook	0403670	031	328	x	x	24
Middle Brook	4000980	216	30			ND
Middle Brook	1210910	075	63			ND
Middle Brook (Double Brook)	5213660	301	323			ND
Middle Brook (Gambo)	1109760	068	276	x	x	30
Morgan Brook	3615220	183	178	x	x	ND
Mose Ambrose Brook	3411240	169	65		x	ND
Mulligan River	5211620	296	1062			ND
Naskaupí River	5211040	294	12691			ND
Natlins Brook	0403160	024	27	x		ND
New Bay River	0606820	046	205	x	x	27
Nonsuch Brook	3105470	142	30	x	x	40
North Arm River (Holyrood)	2216220	099	86	x	x	35
North Harbour River	3003880	135	96	x	x	39
North Harbour River (SMB)	2802060	118	74	x	x	37
North River	5207320	288	1389			ND
North River	2215970	096	61	x	x	34
Northeast Branch (Red Harbour)	3105990	146	65	x	x	40
Northeast Brook	3410650	163	142			ND
Northeast Brook	0401670	011	257	x	x	22
Northeast Brook (Trepassey)	2700360	109	21	x	x	36
Northeast River (Placentia)	2903070	130	94	x	x	38
Northern Arm Brook	0707760	048	181	x	x	27
Northwest Arm Brook	0606570	044	65	x	x	26
Northwest Brook	3920110	203	65	x		ND
Northwest Brook	3613490	175	111			ND
Northwest Brook	3410700	164	86			ND
Northwest Brook	3206370	148	85	x	x	41

River Name	River code	Map #	Drainage area (km ²)	Sched- uled	Angling* data	Page**
Northwest Brook	0200330	006	5		x	ND
Northwest Brook (Alexander Bay)	1110130	070	97	x	x	31
Northwest Brook (Canada Bay)	0401790	014	108	x	x	23
Northwest Brook (Trepassey)	2700380	110	178	x	x	36
Northwest River (Garia Bay)	3819120	198	119	x	x	49
Northwest River (Indian Bay)	1109480	064	65	x		29
Northwest River (Port Blandford)	1210880	073	689	x	x	31
Northwest River (Trinity)	1109560	066	65	x	x	30
Notakwanon River	5319740	321	4999			ND
Old Brook (Old Bay Brook)	3511530	170	40	x	x	44
Otter Brook	4905150	262	65			ND
Pacquet Brook (Woodstock Brook)	0504280	034	119	x	x	ND
Pamuluk River	5314880	305	394			ND
Paradise River	3105180	140	490			ND
Paradise River	5206600	285	5276			ND
Parker River (West River)	0105680	002	46	x	x	21
Parsons Pond River	4604560	248	388	x	x	54
Pennys Brook	0606100	043	57			ND
Pensons Brook	0105640	001	65			ND
Peters River	0707780	049	116	x	x	28
Peter's River (St. Mary's Bay (SMB))	2800860	112	144	x	x	36
Pierceys Brook	3207670	155	65	x	x	42
Pierres Brook	2517140	104	65			ND
Pinware River	5000360	272	2486	x	x	59
Pipers Hole River	3004160	137	781	x	x	39
Placentia Sound River	2903150	131	34			ND
Popes Harbour River	1612750	083	132	x	x	33
Port Union River	1412240	079	45			ND
Portland Creek	4604620	250	985	x	x	55
Portland Head Creek	4604590	249	65			ND
Purbeck's Brook	0403520	028	60			ND
Ragged Harbour River	0908820	059	440	x	x	29
Rattling Brook	5315020	307	285			ND
Rattling Brook	0707810	051	385	x	x	ND
Red Harbour River	3106000	147	73	x	x	41
Red Head River	2802330	122	71			ND
Reed's Pond River	5105560	282	233	x		ND
Rencontre Brook	3410270	161	195			ND
Renews River	2617640	106	76	x	x	35
River of Ponds	4704740	254	861	x	x	55
Riverhead Brook (West River)	0605640	038	484	x	x	26
Robinsons River	4000920	213	439	x	x	51
Rocky River	2801930	117	296			ND
Romaines Brook	4101300	224	98			ND
Rose Blanche Brook	3919460	199	84			ND
Rushoon River	3105920	145	59			ND
Ryans Brook	4000360	208	65	x		ND
Salmon Brook (Port Blandford)	1210890	074	110	x	x	32
Salmon Cove River	2115720	091	68	x	x	34
Salmon Cove River (Champneys)	1512520	080	74	x	x	32
Salmon River	3410920	166	196			ND
Salmon River	2216180	098	62			ND
Salmon River (Arlege R.) (Hare Bay)	0300850	009	730	x	x	22
Salmon River (East Bay)	3614070	177	2708		x	45
Salmonier River	2801690	115	257	x	x	36
Salmonier River (Lamaline)	3207570	154	115	x	x	42
Saltwater Brook	0403250	025	56			ND
Sand Hill River	5205820	283	1614	x	x	ND
Sandy Harbour River	3004480	138	462			ND
Sango Brook	5319660	320	805			ND
Seal Cove River	2216270	101	53			ND
Sebaskachu River	5211500	295	580			ND
Serpentine River (Coal River)	4402090	232	433	x	x	53
Shearstown Brook	2215910	095	31			ND

River Name	River code	Map #	Drainage area (km ²)	Sched- uled	Angling* data	Page**
Shinneys Waters	5102680	278	313	x	x	ND
Ship Harbour Brook	2903190	132	34			ND
Shoal Arm Brook	0606050	042	87			ND
Shoal Brook	0401770	013	44			ND
Shoal Harbour River	1613060	085	129	x	x	33
Simmons Brook	3410940	167	39	x	x	44
Sops Arm Brook	0605990	041	62		x	ND
Soufflets River	0402340	016	393	x	x	ND
South Brook	0605060	036	30			ND
South Brook	0605680	039	672	x	x	26
South Brook	2216240	100	37			ND
South River	2215990	097	67	x	x	34
South River	2115820	093	38		x	ND
South West Brook	0504040	033	195	x	x	25
Southeast Brook	3613410	174	84		x	ND
Southeast River (Placentia)	2902980	129	140	x	x	38
Southern Arm Brook	0403700	032	65	x	x	25
Southern Bay River	1211600	078	65			ND
Southwest and Bottom Brooks	4101150	220	814	x	x	52
Southwest Brook	3920250	204	49		x	ND
Southwest Brook	3411000	168	6	x	x	44
Southwest Brook	0708490	056	65			ND
Southwest Brook	1211080	077	181			ND
Southwest Brook (Port Blandford)	1210930	076	491	x	x	32
Southwest River	0708150	052	44			ND
Southwest River	1009300	063	98		x	ND
Spaniard's Bay Brook	2215880	094	65			ND
Spread Eagle Brook	1714870	088	57		x	34
Stag Bay Brook	5314940	306	155			ND
St. Charles River	5101420	274	311			ND
St. Genevieve River	4905170	263	318	x	x	56
St. Lawrence River	3207150	151	63	x	x	41
St. Lewis River	5101720	276	2590		x	ND
St. Michael's River (Shellbird River)	5214280	302	285	x	x	ND
St. Shott's River	2800650	111	97			ND
Table Point Brook	4704670	253	65			ND
Taylor Bay Brook	3207520	153	70	x	x	42
Taylor's Bay Brook	3511560	171	31	x	x	44
Temple Brook	5000940	273	181			ND
Terra Nova River	1110220	071	1883	x	x	31
Terrenceville Brook	3409170	159	115		x	ND
Tides Brook	3206410	149	179	x	x	ND
Tom Luscombe Brook	5213520	299	1010	x		ND
Tommy's Arm Brook	0605940	040	242	x	x	26
Torrent River	4704800	256	619	x	x	55
Traverse Brook	1109750	067	404	x	x	30
Trout River	4503520	244	254	x	x	53
Trout River (St. Mary's River)	5101520	275	414	x	x	ND
Trouty River	1512620	082	90	x	x	32
Tukialik Brook	5214840	304	47			ND
Unnamed	5316260	315	326			ND
Unnamed	5316060	313	399			ND
Upper Brook	0105720	004	39		x	ND
Victors Brook	4301580	227	65			ND
Watsons Brook	3003830	134	65	x	x	39
Watts Blight Brook (Watsons Brook)	4905510	269	95	x	x	ND
West Arm Brook (Western Arm)	0606720	045	260	x	x	27
West Brook	0300800	008	254	x	x	21
West Brook (Double Brook)	5213620	300	149			ND
West Brook (Western Arm Brook)	4905190	264	149	x	x	56
Western Arm Brook	0403620	030	74	x	x	24
Western Brook	4604220	247	192	x	x	54
White Bear River	3717440	186	2027	x	x	47
White Bear River	5206880	287	1075		x	ND

River Name	River code	Map #	Drainage area (km ²)	Sched- uled	Angling* data	Page**
Wild Cove Brook	4402100	233	80			ND
Wild Cove Brook (White Bay)	0403580	029	132	x	x	24
Windmill Brook	0909030	062	12	x	x	29

* Letter x Indicates that angling data are available prior to 1981.

** Letters ND indicate that angling data were not obtained in 1981.

ABSTRACT

Moores, R. B., and E.G.M. Ash. 1984. Angled catch and effort data for Atlantic salmon in Newfoundland and Labrador, and for other fishes in Labrador, 1981. Can. Data Rep. Fish. Aquat. Sci. 451: 88 p.

An increase in fishing effort and ideal angling conditions combined with an apparent increased abundance of grilse, resulted in a record number of Atlantic salmon taken in the recreational fishery in Newfoundland and Labrador in 1981. Anglers took approximately 53,750 salmon comprised of 51,861 grilse and 1889 large salmon. Fishing effort totalled 127,674 rod days; the highest amount of effort ever recorded for the fishery. Catch per unit effort was 0.42, compared to 0.39 in 1980 and 0.37 for the 1976-80 mean CPUE. Total catch for insular Newfoundland was up by 27% from 1980. This resulted from the increased grilse catch. The large salmon catch was down by 29% from the 1980 catch and 13% lower than the 1976-80 mean large salmon catch. The recreational salmon fishery in Labrador in 1981 was also at record levels. There were 5191 grilse and 520 large salmon recorded angled but an unconfirmed additional 1400 grilse and 250 large salmon were reported to have been taken but these were not recorded. Angling effort in Labrador was comparable to previous years but the CPUE of 1.10 was the highest in thirteen years. Angling conditions were reported to be excellent on Labrador rivers.

RÉSUMÉ

Moores, R. B., and E.G.M. Ash. 1984. Angled catch and effort data for Atlantic salmon in Newfoundland and Labrador, and for other fishes in Labrador, 1981. Can. Data Rep. Fish. Aquat. Sci. 451: 88 p.

Une augmentation de l'effort de pêche et des conditions idéales de pêche à la ligne ainsi qu'une hausse apparente de l'abondance de madeleineaux ont entraîné des prises records de saumons de l'Atlantique par les pêcheurs sportifs à Terre-Neuve et au Labrador en 1981. Les pêcheurs à la ligne ont capturé environ 53 750 poissons dont 51 861 madeleineaux et 1 889 gros saumons. L'effort de pêche totalisait 127 674 jours de pêche à la ligne, soit le plus gros effort jamais déployé dans cette pêche. La prise par unité d'effort s'élevait à 0,42 par rapport à 0,39 en 1980 et à 0,37 pour le période 1976-80 (PUE moyenne). La prise totale pour l'île de Terre-Neuve a augmenté de 27% comparativement à 1980, augmentation imputable à une prise supérieure de madeleineaux. La prise de gros saumons a baissé de 29% par rapport à 1980 et de 13% par rapport à la moyenne pour la période 1976-80. Au Labrador, la pêche sportive a aussi atteint des niveaux records en 1981. Selon les rapports, 5 191 madeleineaux et 520 gros saumons ont été capturés; de plus, la prise de 1 400 madeleineaux et de 250 gros saumons a été signalée mais non enregistrée. L'effort de pêche à la ligne au Labrador était semblable aux années précédentes mais la PUE (1,10) était la plus élevée en treize ans. Les conditions de pêche à la ligne étaient, semble-t-il, excellentes dans les rivières du Labrador.

PART I

Atlantic Salmon, Insular Newfoundland and Labrador

INTRODUCTION

This is the ninth annual angling data report published since 1973 by the Freshwater and Anadromous Fish Program (Button and Wells 1974, 1975; Moores 1976; Moores et al. 1977, 1978; Moores and Tucker 1978, 1979, 1980; Moores and Ash 1981). The data are provided by the Resource Management Branch, Department of Fisheries and Oceans, Newfoundland Region. Data include both an observed or known fishing effort and catch, and an estimated quantity. Observed census data are normally collected by seasonal river guardians during surveillance of the annual Atlantic salmon recreational fishery. Data are submitted to the fisheries officer or warden who, in consultation with the guardian, estimates the catch and effort that occurred but were not observed. Normally factors such as manpower, patrol time, angling pressure, weather, river conditions and personal knowledge of the salmon migration are used to determine the estimated quantities. Angling pressure and accessibility to the rivers had increased to such a degree during the 1970's that observation and recording of total effort and angling catch had become impossible. The addition of the estimated quantity was incorporated into the angling data in 1974 to provide consistency in the reporting.

This report also includes calculated catch-per-unit-effort (CPUE). The CPUE, defined as the number of fish angled per rod day (a rod day being a day or any part thereof in which an individual angles) is one of the important tools used to assess the condition of not only the total Atlantic salmon stock, but individual populations as well. It is especially valuable for early detection of declines in fish populations that would otherwise appear healthy from high catch statistics which are disguised by increases in effort.

The format of the 1981 report is similar to that of previous years. Data are presented by rivers, statistical sections, statistical areas and Fishing and Industry Areas (Fig. 1 and 2). Rivers are tabulated according to their assigned seven digit code (Waldron 1974) which commence at Cape Norman on the northern tip of the Great Northern Peninsula and proceed consecutively and clockwise around insular Newfoundland and into Labrador. The seven digit codes, developed for quick identification and location of rivers as well as for computer coding, denote not only the individual river numbers but also the statistical section (developed by the Economics Branch in 1968) in which the mouth of the river is located. For example: Humber River is coded 4402430. The number 44 indicates the statistical section and the 02430 is the individual river number.

Data are broken down by weekly effort and catch and include number of grilse (< 2.7 kg), number of salmon (\geq 2.7 kg), and weight of largest fish caught. Angled catch represents only upstream migrants or bright salmon. There is no kelt or black salmon fishery in Newfoundland or Labrador.

The season for Atlantic salmon angling in Nfld. and Labrador extends from June 10 to Sept. 15. However, because the timing of migration differs considerably on some rivers and to ensure that adequate spawners reach the spawning grounds, the opening and closing dates vary. Open season for all scheduled rivers for 1981 is in Table 1.

Scheduled salmon rivers may have to be closed periodically for reasons such as low water, research, enhancement, conservation, etc. This requires changes to the Newfoundland Fishery Regulations. These notices of change are "Variation Orders". During 1981 the following variation orders were issued.

Notice

1. St. Genevieve River System

For the conservation of trout and salmon, the fishing for trout and immature salmon is prohibited during the period beginning on January 15, 1981 and ending on June 19, 1981 in the waters of Ten Mile Lake, Round Lake, and all tributaries flowing into Ten Mile Lake and Round Lake in the Province of Newfoundland.

Coming Into Force

This Notice shall come into force on the 15 day of January, 1981 and remain in force until the 19 day of June, 1981.

Variation

2. Northwest Gander River System

The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item I of Schedule III thereto is hereby varied so that no person shall angle in that system of ponds and connecting streams that flow into Little Gull Lake from the southeast from the headwaters of that system to but not including Little Gull Lake and Little Gull River which flows into Northwest Gander River during the period beginning on January 1 and ending on December 31.

Coming Into Force

This Order shall come into force on the 1 day of April, 1981 and remain in force until revoked.

Variation

3. Flat Bay Brook

The closed time for the salmon river "Flat Bay Brook" (Item 8 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 5 of Schedule III thereto is hereby varied so that no person shall angle in Flat Bay Brook or its tributary streams during the period September 1 to June 19.

4. Fox Island River

The closed time for the salmon river "Fox Island River" (Item 12 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 7 of Schedule III thereto is hereby varied so that no person shall angle in Fox Island River or its tributary streams during the period July 20 to July 5.

5. Humber River

The closed time for the salmon river "Humber River" (Item 15 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in that part of the "Humber River" known as the Upper Humber and lying upstream from the upper end of Deer lake to its source including all tributary streams other than those flowing into Adies Lake during the period September 1 to June 9.

Coming into Force

This Order shall come into force on the 22 day of May, 1981.

Variation

6. Colinet River

The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in the Colinet River including the north and east branches (Item 103 of Schedule I) during the period beginning on June 20, 1981 and ending on June 19, 1982.

Coming Into Force

This Order shall come into force on the 20 day of June, 1981, and remain in force until June 19, 1982.

Variation

7. Forteau River

The closed time for the salmon river "Forteau River" (Item 156 of Schedule I of the said Regulations) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 2 of Schedule III thereto is hereby varied so that no person shall angle in the Forteau River from its mouth upstream to the Bridge during the period September 16 to June 11.

8. Pinware River

The closed time for the salmon river "Pinware River" (Item 157 of Schedule I of the said Regulations) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 2 of Schedule III thereto is hereby varied so that no person shall angle in the Pinware River from its mouth upstream to the junction with Trout River during the period September 16 to June 11.

Coming Into Force

This Order shall come into force on the 12 day of June, 1981.

Variation

9. Exploits River

The closed time for the salmon river "Exploits River" (Item 67 of Schedule I of the said Regulations) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in the Exploits River from the lower entrance of the fishway at Grand Falls downstream to the junction of the Exploits River and Stony Brook during the period July 10, 1981 to August 31, 1981.

Coming Into Force

This Order shall come into force on the 10 day of July, 1981.

Variation

10. West River (St. Barbe)

The closed time for the salmon river "West River (St. Barbe)" (Item 31 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in West river (St. Barbe) during the period July 15 to June 19.

11. East River (St. Barbe)

The closed time for the salmon river "East River (St. Barbe)" (Item 31 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in East river (St. Barbe) during the period July 15 to June 19.

12. Big Brook (St. Barbe)

The closed time for the salmon river "Big Brook (St. Barbe)" (Item 31 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Big Brook (St. Barbe) during the period July 15 to June 19.

13. Parker River (Pistolet Bay)

The closed time for the salmon river "Parker River (Pistolet Bay)" (Item 35 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Parker River (Pistolet Bay) during the period July 15 to June 19.

Coming Into Force

This Order shall come into force on the 14 day of July, 1981.

Variation

14. Torrent River System

The closed time for the salmon river "Torrent River" (Item 28 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 7 of Schedule III thereto is hereby varied so that no person shall angle in Torrent River and tributary streams during the period September 1 to July 17.

Coming Into Force

This Order shall come into force on the 17 day of July, 1981.

Variation

15. East River (Hawkes Bay)

The closed time for the salmon river "East River, Hawkes Bay" (Item 27 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in East River, Hawkes Bay during the period July 16 to June 19.

16. Harry's River (Southwest Feeder)

The closed time for the salmon river "Southwest Feeder" (Item 29 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Southwest Feeder during the period July 16 to June 19.

Coming Into Force

This Order shall come into force on the 15 day of July, 1981.

Variation

17. West River (Halls Bay)

The closed time for the salmon river "West River (Hall's Bay)" (Item 58 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Barney's Brook, a tributary of West River, From Barney's Lower Falls upstream to Red Cliff during the period July 29, 1981 to August 31, 1981.

18. South Brook (Hall's Bay)

The closed time for the salmon river South Brook (Hall's Bay) (Item 59 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in South Brook, a tributary of West River, from Barney's Lower Falls upstream to Red Cliff during the period July 29, 1981 to August 31, 1981.

19. Western Arm River

The closed time for the salmon river Western Arm River (Item 62 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Western Arm River during the period July 29, 1981 to August 31, 1981.

20. Peter's River (Bay of Exploits)

The closed time for the salmon river Peter's River (Bay of Exploits) (Item 64 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Peter's River, Bay of Exploits, during the period July 29, 1981 to August 31, 1981.

21. Northern Arm River (Bay of Exploits)

The closed time for the salmon river Northern Arm River (Bay of Exploits) (Item 65 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Northern Arm River, Bay of Exploits, during the period July 29, 1981 to August 31, 1981.

22. Charles Brook (Bay of Exploits)

The closed time for the salmon river Charles Brook (Bay of Exploits) (Item 66 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Charles Brook, Bay of Exploits, during the period July 29, 1981 to August 31, 1981.

23. Exploits River

The closed time for the salmon river Exploits River (Item 67 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Stoney Brook and Jumpers Brook, tributaries of the Exploits River, during the period July 29, 1981 to August 31, 1981.

24. Gander River (Salmon Brook)

The closed time for the salmon river Gander River (Salmon Brook) (Item 71 of Schedule I) as fixed by paragraph 13(2)(b) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in Salmon Brook, a tributary of the Gander River, during the period July 29, 1981 to August 31, 1981.

Coming Into Force

This Order shall come into force on the 29 day of July, 1981, and remain in force until the 31 day of August, 1981, at which time the closed times varied by this Order will be as set out in Item 1 of Schedule III to the said regulations.

Variation

Sections 5 and 6 of the Newfoundland Region Closed Time Variation Order, 1981-64 are revoked.

25. Peters River (Bay of Exploits)

The closed time for angling in the salmon rivers Peter's River, Bay of Exploits) (Item 64 of Schedule I of the said Regulations) and Northern Arm River, Bay of Exploits (Item 65 of Schedule I of the said Regulations) shall be as set out in Item 1 of Schedule III to the said Regulations, September 1 to June 19.

Coming Into Force

This Order shall come into force on the 12 day of August, 1981.

Variation

Section 4 of the Newfoundland Region Closed Time Variation Order, 1981-64 is revoked.

26. Western Arm River (Bay of Exploits)

The closed time for angling in the salmon river Western Arm River (Item 62 of Schedule I of the said Regulations) shall be as set out in Item 1 of Schedule III to the said Regulations, September 1 to June 19.

Coming Into Force

This Order shall come into force on the 15 day of August, 1981.

Variation

Sections 2 and 3 of the Newfoundland Region Closed Time Variation Order, 1981-64 are revoked.

27. West River (Hall's Bay)

The closed time for angling in the salmon river, West River (Hall's Bay), including Rowsell's and Barney's Brooks (Item 58 of Schedule I of the said Regulations) and South Brook (Hall's Bay) including tributary streams (Item 59 of Schedule I of the said Regulations) shall be as set out in Item I of Schedule III to the said Regulations, September 1 to June 19.

Coming Into Force

This Order shall come into force on the 20 day of August, 1981.




Fig. 1. Location of rivers in insular Newfoundland with existing and historic (A) Atlantic salmon populations. Boundaries of Fishing and Industry areas, statistical areas and statistical sections are also indicated.




Fig. 2 Location of rivers in Labrador with existing Atlantic salmon populations. Boundaries of Fishing and industry areas, statistical areas and statistical sections are indicated.

SUMMARY

The 1981 catch of Atlantic salmon by the recreational fishery in Newfoundland and Labrador was approximately 53,750 fish (Table 2). This was the highest number of Atlantic salmon ever taken in the province by this fishery. The record catch may have resulted from an increase in river escapement of salmon over previous years, as suggested by a reduced commercial fishery catch and above average fish counts at fish passage facilities. However, an increase in angling effort and ideal angling conditions during the 1981 season undoubtedly contributed to the higher catch. The 1981 total catch was comprised of 51,861 grilse and 1889 large salmon. Fishing effort totalled 127,674 rod days and the CPUE was a high 0.42 (Fig. 3).

In comparison to previous years, the 1981 total provincial salmon catch was up by 27% from 1980 and 36% from the 1976-80 mean total catch. The increases were due entirely to the increased number of grilse angled as the number of large salmon angled in 1981 was down by approximately 33% from the 1980 and 23% from 1976-80 mean catches (Table 2). Although declines in the river escapement of large salmon have been documented in recent years, the 1981 reduction in angled catch of large salmon may, in fact, be attributed to the implementation of a management program in 1978 which included a reduction in the fishing season and closure of some rivers. Angling effort was up by 17-18% from the 1980 and the 1976-80 mean effort which is consistent with the increasing trend in fishing effort begun in the early 1970's. The 1981 CPUE was 0.42; the highest since 1973.

As in previous years, the recreational salmon fishery was concentrated in insular Newfoundland, where 96 and 89% of the total fishing effort and angled catch were recorded for 1981, respectively. The recorded catch of 48,039 fish was comprised of 46,670 grilse and 1369 large salmon (Table 3). The grilse catch was up by 30% over 1980, while the large salmon catch was down by 29%. In comparison to the previous five year mean (1976-80), the grilse catch was 42% higher while the number of large salmon angled was 13% lower. The 1981 large salmon catch was, however, higher than catches recorded in two of the previous five years. Fishing effort was recorded as 122,476 rod days; 6% above the previous recorded effort of 115,847 rod days observed in 1976. CPUE was 0.39 (Fig. 4).

Recorded statistics for 1981 in the recreational salmon fishery in Labrador show a total of 5191 grilse and 520 large salmon taken with an effort of 5198 rod days (Table 4). However, these data do not include catches from the Sandhill River, St. Michaels River, and Hunt River where an estimated 1400 grilse and 250 large salmon may have been taken. These data were not included in the total catch statistics because of apparent errors in the reported data. As in Newfoundland the increase in catch over the 1980 catch and 1976-80 mean catch was due to the increase in number of grilse angled. Large salmon catch was down from 1980. Angling effort was comparable to the 1976-80 mean effort levels with the CPUE a high 1.10 for 1981 (Fig. 5). Angling conditions, related to water levels and temperature were reported excellent in Labrador for most of the fishing season.

ACKNOWLEDGMENTS

We thank the field staff of Resource Management Branch for collecting the data, Economics Branch for assistance in data processing, H. Mullett for drafting figures, A. Chaytor for key punching, K. Harding and P. Doyle for typing and also the editors T.R. Porter and M. O'Connell.

REFERENCES

- Button, C. E., and T. J. Wells. 1974. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1973. Fish. Mar. Serv. Data Record Ser. No. New/D-74-10, 57 p.
1975. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1974. Fish. Mar. Serv. Data Record Ser. No. New/D-75-4, 58 p.
- Moore, R. B. 1976. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1975. Fish. Mar. Serv. Data Record Ser. No. New/D-76-1, 298 p.
- Moore, R. B., E.M.P. Chadwick, and R. J. Tucker. 1977. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1976. Fish. Mar. Serv. Data Rep. No. 24, 181 p.
- Moore, R. B., R. W. Penny, and R. J. Tucker. 1978. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1953-77. Fish. Mar. Serv. Data Rep. No. 84, 274 p.
- Moore, R. B., and R. J. Tucker. 1978. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1977. Fish. Mar. Serv. Data Rep. No. 60, 180 p.
1979. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1978. Fish. Mar. Serv. Data Rep. 147, 106 p.
1980. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1979. Can. Data Rep. Fish. Aquat. Sci. 212: xiv + 86 p.
1981. Angled catch and effort data from the recreational fishery, Newfoundland and Labrador, 1980. Can. Data Rep. Fish. Aquat. Sci. 263: xiv + 85 p.
- Waldron, D. E. 1974. Codes used in the Newfoundland commercial and recreational fisheries. Fish. Mar. Serv. Data Record Series No. New/D-74-2, 128 p.

Table 1. Periods of salmon angling for all scheduled rivers in Newfoundland and Labrador, 1981.

Rivers	Period
Conne River & tributaries	June 10-Aug. 31
Garnish River & tributaries	June 10-Aug. 31
Southwest & Bottom Brook	June 20-Aug. 31
Flat Bay Brook & tributaries	June 20-Aug. 31
Fox Island River & tributaries	July 4-July 17
Little Codroy River and tributaries	July 1-Aug. 15
Little Barachois Brook & tributaries	July 1-Aug. 15
Harry's River & tributaries	July 1-Aug. 15
Serpentine River & tributaries	July 1-Aug. 31
Humber River Downstream from Deer Lake	June 20-Aug. 31
Upper Humber River, Deer Lake to source	June 10-Aug. 31
Highland River & tributaries	
Cook's Brook	
Hughes Brook	No
Torrent River & tributaries	Open
Watson's Brook, St. Barbe	Season
Anchor Brook	
Deadman's Bay River & tributaries	
Tides Brook, Mortier Bay & tributaries	
Other scheduled salmon rivers in Insular Newfoundland	June 20-Aug. 31
Scheduled salmon rivers in Labrador	June 20-Sept. 15

Table 2. Angled catch, effort and catch per unit effort of Atlantic salmon in Newfoundland and Labrador, 1953-81. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (<2.7 kg)	Salmon (>2.7 kg)	Total catch	CPUE	Percent grilse
1953	43024	13564	2461	16025	0.37	84
1954	28672	7409	2050	9459	0.33	78
1955	22628	9942	1718	11660	0.52	85
1956	53499	14515	2561	17076	0.32	85
1957	33897	18739	3306	22045	0.65	85
1958	35085	18768	3521	22289	0.64	84
1959	27038	17007	2813	19820	0.54	85
1960	36393	16302	2068	18370	0.50	88
1961	37129	14492	2560	17052	0.46	84
1962	49982	23501	2680	26181	0.52	89
1963	62072	29258	4024	33282	0.54	87
1964	74330	37872	4610	42482	0.57	89
1965	70069	31151	3796	34947	0.50	89
1966	71033	31068	3558	34626	0.49	89
1967	75894	24719	3157	27876	0.37	88
1968	79629	33195	2549	35744	0.45	92
1969	85692	37842	2703	40545	0.47	93
1970	90220	34472	2695	37167	0.41	92
1971	80686	30623	2088	32711	0.41	93
1972	74384	27371	1804	29175	0.39	93
1973	96706	43004	2932	45936	0.48	93
1974	113691	28986	2016	31002	0.27	93
1975	107116	37362	1568	38930	0.36	95
1976	123002	40189	1881	42070	0.34	95
1977	119070	38946	4041	42987	0.36	90
1978	102905	31310	2330	33640	0.33	93
1979	87911	35287	1170	36457	0.41	97
1980	109280	39649	2811	42460	0.39	93
1981	127674	51861	1889	53750	0.42	96
Means and standard deviations						
1956-60	37182.4	17066.2	2853.8	19920.0	0.53	85.4
S.D.	9810.1	1788.2	581.9	2270.9	0.13	1.5
1961-65	58716.4	27254.8	3534.0	30788.8	0.52	87.6
S.D.	15217.0	8787.7	886.6	9619.9	0.04	2.2
1966-70	80493.6	32259.2	2932.4	35191.6	0.44	90.1
S.D.	7632.7	4878.8	417.7	4655.7	0.05	2.2
1971-75	94516.6	33469.2	2081.6	35550.8	0.38	93.4
S.D.	16791.4	6547.0	516.8	6868.0	0.08	0.9
1976-80	108433.6	37076.2	2446.6	39522.8	0.37	93.6
S.D.	13944.8	3750.2	1076.8	4216.7	0.03	2.6

Table 3. Angled catch, effort and catch per unit effort of Atlantic salmon in insular Newfoundland, 1953-81. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (<2.7 kg)	Salmon (>2.7 kg)	Total catch	CPUE	Percent grilse
1953	43024	13564	2461	16025	0.37	85
1954	28505	6933	1722	8705	0.31	80
1955	21974	9662	1466	11128	0.51	87
1956	53092	14338	2364	16702	0.31	86
1957	33211	17489	2969	20458	0.62	85
1958	34444	17393	3451	20844	0.61	83
1959	36277	15687	2681	18368	0.51	85
1960	35750	15359	1977	17336	0.48	89
1961	36024	13312	2322	15634	0.43	85
1962	49035	22251	2557	24808	0.51	90
1963	60769	27465	3827	31292	0.51	88
1964	71541	35122	4154	39276	0.55	89
1965	66647	28806	3169	31975	0.48	90
1966	66414	27753	2852	30605	0.46	91
1967	72557	22513	2568	25081	0.35	90
1968	75575	29419	1884	31303	0.41	94
1969	82046	34965	2310	37275	0.45	94
1970	84912	30459	2133	32592	0.38	93
1971	75788	26689	1602	28291	0.37	94
1972	69219	24424	1380	25804	0.37	95
1973	88435	35512	1923	37435	0.42	95
1974	108199	26485	1213	27698	0.26	96
1975	102907	33390	1241	34631	0.34	96
1976	115847	34463	1051	35514	0.31	97
1977	111836	34352	2755	37107	0.33	93
1978	96657	28619	1563	30182	0.31	95
1979	82578	31169	561	31730	0.38	98
1980	104332	35849	1922	37771	0.36	95
1981	122476	46670	1369	48039	0.39	97
Means and standard deviations						
1956-60	38554.8	16053.2	2688.4	18741.6	0.51	85.6
S.D.	8213.4	1361.5	563.8	1846.7	0.13	2.2
1961-65	56803.2	25391.2	3205.8	28597.0	0.50	88.4
S.D.	14334.8	8161.2	788.7	8875.7	0.04	2.1
1966-70	76300.8	29021.8	2349.4	31371.2	0.41	92.4
S.D.	7406.9	4514.4	375.9	4373.3	0.05	1.8
1971-75	68348.6	29300.0	1471.8	30771.8	0.35	95.2
S.D.	40942.7	4843.4	295.5	4989.3	0.06	0.80
1976-80	102250.0	32890.4	1570.4	34460.8	0.34	95.6
S.D.	13222.8	2939.8	839.0	3347.9	0.03	1.9

Table 4. Angled catch, effort and catch per unit effort of Atlantic salmon in Labrador, 1954-81. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (< 2.7 kg)	Salmon (> 2.7 kg)	Total catch	CPUE	Percent grilse
1954	167	476	278	754	4.51	63
1955	654	380	252	532	0.81	53
1956	407	177	197	374	0.92	47
1957	686	1250	337	1587	2.31	79
1958	641	1375	70	1445	2.25	95
1959	761	1320	132	1452	1.91	91
1960	643	943	91	1034	1.61	91
1961	1105	1180	238	1418	1.28	83
1962	947	1250	123	1373	1.45	91
1963	1303	1793	197	1990	1.53	90
1964	2789	2750	456	3206	1.15	86
1965	3422	2345	627	2972	0.87	79
1966	4619	3315	706	4021	0.87	82
1967	3337	2206	589	2795	0.84	79
1968	4054	3776	665	4441	1.10	85
1969	3646	2877	393	3270	0.90	88
1970	5308	4013	562	4575	0.86	88
1971	4898	3934	486	4420	0.90	89
1972	5165	2947	424	3371	0.65	87
1973	8271	7492	1009	8501	1.03	88
1974	5492	2501	803	3304	0.60	76
1975	4209	3972	327	4299	1.02	92
1976	7155	5726	830	6556	0.92	87
1977	7234	4594	1286	5880	0.81	78
1978	6248	2691	767	3458	0.55	78
1979	5333	4118	609	4727	0.89	87
1980	4948	3800	889	4689	0.95	81
1981	5198	5191	520	5711	1.10	91
Means and standard deviations						
1956-60	627.6	1013.0	165.4	1178.4	1.80	80.6
S.D.	132.6	496.3	107.5	495.2	0.57	19.7
1961-65	1913.2	1863.6	328.2	2191.8	1.26	85.8
S.D.	1118.3	683.0	208.0	858.4	0.26	5.0
1966-70	4191.0	3237.4	583.0	3820.4	0.91	84.4
S.D.	787.2	723.1	120.9	766.3	0.11	3.9
1971-75	5607.0	4169.2	609.8	4779.0	0.84	86.4
S.D.	1562.3	1962.9	285.7	2143.1	0.20	6.1
1976-80	6183.6	4185.8	876.2	5062.0	0.82	82.2
S.D.	1037.0	1109.8	251.8	1196.4	0.16	4.6




Fig. 3. Effort, catch and catch per unit effort in the Atlantic salmon recreational fishery Newfoundland and Labrador, 1954-81.




Fig. 4. Catch, effort and catch per unit effort in the Atlantic salmon recreational fishery in insular Newfoundland, 1954-81.




Fig. 5. Catch, effort and catch per unit of effort in the Atlantic salmon recreational fishery in Labrador 1954-81.

Insular Newfoundland

0105680
PARKER RIVER (WEST RIVER)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	28	6	81	HI	29	35	1	2	0	0	1	2	0.0	0.03	0.06	100.00	
3	5	7	81	LOW	25	28	2	4	0	0	2	4	0.0	0.08	0.14	100.00	
4	12	7	81	LOW	24	26	2	3	0	0	2	3	0.0	0.08	0.12	100.00	
5	19	7	81	LDW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
6	26	7	81	LDW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
8	9	8	81	MED	6	11	3	5	0	0	3	5	0.0	0.50	0.45	100.00	
9	16	8	81	MED	12	16	2	4	0	0	2	4	0.0	0.17	0.25	100.00	
10	23	8	81	MED	11	15	2	3	0	0	2	3	0.0	0.18	0.20	100.00	
11	30	8	81	MED	6	10	1	2	0	0	1	2	0.0	0.17	0.20	100.00	
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				MED	113	141	13	23	0	0	13	23	0.0	0.12	0.16	100.00	

0105710
BARTLETT'S RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	28	6	81	HI	29	33	6	8	0	0	6	8	0.0	0.21	0.24	100.00	
3	5	7	81	MED	14	16	5	7	0	0	5	7	0.0	0.36	0.44	100.00	
4	12	7	81	LOW	17	20	2	3	0	0	2	3	0.0	0.12	0.15	100.00	
5	19	7	81	LOW	21	26	3	7	0	0	3	7	0.0	0.14	0.27	100.00	
6	26	7	81	LOW	6	11	1	3	0	0	1	3	0.0	0.17	0.27	100.00	
7	2	8	81	LOW	6	8	0	2	0	0	0	2	0.0	0.0	0.25	0.0	
8	9	8	81	MED	5	7	2	3	0	0	2	3	0.0	0.40	0.43	100.00	
9	16	8	81	MED	6	10	1	3	0	0	1	3	0.0	0.17	0.30	100.00	
10	23	8	81	MED	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
11	30	8	81	HI	2	5	0	2	0	0	0	2	0.0	0.0	0.40	0.0	
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				LOW	109	141	20	38	0	0	20	38	0.0	0.18	0.27	100.00	

0105800
EAST RIVER (PISTOLET BAY)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	28	6	81	HI	33	43	3	4	0	0	3	4	0.0	0.09	0.09	100.00	
3	5	7	81	HI	43	51	10	12	0	0	10	12	0.0	0.23	0.24	100.00	
4	12	7	81	MED	54	66	14	19	0	0	14	19	0.0	0.26	0.29	100.00	
5	19	7	81	MED	39	51	13	20	0	0	13	20	0.0	0.33	0.39	100.00	
6	26	7	81	LOW	30	37	10	14	0	0	10	14	0.0	0.33	0.38	100.00	
7	2	8	81	LOW	26	32	4	6	3	3	7	10	0.0	0.27	0.31	57.14	
8	9	8	81	LOW	25	30	3	4	2	4	5	7	0.0	0.20	0.23	60.00	
9	16	8	81	LOW	16	20	3	4	0	0	3	4	0.0	0.19	0.20	100.00	
10	23	8	81	LOW	8	10	2	3	1	1	3	4	0.0	0.38	0.40	66.67	
11	30	8	81	LOW	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				LOW	277	345	62	86	6	8	68	94	0.0	0.25	0.27	91.18	

0300800
WEST BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
4	12	7	81	MED	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
5	19	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
6	26	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
7	2	8	81	MED	0	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
8	9	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				MED	12	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	

0300850
SALMONIARIEGE)RIVER (HARE BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	3	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	8	14	10	14	0	0	10	14	0.0	1.25	1.00	100.00	100.00
3	5	7	81	MED	25	31	31	35	0	0	31	35	0.0	1.24	1.13	100.00	100.00
4	12	7	81	MED	66	71	84	92	0	0	84	92	0.0	1.27	1.30	100.00	100.00
5	19	7	81	MED	26	36	22	34	0	0	22	34	0.0	0.85	0.94	100.00	100.00
6	26	7	81	LOW	20	24	18	24	0	0	18	24	0.0	0.90	1.00	100.00	100.00
7	2	8	81	LOW	26	31	28	34	0	0	28	34	0.0	1.08	1.10	100.00	100.00
8	9	8	81	LOW	36	41	21	27	0	0	21	27	0.0	0.58	0.66	100.00	100.00
9	16	8	81	MED	14	18	6	12	0	0	6	12	0.0	0.43	0.67	100.00	100.00
10	23	8	81	MED	17	21	12	17	0	0	12	17	0.0	0.71	0.81	100.00	100.00
11	30	8	81	MED	0	3	0	2	0	0	0	2	0.0	0.0	0.67	0.0	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	241	296	232	291	0	0	232	291	0.0	0.96	0.98	100.00	100.00

0401640
EAST BROOK (EASTER BROOK)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	7	9	1	2	0	0	1	2	1.6	0.14	0.22	100.00	100.00
3	5	7	81	MED	5	9	1	2	0	0	1	2	1.6	0.20	0.22	100.00	100.00
4	12	7	81	MED	6	8	5	6	0	0	5	6	1.6	0.83	0.75	100.00	100.00
5	19	7	81	LOW	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	5	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	3	5	1	2	0	0	1	2	1.6	0.33	0.40	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	43	57	8	12	0	0	8	12	1.6	0.19	0.21	100.00	100.00

0401670
NORTHEAST BROOK (CHIMNEY BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	50	54	19	23	0	0	19	23	2.0	0.38	0.43	100.00	100.00
3	5	7	81	MED	68	72	56	60	0	0	56	60	2.5	0.82	0.83	100.00	100.00
4	12	7	81	MED	44	48	26	30	1	1	27	31	4.5	0.61	0.65	96.30	96.77
5	19	7	81	LOW	55	62	27	31	0	0	27	31	1.8	0.49	0.50	100.00	100.00
6	26	7	81	LOW	20	22	5	7	0	0	5	7	0.0	0.25	0.32	100.00	100.00
7	2	8	81	LOW	11	13	6	8	0	0	6	8	1.6	0.55	0.62	100.00	100.00
8	9	8	81	MED	10	12	9	11	0	0	9	11	1.8	0.90	0.92	100.00	100.00
9	16	8	81	MED	8	10	4	6	0	0	4	6	1.6	0.50	0.60	100.00	100.00
10	23	8	81	LOW	17	21	13	17	0	0	13	17	2.0	0.76	0.81	100.00	100.00
11	30	8	81	MED	7	9	3	4	0	0	3	4	1.6	0.43	0.44	100.00	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	297	332	168	197	1	1	169	198	4.5	0.57	0.60	99.41	99.49

0401690
BEAVER BROOK (WESTERN BROOK)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	22	25	17	21	0	0	17	21	2.7	0.77	0.84	100.00	100.00
2	28	6	81	MED	61	65	39	41	0	0	39	41	2.0	0.64	0.63	100.00	100.00
3	5	7	81	MED	84	86	79	81	0	0	79	81	2.0	0.94	0.94	100.00	100.00
4	12	7	81	MED	86	90	47	51	0	0	47	51	2.0	0.55	0.57	100.00	100.00
5	19	7	81	LOW	60	67	34	42	0	0	34	42	2.0	0.57	0.63	100.00	100.00
6	26	7	81	LOW	34	36	17	19	0	0	17	19	2.0	0.50	0.53	100.00	100.00
7	2	8	81	LOW	14	16	8	9	0	0	8	9	2.0	0.57	0.56	100.00	100.00
8	9	8	81	MED	29	31	15	19	0	0	15	19	2.0	0.52	0.61	100.00	100.00
9	16	8	81	MED	8	10	7	9	0	0	7	9	1.6	0.88	0.90	100.00	100.00
10	23	8	81	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	2	3	0	1	0	0	0	1	0.0	0.0	0.33	0.0	100.00
12	6	9	81	MED	3	3	3	3	0	0	3	3	1.4	1.00	1.00	100.00	100.00
TOTAL				MED	406	436	266	296	0	0	266	296	2.7	0.66	0.68	100.00	100.00

0401790
NORTHWEST BROOK (CANADA BAY)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	LOW	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	LOW	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	HI	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	26	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

0401850
CLOUD RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	12	15	7	9	0	0	7	9	1.6	0.58	0.60	100.00	100.00
4	12	7	81	MED	16	19	12	14	0	0	12	14	2.0	0.75	0.74	100.00	100.00
5	19	7	81	MED	8	10	3	4	0	0	3	4	1.6	0.38	0.40	100.00	100.00
6	26	7	81	MED	15	19	8	10	0	0	8	10	2.5	0.53	0.53	100.00	100.00
7	2	8	81	MED	14	16	3	4	0	0	3	4	1.6	0.21	0.25	100.00	100.00
8	9	8	81	HI	14	16	5	7	0	0	5	7	0.0	0.36	0.44	100.00	100.00
9	16	8	81	MED	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	89	109	38	48	0	0	38	48	2.5	0.43	0.44	100.00	100.00

0402500
LITTLE HARBOUR DEEP RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

0402880
CONEY ARM RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	LOW	48	63	16	21	0	0	16	21	1.4	0.33	0.33	100.00	100.00
4	12	7	81	LOW	25	35	3	5	0	0	3	5	1.4	0.12	0.14	100.00	100.00
5	19	7	81	LOW	20	30	12	17	0	0	12	17	1.6	0.60	0.57	100.00	100.00
6	26	7	81	LOW	27	37	8	11	0	0	8	11	1.6	0.30	0.30	100.00	100.00
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	21	27	8	11	0	0	8	11	1.4	0.38	0.41	100.00	100.00
10	23	8	81	HI	24	29	5	6	0	0	5	6	0.0	0.21	0.21	100.00	100.00
11	30	8	81	LOW	31	36	11	13	0	0	11	13	1.1	0.35	0.36	100.00	100.00
12	6	9	81	LOW	4	8	2	4	0	0	2	4	1.4	0.50	0.50	100.00	100.00
TOTAL				LOW	200	265	65	88	0	0	65	88	1.6	0.32	0.33	100.00	100.00

0403110
MAIN RIVER (SOPS ARM)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	24	34	21	31	0	0	21	31	1.6	0.88	0.91	100.00	100.00
2	28	6	81	HI	163	178	207	237	2	2	209	239	2.7	1.28	1.34	99.04	99.16
3	5	7	81	LOW	412	472	600	680	0	0	600	680	2.3	1.46	1.44	100.00	100.00
4	12	7	81	LOW	143	153	148	158	0	0	148	158	2.3	1.03	1.03	100.00	100.00
5	19	7	81	LOW	75	85	67	77	0	0	67	77	1.6	0.89	0.91	100.00	100.00
6	26	7	81	LOW	47	57	31	39	0	0	31	39	2.3	0.66	0.68	100.00	100.00
7	2	8	81	LOW	19	25	14	17	0	0	14	17	1.4	0.74	0.68	100.00	100.00
8	9	8	81	MED	19	24	7	9	0	0	7	9	1.6	0.37	0.38	100.00	100.00
9	16	8	81	MED	24	29	6	10	0	0	6	10	1.4	0.25	0.34	100.00	100.00
10	23	8	81	MED	10	12	3	3	0	0	3	3	1.4	0.30	0.25	100.00	100.00
11	30	8	81	MED	17	25	8	12	0	0	8	12	1.4	0.47	0.48	100.00	100.00
12	6	9	81	LOW	2	4	1	2	0	0	1	2	1.4	0.50	0.50	100.00	100.00
TOTAL				LOW	955	1098	1113	1275	2	2	1115	1277	2.7	1.17	1.16	99.82	99.84

0403580
WILD COVE BROOK (WHITE BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	6	16	0	2	0	0	0	2	0.0	0.0	0.13	0.0	100.00
4	12	7	81	MED	5	11	2	3	0	0	2	3	1.6	0.40	0.27	100.00	100.00
5	19	7	81	MED	7	13	3	5	0	0	3	5	1.8	0.43	0.38	100.00	100.00
6	26	7	81	LOW	10	20	2	7	0	0	2	7	1.8	0.20	0.35	100.00	100.00
7	2	8	81	LOW	9	19	3	6	0	0	3	6	1.8	0.33	0.32	100.00	100.00
8	9	8	81	LOW	7	9	2	3	0	0	2	3	1.8	0.29	0.33	100.00	100.00
9	16	8	81	MED	5	9	1	3	0	0	1	3	1.8	0.20	0.33	100.00	100.00
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	49	97	13	29	0	0	13	29	1.8	0.27	0.30	100.00	100.00

0403620
WESTERN ARM RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	1	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	HI	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	LOW	10	20	3	6	0	0	3	6	1.8	0.30	0.30	100.00	100.00
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	20	44	3	6	0	0	3	6	1.8	0.15	0.14	100.00	100.00

0403670
MIDDLE ARM BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	2	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	6	0	3	0	0	0	3	0.0	0.0	0.50	0.0	100.00
4	12	7	81	LOW	15	25	8	11	0	0	8	11	1.8	0.53	0.44	100.00	100.00
5	19	7	81	LOW	8	18	7	7	0	0	3	7	1.8	0.38	0.39	100.00	100.00
6	26	7	81	LOW	10	20	4	8	0	0	4	8	1.8	0.40	0.40	100.00	100.00
7	2	8	81	LOW	21	31	10	20	0	0	10	20	1.8	0.48	0.65	100.00	100.00
8	9	8	81	LOW	12	22	4	7	0	0	4	7	1.8	0.33	0.32	100.00	100.00
9	16	8	81	MED	8	13	4	10	0	0	4	10	1.8	0.50	0.77	100.00	100.00
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	76	143	33	66	0	0	33	66	1.8	0.43	0.46	100.00	100.00

0403700
SOUTHERN ARM BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

0504040
SOUTH WEST BROOK (BAIE VERTE)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	HI	18	28	3	5	0	0	3	5	1.6	0.17	0.18	100.00	100.00
4	12	7	81	LOW	30	40	6	11	0	0	6	11	1.8	0.20	0.27	100.00	100.00
5	19	7	81	LOW	21	31	4	10	0	0	4	10	1.8	0.19	0.32	100.00	100.00
6	26	7	81	LOW	19	29	7	13	0	0	7	13	1.8	0.37	0.45	100.00	100.00
7	2	8	81	LOW	12	22	3	6	0	0	3	6	1.8	0.25	0.27	100.00	100.00
8	9	8	81	LOW	15	25	3	5	0	0	3	5	1.8	0.20	0.20	100.00	100.00
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	125	185	26	50	0	0	26	50	1.8	0.21	0.27	100.00	100.00

0604820
EAST BROOK (BURLINGTON RIVER)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	17	22	5	6	0	0	5	6	1.6	0.29	0.27	100.00	100.00
3	5	7	81	HI	32	37	9	11	0	0	9	11	1.6	0.28	0.30	100.00	100.00
4	12	7	81	LOW	29	39	14	21	0	0	16	21	1.8	0.55	0.54	100.00	100.00
5	19	7	81	LOW	44	54	26	36	0	0	26	36	1.8	0.59	0.67	100.00	100.00
6	26	7	81	LOW	47	57	27	37	0	0	27	37	1.8	0.57	0.65	100.00	100.00
7	2	8	81	LOW	27	37	13	18	0	0	13	18	1.8	0.48	0.49	100.00	100.00
8	9	8	81	LOW	14	24	6	12	0	0	6	12	1.8	0.43	0.50	100.00	100.00
9	16	8	81	MED	9	14	2	4	0	0	2	4	1.8	0.22	0.29	100.00	100.00
10	23	8	81	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	222	287	104	145	0	0	104	145	1.8	0.47	0.51	100.00	100.00

0605570
INDIAN BROOK (INDIAN RIVER)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	33	43	2	3	1	1	3	4	4.0	0.09	0.09	66.67	75.00
2	28	6	81	HI	187	207	88	96	1	1	89	97	4.0	0.48	0.47	98.88	98.97
3	5	7	81	MED	374	424	223	233	0	0	223	233	1.8	0.60	0.55	100.00	100.00
4	12	7	81	MED	306	356	179	199	0	0	179	199	1.8	0.58	0.56	100.00	100.00
5	19	7	81	MED	308	358	114	134	0	0	114	134	1.8	0.37	0.37	100.00	100.00
6	26	7	81	MED	265	295	79	94	0	0	79	94	1.8	0.30	0.32	100.00	100.00
7	2	8	81	MED	132	162	32	42	0	0	32	42	1.6	0.24	0.26	100.00	100.00
8	9	8	81	MED	98	118	29	34	0	0	29	34	1.8	0.30	0.29	100.00	100.00
9	16	8	81	MED	67	82	14	18	0	0	14	18	1.6	0.21	0.22	100.00	100.00
10	23	8	81	HI	16	20	7	8	0	0	7	8	1.4	0.44	0.40	100.00	100.00
11	30	8	81	HI	39	49	13	18	0	0	13	18	1.6	0.33	0.37	100.00	100.00
12	6	9	81	HI	4	6	2	3	0	0	2	3	1.4	0.50	0.50	100.00	100.00
TOTAL				MED	1829	2120	782	882	2	2	784	884	4.0	0.43	0.42	99.74	99.77

060564
WEST RIVER (RIVERHEAD BROOK)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	55	64	19	22	4	4	23	26	3.6	0.42	0.41	82.61	84.62
2	28	6	81	HI	212	220	104	113	2	2	106	115	3.9	0.50	0.52	98.11	98.26
3	5	7	81	MED	232	248	133	151	0	0	133	151	2.3	0.57	0.61	100.00	100.00
4	12	7	81	MED	149	165	108	122	0	0	108	122	2.0	0.72	0.74	100.00	100.00
5	19	7	81	MED	131	147	96	112	0	0	96	112	2.3	0.73	0.76	100.00	100.00
6	26	7	81	MED	119	129	65	75	2	2	67	77	4.0	0.56	0.60	97.01	97.40
7	2	8	81	MED	70	80	34	44	0	0	34	44	1.8	0.49	0.55	100.00	100.00
8	9	8	81	MED	52	60	19	29	0	0	19	29	1.8	0.37	0.48	100.00	100.00
9	16	8	81	MED	47	55	20	26	0	0	20	26	1.8	0.43	0.47	100.00	100.00
10	23	8	81	HI	21	26	6	8	0	0	6	8	1.8	0.29	0.31	100.00	100.00
11	30	8	81	HI	39	44	38	41	0	0	38	41	1.8	0.97	0.93	100.00	100.00
12	6	9	81	MED	3	5	1	2	0	0	1	2	1.8	0.33	0.40	100.00	100.00
TOTAL				MED	1130	1243	643	745	8	8	651	753	4.0	0.58	0.61	98.77	98.94

0605680
SOUTH BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	10	20	2	4	0	0	2	4	1.8	0.20	0.20	100.00	100.00
2	28	6	81	HI	52	67	12	22	1	1	13	23	2.7	0.25	0.34	92.31	95.65
3	5	7	81	MED	100	150	34	59	1	1	35	60	2.7	0.35	0.40	97.14	98.33
4	12	7	81	MED	111	136	40	50	1	1	41	51	2.7	0.37	0.38	97.56	98.04
5	19	7	81	LOW	72	102	40	52	1	1	41	53	3.2	0.57	0.52	97.56	98.11
6	26	7	81	LOW	74	84	25	27	0	0	25	27	2.3	0.34	0.32	100.00	100.00
7	2	8	81	LOW	27	33	8	11	0	0	8	11	1.6	0.30	0.33	100.00	100.00
8	9	8	81	LOW	22	32	6	9	0	0	6	9	1.8	0.27	0.28	100.00	100.00
9	16	8	81	MED	25	35	10	14	0	0	10	14	1.8	0.40	0.40	100.00	100.00
10	23	8	81	HI	34	44	12	16	0	0	12	16	1.8	0.35	0.36	100.00	100.00
11	30	8	81	HI	32	40	16	19	0	0	16	19	1.8	0.50	0.47	100.00	100.00
12	6	9	81	HI	3	5	2	3	0	0	2	3	1.4	0.67	0.60	100.00	100.00
TOTAL				HI	562	748	207	286	4	4	211	290	3.2	0.38	0.39	98.10	98.62

0605940
TOMMY'S ARM RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	37	57	22	30	0	0	22	30	1.6	0.59	0.53	100.00	100.00
3	5	7	81	MED	40	75	45	55	0	0	45	55	2.5	1.13	0.73	100.00	100.00
4	12	7	81	MED	27	77	24	84	0	20	24	104	1.8	0.89	1.35	100.00	80.77
5	19	7	81	LOW	54	114	72	172	0	0	72	172	1.8	1.33	1.51	100.00	100.00
6	26	7	81	LOW	48	78	35	75	3	13	38	88	3.4	0.79	1.13	92.11	85.23
7	2	8	81	LOW	18	43	16	56	3	13	19	69	3.6	1.06	1.60	84.21	81.16
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	1	2	1	1	0	0	1	1	1.4	1.00	0.50	100.00	100.00
TOTAL				MED	227	448	215	473	6	46	221	519	3.6	0.97	1.16	97.29	91.14

0606570
NORTHWEST ARM BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	18	21	3	5	0	0	3	5	2.3	0.17	0.24	100.00	100.00
2	28	6	81	MED	60	70	17	20	0	0	17	20	1.8	0.28	0.29	100.00	100.00
3	5	7	81	MED	48	54	12	15	0	0	12	15	1.8	0.25	0.28	100.00	100.00
4	12	7	81	MED	48	54	16	19	0	0	16	19	1.8	0.33	0.35	100.00	100.00
5	19	7	81	MED	36	42	10	13	0	0	10	13	1.8	0.28	0.31	100.00	100.00
6	26	7	81	MED	54	60	17	20	0	0	17	20	1.8	0.31	0.33	100.00	100.00
7	2	8	81	LOW	19	22	5	6	0	0	5	6	1.8	0.26	0.27	100.00	100.00
8	9	8	81	MED	10	13	2	3	0	0	2	3	1.8	0.20	0.23	100.00	100.00
9	16	8	81	MED	15	16	2	3	0	0	2	3	1.8	0.13	0.19	100.00	100.00
10	23	8	81	MED	19	21	4	5	0	0	4	5	1.8	0.21	0.24	100.00	100.00
11	30	8	81	HI	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	332	380	88	109	0	0	88	109	2.3	0.27	0.29	100.00	100.00

0606720
WEST ARM BROOK (WESTERN ARM)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	60	70	17	20	0	0	17	20	2.3	0.28	0.29	100.00	100.00
2	28	6	81	MED	100	110	64	74	0	0	64	74	1.8	0.64	0.67	100.00	100.00
3	5	7	81	MED	79	85	51	54	0	0	51	54	2.0	0.65	0.64	100.00	100.00
4	12	7	81	MED	98	110	37	45	0	0	37	45	1.8	0.38	0.41	100.00	100.00
5	19	7	81	MED	66	76	33	39	0	0	33	39	1.8	0.50	0.51	100.00	100.00
6	26	7	81	MED	61	71	22	28	0	0	22	28	1.8	0.36	0.39	100.00	100.00
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	7	8	3	4	0	0	3	4	1.8	0.43	0.50	100.00	100.00
10	23	8	81	MED	27	31	9	12	0	0	9	12	1.8	0.33	0.39	100.00	100.00
11	30	8	81	HI	24	27	12	14	0	0	12	14	1.8	0.50	0.52	100.00	100.00
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	522	588	248	290	0	0	248	290	2.3	0.48	0.49	100.00	100.00

0606820
NEW BAY RIVER (PT. LEAMINGTON)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	70	80	12	14	0	0	12	14	2.3	0.17	0.17	100.00	100.00
2	28	6	81	MED	122	134	85	95	0	0	85	95	2.3	0.70	0.71	100.00	100.00
3	5	7	81	MED	94	104	47	52	0	0	47	52	1.8	0.50	0.50	100.00	100.00
4	12	7	81	MED	104	116	48	56	0	0	48	56	2.0	0.46	0.48	100.00	100.00
5	19	7	81	MED	86	96	45	51	0	0	45	51	1.8	0.52	0.53	100.00	100.00
6	26	7	81	MED	58	64	18	21	0	0	18	21	1.8	0.31	0.33	100.00	100.00
7	2	8	81	LOW	61	67	19	23	1	1	20	24	2.7	0.33	0.36	95.00	95.83
8	9	8	81	MED	43	46	9	11	0	0	9	11	1.8	0.21	0.24	100.00	100.00
9	16	8	81	MED	18	19	6	7	0	0	6	7	1.8	0.33	0.37	100.00	100.00
10	23	8	81	MED	29	35	11	15	0	0	11	15	1.8	0.38	0.43	100.00	100.00
11	30	8	81	HI	19	22	11	13	0	0	11	13	1.8	0.58	0.59	100.00	100.00
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	704	783	311	358	1	1	312	359	2.7	0.44	0.46	99.68	99.72

0707660
CHARLES BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	55	65	23	38	0	0	23	38	2.3	0.42	0.58	100.00	100.00
3	5	7	81	MED	85	105	50	65	0	0	50	65	2.3	0.59	0.62	100.00	100.00
4	12	7	81	LOW	89	109	48	68	0	0	48	68	2.3	0.54	0.62	100.00	100.00
5	19	7	81	LOW	108	128	68	93	0	0	68	93	1.8	0.63	0.73	100.00	100.00
6	26	7	81	LOW	45	60	7	11	0	0	7	11	1.8	0.16	0.18	100.00	100.00
7	2	8	81	LOW	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	384	471	196	275	0	0	196	275	2.3	0.51	0.58	100.00	100.00

070776
NORTHERN ARM BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	92	112	55	75	1	1	56	76	3.6	0.61	0.68	98.21	98.68
3	5	7	81	MED	135	160	95	115	3	3	98	118	4.5	0.73	0.74	96.94	97.46
4	12	7	81	LOW	130	160	140	165	3	4	143	169	4.0	1.10	1.06	97.90	97.63
5	19	7	81	MED	145	170	75	95	3	5	78	100	3.6	0.54	0.59	96.15	95.00
6	26	7	81	MED	76	96	17	22	0	0	17	22	1.8	0.22	0.23	100.00	100.00
7	2	8	81	MED	14	20	3	5	0	0	3	5	1.8	0.21	0.25	100.00	100.00
8	9	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	35	45	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	10	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	637	778	385	477	10	13	395	490	4.5	0.62	0.63	97.47	97.35

0707780
PETERS RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	OBS.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	50	65	32	42	5	7	37	49	4.0	0.74	0.75	86.49	85.71	
4	12	7	81	LOW	120	145	100	125	7	10	107	135	3.6	0.89	0.93	93.46	92.59	
5	19	7	81	LOW	90	120	105	205	5	7	110	212	3.6	1.22	1.77	95.45	96.70	
6	26	7	81	LOW	75	100	35	50	4	6	39	56	3.6	0.52	0.56	89.74	89.29	
7	2	8	81	LOW	85	110	40	55	2	4	42	59	3.6	0.49	0.54	95.24	93.22	
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
10	23	8	81	MED	46	61	5	8	0	0	5	8	1.8	0.11	0.13	100.00	100.00	
11	30	8	81	MED	10	15	1	3	0	0	1	3	2.3	0.10	0.20	100.00	100.00	
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				LOW	476	616	318	488	23	34	341	522	4.0	0.72	0.85	93.26	93.49	

070779
EXPELITS RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	198	208	53	58	1	2	54	60	2.9	0.27	0.29	98.15	96.67
2	28	6	81	HI	1199	1241	186	199	0	0	186	199	2.3	0.16	0.16	100.00	100.00
3	5	7	81	HI	1146	1181	308	323	0	0	308	323	2.5	0.27	0.27	100.00	100.00
4	12	7	81	HI	1366	1436	382	394	0	0	382	394	2.5	0.28	0.27	100.00	100.00
5	19	7	81	MED	1339	1369	329	341	0	0	329	341	2.5	0.25	0.25	100.00	100.00
6	26	7	81	MED	1041	1066	274	295	0	0	274	295	2.5	0.26	0.28	100.00	100.00
7	2	8	81	MED	580	589	153	162	0	0	153	162	2.5	0.27	0.28	100.00	100.00
8	9	8	81	MED	250	260	54	57	0	0	54	57	2.0	0.22	0.22	100.00	100.00
9	16	8	81	HI	63	68	9	9	0	0	9	9	2.0	0.14	0.13	100.00	100.00
10	23	8	81	MED	97	97	21	21	0	0	21	21	0.0	0.22	0.22	100.00	100.00
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	7259	7515	1769	1859	1	2	1770	1861	2.9	0.24	0.25	99.94	99.89

070821
CAMPBELTON RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	130	0	100	0	0	0	100	0.0	0.0	0.77	0.0	100.00
2	28	6	81	MED	405	495	253	304	0	0	253	304	1.8	0.62	0.61	100.00	100.00
3	5	7	81	MED	490	581	332	380	2	2	334	382	3.6	0.68	0.66	99.40	99.48
4	12	7	81	MED	350	445	181	249	0	0	181	249	1.8	0.52	0.56	100.00	100.00
5	19	7	81	LOW	435	540	164	206	0	0	164	206	2.3	0.38	0.38	100.00	100.00
6	26	7	81	LOW	232	279	124	150	0	0	124	150	1.8	0.53	0.54	100.00	100.00
7	2	8	81	LOW	166	196	52	81	0	0	52	81	1.8	0.31	0.41	100.00	100.00
8	9	8	81	LOW	85	110	22	33	0	0	22	33	1.8	0.26	0.30	100.00	100.00
9	16	8	81	LOW	64	89	21	30	0	0	21	30	1.4	0.33	0.34	100.00	100.00
10	23	8	81	LOW	17	32	3	6	0	0	3	6	1.8	0.18	0.19	100.00	100.00
11	30	8	81	LOW	33	53	4	8	0	0	4	8	1.4	0.12	0.15	100.00	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	2277	2950	1156	1547	2	2	1158	1549	3.6	0.51	0.53	99.83	99.87

0708480
DOG BAY RIVER (MORWOOD RIVER)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	90	110	25	35	0	0	25	35	2.0	0.28	0.32	100.00	100.00
3	5	7	81	MED	100	120	41	51	0	0	41	51	2.0	0.41	0.42	100.00	100.00
4	12	7	81	MED	130	160	51	66	0	0	51	66	2.0	0.39	0.41	100.00	100.00
5	19	7	81	MED	131	151	55	75	0	0	55	75	2.0	0.42	0.50	100.00	100.00
6	26	7	81	MED	81	101	29	45	0	0	29	45	2.0	0.36	0.45	100.00	100.00
7	2	8	81	LOW	94	119	32	42	0	0	32	42	2.0	0.34	0.35	100.00	100.00
8	9	8	81	LOW	50	65	15	23	0	0	15	23	1.8	0.30	0.35	100.00	100.00
9	16	8	81	LOW	33	41	6	8	0	0	6	8	1.8	0.18	0.20	100.00	100.00
10	23	8	81	MED	45	55	8	11	0	0	8	11	1.8	0.18	0.20	100.00	100.00
11	30	8	81	MED	22	28	4	6	0	0	4	6	1.6	0.18	0.21	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	776	950	266	362	0	0	266	362	2.0	0.34	0.38	100.00	100.00

090861
GANDEM RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
2	21	6	81	MED	0	207	0	59	0	11	0	70	0.0	0.0	0.34	0.0	84.29
2	28	6	81	MED	596	903	229	456	17	20	246	476	4.0	0.41	0.53	93.09	95.80
3	5	7	81	MED	1269	1341	526	558	46	51	572	609	3.6	0.45	0.45	91.96	91.63
4	12	7	81	MED	1812	1996	1092	1144	20	27	1112	1171	4.5	0.61	0.59	98.20	97.69
5	19	7	81	MED	1387	1599	635	685	25	29	660	714	6.1	0.48	0.45	96.21	95.94
6	26	7	81	MED	1448	1538	625	672	31	35	656	707	4.8	0.45	0.46	95.27	95.05
7	2	8	81	MED	985	1338	413	484	24	28	437	512	6.4	0.44	0.38	94.51	94.53
8	9	8	81	MED	690	840	252	297	21	24	273	321	5.0	0.40	0.38	92.31	92.52
9	16	8	81	MED	347	407	98	118	9	13	107	131	3.6	0.31	0.32	91.59	90.08
10	23	8	81	HI	178	248	50	60	3	5	53	65	3.0	0.30	0.26	94.34	92.31
11	30	8	81	HI	136	226	27	45	4	6	31	51	3.2	0.23	0.23	87.10	88.24
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	8848	10643	3947	4578	200	249	4147	4827	6.4	0.47	0.45	95.18	94.84

090882
RAGGED HAMBOR RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	52	52	12	12	0	0	12	12	1.8	0.23	0.23	100.00	100.00
2	28	6	81	HI	189	296	77	105	0	0	77	105	2.5	0.41	0.35	100.00	100.00
3	5	7	81	MED	141	147	71	74	0	0	71	74	2.3	0.50	0.50	100.00	100.00
4	12	7	81	MED	130	132	54	56	0	0	54	56	2.3	0.42	0.42	100.00	100.00
5	19	7	81	MED	67	72	48	49	0	0	48	49	1.6	0.72	0.68	100.00	100.00
6	26	7	81	LOW	86	88	27	28	0	0	27	28	2.3	0.31	0.32	100.00	100.00
7	2	8	81	LOW	74	84	42	48	0	0	42	48	2.3	0.57	0.57	100.00	100.00
8	9	8	81	LOW	70	74	40	42	0	0	40	42	2.3	0.57	0.57	100.00	100.00
9	16	8	81	LOW	22	24	10	11	0	0	10	11	1.8	0.45	0.46	100.00	100.00
10	23	8	81	MED	42	44	14	15	0	0	14	15	1.8	0.33	0.34	100.00	100.00
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	873	1013	395	440	0	0	395	440	2.5	0.45	0.43	100.00	100.00

0909030
WINDMILL BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	116	136	25	35	0	0	25	35	2.5	0.22	0.26	NO PATROL	100.00
2	28	6	81	HI	110	130	29	39	0	0	29	39	2.5	0.26	0.30	100.00	100.00
3	5	7	81	HI	91	111	33	43	0	0	33	43	2.3	0.36	0.39	100.00	100.00
4	12	7	81	MED	85	105	45	55	0	0	45	55	2.5	0.53	0.52	100.00	100.00
5	19	7	81	HI	40	60	8	12	0	0	8	12	1.8	0.20	0.20	100.00	100.00
6	26	7	81	HI	54	69	5	9	0	0	5	9	2.5	0.09	0.13	100.00	100.00
7	2	8	81	LOW	38	48	5	8	0	0	5	8	1.8	0.13	0.17	100.00	100.00
8	9	8	81	LOW	24	34	4	6	0	0	4	6	2.0	0.17	0.18	100.00	100.00
9	16	8	81	MED	31	41	8	12	0	0	8	12	0.0	0.26	0.29	100.00	100.00
10	23	8	81	MED	15	15	3	3	0	0	3	3	0.0	0.20	0.20	100.00	100.00
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	NO PATROL	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	604	749	165	222	0	0	165	222	2.5	0.27	0.30	100.00	100.00

1109480
NORTHWEST BROOK (INDIAN BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	8	9	1	1	0	0	1	1	1.8	0.13	0.11	100.00	100.00
2	28	6	81	MED	26	26	11	12	0	0	11	12	1.8	0.42	0.46	100.00	100.00
3	5	7	81	MED	36	36	15	17	0	0	15	17	2.0	0.42	0.47	100.00	100.00
4	12	7	81	MED	33	33	6	8	0	0	6	8	1.8	0.18	0.24	100.00	100.00
5	19	7	81	MED	41	45	19	21	0	0	19	21	2.0	0.46	0.47	100.00	100.00
6	26	7	81	MED	33	35	10	11	0	0	10	11	0.0	0.30	0.31	100.00	100.00
7	2	8	81	LOW	10	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	19	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	13	14	2	3	0	0	2	3	0.0	0.15	0.21	100.00	100.00
11	30	8	81	MED	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	231	244	64	73	0	0	64	73	2.0	0.28	0.30	100.00	100.00

110949
INDIAN BAY BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	92	103	30	36	0	0	30	36	0.0	0.33	0.35	100.00	100.00
2	28	6	81	MED	83	93	84	96	0	0	84	96	0.0	1.01	1.03	100.00	100.00
3	5	7	81	MED	161	191	87	105	0	0	87	105	0.0	0.54	0.55	100.00	100.00
4	12	7	81	MED	230	242	191	204	0	0	191	204	2.3	0.83	0.84	100.00	100.00
5	19	7	81	MED	143	165	95	113	0	0	95	113	0.0	0.66	0.68	100.00	100.00
6	26	7	81	MED	123	138	81	91	0	0	81	91	0.0	0.66	0.66	100.00	100.00
7	2	8	81	MED	115	135	47	57	0	0	47	57	0.0	0.41	0.42	100.00	100.00
8	9	8	81	MED	121	133	48	55	0	0	48	55	1.6	0.40	0.41	100.00	100.00
9	16	8	81	MED	66	76	27	31	0	0	27	31	0.0	0.41	0.41	100.00	100.00
10	23	8	81	MED	43	50	18	22	0	0	18	22	0.0	0.42	0.44	100.00	100.00
11	30	8	81	MED	23	28	7	10	0	0	7	10	0.0	0.30	0.36	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1200	1354	715	820	0	0	715	820	2.3	0.60	0.61	100.00	100.00

1109560
NORTHWEST RIVER (TRINITY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	8	10	0	1	0	0	0	1	0.0	0.0	0.10	0.0	100.00
3	5	7	81	MED	15	17	2	5	0	0	5	0.0	0.13	0.29	100.00	100.00	
4	12	7	81	LOW	13	15	3	4	0	0	3	0.0	0.23	0.27	100.00	100.00	
5	19	7	81	MED	21	23	10	11	0	0	10	11	1.8	0.48	0.48	100.00	100.00
6	26	7	81	MED	27	29	12	13	0	0	12	13	0.0	0.44	0.45	100.00	100.00
7	2	8	81	LOW	12	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	5	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	1	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	102	115	27	34	0	0	27	34	1.8	0.26	0.30	100.00	100.00

1109750
TRAVERSE BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LB	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81														
2	28	6	81	HI	65	85	22	42	0	0	22	42	0.0	0.34	0.49	100.00	100.00
3	5	7	81	HI	93	103	28	28	0	0	28	28	0.0	0.30	0.27	100.00	100.00
4	12	7	81	HI	85	95	27	27	0	0	27	27	0.0	0.32	0.28	100.00	100.00
5	19	7	81	HI	99	119	45	45	0	0	45	45	0.0	0.45	0.38	100.00	100.00
6	26	7	81	MED	82	102	16	26	0	0	16	26	0.0	0.20	0.25	100.00	100.00
7	2	8	81	LOW	44	47	11	12	0	0	11	12	0.0	0.25	0.26	100.00	100.00
8	9	8	81	MED	42	47	12	14	0	0	12	14	1.8	0.29	0.30	100.00	100.00
9	16	8	81	MED	41	44	7	8	0	0	7	8	0.0	0.17	0.18	100.00	100.00
10	23	8	81	MED	40	45	6	7	0	0	6	7	0.0	0.15	0.16	100.00	100.00
11	30	8	81	HI	23	27	3	4	0	0	3	4	0.0	0.13	0.15	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	614	714	177	213	0	0	177	213	1.8	0.29	0.30	100.00	100.00

110976
MIDDLE BROOK (GAMBO)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	18	18	23	23	0	0	23	23	0.0	1.28	1.28	100.00	100.00
2	28	6	81	MED	145	165	48	53	0	0	48	53	2.3	0.33	0.32	100.00	100.00
3	5	7	81	MED	257	277	120	130	0	0	120	130	2.3	0.47	0.47	100.00	100.00
4	12	7	81	LOW	227	257	97	107	0	0	97	107	2.3	0.43	0.42	100.00	100.00
5	19	7	81	HI	284	304	84	94	0	0	84	94	2.3	0.30	0.31	100.00	100.00
6	26	7	81	MED	205	225	83	93	0	0	83	93	2.3	0.40	0.41	100.00	100.00
7	2	8	81	MED	145	145	47	47	0	0	47	47	2.8	0.32	0.32	100.00	100.00
8	9	8	81	MED	97	100	17	19	0	0	17	19	2.3	0.18	0.19	100.00	100.00
9	16	8	81	MED	41	41	14	14	0	0	14	14	1.8	0.34	0.34	100.00	100.00
10	23	8	81	HI	21	21	5	5	0	0	5	5	1.6	0.24	0.24	100.00	100.00
11	30	8	81	HI	21	21	2	2	0	0	2	2	0.0	0.10	0.10	100.00	100.00
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1461	1574	540	587	0	0	540	587	2.8	0.37	0.37	100.00	100.00

110978
GAMBO BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	10	10	3	3	0	0	3	3	0.0	0.30	0.30	100.00	100.00
2	28	6	81	MED	115	115	15	15	1	1	16	16	0.0	0.14	0.14	93.75	93.75
3	5	7	81	MED	197	197	74	74	0	0	74	74	1.8	0.38	0.38	100.00	100.00
4	12	7	81	MED	199	199	107	107	0	0	107	107	3.2	0.54	0.54	100.00	100.00
5	19	7	81	MED	234	234	116	116	0	0	116	116	2.0	0.50	0.50	100.00	100.00
6	26	7	81	MED	252	252	119	119	0	0	119	119	2.9	0.47	0.47	100.00	100.00
7	2	8	81	MED	212	212	138	138	0	0	138	138	2.3	0.65	0.65	100.00	100.00
8	9	8	81	LOW	156	156	67	67	0	0	67	67	2.5	0.43	0.43	100.00	100.00
9	16	8	81	MED	139	139	65	65	0	0	65	65	2.3	0.47	0.47	100.00	100.00
10	23	8	81	MED	139	139	42	42	0	0	42	42	2.3	0.30	0.30	100.00	100.00
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1653	1653	746	746	1	1	747	747	3.2	0.45	0.45	99.87	99.87

1110130
NORTHWEST BROOK (ALEXANDER BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	18	28	3	3	0	0	3	3	1.8	0.17	0.11	100.00	100.00
4	12	7	81	LOW	23	23	9	9	0	0	9	9	2.0	0.39	0.39	100.00	100.00
5	19	7	81	HI	22	22	5	5	0	0	5	5	1.8	0.23	0.23	100.00	100.00
6	26	7	81	MED	29	29	9	9	0	0	9	9	1.8	0.31	0.31	100.00	100.00
7	2	8	81	MED	78	78	5	5	0	0	5	5	2.0	0.06	0.06	100.00	100.00
8	9	8	81	HI	63	63	3	3	0	0	3	3	1.8	0.05	0.05	100.00	100.00
9	16	8	81	MED	36	36	4	4	0	0	4	4	1.8	0.11	0.11	100.00	100.00
10	23	8	81	MED	31	31	1	1	0	0	1	1	1.8	0.03	0.03	100.00	100.00
11	30	8	81	MED	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81														NO PATROL
TOTAL				MED	314	324	39	39	0	0	39	39	2.0	0.12	0.12	100.00	100.00

111022
TERRA NOVA RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	39	49	9	12	0	0	9	12	1.8	0.23	0.24	100.00	100.00
2	28	6	81	MED	153	153	43	43	2	2	45	45	2.9	0.29	0.29	95.56	95.56
3	5	7	81	MED	208	208	94	94	3	3	97	97	3.2	0.47	0.47	96.91	96.91
4	12	7	81	MED	227	227	132	132	7	7	139	139	4.5	0.61	0.61	94.96	94.96
5	19	7	81	MED	172	172	163	163	9	9	172	172	3.6	1.00	1.00	94.77	94.77
6	26	7	81	MED	129	129	113	113	3	3	116	116	3.6	0.90	0.90	97.41	97.41
7	2	8	81	MED	133	133	69	69	2	2	71	71	3.2	0.53	0.53	97.18	97.18
8	9	8	81	MED	106	106	55	55	2	2	57	57	3.2	0.54	0.54	96.49	96.49
9	16	8	81	MED	80	80	40	40	3	3	43	43	3.2	0.54	0.54	93.02	93.02
10	23	8	81	MED	43	43	18	18	2	2	20	20	2.9	0.47	0.47	90.00	90.00
11	30	8	81	HI	3	3	0	0	0	0	0	0	8.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1293	1303	736	739	33	33	769	772	4.5	0.59	0.59	95.71	95.73

1210880
NORTHWEST RIVER (PORT BLANDFORD)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	48	54	3	3	0	0	3	3	1.6	0.06	0.06	100.00	100.00
2	28	6	81	MED	165	176	25	25	0	0	25	25	2.3	0.15	0.14	100.00	100.00
3	5	7	81	MED	194	206	27	30	0	0	27	30	2.0	0.14	0.15	100.00	100.00
4	12	7	81	MED	161	184	31	34	0	0	31	34	2.0	0.19	0.18	100.00	100.00
5	19	7	81	HI	121	133	17	21	0	0	17	21	2.0	0.14	0.16	100.00	100.00
6	26	7	81	HI	128	141	22	24	1	1	23	25	3.2	0.18	0.18	95.65	96.00
7	2	8	81	MED	79	87	8	9	0	0	8	9	1.6	0.10	0.10	100.00	100.00
8	9	8	81	MED	40	44	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	7	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	10	13	1	2	0	0	1	2	1.4	0.10	0.15	100.00	100.00
11	30	8	81	HI	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	954	1047	134	148	1	1	135	149	3.2	0.14	0.14	99.26	99.33

1210890
SALMON BROOK (PORT BLANDFORD)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	25	25	0	1	0	0	0	1	0.0	0.0	0.04	0.0	100.00
3	5	7	81	MED	35	43	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	22	29	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	32	35	9	11	0	0	9	11	1.8	0.28	0.31	100.00	100.00
6	26	7	81	HI	42	46	15	17	0	0	15	17	1.8	0.36	0.37	100.00	100.00
7	2	8	81	MED	33	36	5	6	0	0	5	6	1.6	0.15	0.17	100.00	100.00
8	9	8	81	LOW	11	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	217	248	29	35	0	0	29	35	1.8	0.13	0.14	100.00	100.00

1210930
SOUTHWEST BROOK (PORT BLANDFORD)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	7	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	18	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	21	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	20	26	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	23	25	9	10	0	0	9	10	1.8	0.39	0.40	100.00	100.00
6	26	7	81	HI	61	67	27	30	0	0	27	30	1.8	0.44	0.45	100.00	100.00
7	2	8	81	MED	65	72	11	12	0	0	11	12	2.0	0.17	0.17	100.00	100.00
8	9	8	81	LOW	27	30	1	2	0	0	1	2	1.4	0.04	0.07	100.00	100.00
9	16	8	81	MED	7	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	253	287	48	54	0	0	48	54	2.0	0.19	0.19	100.00	100.00

1512520
SALMON COVE RIVER (CHAMPNEYS)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	20	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	35	41	3	3	0	0	3	3	1.6	0.09	0.07	100.00	100.00
3	5	7	81	HI	92	102	12	16	2	2	14	18	2.0	0.15	0.18	85.71	88.89
4	12	7	81	HI	109	119	10	12	0	0	10	12	2.3	0.09	0.10	100.00	100.00
5	19	7	81	HI	125	140	20	25	0	0	20	25	2.0	0.16	0.18	100.00	100.00
6	26	7	81	MED	77	89	13	18	0	0	13	18	1.8	0.17	0.20	100.00	100.00
7	2	8	81	MED	54	64	8	12	0	0	8	12	1.8	0.15	0.19	100.00	100.00
8	9	8	81	LOW	40	50	5	8	0	0	5	8	1.6	0.13	0.16	100.00	100.00
9	16	8	81	LOW	47	59	5	8	0	0	5	8	1.8	0.11	0.14	100.00	100.00
10	23	8	81	MED	25	30	3	5	0	0	3	5	1.6	0.12	0.17	100.00	100.00
11	30	8	81	MED	19	25	2	4	0	0	2	4	1.6	0.11	0.16	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	643	741	81	111	2	2	83	113	2.3	0.13	0.15	97.59	98.23

1512620
TROUTY RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	8	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	34	39	3	5	0	0	3	5	1.6	0.09	0.13	100.00	100.00
3	5	7	81	MED	23	35	5	7	0	0	5	7	1.8	0.22	0.20	100.00	100.00
4	12	7	81	HI	43	48	7	10	0	0	7	10	2.3	0.16	0.21	100.00	100.00
5	19	7	81	HI	35	50	4	5	0	0	4	5	2.3	0.11	0.10	100.00	100.00
6	26	7	81	MED	34	39	4	5	0	0	4	5	1.6	0.06	0.13	100.00	100.00
7	2	8	81	MED	46	56	6	9	0	0	6	9	1.6	0.13	0.16	100.00	100.00
8	9	8	81	LOW	27	32	5	7	0	0	5	7	1.4	0.19	0.22	100.00	100.00
9	16	8	81	LOW	21	31	3	6	0	0	3	6	1.6	0.14	0.19	100.00	100.00
10	23	8	81	MED	11	19	2	3	0	0	2	3	1.4	0.18	0.16	100.00	100.00
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	282	367	37	57	0	0	37	57	2.3	0.13	0.16	100.00	100.00

1612750
POPES HARBOUR RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	OBS.
1	21	6	81	LOW	11	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	LDW	18	24	5	7	0	0	5	7	1.8	0.28	0.29	100.00	100.00	100.00
3	5	7	81	MED	54	64	15	19	1	2	16	21	2.7	0.30	0.33	93.75	90.48	90.48
4	12	7	81	MED	65	75	18	23	3	5	21	28	2.7	0.32	0.37	85.71	82.14	82.14
5	19	7	81	HI	62	77	23	31	5	7	28	38	3.2	0.45	0.49	82.14	81.58	81.58
6	26	7	81	MED	74	84	21	31	5	9	26	40	3.2	0.35	0.48	80.77	77.50	77.50
7	2	8	81	LOW	63	73	12	19	2	4	14	23	2.7	0.22	0.32	85.71	82.61	82.61
8	9	8	81	LDW	45	55	8	12	0	0	8	12	1.8	0.18	0.22	100.00	100.00	100.00
9	16	8	81	LOW	42	50	9	15	0	0	9	15	1.8	0.21	0.30	100.00	100.00	100.00
10	23	8	81	MED	34	38	8	10	0	0	8	10	2.3	0.24	0.26	100.00	100.00	100.00
11	30	8	81	MED	26	32	5	7	0	0	5	7	1.8	0.19	0.22	100.00	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	494	588	124	174	16	27	140	201	3.2	0.28	0.34	88.57	86.57	86.57

1613060
SHOAL HARBOUR RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	OBS.
1	21	6	81	MED	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	9	13	1	2	0	0	1	2	0.0	0.11	0.15	100.00	100.00	100.00
3	5	7	81	MED	20	25	1	4	0	0	1	4	0.0	0.05	0.16	100.00	100.00	100.00
4	12	7	81	MED	10	20	2	4	0	0	2	4	1.1	0.20	0.20	100.00	100.00	100.00
5	19	7	81	MED	18	28	2	4	0	0	2	4	2.0	0.11	0.14	100.00	100.00	100.00
6	26	7	81	LOW	29	44	2	5	0	0	2	5	1.4	0.07	0.11	100.00	100.00	100.00
7	2	8	81	MED	35	45	4	7	0	0	4	7	2.0	0.11	0.16	100.00	100.00	100.00
8	9	8	81	MED	17	22	1	3	0	0	1	3	2.0	0.06	0.14	100.00	100.00	100.00
9	16	8	81	MED	15	20	1	2	0	0	1	2	0.9	0.07	0.10	100.00	100.00	100.00
10	23	8	81	MED	5	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	160	229	14	31	0	0	14	31	2.0	0.09	0.14	100.00	100.00	100.00

1713950
DEER HARBOUR BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	OBS.
1	21	6	81														NO PATROL	
2	28	6	81														NO PATROL	
3	5	7	81														NO PATROL	
4	12	7	81														NO PATROL	
5	19	7	81														NO PATROL	
6	26	7	81														NO PATROL	
7	2	8	81														NO PATROL	
8	9	8	81														NO PATROL	
9	16	8	81														NO PATROL	
10	23	8	81														NO PATROL	
11	30	8	81														NO PATROL	
12	6	9	81														NO PATROL	
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0

171468
BELLEVUE BROOK (TROUT BROOK)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	OBS.
1	21	6	81	MED	14	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	20	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	HI	23	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	12	24	3	6	0	0	3	6	0.0	0.25	0.33	100.00	100.00	100.00
5	19	7	81	HI	97	167	18	33	0	0	18	33	0.0	0.19	0.24	100.00	100.00	100.00
6	26	7	81	MED	131	231	26	56	0	0	26	56	0.0	0.20	0.24	100.00	100.00	100.00
7	2	8	81	HI	109	209	31	61	0	0	31	61	2.5	0.28	0.29	100.00	100.00	100.00
8	9	8	81	MED	104	144	11	24	0	0	11	24	2.3	0.11	0.17	100.00	100.00	100.00
9	16	8	81	HI	90	130	9	24	0	0	9	24	2.8	0.10	0.18	100.00	100.00	100.00
10	23	8	81	HI	60	75	3	7	0	0	3	7	0.0	0.05	0.09	100.00	100.00	100.00
11	30	8	81	HI	46	86	3	10	0	0	3	10	2.5	0.07	0.12	100.00	100.00	100.00
12	6	9	81	HI	10	15	2	3	0	0	2	3	2.5	0.20	0.20	100.00	100.00	100.00
TOTAL				HI	716	1178	106	226	0	0	106	226	2.5	0.15	0.19	100.00	100.00	100.00

1714870
SPREAD EAGLE BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	LOW	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	16	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	4	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	22	29	1	1	0	0	1	1	0.0	0.05	0.03	100.00	100.00
6	26	7	81	HI	25	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	35	45	3	4	0	0	3	4	0.0	0.09	0.09	100.00	100.00
8	9	8	81	MED	33	38	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	33	43	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	25	31	1	1	0	0	1	1	0.0	0.04	0.03	100.00	100.00
11	30	8	81	MED	25	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	237	303	5	6	0	0	5	6	0.0	0.02	0.02	100.00	100.00

2115720
SALMON COVE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	13	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	37	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	21	30	1	1	0	0	1	1	1.4	0.05	0.03	100.00	100.00
4	12	7	81	HI	31	40	2	4	0	0	2	4	1.4	0.06	0.10	100.00	100.00
5	19	7	81	HI	37	49	2	4	0	0	2	4	1.4	0.05	0.08	100.00	100.00
6	26	7	81	MED	24	34	2	3	0	0	2	3	1.4	0.08	0.09	100.00	100.00
7	2	8	81	LOW	34	44	2	3	0	0	2	3	1.4	0.06	0.07	100.00	100.00
8	9	8	81	LOW	29	37	2	3	0	0	2	3	1.4	0.07	0.08	100.00	100.00
9	16	8	81	LOW	30	37	2	2	0	0	2	2	1.4	0.07	0.05	100.00	100.00
10	23	8	81	MED	34	41	2	3	0	0	2	3	1.4	0.06	0.07	100.00	100.00
11	30	8	81	LOW	28	36	1	2	0	0	1	2	1.1	0.04	0.06	100.00	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	318	406	16	25	0	0	16	25	1.4	0.05	0.06	100.00	100.00

2215970
NORTH RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	13	20	0	2	0	0	0	2	0.0	0.0	0.10	0.0	100.00
2	28	6	81	MED	53	60	2	4	0	0	2	4	2.0	0.04	0.07	100.00	100.00
3	5	7	81	MED	46	50	2	4	0	0	2	4	1.8	0.04	0.08	100.00	100.00
4	12	7	81	HI	52	60	0	2	0	0	0	2	0.0	0.0	0.03	0.0	100.00
5	19	7	81	HI	46	50	3	7	0	0	3	7	2.3	0.07	0.14	100.00	100.00
6	26	7	81	MED	26	30	1	5	0	0	1	5	1.8	0.04	0.17	100.00	100.00
7	2	8	81	MED	28	38	0	2	0	0	0	2	0.0	0.0	0.05	0.0	100.00
8	9	8	81	LOW	33	40	3	5	0	0	3	5	2.7	0.09	0.13	100.00	100.00
9	16	8	81	MED	17	22	1	2	0	0	1	2	1.6	0.06	0.09	100.00	100.00
10	23	8	81	MED	24	30	1	4	0	0	1	4	1.8	0.04	0.13	100.00	100.00
11	30	8	81	HI	21	25	0	2	1	1	1	3	2.7	0.05	0.12	0.0	66.67
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	359	425	13	39	1	1	14	40	2.7	0.04	0.09	92.86	97.50

2215990
SOUTH RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	4	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	11	15	1	1	0	0	0	1	0.0	0.0	0.07	0.0	100.00
3	5	7	81	LOW	11	13	0	1	0	0	0	1	0.0	0.0	0.08	0.0	100.00
4	12	7	81	HI	15	20	0	1	0	0	0	1	0.0	0.0	0.05	0.0	100.00
5	19	7	81	HI	17	20	1	3	0	0	1	3	1.4	0.06	0.15	100.00	100.00
6	26	7	81	MED	7	10	0	2	0	0	0	2	0.0	0.0	0.20	0.0	100.00
7	2	8	81	MED	9	15	0	1	0	0	0	1	0.0	0.0	0.07	0.0	100.00
8	9	8	81	LOW	17	25	3	4	0	0	3	4	2.3	0.18	0.16	100.00	100.00
9	16	8	81	LOW	11	15	1	3	0	0	1	3	1.8	0.09	0.20	100.00	100.00
10	23	8	81	MED	13	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	12	15	0	3	0	0	0	3	0.0	0.0	0.20	0.0	100.00
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	127	176	5	19	0	0	5	19	2.3	0.04	0.11	100.00	100.00

2216220
 NORTH ARM RIVER (HOLYROOD)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	OBS.
1	21	6	81	HI	7	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	31	37	1	2	0	0	1	2	1.8	0.03	0.05	100.00	100.00	
3	5	7	81	HI	49	56	4	5	0	0	4	5	2.0	0.08	0.09	100.00	100.00	
4	12	7	81	HI	41	47	7	10	1	1	8	11	2.7	0.20	0.23	87.50	90.91	
5	19	7	81	HI	24	31	3	5	0	0	3	5	1.8	0.13	0.16	100.00	100.00	
6	26	7	81	MED	30	35	6	8	0	0	6	8	2.0	0.20	0.23	100.00	100.00	
7	2	8	81	LOW	24	28	2	3	0	0	2	3	1.8	0.08	0.11	100.00	100.00	
8	9	8	81	LOW	22	26	2	3	0	0	2	3	1.8	0.09	0.12	100.00	100.00	
9	16	8	81	MED	17	22	1	2	0	0	1	2	1.6	0.06	0.09	100.00	100.00	
10	23	8	81	HI	21	25	0	1	0	0	0	1	0.0	0.0	0.04	0.0	100.00	
11	30	8	81	MED	14	18	0	1	0	0	0	1	0.0	0.0	0.06	0.0	100.00	
12	6	9	81	LOW	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				HI	283	341	26	40	1	1	27	41	2.7	0.10	0.12	96.30	97.56	

 2517350
 CAPE BROYLE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	OBS.
1	21	6	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	13	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	LOW	15	18	3	4	0	0	3	4	1.6	0.20	0.22	100.00	100.00	
4	12	7	81	MED	13	17	1	2	0	0	1	2	1.8	0.08	0.12	100.00	100.00	
5	19	7	81	MED	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
6	26	7	81	LOW	7	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
7	2	8	81	LOW	6	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
8	9	8	81	LOW	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				MED	68	93	4	6	0	0	4	6	1.8	0.06	0.06	100.00	100.00	

 2617640
 RENEWS RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	14	14	3	5	0	0	3	5	1.8	0.21	0.36	100.00	100.00
2	28	6	81	MED	33	33	9	12	0	0	9	12	2.0	0.27	0.36	100.00	100.00
3	5	7	81	LOW	46	56	10	14	0	0	10	14	2.0	0.22	0.25	100.00	100.00
4	12	7	81	MED	29	36	5	7	0	0	5	7	2.0	0.17	0.19	100.00	100.00
5	19	7	81	MED	34	40	7	10	0	0	7	10	2.0	0.21	0.25	100.00	100.00
6	26	7	81	LOW	31	40	6	8	0	0	6	8	2.3	0.19	0.20	100.00	100.00
7	2	8	81	LOW	17	22	5	7	0	0	5	7	1.8	0.29	0.32	100.00	100.00
8	9	8	81	LOW	15	18	3	4	0	0	3	4	1.8	0.20	0.22	100.00	100.00
9	16	8	81	MED	11	15	2	2	0	0	2	2	2.0	0.18	0.13	100.00	100.00
10	23	8	81	MED	11	13	2	2	0	0	2	2	1.8	0.18	0.15	100.00	100.00
11	30	8	81	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	245	291	52	71	0	0	52	71	2.3	0.21	0.24	100.00	100.00

 2700230
 BISCAY-BAY RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	117	130	21	24	0	0	21	24	2.0	0.18	0.18	100.00	100.00
2	28	6	81	MED	215	235	89	96	12	14	101	110	5.3	0.47	0.47	88.12	87.27
3	5	7	81	LOW	180	200	76	92	2	4	78	96	2.9	0.43	0.48	97.44	95.83
4	12	7	81	HI	168	187	80	98	4	10	84	108	3.4	0.50	0.58	95.24	90.74
5	19	7	81	HI	104	116	44	57	2	3	46	60	3.6	0.44	0.52	95.65	95.00
6	26	7	81	MED	121	130	30	35	0	0	30	35	2.5	0.25	0.27	100.00	100.00
7	2	8	81	MED	67	85	5	7	0	0	5	7	2.0	0.07	0.08	100.00	100.00
8	9	8	81	LOW	34	45	8	11	0	0	8	11	2.5	0.24	0.24	100.00	100.00
9	16	8	81	LOW	24	29	0	1	0	0	0	1	0.0	0.0	0.03	0.0	100.00
10	23	8	81	HI	16	21	2	3	0	0	2	3	0.0	0.13	0.14	100.00	100.00
11	30	8	81	MED	1	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1047	1181	355	424	20	31	375	455	5.3	0.36	0.39	94.67	93.19

2700360
 NORTHEAST BROOK (TREPASSEY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	10	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	33	43	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	LOW	18	22	0	1	0	0	0	1	0.0	0.0	0.05	0.0	100.00
4	12	7	81	MED	24	30	3	4	0	0	3	4	1.6	0.13	0.13	100.00	100.00
5	19	7	81	HI	33	37	4	6	0	1	4	7	1.6	0.12	0.19	100.00	85.71
6	26	7	81	LOW	14	18	2	3	0	0	2	3	1.6	0.14	0.17	100.00	100.00
7	2	8	81	LOW	30	32	2	3	0	0	2	3	1.4	0.07	0.09	100.00	100.00
8	9	8	81	LOW	14	18	1	2	0	0	1	2	2.0	0.07	0.11	100.00	100.00
9	16	8	81	LOW	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	186	228	12	19	0	1	12	20	2.0	0.06	0.09	100.00	95.00

 2700380
 NORTHWEST BROOK (TREPASSEY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	34	38	8	10	0	0	8	10	1.8	0.24	0.26	100.00	100.00
2	28	6	81	MED	149	154	40	44	3	3	43	47	4.5	0.29	0.31	93.02	93.62
3	5	7	81	LOW	199	205	47	50	0	0	47	50	2.5	0.24	0.24	100.00	100.00
4	12	7	81	HI	200	210	49	53	4	5	53	58	2.9	0.26	0.28	92.45	91.38
5	19	7	81	HI	138	150	26	30	0	0	26	30	2.3	0.19	0.20	100.00	100.00
6	26	7	81	LOW	54	64	12	15	1	2	13	17	2.7	0.24	0.27	92.31	88.24
7	2	8	81	LOW	55	55	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	HI	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	2	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	837	888	182	202	8	10	190	212	4.5	0.23	0.24	95.79	95.28

 2800860
 PETER'S RIVER (ST. MARY'S BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	24	29	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	33	37	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	LOW	28	33	1	2	0	0	1	2	1.1	0.04	0.06	100.00	100.00
4	12	7	81	MED	22	28	2	3	0	0	2	3	1.4	0.09	0.11	100.00	100.00
5	19	7	81	HI	25	30	2	3	0	1	2	4	1.6	0.08	0.13	100.00	75.00
6	26	7	81	LOW	17	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	6	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	3	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	160	201	5	8	0	1	5	9	1.6	0.03	0.04	100.00	88.89

 280169
 SALMONIER RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	395	420	171	182	0	0	171	182	1.4	0.43	0.43	100.00	100.00
2	28	6	81	HI	613	623	212	214	0	0	212	214	2.0	0.35	0.34	100.00	100.00
3	5	7	81	MED	365	385	99	105	1	1	100	106	2.9	0.27	0.28	99.00	99.06
4	12	7	81	HI	204	204	54	54	0	0	54	54	2.0	0.26	0.26	100.00	100.00
5	19	7	81	HI	147	147	33	33	0	0	33	33	1.6	0.22	0.22	100.00	100.00
6	26	7	81	MED	103	106	15	16	0	0	15	16	2.0	0.15	0.15	100.00	100.00
7	2	8	81	LOW	55	63	7	9	0	0	7	9	2.0	0.13	0.14	100.00	100.00
8	9	8	81	LOW	49	56	5	5	0	0	5	5	2.0	0.10	0.09	100.00	100.00
9	16	8	81	MED	29	39	1	2	0	0	1	2	2.0	0.03	0.05	100.00	100.00
10	23	8	81	HI	9	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	28	34	2	2	0	0	2	2	1.8	0.07	0.06	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1997	2090	599	622	1	1	600	623	2.9	0.30	0.30	99.83	99.84

2802060
 NORTH HARBOUR R (ST. MARY'S BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	14	17	3	4	0	0	3	4	2.0	0.21	0.24	100.00	100.00
3	5	7	81	HI	32	36	5	6	1	1	6	7	5.9	0.19	0.19	83.33	85.71
4	12	7	81	HI	36	41	5	6	0	0	5	6	2.3	0.14	0.15	100.00	100.00
5	19	7	81	HI	19	22	3	4	0	0	3	4	2.3	0.16	0.18	100.00	100.00
6	26	7	81	MED	19	22	4	5	0	0	4	5	2.0	0.21	0.23	100.00	100.00
7	2	8	81	LOW	14	16	1	2	0	0	1	2	1.8	0.07	0.13	100.00	100.00
8	9	8	81	LOW	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	17	19	3	4	0	0	3	4	0.0	0.18	0.21	100.00	100.00
10	23	8	81	LOW	21	23	5	5	0	0	5	5	2.3	0.24	0.22	100.00	100.00
11	30	8	81	MED	12	14	4	4	0	0	4	4	1.8	0.33	0.29	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	195	224	33	40	1	1	34	41	5.9	0.17	0.18	97.06	97.56

 2802170
 LITTLE SALMONIER RIVER (S.M.B.)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	18	22	5	6	0	0	5	6	2.3	0.28	0.27	100.00	100.00
2	28	6	81	HI	62	72	29	31	1	1	30	32	3.4	0.48	0.44	96.67	96.88
3	5	7	81	HI	73	83	33	37	0	0	33	37	2.3	0.45	0.45	100.00	100.00
4	12	7	81	HI	74	84	44	48	0	0	44	48	2.5	0.59	0.57	100.00	100.00
5	19	7	81	HI	63	67	17	19	0	0	17	19	2.3	0.27	0.28	100.00	100.00
6	26	7	81	MED	33	38	9	11	0	0	9	11	2.3	0.27	0.29	100.00	100.00
7	2	8	81	MED	34	39	16	20	1	1	17	21	4.5	0.50	0.54	94.12	95.24
8	9	8	81	LOW	22	26	6	8	0	0	6	8	1.8	0.27	0.31	100.00	100.00
9	16	8	81	LOW	25	31	13	16	0	0	13	16	2.3	0.52	0.52	100.00	100.00
10	23	8	81	MED	20	24	6	8	0	0	6	8	2.3	0.30	0.33	100.00	100.00
11	30	8	81	HI	24	30	9	11	0	0	9	11	2.3	0.38	0.37	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	448	516	187	215	2	2	189	217	4.5	0.42	0.42	98.94	99.08

 2802210
 BIG BARACHOIS RIVER (S.M.B.)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	4	6	3	3	0	0	3	3	1.8	0.75	0.50	100.00	100.00
2	28	6	81	HI	31	35	15	17	1	1	16	18	2.7	0.52	0.51	93.75	94.44
3	5	7	81	HI	38	46	20	23	0	0	20	23	2.3	0.53	0.50	100.00	100.00
4	12	7	81	HI	48	54	17	20	0	0	17	20	2.3	0.35	0.37	100.00	100.00
5	19	7	81	HI	41	45	8	10	0	0	8	10	2.3	0.20	0.22	100.00	100.00
6	26	7	81	MED	24	28	5	7	0	0	5	7	0.0	0.21	0.25	100.00	100.00
7	2	8	81	LOW	19	23	2	3	0	0	2	3	1.8	0.11	0.13	100.00	100.00
8	9	8	81	LOW	12	14	1	1	0	0	1	1	1.8	0.08	0.07	100.00	100.00
9	16	8	81	LOW	16	20	5	7	0	0	5	7	0.0	0.31	0.35	100.00	100.00
10	23	8	81	LOW	9	11	3	4	0	0	3	4	0.0	0.33	0.36	100.00	100.00
11	30	8	81	MED	9	11	2	3	0	0	2	3	1.8	0.22	0.27	100.00	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	251	293	81	98	1	1	82	99	2.7	0.33	0.34	98.78	98.99

 2802380
 BRANCH RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81														
2	28	6	81	MED	126	136	23	33	2	2	25	35	2.9	0.20	0.26	NO PATROL!	94.29
3	5	7	81	MED	121	136	52	58	0	0	52	58	2.3	0.43	0.43	100.00	100.00
4	12	7	81	MED	93	100	47	57	2	2	49	59	3.9	0.53	0.59	95.92	96.61
5	19	7	81	HI	60	70	37	43	0	0	37	43	2.5	0.62	0.61	100.00	100.00
6	26	7	81	MED	64	74	14	17	0	0	14	17	2.5	0.22	0.23	100.00	100.00
7	2	8	81	MED	51	59	6	8	0	0	6	8	2.3	0.12	0.14	100.00	100.00
8	9	8	81	LOW	48	50	4	5	0	0	4	5	2.5	0.08	0.10	100.00	100.00
9	16	8	81	MED	19	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	24	28	4	8	0	0	4	8	0.0	0.17	0.29	100.00	100.00
11	30	8	81	LOW	37	40	0	2	0	0	0	2	0.0	0.0	0.05	0.0	100.00
12	6	9	81	LOW	6	10	1	3	0	0	1	3	0.0	0.17	0.30	100.00	100.00
TOTAL				MED	649	722	188	234	4	4	192	238	3.9	0.30	0.33	97.92	98.32

2902820
 GREAT BARASWAY BROOK (P.BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81		47	47	0	0	1	1	1	1	0.0	0.02	0.02		NO PATROL
2	28	6	81	MED	55	55	9	9	0	0	9	9	0.0	0.16	0.16	100.00	100.00
3	5	7	81	MED	76	76	9	9	0	0	9	9	0.0	0.12	0.12	100.00	100.00
4	12	7	81	HI	62	62	4	4	0	0	4	4	0.0	0.06	0.06	100.00	100.00
5	19	7	81	HI	76	76	9	9	0	0	9	9	0.0	0.12	0.12	100.00	100.00
6	26	7	81	MED	34	34	1	1	0	0	1	1	0.0	0.03	0.03	100.00	100.00
7	2	8	81	HI	34	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	HI	42	42	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	HI	18	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	27	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI													NO PATROL
12	6	9	81														NO PATROL
TOTAL				HI	471	471	32	32	1	1	33	33	0.0	0.07	0.07	96.97	96.97

 2902980
 SOUTHEAST RIVER (PLACENTIA)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	65	68	4	5	0	0	4	5	1.9	0.06	0.07	100.00	100.00
2	28	6	81	HI	133	145	14	16	0	0	14	16	2.3	0.11	0.11	100.00	100.00
3	5	7	81	HI	114	128	17	18	0	0	17	18	2.5	0.15	0.14	100.00	100.00
4	12	7	81	HI	136	144	25	28	2	2	27	30	1.6	0.20	0.21	92.59	93.33
5	19	7	81	HI	135	142	16	19	1	1	17	20	3.9	0.13	0.14	94.12	95.00
6	26	7	81	MED	123	129	13	14	0	0	13	14	2.5	0.11	0.11	100.00	100.00
7	2	8	81	LOW	82	86	5	6	0	0	5	6	2.3	0.06	0.07	100.00	100.00
8	9	8	81	LOW	73	76	5	6	0	0	5	6	2.3	0.07	0.08	100.00	100.00
9	16	8	81	MED	58	58	5	6	0	0	5	6	2.5	0.09	0.10	100.00	100.00
10	23	8	81	MED	49	57	2	3	1	1	3	4	2.9	0.06	0.07	66.67	75.00
11	30	8	81	LOW	55	64	2	3	0	0	2	3	2.0	0.04	0.05	100.00	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	1023	1097	108	124	4	4	112	128	3.9	0.11	0.12	96.43	96.88

 2903070
 NORTHEAST RIVER (PLACENTIA)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	104	119	15	18	0	0	15	18	1.8	0.14	0.15	100.00	100.00
2	28	6	81	HI	382	397	83	93	0	0	83	93	2.5	0.22	0.23	100.00	100.00
3	5	7	81	HI	362	387	47	59	0	0	47	59	2.0	0.13	0.13	100.00	100.00
4	12	7	81	HI	376	406	43	53	0	0	43	53	2.3	0.11	0.13	100.00	100.00
5	19	7	81	HI	242	267	34	44	0	0	34	44	2.0	0.14	0.16	100.00	100.00
6	26	7	81	HI	157	172	16	22	0	0	16	22	2.0	0.10	0.13	100.00	100.00
7	2	8	81	LOW	147	167	12	17	0	0	12	17	2.5	0.08	0.10	100.00	100.00
8	9	8	81	LOW	107	127	9	13	0	0	9	13	1.8	0.08	0.10	100.00	100.00
9	16	8	81	LOW	83	103	4	7	0	0	4	7	1.8	0.05	0.07	100.00	100.00
10	23	8	81	HI	79	94	8	11	0	0	8	11	1.8	0.10	0.12	100.00	100.00
11	30	8	81	MED	68	83	9	11	0	0	9	11	1.8	0.13	0.13	100.00	100.00
12	6	9	81	LOW	14	17	1	1	0	0	1	1	1.6	0.07	0.06	100.00	100.00
TOTAL				HI	2121	2339	281	349	0	0	281	349	2.5	0.13	0.15	100.00	100.00

 3003740
 COME BY CHANCE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	15	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	61	81	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	62	82	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	33	46	4	6	0	1	4	7	2.0	0.12	0.15	100.00	85.71
5	19	7	81	HI	41	55	7	10	0	0	7	10	2.3	0.17	0.18	100.00	100.00
6	26	7	81	MED	39	50	5	7	0	0	5	7	2.0	0.13	0.14	100.00	100.00
7	2	8	81	LOW	36	48	4	6	0	0	4	6	1.4	0.11	0.13	100.00	100.00
8	9	8	81	MED	23	29	2	3	0	0	2	3	1.6	0.09	0.10	100.00	100.00
9	16	8	81	MED	16	22	1	2	0	0	1	2	1.8	0.06	0.09	100.00	100.00
10	23	8	81	MED	7	10	0	1	0	0	0	1	0.0	0.0	0.10	0.0	100.00
11	30	8	81														NO PATROL
12	6	9	81														NO PATROL
TOTAL				MED	333	443	23	35	0	1	23	36	2.3	0.07	0.08	100.00	97.22

3003830
WATSONS BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	OBS.
1	21	6	81	MED	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	HI	18	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	20	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	34	45	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	26	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	20	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	24	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	25	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	187	233	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0

3003880
NORTH HARBOUR RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	16	20	3	4	0	0	3	4	2.0	0.19	0.20	100.00	100.00
2	28	6	81	HI	70	85	3	4	0	0	3	4	2.3	0.04	0.05	100.00	100.00
3	5	7	81	HI	85	100	7	10	0	0	7	10	1.8	0.08	0.10	100.00	100.00
4	12	7	81	HI	58	73	2	3	0	0	2	3	1.8	0.03	0.04	100.00	100.00
5	19	7	81	HI	80	100	2	3	0	0	2	3	1.4	0.02	0.03	100.00	100.00
6	26	7	81	MED	55	70	2	3	0	0	2	3	1.8	0.04	0.04	100.00	100.00
7	2	8	81	LOW	55	70	3	4	0	0	3	4	1.6	0.05	0.06	100.00	100.00
8	9	8	81	LOW	75	95	6	8	0	0	6	8	2.3	0.08	0.08	100.00	100.00
9	16	8	81	MED	55	70	4	6	0	0	4	6	1.8	0.07	0.09	100.00	100.00
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	549	683	32	45	0	0	32	45	2.3	0.06	0.07	100.00	100.00

3004090
BLACK RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	23	28	4	5	0	0	4	5	2.3	0.17	0.18	100.00	100.00
2	28	6	81	MED	37	47	2	3	0	0	2	3	2.0	0.05	0.06	100.00	100.00
3	5	7	81	HI	41	49	4	5	0	0	4	5	2.0	0.10	0.10	100.00	100.00
4	12	7	81	HI	42	52	10	12	0	0	10	12	2.0	0.24	0.23	100.00	100.00
5	19	7	81	HI	50	60	14	19	0	0	14	19	2.3	0.28	0.32	100.00	100.00
6	26	7	81	HI	29	34	12	14	1	1	13	15	3.0	0.45	0.44	92.31	93.33
7	2	8	81	MED	35	45	7	8	0	0	7	8	1.8	0.20	0.18	100.00	100.00
8	9	8	81	MED	19	24	6	7	0	0	6	7	2.0	0.32	0.29	100.00	100.00
9	16	8	81	MED	23	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	7	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	310	386	59	73	1	1	60	74	3.0	0.19	0.19	98.33	98.65

3004160
PIPERS MOLE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	76	86	12	14	0	0	12	14	2.0	0.16	0.16	100.00	100.00
2	28	6	81	MED	133	148	14	17	0	0	14	17	2.0	0.11	0.11	100.00	100.00
3	5	7	81	HI	154	164	14	16	0	0	14	16	2.0	0.09	0.10	100.00	100.00
4	12	7	81	HI	101	116	13	16	0	0	13	16	1.8	0.13	0.14	100.00	100.00
5	19	7	81	HI	109	129	13	18	0	0	13	18	2.0	0.12	0.14	100.00	100.00
6	26	7	81	HI	92	104	19	23	1	2	20	25	3.2	0.22	0.24	95.00	92.00
7	2	8	81	MED	45	55	24	26	0	0	24	26	2.0	0.53	0.47	100.00	100.00
8	9	8	81	MED	53	63	8	10	0	0	8	10	1.8	0.15	0.16	100.00	100.00
9	16	8	81	MED	29	39	3	4	0	0	3	4	1.6	0.10	0.10	100.00	100.00
10	23	8	81	HI	11	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	803	919	120	144	1	2	121	146	3.2	0.15	0.16	99.17	98.63

3105470
NONSUCH BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81														NO PATROL
2	28	6	81	MED	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	LOW	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	15	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3105560
CAPE ROGER RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	32	32	36	36	0	0	36	36	1.8	1.13	1.13	100.00	100.00
2	28	6	81	MED	73	83	69	77	0	0	69	77	2.5	0.95	0.93	100.00	100.00
3	5	7	81	MED	63	63	19	19	0	0	19	19	2.3	0.30	0.30	100.00	100.00
4	12	7	81	MED	14	14	2	2	0	0	2	2	1.8	0.14	0.14	100.00	100.00
5	19	7	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	LOW	6	12	1	5	0	0	1	5	0.9	0.17	0.42	100.00	100.00
7	2	8	81	MED	4	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81														NO PATROL
10	23	8	81														NO PATROL
11	30	8	81														NO PATROL
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	192	212	127	139	0	0	127	139	2.5	0.66	0.66	100.00	100.00

3105760
BAY DE L'EAU RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	81	101	23	35	0	0	23	35	0.0	0.28	0.35	100.00	100.00
2	28	6	81	MED	187	237	60	80	0	0	60	80	2.3	0.32	0.34	100.00	100.00
3	5	7	81	MED	293	343	56	68	6	6	62	74	3.2	0.21	0.22	90.32	91.89
4	12	7	81	MED	204	254	25	35	4	4	29	39	2.9	0.14	0.15	86.21	89.74
5	19	7	81	HI	156	206	13	25	2	2	15	27	2.9	0.10	0.13	86.67	92.59
6	26	7	81	MED	121	171	9	21	1	1	10	22	3.4	0.08	0.13	90.00	95.45
7	2	8	81	MED	88	108	6	8	2	2	8	10	2.9	0.09	0.09	75.00	80.00
8	9	8	81	MED	69	94	1	1	0	0	1	1	2.3	0.01	0.01	100.00	100.00
9	16	8	81	MED	60	85	2	4	0	0	2	4	2.3	0.03	0.05	100.00	100.00
10	23	8	81	MED	44	69	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1308	1673	195	277	15	15	210	292	3.4	0.16	0.17	92.86	94.86

3105990
NORTHEAST BRANCH (RED HARBOUR)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81														NO PATROL
3	5	7	81	MED	14	20	3	5	0	0	3	5	0.0	0.21	0.25	100.00	100.00
4	12	7	81														NO PATROL
5	19	7	81	MED	0	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81														NO PATROL
7	2	8	81														NO PATROL
8	9	8	81														NO PATROL
9	16	8	81														NO PATROL
10	23	8	81														NO PATROL
11	30	8	81														NO PATROL
12	6	9	81														NO PATROL
TOTAL				MED	14	32	3	5	0	0	3	5	0.0	0.21	0.16	100.00	100.00

310600
RED HARBOUR RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81														NO PATROL
3	5	7	81	MED	13	19	2	5	0	0	2	5	0.0	0.15	0.26	100.00	100.00
4	12	7	81														NO PATROL
5	19	7	81	MED	0	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	11	23	1	3	1	1	2	4	2.7	0.18	0.17	50.00	75.00
7	2	8	81														NO PATROL
8	9	8	81														NO PATROL
9	16	8	81														NO PATROL
10	23	8	81														NO PATROL
11	30	8	81														NO PATROL
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	24	54	3	8	1	1	4	9	2.7	0.17	0.17	75.00	88.89

3206370
NORTHWEST BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	5	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	2	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	5	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	9	12	2	4	0	0	2	4	0.0	0.22	0.33	100.00	100.00
6	26	7	81	MED	7	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	10	17	0	2	0	0	0	2	0.0	0.0	0.12	0.0	100.00
8	9	8	81	MED	8	13	2	3	0	0	2	3	0.0	0.25	0.23	100.00	100.00
9	16	8	81	MED	7	11	2	3	0	0	2	3	0.0	0.29	0.27	100.00	100.00
10	23	8	81	MED	5	9	1	2	0	0	1	2	0.0	0.20	0.22	100.00	100.00
11	30	8	81	LOW	3	6	0	1	0	0	0	1	0.0	0.0	0.17	0.0	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	61	104	7	15	0	0	7	15	0.0	0.11	0.14	100.00	100.00

3206950
BIG SALMONIER BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	34	40	3	4	1	1	4	5	3.4	0.12	0.13	75.00	80.00
2	28	6	81	HI	19	25	1	2	1	1	2	3	3.0	0.11	0.12	50.00	66.67
3	5	7	81	MED	11	14	1	2	0	0	1	2	0.0	0.09	0.14	100.00	100.00
4	12	7	81	HI	5	13	1	2	0	1	1	3	1.6	0.20	0.23	100.00	66.67
5	19	7	81	HI	22	30	6	8	1	1	7	9	0.0	0.32	0.30	85.71	88.89
6	26	7	81	MED	9	15	2	3	0	0	2	3	2.3	0.22	0.20	100.00	100.00
7	2	8	81	MED	9	13	1	2	0	0	1	2	2.5	0.11	0.15	100.00	100.00
8	9	8	81	MED	11	18	2	4	0	0	2	4	0.0	0.18	0.22	100.00	100.00
9	16	8	81	MED	13	17	3	5	0	0	3	5	0.0	0.23	0.29	100.00	100.00
10	23	8	81	MED	9	13	2	3	0	0	2	3	0.0	0.22	0.23	100.00	100.00
11	30	8	81	LOW	3	7	0	1	0	0	0	1	0.0	0.0	0.14	0.0	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	145	205	22	36	3	4	25	40	3.4	0.17	0.20	88.00	90.00

3207150
ST. LAWRENCE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81														0.0
2	28	6	81	MED	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81														NO PATROL
4	12	7	81														NO PATROL
5	19	7	81														NO PATROL
6	26	7	81														NO PATROL
7	2	8	81														NO PATROL
8	9	8	81														NO PATROL
9	16	8	81														NO PATROL
10	23	8	81														NO PATROL
11	30	8	81														NO PATROL
12	6	9	81														NO PATROL
TOTAL				MED	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3207280
LAWN RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81														NO PATROL
3	5	7	81														NO PATROL
4	12	7	81														NO PATROL
5	19	7	81														NO PATROL
6	26	7	81														NO PATROL
7	2	8	81														NO PATROL
8	9	8	81														NO PATROL
9	16	8	81														NO PATROL
10	23	8	81														NO PATROL
11	30	8	81														NO PATROL
12	6	9	81														NO PATROL
TOTAL:				MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3207520
TAYLOR BAY BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81														NO PATROL
3	5	7	81	MED	15	21	4	5	0	0	4	5	2.3	0.27	0.24	100.00	100.00
4	12	7	81	HI	23	32	8	11	0	0	8	11	1.6	0.35	0.34	100.00	100.00
5	19	7	81	MED	12	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	11	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	8	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	91	123	12	16	0	0	12	16	2.3	0.13	0.13	100.00	100.00

3207570
SALMONIER RIVER (LAMALINE)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	42	47	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81														NO PATROL
3	5	7	81	MED	32	40	3	5	0	0	3	5	1.8	0.09	0.13	100.00	100.00
4	12	7	81	HI	17	24	3	3	0	0	2	3	1.4	0.12	0.13	100.00	100.00
5	19	7	81	MED	21	29	5	7	0	0	5	7	1.8	0.24	0.24	100.00	100.00
6	26	7	81	MED	16	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	12	15	3	4	0	0	3	4	1.8	0.25	0.27	100.00	100.00
8	9	8	81	MED	14	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	12	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	172	221	13	19	0	0	13	19	1.8	0.08	0.09	100.00	100.00

3207670
PIERCEY'S BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81														NO PATROL
3	5	7	81	MED	8	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	MED	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	12	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	7	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	66	88	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3308040
GRAND BANK BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	14	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	LOW	22	32	1	3	0	0	1	1	1.4	0.05	0.12	100.00	100.00
3	5	7	81	LOW	41	51	2	5	0	1	2	6	1.4	0.05	0.12	100.00	83.33
4	12	7	81	HI	68	78	12	16	8	10	20	26	3.6	0.29	0.33	60.00	61.54
5	19	7	81	HI	62	69	12	18	4	6	16	24	3.6	0.26	0.35	75.00	75.00
6	26	7	81	LOW	54	62	8	10	1	3	9	13	2.9	0.17	0.21	88.89	76.92
7	2	8	81	MED	37	47	3	4	0	1	3	5	1.8	0.08	0.11	100.00	80.00
8	9	8	81	MED	36	44	0	2	0	0	0	2	0.0	0.0	0.05	0.0	100.00
9	16	8	81	MED	37	42	5	6	0	1	5	7	0.0	0.14	0.17	100.00	85.71
10	23	8	81	MED	40	48	5	6	0	0	5	6	0.0	0.13	0.13	100.00	100.00
11	30	8	81	LOW	26	30	2	3	0	0	2	3	1.4	0.08	0.10	100.00	100.00
12	6	9	81	MED	5	6	5	5	0	0	5	5	0.0	1.00	0.83	100.00	100.00
TOTAL				MED	442	525	55	78	13	22	68	100	3.6	0.15	0.19	80.88	78.00

330844
GANNISH RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	HI	355	387	212	228	0	0	212	228	1.8	0.60	0.59	100.00	100.00
2	21	6	81	MED	333	373	190	212	0	0	190	212	1.6	0.57	0.57	100.00	100.00
3	28	6	81	HI	342	384	166	186	0	0	166	186	1.8	0.49	0.48	100.00	100.00
4	5	7	81	LOW	233	297	95	123	0	0	95	123	2.0	0.41	0.41	100.00	100.00
5	12	7	81	HI	185	225	89	106	1	1	90	107	3.4	0.49	0.48	98.89	99.07
6	19	7	81	HI	129	164	67	85	0	0	67	85	1.8	0.52	0.52	100.00	100.00
7	26	7	81	HI	94	114	39	48	2	2	41	50	2.8	0.44	0.44	95.12	96.00
8	2	8	81	HI	95	115	39	48	1	1	40	49	2.7	0.42	0.43	97.50	97.96
9	9	8	81	MED	64	82	15	23	1	1	16	24	2.7	0.25	0.29	93.75	95.83
10	16	8	81	HI	40	54	14	18	0	0	14	18	2.3	0.35	0.33	100.00	100.00
11	23	8	81	MED	29	42	4	6	0	0	4	6	0.0	0.14	0.14	100.00	100.00
12	30	8	81	MED	8	9	12	13	0	0	12	13	0.0	1.50	1.44	100.00	100.00
13	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1907	2246	942	1096	5	5	947	1101	3.4	0.50	0.49	99.47	99.55

3409780
LONG HARBOUR RIVER (FORTUNE BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	60	70	120	140	0	0	120	140	1.8	2.00	2.00	100.00	100.00
2	28	6	81	LOW	140	150	260	300	0	0	260	300	1.8	1.86	2.00	100.00	100.00
3	5	7	81	MED	69	119	124	224	2	2	126	226	3.2	1.83	1.90	98.41	99.12
4	12	7	81	MED	37	47	16	36	0	0	16	36	1.8	0.43	0.77	100.00	100.00
5	19	7	81	HI	21	26	15	25	0	0	15	25	1.6	0.71	0.96	100.00	100.00
6	26	7	81	HI	20	20	16	16	0	0	16	16	2.3	0.80	0.80	100.00	100.00
7	2	8	81	MED	10	15	4	12	0	0	4	12	1.4	0.40	0.80	100.00	100.00
8	9	8	81	MED	9	11	0	4	0	0	0	4	0.0	0.0	0.36	0.0	100.00
9	16	8	81	HI	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	8	8	1	1	0	0	1	1	1.8	0.13	0.13	100.00	100.00
11	30	8	81	MED	6	6	2	2	0	0	2	2	1.4	0.33	0.33	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	388	480	558	760	2	2	560	762	3.2	1.44	1.59	99.64	99.74

3410790
BAY DU NORD RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	37	54	23	23	1	1	24	24	4.5	0.65	0.44	95.83	95.83
2	28	6	81	MED	108	108	47	47	2	2	49	49	5.0	0.45	0.45	95.92	95.92
3	5	7	81	MED	150	150	62	62	1	1	63	63	2.7	0.42	0.42	98.41	98.41
4	12	7	81	HI	72	82	15	18	0	0	15	18	2.3	0.21	0.22	100.00	100.00
5	19	7	81	HI	37	47	9	11	0	0	9	11	2.3	0.24	0.23	100.00	100.00
6	26	7	81	HI	44	50	9	11	1	1	10	12	2.9	0.23	0.24	90.00	91.67
7	2	8	81	MED	37	40	5	7	0	0	5	7	1.8	0.14	0.17	100.00	100.00
8	9	8	81	LOW	11	17	1	4	0	0	1	4	1.8	0.09	0.24	100.00	100.00
9	16	8	81	LOW	7	13	1	3	0	0	1	3	1.6	0.14	0.23	100.00	100.00
10	23	8	81	LOW	2	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	505	567	172	186	5	5	177	191	5.0	0.35	0.34	97.18	97.38

3410940
SIMMONS BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	22	32	1	3	0	0	1	3	1.8	0.05	0.09	100.00	100.00
2	28	6	81	MED	73	83	34	40	0	0	34	40	2.3	0.47	0.48	100.00	100.00
3	5	7	81	HI	59	69	19	23	0	0	19	23	2.3	0.32	0.33	100.00	100.00
4	12	7	81	HI	62	72	21	27	0	0	21	27	2.0	0.34	0.38	100.00	100.00
5	19	7	81	HI	46	56	14	20	0	0	14	20	1.8	0.30	0.36	100.00	100.00
6	26	7	81	HI	64	74	13	18	0	0	13	18	2.0	0.20	0.24	100.00	100.00
7	2	8	81	LOW	43	53	3	5	0	0	3	5	1.8	0.07	0.09	100.00	100.00
8	9	8	81	LOW	4	10	0	2	0	0	0	2	0.0	0.0	0.20	0.0	100.00
9	16	8	81	LOW	10	16	1	2	0	0	1	2	1.4	0.10	0.13	100.00	100.00
10	23	8	81	LOW	8	14	2	3	0	0	2	3	1.8	0.25	0.21	100.00	100.00
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	391	479	108	143	0	0	108	143	2.3	0.28	0.30	100.00	100.00

3411000
SOUTHWEST BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	44	54	4	6	0	0	4	6	1.8	0.09	0.11	100.00	100.00
3	5	7	81	LOW	42	52	7	11	0	0	7	11	1.8	0.17	0.21	100.00	100.00
4	12	7	81	HI	40	50	6	8	0	0	6	8	1.8	0.15	0.16	100.00	100.00
5	19	7	81	HI	48	58	13	18	0	0	13	18	1.8	0.27	0.31	100.00	100.00
6	26	7	81	HI	44	54	9	11	0	0	9	11	1.8	0.20	0.20	100.00	100.00
7	2	8	81	LOW	16	26	4	6	0	0	4	6	1.8	0.25	0.23	100.00	100.00
8	9	8	81	LOW	14	24	2	4	0	0	2	4	1.8	0.14	0.17	100.00	100.00
9	16	8	81	LOW	18	28	2	4	0	0	2	4	1.8	0.11	0.14	100.00	100.00
10	23	8	81	LOW	9	13	1	3	0	0	1	3	1.6	0.11	0.23	100.00	100.00
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	275	359	48	71	0	0	48	71	1.8	0.17	0.20	100.00	100.00

3511530
OLD BROOK (OLD BAY BROOK)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	39	49	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	LOW	18	22	2	4	0	0	2	4	2.0	0.11	0.18	100.00	100.00
3	5	7	81	LOW	14	20	4	10	0	0	4	10	2.0	0.29	0.50	100.00	100.00
4	12	7	81	MED	15	35	2	4	0	0	2	4	0.0	0.13	0.11	100.00	100.00
5	19	7	81	LOW	24	44	10	20	0	0	10	20	0.0	0.42	0.45	100.00	100.00
6	26	7	81	LOW	22	32	4	10	0	0	4	10	0.0	0.18	0.31	100.00	100.00
7	2	8	81	LOW	6	26	4	8	0	0	4	8	1.6	0.67	0.31	100.00	100.00
8	9	8	81	LOW	4	14	0	0	0	0	0	0	2.9	0.0	0.0	0.0	0.0
9	16	8	81	LOW	4	24	1	7	0	0	1	7	2.0	0.25	0.29	100.00	100.00
10	23	8	81	LOW	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	146	276	27	63	0	0	27	63	2.9	0.18	0.23	100.00	100.00

3511560
TAYLOR'S BAY BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	14	18	1	3	0	0	1	3	0.9	0.07	0.17	100.00	100.00
2	28	6	81	LOW	22	26	1	2	0	0	1	2	2.7	0.05	0.08	100.00	100.00
3	5	7	81	LOW	15	35	14	18	1	1	15	19	3.2	1.00	0.54	93.33	94.74
4	12	7	81	MED	15	35	12	18	0	0	12	18	0.0	0.80	0.51	100.00	100.00
5	19	7	81	LOW	24	54	10	25	0	0	10	25	3.6	0.42	0.46	100.00	100.00
6	26	7	81	LOW	22	42	22	42	0	0	22	42	0.0	1.00	1.00	100.00	100.00
7	2	8	81	LOW	6	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	4	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	4	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	126	274	60	108	1	1	61	109	3.6	0.48	0.40	98.36	99.08

3613350
CONNIE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	MED	766	811	357	372	2	2	359	374	4.1	0.47	0.46	99.44	99.47
2	21	6	81	LOW	1141	1191	881	926	0	0	881	926	2.5	0.77	0.78	100.00	100.00
3	28	6	81	MED	804	894	511	556	0	0	511	556	1.6	0.64	0.62	100.00	100.00
4	5	7	81	LOW	763	813	337	367	0	0	337	367	1.6	0.44	0.45	100.00	100.00
5	12	7	81	HI	435	490	202	227	0	0	202	227	1.4	0.46	0.46	100.00	100.00
6	19	7	81	HI	233	258	98	108	0	0	98	108	1.4	0.42	0.42	100.00	100.00
7	26	7	81	MED	184	209	42	52	0	0	42	52	2.3	0.23	0.25	100.00	100.00
8	2	8	81	LOW	136	161	33	41	0	0	33	41	1.4	0.24	0.25	100.00	100.00
9	9	8	81	LOW	76	86	18	20	0	0	18	20	1.4	0.24	0.23	100.00	100.00
10	16	8	81	LOW	50	60	8	10	0	0	8	10	1.1	0.16	0.17	100.00	100.00
11	23	8	81	HI	26	31	3	5	0	0	3	5	1.4	0.12	0.16	100.00	100.00
12	30	8	81	MED	20	25	5	7	0	0	5	7	1.4	0.25	0.28	100.00	100.00
13	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	4634	5029	2495	2691	2	2	2497	2693	4.1	0.54	0.54	99.92	99.93

3614020
LONG REACH BRDOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	27	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	102	102	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	32	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	185	185	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3614070
SALMON RIVER (BAY D'EST)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	4	4	4	4	0	0	4	4	2.0	1.00	1.00	100.00	100.00
4	12	7	81	MED	4	4	3	3	0	0	3	3	1.4	0.75	0.75	100.00	100.00
5	19	7	81	HI	22	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	9	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	47	47	7	7	0	0	7	7	2.0	0.15	0.15	100.00	100.00

3614260
D'ESPOIR BROOK (BAY DU NORD)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	HI	8	8	3	3	0	0	3	3	1.4	0.38	0.38	100.00	100.00
4	12	7	81	MED	2	2	3	3	0	0	3	3	1.4	1.50	1.50	100.00	100.00
5	19	7	81	HI	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	26	26	6	6	0	0	6	6	1.4	0.23	0.23	100.00	100.00

3614760
ALLAN'S COVE BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	16	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	LOW	20	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	30	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	66	71	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3614850
BOTTOM BROOK (FACHEAUX BAY R)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	HI	4	9	0	2	0	0	0	2	0.0	0.0	0.22	0.0	100.00
4	12	7	81	MED	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	22	27	0	2	0	0	0	2	0.0	0.0	0.07	0.0	100.00

3615270
DOLLAND BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	9	19	7	11	0	0	7	11	2.3	0.78	0.58	100.00	100.00
3	5	7	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	15	15	18	18	0	0	18	18	1.6	1.20	1.20	100.00	100.00
5	19	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	24	34	25	29	0	0	25	29	2.3	1.04	0.85	100.00	100.00

3716620
GREY RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81														
2	28	6	81	MED	109	144	218	288	0	0	218	288	1.8	2.00	2.00	NO PATROL	100.00
3	5	7	81	LOW	3	33	1	41	0	0	1	41	1.6	0.33	1.24	100.00	100.00
4	12	7	81	MED	0	35	0	25	0	0	0	25	0.0	0.0	0.71	0.0	100.00
5	19	7	81	MED	0	25	0	15	0	0	0	15	0.0	0.0	0.60	0.0	100.00
6	26	7	81	MED	0	30	0	20	0	0	0	20	0.0	0.0	0.67	0.0	100.00
7	2	8	81	HI	0	20	0	8	0	0	0	8	0.0	0.0	0.40	0.0	100.00
8	9	8	81	LOW	0	15	0	7	0	0	0	7	0.0	0.0	0.47	0.0	100.00
9	16	8	81	MED	0	12	0	5	0	0	0	5	0.0	0.0	0.42	0.0	100.00
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81														
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	NO PATROL	0.0
TOTAL				MED	112	314	219	409	0	0	219	409	1.8	1.96	1.30	100.00	100.00

3717440
WHITE BEAR RIVER

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81														NO PATROL
2	28	6	81	MED	41	46	25	28	0	0	25	28	1.6	0.61	0.61	100.00	100.00
3	5	7	81	MED	9	59	7	57	0	0	7	57	1.8	0.78	0.97	100.00	100.00
4	12	7	81	HI	0	40	0	25	0	0	0	25	0.0	0.0	0.63	0.0	100.00
5	19	7	81	MED	0	30	0	20	0	0	0	20	0.0	0.0	0.67	0.0	100.00
6	26	7	81	MED	0	20	0	10	0	0	0	10	0.0	0.0	0.50	0.0	100.00
7	2	8	81	MED	0	15	0	7	0	0	0	7	0.0	0.0	0.47	0.0	100.00
8	9	8	81	LOW	10	15	9	11	0	0	9	11	1.6	0.90	0.73	100.00	100.00
9	16	8	81	MED	0	10	0	4	0	0	0	4	0.0	0.0	0.40	0.0	100.00
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	60	235	41	162	0	0	41	162	1.8	0.68	0.69	100.00	100.00

3717720
BAY DE LOUP BROOK

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	5	0	3	0	0	0	3	0.0	0.0	0.60	0.0	100.00
3	5	7	81	MED	0	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	0	5	0	2	0	0	0	2	0.0	0.0	0.40	0.0	100.00
5	19	7	81	MED	0	8	0	3	0	0	0	3	0.0	0.0	0.38	0.0	100.00
6	26	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	4	35	0	8	0	0	0	8	0.0	0.0	0.23	0.0	100.00

3717770
KINGS HARBOUR BROOK

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	6	8	3	5	0	0	3	5	1.4	0.50	0.63	100.00	100.00
2	28	6	81	MED	4	10	2	5	0	0	2	5	1.4	0.50	0.50	100.00	100.00
3	5	7	81	MED	4	24	1	11	0	0	1	11	1.4	0.25	0.46	100.00	100.00
4	12	7	81	HI	0	10	0	4	0	0	0	4	0.0	0.0	0.40	0.0	100.00
5	19	7	81	MED	13	15	5	7	0	0	5	7	1.8	0.38	0.47	100.00	100.00
6	26	7	81	MED	9	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	7	9	3	5	0	0	3	5	1.8	0.43	0.56	100.00	100.00
8	9	8	81	LOW	0	5	0	2	0	0	0	2	0.0	0.0	0.40	0.0	100.00
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	43	90	14	39	0	0	14	39	1.8	0.33	0.43	100.00	100.00

3817890
GRANDY BROOK

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	135	155	76	98	0	0	76	98	1.4	0.56	0.63	100.00	100.00
2	28	6	81	MED	218	248	206	226	0	0	206	226	2.0	0.94	0.91	100.00	100.00
3	5	7	81	MED	234	249	258	278	0	0	258	278	2.0	1.10	1.12	100.00	100.00
4	12	7	81	HI	120	142	130	150	0	0	130	150	2.5	1.08	1.06	100.00	100.00
5	19	7	81	MED	116	130	77	90	2	4	79	94	2.9	0.88	0.72	97.47	95.74
6	26	7	81	MED	96	116	58	68	0	0	58	68	1.6	0.60	0.59	100.00	100.00
7	2	8	81	MED	137	157	66	76	0	0	66	76	2.5	0.48	0.48	100.00	100.00
8	9	8	81	LOW	73	83	32	37	0	0	32	37	1.6	0.44	0.45	100.00	100.00
9	16	8	81	LOW	42	52	20	25	0	0	20	25	2.0	0.48	0.48	100.00	100.00
10	23	8	81	MED	6	10	5	7	0	0	5	7	1.6	0.83	0.70	100.00	100.00
11	30	8	81	LOW	0	20	0	15	0	0	0	15	0.0	0.0	0.75	0.0	100.00
12	6	9	81														NO PATROL
TOTAL				MED	1177	1362	928	1070	2	4	930	1074	2.9	0.79	0.79	99.78	99.63

3818490
CINQ CERF BROOK (RIVER)

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81														
2	28	6	81	MED	0	15	0	10	0	0	0	10	0.0	0.0	0.67	0.0	100.00
3	5	7	81	LOW	0	50	0	60	0	0	0	60	0.0	0.0	1.20	0.0	100.00
4	12	7	81	HI	0	25	0	15	0	0	0	15	0.0	0.0	0.60	0.0	100.00
5	19	7	81	MED	0	30	0	20	0	0	0	20	0.0	0.0	0.67	0.0	100.00
6	26	7	81	MED	0	20	0	12	0	0	0	12	0.0	0.0	0.60	0.0	100.00
7	2	8	81	MED	0	15	0	7	0	0	0	7	0.0	0.0	0.47	0.0	100.00
8	9	8	81	LOW	0	10	0	6	0	0	0	6	0.0	0.0	0.60	0.0	100.00
9	16	8	81	MED	0	10	0	4	0	0	0	4	0.0	0.0	0.40	0.0	100.00
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81														NO PATROL
12	6	9	81														NO PATROL
TOTAL				MED	0	175	0	134	0	0	0	134	0.0	0.0	0.77	0.0	100.00

3818800
LA POILE RIVER (NORTH BAY)

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	20	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	49	49	21	21	1	1	22	22	2.7	0.45	0.45	95.45	95.45
3	5	7	81	LOW	56	56	59	59	0	0	59	59	2.3	1.05	1.05	100.00	100.00
4	12	7	81	MED	40	40	38	38	0	0	38	38	1.8	0.95	0.95	100.00	100.00
5	19	7	81	MED	46	46	34	34	0	0	34	34	1.8	0.74	0.74	100.00	100.00
6	26	7	81	LOW	45	45	14	14	0	0	14	14	1.8	0.31	0.31	100.00	100.00
7	2	8	81	MED	31	31	14	14	0	0	14	14	2.3	0.45	0.45	100.00	100.00
8	9	8	81	MED	7	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	27	27	4	4	0	0	4	4	2.3	0.15	0.15	100.00	100.00
10	23	8	81	MED	22	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	7	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	350	350	184	184	1	1	185	185	2.7	0.53	0.53	99.46	99.46

3819030
FARMERS BROOK (FARMERS ARM)

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81														NO PATROL
2	28	6	81	HI	28	32	9	11	0	0	9	11	0.0	0.32	0.34	100.00	100.00
3	5	7	81	LOW	37	41	15	17	0	0	15	17	0.0	0.41	0.41	100.00	100.00
4	12	7	81	MED	50	54	35	37	1	1	36	38	2.7	0.72	0.70	97.22	97.37
5	19	7	81	LOW	22	25	9	10	0	0	9	10	0.0	0.41	0.40	100.00	100.00
6	26	7	81	MED	21	23	6	7	0	0	6	7	0.0	0.29	0.30	100.00	100.00
7	2	8	81	MED	7	7	1	1	0	0	1	1	0.0	0.14	0.14	100.00	100.00
8	9	8	81	LOW	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	167	184	75	83	1	1	76	84	2.7	0.46	0.46	98.68	98.81

3819100
GARIA BROOK (RIVER)

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	7	7	1	1	0	0	1	1	1.4	0.14	0.14	100.00	100.00
2	28	6	81	HI	9	9	11	11	0	0	11	11	1.6	1.22	1.22	100.00	100.00
3	5	7	81	MED	45	45	46	46	0	0	46	46	2.3	1.02	1.02	100.00	100.00
4	12	7	81	HI	36	36	23	23	0	0	23	23	2.3	0.64	0.64	100.00	100.00
5	19	7	81	HI	13	13	9	9	0	0	9	9	2.3	0.69	0.69	100.00	100.00
6	26	7	81	MED	18	18	17	17	0	0	17	17	1.8	0.94	0.94	100.00	100.00
7	2	8	81	HI	9	9	8	8	0	0	8	8	1.8	0.89	0.89	100.00	100.00
8	9	8	81	LOW	14	14	7	7	0	0	7	7	1.4	0.50	0.50	100.00	100.00
9	16	8	81	LOW	10	10	5	5	0	0	5	5	1.4	0.50	0.50	100.00	100.00
10	23	8	81	MED	14	14	6	6	0	0	6	6	1.8	0.43	0.43	100.00	100.00
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	175	175	133	133	0	0	133	133	2.3	0.76	0.76	100.00	100.00

3819120
NORTHWEST BROOK (GARIA BAY)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	9	13	1	3	0	0	1	3	0.0	0.11	0.23	100.00	100.00
4	12	7	81	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	HI	10	10	1	1	0	0	1	1	1.4	0.10	0.10	100.00	100.00
8	9	8	81	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	11	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	54	58	2	4	0	0	2	4	1.4	0.04	0.07	100.00	100.00

3919590
GRANDYS BROOK (BURNT ISLAND R)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	15	19	3	5	0	0	3	5	1.8	0.20	0.26	100.00	100.00
2	28	6	81	MED	91	121	39	56	0	0	39	56	1.8	0.43	0.46	100.00	100.00
3	5	7	81	MED	86	111	27	42	0	0	27	42	1.8	0.31	0.38	100.00	100.00
4	12	7	81	MED	46	61	23	30	0	0	23	30	1.4	0.50	0.49	100.00	100.00
5	19	7	81	MED	34	45	8	12	1	2	9	14	2.7	0.26	0.31	88.89	85.71
6	26	7	81	LOW	26	52	7	14	0	0	7	14	1.8	0.27	0.27	100.00	100.00
7	2	8	81	LOW	9	9	3	3	0	0	3	3	1.8	0.33	0.33	100.00	100.00
8	9	8	81	LOW	5	5	1	1	0	0	1	1	1.8	0.20	0.20	100.00	100.00
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	312	423	111	163	1	2	112	165	2.7	0.36	0.39	99.11	98.79

3919820
ISLE AUX MORTS RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	29	33	9	10	0	0	9	10	1.8	0.31	0.30	100.00	100.00
2	28	6	81	HI	113	128	77	85	2	2	79	87	3.2	0.70	0.68	97.47	97.70
3	5	7	81	LOW	108	128	61	67	2	2	63	69	3.9	0.58	0.54	96.83	97.10
4	12	7	81	HI	94	114	47	51	1	1	48	52	2.7	0.51	0.46	97.92	98.08
5	19	7	81	HI	28	34	17	19	1	2	18	21	2.7	0.64	0.62	94.44	90.48
6	26	7	81	MED	21	23	8	9	0	0	8	9	2.0	0.38	0.39	100.00	100.00
7	2	8	81	LOW	3	4	3	3	0	0	3	3	2.0	1.00	0.75	100.00	100.00
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	396	464	222	244	6	7	228	251	3.9	0.58	0.54	97.37	97.21

3920100
GRAND BAY RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	10	10	8	8	0	0	8	8	1.8	0.80	0.80	100.00	100.00
2	28	6	81	HI	67	67	40	40	0	0	40	40	1.8	0.60	0.60	100.00	100.00
3	5	7	81	LOW	81	81	52	52	2	2	54	54	3.4	0.67	0.67	96.30	96.30
4	12	7	81	HI	70	70	54	54	0	0	54	54	1.8	0.77	0.77	100.00	100.00
5	19	7	81	HI	72	72	40	40	4	4	44	44	3.2	0.61	0.61	90.91	90.91
6	26	7	81	MED	46	46	36	36	0	0	36	36	1.8	0.78	0.78	100.00	100.00
7	2	8	81	HI	27	27	18	18	0	0	18	18	1.8	0.67	0.67	100.00	100.00
8	9	8	81	LOW	5	5	1	1	0	0	1	1	1.8	0.20	0.20	100.00	100.00
9	16	8	81	LOW	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	381	381	249	249	6	6	255	255	3.4	0.67	0.67	97.65	97.65

4000020
BEAR COVE BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	19	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	LOW	37	37	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	45	45	2	4	0	0	2	4	1.8	0.04	0.09	100.00	100.00
5	19	7	81	HI	60	60	8	8	0	0	8	8	1.8	0.13	0.13	100.00	100.00
6	26	7	81	LOW	39	39	1	1	0	0	1	1	1.6	0.03	0.03	100.00	100.00
7	2	8	81	LOW	45	45	3	3	0	0	3	3	1.8	0.07	0.07	100.00	100.00
8	9	8	81	LOW	44	44	2	2	0	0	2	2	1.8	0.05	0.05	100.00	100.00
9	16	8	81	LOW	40	40	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	23	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	370	370	16	18	0	0	16	18	1.8	0.04	0.05	100.00	100.00

4000140
LITTLE CODROY RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	5	7	81	LOW	53	58	11	13	2	2	13	15	4.5	0.25	0.26	84.62	86.67
2	12	7	81	MED	61	71	23	26	5	6	28	32	6.3	0.46	0.45	82.14	81.25
3	19	7	81	LOW	47	57	16	20	0	0	16	20	1.8	0.34	0.35	100.00	100.00
4	26	7	81	LOW	29	35	5	5	0	0	5	5	1.8	0.17	0.14	100.00	100.00
5	2	8	81	MED	105	115	17	19	3	3	20	22	6.3	0.19	0.19	85.00	86.36
6	9	8	81	HI	23	23	3	3	0	0	3	3	1.4	0.13	0.13	100.00	100.00
7	16	8	81	HI	18	18	1	1	0	0	1	1	1.4	0.06	0.06	100.00	100.00
TOTAL				LOW	336	377	76	87	10	11	86	98	6.3	0.26	0.26	88.37	88.78

4000033
GRAND CODROY RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	525	565	61	67	63	67	124	134	7.3	0.24	0.24	49.19	50.00
2	28	6	81	HI	914	994	214	240	25	28	239	268	5.9	0.26	0.27	89.54	89.55
3	5	7	81	MED	929	994	274	306	18	18	292	324	5.4	0.31	0.33	93.84	94.44
4	12	7	81	MED	586	644	169	193	10	14	179	207	6.3	0.31	0.32	94.41	93.24
5	19	7	81	LOW	489	537	139	156	3	3	142	159	4.5	0.29	0.30	97.89	98.11
6	26	7	81	LOW	294	324	93	103	2	3	95	106	5.4	0.32	0.33	97.89	97.17
7	2	8	81	MED	187	217	46	53	0	0	46	53	1.8	0.25	0.24	100.00	100.00
8	9	8	81	HI	81	81	15	15	0	0	15	15	1.4	0.19	0.19	100.00	100.00
9	16	8	81	MED	17	17	6	6	0	0	6	6	1.4	0.35	0.35	100.00	100.00
10	23	8	81	HI	32	32	9	9	0	0	9	9	1.4	0.28	0.28	100.00	100.00
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	4056	4407	1026	1148	121	133	1147	1281	7.3	0.28	0.29	89.45	89.62

4000860
CRABBES BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	163	223	60	80	9	11	69	91	4.5	0.42	0.41	86.96	87.91
2	28	6	81	MED	209	269	72	92	38	54	110	146	4.1	0.53	0.54	65.45	63.01
3	5	7	81	LOW	78	98	54	64	2	4	56	68	4.1	0.72	0.69	96.43	94.12
4	12	7	81	HI	104	124	39	51	38	41	77	92	3.6	0.74	0.74	50.65	55.43
5	19	7	81	HI	22	26	8	10	0	0	8	10	1.4	0.36	0.38	100.00	100.00
6	26	7	81	HI	47	59	20	26	1	3	21	29	3.2	0.45	0.49	95.24	89.66
7	2	8	81	LOW	40	50	24	32	0	0	24	32	1.8	0.60	0.64	100.00	100.00
8	9	8	81	LOW	44	56	23	34	1	2	24	36	3.6	0.55	0.64	95.83	94.44
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LDW	707	905	300	389	89	115	389	504	4.5	0.55	0.56	77.12	77.18

4000900
BARACHOIS BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	157	197	59	74	2	3	61	77	3.6	0.39	0.39	96.72	96.10
2	28	6	81	MED	98	128	61	73	0	0	61	73	1.8	0.62	0.57	100.00	100.00
3	5	7	81	LOW	53	63	19	23	0	0	19	23	1.4	0.36	0.37	100.00	100.00
4	12	7	81	MED	28	34	13	16	0	0	13	16	1.4	0.46	0.47	100.00	100.00
5	19	7	81	HI	24	28	6	7	0	0	6	7	1.4	0.25	0.25	100.00	100.00
6	26	7	81	HI	31	37	14	17	0	0	14	17	1.8	0.45	0.46	100.00	100.00
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	391	487	172	210	2	3	174	213	3.6	0.45	0.44	98.85	98.59

4000920
ROBINSONS RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	420	540	270	350	57	82	327	432	5.4	0.78	0.80	82.57	81.02
2	28	6	81	LOW	456	496	214	229	18	22	232	251	3.6	0.51	0.51	92.24	91.24
3	5	7	81	LOW	184	222	98	113	17	19	115	132	4.1	0.63	0.59	85.22	85.61
4	12	7	81	MED	81	99	51	61	2	2	53	63	3.6	0.65	0.64	96.23	96.83
5	19	7	81	HI	20	26	9	12	1	1	10	13	3.2	0.50	0.50	90.00	92.31
6	26	7	81	HI	50	61	27	33	3	3	30	36	3.6	0.60	0.59	90.00	91.67
7	2	8	81	LOW	37	48	35	41	0	0	35	41	1.4	0.95	0.85	100.00	100.00
8	9	8	81	LOW	23	35	16	22	0	0	16	22	1.4	0.70	0.63	100.00	100.00
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	1271	1527	720	861	98	129	818	990	5.4	0.64	0.65	88.02	86.97

4000960
FISCHELLS RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	110	140	64	86	8	11	72	97	4.5	0.65	0.69	88.89	88.66
2	28	6	81	MED	69	90	45	57	0	0	45	57	3.6	0.65	0.63	100.00	100.00
3	5	7	81	LOW	80	96	40	55	0	0	40	55	1.8	0.50	0.57	100.00	100.00
4	12	7	81	MED	49	63	22	33	0	0	22	33	1.4	0.45	0.52	100.00	100.00
5	19	7	81	HI	26	34	14	18	0	0	14	18	1.4	0.54	0.53	100.00	100.00
6	26	7	81	HI	32	40	16	23	0	0	16	23	1.4	0.50	0.57	100.00	100.00
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	366	463	201	272	8	11	209	283	4.5	0.57	0.61	96.17	96.11

4101080
FLAT BAY BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	50	65	8	11	4	5	12	16	4.5	0.24	0.25	66.67	68.75
2	28	6	81	HI	208	238	99	109	10	12	109	121	4.5	0.52	0.51	90.83	90.08
3	5	7	81	MED	253	283	91	101	8	10	99	111	3.6	0.39	0.39	91.92	90.99
4	12	7	81	HI	222	242	89	95	3	4	92	99	3.6	0.41	0.41	96.74	95.96
5	19	7	81	HI	105	126	28	34	3	4	31	38	3.2	0.30	0.30	90.32	89.47
6	26	7	81	MED	156	166	54	59	4	4	58	63	2.7	0.37	0.38	93.10	93.65
7	2	8	81	MED	49	74	14	24	0	0	14	24	2.3	0.29	0.32	100.00	100.00
8	9	8	81	LOW	32	42	7	9	0	0	7	9	1.4	0.22	0.21	100.00	100.00
9	16	8	81	MED	20	25	7	9	0	0	7	9	1.4	0.35	0.36	100.00	100.00
10	23	8	81	HI	15	20	3	4	0	0	3	4	1.4	0.20	0.20	100.00	100.00
11	30	8	81	MED	10	15	1	2	0	0	1	2	1.4	0.10	0.13	100.00	100.00
12	6	9	81	LOW	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	1122	1299	401	457	32	39	433	496	4.5	0.39	0.38	92.61	92.14

410110
LITTLE BARACHOIS BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	5	7	81	MED	56	71	11	16	2	4	13	20	3.6	0.23	0.28	84.62	80.00
2	12	7	81	HI	99	113	26	29	2	3	28	32	2.7	0.28	0.28	92.86	90.63
3	19	7	81	HI	94	104	17	20	0	0	17	20	1.4	0.18	0.19	100.00	100.00
4	26	7	81	MED	106	116	25	30	0	0	25	30	1.4	0.24	0.26	100.00	100.00
5	2	8	81	MED	70	85	18	28	0	0	18	28	2.3	0.26	0.33	100.00	100.00
6	9	8	81	LOW	65	73	17	20	0	0	17	20	0.9	0.26	0.27	100.00	100.00
7	16	8	81	LOW	34	40	7	8	0	0	7	8	1.4	0.21	0.20	100.00	100.00
TOTAL				MED	524	602	121	151	4	7	125	158	3.6	0.24	0.26	96.80	95.57

4101150
SOUTHWEST AND BOTTOM BROOKS

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	252	272	93	98	14	14	107	112	3.6	0.42	0.41	86.92	87.50
2	28	6	81	MED	287	297	131	135	5	5	136	140	3.6	0.47	0.47	96.32	96.43
3	5	7	81	MED	257	287	105	117	1	3	106	120	3.6	0.41	0.42	99.06	97.50
4	12	7	81	HI	223	248	58	68	2	3	60	71	5.0	0.27	0.29	96.67	95.77
5	19	7	81	MED	185	215	59	67	1	1	60	68	2.7	0.32	0.32	98.33	98.53
6	26	7	81	MED	95	120	31	41	1	1	32	42	3.2	0.34	0.35	96.88	97.62
7	2	8	81	MED	83	93	26	31	4	7	30	38	3.2	0.36	0.41	86.67	81.58
8	9	8	81	MED	99	109	38	43	0	0	38	43	2.3	0.38	0.39	100.00	100.00
9	16	8	81	HI	53	63	20	25	0	0	20	25	1.8	0.38	0.40	100.00	100.00
10	23	8	81	HI	19	24	7	9	0	0	7	9	1.8	0.37	0.38	100.00	100.00
11	30	8	81	HI	29	39	11	16	0	0	11	16	1.8	0.38	0.41	100.00	100.00
12	6	9	81	MED	10	25	4	9	0	0	4	9	1.8	0.40	0.36	100.00	100.00
TOTAL				MED	1592	1792	583	659	28	34	611	693	5.0	0.38	0.39	95.42	95.09

410120
HARRY'S RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	5	7	81	MED	517	587	227	258	6	9	233	267	3.6	0.45	0.45	97.42	96.63
2	12	7	81	MED	272	332	73	94	3	4	76	98	6.3	0.28	0.30	96.05	95.92
3	19	7	81	LOW	296	362	65	89	2	3	67	92	2.7	0.23	0.25	97.01	96.74
4	26	7	81	MED	252	290	63	90	0	0	63	90	1.8	0.25	0.31	100.00	100.00
5	2	8	81	LOW	156	209	31	48	1	1	32	49	3.6	0.21	0.23	96.88	97.96
6	9	8	81	LOW	132	165	23	31	0	0	23	31	2.3	0.17	0.19	100.00	100.00
7	16	8	81	LOW	103	137	33	49	1	1	34	50	4.1	0.33	0.36	97.06	98.00
TOTAL				LOW	1728	2082	515	659	13	18	528	677	6.3	0.31	0.33	97.54	97.34

4301920
FOX ISLAND RIVER

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	5	7	81	MED	50	60	20	24	2	2	22	26	5.4	0.44	0.43	90.91	92.31
2	12	7	81	HI	49	64	18	24	0	0	18	24	1.4	0.37	0.38	100.00	100.00
3	19	7	81	MED	30	40	12	14	0	0	12	14	1.8	0.40	0.35	100.00	100.00
TOTAL				MED	129	164	50	62	2	2	52	64	5.4	0.40	0.39	96.15	96.88

440209
SERPENTINE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	5	7	81	HI	48	48	36	36	3	3	39	39	6.3	0.81	0.81	92.31	92.31
2	12	7	81	HI	45	49	31	36	1	1	32	37	3.2	0.71	0.76	96.88	97.30
3	19	7	81	MED	47	55	13	18	0	0	13	18	2.3	0.28	0.33	100.00	100.00
4	26	7	81	MED	42	42	22	22	0	0	22	22	2.3	0.52	0.52	100.00	100.00
5	2	8	81	MED	30	34	11	13	1	1	12	14	6.3	0.40	0.41	91.67	92.86
6	9	8	81	MED	37	37	10	10	0	0	10	10	2.3	0.27	0.27	100.00	100.00
7	16	8	81	HI	32	32	8	8	2	2	10	10	5.2	0.31	0.31	80.00	80.00
8	23	8	81	HI	66	67	14	16	0	0	14	16	2.3	0.21	0.24	100.00	100.00
9	30	8	81	MED	38	44	11	20	1	1	12	21	2.9	0.32	0.48	91.67	95.24
10	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	385	408	156	179	8	8	164	187	6.3	0.43	0.46	95.12	95.72

440243
HUMBER RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	LOW	187	209	4	6	4	4	8	10	5.4	0.04	0.05	50.00	60.00
2	21	6	81	HI	379	451	90	107	23	26	113	133	5.4	0.30	0.29	79.65	80.45
3	28	6	81	HI	842	950	700	779	13	14	713	793	3.6	0.85	0.83	98.18	98.23
4	5	7	81	LOW	1321	1484	827	944	10	11	837	955	4.5	0.63	0.64	98.81	98.85
5	12	7	81	LOW	1255	1385	487	578	14	15	501	593	4.4	0.40	0.43	97.21	97.47
6	19	7	81	MED	805	921	301	353	15	17	316	370	11.6	0.39	0.40	95.25	95.41
7	26	7	81	LOW	659	742	308	349	13	13	321	362	11.6	0.49	0.49	95.95	96.41
8	2	8	81	LOW	528	592	254	291	5	7	259	298	12.7	0.49	0.50	98.07	97.65
9	9	8	81	LOW	524	607	192	224	11	16	203	240	10.9	0.39	0.40	94.58	93.33
10	16	8	81	LOW	488	556	193	229	6	11	199	240	7.3	0.41	0.43	96.98	95.42
11	23	8	81	HI	356	402	110	126	6	8	116	134	9.8	0.33	0.33	94.83	94.03
12	30	8	81	MED	329	394	129	144	5	11	134	155	7.5	0.41	0.39	96.27	92.90
13	6	9	81	LOW	8	8	2	2	0	0	2	2	0.0	0.25	0.25	100.00	100.00
TOTAL				LOW	7681	8701	3597	4132	125	153	3722	4285	12.7	0.48	0.49	96.64	96.43

4402740
GOOSE ARM BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	LOW	11	15	9	9	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	LOW	30	45	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	50	55	10	11	0	0	10	11	0.0	0.20	0.20	100.00	100.00
8	9	8	81	LOW	45	55	3	4	0	0	3	4	0.0	0.07	0.07	100.00	100.00
9	16	8	81	LOW	12	14	1	1	0	0	1	1	0.0	0.08	0.07	100.00	100.00
10	23	8	81	MED	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	35	45	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	20	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	209	255	14	16	0	0	14	16	0.0	0.07	0.06	100.00	100.00

4503520
TROUT RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	13	15	2	2	0	0	2	2	0.0	0.15	0.13	100.00	100.00
4	12	7	81	MED	48	54	9	11	0	0	9	11	0.0	0.19	0.20	100.00	100.00
5	19	7	81	LOW	61	75	7	10	0	0	7	10	0.0	0.11	0.13	100.00	100.00
6	26	7	81	LOW	83	98	6	7	0	0	6	7	0.0	0.07	0.07	100.00	100.00
7	2	8	81	LOW	82	90	6	7	0	0	6	7	0.0	0.07	0.08	100.00	100.00
8	9	8	81	LOW	61	66	4	5	0	0	4	5	0.0	0.07	0.08	100.00	100.00
9	16	8	81	LOW	47	52	3	4	0	0	3	4	0.0	0.06	0.08	100.00	100.00
10	23	8	81	HI	38	42	2	3	0	0	2	3	0.0	0.05	0.07	100.00	100.00
11	30	8	81	MED	30	33	3	4	0	0	3	4	0.0	0.10	0.12	100.00	100.00
12	6	9	81	MED	5	6	1	1	0	0	1	1	0.0	0.20	0.17	100.00	100.00
TOTAL				MED	468	531	43	54	0	0	43	54	0.0	0.09	0.10	100.00	100.00

4503920
LOMONO RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	47	52	4	5	0	0	4	5	0.0	0.09	0.10	100.00	100.00
2	28	6	81	MED	161	186	60	75	1	1	61	76	4.8	0.38	0.41	98.36	98.68
3	5	7	81	MED	213	243	82	99	0	0	82	99	0.0	0.38	0.41	100.00	100.00
4	12	7	81	MED	320	348	170	192	0	0	170	192	0.0	0.53	0.55	100.00	100.00
5	19	7	81	LOW	180	200	63	78	1	1	64	79	3.2	0.36	0.39	98.44	98.73
6	26	7	81	LOW	137	149	22	24	0	0	22	24	0.0	0.16	0.16	100.00	100.00
7	2	8	81	MED	66	73	8	9	1	1	9	10	3.2	0.14	0.14	88.89	90.00
8	9	8	81	LOW	54	59	4	5	0	0	4	5	0.0	0.07	0.08	100.00	100.00
9	16	8	81	LOW	49	54	4	6	0	0	4	6	0.0	0.08	0.11	100.00	100.00
10	23	8	81	HI	27	31	4	5	0	0	4	5	0.0	0.15	0.16	100.00	100.00
11	30	8	81	MED	39	43	7	8	0	0	7	8	0.0	0.18	0.19	100.00	100.00
12	6	9	81	MED	7	8	1	1	0	0	1	1	0.0	0.14	0.13	100.00	100.00
TOTAL				MED	1300	1446	429	507	3	3	432	510	4.8	0.33	0.35	99.31	99.41

4504040
DEER BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	LOW	33	53	1	1	0	0	1	1	0.0	0.03	0.02	100.00	100.00
5	19	7	81	LOW	44	74	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	LOW	21	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	39	64	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	21	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	26	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	7	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	7	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	198	348	1	1	0	0	1	1	0.0	0.01	0.00	100.00	100.00

4604220
WESTERN BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	45	55	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	60	80	3	6	0	0	3	6	0.0	0.05	0.07	100.00	100.00
3	5	7	81	MED	96	126	5	7	0	0	5	7	0.0	0.05	0.06	100.00	100.00
4	12	7	81	LOW	111	136	4	6	0	0	4	6	0.0	0.04	0.04	100.00	100.00
5	19	7	81	LOW	48	68	1	3	0	0	1	3	0.0	0.02	0.04	100.00	100.00
6	26	7	81	LOW	60	70	8	9	0	0	8	9	0.0	0.13	0.13	100.00	100.00
7	2	8	81	LOW	49	61	6	8	0	0	6	8	0.0	0.12	0.13	100.00	100.00
8	9	8	81	LOW	35	50	6	8	0	0	6	8	0.0	0.17	0.16	100.00	100.00
9	16	8	81	LOW	31	41	2	3	0	0	2	3	0.0	0.06	0.07	100.00	100.00
10	23	8	81	MED	17	20	0	2	0	0	0	2	0.0	0.0	0.10	0.0	100.00
11	30	8	81	MED	10	15	0	2	0	0	0	2	0.0	0.0	0.13	0.0	100.00
12	6	9	81	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	565	726	35	54	0	0	35	54	0.0	0.06	0.07	100.00	100.00

4604560
PARSONS POND RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	45	55	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	34	44	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	28	38	0	0	1	2	1	2	0.0	0.04	0.05	0.0	0.0
4	12	7	81	LOW	41	56	2	3	0	0	2	3	0.0	0.05	0.05	100.00	100.00
5	19	7	81	LOW	20	30	1	2	0	0	1	2	0.0	0.05	0.07	100.00	100.00
6	26	7	81	LOW	21	26	4	5	0	0	4	5	0.0	0.19	0.19	100.00	100.00
7	2	8	81	LOW	22	28	3	4	0	0	3	4	0.0	0.14	0.14	100.00	100.00
8	9	8	81	LOW	20	30	1	2	0	0	1	2	0.0	0.05	0.07	100.00	100.00
9	16	8	81	LOW	15	22	1	2	0	0	1	2	0.0	0.07	0.09	100.00	100.00
10	23	8	81	HI	6	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	12	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	266	359	12	18	1	2	13	20	0.0	0.05	0.06	92.31	90.00

460462
PORTLAND CREEK

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	125	159	13	16	1	1	14	17	3.6	0.11	0.11	92.86	94.12
2	28	6	81	MED	445	510	98	114	9	12	107	126	6.8	0.24	0.25	91.59	90.48
3	5	7	81	LOW	594	679	130	148	7	9	137	157	6.1	0.23	0.23	94.89	94.27
4	12	7	81	LOW	650	754	158	188	7	10	165	198	4.7	0.25	0.26	95.76	94.95
5	19	7	81	LOW	543	601	86	100	9	11	95	111	6.1	0.17	0.18	90.53	90.09
6	26	7	81	LOW	380	424	45	53	5	6	50	59	5.0	0.13	0.14	90.00	89.83
7	2	8	81	LOW	305	342	28	33	2	2	30	35	5.0	0.10	0.10	93.33	94.29
8	9	8	81	LOW	248	273	11	14	0	0	11	14	2.3	0.04	0.05	100.00	100.00
9	16	8	81	LOW	218	241	9	11	2	3	11	14	4.4	0.05	0.06	81.82	78.57
10	23	8	81	HI	145	167	7	9	2	3	9	12	2.5	0.06	0.07	77.78	75.00
11	30	8	81	HI	91	104	6	7	0	0	6	7	2.3	0.07	0.07	100.00	100.00
12	6	9	81	MED	10	11	4	4	1	1	5	5	5.0	0.50	0.45	80.00	80.00
TOTAL				LOW	3754	4265	595	697	45	58	640	755	6.8	0.17	0.18	92.97	92.32

470474
RIVER OF PONOS

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	100	135	20	27	0	0	20	27	0.0	0.20	0.20	100.00	100.00
2	28	6	81	MED	311	357	90	110	1	1	91	111	4.5	0.29	0.31	98.90	99.10
3	5	7	81	MED	462	524	170	192	5	5	175	197	6.8	0.38	0.38	97.14	97.46
4	12	7	81	LOW	660	728	258	304	3	3	261	307	6.3	0.40	0.42	98.85	99.02
5	19	7	81	LOW	586	646	213	238	0	0	213	238	2.3	0.36	0.37	100.00	100.00
6	26	7	81	LOW	416	458	157	173	1	1	158	174	2.9	0.38	0.38	99.37	99.43
7	2	8	81	LOW	374	421	110	122	1	1	111	123	4.1	0.30	0.29	99.10	99.19
8	9	8	81	LOW	307	342	83	96	0	0	83	96	0.0	0.27	0.28	100.00	100.00
9	16	8	81	LOW	261	295	47	56	2	2	49	58	3.4	0.19	0.20	95.92	96.55
10	23	8	81	HI	225	261	79	89	0	0	79	89	0.0	0.35	0.34	100.00	100.00
11	30	8	81	HI	150	170	29	35	0	0	29	35	2.3	0.19	0.21	100.00	100.00
12	6	9	81	HI	20	22	2	2	0	0	2	2	0.0	0.10	0.09	100.00	100.00
TOTAL				LOW	3872	4359	1258	1444	13	13	1271	1457	6.8	0.33	0.33	98.98	99.11

4704750
LITTLE BROOK POND

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	20	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	8	14	1	1	1	1	2	2	3.2	0.25	0.14	50.00	50.00
3	5	7	81	LOW	7	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	LOW	19	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	LOW	100	110	59	69	0	0	59	69	0.0	0.59	0.63	100.00	100.00
6	26	7	81	LOW	137	146	50	55	0	0	50	55	0.0	0.36	0.38	100.00	100.00
7	2	8	81	LOW	86	96	37	42	0	0	37	42	0.0	0.43	0.44	100.00	100.00
8	9	8	81	MED	53	58	16	20	0	0	16	20	0.0	0.30	0.34	100.00	100.00
9	16	8	81	LOW	48	48	11	11	0	0	11	11	0.0	0.23	0.23	100.00	100.00
10	23	8	81	HI	49	49	12	12	0	0	12	12	0.0	0.24	0.24	100.00	100.00
11	30	8	81	HI	18	22	6	7	0	0	6	7	1.6	0.33	0.32	100.00	100.00
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	545	603	192	217	1	1	193	218	3.2	0.35	0.36	99.48	99.54

4704800
TORRENT RIVER

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	19	7	81	HI	183	195	57	65	10	12	67	77	3.6	0.37	0.39	85.07	84.42
2	26	7	81	HI	205	225	61	67	4	5	65	72	4.5	0.32	0.32	93.85	93.06
3	2	8	81	HI	82	94	5	7	0	0	5	7	2.3	0.06	0.07	100.00	100.00
4	9	8	81	MED	67	77	6	8	0	0	6	8	2.7	0.09	0.10	100.00	100.00
5	16	8	81	MED	35	43	9	11	1	1	10	12	4.5	0.29	0.28	90.00	91.67
6	23	8	81	HI	9	12	5	7	0	0	5	7	0.0	0.56	0.58	100.00	100.00
7	30	8	81	HI	8	10	2	2	0	0	2	2	0.0	0.25	0.20	100.00	100.00
8	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	589	656	145	167	15	18	160	185	4.5	0.27	0.28	90.63	90.27

4704840
EAST RIVER (BIG EAST RIVER)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	35	40	1	2	1	1	2	3	7.3	0.06	0.07	50.00	66.67
2	28	6	81	MED	147	157	5	7	1	1	6	8	5.9	0.04	0.05	83.33	87.50
3	5	7	81	LOW	98	110	11	15	0	0	11	15	0.0	0.11	0.14	100.00	100.00
4	12	7	81	LOW	102	112	25	32	1	1	26	33	3.2	0.25	0.29	96.15	96.97
5	19	7	81	LOW	43	55	7	9	0	0	7	9	0.0	0.16	0.16	100.00	100.00
6	26	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	425	474	49	65	3	3	52	68	7.3	0.12	0.14	94.23	95.59

4805030
CASTORS RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	45	47	6	8	1	1	7	9	3.6	0.16	0.19	85.71	88.89
2	28	6	81	MED	132	152	59	63	5	6	64	69	3.2	0.48	0.45	92.19	91.30
3	5	7	81	MED	140	160	107	122	1	2	108	124	3.2	0.77	0.77	99.07	98.39
4	12	7	81	MED	278	298	261	271	1	1	262	272	2.7	0.94	0.91	99.62	99.63
5	19	7	81	MED	253	283	203	213	5	7	208	220	6.4	0.82	0.78	97.60	96.82
6	26	7	81	LOW	165	185	89	101	1	3	90	104	4.3	0.55	0.56	98.89	97.12
7	2	8	81	LOW	136	136	74	74	1	1	75	75	2.9	0.55	0.55	98.67	98.67
8	9	8	81	MED	41	51	11	13	0	0	11	13	2.3	0.27	0.25	100.00	100.00
9	16	8	81	MED	16	21	2	3	0	0	2	3	0.0	0.13	0.14	100.00	100.00
10	23	8	81	HI	19	24	6	8	0	0	6	8	0.0	0.32	0.33	100.00	100.00
11	30	8	81	HI	11	11	4	4	0	0	4	4	0.0	0.36	0.36	100.00	100.00
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1236	1368	822	880	15	21	837	901	6.4	0.68	0.66	98.21	97.67

490517
ST. GENEVIEVE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	78	78	36	36	0	0	36	36	2.0	0.46	0.46	100.00	100.00
2	28	6	81	HI	326	336	170	178	4	4	174	182	2.9	0.53	0.54	97.70	97.80
3	5	7	81	MED	388	410	289	311	2	2	291	313	4.5	0.75	0.76	99.31	99.36
4	12	7	81	LOW	410	450	292	333	0	0	292	333	2.0	0.71	0.74	100.00	100.00
5	19	7	81	LOW	294	345	179	212	0	0	179	212	1.8	0.61	0.61	100.00	100.00
6	26	7	81	LOW	233	267	99	123	0	0	99	123	1.8	0.42	0.46	100.00	100.00
7	2	8	81	LOW	138	177	61	82	0	0	61	82	1.8	0.44	0.46	100.00	100.00
8	9	8	81	LOW	141	171	62	74	1	1	63	75	2.7	0.45	0.44	98.41	98.67
9	16	8	81	LOW	74	82	33	36	0	0	33	36	2.0	0.45	0.44	100.00	100.00
10	23	8	81	MED	47	47	13	13	0	0	13	13	1.8	0.28	0.28	100.00	100.00
11	30	8	81	MED	23	23	3	3	0	0	3	3	1.6	0.13	0.13	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	2152	2386	1237	1401	7	7	1244	1408	4.5	0.58	0.59	99.44	99.50

4905190
WEST RIVER (WESTERN ARM BROOK)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	7	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	27	27	1	1	0	0	1	1	2.0	0.04	0.04	100.00	100.00
3	5	7	81	MED	25	25	3	3	0	0	3	3	1.8	0.12	0.12	100.00	100.00
4	12	7	81	LOW	138	138	35	35	0	0	35	35	1.8	0.25	0.25	100.00	100.00
5	19	7	81	LOW	12	12	2	2	0	0	2	2	1.6	0.17	0.17	100.00	100.00
6	26	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	209	209	41	41	0	0	41	41	2.0	0.20	0.20	100.00	100.00

4905200
EAST RIVER (EASTERN ARM BROOK)

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	LOW	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	LOW	1	1	1	1	0	0	1	1	1.8	1.00	1.00	100.00	100.00
6	26	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	32	32	1	1	0	0	1	1	1.8	0.03	0.03	100.00	100.00

4905460
BIG-BROOK

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	31	35	14	16	1	1	15	17	2.9	0.48	0.49	93.33	94.12
3	5	7	81	MED	92	105	45	51	0	0	45	51	2.3	0.49	0.49	100.00	100.00
4	12	7	81	LOW	61	69	20	23	2	2	22	25	0.0	0.36	0.36	90.91	92.00
5	19	7	81	LOW	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	7	9	3	5	0	0	3	5	0.0	0.43	0.56	100.00	100.00
9	16	8	81	MED	19	23	19	23	0	0	19	23	0.0	1.00	1.00	100.00	100.00
10	23	8	81	HI	43	48	30	35	0	0	30	35	1.6	0.70	0.73	100.00	100.00
11	30	8	81	MED	26	30	26	30	0	0	26	30	0.0	1.00	1.00	100.00	100.00
12	6	9	81	MED	4	8	2	5	0	0	2	5	0.0	0.50	0.63	100.00	100.00
TOTAL				MED	285	329	159	188	3	3	162	191	2.9	0.57	0.58	98.15	98.43

Labrador

5000120
FORTEAU BROOK (RIVER)

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	14	14	4	4	0	0	4	4	1.8	0.29	0.29	100.00	100.00
2	28	6	81	MED	45	53	9	11	1	1	10	12	4.5	0.22	0.23	90.00	91.67
3	5	7	81	MED	102	114	46	48	2	3	48	51	5.0	0.47	0.45	95.83	94.12
4	12	7	81	LOW	132	147	70	80	4	5	74	85	3.6	0.56	0.58	94.59	94.12
5	19	7	81	HI	186	201	98	102	1	2	99	104	6.0	0.53	0.52	98.99	98.08
6	26	7	81	MED	152	164	92	97	1	1	93	98	9.5	0.61	0.60	98.92	98.98
7	2	8	81	HI	113	125	40	44	1	1	41	45	3.6	0.36	0.36	97.56	97.78
8	9	8	81	MED	89	99	44	49	0	0	44	49	2.0	0.49	0.49	100.00	100.00
9	16	8	81	LOW	49	54	10	14	1	2	11	16	4.5	0.22	0.30	90.91	87.50
10	23	8	81	HI	71	76	24	26	6	6	30	32	5.4	0.42	0.42	80.00	81.25
11	30	8	81	MED	20	25	9	11	0	0	9	11	2.3	0.45	0.44	100.00	100.00
12	6	9	81	LOW	39	44	25	27	0	0	25	27	2.3	0.64	0.61	100.00	100.00
13	13	9	81	LOW	30	34	22	24	2	2	24	26	3.6	0.80	0.76	91.67	92.31
14	20	9	81	LOW	7	9	3	3	0	0	3	3	1.6	0.43	0.33	100.00	100.00
TOTAL				MED	1049	1159	496	540	19	23	515	563	9.5	0.49	0.49	96.31	95.91

5000360
PINWARE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	11	13	2	3	4	5	6	8	6.1	0.55	0.62	33.33	37.50
2	28	6	81	HI	127	130	5	6	42	44	47	50	6.4	0.37	0.38	10.64	12.00
3	5	7	81	HI	237	242	45	47	67	70	112	117	6.1	0.47	0.48	40.18	40.17
4	12	7	81	MED	444	464	123	138	37	47	160	185	5.7	0.36	0.40	76.87	74.59
5	19	7	81	MED	219	229	146	149	14	15	160	164	5.9	0.73	0.72	91.25	90.85
6	26	7	81	MED	397	417	441	456	3	4	444	460	5.7	1.12	1.10	99.32	99.13
7	2	8	81	HI	340	350	202	207	5	6	207	213	4.8	0.61	0.61	97.58	97.18
8	9	8	81	LOW	67	77	49	55	0	0	49	55	0.0	0.73	0.71	100.00	100.00
9	16	8	81	LOW	120	125	54	56	4	4	58	60	5.4	0.48	0.48	93.10	93.33
10	23	8	81	HI	85	90	21	23	2	2	23	25	5.0	0.27	0.28	91.30	92.00
11	30	8	81	MED	14	16	1	1	0	0	1	1	0.0	0.07	0.06	100.00	100.00
12	6	9	81	MED	8	10	5	7	0	0	5	7	0.0	0.63	0.70	100.00	100.00
13	13	9	81	LOW	21	26	5	8	0	0	5	8	2.5	0.24	0.31	100.00	100.00
14	20	9	81	MED	5	5	2	2	0	0	2	2	2.5	0.40	0.40	100.00	100.00
TOTAL				MED	2095	2194	1101	1158	178	197	1279	1355	6.4	0.61	0.62	86.08	85.46

5102500
ALEXIS RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	9	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	20	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

5102820
GILBERT RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	3	6	5	10	0	0	5	10	0.0	1.67	1.67	100.00	100.00
4	12	7	81	MED	5	8	8	13	0	0	8	13	0.0	1.60	1.63	100.00	100.00
5	19	7	81	MED	18	24	24	34	0	0	24	34	0.0	1.33	1.42	100.00	100.00
6	26	7	81	MED	19	25	25	35	0	0	25	35	0.0	1.32	1.40	100.00	100.00
7	2	8	81	MED	23	23	19	19	0	0	19	19	0.0	0.83	0.83	100.00	100.00
8	9	8	81	MED	12	12	12	12	0	0	12	12	0.0	1.00	1.00	100.00	100.00
9	16	8	81	MED	7	7	6	6	0	0	6	6	0.0	0.86	0.86	100.00	100.00
10	23	8	81	MED	6	6	2	2	0	0	2	2	0.0	0.33	0.33	100.00	100.00
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	20	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	93	111	101	131	0	0	101	131	0.0	1.09	1.18	100.00	100.00

5206820
EAGLE RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	14	14	11	11	4	4	15	15	0.0	1.07	1.07	73.33	73.33
4	12	7	81	MED	111	111	83	102	28	28	111	130	0.0	1.00	1.17	74.77	78.46
5	19	7	81	LOW	200	200	155	476	30	30	185	506	0.0	0.92	2.53	83.78	94.07
6	26	7	81	LOW	248	248	246	754	18	18	264	772	0.0	1.06	3.11	93.18	97.67
7	2	8	81	LOW	119	119	72	605	3	3	75	608	0.0	0.63	5.11	96.00	99.51
8	9	8	81	MED	194	194	238	472	7	7	245	479	0.0	1.26	2.47	97.14	98.54
9	16	8	81	MED	157	157	123	146	4	4	127	150	0.0	0.81	0.96	96.85	97.33
10	23	8	81	MED	130	130	56	81	6	6	62	87	0.0	0.48	0.67	90.32	93.10
11	30	8	81	LOW	62	62	25	45	5	5	30	50	0.0	0.48	0.81	83.33	90.00
12	6	9	81	LOW	28	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	LOW	49	49	1	1	0	0	1	1	0.0	0.02	0.02	100.00	100.00
14	20	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	1312	1312	1010	2693	105	105	1115	2798	0.0	0.85	2.13	90.58	96.25

5212880
DOUBLE MER BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	1	1	1	1	0	0	1	1	0.0	1.00	1.00	100.00	100.00
5	19	7	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	1	1	1	1	0	0	1	1	0.0	1.00	1.00	100.00	100.00
7	2	8	81	HI	1	1	1	1	0	0	1	1	0.0	1.00	1.00	100.00	100.00
8	9	8	81	HI	1	1	1	1	0	0	1	1	0.0	1.00	1.00	100.00	100.00
9	16	8	81	LOW	2	2	2	3	0	0	2	3	0.0	1.00	1.50	100.00	100.00
10	23	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	2	2	2	2	0	0	2	2	0.0	1.00	1.00	100.00	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	20	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	8	8	8	9	0	0	8	9	0.0	1.00	1.13	100.00	100.00

5315040
BIG RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	MED	49	49	33	65	56	78	89	143	0.0	1.82	2.92	37.08	45.45
6	26	7	81	MED	77	77	90	120	37	47	127	167	0.0	1.65	2.17	70.87	71.86
7	2	8	81	HI	63	63	103	170	28	43	131	213	0.0	2.08	3.38	78.63	79.81
8	9	8	81	HI	70	70	76	116	11	13	87	129	0.0	1.24	1.84	87.36	89.92
9	16	8	81	MED	42	42	70	100	7	7	77	107	0.0	1.83	2.55	90.91	93.46
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	20	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	301	301	372	571	139	188	511	759	0.0	1.70	2.52	72.80	75.23

5317900
ADLATOK BROOK

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	MED	20	20	5	5	0	0	5	5	0.0	0.25	0.25	100.00	100.00
8	9	8	81	MED	7	7	1	1	0	0	1	1	0.0	0.14	0.14	100.00	100.00
9	16	8	81	MED	4	4	1	1	0	0	1	1	0.0	0.25	0.25	100.00	100.00
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	20	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	31	31	7	7	0	0	7	7	0.0	0.23	0.23	100.00	100.00

5319480
FLOWERS RIVER

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
6	26	7	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
7	2	8	81	LOW	23	23	14	14	0	0	14	14	0.0	0.61	0.61	100.00	100.00	100.00
8	9	8	81	LOW	28	28	34	34	3	3	37	37	0.0	1.32	1.32	91.89	91.89	91.89
9	16	8	81	LOW	24	24	24	24	1	1	25	25	0.0	1.04	1.04	96.00	96.00	96.00
10	23	8	81	MED	4	4	5	5	2	2	7	7	0.0	1.75	1.75	71.43	71.43	71.43
11	30	8	81	MED	3	3	5	5	1	1	6	6	0.0	2.00	2.00	83.33	83.33	83.33
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
14	20	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	82	82	82	82	7	7	89	89	0.0	1.09	1.09	92.13	92.13	92.13

Statistical Sections

STATISTICAL SECTION 1

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	91	111	10	14	0	0	10	14	0.0	0.11	0.13	100.00	100.00
3	5	7	81	HI	82	95	17	23	0	0	17	23	0.0	0.21	0.24	100.00	100.00
4	12	7	81	LOW	95	112	18	25	0	0	18	25	0.0	0.19	0.22	100.00	100.00
5	19	7	81	LOW	60	77	16	27	0	0	16	27	0.0	0.27	0.35	100.00	100.00
6	26	7	81	LOW	36	48	11	17	0	0	11	17	0.0	0.31	0.35	100.00	100.00
7	2	8	81	LOW	32	40	4	8	3	4	7	12	0.0	0.22	0.30	57.14	66.67
8	9	8	81	MED	36	48	8	12	2	3	10	15	0.0	0.28	0.31	80.00	80.00
9	16	8	81	MED	34	46	6	11	0	0	6	11	0.0	0.18	0.24	100.00	100.00
10	23	8	81	MED	22	30	4	6	1	1	5	7	0.0	0.23	0.23	80.00	85.71
11	30	8	81	HI	11	20	1	4	0	0	1	4	0.0	0.09	0.20	100.00	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	499	627	95	147	6	8	101	155	0.0	0.20	0.25	94.06	94.84

STATISTICAL SECTION 3

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	3	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	8	14	10	14	0	0	10	14	0.0	1.25	1.00	100.00	100.00
3	5	7	81	MED	25	31	31	35	0	0	31	35	0.0	1.24	1.13	100.00	100.00
4	12	7	81	MED	70	77	84	92	0	0	84	92	0.0	1.20	1.19	100.00	100.00
5	19	7	81	MED	26	36	22	34	0	0	22	34	0.0	0.85	0.94	100.00	100.00
6	26	7	81	MED	20	24	18	24	0	0	18	24	0.0	0.90	1.00	100.00	100.00
7	2	8	81	MED	34	42	28	34	0	0	28	34	0.0	0.82	0.81	100.00	100.00
8	9	8	81	MED	36	41	21	27	0	0	21	27	0.0	0.58	0.66	100.00	100.00
9	16	8	81	MED	14	18	6	12	0	0	6	12	0.0	0.43	0.67	100.00	100.00
10	23	8	81	MED	17	21	12	17	0	0	12	17	0.0	0.71	0.81	100.00	100.00
11	30	8	81	MED	0	3	0	2	0	0	0	2	0.0	0.0	0.67	0.0	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	253	313	232	291	0	0	232	291	0.0	0.92	0.93	100.00	100.00

STATISTICAL SECTION 4

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	53	68	38	52	0	0	38	52	2.7	0.72	0.76	100.00	100.00
2	28	6	81	MED	290	325	266	303	2	2	268	305	2.7	0.92	0.94	99.25	99.34
3	5	7	81	MED	639	755	759	858	0	0	759	858	2.5	1.19	1.14	100.00	100.00
4	12	7	81	MED	344	394	251	278	1	1	252	279	4.5	0.73	0.71	99.60	99.64
5	19	7	81	LOW	241	295	149	183	0	0	149	183	2.0	0.62	0.62	100.00	100.00
6	26	7	81	LOW	187	247	78	107	0	0	78	107	2.5	0.42	0.43	100.00	100.00
7	2	8	81	LOW	93	126	44	64	0	0	44	64	2.0	0.47	0.51	100.00	100.00
8	9	8	81	LOW	106	133	42	56	0	0	42	56	2.0	0.40	0.42	100.00	100.00
9	16	8	81	MED	81	108	30	49	0	0	30	49	1.8	0.37	0.45	100.00	100.00
10	23	8	81	MED	58	71	21	26	0	0	21	26	2.0	0.36	0.37	100.00	100.00
11	30	8	81	MED	60	78	23	32	0	0	23	32	1.6	0.38	0.41	100.00	100.00
12	6	9	81	MED	9	15	6	9	0	0	6	9	1.4	0.67	0.60	100.00	100.00
TOTAL				MED	2161	2615	1707	2017	3	3	1710	2020	4.5	0.79	0.77	99.82	99.85

STATISTICAL SECTION 5

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	HI	18	28	3	5	0	0	3	5	1.6	0.17	0.18	100.00	100.00
4	12	7	81	LOW	30	40	6	11	0	0	6	11	1.8	0.20	0.27	100.00	100.00
5	19	7	81	LOW	21	31	4	10	0	0	4	10	1.8	0.19	0.32	100.00	100.00
6	26	7	81	LOW	19	29	7	13	0	0	7	13	1.8	0.37	0.45	100.00	100.00
7	2	8	81	LOW	12	22	3	6	0	0	3	6	1.8	0.25	0.27	100.00	100.00
8	9	8	81	LOW	15	25	3	5	0	0	3	5	1.8	0.20	0.20	100.00	100.00
9	16	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	HI	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	125	185	26	50	0	0	26	50	1.8	0.21	0.27	100.00	100.00

STATISTICAL SECTION 6

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	246	298	55	68	5	5	60	73	4.0	0.24	0.24	91.67	93.15
2	28	6	81	HI	787	887	397	456	4	4	401	460	4.0	0.51	0.52	99.00	99.13
3	5	7	81	MED	999	1177	554	630	1	1	555	631	2.7	0.56	0.54	99.82	99.84
4	12	7	81	MED	872	1053	468	596	1	21	469	617	2.7	0.54	0.59	99.79	96.60
5	19	7	81	MED	797	989	436	609	1	1	437	610	3.2	0.55	0.62	99.77	99.84
6	26	7	81	MED	726	838	288	377	5	15	293	392	4.0	0.40	0.47	98.29	96.17
7	2	8	81	LOW	354	444	127	200	4	14	131	214	3.6	0.37	0.48	96.95	93.46
8	9	8	81	MED	239	293	71	98	0	0	71	98	1.8	0.30	0.33	100.00	100.00
9	16	8	81	MED	190	231	57	76	0	0	57	76	1.8	0.30	0.33	100.00	100.00
10	23	8	81	HI	149	180	49	64	0	0	49	64	1.8	0.33	0.36	100.00	100.00
11	30	8	81	HI	158	189	90	105	0	0	90	105	1.8	0.57	0.56	100.00	100.00
12	6	9	81	HI	11	18	6	9	0	0	6	9	1.8	0.55	0.50	100.00	100.00
TOTAL				MED	5528	6597	2598	3288	21	61	2619	3349	4.0	0.47	0.51	99.20	98.18

STATISTICAL SECTION 7

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	198	338	53	158	1	2	54	160	2.9	0.27	0.47	98.15	98.75
2	28	6	81	MED	1841	2023	542	651	1	1	543	652	3.6	0.29	0.32	99.82	99.85
3	5	7	81	MED	2006	2212	858	976	10	12	868	988	4.5	0.43	0.45	98.85	98.79
4	12	7	81	MED	2185	2455	902	1067	10	14	912	1081	4.0	0.42	0.44	98.90	98.70
5	19	7	81	MED	2248	2478	796	1015	8	12	804	1027	3.6	0.36	0.41	99.00	98.83
6	26	7	81	MED	1550	1702	486	573	4	6	490	579	3.6	0.32	0.34	99.18	98.96
7	2	8	81	LOW	921	1038	280	345	2	4	282	349	3.6	0.31	0.34	99.29	98.85
8	9	8	81	LOW	385	435	91	113	0	0	91	113	2.0	0.24	0.26	100.00	100.00
9	16	8	81	LOW	160	198	36	47	0	0	36	47	2.0	0.22	0.24	100.00	100.00
10	23	8	81	MED	240	290	37	46	0	0	37	46	1.8	0.15	0.16	100.00	100.00
11	30	8	81	MED	75	111	9	17	0	0	9	17	2.3	0.12	0.15	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	11809	13280	4090	5008	36	51	4126	5059	4.5	0.35	0.38	99.13	98.99

STATISTICAL SECTION 9

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	52	259	12	71	0	11	12	82	1.8	0.23	0.32	100.00	86.59
2	28	6	81	MED	901	1335	331	596	17	20	348	616	4.0	0.39	0.46	95.11	96.75
3	5	7	81	MED	1520	1618	626	671	46	51	672	722	3.6	0.44	0.45	93.15	92.94
4	12	7	81	MED	2033	2239	1179	1243	20	27	1199	1270	4.5	0.59	0.57	98.33	97.87
5	19	7	81	MED	1539	1776	728	789	25	29	753	818	6.1	0.49	0.46	96.68	96.45
6	26	7	81	MED	1574	1686	660	712	31	35	691	747	4.8	0.44	0.44	95.51	95.31
7	2	8	81	MED	1113	1491	460	541	24	28	484	569	6.4	0.43	0.38	95.04	95.08
8	9	8	81	LOW	798	962	297	347	21	24	318	371	5.0	0.40	0.39	93.40	93.53
9	16	8	81	MED	393	465	112	135	9	13	121	148	3.6	0.31	0.32	92.56	91.22
10	23	8	81	HI	251	333	72	87	3	5	75	92	3.0	0.30	0.28	96.00	94.57
11	30	8	81	MED	151	241	30	48	4	6	34	54	3.2	0.23	0.22	88.24	88.89
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	10325	12405	4507	5240	200	249	4707	5489	6.4	0.46	0.44	95.75	95.46

STATISTICAL SECTION 11

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	167	189	66	75	0	0	66	75	1.8	0.40	0.40	100.00	100.00
2	28	6	81	MED	595	647	223	262	3	3	226	265	2.9	0.38	0.41	98.67	98.87
3	5	7	81	MED	985	1057	423	456	3	3	426	459	3.2	0.43	0.43	99.30	99.35
4	12	7	81	MED	1037	1091	572	598	7	7	579	605	4.5	0.56	0.55	98.79	98.84
5	19	7	81	MED	1016	1084	537	568	9	9	546	577	3.6	0.54	0.53	98.35	98.44
6	26	7	81	MED	880	939	443	475	3	3	446	478	3.6	0.51	0.51	99.33	99.37
7	2	8	81	MED	749	774	317	328	2	2	319	330	3.2	0.43	0.43	99.37	99.39
8	9	8	81	MED	609	632	202	213	2	2	204	215	3.2	0.33	0.34	99.02	99.07
9	16	8	81	MED	412	426	157	162	3	3	160	165	3.2	0.39	0.39	98.12	98.18
10	23	8	81	MED	330	343	92	98	2	2	94	100	2.9	0.28	0.29	97.87	98.00
11	30	8	81	MED	88	99	12	16	0	0	12	16	0.0	0.14	0.16	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	6868	7281	3044	3251	34	34	3078	3285	4.5	0.45	0.45	98.90	98.96

STATISTICAL SECTION 12

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	63	72	3	3	0	0	3	3	1.6	0.05	0.04	100.00	100.00
2	28	6	81	MED	208	219	25	26	0	0	25	26	2.3	0.12	0.12	100.00	100.00
3	5	7	81	MED	250	276	27	30	0	0	27	30	2.0	0.11	0.11	100.00	100.00
4	12	7	81	MED	203	239	31	34	0	0	31	34	2.0	0.15	0.14	100.00	100.00
5	19	7	81	HI	176	193	35	42	0	0	35	42	2.0	0.20	0.22	100.00	100.00
6	26	7	81	HI	231	254	64	71	1	1	65	72	3.2	0.28	0.28	98.46	98.61
7	2	8	81	MED	177	195	24	27	0	0	24	27	2.0	0.14	0.14	100.00	100.00
8	9	8	81	LOW	78	86	1	2	0	0	1	2	1.4	0.01	0.02	100.00	100.00
9	16	8	81	MED	18	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	HI	19	26	1	2	0	0	1	2	1.4	0.05	0.08	100.00	100.00
11	30	8	81	HI	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1424	1582	211	237	1	1	212	238	3.2	0.15	0.15	99.53	99.58

STATISTICAL SECTION 15

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	28	40	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	69	80	6	8	0	0	6	8	1.6	0.09	0.10	100.00	100.00
3	5	7	81	HI	115	137	17	23	2	2	19	25	2.0	0.17	0.18	89.47	92.00
4	12	7	81	HI	152	167	17	22	0	0	17	22	2.3	0.11	0.13	100.00	100.00
5	19	7	81	HI	160	190	24	30	0	0	24	30	2.3	0.15	0.16	100.00	100.00
6	26	7	81	MED	111	128	15	23	0	0	15	23	1.8	0.14	0.18	100.00	100.00
7	2	8	81	MED	100	120	14	21	0	0	14	21	1.8	0.14	0.17	100.00	100.00
8	9	8	81	LOW	67	82	10	15	0	0	10	15	1.6	0.15	0.18	100.00	100.00
9	16	8	81	LOW	68	90	8	14	0	0	8	14	1.8	0.12	0.16	100.00	100.00
10	23	8	81	MED	36	49	5	8	0	0	5	8	1.6	0.14	0.16	100.00	100.00
11	30	8	81	MED	19	25	2	4	0	0	2	4	1.6	0.11	0.16	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	925	1108	118	168	2	2	120	170	2.3	0.13	0.15	98.33	98.82

STATISTICAL SECTION 16

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	13	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	27	37	6	9	0	0	6	9	1.8	0.22	0.24	100.00	100.00
3	5	7	81	MED	74	89	16	23	1	2	17	25	2.7	0.23	0.28	94.12	92.00
4	12	7	81	MED	75	95	20	27	3	5	23	32	2.7	0.31	0.34	86.96	84.38
5	19	7	81	HI	80	105	25	35	5	7	30	42	3.2	0.38	0.40	83.33	83.33
6	26	7	81	MED	103	128	23	36	5	9	28	45	3.2	0.27	0.35	82.14	80.00
7	2	8	81	MED	98	118	16	26	2	4	18	30	2.7	0.18	0.25	88.89	86.67
8	9	8	81	MED	62	77	9	15	0	0	9	15	2.0	0.15	0.19	100.00	100.00
9	16	8	81	MED	57	70	10	17	0	0	10	17	1.8	0.18	0.24	100.00	100.00
10	23	8	81	MED	39	46	8	10	0	0	8	10	2.3	0.21	0.22	100.00	100.00
11	30	8	81	MED	26	32	5	7	0	0	5	7	1.8	0.19	0.22	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	654	817	138	205	16	27	154	232	3.2	0.24	0.28	89.61	88.36

STATISTICAL SECTION 17

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	18	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	HI	29	45	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	HI	39	54	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	HI	16	33	3	8	0	0	3	8	0.0	0.19	0.24	100.00	100.00
5	19	7	81	HI	119	196	19	34	0	0	19	34	0.0	0.16	0.17	100.00	100.00
6	26	7	81	MED	156	264	26	56	0	0	26	56	0.0	0.17	0.21	100.00	100.00
7	2	8	81	MED	144	254	34	65	0	0	34	65	2.5	0.24	0.26	100.00	100.00
8	9	8	81	MED	137	182	11	24	0	0	11	24	2.3	0.08	0.13	100.00	100.00
9	16	8	81	HI	123	173	9	24	0	0	9	24	2.0	0.07	0.14	100.00	100.00
10	23	8	81	HI	85	106	4	8	0	0	4	8	0.0	0.05	0.08	100.00	100.00
11	30	8	81	MED	71	119	3	10	0	0	3	10	2.5	0.04	0.08	100.00	100.00
12	6	9	81	MED	16	21	2	3	0	0	2	3	2.5	0.13	0.14	100.00	100.00
TOTAL				MED	953	1481	111	232	0	0	111	232	2.5	0.12	0.16	100.00	100.00

STATISTICAL SECTION 21

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	13	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	28	6	81	HI	37	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	5	7	81	MED	21	30	1	1	0	0	1	1	1.4	0.05	0.03	100.00	
4	12	7	81	HI	31	40	2	4	0	0	2	4	1.4	0.06	0.10	100.00	
5	19	7	81	HI	37	49	2	4	0	0	2	4	1.4	0.05	0.08	100.00	
6	26	7	81	MED	24	34	2	3	0	0	2	3	1.4	0.08	0.09	100.00	
7	2	8	81	LOW	34	44	2	3	0	0	2	3	1.4	0.06	0.07	100.00	
8	9	8	81	LOW	29	37	2	3	0	0	2	3	1.4	0.07	0.08	100.00	
9	16	8	81	LOW	30	37	2	2	0	0	2	2	1.4	0.07	0.05	100.00	
10	23	8	81	MED	34	41	2	3	0	0	2	3	1.4	0.06	0.07	100.00	
11	30	8	81	LOW	28	36	1	2	0	0	1	2	1.1	0.04	0.06	100.00	
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				LOW	318	406	16	25	0	0	16	25	1.4	0.05	0.06	100.00	

STATISTICAL SECTION 22

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	24	39	0	2	0	0	0	2	0.0	0.0	0.05	0.0	
2	28	6	81	MED	95	112	3	7	0	0	3	7	2.0	0.03	0.06	100.00	
3	5	7	81	HI	106	119	6	10	0	0	6	10	2.0	0.06	0.08	100.00	
4	12	7	81	HI	108	127	7	13	1	1	8	14	2.7	0.07	0.11	87.50	
5	19	7	81	HI	87	101	7	15	0	0	7	15	2.3	0.08	0.15	100.00	
6	26	7	81	MED	63	75	7	15	0	0	7	15	2.0	0.11	0.20	100.00	
7	2	8	81	MED	61	81	2	6	0	0	2	6	1.8	0.03	0.07	100.00	
8	9	8	81	LOW	72	91	8	12	0	0	8	12	2.7	0.11	0.13	100.00	
9	16	8	81	MED	45	59	3	7	0	0	3	7	1.8	0.07	0.12	100.00	
10	23	8	81	MED	58	75	1	5	0	0	1	5	1.8	0.02	0.07	100.00	
11	30	8	81	HI	47	58	0	6	1	1	1	7	2.7	0.02	0.12	0.0	
12	6	9	81	HI	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				MED	769	942	44	98	2	2	46	100	2.7	0.06	0.11	95.65	

STATISTICAL SECTION 25

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	28	6	81	MED	13	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	5	7	81	LOW	15	18	3	4	0	0	3	4	1.6	0.20	0.22	100.00	
4	12	7	81	MED	13	17	1	2	0	0	1	2	1.8	0.08	0.12	100.00	
5	19	7	81	MED	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
6	26	7	81	LOW	7	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
7	2	8	81	LOW	6	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
8	9	8	81	LOW	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
9	16	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				MED	68	93	4	6	0	0	4	6	1.8	0.06	0.06	100.00	

STATISTICAL SECTION 26

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	14	14	3	5	0	0	3	5	1.8	0.21	0.36	100.00	
2	28	6	81	MED	33	33	9	12	0	0	9	12	2.0	0.27	0.36	100.00	
3	5	7	81	LOW	46	56	10	14	0	0	10	14	2.0	0.22	0.25	100.00	
4	12	7	81	MED	29	36	5	7	0	0	5	7	2.0	0.17	0.19	100.00	
5	19	7	81	MED	34	40	7	10	0	0	7	10	2.0	0.21	0.25	100.00	
6	26	7	81	LOW	31	40	6	8	0	0	6	8	2.3	0.19	0.20	100.00	
7	2	8	81	LOW	17	22	5	7	0	0	5	7	1.8	0.29	0.32	100.00	
8	9	8	81	LOW	15	18	3	4	0	0	3	4	1.8	0.20	0.22	100.00	
9	16	8	81	MED	11	15	2	2	0	0	2	2	2.0	0.18	0.13	100.00	
10	23	8	81	MED	11	13	2	2	0	0	2	2	1.8	0.18	0.15	100.00	
11	30	8	81	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				MED	245	291	52	71	0	0	52	71	2.3	0.21	0.24	100.00	

STATISTICAL SECTION 27

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	161	182	29	34	0	0	29	34	2.0	0.18	0.19	100.00	100.00
2	28	6	81	MED	397	432	129	140	15	17	144	157	5.3	0.36	0.36	89.58	89.17
3	5	7	81	LOW	397	427	123	143	2	4	125	147	2.9	0.31	0.34	98.40	97.28
4	12	7	81	HI	392	427	132	155	8	15	140	170	3.4	0.36	0.40	94.29	91.18
5	19	7	81	HI	275	303	74	93	2	4	76	97	3.6	0.28	0.32	97.37	95.88
6	26	7	81	LOW	189	212	44	53	1	2	45	55	2.7	0.24	0.26	97.78	96.36
7	2	8	81	LOW	152	172	7	10	0	0	7	10	2.0	0.05	0.06	100.00	100.00
8	9	8	81	LOW	54	69	9	13	0	0	9	13	2.5	0.17	0.19	100.00	100.00
9	16	8	81	LOW	32	43	0	1	0	0	0	1	0.0	0.0	0.02	0.0	100.00
10	23	8	81	MED	20	27	2	3	0	0	2	3	0.0	0.10	0.11	100.00	100.00
11	30	8	81	MED	1	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	2070	2297	549	645	28	42	577	687	5.3	0.28	0.30	95.15	93.89

STATISTICAL SECTION 28

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	445	482	179	191	0	0	179	191	2.3	0.40	0.40	100.00	100.00
2	28	6	81	HI	879	920	282	299	4	4	286	303	3.4	0.33	0.33	98.60	98.68
3	5	7	81	HI	657	719	210	231	2	2	212	233	5.9	0.32	0.32	99.06	99.14
4	12	7	81	HI	477	511	169	188	2	2	171	190	3.9	0.36	0.37	98.83	98.95
5	19	7	81	HI	355	381	100	112	0	1	100	113	2.5	0.28	0.30	100.00	99.12
6	26	7	81	MED	260	288	47	56	0	0	47	56	2.5	0.18	0.19	100.00	100.00
7	2	8	81	LOW	179	210	32	42	1	1	33	43	4.5	0.18	0.20	96.97	97.67
8	9	8	81	LOW	141	161	16	19	0	0	16	19	2.5	0.11	0.12	100.00	100.00
9	16	8	81	LOW	106	130	22	29	0	0	22	29	2.3	0.21	0.22	100.00	100.00
10	23	8	81	HI	85	103	18	25	0	0	18	25	2.3	0.21	0.24	100.00	100.00
11	30	8	81	MED	110	131	17	22	0	0	17	22	2.3	0.15	0.17	100.00	100.00
12	6	9	81	MED	6	10	1	3	0	0	1	3	0.0	0.17	0.30	100.00	100.00
TOTAL				MED	3700	4046	1093	1217	9	10	1102	1227	5.9	0.30	0.30	99.18	99.18

STATISTICAL SECTION 29

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	169	187	19	23	0	0	19	23	1.9	0.11	0.12	100.00	100.00
2	28	6	81	HI	562	589	97	109	1	1	98	110	2.5	0.17	0.19	98.98	99.09
3	5	7	81	HI	531	570	73	86	0	0	73	86	2.5	0.14	0.15	100.00	100.00
4	12	7	81	HI	588	626	17	20	2	2	79	92	2.3	0.13	0.15	97.47	97.83
5	19	7	81	HI	439	471	54	67	1	1	55	68	3.9	0.13	0.14	98.18	98.53
6	26	7	81	MED	356	377	38	45	0	0	38	45	2.5	0.11	0.12	100.00	100.00
7	2	8	81	LOW	263	287	18	24	0	0	18	24	2.5	0.07	0.08	100.00	100.00
8	9	8	81	LOW	214	237	14	19	0	0	14	19	2.3	0.07	0.08	100.00	100.00
9	16	8	81	HI	183	203	9	13	0	0	9	13	2.5	0.05	0.06	100.00	100.00
10	23	8	81	HI	146	169	10	14	1	1	11	15	2.9	0.08	0.09	90.91	93.33
11	30	8	81	HI	150	174	11	14	0	0	11	14	2.0	0.07	0.08	100.00	100.00
12	6	9	81	LOW	14	17	1	1	0	0	1	1	1.6	0.07	0.06	100.00	100.00
TOTAL				HI	3615	3907	421	505	5	5	426	510	3.9	0.12	0.13	98.83	99.02

STATISTICAL SECTION 30

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	140	166	19	23	0	0	19	23	2.3	0.14	0.14	100.00	100.00
2	28	6	81	HI	311	374	19	24	0	0	19	24	2.3	0.06	0.06	100.00	100.00
3	5	7	81	HI	360	418	25	31	0	0	25	31	2.0	0.07	0.07	100.00	100.00
4	12	7	81	HI	254	312	29	37	0	1	29	38	2.0	0.11	0.12	100.00	97.37
5	19	7	81	HI	314	389	36	50	0	0	36	50	2.3	0.11	0.13	100.00	100.00
6	26	7	81	MED	241	288	38	47	2	3	40	50	3.2	0.17	0.17	95.00	94.00
7	2	8	81	LOW	191	243	38	44	0	0	38	44	2.0	0.20	0.18	100.00	100.00
8	9	8	81	MED	194	241	22	28	0	0	22	28	2.3	0.11	0.12	100.00	100.00
9	16	8	81	MED	148	194	8	12	0	0	8	12	1.8	0.05	0.06	100.00	100.00
10	23	8	81	MED	25	35	0	1	0	0	0	1	0.0	0.0	0.03	0.0	100.00
11	30	8	81	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	2182	2664	234	297	2	4	236	301	3.2	0.11	0.11	99.15	98.67

STATISTICAL SECTION 31

OBSERVED AND TOTAL (ESTIMATED•OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	113	133	59	71	0	0	59	71	1.8	0.52	0.53	100.00	100.00
2	28	6	81	MED	261	321	129	157	0	0	129	157	2.5	0.49	0.49	100.00	100.00
3	5	7	81	MED	383	445	80	97	6	6	86	103	3.2	0.22	0.23	93.02	94.17
4	12	7	81	HI	218	268	27	37	4	4	31	41	2.9	0.14	0.15	87.10	90.24
5	19	7	81	HI	156	230	13	25	2	2	15	27	2.9	0.10	0.12	86.67	92.59
6	26	7	81	MED	152	220	11	29	2	2	13	31	3.4	0.09	0.14	84.62	93.55
7	2	8	81	MED	92	116	6	8	2	2	8	10	2.9	0.09	0.09	75.00	80.00
8	9	8	81	MED	69	94	1	1	0	0	1	1	2.3	0.01	0.01	100.00	100.00
9	16	8	81	MED	60	85	2	4	0	0	2	4	2.3	0.03	0.05	100.00	100.00
10	23	8	81	MED	44	69	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1553	1986	328	429	16	16	344	445	3.4	0.22	0.22	95.35	96.40

STATISTICAL SECTION 32

OBSERVED AND TOTAL (ESTIMATED•OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	100	118	3	4	1	1	4	5	3.4	0.04	0.04	75.00	80.00
2	28	6	81	MED	24	33	1	2	1	1	2	3	3.0	0.08	0.09	50.00	66.67
3	5	7	81	MED	68	92	8	12	0	0	8	12	2.3	0.12	0.13	100.00	100.00
4	12	7	81	HI	60	93	11	16	0	1	11	17	1.6	0.18	0.18	100.00	94.12
5	19	7	81	MED	71	95	13	19	1	1	14	20	1.8	0.20	0.21	92.86	95.00
6	26	7	81	MED	55	80	2	3	0	0	2	3	2.3	0.04	0.04	100.00	100.00
7	2	8	81	MED	45	64	4	8	0	0	4	8	2.5	0.09	0.13	100.00	100.00
8	9	8	81	MED	46	68	4	7	0	0	4	7	0.0	0.09	0.10	100.00	100.00
9	16	8	81	MED	43	59	5	8	0	0	5	8	0.0	0.12	0.14	100.00	100.00
10	23	8	81	MED	25	37	3	5	0	0	3	5	0.0	0.12	0.14	100.00	100.00
11	30	8	81	LOW	6	13	0	2	0	0	0	2	0.0	0.0	0.15	0.0	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	543	752	54	86	3	4	57	90	3.4	0.10	0.12	94.74	95.56

STATISTICAL SECTION 33

OBSERVED AND TOTAL (ESTIMATED•OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	HI	355	387	212	228	0	0	212	228	1.8	0.60	0.59	100.00	100.00
2	21	6	81	MED	347	389	190	212	0	0	190	212	1.6	0.55	0.54	100.00	100.00
3	28	6	81	HI	364	416	167	189	0	0	167	189	1.8	0.46	0.45	100.00	100.00
4	5	7	81	LOW	274	348	97	128	0	1	97	129	2.0	0.35	0.37	100.00	99.22
5	12	7	81	HI	253	303	101	122	9	11	110	133	3.6	0.43	0.44	91.82	91.73
6	19	7	81	HI	191	233	79	103	4	6	83	109	3.6	0.43	0.47	95.18	94.50
7	26	7	81	LOW	148	176	47	58	3	5	90	63	2.9	0.34	0.36	94.00	92.06
8	2	8	81	MED	132	162	42	52	1	2	43	54	2.7	0.33	0.33	97.67	96.30
9	9	8	81	MED	100	126	15	25	1	1	16	26	2.7	0.16	0.21	93.75	96.15
10	16	8	81	MED	77	96	19	24	0	1	19	25	2.3	0.25	0.26	100.00	96.00
11	23	8	81	MED	69	90	9	12	0	0	9	12	0.0	0.13	0.13	100.00	100.00
12	30	8	81	MED	34	39	14	16	0	0	14	16	1.4	0.41	0.41	100.00	100.00
13	6	9	81	MED	5	6	5	5	0	0	5	5	0.0	1.00	0.83	100.00	100.00
TOTAL				MED	2349	2771	997	1174	18	27	1015	1201	3.6	0.43	0.43	98.23	97.75

STATISTICAL SECTION 34

OBSERVED AND TOTAL (ESTIMATED•OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	119	156	144	166	1	1	145	167	4.5	1.22	1.07	99.31	99.40
2	28	6	81	MED	365	395	345	393	2	2	347	395	5.0	0.95	1.00	99.42	99.49
3	5	7	81	MED	320	390	212	320	3	3	215	323	3.2	0.67	0.83	98.60	99.07
4	12	7	81	HI	211	251	58	89	0	0	58	89	2.3	0.27	0.35	100.00	100.00
5	19	7	81	HI	152	187	51	74	0	0	51	74	2.3	0.34	0.40	100.00	100.00
6	26	7	81	HI	172	198	47	56	1	1	48	57	2.9	0.28	0.29	97.92	98.25
7	2	8	81	MED	106	134	16	30	0	0	16	30	1.8	0.15	0.22	100.00	100.00
8	9	8	81	LOW	38	62	3	14	0	0	3	14	1.8	0.08	0.23	100.00	100.00
9	16	8	81	LOW	43	65	4	9	0	0	4	9	1.8	0.09	0.14	100.00	100.00
10	23	8	81	LOW	27	41	4	7	0	0	4	7	1.8	0.15	0.17	100.00	100.00
11	30	8	81	LOW	6	6	2	2	0	0	2	2	1.4	0.33	0.33	100.00	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	1559	1885	886	1160	7	7	893	1167	5.0	0.57	0.62	99.22	99.40

STATISTICAL SECTION 35

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	53	67	1	3	0	0	1	3	0.9	0.02	0.04	100.00	100.00
2	28	6	81	LOW	40	48	3	6	0	0	3	6	2.7	0.07	0.13	100.00	100.00
3	5	7	81	LOW	29	55	18	28	1	1	19	29	3.2	0.66	0.53	94.74	96.55
4	12	7	81	MED	30	70	14	22	0	0	14	22	0.0	0.47	0.31	100.00	100.00
5	19	7	81	LOW	48	98	20	45	0	0	20	45	3.6	0.42	0.46	100.00	100.00
6	26	7	81	LOW	44	74	26	52	0	0	26	52	0.0	0.59	0.70	100.00	100.00
7	2	8	81	LOW	12	42	4	8	0	0	4	8	1.6	0.33	0.19	100.00	100.00
8	9	8	81	LOW	8	38	0	0	0	0	0	0	2.9	0.0	0.0	0.0	0.0
9	16	8	81	LOW	8	38	1	7	0	0	1	7	2.0	0.13	0.18	100.00	100.00
10	23	8	81	LOW	0	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	272	550	87	171	1	1	88	172	3.6	0.32	0.31	98.86	99.42

STATISTICAL SECTION 36

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	MED	766	811	357	372	2	2	359	374	4.1	0.47	0.46	99.44	99.47
2	21	6	81	MED	1141	1191	881	926	0	0	881	926	2.5	0.77	0.78	100.00	100.00
3	28	6	81	MED	856	961	518	567	0	0	518	567	2.3	0.61	0.59	100.00	100.00
4	5	7	81	HI	901	956	344	376	0	0	344	376	2.0	0.38	0.39	100.00	100.00
5	12	7	81	MED	480	535	226	251	0	0	226	251	1.6	0.47	0.47	100.00	100.00
6	19	7	81	HI	333	358	98	108	0	0	98	108	1.4	0.29	0.30	100.00	100.00
7	26	7	81	MED	204	229	42	52	0	0	42	52	2.3	0.21	0.23	100.00	100.00
8	2	8	81	MED	151	176	33	41	0	0	33	41	1.4	0.22	0.23	100.00	100.00
9	9	8	81	LOW	76	86	18	20	0	0	18	20	1.4	0.24	0.23	100.00	100.00
10	16	8	81	LOW	50	60	8	10	0	0	8	10	1.1	0.16	0.17	100.00	100.00
11	23	8	81	LOW	26	31	3	5	0	0	3	5	1.4	0.12	0.16	100.00	100.00
12	30	8	81	LOW	20	25	5	7	0	0	5	7	1.4	0.25	0.28	100.00	100.00
13	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	5004	5419	2533	2735	2	2	2535	2737	4.1	0.51	0.51	99.92	99.93

STATISTICAL SECTION 37

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	10	13	3	5	0	0	3	5	1.4	0.30	0.38	100.00	100.00
2	28	6	81	MED	154	205	245	324	0	0	245	324	1.8	1.59	1.58	100.00	100.00
3	5	7	81	MED	16	128	9	109	0	0	9	109	1.8	0.56	0.85	100.00	100.00
4	12	7	81	HI	0	90	0	56	0	0	0	56	0.0	0.0	0.62	0.0	100.00
5	19	7	81	MED	13	78	5	45	0	0	5	45	1.8	0.38	0.58	100.00	100.00
6	26	7	81	MED	9	59	0	30	0	0	0	30	0.0	0.0	0.51	0.0	100.00
7	2	8	81	MED	7	44	3	20	0	0	3	20	1.8	0.43	0.45	100.00	100.00
8	9	8	81	LOW	10	35	9	20	0	0	9	20	1.6	0.90	0.57	100.00	100.00
9	16	8	81	MED	0	22	0	9	0	0	0	9	0.0	0.0	0.41	0.0	100.00
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	219	674	274	618	0	0	274	618	1.8	1.25	0.92	100.00	100.00

STATISTICAL SECTION 38

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	162	182	77	99	0	0	77	99	1.4	0.48	0.54	100.00	100.00
2	28	6	81	HI	307	356	247	279	1	1	248	280	2.7	0.81	0.79	99.60	99.64
3	5	7	81	MED	381	454	379	463	0	0	379	463	2.3	0.99	1.02	100.00	100.00
4	12	7	81	HI	249	300	226	263	1	1	227	264	2.7	0.91	0.88	99.56	99.62
5	19	7	81	MED	199	246	129	163	2	4	131	167	2.9	0.66	0.68	98.47	97.60
6	26	7	81	MED	188	230	95	118	0	0	95	118	1.8	0.51	0.51	100.00	100.00
7	2	8	81	MED	194	229	90	107	0	0	90	107	2.5	0.46	0.47	100.00	100.00
8	9	8	81	LOW	100	120	39	50	0	0	39	50	1.6	0.39	0.42	100.00	100.00
9	16	8	81	LOW	90	110	29	38	0	0	29	38	2.3	0.32	0.35	100.00	100.00
10	23	8	81	MED	44	48	11	13	0	0	11	13	1.8	0.25	0.27	100.00	100.00
11	30	8	81	LOW	9	29	0	15	0	0	0	15	0.0	0.0	0.52	0.0	100.00
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1923	2304	1322	1608	4	6	1326	1614	2.9	0.69	0.70	99.70	99.63

STATISTICAL SECTION 39

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	54	62	20	23	0	0	20	23	1.8	0.37	0.37	100.00	100.00
2	28	6	81	HI	271	316	156	181	2	2	158	183	3.2	0.58	0.58	98.73	98.91
3	5	7	81	LOW	275	320	140	161	4	4	144	165	3.9	0.52	0.52	97.22	97.58
4	12	7	81	HI	210	245	124	135	1	1	125	136	2.7	0.60	0.56	99.20	99.26
5	19	7	81	HI	134	151	65	71	6	8	71	79	3.2	0.53	0.52	91.55	89.87
6	26	7	81	MED	93	121	51	59	0	0	51	59	2.0	0.55	0.49	100.00	100.00
7	2	8	81	LOW	39	40	24	24	0	0	24	24	2.0	0.62	0.60	100.00	100.00
8	9	8	81	LOW	10	10	2	2	0	0	2	2	1.8	0.20	0.20	100.00	100.00
9	16	8	81	LOW	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	23	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	30	8	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	1089	1268	582	656	13	15	595	671	3.9	0.55	0.53	97.82	97.76

STATISTICAL SECTION 40

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	1381	1671	514	657	139	174	653	831	7.3	0.47	0.50	78.71	79.06
2	28	6	81	HI	1765	1996	606	691	81	104	687	795	5.9	0.39	0.40	88.21	86.92
3	5	7	81	LOW	1414	1568	496	574	39	43	535	617	5.4	0.38	0.39	92.71	93.03
4	12	7	81	MED	954	1080	319	384	55	63	374	447	6.3	0.39	0.41	85.29	85.91
5	19	7	81	HI	688	768	200	231	4	4	204	235	4.5	0.30	0.31	98.04	98.30
6	26	7	81	LOW	522	595	176	208	6	9	182	217	5.4	0.35	0.36	96.70	95.85
7	2	8	81	LOW	414	475	125	148	3	3	128	151	6.3	0.31	0.32	97.66	98.01
8	9	8	81	LOW	215	239	59	76	1	2	60	78	3.6	0.28	0.33	98.33	97.44
9	16	8	81	LOW	75	75	7	7	0	0	7	7	1.4	0.09	0.09	100.00	100.00
10	23	8	81	HI	44	44	9	9	0	0	9	9	1.4	0.20	0.20	100.00	100.00
11	30	8	81	MED	23	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	7497	8536	2511	2985	328	402	2839	3387	7.3	0.38	0.40	88.45	88.13

STATISTICAL SECTION 41

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	302	337	101	109	18	19	119	128	4.5	0.39	0.38	84.87	85.16
2	28	6	81	HI	495	535	230	244	15	17	245	261	4.5	0.49	0.49	93.88	93.49
3	5	7	81	MED	1083	1228	434	492	17	26	451	518	3.6	0.42	0.42	96.23	94.98
4	12	7	81	HI	816	935	246	286	10	14	256	300	6.3	0.31	0.32	96.09	95.33
5	19	7	81	HI	680	807	169	210	6	8	175	218	3.2	0.26	0.27	96.57	96.33
6	26	7	81	MED	609	692	173	220	5	5	178	225	3.2	0.29	0.33	97.19	97.78
7	2	8	81	MED	358	461	89	131	5	8	94	139	3.6	0.26	0.30	94.68	94.24
8	9	8	81	LOW	328	389	85	103	0	0	85	103	2.3	0.26	0.26	100.00	100.00
9	16	8	81	LOW	210	265	67	91	1	1	68	92	4.1	0.32	0.35	98.53	98.91
10	23	8	81	HI	34	44	10	13	0	0	10	13	1.8	0.29	0.30	100.00	100.00
11	30	8	81	HI	39	54	12	18	0	0	12	18	1.8	0.31	0.33	100.00	100.00
12	6	9	81	MED	12	28	4	9	0	0	4	9	1.8	0.33	0.32	100.00	100.00
TOTAL				MED	4966	5775	1620	1926	77	98	1697	2024	6.3	0.34	0.35	95.46	95.16

STATISTICAL SECTION 43

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	5	7	81	MED	50	60	20	24	2	2	22	26	5.4	0.44	0.43	90.91	92.31
2	12	7	81	HI	49	64	18	24	0	0	18	24	1.4	0.37	0.38	100.00	100.00
3	19	7	81	MED	30	40	12	14	0	0	12	14	1.8	0.40	0.35	100.00	100.00
TOTAL				MED	129	164	50	62	2	2	52	64	5.4	0.40	0.39	96.15	96.88

STATISTICAL SECTION 44

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	LOW	187	209	4	6	4	4	8	10	5.4	0.04	0.05	50.00	60.00
2	21	6	81	HI	379	451	90	107	23	26	113	133	5.4	0.30	0.29	79.65	80.45
3	28	6	81	MED	842	950	700	779	13	14	713	793	3.6	0.85	0.83	98.18	98.23
4	5	7	81	HI	1369	1532	863	980	13	14	876	994	6.3	0.64	0.65	98.52	98.59
5	12	7	81	LOW	1311	1449	518	614	15	16	533	630	4.4	0.41	0.43	97.19	97.46
6	19	7	81	MED	882	1021	314	371	15	17	329	388	11.6	0.37	0.38	95.44	95.62
7	26	7	81	LOW	701	784	330	371	13	13	343	384	11.6	0.49	0.49	96.21	96.61
8	2	8	81	LOW	608	681	275	315	6	8	281	323	12.7	0.46	0.47	97.86	97.52
9	9	8	81	LOW	606	699	205	238	11	16	216	254	10.9	0.36	0.36	94.91	93.70
10	16	8	81	LOW	532	602	202	238	8	13	210	251	7.3	0.39	0.42	96.19	94.82
11	23	8	81	HI	428	475	124	142	6	8	130	150	9.8	0.30	0.32	95.38	94.67
12	30	8	81	MED	402	483	140	164	6	12	146	176	7.5	0.36	0.36	95.89	93.18
13	6	9	81	LOW	28	28	2	2	0	0	2	2	0.0	0.07	0.07	100.00	100.00
TOTAL				LOW	8275	9364	3767	4327	133	161	3900	4488	12.7	0.47	0.48	96.59	96.41

STATISTICAL SECTION 45

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	47	52	4	5	0	0	4	5	0.0	0.09	0.10	100.00	100.00
2	28	6	81	MED	161	186	60	75	1	1	61	76	4.8	0.38	0.41	98.36	98.68
3	5	7	81	MED	226	258	84	101	0	0	84	101	0.0	0.37	0.39	100.00	100.00
4	12	7	81	MED	401	455	180	204	0	0	180	204	0.0	0.45	0.45	100.00	100.00
5	19	7	81	LOW	285	349	70	88	1	1	71	89	3.2	0.25	0.26	98.59	98.88
6	26	7	81	LOW	241	288	28	31	0	0	28	31	0.0	0.12	0.11	100.00	100.00
7	2	8	81	LOW	187	227	14	16	1	1	15	17	3.2	0.08	0.07	93.33	94.12
8	9	8	81	LOW	136	166	8	10	0	0	8	10	0.0	0.06	0.06	100.00	100.00
9	16	8	81	LOW	122	147	7	10	0	0	7	10	0.0	0.06	0.07	100.00	100.00
10	23	8	81	HI	72	90	6	8	0	0	6	8	0.0	0.08	0.09	100.00	100.00
11	30	8	81	MED	76	93	10	12	0	0	10	12	0.0	0.13	0.13	100.00	100.00
12	6	9	81	MED	12	14	2	2	0	0	2	2	0.0	0.17	0.14	100.00	100.00
TOTAL				LOW	1966	2325	473	562	3	3	476	565	4.8	0.24	0.24	99.37	99.47

STATISTICAL SECTION 46

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	215	269	13	16	1	1	14	17	3.6	0.07	0.06	92.86	94.12
2	28	6	81	MED	539	634	101	120	9	12	110	132	6.8	0.20	0.21	91.82	90.91
3	5	7	81	MED	718	843	135	155	8	11	143	166	6.1	0.20	0.20	94.41	93.37
4	12	7	81	LOW	802	946	164	197	7	10	171	207	4.7	0.21	0.22	95.91	95.17
5	19	7	81	LOW	611	699	88	105	9	11	97	116	6.1	0.16	0.17	90.72	90.52
6	26	7	81	LOW	461	520	57	67	5	6	62	73	5.0	0.13	0.14	91.94	91.78
7	2	8	81	LOW	376	431	37	45	2	2	39	47	5.0	0.10	0.11	94.87	95.74
8	9	8	81	LOW	303	353	18	24	0	0	18	24	2.3	0.06	0.07	100.00	100.00
9	16	8	81	LOW	264	304	12	16	2	3	14	19	4.4	0.05	0.06	85.71	84.21
10	23	8	81	HI	168	196	7	11	2	3	9	14	2.5	0.05	0.07	77.78	78.57
11	30	8	81	MED	113	137	6	9	0	0	6	9	2.3	0.05	0.07	100.00	100.00
12	6	9	81	MED	15	18	4	4	1	1	5	5	5.0	0.33	0.28	80.00	80.00
TOTAL				LOW	4585	5350	642	769	46	60	688	829	6.8	0.15	0.15	93.31	92.76

STATISTICAL SECTION 47

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	155	199	21	29	1	1	22	30	7.3	0.14	0.15	95.45	96.67
2	28	6	81	MED	466	528	96	118	3	3	99	121	5.9	0.21	0.23	96.97	97.52
3	5	7	81	MED	567	646	181	207	5	5	186	212	6.8	0.33	0.33	97.31	97.64
4	12	7	81	LOW	781	864	283	336	4	4	287	340	6.3	0.37	0.39	98.61	98.82
5	19	7	81	LOW	912	1006	336	381	10	12	346	393	3.6	0.38	0.39	97.11	96.95
6	26	7	81	LOW	758	829	268	295	5	6	273	301	4.5	0.36	0.36	98.17	98.01
7	2	8	81	LOW	542	611	152	171	1	1	153	172	4.1	0.28	0.28	99.35	99.42
8	9	8	81	MED	427	477	105	124	0	0	105	124	2.7	0.25	0.26	100.00	100.00
9	16	8	81	MED	344	386	67	78	3	3	70	81	4.5	0.20	0.21	95.71	96.30
10	23	8	81	HI	283	322	96	108	0	0	96	108	0.0	0.34	0.34	100.00	100.00
11	30	8	81	HI	176	202	37	44	0	0	37	44	2.3	0.21	0.22	100.00	100.00
12	6	9	81	HI	20	22	2	2	0	0	2	2	0.0	0.10	0.09	100.00	100.00
TOTAL				LOW	5431	6092	1644	1893	32	35	1676	1928	7.3	0.31	0.32	98.09	98.18

STATISTICAL SECTION 48

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	45	47	6	8	1	1	7	9	3.6	0.16	0.19	85.71	88.89
2	28	6	81	MED	132	152	59	63	5	6	64	69	3.2	0.48	0.45	92.19	91.30
3	5	7	81	MED	140	160	107	122	1	2	108	124	3.2	0.77	0.77	99.07	98.39
4	12	7	81	MED	278	298	261	271	1	1	262	272	2.7	0.94	0.91	99.62	99.63
5	19	7	81	MED	253	283	203	213	5	7	208	220	6.4	0.82	0.78	97.60	96.82
6	26	7	81	LOW	165	185	89	101	1	3	90	104	4.3	0.55	0.56	98.89	97.12
7	2	8	81	LOW	136	136	74	74	1	1	75	75	2.9	0.55	0.55	98.67	98.67
8	9	8	81	MED	41	51	11	13	0	0	11	13	2.3	0.27	0.25	100.00	100.00
9	16	8	81	MED	16	21	2	3	0	0	2	3	0.0	0.13	0.14	100.00	100.00
10	23	8	81	HI	19	24	6	8	0	0	6	8	0.0	0.32	0.33	100.00	100.00
11	30	8	81	HI	11	11	4	4	0	0	4	4	0.0	0.36	0.36	100.00	100.00
12	6	9	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1236	1368	822	880	15	21	837	901	6.4	0.68	0.66	98.21	97.67

STATISTICAL SECTION 49

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	91	91	36	36	0	0	36	36	2.0	0.40	0.40	100.00	100.00
2	28	6	81	HI	394	408	185	195	5	5	190	200	2.9	0.48	0.49	97.37	97.50
3	5	7	81	MED	510	545	337	365	2	2	339	367	4.5	0.66	0.67	99.41	99.46
4	12	7	81	LOW	619	667	347	391	2	2	349	393	2.0	0.56	0.59	99.43	99.49
5	19	7	81	LOW	309	360	182	215	0	0	182	215	1.8	0.59	0.60	100.00	100.00
6	26	7	81	LOW	233	267	99	123	0	0	99	123	1.8	0.42	0.46	100.00	100.00
7	2	8	81	LOW	138	177	61	82	0	0	61	82	1.8	0.44	0.46	100.00	100.00
8	9	8	81	LOW	148	180	65	79	1	1	66	80	2.7	0.45	0.44	98.48	98.75
9	16	8	81	LOW	93	105	52	59	0	0	52	59	2.0	0.56	0.56	100.00	100.00
10	23	8	81	MED	90	95	43	48	0	0	43	48	1.8	0.48	0.51	100.00	100.00
11	30	8	81	MED	49	53	29	33	0	0	29	33	1.6	0.59	0.62	100.00	100.00
12	6	9	81	MED	4	6	2	5	0	0	2	5	0.0	0.50	0.63	100.00	100.00
TOTAL				LOW	2678	2956	1438	1631	10	10	1448	1641	4.5	0.54	0.56	99.31	99.39

STATISTICAL SECTION 50

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	25	27	6	7	4	5	10	12	6.1	0.40	0.44	60.00	58.33
2	28	6	81	HI	172	183	14	17	43	45	57	62	6.4	0.33	0.34	24.56	27.42
3	5	7	81	HI	339	356	91	95	69	73	168	168	6.1	0.47	0.47	56.87	56.55
4	12	7	81	MED	576	611	193	218	41	52	234	270	5.7	0.41	0.44	82.48	80.74
5	19	7	81	HI	405	430	244	251	15	17	259	268	6.0	0.64	0.62	94.21	93.66
6	26	7	81	MED	549	581	533	553	4	5	537	558	9.5	0.98	0.96	99.26	99.10
7	2	8	81	HI	453	475	242	251	6	7	248	258	4.8	0.55	0.54	97.58	97.29
8	9	8	81	MED	156	176	93	104	0	0	93	104	2.0	0.60	0.59	100.00	100.00
9	16	8	81	LOW	169	179	64	70	5	6	69	76	3.4	0.41	0.42	92.75	92.11
10	23	8	81	HI	156	166	45	49	8	8	53	57	5.4	0.34	0.34	84.91	85.96
11	30	8	81	MED	34	41	10	12	0	0	10	12	2.3	0.29	0.29	100.00	100.00
12	6	9	81	MED	47	54	30	34	0	0	30	34	2.3	0.64	0.63	100.00	100.00
13	13	9	81	LOW	51	60	27	32	2	2	29	34	3.6	0.57	0.57	93.10	94.12
14	20	9	81	MED	12	14	5	5	0	0	5	5	2.5	0.42	0.36	100.00	100.00
TOTAL				MED	3144	3353	1597	1698	197	220	1794	1918	9.5	0.57	0.57	89.02	88.53

STATISTICAL SECTION 51

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	3	6	5	10	0	0	5	10	0.0	1.67	1.67	100.00	100.00
4	12	7	81	MED	5	8	8	13	0	0	8	13	0.0	1.60	1.63	100.00	100.00
5	19	7	81	MED	18	24	24	34	0	0	24	34	0.0	1.33	1.42	100.00	100.00
6	26	7	81	MED	19	25	25	35	0	0	25	35	0.0	1.32	1.40	100.00	100.00
7	2	8	81	MED	23	23	19	19	0	0	19	19	0.0	0.83	0.83	100.00	100.00
8	9	8	81	MED	12	12	12	12	0	0	12	12	0.0	1.00	1.00	100.00	100.00
9	16	8	81	MED	7	7	6	6	0	0	6	6	0.0	0.86	0.86	100.00	100.00
10	23	8	81	MED	6	6	2	2	0	0	2	2	0.0	0.33	0.33	100.00	100.00
11	30	8	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	20	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	93	111	101	131	0	0	101	131	0.0	1.09	1.18	100.00	100.00

STATISTICAL SECTION 52

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	14	14	11	11	4	4	15	15	0.0	1.07	1.07	73.33	73.33
4	12	7	81	MED	112	112	84	103	28	28	112	131	0.0	1.00	1.17	75.00	78.63
5	19	7	81	LOW	200	200	155	476	30	30	185	506	0.0	0.92	2.53	83.78	94.07
6	26	7	81	MED	249	249	247	755	18	18	265	773	0.0	1.06	3.10	93.21	97.67
7	2	8	81	HI	120	120	73	606	3	3	76	609	0.0	0.63	5.07	96.05	99.51
8	9	8	81	HI	195	195	239	473	7	7	246	480	0.0	1.26	2.46	97.15	98.54
9	16	8	81	MED	159	159	125	149	4	4	129	153	0.0	0.81	0.96	96.90	97.39
10	23	8	81	MED	130	130	56	81	6	6	62	87	0.0	0.48	0.67	90.32	93.10
11	30	8	81	LOW	64	64	27	47	5	5	32	52	0.0	0.50	0.81	84.38	90.38
12	6	9	81	LOW	28	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	LOW	49	49	1	1	0	0	1	1	0.0	0.02	0.02	100.00	100.00
14	20	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	1320	1320	1018	2702	105	105	1123	2807	0.0	0.85	2.13	90.65	96.26

STATISTICAL SECTION 53

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	12	7	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	19	7	81	MED	49	49	33	65	56	78	89	143	0.0	1.82	2.92	37.08	45.45
6	26	7	81	MED	77	77	90	120	37	47	127	167	0.0	1.65	2.17	70.87	71.86
7	2	8	81	HI	106	106	122	189	28	43	150	232	0.0	1.42	2.19	81.33	81.47
8	9	8	81	HI	105	105	111	151	14	16	125	167	0.0	1.19	1.59	88.80	90.42
9	16	8	81	MED	70	70	95	125	8	8	103	133	0.0	1.47	1.90	92.23	93.98
10	23	8	81	MED	4	4	5	5	2	2	7	7	0.0	1.75	1.75	71.43	71.43
11	30	8	81	MED	3	3	5	5	1	1	6	6	0.0	2.00	2.00	83.33	83.33
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	20	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	414	414	461	660	146	195	607	855	0.0	1.47	2.07	75.95	77.19

Statistical Areas

STATISTICAL AREA A

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	56	74	38	52	0	0	38	52	2.7	0.68	0.70	100.00	100.00
2	28	6	81	MED	389	450	286	331	2	2	288	333	2.7	0.74	0.74	99.31	99.40
3	5	7	81	MED	764	909	810	921	0	0	810	921	2.5	1.06	1.01	100.00	100.00
4	12	7	81	MED	539	623	359	406	1	1	360	407	4.5	0.67	0.65	99.72	99.75
5	19	7	81	LOW	348	439	191	254	0	0	191	254	2.0	0.55	0.58	100.00	100.00
6	26	7	81	LOW	262	348	114	161	0	0	114	161	2.5	0.44	0.46	100.00	100.00
7	2	8	81	LOW	171	230	79	112	3	4	82	116	2.0	0.48	0.50	96.34	96.55
8	9	8	81	LOW	193	247	74	100	2	3	76	103	2.0	0.39	0.42	97.37	97.09
9	16	8	81	MED	129	172	42	72	0	0	42	72	1.8	0.33	0.42	100.00	100.00
10	23	8	81	MED	97	122	37	49	1	1	38	50	2.0	0.39	0.41	97.37	98.00
11	30	8	81	MED	81	111	24	38	0	0	24	38	1.6	0.30	0.34	100.00	100.00
12	6	9	81	MED	9	15	6	9	0	0	6	9	1.4	0.67	0.60	100.00	100.00
TOTAL				MED	3038	3740	2060	2505	9	11	2069	2516	4.5	0.68	0.67	99.57	99.56

STATISTICAL AREA B

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	496	895	120	297	6	18	126	315	4.0	0.25	0.35	95.24	94.29
2	28	6	81	MED	3529	4245	1270	1703	22	25	1292	1728	4.0	0.37	0.41	98.30	98.55
3	5	7	81	MED	4525	5007	2038	2277	57	64	2095	2341	4.5	0.46	0.47	97.28	97.27
4	12	7	81	MED	5090	5747	2549	2906	31	62	2580	2968	4.5	0.51	0.52	98.80	97.91
5	19	7	81	MED	4584	5243	1960	2413	34	42	1994	2455	6.1	0.43	0.47	98.29	98.29
6	26	7	81	MED	3850	4226	1434	1662	40	56	1474	1718	4.8	0.38	0.41	97.29	96.74
7	2	8	81	LOW	2388	2973	867	1086	30	46	897	1132	6.4	0.38	0.38	96.66	95.94
8	9	8	81	LOW	1422	1690	459	558	21	24	480	582	5.0	0.34	0.34	95.62	95.88
9	16	8	81	MED	743	894	205	258	9	13	214	271	3.6	0.29	0.30	95.79	95.20
10	22	8	81	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	23	8	81	MED	640	803	158	197	3	5	161	202	3.0	0.25	0.25	98.14	97.52
12	30	8	81	HI	384	541	129	170	4	6	133	176	3.2	0.35	0.33	96.99	96.59
13	6	9	81	MED	11	18	6	9	0	0	6	9	1.8	0.55	0.50	100.00	100.00
TOTAL				MED	27662	32282	11195	13536	257	361	11452	13897	6.4	0.41	0.43	97.76	97.40

STATISTICAL AREA C

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	230	261	69	78	0	0	69	78	1.8	0.30	0.30	100.00	100.00
2	28	6	81	MED	803	866	248	288	3	3	251	291	2.9	0.31	0.34	98.80	98.97
3	5	7	81	MED	1235	1333	450	486	3	3	453	489	3.2	0.37	0.37	99.34	99.39
4	12	7	81	MED	1240	1330	603	632	7	7	610	639	4.5	0.49	0.48	98.85	98.90
5	19	7	81	MED	1192	1277	572	610	9	9	581	619	3.6	0.49	0.48	98.45	98.55
6	26	7	81	MED	1111	1193	507	546	4	4	511	558	3.6	0.46	0.46	99.22	99.27
7	2	8	81	MED	926	969	341	355	2	2	343	357	3.2	0.37	0.37	99.42	99.44
8	9	8	81	MED	687	718	203	215	2	2	205	217	3.2	0.30	0.30	99.02	99.08
9	16	8	81	MED	430	447	157	162	3	3	160	165	3.2	0.37	0.37	98.12	98.18
10	23	8	81	MED	349	369	93	100	2	2	95	102	2.9	0.27	0.28	97.89	98.04
11	30	8	81	MED	89	100	12	16	0	0	12	16	0.0	0.13	0.16	100.00	100.00
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	8292	8863	3255	3488	35	35	3290	3523	4.5	0.40	0.40	98.94	99.01

STATISTICAL AREA D

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	59	94	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	125	162	12	17	0	0	12	17	1.8	0.10	0.10	100.00	100.00
3	5	7	81	MED	228	280	33	46	3	4	36	50	2.7	0.16	0.18	91.67	92.00
4	12	7	81	HI	243	295	40	57	3	5	43	62	2.7	0.18	0.21	93.02	91.94
5	19	7	81	HI	359	491	68	99	5	7	73	106	3.2	0.20	0.22	93.15	93.40
6	26	7	81	MED	370	520	64	115	5	9	69	124	3.2	0.19	0.24	92.75	92.74
7	2	8	81	MED	342	492	64	112	2	4	66	116	2.7	0.19	0.24	96.97	96.55
8	9	8	81	MED	266	341	30	54	0	0	30	54	2.3	0.11	0.16	100.00	100.00
9	16	8	81	MED	248	333	27	55	0	0	27	55	2.0	0.11	0.17	100.00	100.00
10	23	8	81	MED	160	201	17	26	0	0	17	26	2.3	0.11	0.13	100.00	100.00
11	30	8	81	MED	116	176	10	21	0	0	10	21	2.5	0.09	0.12	100.00	100.00
12	6	9	81	MED	16	21	2	3	0	0	2	3	2.5	0.13	0.14	100.00	100.00
TOTAL				MED	2532	3406	367	605	18	29	385	634	3.2	0.15	0.19	95.32	95.43

STATISTICAL AREA E

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	37	56	0	2	0	0	0	2	0.0	0.04	0.0	100.00	
2	28	6	81	HI	132	153	3	7	0	0	3	7	2.0	0.02	0.05	100.00	
3	5	7	81	MED	127	149	7	11	0	0	7	11	2.0	0.06	0.07	100.00	
4	12	7	81	HI	139	167	9	17	1	1	10	18	2.7	0.07	0.11	90.00	
5	19	7	81	HI	124	150	9	19	0	0	9	19	2.3	0.07	0.13	100.00	
6	26	7	81	MED	87	109	9	18	0	0	9	18	2.0	0.10	0.17	100.00	
7	2	8	81	MED	95	125	4	9	0	0	4	9	1.8	0.04	0.07	100.00	
8	9	8	81	LOW	101	128	10	15	0	0	10	15	2.7	0.10	0.12	100.00	
9	16	8	81	MED	75	96	5	9	0	0	5	9	1.8	0.07	0.09	100.00	
10	23	8	81	MED	92	116	3	8	0	0	3	8	1.8	0.03	0.07	100.00	
11	30	8	81	HI	75	94	1	8	1	1	2	9	2.7	0.03	0.10	50.00	
12	6	9	81	HI	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				HI	1087	1348	60	123	2	2	62	125	2.7	0.06	0.09	96.77	

STATISTICAL AREA F

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	14	14	3	5	0	0	3	5	1.8	0.21	0.36	100.00	
2	28	6	81	MED	46	53	9	12	0	0	9	12	2.0	0.20	0.23	100.00	
3	5	7	81	LOW	61	74	13	18	0	0	13	18	2.0	0.21	0.24	100.00	
4	12	7	81	MED	42	53	6	9	0	0	6	9	2.0	0.14	0.17	100.00	
5	19	7	81	MED	44	53	7	10	0	0	7	10	2.0	0.16	0.19	100.00	
6	26	7	81	LOW	38	50	6	8	0	0	6	8	2.3	0.16	0.16	100.00	
7	2	8	81	LOW	23	31	5	7	0	0	5	7	1.8	0.22	0.23	100.00	
8	9	8	81	LOW	19	24	3	4	0	0	3	4	1.8	0.16	0.17	100.00	
9	16	8	81	MED	11	15	2	2	0	0	2	2	2.0	0.18	0.13	100.00	
10	23	8	81	MED	11	13	2	2	0	0	2	2	1.8	0.18	0.15	100.00	
11	30	8	81	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	6	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				MED	313	384	56	77	0	0	56	77	2.3	0.18	0.20	100.00	

STATISTICAL AREA G

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	606	664	208	225	0	0	208	225	2.3	0.34	0.34	100.00	
2	28	6	81	MED	1276	1352	411	439	19	21	430	460	5.3	0.34	0.34	95.58	
3	5	7	81	HI	1054	1146	333	374	4	6	337	380	5.9	0.32	0.33	98.81	
4	12	7	81	HI	869	938	301	343	10	17	311	360	3.9	0.36	0.38	96.78	
5	19	7	81	HI	630	684	174	205	2	5	176	210	3.6	0.28	0.31	98.86	
6	26	7	81	MED	449	500	91	109	1	2	92	111	2.7	0.20	0.22	98.91	
7	2	8	81	LOW	331	382	39	52	1	1	40	53	4.5	0.12	0.14	97.50	
8	9	8	81	LOW	195	230	25	32	0	0	25	32	2.5	0.13	0.14	100.00	
9	16	8	81	LOW	138	173	22	30	0	0	22	30	2.3	0.16	0.17	100.00	
10	23	8	81	MED	105	130	20	28	0	0	20	28	2.3	0.19	0.22	100.00	
11	30	8	81	MED	111	134	17	22	0	0	17	22	2.3	0.15	0.16	100.00	
12	6	9	81	MED	6	10	1	3	0	0	1	3	0.0	0.17	0.30	100.00	
TOTAL				MED	5770	6343	1642	1862	37	52	1679	1914	5.9	0.29	0.30	97.80	

STATISTICAL AREA H

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	522	604	100	121	1	1	101	122	3.4	0.19	0.20	99.01	
2	28	6	81	MED	1158	1317	246	292	2	2	248	294	3.0	0.21	0.22	99.19	
3	5	7	81	MED	1342	1525	186	226	6	6	192	232	3.2	0.14	0.15	96.88	
4	12	7	81	HI	1120	1299	144	180	6	8	150	188	2.9	0.13	0.14	96.00	
5	19	7	81	HI	980	1185	116	161	4	4	120	165	3.9	0.12	0.14	96.67	
6	26	7	81	MED	804	965	89	124	4	5	93	129	3.4	0.12	0.13	95.70	
7	2	8	81	MED	591	710	66	84	2	2	68	86	2.9	0.12	0.12	97.06	
8	9	8	81	MED	523	640	41	55	0	0	41	55	2.3	0.08	0.09	100.00	
9	16	8	81	MED	434	541	24	37	0	0	24	37	2.5	0.06	0.07	100.00	
10	23	8	81	MED	240	310	13	20	1	1	14	21	2.9	0.06	0.07	92.86	
11	30	8	81	MED	165	196	11	16	0	0	11	16	2.0	0.07	0.08	100.00	
12	6	9	81	MED	14	17	1	1	0	0	1	1	1.6	0.07	0.06	100.00	
TOTAL				MED	7893	9309	1037	1317	26	29	1063	1346	3.9	0.13	0.14	97.55	

STATISTICAL AREA I

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	HI	355	387	212	228	0	0	212	228	1.8	0.60	0.59	100.00	100.00
2	21	6	81	MED	519	612	335	381	1	1	336	382	4.5	0.65	0.62	99.70	99.74
3	28	6	81	MED	769	859	515	588	2	2	517	590	5.0	0.67	0.69	99.61	99.66
4	5	7	81	LOW	623	793	327	476	4	5	331	481	3.2	0.53	0.61	98.79	98.96
5	12	7	81	HI	494	624	173	233	9	11	182	244	3.6	0.37	0.39	95.05	95.49
6	19	7	81	HI	391	518	150	222	4	6	154	228	3.6	0.39	0.44	97.40	97.37
7	26	7	81	HI	364	448	120	166	4	6	124	172	2.9	0.34	0.38	96.77	96.51
8	2	8	81	MED	250	338	62	90	1	2	63	92	2.7	0.25	0.27	98.41	97.83
9	9	8	81	LOW	146	224	18	39	1	1	19	40	2.9	0.13	0.18	94.74	97.50
10	16	8	81	LOW	128	199	24	40	0	1	24	41	2.3	0.19	0.21	100.00	97.56
11	23	8	81	LOW	96	151	13	19	0	0	13	19	1.8	0.14	0.13	100.00	100.00
12	30	8	81	MED	40	45	16	18	0	0	16	18	1.4	0.40	0.40	100.00	100.00
13	6	9	81	MED	5	6	5	5	0	0	5	5	0.0	1.00	0.83	100.00	100.00
TOTAL				LOW	4180	5206	1970	2505	26	35	1996	2540	5.0	0.48	0.49	98.70	98.62

STATISTICAL AREA J

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	MED	766	811	357	372	2	2	359	374	4.1	0.47	0.46	99.44	99.47
2	21	6	81	MED	1367	1448	981	1053	0	0	981	1053	2.5	0.72	0.73	100.00	100.00
3	28	6	81	MED	1588	1838	1166	1351	3	3	1169	1354	3.2	0.74	0.74	99.74	99.78
4	5	7	81	MED	1573	1858	872	1109	4	4	876	1113	3.9	0.56	0.60	99.54	99.64
5	12	7	81	HI	939	1170	576	705	2	2	578	707	2.7	0.62	0.60	99.65	99.72
6	19	7	81	HI	679	833	297	387	8	12	305	399	3.2	0.45	0.48	97.38	96.99
7	26	7	81	MED	494	639	188	259	0	0	188	259	2.3	0.38	0.41	100.00	100.00
8	2	8	81	MED	391	489	150	192	0	0	150	192	2.5	0.38	0.39	100.00	100.00
9	9	8	81	LOW	196	251	68	92	0	0	68	92	1.8	0.35	0.37	100.00	100.00
10	16	8	81	LOW	143	195	37	57	0	0	37	57	2.3	0.26	0.29	100.00	100.00
11	23	8	81	MED	70	79	14	18	0	0	14	18	1.8	0.20	0.23	100.00	100.00
12	30	8	81	LOW	29	54	5	22	0	0	5	22	1.4	0.17	0.41	100.00	100.00
13	6	9	81	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	8235	9665	4711	5617	19	23	4730	5640	4.1	0.57	0.58	99.60	99.59

STATISTICAL AREA K

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	LOW	1683	2008	615	766	157	193	772	959	7.3	0.46	0.48	79.66	79.87
2	28	6	81	HI	2260	2531	836	935	96	121	932	1056	5.9	0.41	0.42	89.70	88.54
3	5	7	81	MED	2497	2796	930	1066	56	69	986	1135	5.4	0.39	0.41	94.32	93.92
4	12	7	81	MED	1770	2015	565	670	65	77	630	747	6.3	0.36	0.37	98.68	89.69
5	19	7	81	HI	1368	1575	869	441	10	12	379	453	4.5	0.28	0.29	97.36	97.35
6	26	7	81	LOW	1131	1287	349	428	11	14	360	442	5.4	0.32	0.34	96.94	96.83
7	2	8	81	MED	772	936	214	279	8	11	222	290	6.3	0.29	0.31	96.40	96.21
8	9	8	81	LOW	543	628	144	179	1	2	145	181	3.6	0.27	0.29	99.31	98.90
9	16	8	81	LOW	285	340	74	98	1	1	75	99	4.1	0.26	0.29	98.67	98.99
10	23	8	81	HI	78	88	19	22	0	0	19	22	1.8	0.24	0.25	100.00	100.00
11	30	8	81	MED	62	77	12	18	0	0	12	18	1.8	0.19	0.23	100.00	100.00
12	6	9	81	MED	14	30	4	9	0	0	4	9	1.8	0.29	0.30	100.00	100.00
TOTAL				LOW	12463	14311	4131	4911	405	500	4536	5411	7.3	0.36	0.38	91.07	90.76

STATISTICAL AREA L

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	LOW	187	209	4	6	4	4	8	10	5.4	0.04	0.05	50.00	60.00
2	21	6	81	HI	379	451	90	107	23	26	113	133	5.4	0.30	0.29	79.65	80.45
3	28	6	81	MED	842	950	700	779	13	14	713	793	3.6	0.85	0.83	98.18	98.23
4	5	7	81	HI	1419	1592	883	1004	15	16	898	1020	6.3	0.63	0.64	98.33	98.43
5	12	7	81	LOW	1360	1513	536	638	15	16	551	654	4.4	0.41	0.43	97.28	97.55
6	19	7	81	MED	912	1061	326	385	15	17	341	402	11.6	0.37	0.38	95.60	95.77
7	26	7	81	LOW	701	784	330	371	13	13	343	384	11.6	0.49	0.49	96.21	96.61
8	2	8	81	LOW	608	681	275	315	6	8	281	323	12.7	0.46	0.47	97.86	97.52
9	9	8	81	LOW	606	699	205	238	11	16	216	254	10.9	0.36	0.36	94.91	93.70
10	16	8	81	LOW	532	602	202	238	8	13	210	251	7.3	0.39	0.42	96.19	94.82
11	23	8	81	HI	428	475	124	142	6	8	130	150	9.8	0.30	0.32	95.38	94.67
12	30	8	81	MED	402	483	140	164	6	12	146	176	7.5	0.36	0.36	95.89	93.18
13	6	9	81	LOW	28	28	2	2	0	0	2	2	0.0	0.07	0.07	100.00	100.00
TOTAL				LOW	8404	9528	3817	4389	135	163	3952	4552	12.7	0.47	0.48	96.58	96.42

STATISTICAL AREA M

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	417	520	38	50	2	2	40	52	7.3	0.10	0.10	95.00	96.15
2	28	6	81	MED	1166	1348	257	313	13	16	270	329	6.8	0.23	0.24	95.19	95.14
3	5	7	81	MED	1511	1747	400	463	13	16	413	479	6.8	0.27	0.27	96.85	96.66
4	12	7	81	LOW	1984	2265	627	737	11	14	638	751	6.3	0.32	0.33	98.28	98.14
5	19	7	81	LOW	1808	2054	494	574	20	24	514	598	6.1	0.28	0.29	96.11	95.99
6	26	7	81	LOW	1460	1637	353	393	10	12	363	405	5.0	0.25	0.25	97.25	97.04
7	2	8	81	LOW	1105	1269	203	232	4	4	207	236	5.0	0.19	0.19	98.07	98.31
8	9	8	81	LOW	866	996	131	158	0	0	131	158	2.7	0.15	0.16	100.00	100.00
9	16	8	81	LOW	730	837	86	104	5	6	91	110	4.5	0.12	0.13	94.51	94.55
10	23	8	81	HI	523	608	109	127	2	3	111	130	2.5	0.21	0.21	98.20	97.69
11	30	8	81	MED	365	432	53	65	0	0	53	65	2.3	0.15	0.15	100.00	100.00
12	6	9	81	MED	47	54	8	8	1	1	9	9	5.0	0.19	0.17	88.89	88.89
TOTAL				LOW	11982	13767	2759	3224	81	98	2840	3322	7.3	0.24	0.24	97.15	97.05

STATISTICAL AREA N

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	HI	136	138	42	44	1	1	43	45	3.6	0.32	0.33	97.67	97.78
2	28	6	81	HI	526	560	244	258	10	11	254	269	3.2	0.48	0.48	96.06	95.91
3	5	7	81	MED	650	705	444	487	3	4	447	491	4.5	0.69	0.70	99.33	99.19
4	12	7	81	LOW	897	965	608	662	3	3	611	665	2.7	0.68	0.69	99.51	99.55
5	19	7	81	LOW	562	643	385	428	5	7	390	435	6.4	0.69	0.68	98.72	98.39
6	26	7	81	LOW	398	452	188	224	1	3	189	227	4.3	0.47	0.50	99.47	98.68
7	2	8	81	LOW	274	313	135	156	1	1	136	157	2.9	0.50	0.50	99.26	99.36
8	9	8	81	LOW	189	231	76	92	1	1	77	93	2.7	0.41	0.40	98.70	98.92
9	16	8	81	LOW	109	126	54	62	0	0	54	62	2.0	0.50	0.49	100.00	100.00
10	23	8	81	MED	109	119	49	56	0	0	49	56	1.8	0.45	0.47	100.00	100.00
11	30	8	81	MED	60	64	33	37	0	0	33	37	1.6	0.55	0.58	100.00	100.00
12	6	9	81	MED	4	8	2	5	0	0	2	5	0.0	0.50	0.63	100.00	100.00
TOTAL				LOW	3914	4324	2260	2511	25	31	2285	2542	6.4	0.58	0.59	98.91	98.78

STATISTICAL AREA O

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK.	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	25	27	6	7	4	5	10	12	6.1	0.40	0.44	60.00	58.33
2	28	6	81	MED	172	183	14	17	43	45	57	62	6.4	0.33	0.34	24.56	27.42
3	5	7	81	MED	356	376	107	116	73	77	180	193	6.1	0.51	0.51	59.44	60.10
4	12	7	81	MED	693	731	285	334	69	80	354	414	5.7	0.51	0.57	80.51	80.68
5	19	7	81	MED	672	703	456	486	101	125	557	591	6.0	0.83	1.35	81.87	86.86
6	26	7	81	MED	894	932	895	1463	59	70	954	1533	9.5	1.07	1.64	93.82	95.43
7	2	8	81	HI	702	724	456	1065	37	53	493	1118	4.8	0.70	1.54	92.49	95.26
8	9	8	81	MED	468	488	455	740	21	23	476	763	2.0	1.02	1.56	95.59	96.99
9	16	8	81	MED	405	415	290	350	17	18	307	368	5.4	0.76	0.89	94.46	95.11
10	23	8	81	MED	296	306	108	137	16	16	124	153	5.4	0.42	0.50	87.10	89.54
11	30	8	81	MED	101	108	42	64	6	6	48	70	2.3	0.48	0.65	87.50	91.43
12	6	9	81	MED	75	82	30	34	0	0	30	34	2.3	0.40	0.41	100.00	100.00
13	13	9	81	MED	100	109	28	33	2	2	30	35	3.6	0.30	0.32	93.33	94.29
14	20	9	81	MED	12	14	5	5	0	0	5	5	2.5	0.42	0.36	100.00	100.00
TOTAL				MED	4971	5198	3177	5191	448	520	3625	5711	9.5	0.73	1.10	87.64	90.89

Fishing and Industry Areas

FISHING AND INDUSTRY AREA 1

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	869	987	230	255	0	0	230	255	2.3	0.26	0.26	100.00	100.00
2	28	6	81	HI	2116	2286	520	567	20	22	540	589	5.3	0.26	0.26	96.30	96.26
3	5	7	81	HI	1892	2098	426	489	4	6	430	495	5.9	0.23	0.24	99.07	98.79
4	12	7	81	HI	1707	1888	400	473	13	21	413	494	3.9	0.24	0.26	96.85	95.75
5	19	7	81	HI	1431	1654	270	345	3	6	273	351	3.9	0.19	0.21	98.90	98.29
6	26	7	81	MED	1151	1380	175	243	1	2	176	245	2.7	0.15	0.18	99.43	99.18
7	2	8	81	LOW	912	1152	104	163	1	1	105	164	4.5	0.12	0.14	99.05	99.39
8	9	8	81	LOW	713	860	65	97	0	0	65	97	2.7	0.09	0.11	100.00	100.00
9	16	8	81	MED	571	712	48	80	0	0	48	80	2.5	0.08	0.11	100.00	100.00
10	23	8	81	MED	446	544	39	61	1	1	40	62	2.9	0.09	0.11	97.50	98.39
11	30	8	81	MED	411	525	32	54	1	1	33	55	2.7	0.08	0.10	96.97	98.18
12	6	9	81	MED	39	53	4	7	0	0	4	7	2.5	0.10	0.13	100.00	100.00
TOTAL				MED	12258	14139	2313	2834	44	60	2357	2894	5.9	0.19	0.20	98.13	97.93

FISHING AND INDUSTRY AREA 2

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	HI	355	387	212	228	0	0	212	228	1.8	0.60	0.59	100.00	100.00
2	21	6	81	MED	839	976	394	453	1	1	395	454	3.4	0.47	0.47	99.75	99.78
3	28	6	81	MED	1333	1536	613	715	1	1	614	716	3.0	0.46	0.47	99.84	99.86
4	5	7	81	MED	1513	1819	394	568	11	13	405	581	3.2	0.27	0.32	97.28	97.76
5	12	7	81	HI	1199	1453	248	325	16	21	264	346	3.6	0.22	0.24	93.94	93.93
6	19	7	81	HI	1094	1361	233	319	12	16	245	335	3.6	0.22	0.25	95.10	95.22
7	26	7	81	MED	996	1214	211	276	13	20	224	296	3.4	0.22	0.24	94.20	93.24
8	2	8	81	MED	789	960	144	192	5	8	149	200	2.9	0.19	0.21	96.64	96.00
9	9	8	81	MED	578	726	60	94	1	1	61	95	2.7	0.11	0.13	98.36	98.95
10	16	8	81	MED	438	571	51	77	0	1	51	78	2.3	0.12	0.14	100.00	98.72
11	23	8	81	MED	258	350	27	38	0	0	27	38	2.3	0.10	0.11	100.00	100.00
12	30	8	81	MED	101	125	23	31	0	0	23	31	1.8	0.23	0.25	100.00	100.00
13	6	9	81	MED	5	6	5	5	0	0	5	5	0.0	1.00	0.83	100.00	100.00
TOTAL				MED	9498	11484	2615	3321	60	82	2675	3403	3.6	0.28	0.30	97.76	97.59

FISHING AND INDUSTRY AREA 3

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	MED	766	811	357	372	2	2	359	374	4.1	0.47	0.46	99.44	99.47
2	21	6	81	MED	1916	2428	1092	1327	7	19	1099	1346	4.5	0.57	0.55	99.36	98.59
3	28	6	81	MED	5248	6157	2099	2631	27	30	2126	2661	5.0	0.41	0.43	98.73	98.87
4	5	7	81	MED	6715	7406	2914	3243	62	69	2976	3312	4.5	0.44	0.45	97.92	97.92
5	12	7	81	MED	6861	7723	3419	3855	38	69	3457	3924	4.5	0.50	0.51	98.90	98.24
6	19	7	81	MED	6148	7006	2661	3205	43	51	2704	3256	6.1	0.44	0.46	98.41	98.43
7	26	7	81	MED	5179	5735	1992	2315	44	60	2036	2375	4.8	0.39	0.41	97.84	97.47
8	2	8	81	LOW	3438	4156	1249	1513	32	48	1281	1561	6.4	0.37	0.38	97.50	96.93
9	9	8	81	LOW	2187	2564	691	816	23	26	714	842	5.0	0.33	0.33	96.78	96.91
10	16	8	81	MED	1261	1497	380	459	12	16	392	475	3.6	0.31	0.32	96.94	96.63
11	23	8	81	MED	1015	1230	256	306	5	7	261	313	3.0	0.26	0.25	98.08	97.76
12	30	8	81	MED	502	675	146	193	4	6	150	199	3.2	0.30	0.29	97.33	96.98
13	6	9	81	MED	11	18	6	9	0	0	6	9	1.8	0.55	0.50	100.00	100.00
TOTAL				MED	41247	47406	17262	20244	299	403	17561	20647	6.4	0.43	0.44	98.30	98.05

FISHING AND INDUSTRY AREA 4

OBSERVED AND TOTAL (ESTIMATED*OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	28	6	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	5	7	81	MED	17	20	16	21	4	4	20	25	0.0	1.18	1.25	80.00	84.00
4	12	7	81	MED	117	120	92	116	28	28	120	144	0.0	1.03	1.20	76.67	80.56
5	19	7	81	MED	267	273	212	575	86	108	298	683	0.0	1.12	2.50	71.14	84.19
6	26	7	81	MED	345	351	362	910	55	65	417	975	0.0	1.21	2.78	86.81	93.33
7	2	8	81	MED	249	249	214	814	31	46	245	860	0.0	0.98	3.45	87.35	94.65
8	9	8	81	MED	312	312	362	636	21	23	383	659	0.0	1.23	2.11	94.52	96.51
9	16	8	81	MED	236	236	226	280	12	12	238	292	0.0	1.01	1.24	94.96	95.89
10	23	8	81	MED	140	140	63	88	8	8	71	96	0.0	0.51	0.69	88.73	91.67
11	30	8	81	MED	67	67	32	52	6	6	38	58	0.0	0.57	0.87	84.21	89.66
12	6	9	81	MED	28	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	13	9	81	MED	49	49	1	1	0	0	1	1	0.0	0.02	0.02	100.00	100.00
14	20	9	81	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1827	1845	1580	3493	251	300	1831	3793	0.0	1.00	2.06	86.29	92.09

FISHING AND INDUSTRY AREA 5

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	LOW	187	209	4	6	4	4	8	10	5.4	0.04	0.05	50.00	60.00
2	21	6	81	MED	2922	3475	929	1153	187	227	1116	1380	7.3	0.38	0.40	83.24	83.55
3	28	6	81	MED	6084	6888	2985	3417	180	212	3165	3629	6.8	0.52	0.53	94.31	94.16
4	5	7	81	MED	7828	8947	4083	4759	160	182	4243	4941	6.8	0.54	0.55	96.23	96.32
5	12	7	81	LOW	7535	8551	3222	3760	138	165	3360	3925	6.3	0.45	0.46	95.89	95.80
6	19	7	81	LOW	5713	6615	2198	2590	73	89	2271	2679	11.6	0.40	0.40	96.79	96.68
7	26	7	81	LOW	4742	5410	1997	2303	39	47	2036	2350	11.6	0.43	0.43	98.08	98.00
8	2	8	81	LOW	3581	4145	1249	1464	28	35	1277	1499	12.7	0.36	0.36	97.81	97.67
9	9	8	81	LOW	2630	3075	764	928	15	22	779	950	10.9	0.30	0.31	98.07	97.68
10	16	8	81	LOW	2034	2369	546	678	19	26	565	704	7.3	0.28	0.30	96.64	96.31
11	23	8	81	MED	1435	1626	394	458	17	20	411	478	9.8	0.29	0.29	95.86	95.82
12	30	8	81	MED	1003	1227	272	349	6	12	278	361	7.5	0.28	0.29	97.84	96.68
13	6	9	81	LOW	149	189	52	67	1	1	53	68	5.0	0.36	0.36	98.11	98.53
14	13	9	81	LOW	51	60	27	32	2	2	29	34	3.6	0.57	0.57	93.10	94.12
15	20	9	81	MED	12	14	5	5	0	0	5	5	2.5	0.42	0.36	100.00	100.00
TOTAL				MED	45906	52800	18727	21969	869	1044	19596	23013	12.7	0.43	0.44	95.57	95.46

Regional Totals

INSULAR NFLC. TOTAL

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	LOW	1308	1407	573	606	6	6	579	612	5.4	0.44	0.43	98.96	99.02
2	21	6	81	MED	6521	7839	2639	3181	191	242	2830	3423	7.3	0.43	0.44	93.25	92.93
3	28	6	81	MED	14609	16684	6203	7313	185	220	6388	7533	6.8	0.44	0.45	97.10	97.08
4	5	7	81	MED	17609	19914	7726	8964	168	197	7894	9161	6.8	0.45	0.46	97.87	97.85
5	12	7	81	MED	16726	19004	7096	8195	164	224	7260	8419	6.3	0.43	0.44	97.74	97.34
6	19	7	81	HI	13981	16206	5118	6208	116	145	5234	6353	11.6	0.37	0.39	97.78	97.72
7	26	7	81	MED	11519	13158	3842	4584	93	124	3935	4708	11.6	0.34	0.36	97.64	97.37
8	2	8	81	LOW	8267	9938	2504	3081	60	85	2564	3166	12.7	0.31	0.32	97.66	97.32
9	9	8	81	LOW	5952	7049	1487	1831	39	49	1526	1880	10.9	0.26	0.27	97.44	97.39
10	16	8	81	MED	4135	4970	961	1224	26	37	987	1261	7.3	0.24	0.25	97.37	97.07
11	23	8	81	MED	2998	3584	671	814	15	20	686	834	9.8	0.23	0.23	97.81	97.60
12	30	8	81	MED	1983	2511	463	615	11	19	474	634	7.5	0.24	0.25	97.68	97.00
13	6	9	81	MED	157	212	37	54	1	1	38	55	5.0	0.24	0.26	97.37	98.18
TOTAL				MED	105765	122476	39320	46670	1075	1369	40395	48039	12.7	0.38	0.39	97.34	97.15

LABRADOR TOTAL

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	21	6	81	MED	25	27	6	7	4	5	10	12	6.1	0.40	0.44	60.00	58.33
2	28	6	81	MED	172	183	14	17	43	45	57	62	6.4	0.33	0.34	24.56	27.42
3	5	7	81	MED	356	376	107	116	73	77	180	193	6.1	0.51	0.51	59.44	60.10
4	12	7	81	MED	693	731	285	334	69	80	354	414	5.7	0.51	0.57	80.51	80.68
5	19	7	81	MED	672	703	456	826	101	125	557	951	6.0	0.83	1.35	81.87	86.86
6	26	7	81	MED	894	932	895	1463	59	70	954	1533	9.5	1.07	1.64	93.82	95.43
7	2	8	81	HI	702	724	456	1065	37	53	493	1118	4.8	0.70	1.54	92.49	95.26
8	9	8	81	MED	468	488	455	740	21	23	476	763	2.0	1.02	1.56	95.59	96.99
9	16	8	81	MED	405	415	290	350	17	18	307	368	5.4	0.76	0.89	94.46	95.11
10	23	8	81	MED	296	306	108	137	16	16	124	153	5.4	0.42	0.50	87.10	89.54
11	30	8	81	MED	101	108	42	64	6	6	48	70	2.3	0.48	0.65	87.50	91.43
12	6	9	81	MED	75	82	30	34	0	0	30	34	2.3	0.40	0.41	100.00	100.00
13	13	9	81	MED	100	109	28	33	2	2	30	35	3.6	0.30	0.32	93.33	94.29
14	20	9	81	MED	12	14	5	5	0	0	5	5	2.5	0.42	0.36	100.00	100.00
TOTAL				MED	4971	5198	3177	5191	448	520	3625	5711	9.5	0.73	1.10	87.64	90.89

PROVINCIAL TOTAL

OBSERVED AND TOTAL (ESTIMATED-OBSERVED) ANGLING CATCH 1981

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	14	6	81	LOW	1308	1407	573	606	6	6	579	612	5.4	0.44	0.43	98.96	99.02
2	21	6	81	MED	6546	7866	2645	3188	195	247	2840	3435	7.3	0.43	0.44	93.13	92.81
3	28	6	81	MED	14781	16867	6217	7330	228	265	6445	7595	6.8	0.44	0.45	96.46	96.51
4	5	7	81	MED	17965	20290	7833	9080	241	274	8074	9354	6.8	0.45	0.46	97.02	97.07
5	12	7	81	MED	17419	19735	7381	8529	233	304	7614	8833	6.3	0.44	0.45	96.94	96.56
6	19	7	81	HI	14653	16909	5574	7034	217	270	5791	7304	11.6	0.40	0.43	96.25	96.30
7	26	7	81	MED	12413	14090	4737	6047	152	194	4889	6241	11.6	0.39	0.44	96.89	96.89
8	2	8	81	LOW	8969	10662	2960	4146	97	138	3057	4284	12.7	0.34	0.40	96.83	96.78
9	9	8	81	LOW	6420	7537	1942	2571	60	72	2002	2643	10.9	0.31	0.35	97.00	97.28
10	16	8	81	MED	4540	5385	1251	1574	43	55	1294	1629	7.3	0.29	0.30	96.68	96.62
11	23	8	81	MED	3294	3890	779	951	31	36	810	987	9.8	0.25	0.25	96.17	96.35
12	30	8	81	MED	2084	2619	505	679	17	25	522	704	7.5	0.25	0.27	96.74	96.45
13	6	9	81	MED	232	294	67	88	1	1	68	89	5.0	0.29	0.30	98.53	98.88
14	13	9	81	MED	100	109	28	33	2	2	30	35	3.6	0.30	0.32	93.33	94.29
15	20	9	81	MED	12	14	5	5	0	0	5	5	2.5	0.42	0.36	100.00	100.00
TOTAL				MED	110736	127674	42497	51861	1523	1889	44020	53750	12.7	0.40	0.42	96.54	96.49

Part II

Arctic Charr, Brook Trout, Other Fishes

(Labrador only)

INTRODUCTION

At present, the Department of Fisheries and Oceans, Newfoundland Region, do not collect or compile statistics on the recreational fishery of fish species in insular Newfoundland other than Atlantic salmon. Some data from previous years are available but to date, due to their dubious quality, they have not been published. Recently, some effort has been made to collect catch and effort data for all fish species from commercial sport fishing camps in Labrador (Fig. 6) but with limited success. Some previous data on these fisheries are to be published in a report on the rivers of Labrador by Anderson (in prep.) and the data that are available for 1981 are included in this report.




Fig. 6. The location of commercial sport fishing camps where data for species other than Atlantic salmon were collected. 1. - Eagle River, 2. - Flowers River, 3. - Ann Marie Lake

5206820
Eagle River
Angled Catch and Effort reported from 7 camps in 1981

Da	Mo	Yr	Effort (Rod Days)	Brook Trout		Lake Trout	Arctic Charr	Northern Pike	Ouananiche
				Resident	Sea Run				
21	06	81	47	51	0	0	0	25	0
28	06	81	83	68	0	0	0	22	0
05	07	81	82	79	0	0	0	8	0
12	07	81	83	85	2	0	0	36	0
19	07	81	0	0	0	0	0	0	0
26	07	81	0	0	0	0	0	0	0
02	08	81	0	0	0	0	0	0	0
09	08	81	60	18	8	0	0	0	0
16	08	81	137	20	90	0	0	0	0
23	08	81	56	20	16	0	0	0	0
30	08	81	56	57	14	0	0	0	0
06	09	81	38	77	50	0	2	0	0
13	09	81	59	93	50	0	0	0	0
Total			701	568	230	0	2	91	0

5319480
Flowers River
Angled Catch and Effort reported from 2 camps in 1981

Da	Mo	Yr	Effort (Rod Days)	Brook Trout		Lake Trout	Arctic Charr	Northern Pike	Ouananiche
				Resident	Sea Run				
02	08	81	14	0	0	0	12	0	0
09	08	81	7	14	95	1	42	0	15
16	08	81	10	0	30	0	22	0	0
23	08	81	22	0	90	4	145	0	0
30	08	81	13	0	50	0	196	0	0
Total			66	14	265	5	417	0	15

ANN MARIE LAKE (MINIPI CAMPS)
Angled Catch and Effort reported from 1 camp in 1981

Da	Mo	Yr	Effort (Rod Days)	Brook Trout		Lake Trout	Arctic Charr	Northern Pike	Ouananiche
				Resident	Sea Run				
05	07	81	25	78	0	0	0	70	0
12	07	81	36	64	0	0	0	25	0
19	07	81	31	42	0	0	2	16	0
26	07	81	31	48	0	0	0	86	0
02	08	81	15	30	0	0	0	26	0
09	08	81	36	92	0	0	0	50	0
16	08	81	21	35	0	0	0	56	0
23	08	81	43	56	0	0	0	55	0
Total			244	445	0	0	2	384	0