

C-1

# Angled Catch and Effort Data for Atlantic Salmon in Newfoundland and Labrador, and for Other Fishes in Labrador, 1982

E.G.M. Ash and R.J. Tucker



Fisheries Research Branch  
Department of Fisheries and Oceans  
P.O. Box 5667  
St. John's, Newfoundland  
A1C 5X1

July 1984

**Canadian Data Report of  
Fisheries and Aquatic Sciences  
No. 465**



Government of Canada  
Fisheries and Oceans

Gouvernement du Canada  
Pêches et Océans

## **Canadian Data Report of Fisheries and Aquatic Sciences**

These reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of Data Reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was changed with report number 161.

Data Reports are not intended for general distribution and the contents must not be referred to in other publications without prior written clearance from the issuing establishment. The correct citation appears above the abstract of each report.

## **Rapport statistique canadien des sciences halieutiques et aquatiques**

Ces rapports servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des Rapports statistiques reflètent la vaste gamme des intérêts et politiques du Ministère des Pêches et des Océans, notamment gestion des pêches, techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les numéros 1 à 25 de cette série ont été publiés à titre de Records statistiques, Service des pêches et de la mer. Les numéros 26-160 ont été publiés à titre de Rapports statistiques du Service des pêches et de la mer, Ministère des Pêches et de l'Environnement. Le nom de la série a été modifié à partir du numéro 161.

Les Rapports statistiques ne sont pas préparés pour une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au haut du résumé de chaque rapport.

Canadian Data Report of  
Fisheries and Aquatic Sciences 465

July 1984



ANGLED CATCH AND EFFORT DATA FOR ATLANTIC SALMON IN NEWFOUNDLAND AND  
LABRADOR, AND FOR OTHER FISHES IN LABRADOR, 1982

by

E.G.M. Ash and R. J. Tucker

Fisheries Research Branch  
Department of Fisheries and Oceans  
P.O. Box 5667  
St. John's, Newfoundland A1C 5X1

This is the twenty-fourth Data Report from  
Fisheries Research Branch, St. John's, Newfoundland.

(c) Minister of Supply and Services Canada 1984

Cat. No. Fs 97-13/465

ISSN 0706-6465

Correct citation for this publication:

Ash, E.G.M., and R. J. Tucker. 1984. Angled catch and effort data for Atlantic salmon in Newfoundland and Labrador, and for other fishes in Labrador, 1982. Can. Data Rep. Fish. Aquat. Sci. 465: xv + 96 p.

## CONTENTS

	Page
River Index (Geographical) .....	111
(Alphabetical) .....	111
Abstract/Résumé .....	ix
Part I (Atlantic salmon, Insular Newfoundland and Labrador) .....	1
Introduction .....	3
Acknowledgments .....	9
References .....	9
Data .....	
By River .....	17
By Statistical Section .....	63
By Statistical Area .....	77
By Fishing and Industry Area .....	83
By Region .....	85
Part II (Arctic Charr, Brook Trout and Other Fishes - Labrador Only) .....	87

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched- uled	Angling* data	Page**
Pensons Brook	0105640	001	65			ND
Parker River (West River)	0105680	002	46	x	x	19
Bartletts River	0105710	003	40	x	x	19
Upper Brook	0105720	004	39		x	ND
East River (Pistolet Bay)	0105800	005	61	x	x	19
Northwest Brook	0200330	006	5		x	ND
Ireland's Brook	0300590	007	63			ND
West Brook	0300800	008	254	x	x	19
Salmon River (Arlige R.) (Hare Bay)	0300850	009	730	x	x	20
East Brook (Easter Brook)	0401640	010	90	x	x	20
Northeast Brook	0401670	011	257	x	x	20
Beaver Brook (Western Brook)	0401690	012	242	x	x	20
Shoal Brook	0401770	013	44			ND
Northwest Brook (Canada Bay)	0401790	014	108	x	x	21
Cloud River	0401850	015	533	x	x	21
Soufflets River	0402340	016	393	x	x	ND
Little Harbour Deep River	0402500	017	489	x	x	21
Cat Arm River	0402660	018	745		x	ND
Coney Arm Brook	0402840	019	33			ND
Coney Arm River	0402880	020	146	x	x	21
Main River (Sops Arm)	0403110	021	1048	x	x	22
Doucens Brook	0403120	022	65	x		ND
Corner Brook	0403140	023	49	x		ND
Natlins Brook	0403160	024	27	x		ND
Saltwater Brook	0403250	025	56			ND
Hampden River	0403360	026	126	x	x	ND
Big Chouse Brook	0403410	027	112			ND
Purbeck's Brook	0403520	028	60			ND
Wild Cove Brook (White Bay)	0403580	029	132	x	x	22
Western Arm Brook	0403620	030	74	x	x	22
Middle Arm Brook	0403670	031	328	x	x	22
Southern Arm Brook	0403700	032	65	x	x	23
South West Brook	0504040	033	195	x	x	23
Pacquet Brook (Woodstock Brook)	0504280	034	119	x	x	ND
East Brook (Burlington Brook)	0604820	035	178	x	x	23
South Brook	0605060	036	30			ND
Indian Brook (Indian River)	0605570	037	1261	x	x	23
Riverhead Brook (West River)	0605640	038	484	x	x	24
South Brook	0605680	039	672	x	x	24
Tommy's Arm Brook	0605940	040	242	x	x	24
Sops Arm Brook	0605990	041	62		x	ND
Shoal Arm Brook	0606050	042	87			ND
Pennys Brook	0606100	043	57			ND
Northwest Arm Brook	0606570	044	65	x	x	24
West Arm Brook (Western Arm)	0606720	045	260	x	x	25
New Bay River	0606820	046	205	x	x	25
Charles Brook	0707660	047	65	x	x	25

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched-uled	Angling* data	Page**
Northern Arm Brook	0707760	048	181	x	x	25
Peters River	0707780	049	116	x	x	26
Exploits River	0707790	050	11272	x	x	26
Rattling Brook	0707810	051	385	x	x	ND
Southwest River	0708150	052	44			ND
Indian Arm Brook (Campbellton River)	0708210	053	296	x	x	26
Jumpers Brook	0708310	054	46			ND
Dog Bay River (Horwood River)	0708480	055	364	x	x	26
Southwest Brook	0708490	056	65			ND
Gander River	0908610	057	6398	x	x	27
Barry's Brook	0908620	058	74			ND
Ragged Harbour River	0908820	059	440	x	x	27
Anchor Brook	0908940	060	13	x	x	ND
Deadman's Brook (Deadman's Bay)	0908950	061	333	x	x	ND
Windmill Brook	0909030	062	12	x	x	27
Southwest River	1009300	063	98		x	ND
Northwest River (Indian Bay)	1109480	064	65	x		27
Indian Bay Brook	1109490	065	703	x	x	28
Northwest River (Trinity)	1109560	066	65	x	x	28
Traverse Brook	1109750	067	404	x	x	28
Middle Brook (Gambo)	1109760	068	276	x	x	28
Gambo Brook	1109780	069	1152	x	x	29
Northwest Brook (Alexander Bay)	1110130	070	97	x	x	29
Terra Nova River	1110220	071	1883	x	x	29
Big Brook	1210570	072	60		x	ND
Northwest River (Port Blandford)	1210880	073	689	x	x	29
Salmon Brook (Port Blandford)	1210890	074	110	x	x	30
Middle Brook	1210910	075	63			ND
Southwest Brook (Port Blandford)	1210930	076	491	x	x	30
Southwest Brook	1211080	077	181			ND
Southern Bay River	1211600	078	65			ND
Port Union River	1412240	079	45			ND
Salmon Cove River (Champneys)	1512520	080	74	x	x	30
Lockston River	1512550	081	71			ND
Trouty River	1512620	082	90	x	x	30
Popes Harbour River	1612750	083	132	x	x	31
Hickmans Harbour River	1612780	084	102			ND
Shoal Harbour River	1613060	085	129	x	x	31
Deer Harbour Brook	1713950	086	67	x	x	31
Bellevue Brook (Trout Brook)	1714680	087	49	x	x	31
Spread Eagle Brook	1714870	088	57		x	32
Heart's Delight Brook	1815060	089	45			ND
Heart's Content Brook	1815150	090	48			ND
Salmon Cove River	2115720	091	68	x	x	32
Harbour Grace Brook	2115810	092	65			ND
South River	2115820	093	38		x	ND
Spaniard's Bay Brook	2215880	094	65			ND
Shearstown Brook	2215910	095	31			ND
North River	2215970	096	61	x	x	32
South River	2215990	097	67	x	x	32
Salmon River	2216180	098	62			ND
North Arm River (Holyrood)	2216220	099	86	x	x	33
South Brook	2216240	100	37			ND
Seal Cove River	2216270	101	53			ND
Lower Gullies River	2216290	102	21			ND
Manuels River	2216370	103	68			ND
Pierres Brook	2517140	104	65			ND
Cape Broyle River	2517350	105	66		x	33
Renews River	2617640	106	76	x	x	33
Chance Cove Brook	2617740	107	88			ND
Biscay Bay River	2700230	108	239	x	x	33
Northeast Brook (Trepassey)	2700360	109	21	x	x	34
Northwest Brook (Trepassey)	2700380	110	178	x	x	34
St. Shott's River	2800650	111	97			ND

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched-uled	Angling* data	Page**
Peter's River (St. Mary's Bay (SMB))	2800860	112	144	x	x	34
Crossing Place River	2801050	113	216			ND
Little Harbour River	2801650	114	184			ND
Salmonier River	2801690	115	257	x	x	34
Colinet River	2801920	116	158	x	x	ND
Rocky River	2801930	117	296			ND
North Harbour River (SMB)	2802060	118	74	x	x	35
Little Salmonier River (SMB)	2802170	119	123	x	x	35
Big Barachols River (SMB)	2802210	120	83	x	x	35
Little Barachols Brook	2802240	121	50			ND
Red Head River	2802330	122	71			ND
Beckford River	2802350	123	43			ND
Branch River	2802380	124	118	x	x	35
Lance River	2802480	125	53			ND
Cuslett Brook	2802690	126	36			ND
Great Barasway Brook (Placentia Bay)	2902820	127	68	x	x	36
Little Barasway Brook	2902880	128	39			ND
Southeast River (Placentia)	2902980	129	140	x	x	36
Northeast River (Placentia)	2903070	130	94	x	x	36
Placentia Sound River	2903150	131	34			ND
Ship Harbour Brook	2903190	132	34			ND
Come By Chance River	3003740	133	64	x	x	36
Watsons Brook	3003830	134	65	x	x	37
North Harbour River	3003880	135	96	x	x	37
Black River	3004090	136	200	x	x	37
Pipers Hole River	3004160	137	781	x	x	37
Sandy Harbour River	3004480	138	462			ND
Channel Harbour River	3105060	139	65		x	ND
Paradise River	3105180	140	490			ND
Black River	3105210	141	205			ND
Nonsuch Brook	3105470	142	30	x	x	38
Cape Roger Brook	3105560	143	93	x	x	38
Bay de l'Eau River	3105760	144	152	x	x	38
Rushoon River	3105920	145	59			ND
Northeast Branch (Red Harbour)	3105990	146	65	x	x	38
Red Harbour River	3106000	147	73	x	x	39
Northwest Brook	3206370	148	85	x	x	39
Tides Brook	3206410	149	179	x	x	ND
Big Salmonier Brook	3206950	150	33	x	x	39
St. Lawrence River	3207150	151	63	x	x	39
Lawn River	3207280	152	38	x	x	40
Taylor Bay Brook	3207520	153	70	x	x	40
Salmonier River (Lamaline)	3207570	154	115	x	x	40
Pierceys Brook	3207670	155	65	x	x	40
Grand Bank Brook	3308040	156	67	x	x	41
Garnish River	3308440	157	212	x	x	41
Devil Brook	3308540	158	58			ND
Terrenceville Brook	3409170	159	115		x	ND
Long Harbour River (Fortune Bay)	3409780	160	1102	x	x	41
Rencontre Brook	3410270	161	195			ND
Belle Harbour River	3410430	162	46			ND
Northeast Brook	3410650	163	142			ND
Northwest Brook	3410700	164	86			ND
Bay du Nord River	3410790	165	1171	x	x	41
Salmon River	3410920	166	196			ND
Simmons Brook	3410940	167	39	x	x	42
Southwest Brook	3411000	168	6	x	x	42
Mose Ambrose Brook	3411240	169	65		x	ND
Old Brook (Old Bay Brook)	3511530	170	40	x	x	42
Taylor's Bay Brook	3511560	171	31	x	x	42
Little River	3613110	172	183		x	ND
Conne River	3613350	173	602	x	x	43
Southeast Brook	3613410	174	84		x	43
Northwest Brook	3613490	175	111			ND

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched- uled	Angling* data	Page**
Long Reach Brook	3614020	176	4	x	x	43
Salmon River (East Bay)	3614070	177	2708		x	43
Hughes Brook	3614230	178	65		x	ND
D'Espoir Brook (North Bay)	3614260	179	285	x	x	43
Allan's Cove Brook	3614760	180	41	x	x	44
Bottom Brook (Facheaux Bay R.)	3614850	181	175	x	x	44
Brent Cove Brook	3614930	182	44		x	ND
Morgan Brook	3615220	183	178	x	x	ND
Dolland Brook	3615270	184	688	x	x	44
Grey River	3716620	185	2394	x	x	45
White Bear River	3717440	186	2027	x	x	45
Bay de Loup Brook	3717720	187	55	x	x	45
Kelly Brook	3717740	188	65		x	ND
Kings Harbour Brook	3717770	189	128	x	x	45
Grandy Brook	3817890	190	264	x	x	46
Connolre Brook	3818190	191	311			ND
Couteau Brook	3818340	192	65			ND
Cinq Cerf Brook	3818490	193	205	x	x	46
East Bay Brook (La Polle)	3818760	194	57	x	x	ND
La Polle River	3818800	195	588	x	x	46
Farmers Brook (Farmers Arm)	3819030	196	89	x	x	46
Garla Brook (River)	3819100	197	228	x	x	47
Northwest River (Garla Bay)	3819120	198	119	x	x	47
Rose Blanche Brook	3919460	199	84			ND
Grandys Brook (Burnt Island R.)	3919590	200	273	x	x	47
Isle aux Morts River	3919820	201	214	x	x	47
Grand Bay River	3920100	202	134	x	x	48
Northwest Brook	3920110	203	65	x		ND
Southwest Brook	3920250	204	49		x	ND
Bear Cove Brook	4000020	205	30	x	x	48
Little Codroy River	4000140	206	224	x	x	48
Grand Codroy River	4000330	207	956	x	x	48
Ryans Brook	4000360	208	65	x		ND
Brooms Brook	4000370	209	65	x		ND
Highlands River	4000830	210	183	x	x	ND
Crabbes Brook	4000860	211	551	x	x	49
Barachois Brook	4000900	212	241	x	x	49
Robinsons River	4000920	213	439	x	x	49
Fischells Brook	4000960	214	360	x	x	49
Barry Brook	4000970	215	31			ND
Middle Brook	4000980	216	30			ND
Journols Brook	4000990	217	64			ND
Flat Bay Brook	4101080	218	635	x	x	50
Little Barachois Brook	4101110	219	354	x	x	50
Southwest and Bottom Brooks	4101150	220	814	x	x	50
Harrys River	4101200	221	816	x	x	50
Blanche Brook	4101260	222	124			ND
Gaudon's Brook	4101270	223	65			ND
Romaines Brook	4101300	224	98			ND
Georges Brook (Mainland Brook)	4201510	225	65			ND
John Whites Brook (Lourdes Brook)	4301570	226	65			ND
Victors Brook	4301580	227	65			ND
Harrys Brook	4301600	228	65		x	ND
Fox Island River (Fox Brook)	4301920	229	194	x	x	51
Little River	4301940	230	65			ND
Lewis Brook	4402010	231	33			ND
Serpentine River (Coal River)	4402090	232	433	x	x	51
Wild Cove Brook	4402100	233	80			ND
Blow Me Down Brook	4402250	234	64			ND
Clarkes Brook	4402340	235	34			ND
Cooks Brook	4402370	236	101	x	x	ND
Humber River	4402430	237	7679	x	x	51
Hughes Brook	4402450	238	132	x	x	ND
Gillams Brook	4402520	239	45			ND



River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched- uled	Angling* data	Page**
Cox's Brook	4402640	240	55			ND
Goose Arm Brook	4402740	241	212	x	x	51
Liverpool Brook	4403210	242	64			ND
Lower Crabb Brook	4403280	243	83		x	ND
Trout River	4503520	244	254	x	x	52
Lomond River	4503920	245	470	x	x	52
Deer Brook	4504040	246	126	x	x	ND
Western Brook	4604220	247	192	x	x	52
Parsons Pond River	4604560	248	388	x	x	52
Portland Head Creek	4604590	249	65			ND
Portland Creek	4604620	250	985	x	x	53
Bowling Brook	4704650	251	55			ND
Bound Brook	4704660	252	66			ND
Table Point Brook	4704670	253	65			ND
River of Ponds	4704740	254	861	x	x	53
Little Brook Pond	4704750	255	76	x	x	53
Torrent River	4704800	256	619	x	x	53
Little East River	4704810	257	20			ND
East River (Big East River)	4704840	258	136	x	x	54
Castors River	4805030	259	544	x	x	54
Doctors Brook	4905090	260	65			ND
Cy's Brook	4905120	261	65			ND
Otter Brook	4905150	262	65			ND
St. Genevieve River	4905170	263	318	x	x	54
West Brook (Western Arm Brook)	4905190	264	149	x	x	54
East River (Eastern Arm Brook)	4905200	265	43	x	x	55
Green Island Brook	4905370	266	14			ND
Eddies Cove Brook	4905390	267	90		x	ND
Big Brook	4905460	268	212	x	x	55
Watts Bight Brook (Watsons Brook)	4905510	269	95	x	x	ND
Forteau Brook	5000120	270	389	x	x	59
L'Anse-a-Loup River	5000220	271	130		x	ND
Pinware River	5000360	272	2486	x	x	59
Temple Brook	5000940	273	181			ND
St. Charles River	5101420	274	311			ND
Trout River (St. Mary's River)	5101520	275	414	x	x	59
St. Lewis River	5101720	276	2590		x	ND
Alexis River	5102500	277	3160		x	59
Shinneys Waters	5102680	278	313	x	x	60
Gilbert River	5102820	279	642	x	x	60
Hawke River	5104500	280	1891	x	x	60
Black Bear River	5105240	281	645			ND
Reed's Pond River	5105560	282	233	x		ND
Sand Hill River	5205820	283	1614	x	x	60
Dykes River	5206440	284	337			ND
Paradise River	5206600	285	5276			ND
Eagle River	5206820	286	10824	x	x	61
White Bear River	5206880	287	1075		x	ND
North River	5207320	288	1389			ND
Flatwater Brook	5207740	289	51			ND
English River	5209000	290	640			ND
Kenemich River	5210020	291	699			ND
Kenamu River	5210100	292	4403			ND
Goose River	5210760	293	3432			ND
Naskaupl River	5211040	294	12691			ND
Sebaskachu River	5211500	295	580			ND
Mulligan River	5211620	296	1062			ND
Double Mer Brook	5212880	297	1425	x	x	ND
Double Mer River	5212910	298	855			ND
Tom Luscombe Brook	5213520	299	1010	x		ND
West Brook (Double Brook)	5213620	300	149			ND
Middle Brook (Double Brook)	5213660	301	323			ND
St. Michael's River (Shellbird River)	5214280	302	285	x	x	61
Jeannette Bay Brook	5214440	303	67			ND

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched-uled	Angling* data	Page**
Tukialik Brook	5214840	304	47			ND
Pamiulik River	5314880	305	394			ND
Stag Bay Brook	5314940	306	155			ND
Rattling Brook	5315020	307	285			ND
Big River	5315040	308	2849	x	x	61
Adlavik River	5315080	309	233			ND
Adlavik Bay Brook	5315120	310	39			ND
Makkovik Brook	5315520	311	111			ND
Makkovik River	5315640	312	259		x	ND
Unnamed	5316060	313	399			ND
Kaipokak River	5316080	314	2499			ND
Unnamed	5316260	315	326			ND
Little Bay River	5317600	316	243	x		ND
Adlatok River	5317900	317	11106	x	x	ND
Hunt River	5319220	318	1344	x	x	61
Flowers River	5319480	319	1443	x	x	62
Sango Brook	5319660	320	805			ND
Notakwanon River	5319740	321	4999			ND

\* Letter x indicates that angling data are available prior to 1982.

\*\* Letters ND indicate that angling data were not obtained in 1982.

## RIVER INDEX

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched- uled	Angling* data	Page**
Adlatok River	5317900	317	11106	x	x	ND
Adlavik Bay Brook	5315120	310	39			ND
Adlavik River	5315080	309	233			ND
Alexis River	5102500	277	3160		x	59
Allan's Cove Brook	3614760	180	41	x	x	44
Anchor Brook	0908940	060	13	x	x	ND
Barachois Brook	4000900	212	241	x	x	49
Barry Brook	4000970	215	31			ND
Barry's Brook	0908620	058	74			ND
Bartletts River	0105710	003	40	x	x	19
Bay de Loup Brook	3717720	187	55	x	x	45
Bay de l'Eau River	3105760	144	152	x	x	38
Bay du Nord River	3410790	165	1171	x	x	41
Bear Cove Brook	4000020	205	30	x	x	48
Beaver Brook (Western Brook)	0401690	012	242	x	x	20
Beckford River	2802350	123	43			ND
Belle Harbour River	3410430	162	46			ND
Bellevue Brook (Trout Brook)	1714680	087	49	x	x	31
Big Barachois River (SMB)	2802210	120	83	x	x	35
Big Brook	4905460	268	212	x	x	55
Big Brook	1210570	072	60		x	ND
Big Chouse Brook	0403410	027	112			ND
Big River	5315040	308	2849	x	x	61
Big Salmonier Brook	3206950	150	33	x	x	39
Biscay Bay River	2700230	108	239	x	x	33
Black Bear River	5105240	281	645			ND
Black River	3105210	141	205			ND
Black River	3004090	136	200	x	x	37
Bianche Brook	4101260	222	124			ND
Blow Me Down Brook	4402250	234	64			ND
Bottom Brook (Facheaux Bay R.)	3614850	181	175	x	x	44
Bound Brook	4704660	252	66			ND
Bowing Brook	4704650	251	55			ND
Branch River	2802380	124	118	x	x	35
Brent Cove Brook	3614930	182	44		x	ND
Brooms Brook	4000370	209	65	x		ND
Cape Broyle River	2517350	105	66		x	33
Cape Roger Brook	3105560	143	93	x	x	38
Castors River	4805030	259	544	x	x	54
Cat Arm River	0402660	018	745		x	ND
Chance Cove Brook	2617740	107	88			ND
Channel Harbour River	3105060	139	65		x	ND
Charles Brook	0707660	047	65	x	x	25
Cinq Cerf Brook	3818490	193	205	x	x	46
Clarkes Brook	4402340	235	34			ND
Cloud River	0401850	015	533	x	x	21
Colinet River	2801920	116	158	x	x	ND
Come By Chance River	3003740	133	64	x	x	36
Coney Arm Brook	0402840	019	33			ND
Coney Arm River	0402880	020	146	x	x	21
Conne River	3613350	173	602	x	x	43
Connoire Brook	3818190	191	311			ND
Cooks Brook	4402370	236	101	x	x	ND
Corner Brook	0403140	023	49	x		ND
Couteau Brook	3818340	192	65			ND
Cox's Brook	4402640	240	55			ND
Crabbes Brook	4000860	211	551	x	x	49
Crossing Place River	2801050	113	216			ND
Cuslett Brook	2802690	126	36			ND
Cy's Brook	4905120	261	65			ND
Deadman's Brook (Deadman's Bay)	0908950	061	333	x	x	ND
Deer Brook	4504040	246	126	x	x	ND

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched- uled	Angling* data	Page**
Deer Harbour Brook	1713950	086	67	x	x	31
Devil Brook	3308540	158	58			ND
Doctors Brook	4905090	260	65			ND
Dog Bay River (Horwood River)	0708480	055	364	x	x	26
Dolland Brook	3615270	184	688	x	x	44
Double Mer Brook	5212880	297	1425	x	x	ND
Double Mer River	5212910	298	855			ND
Doucers Brook	0403120	022	65	x		ND
Dykes River	5206440	284	337			ND
D'Espoir Brook (North Bay)	3614260	179	285		x	44
Eagle River	5206820	286	10824	x	x	61
East Bay Brook (La Poile)	3818760	194	57	x	x	ND
East Brook (Burlington Brook)	0604820	035	178	x	x	23
East Brook (Easter Brook)	0401640	010	90	x	x	20
East River (Big East River)	4704840	258	136	x	x	54
East River (Eastern Arm Brook)	4905200	265	43	x	x	55
East River (Pistolet Bay)	0105800	005	61	x	x	19
Eddles Cove Brook	4905390	267	90		x	ND
English River	5209000	290	640			ND
Exploits River	0707790	050	11272	x	x	26
Farmers Brook (Farmers Arm)	3819030	196	89	x	x	46
Fischells Brook	4000960	214	360	x	x	49
Flat Bay Brook	4101080	218	635	x	x	50
Flatwater Brook	5207740	289	51			ND
Flowers River	5319480	319	1443	x	x	62
Forteau Brook	5000120	270	389	x	x	59
Fox Island River (Fox Brook)	4301920	229	194	x	x	51
Gambo Brook	1109780	069	1152	x	x	29
Gander River	0908610	057	6398	x	x	27
Garla Brook (River)	3819100	197	228	x	x	47
Garnish River	3308440	157	212	x	x	41
Gaudon's Brook	4101270	223	65			ND
Georges Brook (Mainland Brook)	4201510	225	65			ND
Gilbert River	5102820	279	642	x	x	60
Gillams Brook	4402520	239	45			ND
Goose Arm Brook	4402740	241	212	x	x	51
Goose River	5210760	293	3432			ND
Grand Bank Brook	3308040	156	67	x	x	41
Grand Bay River	3920100	202	134	x	x	48
Grand Codroy River	4000330	207	956	x	x	48
Grandy Brook	3817890	190	264	x	x	46
Grandys Brook (Burnt Island R.)	3919590	200	273	x	x	47
Great Barasway Brook (Placentia Bay)	2902820	127	68	x	x	36
Green Island Brook	4905370	266	14			ND
Grey River	3716620	185	2394	x	x	45
Hampden River	0403360	026	126	x	x	ND
Harbour Grace Brook	2115810	092	65			ND
Harrys Brook	4301600	228	65			ND
Harrys River	4101200	221	816	x	x	50
Hawke River	5104500	280	1891	x	x	60
Heart's Content Brook	1815150	090	48			ND
Heart's Delight Brook	1815060	089	45			ND
Hickmans Harbour River	1612780	084	102			ND
Highlands River	4000830	210	183	x	x	ND
Hughes Brook	3614230	178	65		x	ND
Hughes Brook	4402450	238	132	x	x	ND
Humber River	4402430	237	7679	x	x	51
Hunt River	5319220	318	1344	x	x	61
Indian Arm Brook (Campbellton River)	0708210	053	296	x	x	26
Indian Bay Brook	1109490	065	703	x	x	28
Indian Brook (Indian River)	0605570	037	1261	x	x	23
Ireland's Brook	0300590	007	63			ND
Isle aux Morts River	3919820	201	214	x	x	47
Jeannette Bay Brook	5214440	303	67			ND

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched- uled	Angling* data	Page**
John Whites Brook (Lourdes Brook)	4301570	226	65			ND
Journals Brook	4000990	217	64			ND
Jumpers Brook	0708310	054	46			ND
Kalpokak River	5316080	314	2499			ND
Kelly Brook	3717740	188	65		x	ND
Kenamu River	5210100	292	4403			ND
Kenemich River	5210020	291	699			ND
Kings Harbour Brook	3717770	189	128	x	x	45
La Polle River	3818800	195	588	x	x	46
Lance River	2802480	125	53			ND
Lawn River	3207280	152	38	x	x	40
Lewis Brook	4402010	231	33			ND
Little Barachois Brook	4101110	219	354	x	x	50
Little Barachois Brook	2802240	121	50			ND
Little Barasway Brook	2902880	128	39			ND
Little Bay River	5317600	316	243	x		ND
Little Brook Pond	4704750	255	76	x	x	53
Little Codroy River	4000140	206	224	x	x	48
Little East River	4704810	257	20			ND
Little Harbour Deep River	0402500	017	489	x	x	21
Little Harbour River	2801650	114	184			ND
Little River	3613110	172	183		x	ND
Little River	4301940	230	65			ND
Little Salmonier River (SMB)	2802170	119	123	x	x	35
Liverpool Brook	4403210	242	64			ND
Lockston River	1512550	081	71			ND
Lomond River	4503920	245	470	x	x	52
Long Harbour River (Fortune Bay)	3409780	160	1102	x	x	41
Long Reach Brook	3614020	176	4	x	x	43
Lower Crabb Brook	4403280	243	83		x	ND
Lower Gullies River	2216290	102	21			ND
L'Anse-a-Loup River	5000220	271	130		x	ND
Main River (Sops Arm)	0403110	021	1048	x	x	22
Makkovik Brook	5315520	311	111			ND
Makkovik River	5315640	312	259		x	ND
Manuels River	2216370	103	68			ND
Middle Arm Brook	0403670	031	328	x	x	22
Middle Brook	4000980	216	30			ND
Middle Brook	1210910	075	63			ND
Middle Brook (Double Brook)	5213660	301	323			ND
Middle Brook (Gambo)	1109760	068	276	x	x	28
Morgan Brook	3615220	183	178	x		ND
Mose Ambrose Brook	3411240	169	65		x	ND
Mulligan River	5211620	296	1062			ND
Naskaupl River	5211040	294	12691			ND
Natlins Brook	0403160	024	27	x		ND
New Bay River	0606820	046	205	x	x	25
Nonsuch Brook	3105470	142	30	x	x	38
North Arm River (Holyrood)	2216220	099	86	x	x	33
North Harbour River	3003880	135	96	x	x	37
North Harbour River (SMB)	2802060	118	74	x	x	35
North River	5207320	288	1389			ND
North River	2215970	096	61	x	x	32
Northeast Branch (Red Harbour)	3105990	146	65	x	x	38
Northeast Brook	3410650	163	142			ND
Northeast Brook	0401670	011	257	x	x	20
Northeast Brook (Trepassey)	2700360	109	21	x	x	34
Northeast River (Placentia)	2903070	130	94	x		36
Northern Arm Brook	0707760	048	181	x	x	25
Northwest Arm Brook	0606570	044	65	x	x	24
Northwest Brook	3920110	203	65	x		ND
Northwest Brook	3613490	175	111			ND
Northwest Brook	3410700	164	86			ND
Northwest Brook	3206370	148	85	x	x	39

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched-uled	Angling* data	Page**
Northwest Brook	0200330	006	5		x	ND
Northwest Brook (Alexander Bay)	1110130	070	97	x	x	29
Northwest Brook (Canada Bay)	0401790	014	108	x	x	21
Northwest Brook (Trepassey)	2700380	110	178	x	x	34
Northwest River (Garia Bay)	3819120	198	119	x	x	47
Northwest River (Indian Bay)	1109480	064	65	x		27
Northwest River (Port Blandford)	1210880	073	689	x	x	29
Northwest River (Trinity)	1109560	066	65	x	x	28
Notakwanon River	5319740	321	4999			ND
Old Brook (Old Bay Brook)	3511530	170	40	x	x	42
Otter Brook	4905150	262	65			ND
Pacquet Brook (Woodstock Brook)	0504280	034	119	x	x	ND
Pamlulik River	5314880	305	394			ND
Paradise River	3105180	140	490			ND
Paradise River	5206600	285	5276			ND
Parker River (West River)	0105680	002	46	x	x	19
Parsons Pond River	4604560	248	388	x	x	52
Pennys Brook	0606100	043	57			ND
Pensons Brook	0105640	001	65			ND
Peters River	0707780	049	116	x	x	26
Peter's River (St. Mary's Bay (SMB))	2800860	112	144	x	x	34
Piercays Brook	3207670	155	65	x	x	40
Pierres Brook	2517140	104	65			ND
Pinware River	5000360	272	2486	x	x	59
Pipers Hole River	3004160	137	781	x	x	37
Placentia Sound River	2903150	131	34			ND
Popes Harbour River	1612750	083	132	x	x	31
Port Union River	1412240	079	45			ND
Portland Creek	4604620	250	985	x	x	53
Portland Head Creek	4604590	249	65			ND
Purbeck's Brook	0403520	028	60			ND
Ragged Harbour River	0908820	059	440	x	x	27
Rattling Brook	5315020	307	285			ND
Rattling Brook	0707810	051	385	x	x	ND
Red Harbour River	3106000	147	73	x	x	39
Red Head River	2802330	122	71			ND
Reed's Pond River	5105560	282	233	x		ND
Rencontre Brook	3410270	161	195			ND
Renews River	2617640	106	76	x	x	33
River of Ponds	4704740	254	861	x	x	53
Riverhead Brook (West River)	0605640	038	484	x	x	24
Robinsons River	4000920	213	439	x	x	49
Rocky River	2801930	117	296			ND
Romaines Brook	4101300	224	98			ND
Rose Blanche Brook	3919460	199	84			ND
Rushoon River	3105920	145	59			ND
Ryans Brook	4000360	208	65	x		ND
Salmon Brook (Port Blandford)	1210890	074	110	x	x	30
Salmon Cove River	2115720	091	68	x	x	32
Salmon Cove River (Champneys)	1512520	080	74	x	x	30
Salmon River	3410920	166	196			ND
Salmon River	2216180	098	62			ND
Salmon River (Arliege R.) (Hare Bay)	0300850	009	730	x	x	20
Salmon River (East Bay)	3614070	177	2708			43
Salmonier River	2801690	115	257	x	x	34
Salmonier River (Lamaline)	3207570	154	115	x	x	40
Saltwater Brook	0403250	025	56			ND
Sand Hill River	5205820	283	1614	x	x	60
Sandy Harbour River	3004480	138	462			ND
Sango Brook	5319660	320	805			ND
Seal Cove River	2216270	101	53			ND
Sebaskachu River	5211500	295	580			ND
Serpentine River (Coal River)	4402090	232	433	x	x	51
Shearstown Brook	2215910	095	31			ND

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched-uled	Angling* data	Page**
Shinneys Waters	5102680	278	313	x	x	60
Ship Harbour Brook	2903190	132	34			ND
Shoal Arm Brook	0606050	042	87			ND
Shoal Brook	0401770	013	44			ND
Shoal Harbour River	1613060	085	129	x	x	31
Simmons Brook	3410940	167	39	x	x	42
Sops Arm Brook	0605990	041	62		x	ND
Soufflets River	0402340	016	393	x	x	ND
South Brook	0605060	036	30			ND
South Brook	0605680	039	672	x	x	24
South Brook	2216240	100	37			ND
South River	2215990	097	67	x	x	32
South River	2115820	093	38		x	ND
South West Brook	0504040	033	195	x	x	23
Southeast Brook	3613410	174	84		x	43
Southeast River (Placentia)	2902980	129	140	x	x	36
Southern Arm Brook	0403700	032	65	x	x	23
Southern Bay River	1211600	078	65			ND
Southwest and Bottom Brooks	4101150	220	814	x	x	50
Southwest Brook	3920250	204	49		x	ND
Southwest Brook	3411000	168	6	x	x	42
Southwest Brook	0708490	056	65			ND
Southwest Brook	1211080	077	181			ND
Southwest Brook (Port Blandford)	1210930	076	491	x	x	30
Southwest River	0708150	052	44			ND
Southwest River	1009300	063	98		x	ND
Spanlard's Bay Brook	2215880	094	65			ND
Spread Eagle Brook	1714870	088	57		x	32
Stag Bay Brook	5314940	306	155			ND
St. Charles River	5101420	274	311			ND
St. Genevieve River	4905170	263	318	x	x	54
St. Lawrence River	3207150	151	63	x	x	39
St. Lewis River	5101720	276	2590		x	ND
St. Michael's River (Shellbird River)	5214280	302	285	x	x	61
St. Shott's River	2800650	111	97			ND
Table Point Brook	4704670	253	65			ND
Taylor Bay Brook	3207520	153	70	x	x	40
Taylor's Bay Brook	3511560	171	31	x	x	42
Temple Brook	5000940	273	181			ND
Terra Nova River	1110220	071	1883	x	x	29
Terrenceville Brook	3409170	159	115		x	ND
Tides Brook	3206410	149	179	x	x	ND
Tom Luscombe Brook	5213520	299	1010	x		ND
Tommy's Arm Brook	0605940	040	242	x	x	24
Torrent River	4704800	256	619	x	x	53
Traverse Brook	1109750	067	404	x	x	28
Trout River	4503520	244	254	x	x	52
Trout River (St. Mary's River)	5101520	275	414	x	x	59
Trouty River	1512620	082	90	x	x	30
Tukialik Brook	5214840	304	47			ND
Unnamed	5316260	315	326			ND
Unnamed	5316060	313	399			ND
Upper Brook	0105720	004	39		x	ND
Victors Brook	4301580	227	65			ND
Watsons Brook	3003830	134	65	x	x	37
Watts Blight Brook (Watsons Brook)	4905510	269	95	x	x	ND
West Arm Brook (Western Arm)	0606720	045	260	x	x	25
West Brook	0300800	008	254	x	x	19
West Brook (Double Brook)	5213620	300	149			ND
West Brook (Western Arm Brook)	4905190	264	149	x	x	54
Western Arm Brook	0403620	030	74	x	x	22
Western Brook	4604220	247	192	x	x	52
White Bear River	3717440	186	2027	x	x	45
White Bear River	5206880	287	1075		x	ND

River Name	River code	Map #	Drainage area (km <sup>2</sup> )	Sched- uled	Angling* data	Page**
Wild Cove Brook	4402100	233	80			ND
Wild Cove Brook (White Bay)	0403580	029	132	x	x	22
Windmill Brook	0909030	062	12	x	x	27

\* Letter x indicates that angling data are available prior to 1982.

\*\* Letters ND indicate that angling data were not obtained in 1982.



## ABSTRACT

Ash, E.G.M., and R. J. Tucker. 1984. Angled catch and effort data for Atlantic salmon in Newfoundland and Labrador, and for other fishes in Labrador, 1982. Can. Data Rep. Fish. Aquat. Sci. 465: xv + 96 p.

In Newfoundland and Labrador in 1982, the effort in the recreational salmon fishery increased by 6% to 135,769 rod days from 127,674 rod days in 1981. This additional effort did not increase the total catch, in fact both the numbers of grilse and large salmon decreased by 11% and 1% respectively. The provincial total of 47,844 was comprised of 45,975 grilse and 1,869 large salmon. This resulted in an overall CPUE of 0.35, somewhat lower than 0.42 recorded in 1981. The only increase other than effort was a 19% rise in the catch of large salmon in Labrador.

## RÉSUMÉ

Ash, E.G.M., and R. J. Tucker. 1984. Angled catch and effort data for Atlantic salmon in Newfoundland and Labrador, and for other fishes in Labrador, 1982. Can. Data Rep. Fish. Aquat. Sci. 465: xv + 96 p.

À Terre-Neuve et au Labrador, l'effort de pêche sportive du saumon à la ligne est passé de 127 674 jours de pêche en 1981 à 135 769 en 1982, soit une augmentation de 6%. Cet effort supplémentaire n'a pas généré une augmentation des prises totales: au contraire, le nombre de madeleineaux et de gros saumons a baissé respectivement de 11% et de 1%. Au total, 47 844 poissons ont été capturés, dont 45 975 madeleineaux et 1 869 gros saumons. La PPUE globale ainsi générée s'est élevée à 0,35, valeur quelque peu inférieure à celle enregistrée en 1981 (0,42). Une augmentation de 19% des prises de gros saumons au Labrador a été en plus de l'effort, le seul facteur en hausse.



PART I

Atlantic Salmon, Insular Newfoundland and Labrador



## INTRODUCTION

This is the tenth annual angling data report published since 1973 by the Freshwater and Anadromous Fish Program (Button and Wells 1974, 1975; Moores 1976; Moores et al. 1977, 1978; Moores and Tucker 1978, 1979, 1980; Moores and Ash 1981; Ash 1982). The data are provided by the Resource Management Branch, Department of Fisheries and Oceans, Newfoundland Region. Data include both an observed or known fishing effort and catch, and an estimated quantity. The observed census data are normally collected by seasonal river guardians during surveillance of the annual Atlantic salmon migration. The data are submitted to the fisheries officer or warden who, in consultation with the guardian, estimates the catch and effort that occurred but were not observed. Normally factors such as manpower, patrol time, angling pressure, weather, river conditions and personal knowledge of the salmon migration are used to determine the estimated quantities. The angling pressure and accessibility to the rivers had increased to such a degree during the 1970's that observation and recording of total effort and angling catch had become impossible. The addition of the estimated quantity was incorporated into the angling data in 1974 to provide consistency in the reporting.

This report also includes calculated catch-per-unit-effort (CPUE). The CPUE, defined as the number of fish angled per rod day (a rod day being a day or any part thereof in which an individual angles) is one of the important tools used to assess the condition of not only the total Atlantic salmon stock, but individual populations as well. It is especially valuable for early detection of declines in fish populations that would otherwise appear healthy from high catch statistics which are disguised by increases in effort.

The format of the 1982 report is similar to that of previous years. The data are presented by rivers, statistical sections, statistical areas and Fishing and Industry Areas (Fig. 1 and 2). Rivers are tabulated according to their assigned seven digit code (Waldron 1974) which commence at Cape Norman on the northern tip of the Great Northern Peninsula and proceed consecutively and clockwise around insular Newfoundland and into Labrador. The seven digit codes, developed for quick identification and location of rivers as well as for computer coding, denote not only the individual river numbers but also the statistical section (developed by the Economics Branch in 1968) in which the mouth of the river is located. For example: Humber River is coded 4402430. The number 44 indicates the statistical section and the 02430 is the individual river number.

Data are broken down by weekly effort and catch and include number of grilse ( 2.7 kg), number of salmon ( 2.7 kg), and weight of largest fish caught. Angled catch represents only upstream migrants or bright salmon. There is no kelt or black salmon fishery in Newfoundland or Labrador.

Open season for Atlantic salmon angling in Newfoundland and Labrador extends from June 10 to Sept. 15. However, because the timing of migration differs considerably on some rivers and to ensure that adequate spawners reach the spawning grounds the opening and closing dates vary. The open season dates for all scheduled rivers during 1982 are listed (Table 1).

Scheduled rivers may have to be closed periodically for reasons such as low water, research, enhancement, conservation, etc. This requires changes to the Newfoundland Fishery Regulations. These notices of change are "Variation Orders". During 1982 the following variation orders were issued.

ORDER VARYING THE CLOSED TIME FOR FISHING FOR SALMON IN  
CERTAIN WATERS ADJACENT TO THE PROVINCE OF NEWFOUNDLAND

Short Title

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order", 1982-21.

Variation

2. The closed time as fixed by subsection 45(1) of the Newfoundland Fishery Regulations and set out in Item 3 of Schedule V thereto is hereby varied so that no person shall fish for salmon with nets, traps or any other commercial fishing appliance during the period beginning on January 1 and ending on May 17.

Coming Into Force

3. This Order shall come into force on the 14 day of May, 1982 and remain in force until the 31 day of December, 1982.

ORDER VARYING THE CLOSED TIME FOR ANGLING IN THE COLINET RIVER

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order", 1982-27.

Variation

2. The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in the Colinet River including the north and east branches (Item 103 of Schedule I) during the period beginning on June 20, 1982 and ending on June 19, 1983.

Coming Into Force

3. This Order shall come into force on the 20th day of June, 1982 and remain in force until June 19, 1983.

ORDER VARYING THE CLOSED TIME FOR ANGLING IN THE TOP POND BROOK

Short Title

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order", 1982-46.

## Variation

2. The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in that portion of Grandy's River known as Top Pond Brook (Item 145 of Schedule I) during the period beginning on August 14, 1982 and ending on June 19, 1983.

## ORDER VARYING THE CLOSED TIME FOR ANGLING IN THE STONEY BROOK

## Short Title

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order", 1982-47.

## Variation

2. The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in that portion of Exploits River known as Stoney Brook (Item 67 of Schedule I) during the period beginning on August 14, 1982 and ending on June 19, 1983.

## Coming Into Force

3. This Order shall come into force on the 14 day of August, 1982 and remain in force until June 19, 1983.

## ORDER VARYING THE CLOSED TIME FOR ANGLING IN THE NORTH WEST BROOK

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order", 1982-48.

## Variation

2. The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no prson shall angle from 200 yards downstream of the counting fence in the tributary of the Garia River known as North West Brook (Item 150 of Schedule I) during the period beginning on August 14, 1982 and ending on June 19, 1983.

## Coming Into Force

3. This Order shall come into force on the 14 day of August, 1982 and remain in force until June 19, 1983.




Fig. 1. Location of rivers in insular Newfoundland with existing and historic (A) Atlantic salmon populations. Boundaries of Fishing and Industry areas, statistical areas and statistical sections are also indicated.






Fig. 2 Location of rivers in Labrador with existing Atlantic salmon populations. Boundaries of Fishing and Industry areas, statistical areas and statistical sections are indicated.

## SUMMARY

The 1982 recreational Atlantic salmon fishery in Newfoundland and Labrador yielded 47,844 salmon. The grilse portion of this catch was 45,975 or 96%. The large salmon declined by 1% to 1869. Total recorded effort increased by 6% to 135,769 rod days. The decrease in the catch coupled with the greater fishing effort resulted in a reduced CPUE of 0.35 (Table 2, Fig. 3).

Insular Newfoundland accounted for 90% of the total catch. Anglers landed 41,871 grilse and 1248 large salmon; these catches were 10% and 9% lower respectively than in 1981. The effort of 129,369 rod days was a 5% rise from the previous year but 26% over the 1976-80 mean. The CPUE was 0.32 (Table 3, Fig. 4).

The number of anglers in Labrador increased by 23% from 5198 rod days in 1981 to 6400 rod days in 1982. These fishermen harvested 4104 grilse and 621 large salmon. In comparison to 1981 the grilse count was down by 21% and the large salmon up by 19%. The CPUE declined considerably to 0.74; the lowest since 1978 (Table 4, Fig. 5).

The recreational salmon fishery overall was not as productive as it was in 1981, however, in comparison to recent years previous to 1981 it can be regarded as average. To be more specific the CPUE for 1982 was 0.35 and for the 1976-80 five year mean it was 0.37.

The highest ever fishing effort was recorded this year. Moderate water levels were maintained in the rivers throughout the season. These factors might suggest catches greater than or at least equal to 1981 but as stated previously, that was not the case. It might appear the availability of fish was not as prevalent in 1982.

### Acknowledgments

We thank the field staff of Resource Management Branch for collecting the data, Economics Branch for assistance in data processing, the keypunch operators of Statistics and Computing Services, Neil Hefford for drafting, K. Harding and P. Doyle for typing and also T. R. Porter for editing.

### References

- Button, C. E., and T. J. Wells. 1974. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1973. Fish. Mar. Serv. Data Record Ser. No. NEW/D-74-10, 57 p.
1975. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1974. Fish. Mar. Serv. Data Record Ser. No. NEW/D-75-4, 58 p.
- Moore, R. B. 1976. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1975. Fish. Mar. Serv. Data Record Ser. No. NEW/D-76-1, 298 p.
- Moore, R. B., E. M. P. Chadwick, and R. J. Tucker. 1977. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1976. Fish. Mar. Serv. Data Rep. No. 24, 181 p.
- Moore, R. B., R. W. Penny, and R. J. Tucker. 1978. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1953-77. Fish. Mar. Serv. Data Rep. No. 84, 274 p.
- Moore, R. B., and R. J. Tucker. 1978. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1977. Fish. Mar. Serv. Data Rep. No. 60, 180 p.
1979. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1978. Fish. Mar. Serv. Data Rep. 147, 106 p.
1980. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1979. Can. Data Rep. Fish. Aquat. Sci. 212: xiv + 86 p.
1981. Angled catch and effort data in the Atlantic salmon recreational fishery, Newfoundland and Labrador, 1980. Can. Data Rep. Fish. Aquat. Sci. 263: xiv + 85 p.
- Moore, R. B., and E.G.M. Ash. 1984. Angled catch and effort data for Atlantic salmon in Newfoundland and Labrador, and for other fishes in Labrador, 1981. Can. Data Rep. Fish. Aquat. Sci. 000: xv + 88 p.
- Waldron, D. E. 1974. Codes used in the Newfoundland commercial and recreational fisheries. Fish. Mar. Serv. Data Record Series No. NEW/D-74-2, 128 p.

Table 1. Periods of salmon angling for all scheduled rivers in Newfoundland and Labrador for 1982.

Rivers	Period
Conne River & tributaries	June 10-Aug. 31
Garnish River & tributaries	June 10-Aug. 31
Fox Island River & tributaries	July 3-July 16
Little Codroy River and tributaries	July 1-Aug. 15
Little Barachois Brook & tributaries	July 1-Aug. 15
Harry's River & tributaries	July 1-Aug. 15
Serpentine River & tributaries	July 1-Aug. 31
Upper Humber River, Deer Lake to source	June 10-Aug. 31
Highland River & tributaries	
Cook's Brook	
Hughes Brook	No
Torrent River & tributaries	Open
Watson's Brook, St. Barbe	Season
Anchor Brook	
Deadman's Bay River & tributaries	
Tides Brook, Mortier Bay & tributaries	
Other scheduled salmon rivers in Insular Newfoundland	June 20-Aug. 31
Scheduled salmon rivers in Labrador	June 20-Sept. 15

Table 2. Angled catch, effort and catch per unit effort of Atlantic salmon in Newfoundland and Labrador, 1953-82. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (<2.7 kg)	Salmon (>2.7 kg)	Total catch	CUE	Percent grilse
1953	43024	13564	2461	16025	0.37	84
1954	28672	7409	2050	9459	0.33	78
1955	22628	9942	1718	11660	0.52	85
1956	53499	14515	2561	17076	0.32	85
1957	33897	18739	3306	22045	0.65	85
1958	35085	18768	3521	22289	0.64	84
1959	27038	17007	2813	19820	0.54	85
1960	36393	16302	2068	18370	0.50	88
1961	37129	14492	2560	17052	0.46	84
1962	49982	23501	2680	26181	0.52	89
1963	62072	29258	4024	33282	0.54	87
1964	74330	37872	4610	42482	0.57	89
1965	70069	31151	3796	34947	0.50	89
1966	71033	31068	3558	34626	0.49	89
1967	75894	24719	3157	27876	0.37	88
1968	79629	33195	2549	35744	0.45	92
1969	85692	37842	2703	40545	0.47	93
1970	90220	34472	2695	37167	0.41	92
1971	80686	30623	2088	32711	0.41	93
1972	74384	27371	1804	29175	0.39	93
1973	96706	43004	2932	45936	0.48	93
1974	113691	28986	2016	31002	0.27	93
1975	107116	37362	1568	38930	0.36	95
1976	123002	40189	1881	42070	0.34	95
1977	119070	38946	4041	42987	0.36	90
1978	102905	31310	2330	33640	0.33	93
1979	87911	35287	1170	36457	0.41	97
1980	109280	39649	2811	42460	0.39	93
1981	127674	51861	1889	53750	0.42	96
1982	135769	45975	1869	47844	0.35	96
Means and standard deviations						
1956-60	37182.4	17066.2	2853.8	19920.0	0.53	85.4
S.D.	9810.1	1788.2	581.9	2270.9	0.13	1.5
1961-65	58716.4	27254.8	3534.0	30788.8	0.52	87.6
S.D.	15217.0	8787.7	886.6	9619.9	0.04	2.2
1966-70	80493.6	32259.2	2932.4	35191.6	0.44	90.1
S.D.	7632.7	4878.8	417.7	4655.7	0.05	2.2
1971-75	94516.6	33469.2	2081.6	35550.8	0.38	93.4
S.D.	16791.4	6547.0	516.8	6868.0	0.08	0.9
1976-80	108433.6	37076.2	2446.6	39522.8	0.37	93.6
S.D.	13944.8	3750.2	1076.8	4216.7	0.03	2.6

Table 3. Angled catch, effort and catch per unit effort of Atlantic salmon in insular Newfoundland, 1953-82. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (<2.7 kg)	Salmon (>2.7 kg)	Total catch	CUE	Percent grilse
1953	43024	13564	2461	16025	0.37	85
1954	28505	6933	1722	8705	0.31	80
1955	21974	9662	1466	11128	0.51	87
1956	53092	14338	2364	16702	0.31	86
1957	33211	17489	2969	20458	0.62	85
1958	34444	17393	3451	20844	0.61	83
1959	36277	15687	2681	18368	0.51	85
1960	35750	15359	1977	17336	0.48	89
1961	36024	13312	2322	15634	0.43	85
1962	49035	22251	2557	24808	0.51	90
1963	60769	27465	3827	31292	0.51	88
1964	71541	35122	4154	39276	0.55	89
1965	66647	28806	3169	31975	0.48	90
1966	66414	27753	2852	30605	0.46	91
1967	72557	22513	2568	25081	0.35	90
1968	75575	29419	1884	31303	0.41	94
1969	82046	34965	2310	37275	0.45	94
1970	84912	30459	2133	32592	0.38	93
1971	75788	26689	1602	28291	0.37	94
1972	69219	24424	1380	25804	0.37	95
1973	88435	35512	1923	37435	0.42	95
1974	108199	26485	1213	27698	0.26	96
1975	102907	33390	1241	34631	0.34	96
1976	115847	34463	1051	35514	0.31	97
1977	111836	34352	2755	37107	0.33	93
1978	96657	28619	1563	30182	0.31	95
1979	82578	31169	561	31730	0.38	98
1980	104332	35849	1922	37771	0.36	95
1981	122476	46670	1369	48039	0.39	97
1982	129369	41871	1248	43119	0.32	97
Means and standard deviations						
1956-60	38554.8	16053.2	2688.4	18741.6	0.51	85.6
S.D.	8213.4	1361.5	563.8	1846.7	0.13	2.2
1961-65	56803.2	25391.2	3205.8	28597.0	0.50	88.4
S.D.	14334.8	8161.2	788.7	8875.7	0.04	2.1
1966-70	76300.8	29021.8	2349.4	31371.2	0.41	92.4
S.D.	7406.9	4514.4	375.9	4373.3	0.05	1.8
1971-75	68348.6	29300.0	1471.8	30771.8	0.35	95.2
S.D.	40942.7	4843.4	295.5	4989.3	0.06	0.80
1976-80	102250.0	32890.4	1570.4	34460.8	0.34	95.6
S.D.	13222.8	2939.8	839.0	3347.9	0.03	1.9

Table 4. Angled catch, effort and catch per unit effort of Atlantic salmon in Labrador, 1954-82. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse ( $< 2.7$ kg)	Salmon ( $> 2.7$ kg)	Total catch	CUE	Percent grilse
1954	167	476	278	754	4.51	63
1955	654	380	252	532	0.81	53
1956	407	177	197	374	0.92	47
1957	686	1250	337	1587	2.31	79
1958	641	1375	70	1445	2.25	95
1959	761	1320	132	1452	1.91	91
1960	643	943	91	1034	1.61	91
1961	1105	1180	238	1418	1.28	83
1962	947	1250	123	1373	1.45	91
1963	1303	1793	197	1990	1.53	90
1964	2789	2750	456	3206	1.15	86
1965	3422	2345	627	2972	0.87	79
1966	4619	3315	706	4021	0.87	82
1967	3337	2206	589	2795	0.84	79
1968	4054	3776	665	4441	1.10	85
1969	3646	2877	393	3270	0.90	88
1970	5308	4013	562	4575	0.86	88
1971	4898	3934	486	4420	0.90	89
1972	5165	2947	424	3371	0.65	87
1973	8271	7492	1009	8501	1.03	88
1974	5492	2501	803	3304	0.60	76
1975	4209	3972	327	4299	1.02	92
1976	7155	5726	830	6556	0.92	87
1977	7234	4594	1286	5880	0.81	78
1978	6248	2691	767	3458	0.55	78
1979	5333	4118	609	4727	0.89	87
1980	4948	3800	889	4689	0.95	81
1981	5198	5191	520	5711	1.10	91
1982	6400	4104	621	4725	0.74	86
Means and standard deviations						
1956-60	627.6	1013.0	165.4	1178.4	1.80	80.6
S.D.	132.6	496.3	107.5	495.2	0.57	19.7
1961-65	1913.2	1863.6	328.2	2191.8	1.26	85.8
S.D.	1118.3	683.0	208.0	858.4	0.26	5.0
1966-70	4191.0	3237.4	583.0	3820.4	0.91	84.4
S.D.	787.2	723.1	120.9	766.3	0.11	3.9
1971-75	5607.0	4169.2	609.8	4779.0	0.84	86.4
S.D.	1562.3	1962.9	285.7	2143.1	0.20	6.1
1976-80	6183.6	4185.8	876.2	5062.0	0.82	82.2
S.D.	1037.0	1109.8	251.8	1196.4	0.16	4.6




Fig. 3. Effort, catch, and catch per unit effort in the Atlantic salmon recreational fishery Newfoundland and Labrador, 1954-82.






Fig. 4 Catch, effort and catch per unit effort in the Atlantic salmon recreational fishery in insular Newfoundland, 1954-82.





Fig. 5. Catch, effort and catch per unit of effort in the Atlantic salmon recreational fishery in Labrador 1954-82.

Insular Newfoundland



0105680  
PARKER RIVER (WEST RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	7	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	22	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	19	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	31	36	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	33	35	1	1	0	0	1	1	1.8	0.03	0.03	100.00	100.00
7	1	8	82	MED	10	15	2	3	0	0	2	3	0.0	0.20	0.20	100.00	100.00
8	8	8	82	LOW	10	14	3	4	0	0	3	4	0.0	0.30	0.29	100.00	100.00
9	15	8	82	LOW	2	5	0	1	0	0	0	1	0.0	0.0	0.20	0.0	100.00
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	134	163	6	9	0	0	6	9	1.8	0.04	0.06	100.00	100.00

0105710  
BARTLETT'S RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	15	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	16	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	7	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	6	8	1	1	0	0	1	1	0.0	0.17	0.13	100.00	100.00
6	25	7	82	MED	10	12	4	4	0	0	4	4	0.0	0.40	0.33	100.00	100.00
7	1	8	82	MED	5	7	1	3	0	0	1	3	0.0	0.20	0.43	100.00	100.00
8	8	8	82	LOW	2	4	0	1	0	0	0	1	0.0	0.0	0.25	0.0	100.00
9	15	8	82	LOW	4	6	1	2	0	0	1	2	0.0	0.25	0.33	100.00	100.00
10	22	8	82	LOW	2	4	0	1	0	0	0	1	0.0	0.0	0.25	0.0	100.00
11	29	8	82	LOW	2	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	69	98	7	12	0	0	7	12	0.0	0.10	0.12	100.00	100.00

0105800  
EAST RIVER (PISTOLET BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	15	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	22	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	32	39	5	7	0	0	5	7	0.0	0.16	0.18	100.00	100.00
5	18	7	82	MED	30	37	9	11	0	0	9	11	0.0	0.30	0.30	100.00	100.00
6	25	7	82	MED	27	34	6	9	0	0	6	9	0.0	0.22	0.26	100.00	100.00
7	1	8	82	MED	22	27	3	5	0	0	3	5	0.0	0.14	0.19	100.00	100.00
8	8	8	82	LOW	19	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LOW	14	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	11	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	6	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	213	261	23	32	0	0	23	32	0.0	0.11	0.12	100.00	100.00

0300800  
WEST BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														
2	27	6	82	MED	0	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	NO PATROL
3	4	7	82	HI	0	4	0	2	0	0	0	2	0.0	0.0	0.50	0.0	100.00
4	11	7	82	MED	0	5	0	6	0	0	0	6	0.0	0.0	1.20	0.0	100.00
5	18	7	82	MED	0	6	0	6	0	0	0	6	0.0	0.0	1.33	0.0	100.00
6	25	7	82	MED	0	5	0	10	0	0	0	10	0.0	0.0	2.00	0.0	100.00
7	1	8	82	MED	0	10	0	15	0	0	0	15	0.0	0.0	1.50	0.0	100.00
8	8	8	82	LOW	0	10	0	15	0	0	0	15	0.0	0.0	1.50	0.0	100.00
9	15	8	82	LOW	0	5	0	4	0	0	0	4	0.0	0.0	0.80	0.0	100.00
10	22	8	82	LOW	0	8	0	6	0	0	0	6	0.0	0.0	0.75	0.0	100.00
11	29	8	82	LOW	0	6	0	6	0	0	0	6	0.0	0.0	1.00	0.0	100.00
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	62	0	72	0	0	0	72	0.0	0.0	1.16	0.0	100.00

0300850  
SALMON (ARIEGE RIVER (HARE BAY))

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		NO PATROL
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	20	6	82															
2	27	6	82	MED	2	5	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	3	12	10	14	0	0	10	14	0.0	1.25	1.17	100.00	100.00	
4	11	7	82	MED	35	45	33	41	0	0	33	41	0.0	0.94	0.91	100.00	100.00	
5	18	7	82	MED	29	39	28	40	0	0	28	40	0.0	0.97	1.03	100.00	100.00	
6	25	7	82	MED	32	40	27	37	0	0	27	37	0.0	0.84	0.92	100.00	100.00	
7	1	8	82	MED	36	50	55	70	0	0	55	70	0.0	1.45	1.40	100.00	100.00	
8	8	8	82	LOW	37	47	31	43	0	0	31	43	0.0	0.84	0.91	100.00	100.00	
9	15	8	82	LOW	22	32	15	25	0	0	15	25	0.0	0.68	0.78	100.00	100.00	
10	22	8	82	LOW	16	24	11	17	0	0	11	17	0.0	0.69	0.71	100.00	100.00	
11	29	8	82	LOW	4	10	2	6	0	0	2	6	0.0	0.50	0.60	100.00	100.00	
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				MED	223	304	212	293	0	0	212	293	0.0	0.95	0.96	100.00	100.00	

0401640  
EAST BROOK (EASTER BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	2	5	2	3	0	0	2	3	1.6	1.00	0.60	100.00	100.00
4	11	7	82	MED	6	9	1	3	0	0	1	3	0.0	0.17	0.33	100.00	100.00
5	18	7	82	MED	10	12	4	6	0	0	4	6	0.0	0.40	0.50	100.00	100.00
6	25	7	82	MED	5	7	2	3	0	0	2	3	0.0	0.40	0.43	100.00	100.00
7	1	8	82	HI	5	7	2	3	0	0	2	3	0.0	0.40	0.43	100.00	100.00
8	8	8	82	MED	4	6	2	5	0	0	2	5	1.6	0.50	0.83	100.00	100.00
9	15	8	82	LOW	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	41	59	13	23	0	0	13	23	1.6	0.32	0.39	100.00	100.00

0401670  
NORTHEAST BROOK (CHIMNEY BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	10	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	6	8	3	4	0	0	3	4	1.6	0.50	0.50	100.00	100.00
3	4	7	82	MED	56	61	27	31	0	0	27	31	1.6	0.47	0.51	100.00	100.00
4	11	7	82	MED	46	50	20	24	0	0	20	24	0.0	0.43	0.48	100.00	100.00
5	18	7	82	MED	54	58	25	29	0	0	25	29	0.0	0.46	0.50	100.00	100.00
6	25	7	82	MED	16	20	9	12	0	0	9	12	0.0	0.56	0.60	100.00	100.00
7	1	8	82	MED	22	26	9	11	0	0	9	11	0.0	0.41	0.42	100.00	100.00
8	8	8	82	MED	24	28	16	19	0	0	16	19	1.6	0.67	0.68	100.00	100.00
9	15	8	82	MED	10	12	9	11	0	0	9	11	1.6	0.90	0.92	100.00	100.00
10	22	8	82	MED	12	16	6	8	0	0	6	8	0.0	0.50	0.50	100.00	100.00
11	29	8	82	MED	6	8	4	6	0	0	4	6	0.0	0.67	0.75	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	264	301	128	155	0	0	128	155	1.6	0.48	0.51	100.00	100.00

0401690  
BEAVER BROOK (WESTERN BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	12	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	9	11	3	4	0	0	3	4	1.6	0.33	0.36	100.00	100.00
3	4	7	82	MED	56	64	38	42	0	0	38	42	1.6	0.66	0.66	100.00	100.00
4	11	7	82	MED	37	41	18	22	1	1	19	23	3.2	0.51	0.56	94.74	95.65
5	18	7	82	MED	61	69	35	42	0	0	35	42	2.0	0.57	0.61	100.00	100.00
6	25	7	82	MED	55	43	16	20	0	0	16	20	0.0	0.46	0.47	100.00	100.00
7	1	8	82	HI	24	27	10	12	0	0	10	12	1.6	0.42	0.44	100.00	100.00
8	8	8	82	MED	15	19	8	10	0	0	8	10	0.0	0.53	0.53	100.00	100.00
9	15	8	82	MED	13	17	4	6	0	0	4	6	0.0	0.31	0.35	100.00	100.00
10	22	8	82	MED	3	10	5	7	0	0	5	7	0.0	0.63	0.70	100.00	100.00
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	272	317	137	165	1	1	138	166	3.2	0.51	0.52	99.28	99.40

0401790  
NORTHWEST BROOK (CANADA BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	5	11	1	2	0	0	1	2	0.0	0.13	0.18	100.00	100.00
5	18	7	82	MED	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	21	29	1	2	0	0	1	2	0.0	0.05	0.07	100.00	100.00

0401850  
CLOUD RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	HI	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	10	20	6	9	0	0	6	9	0.0	0.38	0.45	100.00	100.00
6	25	7	82	MED	7	10	2	3	0	0	2	3	0.0	0.29	0.30	100.00	100.00
7	1	8	82	HI	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	49	67	8	12	0	0	8	12	0.0	0.16	0.18	100.00	100.00

0402500  
LITTLE HARBOUR DEEP RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

0402880  
CONEY ARM RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	17	27	5	8	0	0	5	8	1.4	0.29	0.30	100.00	100.00
4	11	7	82	LOW	25	40	6	12	0	0	6	12	1.4	0.24	0.30	100.00	100.00
5	18	7	82	LOW	25	40	5	10	0	0	5	10	1.4	0.20	0.25	100.00	100.00
6	25	7	82	HI	26	36	8	12	0	0	5	12	1.5	0.31	0.33	100.00	100.00
7	1	8	82	HI	38	53	14	19	0	0	14	19	1.4	0.37	0.36	100.00	100.00
8	8	8	82	HI	32	42	15	20	0	0	15	20	1.8	0.47	0.48	100.00	100.00
9	15	8	82	LOW	43	56	17	22	0	0	17	22	1.8	0.40	0.38	100.00	100.00
10	22	8	82	LOW	21	29	11	14	0	0	11	14	1.6	0.52	0.48	100.00	100.00
11	29	8	82	LOW	21	26	10	12	0	0	10	12	1.6	0.48	0.43	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	270	375	91	129	0	0	91	129	1.8	0.34	0.34	100.00	100.00

0403110  
MAIN RIVER (SDPS ARM)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	25	30	3	3	0	0	3	3	1.4	0.12	0.10	100.00	100.00
2	27	6	82	HI	205	265	93	118	11	15	104	133	4.5	0.51	0.50	89.42	88.72
3	4	7	82	HI	520	580	595	645	41	46	636	691	3.6	1.22	1.19	93.55	93.34
4	11	7	82	MED	340	370	316	346	10	13	326	359	3.2	0.96	0.97	96.93	96.38
5	18	7	82	MED	170	215	175	200	9	13	184	213	2.9	1.08	0.99	95.11	93.90
6	25	7	82	HI	84	109	106	126	0	0	106	126	2.3	1.26	1.16	100.00	100.00
7	1	8	82	MED	51	71	54	64	0	0	54	64	2.3	1.06	0.90	100.00	100.00
8	8	8	82	MED	54	74	43	58	0	0	43	58	2.3	0.80	0.78	100.00	100.00
9	15	8	82	MED	47	57	26	31	0	0	26	31	1.8	0.55	0.54	100.00	100.00
10	22	8	82	LOW	32	42	13	17	0	0	13	17	1.8	0.41	0.40	100.00	100.00
11	29	8	82	LOW	25	35	8	12	0	0	8	12	1.8	0.32	0.34	100.00	100.00
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1553	1848	1432	1620	71	87	1503	1707	4.5	0.97	0.92	95.28	94.90

0403580  
WILD COVE BROOK (WHITE BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	2	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	5	15	2	3	0	0	2	3	1.8	0.40	0.20	100.00	100.00
4	11	7	82	MED	0	15	0	10	0	0	0	10	0.0	0.0	0.67	0.0	100.00
5	18	7	82	MED	0	15	0	0	0	0	0	0	0.0	0.0	0.40	0.0	100.00
6	25	7	82	MED	0	18	2	5	0	0	2	5	0.0	0.25	0.28	100.00	100.00
7	1	8	82	MED	0	15	0	7	0	0	0	7	0.0	0.0	0.47	0.0	100.00
8	8	8	82	MED	7	13	2	4	0	0	2	4	0.0	0.29	0.31	100.00	100.00
9	15	8	82	MED	0	6	0	1	0	0	0	1	0.0	0.0	0.17	0.0	100.00
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	22	109	6	36	0	0	6	36	1.8	0.27	0.33	100.00	100.00

0403620  
WESTERN ARM RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	0	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	0	10	0	4	0	0	0	4	0.0	0.0	0.40	0.0	100.00
6	25	7	82	LOW	0	8	0	2	0	0	0	2	0.0	0.0	0.25	0.0	100.00
7	1	8	82	MED	0	10	0	4	0	0	0	4	0.0	0.0	0.40	0.0	100.00
8	8	8	82	MED	0	10	0	3	0	0	0	3	0.0	0.0	0.30	0.0	100.00
9	15	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	63	0	13	0	0	0	13	0.0	0.0	0.21	0.0	100.00

0403670  
MIDDLE ARM BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	8	16	0	4	0	0	0	4	1.6	0.0	0.22	0.0	100.00
4	11	7	82	LOW	0	30	0	15	0	0	0	15	0.0	0.0	0.50	0.0	100.00
5	18	7	82	LOW	7	17	2	6	0	0	2	6	0.0	0.29	0.35	100.00	100.00
6	25	7	82	MED	0	10	0	5	0	0	0	5	0.0	0.0	0.50	0.0	100.00
7	1	8	82	MED	10	30	4	14	0	0	4	14	0.0	0.40	0.47	100.00	100.00
8	8	8	82	MED	0	10	0	4	0	0	0	4	0.0	0.0	0.40	0.0	100.00
9	15	8	82	MED	3	9	1	3	0	0	1	3	0.0	0.33	0.33	100.00	100.00
10	22	8	82	LOW	0	10	0	2	0	0	0	2	0.0	0.0	0.20	0.0	100.00
11	29	8	82	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	36	142	7	53	0	0	7	53	1.6	0.19	0.37	100.00	100.00



0403700  
SOUTHERN ARM BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

0504040  
SOUTH WEST BROOK (BAIE VERTE)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	11	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	17	27	2	2	0	0	2	2	1.6	0.12	0.07	100.00	100.00
4	11	7	82	LOW	19	29	6	11	0	0	6	11	0.0	0.32	0.38	100.00	100.00
5	18	7	82	LOW	0	20	0	8	0	0	0	8	0.0	0.0	0.40	0.0	100.00
6	25	7	82	LOW	20	30	5	9	0	0	5	9	0.0	0.25	0.30	100.00	100.00
7	1	8	82	MED	16	36	5	15	0	0	5	15	0.0	0.31	0.42	100.00	100.00
8	8	8	82	MED	11	21	3	7	0	0	3	7	0.0	0.27	0.33	100.00	100.00
9	15	8	82	LOW	17	27	5	8	0	0	5	8	0.0	0.29	0.30	100.00	100.00
10	22	8	82	LOW	7	7	1	1	0	0	1	1	0.0	0.14	0.14	100.00	100.00
11	29	8	82	LOW	7	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	125	231	27	61	0	0	27	61	1.6	0.22	0.26	100.00	100.00

0604820  
EAST BROOK (BURLINGTON RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	23	23	2	2	0	0	2	2	1.6	0.09	0.09	100.00	100.00
3	4	7	82	MED	29	29	3	3	0	0	3	3	0.0	0.10	0.10	100.00	100.00
4	11	7	82	LOW	46	51	19	22	0	0	19	22	0.0	0.41	0.43	100.00	100.00
5	18	7	82	LOW	37	47	12	18	0	0	12	18	0.0	0.32	0.38	100.00	100.00
6	25	7	82	LOW	26	34	8	13	0	0	8	13	0.0	0.31	0.38	100.00	100.00
7	1	8	82	MED	30	40	13	18	1	1	14	19	0.0	0.47	0.47	92.86	94.74
8	8	8	82	MED	6	10	3	5	0	0	3	5	0.0	0.50	0.50	100.00	100.00
9	15	8	82	LOW	9	14	2	3	0	0	2	3	0.0	0.22	0.21	100.00	100.00
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	210	252	62	84	1	1	63	85	1.6	0.30	0.34	98.41	98.82

0605570  
INDIAN BROOK (INDIAN RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	14	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	51	57	1	1	0	0	1	1	1.6	0.02	0.02	100.00	100.00
3	4	7	82	HI	249	279	73	83	1	1	74	84	3.6	0.30	0.30	98.65	98.81
4	11	7	82	MED	336	386	121	131	0	0	121	131	1.8	0.36	0.34	100.00	100.00
5	18	7	82	LOW	336	370	139	169	0	0	139	169	2.3	0.42	0.46	100.00	100.00
6	25	7	82	MED	307	347	130	140	0	0	130	140	2.3	0.42	0.40	100.00	100.00
7	1	8	82	MED	225	255	86	106	0	0	86	106	2.3	0.38	0.42	100.00	100.00
8	8	8	82	MED	120	150	42	52	0	0	42	52	2.3	0.35	0.35	100.00	100.00
9	15	8	82	MED	101	121	30	35	0	0	30	35	2.0	0.30	0.29	100.00	100.00
10	22	8	82	MED	56	66	18	20	0	0	18	20	1.6	0.32	0.30	100.00	100.00
11	29	8	82	MED	32	40	9	11	0	0	9	11	1.3	0.28	0.27	100.00	100.00
12	5	9	82	HI	12	16	3	5	0	0	3	5	1.6	0.25	0.31	100.00	100.00
TOTAL				MED	1835	2109	652	753	1	1	653	754	3.6	0.36	0.36	99.85	99.87

060564  
WEST RIVER (RIVERHEAD BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	68	75	5	7	1	1	6	8	3.6	0.09	0.11	83.33	87.50
3	4	7	82	H1	147	169	56	64	0	0	56	64	1.8	0.38	0.38	100.00	100.00
4	11	7	82	MED	164	182	93	106	0	0	93	106	1.8	0.57	0.58	100.00	100.00
5	18	7	82	MED	157	177	81	100	0	0	81	100	2.3	0.52	0.56	100.00	100.00
6	25	7	82	H1	139	157	80	108	0	0	80	108	2.3	0.58	0.69	100.00	100.00
7	1	8	82	H1	118	140	63	84	0	0	63	84	2.3	0.53	0.60	100.00	100.00
8	8	8	82	MED	87	111	42	64	0	0	42	64	2.3	0.48	0.58	100.00	100.00
9	15	8	82	MED	80	95	25	38	0	0	25	38	2.3	0.31	0.40	100.00	100.00
10	22	8	82	MED	64	80	20	29	0	0	20	29	1.8	0.31	0.36	100.00	100.00
11	29	8	82	MED	53	69	23	30	0	0	23	30	2.3	0.43	0.43	100.00	100.00
12	5	9	82	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1079	1257	488	630	1	1	489	631	3.6	0.45	0.50	99.80	99.84

0605680  
SOUTH BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	H1	24	30	1	1	0	0	1	1	1.4	0.04	0.03	100.00	100.00
3	4	7	82	H1	76	88	28	35	0	0	28	35	2.0	0.37	0.40	100.00	100.00
4	11	7	82	MED	80	100	45	55	0	0	45	55	2.0	0.56	0.55	100.00	100.00
5	18	7	82	LOW	82	102	41	51	0	0	41	51	1.8	0.50	0.50	100.00	100.00
6	25	7	82	H1	65	105	20	35	0	0	20	35	1.8	0.31	0.33	100.00	100.00
7	1	8	82	H1	70	85	43	53	0	0	43	53	2.3	0.61	0.62	100.00	100.00
8	8	8	82	MED	69	84	33	42	0	0	33	42	2.0	0.48	0.50	100.00	100.00
9	15	8	82	LOW	32	42	19	24	0	0	19	24	1.4	0.59	0.57	100.00	100.00
10	22	8	82	LOW	24	30	8	10	0	0	8	10	1.4	0.33	0.33	100.00	100.00
11	29	8	82	MED	28	33	9	11	0	0	9	11	1.8	0.32	0.33	100.00	100.00
12	5	9	82	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	558	709	247	317	0	0	247	317	2.3	0.44	0.45	100.00	100.00

0605940  
TOMMY'S ARM RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	6	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	22	27	3	3	0	0	3	3	1.8	0.14	0.11	100.00	100.00
3	4	7	82	MED	36	46	4	4	1	1	5	5	3.6	0.14	0.11	80.00	80.00
4	11	7	82	MED	53	73	21	31	0	0	21	31	1.8	0.40	0.42	100.00	100.00
5	18	7	82	MED	47	63	14	22	0	0	14	22	1.8	0.30	0.35	100.00	100.00
6	25	7	82	H1	42	51	12	18	0	0	12	18	2.3	0.29	0.35	100.00	100.00
7	1	8	82	H1	32	40	11	17	0	0	11	17	2.0	0.34	0.42	100.00	100.00
8	8	8	82	H1	34	44	7	11	0	0	7	11	1.8	0.21	0.25	100.00	100.00
9	15	8	82	MED	33	39	8	10	0	0	8	10	1.8	0.24	0.26	100.00	100.00
10	22	8	82	MED	9	13	2	5	0	0	2	5	2.0	0.22	0.38	100.00	100.00
11	29	8	82	MED	2	4	1	1	0	0	1	1	0.0	0.50	0.25	100.00	100.00
12	5	9	82	MED	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	319	411	83	122	1	1	84	123	3.6	0.26	0.30	98.81	99.19

0606570  
NORTHWEST ARM BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	20	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	30	43	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	50	60	10	15	0	0	10	15	1.4	0.20	0.25	100.00	100.00
5	18	7	82	MED	36	44	13	16	0	0	13	16	1.8	0.34	0.36	100.00	100.00
6	25	7	82	MED	54	64	17	21	0	0	17	21	1.6	0.51	0.33	100.00	100.00
7	1	8	82	MED	59	69	20	30	0	0	20	30	1.4	0.34	0.34	100.00	100.00
8	8	8	82	MED	51	61	17	27	0	0	17	27	2.0	0.33	0.44	100.00	100.00
9	15	8	82	MED	35	38	17	22	0	0	17	22	2.0	0.52	0.38	100.00	100.00
10	22	8	82	MED	11	16	6	9	0	0	6	9	1.8	0.55	0.56	100.00	100.00
11	29	8	82	MED	11	16	6	9	0	0	6	9	2.0	0.55	0.56	100.00	100.00
12	5	9	82	MED	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	365	463	106	149	0	0	106	149	2.0	0.29	0.32	100.00	100.00

0606720  
WEST ARM BROOK (WESTERN ARM)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	22	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	50	60	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	61	81	31	41	0	0	31	41	2.3	0.51	0.51	100.00	100.00
4	11	7	82	MED	99	119	17	27	0	0	17	27	1.3	0.17	0.23	100.00	100.00
5	18	7	82	MED	60	76	49	55	0	0	49	55	1.8	0.74	0.72	100.00	100.00
6	25	7	82	MED	138	158	82	122	0	0	82	122	1.8	0.59	0.77	100.00	100.00
7	1	8	82	MED	90	130	35	55	0	0	35	55	1.6	0.39	0.42	100.00	100.00
8	8	8	82	MED	55	75	23	43	0	0	23	43	2.0	0.42	0.57	100.00	100.00
9	15	8	82	MED	47	57	21	31	0	0	21	31	1.8	0.45	0.54	100.00	100.00
10	22	8	82	MED	30	30	20	25	0	0	20	25	1.8	0.67	0.71	100.00	100.00
11	29	8	82	MED	20	22	8	12	0	0	8	12	2.0	0.40	0.55	100.00	100.00
12	5	9	82	MED	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	678	842	286	411	0	0	286	411	2.3	0.42	0.49	100.00	100.00

060682  
NEW BAY RIVER (PT. LEAMINGTON)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	50	55	2	2	0	0	2	2	0.0	0.04	0.04	100.00	100.00
2	27	6	82	MED	150	175	17	22	0	0	17	22	1.8	0.11	0.13	100.00	100.00
3	4	7	82	MED	204	229	50	65	0	0	50	65	0.0	0.25	0.28	100.00	100.00
4	11	7	82	MED	199	219	23	38	0	0	23	38	1.6	0.12	0.17	100.00	100.00
5	18	7	82	MED	104	114	135	141	0	0	135	141	1.8	1.30	1.24	100.00	100.00
6	25	7	82	MED	235	265	145	195	0	0	145	195	1.6	0.62	0.74	100.00	100.00
7	1	8	82	MED	170	210	90	150	0	0	90	150	1.8	0.53	0.71	100.00	100.00
8	8	8	82	MED	60	80	30	60	0	0	30	60	1.8	0.50	0.75	100.00	100.00
9	15	8	82	MED	51	61	30	30	0	0	30	30	1.8	0.59	0.49	100.00	100.00
10	22	8	82	MED	22	27	13	18	0	0	13	18	1.6	0.59	0.67	100.00	100.00
11	29	8	82	MED	10	12	2	4	0	0	2	4	1.8	0.20	0.33	100.00	100.00
12	5	9	82	MED	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1255	1449	537	725	0	0	537	725	1.8	0.43	0.50	100.00	100.00

0707660  
CHARLES BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	25	35	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	20	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	49	59	2	4	0	0	2	4	1.4	0.04	0.07	100.00	100.00
4	11	7	82	MED	120	135	25	35	0	0	25	35	1.4	0.21	0.26	100.00	100.00
5	18	7	82	MED	138	188	92	142	0	0	92	142	1.3	0.67	0.76	100.00	100.00
6	25	7	82	HI	146	196	77	127	0	0	77	127	1.8	0.53	0.65	100.00	100.00
7	1	8	82	HI	33	58	13	33	0	0	13	33	0.0	0.39	0.57	100.00	100.00
8	8	8	82	MED	45	55	9	14	0	0	9	14	1.8	0.20	0.25	100.00	100.00
9	15	8	82	MED	70	100	8	18	0	0	8	18	1.8	0.11	0.18	100.00	100.00
10	22	8	82	MED	10	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	28	33	3	8	0	0	3	8	1.8	0.11	0.24	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	684	904	229	381	0	0	229	381	1.8	0.33	0.42	100.00	100.00

070776  
NORTHERN ARM BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	9	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	22	37	0	2	0	0	0	0	0.0	0.0	0.05	0.0	100.00
3	4	7	82	MED	70	85	13	23	0	0	13	23	1.4	0.19	0.27	100.00	100.00
4	11	7	82	MED	250	275	93	123	0	0	93	123	1.8	0.37	0.45	100.00	100.00
5	18	7	82	MED	150	206	146	196	0	0	146	196	1.8	0.94	0.95	100.00	100.00
6	25	7	82	HI	211	236	120	170	0	0	120	170	1.8	0.57	0.72	100.00	100.00
7	1	8	82	HI	105	155	88	163	0	0	88	163	1.8	0.84	1.05	100.00	100.00
8	8	8	82	MED	122	147	29	49	0	0	29	49	1.8	0.24	0.33	100.00	100.00
9	15	8	82	MED	91	116	6	16	0	0	6	16	1.8	0.07	0.14	100.00	100.00
10	22	8	82	MED	23	33	2	7	0	0	2	7	1.8	0.09	0.21	100.00	100.00
11	29	8	82	MED	15	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1074	1334	497	749	0	0	497	749	1.8	0.46	0.56	100.00	100.00

0707780  
PETERS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		UBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	25	35	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	25	30	0	10	0	0	0	10	0.0	0.0	0.33	0.0	100.00
4	11	7	82	MED	300	325	80	95	0	0	80	95	1.8	0.27	0.29	100.00	100.00
5	18	7	82	MED	163	188	99	119	0	0	99	119	1.8	0.61	0.63	100.00	100.00
6	25	7	82	HI	193	223	125	175	0	0	125	175	1.8	0.65	0.78	100.00	100.00
7	1	8	82	HI	108	118	117	217	0	0	117	217	1.8	1.08	1.84	100.00	100.00
8	8	8	82	MED	133	158	22	37	0	0	22	37	1.8	0.17	0.23	100.00	100.00
9	15	8	82	MED	90	115	31	56	2	2	33	58	3.6	0.37	0.50	93.94	96.55
10	22	8	82	MED	55	75	8	18	0	0	8	18	1.8	0.15	0.24	100.00	100.00
11	29	8	82	MED	35	45	9	14	0	0	9	14	1.8	0.26	0.31	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1127	1312	491	741	2	2	493	743	3.6	0.44	0.57	99.59	99.73

070779  
EXPLOITS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		UBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	59	59	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	1249	1307	113	120	6	6	119	126	2.5	0.10	0.10	94.96	95.24
3	4	7	82	MED	1483	1528	264	274	12	12	276	286	2.5	0.19	0.19	95.65	95.80
4	11	7	82	MED	1516	1584	265	286	5	8	270	294	2.9	0.18	0.19	98.15	97.28
5	18	7	82	MED	1521	1585	342	360	6	8	348	368	2.7	0.23	0.23	98.28	97.83
6	25	7	82	MED	1486	1528	267	279	4	6	271	285	2.7	0.18	0.19	98.52	97.89
7	1	8	82	LOW	1031	1068	191	212	3	3	194	215	2.5	0.19	0.20	98.45	98.60
8	8	8	82	MED	458	487	79	95	0	0	79	95	2.5	0.17	0.20	100.00	100.00
9	15	8	82	MED	259	294	37	48	0	0	37	48	0.0	0.14	0.16	100.00	100.00
10	22	8	82	MED	151	171	10	15	0	0	10	15	0.0	0.07	0.09	100.00	100.00
11	29	8	82	MED	3	16	1	1	0	0	1	1	0.0	0.13	0.06	100.00	100.00
12	5	9	82	MED	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	9224	9630	1569	1690	36	43	1605	1733	2.9	0.17	0.18	97.76	97.52

070821  
CAMPBELLTON RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		UBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	111	146	13	19	0	0	13	19	2.0	0.12	0.13	100.00	100.00
3	4	7	82	MED	204	263	59	87	2	2	61	89	0.0	0.29	0.34	96.72	97.75
4	11	7	82	MED	209	264	66	90	0	0	66	90	0.0	0.32	0.34	100.00	100.00
5	18	7	82	MED	156	211	49	79	0	0	49	79	0.0	0.31	0.37	100.00	100.00
6	25	7	82	MED	167	222	32	54	0	0	32	54	0.0	0.19	0.24	100.00	100.00
7	1	8	82	MED	176	243	46	67	0	0	46	67	0.0	0.26	0.28	100.00	100.00
8	8	8	82	MED	120	160	30	47	0	0	30	47	0.0	0.25	0.29	100.00	100.00
9	15	8	82	MED	62	87	12	20	0	0	12	20	0.0	0.19	0.23	100.00	100.00
10	22	8	82	MED	56	78	4	8	0	0	4	8	0.0	0.07	0.10	100.00	100.00
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1265	1674	311	471	2	2	313	473	2.0	0.25	0.28	99.36	99.58

0708480  
DOG BAY RIVER (HORWOOD RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		UBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														
2	27	6	82	LOW	27	37	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	92	112	12	18	0	0	12	18	1.6	0.13	0.16	100.00	100.00
4	11	7	82	LOW	66	91	15	25	0	0	15	25	1.8	0.23	0.27	100.00	100.00
5	18	7	82	LOW	91	121	22	32	0	0	22	32	1.8	0.24	0.26	100.00	100.00
6	25	7	82	LOW	91	106	21	31	0	0	21	31	1.8	0.23	0.29	100.00	100.00
7	1	8	82	MED	81	101	17	27	0	0	17	27	1.8	0.21	0.27	100.00	100.00
8	8	8	82	LOW	69	89	13	20	0	0	13	20	1.8	0.19	0.22	100.00	100.00
9	15	8	82	LOW	32	44	7	12	0	0	7	12	1.8	0.22	0.27	100.00	100.00
10	22	8	82	LOW	32	42	6	8	0	0	6	8	1.6	0.19	0.19	100.00	100.00
11	29	8	82	LOW	20	25	2	2	0	0	2	2	1.6	0.10	0.08	100.00	100.00
12	5	9	82	LOW	12	16	3	5	0	0	3	5	1.6	0.25	0.28	100.00	100.00
TOTAL				LOW	613	786	118	180	0	0	118	180	1.8	0.19	0.23	100.00	100.00

NO PATROL

090861  
GANDER RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	286	299	23	28	0	0	23	26	0.0	0.08	0.09	100.00	100.00	98.67
3	4	7	82	MED	510	750	63	74	0	1	63	75	2.3	0.12	0.10	100.00	100.00	96.37
4	11	7	82	MED	1187	1526	197	239	5	9	202	248	4.5	0.17	0.16	97.52	96.37	93.84
5	18	7	82	MED	1020	1313	290	396	16	26	306	422	5.9	0.30	0.32	94.77	93.84	90.77
6	25	7	82	MED	701	967	229	305	23	31	252	336	4.5	0.36	0.35	90.87	90.77	87.56
7	1	8	82	HI	618	802	216	352	8	13	224	365	6.8	0.36	0.46	96.43	96.44	90.94
8	8	8	82	MED	610	792	240	345	34	49	274	394	6.4	0.44	0.50	87.59	87.56	91.07
9	15	8	82	MED	468	649	153	261	15	26	168	287	5.4	0.36	0.44	91.07	90.94	86.76
10	22	8	82	LOW	450	479	59	119	9	42	68	161	3.2	0.16	0.34	86.76	73.91	83.33
11	29	8	82	LOW	304	374	36	40	6	8	42	48	3.6	0.14	0.13	85.71	83.33	100.00
12	5	9	82	MED	40	75	10	17	0	0	10	17	0.0	0.25	0.23	100.00	100.00	
TOTAL				MED	6180	8026	1516	2176	116	205	1632	2381	6.8	0.26	0.30	92.89	91.39	

090882  
RAGGED HARBOUR RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	80	88	12	13	0	0	12	13	2.2	0.14	0.15	100.00	100.00	100.00
3	4	7	82	MED	161	183	24	31	0	0	24	31	1.8	0.15	0.17	100.00	100.00	100.00
4	11	7	82	MED	154	176	40	47	0	0	40	47	1.8	0.26	0.27	100.00	100.00	97.44
5	18	7	82	MED	100	135	36	38	1	1	37	39	4.5	0.35	0.29	97.30	97.44	97.92
6	25	7	82	MED	84	98	38	47	1	1	39	48	3.2	0.46	0.49	97.44	97.92	100.00
7	1	8	82	MED	78	97	27	38	0	0	27	38	2.3	0.35	0.39	100.00	100.00	100.00
8	8	8	82	MED	47	49	19	20	0	0	19	20	1.8	0.40	0.41	100.00	100.00	100.00
9	15	8	82	LOW	37	49	10	16	0	0	10	16	1.8	0.27	0.33	100.00	100.00	100.00
10	22	8	82	MED	45	47	15	16	0	0	15	16	1.8	0.33	0.34	100.00	100.00	100.00
11	29	8	82	MED	12	22	3	8	0	0	3	8	1.4	0.25	0.36	100.00	100.00	100.00
12	5	9	82	MED	5	5	1	1	0	0	1	1	1.4	0.20	0.20	100.00	100.00	100.00
TOTAL				MED	815	949	225	275	2	2	227	277	4.5	0.28	0.29	99.12	99.28	

0909030  
WINDMILL BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	20	6	82															NO PATROL
2	27	6	82	MED	20	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	42	62	1	2	0	0	1	2	2.0	0.02	0.03	100.00	100.00	100.00
4	11	7	82	MED	52	82	4	6	0	0	4	6	0.0	0.08	0.07	100.00	100.00	100.00
5	18	7	82	MED	109	159	26	36	0	0	26	36	0.0	0.24	0.23	100.00	100.00	100.00
6	25	7	82	MED	100	160	15	20	0	0	15	20	0.0	0.15	0.13	100.00	100.00	100.00
7	1	8	82	HI	88	118	18	28	0	0	18	28	0.0	0.20	0.24	100.00	100.00	100.00
8	8	8	82	MED	62	82	5	10	0	0	5	10	0.0	0.08	0.12	100.00	100.00	100.00
9	15	8	82	MED	36	51	4	7	0	0	4	7	0.0	0.11	0.14	100.00	100.00	100.00
10	22	8	82	MED	24	44	5	8	0	0	5	8	0.0	0.21	0.18	100.00	100.00	100.00
11	29	8	82	MED	10	28	0	2	0	0	0	2	0.0	0.0	0.07	0.0	100.00	100.00
12	5	9	82	MED	3	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	554	822	78	119	0	0	78	119	2.0	0.14	0.14	100.00	100.00	

1109480  
NORTHWEST BROOK (INDIAN BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG		C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	(KGS)	OBS.	TOT.	OBS.	TOT.	
1	20	6	82															NO PATROL
2	27	6	82	MED	35	36	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	25	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	30	32	4	5	0	0	4	5	1.8	0.13	0.16	100.00	100.00	100.00
5	18	7	82	MED	27	29	3	4	0	0	3	4	1.8	0.11	0.14	100.00	100.00	100.00
6	25	7	82	MED	40	43	6	7	0	0	6	7	2.0	0.15	0.16	100.00	100.00	100.00
7	1	8	82	MED	23	24	4	5	0	0	4	5	2.0	0.17	0.21	100.00	100.00	100.00
8	8	8	82	MED	6	7	3	4	0	0	3	4	0.0	0.50	0.57	100.00	100.00	100.00
9	15	8	82	MED	7	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	6	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	1	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	200	217	20	25	0	0	20	25	2.0	0.10	0.12	100.00	100.00	

110949  
INDIAN BAY BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	MED	180	195	16	22	0	0	16	22	0.0	0.09	0.11	100.00	100.00
3	4	7	82	MED	198	225	68	80	0	0	68	80	0.0	0.34	0.36	100.00	100.00
4	11	7	82	MED	259	279	55	63	0	0	55	63	0.0	0.21	0.23	100.00	100.00
5	18	7	82	MED	275	299	111	129	0	0	111	129	0.0	0.40	0.43	100.00	100.00
6	25	7	82	MED	255	277	102	112	0	0	102	112	0.0	0.40	0.40	100.00	100.00
7	1	8	82	MED	187	205	69	80	0	0	69	80	0.0	0.37	0.39	100.00	100.00
8	8	8	82	MED	110	130	47	55	0	0	47	55	0.0	0.43	0.42	100.00	100.00
9	15	8	82	MED	65	79	23	28	0	0	23	28	0.0	0.35	0.35	100.00	100.00
10	22	8	82	MED	62	76	24	30	0	0	24	30	0.0	0.39	0.39	100.00	100.00
11	29	8	82	MED	42	51	17	20	0	0	17	20	0.0	0.40	0.39	100.00	100.00
12	5	9	82	MED	7	9	4	4	0	0	4	4	0.0	0.57	0.44	100.00	100.00
TOTAL				MED	1640	1825	536	623	0	0	536	623	0.0	0.33	0.34	100.00	100.00

1109560  
NORTHWEST RIVER (TRINITY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		NO PATROL
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	20	6	82		0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
2	27	6	82	MED	0	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
3	4	7	82	MED	0	3	0	1	0	0	0	1	0.0	0.0	0.33	0.0	100.00	
4	11	7	82	MED	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
5	18	7	82	MED	2	5	0	1	0	0	0	1	0.0	0.0	0.20	0.0	100.00	
6	25	7	82	MED	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
7	1	8	82	MED	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
8	8	8	82	MED	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
9	15	8	82	MED	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
10	22	8	82	MED	1	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
11	29	8	82	MED	0	3	0	1	0	0	0	1	0.0	0.0	0.33	0.0	100.00	
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				MED	16	36	0	3	0	0	0	3	0.0	0.0	0.08	0.0	100.00	

1109750  
TRAVERSE BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	14	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	58	63	3	3	0	0	3	3	2.0	0.05	0.05	100.00	100.00
3	4	7	82	MED	86	89	3	7	0	0	3	7	1.8	0.03	0.08	100.00	100.00
4	11	7	82	MED	147	159	30	35	0	0	30	35	1.8	0.20	0.22	100.00	100.00
5	18	7	82	MED	136	148	25	31	0	0	25	31	2.3	0.18	0.21	100.00	100.00
6	25	7	82	MED	146	168	47	63	0	0	47	63	2.5	0.32	0.38	100.00	100.00
7	1	8	82	MED	104	112	37	43	0	0	37	43	2.5	0.36	0.38	100.00	100.00
8	8	8	82	MED	107	117	20	26	0	0	20	26	3.0	0.19	0.22	100.00	100.00
9	15	8	82	MED	31	35	4	7	0	0	4	7	2.3	0.13	0.20	100.00	100.00
10	22	8	82	MED	6	9	4	4	0	0	4	4	2.0	0.50	0.44	100.00	100.00
11	29	8	82	MED	4	6	1	2	0	0	1	2	2.0	0.25	0.33	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	845	922	174	221	0	0	174	221	2.5	0.21	0.24	100.00	100.00

110976  
MIDDLE BROOK (GAMBO)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	132	152	0	1	0	0	0	1	0.0	0.0	0.01	0.0	100.00
3	4	7	82	HI	194	214	16	17	0	0	16	17	1.3	0.08	0.08	100.00	100.00
4	11	7	82	MED	333	351	49	51	0	0	49	51	2.3	0.15	0.15	100.00	100.00
5	18	7	82	MED	396	416	30	35	0	1	30	36	2.7	0.20	0.21	100.00	98.84
6	25	7	82	MED	475	495	89	94	1	2	90	96	2.7	0.19	0.19	98.89	97.92
7	1	8	82	MED	403	423	102	105	1	2	103	107	2.7	0.26	0.25	99.03	98.13
8	8	8	82	MED	206	216	74	78	1	1	75	79	2.8	0.36	0.37	98.67	98.73
9	15	8	82	MED	109	115	38	40	0	0	38	40	2.2	0.35	0.35	100.00	100.00
10	22	8	82	HI	70	75	27	28	1	2	28	30	3.3	0.40	0.40	96.43	93.33
11	29	8	82	HI	23	23	5	5	0	0	5	5	2.0	0.22	0.22	100.00	100.00
12	5	9	82	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	2347	2431	480	504	4	8	484	512	3.3	0.21	0.21	99.17	98.44

110978  
GAMBO BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	LOW	122	122	0	0	2	2	2	2	3.6	0.02	0.02	0.0	0.0
3	4	7	82	HI	120	120	1	1	3	3	4	4	2.9	0.03	0.03	25.00	25.00
4	11	7	82	MED	109	109	37	37	1	1	38	38	2.9	0.35	0.35	97.37	97.37
5	18	7	82	MED	123	123	47	47	0	0	47	47	0.0	0.38	0.38	100.00	100.00
6	25	7	82	MED	217	217	87	87	4	4	91	91	3.8	0.42	0.42	95.60	95.60
7	1	8	82	MED	111	111	39	39	0	0	39	39	0.0	0.35	0.35	100.00	100.00
8	8	8	82	MED	137	137	54	54	1	1	55	55	3.6	0.40	0.40	98.18	98.18
9	15	8	82	MED	164	179	57	57	0	0	57	57	1.8	0.35	0.32	100.00	100.00
10	22	8	82	MED	124	130	35	35	2	2	37	37	3.6	0.30	0.28	94.59	94.59
11	29	8	82	LOW	43	43	9	9	0	0	9	9	0.0	0.21	0.21	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1270	1291	366	366	13	13	379	379	3.8	0.30	0.29	96.57	96.57

1110130  
NORTHWEST BROOK (ALEXANDER BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82		0	0	0	0	0	0	0	0	0.0	0.0	0.0	NO PATROL	
2	27	6	82	MED	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	HI	22	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	25	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	HI	35	35	3	3	0	0	3	3	1.8	0.09	0.09	100.00	100.00
7	1	8	82	HI	55	55	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	47	47	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	51	51	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	18	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW													
TOTAL				HI	268	268	3	3	0	0	3	3	1.8	0.01	0.01	100.00	100.00

111022  
TERRA NOVA RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	79	79	6	6	2	2	8	8	3.2	0.10	0.10	75.00	75.00
3	4	7	82	MED	157	157	36	36	5	5	41	41	4.1	0.26	0.26	87.80	87.80
4	11	7	82	MED	221	221	96	96	6	6	102	102	3.2	0.46	0.46	94.12	94.12
5	18	7	82	MED	192	192	113	113	3	3	116	116	3.2	0.60	0.60	97.41	97.41
6	25	7	82	HI	204	204	85	85	2	2	87	87	3.6	0.43	0.43	97.70	97.70
7	1	8	82	MED	116	116	56	56	3	3	59	59	4.5	0.51	0.51	94.92	94.92
8	8	8	82	MED	86	86	28	28	1	1	29	29	2.7	0.34	0.34	96.55	96.55
9	15	8	82	MED	59	59	26	26	2	2	28	28	3.2	0.47	0.47	92.86	92.86
10	22	8	82	MED	39	39	16	16	0	0	16	16	2.3	0.41	0.41	100.00	100.00
11	29	8	82	MED	11	11	3	3	0	0	3	3	2.3	0.27	0.27	100.00	100.00
12	5	9	82	HI	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1174	1174	465	465	24	24	489	489	4.5	0.42	0.42	95.09	95.09

1210880  
NORTHWEST RIVER (PORT BLANDFORD)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	16	20	2	2	0	0	2	2	1.1	0.13	0.10	100.00	100.00
2	27	6	82	MED	71	78	2	3	0	0	2	3	1.4	0.03	0.04	100.00	100.00
3	4	7	82	MED	96	105	9	11	0	0	9	11	2.0	0.09	0.10	100.00	100.00
4	11	7	82	MED	171	188	30	33	3	4	33	37	2.7	0.19	0.20	90.91	89.19
5	18	7	82	MED	172	189	24	27	0	0	24	27	2.3	0.14	0.14	100.00	100.00
6	25	7	82	LOW	175	193	19	22	1	1	20	23	2.7	0.11	0.12	95.00	95.65
7	1	8	82	HI	138	152	22	25	0	0	22	25	2.3	0.16	0.16	100.00	100.00
8	8	8	82	MED	112	125	18	21	0	0	18	21	1.8	0.16	0.17	100.00	100.00
9	15	8	82	LOW	61	67	8	10	0	0	8	10	1.8	0.13	0.15	100.00	100.00
10	22	8	82	MED	24	27	6	7	0	0	6	7	1.4	0.25	0.26	100.00	100.00
11	29	8	82	MED	19	21	3	4	0	0	3	4	1.8	0.16	0.19	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1055	1165	143	165	4	5	147	170	2.7	0.14	0.15	97.28	97.06

1210890  
 SALMON BROOK (PORT BLANDFORD)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	11	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	12	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	07	74	5	6	0	0	0	0	1.4	0.07	0.08	100.00	100.00
5	18	7	82	LOW	18	20	2	3	0	0	2	3	1.6	0.11	0.15	100.00	100.00
6	25	7	82	LOW	24	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	H1	21	24	2	3	0	0	2	3	1.4	0.10	0.13	100.00	100.00
8	3	8	82	MED	19	21	1	2	0	0	1	2	1.4	0.05	0.10	100.00	100.00
9	15	8	82	LOW	15	17	3	4	0	0	3	4	1.4	0.20	0.24	100.00	100.00
10	22	8	82	MED	7	8	2	3	0	0	2	3	0.9	0.29	0.38	100.00	100.00
11	29	8	82	LOW	5	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	201	229	15	21	0	0	15	21	1.6	0.07	0.09	100.00	100.00

 1210930  
 SOUTHWEST BROOK (PORT BLANDFORD)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	7	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	17	19	1	2	0	0	1	2	1.4	0.06	0.11	100.00	100.00
4	11	7	82	MED	53	58	4	5	0	0	4	5	1.8	0.08	0.09	100.00	100.00
5	18	7	82	LOW	49	54	5	6	1	1	6	7	2.9	0.12	0.13	83.33	85.71
6	25	7	82	LOW	36	42	5	6	1	2	6	8	2.7	0.16	0.19	83.33	75.00
7	1	8	82	H1	42	48	7	9	0	0	7	9	1.8	0.17	0.19	100.00	100.00
8	3	8	82	MED	42	47	4	5	0	0	4	5	1.8	0.10	0.11	100.00	100.00
9	15	8	82	LOW	24	27	1	2	0	0	1	2	1.4	0.04	0.07	100.00	100.00
10	22	8	82	MED	13	16	2	2	0	0	2	2	2.3	0.15	0.13	100.00	100.00
11	29	8	82	LOW	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	291	327	29	37	2	3	31	40	2.9	0.11	0.12	93.55	92.50

 1512520  
 SALMON COVE RIVER (CHAMPNEYS)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	42	52	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	H1	34	44	1	2	0	0	1	2	0.0	0.03	0.05	100.00	100.00
3	4	7	82	MED	64	74	4	5	0	0	4	5	1.6	0.06	0.07	100.00	100.00
4	11	7	82	MED	61	71	4	8	0	0	4	8	1.6	0.07	0.11	100.00	100.00
5	18	7	82	LOW	120	140	12	18	0	0	12	18	1.3	0.10	0.13	100.00	100.00
6	25	7	82	LOW	87	102	9	13	0	0	9	13	1.8	0.10	0.13	100.00	100.00
7	1	8	82	MED	118	138	8	12	0	0	8	12	1.3	0.07	0.09	100.00	100.00
8	3	8	82	MED	67	82	6	9	0	0	6	9	1.4	0.09	0.11	100.00	100.00
9	15	8	82	LOW	52	62	4	6	0	0	4	6	1.6	0.08	0.10	100.00	100.00
10	22	8	82	MED	27	32	2	3	0	0	2	3	1.4	0.07	0.09	100.00	100.00
11	29	8	82	LOW	20	25	1	1	0	0	1	1	1.4	0.05	0.04	100.00	100.00
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	692	822	51	77	0	0	51	77	1.8	0.07	0.09	100.00	100.00

 1512620  
 TROUTY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	16	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	26	36	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	24	34	3	4	0	0	3	4	1.6	0.13	0.12	100.00	100.00
4	11	7	82	LOW	29	44	6	10	0	0	6	10	2.0	0.21	0.23	100.00	100.00
5	18	7	82	LOW	20	30	3	4	0	0	3	4	1.6	0.12	0.13	100.00	100.00
6	25	7	82	MED	52	47	5	8	0	0	5	8	1.6	0.16	0.17	100.00	100.00
7	1	8	82	MED	36	58	1	6	0	0	1	6	1.4	0.03	0.10	100.00	100.00
8	3	8	82	MED	22	22	4	4	0	0	4	4	0.0	0.18	0.18	100.00	100.00
9	15	8	82	LOW	16	26	3	8	0	0	3	8	1.4	0.19	0.31	100.00	100.00
10	22	8	82	LOW	6	10	2	3	0	0	2	3	1.6	0.33	0.30	100.00	100.00
11	29	8	82	MED	12	12	2	2	0	0	2	2	0.0	0.17	0.17	100.00	100.00
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	248	342	29	49	0	0	29	49	2.0	0.12	0.14	100.00	100.00



1612750  
POPES HARBOUR RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	14	18	3	4	0	0	3	4	2.3	0.21	0.22	100.00	100.00
3	4	7	82	MED	15	20	2	4	1	1	3	5	2.7	0.20	0.25	56.67	80.00
4	11	7	82	LOW	18	24	8	12	0	0	8	12	2.3	0.44	0.50	100.00	100.00
5	18	7	82	LOW	30	46	11	15	2	4	13	19	2.7	0.36	0.41	84.62	78.95
6	25	7	82	LOW	46	56	8	12	2	4	10	16	2.7	0.22	0.29	80.00	75.00
7	1	8	82	MED	20	30	5	10	0	0	5	10	2.3	0.25	0.33	100.00	100.00
8	8	8	82	MED	34	47	7	10	2	4	9	14	2.7	0.23	0.30	77.78	71.43
9	15	8	82	LOW	11	16	3	5	0	0	3	5	2.3	0.27	0.31	100.00	100.00
10	22	8	82	LOW	19	29	6	12	0	0	6	12	2.3	0.32	0.41	100.00	100.00
11	29	8	82	LOW	19	24	4	6	0	0	4	6	2.3	0.21	0.25	100.00	100.00
12	5	9	82	MED	14	20	3	4	0	0	3	4	2.2	0.21	0.20	100.00	100.00
TOTAL				MED	251	330	60	94	7	13	67	107	2.7	0.27	0.32	89.55	87.85

1613060  
SHOAL HARBOUR RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	9	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	24	29	2	2	0	0	2	2	1.6	0.08	0.07	100.00	100.00
3	4	7	82	HI	38	48	6	6	0	0	6	6	1.6	0.16	0.13	100.00	100.00
4	11	7	82	LOW	73	85	4	6	1	1	5	7	2.9	0.07	0.08	80.00	85.71
5	18	7	82	MED	34	42	3	4	0	0	3	4	1.4	0.09	0.10	100.00	100.00
6	25	7	82	LOW	3	5	1	2	0	0	1	2	0.0	0.33	0.40	100.00	100.00
7	1	8	82														NO PATROL
8	8	8	82	LOW	6	9	1	2	0	0	1	2	0.0	0.17	0.22	100.00	100.00
9	15	8	82	LOW	6	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	10	13	0	2	0	0	0	2	0.0	0.0	0.15	0.0	100.00
TOTAL				LOW	210	266	17	24	1	1	18	25	2.9	0.09	0.09	94.44	96.00

1713950  
DEER HARBOUR BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82														NO PATROL
3	4	7	82														NO PATROL
4	11	7	82														NO PATROL
5	18	7	82														NO PATROL
6	25	7	82														NO PATROL
7	1	8	82														NO PATROL
8	8	8	82														NO PATROL
9	15	8	82														NO PATROL
10	22	8	82														NO PATROL
11	29	8	82														NO PATROL
12	5	9	82														NO PATROL
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

171468  
BELLEVUE BROOK (TROUT BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	16	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	35	51	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	30	42	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	40	68	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	37	67	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	LOW	67	99	2	8	0	0	2	8	2.3	0.03	0.08	100.00	100.00
7	1	8	82	HI	112	162	10	18	0	0	10	18	1.8	0.09	0.11	100.00	100.00
8	8	8	82	LOW	81	112	1	3	0	0	1	3	0.0	0.01	0.03	100.00	100.00
9	15	8	82	LOW	100	130	2	5	0	0	2	5	0.0	0.02	0.04	100.00	100.00
10	22	8	82	LOW	54	65	2	5	0	0	2	5	0.0	0.03	0.06	100.00	100.00
11	29	8	82	HI	24	30	1	2	0	0	1	2	1.4	0.04	0.07	100.00	100.00
12	5	9	82	MED	15	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	614	869	18	41	0	0	18	41	2.3	0.03	0.05	100.00	100.00

1714870  
SPREAD EAGLE BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	13	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	20	26	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	22	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	31	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	24	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	30	38	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	34	44	1	1	0	0	1	1	0.0	0.03	0.02	100.00	100.00
8	8	8	82	MED	29	37	0	0	2	2	2	2	3.2	0.07	0.05	0.0	0.0
9	15	8	82	LOW	32	42	2	2	0	0	2	2	0.0	0.06	0.05	100.00	100.00
10	22	8	82	HI	21	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	19	24	0	0	1	1	1	1	0.0	0.05	0.04	0.0	0.0
12	5	9	82	MED	16	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	291	362	3	3	3	3	6	6	3.2	0.02	0.02	50.00	50.00

2115720  
SALMON COVE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	14	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	26	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	22	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	23	27	2	3	0	0	2	3	1.4	0.09	0.11	100.00	100.00
5	18	7	82	LOW	25	33	2	2	0	0	2	2	1.4	0.08	0.06	100.00	100.00
6	25	7	82	LOW	24	32	3	4	0	0	3	4	1.4	0.13	0.13	100.00	100.00
7	1	8	82	LOW	36	44	6	8	0	0	6	8	1.4	0.17	0.18	100.00	100.00
8	8	8	82	LOW	32	38	3	4	0	0	3	4	1.4	0.09	0.11	100.00	100.00
9	15	8	82	LOW	27	34	2	4	0	0	2	4	1.4	0.07	0.12	100.00	100.00
10	22	8	82	LOW	18	23	2	3	0	0	2	3	1.4	0.11	0.13	100.00	100.00
11	29	8	82	LOW	36	46	3	3	0	0	2	3	1.4	0.06	0.07	100.00	100.00
12	5	9	82	MED	12	17	1	1	0	0	1	1	1.4	0.08	0.06	100.00	100.00
TOTAL				LOW	295	372	23	32	0	0	23	32	1.4	0.08	0.09	100.00	100.00

2215970  
NORTH RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	11	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	51	58	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	45	55	0	4	0	0	0	4	0.0	0.0	0.07	0.0	100.00
4	11	7	82	MED	54	60	0	2	0	0	0	2	0.0	0.0	0.03	0.0	100.00
5	18	7	82	LOW	74	80	8	12	0	1	8	13	0.0	0.11	0.16	100.00	92.31
6	25	7	82	MED	88	98	9	14	0	0	9	14	0.0	0.10	0.14	100.00	100.00
7	1	8	82	MED	32	40	2	4	1	3	3	7	2.7	0.09	0.17	66.67	57.14
8	8	8	82	LOW	29	35	1	3	0	1	1	4	0.0	0.03	0.11	100.00	75.00
9	15	8	82	LOW	25	30	2	4	0	1	2	5	0.0	0.08	0.17	100.00	80.00
10	22	8	82	HI	16	16	1	3	0	0	1	3	0.0	0.06	0.17	100.00	100.00
11	29	8	82	HI	14	17	3	4	0	0	3	4	2.0	0.21	0.24	100.00	100.00
12	5	9	82	HI	4	5	0	1	0	0	0	1	0.0	0.0	0.20	0.0	100.00
TOTAL				HI	443	507	26	51	1	6	27	57	2.7	0.06	0.11	96.30	89.47

2215990  
SOUTH RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	26	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	24	30	0	2	0	0	0	2	0.0	0.0	0.07	0.0	100.00
4	11	7	82	MED	34	40	0	1	0	0	0	1	0.0	0.0	0.02	0.0	100.00
5	18	7	82	LOW	36	40	1	4	0	0	1	4	0.0	0.03	0.10	100.00	100.00
6	25	7	82	MED	31	40	1	5	0	0	1	5	0.0	0.03	0.13	100.00	100.00
7	1	8	82	MED	25	35	1	4	1	2	2	6	2.7	0.07	0.17	50.00	66.67
8	8	8	82	LOW	20	25	2	4	0	1	2	5	0.0	0.10	0.20	100.00	80.00
9	15	8	82	LOW	9	14	1	2	0	0	1	2	0.0	0.11	0.14	100.00	100.00
10	22	8	82	HI	12	15	0	1	0	0	0	1	0.0	0.0	0.07	0.0	100.00
11	29	8	82	HI	13	15	0	2	1	1	1	3	2.7	0.08	0.20	0.0	66.67
12	5	9	82	HI	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	240	292	6	25	2	4	8	29	2.7	0.03	0.10	75.00	96.21

2216220  
NORTH ARM RIVER (HOLYROOD)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	12	17	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0
2	27	6	82	HI	27	31	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0
3	4	7	82	HI	31	38	3	4	0	0	3	4	1.8	0.10	0.11	100.00	100.00
4	11	7	82	MED	81	89	8	11	0	0	8	11	1.8	0.10	0.12	100.00	100.00
5	18	7	82	MED	46	52	7	9	0	0	7	9	1.8	0.15	0.17	100.00	100.00
6	25	7	82	MED	65	73	8	10	0	0	8	10	1.8	0.12	0.14	100.00	100.00
7	1	8	82	MED	57	62	6	8	0	0	6	8	1.8	0.11	0.13	100.00	100.00
8	8	8	82	MED	25	26	2	3	0	0	2	3	1.6	0.09	0.12	100.00	100.00
9	15	8	82	LOW	19	24	1	2	0	0	1	2	1.4	0.05	0.08	100.00	100.00
10	22	8	82	LOW	14	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	HI	4	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	387	450	35	47	0	0	35	47	1.8	0.09	0.10	100.00	100.00

2517350  
CAPE BROYLE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	LOW	5	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	LOW	16	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	12	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	9	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	16	18	1	1	0	0	1	1	1.6	0.06	0.06	100.00	100.00
7	1	8	82	MED	6	8	0	1	0	0	0	1	0.0	0.0	0.13	0.0	100.00
8	8	8	82	MED	3	5	0	1	0	0	0	1	0.0	0.0	0.20	0.0	100.00
9	15	8	82	MED	3	4	0	1	0	0	0	1	0.0	0.0	0.25	0.0	100.00
10	22	8	82	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	77	110	1	4	0	0	1	4	1.6	0.01	0.04	100.00	100.00

2617640  
RENEWS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	16	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	27	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	49	54	5	7	0	0	5	7	2.3	0.10	0.13	100.00	100.00
4	11	7	82	LOW	40	52	4	5	0	0	4	5	2.0	0.09	0.10	100.00	100.00
5	18	7	82	LOW	72	79	21	25	4	5	25	28	3.4	0.35	0.35	84.00	82.14
6	25	7	82	MED	51	60	13	16	1	2	14	18	3.2	0.27	0.30	92.66	88.89
7	1	8	82	MED	37	43	10	12	1	1	11	13	2.9	0.30	0.30	90.91	92.31
8	8	8	82	MED	26	32	6	9	1	1	7	10	2.9	0.27	0.31	85.71	90.00
9	15	8	82	MED	20	25	3	5	0	0	3	5	2.7	0.15	0.20	100.00	100.00
10	22	8	82	MED	19	23	4	4	0	0	4	4	2.5	0.21	0.17	100.00	100.00
11	29	8	82	LOW	3	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	366	428	66	81	7	9	73	90	3.4	0.20	0.21	90.41	90.00

2700230  
BISCAY BAY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	109	116	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	210	220	1	1	0	0	1	1	1.3	0.00	0.00	100.00	100.00
3	4	7	82	HI	170	183	12	16	1	1	13	17	2.7	0.07	0.09	92.31	94.12
4	11	7	82	MED	164	179	74	89	3	3	77	92	2.9	0.47	0.51	96.10	96.74
5	18	7	82	MED	110	122	36	104	2	3	98	107	2.7	0.39	0.68	97.96	97.20
6	25	7	82	MED	69	81	54	69	0	0	54	69	2.5	0.78	0.85	100.00	100.00
7	1	8	82	MED	47	54	37	41	0	0	37	41	2.5	0.79	0.76	100.00	100.00
8	8	8	82	MLJ	40	51	22	30	1	2	23	32	2.7	0.50	0.63	95.65	93.75
9	15	8	82	MED	20	24	9	11	0	0	9	11	2.0	0.45	0.46	100.00	100.00
10	22	8	82	MED	2	2	2	2	0	0	2	2	2.5	1.00	1.00	100.00	100.00
11	29	8	82	MED	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	7	9	3	4	0	0	3	4	1.8	0.43	0.44	100.00	100.00
TOTAL				MED	966	1044	310	367	7	9	317	376	2.9	0.33	0.36	97.79	97.61

2700360  
 NORTHEAST BROOK (TREPASSEY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	20	6	82	MED	13	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	63	68	1	2	0	0	1	2	1.6	0.02	0.03	100.00	100.00	0.0
4	11	7	82	LOW	19	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	HI	22	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	16	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	LOW	17	20	10	12	1	2	11	14	3.2	0.65	0.70	90.91	85.71	0.0
8	8	8	82	LOW	17	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	HI	23	28	3	3	0	0	3	3	1.6	0.13	0.11	100.00	100.00	0.0
10	22	8	82	HI	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	30	34	10	12	0	0	10	12	2.0	0.33	0.35	100.00	100.00	0.0
12	5	9	82	HI	8	10	3	4	0	0	3	4	1.8	0.38	0.40	100.00	100.00	0.0
TOTAL				HI	231	278	27	33	1	2	28	35	3.2	0.12	0.13	96.43	94.29	

 2700380  
 NORTHWEST BROOK (TREPASSEY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	20	6	82	MED	32	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	55	60	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	106	111	12	12	0	0	12	12	2.4	0.11	0.11	100.00	100.00	0.0
4	11	7	82	LOW	225	235	39	41	0	0	39	41	2.5	0.17	0.17	100.00	100.00	0.0
5	18	7	82	LOW	175	185	60	70	1	2	61	72	3.6	0.35	0.39	98.36	97.22	0.0
6	25	7	82	MED	245	249	48	50	4	4	52	54	3.8	0.21	0.22	92.31	92.59	0.0
7	1	8	82	LOW	115	120	21	21	1	1	22	22	3.2	0.19	0.18	95.45	95.45	0.0
8	8	8	82	MED	121	121	17	17	1	1	18	18	3.4	0.15	0.15	94.44	94.44	0.0
9	15	8	82	MED	72	72	5	5	0	0	5	5	1.8	0.07	0.07	100.00	100.00	0.0
10	22	8	82	MED	22	26	2	2	0	0	2	2	1.8	0.09	0.08	100.00	100.00	0.0
11	29	8	82	HI	17	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1186	1234	204	218	7	8	211	226	3.8	0.18	0.18	96.68	96.46	

 2800860  
 PETER'S RIVER (ST. MARY'S BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	20	6	82	HI	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	12	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	26	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	24	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	60	64	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	LOW	35	40	2	4	0	0	2	4	0.0	0.06	0.10	100.00	100.00	0.0
7	1	8	82	LOW	14	19	1	2	0	0	1	2	1.4	0.07	0.11	100.00	100.00	0.0
8	8	8	82	LOW	24	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	13	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	13	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	HI	19	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	251	292	3	6	0	0	3	6	1.4	0.01	0.02	100.00	100.00	

 280169  
 SALMONIER RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	20	6	82	LOW	211	211	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	233	253	8	8	0	0	8	8	1.3	0.03	0.03	100.00	100.00	0.0
3	4	7	82	HI	556	578	139	143	0	0	139	143	2.0	0.25	0.25	100.00	100.00	0.0
4	11	7	82	MED	694	694	241	241	2	2	243	243	2.8	0.35	0.35	99.18	99.18	0.0
5	18	7	82	MED	492	522	121	133	0	0	121	133	2.2	0.25	0.25	100.00	100.00	0.0
6	25	7	82	LOW	295	310	72	76	0	0	72	76	2.0	0.24	0.25	100.00	100.00	0.0
7	1	8	82	LOW	211	215	50	52	1	1	51	53	2.8	0.24	0.25	98.04	98.11	0.0
8	8	8	82	LOW	160	160	33	33	1	1	34	34	2.9	0.21	0.21	97.06	97.06	0.0
9	15	8	82	HI	78	83	12	12	0	0	12	12	2.0	0.15	0.14	100.00	100.00	0.0
10	22	8	82	HI	65	71	8	10	0	0	8	10	2.0	0.12	0.14	100.00	100.00	0.0
11	29	8	82	HI	26	26	5	5	0	0	5	5	2.5	0.19	0.19	100.00	100.00	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	3023	3123	689	713	4	4	693	717	2.9	0.23	0.23	99.42	99.44	

2802060  
 NORTH HARBOUR R (ST. MARY'S BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	8	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	9	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	19	24	1	2	2	2	3	4	2.9	0.16	0.17	33.33	50.00
5	18	7	82	MED	29	34	4	5	0	0	4	5	2.3	0.14	0.15	100.00	100.00
6	25	7	82	MED	33	37	5	6	1	2	6	6	3.6	0.18	0.22	83.33	75.00
7	1	8	82	HI	28	32	4	6	1	1	5	7	2.9	0.18	0.22	80.00	85.71
8	8	8	82	HI	33	37	4	5	1	1	5	6	3.6	0.15	0.16	80.00	83.33
9	15	8	82	HI	25	30	7	8	0	0	7	8	0.0	0.28	0.27	100.00	100.00
10	22	8	82	HI	29	32	6	7	0	0	6	7	2.3	0.21	0.22	100.00	100.00
11	29	8	82	HI	15	18	3	4	0	0	3	4	2.3	0.20	0.22	100.00	100.00
12	5	9	82	MED	9	11	3	3	0	0	3	3	2.0	0.33	0.27	100.00	100.00
TOTAL				HI	244	287	37	46	5	6	42	52	3.6	0.17	0.18	88.10	88.46

 2802170  
 LITTLE SALMONIER RIVER (S.M.B.)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	35	37	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	30	40	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	62	69	6	10	0	0	6	10	1.8	0.10	0.14	100.00	100.00
5	18	7	82	LOW	89	99	49	51	2	2	51	53	3.6	0.57	0.54	96.08	96.23
6	25	7	82	MED	77	89	37	42	0	0	37	42	2.3	0.48	0.47	100.00	100.00
7	1	8	82	MED	93	105	26	30	0	0	26	30	2.3	0.28	0.29	100.00	100.00
8	8	8	82	LOW	49	63	19	29	0	0	19	29	2.3	0.39	0.46	100.00	100.00
9	15	8	82	LOW	23	29	8	10	0	0	8	10	1.8	0.35	0.34	100.00	100.00
10	22	8	82	HI	35	45	17	19	2	2	19	21	2.7	0.54	0.47	89.47	90.48
11	29	8	82	HI	17	23	10	14	0	0	10	14	2.3	0.59	0.61	100.00	100.00
12	5	9	82	HI	10	12	4	4	0	0	4	4	1.8	0.40	0.33	100.00	100.00
TOTAL				HI	534	625	176	209	4	4	180	213	3.6	0.34	0.34	97.78	98.12

 2802210  
 BIG BARACHOIS RIVER (S.M.B.)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	5	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	20	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	34	35	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	47	50	6	6	0	0	6	6	2.0	0.13	0.12	100.00	100.00
5	18	7	82	LOW	47	49	7	7	0	0	7	7	2.3	0.15	0.14	100.00	100.00
6	25	7	82	LOW	25	27	3	3	0	0	3	3	2.3	0.12	0.30	100.00	100.00
7	1	8	82	LOW	20	25	8	10	0	0	8	10	2.5	0.40	0.40	100.00	100.00
8	8	8	82	LOW	25	35	2	5	0	0	2	5	2.3	0.07	0.15	100.00	100.00
9	15	8	82	LOW	17	20	3	5	0	0	3	5	2.3	0.18	0.25	100.00	100.00
10	22	8	82	LOW	9	10	2	3	0	0	2	3	2.3	0.22	0.30	100.00	100.00
11	29	8	82	MED	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	259	288	31	44	0	0	31	44	2.5	0.12	0.15	100.00	100.00

 2802380  
 BRANCH RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	32	36	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	130	137	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	193	223	3	5	0	0	3	5	0.0	0.02	0.02	100.00	100.00
4	11	7	82	LOW	209	229	15	24	0	0	15	24	0.0	0.07	0.10	100.00	100.00
5	18	7	82	HI	177	199	35	41	0	0	35	41	0.0	0.20	0.21	100.00	100.00
6	25	7	82	LOW	153	168	23	34	0	0	23	34	0.0	0.15	0.20	100.00	100.00
7	1	8	82	HI	97	111	20	27	0	0	20	27	0.0	0.21	0.24	100.00	100.00
8	8	8	82	MED	81	93	17	29	0	0	17	29	0.0	0.21	0.31	100.00	100.00
9	15	8	82	LOW	60	74	7	13	0	0	7	13	0.0	0.11	0.18	100.00	100.00
10	22	8	82	LOW	43	57	4	8	0	0	4	8	0.0	0.08	0.14	100.00	100.00
11	29	8	82	MED	30	64	3	7	0	0	3	7	0.0	0.05	0.11	100.00	100.00
12	5	9	82	MED	10	12	0	1	0	0	0	1	0.0	0.0	0.08	0.0	100.00
TOTAL				LOW	1252	1405	132	189	0	0	132	189	0.0	0.11	0.13	100.00	100.00

2902820  
 GREAT BARASWAY BROOK (P.BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	15	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	48	48	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	55	55	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	HI	60	60	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	HI	81	81	0	0	0	0	0	0	2.5	0.0	0.0	0.0	0.0
6	25	7	82	HI	50	50	0	0	0	0	0	0	2.0	0.0	0.0	0.0	0.0
7	1	8	82	HI	76	76	3	4	0	0	3	4	2.3	0.04	0.05	100.00	100.00
8	8	8	82	MED	32	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	HI	16	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	437	437	3	4	0	0	3	4	2.5	0.01	0.01	100.00	100.00

 2902980  
 SOUTHEAST RIVER (PLACENTIA)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	54	54	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	99	107	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	90	100	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	116	122	5	6	0	0	5	6	2.3	0.04	0.05	100.00	100.00
5	18	7	82	MED	132	140	11	12	0	0	11	12	2.5	0.08	0.09	100.00	100.00
6	25	7	82	MED	147	157	10	12	0	0	10	12	2.3	0.07	0.08	100.00	100.00
7	1	8	82	MED	119	124	10	12	1	1	11	13	2.7	0.09	0.10	90.91	92.31
8	8	8	82	LOW	120	127	10	13	1	1	11	14	3.2	0.09	0.11	90.91	92.86
9	15	8	82	LOW	97	102	4	5	0	0	4	5	2.3	0.04	0.05	100.00	100.00
10	22	8	82	HI	75	81	4	5	1	1	5	6	3.2	0.07	0.07	80.00	83.33
11	29	8	82	HI	75	80	2	3	0	0	2	3	2.3	0.03	0.04	100.00	100.00
12	5	9	82	HI	49	52	2	2	0	0	2	2	2.0	0.04	0.04	100.00	100.00
TOTAL				HI	1173	1246	58	70	3	3	61	73	3.2	0.05	0.06	95.08	95.89

 2903070  
 NORTHEAST RIVER (PLACENTIA)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	35	40	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	103	113	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	123	138	4	5	0	0	4	5	0.4	0.03	0.04	100.00	100.00
4	11	7	82	MED	166	186	15	18	0	0	15	16	2.0	0.09	0.10	100.00	100.00
5	18	7	82	MED	197	217	30	40	0	0	30	40	2.2	0.15	0.18	100.00	100.00
6	25	7	82	LOW	179	194	20	28	0	0	20	28	2.0	0.11	0.14	100.00	100.00
7	1	8	82	MED	120	134	10	13	0	0	10	13	1.8	0.08	0.10	100.00	100.00
8	8	8	82	LOW	110	120	8	13	0	0	8	13	0.0	0.07	0.11	100.00	100.00
9	15	8	82	LOW	58	66	3	4	0	0	3	4	2.2	0.05	0.06	100.00	100.00
10	22	8	82	LOW	22	32	10	15	0	0	10	15	2.2	0.45	0.47	100.00	100.00
11	29	8	82	HI	30	40	7	10	0	0	7	10	1.4	0.23	0.25	100.00	100.00
12	5	9	82	HI	19	21	4	4	0	0	4	4	1.6	0.21	0.19	100.00	100.00
TOTAL				HI	1168	1303	111	150	0	0	111	150	2.2	0.10	0.12	100.00	100.00

 3003740  
 CUME BY CHANCE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	10	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	46	63	0	1	0	0	0	1	0.0	0.0	0.02	0.0	100.00
3	4	7	82	HI	67	85	0	1	0	0	0	1	0.0	0.0	0.01	0.0	100.00
4	11	7	82	MED	67	67	8	10	0	0	8	10	1.5	0.12	0.11	100.00	100.00
5	18	7	82	MED	84	104	7	9	0	0	7	9	1.3	0.08	0.09	100.00	100.00
6	25	7	82	MED	84	104	6	6	0	0	6	6	1.4	0.07	0.08	100.00	100.00
7	1	8	82	MED	73	93	6	6	0	0	6	6	1.4	0.03	0.09	100.00	100.00
8	8	8	82	MED	87	107	7	10	0	0	7	10	1.8	0.08	0.09	100.00	100.00
9	15	8	82	LOW	41	51	4	6	0	0	4	6	1.4	0.10	0.12	100.00	100.00
10	22	8	82	LOW	22	30	1	2	0	0	1	2	1.6	0.05	0.07	100.00	100.00
11	29	8	82	MED	27	35	0	1	0	0	0	1	0.0	0.0	0.03	0.0	100.00
12	5	9	82	HI	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	612	776	39	50	0	0	39	56	1.8	0.06	0.07	100.00	100.00

3003830  
WATSONS BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	58	68	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	44	50	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	24	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	30	40	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	38	48	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	24	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LOW	26	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LOW	30	36	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	6	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	HI	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	287	354	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3003880  
NORTH HARBOUR RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	12	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	54	64	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	100	120	2	2	0	0	2	2	1.5	0.02	0.02	100.00	100.00
4	11	7	82	MED	121	141	26	31	0	0	26	31	2.5	0.21	0.22	100.00	100.00
5	18	7	82	MED	98	118	14	17	0	0	14	17	1.8	0.14	0.14	100.00	100.00
6	25	7	82	MED	63	75	12	14	0	0	12	14	2.3	0.19	0.19	100.00	100.00
7	1	8	82	MED	64	74	12	14	0	0	12	14	2.3	0.19	0.19	100.00	100.00
8	8	8	82	MED	54	62	14	15	0	0	14	15	2.5	0.26	0.24	100.00	100.00
9	15	8	82	LOW	61	71	12	14	0	0	12	14	2.0	0.20	0.20	100.00	100.00
10	22	8	82	MED	45	55	8	9	0	0	8	9	2.0	0.18	0.16	100.00	100.00
11	29	8	82	MED	29	32	3	4	0	0	3	4	1.6	0.10	0.13	100.00	100.00
12	5	9	82	MED	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	702	833	103	120	0	0	103	120	2.5	0.15	0.14	100.00	100.00

3004090  
BLACK RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82														
2	27	6	82														
3	4	7	82	HI	22	32	4	5	0	0	4	5	1.9	0.18	0.16	100.00	100.00
4	11	7	82	MED	35	55	12	14	0	0	12	14	2.3	0.34	0.25	100.00	100.00
5	18	7	82	MED	33	53	6	16	0	0	6	16	2.3	0.18	0.30	100.00	100.00
6	25	7	82	MED	32	44	6	8	0	0	6	8	2.0	0.19	0.18	100.00	100.00
7	1	8	82	MED	22	28	5	6	0	0	5	6	2.0	0.23	0.21	100.00	100.00
8	8	8	82	MED	22	25	5	6	0	0	5	6	1.8	0.23	0.24	100.00	100.00
9	15	8	82	LOW	12	16	2	3	0	0	2	3	1.6	0.17	0.19	100.00	100.00
10	22	8	82	MED	7	13	2	3	0	0	2	3	1.8	0.29	0.23	100.00	100.00
11	29	8	82	MED	4	4	1	1	0	0	1	1	1.4	0.33	0.25	100.00	100.00
12	5	9	82	HI	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	189	271	43	62	0	0	43	62	2.3	0.23	0.23	100.00	100.00

3004160  
PIPERS HOLE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	12	22	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	80	98	5	5	0	0	5	5	1.8	0.06	0.05	100.00	100.00
3	4	7	82	HI	90	110	11	14	0	0	11	14	2.0	0.12	0.13	100.00	100.00
4	11	7	82	MED	141	151	33	38	0	0	33	38	2.0	0.23	0.25	100.00	100.00
5	18	7	82	MED	97	107	29	39	0	0	29	39	2.3	0.30	0.36	100.00	100.00
6	25	7	82	MED	95	115	26	30	0	0	26	30	2.3	0.27	0.26	100.00	100.00
7	1	8	82	MED	70	80	20	22	0	0	20	22	2.5	0.29	0.27	100.00	100.00
8	8	8	82	MED	61	71	9	12	0	0	9	12	2.0	0.15	0.17	100.00	100.00
9	15	8	82	LOW	59	67	11	13	0	0	11	13	2.3	0.19	0.19	100.00	100.00
10	22	8	82	MED	47	57	8	10	0	0	8	10	1.9	0.17	0.18	100.00	100.00
11	29	8	82	MED	16	16	2	3	0	0	2	3	1.8	0.13	0.17	100.00	100.00
12	5	9	82	MED	2	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	778	900	154	186	0	0	154	186	2.5	0.20	0.21	100.00	100.00

3105470  
NONSUCH BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK DA	END MO	YEAR YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
					OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82														NO PATROL
3	4	7	82														NO PATROL
4	11	7	82														NO PATROL
5	18	7	82														NO PATROL
6	25	7	82	MED	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82														NO PATROL
8	8	8	82	MED	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LOW	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82														NO PATROL
11	29	8	82														NO PATROL
12	5	9	82														NO PATROL
TOTAL				MED	7	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3105560  
CAPE ROGER RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK DA	END MO	YEAR YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
					OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	60	60	0	0	0	0	0	0	2.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	75	75	39	39	0	0	39	39	2.0	0.52	0.52	100.00	100.00
4	11	7	82	MED	40	40	34	34	1	1	35	35	2.7	0.88	0.88	97.14	97.14
5	18	7	82	LOW	30	30	20	20	0	0	20	20	2.0	0.67	0.67	100.00	100.00
6	25	7	82	MED	14	14	1	1	0	0	1	1	1.6	0.07	0.07	100.00	100.00
7	1	8	82	LW	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	4	4	1	1	0	0	1	1	2.0	0.25	0.25	100.00	100.00
9	15	8	82	LW	10	10	2	2	0	0	2	2	2.3	0.20	0.20	100.00	100.00
10	22	8	82														NO PATROL
11	29	8	82														NO PATROL
12	5	9	82														NO PATROL
TOTAL				LOW	257	257	97	97	1	1	98	98	2.7	0.38	0.38	98.98	98.98

3105760  
BAY DE L'EAU RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK DA	END MO	YEAR YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
					OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	11	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	LOW	29	29	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	143	163	23	23	0	0	23	23	2.0	0.16	0.14	100.00	100.00
4	11	7	82	MED	310	330	120	130	0	0	120	130	0.0	0.39	0.39	100.00	100.00
5	18	7	82	MED	227	247	80	95	0	0	80	95	0.0	0.24	0.27	100.00	100.00
6	25	7	82	MED	254	254	59	59	0	0	59	59	0.0	0.23	0.23	100.00	100.00
7	1	8	82	MED	198	198	30	30	0	0	30	30	0.0	0.15	0.15	100.00	100.00
8	8	8	82	MED	90	130	10	14	0	0	10	14	0.0	0.11	0.11	100.00	100.00
9	15	8	82	LOW	49	59	8	10	0	0	8	10	0.0	0.16	0.17	100.00	100.00
10	22	8	82	MED	53	63	10	12	0	0	10	12	0.0	0.17	0.19	100.00	100.00
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1469	1564	340	373	0	0	340	373	2.0	0.23	0.24	100.00	100.00

3105990  
NORTHEAST BRANCH (RED HARBOUR)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK DA	END MO	YEAR YR	WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
					OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	HI	7	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	5	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	18	18	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LW	30	30	0	0	2	2	2	2	0.0	0.07	0.07	0.0	0.0
6	25	7	82	MED	8	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	5	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	70	75	0	0	2	2	2	2	0.0	0.03	0.02	0.0	0.0



3106000  
RED HARBOUR RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	12	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	11	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	10	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	16	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	61	110	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3206370  
NORTHWEST BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	10	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	12	16	2	3	0	0	2	3	0.0	0.17	0.17	100.00	100.00
4	11	7	82	MED	14	20	2	3	0	0	2	3	1.6	0.14	0.15	100.00	100.00
5	18	7	82	LOW	14	14	2	2	0	0	2	2	0.0	0.14	0.14	100.00	100.00
6	25	7	82	HI	16	30	5	7	0	0	5	7	2.4	0.31	0.23	100.00	100.00
7	1	8	82	LOW	26	33	8	10	0	0	8	10	1.6	0.31	0.30	100.00	100.00
8	8	8	82	LOW	28	32	5	7	0	0	5	7	2.3	0.18	0.22	100.00	100.00
9	15	8	82	HI	9	13	0	3	0	0	0	3	0.0	0.0	0.23	0.0	100.00
10	22	8	82	MED	31	41	13	20	2	3	15	23	2.9	0.48	0.56	86.67	86.96
11	29	8	82	HI	0	4	0	1	0	0	0	1	0.0	0.0	0.25	0.0	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	163	225	37	56	2	3	39	59	2.9	0.24	0.26	94.87	94.92

3206950  
BIG SALMONIER BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	15	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	19	27	2	4	0	0	2	4	0.0	0.11	0.15	100.00	100.00
4	11	7	82	MED	15	23	3	5	0	0	3	5	2.0	0.20	0.22	100.00	100.00
5	18	7	82	LOW	25	33	5	9	0	0	5	9	1.6	0.22	0.27	100.00	100.00
6	25	7	82	LOW	25	33	5	9	0	0	5	9	1.6	0.22	0.27	100.00	100.00
7	1	8	82	LOW	12	15	2	3	0	0	2	3	1.8	0.17	0.20	100.00	100.00
8	8	8	82	HI	4	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	HI	0	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	HI	0	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	HI	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	91	132	12	21	0	0	12	21	2.0	0.13	0.16	100.00	100.00

3207150  
ST. LAWRENCE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82														NO PATROL
3	4	7	82														NO PATROL
4	11	7	82														NO PATROL
5	18	7	82														NO PATROL
6	25	7	82	MED	13	19	2	2	0	0	2	2	0.0	0.13	0.11	100.00	100.00
7	1	8	82														NO PATROL
8	8	8	82														NO PATROL
9	15	8	82														NO PATROL
10	22	8	82														NO PATROL
11	29	8	82														NO PATROL
12	5	9	82														NO PATROL
TOTAL				MED	13	19	2	2	0	0	2	2	0.0	0.13	0.11	100.00	100.00

3207280  
LAWN RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82														NO PATROL
3	4	7	82														NO PATROL
4	11	7	82														NO PATROL
5	18	7	82														NO PATROL
6	25	7	82	MED	13	16	4	5	0	0	4	5	0.0	0.31	0.31	100.00	100.00
7	1	8	82														NO PATROL
8	8	8	82														NO PATROL
9	15	8	82														NO PATROL
10	22	8	82														NO PATROL
11	29	8	82														NO PATROL
12	5	9	82														NO PATROL
TOTAL				MED	13	16	4	5	0	0	4	5	0.0	0.31	0.31	100.00	100.00

3207520  
TAYLOR BAY BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	2	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	20	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	13	17	2	2	0	0	2	2	1.8	0.15	0.12	100.00	100.00
4	11	7	82	LOW	23	34	3	4	0	0	3	4	1.8	0.11	0.12	100.00	100.00
5	18	7	82	MED	26	33	3	4	0	0	3	4	1.8	0.12	0.12	100.00	100.00
6	25	7	82	LOW	22	27	4	5	1	1	5	6	3.5	0.23	0.22	80.00	83.33
7	1	8	82	LOW	22	27	3	4	0	0	3	4	2.3	0.14	0.15	100.00	100.00
8	8	8	82	LOW	18	23	1	1	0	0	1	1	1.8	0.06	0.04	100.00	100.00
9	15	8	82	LOW	11	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	178	226	16	20	1	1	17	21	3.5	0.10	0.09	94.12	95.24

3207570  
SALMONIER RIVER (LAMALINE)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	5	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	49	56	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	28	35	1	1	0	0	1	1	1.8	0.04	0.03	100.00	100.00
4	11	7	82	LOW	30	37	5	7	0	0	5	7	2.3	0.17	0.19	100.00	100.00
5	18	7	82	MED	30	38	4	6	0	0	4	6	2.3	0.13	0.16	100.00	100.00
6	25	7	82	LOW	19	25	3	4	0	0	3	4	2.0	0.16	0.16	100.00	100.00
7	1	8	82	LOW	27	35	3	4	0	0	3	4	2.3	0.11	0.11	100.00	100.00
8	8	8	82	LOW	35	43	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LOW	33	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	14	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	5	7	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	275	340	16	22	0	0	16	22	2.3	0.06	0.06	100.00	100.00

3207670  
PIERCEY'S BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	1	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	16	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	15	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	25	31	2	3	0	0	2	3	1.8	0.08	0.10	100.00	100.00
5	18	7	82	LOW	19	25	1	2	0	0	1	2	1.8	0.05	0.09	100.00	100.00
6	25	7	82	LOW	14	18	2	2	0	0	2	2	1.8	0.14	0.11	100.00	100.00
7	1	8	82	LOW	20	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LOW	20	26	2	3	0	0	2	3	1.8	0.10	0.12	100.00	100.00
9	15	8	82	LOW	14	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	7	9	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	7	9	2	2	0	0	2	2	1.8	0.29	0.22	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	150	200	9	12	0	0	9	12	1.8	0.06	0.06	100.00	100.00

3308040  
GRAND BANK BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	11	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	40	55	0	1	0	0	0	1	1.4	0.0	0.02	0.0	100.00
3	4	7	82	HI	72	82	1	3	0	0	1	3	1.8	0.01	0.04	100.00	100.00
4	11	7	82	LOW	40	52	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	28	43	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	LOW	21	29	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	LOW	13	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LOW	5	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LOW	89	99	5	9	0	0	5	9	1.6	0.06	0.09	100.00	100.00
10	22	8	82	HI	33	45	10	20	0	0	10	20	1.4	0.30	0.44	100.00	100.00
11	29	8	82	HI	15	28	3	5	0	0	3	5	1.4	0.17	0.18	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	370	486	19	38	0	0	19	38	1.8	0.05	0.08	100.00	100.00

330844  
GARNISH RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	13	6	82	LOW	205	234	30	37	0	0	30	37	1.8	0.15	0.16	100.00	100.00
2	20	6	82	LOW	244	304	83	101	0	0	83	101	2.3	0.34	0.33	100.00	100.00
3	27	6	82	HI	490	590	268	318	0	0	268	318	2.0	0.55	0.54	100.00	100.00
4	4	7	82	HI	378	466	168	211	0	0	168	211	2.0	0.44	0.45	100.00	100.00
5	11	7	82	MED	343	415	146	176	0	0	146	176	1.8	0.43	0.42	100.00	100.00
6	18	7	82	LOW	276	316	111	129	0	0	111	129	2.0	0.40	0.41	100.00	100.00
7	25	7	82	LOW	187	234	60	75	0	0	60	75	1.8	0.32	0.32	100.00	100.00
8	1	8	82	LOW	150	182	65	80	0	0	65	80	2.3	0.43	0.44	100.00	100.00
9	8	8	82	LOW	68	106	19	26	2	2	21	28	2.9	0.24	0.26	90.48	92.86
10	15	8	82	LOW	38	47	7	9	0	0	7	9	2.0	0.18	0.19	100.00	100.00
11	22	8	82	HI	36	48	13	18	0	0	13	18	2.3	0.36	0.38	100.00	100.00
12	29	8	82	MED	16	18	6	7	0	0	6	7	1.8	0.38	0.39	100.00	100.00
13	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	2451	2960	976	1187	2	2	978	1189	2.9	0.40	0.40	99.80	99.83

3409780  
LUNG HARBOUR RIVER (FORTUNE BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	28	32	4	4	0	0	4	4	1.6	0.14	0.13	100.00	100.00
2	27	6	82	MED	165	175	36	51	0	0	36	51	1.8	0.22	0.29	100.00	100.00
3	4	7	82	HI	107	117	98	128	0	1	98	129	1.8	0.92	1.10	100.00	99.22
4	11	7	82	LOW	97	100	100	118	0	0	100	118	1.8	1.03	1.18	100.00	100.00
5	18	7	82	LOW	54	60	40	46	0	0	40	46	1.8	0.74	0.77	100.00	100.00
6	25	7	82	MED	39	43	44	50	0	0	44	50	1.5	1.13	1.16	100.00	100.00
7	1	8	82	MED	23	30	5	11	0	0	5	11	1.4	0.22	0.37	100.00	100.00
8	8	8	82	LOW	29	33	9	15	0	0	9	15	1.8	0.31	0.45	100.00	100.00
9	15	8	82	LOW	8	12	3	6	0	0	3	6	1.8	0.38	0.50	100.00	100.00
10	22	8	82	LOW	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	2	2	2	2	0	0	2	2	1.3	1.00	1.00	100.00	100.00
TOTAL				LOW	562	614	341	431	0	1	341	432	1.8	0.61	0.70	100.00	99.77

3410790  
BAY DU NORD RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	70	70	4	4	0	0	4	4	2.0	0.06	0.06	100.00	100.00
2	27	6	82	MED	168	174	6	7	0	0	6	7	1.8	0.04	0.04	100.00	100.00
3	4	7	82	MED	106	112	16	18	1	1	17	19	2.9	0.16	0.17	94.12	94.74
4	11	7	82	MED	60	74	27	31	18	18	45	49	3.4	0.68	0.66	60.00	63.27
5	18	7	82	LOW	99	105	23	26	0	0	23	26	2.2	0.23	0.25	100.00	100.00
6	25	7	82	LOW	96	102	7	9	0	0	7	9	2.2	0.07	0.09	100.00	100.00
7	1	8	82	LOW	40	46	4	4	0	0	4	4	2.0	0.09	0.09	100.00	100.00
8	8	8	82	LOW	23	33	3	3	0	0	3	3	2.5	0.09	0.09	100.00	100.00
9	15	8	82	LOW	16	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	1	18	2	2	0	0	2	2	1.3	0.11	0.11	100.00	100.00
11	29	8	82	LOW	13	15	1	1	0	0	1	1	1.6	0.07	0.07	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	737	765	93	105	19	19	112	124	5.4	0.15	0.16	83.04	84.68

3410940  
SIMMONS BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	36	46	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	52	62	2	3	0	0	2	3	1.6	0.04	0.05	100.00	100.00
3	4	7	82	MED	78	88	7	9	0	0	7	9	2.0	0.09	0.10	100.00	100.00
4	11	7	82	LOW	64	74	18	20	0	0	18	20	1.8	0.28	0.27	100.00	100.00
5	18	7	82	LOW	43	53	13	17	0	0	13	17	1.8	0.30	0.32	100.00	100.00
6	25	7	82	LOW	30	38	6	8	0	0	6	8	1.6	0.20	0.21	100.00	100.00
7	1	8	82	MED	26	32	12	14	0	0	12	14	2.3	0.46	0.44	100.00	100.00
8	8	8	82	MED	36	46	5	7	0	0	5	7	1.8	0.13	0.15	100.00	100.00
9	15	8	82	MED	10	16	7	9	0	0	7	9	1.8	0.70	0.56	100.00	100.00
10	22	8	82	MED	16	22	4	6	0	0	4	6	1.8	0.25	0.27	100.00	100.00
11	29	8	82	MED	0	12	0	1	0	0	0	1	0.0	0.0	0.08	0.0	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	401	489	74	94	0	0	74	94	2.3	0.18	0.19	100.00	100.00

3411000  
SOUTHWEST BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	20	26	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	28	38	2	4	0	0	2	4	1.8	0.07	0.11	100.00	100.00
4	11	7	82	LOW	23	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	10	22	0	2	0	0	0	2	0.0	0.0	0.09	0.0	100.00
6	25	7	82	LOW	39	49	3	6	0	0	3	6	1.8	0.08	0.12	100.00	100.00
7	1	8	82	MED	32	40	4	6	0	0	4	6	1.6	0.13	0.15	100.00	100.00
8	8	8	82	MED	11	21	0	3	0	0	0	3	0.0	0.0	0.14	0.0	100.00
9	15	8	82	MED	10	20	0	2	0	0	0	2	0.0	0.0	0.10	0.0	100.00
10	22	8	82	MED	6	14	1	2	0	0	1	2	1.6	0.13	0.14	100.00	100.00
11	29	8	82	MED	0	12	0	1	0	0	0	1	0.0	0.0	0.08	0.0	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	187	275	10	26	0	0	10	26	1.8	0.05	0.09	100.00	100.00

3511530  
OLD BROOK (OLD BAY BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	9	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	24	30	3	5	0	0	3	5	1.8	0.13	0.17	100.00	100.00
5	18	7	82	LOW	32	42	5	8	0	0	5	8	1.8	0.16	0.19	100.00	100.00
6	25	7	82	LOW	44	54	4	7	0	0	4	7	1.6	0.09	0.13	100.00	100.00
7	1	8	82	MED	47	51	6	8	0	0	6	8	1.8	0.13	0.16	100.00	100.00
8	8	8	82	MED	14	24	2	4	0	0	2	4	1.6	0.14	0.17	100.00	100.00
9	15	8	82	MED	20	28	2	4	0	0	2	4	1.4	0.10	0.14	100.00	100.00
10	22	8	82	MED	16	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	6	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	216	280	22	36	0	0	22	36	1.8	0.10	0.13	100.00	100.00

3511560  
TAYLOR'S BAY BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	9	13	3	4	0	0	3	4	1.3	0.33	0.31	100.00	100.00
4	11	7	82	LOW	24	30	12	14	0	0	12	14	2.0	0.50	0.47	100.00	100.00
5	18	7	82	LOW	32	42	3	5	0	0	3	5	1.8	0.09	0.12	100.00	100.00
6	25	7	82	LOW	52	58	8	12	0	0	8	12	1.8	0.15	0.21	100.00	100.00
7	1	8	82	MED	51	61	9	13	0	0	9	13	1.8	0.18	0.21	100.00	100.00
8	8	8	82	MED	14	24	0	2	0	0	0	2	0.0	0.0	0.08	0.0	100.00
9	15	8	82	MED	20	26	3	5	0	0	3	5	1.8	0.15	0.19	100.00	100.00
10	22	8	82	MED	16	24	2	3	0	0	2	3	1.8	0.13	0.13	100.00	100.00
11	29	8	82	MED	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	228	290	40	58	0	0	40	58	2.0	0.18	0.20	100.00	100.00

3613350  
CONNE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	13	6	82	LW	557	557	77	77	2	2	79	79	3.7	0.14	0.14	97.47	97.47
2	20	6	82	LW	439	439	164	164	5	5	169	169	4.1	0.38	0.38	97.04	97.04
3	27	6	82	HI	904	904	702	772	5	5	707	777	3.6	0.78	0.86	99.29	99.36
4	4	7	82	HI	1054	1054	827	910	7	7	854	917	3.4	0.79	0.87	99.16	99.24
5	11	7	82	LW	962	962	632	695	5	5	637	700	3.9	0.66	0.73	99.22	99.29
6	18	7	82	LW	640	704	296	325	0	0	296	325	1.4	0.46	0.46	100.00	100.00
7	25	7	82	MED	250	250	103	113	0	0	103	113	1.8	0.41	0.45	100.00	100.00
8	1	8	82	MED	138	138	99	108	0	0	99	108	1.8	0.72	0.78	100.00	100.00
9	8	8	82	LW	109	109	54	59	0	0	54	59	1.4	0.50	0.54	100.00	100.00
10	15	8	82	LW	49	49	29	29	0	0	29	29	1.8	0.59	0.59	100.00	100.00
11	22	8	82	LW	72	72	31	34	0	0	31	34	1.4	0.43	0.47	100.00	100.00
12	29	8	82	LW	26	26	13	13	0	0	13	13	1.4	0.50	0.50	100.00	100.00
13	5	9	82	LW	4	4	3	3	0	0	3	3	1.6	0.75	0.75	100.00	100.00
TOTAL				LW	5204	5268	3030	3302	24	24	3054	3326	4.1	0.59	0.63	99.21	99.28

3613410  
SOUTHEAST BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82														NO PATROL
3	4	7	82	MED	132	145	52	57	0	0	52	57	1.6	0.39	0.39	100.00	100.00
4	11	7	82	LW	81	89	21	24	0	0	21	24	1.6	0.26	0.27	100.00	100.00
5	18	7	82	LW	132	145	36	40	0	0	36	40	0.0	0.27	0.28	100.00	100.00
6	25	7	82	MED	79	86	18	20	0	0	18	20	1.4	0.23	0.23	100.00	100.00
7	1	8	82	LW	46	51	7	8	0	0	7	8	1.4	0.15	0.16	100.00	100.00
8	8	8	82	LW	41	45	4	4	0	0	4	4	0.0	0.10	0.09	100.00	100.00
9	15	8	82	LW	25	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	HI	20	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LW	556	606	138	153	0	0	138	153	1.6	0.25	0.25	100.00	100.00

3614020  
LONG REACH BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	22	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	20	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LW	62	62	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	36	56	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	54	54	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LW	14	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LW	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	274	260	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3614070  
SALMON RIVER (BAY DIST)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	4	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	14	20	2	3	0	0	2	3	1.1	0.14	0.15	100.00	100.00
6	25	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LW	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	47	56	2	3	0	0	2	3	1.1	0.04	0.05	100.00	100.00

3614260  
 D'ESPOIR BROOK (BAY DU NORD)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	8	10	4	6	0	0	4	6	1.8	0.50	0.60	100.00	100.00
3	4	7	82	MED	5	10	3	4	0	0	3	4	1.6	0.38	0.40	100.00	100.00
4	11	7	82	LOW	10	10	3	3	0	0	3	3	1.8	0.30	0.30	100.00	100.00
5	18	7	82	MED	16	16	3	3	0	0	3	3	1.4	0.19	0.19	100.00	100.00
6	25	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LOW	9	9	3	3	0	0	3	3	0.0	0.33	0.33	100.00	100.00
9	15	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	69	73	16	19	0	0	16	19	1.8	0.23	0.26	100.00	100.00

 3614760  
 ALLAN'S COVE BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	11	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	9	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	33	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	15	15	2	2	0	0	2	2	1.8	0.13	0.13	100.00	100.00
6	25	7	82	MED	25	25	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	10	10	2	2	0	0	2	2	1.4	0.20	0.20	100.00	100.00
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	117	122	4	4	0	0	4	4	1.8	0.03	0.03	100.00	100.00

 3614850  
 BOTTOM BROOK (FACHEAUX BAY R)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	12	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

 3615270  
 DOLLAND BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	MED	21	25	20	24	0	0	20	24	1.6	0.95	0.96	100.00	100.00
3	4	7	82	MED	20	25	12	14	0	0	12	14	1.8	0.60	0.56	100.00	100.00
4	11	7	82	LOW	13	18	9	12	0	0	9	12	0.0	0.50	0.67	100.00	100.00
5	18	7	82	MED	12	12	10	10	0	0	10	10	1.4	0.83	0.83	100.00	100.00
6	25	7	82	MED	10	16	10	10	0	0	10	10	1.4	0.63	0.63	100.00	100.00
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	67	96	51	70	0	0	51	70	1.6	0.70	0.73	100.00	100.00

3716620  
GREY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	0	30	0	18	0	0	0	18	0.0	0.0	0.60	0.0	100.00
2	27	6	82	MED	0	40	0	25	0	0	0	25	0.0	0.0	0.63	0.0	100.00
3	4	7	82	MED	0	60	0	40	0	0	0	40	0.0	0.0	0.67	0.0	100.00
4	11	7	82	MED	0	31	30	70	0	0	30	70	1.8	5.00	2.26	100.00	100.00
5	18	7	82	LOW	0	20	0	15	0	0	0	15	0.0	0.0	0.75	0.0	100.00
6	25	7	82	MED	0	25	0	15	0	0	0	15	0.0	0.0	0.60	0.0	100.00
7	1	8	82	HI	0	26	0	15	0	0	0	15	0.0	0.0	0.58	0.0	100.00
8	8	8	82	LOW	0	20	0	12	0	0	0	12	0.0	0.0	0.60	0.0	100.00
9	15	8	82	MED	0	10	0	3	0	0	0	3	0.0	0.0	0.30	0.0	100.00
10	22	8	82	LOW	0	5	0	3	0	0	0	3	0.0	0.0	0.60	0.0	100.00
11	29	8	82	LOW	0	10	0	5	0	0	0	5	0.0	0.0	0.50	0.0	100.00
12	5	9	82														NO PATROL
TOTAL				MED	0	277	30	221	0	0	30	221	1.8	5.00	0.80	100.00	100.00

3717440  
WHITE BEAR RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	HI	24	24	12	12	0	0	12	12	2.3	0.50	0.50	100.00	100.00
3	4	7	82	MED	33	38	30	33	0	0	30	33	0.0	0.57	0.57	100.00	100.00
4	11	7	82	LOW	0	8	0	15	0	0	0	15	0.0	0.0	1.88	0.0	100.00
5	18	7	82	LOW	25	30	18	20	0	0	18	20	1.6	0.72	0.67	100.00	100.00
6	25	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	HI	0	12	0	3	0	0	0	3	0.0	0.0	0.25	0.0	100.00
8	8	8	82	LOW	0	15	0	5	0	0	0	5	0.0	0.0	0.33	0.0	100.00
9	15	8	82	MED	0	5	0	2	0	0	0	2	0.0	0.0	0.40	0.0	100.00
10	22	8	82	LOW	0	10	0	2	0	0	0	2	0.0	0.0	0.20	0.0	100.00
11	29	8	82	LOW	0	10	0	2	0	0	0	2	0.0	0.0	0.28	0.0	100.00
12	5	9	82	LOW	0	3	0	1	0	0	0	1	0.0	0.0	0.33	0.0	100.00
TOTAL				LOW	102	175	60	95	0	0	60	95	2.3	0.59	0.54	100.00	100.00

3717720  
BAY DE LOUP BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	0	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	LOW	0	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	0	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	HI	0	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LOW	0	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	0	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	2	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	2	88	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

3717770  
KINGS HARBOUR BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	13	16	3	5	0	0	3	5	1.4	0.23	0.28	100.00	100.00
2	27	6	82	MED	0	10	0	3	0	0	0	3	0.0	0.0	0.30	0.0	100.00
3	4	7	82	LOW	0	15	0	4	0	0	0	4	0.0	0.0	0.27	0.0	100.00
4	11	7	82	LOW	0	15	0	5	0	0	0	5	0.0	0.0	0.33	0.0	100.00
5	18	7	82	LOW	0	10	0	3	0	0	0	3	0.0	0.0	0.30	0.0	100.00
6	25	7	82	MED	0	12	0	3	0	0	0	3	0.0	0.0	0.25	0.0	100.00
7	1	8	82	HI	0	10	0	3	0	0	0	3	0.0	0.0	0.30	0.0	100.00
8	8	8	82	LOW	0	15	0	5	0	0	0	5	0.0	0.0	0.33	0.0	100.00
9	15	8	82	MED	0	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	0	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	14	121	3	31	0	0	3	31	1.4	0.16	0.26	100.00	100.00

3817890  
GRANDY BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	90	100	50	50	0	0	50	50	2.0	0.56	0.50	100.00	100.00
2	27	6	82	MED	324	344	234	252	0	0	234	252	2.3	0.72	0.73	100.00	100.00
3	4	7	82	MED	332	367	332	357	3	3	335	360	4.5	1.01	0.98	99.10	99.17
4	11	7	82	LOW	262	332	307	357	2	2	309	359	3.4	1.18	1.08	99.35	99.44
5	18	7	82	LOW	102	142	99	129	0	0	99	129	2.0	0.97	0.91	100.00	100.00
6	25	7	82	HI	106	121	41	46	1	1	42	47	4.5	0.40	0.39	97.62	97.87
7	1	8	82	HI	119	139	47	52	0	0	47	52	2.0	0.39	0.37	100.00	100.00
8	8	8	82	LOW	90	100	45	46	0	0	45	48	1.8	0.50	0.48	100.00	100.00
9	15	8	82	MED	44	54	12	17	0	0	12	17	1.6	0.27	0.31	100.00	100.00
10	22	8	82	MED	27	37	14	17	1	1	15	18	3.6	0.56	0.49	93.33	94.44
11	29	8	82	MED	29	34	10	12	0	0	10	12	2.0	0.34	0.35	100.00	100.00
12	5	9	82	LOW	0	10	0	3	0	0	0	3	0.0	0.0	0.30	0.0	100.00
TOTAL				MED	1525	1780	1191	1340	7	7	1198	1347	4.5	0.79	0.76	99.42	99.48

3818490  
CINO CERF BROOK (RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	20	0	8	0	0	0	8	0.0	0.0	0.40	0.0	100.00
2	27	6	82	MED	0	30	0	20	0	0	0	20	0.0	0.0	0.67	0.0	100.00
3	4	7	82	MED	0	30	0	20	0	0	0	20	0.0	0.0	0.67	0.0	100.00
4	11	7	82	LOW	0	40	0	30	0	0	0	30	0.0	0.0	0.75	0.0	100.00
5	18	7	82	LOW	0	25	0	15	0	0	0	15	0.0	0.0	0.60	0.0	100.00
6	25	7	82	MED	0	20	0	8	0	0	0	8	0.0	0.0	0.40	0.0	100.00
7	1	8	82	MED	0	6	0	2	0	0	0	2	0.0	0.0	0.33	0.0	100.00
8	8	8	82	LOW	0	15	0	7	0	0	0	7	0.0	0.0	0.47	0.0	100.00
9	15	8	82	MED	0	10	0	4	0	0	0	4	0.0	0.0	0.40	0.0	100.00
10	22	8	82	LOW	0	10	0	6	0	0	0	6	0.0	0.0	0.60	0.0	100.00
11	29	8	82	LOW	0	10	0	3	0	0	0	3	0.0	0.0	0.30	0.0	100.00
12	5	9	82	LOW	0	5	0	2	0	0	0	2	0.0	0.0	0.40	0.0	100.00
TOTAL				MED	0	221	0	125	0	0	0	125	0.0	0.0	0.57	0.0	100.00

3818800  
LA POILE RIVER (NORTH BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	7	7	5	5	0	0	5	5	2.3	0.71	0.71	100.00	100.00
2	27	6	82	MED	41	41	34	34	1	1	35	35	2.7	0.85	0.85	97.14	97.14
3	4	7	82	MED	60	60	78	78	0	0	78	78	2.3	1.30	1.30	100.00	100.00
4	11	7	82	LOW	68	68	67	67	0	0	67	67	2.3	0.99	0.99	100.00	100.00
5	18	7	82	LOW	63	63	67	67	0	0	67	67	2.3	1.06	1.06	100.00	100.00
6	25	7	82	MED	59	59	56	56	1	1	57	57	2.7	0.97	0.97	98.25	98.25
7	1	8	82	MED	45	45	13	13	0	0	13	13	1.8	0.29	0.29	100.00	100.00
8	8	8	82	LOW	20	20	2	2	0	0	2	2	1.8	0.10	0.10	100.00	100.00
9	15	8	82	MED	8	8	2	2	0	0	2	2	1.8	0.25	0.25	100.00	100.00
10	22	8	82	MED	19	19	1	1	0	0	1	1	1.8	0.05	0.05	100.00	100.00
11	29	8	82	MED	11	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	401	401	325	325	2	2	327	327	2.7	0.82	0.82	99.39	99.39

3819030  
FARMERS BROOK (FARMERS ARM)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	LOW	13	14	11	12	0	0	11	12	0.0	0.35	0.88	100.00	100.00
3	4	7	82	LOW	35	39	27	29	0	0	27	29	0.0	0.77	0.74	100.00	100.00
4	11	7	82	LOW	38	42	37	40	1	2	36	42	2.7	1.00	1.00	97.37	95.24
5	18	7	82	LOW	33	39	32	35	0	0	32	35	0.0	0.97	0.90	100.00	100.00
6	25	7	82	HI	25	24	22	26	0	0	22	26	0.0	0.88	0.90	100.00	100.00
7	1	8	82	HI	14	13	6	3	0	0	6	3	0.0	0.43	0.44	100.00	100.00
8	8	8	82	LOW	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	HI	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	174	199	135	150	1	2	136	152	2.7	0.78	0.76	99.26	98.68



3819100  
GARIA BROOK (RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	20	6	82	HI	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	13	13	15	15	0	0	15	15	2.3	1.15	1.15	100.00	100.00	
3	4	7	82	HI	19	19	25	25	0	0	25	25	1.8	1.32	1.32	100.00	100.00	
4	11	7	82	LOW	42	42	39	39	0	0	39	39	2.0	0.93	0.93	100.00	100.00	
5	18	7	82	LOW	37	37	28	28	0	0	28	28	1.8	0.76	0.76	100.00	100.00	
6	25	7	82	HI	15	15	9	9	0	0	9	9	1.8	0.60	0.60	100.00	100.00	
7	1	8	82	HI	24	24	24	24	0	0	24	24	1.8	1.00	1.00	100.00	100.00	
8	8	8	82	LOW	25	25	13	13	0	0	13	13	1.8	0.52	0.52	100.00	100.00	
9	15	8	82	HI	19	19	10	10	0	0	10	10	1.4	0.53	0.53	100.00	100.00	
10	22	8	82	LOW	4	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
11	29	8	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				HI	199	199	163	163	0	0	163	163	2.3	0.82	0.82	100.00	100.00	

3819120  
NORTHWEST BROOK (GARIA BAY)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	20	6	82	HI	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	5	5	1	1	0	0	1	1	1.8	0.20	0.20	100.00	100.00	
3	4	7	82	HI	5	5	2	2	0	0	2	2	1.4	0.40	0.40	100.00	100.00	
4	11	7	82	LOW	25	25	17	17	0	0	17	17	1.8	0.68	0.68	100.00	100.00	
5	18	7	82	LOW	3	3	3	3	0	0	3	3	1.4	1.00	1.00	100.00	100.00	
6	25	7	82	HI	7	7	2	2	0	0	2	2	1.4	0.29	0.29	100.00	100.00	
7	1	8	82	HI	21	21	4	4	0	0	4	4	1.4	0.19	0.19	100.00	100.00	
8	8	8	82	LOW	20	20	1	1	0	0	1	1	1.4	0.05	0.05	100.00	100.00	
9	15	8	82	HI	23	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
11	29	8	82	HI	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	
TOTAL				HI	117	117	30	30	0	0	30	30	1.8	0.26	0.26	100.00	100.00	

3919590  
GRANDYS BROOK (BURNT ISLAND R)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	51	51	28	28	0	0	28	28	1.8	0.55	0.55	100.00	100.00
2	27	6	82	HI	124	154	48	78	0	0	48	78	1.8	0.39	0.51	100.00	100.00
3	4	7	82	HI	97	127	53	78	0	0	53	78	0.0	0.55	0.61	100.00	100.00
4	11	7	82	LOW	115	145	49	61	2	2	51	63	4.1	0.44	0.43	96.08	96.83
5	18	7	82	LOW	51	51	16	16	0	0	16	16	0.0	0.31	0.31	100.00	100.00
6	25	7	82	MED	50	50	13	13	0	0	13	13	0.0	0.26	0.26	100.00	100.00
7	1	8	82	MED	35	35	8	8	0	0	8	8	0.0	0.23	0.23	100.00	100.00
8	8	8	82	LOW	30	30	11	11	0	0	11	11	0.0	0.37	0.37	100.00	100.00
9	15	8	82	HI	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	5	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	567	664	226	293	2	2	228	295	4.1	0.40	0.44	99.12	99.32

3919820  
ISLE AUX MORTS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	40	54	12	14	0	0	12	14	1.8	0.25	0.26	100.00	100.00
2	27	6	82	MED	114	144	56	64	3	3	59	67	4.5	0.52	0.47	94.92	95.52
3	4	7	82	MED	112	142	77	83	3	3	80	86	2.7	0.71	0.61	96.25	96.51
4	11	7	82	LOW	72	87	38	44	0	0	36	44	2.3	0.53	0.51	100.00	100.00
5	18	7	82	LOW	51	63	21	27	1	1	22	28	3.9	0.43	0.44	95.45	96.43
6	25	7	82	HI	64	76	20	24	1	1	21	25	3.6	0.33	0.33	95.24	96.00
7	1	8	82	HI	10	21	5	7	0	0	5	7	2.0	0.31	0.33	100.00	100.00
8	8	8	82	LOW	10	20	5	6	0	0	5	6	2.0	0.31	0.30	100.00	100.00
9	15	8	82	HI	3	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	2	2	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	498	614	234	269	3	3	242	277	4.5	0.49	0.45	96.69	97.11

3920100  
GRAND BAY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	30	30	7	7	0	0	7	7	1.8	0.23	0.23	100.00	100.00
2	27	6	82	HI	79	79	32	32	0	0	32	32	1.8	0.41	0.41	100.00	100.00
3	4	7	82	HI	103	103	59	59	0	0	59	59	1.8	0.57	0.57	100.00	100.00
4	11	7	82	LOW	98	98	57	57	0	0	57	57	2.3	0.58	0.58	100.00	100.00
5	18	7	82	LOW	82	82	41	41	0	0	41	41	1.8	0.50	0.50	100.00	100.00
6	25	7	82	HI	84	84	50	50	0	0	50	50	2.7	0.60	0.60	100.00	100.00
7	1	8	82	HI	72	72	39	39	0	0	39	39	2.7	0.54	0.54	100.00	100.00
8	8	8	82	MED	39	39	24	24	0	0	24	24	1.8	0.62	0.62	100.00	100.00
9	15	8	82	MED	25	25	14	14	1	1	15	15	4.5	0.60	0.60	93.33	93.33
10	22	8	82	LOW	4	4	2	2	0	0	2	2	0.0	0.50	0.50	100.00	100.00
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	616	616	325	325	1	1	326	326	4.5	0.53	0.53	99.69	99.69

400020  
BEAR COVE BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	21	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	LOW	32	32	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	LOW	47	47	4	4	0	0	4	4	1.8	0.09	0.09	100.00	100.00
4	11	7	82	LOW	28	28	1	1	0	0	1	1	1.6	0.04	0.04	100.00	100.00
5	18	7	82	LOW	49	49	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	LOW	71	71	6	6	0	0	6	6	1.8	0.08	0.08	100.00	100.00
7	1	8	82	LOW	44	44	5	5	0	0	5	5	1.8	0.11	0.11	100.00	100.00
8	8	8	82	LOW	31	31	3	3	0	0	3	3	1.8	0.10	0.10	100.00	100.00
9	15	8	82	LOW	28	28	4	4	0	0	4	4	1.8	0.14	0.14	100.00	100.00
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	351	351	23	23	0	0	23	23	1.8	0.07	0.07	100.00	100.00

4000140  
LITTLE CODROY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	4	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	11	7	82	LOW	70	80	6	6	18	20	24	26	6.4	0.34	0.32	25.00	23.08
3	18	7	82	LOW	44	50	7	7	3	3	10	10	4.5	0.23	0.20	70.00	70.00
4	25	7	82	HI	45	51	11	12	5	5	16	17	10.0	0.36	0.33	68.75	70.59
5	1	8	82	HI	28	34	9	9	1	1	10	10	1.8	0.36	0.29	90.00	90.00
6	8	8	82	LOW	34	38	5	5	7	7	12	12	4.1	0.35	0.32	41.67	41.67
7	15	8	82	LOW	35	41	4	4	4	4	8	8	4.5	0.23	0.20	50.00	50.00
TOTAL				LOW	256	294	42	43	38	40	80	83	10.0	0.31	0.28	52.50	51.81

400033  
GRAND CODROY RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	374	403	23	26	33	36	56	62	5.4	0.15	0.15	41.07	41.94
2	27	6	82	MED	864	925	74	86	48	48	122	134	10.0	0.14	0.14	60.66	64.18
3	4	7	82	MED	720	790	145	165	32	40	177	205	8.2	0.25	0.26	81.92	80.49
4	11	7	82	LOW	805	855	191	212	33	36	224	248	5.5	0.28	0.29	85.27	85.48
5	18	7	82	LOW	842	892	180	195	11	11	191	206	5.0	0.30	0.30	94.24	94.66
6	25	7	82	HI	481	506	132	150	4	4	136	154	4.5	0.30	0.30	97.06	97.40
7	1	8	82	HI	339	369	91	102	18	18	109	120	5.9	0.32	0.33	83.49	85.00
8	8	8	82	LOW	264	299	60	70	3	3	63	73	4.1	0.24	0.24	95.24	95.89
9	15	8	82	LOW	180	211	52	59	3	3	55	62	4.5	0.30	0.29	94.55	95.16
10	22	8	82	MED	139	155	28	32	1	1	29	35	5.4	0.21	0.21	96.55	96.97
11	29	8	82	MED	68	78	14	14	0	0	14	14	1.4	0.21	0.18	100.00	100.00
12	5	9	82	MED	17	17	1	1	0	0	1	1	1.8	0.06	0.06	100.00	100.00
TOTAL				MED	4879	5300	991	1112	186	200	1177	1312	10.0	0.24	0.25	84.20	84.76

4000860  
CRABBES BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	107	129	65	80	2	4	67	84	4.9	0.63	0.65	97.01	95.24
2	27	6	82	MED	104	204	32	44	29	37	61	81	6.3	0.37	0.40	52.46	54.32
3	4	7	82	HI	131	161	79	83	4	4	83	87	4.1	0.63	0.54	95.18	95.40
4	11	7	82	LOW	134	194	81	103	8	12	89	115	3.6	0.58	0.59	91.01	89.57
5	18	7	82	LOW	76	106	31	47	1	1	32	48	2.7	0.41	0.45	96.88	97.92
6	25	7	82	MED	67	77	24	32	0	0	24	32	2.7	0.36	0.42	100.00	100.00
7	1	8	82	MED	60	72	38	46	0	0	38	46	2.7	0.63	0.64	100.00	100.00
8	8	8	82	MED	86	108	57	75	11	17	68	92	3.6	0.79	0.85	83.82	81.52
9	15	8	82	MED	68	84	39	51	0	0	39	51	2.7	0.57	0.61	100.00	100.00
10	22	8	82													NO	PATROL
11	29	8	82													NO	PATROL
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	915	1135	446	561	55	75	501	636	6.3	0.55	0.56	89.02	86.21

4000900  
BARACHOIS BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	89	111	45	57	1	1	46	58	2.9	0.52	0.52	97.83	98.28
2	27	6	82	MED	60	70	17	22	0	0	17	22	1.8	0.28	0.31	100.00	100.00
3	4	7	82	MED	61	71	38	46	1	1	39	47	3.6	0.64	0.66	97.44	97.87
4	11	7	82	LOW	51	51	10	10	0	0	10	10	1.8	0.20	0.20	100.00	100.00
5	18	7	82	MED	10	10	2	2	0	0	2	2	1.4	0.20	0.20	100.00	100.00
6	25	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	271	313	112	137	2	2	114	139	3.6	0.42	0.44	98.25	98.56

4000920  
ROBINSONS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	240	240	220	220	22	22	242	242	4.5	1.01	1.01	90.91	90.91
2	27	6	82	MED	226	296	99	127	7	14	106	141	3.6	0.47	0.48	93.40	90.07
3	4	7	82	MED	255	315	96	120	1	1	97	121	3.6	0.38	0.38	98.97	99.17
4	11	7	82	LOW	234	274	110	136	3	4	113	140	3.2	0.48	0.51	97.35	97.14
5	18	7	82	LOW	59	81	28	40	0	0	28	40	1.8	0.47	0.49	100.00	100.00
6	25	7	82	MED	69	83	24	36	0	0	24	36	2.3	0.35	0.43	100.00	100.00
7	1	8	82	MED	89	109	54	70	0	0	54	70	2.7	0.61	0.64	100.00	100.00
8	8	8	82	MED	86	108	56	72	0	0	56	72	2.7	0.64	0.67	100.00	100.00
9	15	8	82	MED	66	75	36	44	0	0	36	44	1.4	0.55	0.59	100.00	100.00
10	22	8	82	LOW	27	27	21	21	0	0	21	21	1.4	0.78	0.78	100.00	100.00
11	29	8	82	LOW	40	40	19	19	0	0	19	19	1.4	0.47	0.47	100.00	100.00
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1393	1648	763	905	33	41	796	946	4.5	0.57	0.57	95.85	95.67

4000960  
FISCHELLS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	44	64	31	41	2	2	33	43	3.6	0.75	0.67	93.94	95.35
2	27	6	82	MED	59	79	37	47	1	1	38	48	3.2	0.64	0.61	97.37	97.92
3	4	7	82	MED	104	119	53	65	1	1	34	66	3.2	0.52	0.55	98.15	98.48
4	11	7	82	LOW	81	101	46	56	3	3	49	59	4.1	0.60	0.58	93.88	94.92
5	18	7	82	MED	22	32	13	21	0	0	13	21	1.4	0.59	0.66	100.00	100.00
6	25	7	82	MED	37	44	17	20	0	0	17	20	1.4	0.46	0.45	100.00	100.00
7	1	8	82	MED	60	70	22	30	0	0	22	30	2.7	0.37	0.43	100.00	100.00
8	8	8	82	MED	62	75	39	49	0	0	39	49	2.3	0.63	0.63	100.00	100.00
9	15	8	82	MED	32	44	15	19	0	0	15	19	1.8	0.39	0.43	100.00	100.00
10	22	8	82	LOW	20	20	9	9	0	0	9	9	1.4	0.45	0.45	100.00	100.00
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	527	651	282	357	7	7	269	364	4.1	0.55	0.56	97.53	98.06

4101080  
FLAT BAY BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	38	43	1	2	1	1	2	3	4.5	0.05	0.07	50.00	66.67
2	27	6	82	LOW	107	127	15	19	2	3	17	22	2.2	0.16	0.17	88.24	86.36
3	4	7	82	HI	150	170	66	76	2	3	68	79	3.6	0.45	0.46	97.06	96.20
4	11	7	82	MED	172	172	82	82	15	15	97	97	7.9	0.56	0.56	84.54	84.54
5	18	7	82	LOW	188	188	39	49	3	5	42	54	3.2	0.22	0.29	92.86	90.74
6	25	7	82	HI	150	180	40	50	0	1	40	51	1.8	0.27	0.28	100.00	98.04*
7	1	8	82	HI	122	152	35	45	1	2	36	47	3.2	0.30	0.31	97.22	95.74
8	8	8	82	MED	140	160	50	58	0	1	50	59	1.4	0.36	0.37	100.00	98.31
9	15	8	82	LOW	64	76	17	21	1	2	18	23	3.6	0.28	0.30	94.44	91.30
10	22	8	82	LOW	49	59	14	18	0	0	14	18	1.8	0.29	0.31	100.00	100.00
11	29	8	82	LOW	16	21	4	5	0	0	4	5	1.8	0.25	0.24	100.00	100.00
12	5	9	82	LOW	0	9	1	2	0	0	1	2	1.3	0.17	0.22	100.00	100.00
TOTAL				LOW	1202	1357	364	427	25	33	389	460	7.9	0.32	0.34	93.57	92.83

4101110  
LITTLE BARACHOIS BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	4	7	82	HI	33	43	5	8	0	1	5	9	1.8	0.15	0.21	100.00	88.89
2	11	7	82	HI	67	77	20	25	0	0	20	25	2.2	0.30	0.32	100.00	100.00
3	18	7	82	LOW	46	66	7	13	0	0	7	13	1.8	0.15	0.20	100.00	100.00
4	25	7	82	HI	80	95	29	37	2	3	31	40	2.7	0.39	0.42	93.55	92.50
5	1	8	82	HI	88	108	35	45	0	2	35	47	2.3	0.40	0.44	100.00	95.74
6	8	8	82	MED	40	56	17	22	0	1	17	23	1.4	0.37	0.41	100.00	95.65
7	15	8	82	LOW	32	44	11	19	0	1	11	20	1.4	0.34	0.45	100.00	95.00
TOTAL				HI	392	489	124	169	2	8	126	177	2.7	0.32	0.36	98.41	95.48

4101150  
SOUTHWEST AND BOTTOM BROOKS

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	219	239	73	78	5	5	78	83	3.6	0.36	0.35	93.59	93.98
2	27	6	82	MED	201	211	94	104	0	0	94	104	2.3	0.47	0.49	100.00	100.00
3	4	7	82	MED	131	146	64	69	10	10	74	79	3.1	0.56	0.54	86.49	87.34
4	11	7	82	LOW	139	149	54	64	1	1	55	65	3.6	0.40	0.44	98.18	98.40
5	18	7	82	LOW	122	132	44	46	0	0	44	46	2.3	0.36	0.35	100.00	100.00
6	25	7	82	HI	229	229	122	122	5	5	127	127	5.4	0.55	0.55	96.06	96.06
7	1	8	82	HI	175	215	85	95	6	8	91	103	5.4	0.52	0.48	93.41	92.23
8	8	8	82	MED	183	188	76	86	0	1	76	87	1.4	0.47	0.46	100.00	98.85
9	15	8	82	LOW	112	127	44	50	0	1	44	51	1.4	0.39	0.40	100.00	98.04
10	22	8	82	MED	35	50	10	15	0	1	10	16	1.8	0.29	0.32	100.00	93.75
11	29	8	82	LOW	37	42	9	10	0	0	9	10	2.0	0.24	0.24	100.00	100.00
12	5	9	82	LOW	0	10	1	2	0	0	1	2	1.4	0.17	0.20	100.00	100.00
TOTAL				MED	1569	1738	676	741	27	32	703	773	5.4	0.45	0.44	96.16	95.86

410120  
HARRY'S RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	4	7	82	HI	166	171	57	64	5	7	62	71	8.2	0.37	0.42	91.94	90.14
2	11	7	82	HI	403	435	109	140	4	4	113	144	6.4	0.28	0.33	96.46	97.22*
3	18	7	82	MED	313	339	66	78	5	5	71	83	4.5	0.23	0.24	92.96	93.98
4	25	7	82	HI	297	338	67	106	3	3	70	109	12.2	0.24	0.32	95.71	97.25
5	1	8	82	HI	241	337	42	70	3	5	45	75	3.6	0.19	0.22	93.33	93.33
6	8	8	82	MED	185	259	35	57	1	2	36	54	5.7	0.19	0.23	97.22	96.61
7	15	8	82	MED	197	262	39	55	3	5	42	60	3.2	0.21	0.23	92.86	91.67
TOTAL				MED	1807	2141	415	570	24	31	439	601	12.2	0.24	0.28	94.53	94.84

4301920  
FOX ISLAND RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	4	7	82	HI	58	68	11	13	4	6	15	19	4.0	0.26	0.28	73.33	68.42
2	11	7	82	HI	74	79	20	20	1	1	21	21	2.9	0.28	0.27	95.24	95.24
3	13	7	82	LOW	34	41	8	10	1	1	9	11	3.2	0.26	0.27	88.89	90.91
TOTAL				HI	166	188	39	43	6	8	45	51	4.0	0.27	0.27	86.67	84.31

440209  
SERPENTINE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	4	7	82	HI	77	77	32	32	3	3	35	35	4.5	0.45	0.45	91.43	91.43
2	11	7	82	MED	73	73	38	38	3	3	41	41	5.0	0.56	0.56	92.68	92.68
3	18	7	82	MED	73	77	16	18	3	3	19	21	4.5	0.26	0.27	84.21	85.71
4	25	7	82	MED	38	40	14	16	2	2	16	18	5.0	0.42	0.45	87.50	88.89
5	1	8	82	HI	57	60	12	14	4	4	16	18	5.4	0.28	0.30	75.00	77.78
6	8	8	82	HI	75	95	18	20	2	3	20	23	3.6	0.27	0.24	90.00	86.96
7	15	8	82	HI	51	51	12	12	1	1	13	13	3.2	0.25	0.25	92.31	92.31
8	22	8	82	HI	57	57	10	10	0	0	10	10	2.3	0.18	0.18	100.00	100.00
9	29	8	82	HI	34	34	2	2	0	0	2	2	2.3	0.06	0.06	100.00	100.00
10	5	9	82	MED	10	12	2	3	2	3	4	6	5.4	0.40	0.50	50.00	50.00
TOTAL				MED	545	576	156	165	20	22	176	187	5.4	0.32	0.32	88.64	88.24

440243  
HUMBER RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	13	6	82	HI	102	102	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	20	6	82	HI	156	166	7	8	0	0	7	8	1.8	0.04	0.05	100.00	100.00
3	27	6	82	HI	632	705	239	255	7	8	246	263	4.5	0.39	0.37	97.15	96.96
4	4	7	82	HI	1040	1158	725	801	15	16	740	817	3.6	0.71	0.71	97.97	98.04
5	11	7	82	MED	1506	1667	1055	1177	28	30	1083	1207	4.1	0.72	0.72	97.41	97.51
6	18	7	82	MED	1241	1408	759	861	7	9	766	870	7.3	0.62	0.62	99.09	98.97
7	25	7	82	MED	635	939	318	357	9	9	327	366	10.0	0.39	0.39	97.25	97.54
8	1	8	82	MED	556	629	205	242	4	5	209	247	8.4	0.38	0.39	98.09	97.98
9	8	8	82	HI	629	698	190	214	10	11	200	225	13.2	0.32	0.32	95.00	95.11
10	15	8	82	LOW	455	517	144	161	2	3	146	164	11.4	0.32	0.32	98.63	98.17
11	22	8	82	MED	294	333	74	82	3	3	77	85	8.2	0.26	0.26	96.10	96.47
12	29	8	82	MED	297	331	86	95	1	1	87	96	5.4	0.29	0.29	98.85	98.96
13	5	9	82	MED	81	84	32	34	0	0	32	34	0.0	0.40	0.40	100.00	100.00
TOTAL				HI	7922	8737	3834	4287	86	95	3920	4382	13.2	0.50	0.50	97.81	97.83

4402740  
GOOSE ARM BRUCK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	22	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	LOW	37	47	4	5	0	0	4	5	0.0	0.11	0.11	100.00	100.00
7	1	8	82	MED	41	51	3	4	0	0	3	4	0.0	0.07	0.08	100.00	100.00
8	8	8	82	LOW	46	54	2	3	0	0	2	3	0.0	0.04	0.06	100.00	100.00
9	15	8	82	MED	39	49	3	5	0	0	3	5	0.0	0.08	0.10	100.00	100.00
10	22	8	82	MED	46	56	5	6	1	1	6	7	5.0	0.13	0.13	83.33	85.71
11	29	8	82	MED	31	41	3	3	0	0	3	3	0.0	0.10	0.07	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	262	323	20	26	1	1	21	27	5.0	0.08	0.08	95.24	96.30

4503520  
TROUT RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	JA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	5	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	13	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	17	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	43	47	5	6	0	0	5	6	0.0	0.12	0.13	100.00	100.00
6	25	7	82	MED	40	44	10	11	0	0	10	11	0.0	0.25	0.25	100.00	100.00
7	1	8	82	MED	29	31	5	6	0	0	5	6	0.0	0.18	0.19	100.00	100.00
8	8	8	82	MED	41	46	11	12	0	0	11	12	0.0	0.27	0.26	100.00	100.00
9	15	8	82	MED	36	40	6	7	0	0	6	7	0.0	0.17	0.17	100.00	100.00
10	22	8	82	MED	33	36	3	4	0	0	3	4	0.0	0.09	0.11	100.00	100.00
11	29	8	82	MED	19	21	1	1	0	0	1	1	0.0	0.05	0.05	100.00	100.00
12	5	9	82	MED	7	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	291	324	41	47	0	0	41	47	0.0	0.14	0.15	100.00	100.00

4503920  
LOMOND RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	JA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	38	43	1	1	0	0	1	1	0.0	0.03	0.02	100.00	100.00
2	27	6	82	MED	155	170	32	35	1	1	33	36	7.0	0.21	0.21	96.97	97.22
3	4	7	82	MED	205	225	46	51	1	1	47	52	4.0	0.23	0.23	97.87	98.08
4	11	7	82	MED	202	222	64	70	3	3	67	73	4.1	0.33	0.33	95.52	95.89
5	18	7	82	MED	228	251	67	74	0	0	67	74	0.0	0.29	0.29	100.00	100.00
6	25	7	82	MED	185	201	27	35	1	1	28	36	3.6	0.15	0.18	96.43	97.22
7	1	8	82	HI	92	101	10	11	0	0	10	11	0.0	0.11	0.11	100.00	100.00
8	8	8	82	MED	33	91	14	15	0	0	14	15	0.0	0.17	0.16	100.00	100.00
9	15	8	82	MED	57	63	3	4	1	1	4	5	3.6	0.07	0.08	75.00	80.00
10	22	8	82	MED	27	50	3	4	0	0	3	4	0.0	0.11	0.13	100.00	100.00
11	29	8	82	MED	16	18	2	2	0	0	2	2	0.0	0.13	0.11	100.00	100.00
12	5	9	82	MED	13	20	5	6	0	0	5	6	0.0	0.28	0.30	100.00	100.00
TOTAL				MED	1306	1435	274	308	7	7	281	315	7.0	0.22	0.22	97.51	97.78

4604220  
WESTERN BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	JA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	8	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	30	40	0	1	0	0	0	1	0.0	0.0	0.02	0.0	100.00
3	4	7	82	HI	32	48	0	2	0	0	0	2	0.0	0.0	0.04	0.0	100.00
4	11	7	82	MED	37	57	0	2	0	0	0	2	0.0	0.0	0.04	0.0	100.00
5	18	7	82	MED	27	52	1	3	0	0	1	3	0.0	0.04	0.06	100.00	100.00
6	25	7	82	HI	48	90	6	12	0	0	6	12	0.0	0.13	0.13	100.00	100.00
7	1	8	82	MED	48	94	5	10	0	0	5	10	0.0	0.10	0.11	100.00	100.00
8	8	8	82	MED	40	80	3	6	0	0	3	6	0.0	0.07	0.07	100.00	100.00
9	15	8	82	MED	38	75	2	4	0	0	2	4	0.0	0.05	0.05	100.00	100.00
10	22	8	82	MED	36	72	2	3	1	1	3	4	0.0	0.08	0.06	66.67	75.00
11	29	8	82	MED	30	45	0	2	0	0	0	2	0.0	0.0	0.04	0.0	100.00
12	5	9	82	HI	12	16	2	3	0	0	2	3	0.0	0.17	0.19	100.00	100.00
TOTAL				MED	386	683	21	48	1	1	22	49	0.0	0.06	0.07	95.45	97.96

4604560  
PARSONS POND RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	JA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	6	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	19	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	14	21	0	1	0	0	0	1	0.0	0.0	0.05	0.0	100.00
4	11	7	82	MED	23	33	0	1	0	0	0	1	0.0	0.0	0.03	0.0	100.00
5	18	7	82	MED	22	32	2	4	0	0	2	4	0.0	0.09	0.13	100.00	100.00
6	25	7	82	HI	29	55	3	6	0	0	3	6	0.0	0.10	0.11	100.00	100.00
7	1	8	82	MED	27	52	5	8	0	0	5	8	0.0	0.19	0.15	100.00	100.00
8	8	8	82	MED	29	50	3	6	0	0	3	6	0.0	0.11	0.12	100.00	100.00
9	15	8	82	MED	13	22	1	2	0	0	1	2	0.0	0.07	0.09	100.00	100.00
10	22	8	82	MED	16	24	1	3	0	0	1	3	0.0	0.06	0.13	100.00	100.00
11	29	8	82	MED	21	30	0	2	0	0	0	2	0.0	0.0	0.07	0.0	100.00
12	5	9	82	HI	6	12	1	2	0	0	1	2	0.0	0.13	0.17	100.00	100.00
TOTAL				MED	229	364	16	35	0	0	16	35	0.0	0.07	0.10	100.00	100.00

460462  
PORTLAND CREEK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	49	54	6	7	0	0	6	7	1.8	0.12	0.13	100.00	100.00
2	27	6	82	HI	206	241	13	17	1	1	14	18	4.8	0.07	0.07	92.86	94.44
3	4	7	82	HI	253	295	10	15	3	3	13	18	5.0	0.05	0.06	76.92	83.33
4	11	7	82	HI	448	503	46	54	3	5	49	59	5.7	0.11	0.12	93.88	91.53
5	18	7	82	MED	432	488	65	75	6	7	71	82	4.3	0.16	0.17	91.55	91.46
6	25	7	82	MED	364	408	48	60	3	3	51	63	6.8	0.14	0.15	94.12	95.24
7	1	8	82	MED	273	316	43	52	1	1	44	53	3.6	0.16	0.17	97.73	98.11
8	8	8	82	MED	237	276	37	45	2	2	39	47	4.1	0.16	0.17	94.87	95.74
9	15	8	82	LOW	290	328	27	33	2	2	29	35	4.3	0.10	0.11	93.10	94.29
10	22	8	82	LOW	147	173	19	24	1	1	20	25	3.4	0.14	0.14	95.00	96.00
11	29	8	82	MED	186	222	20	24	2	2	22	26	4.3	0.12	0.12	90.91	92.31
12	5	9	82	HI	37	37	4	4	1	1	5	5	9.1	0.14	0.14	80.00	80.00
TOTAL				MED	2922	3341	338	410	25	28	363	438	9.1	0.12	0.13	93.11	93.61

470474  
RIVER OF PONDS

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	15	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	52	60	6	6	0	0	6	6	0.0	0.12	0.10	100.00	100.00
3	4	7	82	HI	160	188	50	58	1	1	51	59	3.6	0.31	0.31	98.04	98.31
4	11	7	82	HI	342	360	137	154	2	2	139	156	4.5	0.41	0.41	98.56	98.72
5	18	7	82	MED	443	475	215	239	4	4	219	243	5.2	0.49	0.51	98.17	98.35
6	25	7	82	MED	483	530	279	307	2	2	281	309	3.6	0.58	0.58	99.29	99.35
7	1	8	82	MED	381	429	166	194	1	1	167	195	5.9	0.44	0.45	99.40	99.49
8	8	8	82	MED	325	365	149	171	0	0	149	171	0.0	0.46	0.47	100.00	100.00
9	15	8	82	MED	189	222	64	82	0	0	64	82	0.0	0.34	0.37	100.00	100.00
10	22	8	82	LOW	117	138	26	34	0	0	26	34	0.0	0.22	0.25	100.00	100.00
11	29	8	82	LOW	79	94	22	28	0	0	22	28	0.0	0.28	0.30	100.00	100.00
12	5	9	82	MED	27	36	10	15	0	0	10	15	0.0	0.37	0.42	100.00	100.00
TOTAL				MED	2619	2932	1124	1288	10	10	1134	1298	5.9	0.43	0.44	99.12	99.23

4704750  
LITTLE BROOK POND

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	29	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	51	57	0	1	0	0	0	1	0.0	0.0	0.02	0.0	100.00
6	25	7	82	LOW	84	94	10	13	0	0	10	13	1.8	0.12	0.14	100.00	100.00
7	1	8	82	MED	59	69	5	6	0	0	5	6	1.8	0.08	0.09	100.00	100.00
8	8	8	82	LOW	77	87	10	11	0	0	10	11	1.8	0.13	0.13	100.00	100.00
9	15	8	82	LOW	119	134	24	26	0	0	24	26	2.3	0.20	0.19	100.00	100.00
10	22	8	82	LOW	39	47	7	8	0	0	7	8	2.3	0.18	0.17	100.00	100.00
11	29	8	82	LOW	35	43	6	8	0	0	6	8	2.3	0.17	0.19	100.00	100.00
12	5	9	82	MED	12	15	2	3	0	0	2	3	2.3	0.17	0.20	100.00	100.00
TOTAL				MED	514	590	64	76	0	0	64	76	2.3	0.12	0.13	100.00	100.00

4704800  
TORRENT RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	1	6	82	MED	219	239	104	119	1	1	105	120	5.9	0.48	0.50	99.05	99.17
2	8	6	82	MED	159	173	44	52	0	0	44	52	0.0	0.23	0.30	100.00	100.00
3	15	6	82	MED	55	65	7	10	1	1	8	11	2.9	0.15	0.17	87.50	90.91
4	22	6	82	MED	35	41	3	3	0	0	2	3	0.0	0.06	0.07	100.00	100.00
5	29	6	82	MED	14	17	2	3	0	0	2	3	0.0	0.14	0.18	100.00	100.00
6	5	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	481	535	159	187	2	2	161	189	5.9	0.33	0.35	98.76	98.94

4704840  
EAST RIVER (BIG EAST RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	10	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	83	93	0	0	1	1	1	1	4.1	0.01	0.01	0.0	0.0
3	4	7	82	MED	108	120	5	5	0	0	5	5	1.6	0.05	0.04	100.00	100.00
4	11	7	82	MED	149	159	14	14	2	2	16	16	4.1	0.11	0.10	87.50	87.50
5	18	7	82	MED	145	185	40	45	0	2	40	47	2.3	0.28	0.25	100.00	95.74
6	25	7	82	MED	157	187	42	47	0	0	42	47	2.3	0.27	0.25	100.00	100.00
7	1	8	82	MED	90	130	13	21	0	0	13	21	2.0	0.14	0.16	100.00	100.00
8	8	8	82	MED	68	83	11	13	0	0	11	13	2.0	0.16	0.16	100.00	100.00
9	15	8	82	MED	33	58	6	9	0	0	6	9	2.3	0.18	0.16	100.00	100.00
10	22	8	82	MED	13	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	3	7	1	1	0	0	1	1	2.3	0.33	0.14	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	359	1063	132	155	3	5	135	160	4.1	0.16	0.15	97.78	96.88

4805030  
CASTORS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	12	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	71	76	2	2	0	0	2	2	1.3	0.03	0.03	100.00	100.00
3	4	7	82	HI	176	185	30	33	0	0	30	33	2.3	0.17	0.18	100.00	100.00
4	11	7	82	HI	266	336	82	117	7	10	89	127	5.4	0.33	0.38	92.13	92.13
5	18	7	82	MED	284	314	175	190	16	19	191	209	5.9	0.67	0.67	91.62	90.91
6	25	7	82	MED	149	159	88	93	3	4	91	97	3.6	0.61	0.61	96.70	95.88
7	1	8	82	MED	99	108	67	77	4	6	71	83	3.2	0.72	0.77	94.37	92.77
8	8	8	82	MED	123	131	62	70	1	2	63	72	3.2	0.51	0.55	98.41	97.22
9	15	8	82	LOW	89	97	42	48	1	2	43	50	3.2	0.48	0.52	97.67	96.00
10	22	8	82	MED	64	67	13	15	1	2	14	17	3.2	0.22	0.25	92.86	88.24
11	29	8	82	HI	24	26	2	4	0	0	2	4	2.3	0.08	0.14	100.00	100.00
12	5	9	82	HI	5	6	1	2	0	0	1	2	0.0	0.20	0.33	100.00	100.00
TOTAL				HI	1362	1534	564	651	33	45	597	696	5.9	0.44	0.45	94.47	93.53

490517  
ST. GENEVIEVE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	28	37	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	144	157	13	13	0	0	13	13	1.8	0.09	0.08	100.00	100.00
3	4	7	82	HI	215	235	158	168	2	2	160	170	4.5	0.74	0.72	98.75	98.82
4	11	7	82	MED	266	298	209	239	4	4	213	243	4.5	0.79	0.82	98.12	98.35
5	18	7	82	MED	317	342	237	265	0	0	237	265	2.3	0.75	0.77	100.00	100.00
6	25	7	82	MED	280	305	226	248	1	1	227	249	5.4	0.81	0.82	99.56	99.60
7	1	8	82	MED	205	227	105	121	0	0	105	121	1.8	0.51	0.53	100.00	100.00
8	8	8	82	LOW	152	175	75	90	0	0	75	90	1.8	0.49	0.51	100.00	100.00
9	15	8	82	MED	60	60	20	20	0	0	20	20	1.8	0.33	0.33	100.00	100.00
10	22	8	82	LOW	32	32	14	14	0	0	14	14	1.8	0.44	0.44	100.00	100.00
11	29	8	82	LOW	25	25	13	13	0	0	13	13	1.8	0.52	0.52	100.00	100.00
12	5	9	82	LOW	8	8	3	3	0	0	3	3	1.8	0.38	0.38	100.00	100.00
TOTAL				LOW	1734	1901	1073	1194	7	7	1080	1201	5.4	0.62	0.63	99.35	99.42

4905190  
WEST RIVER (WESTERN ARM BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	12	14	1	1	0	0	1	1	1.1	0.08	0.07	100.00	100.00
3	4	7	82	HI	25	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	16	16	6	6	0	0	6	6	1.8	0.38	0.38	100.00	100.00
5	18	7	82	MED	47	53	3	5	0	0	3	5	0.0	0.06	0.09	100.00	100.00
6	25	7	82	MED	129	139	45	45	0	0	45	45	1.8	0.35	0.32	100.00	100.00
7	1	8	82	MED	74	74	13	13	0	0	13	13	1.8	0.18	0.18	100.00	100.00
8	8	8	82	LOW	50	55	3	3	0	0	3	3	1.6	0.06	0.05	100.00	100.00
9	15	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	353	379	71	73	0	0	71	73	1.6	0.20	0.19	100.00	100.00



4905200  
EAST RIVER (EASTERN ARM BROOK)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	7	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	10	10	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	LOW	5	7	1	2	0	0	1	2	1.8	0.20	0.29	100.00	100.00
9	15	8	82	MED	10	12	3	4	0	0	3	4	1.8	0.30	0.33	100.00	100.00
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	4	4	2	2	0	0	2	2	0.0	0.50	0.50	100.00	100.00
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	36	41	6	8	0	0	6	8	1.8	0.17	0.20	100.00	100.00

4905460  
BIG BROOK

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	12	14	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	41	52	16	21	0	0	16	21	2.3	0.39	0.40	100.00	100.00
4	11	7	82	MED	50	66	32	37	0	0	32	37	2.0	0.57	0.56	100.00	100.00
5	18	7	82	MED	82	93	36	44	0	0	36	44	0.0	0.44	0.47	100.00	100.00
6	25	7	82	MED	72	84	23	29	1	1	24	30	3.0	0.33	0.36	95.83	96.67
7	1	8	82	MED	66	78	50	57	0	0	50	57	1.8	0.76	0.73	100.00	100.00
8	8	8	82	LOW	43	61	18	36	0	0	18	36	1.8	0.42	0.59	100.00	100.00
9	15	8	82	LOW	17	17	6	6	1	1	7	7	4.3	0.41	0.41	85.71	85.71
10	22	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	392	469	181	230	2	2	183	232	4.3	0.47	0.49	98.91	99.14



Labrador



5000120  
FORTEAU BROOK (RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	24	30	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	51	59	6	6	0	0	6	6	2.3	0.12	0.10	100.00	100.00
4	11	7	82	HI	129	141	66	71	4	4	70	75	5.0	0.54	0.53	94.29	94.67
5	18	7	82	MED	215	230	134	142	4	4	138	146	6.4	0.64	0.63	97.10	97.26
6	25	7	82	MED	204	216	114	124	2	2	116	126	4.5	0.57	0.58	98.28	98.41
7	1	8	82	HI	135	150	72	80	2	2	74	82	2.7	0.55	0.55	97.30	97.56
8	8	8	82	MED	125	135	35	40	2	2	37	42	4.5	0.30	0.31	94.59	95.24
9	15	8	82	LOW	76	88	27	30	0	0	27	30	1.8	0.35	0.34	100.00	100.00
10	22	8	82	LOW	53	58	22	24	0	0	22	24	2.3	0.42	0.41	100.00	100.00
11	29	8	82	MED	41	46	11	13	0	0	11	13	2.0	0.27	0.28	100.00	100.00
12	5	9	82	MED	49	53	17	19	0	0	17	19	2.3	0.35	0.36	100.00	100.00
13	12	9	82	MED	35	42	6	8	0	0	6	8	1.8	0.16	0.19	100.00	100.00
14	19	9	82	MED	9	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1151	1259	510	557	14	14	524	571	6.4	0.46	0.45	97.33	97.55

5000360  
PINWARE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	42	54	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	216	236	8	11	17	21	25	32	5.2	0.12	0.14	32.00	34.38
4	11	7	82	HI	311	326	66	72	30	32	96	104	7.3	0.31	0.32	68.75	69.23
5	18	7	82	MED	353	373	171	181	7	8	178	189	5.4	0.50	0.51	96.07	95.77
6	25	7	82	MED	230	246	151	161	0	0	151	161	2.9	0.64	0.65	100.00	100.00
7	1	8	82	MED	225	235	138	146	0	1	138	147	4.5	0.61	0.63	100.00	99.32
8	8	8	82	MED	256	272	97	103	3	3	100	106	5.4	0.39	0.39	97.00	97.17
9	15	8	82	LOW	118	123	16	18	1	1	17	19	3.6	0.14	0.15	94.12	94.74
10	22	8	82	LOW	59	63	9	11	0	0	9	11	1.8	0.15	0.17	100.00	100.00
11	29	8	82	LOW	19	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	32	34	4	4	0	0	4	4	1.6	0.13	0.12	100.00	100.00
13	12	9	82	MED	18	20	3	4	0	0	3	4	1.8	0.17	0.20	100.00	100.00
14	19	9	82	MED	10	12	2	3	0	0	2	3	1.8	0.20	0.25	100.00	100.00
TOTAL				MED	1400	2020	665	714	58	66	723	780	7.3	0.38	0.39	91.98	91.54

5101520  
TROUT RIVER (ST. MARY'S RIVER)

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82														NO PATROL
2	27	6	82	HI	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	15	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	HI	34	34	2	2	1	1	3	3	3.6	0.09	0.09	66.67	66.67
5	18	7	82	MED	43	43	22	22	0	0	22	22	1.8	0.51	0.51	100.00	100.00
6	25	7	82	MED	51	51	34	34	0	0	34	34	1.6	0.67	0.67	100.00	100.00
7	1	8	82	HI	37	37	21	21	0	0	21	21	1.8	0.57	0.57	100.00	100.00
8	8	8	82	HI	25	25	6	6	0	0	6	6	1.8	0.24	0.24	100.00	100.00
9	15	8	82	MED	7	7	1	1	0	0	1	1	1.8	0.14	0.14	100.00	100.00
10	22	8	82	MED	2	2	1	1	0	0	1	1	1.4	0.50	0.50	100.00	100.00
11	29	8	82	MED	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	12	9	82														NO PATROL
14	19	9	82														NO PATROL
TOTAL				HI	224	224	87	87	1	1	88	88	3.6	0.39	0.39	98.86	98.86

5102500  
ALEXIS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	12	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	19	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

5102880  
SHINNEYS WATERS

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	12	12	7	7	0	0	7	7	1.8	0.58	0.58	100.00	100.00
6	25	7	82	MED	4	4	0	0	6	6	6	6	0.0	1.50	1.50	0.0	0.0
7	1	8	82	MED	2	2	0	0	4	4	4	4	0.0	2.00	2.00	0.0	0.0
8	8	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	3	3	4	4	0	0	4	4	0.0	1.33	1.33	100.00	100.00
10	22	8	82	MED	2	2	3	3	0	0	3	3	0.0	1.50	1.50	100.00	100.00
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	12	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	19	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	23	23	14	14	10	10	24	24	1.8	1.04	1.04	58.33	58.33

5102820  
GILBERT RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	18	18	7	7	0	0	7	7	2.2	0.39	0.39	100.00	100.00
6	25	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	3	3	6	6	0	0	6	6	0.0	2.00	2.00	100.00	100.00
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	12	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	19	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	21	21	13	13	0	0	13	13	2.2	0.62	0.62	100.00	100.00

5104500  
HAWKE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
8	8	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
9	15	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
10	22	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	12	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	19	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

5205820  
SANDHILL RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	4	7	82	MED	54	54	33	33	6	6	39	39	3.6	0.72	0.72	84.62	84.62
2	11	7	82	MED	60	60	14	14	7	7	21	21	3.2	0.35	0.35	66.67	66.67
3	18	7	82	MED	46	48	48	48	1	1	49	49	3.4	1.02	1.02	97.96	97.96
4	25	7	82	LOW	60	60	112	112	4	4	116	116	4.5	1.93	1.93	96.55	96.55
5	1	8	82	LOW	50	50	93	93	2	2	95	95	5.0	1.90	1.90	97.89	97.89
6	8	8	82	LOW	46	48	34	34	2	4	36	38	0.0	0.75	0.79	94.44	89.47
7	15	8	82	LOW	62	62	36	36	0	0	36	36	1.8	0.58	0.58	100.00	100.00
TOTAL				LOW	382	382	370	370	22	24	392	394	5.4	1.03	1.03	94.39	93.91

5206820  
EAGLE RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	80	80	3	6	1	1	4	7	5.7	0.05	0.09	75.00	85.71
4	11	7	82	HI	91	91	3	3	3	3	6	6	5.4	0.07	0.07	50.00	50.00
5	18	7	82	MED	216	216	47	54	30	30	77	84	6.0	0.36	0.39	61.04	64.29
6	25	7	82	MED	316	316	288	482	41	45	329	527	5.7	1.04	1.67	87.54	91.46
7	1	8	82	MED	288	288	237	445	13	15	250	460	5.0	0.87	1.60	94.80	96.74
8	8	8	82	LOW	129	129	112	233	11	11	123	244	5.4	0.95	1.89	91.06	95.49
9	15	8	82	LOW	177	177	102	165	2	3	104	168	0.0	0.59	0.95	98.08	98.21
10	22	8	82	LOW	165	165	56	66	6	6	62	72	5.7	0.38	0.44	90.32	91.67
11	29	8	82	LOW	115	115	29	41	10	10	39	51	3.4	0.34	0.44	74.36	80.39
12	5	9	82	HI	53	53	14	14	2	2	16	16	6.3	0.30	0.30	87.50	87.50
13	12	9	82	MED	10	10	6	6	1	1	7	7	0.0	0.70	0.70	85.71	85.71
14	19	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	1640	1640	897	1515	120	127	1017	1642	6.3	0.62	1.00	88.20	92.27

5214280  
ST MICHAEL'S RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	13	7	82	HI	6	6	0	0	6	6	6	6	4.5	1.00	1.00	0.0	0.0
2	25	7	82	MED	20	20	5	5	3	3	8	8	3.2	0.40	0.40	62.50	62.50
3	1	8	82	MED	26	26	13	13	2	2	15	15	2.2	0.58	0.58	86.67	86.67
4	8	8	82	MED	37	37	32	32	5	5	37	37	3.2	1.00	1.00	86.49	86.49
TOTAL				MED	89	89	50	50	16	16	66	66	4.5	0.74	0.74	75.76	75.76

5315040  
BIG RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	HI	42	42	1	1	4	4	5	5	4.8	0.12	0.12	20.00	20.00
6	25	7	82	MED	45	45	35	75	11	22	46	97	4.5	1.02	2.16	76.09	77.32
7	1	8	82	LOW	49	49	12	142	21	35	35	177	5.0	0.67	3.61	36.36	80.23
8	8	8	82	LOW	43	43	26	159	13	17	39	176	4.5	0.91	4.09	66.67	90.34
9	15	8	82	LOW	56	56	59	139	16	20	75	159	4.0	1.34	2.84	78.67	87.42
10	22	8	82	LOW	56	56	29	59	4	4	33	63	3.6	0.59	1.13	87.88	93.65
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	12	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	19	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	291	291	162	575	69	102	231	677	5.0	0.79	2.33	70.13	84.93

5319220  
HUNT RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	HI	51	51	27	35	64	71	91	109	4.0	1.12	1.55	29.67	34.86
6	25	7	82	MED	73	73	31	31	52	52	33	33	4.3	1.14	1.14	37.35	37.35
7	1	8	82	MED	56	56	44	50	28	31	72	81	4.5	1.29	1.45	61.11	61.73
8	8	8	82	MED	25	28	6	6	41	41	47	47	4.3	1.68	1.68	12.77	12.77
9	15	8	82	MED	63	65	44	44	41	41	85	85	4.5	1.31	1.31	51.76	51.76
10	22	8	82	LOW	11	11	6	6	13	13	19	19	5.4	1.73	1.73	31.58	31.58
11	29	8	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	12	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	19	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				HI	314	314	158	175	239	249	397	424	5.4	1.26	1.35	39.80	41.27


5319480  
FLOWERS RIVER

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	RUD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE		
	DA	MO	YR		OGS.	TOT.	OGS.	TOT.	OGS.	TOT.	OGS.	TOT.		OGS.	TOT.	OGS.	TOT.	
1	20	6	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
7	1	8	82	LOW	13	13	2	2	2	2	4	4	5.4	0.31	0.31	50.00	50.00	50.00
8	2	8	82	MED	30	30	4	7	4	5	8	12	3.6	0.27	0.40	50.00	58.33	50.00
9	15	8	82	MED	35	35	12	12	4	4	16	16	0.0	0.46	0.46	75.00	75.00	75.00
10	22	8	82	HI	39	39	11	11	1	1	12	12	0.0	0.31	0.31	91.67	91.67	91.67
11	29	8	82	MED	20	20	2	2	0	0	2	2	2.7	0.10	0.10	100.00	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
13	12	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
14	19	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	137	137	31	34	11	12	42	46	5.4	0.31	0.34	73.81	73.91	73.91



Statistical Section



## STATISTICAL SECTION 1

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		ORS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	10	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	37	50	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	60	70	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	58	72	5	7	0	0	5	7	0.0	0.09	0.10	100.00	100.00
5	18	7	82	MED	67	81	10	12	0	0	10	12	0.0	0.15	0.15	100.00	100.00
6	25	7	82	MED	70	81	11	14	0	0	11	14	1.8	0.16	0.17	100.00	100.00
7	1	8	82	MED	37	49	6	11	0	0	6	11	0.0	0.16	0.22	100.00	100.00
8	8	8	82	LOW	31	42	3	5	0	0	3	5	0.0	0.10	0.12	100.00	100.00
9	15	8	82	LOW	20	28	1	3	0	0	1	3	0.0	0.05	0.11	100.00	100.00
10	22	8	82	LOW	13	18	0	1	0	0	0	1	0.0	0.0	0.06	0.0	100.00
11	29	8	82	LOW	10	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	416	522	36	53	0	0	36	53	1.8	0.09	0.10	100.00	100.00

## STATISTICAL SECTION 3

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		ORS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	2	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	8	16	10	16	0	0	10	16	0.0	1.25	1.00	100.00	100.00
4	11	7	82	MED	35	50	33	47	0	0	33	47	0.0	0.94	0.94	100.00	100.00
5	18	7	82	MED	29	45	28	48	0	0	28	48	0.0	0.97	1.07	100.00	100.00
6	25	7	82	MED	32	45	27	47	0	0	27	47	0.0	0.84	1.04	100.00	100.00
7	1	8	82	MED	38	60	55	85	0	0	55	85	0.0	1.45	1.42	100.00	100.00
8	8	8	82	LOW	37	57	31	58	0	0	31	58	0.0	0.84	1.02	100.00	100.00
9	15	8	82	LOW	22	37	15	29	0	0	15	29	0.0	0.68	0.78	100.00	100.00
10	22	8	82	LOW	16	32	11	23	0	0	11	23	0.0	0.69	0.72	100.00	100.00
11	29	8	82	LOW	4	16	2	12	0	0	2	12	0.0	0.50	0.75	100.00	100.00
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	223	366	212	365	0	0	212	365	0.0	0.95	1.00	100.00	100.00

## STATISTICAL SECTION 4

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		ORS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	57	70	3	3	0	0	3	3	1.4	0.05	0.04	100.00	100.00
2	27	6	82	HI	240	324	99	126	11	15	110	141	4.5	0.46	0.44	90.00	89.36
3	4	7	82	MED	671	780	669	736	41	46	710	782	3.6	1.06	1.00	94.23	94.12
4	11	7	82	MED	466	582	362	434	11	14	373	448	3.2	0.80	0.77	97.05	96.88
5	18	7	82	MED	347	462	252	312	9	13	261	325	2.9	0.75	0.70	94.55	96.00
6	25	7	82	MED	186	268	145	188	0	0	145	188	2.3	0.78	0.70	100.00	100.00
7	1	8	82	MED	153	244	93	134	0	0	93	134	2.3	0.61	0.55	100.00	100.00
8	8	8	82	MED	146	214	86	123	0	0	86	123	2.3	0.59	0.57	100.00	100.00
9	15	8	82	MED	125	172	57	74	0	0	57	74	1.8	0.46	0.43	100.00	100.00
10	22	8	82	MED	83	121	35	48	0	0	35	48	1.8	0.42	0.40	100.00	100.00
11	29	8	82	MED	54	73	22	30	0	0	22	30	1.8	0.41	0.41	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	2528	3310	1823	2208	72	88	1895	2296	4.5	0.75	0.69	94.20	96.17

## STATISTICAL SECTION 5

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		ORS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	11	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	17	27	2	2	0	0	2	2	1.6	0.12	0.07	100.00	100.00
4	11	7	82	LOW	19	29	6	11	0	0	6	11	0.0	0.32	0.38	100.00	100.00
5	18	7	82	LOW	0	20	0	8	0	0	0	8	0.0	0.0	0.40	0.0	100.00
6	25	7	82	LOW	20	30	5	9	0	0	5	9	0.0	0.25	0.30	100.00	100.00
7	1	8	82	MED	16	36	5	15	0	0	5	15	0.0	0.31	0.42	100.00	100.00
8	8	8	82	MED	11	21	3	7	0	0	3	7	0.0	0.27	0.33	100.00	100.00
9	15	8	82	LOW	17	27	5	8	0	0	5	8	0.0	0.29	0.30	100.00	100.00
10	22	8	82	LOW	7	7	1	1	0	0	1	1	0.0	0.14	0.14	100.00	100.00
11	29	8	82	LOW	7	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	125	231	27	61	0	0	27	61	1.6	0.22	0.26	100.00	100.00

## STATISTICAL SECTION 6

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		̄ GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	MED	100	120	2	2	0	0	2	2	0.0	0.02	0.02	100.00	100.00
2	27	6	82	MED	408	477	29	36	1	1	30	37	3.6	0.07	0.08	94.67	97.30
3	4	7	82	MED	840	964	245	295	2	2	247	297	3.6	0.29	0.31	90.19	99.37
4	11	7	82	MED	1029	1192	349	425	0	0	349	425	2.0	0.34	0.36	100.00	100.00
5	18	7	82	MED	861	993	484	572	0	0	484	572	2.3	0.56	0.58	100.00	100.00
6	25	7	82	MED	1096	1181	494	652	0	0	494	652	2.3	0.49	0.55	100.00	100.00
7	1	8	82	MED	794	989	361	513	1	1	362	514	2.3	0.46	0.52	99.72	99.81
8	8	8	82	MED	482	615	197	304	0	0	197	304	2.3	0.41	0.49	100.00	100.00
9	15	8	82	MED	386	467	152	193	0	0	152	193	2.3	0.39	0.41	100.00	100.00
10	22	8	82	MED	216	267	87	116	0	0	87	116	2.0	0.40	0.43	100.00	100.00
11	29	8	82	MED	160	200	58	78	0	0	58	78	2.3	0.36	0.39	100.00	100.00
12	5	9	82	MED	17	27	3	5	0	0	3	5	1.6	0.18	0.19	100.00	100.00
TOTAL				MED	6299	7492	2461	3191	4	4	2465	3195	3.6	0.39	0.43	90.84	99.87

## STATISTICAL SECTION 7

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		̄ GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	MED	93	113	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	1454	1587	126	141	6	6	132	147	2.5	0.09	0.09	95.45	95.92
3	4	7	82	MED	1927	2077	350	416	14	14	364	430	2.5	0.19	0.21	94.15	96.74
4	11	7	82	MED	2461	2674	544	654	5	8	549	662	2.0	0.22	0.25	90.09	98.79
5	18	7	82	MED	2225	2499	750	928	6	8	756	936	2.7	0.34	0.37	90.21	99.15
6	25	7	82	MED	2294	2511	642	836	4	6	646	842	2.7	0.28	0.34	90.34	99.29
7	1	8	82	MED	1534	1743	472	719	3	3	475	722	2.5	0.31	0.41	90.37	99.59
8	8	8	82	MED	947	1096	182	262	0	0	182	262	2.5	0.19	0.24	100.00	100.00
9	15	8	82	MED	404	756	101	170	2	2	103	172	3.6	0.17	0.23	90.06	98.44
10	22	8	82	MED	327	419	30	56	0	0	30	56	1.8	0.09	0.13	100.00	100.00
11	29	8	82	MED	106	144	15	25	0	0	15	25	1.8	0.14	0.17	100.00	100.00
12	5	9	82	MED	15	21	3	5	0	0	3	5	1.6	0.20	0.24	100.00	100.00
TOTAL				MED	13087	15640	3215	4212	40	47	3255	4259	3.6	0.23	0.27	94.77	98.90

## STATISTICAL SECTION 9

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		̄ GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	392	417	35	41	0	0	35	41	2.2	0.09	0.10	100.00	100.00
3	4	7	82	MED	713	995	88	107	0	1	88	108	2.0	0.12	0.11	100.00	99.07
4	11	7	82	MED	1393	1784	241	292	5	9	246	301	4.5	0.18	0.17	97.97	97.01
5	18	7	82	MED	1235	1607	352	470	17	27	369	497	5.0	0.30	0.31	95.39	94.57
6	25	7	82	MED	885	1225	282	372	24	32	306	404	4.5	0.35	0.33	92.16	92.04
7	1	8	82	HI	784	1017	261	418	8	13	269	431	6.8	0.34	0.42	97.03	96.94
8	8	8	82	MED	725	923	264	375	34	49	298	424	6.4	0.41	0.46	84.50	88.44
9	15	8	82	MED	541	749	167	284	15	26	182	310	5.4	0.34	0.41	91.76	91.61
10	22	8	82	LOW	499	570	79	143	9	42	88	185	3.2	0.18	0.37	90.77	77.30
11	29	8	82	LOW	334	424	39	50	6	8	45	58	3.6	0.13	0.14	84.67	86.21
12	5	9	82	MED	48	86	11	18	0	0	11	18	1.4	0.23	0.21	100.00	100.00
TOTAL				MED	7549	9797	1819	2570	118	207	1937	2777	6.8	0.26	0.28	91.91	92.55

## STATISTICAL SECTION 11

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		̄ GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	MED	14	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	606	651	25	32	4	4	29	36	3.4	0.05	0.06	84.21	88.89
3	4	7	82	MED	788	842	124	141	8	8	132	149	4.1	0.17	0.18	93.94	94.63
4	11	7	82	MED	1112	1164	271	288	7	7	278	295	3.2	0.25	0.25	97.44	97.61
5	18	7	82	MED	1175	1232	379	409	3	4	382	413	3.2	0.33	0.34	90.21	99.03
6	25	7	82	MED	1367	1434	416	449	7	8	423	457	3.8	0.31	0.32	94.35	98.25
7	1	8	82	MED	982	1031	310	331	4	5	314	336	4.5	0.32	0.33	90.73	98.51
8	8	8	82	MED	709	752	226	245	3	3	229	248	3.6	0.32	0.33	90.69	94.79
9	15	8	82	MED	484	524	148	158	2	2	150	160	3.2	0.31	0.31	90.67	98.75
10	22	8	82	MED	310	338	106	113	3	4	109	117	3.6	0.35	0.35	97.75	96.50
11	29	8	82	MED	175	190	35	40	0	0	35	40	2.0	0.20	0.21	100.00	100.00
12	5	9	82	MED	38	40	4	4	0	0	4	4	0.0	0.11	0.10	100.00	100.00
TOTAL				MED	7760	8214	2044	2210	41	45	2085	2255	4.5	0.27	0.27	90.03	98.00

## STATISTICAL SECTION 12

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		̄ GRILSE	
	DA	MO	YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	LOW	18	24	2	2	0	0	2	2	1.1	0.11	0.08	100.00	100.00
2	27	6	82	MED	89	99	2	3	0	0	2	3	1.4	0.02	0.03	100.00	100.00
3	4	7	82	MED	125	139	10	13	0	0	10	13	2.0	0.08	0.09	100.00	100.00
4	11	7	82	MED	291	320	39	44	3	4	42	48	2.7	0.14	0.15	92.86	91.47
5	18	7	82	LOW	239	263	31	36	1	1	32	37	2.9	0.13	0.14	94.88	97.30
6	25	7	82	LOW	237	262	24	28	2	3	26	31	2.7	0.11	0.12	92.31	90.32
7	1	8	82	HI	201	224	31	37	0	0	31	37	2.3	0.15	0.17	100.00	100.00
8	8	8	82	MED	173	193	23	28	0	0	23	28	1.8	0.13	0.15	100.00	100.00
9	15	8	82	LOW	100	111	12	16	0	0	12	16	1.8	0.12	0.14	100.00	100.00
10	22	8	82	MED	44	51	10	12	0	0	10	12	2.3	0.23	0.24	100.00	100.00
11	29	8	82	LOW	30	35	3	4	0	0	3	4	1.8	0.10	0.11	100.00	100.00
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	1547	1721	187	223	6	8	193	231	2.9	0.12	0.13	94.89	96.54

## STATISTICAL SECTION 15

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		̄ GRILSE	
	DA	MO	YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	LOW	58	73	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	62	82	1	2	0	0	1	2	0.0	0.02	0.02	100.00	100.00
3	4	7	82	MED	88	108	7	9	0	0	7	9	1.6	0.08	0.08	100.00	100.00
4	11	7	82	MED	90	115	10	18	0	0	10	18	2.0	0.11	0.15	100.00	100.00
5	18	7	82	LOW	145	170	15	22	0	0	15	22	1.8	0.10	0.13	100.00	100.00
6	25	7	82	MED	119	149	14	21	0	0	14	21	1.8	0.12	0.14	100.00	100.00
7	1	8	82	MED	156	196	9	18	0	0	9	18	1.8	0.06	0.09	100.00	100.00
8	8	8	82	MED	89	104	10	13	0	0	10	13	1.4	0.11	0.13	100.00	100.00
9	15	8	82	LOW	68	88	7	14	0	0	7	14	1.6	0.10	0.14	100.00	100.00
10	22	8	82	MED	33	42	4	6	0	0	4	6	1.6	0.12	0.14	100.00	100.00
11	29	8	82	MED	32	37	3	3	0	0	3	3	1.4	0.09	0.08	100.00	100.00
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	940	1164	80	126	0	0	80	126	2.0	0.09	0.11	100.00	100.00

## STATISTICAL SECTION 16

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		̄ GRILSE	
	DA	MO	YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	MED	9	19	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	38	47	5	6	0	0	5	6	2.3	0.13	0.13	100.00	100.00
3	4	7	82	HI	53	68	8	10	1	1	9	11	2.7	0.17	0.16	88.89	90.91
4	11	7	82	LOW	91	109	12	18	1	1	13	19	2.9	0.14	0.17	92.31	94.74
5	18	7	82	MED	70	88	14	19	2	4	16	23	2.7	0.23	0.26	87.50	82.61
6	25	7	82	LOW	49	61	9	14	2	4	11	18	2.7	0.22	0.30	81.82	77.78
7	1	8	82	MED	20	30	5	10	0	0	5	10	2.3	0.25	0.33	100.00	100.00
8	8	8	82	MED	45	56	8	12	2	4	10	16	2.7	0.22	0.28	80.00	75.00
9	15	8	82	LOW	17	23	3	5	0	0	3	5	2.3	0.18	0.22	100.00	100.00
10	22	8	82	LOW	26	38	6	12	0	0	6	12	2.3	0.23	0.32	100.00	100.00
11	29	8	82	LOW	19	24	4	6	0	0	4	6	2.3	0.21	0.25	100.00	100.00
12	5	9	82	MED	24	33	3	6	0	0	3	6	2.2	0.13	0.18	100.00	100.00
TOTAL				LOW	461	596	77	118	8	14	85	132	2.9	0.19	0.22	90.59	89.39

## STATISTICAL SECTION 17

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		̄ GRILSE	
	DA	MO	YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	LOW	29	44	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	55	77	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	52	70	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	MED	71	109	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	MED	61	101	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	97	137	2	8	0	0	2	8	2.3	0.02	0.06	100.00	100.00
7	1	8	82	MED	146	206	11	19	0	0	11	19	1.8	0.08	0.09	100.00	100.00
8	8	8	82	MED	110	149	1	3	2	2	3	5	3.2	0.03	0.03	33.33	60.00
9	15	8	82	LOW	132	172	4	7	0	0	4	7	0.0	0.03	0.04	100.00	100.00
10	22	8	82	LOW	80	112	2	5	0	0	2	5	0.0	0.02	0.04	100.00	100.00
11	29	8	82	MED	43	54	1	2	1	1	2	3	1.4	0.05	0.04	50.00	66.67
12	5	9	82	MED	29	40	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	905	1271	21	44	3	3	24	47	3.2	0.03	0.04	87.50	93.62

## STATISTICAL SECTION 21

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	14	17	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	26	34	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	22	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	23	27	2	3	0	0	2	3	1.4	0.09	0.11	100.00	100.00
5	18	7	82	LOW	25	33	2	2	0	0	2	2	1.4	0.08	0.06	100.00	100.00
6	25	7	82	LOW	24	32	3	4	0	0	3	4	1.4	0.13	0.13	100.00	100.00
7	1	8	82	LOW	36	44	6	8	0	0	6	8	1.4	0.17	0.18	100.00	100.00
8	8	8	82	LOW	32	38	3	4	0	0	3	4	1.4	0.09	0.11	100.00	100.00
9	15	8	82	LOW	27	34	2	4	0	0	2	4	1.4	0.07	0.12	100.00	100.00
10	22	8	82	LOW	18	23	2	3	0	0	2	3	1.4	0.11	0.13	100.00	100.00
11	29	8	82	LOW	36	46	2	3	0	0	2	3	1.4	0.06	0.07	100.00	100.00
12	5	9	82	MED	12	17	1	1	0	0	1	1	1.4	0.08	0.08	100.00	100.00
TOTAL				LOW	295	372	23	32	0	0	23	32	1.4	0.08	0.09	100.00	100.00

## STATISTICAL SECTION 22

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	26	31	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	104	119	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	100	123	3	10	0	0	3	10	1.6	0.03	0.08	100.00	100.00
4	11	7	82	MED	169	189	8	14	0	0	8	14	1.8	0.05	0.07	100.00	100.00
5	18	7	82	LOW	156	172	16	25	0	1	16	26	1.8	0.10	0.15	100.00	98.15
6	25	7	82	MED	184	211	18	29	0	0	18	29	1.8	0.10	0.14	100.00	100.00
7	1	8	82	MED	117	137	9	16	2	5	11	21	2.7	0.09	0.15	81.82	76.19
8	8	8	82	LOW	72	86	5	10	0	2	5	12	1.6	0.07	0.14	100.00	93.33
9	15	8	82	LOW	53	68	4	8	0	1	4	9	1.4	0.08	0.13	100.00	88.89
10	22	8	82	HI	42	52	1	4	0	0	1	4	0.0	0.02	0.08	100.00	100.00
11	29	8	82	HI	36	46	3	6	1	1	4	7	2.7	0.11	0.15	75.00	85.71
12	5	9	82	HI	11	15	0	1	0	0	0	1	0.0	0.0	0.07	0.0	100.00
TOTAL				HI	1070	1249	67	123	3	10	70	133	2.7	0.07	0.11	95.71	92.49

## STATISTICAL SECTION 25

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	LOW	5	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	LOW	16	23	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	LOW	12	16	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	LOW	9	13	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
6	25	7	82	MED	16	18	1	1	0	0	1	1	1.6	0.06	0.06	100.00	100.00
7	1	8	82	MED	6	8	0	1	0	0	0	1	0.0	0.0	0.13	0.0	100.00
8	8	8	82	MED	3	5	0	1	0	0	0	1	0.0	0.0	0.20	0.0	100.00
9	15	8	82	MED	3	4	0	1	0	0	0	1	0.0	0.0	0.25	0.0	100.00
10	22	8	82	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
11	29	8	82	LOW	4	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	77	110	1	4	0	0	1	4	1.6	0.01	0.04	100.00	100.00

## STATISTICAL SECTION 26

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	16	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	27	33	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	MED	49	54	5	7	0	0	5	7	2.3	0.10	0.13	100.00	100.00
4	11	7	82	LOW	46	52	4	5	0	0	4	5	2.0	0.09	0.10	100.00	100.00
5	18	7	82	LOW	72	79	21	23	4	5	25	29	3.4	0.35	0.35	84.00	82.14
6	25	7	82	MED	51	60	13	16	1	2	14	18	3.2	0.27	0.30	92.86	88.89
7	1	8	82	MED	37	43	10	12	1	1	11	13	2.9	0.30	0.30	85.91	92.31
8	8	8	82	MED	26	32	6	9	1	1	7	10	2.9	0.27	0.31	85.71	90.00
9	15	8	82	MED	20	25	3	5	0	0	3	5	2.7	0.15	0.20	100.00	100.00
10	22	8	82	MED	19	23	4	4	0	0	4	4	2.5	0.21	0.17	100.00	100.00
11	29	8	82	LOW	3	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	366	428	66	81	7	9	73	90	3.4	0.20	0.21	90.41	90.00

## STATISTICAL SECTION 27

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	MED	154	165	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	MED	271	290	1	1	0	0	1	1	1.3	0.00	0.00	100.00	100.00
3	4	7	82	HI	345	362	25	30	1	1	26	31	2.7	0.08	0.09	94.15	96.77
4	11	7	82	LOW	408	437	113	130	3	3	116	133	2.9	0.29	0.30	97.41	97.74
5	18	7	82	HI	307	332	156	174	3	5	159	179	3.6	0.52	0.54	98.11	97.21
6	25	7	82	MED	330	351	102	119	4	4	106	123	3.8	0.32	0.35	94.23	96.75
7	1	8	82	LOW	177	194	68	74	2	3	70	77	3.2	0.40	0.40	97.14	96.10
8	8	8	82	MED	184	189	39	47	2	3	41	50	3.4	0.22	0.26	95.12	94.00
9	15	8	82	MED	115	124	17	19	0	0	17	19	2.0	0.15	0.15	100.00	100.00
10	22	8	82	MED	27	33	4	4	0	0	4	4	2.5	0.15	0.12	100.00	100.00
11	29	8	82	MED	49	56	10	12	0	0	10	12	2.0	0.20	0.21	100.00	100.00
12	5	9	82	HI	18	23	6	8	0	0	6	8	1.8	0.33	0.35	100.00	100.00
TOTAL				MED	2385	2556	541	618	15	19	556	637	3.8	0.23	0.25	97.30	97.02

## STATISTICAL SECTION 28

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	LOW	280	290	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	439	479	8	8	0	0	8	8	1.3	0.02	0.02	100.00	100.00
3	4	7	82	HI	848	915	142	148	0	0	142	148	2.0	0.17	0.16	100.00	100.00
4	11	7	82	MED	1055	1094	269	283	4	4	273	287	2.9	0.26	0.26	98.53	98.51
5	18	7	82	MED	894	967	216	237	2	2	218	239	3.6	0.24	0.25	98.08	98.14
6	25	7	82	LOW	618	671	147	170	1	2	148	172	1.6	0.24	0.26	98.32	98.84
7	1	8	82	LOW	463	507	109	127	2	2	111	129	2.9	0.24	0.25	98.20	98.45
8	8	8	82	LOW	375	414	75	101	2	2	77	103	3.6	0.21	0.25	97.40	98.06
9	15	8	82	LOW	222	253	37	48	0	0	37	48	2.3	0.17	0.19	100.00	100.00
10	22	8	82	HI	199	230	37	47	2	2	39	49	2.7	0.20	0.21	94.87	95.92
11	29	8	82	HI	137	158	21	30	0	0	21	30	2.5	0.15	0.19	100.00	100.00
12	5	9	82	MED	33	40	7	8	0	0	7	8	2.0	0.21	0.20	100.00	100.00
TOTAL				LOW	5563	6018	1068	1207	13	14	1081	1221	3.6	0.19	0.20	98.80	98.85

## STATISTICAL SECTION 29

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	HI	102	107	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	250	268	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	268	293	4	5	0	0	4	5	0.4	0.01	0.02	100.00	100.00
4	11	7	82	MED	342	368	20	24	0	0	20	24	2.3	0.06	0.07	100.00	100.00
5	18	7	82	MED	410	438	41	52	0	0	41	52	2.5	0.10	0.12	100.00	100.00
6	25	7	82	HI	376	401	30	40	0	0	30	40	2.3	0.08	0.10	100.00	100.00
7	1	8	82	MED	323	336	23	29	1	1	24	30	2.7	0.07	0.09	98.83	96.67
8	8	8	82	LOW	262	279	18	26	1	1	19	27	3.2	0.07	0.10	94.74	96.30
9	15	8	82	LOW	159	174	7	9	0	0	7	9	2.3	0.04	0.05	100.00	100.00
10	22	8	82	HI	113	129	14	20	1	1	15	21	3.2	0.13	0.16	97.33	95.24
11	29	8	82	HI	105	120	9	13	0	0	9	13	2.3	0.09	0.11	100.00	100.00
12	5	9	82	HI	68	73	6	6	0	0	6	6	2.0	0.09	0.08	100.00	100.00
TOTAL				HI	2778	2986	172	224	3	3	175	227	3.2	0.06	0.08	98.29	98.64

## STATISTICAL SECTION 30

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	LOW	34	56	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	248	293	5	6	0	0	5	6	1.8	0.02	0.02	100.00	100.00
3	4	7	82	HI	323	397	17	22	0	0	17	22	2.0	0.05	0.06	100.00	100.00
4	11	7	82	MED	388	468	79	93	0	0	79	93	2.5	0.20	0.20	100.00	100.00
5	18	7	82	MED	342	422	56	81	0	0	56	81	2.3	0.16	0.19	100.00	100.00
6	25	7	82	MED	312	386	50	60	0	0	50	60	2.3	0.16	0.16	100.00	100.00
7	1	8	82	MED	253	305	43	50	0	0	43	50	2.5	0.17	0.16	100.00	100.00
8	8	8	82	MED	250	297	35	43	0	0	35	43	2.5	0.14	0.14	100.00	100.00
9	15	8	82	LOW	203	241	29	36	0	0	29	36	2.3	0.14	0.15	100.00	100.00
10	22	8	82	MED	129	165	19	24	0	0	19	24	2.0	0.15	0.15	100.00	100.00
11	29	8	82	MED	78	93	6	9	0	0	6	9	1.8	0.08	0.10	100.00	100.00
12	5	9	82	HI	8	11	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	2568	3134	339	424	0	0	339	424	2.5	0.13	0.14	100.00	100.00

## STATISTICAL SECTION 31

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
							OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	27	27	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	114	123	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	4	7	82	HI	236	271	62	62	0	0	62	62	2.0	0.26	0.23	100.00	
4	11	7	82	MED	379	409	154	164	1	1	155	165	2.7	0.41	0.40	90.35	
5	18	7	82	LOW	397	427	100	115	2	2	102	117	2.0	0.25	0.27	90.04	
6	25	7	82	MED	295	319	60	60	0	0	60	60	1.6	0.20	0.19	100.00	
7	1	8	82	MED	202	202	30	30	0	0	30	30	0.0	0.15	0.15	100.00	
8	8	8	82	MED	96	136	11	15	0	0	11	15	2.0	0.11	0.11	100.00	
9	15	8	82	LOW	61	71	10	12	0	0	10	12	2.3	0.16	0.17	100.00	
10	22	8	82	MED	63	68	10	12	0	0	10	12	0.0	0.16	0.18	100.00	
11	29	8	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				MED	1470	2053	437	470	3	3	440	473	2.7	0.24	0.23	99.32	

## STATISTICAL SECTION 32

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
							OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	14	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	110	139	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	4	7	82	HI	87	116	7	10	0	0	7	10	1.8	0.08	0.09	100.00	
4	11	7	82	MED	112	145	15	22	0	0	15	22	2.3	0.13	0.15	100.00	
5	18	7	82	MED	89	108	10	14	0	0	10	14	2.3	0.11	0.13	100.00	
6	25	7	82	LOW	122	168	25	34	1	1	26	35	3.5	0.21	0.21	94.15	
7	1	8	82	LOW	95	120	14	18	0	0	14	18	2.3	0.15	0.15	100.00	
8	8	8	82	LOW	113	139	10	14	0	0	10	14	2.3	0.09	0.10	100.00	
9	15	8	82	LOW	71	93	0	3	0	0	0	3	0.0	0.0	0.03	0.0	
10	22	8	82	MED	62	80	13	20	2	3	15	23	2.9	0.24	0.20	84.67	
11	29	8	82	MED	18	30	2	3	0	0	2	3	1.8	0.11	0.10	100.00	
12	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				MED	893	1158	96	138	3	4	99	142	3.5	0.11	0.12	94.97	

## STATISTICAL SECTION 33

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
							OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	13	6	82	LOW	205	234	30	37	0	0	30	37	1.9	0.15	0.16	100.00	
2	20	6	82	LOW	255	319	83	101	0	0	83	101	2.3	0.33	0.32	100.00	
3	27	6	82	HI	530	645	268	319	0	0	268	319	2.0	0.51	0.49	100.00	
4	4	7	82	HI	450	548	169	214	0	0	169	214	2.0	0.38	0.39	100.00	
5	11	7	82	LOW	383	467	146	176	0	0	146	176	1.8	0.39	0.38	100.00	
6	18	7	82	LOW	304	359	111	129	0	0	111	129	2.0	0.37	0.36	100.00	
7	25	7	82	LOW	208	263	60	75	0	0	60	75	1.8	0.20	0.29	100.00	
8	1	8	82	LOW	163	205	65	80	0	0	65	80	2.3	0.40	0.39	100.00	
9	8	8	82	LOW	93	121	19	26	2	2	21	28	2.9	0.23	0.23	90.48	
10	15	8	82	LOW	127	146	12	18	0	0	12	18	2.0	0.09	0.12	100.00	
11	22	8	82	HI	69	93	23	38	0	0	23	38	2.3	0.33	0.41	100.00	
12	29	8	82	MED	34	46	9	12	0	0	9	12	1.8	0.26	0.26	100.00	
13	5	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				LOW	2821	3446	995	1225	2	2	997	1227	2.9	0.35	0.36	90.80	

## STATISTICAL SECTION 34

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK DA	END MO	YR	WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
							OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	134	148	8	8	0	0	8	8	2.0	0.06	0.05	100.00	
2	27	6	82	MED	405	437	44	61	0	0	44	61	1.8	0.11	0.14	100.00	
3	4	7	82	MED	321	355	123	159	1	2	124	161	2.9	0.30	0.45	90.10	
4	11	7	82	LOW	250	281	145	169	18	18	163	187	5.4	0.65	0.67	80.94	
5	18	7	82	LOW	206	240	76	91	0	0	76	91	2.2	0.37	0.38	100.00	
6	25	7	82	LOW	206	232	60	73	0	0	60	73	2.2	0.29	0.31	100.00	
7	1	8	82	MED	127	148	25	35	0	0	25	35	2.3	0.20	0.24	100.00	
8	8	8	82	MED	111	133	17	28	0	0	17	28	2.5	0.15	0.21	100.00	
9	15	8	82	MED	44	64	10	17	0	0	10	17	1.8	0.23	0.27	100.00	
10	22	8	82	MED	46	58	7	10	0	0	7	10	1.8	0.15	0.17	100.00	
11	29	8	82	MED	35	45	1	3	0	0	1	3	1.6	0.03	0.07	100.00	
12	5	9	82	MED	2	2	2	2	0	0	2	2	1.3	1.00	1.00	100.00	
TOTAL				MED	1487	2143	518	656	19	20	537	676	5.4	0.28	0.32	94.46	



## STATISTICAL SECTION 35

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END		WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6 82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6 82	MED	8	8	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	4	7 82	MED	18	26	3	4	0	0	3	4	1.8	0.17	0.15	100.00	
4	11	7 82	LOW	48	60	15	19	0	0	15	19	2.0	0.31	0.32	100.00	
5	18	7 82	LOW	64	84	8	13	0	0	8	13	1.8	0.13	0.15	100.00	
6	25	7 82	LOW	96	110	12	19	0	0	12	19	1.8	0.13	0.17	100.00	
7	1	8 82	MED	98	112	15	21	0	0	15	21	1.8	0.15	0.19	100.00	
8	8	8 82	MED	28	48	2	6	0	0	2	6	1.6	0.07	0.13	100.00	
9	15	8 82	MED	40	54	5	9	0	0	5	9	1.8	0.13	0.17	100.00	
10	22	8 82	MED	32	48	2	3	0	0	2	3	1.8	0.06	0.06	100.00	
11	29	8 82	MED	12	20	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	5	9 82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL			MED	444	570	62	94	0	0	62	94	2.0	0.14	0.16	100.00	

## STATISTICAL SECTION 36

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END		WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	13	6 82	LOW	557	557	77	77	2	2	79	79	3.7	0.14	0.14	97.47	97.47
2	20	6 82	MED	439	439	164	164	5	5	169	169	4.1	0.39	0.38	97.04	97.04
3	27	6 82	MED	975	987	726	802	5	5	731	807	3.6	0.75	0.82	99.32	99.38
4	4	7 82	MED	1247	1275	894	945	7	7	901	992	3.4	0.72	0.78	99.22	99.29
5	11	7 82	LOW	1186	1194	665	734	5	5	670	739	3.9	0.56	0.62	99.25	99.32
6	18	7 82	MED	899	982	349	383	0	0	349	383	1.8	0.39	0.39	100.00	100.00
7	25	7 82	MED	424	431	131	143	0	0	131	143	1.8	0.31	0.33	100.00	100.00
8	1	8 82	MED	214	219	106	116	0	0	106	116	1.8	0.50	0.53	100.00	100.00
9	8	8 82	LOW	173	177	61	66	0	0	61	66	1.4	0.35	0.37	100.00	100.00
10	15	8 82	LOW	74	74	29	29	0	0	29	29	1.8	0.39	0.39	100.00	100.00
11	22	8 82	LOW	130	130	33	36	0	0	33	36	1.4	0.25	0.28	100.00	100.00
12	29	8 82	MED	44	44	13	13	0	0	13	13	1.4	0.30	0.30	100.00	100.00
13	5	9 82	MED	4	4	3	3	0	0	3	3	1.6	0.75	0.75	100.00	100.00
TOTAL			MED	6366	6513	3251	3551	24	24	3275	3575	4.1	0.51	0.55	99.27	99.33

## STATISTICAL SECTION 37

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END		WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6 82	MED	13	58	3	23	0	0	3	23	1.4	0.23	0.40	100.00	100.00
2	27	6 82	MED	24	82	12	40	0	0	12	40	2.3	0.50	0.40	100.00	100.00
3	4	7 82	MED	53	145	30	77	0	0	30	77	0.0	0.57	0.53	100.00	100.00
4	11	7 82	LOW	6	64	30	90	0	0	30	90	1.8	5.00	1.41	100.00	100.00
5	18	7 82	LOW	25	65	18	38	0	0	18	38	1.6	0.72	0.58	100.00	100.00
6	25	7 82	MED	0	47	0	18	0	0	0	18	0.0	0.0	0.38	0.0	100.00
7	1	8 82	HI	0	58	0	21	0	0	0	21	0.0	0.0	0.36	0.0	100.00
8	8	8 82	LOW	0	62	0	22	0	0	0	22	0.0	0.0	0.35	0.0	100.00
9	15	8 82	MED	0	29	0	5	0	0	0	5	0.0	0.0	0.22	0.0	100.00
10	22	8 82	LOW	8	29	0	5	0	0	0	5	0.0	0.0	0.17	0.0	100.00
11	29	8 82	LOW	0	25	0	7	0	0	0	7	0.0	0.0	0.28	0.0	100.00
12	5	9 82	LOW	0	3	0	1	0	0	0	1	0.0	0.0	0.33	0.0	100.00
TOTAL			LOW	129	661	93	347	0	0	93	347	2.3	0.72	0.52	100.00	100.00

## STATISTICAL SECTION 38

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END		WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6 82	HI	102	132	25	63	0	0	55	63	2.3	0.54	0.48	100.00	100.00
2	27	6 82	MED	396	447	95	334	1	1	296	335	2.7	0.75	0.75	99.66	99.70
3	4	7 82	MED	451	520	464	511	3	3	467	514	4.5	1.04	0.99	99.36	99.42
4	11	7 82	LOW	435	549	467	550	3	4	470	554	3.4	1.08	1.01	99.35	99.28
5	18	7 82	LOW	238	309	229	277	0	0	229	277	2.3	0.96	0.90	100.00	100.00
6	25	7 82	HI	212	251	130	147	2	2	132	149	4.5	0.62	0.59	99.48	98.66
7	1	8 82	HI	223	253	94	103	0	0	94	103	2.0	0.42	0.41	100.00	100.00
8	8	8 82	LOW	165	192	61	71	0	0	61	71	1.8	0.37	0.37	100.00	100.00
9	15	8 82	HI	97	117	24	33	0	0	24	33	1.8	0.25	0.28	100.00	100.00
10	22	8 82	LOW	56	76	15	24	1	1	16	25	3.6	0.29	0.33	93.75	96.00
11	29	8 82	HI	41	56	10	15	0	0	10	15	2.0	0.24	0.27	100.00	100.00
12	5	9 82	HI	0	15	0	5	0	0	0	5	0.0	0.0	0.33	0.0	100.00
TOTAL			LOW	2416	2917	1844	2133	10	11	1854	2144	4.5	0.77	0.74	99.46	99.49

## STATISTICAL SECTION 39

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END		WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6 82	MED	129	135	47	49	0	0	47	49	1.8	0.36	0.36	100.00	100.00
2	27	6 82	HI	317	377	136	174	3	3	139	177	4.5	0.44	0.47	97.84	98.31
3	4	7 82	HI	312	372	189	220	3	3	192	223	2.7	0.62	0.60	98.44	98.65
4	11	7 82	LOW	285	330	144	162	2	2	146	164	4.1	0.51	0.50	98.63	98.78
5	18	7 82	LOW	184	196	78	84	1	1	79	85	3.9	0.43	0.43	98.73	98.82
6	25	7 82	HI	198	210	83	87	1	1	84	88	3.6	0.42	0.42	98.81	98.86
7	1	8 82	HI	123	128	52	54	0	0	52	54	2.7	0.42	0.42	100.00	100.00
8	8	8 82	LOW	85	89	40	41	0	0	40	41	2.0	0.47	0.46	100.00	100.00
9	15	8 82	HI	37	41	14	14	1	1	15	15	4.5	0.41	0.37	91.33	93.33
10	22	8 82	LOW	11	16	2	2	0	0	2	2	0.0	0.18	0.13	100.00	100.00
11	29	8 82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
12	5	9 82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL			HI	1681	1894	785	887	11	11	796	898	4.5	0.47	0.47	98.62	98.74

## STATISTICAL SECTION 40

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END		WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6 82	MED	875	968	384	424	60	65	444	489	5.4	0.51	0.51	82.49	86.71
2	27	6 82	MED	1405	1606	259	326	85	100	344	426	10.0	0.34	0.27	78.29	78.53
3	4	7 82	MED	1318	1503	415	483	39	47	454	530	8.2	0.34	0.35	91.41	91.13
4	11	7 82	LOW	1423	1583	445	524	65	75	510	599	6.4	0.35	0.38	87.25	87.88
5	18	7 82	LOW	904	1020	261	312	15	15	276	327	5.0	0.31	0.32	94.57	95.41
6	25	7 82	HI	750	832	214	256	9	9	223	265	10.0	0.30	0.32	95.96	96.60
7	1	8 82	HI	620	698	219	262	19	19	238	281	5.9	0.38	0.40	92.02	93.24
8	8	8 82	LOW	565	662	220	274	21	27	241	301	4.1	0.43	0.45	91.29	91.63
9	15	8 82	LOW	421	483	150	181	7	7	157	188	4.5	0.37	0.39	92.54	96.28
10	22	8 82	MED	186	202	58	62	1	1	59	63	5.4	0.32	0.31	98.31	98.41
11	29	8 82	MED	108	118	33	33	0	0	33	33	1.4	0.31	0.28	100.00	100.00
12	5	9 82	HI	17	17	1	1	0	0	1	1	1.8	0.06	0.06	100.00	100.00
TOTAL			MED	8592	9692	2659	3138	321	365	2980	3503	10.0	0.35	0.36	80.23	89.58

## STATISTICAL SECTION 41

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END		WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6 82	MED	257	282	74	80	6	6	80	86	4.5	0.31	0.30	92.50	93.02
2	27	6 82	MED	308	338	109	123	2	3	111	126	2.3	0.36	0.37	98.20	97.62
3	4	7 82	HI	480	530	192	217	17	21	209	238	9.2	0.44	0.45	91.87	91.18
4	11	7 82	HI	783	833	265	311	20	20	285	331	7.9	0.36	0.40	92.98	93.08
5	18	7 82	MED	669	725	156	186	8	10	164	196	4.5	0.25	0.27	95.12	94.90
6	25	7 82	HI	756	842	258	315	10	12	268	327	12.2	0.35	0.39	94.27	96.33
7	1	8 82	HI	626	812	197	255	10	17	207	272	5.4	0.33	0.33	95.17	93.75
8	8	8 82	MED	537	663	178	223	1	5	179	228	5.7	0.33	0.34	90.44	97.81
9	15	8 82	LOW	405	509	111	145	4	9	115	154	3.6	0.29	0.30	94.52	94.16
10	22	8 82	MED	84	109	24	33	0	1	24	34	1.8	0.29	0.31	100.00	97.06
11	29	8 82	LOW	53	63	13	15	0	0	13	15	2.0	0.25	0.24	100.00	100.00
12	5	9 82	LOW	12	19	2	4	0	0	2	4	1.8	0.17	0.21	100.00	100.00
TOTAL			MED	4970	5725	1579	1907	78	104	1657	2011	12.2	0.33	0.35	95.29	96.83

## STATISTICAL SECTION 43

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END		WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO YR		ORS.	TOT.	ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	4	7 82	HI	58	68	11	13	4	6	15	19	4.0	0.26	0.28	72.33	68.42
2	11	7 82	HI	74	79	20	20	1	1	21	21	2.9	0.28	0.27	95.24	95.24
3	18	7 82	LOW	34	41	8	10	1	1	9	11	3.2	0.26	0.27	98.89	90.31
TOTAL			HI	166	188	39	43	6	8	45	51	4.0	0.27	0.27	84.67	84.31

## STATISTICAL SECTION 44

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	13	6	82	HI	102	102	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	20	6	82	HI	156	166	7	8	0	0	7	8	1.8	0.04	0.05	100.00	
3	27	6	82	HI	632	705	239	255	7	8	246	263	4.5	0.39	0.37	97.15	
4	4	7	82	HI	1117	1235	757	833	18	19	775	852	4.5	0.69	0.69	97.68	
5	11	7	82	MED	1579	1740	1093	1215	31	33	1124	1248	5.0	0.71	0.72	97.24	
6	18	7	82	MED	1336	1515	775	879	10	12	785	891	7.3	0.59	0.59	98.73	
7	25	7	82	MED	910	1026	336	378	11	11	347	389	10.0	0.38	0.38	98.83	
8	1	8	82	MED	454	740	220	260	8	9	228	259	8.4	0.35	0.36	98.49	
9	8	8	82	HI	750	847	210	237	12	14	222	251	13.2	0.30	0.30	98.59	
10	15	8	82	LOW	543	617	159	178	3	4	162	182	11.4	0.30	0.29	98.15	
11	22	8	82	MED	397	446	89	98	4	4	93	102	8.2	0.23	0.23	98.70	
12	29	8	82	MED	362	406	91	100	1	1	92	101	5.4	0.25	0.25	98.91	
13	5	9	82	MED	91	96	34	37	2	3	36	40	5.4	0.40	0.42	98.44	
TOTAL				MED	8629	9641	4010	4478	107	118	4117	4596	13.2	0.48	0.48	97.40	

## STATISTICAL SECTION 45

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	MED	43	49	1	1	0	0	1	1	0.0	0.02	0.02	100.00	
2	27	6	82	MED	164	181	32	35	1	1	33	36	7.0	0.20	0.20	98.97	
3	4	7	82	HI	218	240	46	51	1	1	47	52	4.0	0.22	0.22	97.97	
4	11	7	82	MED	219	241	64	70	3	3	67	73	4.1	0.31	0.30	98.52	
5	18	7	82	MED	271	298	72	80	0	0	72	80	0.0	0.27	0.27	100.00	
6	25	7	82	MED	225	245	37	46	1	1	38	47	3.6	0.17	0.19	97.37	
7	1	8	82	HI	120	132	15	17	0	0	15	17	0.0	0.13	0.13	100.00	
8	8	8	82	MED	124	137	25	27	0	0	25	27	0.0	0.20	0.20	100.00	
9	15	8	82	MED	93	103	9	11	1	1	10	12	3.6	0.11	0.12	98.00	
10	22	8	82	MED	60	66	6	8	0	0	6	8	0.0	0.10	0.12	100.00	
11	29	8	82	MED	35	39	3	3	0	0	3	3	0.0	0.09	0.08	100.00	
12	5	9	82	MED	25	28	5	6	0	0	5	6	0.0	0.20	0.21	100.00	
TOTAL				MED	1597	1759	315	355	7	7	322	362	7.0	0.20	0.21	97.83	

## STATISTICAL SECTION 46

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	HI	63	76	6	7	0	0	6	7	1.8	0.10	0.09	100.00	
2	27	6	82	HI	255	306	13	18	1	1	14	19	4.8	0.05	0.06	97.86	
3	4	7	82	HI	299	364	10	18	3	3	13	21	5.0	0.04	0.06	78.92	
4	11	7	82	MED	508	593	46	57	3	5	49	62	5.7	0.10	0.10	97.88	
5	18	7	82	MED	481	572	68	82	6	7	74	89	4.3	0.15	0.16	91.89	
6	25	7	82	MED	441	553	57	78	3	3	60	81	6.8	0.14	0.15	95.00	
7	1	8	82	MED	348	462	53	70	1	1	54	71	3.6	0.16	0.15	98.15	
8	8	8	82	MED	305	406	43	57	2	2	45	59	4.1	0.15	0.15	98.56	
9	15	8	82	MED	343	425	30	39	2	2	32	41	4.3	0.09	0.10	97.75	
10	22	8	82	MED	199	269	22	30	2	2	24	32	3.4	0.12	0.12	91.67	
11	29	8	82	MED	738	297	20	28	2	2	22	30	4.3	0.09	0.10	98.91	
12	5	9	82	HI	57	65	7	9	1	1	8	10	9.1	0.14	0.15	87.50	
TOTAL				MED	3537	4388	375	493	26	29	401	522	9.1	0.11	0.12	92.52	

## STATISTICAL SECTION 47

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	HI	25	28	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	135	153	6	6	1	1	7	7	4.1	0.05	0.05	88.71	
3	4	7	82	HI	783	319	55	63	1	1	56	64	3.6	0.20	0.20	98.21	
4	11	7	82	MED	520	572	151	168	4	4	155	172	4.5	0.30	0.30	97.47	
5	18	7	82	MED	639	717	255	285	4	6	259	291	5.2	0.41	0.41	98.46	
6	25	7	82	MED	724	811	331	367	2	2	333	369	3.6	0.46	0.45	98.40	
7	1	8	82	MED	749	867	288	340	2	2	290	342	5.9	0.39	0.39	98.31	
8	8	8	82	MED	628	708	214	247	0	0	214	247	2.0	0.34	0.35	100.00	
9	15	8	82	MED	396	479	101	127	1	1	102	128	2.9	0.26	0.27	98.02	
10	22	8	82	MED	204	254	35	45	0	0	35	45	2.3	0.17	0.18	100.00	
11	29	8	82	MED	131	161	31	40	0	0	31	40	2.3	0.24	0.25	100.00	
12	5	9	82	MED	39	51	12	18	0	0	12	18	2.3	0.31	0.35	100.00	
TOTAL				MED	4473	5120	1479	1706	15	17	1494	1723	5.9	0.33	0.34	98.00	

## STATISTICAL SECTION 48

## OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	HI	12	24	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	71	76	2	2	0	0	2	2	1.3	0.03	0.03	100.00	
3	4	7	82	HI	176	188	30	33	0	0	30	33	2.3	0.17	0.18	100.00	
4	11	7	82	HI	266	336	82	117	7	10	89	127	5.4	0.33	0.38	92.13	
5	18	7	82	4ED	284	314	175	190	16	19	191	209	5.9	0.67	0.67	91.62	
6	25	7	82	4ED	149	159	88	93	3	4	91	97	3.6	0.61	0.61	94.70	
7	1	8	82	4ED	99	108	67	77	4	6	71	83	3.2	0.72	0.77	94.17	
8	8	8	82	4ED	123	131	62	70	1	2	63	72	3.2	0.51	0.55	94.41	
9	15	8	82	LOW	89	97	42	48	1	2	43	50	3.2	0.44	0.52	97.67	
10	22	8	82	4ED	64	67	13	15	1	2	14	17	3.2	0.22	0.25	92.84	
11	29	8	82	HI	24	28	2	4	0	0	2	4	2.3	0.09	0.14	100.00	
12	5	9	82	HI	5	6	1	2	0	0	1	2	0.0	0.20	0.33	100.00	
TOTAL				HI	1362	1534	564	651	33	45	597	696	5.9	0.44	0.45	94.47	

## STATISTICAL SECTION 49

## OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	HI	31	41	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	168	185	14	14	0	0	14	14	1.8	0.08	0.08	100.00	
3	4	7	82	HI	288	323	174	189	2	2	176	191	4.5	0.61	0.59	98.86	
4	11	7	82	4ED	350	390	247	282	4	4	251	286	4.5	0.72	0.73	94.41	
5	18	7	82	4ED	446	488	276	314	0	0	276	314	2.3	0.62	0.64	100.00	
6	25	7	82	4ED	481	528	294	322	2	2	296	324	5.4	0.62	0.61	99.32	
7	1	8	82	4ED	345	379	168	191	0	0	168	191	1.8	0.49	0.50	100.00	
8	8	8	82	LOW	250	298	97	131	0	0	97	131	1.8	0.39	0.44	100.00	
9	15	8	82	4ED	87	89	29	30	1	1	30	31	4.3	0.34	0.35	94.67	
10	22	8	82	LOW	32	32	14	14	0	0	14	14	1.8	0.44	0.44	100.00	
11	29	8	82	LOW	29	29	15	15	0	0	15	15	1.8	0.52	0.52	100.00	
12	5	9	82	LOW	8	8	3	3	0	0	3	3	1.8	0.38	0.38	100.00	
TOTAL				4ED	2515	2790	1331	1505	9	9	1340	1514	5.4	0.53	0.54	98.33	

## STATISTICAL SECTION 50

## OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	HI	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	66	84	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	4	7	82	HI	267	295	14	17	17	21	31	38	5.2	0.12	0.13	42.14	
4	11	7	82	HI	440	467	132	143	34	36	166	179	7.3	0.39	0.38	78.52	
5	18	7	82	4ED	568	603	305	323	11	12	316	335	6.4	0.56	0.56	94.52	
6	25	7	82	4ED	440	462	265	285	2	2	267	287	4.5	0.61	0.62	98.25	
7	1	8	82	HI	360	385	210	226	2	3	212	229	4.5	0.59	0.59	99.04	
8	8	8	82	4ED	381	407	132	143	5	5	137	148	5.4	0.36	0.36	94.35	
9	15	8	82	LOW	196	211	43	48	1	1	44	49	3.4	0.22	0.23	97.73	
10	22	8	82	LOW	112	121	31	35	0	0	31	35	2.3	0.28	0.29	100.00	
11	29	8	82	4ED	60	67	11	13	0	0	11	13	2.0	0.19	0.19	100.00	
12	5	9	82	4ED	81	87	21	23	0	0	21	23	2.3	0.26	0.26	100.00	
13	12	9	82	4ED	56	62	9	12	0	0	9	12	1.8	0.15	0.19	100.00	
14	19	9	82	4ED	19	23	2	3	0	0	2	3	1.8	0.11	0.13	100.00	
TOTAL				4ED	3051	3279	1175	1271	72	80	1247	1351	7.3	0.41	0.41	94.23	

## STATISTICAL SECTION 51

## OBSERVED AND TOTAL (ESTIMATED\*OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD ORS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				ORS.	TOT.	ORS.	TOT.	ORS.	TOT.		ORS.	TOT.	ORS.	TOT.
1	20	6	82	4ED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	4ED	6	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	4	7	82	4ED	15	15	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
4	11	7	82	4ED	34	34	2	2	1	1	3	3	3.6	0.09	0.09	64.67	
5	18	7	82	4ED	73	73	36	36	0	0	36	36	2.2	0.49	0.49	100.00	
6	25	7	82	4ED	55	55	34	34	6	6	40	40	1.8	0.73	0.73	84.00	
7	1	8	82	4ED	39	39	21	21	4	4	25	25	1.8	0.64	0.64	84.00	
8	8	8	82	4ED	25	25	6	6	0	0	6	6	1.8	0.24	0.24	100.00	
9	15	8	82	4ED	13	13	11	11	0	0	11	11	1.8	0.85	0.85	100.00	
10	22	8	82	4ED	4	4	4	4	0	0	4	4	1.4	1.00	1.00	100.00	
11	29	8	82	4ED	1	1	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	5	9	82	4ED	3	3	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
13	12	9	82	4ED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
14	19	9	82	4ED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				4ED	268	268	114	114	11	11	125	125	3.6	0.47	0.47	91.20	

## STATISTICAL SECTION 52


## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		X GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	134	134	36	39	7	7	43	46	5.7	0.32	0.34	87.72	84.78
4	11	7	82	HI	151	151	17	17	10	10	27	27	5.4	0.18	0.18	67.96	62.96
5	18	7	82	MED	270	270	95	102	37	37	132	139	6.0	0.49	0.51	71.97	73.39
6	25	7	82	MED	396	396	405	599	48	52	453	651	5.7	1.14	1.64	80.40	92.01
7	1	8	82	MED	364	364	343	551	17	19	360	570	5.0	0.99	1.57	96.29	96.67
8	8	8	82	LOW	214	214	178	299	18	20	196	319	5.4	0.92	1.49	90.82	93.73
9	15	8	82	LOW	239	239	138	201	2	3	140	204	1.8	0.59	0.85	98.57	98.57
10	22	8	82	LOW	165	165	56	66	6	6	62	72	5.7	0.38	0.44	90.32	91.67
11	29	8	82	LOW	115	115	29	41	10	10	39	51	3.4	0.34	0.44	74.38	80.39
12	5	9	82	HI	53	53	14	14	2	2	16	16	6.3	0.30	0.30	87.50	87.50
13	12	9	82	MED	10	10	6	6	1	1	7	7	0.0	0.70	0.70	86.71	85.71
14	19	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	2111	2111	1317	1935	158	167	1475	2102	6.3	0.70	1.00	90.29	92.04

## STATISTICAL SECTION 53

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		X GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
4	11	7	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
5	18	7	82	HI	123	123	28	39	68	75	96	114	4.9	0.78	0.93	29.17	34.21
6	25	7	82	MED	118	118	66	106	63	74	129	180	4.5	1.09	1.53	51.16	58.89
7	1	8	82	LOW	118	118	58	194	51	68	109	262	5.4	0.92	2.22	57.21	74.05
8	8	8	82	MED	101	101	36	172	58	63	94	235	4.5	0.93	2.33	38.30	73.19
9	15	8	82	MED	156	156	115	195	61	65	176	260	4.5	1.13	1.67	66.34	75.00
10	22	8	82	LOW	106	106	46	76	18	18	64	94	5.4	0.60	0.89	71.88	80.88
11	29	8	82	LOW	20	20	2	2	0	0	2	2	2.7	0.10	0.10	100.00	100.00
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
13	12	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
14	19	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				LOW	742	742	351	784	319	363	670	1147	5.4	0.90	1.55	52.39	68.35



Statistical Area





## STATISTICAL AREA A

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	67	82	3	3	0	0	3	3	1.4	0.04	0.04	100.00	100.00
2	27	6	82	HI	290	403	99	126	11	15	110	141	4.5	0.38	0.35	90.00	89.36
3	4	7	82	HI	756	893	631	754	41	46	722	800	3.0	0.96	0.90	94.32	94.25
4	11	7	82	MED	578	733	406	499	11	14	417	513	3.2	0.72	0.70	97.36	97.27
5	18	7	82	MED	443	608	290	380	9	13	299	393	2.9	0.67	0.65	96.99	96.69
6	25	7	82	MED	308	424	188	258	0	0	188	258	2.3	0.61	0.61	100.00	100.00
7	1	8	82	MED	244	389	159	245	0	0	159	245	2.3	0.65	0.63	100.00	100.00
8	8	8	82	MED	225	334	123	193	0	0	123	193	2.3	0.55	0.58	100.00	100.00
9	15	8	82	MED	184	264	78	114	0	0	78	114	1.8	0.42	0.43	100.00	100.00
10	22	8	82	LOW	119	178	47	73	0	0	47	73	1.8	0.39	0.41	100.00	100.00
11	29	8	82	LOW	75	117	24	42	0	0	24	42	1.8	0.32	0.36	100.00	100.00
12	5	9	82	MED	3	4	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	3292	4429	2098	2687	72	88	2170	2775	4.5	0.66	0.63	96.68	96.83

## STATISTICAL AREA B

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	193	233	2	2	0	0	2	2	0.0	0.01	0.01	100.00	100.00
2	27	6	82	MED	2254	2481	190	218	7	7	197	225	3.6	0.09	0.09	96.45	96.89
3	4	7	82	MED	3480	4036	683	818	16	17	699	835	3.6	0.20	0.21	97.71	97.96
4	11	7	82	MED	4883	5650	1134	1371	10	17	1144	1388	4.5	0.23	0.25	99.13	98.78
5	18	7	82	MED	4321	5099	1586	1970	23	35	1609	2005	5.9	0.37	0.39	98.57	98.25
6	25	7	82	MED	4185	4917	1418	1860	28	38	1446	1898	4.5	0.35	0.39	98.06	98.00
7	1	8	82	HI	3112	3749	1094	1650	12	17	1106	1667	6.8	0.36	0.44	98.91	98.98
8	8	8	82	MED	2154	2634	643	941	34	49	677	990	6.4	0.31	0.38	94.98	95.05
9	15	8	82	MED	1531	1972	420	647	17	28	437	675	5.4	0.29	0.34	96.11	95.85
10	22	8	82	MED	1042	1256	196	315	9	42	205	357	3.2	0.20	0.28	95.61	88.24
11	29	8	82	MED	600	768	112	153	6	8	118	161	3.6	0.20	0.21	94.92	95.03
12	5	9	82	MED	60	134	17	28	0	0	17	28	1.6	0.21	0.21	100.00	100.00
TOTAL				MED	27835	32929	7495	9973	162	258	7657	10231	6.8	0.28	0.31	97.88	97.48

## STATISTICAL AREA C

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	MED	32	40	2	2	0	0	2	2	1.1	0.06	0.05	100.00	100.00
2	27	6	82	MED	695	750	27	35	4	4	31	39	3.6	0.04	0.05	87.10	89.74
3	4	7	82	MED	913	981	134	154	8	8	142	162	4.1	0.16	0.17	94.37	95.06
4	11	7	82	MED	1403	1484	310	332	10	11	320	343	3.2	0.23	0.23	96.88	96.79
5	18	7	82	MED	1414	1495	410	445	4	5	414	450	3.2	0.29	0.30	99.03	98.89
6	25	7	82	MED	1604	1696	440	477	9	11	449	488	3.8	0.28	0.29	98.00	97.75
7	1	8	82	MED	1183	1255	341	368	4	5	345	373	4.5	0.29	0.30	98.84	98.66
8	8	8	82	MED	382	445	249	273	3	3	252	276	3.6	0.29	0.29	98.81	98.91
9	15	8	82	MED	584	635	160	174	2	2	162	176	3.2	0.28	0.28	98.77	98.86
10	22	8	82	MED	354	389	116	125	3	4	119	129	3.6	0.34	0.33	97.48	96.90
11	29	8	82	MED	205	225	38	44	0	0	38	44	2.3	0.19	0.20	100.00	100.00
12	5	9	82	MED	38	40	4	4	0	0	4	4	0.0	0.11	0.10	100.00	100.00
TOTAL				MED	9307	9935	2231	2433	47	53	2278	2486	4.5	0.24	0.25	97.94	97.87

## STATISTICAL AREA D

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	LOW	96	136	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	155	206	6	8	0	0	6	8	2.3	0.04	0.04	100.00	100.00
3	4	7	82	MED	193	246	15	19	1	1	16	20	2.7	0.08	0.08	93.75	95.00
4	11	7	82	LOW	252	333	22	36	1	1	23	37	2.9	0.09	0.11	95.65	97.30
5	18	7	82	LOW	276	359	29	41	2	4	31	45	2.7	0.11	0.13	93.55	91.11
6	25	7	82	LOW	265	347	25	43	2	4	27	47	2.7	0.10	0.14	92.59	91.49
7	1	8	82	MED	322	432	25	47	0	0	25	47	2.3	0.08	0.11	100.00	100.00
8	8	8	82	MED	244	309	19	28	4	6	23	34	3.2	0.09	0.11	82.61	82.35
9	15	8	82	LOW	217	263	14	26	0	0	14	26	2.3	0.06	0.09	100.00	100.00
10	22	8	82	LOW	139	192	12	23	0	0	12	23	2.3	0.09	0.12	100.00	100.00
11	29	8	82	LOW	94	115	8	11	1	1	9	12	2.3	0.10	0.10	88.89	91.67
12	5	9	82	MED	53	73	3	6	0	0	3	6	2.2	0.06	0.08	100.00	100.00
TOTAL				LOW	2306	3031	178	288	11	17	139	305	3.2	0.08	0.10	94.18	94.43

## STATISTICAL AREA E

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	40	48	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	150	153	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	4	7	82	HI	122	150	3	10	0	0	3	10	1.6	0.02	0.07	100.00	
4	11	7	82	MED	192	216	10	17	0	0	10	17	1.8	0.05	0.08	100.00	
5	18	7	82	LOW	181	205	18	27	0	1	18	28	1.8	0.10	0.14	100.00	
6	25	7	82	MED	206	243	21	33	0	0	21	33	1.8	0.10	0.14	100.00	
7	1	8	82	MED	153	181	15	24	2	5	17	29	2.7	0.11	0.16	88.24	
8	8	8	82	LOW	104	124	8	14	0	2	8	16	1.6	0.08	0.13	100.00	
9	15	8	82	LOW	60	102	6	12	0	1	6	13	1.4	0.07	0.13	100.00	
10	22	8	82	HI	60	75	3	7	0	0	3	7	1.4	0.05	0.09	100.00	
11	29	8	82	HI	72	92	5	9	1	1	6	10	2.7	0.08	0.11	83.33	
12	5	9	82	HI	23	32	1	2	0	0	1	2	1.4	0.04	0.06	100.00	
TOTAL				LOW	1365	1621	90	155	3	10	93	165	2.7	0.07	0.10	96.77	

## STATISTICAL AREA F

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	16	21	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	MED	32	46	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	4	7	82	MED	65	77	5	7	0	0	5	7	2.3	0.08	0.09	100.00	
4	11	7	82	LOW	58	68	4	5	0	0	4	5	2.0	0.07	0.07	100.00	
5	18	7	82	LOW	81	92	21	23	4	5	25	28	3.4	0.31	0.30	84.00	
6	25	7	82	MED	67	78	14	17	1	2	15	19	3.2	0.22	0.24	93.33	
7	1	8	82	MED	43	51	10	13	1	1	11	14	2.9	0.26	0.27	90.91	
8	8	8	82	MED	29	37	6	10	1	1	7	11	2.9	0.24	0.30	85.71	
9	15	8	82	MED	23	29	3	6	0	0	3	6	2.7	0.13	0.21	100.00	
10	22	8	82	MED	22	27	4	4	0	0	4	4	2.5	0.18	0.15	100.00	
11	29	8	82	LOW	7	12	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
12	5	9	82	LOW	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
TOTAL				MED	443	538	67	85	7	9	74	94	3.4	0.17	0.17	90.54	

## STATISTICAL AREA G

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	434	455	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	MED	710	769	9	9	0	0	9	9	1.3	0.01	0.01	100.00	
3	4	7	82	HI	1193	1277	167	178	1	1	168	179	2.7	0.14	0.14	99.40	
4	11	7	82	LOW	1463	1531	362	413	7	7	389	420	2.9	0.27	0.27	98.20	
5	18	7	82	MED	1201	1299	372	411	5	7	377	418	3.6	0.31	0.32	98.67	
6	25	7	82	MED	946	1022	249	289	5	6	254	295	3.6	0.27	0.29	98.03	
7	1	8	82	LOW	640	701	177	201	4	5	181	206	3.2	0.28	0.29	97.79	
8	8	8	82	LOW	559	603	114	148	4	5	118	153	3.6	0.21	0.25	96.61	
9	15	8	82	MED	337	377	54	67	0	0	34	67	2.3	0.16	0.18	100.00	
10	22	8	82	HI	226	263	41	51	2	2	43	53	2.7	0.19	0.20	95.35	
11	29	8	82	HI	186	214	31	42	0	0	31	42	2.5	0.17	0.20	100.00	
12	5	9	82	MED	51	63	13	16	0	0	13	16	2.0	0.25	0.25	100.00	
TOTAL				MED	7948	8574	1609	1825	28	33	1637	1858	3.8	0.21	0.22	98.29	

## STATISTICAL AREA H

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	177	210	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	722	823	5	6	0	0	5	6	2.0	0.01	0.01	100.00	
3	4	7	82	HI	914	1077	90	99	0	0	96	99	2.0	0.10	0.09	100.00	
4	11	7	82	MED	1221	1390	268	303	1	1	269	304	2.7	0.22	0.22	99.63	
5	18	7	82	MED	1256	1395	207	262	2	2	209	264	2.5	0.17	0.19	99.04	
6	25	7	82	MED	1105	1274	165	194	1	1	166	195	3.5	0.15	0.15	99.40	
7	1	8	82	MED	873	963	110	127	1	1	111	128	2.7	0.13	0.13	99.10	
8	8	8	82	MED	721	851	74	98	1	1	75	99	3.2	0.10	0.12	98.67	
9	15	8	82	LOW	494	579	46	60	0	0	46	60	2.3	0.09	0.10	100.00	
10	22	8	82	MED	367	442	56	76	3	4	59	80	3.2	0.16	0.18	94.92	
11	29	8	82	MED	201	243	17	25	0	0	17	25	2.3	0.08	0.10	100.00	
12	5	9	82	MED	76	94	6	6	0	0	6	6	2.0	0.08	0.07	100.00	
TOTAL				MED	8109	9331	1044	1256	9	10	1053	1266	3.5	0.13	0.14	99.15	

## STATISTICAL AREA I

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	13	6	82	LOW	205	234	30	37	0	0	30	37	1.8	0.15	0.16	100.00	100.00
2	20	6	82	LOW	389	467	91	109	0	0	91	109	2.3	0.23	0.23	100.00	100.00
3	27	6	82	MED	943	1090	312	380	0	0	312	380	2.0	0.33	0.35	100.00	100.00
4	4	7	82	MED	789	929	295	377	1	2	296	379	2.9	0.38	0.41	99.66	99.47
5	11	7	82	LOW	681	808	306	364	18	18	324	382	5.4	0.48	0.47	94.44	95.29
6	18	7	82	LOW	574	683	195	233	0	0	195	233	2.2	0.34	0.34	100.00	100.00
7	25	7	82	LOW	510	605	132	167	0	0	132	167	2.2	0.26	0.28	100.00	100.00
8	1	8	82	MED	388	465	105	136	0	0	105	136	2.3	0.27	0.29	100.00	100.00
9	6	8	82	LOW	232	302	38	60	2	2	40	62	2.9	0.17	0.21	95.00	96.77
10	13	8	82	LOW	211	264	27	44	0	0	27	44	2.0	0.13	0.17	100.00	100.00
11	22	8	82	MED	147	199	32	51	0	0	32	51	2.3	0.22	0.26	100.00	100.00
12	29	8	82	MED	81	111	10	15	0	0	10	15	1.8	0.12	0.14	100.00	100.00
13	5	9	82	MED	2	2	2	2	0	0	2	2	1.3	1.00	1.00	100.00	100.00
TOTAL				LOW	5152	6159	1575	1975	21	22	1596	1997	5.4	0.31	0.32	98.68	98.90

## STATISTICAL AREA J

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	13	6	82	LOW	557	557	77	77	2	2	79	79	3.7	0.14	0.14	97.47	97.47
2	20	6	82	MED	683	764	269	299	5	5	274	304	4.1	0.40	0.40	98.18	98.36
3	27	6	82	MED	1712	1893	1169	1350	9	9	1178	1359	4.5	0.69	0.72	99.24	99.34
4	4	7	82	MED	2063	2312	1577	1793	13	13	1590	1806	4.5	0.77	0.78	99.18	99.28
5	11	7	82	LOW	1912	2137	1306	1536	10	11	1316	1547	4.1	0.69	0.72	99.24	99.29
6	18	7	82	LJW	1346	1552	674	782	1	1	675	783	3.9	0.50	0.50	99.85	99.87
7	25	7	82	MED	834	939	344	395	3	3	347	398	4.5	0.42	0.42	99.14	99.25
8	1	8	82	HI	560	658	252	294	0	0	252	294	2.7	0.45	0.45	100.00	100.00
9	6	8	82	LOW	423	520	162	200	0	0	162	200	2.0	0.38	0.38	100.00	100.00
10	13	8	82	MED	208	255	67	81	1	1	68	82	4.5	0.33	0.32	98.53	98.78
11	22	8	82	LOW	205	251	50	67	1	1	51	68	3.6	0.25	0.27	98.04	98.53
12	29	8	82	MED	85	125	23	35	0	0	23	35	2.0	0.27	0.28	100.00	100.00
13	5	9	82	HI	4	22	3	9	0	0	3	9	1.6	0.75	0.41	100.00	100.00
TOTAL				LOW	10592	11985	5973	6918	45	46	6018	6964	4.5	0.57	0.58	99.25	99.34

## STATISTICAL AREA K

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	MED	1132	1250	458	504	66	71	524	575	5.4	0.46	0.46	87.40	87.65
2	27	6	82	MED	1713	1944	368	449	87	103	455	552	10.0	0.27	0.28	80.88	81.34
3	4	7	82	MED	1798	2033	607	700	56	68	663	768	8.2	0.37	0.38	91.55	91.15
4	11	7	82	LOW	2206	2416	710	835	85	95	795	930	7.9	0.36	0.38	89.31	89.78
5	18	7	82	LOW	1573	1745	417	498	23	25	440	523	5.0	0.28	0.30	94.77	95.22
6	25	7	82	HI	1506	1674	472	571	19	21	491	592	12.2	0.33	0.35	96.13	96.45
7	1	8	82	HI	1246	1510	416	517	29	36	445	553	5.9	0.36	0.47	93.48	93.49
8	6	8	82	MED	1102	1325	398	497	22	32	420	524	5.7	0.38	0.40	94.76	93.95
9	13	8	82	LOW	626	992	261	326	11	16	272	342	4.5	0.33	0.34	95.96	95.32
10	22	8	82	MED	270	311	82	95	1	2	83	97	5.4	0.31	0.31	98.80	97.94
11	29	8	82	MED	161	181	46	48	0	0	46	48	2.0	0.29	0.27	100.00	100.00
12	5	9	82	HI	29	36	3	5	0	0	3	5	1.8	0.10	0.14	100.00	100.00
TOTAL				MED	13562	15417	4238	5045	399	469	4637	5514	12.2	0.34	0.36	91.40	91.49

## STATISTICAL AREA L

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	13	6	82	HI	102	102	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	20	6	82	HI	156	166	7	8	0	0	7	8	1.8	0.04	0.05	100.00	100.00
3	27	6	82	HI	632	705	239	255	7	8	246	263	4.5	0.39	0.37	97.15	96.96
4	4	7	82	HI	1175	1303	768	846	22	25	790	871	4.5	0.67	0.67	97.22	97.13
5	11	7	82	MED	1653	1819	1113	1235	32	34	1145	1269	5.0	0.69	0.70	97.21	97.52
6	18	7	82	MED	1370	1556	783	889	11	13	794	902	7.3	0.58	0.58	98.61	98.56
7	25	7	82	MED	910	1026	336	378	11	11	347	389	10.0	0.38	0.38	96.83	97.17
8	1	8	82	MED	654	740	220	260	8	9	223	269	8.4	0.35	0.36	96.49	96.65
9	6	8	82	HI	750	847	210	237	12	14	222	251	13.2	0.30	0.30	94.59	94.42
10	13	8	82	LOW	543	617	159	178	3	4	162	182	11.4	0.30	0.29	98.15	97.80
11	22	8	82	MED	397	440	89	93	4	4	93	102	8.2	0.23	0.23	95.70	96.08
12	29	8	82	MED	362	406	91	100	1	1	92	101	5.4	0.25	0.25	98.91	99.01
13	5	9	82	MED	91	96	34	37	2	3	36	40	5.4	0.40	0.42	94.44	92.50
TOTAL				MED	6795	9829	4049	4521	113	126	4162	4647	13.2	0.47	0.47	97.28	97.29

## STATISTICAL AREA M

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	H1	131	153	7	8	0	0	7	8	1.8	0.05	0.05	100.00	100.00
2	27	6	82	H1	554	640	51	59	3	3	54	62	7.0	0.10	0.10	94.44	95.16
3	4	7	82	H1	800	923	111	132	5	5	116	137	5.0	0.14	0.15	95.69	96.35
4	11	7	82	MED	1247	1406	261	295	10	12	271	307	5.7	0.22	0.22	96.31	96.09
5	18	7	82	MED	1391	1587	395	447	10	13	405	460	5.2	0.29	0.29	97.53	97.17
6	25	7	82	MED	1390	1609	425	491	6	6	431	497	6.8	0.31	0.31	98.61	98.79
7	1	8	82	MED	1217	1461	356	427	3	3	359	430	5.9	0.29	0.29	99.16	99.30
8	8	8	82	MED	1057	1251	282	331	2	2	284	333	4.1	0.27	0.27	99.30	99.40
9	15	8	82	MED	832	1007	140	177	4	4	144	181	4.3	0.17	0.18	97.22	97.79
10	22	8	82	MED	463	589	63	83	2	2	65	85	3.4	0.14	0.14	96.92	97.65
11	29	8	82	MED	404	497	54	71	2	2	56	73	4.3	0.14	0.15	96.43	97.26
12	5	9	82	MED	121	144	24	33	1	1	25	34	9.1	0.21	0.24	96.00	97.06
TOTAL				MED	9607	11267	2169	2554	48	53	2217	2607	9.1	0.23	0.23	97.83	97.97

## STATISTICAL AREA M

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	H1	43	65	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	H1	239	261	16	16	0	0	16	16	1.8	0.07	0.06	100.00	100.00
3	4	7	82	H1	464	511	204	222	2	2	206	224	4.5	0.44	0.44	99.03	99.11
4	11	7	82	MED	616	726	329	399	11	14	340	413	5.4	0.55	0.57	96.76	96.61
5	18	7	82	MED	730	802	451	504	16	19	467	523	5.9	0.64	0.65	96.57	96.37
6	25	7	82	MED	630	687	382	415	5	6	387	421	5.4	0.61	0.61	98.71	98.57
7	1	8	82	MED	444	487	235	263	4	6	239	274	3.2	0.54	0.56	98.33	97.81
8	8	8	82	LOW	373	429	159	201	1	2	160	203	3.2	0.43	0.47	99.37	99.01
9	15	8	82	MED	176	186	71	78	2	3	73	81	4.3	0.41	0.44	97.26	96.30
10	22	8	82	LOW	96	99	27	29	1	2	28	31	3.2	0.29	0.31	96.43	93.55
11	29	8	82	LOW	53	57	17	19	0	0	17	19	2.3	0.32	0.33	100.00	100.00
12	5	9	82	LOW	13	14	4	5	0	0	4	5	1.8	0.31	0.36	100.00	100.00
TOTAL				MED	3877	4324	1895	2156	42	54	1937	2210	5.9	0.50	0.51	97.83	97.56

## STATISTICAL AREA O

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	H1	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	H1	72	90	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	H1	410	444	50	56	24	28	74	84	5.7	0.18	0.19	67.57	66.67
4	11	7	82	H1	523	652	151	162	45	47	196	209	7.3	0.31	0.32	77.04	77.51
5	18	7	82	MED	1034	1069	464	500	116	124	500	624	6.4	0.56	0.58	80.00	80.13
6	25	7	82	MED	1009	1031	770	1024	119	134	889	1158	5.7	0.38	1.12	86.51	88.43
7	1	8	82	MED	881	906	632	992	74	94	706	1086	5.4	0.80	1.20	89.52	91.34
8	8	8	82	MED	721	747	352	620	81	88	433	708	5.4	0.60	0.95	81.29	87.57
9	15	8	82	MED	604	619	307	455	64	69	371	524	4.5	0.61	0.85	82.75	86.83
10	22	8	82	MED	387	396	137	181	24	24	161	205	5.7	0.42	0.52	85.09	88.29
11	29	8	82	MED	196	203	42	56	10	10	52	66	3.4	0.27	0.33	80.77	84.85
12	5	9	82	MED	137	143	35	37	2	2	37	39	6.3	0.27	0.27	94.59	94.87
13	12	9	82	MED	60	72	15	18	1	1	16	19	1.8	0.24	0.26	93.75	94.74
14	19	9	82	MED	19	23	2	3	0	0	2	3	1.8	0.11	0.13	100.00	100.00
TOTAL				MED	6172	6400	2957	4104	560	621	3517	4725	7.3	0.57	0.74	84.08	86.86

## FISHING AND INDUSTRY AREA 1

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	LOW	631	689	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	1283	1444	9	10	0	0	9	10	1.3	0.01	0.01	100.00	100.00
3	4	7	82	HI	1811	2002	179	201	1	1	180	202	2.7	0.10	0.10	99.44	99.50
4	11	7	82	MED	2217	2413	424	469	7	7	431	476	2.9	0.19	0.20	98.38	98.53
5	18	7	82	MED	2048	2279	459	522	9	13	468	535	3.6	0.23	0.23	98.08	97.57
6	25	7	82	MED	1618	2033	322	395	6	8	328	403	3.8	0.18	0.20	98.17	98.01
7	1	8	82	MED	1402	1598	242	294	8	12	250	306	3.2	0.18	0.19	96.80	96.08
8	8	8	82	LOW	1177	1331	154	211	8	11	162	222	3.6	0.14	0.17	95.06	95.05
9	15	8	82	LOW	802	941	78	107	0	1	78	108	2.7	0.10	0.11	100.00	99.07
10	22	8	82	HI	531	646	65	89	3	3	68	92	3.2	0.13	0.14	95.59	96.74
11	29	8	82	HI	443	531	46	67	2	2	48	69	2.7	0.11	0.13	95.83	97.10
12	5	9	82	HI	175	213	20	24	0	0	20	24	2.0	0.11	0.11	100.00	100.00
TOTAL				MED	14338	16120	1998	2389	44	58	2042	2447	3.8	0.14	0.15	97.85	97.63

## FISHING AND INDUSTRY AREA 2

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	15	6	82	LOW	205	234	30	37	0	0	30	37	1.8	0.15	0.16	100.00	100.00
2	20	6	82	LOW	433	556	89	107	0	0	89	107	2.3	0.21	0.19	100.00	100.00
3	27	6	82	HI	1250	1472	317	386	0	0	317	386	2.3	0.25	0.26	100.00	100.00
4	4	7	82	HI	1358	1629	378	467	1	2	379	469	2.7	0.28	0.29	99.74	99.57
5	11	7	82	MED	1740	2012	547	643	5	6	552	649	2.9	0.32	0.32	99.09	99.08
6	18	7	82	LOW	1526	1753	370	453	5	7	375	460	2.9	0.25	0.26	98.67	98.48
7	25	7	82	MED	1259	1499	280	334	5	8	285	342	3.5	0.23	0.23	98.25	97.66
8	1	8	82	MED	1016	1169	196	246	0	0	196	246	2.5	0.19	0.21	100.00	100.00
9	8	8	82	MED	775	940	118	156	4	6	122	162	2.9	0.16	0.17	96.72	96.30
10	15	8	82	LOW	584	698	72	104	0	0	72	104	2.3	0.12	0.15	100.00	100.00
11	22	8	82	MED	400	501	84	122	2	3	86	125	2.9	0.21	0.25	97.67	97.60
12	29	8	82	MED	187	232	27	36	0	0	27	36	2.3	0.14	0.16	100.00	100.00
13	5	9	82	MED	30	41	5	8	0	0	5	8	2.2	0.17	0.20	100.00	100.00
TOTAL				MED	10763	12756	2513	3099	22	32	2535	3131	3.5	0.24	0.25	99.13	98.98

## FISHING AND INDUSTRY AREA 3

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	13	6	82	LOW	557	557	77	77	2	2	79	79	3.7	0.14	0.14	97.47	97.47
2	20	6	82	MED	752	804	170	170	5	5	175	175	4.1	0.23	0.22	97.14	97.14
3	27	6	82	MED	4102	4438	949	1062	16	16	965	1078	3.6	0.24	0.24	98.34	98.52
4	4	7	82	MED	5777	6482	1733	1988	32	33	1765	2021	4.1	0.31	0.31	98.19	98.37
5	11	7	82	MED	7401	8333	2136	2499	40	47	2176	2546	5.4	0.29	0.31	98.16	98.15
6	18	7	82	MED	6618	7639	2360	2844	26	39	2386	2883	5.9	0.36	0.38	98.91	98.65
7	25	7	82	MED	6267	7147	2000	2515	35	46	2035	2561	4.5	0.32	0.36	98.28	98.20
8	1	8	82	MED	4536	5520	1554	2182	16	22	1570	2204	6.8	0.35	0.41	98.98	99.00
9	8	8	82	MED	3164	3765	945	1289	37	52	982	1341	6.4	0.31	0.36	96.23	96.12
10	15	8	82	MED	2185	2718	615	866	19	30	634	896	5.4	0.29	0.33	97.00	96.65
11	22	8	82	MED	1563	1843	345	480	12	46	357	526	3.6	0.23	0.29	96.64	91.25
12	29	8	82	MED	869	1076	161	209	6	8	167	217	3.6	0.19	0.20	96.41	96.31
13	5	9	82	MED	122	178	24	35	0	0	24	35	1.6	0.20	0.20	100.00	100.00
TOTAL				MED	43913	50300	13069	16216	246	346	13315	16562	6.8	0.30	0.33	98.15	97.91

## FISHING AND INDUSTRY AREA 4

OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD OBS.	DAYS TOT.	NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR				OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.
1	20	6	82	HI	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
2	27	6	82	HI	0	6	0	0	0	0	0	0	0.0	0.0	0.0	0.0	
3	4	7	82	MED	149	149	36	39	7	7	43	46	5.7	0.29	0.31	83.72	84.78
4	11	7	82	MED	135	165	19	19	11	11	30	30	5.4	0.16	0.16	63.33	63.33
5	18	7	82	MED	466	466	159	177	105	112	264	289	6.0	0.57	0.62	60.23	61.25
6	25	7	82	MED	569	569	505	759	117	132	622	671	5.7	1.09	1.53	81.19	84.84
7	1	8	82	MED	521	521	422	766	72	91	494	857	5.4	0.95	1.64	85.43	89.38
8	8	8	82	MED	340	340	220	477	76	83	296	560	5.4	0.87	1.65	74.32	85.18
9	15	8	82	MED	408	408	264	407	63	68	327	475	4.5	0.80	1.16	80.73	85.68
10	22	8	82	MED	275	275	106	146	24	24	130	170	5.7	0.47	0.62	81.54	85.88
11	29	8	82	MED	136	136	31	43	10	10	41	53	3.4	0.30	0.39	75.61	81.13
12	5	9	82	MED	56	56	14	14	2	2	16	16	6.5	0.29	0.29	87.50	87.50
13	12	9	82	MED	10	10	6	6	1	1	7	7	7.0	0.70	0.70	85.71	85.71
14	19	9	82	MED	0	0	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
TOTAL				MED	3121	3121	1782	2833	488	541	2270	3374	6.3	0.73	1.08	78.50	83.97

## FISHING AND INDUSTRY AREA 5

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	NO. DAYS		NO. GRILSE		NO. SALMON		NO. FISH		WT LG (KGS)	C/A		% GRILSE		
	DA	MO	YR		OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.		OBS.	TOT.	OBS.	TOT.	
1	13	6	82	HI	102	102	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
2	20	6	82	HI	1778	2040	580	658	60	71	646	729	5.4	0.36	0.36	89.78	90.26	
3	27	6	82	HI	4212	4894	1216	1453	112	133	1328	1586	10.0	0.32	0.32	91.57	91.61	
4	4	7	82	HI	6046	6930	3064	3470	149	173	3213	3643	8.2	0.53	0.53	95.36	95.25	
5	11	7	82	MED	7447	8420	3586	4172	188	211	3774	4383	7.9	0.51	0.52	95.02	95.19	
6	18	7	82	MED	6515	7409	2964	3416	81	96	3045	3512	7.3	0.47	0.47	97.34	97.27	
7	25	7	82	MED	5566	6324	2274	2629	46	49	2320	2678	12.2	0.42	0.42	98.02	98.17	
8	1	8	82	MED	4485	5320	1733	2081	46	57	1779	2138	8.4	0.40	0.40	97.41	97.33	
9	8	8	82	LOW	4120	4882	1400	1718	42	55	1442	1773	13.2	0.35	0.36	97.09	96.90	
10	15	8	82	MED	2871	3416	784	961	22	29	806	990	11.4	0.28	0.29	97.27	97.07	
11	22	8	82	LOW	1525	1848	355	441	9	11	364	452	8.2	0.24	0.24	97.53	97.57	
12	29	8	82	MED	1147	1391	253	315	3	3	256	318	5.4	0.22	0.23	98.83	99.06	
13	5	9	82	MED	338	399	86	109	3	4	69	113	9.1	0.26	0.28	96.63	96.46	
14	12	9	82	MED	56	62	9	12	0	0	9	12	1.8	0.16	0.19	100.00	100.00	
15	19	9	82	MED	19	23	2	3	0	0	2	3	1.8	0.11	0.13	100.00	100.00	
TOTAL				MED	46227	53472	18306	21436	767	892	19073	22330	13.2	0.41	0.42	95.98	96.01	

## INSULAR NFLD. TOTAL

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	13	6	82	HI	364	693	107	114	2	2	109	116	3.7	0.13	0.13	98.17	98.28
2	20	6	82	MED	3589	4090	839	935	71	76	910	1011	5.4	0.25	0.25	92.20	92.48
3	27	6	82	MED	10781	12164	2491	2911	128	149	2619	3060	10.0	0.24	0.25	95.11	95.13
4	4	7	82	MED	14725	16748	5340	6109	166	188	5506	6297	8.2	0.37	0.38	96.99	97.01
5	11	7	82	MED	15365	20717	6561	7640	206	235	6767	7875	7.9	0.37	0.38	96.96	97.02
6	18	7	82	MED	16139	18477	5848	6912	110	143	5958	7055	7.3	0.37	0.38	98.15	97.97
7	25	7	82	MED	14470	16541	4611	5588	90	109	4701	5697	12.2	0.32	0.34	98.09	98.09
8	1	8	82	MED	11079	13042	3515	4577	68	88	3563	4665	8.4	0.32	0.36	98.10	98.11
9	8	8	82	MED	8855	10511	2485	3231	86	119	2571	3350	13.2	0.29	0.32	96.65	96.45
10	15	8	82	MED	6246	7562	1506	1990	40	59	1546	2049	11.4	0.25	0.27	97.41	97.12
11	22	8	82	MED	3907	4717	818	1097	26	63	844	1160	8.2	0.22	0.25	96.92	94.57
12	29	8	82	MED	2586	3163	476	614	11	13	487	627	5.4	0.19	0.20	97.74	97.93
13	5	9	82	MED	584	744	114	153	3	4	117	157	9.1	0.20	0.21	97.44	97.45
TOTAL				MED	112190	129369	34711	41871	1007	1248	35718	43119	13.2	0.32	0.33	97.18	97.11

## LABRADOR TOTAL

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	20	6	82	HI	5	5	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
2	27	6	82	HI	72	90	0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
3	4	7	82	HI	416	444	50	56	24	28	74	84	5.7	0.18	0.19	67.57	66.67
4	11	7	82	HI	625	652	131	162	45	47	196	209	7.3	0.31	0.32	77.04	77.51
5	18	7	82	MED	1034	1069	464	500	116	124	580	624	6.4	0.56	0.58	80.00	80.13
6	25	7	82	MED	1009	1031	770	1024	119	134	889	1158	5.7	0.88	1.12	86.61	88.43
7	1	8	82	MED	881	906	632	992	74	94	706	1086	5.4	0.80	1.20	89.52	91.34
8	8	8	82	MED	721	747	352	620	81	88	433	708	5.4	0.60	0.95	81.29	87.57
9	15	8	82	MED	604	619	307	455	64	69	371	524	4.5	0.61	0.85	82.75	86.83
10	22	8	82	MED	387	396	137	181	24	24	161	205	5.7	0.42	0.52	85.09	88.29
11	29	8	82	MED	196	203	42	56	10	10	52	66	3.4	0.27	0.33	80.77	84.85
12	5	9	82	MED	137	143	35	37	2	2	37	39	6.3	0.27	0.27	94.59	94.87
13	12	9	82	MED	66	72	15	18	1	1	16	19	1.8	0.24	0.26	93.75	94.74
14	19	9	82	MED	19	23	2	3	0	0	2	3	1.8	0.11	0.13	100.00	100.00
TOTAL				MED	6172	6400	2957	4104	560	621	3517	4725	7.3	0.57	0.74	84.08	86.86

## PROVINCIAL TOTAL

## OBSERVED AND TOTAL (ESTIMATED+OBSERVED) ANGLING CATCH 1982

WK	WEEK END			WATER LEVEL	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		WT LG (KGS)	C/E		% GRILSE	
	DA	MO	YR		Obs.	TOT.	Obs.	TOT.	Obs.	TOT.	Obs.	TOT.		Obs.	TOT.	Obs.	TOT.
1	13	6	82	HI	664	893	107	114	2	2	109	116	3.7	0.13	0.13	98.17	98.28
2	20	6	82	MED	3594	4095	839	935	71	76	910	1011	5.4	0.25	0.25	92.20	92.48
3	27	6	82	MED	10853	12254	2491	2911	128	149	2619	3060	10.0	0.24	0.25	95.11	95.13
4	4	7	82	MED	15141	17192	5390	6165	190	216	5580	6381	8.2	0.37	0.37	96.59	96.61
5	11	7	82	MED	18990	21369	6712	7802	251	282	6963	8084	7.9	0.37	0.38	96.40	96.51
6	18	7	82	MED	17173	19546	6312	7412	226	267	6538	7679	7.3	0.38	0.39	96.54	96.52
7	25	7	82	MED	15479	17572	5381	6612	209	243	5590	6855	12.2	0.36	0.39	96.26	96.46
8	1	8	82	MED	11960	13948	4147	5569	142	182	4289	5751	8.4	0.36	0.41	96.69	96.84
9	8	8	82	MED	9576	11258	2837	3851	167	207	3004	4058	13.2	0.31	0.36	94.44	94.90
10	15	8	82	MED	6550	8181	1813	2445	104	126	1917	2573	11.4	0.28	0.31	94.57	95.03
11	22	8	82	MED	4294	5113	955	1278	50	87	1005	1365	8.2	0.23	0.27	95.02	93.63
12	29	8	82	MED	2782	3366	518	670	21	23	559	693	5.4	0.19	0.21	96.10	96.68
13	5	9	82	MED	721	887	149	190	5	6	154	196	9.1	0.21	0.22	96.75	96.94
14	12	9	82	MED	66	72	15	18	1	1	16	19	1.8	0.24	0.26	93.75	94.74
15	19	9	82	MED	19	23	2	3	0	0	2	3	1.8	0.11	0.13	100.00	100.00
TOTAL				MED	118362	135769	37668	45975	1567	1869	59235	47644	13.2	0.33	0.35	96.01	96.09





Part II

Arctic Charr, Brook Trout and other fishes



### Introduction

During the years previous to 1982 little attention was given to compiling catch and effort statistics for species other than Atlantic salmon. However, attempts are being made to change this practice. In 1982 weekly angling report books were sent to all sport fishing camps to record this information. The response received from the camp operators was good. One problem which occurred was that the catch was recorded in some instances by weight and in others by numbers. For the coming year this will be standardized.

There are eighteen rivers from which data have been collected. The locations are identified on the Labrador Map (Fig. 6). These rivers are as follow:

<u>Map #</u>	<u>River Name</u>
1	Pinware River
2	St. Mary's River
3	Alexis River
4	Shinneys Waters
5	Gilbert River
6	Minipi Lake
7	Ann-Marie Lake
8	Hawke River
9	Sandhill River
10	Eagle River
11	Igloo Lake
12	Double Mer Brook
13	St. Michaels River
14	Big River
15	Marble Lake
16	Hunt River
17	Clyho Lake
18	Flowers River




Fig. 6. Locations of commercial sport fishing camps in Labrador, where data were collected in 1982.

50000360  
Pinware River

## Numbers of fish recorded

Week end Da Mo Yr	Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
			Resident	Sea run				
18 07 82	2	1	1	0	0	0	0	0
01 08 82	2	1	3	0	0	0	0	0
TOTAL		2	4	0	0	0	0	0

5101520  
St. Mary's River

## Numbers of fish recorded

Week end Da Mo Yr	Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
			Resident	Sea run				
27 06 82	1	15	0	72	0	0	0	0
04 07 82	1	13	0	47	0	0	0	0
11 07 82	1	29	0	109	0	0	0	0
12 07 82	2	6	0	72	0	0	0	0
01 08 82	1	7	0	33	0	0	0	0
08 08 82	1	4	0	50	0	0	0	0
15 08 82	2	1	0	29	0	0	0	0
22 08 82	2	3	0	30	0	0	0	0
29 08 82	2	1	0	10	0	0	0	0
05 09 82	3	3	0	24	0	0	0	0
TOTAL		82	0	476	0	0	0	0

5102500  
Alexis River

## Weight of fish recorded

Week end Da Mo Yr	Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
			Resident	Sea run				
27 06 82	2	6	0	60	0	0	0	0
11 07 82	2	4	0	40	0	0	0	0
18 07 82	2	2	0	15	0	0	0	0
01 08 82	2	4	0	30	0	0	0	0
08 08 82	2	3	0	20	0	0	0	0
TOTAL		19	0	165	0	0	0	0

5102680  
Shinneys Waters

Weight of fish recorded

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
27	06	82	2	3	0	30	0	0	0	0
11	07	82	2	2	0	20	0	0	0	0
18	07	82	2	15	0	30	0	0	0	0
TOTAL				20	0	80	0	0	0	0

5102820  
Gilbert River

Weight of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
11	07	82	2	2	0	25	0	0	0	0
18	07	82	2	4	15	0	0	0	0	0
01	08	82	2	3	0	20	0	0	0	0
08	08	82	2	2	0	10	0	0	0	0
TOTAL				11	15	55	0	0	0	0

5104500  
Hawke River

Weight of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
27	06	82	2	2	0	25	0	0	0	0
18	07	82	2	7	65	0	0	0	0	0
25	07	82	2	3	0	40	0	0	0	0
01	08	82	2	2	0	25	0	0	0	0
08	08	82	2	2	0	15	0	0	0	0
TOTAL				16	65	105	0	0	0	0

5205820  
Sandhill River

Numbers of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
04	07	82	2	54	19	4	0	0	0	0
11	07	82	2	60	16	17	0	0	0	0
18	07	82	2	48	20	13	0	0	0	0
25	07	82	3	60	41	48	0	0	0	0
01	08	82	2	50	8	64	0	0	0	0
08	08	82	3	48	7	62	0	0	0	0
08	15	82	3	62	46	83	0	0	0	0
TOTAL				382	157	291	0	0	0	0

5206820  
Eagle River

Numbers of fish recorded at 6 sport fishing camps

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
11	07	82	1	20	28	0	0	0	0	0
18	07	82	1	8	0	45	0	0	0	0
25	07	82	2	35	13	297	0	0	0	0
01	08	82	2	124	26	338	0	0	0	0
15	08	82	3	12	8	43	0	0	0	0
22	08	82	3	16	20	5	0	0	0	0
29	08	82	2	3	30	0	0	0	0	0
05	09	82	1	9	4	25	0	0	0	0
TOTAL				227	129	753	0	0	0	0

5212910  
Double Mer Brook

Numbers of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
11	07	82	2	16	0	76	0	0	0	0
18	07	82	2	16	99	134	0	4	0	0
25	07	82	2	31	53	91	0	1	0	0
01	08	82	3	36	80	152	0	93	0	0
08	08	82	3	36	233	135	0	44	0	0
TOTAL				135	465	588	0	142	0	0

5214280  
St. Michael's River

Numbers of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
27	06	82	2	4	0	35	0	0	0	0
04	07	82	2	24	0	50	0	0	0	0
11	07	82	2	4	0	80	0	0	0	0
18	07	82	2	8	0	34	0	4	0	0
25	07	82	2	21	0	54	0	27	0	0
01	08	82	2	24	1	67	0	3	0	0
08	08	82	2	43	4	71	0	136	0	0
TOTAL				128	5	391	0	170	0	0

5315040  
Big River

Numbers of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
18	07	82	1	42	0	8	0	0	0	0
25	07	82	2	45	0	45	0	0	0	0
01	08	82	3	49	0	86	0	0	0	0
08	08	82	3	43	0	284	0	0	0	0
15	08	82	3	56	0	125	0	0	0	0
22	08	82	3	56	0	84	0	0	0	0
TOTAL				291	0	632	0	0	0	0

5319220  
Hunt River

Numbers of fish recorded at two sports fishing camps

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
18	07	82	1	76	191	150	0	32	0	0
25	07	82	2	42	0	207	0	4	0	0
01	08	82	2	42	0	170	0	0	0	0
15	08	82	2	24	0	100	0	0	0	0
TOTAL				184	191	627	0	36	0	0



5319480  
Flowers River

Numbers of fish recorded at two sports fishing camps

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
01	08	82	3	13	0	140	16	79	0	0
08	08	82	2	12	15	0	7	50	0	0
15	08	82	2	32	0	120	25	113	0	0
22	08	82	1	50	36	141	35	235	0	0
29	08	82	2	33	0	135	0	58	0	0
TOTAL				140	51	536	83	535	0	0

Marble Lake

Numbers of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
13	06	82	1	20	0	0	25	0	3	5
20	06	82	2	24	10	0	22	0	37	6
27	06	82	2	36	25	0	27	0	136	16
04	07	82	3	30	14	0	31	0	41	5
TOTAL				110	49	0	105	0	217	32

Ann Marie Lake

Numbers of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
11	07	82	2	10	4	0	0	0	4	0
18	07	82	2	37	27	0	0	0	48	0
25	07	82	2	35	32	0	0	0	63	0
01	08	82	2	33	23	0	0	0	42	0
08	08	82	3	30	44	0	0	0	57	0
15	08	82	3	40	41	0	0	0	73	0
*22	08	82	3	29	17	0	0	0	36	0
29	08	82	3	18	6	0	0	3	2	0
05	09	82	3	20	9	0	0	1	18	0
TOTAL				252	203	0	0	4	343	0

## Minipi Lake

Numbers of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
04	07	82	2	2	3	0	0	0	6	0
11	07	82	2	7	21	0	0	1	54	0
18	07	82	2	40	35	0	0	10	27	0
25	07	82	2	36	13	0	0	0	32	0
TOTAL				85	72	0	0	11	119	0

## Clyho Lake

Numbers of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
18	07	82	1	5	8	0	0	24	0	0
25	07	82	2	8	0	0	0	52	0	0
01	08	82	2	8	0	0	0	53	0	0
08	08	82	2	22	0	0	0	72	0	0
15	08	82	1	18	0	0	0	47	0	0
22	08	82	3	0	0	0	0	40	0	0
29	08	82	2	0	0	0	0	39	0	0
TOTAL				61	8	0	0	327	0	0

## Igloo Lake

Numbers of fish recorded at one sports fishing camp

Week end			Water levels	Effort (rod days)	Brook trout		Lake trout	Arctic charr	Northern pike	Ouananiche
Da	Mo	Yr			Resident	Sea run				
11	07	82	2	55	256	0	0	0	44	0
18	07	82		56	44	0	0	0	16	0
25	07	82		39	225	0	0	0	28	0
01	08	82	3	45	245	0	0	0	3	0
22	08	82		33	91	0	0	0	3	0
29	08	82		20	16	0	0	0	0	0
05	09	82		27	58	0	0	0	17	0
12	09	82		30	76	0	0	0	9	0
19	09	82		19	58	0	0	0	0	0
TOTAL				324	1069	0	0	0	120	0