

DFO - Library / MPO - Bibliothèque




08000579

The Indian Food Fishery of the Fraser River: 1986 Summary

A.L. Macdonald

Department of Fisheries and Oceans
Fisheries Branch
80 - 6th Street
New Westminster, B.C.
V3L 5B3

April 1987



Canadian Data Report of
Fisheries and Aquatic Sciences
No. 623



Fisheries
and Oceans

Pêches
et Océans

Canada

Canadian Data Report of Fisheries and Aquatic Sciences

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport statistique canadien des sciences halieutiques et aquatiques

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of
Fisheries and Aquatic Sciences 623

April 1987

THE INDIAN FOOD FISHERY
OF THE FRASER RIVER:
1986 SUMMARY.

by

A.L. Macdonald

Department of Fisheries and Oceans
Fisheries Branch
80 - 6th Street
New Westminster, B.C.
V3L 5B3

© Minister of Supply and Services Canada 1987

Cat. No. Fs 97-13/0623E

ISSN 0706-6465

Correct citation for this publication:

Macdonald, A.L. 1987. The Indian food fishery of the Fraser River: 1986
Summary. Can. Data. Rep. Fish. Aquat. Sci. 623: 103 p.

CONTENTS

	Page
LIST OF TABLES AND FIGURES	iv
ABSTRACT/RÉSUMÉ	v
INTRODUCTION	1
FISHING AREAS AND GEAR	1
1986 CATCH	4
MANAGEMENT PROCEDURE	4
1986 PRE-SEASON MANAGEMENT PLAN	7
IN-SEASON AMENDMENTS	7
DATA SOURCES	7
DATA ORGANIZATION AND INTERPRETATION	8
ACKNOWLEDGEMENTS	8
LITERATURE CITED	8

LIST OF TABLES

Table	Page
1. Annual salmon and steelhead catch by the Fraser River Indian food fishery, 1951 to 1986	5
2. Distribution of salmon and steelhead catch by area in the Fraser River Indian food fishery in 1986	6
3. Management plans for the Fraser River Indian food fishery in 1986	9
4. Weekly number of days open, nets and net-days of effort by area in the Fraser River Indian food fishery in 1986	15
5. Annual catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986	31
6. Weekly estimates of catch by area in the Fraser River Indian food fishery in 1986	55
7. Weekly estimates of effort and catch per unit of effort (CPUE) by area and gear type in the Fraser River Indian food fishery in 1986	89

LIST OF FIGURES

Figure	Page
1. The Fraser River watershed and features delineating the fishing areas of the Indian food fishery	2

Weekly effort levels and catches of five species of Pacific salmon (genus *Oncorhynchus*), steelhead trout (*Salmo gairdneri*) and white sturgeon (*Acipenser transmontanus*) are reported for all 23 fishing areas of the Fraser River Indian food fishery in 1986. The annual catch of 605,662 salmon and steelhead was the highest on record. The catch by species was 15,646 chinook salmon (*O. tshawytscha*), 534,159 sockeye salmon (*O. nerka*), 35,158 coho salmon (*O. kisutch*), 16,711 chum salmon (*O. keta*), 3,988 steelhead and 1,794 sturgeon. A standard management plan for the fishery was amended because conservation of early and middle timed chinook and early Stuart sockeye stocks was required. For the first time, in-season management actions were taken to keep sockeye catches within prescribed limits.

Key words: Indian food fishery, Fraser River, effort, catch, conservation.

On présente les niveaux d'effort et les prises hebdomadaires en 1986 pour cinq espèces de saumons du Pacifique (*Oncorhynchus* sp.), la truite arc-en-ciel anadrome (*Salmo gairdneri*) et l'esturgeon blanc (*Acipenser transmontanus*) dans les 23 secteurs de pêche de subsistance des autochtones dans le fleuve Fraser. Les prises annuelles, qui totalisaient 605 662 saumons et truites arc-en-ciel anadromes, étaient les plus importantes sign lées jusqu'à maintenant. La répartition des prises était la suivante: 15 646 saumons quinnats (*O. tshawytscha*), 534 159 saumons rouges (*O. nerka*), 35 158 saumons cohos (*O. kisutch*), 16 711 saumons kétas (*O. keta*), 3 988 truites arc-en-ciel anadromes et 1 794 esturgeons. On a modifié le plan normalisé de gestion de la pêche en vue de la conservation des stocks de saumon quinnat à remontée hâtive et mi-saisonnière et de saumon rouge de la Stuart à remontée hâtive. Pour la première fois, on a pris des mesures de gestion pendant la saison afin de maintenir les captures de saumon rouge dans les limites prescrites.

Mots-clés: pêche de subsistance indienne, fleuve Fraser, effort de pêche, prises, conservation des stocks de saumon.

INTRODUCTION

Management plans for the Fraser River Indian food fishery (IFF) in 1986 and resultant effort, catch and catch per unit of effort of salmon (*Oncorhynchus* sp.), steelhead (*Salmo gairdneri*) and white sturgeon (*Acipenser transmontanus*) are documented in this report. Management plans and historical salmon catch and effort statistics of the IFF for the 1951 to 1982 period have been compiled by Schubert (1983) and published annually for each year since 1983 (Schubert 1984, 1985, 1986).

The following information provides a brief description of fishing areas and gear, an overview of the management process, an annual catch summary, details of the data organization and interpretation, and tabulated weekly effort and catch by the IFF in 1986.

FISHING AREAS AND GEAR

The Fraser River watershed has been divided into 23 areas for the purpose of data collection and documentation. Areas are delineated by the locations described briefly below and shown in Fig. 1. The following descriptions indicate the distance of the area boundaries from Steveston (near the mouth of the Fraser River) in brackets and gear types used in each area.

Steveston Area (below 9.6 km); drifted gill nets. The North Arm of the Fraser River between Knight Street Bridge and within a radius of one and one-half nautical miles of the light on the westerly end of the North Arm Jetty, and the waters of Ladner Reach and Canoe Passage lying between a line projected from the most easterly point on Kirkland Island and the most westerly end of Deas Island and red boundary signs on the westerly end of West-

ham Island and a dolphin on the most westerly point of land on the south shore of Canoe Passage and that portion of Sea Reach from Ladner Reach westerly to a line projected between red boundary signs located on either shore of Sea Reach approximately 600 feet westerly of the Currie Camp dock.

Deas Island (9.6 km) to Mission (75 km); set gill nets. The main arm of the Fraser River from the westerly end of Deas Island upstream to Mission; and the North Arm of the Fraser River upstream from the Knight Street Bridge.

Mission (75 km) to Hope (151 km); set gill nets. In this area, the mainstem of the Fraser River is divided into north side and south side subareas, each extending from Mission to Hope.

Hope (151 km) to North Bend (206 km); set gill nets. This area encompasses a permanently closed 8 km section of the Fraser River that extends from Williams Creek (191.5 km), 2.8 km south of Hell's Gate, to Petch Creek (199.5 km), 5.2 km north of Hell's Gate. The closed area protects salmon stocks passing an obstruction at Hell's Gate.


North Bend (206 km) to Texas Creek (280 km); set gill nets and dip nets. Prior to 1976, this area was North Bend to Lytton (236 km). Texas Creek flows into the Fraser River 18 km south of Lillooet.

Texas Creek (280 km) to Churn Creek (430 km); set gill nets and dip nets. Prior to 1976, this area was Lytton to Churn Creek.

Churn Creek (430 km) to Chilcotin Bridge (491 km); dip nets. Chilcotin Bridge (also known as Sheep Creek bridge) crosses the Fraser River 20 km south of Williams Lake.

Chilcotin Bridge (491 km) to Marguerite (552 km); dip nets.

FIGURE 1. The Fraser River watershed and features delineating the fishing areas of the Indian food fishery.



Marguerite (552 km) to Hixon (689 km);
dip nets.

Above Hixon (689 km); set gill nets. Fishing in this area is conducted in the Fraser River between Hixon and Prince George (768 km) and at Shelley (773 km). No fishing occurs in the mainstem or tributaries of the Fraser River upstream of Shelley.

Nechako and Stuart River Systems; set gill nets. These two systems are divided into six subareas as follows:

- a. Nechako River
 - Prince George (768 km) to the Stuart River confluence (855 km).
 - Stuart-Nechako river confluence (855 km) to Fort Fraser (958 km). Includes the Nautley River which extends one km from the outlet of Fraser Lake to the Nechako River.
 - Fort Fraser (958 km) to Francois Lake (990 km). Fishing in this area occurs along the foreshore of Fraser Lake off the reserves at Lejac and in the Fraser Lake town site, and in the lower 200 m of the Stellako River.
- b. Stuart River
 - Stuart-Nechako river confluence (855 km) to Fort St. James (967 km). Most intensive fishing of this area occurs at the outlet of Stuart Lake.
 - Fort St. James (967 km) to the Trembleur Lake outlet (1,035 km). Fishing in this area occurs in the Tachie River at Grand Rapids and off the Tachie River mouth.
 - above the Trembleur Lake outlet (1,035 km). Fishing is conducted in this area at the mouth of the Middle River.

Chilcotin River System

- Chilcotin River; Chilcotin-Fraser river confluence (460 km) to the Chilcotin-Chilko river confluence (549 km); dip nets.
- Chilko River; Chilko-Chilcotin river confluence (549 km) to Henry's Crossing (628 km); dip nets and gaffs.

Thompson River System

- Thompson River; Lytton (254 km) to Savona (368 km); set gill nets and dip nets.
- Shuswap River; Islands Rapids (610 km) to Skookumchuk Rapids (653 km); spears and gaffs.
- North Thompson River system; North Thompson mainstem above McLure (413 km); set gill nets; and in the Raft River (545 km); spears and gaffs.

Harrison-Lillooet River System

- Harrison River; mainstem (from 102 km to 121 km); set gill nets and spears.
- Lower Lillooet River; head of Harrison Lake (182 km) to the Lillooet Lake outlet (240 km); set gill nets.
- Birkenhead River (268 km); includes a set gill net fishery at the upper end of Lillooet Lake and a gaff fishery in the Birkenhead River.

The Fraser River watershed is divided into two administrative districts by the Department of Fisheries and Oceans (DFO). Districts 1 and 2 represent, respectively, all areas upstream and downstream of North Bend.

1986 CATCH

Catches of salmon and steelhead by the IFF are presented by year from 1951 to 1986 in Table 1 and by area for 1986 in Table 2. The total catch of 605,662 salmon and steelhead in 1986 was the highest on record. The chinook catch of 15,646 was below the average level for the 1981 to 1986 period. The catch of 534,159 sockeye in 1986 represented 88% of the salmonid total and was the largest annual catch for the 1951 to 1986 period. The coho catch of 35,158 was more than four times larger than the brood year catch in 1983 and the third highest catch on record. The catch of 16,711 chum was above the 1981 to 1986 average and the third highest catch on record. The steelhead catch of 3,988 was the second highest total in the past twenty years. The majority of the total catch in 1986 was taken in the mainstem of the Fraser River downstream of Churn Creek (81%). The greatest catches of any area in the fishery occurred between Mission and Hope (29%) and Hope and North Bend (30%).

MANAGEMENT PROCEDURE

The IFF is regulated to conserve the salmon resource and provide Indian people with a level of fishing opportunity that enables them to meet their reasonable food fish requirements. The standard fishing plan for the fishery, which has not changed significantly since 1962, is shown in Table 3a. Two regulatory measures have been used in the management procedure: restrictions of fishing times and restrictions in the type and characteristics of gear. The duration of weekly open periods vary within the fishery because stock abundances change and gear efficiencies differ between areas. For example, the fishery between Deas Island and Petch Creek is open for three days per week

because most Fraser River stocks of all five salmon species are available to the relatively efficient gear used in this area. In comparison, the fishery between Churn Creek and Hixon and in the Chilcotin River system is open seven days per week because the number of salmon species, and abundance and seasonal occurrence of stocks are considerably reduced. Additionally, the dip nets used in these areas are less efficient than set gill nets used in the lower parts of the river, and the number of fishing sites is limited. Gear restrictions applying to the type and characteristics of gill nets are used as a method of limiting net efficiency which can not be compensated for by varying the duration of openings.

The standard fishing plan may be amended prior to the start of, or during the fishing season if the status of stocks indicates that conservation measures are required. Each year, a pre-season plan is developed which incorporates management actions for conservation into the standard plan. The pre-season plan is finalized after consultation with appropriate Indian bands and tribal councils. Changes to this plan are usually made only if emergency in-season conservation concerns arise.

The Interior Indian Fisheries Commission (IIFC) represents the fishing interests of most Indian bands and tribal councils throughout the Fraser River watershed and is one of the principal consultative groups for the IFF. The IIFC consists of two representatives from each of the following ten tribal councils: Carrier-Sekani Tribal Council, Cariboo Tribal Council, Chilcotin-Ulkatcho-Kluskus Nation, Lillooet Tribal Council, Nlaka' Pamux Tribal Council, Okanagan Tribal Council, Shuswap Nation Tribal Council, Kootenay Indian Area Council, Sto:Lo Nation, and Sto:Lo Tribal Council.

Table 1. Annual salmon and steelhead catch by the Fraser River Indian food fishery, 1951 to 1986.

Year	Chinook	Sockeye	Pink	Coho	Chum	Steelhead	Total
1951	9,092	85,043	6,385	3,980	5,827	2,313	112,640
1952	9,450	83,986	11	5,191	5,787	3,090	107,515
1953	10,763	113,031	8,233	6,111	5,241	2,769	146,148
1954	12,501	95,200	0	7,206	6,168	2,803	123,878
1955	8,145	65,504	10,813	10,599	3,521	1,998	100,580
1956	5,003	64,918	168	6,377	2,267	1,838	80,571
1957	5,793	96,839	13,395	6,200	4,761	1,925	128,913
1958	7,693	82,632	117	5,975	6,741	2,488	105,646
1959	7,741	64,999	17,695	8,335	15,900	3,567	118,237
1960	8,086	83,649	0	8,105	9,970	4,115	113,925
1961	9,203	137,194	30,055	13,182	9,647	4,761	204,042
1962	8,899	137,448	0	15,680	11,300	4,796	178,123
1963	9,150	190,002	34,750	14,560	10,741	4,959	264,162
1964	10,513	145,639	0	16,217	12,210	5,893	190,472
1965	10,123	120,570	29,231	21,135	7,390	3,750	192,199
1966	9,063	154,059	0	21,527	12,181	3,606	200,436
1967	6,159	107,173	24,344	4,845	8,800	2,283	153,604
1968	10,123	124,191	0	17,622	11,102	1,996	165,034
1969	14,171	159,105	25,600	13,949	4,300	1,436	218,561
1970	18,933	150,555	0	19,390	5,603	1,423	195,904
1971	14,133	154,461	27,722	17,999	4,022	1,547	219,884
1972	16,008	135,003	0	19,647	6,301	2,657	179,616
1973	11,775	163,866	54,572	16,434	10,742	1,885	259,274
1974	18,144	222,430	6	27,924	15,102	2,030	285,636
1975	20,170	253,151	41,488	18,092	7,087	2,123	342,111
1976	19,189	233,462	0	24,924	13,603	2,320	293,498
1977	23,310	244,427	28,618	16,543	9,342	1,122	323,362
1978	19,541	237,552	0	22,739	9,509	442	289,783
1979	14,931	291,709	60,866	15,053	8,202	743	391,504
1980	15,252	185,966	0	29,427	12,333	1,357	244,335
1981	11,987	440,664	56,702	10,741	11,170	1,014	532,278
1982	35,687	429,799	0	49,645	19,233	2,374	536,738
1983	15,756	361,556	84,879	7,548	12,637	766	483,142
1984	22,784	357,529	0	57,297	18,635	6,745	462,990
1985	10,895	424,499	102,292	18,181	5,859	1,460	563,186
1986	15,646	534,159	0	35,158	16,711	3,988	605,662
Averages							
1951-60	8,427	83,580	11,304	6,808	6,618	2,691	113,805
1961-70	10,634	142,594	28,796	15,811	9,327	3,490	196,254
1971-80	17,245	212,203	42,653	20,878	9,624	1,623	282,900
1981-86	19,422	424,701	81,291	29,762	14,041	2,725	530,666

Table 2. Distribution of salmon and steelhead catch by area in the Fraser River Indian food fishery in 1986.

Fishing Area	Sockeye		Chinook		Coho		Chum		Steelhead		Total	
	catch	%	catch	%	catch	%	catch	%	catch	%	catch	%
Fraser mainstem												
Steveston area	25,162	5	708	5	1,940	6	2,452	15	93	2	30,355	5
Deas to Mission	12,406	2	1,038	7	2,883	8	2,106	13	147	4	18,580	3
Mission to Hope	142,339	27	5,723	37	17,339	49	9,049	54	1,612	40	176,062	29
Hope to North Bend	165,181	31	5,144	33	9,236	26	2,472	15	2,123	53	184,156	30
North Bend to Texas Creek	25,145	5	668	4	196	1	-	-	-	-	26,009	4
Texas Creek to Churn Creek	61,248	11	970	6	179	1	-	-	-	-	62,397	10
Churn Cr. to Chilcotin Bridge	8,926	2	160	1	-	-	-	-	-	-	9,086	2
Chilcotin Br. to Marguerite	2,313	<1	180	1	-	-	-	-	-	-	2,493	<1
Marguerite to Hixon	4,900	1	210	1	-	-	-	-	-	-	5,110	1
above Hixon	3,899	1	148	1	-	-	-	-	-	-	4,047	1
Tributaries												
Harrison River	425	<1	70	<1	55	<1	41	<1	3	<1	594	<1
Lillooet River System	10,369	2	38	<1	3,059	9	591	4	10	<1	14,067	2
Thompson River System	9,975	2	42	<1	271	1	-	-	-	-	10,288	2
Chilcotin River System	39,396	7	505	3	-	-	-	-	-	-	39,901	7
Nechako River System	17,101	3	14	<1	-	-	-	-	-	-	17,115	3
Stuart River System	5,374	1	28	<1	-	-	-	-	-	-	5,402	1
Total	534,159	100	15,646	100	35,158	100	16,711	100	3,988	100	605,662	100

1
9
1

1986 PRE-SEASON MANAGEMENT PLAN

The pre-season plan for the IFF is shown in Tables 3b and 3c. Early and middle timed chinook and early Stuart sockeye stocks required conservation for the 1986 season. Three management actions were taken in an attempt to reduce catches from these stocks: 1. For early timed chinook, fishing times in the mainstem of the Fraser River downstream from Williams Creek (near Boston Bar), the major area of chinook interception, were reduced to one day per week during the chinook-directed fishery between late February and late June. Similar conservation measures for this run have been implemented annually since 1977; 2. For middle timed chinook, a restriction was placed on the mesh size of gill nets to a maximum of 140 mm (5.5 inches) from July to mid-September to reduce incidental interceptions of chinook during the sockeye-directed fishery. This was the fifth consecutive year in which mesh sizes have been restricted; and 3. For early Stuart sockeye, a schedule of closures was required throughout the watershed. Closures were applied in all fishing areas except the Stuart River system and scheduled in a sequential manner according to the early Stuart sockeye migration pattern.

In 1986, for the first time, a sockeye catch ceiling and active in-season management actions designed to limit catches to these ceilings were introduced to the IFF. A ceiling of 500,000 sockeye was established by DFO for the entire fishery. DFO divided the ceiling into summer and late run components constituting 355,000 and 145,000 sockeye, respectively. Each run component was subdivided into geographic allocations as follows: 1. below North Bend - a) Mission to North Bend - 186,000 summer and 72,800 late run sockeye, b) other areas - 22,000 summer and 17,900 late run sockeye; 2. above North Bend - 147,000 summer and 54,300 late run sockeye.

IN-SEASON AMENDMENTS

The pre-season plan was amended during the season in response to a number of un-anticipated developments. In-season changes are included in the record of management actions (Table 3d) taken for the food fishery in 1986. The open period in the Lillooet River system was restricted to one day per week from mid-May to mid-June because of poor returns of the chinook run to the Birkenhead River. In the Steveston area, the last week of the scheduled three week closure for conservation of early Stuart sockeye was opened because the abundance of this stock had declined to an acceptably low level. Also in the Steveston area, an additional opening of 12 hours was implemented in September to compensate for low catches earlier in the opening that were caused by a coincident commercial opening.

Adjustments of fishing times were required during August and September between Mission and Churn Creek in an attempt to achieve designated ceilings and geographic allocations. The food fishery in the North Thompson and Raft Rivers was resumed in early August after a closure of 10 years.

DATA SOURCES

Effort and catch statistics of the IFF are estimated in each fishing area and compiled weekly by fisheries officers of DFO. Gear counts may be obtained from river, ground or aerial surveys. Catch per effort and catch may be estimated from interviews with or direct observation of fishermen and by physical inspection of deployed nets. Generally, each area of the fishery is surveyed one or more times during each weekly open period. Catch and effort estimation methods and intensity of assessment are dependent on characteristics of the fishery and budgetary allocations and as a result

may vary between areas and within each area throughout the year.

DATA ORGANIZATION AND INTERPRETATION

The weekly number of open days, daily number of nets, and net-days per week of effort in 1986 are presented by area and gear type in Table 4. The net-days per week of effort were calculated by multiplying the number of days open for fishing each week by the number of nets observed.

All catch data are reported as number of fish (pieces). Annual catches of salmonid species by area for the 1951 to 1986 period are summarized in Table 5. Weekly catches of salmonid species and sturgeon by area in 1986 are presented in Table 6. In Table 6, non-numeric entries represented by hyphens indicate weekly openings when no effort was expended (e.g. no nets present).

Weekly catch per unit of effort (CPUE) of each salmonid species and sturgeon by area and gear type in 1986 is shown in Table 7. CPUE was calculated by dividing the total weekly catch by the total weekly effort and is expressed in units of catch per net-day. In the CPUE tables, non-numeric entries represented by hyphens indicate weeks when no effort was expended. CPUE was not calculated for the two areas between North Bend and Churn Creek in the mainstem of the Fraser River and the area between Lytton and Savona in the mainstem of the Thompson River because separate estimations of catch for each of the two gear types used in these areas (set gill nets and dip nets) were not reported.

ACKNOWLEDGEMENTS

I thank R. Harrison for reviewing a draft of the report and R. Reimer for typing the manuscript.

LITERATURE CITED

- Schubert, N.D. 1983. The Indian food fishery of the Fraser River: catch summary, 1951 to 1982. Can. Data Rep. Fish. Aquat. Sci. 412: v + 357 p.
- Schubert, N.D. 1984. The Indian food fishery of the Fraser River: 1983 summary. Can. Data Rep. Fish. Aquat. Sci. 479: v + 67 p.
- Schubert, N.D. 1985. The Indian food fishery of the Fraser River: 1984 summary. Can. Data Rep. Fish. Aquat. Sci. 512: v + 64 p.
- Schubert, N.D. 1986. The Indian food fishery of the Fraser River: 1985 summary. Can. Data Rep. Fish. Aquat. Sci. 560: vi + 80 p.

Page

Table 3. Management plans for the Fraser River Indian food fishery in 1986:

3a. Standard management plan	10
3b. Pre-season management plan (fishing times)	11
3c. Pre-season management plan (gear restrictions)	12
3d. Record of management actions	13

Table 3a. The standard management plan (fishing times) for the Fraser River Indian food fishery.

Fishing areas	Fishery opening		Gear type
	Days/wk	Daily periods (PST)	
Steveston area (below Deas Island)	1.5	1200 Fri to 2400 Sat	Drifted gill net
Deas Island to Mission bridge	3	1200 Mon to 1200 Thurs	Set gill net
Mission Bridge to Williams Creek, Harrison River	3	1200 Thurs to 1200 Sun	Set gill net
Williams Creek to Petch Creek	0	Permanently closed	
Petch Creek to Texas Creek, Thompson River	4	0000 Thurs to 2400 Sun	Set gill net, dip net
Shuswap River	4	0000 Thurs to 2400 Sun	Spear. gaff
Texas Creek to Churn Creek	4	0000 Mon to 2400 Thurs	Set gill net, dip net
Churn Creek to Hixon, Chilcotin River	7	0000 Mon to 2400 Sun	Dip net
above Hixon, Nechako and Stuart river systems	5	1200 Mon to 1200 Sat	Set gill net
Lillooet River system	7	0000 Mon to 2400 Sun	Set gill net

Table 3b. The preseason management plan (fishing times) for the Fraser River Indian food fishery for the period 1 April 1986 to 31 March 1987.

Fishing areas	Fishery opening			Stocks requiring conservation
	Monthly period	Days/wk	Daily period (PST)	
Steveston area (below Deas Island)	Apr 01 to Jul 03	1	1200 Fri to 1200 Sat	early timed chinook
	Jul 04 to Jul 19	0	Closed	early Stuart sockeye
	Jul 20 to Feb 26/87	1.5	1200 Fri to 2400 Sat	-
	Feb 27 to Mar 31/87	1	1200 Fri to 1200 Sat	early timed chinook
Deas Island to Mission bridge	Apr 01 to Jun 29	1	1200 Wed to 1200 Thurs	early timed chinook
	Jun 30 to Jul 17	0	Closed	early Stuart sockeye
	Jul 18 to Feb 22/87	3	1200 Mon to 1200 Thurs	-
	Feb 23 to Mar 31/87	1	1200 Wed to 1200 Thurs	early timed chinook
Mission Bridge to Williams Creek, Harrison River	Apr 01 to Jul 02	1	1200 Sat to 1200 Sun	early timed chinook
	Jul 03 to Jul 20	0	Closed	early Stuart sockeye
	Jul 21 to Feb 25/87	3	1200 Thurs to 1200 Sun	-
	Feb 26 to Mar 31/87	1	1200 Sat to 1200 Sun	early timed chinook
Williams Creek to Petch Creek	All year	0	Permanently closed	-
Petch Creek to Texas Creek, Thompson and Shuswap rivers	Apr 01 to Jul 07	4	0000 Tues to 2400 Fri	-
	Jul 08 to Jul 25	0	Closed	early Stuart sockeye
	Jul 26 to Mar 31/87	4	0000 Tues to 2400 Fri	-
Texas Creek to Churn Creek	Apr 01 to Jul 06	4	0000 Mon to 2400 Thurs	-
	Jul 07 to Jul 24	0	Closed	early Stuart sockeye
	Jul 25 to Mar 31/87	4	0000 Mon to 2400 Thurs	-
Churn Creek to Hixon	Apr 01 to Jul 13	7	0000 Mon to 2400 Sun	-
	Jul 14 to Aug 03	0	Closed	early Stuart sockeye
	Aug 04 to Mar 31/87	7	0000 Mon to 2400 Sun	-
above Hixon, Nechako River below Stuart River	Apr 01 to Jul 20	5	1200 Mon to 1200 Sat	-
	Jul 21 to Aug 08	0	Closed	early Stuart sockeye
	Aug 09 to Mar 31/87	5	1200 Mon to 1200 Sat	-
Stuart River, Nechako River above Stuart River	All year	5	1200 Mon to 1200 Sat	-
Lillooet River system, Chilcotin River	All year	7	0000 Mon to 2400 Sun	-

Table 3c. Preseason management plan (gear restrictions) for the Fraser River Indian food fishery for the period 1 April 1986 to 31 March 1987. No in-season amendments occurred.

Gear restriction	Fishing area	Time period	Conservation requirement
1. Use of monofilament nylon gill nets prohibited	Entire fishery	All year	All species
2. Maximum set gill net length of 18.3 m (10 fathoms)	Entire fishery except Lillooet River system	All year	All species
3. Maximum set gill net length of 36.7 m (20 fathoms)	Lillooet River system	All year	All species
4. Maximum drifted gill net length of 45.7 m (25 fathoms)	Steveston area	All year	All species
5. Maximum gill net mesh size of 140 mm (5.5 inches)	Steveston area	1200 Jul 25 to 2400 Sep 20	middle timed chinook
	Deas to Mission bridge	1200 Jul 21 to 1200 Sep 18	middle timed chinook
	Mission bridge to Williams Creek	1200 Jul 24 to 1200 Sep 21	middle timed chinook
	Petch Creek to Texas Creek	0000 Jul 29 to 2400 Sep 19	middle timed chinook
	Texas Creek to Churn Creek	0000 Jul 28 to 2400 Sep 18	middle timed chinook

Table 3d. Record of actual management actions (fishing times) taken for the Fraser River Indian food fishery for the period 1 April 1986 to 31 March 1987.

Fishing areas	Fishery opening			Stocks requiring conservation, and in-season amendments (denoted by an i) to the pre-season management plan
	Monthly period	Days/wk	Daily period (PST)	
Steveston area (below Deas Island)	Apr 01 to Jul 03	1	1200 Fri to 1200 Sat	early timed chinook
	Jul 04 to Jul 12	0	Closed	early Stuart sockeye
	Jul 13 to Jul 20	1.5	1200 Fri to 2400 Sat	removal of closure i
	Jul 21 to Sep 07	1.5	1200 Fri to 2400 Sat	-
	Sep 08 to Sep 14	2	1200 Fri to 1200 Sat	opening adjustment i
	Sep 15 to Feb 26	1.5	1200 Fri to 2400 Sat	-
	Feb 27 to Mar 31/87	1	1200 Fri to 1200 Sat	early timed chinook
Deas Island to Mission bridge	Apr 01 to Jun 29	1	1200 Wed to 1200 Thurs	early timed chinook
	Jun 30 to Jul 17	0	Closed	early Stuart sockeye
	Jul 18 to Feb 22/87	3	1200 Mon to 1200 Thurs	-
	Feb 23 to Mar 31/87	1	1200 Wed to 1200 Thurs	early timed chinook
Mission bridge to Hope, Harrison River (a)	Apr 01 to Jul 02	1	1200 Sat to 1200 Sun	early timed chinook
	Jul 03 to Jul 20	0	Closed	early Stuart sockeye
	Jul 21 to Aug 10	3	1200 Thurs to 1200 Sun	-
	Aug 11 to Aug 17	2	1200 Thurs to 1200 Sat	allocation adjustment i
	Aug 18 to Aug 24	2	1200 Thurs to 1200 Sat	allocation adjustment i
	Aug 25 to Sep 07	3	1200 Thurs to 1200 Sun	-
	Sep 07 to Sep 14	5	1200 Sun to 1200 Tues	allocation adjustment i
			1200 Thurs to 1200 Sun	-
	Sep 14 to Sep 21	4	1200 Sun to 1200 Mon	allocation adjustment i
			1200 Thurs to 1200 Sun	-
	Sep 22 to Feb 25/87	3	1200 Thurs to 1200 Sun	-
	Feb 26 to Mar 31/87	1	1200 Sat to 1200 Sun	early timed chinook
Hope to Williams Creek	Apr 01 to Jul 02	1	1200 Sat to 1200 Sun	early timed chinook
	Jul 03 to Jul 20	0	Closed	early Stuart sockeye
	Jul 21 to Aug 10	3	1200 Thurs to 1200 Sun	-
	Aug 11 to Aug 17	2	1200 Thurs to 1200 Sat	allocation adjustment i
	Aug 18 to Aug 24	2	1200 Thurs to 1200 Sat	allocation adjustment i
	Aug 25 to Sep 07	3	1200 Thurs to 1200 Sun	-
	Sep 07 to Sep 14	5	1200 Sun to 1200 Tues	allocation adjustment i
			1200 Thurs to 1200 Sun	-
	Sep 15 to Feb 25/87	3	1200 Thurs to 1200 Sun	-
Feb 26 to Mar 31/87	1	1200 Sat to 1200 Sun	early timed chinook	
Williams Creek to Petch Creek	All year	0	Permanently closed	-

continued

Table 3d. Record of actual management actions (fishing times) taken for the Fraser River Indian food fishery for the period 1 April 1986 to 31 March 1987 (continued).

Fishing areas	Fishery opening			Stocks requiring conservation, and in-season amendments (denoted by an i) to the pre-season management plan
	Monthly period	Days/wk	Daily period (PST)	
Petch Creek to Texas Creek, Thompson and Shuswap rivers	Apr 01 to Jul 07	4	0000 Tues to 2400 Fri	-
	Jul 08 to Jul 25	0	Closed	early Stuart sockeye
	Jul 26 to Aug 17	4	0000 Tues to 2400 Fri	-
	Aug 18 to Aug 24	6	0000 Tues to 2400 Sun	allocation adjustment i
	Aug 25 to Aug 31	5	0000 Mon to 2400 Fri	allocation adjustment i
Sep 01 to Mar 31/87	4	0000 Tues to 2400 Fri	-	
Texas Creek to Churn Creek	Apr 01 to Jul 06	4	0000 Mon to 2400 Thurs	-
	Jul 07 to Jul 24	0	Closed	early Stuart sockeye
	Jul 25 to Aug 17	4	0000 Mon to 2400 Thurs	-
	Aug 18 to Aug 24	7	0000 Mon to 2400 Sun	allocation adjustment i
	Aug 25 to Mar 31/87	4	0000 Mon to 2400 Thurs	-
Churn Creek to Hixon	Apr 01 to Jul 13	7	0000 Mon to 2400 Sun	-
	Jul 14 to Aug 03	0	Closed	early Stuart sockeye
	Aug 04 to Mar 31/87	7	0000 Mon to 2400 Sun	-
above Hixon, Nechako River below Stuart River	Apr 01 to Jul 20	5	1200 Wed to 1200 Mon	shift of daily period i
	Jul 21 to Aug 08	0	Closed	early Stuart sockeye
	Aug 09 to Mar 31/87	5	1200 Wed to 1200 Mon	shift of daily period i
Stuart River, Nechako River above Stuart River	All year	5	1200 Mon to 1200 Sat	-
Lillooet River system	Apr 01 to May 11	7	0000 Mon to 2400 Sun	-
	May 12 to Jun 15	1	1200 Sat to 1200 Sun	early timed chinook
	Jun 16 to Mar 31/87	7	0000 Mon to 2400 Sun	-
North Thompson and Raft rivers	Aug 08 to Dec 31	7	0000 Mon to 2400 Sun	resumption of a closed fishery i
Chilcotin River system	Apr 01 to Mar 31/87	7	0000 Mon to 2400 Sun	-

a. Devil's Run (near Sumas River) closed from 1 Dec 1986 to 28 Feb 1987.

Table 4. Weekly number of days open, nets and net-days of effort by area in the Fraser River Indian food fishery in 1986:

Fraser River mainstem areas of District 2	17
Tributary areas of District 2	19
Detailed summary of District 2	20
Fraser River mainstem areas of District 1	21
Tributary areas of District 1	24
Summary of Districts 1 and 2	28
Summary of Fraser River system	29

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 2, 1986.

Steveston area			
Week Ending	Days/wk	Drift nets/day	Drift net-days/wk
Jan 5	1.5	0	0.0
12	1.5	0	0.0
19	1.5	0	0.0
26	1.5	0	0.0
Feb 2	1.5	0	0.0
9	1.5	0	0.0
16	1.5	0	0.0
23	1.5	0	0.0
Mar 2	1.0	0	0.0
9	1.0	0	0.0
16	1.0	0	0.0
23	1.0	1	1.0
30	1.0	1	1.0
Apr 6	1.0	1	1.0
13	1.0	1	1.0
20	1.0	4	4.0
27	1.0	5	5.0
May 4	1.0	6	6.0
11	1.0	6	6.0
18	1.0	21	21.0
25	1.0	25	25.0
Jun 1	1.0	23	23.0
8	1.0	20	20.0
15	1.0	24	24.0
22	1.0	18	18.0
29	1.0	13	13.0
Jul 6	0	0	0
13	0	0	0
20	1.5	12	18.0
27	1.5	27	40.5
Aug 3	1.5	28	42.0
10	1.5	30	45.0
17	1.5	36	54.0
24	1.5	41	61.5
31	1.5	39	58.5
Sep 7	1.5	38	57.0
14	2.0	45	90.0
21	1.5	49	73.5
28	1.5	40	60.0
Oct 5	1.5	37	55.5
12	1.5	23	34.5
19	1.5	10	15.0
26	1.5	10	15.0
Nov 2	1.5	9	13.5
9	1.5	8	12.0
16	1.5	8	12.0
23	1.5	5	7.5
30	1.5	2	3.0
Dec 7	1.5	0	0.0
14	1.5	1	1.5
21	1.5	0	0.0
28	1.5	0	0.0
Total	66.5	667	938.5
Average	1.3	12.8	18.0

continued

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 2, 1986.

Week Ending	Deas to Mission			Mission to Hope			Hope to North Bend		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 5	3	0	0	3	29	87	3	2	6
12	3	5	15	3	28	84	3	1	3
19	3	4	12	3	34	102	3	5	15
26	3	0	0	3	26	78	3	0	0
Feb 2	3	0	0	3	20	60	3	8	24
9	3	5	15	3	0	0	3	0	0
16	3	3	9	3	12	36	3	9	27
23	3	3	9	3	0	0	3	0	0
Mar 2	1	3	3	1	16	16	1	7	7
9	1	0	0	1	8	8	1	6	6
16	1	7	7	1	10	10	1	3	3
23	1	5	5	1	0	0	1	0	0
30	1	4	4	1	0	0	1	0	0
Apr 6	1	1	1	1	31	31	1	5	5
13	1	0	0	1	16	16	1	7	7
20	1	1	1	1	51	51	1	34	34
27	1	1	1	1	48	48	1	3	3
May 4	1	1	1	1	59	59	1	41	41
11	1	7	7	1	35	35	1	35	35
18	1	5	5	1	53	53	1	27	27
25	1	10	10	1	35	35	1	0	0
Jun 1	1	3	3	1	39	39	1	9	9
8	1	10	10	1	36	36	1	0	0
15	1	10	10	1	57	57	1	15	15
22	1	17	17	1	72	72	1	33	33
29	1	11	11	1	90	90	1	56	56
Jul 6	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0
27	3	28	84	3	137	411	3	105	315
Aug 3	3	28	84	3	148	444	3	138	414
10	3	20	60	3	203	609	3	113	339
17	3	26	78	2	186	372	2	115	230
24	3	21	63	2	187	374	2	154	308
31	3	18	54	3	139	417	3	104	312
Sep 7	3	13	39	5	144	720	5	123	615
14	3	27	81	4	167	668	3	125	375
21	3	45	135	3	135	405	3	104	312
28	3	38	114	3	90	270	3	51	153
Oct 5	3	21	63	3	94	282	3	50	150
12	3	34	102	3	66	198	3	42	126
19	3	25	75	3	65	195	3	45	135
26	3	25	75	3	48	144	3	39	117
Nov 2	3	21	63	3	50	150	3	20	60
9	3	18	54	3	21	63	3	7	21
16	3	9	27	3	19	57	3	4	12
23	3	4	12	3	21	63	3	4	12
30	3	5	15	3	13	39	3	4	12
Dec 7	3	5	15	3	5	15	3	0	0
14	3	0	0	3	5	15	3	0	0
21	3	0	0	3	6	18	3	0	0
28	3	5	15	3	0	0	3	0	0
Total	111	552	1,464	112	2,754	7,032	111	1,653	4,374
Average	2.1	10.6	28.2	2.2	53.0	135.2	2.1	31.8	84.1

continued

Number of days open, nets and net-days of effort in the Fraser River tributary areas of District 2, 1986.

Week Ending	Harrison River			Lower Lillooet R.			Birkenhead River		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 5	3	0	0	7	0	0	7	0	0
12	3	0	0	7	0	0	7	0	0
19	3	1	3	7	0	0	7	0	0
26	3	0	0	7	3	21	7	0	0
Feb 2	3	0	0	7	0	0	7	0	0
9	3	0	0	7	0	0	7	0	0
16	3	0	0	7	0	0	7	0	0
23	3	0	0	7	0	0	7	0	0
Mar 2	1	0	0	7	0	0	7	0	0
9	1	0	0	7	2	14	7	0	0
16	1	0	0	7	4	28	7	0	0
23	1	0	0	7	7	49	7	0	0
30	1	0	0	7	8	56	7	0	0
Apr 6	1	0	0	7	6	42	7	0	0
13	1	0	0	7	10	70	7	0	0
20	1	0	0	7	8	56	7	0	0
27	1	0	0	7	12	84	7	0	0
May 4	1	0	0	7	8	56	7	2	14
11	1	0	0	7	8	56	7	2	14
18	1	0	0	1	5	5	1	2	2
25	1	0	0	1	1	1	1	3	3
Jun 1	1	0	0	1	0	0	1	0	0
8	1	0	0	1	0	0	1	0	0
15	1	0	0	1	0	0	1	0	0
22	1	0	0	7	0	0	7	0	0
29	1	0	0	7	0	0	7	0	0
Jul 6	0	0	0	7	0	0	7	0	0
13	0	0	0	7	0	0	7	0	0
20	0	0	0	7	0	0	7	0	0
27	3	0	0	7	0	0	7	0	0
Aug 3	3	0	0	7	0	0	7	0	0
10	3	0	0	7	3	21	7	0	0
17	2	0	0	7	4	28	7	0	0
24	2	0	0	7	0	0	7	0	0
31	3	0	0	7	6	42	7	0	0
Sep 7	5	0	0	7	8	56	7	3	21
14	4	0	0	7	9	63	7	11	77
21	3	0	0	7	4	28	7	10	70
28	3	0	0	7	6	42	7	6	42
Oct 5	3	5	15	7	6	42	7	1	7
12	3	0 ^a	0	7	5	35	7	1	7
19	3	1	3	7	5	35	7	5	35
26	3	0	0	7	6	42	7	11	77
Nov 2	3	0	0	7	0	0	7	13	91
9	3	0	0	7	0	0	7	11	77
16	3	0	0	7	0	0	7	3	21
23	3	0	0	7	0	0	7	6	42
30	3	0	0	7	1	7	7	2	14
Dec 7	3	0	0	7	1	7	7	2	14
14	3	0	0	7	1	7	7	1	7
21	3	0	0	7	1	7	7	0	0
28	3	0	0	7	0	0	7	0	0
Total	112	7	21	334	148	1,000	334	95	635
Average	2.2	0.1	0.4	6.4	2.8	19.2	6.4	1.8	12.2

a. Spears.

continued

Number of nets and net-days of effort in District 2.

		District 2		District 2 mainstem		District 2 tributaries	
Week Ending		Drift nets/day	Drift net- days/wk	Set nets/day	Set net- days/wk	Set nets/day	Set net- days/wk
Jan	5	0	0.0	31	93	0	0
	12	0	0.0	34	102	0	0
	19	0	0.0	43	129	1	3
	26	0	0.0	26	78	3	21
Feb	2	0	0.0	28	84	0	0
	9	0	0.0	5	15	0	0
	16	0	0.0	24	72	0	0
	23	0	0.0	3	9	0	0
Mar	2	0	0.0	26	26	0	0
	9	0	0.0	14	14	2	14
	16	0	0.0	20	20	4	28
	23	1	1.0	5	5	7	49
	30	1	1.0	4	4	8	56
Apr	6	1	1.0	37	37	6	42
	13	1	1.0	23	23	10	70
	20	4	4.0	86	86	8	56
	27	5	5.0	52	52	12	84
May	4	6	6.0	101	101	10	70
	11	6	6.0	77	77	10	70
	18	21	21.0	85	85	7	7
	25	25	25.0	45	45	4	4
Jun	1	23	23.0	51	51	0	0
	8	20	20.0	46	46	0	0
	15	24	24.0	82	82	0	0
	22	18	18.0	122	122	0	0
	29	13	13.0	157	157	0	0
Jul	6	0	0.0	0	0	0	0
	13	0	0.0	0	0	0	0
	20	12	18.0	0	0	0	0
	27	27	40.5	270	810	0	0
Aug	3	28	42.0	314	942	0	0
	10	30	45.0	336	1,008	3	21
	17	36	54.0	327	680	4	28
	24	41	61.5	362	745	0	0
	31	39	58.5	261	783	6	42
Sep	7	38	57.0	280	1,374	11	77
	14	45	90.0	319	1,124	20	140
	21	49	73.5	284	852	14	98
	28	40	60.0	179	537	12	84
Oct	5	37	55.5	165	495	12	64
	12	23	34.5	142	426	6	42
	19	10	15.0	135	405	11	73
	26	10	15.0	112	336	17	119
Nov	2	9	13.5	91	273	13	91
	9	8	12.0	46	138	11	77
	16	8	12.0	32	96	3	21
	23	5	7.5	29	87	6	42
	30	2	3.0	22	66	3	21
Dec	7	0	0.0	10	30	3	21
	14	1	1.5	5	15	2	14
	21	0	0.0	6	18	1	7
	28	0	0.0	5	15	0	0
Total		667	938.5	4,959	12,870	250	1,656
Average		12.8	18.0	95.4	247.5	4.8	31.8

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 1, 1986.

North Bend to Texas Creek						Texas Creek to Churn Creek				
Week Ending	Days /wk	Set nets /day	Set net-days /wk	Dip nets /day	Dip net-days /wk	Days /wk	Set nets /day	Set net-days /wk	Dip nets /day	Dip net-days /wk
Jan 5	4	0	0	0	0	4	0	0	0	0
12	4	0	0	0	0	4	0	0	0	0
19	4	0	0	0	0	4	0	0	0	0
26	4	0	0	0	0	4	0	0	0	0
Feb 2	4	0	0	0	0	4	0	0	0	0
9	4	0	0	0	0	4	0	0	0	0
16	4	0	0	0	0	4	0	0	0	0
23	4	0	0	0	0	4	0	0	0	0
Mar 2	4	0	0	0	0	4	0	0	0	0
9	4	0	0	0	0	4	0	0	0	0
16	4	0	0	0	0	4	0	0	0	0
23	4	0	0	0	0	4	0	0	0	0
30	4	0	0	0	0	4	0	0	0	0
Apr 6	4	0	0	0	0	4	0	0	0	0
13	4	0	0	0	0	4	0	0	0	0
20	4	0	0	0	0	4	0	0	0	0
27	4	0	0	0	0	4	0	0	0	0
May 4	4	0	0	0	0	4	0	0	0	0
11	4	0	0	0	0	4	0	0	0	0
18	4	0	0	0	0	4	0	0	0	0
25	4	0	0	0	0	4	0	0	0	0
Jun 1	4	0	0	0	0	4	0	0	0	0
8	4	0	0	0	0	4	0	0	0	0
15	4	0	0	0	0	4	0	0	0	0
22	4	0	0	0	0	4	0	0	0	0
29	4	10	40	2	8	4	6	24	2	8
Jul 6	4	15	60	2	8	4	8	32	4	16
13	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0
Aug 3	4	45	180	10	40	4	55	220	19	76
10	4	70	280	15	60	4	74	296	26	104
17	4	75	300	16	64	4	80	320	28	112
24	6	78	468	17	102	7	93	651	35	245
31	5	68	340	11	55	4	47	188	23	92
Sep 7	4	30	120	6	24	4	29	116	16	64
14	4	22	88	3	12	4	23	92	11	44
21	4	16	64	3	12	4	12	48	7	28
28	4	18	72	3	12	4	7	28	5	20
Oct 5	4	10	40	1	4	4	6	24	5	20
12	4	3	12	2	8	4	5	20	1	4
19	4	4	16	1	4	4	6	24	0	0
26	4	1	4	0	0	4	2	8	0	0
Nov 2	4	1	4	0	0	4	4	16	0	0
9	4	0	0	0	0	4	0	0	0	0
16	4	0	0	0	0	4	0	0	0	0
23	4	0	0	0	0	4	0	0	0	0
30	4	0	0	0	0	4	0	0	0	0
Dec 7	4	0	0	0	0	4	0	0	0	0
14	4	0	0	0	0	4	0	0	0	0
21	4	0	0	0	0	4	0	0	0	0
28	4	0	0	0	0	4	0	0	0	0
Total	199	466	2,088	92	413	199	457	2,107	182	833
Average	3.8	9.0	40.2	1.8	7.9	3.8	8.8	40.5	3.5	16.0

continued

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 1, 1986.

Week Ending	Churn Creek to Chilcotin Bridge			Chilcotin Bridge to Marguerite			Marguerite to Hixon		
	Days /wk	Dip nets /day	Dip net-days/wk	Days /wk	Dip nets /day	Dip net-days/wk	Days /wk	Dip nets /day	Dip net-days/wk
Jan 5	7	0	0	7	0	0	7	0	0
12	7	0	0	7	0	0	7	0	0
19	7	0	0	7	0	0	7	0	0
26	7	0	0	7	0	0	7	0	0
Feb 2	7	0	0	7	0	0	7	0	0
9	7	0	0	7	0	0	7	0	0
16	7	0	0	7	0	0	7	0	0
23	7	0	0	7	0	0	7	0	0
Mar 2	7	0	0	7	0	0	7	0	0
9	7	0	0	7	0	0	7	0	0
16	7	0	0	7	0	0	7	0	0
23	7	0	0	7	0	0	7	0	0
30	7	0	0	7	0	0	7	0	0
Apr 6	7	0	0	7	0	0	7	0	0
13	7	0	0	7	0	0	7	0	0
20	7	0	0	7	0	0	7	0	0
27	7	0	0	7	0	0	7	0	0
May 4	7	0	0	7	0	0	7	0	0
11	7	0	0	7	0	0	7	0	0
18	7	0	0	7	0	0	7	0	0
25	7	0	0	7	0	0	7	0	0
Jun 1	7	0	0	7	0	0	7	0	0
8	7	0	0	7	0	0	7	0	0
15	7	0	0	7	0	0	7	0	0
22	7	0	0	7	0	0	7	0	0
29	7	0	0	7	0	0	7	0	0
Jul 6	7	0	0	7	0	0	7	0	0
13	7	- a	-	7	- a	-	7	0	0
20	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0
Aug 3	0	0	0	0	0	0	0	0	0
10	7	15	105	7	20	140	7	15	105
17	7	15	105	7	8	56	7	15	105
24	7	15	105	7	8	56	7	15	105
31	7	8	56	7	9	63	7	8	56
Sep 7	7	- a	-	7	- a	-	7	5	35
14	7	0	0	7	0	0	7	0	0
21	7	0	0	7	0	0	7	0	0
28	7	0	0	7	0	0	7	0	0
Oct 5	7	0	0	7	0	0	7	0	0
12	7	0	0	7	0	0	7	0	0
19	7	0	0	7	0	0	7	0	0
26	7	0	0	7	0	0	7	0	0
Nov 2	7	0	0	7	0	0	7	0	0
9	7	0	0	7	0	0	7	0	0
16	7	0	0	7	0	0	7	0	0
23	7	0	0	7	0	0	7	0	0
30	7	0	0	7	0	0	7	0	0
Dec 7	7	0	0	7	0	0	7	0	0
14	7	0	0	7	0	0	7	0	0
21	7	0	0	7	0	0	7	0	0
28	7	0	0	7	0	0	7	0	0
Total	343	53	371	343	45	315	343	58	406
Average	6.6	1.0	7.1	6.6	0.9	6.1	6.6	1.1	7.8

a. Not estimated but considered minimal.

continued

Number and summary of days open, nets and net-days of effort in the Fraser River mainstem areas of District 1, 1986.

District 1 mainstem summary								
above Hixon				Set nets		Dip nets		
Week Ending	Days /wk	Set nets /day	Set net-days/wk	nets /day	net-days /wk	nets /day	net-days /wk	
Jan 5	5	0	0	0	0	0	0	
12	5	0	0	0	0	0	0	
19	5	0	0	0	0	0	0	
26	5	0	0	0	0	0	0	
Feb 2	5	0	0	0	0	0	0	
9	5	0	0	0	0	0	0	
16	5	0	0	0	0	0	0	
23	5	0	0	0	0	0	0	
Mar 2	5	0	0	0	0	0	0	
9	5	0	0	0	0	0	0	
16	5	0	0	0	0	0	0	
23	5	0	0	0	0	0	0	
30	5	0	0	0	0	0	0	
Apr 6	5	0	0	0	0	0	0	
13	5	0	0	0	0	0	0	
20	5	0	0	0	0	0	0	
27	5	0	0	0	0	0	0	
May 4	5	0	0	0	0	0	0	
11	5	0	0	0	0	0	0	
18	5	0	0	0	0	0	0	
25	5	0	0	0	0	0	0	
Jun 1	5	0	0	0	0	0	0	
8	5	0	0	0	0	0	0	
15	5	0	0	0	0	0	0	
22	5	0	0	0	0	0	0	
29	5	0	0	16	64	4	16	
Jul 6	5	0	0	23	92	6	24	
13	5	0	0	0	0	- a	- a	
20	5	0	0	0	0	0	0	
27	0	0	0	0	0	0	0	
Aug 3	0	0	0	100	400	29	116	
10	3	0	0	144	576	91	514	
17	5	19	95	174	715	82	442	
24	5	18	90	189	1,209	90	613	
31	5	12	60	127	588	59	322	
Sep 7	5	9	45	68	281	27 a	123 a	
14	5	5	25	50	205	14	56	
21	5	0	0	28	112	10	40	
28	5	1	5	26	105	8	32	
Oct 5	5	0	0	16	64	6	24	
12	5	0	0	8	32	3	12	
19	5	0	0	10	40	1	4	
26	5	0	0	3	12	0	0	
Nov 2	5	0	0	5	20	0	0	
9	5	0	0	0	0	0	0	
16	5	0	0	0	0	0	0	
23	5	0	0	0	0	0	0	
30	5	0	0	0	0	0	0	
Dec 7	5	0	0	0	0	0	0	
14	5	0	0	0	0	0	0	
21	5	0	0	0	0	0	0	
28	5	0	0	0	0	0	0	
Total	248	64	320	987	4,515	430	2,338	
Average	4.8	1.2	6.2	19.0	86.8	8.4	45.8	

a. Incomplete.

continued

Number of days open, nets and net-days of effort in the Chilcotin and Thompson river systems, District 1. 1986. (a)

Week Ending	Chilcotin River System			Lytton to Savona				
	Days /wk	Dip nets /day	Dip net-days /wk	Days /wk	Set nets /day	Set net-days /wk	Dip nets /day	Dip net-days /wk
Jan 5	7	0	0	4	0	0	0	0
12	7	0	0	4	0	0	0	0
19	7	0	0	4	0	0	0	0
26	7	0	0	4	0	0	0	0
Feb 2	7	0	0	4	0	0	0	0
9	7	0	0	4	0	0	0	0
16	7	0	0	4	0	0	0	0
23	7	0	0	4	0	0	0	0
Mar 2	7	0	0	4	0	0	0	0
9	7	0	0	4	0	0	0	0
16	7	0	0	4	0	0	0	0
23	7	0	0	4	0	0	0	0
30	7	0	0	4	0	0	0	0
Apr 6	7	0	0	4	0	0	0	0
13	7	0	0	4	0	0	0	0
20	7	0	0	4	0	0	0	0
27	7	0	0	4	0	0	0	0
May 4	7	0	0	4	0	0	0	0
11	7	0	0	4	0	0	0	0
18	7	0	0	4	0	0	0	0
25	7	0	0	4	0	0	0	0
Jun 1	7	0	0	4	0	0	0	0
8	7	0	0	4	0	0	0	0
15	7	0	0	4	0	0	0	0
22	7	0	0	4	0	0	0	0
29	7	0	0	4	0	0	0	0
Jul 6	7	0	0	4	0	0	0	0
13	7	0	0	0	0	0	0	0
20	7	0	0	0	0	0	0	0
27	7	0	0	0	0	0	0	0
Aug 3	7	0	0	4	0	0	0	0
10	7	12	84	4	0	0	0	0
17	7	11	77	4	0	0	0	0
24	7	45	315	6	0	0	0	0
31	7	26	182	5	0	0	0	0
Sep 7	7	11	77	4	0	0	0	0
14	7	- b	-	4	0	0	0	0
21	7	0	0	4	6	24	4	16
28	7	0	0	4	6	24	10	40
Oct 5	7	0	0	4	2	8	35	140
12	7	0	0	4	0	0	25	100
19	7	0	0	4	3	12	18	72
26	7	0	0	4	1	4	6	24
Nov 2	7	0	0	4	0	0	3	12
9	7	0	0	4	0	0	0	0
16	7	0	0	4	0	0	0	0
23	7	0	0	4	0	0	0	0
30	7	0	0	4	0	0	0	0
Dec 7	7	0	0	4	0	0	0	0
14	7	0	0	4	0	0	0	0
21	7	0	0	4	0	0	0	0
28	7	0	0	4	0	0	0	0
Total	364	105	735	199	18	72	101	404
Average	7.0	2.0	14.1	3.8	0.3	1.4	1.9	7.8

a. Set net effort not estimated in the North Thompson River but considered minimal.

b. Not estimated but considered minimal.

continued

Number of days open, nets and net-days of effort in the Nechako River system, District 1, 1986.

Week Ending	Prince George to Stuart River			Stuart River to Fort Fraser			Fort Fraser to Francois Lake		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 5	5	0	0	5	0	0	5	0	0
12	5	0	0	5	0	0	5	0	0
19	5	0	0	5	0	0	5	0	0
26	5	0	0	5	0	0	5	0	0
Feb 2	5	0	0	5	0	0	5	0	0
9	5	0	0	5	0	0	5	0	0
16	5	0	0	5	0	0	5	0	0
23	5	0	0	5	0	0	5	0	0
Mar 2	5	0	0	5	0	0	5	0	0
9	5	0	0	5	0	0	5	0	0
16	5	0	0	5	0	0	5	0	0
23	5	0	0	5	0	0	5	0	0
30	5	0	0	5	0	0	5	0	0
Apr 6	5	0	0	5	0	0	5	0	0
13	5	0	0	5	0	0	5	0	0
20	5	0	0	5	0	0	5	0	0
27	5	0	0	5	0	0	5	0	0
May 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Jun 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
29	5	0	0	5	0	0	5	0	0
Jul 6	5	0	0	5	0	0	5	0	0
13	5	0	0	5	0	0	5	0	0
20	5	0	0	5	0	0	5	0	0
27	0	0	0	5	0	0	5	0	0
Aug 3	0	0	0	5	0	0	5	0	0
10	3	3	9	5	18	90	5	7	35
17	5	11	55	5	18	90	5	4	20
24	5	3	15	5	27	135	5	11	55
31	5	4	20	5	36	180	5	12	60
Sep 7	5	3	15	5	30	150	5	13	65
14	5	1	5	5	19	95	5	11	55
21	5	0	0	5	13	65	5	9	45
28	5	0	0	5	9	45	5	8	40
Oct 5	5	- a	-	5	- a	-	5	- a	-
12	5	0	0	5	0	0	5	0	0
19	5	0	0	5	0	0	5	0	0
26	5	0	0	5	0	0	5	0	0
Nov 2	5	0	0	5	0	0	5	0	0
9	5	0	0	5	0	0	5	0	0
16	5	0	0	5	0	0	5	0	0
23	5	0	0	5	0	0	5	0	0
30	5	0	0	5	0	0	5	0	0
Dec 7	5	0	0	5	0	0	5	0	0
14	5	0	0	5	0	0	5	0	0
21	5	0	0	5	0	0	5	0	0
28	5	0	0	5	0	0	5	0	0
Total	248	25	119	260	170	850	260	75	375
Average	4.8	0.5	2.3	5.0	3.3	16.3	5.0	1.4	7.2

a. Not estimated but considered minimal.

continued

Number of days open, nets and net-days of effort in the Stuart River system, District 1, 1986.

Week Ending	Nechako River to Fort St. James			Fort St. James to Trembleur Lake			above Trembleur Lake outlet		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 5	5	0	0	5	0	0	5	0	0
12	5	0	0	5	0	0	5	0	0
19	5	0	0	5	0	0	5	0	0
26	5	0	0	5	0	0	5	0	0
Feb 2	5	0	0	5	0	0	5	0	0
9	5	0	0	5	0	0	5	0	0
16	5	0	0	5	0	0	5	0	0
23	5	0	0	5	0	0	5	0	0
Mar 2	5	0	0	5	0	0	5	0	0
9	5	0	0	5	0	0	5	0	0
16	5	0	0	5	0	0	5	0	0
23	5	0	0	5	0	0	5	0	0
30	5	0	0	5	0	0	5	0	0
Apr 6	5	0	0	5	0	0	5	0	0
13	5	0	0	5	0	0	5	0	0
20	5	0	0	5	0	0	5	0	0
27	5	0	0	5	0	0	5	0	0
May 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Jun 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
29	5	0	0	5	0	0	5	0	0
Jul 6	5	0	0	5	0	0	5	0	0
13	5	0	0	5	0	0	5	0	0
20	5	0	0	5	0	0	5	0	0
27	5	12	60	5	22	110	5	0	0
Aug 3	5	14	70	5	17	85	5	6	30
10	5	10	50	5	10	50	5	3	15
17	5	4	20	5	8	40	5	0	0
24	5	15	75	5	18	90	5	0	0
31	5	12	60	5	18	90	5	0	0
Sep 7	5	10	50	5	15	75	5	0	0
14	5	5	25	5	8	40	5	0	0
21	5	5	25	5	5	25	5	0	0
28	5	3	15	5	3	15	5	0	0
Oct 5	5	- a	-	5	- a	-	5	0	0
12	5	0	0	5	0	0	5	0	0
19	5	0	0	5	0	0	5	0	0
26	5	0	0	5	0	0	5	0	0
Nov 2	5	0	0	5	0	0	5	0	0
9	5	0	0	5	0	0	5	0	0
16	5	0	0	5	0	0	5	0	0
23	5	0	0	5	0	0	5	0	0
30	5	0	0	5	0	0	5	0	0
Dec 7	5	0	0	5	0	0	5	0	0
14	5	0	0	5	0	0	5	0	0
21	5	0	0	5	0	0	5	0	0
28	5	0	0	5	0	0	5	0	0
Total	260	90	450	260	124	620	260	9	45
Average	5.0	1.7	8.7	5.0	2.4	11.9	5.0	0.2	0.9

a. Not estimated but considered minimal.

continued

Summary of number of days open, nets and net-days of effort in the Nechako and Stuart river systems, District 1, 1986.

Week Ending	Nechako River System total		Stuart River System total		Nechako and Stuart river systems total	
	Set nets /day	Set net-days /wk	Set nets /day	Set net-days /wk	Set nets /day	Set net-days /wk
Jan 5	0	0	0	0	0	0
12	0	0	0	0	0	0
19	0	0	0	0	0	0
26	0	0	0	0	0	0
Feb 2	0	0	0	0	0	0
9	0	0	0	0	0	0
16	0	0	0	0	0	0
23	0	0	0	0	0	0
Mar 2	0	0	0	0	0	0
9	0	0	0	0	0	0
16	0	0	0	0	0	0
23	0	0	0	0	0	0
30	0	0	0	0	0	0
Apr 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
May 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Jun 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
Jul 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	34	170	34	170
Aug 3	0	0	37	185	37	185
10	28	134	23	115	51	249
17	33	165	12	60	45	225
24	41	205	33	165	74	370
31	52	260	30	150	82	410
Sep 7	46	230	25	125	71	355
14	31	155	13	65	44	220
21	22	110	10	50	32	160
28	17	85	6	30	23	115
Oct 5	- a	-	- a	-	- a	- a
12	0	0	0	0	0	0
19	0	0	0	0	0	0
26	0	0	0	0	0	0
Nov 2	0	0	0	0	0	0
9	0	0	0	0	0	0
16	0	0	0	0	0	0
23	0	0	0	0	0	0
30	0	0	0	0	0	0
Dec 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Total	270	1,344	223	1,115	493	2,459
Average	5.2	25.8	4.3	21.4	9.5	47.3

a. Not estimated but considered minimal.

continued

Summary of number of nets and net-days of effort in Districts 2 and 1, 1986.

Week Ending	District 2 total				District 1 total			
	Drift nets /day	Drift net-days/wk	Set nets /day	Set net-days/wk	Set nets /day	Set net-days/wk	Dip nets /day	Dip net-days/wk
Jan 5	0	0.0	31	93	0	0	0	0
12	0	0.0	34	102	0	0	0	0
19	0	0.0	44	132	0	0	0	0
26	0	0.0	29	99	0	0	0	0
Feb 2	0	0.0	28	84	0	0	0	0
9	0	0.0	5	15	0	0	0	0
16	0	0.0	24	72	0	0	0	0
23	0	0.0	3	9	0	0	0	0
Mar 2	0	0.0	26	26	0	0	0	0
9	0	0.0	16	28	0	0	0	0
16	0	0.0	24	48	0	0	0	0
23	1	1.0	12	54	0	0	0	0
30	1	1.0	12	60	0	0	0	0
Apr 6	1	1.0	43	79	0	0	0	0
13	1	1.0	33	93	0	0	0	0
20	4	4.0	94	142	0	0	0	0
27	5	5.0	64	136	0	0	0	0
May 4	6	6.0	111	171	0	0	0	0
11	6	6.0	87	147	0	0	0	0
18	21	21.0	92	92	0	0	0	0
25	25	25.0	49	49	0	0	0	0
Jun 1	23	23.0	51	51	0	0	0	0
8	20	20.0	46	46	0	0	0	0
15	24	24.0	82	82	0	0	0	0
22	18	18.0	122	122	0	0	0	0
29	13	13.0	157	157	16	64	4	16
Jul 6	0	0.0	0	0	23	92	6	24
13	0	0.0	0	0	0	0	0 a	0 a
20	12	18.0	0	0	0	0	0	0
27	27	40.5	270	810	34	170	0	0
Aug 3	28	42.0	314	942	137	585	29	116
10	30	45.0	339	1,029	195	825	103	598
17	36	54.0	331	708	219	940	93	519
24	41	61.5	362	745	263	1,579	135	928
31	39	58.5	267	825	209	998	85	504
Sep 7	38	57.0	291	1,451	139	636	27 a	123 a
14	45	90.0	339	1,264	94	425	14 a	56 a
21	49	73.5	298	950	66	296	14	56
28	40	60.0	191	621	55	244	18	72
Oct 5	37	55.5	177	559	18 a	72 a	41	164
12	23	34.5	148	468	8	32	28	112
19	10	15.0	146	478	13	52	19	76
26	10	15.0	129	455	4	16	6	24
Nov 2	9	13.5	104	364	5	20	3	12
9	8	12.0	57	215	0	0	0	0
16	8	12.0	35	117	0	0	0	0
23	5	7.5	35	129	0	0	0	0
30	2	3.0	25	87	0	0	0	0
Dec 7	0	0.0	13	51	0	0	0	0
14	1	1.5	7	29	0	0	0	0
21	0	0.0	7	25	0	0	0	0
28	0	0.0	5	15	0	0	0	0
Total	667	938.5	5,209	14,526	1,498	7,046	625	3,400
Average	12.8	18.0	100.2	279.3	28.8	135.5	12.0	65.4

a. Incomplete.

Summary of number of nets and net-days of effort in the Fraser River system, 1986.

Week Ending	Drift nets		Set nets		Dip nets	
	nets/day	net-days/wk	nets/day	net-days/wk	nets/day	net-days/wk
Jan 5	0	0.0	31	93	0	0
12	0	0.0	34	102	0	0
19	0	0.0	44	132	0	0
26	0	0.0	29	99	0	0
Feb 2	0	0.0	28	84	0	0
9	0	0.0	5	15	0	0
16	0	0.0	24	72	0	0
23	0	0.0	3	9	0	0
Mar 2	0	0.0	26	26	0	0
9	0	0.0	16	28	0	0
16	0	0.0	24	48	0	0
23	1	1.0	12	54	0	0
30	1	1.0	12	60	0	0
Apr 6	1	1.0	43	79	0	0
13	1	1.0	33	93	0	0
20	4	4.0	94	142	0	0
27	5	5.0	64	136	0	0
May 4	6	6.0	111	171	0	0
11	6	6.0	87	147	0	0
18	21	21.0	92	92	0	0
25	25	25.0	49	49	0	0
Jun 1	23	23.0	51	51	0	0
8	20	20.0	46	46	0	0
15	24	24.0	82	82	0	0
22	18	18.0	122	122	0	0
29	13	13.0	173	221	4	16
Jul 6	0	0.0	23	92	6	24
13	0	0.0	0	0	0 a	0 a
20	12	18.0	0	0	0	0
27	27	40.5	304	980	0	0
Aug 3	28	42.0	451	1,527	29	116
10	30	45.0	534	1,854	103	598
17	36	54.0	550	1,648	93	519
24	41	61.5	625	2,324	135	928
31	39	58.5	476	1,823	85	504
Sep 7	38	57.0	430	2,087	27 a	123 a
14	45	90.0	433	1,689	14 a	56 a
21	49	73.5	364	1,246	14	56
28	40	60.0	246	865	18	72
Oct 5	37	55.5	195 a	631 a	41	164
12	23	34.5	156	500	28	112
19	10	15.0	159	530	19	76
26	10	15.0	133	471	6	24
Nov 2	9	13.5	109	384	3	12
9	8	12.0	57	215	0	0
16	8	12.0	35	117	0	0
23	5	7.5	35	129	0	0
30	2	3.0	25	87	0	0
Dec 7	0	0.0	13	51	0	0
14	1	1.5	7	29	0	0
21	0	0.0	7	25	0	0
28	0	0.0	5	15	0	0
Total	667	938.5	6,707	21,572	625	3,400
Average	12.8	18.0	129.0	414.8	12.0	65.4

a. Incomplete.

Table 5. Annual catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986:

Chinook	33
Sockeye	37
Pink	41
Coho	45
Chum	48
Steelhead	51

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	85	455	305	760	2,238
1952	0	171	510	320	830	2,374
1953	0	147	150	220	370	3,366
1954	0	90	215	260	475	3,884
1955	0	100	125	365	490	3,009
1956	0	150	155	475	630	1,125
1957	0	115	300	365	665	965
1958	0	125	835	465	1,300	1,475
1959	0	155	965	775	1,740	1,535
1960	0	180	1,005	940	1,945	1,520
1961	1	255	1,125	1,625	2,750	1,865
1962	0	155	1,045	1,355	2,400	1,835
1963	0	230	1,150	1,770	2,920	2,090
1964	0	305	1,425	1,825	3,250	1,990
1965	0	225	2,000	1,550	3,550	3,100
1966	0	300	1,595	2,550	4,145	975
1967	0	300	1,200	1,550	2,750	950
1968	0	250	1,250	3,800	5,050	1,250
1969	0	210	3,450	2,100	5,550	5,030
1970	0	260	4,925	1,621	6,546	5,550
1971	24	410	2,457	2,150	4,607	5,200
1972	5	300	4,375	3,564	7,939	5,150
1973	9	316	3,085	2,295	5,380	3,325
1974	12	341	4,497	4,795	9,292	5,839
1975	2	737	6,285	4,687	10,972	4,930
1976	114	839	5,089	5,156	10,245	5,374
1977	57	1,105	5,880	7,003	12,883	6,544
1978	206	740	5,470	5,126	10,596	5,209
1979	276	802	4,882	3,177	8,059	3,291
1980	627	1,751	4,893	3,231	8,124	2,395
1981	380	798	3,089	3,334	6,423	3,841
1982	2,208	2,508	5,493	5,987	11,480	14,973
1983	341	858	3,451	3,278	6,729	4,422
1984	1,425	1,309	3,666	6,522	10,188	6,336
1985	827	446	1,476	1,798	3,274	2,754
1986	708	1,038	2,319	3,404	5,723	5,144
Averages						
1951-60	0	132	472	449	921	2,149
1961-70	0	249	1,917	1,975	3,891	2,464
1971-80	133	734	4,691	4,118	8,810	4,726
1981-86	982	1,160	3,249	4,054	7,303	6,245

continued

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon
1951	1,782	668	62	10	23	45
1952	2,392	486	56	12	18	39
1953	3,061	412	67	17	11	32
1954	3,501	329	35	8	5	37
1955	2,144	300	54	3	8	22
1956	1,480	250	46	3	5	18
1957	700	600	90	12	19	9
1958	600	600	68	12	28	11
1959	400	800	95	5	21	0
1960	0	1,500	79	10	25	8
1961	900	600	24	10	5	4
1962	600	410	18	11	8	17
1963	700	310	61	15	7	12
1964	1,200	1,025	110	25	20	48
1965	200	385	63	14	28	43
1966	230	405	38	24	23	34
1967	260	420	68	24	31	37
1968	545	232	79	27	30	27
1969	715	420	100	50	25	17
1970	740	255	130	85	40	15
1971	530	255	100	75	30	33
1972	685	630	150	- b	- b	22
1973	710	670	150	- b	- b	16
1974	800	610	125	- b	- b	22
1975	845	1,540	150	- b	- b	35
1976	450	1,230	62	74	108	36
1977	533	1,320	160	- b	- b	14
1978	793	1,020	62	90	91	17
1979	1,325	158	260	- b	- b	25
1980	1,000	1,000	80	- b	- b	20
1981	124	181	42	- b	- b	0
1982	925	1,057	130	885	315	264
1983	551	309	370	630	405	72
1984	517	423	680	523	340	198
1985	232	317	131	375	295	354
1986	668	970	160	180	210	148
Averages						
1951-60	1,004	372	41	6	12	17
1961-70	609	446	69	29	22	25
1971-80	767	843	130	24	76	24
1981-86	503	543	252	519	313	173

continued

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	Harrison River	Lillooet River system	Chilli-wack River	Thompson River system	Chil-cotin River system	Nechako River system
1951	990	60	5	2,280	77	7
1952	1,360	262	20	1,312	118	0
1953	1,510	255	5	1,445	46	19
1954	1,040	270	25	2,401	388	13
1955	1,100	22	35	800	45	13
1956	210	179	20	705	155	27
1957	850	230	0	1,325	196	17
1958	1,115	105	30	1,855	199	170
1959	1,200	130	35	1,370	205	50
1960	650	205	5	1,855	91	13
1961	900	85	20	1,650	119	15
1962	850	90	20	2,160	311	14
1963	720	65	20	1,800	170	30
1964	990	180	10	1,185	163	12
1965	1,235	148	0	895	221	16
1966	1,280	186	0	480	933	10
1967	200	164	0	645	286	24
1968	350	192	0	1,140	942	9
1969	504	59	0	1,232	242	17
1970	1,100	305	0	2,865	1,026	16
1971	1,000	333	0	1,290	221	25
1972	- c	- c	0	815	300	12
1973	- c	232	0	700	250	17
1974	- c	135	0	577	375	16
1975	- c	100	0	405	425	29
1976	- c	52	0	89	493	23
1977	- c	31	0	175	472	16
1978	- c	36	0	135	508	38
1979	- c	50	0	340	315	30
1980	- c	25	0	50	123	57
1981	- c	24	0	100	42	32
1982	- c	222	0	232	460	28
1983	379	134	0	113	400	43
1984	8	153	0	50	458	176
1985	375	396	0	100	880	139
1986	70	38	0	42	505	42
Averages						
1951-60	716	115	12	1,023	95	22
1961-70	813	147	7	1,405	441	16
1971-80	100	110	0	458	348	26
1981-86	208	161	0	106	458	77

continued

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	3,083	1,055	2,590	2,364	9,092
1952	3,375	1,642	3,003	1,430	9,450
1953	3,883	1,770	3,600	1,510	10,763
1954	4,449	1,335	3,915	2,802	12,501
1955	3,599	1,157	2,531	858	8,145
1956	1,905	409	1,802	887	5,003
1957	1,745	1,080	1,430	1,538	5,793
1958	2,900	1,250	1,319	2,224	7,693
1959	3,430	1,365	1,321	1,625	7,741
1960	3,645	860	1,622	1,959	8,086
1961	4,871	1,005	1,543	1,784	9,203
1962	4,390	960	1,064	2,485	8,899
1963	5,240	805	1,105	2,000	9,150
1964	5,545	1,180	2,428	1,360	10,513
1965	6,875	1,383	733	1,132	10,123
1966	5,420	1,466	754	1,423	9,063
1967	4,000	364	840	955	6,159
1968	6,550	542	940	2,091	10,123
1969	10,790	563	1,327	1,491	14,171
1970	12,356	1,405	1,265	3,907	18,933
1971	10,241	1,333	1,023	1,536	14,133
1972	13,394	0	1,487	1,127	16,008
1973	9,030	232	1,546	967	11,775
1974	15,484	135	1,557	968	18,144
1975	16,641	100	2,570	859	20,170
1976	16,572	52	1,960	605	19,189
1977	20,589	31	2,027	663	23,310
1978	16,751	36	2,073	681	19,541
1979	12,428	50	1,768	685	14,931
1980	12,897	25	2,100	230	15,252
1981	11,442	24	347	174	11,987
1982	31,169	222	3,576	720	35,687
1983	12,350	513	2,337	556	15,756
1984	19,258	161	2,681	684	22,784
1985	7,301	771	1,704	1,119	10,895
1986	12,613	108	2,336	589	15,646
Averages					
1951-60	3,201	1,192	2,313	1,720	8,427
1961-70	6,604	967	1,200	1,863	10,634
1971-80	14,403	199	1,811	832	17,245
1981-86	15,689	300	2,164	640	18,793

- a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".
- b. Included in total for "Churn Creek to Chilcotin Bridge".
- c. Not reported.

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986.

Year	Steveston area	Deas to Mission	Mission to Hope		Total	Hope to North Bend
			North Side	South Side		
1951	0	213	3,460	2,145	5,605	7,893
1952	0	213	6,310	2,120	8,430	6,746
1953	0	72	4,095	2,010	6,105	6,074
1954	0	475	3,955	2,640	6,595	7,745
1955	0	625	3,525	2,495	6,020	6,110
1956	0	875	2,875	1,745	4,620	2,820
1957	0	655	2,900	3,165	6,065	3,000
1958	0	1,275	13,480	3,225	16,705	5,890
1959	0	1,700	9,660	3,700	13,360	6,595
1960	0	1,120	16,855	4,700	21,555	6,800
1961	0	1,551	33,635	15,175	48,810	25,100
1962	0	1,300	27,820	18,425	46,245	13,600
1963	0	1,535	31,800	30,400	62,200	38,500
1964	0	1,665	21,150	20,875	42,025	42,750
1965	0	1,800	23,260	17,200	40,460	27,700
1966	2	1,900	29,690	29,500	59,190	29,100
1967	0	1,000	7,950	14,100	22,050	17,800
1968	0	850	7,250	9,106	16,356	37,021
1969	0	290	10,125	21,846	31,971	26,255
1970	0	675	12,150	14,860	27,010	32,040
1971	509	660	10,865	14,865	25,730	37,082
1972	734	3,091	13,780	17,490	31,270	24,565
1973	1,343	2,904	14,820	25,060	39,880	33,205
1974	2,260	7,232	23,315	39,435	62,750	51,900
1975	5,291	5,024	31,800	33,128	64,928	44,128
1976	1,069	15,301	17,956	20,627	38,583	62,026
1977	3,256	11,343	27,500	26,105	53,605	50,110
1978	4,877	8,821	31,915	39,490	71,405	54,845
1979	8,471	12,426	31,145	48,600	79,745	45,936
1980	3,983	3,870	20,739	24,768	45,507	20,855
1981	8,677	7,088	36,705	45,831	82,536	58,828
1982	41,973	9,023	43,430	70,446	113,876	101,976
1983	6,023	5,647	28,370	43,648	72,018	87,356
1984	14,277	4,019	35,601	41,186	76,787	110,412
1985	19,721	6,624	29,661	45,298	74,959	113,605
1986	25,162	12,406	59,680	82,659	142,339	165,181
Averages						
1951-60	0	722	6,712	2,795	9,506	5,967
1961-70	0	1,257	20,483	19,149	39,632	28,987
1971-80	3,179	7,067	22,384	28,957	51,340	42,465
1981-86	19,306	7,468	38,908	54,845	93,753	106,226

continued

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon
1951	4,676	24,550	1,517	305	440	210
1952	6,294	25,479	2,358	365	530	232
1953	6,545	30,326	5,363	1,255	1,345	200
1954	8,347	20,125	1,939	594	266	171
1955	6,513	19,000	2,954	335	618	130
1956	6,230	17,500	993	110	117	85
1957	12,200	18,100	4,223	780	805	180
1958	2,800	4,700	660	220	465	192
1959	2,100	9,200	419	100	160	108
1960	6,000	16,060	2,835	225	540	68
1961	7,500	15,500	1,830	550	700	38
1962	5,000	14,200	3,040	550	600	155
1963	16,500	22,000	2,251	550	295	212
1964	15,700	20,900	2,950	425	300	36
1965	8,700	14,300	3,520	1,200	1,255	254
1966	10,000	16,750	1,055	370	345	87
1967	11,000	17,500	733	290	223	226
1968	8,157	31,830	1,800	525	300	195
1969	12,785	54,155	4,063	1,150	950	163
1970	13,050	39,945	1,800	500	325	107
1971	10,515	29,100	2,800	2,400	1,050	215
1972	9,260	28,425	3,950	- b	- b	250
1973	13,050	32,225	8,700	- b	- b	735
1974	18,075	36,275	1,280	1,150	1,475	366
1975	26,900	44,575	3,100	4,330	2,945	200
1976	15,500	32,000	4,377	2,143	2,045	640
1977	21,000	53,070	2,900	4,229	5,460	150
1978	14,610	24,015	1,530	1,681	1,377	704
1979	16,525	54,521	1,838	2,020	760	750
1980	28,660	32,595	1,110	688	384	1,000
1981	33,030	101,425	14,300	34,560	22,800	4,775
1982	43,520	23,875	5,975	9,725	4,765	3,591
1983	20,395	66,890	6,825	11,220	5,805	3,085
1984	13,890	31,203	7,350	5,120	3,880	3,019
1985	34,415	65,915	15,046	25,536	14,850	6,887
1986	25,145	61,248	8,926	2,313	4,900	3,899
Averages						
1951-60	6,171	18,504	2,326	429	529	158
1961-70	10,839	24,708	2,304	611	529	147
1971-80	17,410	36,680	3,159	2,330	1,937	501
1981-86	28,399	58,426	9,737	14,746	9,500	4,209

continued

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	Harrison River	Lillooet River system	Chilli-wack River	Thompson River system	Chil-cotin River system	Nechako River system	Stuart River system
1951	1,850	12,968	255	12,946	4,634	3,909	3,072
1952	400	12,405	425	2,730	12,149	2,184	3,046
1953	265	10,837	235	9,430	9,524	4,041	21,414
1954	380	4,966	230	30,105	6,063	2,506	4,693
1955	450	3,486	400	9,124	6,839	1,550	1,350
1956	235	8,433	425	4,104	11,372	4,486	2,513
1957	550	5,560	560	3,970	14,692	7,304	18,195
1958	1,640	4,418	330	23,075	9,364	5,310	5,588
1959	1,450	4,565	525	7,310	12,777	4,103	527
1960	1,050	3,855	555	1,710	17,374	2,239	1,663
1961	1,200	5,526	650	1,340	3,872	5,976	17,051
1962	2,000	12,133	650	13,265	14,802	4,259	5,649
1963	520	10,240	675	7,258	20,115	6,070	1,081
1964	800	7,260	700	795	6,774	2,048	511
1965	1,100	5,900	100	1,725	958	3,955	7,643
1966	1,600	4,900	175	13,000	8,552	4,179	2,854
1967	500	6,350	100	13,400	6,543	6,204	3,254
1968	400	6,263	0	860	16,730	2,691	213
1969	900	4,677	0	1,435	3,118	4,329	12,864
1970	600	8,700	0	14,815	3,906	4,125	2,957
1971	500	6,750	0	8,790	15,325	6,693	6,342
1972	- c	4,285	0	6,425	17,400	4,175	1,173
1973	- c	4,075	0	6,090	1,695	4,880	15,084
1974	- c	11,550	0	12,995	6,856	4,358	3,908
1975	- c	6,450	0	7,565	24,181	7,103	6,431
1976	- c	7,500	0	522	43,823	5,702	2,231
1977	- c	14,050	0	560	8,465	6,078	10,151
1978	- c	14,910	0	16,950	8,450	6,248	7,129
1979	- c	14,000	0	2,860	20,926	21,294	9,637
1980	- c	11,850	0	1,000	17,022	13,589	3,853
1981	- c	5,010	0	150	31,350	16,452	19,683
1982	- c	10,230	0	31,480	14,950	11,798	3,042
1983	120	9,961	0	1,255	44,600	15,241	5,115
1984	13	10,123	0	0	56,874	15,276	5,286
1985	295	2,729	0	100	8,990	18,402	16,425
1986	425	10,369	0	9,975	39,396	17,101	5,374
Averages							
1951-60	827	7,149	394	10,450	10,479	3,763	6,206
1961-70	962	7,195	305	6,789	8,537	4,384	5,408
1971-80	500	9,542	0	6,376	16,414	8,012	6,594
1981-86	213	8,070	0	7,160	32,693	15,712	9,154

continued

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	13,711	15,073	31,698	24,561	85,043
1952	15,389	13,230	35,258	20,109	83,986
1953	12,251	11,337	45,034	44,409	113,031
1954	14,815	5,576	31,442	43,367	95,200
1955	12,755	4,336	29,550	18,863	65,504
1956	8,315	9,093	25,035	22,475	64,918
1957	9,720	6,670	36,288	44,161	96,839
1958	23,870	6,388	9,037	43,337	82,632
1959	21,655	6,540	12,087	24,717	64,999
1960	29,475	5,460	25,728	22,986	83,649
1961	75,461	7,376	26,118	28,239	137,194
1962	61,145	14,783	23,545	37,975	137,448
1963	102,235	11,435	41,808	34,524	190,002
1964	86,440	8,760	40,311	10,128	145,639
1965	69,960	7,100	29,229	14,281	120,570
1966	90,192	6,675	28,607	28,585	154,059
1967	40,850	6,950	29,972	29,401	107,173
1968	54,227	6,663	42,807	20,494	124,191
1969	58,516	5,577	73,266	21,746	159,105
1970	59,725	9,300	55,727	25,803	150,555
1971	63,981	7,250	46,080	37,150	154,461
1972	59,660	4,285	41,885	29,173	135,003
1973	77,332	4,075	54,710	27,749	163,866
1974	124,142	11,550	58,621	28,117	222,430
1975	119,371	6,450	82,050	45,280	253,151
1976	116,979	7,500	56,705	52,278	233,462
1977	118,314	14,050	86,809	25,254	244,427
1978	139,948	14,910	43,917	38,777	237,552
1979	146,578	14,000	76,414	54,717	291,709
1980	74,215	11,850	64,437	35,464	185,966
1981	157,129	5,010	210,890	67,635	440,664
1982	266,848	10,230	91,451	61,270	429,799
1983	171,044	10,081	114,220	66,211	361,556
1984	205,495	10,136	64,462	77,436	357,529
1985	214,909	3,024	162,649	43,917	424,499
1986	345,088	10,794	106,431	71,846	534,159
Averages					
1951-60	16,196	8,370	28,116	30,899	83,580
1961-70	69,875	8,462	39,139	25,118	142,594
1971-80	104,052	9,592	61,163	37,396	212,203
1981-86	226,752	8,213	125,017	64,719	424,701

- a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".
- b. Included in total for "Churn Creek to Chilcotin Bridge".
- c. Not reported.

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	72	1,945	720	2,665	474
1952	-	-	-	-	0	11
1953	0	172	3,110	800	3,910	761
1954	-	-	-	-	0	-
1955	0	525	2,450	805	3,255	2,846
1956	-	-	15	135	150	18
1957	0	950	2,750	1,605	4,355	1,075
1958	-	-	27	90	117	-
1959	0	410	12,225	975	13,200	1,275
1960	-	-	-	-	0	-
1961	0	450	17,340	4,975	22,315	1,400
1962	-	-	-	-	0	-
1963	0	575	17,350	7,300	24,650	2,510
1964	-	-	-	-	0	-
1965	0	300	13,275	6,500	19,775	5,300
1966	-	-	-	-	0	-
1967	0	500	3,700	10,100	13,800	6,150
1968	-	-	-	-	0	-
1969	0	140	7,750	4,660	12,410	9,300
1970	-	-	-	-	0	-
1971	2	0	4,990	4,745	9,735	9,575
1972	-	-	-	-	0	-
1973	122	1,300	7,670	14,790	22,460	27,850
1974	-	-	-	4	4	2
1975	1	875	18,770	11,092	29,862	9,130
1976	-	-	-	-	0	-
1977	48	1,350	11,445	9,140	20,585	6,025
1978	-	-	-	-	0	-
1979	1,518	10,518	17,240	17,700	34,940	12,190
1980	-	-	-	-	0	-
1981	3,017	3,519	21,450	19,385	40,835	7,881
1982	-	-	-	-	0	-
1983	2,582	5,467	18,555	24,740	43,295	22,115
1984	-	-	-	5	5	-
1985	6,843	5,596	15,930	23,274	39,204	49,734
1986	-	-	-	-	0	-
Averages (odd years only)						
1951-60	0	426	4,496	981	5,477	1,286
1961-70	0	393	11,883	6,707	18,590	4,932
1971-80	338	2,809	12,023	11,493	23,516	12,954
1981-86	4,147	4,861	18,645	22,466	41,111	26,577

continued

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon
1951	657	0	0	0	0	0
1952	-	-	-	-	-	-
1953	959	0	0	0	0	0
1954	-	-	-	-	-	-
1955	1,504	0	0	0	0	0
1956	-	-	-	-	-	-
1957	1,800	1,900	0	0	0	0
1958	-	-	-	-	-	-
1959	200	500	0	0	0	0
1960	-	-	-	-	-	-
1961	1,100	700	0	0	0	0
1962	-	-	-	-	-	-
1963	1,700	1,550	0	0	0	0
1964	-	-	-	-	-	-
1965	150	230	0	0	6	0
1966	-	-	-	-	-	-
1967	1,000	1,150	34	0	0	0
1968	-	-	-	-	-	-
1969	930	1,380	5	0	0	0
1970	-	-	-	-	-	-
1971	1,205	1,690	0	0	25	0
1972	-	-	-	-	-	-
1973	490	705	0	0	0	0
1974	-	-	-	-	-	-
1975	520	505	0	0	0	0
1976	-	-	-	-	-	-
1977	0	100	10	0	0	0
1978	-	-	-	-	-	-
1979	300	0	50	0	0	0
1980	-	-	-	-	-	-
1981	700	370	0	0	0	0
1982	-	-	-	-	-	-
1983	5,407	2,080	0	0	0	0
1984	-	-	-	-	-	-
1985	0	0	0	0	0	0
1986	-	-	-	-	-	-
Averages (odd years only)						
1951-60	1,024	480	0	0	0	0
1961-70	976	1,002	8	0	1	0
1971-80	503	600	12	0	5	0
1981-86	2,036	817	0	0	0	0

continued

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	Harrison River	Lillooet River system	Chilliwack River	Thompson River system	Chil-cotin River system	Nechako River system
1951	1,025	0	650	842	0	0
1952	-	-	-	-	-	-
1953	515	350	800	766	0	0
1954	-	-	-	-	-	-
1955	675	- b	730	1,278	0	0
1956	-	-	-	-	-	-
1957	750	160	755	1,650	0	0
1958	-	-	-	-	-	-
1959	825	0	725	560	0	0
1960	-	-	-	-	-	-
1961	1,225	15	1,875	975	0	0
1962	-	-	-	-	-	-
1963	400	15	2,150	1,200	0	0
1964	-	-	-	-	-	-
1965	1,000	0	1,600	870	0	0
1966	-	-	-	-	-	-
1967	400	0	0	1,310	0	0
1968	-	-	-	-	-	-
1969	1,000	0	0	435	0	0
1970	-	-	-	-	-	-
1971	1,480	0	0	4,010	0	0
1972	-	-	-	-	-	-
1973	- b	0	0	1,645	0	0
1974	-	-	-	-	-	-
1975	- b	0	0	595	0	0
1976	-	-	-	-	-	-
1977	- b	0	0	500	0	0
1978	-	-	-	-	-	-
1979	- b	0	0	1,350	0	0
1980	-	-	-	-	-	-
1981	- b	0	0	380	0	0
1982	-	-	-	-	-	-
1983	1,175	15	0	2,743	0	0
1984	-	-	-	-	-	-
1985	915	0	0	0	0	0
1986	-	-	-	-	-	-
Averages (odd years only)						
1951-60	758	128	732	1019	0	0
1961-70	805	6	1,125	958	0	0
1971-80	1,480	0	0	1,620	0	0
1981-86	1,045	5	0	1,041	0	0

continued

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	3,211	1,675	657	842	6,385
1952	11	0	0	0	11
1953	4,843	1,665	959	766	8,233
1954	0	0	0	0	0
1955	6,626	1,405	1,504	1,278	10,813
1956	168	0	0	0	168
1957	6,380	1,665	3,700	1,650	13,395
1958	117	0	0	0	117
1959	14,885	1,550	700	560	17,695
1960	0	0	0	0	0
1961	24,165	3,115	1,800	975	30,055
1962	0	0	0	0	0
1963	27,735	2,565	3,250	1,200	34,750
1964	0	0	0	0	0
1965	25,375	2,600	386	870	29,231
1966	0	0	0	0	0
1967	20,450	400	2,184	1,310	24,344
1968	0	0	0	0	0
1969	21,850	1,000	2,315	435	25,600
1970	0	0	0	0	0
1971	19,312	1,480	2,920	4,010	27,722
1972	0	0	0	0	0
1973	51,732	0	1,195	1,645	54,572
1974	6	0	0	0	6
1975	39,868	0	1,025	595	41,488
1976	0	0	0	0	0
1977	28,008	0	110	500	28,618
1978	0	0	0	0	0
1979	59,166	0	350	1,350	60,866
1980	0	0	0	0	0
1981	55,252	0	1,070	380	56,702
1982	0	0	0	0	0
1983	73,459	1,190	7,487	2,743	84,879
1984	5	0	0	0	5
1985	101,377	915	0	0	102,292
1986	0	0	0	0	0
Averages (odd years only)					
1951-60	7,189	1,592	1,504	1,019	11,304
1961-70	23,915	1,936	1,987	958	28,796
1971-80	39,617	296	1,120	1,620	42,653
1981-86	76,696	702	2,852	1,041	81,291

- a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".
- b. Not reported.

Annual coho catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	169	1,020	785	1,805	394
1952	0	303	965	1,080	2,045	304
1953	0	406	930	690	1,620	273
1954	0	775	1,225	1,075	2,300	201
1955	0	650	1,000	1,135	2,135	1,361
1956	0	520	710	995	1,705	495
1957	0	585	815	1,130	1,945	470
1958	0	600	1,167	980	2,147	640
1959	0	815	2,265	1,255	3,520	780
1960	0	475	2,540	1,125	3,665	780
1961	2	1,325	3,435	2,595	6,030	1,740
1962	0	1,275	3,610	4,275	7,885	1,700
1963	0	1,300	2,645	3,875	6,520	2,125
1964	0	1,575	3,535	3,775	7,310	2,175
1965	0	925	5,360	3,050	8,410	6,650
1966	24	725	10,865	3,500	14,365	2,850
1967	0	420	950	1,175	2,125	550
1968	0	250	3,150	9,500	12,650	2,525
1969	0	215	1,960	2,795	4,755	7,643
1970	0	1,380	3,280	4,310	7,590	7,120
1971	1	1,725	4,390	4,100	8,490	3,600
1972	2	1,810	2,990	4,735	7,725	7,985
1973	0	1,844	2,990	5,800	8,790	4,360
1974	5	7,513	6,622	6,574	13,196	4,940
1975	4	1,662	6,660	3,012	9,672	2,779
1976	10	2,797	8,505	6,045	14,550	5,210
1977	34	2,010	6,538	4,311	10,849	1,490
1978	907	3,227	3,934	5,705	9,639	5,556
1979	109	1,969	3,425	3,454	6,879	2,001
1980	1,642	2,807	8,595	7,040	15,635	7,918
1981	548	1,355	2,191	2,831	5,022	716
1982	7,641	3,019	11,912	18,006	29,918	4,905
1983	438	688	2,140	2,020	4,160	1,055
1984	4,494	4,188	5,947	11,184	17,131	28,786
1985	2,099	1,709	1,374	2,190	3,564	8,832
1986	1,940	2,883	7,682	9,657	17,339	9,236
Averages						
1951-60	0	530	1,264	1,025	2,289	570
1961-70	3	939	3,879	3,885	7,764	3,508
1971-80	271	2,736	5,465	5,078	10,543	4,584
1981-86	2,860	2,307	5,208	7,648	12,856	8,922

continued

Annual coho catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	above Churn Creek	Harrison River	Lillooet River system	Chilli-wack River	Thompson River system
1951	331	0	0	510	376	230	165
1952	320	0	0	295	1,388	325	211
1953	236	0	0	70	1,820	240	1,446
1954	375	0	0	230	1,634	355	1,336
1955	1,419	0	0	280	234	260	4,260
1956	890	0	0	150	872	140	1,605
1957	250	220	0	275	1,400	175	880
1958	100	50	0	495	658	280	1,005
1959	50	10	0	775	670	185	1,530
1960	100	50	0	720	815	145	1,355
1961	400	25	0	940	900	305	1,515
1962	250	0	0	1,280	1,195	675	1,420
1963	50	10	0	490	2,040	1,150	875
1964	100	12	0	875	2,200	1,025	945
1965	80	40	0	1,075	1,630	400	1,925
1966	90	65	0	1,460	1,478	70	400
1967	60	35	0	350	1,115	25	165
1968	165	0	0	1,200	802	0	30
1969	215	165	0	- b	851	0	105
1970	240	265	0	1,300	1,230	0	265
1971	425	135	0	1,000	2,308	0	315
1972	625	50	0	- b	1,125	0	325
1973	550	50	0	- b	525	0	315
1974	475	315	0	- b	1,235	0	245
1975	425	380	0	- b	3,000	0	170
1976	325	0	0	- b	2,000	0	32
1977	0	110	0	- b	1,750	0	300
1978	0	60	0	- b	2,500	0	850
1979	45	0	0	- b	2,800	0	1,250
1980	- b	- b	0	- b	1,395	0	30
1981	50	50	0	- b	3,000	0	- b
1982	262	0	0	- b	3,540	0	360
1983	11	34	0	61	1,037	0	64
1984	535	210	0	20	1,883	0	50
1985	275	20	0	35	1,587	0	60
1986	196	179	0	55	3,059	0	271
Averages							
1951-60	407	33	0	380	987	234	1,379
1961-70	165	62	0	997	1,344	365	765
1971-80	319	122	0	1,000	1,864	0	383
1981-86	222	82	0	43	2,351	0	161

continued

Annual coho catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	2,368	1,116	331	165	3,980
1952	2,652	2,008	320	211	5,191
1953	2,299	2,130	236	1,446	6,111
1954	3,276	2,219	375	1,336	7,206
1955	4,146	774	1,419	4,260	10,599
1956	2,720	1,162	890	1,605	6,377
1957	3,000	1,850	470	880	6,200
1958	3,387	1,433	150	1,005	5,975
1959	5,115	1,630	60	1,530	8,335
1960	4,920	1,680	150	1,355	8,105
1961	9,097	2,145	425	1,515	13,182
1962	10,860	3,150	250	1,420	15,680
1963	9,945	3,680	60	875	14,560
1964	11,060	4,100	112	945	16,217
1965	15,985	3,105	120	1,925	21,135
1966	17,964	3,008	155	400	21,527
1967	3,095	1,490	95	165	4,845
1968	15,425	2,002	165	30	17,622
1969	12,613	851	380	105	13,949
1970	16,090	2,530	505	265	19,390
1971	13,816	3,308	560	315	17,999
1972	17,522	1,125	675	325	19,647
1973	14,994	525	600	315	16,434
1974	25,654	1,235	790	245	27,924
1975	14,117	3,000	805	170	18,092
1976	22,567	2,000	325	32	24,924
1977	14,383	1,750	110	300	16,543
1978	19,329	2,500	60	850	22,739
1979	10,958	2,800	45	1,250	15,053
1980	28,002	1,395	0	30	29,427
1981	7,641	3,000	100	0	10,741
1982	45,483	3,540	262	360	49,645
1983	6,341	1,098	45	64	7,548
1984	54,599	1,903	745	50	57,297
1985	16,204	1,622	295	60	18,181
1986	31,398	3,114	375	271	35,158
Averages					
1951-60	3,388	1,600	440	1,379	6,808
1961-70	12,213	2,606	227	765	15,811
1971-80	18,134	1,964	397	383	20,878
1981-86	26,944	2,380	304	134	29,762

- a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".
- b. Not reported.

Annual chum catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	534	2,360	725	3,085	38
1952	0	331	2,190	1,125	3,315	51
1953	0	349	2,080	565	2,645	55
1954	0	860	2,305	545	2,850	28
1955	0	495	1,405	535	1,940	21
1956	0	440	745	310	1,055	7
1957	0	685	2,135	790	2,925	11
1958	0	725	2,865	490	3,355	11
1959	0	1,090	11,225	705	11,930	35
1960	0	875	4,155	830	4,985	10
1961	167	975	3,650	2,785	6,435	75
1962	10	850	2,875	4,240	7,115	125
1963	196	950	3,080	3,675	6,755	70
1964	0	980	3,860	3,800	7,660	115
1965	0	635	2,330	1,775	4,105	350
1966	26	1,000	5,185	2,350	7,535	1,090
1967	0	600	2,300	2,700	5,000	1,000
1968	147	750	3,000	3,000	6,000	200
1969	249	350	2,725	830	3,555	135
1970	253	380	1,550	1,235	2,785	285
1971	87	830	1,400	475	1,875	160
1972	136	1,445	3,050	1,275	4,325	395
1973	174	2,548	3,635	3,215	6,850	1,170
1974	132	5,118	4,922	3,650	8,572	1,280
1975	533	940	3,720	1,460	5,180	434
1976	574	2,135	6,800	2,905	9,705	1,189
1977	483	1,693	4,740	2,145	6,885	281
1978	1,253	1,674	2,559	2,985	5,544	1,036
1979	316	2,197	2,860	2,529	5,389	300
1980	1,359	1,737	6,051	2,725	8,776	461
1981	1,393	1,805	3,288	4,045	7,333	639
1982	6,270	1,928	3,835	5,404	9,239	916
1983	1,828	1,253	4,438	2,845	7,283	505
1984	2,428	2,310	3,390	7,733	11,123	2,506
1985	2,659	1,460	192	390	582	478
1986	2,452	2,106	5,448	3,601	9,049	2,472
Averages						
1951-60	0	638	3,147	662	3,809	27
1961-70	105	747	3,056	2,639	5,695	345
1971-80	505	2,032	3,974	2,336	6,310	671
1981-86	2,838	1,810	3,432	4,003	7,435	1,253

continued

Annual chum catch by fishing area in the Fraser River
Indian food fishery, 1951 to 1986 (con't).

Year	North Bend to Texas Creek (a)	above Texas Creek	Harrison River	Lillooet River system	Chilli- wack River
1951	0	0	1,360	0	810
1952	0	0	905	185	1,000
1953	2	0	1,460	375	355
1954	0	0	1,675	395	360
1955	0	0	800	0	265
1956	0	0	585	75	105
1957	0	0	790	125	225
1958	0	0	2,425	40	185
1959	0	0	2,220	340	285
1960	0	0	3,515	300	285
1961	0	0	1,300	20	675
1962	0	0	1,975	25	1,200
1963	0	0	1,760	10	1,000
1964	0	0	2,150	55	1,250
1965	0	0	1,490	10	800
1966	0	0	2,330	0	200
1967	0	0	1,900	0	300
1968	0	0	4,000	5	0
1969	0	0	- b	11	0
1970	0	0	1,900	0	0
1971	0	0	1,000	70	0
1972	0	0	- b	0	0
1973	0	0	- b	0	0
1974	0	0	- b	0	0
1975	0	0	- b	0	0
1976	0	0	- b	0	0
1977	0	0	- b	0	0
1978	0	0	- b	2	0
1979	0	0	- b	0	0
1980	0	0	- b	0	0
1981	0	0	- b	0	0
1982	0	0	- b	880	0
1983	0	0	1,398	370	0
1984	0	0	192	76	0
1985	0	0	215	465	0
1986	0	0	41	591	0
Averages					
1951-60	0	0	1,574	184	388
1961-70	0	0	2,089	14	543
1971-80	0	0	1,000	7	0
1981-86	0	0	462	397	0

continued

Annual chum catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	3,657	2,170	0	0	5,827
1952	3,697	2,090	0	0	5,787
1953	3,049	2,190	2	0	5,241
1954	3,738	2,430	0	0	6,168
1955	2,456	1,065	0	0	3,521
1956	1,502	765	0	0	2,267
1957	3,621	1,140	0	0	4,761
1958	4,091	2,650	0	0	6,741
1959	13,055	2,845	0	0	15,900
1960	5,870	4,100	0	0	9,970
1961	7,652	1,995	0	0	9,647
1962	8,100	3,200	0	0	11,300
1963	7,971	2,770	0	0	10,741
1964	8,755	3,455	0	0	12,210
1965	5,090	2,300	0	0	7,390
1966	9,651	2,530	0	0	12,181
1967	6,600	2,200	0	0	8,800
1968	7,097	4,005	0	0	11,102
1969	4,289	11	0	0	4,300
1970	3,703	1,900	0	0	5,603
1971	2,952	1,070	0	0	4,022
1972	6,301	0	0	0	6,301
1973	10,742	0	0	0	10,742
1974	15,102	0	0	0	15,102
1975	7,087	0	0	0	7,087
1976	13,603	0	0	0	13,603
1977	9,342	0	0	0	9,342
1978	9,507	2	0	0	9,509
1979	8,202	0	0	0	8,202
1980	12,333	0	0	0	12,333
1981	11,170	0	0	0	11,170
1982	18,353	880	0	0	19,233
1983	10,869	1,768	0	0	12,637
1984	18,367	268	0	0	18,635
1985	5,179	680	0	0	5,859
1986	16,079	632	0	0	16,711
Averages					
1951-60	4,474	2,145	0	0	6,618
1961-70	6,891	2,437	0	0	9,327
1971-80	9,517	107	0	0	9,624
1981-86	13,336	705	0	0	14,041

a. Prior to 1976, the area boundary was "North Bend to Lytton".

b. Not reported.

Annual steelhead catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	31	205	245	450	547
1952	0	100	995	375	1,370	444
1953	0	96	445	305	750	278
1954	0	300	545	395	940	184
1955	0	95	555	375	930	177
1956	0	145	345	365	710	100
1957	0	145	385	380	765	195
1958	0	205	555	423	978	320
1959	0	320	1,265	820	2,085	445
1960	0	335	1,255	685	1,940	550
1961	21	265	1,095	1,250	2,345	1,005
1962	0	180	975	1,330	2,305	1,100
1963	14	205	620	1,790	2,410	1,225
1964	0	208	1,025	2,010	3,035	1,250
1965	0	100	1,075	875	1,950	725
1966	1	155	1,360	900	2,260	370
1967	0	150	300	1,175	1,475	345
1968	0	135	300	1,050	1,350	225
1969	0	176	250	330	580	230
1970	0	140	190	423	613	220
1971	2	250	300	300	600	400
1972	0	25	750	381	1,131	936
1973	9	121	365	455	820	510
1974	4	125	606	618	1,224	357
1975	12	196	562	580	1,142	423
1976	6	59	666	744	1,410	715
1977	0	55	296	363	659	218
1978	11	24	72	63	135	272
1979	2	150	168	277	445	146
1980	52	102	326	506	832	371
1981	56	147	235	358	593	168
1982	195	142	348	752	1,100	937
1983	12	82	138	167	305	367
1984	314	248	673	876	1,549	4,619
1985	140	99	136	418	554	641
1986	93	147	595	1,017	1,612	2,123
Averages						
1951-60	0	177	655	437	1,092	324
1961-70	4	171	719	1,113	1,832	670
1971-80	10	111	411	429	840	435
1981-86	135	144	354	598	952	1,476

continued

Annual steelhead catch by fishing area in the Fraser River Indian food fishery, 1951 to 1986 (con't).

Year	North Texas Bend to Texas Creek (a)	Texas Cr to Churn Creek (a)	above Churn Creek	Harrison River	Lillooet River system	Chilli-wack River	Thomp-son River system	Chil-cotin River system
1951	462	242	0	390	0	45	121	25
1952	314	204	0	375	70	70	143	0
1953	203	379	0	390	325	35	258	55
1954	201	125	0	400	330	45	218	60
1955	280	100	0	225	- b	80	61	50
1956	210	100	0	215	175	83	100	0
1957	100	150	0	300	135	10	125	0
1958	100	70	0	325	75	30	350	35
1959	50	35	0	300	130	77	110	15
1960	150	350	0	420	180	55	135	0
1961	150	75	0	300	155	120	200	125
1962	60	20	0	500	130	105	225	165
1963	80	35	0	240	95	250	125	280
1964	120	60	0	480	300	260	180	0
1965	40	15	0	550	170	35	115	50
1966	55	10	0	550	60	25	75	45
1967	70	20	0	100	0	10	75	38
1968	196	20	0	50	0	0	20	0
1969	220	40	0	- b	- b	0	50	140
1970	145	40	0	55	0	0	60	150
1971	130	40	0	80	0	0	45	0
1972	245	70	0	- b	0	0	250	0
1973	120	50	0	- b	75	0	180	0
1974	150	45	0	- b	35	0	90	0
1975	130	110	0	- b	0	0	110	0
1976	80	40	0	- b	0	0	10	0
1977	0	0	0	- b	0	0	190	0
1978	0	0	0	- b	0	0	0	0
1979	0	0	0	- b	0	0	0	0
1980	- b	- b	0	- b	0	0	0	0
1981	50	0	0	- b	0	0	0	0
1982	- b	- b	0	- b	0	0	- b	0
1983	- b	- b	0	0	0	0	- b	0
1984	15	0	0	0	0	0	0	0
1985	- b	- b	0	0	26	0	0	0
1986	0	0	0	3	10	0	0	0
Averages								
1951-60	207	176	0	334	158	53	162	24
1961-70	114	34	0	314	101	81	113	99
1971-80	95	39	0	80	11	0	88	0
1981-86	22	0	0	1	6	0	0	0

continued

Annual steelhead catch by fishing area in the Fraser River
Indian food fishery, 1951 to 1986 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem tributary		mainstem tributary		
1951	1,028	435	704	146	2,313
1952	1,914	515	518	143	3,090
1953	1,124	750	582	313	2,769
1954	1,424	775	326	278	2,803
1955	1,202	305	380	111	1,998
1956	955	473	310	100	1,838
1957	1,105	445	250	125	1,925
1958	1,503	430	170	385	2,488
1959	2,850	507	85	125	3,567
1960	2,825	655	500	135	4,115
1961	3,636	575	225	325	4,761
1962	3,585	735	80	390	4,790
1963	3,854	585	115	405	4,959
1964	4,493	1,040	180	180	5,893
1965	2,775	755	55	165	3,750
1966	2,786	635	65	120	3,606
1967	1,970	110	90	113	2,283
1968	1,710	50	216	20	1,996
1969	986	0	260	190	1,436
1970	973	55	185	210	1,423
1971	1,252	80	170	45	1,547
1972	2,092	0	315	250	2,657
1973	1,460	75	170	180	1,885
1974	1,710	35	195	90	2,030
1975	1,773	0	240	110	2,123
1976	2,190	0	120	10	2,320
1977	932	0	0	190	1,122
1978	442	0	0	0	442
1979	743	0	0	0	743
1980	1,357	0	0	0	1,357
1981	964	0	50	0	1,014
1982	2,374	0	0	0	2,374
1983	766	0	0	0	766
1984	6,730	0	15	0	6,745
1985	1,434	26	0	0	1,460
1986	3,975	13	0	0	3,988
Averages					
1951-60	1,593	529	383	186	2,691
1961-70	2,677	454	147	212	3,490
1971-80	1,395	19	121	88	1,623
1981-86	2,707	7	11	0	2,725

- a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".
b. Not reported.

Table 6. Weekly estimates of catch by area in the Fraser River Indian food fishery in 1986:

Chinook	57
Sockeye	65
Coho	73
Chum	79
Steelhead	83
Sturgeon	87

Chinook catches in the Fraser River mainstem areas of District 2, 1986.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 5	-	-	0	0	0	0
12	-	0	0	0	0	0
19	-	0	0	0	0	0
26	-	-	0	-	0	0
Feb 2	-	-	0	0	0	0
9	-	0	-	-	0	0
16	-	0	0	1	1	1
23	-	0	-	-	0	1
Mar 2	-	0	0	2	2	3
9	-	-	1	3	4	7
16	-	2	1	0	3	10
23	0	0	-	-	0	10
30	0	0	-	-	0	10
Apr 6	0	0	85	8	93	103
13	0	-	0	0	0	103
20	0	0	67	52	119	222
27	1	0	30	3	34	256
May 4	0	1	98	150	249	505
11	0	4	150	36	190	695
18	41	3	142	46	232	927
25	26	7	64	-	97	1,024
Jun 1	41	3	60	8	112	1,136
8	21	14	90	-	125	1,261
15	82	44	295	205	626	1,887
22	45	44	658	745	1,492	3,379
29	69	27	1,112	1,305	2,513	5,892
Jul 6	- a	- a	- a	- a	-	5,892
13	- a	- a	- a	- a	-	5,892
20	39	- a	- a	- a	39	5,931
27	39	19	445	767 b	1,270	7,201
Aug 3	32	52	580	210 c	874	8,075
10	19	50	409	284 d	762	8,837
17	11	42 e	106	100	259	9,096
24	18	22	30	35	105	9,201
31	7	0	114	50	171	9,372
Sep 7	23	11	194	258	486	9,858
14	36	24	239	570	869	10,727
21	43	84	95	110	332	11,059
28	32	94	117	102	345	11,404
Oct 5	48	10	65	30	153	11,557
12	26	410	239	20	695	12,252
19	2	35	55	43	135	12,387
26	3	30	135	0	168	12,555
Nov 2	4	5	24	0	33	12,588
9	0	1	11	1	13	12,601
16	0	0	5	0	5	12,606
23	0	0	7	0	7	12,613
30	0	0	0	0	0	12,613
Dec 7	-	0	0	-	0	12,613
14	0	-	0	-	0	12,613
21	-	-	0	-	0	12,613
28	-	0	-	-	0	12,613
Total	708	1,038	5,723	5,144	12,613	-

a. Closure.

b. Includes 21 chinook taken under 10 drying permits.

c. Includes 35 chinook taken under 10 drying permits.

d. Includes 25 chinook taken under 11 drying permits.

e. Includes 37 chinook taken with drifted gill nets under special permit.

continued

Chinook catches in the Fraser River tributary areas of District 2, 1986.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 5	-	-	-	-	0
12	-	-	-	-	0
19	0	-	-	0	0
26	-	1	-	1	1
Feb 2	-	-	-	-	1
9	-	-	-	-	1
16	-	-	-	-	1
23	-	-	-	-	1
Mar 2	-	-	-	-	1
9	-	0	-	0	1
16	-	0	-	0	1
23	-	0	-	0	1
30	-	3	-	3	4
Apr 6	-	1	-	1	5
13	-	1	-	1	6
20	-	4	-	4	10
27	-	3	0	3	13
May 4	-	2	0	2	15
11	-	0	0	0	15
18	-	0	0	0	15
25	-	0	7	7	22
Jun 1	-	-	-	-	22
8	-	-	-	-	22
15	-	-	-	-	22
22	-	-	-	-	22
29	-	-	-	-	22
Jul 6	-	-	-	-	22
13	-	-	-	-	22
20	-	-	-	-	22
27	-	-	-	-	22
Aug 3	-	-	-	-	22
10	-	0	-	0	22
17	-	0	-	0	22
24	-	-	-	-	22
31	-	0	-	0	22
Sep 7	-	0	0	0	22
14	-	0	0	0	22
21	-	0	0	0	22
28	-	0	0	0	22
Oct 5	40	5	0	45	67
12	20	10	0	30	97
19	10	1	0	11	108
26	-	0	0	0	108
Nov 2	-	-	0	0	108
9	-	-	0	0	108
16	-	-	0	0	108
23	-	-	0	0	108
30	-	0	0	0	108
Dec 7	-	0	0	0	108
14	-	0	0	0	108
21	-	0	-	0	108
28	-	-	-	-	108
Total	70	31	7	108	-

continued

Chinook catches in the Fraser River mainstem areas of District 1, 1986.

Week Ending	District 1 mainstem						Total	Cumulative
	North Bend to Texas Creek	Texas Creek to Churn Creek	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Mar-guerite	Mar-guerite to Hixon	above Hixon		
Jan 5	-	-	-	-	-	-	-	0
12	-	-	-	-	-	-	-	0
19	-	-	-	-	-	-	-	0
26	-	-	-	-	-	-	-	0
Feb 2	-	-	-	-	-	-	-	0
9	-	-	-	-	-	-	-	0
16	-	-	-	-	-	-	-	0
23	-	-	-	-	-	-	-	0
Mar 2	-	-	-	-	-	-	-	0
9	-	-	-	-	-	-	-	0
16	-	-	-	-	-	-	-	0
23	-	-	-	-	-	-	-	0
30	-	-	-	-	-	-	-	0
Apr 6	-	-	-	-	-	-	-	0
13	-	-	-	-	-	-	-	0
20	-	-	-	-	-	-	-	0
27	-	-	-	-	-	-	-	0
May 4	-	-	-	-	-	-	-	0
11	-	-	-	-	-	-	-	0
18	-	-	-	-	-	-	-	0
25	-	-	-	-	-	-	-	0
Jun 1	-	-	-	-	-	-	-	0
8	-	-	-	-	-	-	-	0
15	-	-	-	-	-	-	-	0
22	-	-	-	-	-	-	-	0
29	40	30	-	-	-	-	70	70
Jul 6	30	50	-	-	-	-	80	150
13	- a	- a	15	20	-	-	35	185
20	- a a	- a a	- a	- a	- a	- a	-	185
27	- a	- a	- a	- a	- a	- a	-	185
Aug 3	90	135	-	-	-	-	225	410
10	180	250	30	50	30	-	540	950
17	120	180	50	60	100	18	528	1,478
24	105	170	50	40	70	2	437	1,915
31	48	72	15	10	0	110	255	2,170
Sep 7	25	42	0	0	10	16	93	2,263
14	14	26	-	-	-	0	40	2,303
21	6	6	-	-	-	-	12	2,315
28	7	1	-	-	-	2	10	2,325
Oct 5	2	4	-	-	-	-	6	2,331
12	1	3	-	-	-	-	4	2,335
19	0	1	-	-	-	-	1	2,336
26	0	0	-	-	-	-	0	2,336
Nov 2	0	0	-	-	-	-	0	2,336
9	-	-	-	-	-	-	-	2,336
16	-	-	-	-	-	-	-	2,336
23	-	-	-	-	-	-	-	2,336
30	-	-	-	-	-	-	-	2,336
Dec 7	-	-	-	-	-	-	-	2,336
14	-	-	-	-	-	-	-	2,336
21	-	-	-	-	-	-	-	2,336
28	-	-	-	-	-	-	-	2,336
Total	668	970	160	180	210	148	2,336	-

a. Closure.

continued

Chinook catches in the Chilcotin and Thompson river systems, District 1, 1986.

Week Ending	Thompson River system					Total
	Chilcotin River system	Lytton to Savona	South Thompson River	North Thompson and Raft rivers	Shuswap River	
Jan 5	-	-	-	-	-	-
12	-	-	-	-	-	-
19	-	-	-	-	-	-
26	-	-	-	-	-	-
Feb 2	-	-	-	-	-	-
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	-	-	-	-	-	-
Mar 2	-	-	-	-	-	-
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	-	-	-	-	-	-
30	-	-	-	-	-	-
Apr 6	-	-	-	-	-	-
13	-	-	-	-	-	-
20	-	-	-	-	-	-
27	-	-	-	-	-	-
May 4	-	-	-	-	-	-
11	-	-	-	-	-	-
18	-	-	-	-	-	-
25	-	-	-	-	-	-
Jun 1	-	-	-	-	-	-
8	-	-	-	-	-	-
15	-	-	-	-	-	-
22	-	-	-	-	-	-
29	-	-	-	-	-	-
Jul 6	-	-	-	-	-	-
13	-	-	-	-	-	-
20	-	-	-	-	-	-
27	-	-	-	-	-	-
Aug 3	-	-	-	-	-	-
10	100	-	-	-	-	-
17	200	-	-	-	-	-
24	100	-	-	-	-	-
31	85	-	-	-	-	-
Sep 7	20	-	-	-	-	-
14	0	-	-	-	-	-
21	-	1	-	-	-	1
28	-	4	-	-	-	4
Oct 5	-	20	-	-	-	20
12	-	10	-	-	-	10
19	-	6	-	-	-	6
26	-	1	-	-	-	1
Nov 2	-	0	-	-	-	0
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	-	-	-	-	-	-
30	-	-	-	-	-	-
Dec 7	-	-	-	-	-	-
14	-	-	-	-	-	-
21	-	-	-	-	-	-
28	-	-	-	-	-	-
Total	505	42	0	0	0	42

continued

Chinook catches in the Nechako River system, District 1, 1986.

Week Ending	Prince George to Stuart River	Stuart River to Fort Fraser	Fort Fraser to Francois Lake	Nechako River system	
				Total	Cumulative
Jan 5	-	-	-	-	0
12	-	-	-	-	0
19	-	-	-	-	0
26	-	-	-	-	0
Feb 2	-	-	-	-	0
9	-	-	-	-	0
16	-	-	-	-	0
23	-	-	-	-	0
Mar 2	-	-	-	-	0
9	-	-	-	-	0
16	-	-	-	-	0
23	-	-	-	-	0
30	-	-	-	-	0
Apr 6	-	-	-	-	0
13	-	-	-	-	0
20	-	-	-	-	0
27	-	-	-	-	0
May 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Jun 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
29	-	-	-	-	0
Jul 6	-	-	-	-	0
13	-	-	-	-	0
20	-	-	-	-	0
27	-	-	-	-	0
Aug 3	a	-	-	-	0
10	3	0	0	3	3
17	0	7	0	7	10
24	0	2	0	2	12
31	0	2	0	2	14
Sep 7	0	0	0	0	14
14	0	0	0	0	14
21	-	0	0	0	14
28	-	0	0	0	14
Oct 5	0	0	0	0	14
12	-	-	-	-	14
19	-	-	-	-	14
26	-	-	-	-	14
Nov 2	-	-	-	-	14
9	-	-	-	-	14
16	-	-	-	-	14
23	-	-	-	-	14
30	-	-	-	-	14
Dec 7	-	-	-	-	14
14	-	-	-	-	14
21	-	-	-	-	14
28	-	-	-	-	14
Total	3	11	0	14	-

a. Closure.

continued

Chinook catches in the Stuart River System and catch summary for the
Nechako-Stuart river systems, District 1, 1986.

Week Ending	Nechako River to Fort St. James		Fort St. James to Trembleur Lake		Stuart River system ----- Total Cumul- ative		Nechako- Stuart systems ----- Total Cumul- ative	
	St. James	Fort Trembleur Lake	Trembleur Lake	above Trembleur Lake outlet	Total	Cumul- ative	Total	Cumul- ative
Jan 5	-	-	-	-	-	0	-	0
12	-	-	-	-	-	0	-	0
19	-	-	-	-	-	0	-	0
26	-	-	-	-	-	0	-	0
Feb 2	-	-	-	-	-	0	-	0
9	-	-	-	-	-	0	-	0
16	-	-	-	-	-	0	-	0
23	-	-	-	-	-	0	-	0
Mar 2	-	-	-	-	-	0	-	0
9	-	-	-	-	-	0	-	0
16	-	-	-	-	-	0	-	0
23	-	-	-	-	-	0	-	0
30	-	-	-	-	-	0	-	0
Apr 6	-	-	-	-	-	0	-	0
13	-	-	-	-	-	0	-	0
20	-	-	-	-	-	0	-	0
27	-	-	-	-	-	0	-	0
May 4	-	-	-	-	-	0	-	0
11	-	-	-	-	-	0	-	0
18	-	-	-	-	-	0	-	0
25	-	-	-	-	-	0	-	0
Jun 1	-	-	-	-	-	0	-	0
8	-	-	-	-	-	0	-	0
15	-	-	-	-	-	0	-	0
22	-	-	-	-	-	0	-	0
29	-	-	-	-	-	0	-	0
Jul 6	-	-	-	-	-	0	-	0
13	-	-	-	-	-	0	-	0
20	-	-	-	-	-	0	-	0
27	0	0	0	0	0	0	0	0
Aug 3	0	0	0	0	0	0	0	0
10	10	0	0	0	10	10	13	13
17	3	0	-	-	3	13	10	23
24	2	0	-	-	2	15	4	27
31	2	3	-	-	5	20	7	34
Sep 7	2	0	-	-	2	22	2	36
14	6	0	-	-	6	28	6	42
21	0	0	-	-	0	28	0	42
28	0	0	-	-	0	28	0	42
Oct 5	0	0	-	-	0	28	0	42
12	-	-	-	-	-	28	-	42
19	-	-	-	-	-	28	-	42
26	-	-	-	-	-	28	-	42
Nov 2	-	-	-	-	-	28	-	42
9	-	-	-	-	-	28	-	42
16	-	-	-	-	-	28	-	42
23	-	-	-	-	-	28	-	42
30	-	-	-	-	-	28	-	42
Dec 7	-	-	-	-	-	28	-	42
14	-	-	-	-	-	28	-	42
21	-	-	-	-	-	28	-	42
28	-	-	-	-	-	28	-	42
Total	25	3	0	0	28	-	42	-

continued

Chinook catch summary for the Fraser River System, 1986.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 5	0	0	-	0	0	0
12	0	0	-	0	0	0
19	0	0	-	0	0	0
26	1	1	-	0	1	1
Feb 2	0	1	-	0	0	1
9	0	1	-	0	0	1
16	1	2	-	0	1	2
23	0	2	-	0	0	2
Mar 2	2	4	-	0	2	4
9	4	8	-	0	4	8
16	3	11	-	0	3	11
23	0	11	-	0	0	11
30	3	14	-	0	3	14
Apr 6	94	108	-	0	94	108
13	1	109	-	0	1	109
20	123	232	-	0	123	232
27	37	269	-	0	37	269
May 4	251	520	-	0	251	520
11	190	710	-	0	190	710
18	232	942	-	0	232	942
25	104	1,046	-	0	104	1,046
Jun 1	112	1,158	-	0	112	1,158
8	125	1,283	-	0	125	1,283
15	626	1,909	-	0	626	1,909
22	1,492	3,401	-	0	1,492	3,401
29	2,513	5,914	70	70	2,583	5,984
Jul 6	0	5,914	80	150	80	6,064
13	0	5,914	35	185	35	6,099
20	39	5,953	-	185	39	6,138
27	1,270	7,223	0	185	1,270	7,408
Aug 3	874	8,097	225	410	1,099	8,507
10	762	8,859	653	1,063	1,415	9,922
17	259	9,118	738	1,801	997	10,919
24	105	9,223	541	2,342	646	11,565
31	171	9,394	347	2,689	518	12,083
Sep 7	486	9,880	115	2,804	601	12,684
14	869	10,749	46	2,850	915	13,599
21	332	11,081	13	2,863	345	13,944
28	345	11,426	14	2,877	359	14,303
Oct 5	198	11,624	26	2,903	224	14,527
12	725	12,349	14	2,917	739	15,266
19	146	12,495	7	2,924	153	15,419
26	168	12,663	1	2,925	169	15,588
Nov 2	33	12,696	0	2,925	33	15,621
9	13	12,709	-	2,925	13	15,634
16	5	12,714	-	2,925	5	15,639
23	7	12,721	-	2,925	7	15,646
30	0	12,721	-	2,925	0	15,646
Dec 7	0	12,721	-	2,925	0	15,646
14	0	12,721	-	2,925	0	15,646
21	0	12,721	-	2,925	0	15,646
28	0	12,721	-	2,925	0	15,646
Total	12,721	-	2,925	-	15,646	-

Sockeye catches in the Fraser River mainstem areas of District 2, 1936.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 5	-	-	0	0	0	0
12	-	0	0	0	0	0
19	-	0	0	0	0	0
26	-	-	0	-	0	0
Feb 2	-	-	0	0	0	0
9	-	0	-	-	0	0
16	-	0	0	0	0	0
23	-	0	-	-	0	0
Mar 2	-	0	0	0	0	0
9	-	-	0	0	0	0
16	-	0	0	0	0	0
23	0	0	-	-	0	0
30	0	0	-	-	0	0
Apr 6	0	0	0	0	0	0
13	0	-	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
May 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	-	0	0
Jun 1	0	0	0	0	0	0
8	0	0	0	-	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	15	0	659	649	1,323	1,323
Jul 6	- a	- a	- a	- a	-	1,323
13	- a	- a	- a	- a	-	1,323
20	356	- a	- a	- a	356	1,679
27	753	720	13,515	15,895 b	30,883	32,562
Aug 3	1,847	785	10,419	18,198 c	31,249	63,811
10	2,586	975	27,896	24,968 d	56,425	120,236
17	2,121	2,124 e	12,169	16,723	33,137	153,373
24	3,084	283	10,473	11,638	25,478	178,851
31	656	100	1,007	3,666	5,429	184,280
Sep 7	2,277	44	3,714	4,354	10,389	194,669
14	2,340	590	12,432	24,680	40,042	234,711
21	6,358	1,773	11,989	9,709	29,829	264,540
28	2,226	3,715	22,301	20,792	49,034	313,574
Oct 5	491	810	9,669	8,505	19,475	333,049
12	47	487	5,359	3,903	9,796	342,845
19	5	0	680	1,377	2,062	344,907
26	0	0	51	120	171	345,078
Nov 2	0	0	0	0	0	345,078
9	0	0	6	4	10	345,088
16	0	0	0	0	0	345,088
23	0	0	0	0	0	345,088
30	0	0	0	0	0	345,088
Dec 7	-	0	0	-	0	345,088
14	0	-	0	-	0	345,088
21	-	-	0	-	0	345,088
28	-	0	-	-	0	345,088
Total	25,162	12,406	142,339	165,181	345,088	-

- a. Closure.
- b. Includes 615 sockeye taken under 10 drying permits.
- c. Includes 981 sockeye taken under 10 drying permits.
- d. Includes 716 sockeye taken under 11 drying permits.
- e. Includes 1125 sockeye taken with drifted gill nets under special permit.

continued

Sockeye catches in the Fraser River tributary areas of District 2, 1986.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 5	-	-	-	-	0
12	-	-	-	-	0
19	0	-	-	0	0
26	-	0	-	0	0
Feb 2	-	-	-	-	0
9	-	-	-	-	0
16	-	-	-	-	0
23	-	-	-	-	0
Mar 2	-	-	-	-	0
9	-	0	-	0	0
16	-	0	-	0	0
23	-	0	-	0	0
30	-	0	-	0	0
Apr 6	-	0	-	0	0
13	-	0	-	0	0
20	-	0	-	0	0
27	-	0	0	0	0
May 4	-	0	0	0	0
11	-	0	0	0	0
18	-	0	0	0	0
25	-	0	0	0	0
Jun 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
29	-	-	-	-	0
Jul 6	-	-	-	-	0
13	-	-	-	-	0
20	-	-	-	-	0
27	-	-	-	-	0
Aug 3	-	-	-	-	0
10	-	2	-	2	2
17	-	15	-	15	17
24	-	-	-	-	17
31	-	516	-	516	533
Sep 7	-	685	650	1,335	1,868
14	-	2,046	2,820	4,866	6,734
21	-	275	1,980	2,255	8,989
28	-	274	840	1,114	10,103
Oct 5	400	146	50	596	10,699
12	-	0	50	50	10,749
19	25	20	0	45	10,794
26	-	0	0	0	10,794
Nov 2	-	-	0	0	10,794
9	-	-	0	0	10,794
16	-	-	0	0	10,794
23	-	-	0	0	10,794
30	-	0	0	0	10,794
Dec 7	-	0	0	0	10,794
14	-	0	0	0	10,794
21	-	0	-	0	10,794
28	-	-	-	-	10,794
Total	425	3,979	6,390	10,794	-

continued

Sockeye catches in the Fraser River mainstem areas of District 1, 1986.

Week Ending	North Bend to Texas Creek	Texas Creek to Churn Creek	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon	District 1 mainstem	
	Texas Creek	Churn Creek	cotin Bridge	Mar-guerite	Hixon	Hixon	Total	Cumul-ative
Jan 5	-	-	-	-	-	-	-	0
12	-	-	-	-	-	-	-	0
19	-	-	-	-	-	-	-	0
26	-	-	-	-	-	-	-	0
Feb 2	-	-	-	-	-	-	-	0
9	-	-	-	-	-	-	-	0
16	-	-	-	-	-	-	-	0
23	-	-	-	-	-	-	-	0
Mar 2	-	-	-	-	-	-	-	0
9	-	-	-	-	-	-	-	0
16	-	-	-	-	-	-	-	0
23	-	-	-	-	-	-	-	0
30	-	-	-	-	-	-	-	0
Apr 6	-	-	-	-	-	-	-	0
13	-	-	-	-	-	-	-	0
20	-	-	-	-	-	-	-	0
27	-	-	-	-	-	-	-	0
May 4	-	-	-	-	-	-	-	0
11	-	-	-	-	-	-	-	0
18	-	-	-	-	-	-	-	0
25	-	-	-	-	-	-	-	0
Jun 1	-	-	-	-	-	-	-	0
8	-	-	-	-	-	-	-	0
15	-	-	-	-	-	-	-	0
22	-	-	-	-	-	-	-	0
29	0	0	-	-	-	-	0	0
Jul 6	100	0	-	-	-	-	100	100
13	-	a	a	140	100	-	240	340
20	-	a	a	-	a	-	-	340
27	-	a	a	-	a	-	-	340
Aug 3	1,200	2,800	-	a	a	-	4,000	4,340
10	6,000	10,000	180	240	500	-	16,920	21,260
17	7,700	14,000	4,200	672	1,500	775	28,847	50,107
24	5,000	25,400	3,360	672	1,650	1,314	37,396	87,503
31	2,600	5,000	896	504	750	1,058	10,808	98,311
Sep 7	1,200	2,500	150	125	500	675	5,150	103,461
14	350	920	-	-	-	77	1,347	104,808
21	220	375	-	-	-	-	595	105,403
28	330	61	-	-	-	0	391	105,794
Oct 5	240	95	-	-	-	-	335	106,129
12	110	55	-	-	-	-	165	106,294
19	85	32	-	-	-	-	117	106,411
26	10	10	-	-	-	-	20	106,431
Nov 2	0	0	-	-	-	-	0	106,431
9	-	-	-	-	-	-	-	106,431
16	-	-	-	-	-	-	-	106,431
23	-	-	-	-	-	-	-	106,431
30	-	-	-	-	-	-	-	106,431
Dec 7	-	-	-	-	-	-	-	106,431
14	-	-	-	-	-	-	-	106,431
21	-	-	-	-	-	-	-	106,431
28	-	-	-	-	-	-	-	106,431
Total	25,145	61,248	8,926	2,313	4,900	3,899	106,431	-

a. Closure.

continued

Sockeye catches in the Chilcotin and Thompson river systems, District 1, 1986.

Week Ending	Thompson River system					Total
	Chilcotin River system	Lytton to Savona	South Thompson River(a)	North Thompson and Raft rivers	Shuswap River(a)	
Jan 5	-	-	-	-	-	-
12	-	-	-	-	-	-
19	-	-	-	-	-	-
26	-	-	-	-	-	-
Feb 2	-	-	-	-	-	-
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	-	-	-	-	-	-
Mar 2	-	-	-	-	-	-
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	-	-	-	-	-	-
30	-	-	-	-	-	-
Apr 6	-	-	-	-	-	-
13	-	-	-	-	-	-
20	-	-	-	-	-	-
27	-	-	-	-	-	-
May 4	-	-	-	-	-	-
11	-	-	-	-	-	-
18	-	-	-	-	-	-
25	-	-	-	-	-	-
Jun 1	-	-	-	-	-	-
8	-	-	-	-	-	-
15	-	-	-	-	-	-
22	-	-	-	-	-	-
29	-	-	-	-	-	-
Jul 6	-	-	-	-	-	-
13	-	-	-	-	-	-
20	-	-	-	-	-	-
27	-	-	-	-	-	-
Aug 3	-	-	-	-	-	-
10	300	-	-	-	-	-
17	12,000	-	-	-	-	-
24	15,680	-	-	-	-	-
31	7,366	-	-	-	-	-
Sep 7	3,850	-	-	-	-	-
14	200	-	-	-	-	-
21	-	75	-	-	-	75
28	-	600	-	-	-	600
Oct 5	-	3,200	-	-	-	3,200
12	-	2,150	-	-	-	2,150
19	-	1,600	-	-	-	1,600
26	-	40	-	-	-	40
Nov 2	-	10	-	-	-	10
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	-	-	-	-	-	-
30	-	-	-	-	-	-
Dec 7	-	-	-	-	-	-
14	-	-	-	-	-	-
21	-	-	-	-	-	-
28	-	-	-	-	-	-
Total	39,396	7,675	800	- b	1,500	9,975

a. Catch is total to October 12.

b. Catch not estimated but considered to be less than 50 fish.

continued

Sockeye catches in the Nechako River system, District 1, 1986.

Week Ending	Prince George to Stuart River	Stuart River to Fort Fraser	Fort Fraser to Francois Lake	Nechako River system	
				Total	Cumulative
Jan 5	-	-	-	-	0
12	-	-	-	-	0
19	-	-	-	-	0
26	-	-	-	-	0
Feb 2	-	-	-	-	0
9	-	-	-	-	0
16	-	-	-	-	0
23	-	-	-	-	0
Mar 2	-	-	-	-	0
9	-	-	-	-	0
16	-	-	-	-	0
23	-	-	-	-	0
30	-	-	-	-	0
Apr 6	-	-	-	-	0
13	-	-	-	-	0
20	-	-	-	-	0
27	-	-	-	-	0
May 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Jun 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
29	-	-	-	-	0
Jul 6	-	-	-	-	0
13	-	-	-	-	0
20	-	-	-	-	0
27	- a	-	-	-	0
Aug 3	- a	-	-	-	0
10	14	58	2	74	74
17	88	263	21	372	446
24	56	987	164	1,207	1,653
31	74	4,328	411	4,813	6,466
Sep 7	46	4,084	1,382	5,512	11,978
14	3	2,193	894	3,090	15,068
21	-	974	612	1,586	16,654
28	-	123	226	349	17,003
Oct 5	10	32	56	98	17,101
12	-	-	-	-	17,101
19	-	-	-	-	17,101
26	-	-	-	-	17,101
Nov 2	-	-	-	-	17,101
9	-	-	-	-	17,101
16	-	-	-	-	17,101
23	-	-	-	-	17,101
30	-	-	-	-	17,101
Dec 7	-	-	-	-	17,101
14	-	-	-	-	17,101
21	-	-	-	-	17,101
28	-	-	-	-	17,101
Total	291	13,042	3,768	17,101	-

a. Closure.

continued

Sockeye catches in the Stuart River System and catch summary for the Nechako-Stuart river systems, District 1, 1986.

Week Ending	Nechako River to Fort St. James		Fort St. James to Trembleur Lake	above Trembleur Lake outlet	Stuart River System		Nechako-Stuart systems	
	St. James	Trembleur Lake			Total	Cumulative	Total	Cumulative
Jan 5	-	-	-	-	-	0	-	0
12	-	-	-	-	-	0	-	0
19	-	-	-	-	-	0	-	0
26	-	-	-	-	-	0	-	0
Feb 2	-	-	-	-	-	0	-	0
9	-	-	-	-	-	0	-	0
16	-	-	-	-	-	0	-	0
23	-	-	-	-	-	0	-	0
Mar 2	-	-	-	-	-	0	-	0
9	-	-	-	-	-	0	-	0
16	-	-	-	-	-	0	-	0
23	-	-	-	-	-	0	-	0
30	-	-	-	-	-	0	-	0
Apr 6	-	-	-	-	-	0	-	0
13	-	-	-	-	-	0	-	0
20	-	-	-	-	-	0	-	0
27	-	-	-	-	-	0	-	0
May 4	-	-	-	-	-	0	-	0
11	-	-	-	-	-	0	-	0
18	-	-	-	-	-	0	-	0
25	-	-	-	-	-	0	-	0
Jun 1	-	-	-	-	-	0	-	0
8	-	-	-	-	-	0	-	0
15	-	-	-	-	-	0	-	0
22	-	-	-	-	-	0	-	0
29	-	-	-	-	-	0	-	0
Jul 6	-	-	-	-	-	0	-	0
13	-	-	-	-	-	0	-	0
20	-	-	-	-	-	0	-	0
27	565	655	-	-	1,220	1,220	1,220	1,220
Aug 3	390	230	73	-	693	1,913	693	1,913
10	190	98	22	-	310	2,223	384	2,297
17	8	18	-	-	26	2,249	398	2,695
24	386	227	-	-	613	2,862	1,820	4,515
31	660	627	-	-	1,287	4,149	6,100	10,615
Sep 7	322	413	-	-	735	4,884	6,247	16,862
14	114	154	-	-	268	5,152	3,358	20,220
21	70	65	-	-	135	5,287	1,721	21,941
28	35	35	-	-	70	5,357	419	22,360
Oct 5	9	8	-	-	17	5,374	115	22,475
12	-	-	-	-	-	5,374	-	22,475
19	-	-	-	-	-	5,374	-	22,475
26	-	-	-	-	-	5,374	-	22,475
Nov 2	-	-	-	-	-	5,374	-	22,475
9	-	-	-	-	-	5,374	-	22,475
16	-	-	-	-	-	5,374	-	22,475
23	-	-	-	-	-	5,374	-	22,475
30	-	-	-	-	-	5,374	-	22,475
Dec 7	-	-	-	-	-	5,374	-	22,475
14	-	-	-	-	-	5,374	-	22,475
21	-	-	-	-	-	5,374	-	22,475
28	-	-	-	-	-	5,374	-	22,475
Total	2,749	2,530	95	-	5,374	-	22,475	-

continued

Sockeye catch summary for the Fraser River System, 1986.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 5	0	0	-	0	0	0
12	0	0	-	0	0	0
19	0	0	-	0	0	0
26	0	0	-	0	0	0
Feb 2	0	0	-	0	0	0
9	0	0	-	0	0	0
16	0	0	-	0	0	0
23	0	0	-	0	0	0
Mar 2	0	0	-	0	0	0
9	0	0	-	0	0	0
16	0	0	-	0	0	0
23	0	0	-	0	0	0
30	0	0	-	0	0	0
Apr 6	0	0	-	0	0	0
13	0	0	-	0	0	0
20	0	0	-	0	0	0
27	0	0	-	0	0	0
May 4	0	0	-	0	0	0
11	0	0	-	0	0	0
18	0	0	-	0	0	0
25	0	0	-	0	0	0
Jun 1	0	0	-	0	0	0
8	0	0	-	0	0	0
15	0	0	-	0	0	0
22	0	0	-	0	0	0
29	1,323	1,323	0	0	1,323	1,323
Jul 6	0	1,323	100	100	100	1,423
13	0	1,323	240	340	240	1,663
20	356	1,679	-	340	356	2,019
27	30,883	32,562	1,220	1,560	32,103	34,122
Aug 3	31,249	63,811	4,693	6,253	35,942	70,064
10	56,427	120,238	17,604	23,857	74,031	144,095
17	33,152	153,390	41,245	65,102	74,397	218,492
24	25,478	178,868	54,896	119,998	80,374	298,866
31	5,945	184,813	24,274	144,272	30,219	329,085
Sep 7	11,724	196,537	15,247	159,519	26,971	356,056
14	44,908	241,445	4,905	164,424	49,813	405,869
21	32,084	273,529	2,391	166,815	34,475	440,344
28	50,148	323,677	1,410	168,225	51,558	491,902
Oct 5	20,071	343,748	3,650	171,875	23,721	515,623
12	9,846	353,594	2,315	174,190	12,161	527,784
19	2,107	355,701	1,717	175,907	3,824	531,608
26	171	355,872	60	175,967	231	531,839
Nov 2	0	355,872	10	175,977	10	531,849
9	10	355,882	-	175,977	10	531,859
16	0	355,882	-	175,977	0	531,859
23	0	355,882	-	175,977	0	531,859
30	0	355,882	-	175,977	0	531,859
Dec 7	0	355,882	-	175,977	0	531,859
14	0	355,882	-	175,977	0	531,859
21	0	355,882	-	175,977	0	531,859
28	0	355,882	-	175,977	0	531,859
Total	355,882	-	178,277 a	-	534,159 a	-

a. Total includes 2300 fish not reported in weekly catches.

Coho catches in the Fraser River mainstem areas of District 2, 1986.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 5	-	-	490	0	490	490
12	-	1	447	0	448	938
19	-	0	540	0	540	1,478
26	-	-	87	-	87	1,565
Feb 2	-	-	7	1	8	1,573
9	-	0	-	-	0	1,573
16	-	0	0	0	0	1,573
23	-	0	-	-	0	1,573
Mar 2	-	0	0	0	0	1,573
9	-	-	0	0	0	1,573
16	-	0	0	0	0	1,573
23	0	0	-	-	0	1,573
30	0	0	-	-	0	1,573
Apr 6	0	0	0	0	0	1,573
13	0	-	0	0	0	1,573
20	0	0	0	0	0	1,573
27	0	0	0	0	0	1,573
May 4	0	0	0	0	0	1,573
11	0	0	0	0	0	1,573
18	0	0	0	0	0	1,573
25	0	0	0	-	0	1,573
Jun 1	0	0	0	0	0	1,573
8	0	0	0	-	0	1,573
15	0	0	0	0	0	1,573
22	0	0	0	0	0	1,573
29	0	0	0	0	0	1,573
Jul 6	- a	- a	- a	- a	-	1,573
13	- a	- a	- a	- a	-	1,573
20	0	- a	- a	- a	0	1,573
27	0	0	0	0	0	1,573
Aug 3	0	0	0	0	0	1,573
10	0	0	0	0	0	1,573
17	0	0	0	0	0	1,573
24	0	0	0	0	0	1,573
31	0	0	92	0	92	1,665
Sep 7	12	0	177	147	336	2,001
14	126	44	1,579	1,053	2,802	4,803
21	185	415	2,845	1,148	4,593	9,396
28	119	180	1,854	915	3,068	12,464
Oct 5	747	237	1,396	869	3,249	15,713
12	299	457	1,154	1,386	3,296	19,009
19	228	395	4,095	3,078	7,796	26,805
26	55	240	354	335	984	27,789
Nov 2	46	460	525	210	1,241	29,030
9	104	120	285	24	533	29,563
16	5	55	220	42	322	29,885
23	14	65	598	12	689	30,574
30	0	100	169	16	285	30,859
Dec 7	-	105	175	-	280	31,139
14	0	-	100	-	100	31,239
21	-	-	150	-	150	31,389
28	-	9	-	-	9	31,398
Total	1,940	2,883	17,339	9,236	31,398	-

a. Closure.

continued

Coho catches in the Fraser River tributary areas of District 2, 1986.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 5	-	-	-	-	0
12	-	-	-	-	0
19	15	-	-	15	15
26	-	0	-	0	15
Feb 2	-	-	-	-	15
9	-	-	-	-	15
16	-	-	-	-	15
23	-	-	-	-	15
Mar 2	-	-	-	-	15
9	-	0	-	0	15
16	-	0	-	0	15
23	-	0	-	0	15
30	-	0	-	0	15
Apr 6	-	0	-	0	15
13	-	0	-	0	15
20	-	0	-	0	15
27	-	0	0	0	15
May 4	-	0	0	0	15
11	-	0	0	0	15
18	-	0	0	0	15
25	-	0	0	0	15
Jun 1	-	-	-	-	15
8	-	-	-	-	15
15	-	-	-	-	15
22	-	-	-	-	15
29	-	-	-	-	15
Jul 6	-	-	-	-	15
13	-	-	-	-	15
20	-	-	-	-	15
27	-	-	-	-	15
Aug 3	-	-	-	-	15
10	-	0	-	0	15
17	-	0	-	0	15
24	-	-	-	-	15
31	-	0	-	0	15
Sep 7	-	0	0	0	15
14	-	0	0	0	15
21	-	0	0	0	15
28	-	28	0	28	43
Oct 5	15	44	0	59	102
12	0	140	0	140	242
19	25	107	40	172	414
26	-	110	175	285	699
Nov 2	-	-	1,130	1,130	1,829
9	-	-	600	600	2,429
16	-	-	105	105	2,534
23	-	-	420	420	2,954
30	-	40	100	140	3,094
Dec 7	-	0	0	0	3,094
14	-	20	0	20	3,114
21	-	0	-	0	3,114
28	-	-	-	-	3,114
Total	55	489	2,570	3,114	-

continued

Coho catches in the Fraser River mainstem areas of District 1, 1986.

Week Ending	North Bend to Texas Creek	Texas Creek to Churn Creek	District 1 mainstem	
			Total	Cumulative
Jan 5	-	-	-	0
12	-	-	-	0
19	-	-	-	0
26	-	-	-	0
Feb 2	-	-	-	0
9	-	-	-	0
16	-	-	-	0
23	-	-	-	0
Mar 2	-	-	-	0
9	-	-	-	0
16	-	-	-	0
23	-	-	-	0
30	-	-	-	0
Apr 6	-	-	-	0
13	-	-	-	0
20	-	-	-	0
27	-	-	-	0
May 4	-	-	-	0
11	-	-	-	0
18	-	-	-	0
25	-	-	-	0
Jun 1	-	-	-	0
8	-	-	-	0
15	-	-	-	0
22	-	-	-	0
29	0	0	0	0
Jul 6	0	0	0	0
13	- a	- a	-	0
20	- a	- a	-	0
27	- a	- a	-	0
Aug 3	0	0	0	0
10	0	0	0	0
17	0	0	0	0
24	0	0	0	0
31	0	0	0	0
Sep 7	22	25	47	47
14	18	28	46	93
21	21	22	43	136
28	22	14	36	172
Oct 5	37	16	53	225
12	24	13	37	262
19	26	16	42	304
26	16	10	26	330
Nov 2	10	35	45	375
9	-	-	-	375
16	-	-	-	375
23	-	-	-	375
30	-	-	-	375
Dec 7	-	-	-	375
14	-	-	-	375
21	-	-	-	375
28	-	-	-	375
Total	196	179	375	-

a. Closure.

continued

Coho catches in the Thompson river system, District 1, 1986.

Thompson River system						
Week Ending	Lytton to Savona	South Thompson River	North Thompson and Raft rivers	Shuswap River	Total	
Jan 5	-	-	-	-	-	-
12	-	-	-	-	-	-
19	-	-	-	-	-	-
26	-	-	-	-	-	-
Feb 2	-	-	-	-	-	-
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	-	-	-	-	-	-
Mar 2	-	-	-	-	-	-
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	-	-	-	-	-	-
30	-	-	-	-	-	-
Apr 6	-	-	-	-	-	-
13	-	-	-	-	-	-
20	-	-	-	-	-	-
27	-	-	-	-	-	-
May 4	-	-	-	-	-	-
11	-	-	-	-	-	-
18	-	-	-	-	-	-
25	-	-	-	-	-	-
Jun 1	-	-	-	-	-	-
8	-	-	-	-	-	-
15	-	-	-	-	-	-
22	-	-	-	-	-	-
29	-	-	-	-	-	-
Jul 6	-	-	-	-	-	-
13	-	-	-	-	-	-
20	-	-	-	-	-	-
27	-	-	-	-	-	-
Aug 3	-	-	-	-	-	-
10	-	-	-	-	-	-
17	-	-	-	-	-	-
24	-	-	-	-	-	-
31	-	-	-	-	-	-
Sep 7	-	-	-	-	-	-
14	-	-	-	-	-	-
21	6	-	-	-	-	6
28	25	-	-	-	-	25
Oct 5	75	-	-	-	-	75
12	40	-	-	-	-	40
19	30	-	-	-	-	30
26	65	-	-	-	-	65
Nov 2	30	-	-	-	-	30
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	-	-	-	-	-	-
30	-	-	-	-	-	-
Dec 7	-	-	-	-	-	-
14	-	-	-	-	-	-
21	-	-	-	-	-	-
28	-	-	-	-	-	-
Total	271	0	0	0		271

continued

Coho catch summary for the Fraser River System, 1986.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 5	490	490	-	0	490	490
12	448	938	-	0	448	938
19	555	1,493	-	0	555	1,493
26	87	1,580	-	0	87	1,580
Feb 2	8	1,588	-	0	8	1,588
9	0	1,588	-	0	0	1,588
16	0	1,588	-	0	0	1,588
23	0	1,588	-	0	0	1,588
Mar 2	0	1,588	-	0	0	1,588
9	0	1,588	-	0	0	1,588
16	0	1,588	-	0	0	1,588
23	0	1,588	-	0	0	1,588
30	0	1,588	-	0	0	1,588
Apr 6	0	1,588	-	0	0	1,588
13	0	1,588	-	0	0	1,588
20	0	1,588	-	0	0	1,588
27	0	1,588	-	0	0	1,588
May 4	0	1,588	-	0	0	1,588
11	0	1,588	-	0	0	1,588
18	0	1,588	-	0	0	1,588
25	0	1,588	-	0	0	1,588
Jun 1	0	1,588	-	0	0	1,588
8	0	1,588	-	0	0	1,588
15	0	1,588	-	0	0	1,588
22	0	1,588	-	0	0	1,588
29	0	1,588	0	0	0	1,588
Jul 6	0	1,588	0	0	0	1,588
13	0	1,588	-	0	0	1,588
20	0	1,588	-	0	0	1,588
27	0	1,588	-	0	0	1,588
Aug 3	0	1,588	0	0	0	1,588
10	0	1,588	0	0	0	1,588
17	0	1,588	0	0	0	1,588
24	0	1,588	0	0	0	1,588
31	92	1,680	0	0	92	1,680
Sep 7	336	2,016	47	47	383	2,063
14	2,802	4,818	46	93	2,848	4,911
21	4,593	9,411	49	142	4,642	9,553
28	3,096	12,507	61	203	3,157	12,710
Oct 5	3,308	15,815	128	331	3,436	16,146
12	3,436	19,251	77	408	3,513	19,659
19	7,968	27,219	72	480	8,040	27,699
26	1,269	28,488	91	571	1,360	29,059
Nov 2	2,371	30,859	75	646	2,446	31,505
9	1,133	31,992	-	646	1,133	32,638
16	427	32,419	-	646	427	33,065
23	1,109	33,528	-	646	1,109	34,174
30	425	33,953	-	646	425	34,599
Dec 7	280	34,233	-	646	280	34,879
14	120	34,353	-	646	120	34,999
21	150	34,503	-	646	150	35,149
28	9	34,512	-	646	9	35,158
Total	34,512	-	646	-	35,158	-

Chum catches in the Fraser River mainstem areas of District 2, 1986.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 5	-	-	168	0	168	168
12	-	0	30	0	30	198
19	-	0	0	0	0	198
26	-	-	12	-	12	210
Feb 2	-	-	0	0	0	210
9	-	0	-	-	0	210
16	-	0	0	0	0	210
23	-	0	-	-	0	210
Mar 2	-	0	0	0	0	210
9	-	-	0	0	0	210
16	-	0	0	0	0	210
23	0	0	-	-	0	210
30	0	0	-	-	0	210
Apr 6	0	0	0	0	0	210
13	0	-	0	0	0	210
20	0	0	0	0	0	210
27	0	0	0	0	0	210
May 4	0	0	0	0	0	210
11	0	0	0	0	0	210
18	0	0	0	0	0	210
25	0	0	0	-	0	210
Jun 1	0	0	0	0	0	210
8	0	0	0	-	0	210
15	0	0	0	0	0	210
22	0	0	0	0	0	210
29	0	0	0	0	0	210
Jul 6	- a	- a	- a	- a	-	210
13	- a	- a	- a	- a	-	210
20	0	- a	- a	- a	0	210
27	0	0	0	0	0	210
Aug 3	0	0	0	0	0	210
10	0	0	0	0	0	210
17	0	0	0	0	0	210
24	0	0	0	0	0	210
31	0	0	0	10	10	220
Sep 7	8	0	0	0	8	228
14	26	6	118	150	300	528
21	78	15	107	138	338	866
28	35	57	331	80	503	1,369
Oct 5	515	26	290	65	896	2,265
12	647	332	508	100	1,587	3,852
19	374	84	2,327	826	3,611	7,463
26	330	400	871	280	1,881	9,344
Nov 2	272	440	739	590	2,041	11,385
9	108	525	700	53	1,386	12,771
16	14	45	395	94	548	13,319
23	26	10	1,574	38	1,648	14,967
30	19	80	414	48	561	15,528
Dec 7	-	70	225	-	295	15,823
14	0	-	150	-	150	15,973
21	-	-	90	-	90	16,063
28	-	16	-	-	16	16,079
Total	2,452	2,106	9,049	2,472	16,079	-

a. Closure.

continued

Chum catches in the Fraser River tributary areas of District 2, 1986.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 5	-	-	-	-	0
12	-	-	-	-	0
19	0	-	-	0	0
26	-	0	-	0	0
Feb 2	-	-	-	-	0
9	-	-	-	-	0
16	-	-	-	-	0
23	-	-	-	-	0
Mar 2	-	-	-	-	0
9	-	0	-	0	0
16	-	0	-	0	0
23	-	0	-	0	0
30	-	0	-	0	0
Apr 6	-	0	-	0	0
13	-	0	-	0	0
20	-	0	-	0	0
27	-	0	0	0	0
May 4	-	0	0	0	0
11	-	0	0	0	0
18	-	0	0	0	0
25	-	0	0	0	0
Jun 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
29	-	-	-	-	0
Jul 6	-	-	-	-	0
13	-	-	-	-	0
20	-	-	-	-	0
27	-	-	-	-	0
Aug 3	-	-	-	-	0
10	-	0	-	0	0
17	-	0	-	0	0
24	-	-	-	-	0
31	-	0	-	0	0
Sep 7	-	0	0	0	0
14	-	0	0	0	0
21	-	0	0	0	0
28	-	49	0	49	49
Oct 5	15	35	0	50	99
12	6	230	0	236	335
19	20	147	0	167	502
26	-	130	0	130	632
Nov 2	-	-	0	0	632
9	-	-	0	0	632
16	-	-	0	0	632
23	-	-	0	0	632
30	-	0	0	0	632
Dec 7	-	0	0	0	632
14	-	0	0	0	632
21	-	0	-	0	632
28	-	-	-	-	632
Total	41	591	0	632	-

continued

Chum catch summary for the Fraser River System, 1986.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 5	168	168	-	0	168	168
12	30	198	-	0	30	198
19	0	198	-	0	0	198
26	12	210	-	0	12	210
Feb 2	0	210	-	0	0	210
9	0	210	-	0	0	210
16	0	210	-	0	0	210
23	0	210	-	0	0	210
Mar 2	0	210	-	0	0	210
9	0	210	-	0	0	210
16	0	210	-	0	0	210
23	0	210	-	0	0	210
30	0	210	-	0	0	210
Apr 6	0	210	-	0	0	210
13	0	210	-	0	0	210
20	0	210	-	0	0	210
27	0	210	-	0	0	210
May 4	0	210	-	0	0	210
11	0	210	-	0	0	210
18	0	210	-	0	0	210
25	0	210	-	0	0	210
Jun 1	0	210	-	0	0	210
8	0	210	-	0	0	210
15	0	210	-	0	0	210
22	0	210	-	0	0	210
29	0	210	0	0	0	210
Jul 6	0	210	0	0	0	210
13	0	210	-	0	0	210
20	0	210	-	0	0	210
27	0	210	-	0	0	210
Aug 3	0	210	0	0	0	210
10	0	210	0	0	0	210
17	0	210	0	0	0	210
24	0	210	0	0	0	210
31	10	220	0	0	10	220
Sep 7	8	228	0	0	8	228
14	300	528	0	0	300	528
21	338	866	0	0	338	866
28	552	1,418	0	0	552	1,418
Oct 5	946	2,364	0	0	946	2,364
12	1,823	4,187	0	0	1,823	4,187
19	3,778	7,965	0	0	3,778	7,965
26	2,011	9,976	0	0	2,011	9,976
Nov 2	2,041	12,017	0	0	2,041	12,017
9	1,386	13,403	-	0	1,386	13,403
16	548	13,951	-	0	548	13,951
23	1,648	15,599	-	0	1,648	15,599
30	561	16,160	-	0	561	16,160
Dec 7	295	16,455	-	0	295	16,455
14	150	16,605	-	0	150	16,605
21	90	16,695	-	0	90	16,695
28	16	16,711	-	0	16	16,711
Total	16,711	-	0	-	16,711	-

Steelhead catches in the Fraser River mainstem areas of District 2, 1986.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 5	-	-	140	0	140	140
12	-	16	65	0	81	221
19	-	10	241	0	251	472
26	-	-	37	-	37	509
Feb 2	-	-	26	5	31	540
9	-	15	-	-	15	555
16	-	12	6	4	22	577
23	-	3	-	-	3	580
Mar 2	-	4	14	3	21	601
9	-	-	5	4	9	610
16	-	7	8	2	17	627
23	0	8	-	-	8	635
30	1	2	-	-	3	638
Apr 6	0	2	27	3	32	670
13	0	-	0	0	0	670
20	1	1	23	9	34	704
27	1	2	2	0	5	709
May 4	2	1	8	0	11	720
11	2	4	6	0	12	732
18	0	0	14	4	18	750
25	2	0	0	-	2	752
Jun 1	6	0	0	0	6	758
8	0	0	6	-	6	764
15	1	0	7	8	16	780
22	0	12	20	29	61	841
29	2	12	13	15	42	883
Jul 6	- a	- a	- a	- a	-	883
13	- a	- a	- a	- a	-	883
20	0	- a	- a	- a	0	883
27	0	12	55	0	67	950
Aug 3	0	4	10	0	14	964
10	0	0	0	0	0	964
17	0	0	0	0	0	964
24	0	0	0	0	0	964
31	0	0	0	0	0	964
Sep 7	2	0	0	0	2	966
14	7	0	10	25	42	1,008
21	0	9	20	55	84	1,092
28	5	5	46	68	124	1,216
Oct 5	28	0	140	45	213	1,429
12	11	0	161	957	1,129	2,558
19	12	1	429	680	1,122	3,680
26	4	0	49	107	160	3,840
Nov 2	5	0	6	70	81	3,921
9	1	0	7	19	27	3,948
16	0	0	4	7	11	3,959
23	0	0	4	4	8	3,967
30	0	0	3	0	3	3,970
Dec 7	-	0	0	-	0	3,970
14	0	-	0	-	0	3,970
21	-	-	0	-	0	3,970
28	-	5	-	-	5	3,975
Total	93	147	1,612	2,123	3,975	-

a. Closure.

continued

Steelhead catches in the Fraser River tributary areas of District 2, 1986.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 5	-	-	-	-	0
12	-	-	-	-	0
19	3	-	-	3	3
26	-	2	-	2	5
Feb 2	-	-	-	-	5
9	-	-	-	-	5
16	-	-	-	-	5
23	-	-	-	-	5
Mar 2	-	-	-	-	5
9	-	1	-	1	6
16	-	1	-	1	7
23	-	1	-	1	8
30	-	2	-	2	10
Apr 6	-	0	-	0	10
13	-	1	-	1	11
20	-	0	-	0	11
27	-	1	0	1	12
May 4	-	0	0	0	12
11	-	1	0	1	13
18	-	0	0	0	13
25	-	0	0	0	13
Jun 1	-	-	-	-	13
8	-	-	-	-	13
15	-	-	-	-	13
22	-	-	-	-	13
29	-	-	-	-	13
Jul 6	-	-	-	-	13
13	-	-	-	-	13
20	-	-	-	-	13
27	-	-	-	-	13
Aug 3	-	-	-	-	13
10	-	0	-	0	13
17	-	0	-	0	13
24	-	-	-	-	13
31	-	0	-	0	13
Sep 7	-	0	0	0	13
14	-	0	0	0	13
21	-	0	0	0	13
28	-	0	0	0	13
Oct 5	0	0	0	0	13
12	0	0	0	0	13
19	0	0	0	0	13
26	-	0	0	0	13
Nov 2	-	-	0	0	13
9	-	-	0	0	13
16	-	-	0	0	13
23	-	-	0	0	13
30	-	0	0	0	13
Dec 7	-	0	0	0	13
14	-	0	0	0	13
21	-	0	-	0	13
28	-	-	-	-	13
Total	3	10	0	13	-

continued

Steelhead catch summary for the Fraser River System, 1986.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 5	140	140	-	0	140	140
12	81	221	-	0	81	221
19	254	475	-	0	254	475
26	39	514	-	0	39	514
Feb 2	31	545	-	0	31	545
9	15	560	-	0	15	560
16	22	582	-	0	22	582
23	3	585	-	0	3	585
Mar 2	21	606	-	0	21	606
9	10	616	-	0	10	616
16	18	634	-	0	18	634
23	9	643	-	0	9	643
30	5	648	-	0	5	648
Apr 6	32	680	-	0	32	680
13	1	681	-	0	1	681
20	34	715	-	0	34	715
27	6	721	-	0	6	721
May 4	11	732	-	0	11	732
11	13	745	-	0	13	745
18	18	763	-	0	18	763
25	2	765	-	0	2	765
Jun 1	6	771	-	0	6	771
8	6	777	-	0	6	777
15	16	793	-	0	16	793
22	61	854	-	0	61	854
29	42	896	0	0	42	896
Jul 6	0	896	0	0	0	896
13	0	896	-	0	0	896
20	0	896	-	0	0	896
27	67	963	-	0	67	963
Aug 3	14	977	0	0	14	977
10	0	977	0	0	0	977
17	0	977	0	0	0	977
24	0	977	0	0	0	977
31	0	977	0	0	0	977
Sep 7	2	979	0	0	2	979
14	42	1,021	0	0	42	1,021
21	84	1,105	0	0	84	1,105
28	124	1,229	0	0	124	1,229
Oct 5	213	1,442	0	0	213	1,442
12	1,129	2,571	0	0	1,129	2,571
19	1,122	3,693	0	0	1,122	3,693
26	160	3,853	0	0	160	3,853
Nov 2	81	3,934	0	0	81	3,934
9	27	3,961	-	0	27	3,961
16	11	3,972	-	0	11	3,972
23	8	3,980	-	0	8	3,980
30	3	3,983	-	0	3	3,983
Dec 7	0	3,983	-	0	0	3,983
14	0	3,983	-	0	0	3,983
21	0	3,983	-	0	0	3,983
28	5	3,988	-	0	5	3,988
Total	3,988	-	0	-	3,988	-

Sturgeon catches in the Fraser River mainstem areas of District 2, 1986.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 5	-	-	10	0	10	10
12	-	0	0	0	0	10
19	-	0	1	0	1	11
26	-	-	0	-	0	11
Feb 2	-	-	9	0	9	20
9	-	0	-	-	0	20
16	-	0	3	0	3	23
23	-	1	-	-	1	24
Mar 2	-	0	0	0	0	24
9	-	-	0	0	0	24
16	-	0	3	0	3	27
23	0	0	-	-	0	27
30	0	1	-	-	1	28
Apr 6	0	0	0	0	0	28
13	0	-	0	0	0	28
20	0	0	5	0	5	33
27	0	6	15	0	21	54
May 4	0	1	15	0	16	70
11	0	7	27	0	34	104
18	0	6	12	6	24	128
25	0	3	11	-	14	142
Jun 1	0	0	2	0	2	144
8	0	0	4	-	4	148
15	4	0	41	12	57	205
22	0	1	45	20	66	271
29	0	0	25	15	40	311
Jul 6	- a	- a	- a	- a	-	311
13	- a	- a	- a	- a	-	311
20	0	- a	- a	- a	0	311
27	0	7	35	15	57	368
Aug 3	0	5	50	0	55	423
10	0	0	595	0	595	1,018
17	0	0	14	0	14	1,032
24	0	0	40	15	55	1,087
31	0	0	5	0	5	1,092
Sep 7	0	0	210	20	230	1,322
14	0	0	233	45	278	1,600
21	0	25	29	30	84	1,684
28	0	0	25	36	61	1,745
Oct 5	0	0	0	0	0	1,745
12	0	0	0	0	0	1,745
19	0	0	0	15	15	1,760
26	0	0	0	10	10	1,770
Nov 2	0	0	5	0	5	1,775
9	0	0	3	0	3	1,778
16	0	0	3	0	3	1,781
23	0	0	7	0	7	1,788
30	0	0	6	0	6	1,794
Dec 7	-	0	0	-	0	1,794
14	0	-	0	-	0	1,794
21	-	-	0	-	0	1,794
28	-	0	-	-	0	1,794
Total	4	63	1,488	239	1,794	-

a. Closure.

continued

Sturgeon catch summary for the Fraser River System, 1986.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 5	10	10	-	0	10	10
12	0	10	-	0	0	10
19	1	11	-	0	1	11
26	0	11	-	0	0	11
Feb 2	9	20	-	0	9	20
9	0	20	-	0	0	20
16	3	23	-	0	3	23
23	1	24	-	0	1	24
Mar 2	0	24	-	0	0	24
9	0	24	-	0	0	24
16	3	27	-	0	3	27
23	0	27	-	0	0	27
30	1	28	-	0	1	28
Apr 6	0	28	-	0	0	28
13	0	28	-	0	0	28
20	5	33	-	0	5	33
27	21	54	-	0	21	54
May 4	16	70	-	0	16	70
11	34	104	-	0	34	104
18	24	128	-	0	24	128
25	14	142	-	0	14	142
Jun 1	2	144	-	0	2	144
8	4	148	-	0	4	148
15	57	205	-	0	57	205
22	66	271	-	0	66	271
29	40	311	0	0	40	311
Jul 6	0	311	0	0	0	311
13	0	311	-	0	0	311
20	0	311	-	0	0	311
27	57	368	-	0	57	368
Aug 3	55	423	0	0	55	423
10	595	1,018	0	0	595	1,018
17	14	1,032	0	0	14	1,032
24	55	1,087	0	0	55	1,087
31	5	1,092	0	0	5	1,092
Sep 7	230	1,322	0	0	230	1,322
14	278	1,600	0	0	278	1,600
21	84	1,684	0	0	84	1,684
28	61	1,745	0	0	61	1,745
Oct 5	0	1,745	0	0	0	1,745
12	0	1,745	0	0	0	1,745
19	15	1,760	0	0	15	1,760
26	10	1,770	0	0	10	1,770
Nov 2	5	1,775	0	0	5	1,775
9	3	1,778	-	0	3	1,778
16	3	1,781	-	0	3	1,781
23	7	1,788	-	0	7	1,788
30	6	1,794	-	0	6	1,794
Dec 7	0	1,794	-	0	0	1,794
14	0	1,794	-	0	0	1,794
21	0	1,794	-	0	0	1,794
28	0	1,794	-	0	0	1,794
Total	1,794	-	0	-	1,794	-

Table 7. Weekly estimates of effort and catch per unit of effort (CPUE) by area and gear type in the Fraser River Indian food fishery in 1986:

Steveston	91
Deas to Mission	92
Mission to Hope	93
Hope to North Bend	94
Harrison River	95
Lower Lillooet River	96
Birkenhead River	97
Churn Creek to Marguerite	98
Marguerite to Hixon	99
Above Hixon	99
Nechako River	100
Stuart River	101
Chilcotin River	103

Weekly effort (drift net-days) and CPUE by species in the Steveston area, 1986.

Week Ending		Effort	Chinook	Sockeye	Coho	Chum	Steelhead	Sturgeon
Jan	5	0.0	-	-	-	-	-	-
	12	0.0	-	-	-	-	-	-
	19	0.0	-	-	-	-	-	-
	26	0.0	-	-	-	-	-	-
Feb	2	0.0	-	-	-	-	-	-
	9	0.0	-	-	-	-	-	-
	16	0.0	-	-	-	-	-	-
	23	0.0	-	-	-	-	-	-
Mar	2	0.0	-	-	-	-	-	-
	9	0.0	-	-	-	-	-	-
	16	0.0	-	-	-	-	-	-
	23	1.0	0.0	0.0	0.0	0.0	0.0	0.0
	30	1.0	0.0	0.0	0.0	0.0	1.0	0.0
Apr	6	1.0	0.0	0.0	0.0	0.0	0.0	0.0
	13	1.0	0.0	0.0	0.0	0.0	0.0	0.0
	20	4.0	0.0	0.0	0.0	0.0	0.3	0.0
	27	5.0	0.2	0.0	0.0	0.0	0.2	0.0
May	4	6.0	0.0	0.0	0.0	0.0	0.3	0.0
	11	6.0	0.0	0.0	0.0	0.0	0.3	0.0
	18	21.0	2.0	0.0	0.0	0.0	0.0	0.0
	25	25.0	1.0	0.0	0.0	0.0	0.1	0.0
Jun	1	23.0	1.8	0.0	0.0	0.0	0.3	0.0
	8	20.0	1.1	0.0	0.0	0.0	0.0	0.0
	15	24.0	3.4	0.0	0.0	0.0	0.0	0.2
	22	18.0	2.5	0.0	0.0	0.0	0.0	0.0
	29	13.0	5.3	1.2	0.0	0.0	0.2	0.0
Jul	6	0 ^a	-	-	-	-	-	-
	13	0 ^a	-	-	-	-	-	-
	20	18.0	2.2	19.8	0.0	0.0	0.0	0.0
	27	40.5	1.0	18.6	0.0	0.0	0.0	0.0
Aug	3	42.0	0.8	44.0	0.0	0.0	0.0	0.0
	10	45.0	0.4	57.5	0.0	0.0	0.0	0.0
	17	54.0	0.2	39.3	0.0	0.0	0.0	0.0
	24	61.5	0.3	50.1	0.0	0.0	0.0	0.0
	31	58.5	0.1	11.2	0.0	0.0	0.0	0.0
Sep	7	57.0	0.4	39.9	0.2	0.1	0.0	0.0
	14	90.0	0.4	26.0	1.4	0.3	0.1	0.0
	21	73.5	0.6	86.5	2.5	1.1	0.0	0.0
	28	60.0	0.5	37.1	2.0	0.6	0.1	0.0
Oct	5	55.5	0.9	8.8	13.5	9.3	0.5	0.0
	12	34.5	0.8	1.4	8.7	18.8	0.3	0.0
	19	15.0	0.1	0.3	15.2	24.9	0.8	0.0
	26	15.0	0.2	0.0	3.7	22.0	0.3	0.0
Nov	2	13.5	0.3	0.0	3.4	20.1	0.4	0.0
	9	12.0	0.0	0.0	8.7	9.0	0.1	0.0
	16	12.0	0.0	0.0	0.4	1.2	0.0	0.0
	23	7.5	0.0	0.0	1.9	3.5	0.0	0.0
	30	3.0	0.0	0.0	0.0	6.3	0.0	0.0
Dec	7	0.0	-	-	-	-	-	-
	14	1.5	0.0	0.0	0.0	0.0	0.0	0.0
	21	0.0	-	-	-	-	-	-
	28	0.0	-	-	-	-	-	-
Total		938.5	26.3	441.7	61.5	117.2	5.2	0.2

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Deas Island and Mission, 1986.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead	Sturgeon
Jan 5	0	-	-	-	-	-	-
12	15	0.0	0.0	0.1	0.0	1.1	0.0
19	12	0.0	0.0	0.0	0.0	0.8	0.0
26	0	-	-	-	-	-	-
Feb 2	0	-	-	-	-	-	-
9	15	0.0	0.0	0.0	0.0	1.0	0.0
16	9	0.0	0.0	0.0	0.0	1.3	0.0
23	9	0.0	0.0	0.0	0.0	0.3	0.1
Mar 2	3	0.0	0.0	0.0	0.0	1.3	0.0
9	0	-	-	-	-	-	-
16	7	0.3	0.0	0.0	0.0	1.0	0.0
23	5	0.0	0.0	0.0	0.0	1.6	0.0
30	4	0.0	0.0	0.0	0.0	0.5	0.3
Apr 6	1	0.0	0.0	0.0	0.0	2.0	0.0
13	0	-	-	-	-	-	-
20	1	0.0	0.0	0.0	0.0	1.0	0.0
27	1	0.0	0.0	0.0	0.0	2.0	6.0
May 4	1	1.0	0.0	0.0	0.0	1.0	1.0
11	7	0.6	0.0	0.0	0.0	0.6	1.0
18	5	0.6	0.0	0.0	0.0	0.0	1.2
25	10	0.7	0.0	0.0	0.0	0.0	0.3
Jun 1	3	1.0	0.0	0.0	0.0	0.0	0.0
8	10	1.4	0.0	0.0	0.0	0.0	0.0
15	10	4.4	0.0	0.0	0.0	0.0	0.0
22	17	2.6	0.0	0.0	0.0	0.7	0.1
29	11	2.5	0.0	0.0	0.0	1.1	0.0
Jul 6	0 a	-	-	-	-	-	-
13	0 a	-	-	-	-	-	-
20	0 a	-	-	-	-	-	-
27	84	0.2	8.6	0.0	0.0	0.1	0.1
Aug 3	84	0.6	9.3	0.0	0.0	0.0	0.1
10	60	0.8	16.3	0.0	0.0	0.0	0.0
17	78	0.5	27.2	0.0	0.0	0.0	0.0
24	63	0.3	4.5	0.0	0.0	0.0	0.0
31	54	0.0	1.9	0.0	0.0	0.0	0.0
Sep 7	39	0.3	1.1	0.0	0.0	0.0	0.0
14	81	0.3	7.3	0.5	0.1	0.0	0.0
21	135	0.6	13.1	3.1	0.1	0.1	0.2
28	114	0.8	32.6	1.6	0.5	0.0	0.0
Oct 5	63	0.2	12.9	3.8	0.4	0.0	0.0
12	102	4.0	4.8	4.5	3.3	0.0	0.0
19	75	0.5	0.0	5.3	1.1	0.0	0.0
26	75	0.4	0.0	3.2	5.3	0.0	0.0
Nov 2	63	0.1	0.0	7.3	7.0	0.0	0.0
9	54	0.0	0.0	2.2	9.7	0.0	0.0
16	27	0.0	0.0	2.0	1.7	0.0	0.0
23	12	0.0	0.0	5.4	0.8	0.0	0.0
30	15	0.0	0.0	6.7	5.3	0.0	0.0
Dec 7	15	0.0	0.0	7.0	4.7	0.0	0.0
14	0	-	-	-	-	-	-
21	0	-	-	-	-	-	-
28	15	0.0	0.0	0.6	1.1	0.3	0.0
Total	1,464.0	24.7	139.5	53.2	41.1	18.0	10.2

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Mission and Hope, 1986.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead	Sturgeon
Jan 5	87	0.0	0.0	5.6	1.9	1.6	0.1
12	84	0.0	0.0	5.3	0.4	0.8	0.0
19	102	0.0	0.0	5.3	0.0	2.4	0.0
26	78	0.0	0.0	1.1	0.2	0.5	0.0
Feb 2	60	0.0	0.0	0.1	0.0	0.4	0.2
9	0	-	-	-	-	-	-
16	36	0.0	0.0	0.0	0.0	0.2	0.1
23	0	-	-	-	-	-	-
Mar 2	16	0.0	0.0	0.0	0.0	0.9	0.0
9	8	0.1	0.0	0.0	0.0	0.6	0.0
16	10	0.1	0.0	0.0	0.0	0.8	0.3
23	0	-	-	-	-	-	-
30	0	-	-	-	-	-	-
Apr 6	31	2.7	0.0	0.0	0.0	0.9	0.0
13	16	0.0	0.0	0.0	0.0	0.0	0.0
20	51	1.3	0.0	0.0	0.0	0.5	0.1
27	48	0.6	0.0	0.0	0.0	0.0	0.3
May 4	59	1.7	0.0	0.0	0.0	0.1	0.3
11	35	4.3	0.0	0.0	0.0	0.2	0.8
18	53	2.7	0.0	0.0	0.0	0.3	0.2
25	35	1.8	0.0	0.0	0.0	0.0	0.3
Jun 1	39	1.5	0.0	0.0	0.0	0.0	0.1
8	36	2.5	0.0	0.0	0.0	0.2	0.1
15	57	5.2	0.0	0.0	0.0	0.1	0.7
22	72	9.1	0.0	0.0	0.0	0.3	0.6
29	90	12.4	7.3	0.0	0.0	0.1	0.3
Jul 6	0 a	-	-	-	-	-	-
13	0 a	-	-	-	-	-	-
20	0 a	-	-	-	-	-	-
27	411	1.1	32.9	0.0	0.0	0.1	0.1
Aug 3	444	1.3	23.5	0.0	0.0	0.0	0.1
10	609	0.7	45.8	0.0	0.0	0.0	1.0
17	372	0.3	32.7	0.0	0.0	0.0	0.0
24	374	0.1	28.0	0.0	0.0	0.0	0.1
31	417	0.3	2.4	0.2	0.0	0.0	0.0
Sep 7	720	0.3	5.2	0.2	0.0	0.0	0.3
14	668	0.4	18.6	2.4	0.2	0.0	0.3
21	405	0.2	29.6	7.0	0.3	0.0	0.1
28	270	0.4	82.6	6.9	1.2	0.2	0.1
Oct 5	282	0.2	34.3	5.0	1.0	0.5	0.0
12	198	1.2	27.1	5.8	2.6	0.8	0.0
19	195	0.3	3.5	21.0	11.9	2.2	0.0
26	144	0.9	0.4	2.5	6.0	0.3	0.0
Nov 2	150	0.2	0.0	3.5	4.9	0.0	0.0
9	63	0.2	0.1	4.5	11.1	0.1	0.0
16	57	0.1	0.0	3.9	6.9	0.1	0.1
23	63	0.1	0.0	9.5	25.0	0.1	0.1
30	39	0.0	0.0	4.3	10.6	0.1	0.2
Dec 7	15	0.0	0.0	11.7	15.0	0.0	0.0
14	15	0.0	0.0	6.7	10.0	0.0	0.0
21	18	0.0	0.0	8.3	5.0	0.0	0.0
28	0	-	-	-	-	-	-
Total	7,032.0	54.3	373.9	120.8	114.3	15.4	7.0

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Hope and North Bend, 1986.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead	Sturgeon
Jan 5	6	0.0	0.0	0.0	0.0	0.0	0.0
12	3	0.0	0.0	0.0	0.0	0.0	0.0
19	15	0.0	0.0	0.0	0.0	0.0	0.0
26	0	-	-	-	-	-	-
Feb 2	24	0.0	0.0	0.0	0.0	0.2	0.0
9	0	-	-	-	-	-	-
16	27	0.0	0.0	0.0	0.0	0.1	0.0
23	0	-	-	-	-	-	-
Mar 2	7	0.3	0.0	0.0	0.0	0.4	0.0
9	6	0.5	0.0	0.0	0.0	0.7	0.0
16	3	0.0	0.0	0.0	0.0	0.7	0.0
23	0	-	-	-	-	-	-
30	0	-	-	-	-	-	-
Apr 6	5	1.6	0.0	0.0	0.0	0.6	0.0
13	7	0.0	0.0	0.0	0.0	0.0	0.0
20	34	1.5	0.0	0.0	0.0	0.3	0.0
27	3	1.0	0.0	0.0	0.0	0.0	0.0
May 4	41	3.7	0.0	0.0	0.0	0.0	0.0
11	35	1.0	0.0	0.0	0.0	0.0	0.0
18	27	1.7	0.0	0.0	0.0	0.1	0.2
25	0	-	-	-	-	-	-
Jun 1	9	0.9	0.0	0.0	0.0	0.0	0.0
8	0	-	-	-	-	-	-
15	15	13.7	0.0	0.0	0.0	0.5	0.8
22	33	22.6	0.0	0.0	0.0	0.9	0.6
29	56	23.3	11.6	0.0	0.0	0.3	0.3
Jul 6	0 a	-	-	-	-	-	-
13	0 a	-	-	-	-	-	-
20	0 a	-	-	-	-	-	-
27	315	2.4	50.5	0.0	0.0	0.0	0.0
Aug 3	414	0.5	44.0	0.0	0.0	0.0	0.0
10	339	0.8	73.7	0.0	0.0	0.0	0.0
17	230	0.4	72.7	0.0	0.0	0.0	0.0
24	308	0.1	37.8	0.0	0.0	0.0	0.0
31	312	0.2	11.8	0.0	0.0	0.0	0.0
Sep 7	615	0.4	7.1	0.2	0.0	0.0	0.0
14	375	1.5	65.8	2.8	0.4	0.1	0.1
21	312	0.4	31.1	3.7	0.4	0.2	0.1
28	153	0.7	135.9	6.0	0.5	0.4	0.2
Oct 5	150	0.2	56.7	5.8	0.4	0.3	0.0
12	126	0.2	31.0	11.0	0.8	7.6	0.0
19	135	0.3	10.2	22.8	6.1	5.0	0.1
26	117	0.0	1.0	2.9	2.4	0.9	0.1
Nov 2	60	0.0	0.0	3.5	9.8	1.2	0.0
9	21	0.0	0.2	1.1	2.5	0.9	0.0
16	12	0.0	0.0	3.5	7.8	0.6	0.0
23	12	0.0	0.0	1.0	3.2	0.3	0.0
30	12	0.0	0.0	1.3	4.0	0.0	0.0
Dec 7	0	-	-	-	-	-	-
14	0	-	-	-	-	-	-
21	0	-	-	-	-	-	-
28	0	-	-	-	-	-	-
Total	4,374.0	80.0	640.9	65.7	38.5	22.3	2.7

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species in the
Harrison River, 1986.

Week		Effort	Chinook	Sockeye	Coho	Chum	Steelhead
Ending							
Jan	5	0	-	-	-	-	-
	12	0	-	-	-	-	-
	19	3	0.0	0.0	5.0	0.0	1.0
	26	0	-	-	-	-	-
Feb	2	0	-	-	-	-	-
	9	0	-	-	-	-	-
	16	0	-	-	-	-	-
	23	0	-	-	-	-	-
Mar	2	0	-	-	-	-	-
	9	0	-	-	-	-	-
	16	0	-	-	-	-	-
	23	0	-	-	-	-	-
	30	0	-	-	-	-	-
Apr	6	0	-	-	-	-	-
	13	0	-	-	-	-	-
	20	0	-	-	-	-	-
	27	0	-	-	-	-	-
May	4	0	-	-	-	-	-
	11	0	-	-	-	-	-
	18	0	-	-	-	-	-
	25	0	-	-	-	-	-
Jun	1	0	-	-	-	-	-
	8	0	-	-	-	-	-
	15	0	-	-	-	-	-
	22	0	-	-	-	-	-
	29	0	-	-	-	-	-
Jul	6	0	-	-	-	-	-
	13	0	-	-	-	-	-
	20	0	-	-	-	-	-
	27	0	-	-	-	-	-
Aug	3	0	-	-	-	-	-
	10	0	-	-	-	-	-
	17	0	-	-	-	-	-
	24	0	-	-	-	-	-
	31	0	-	-	-	-	-
Sep	7	0	-	-	-	-	-
	14	0	-	-	-	-	-
	21	0	-	-	-	-	-
	28	0	-	-	-	-	-
Oct	5	15	2.7	26.7	1.0	1.0	0.0
	12	0 ^a	-	-	-	-	-
	19	3	3.3	8.3	8.3	6.7	0.0
	26	0	-	-	-	-	-
Nov	2	0	-	-	-	-	-
	9	0	-	-	-	-	-
	16	0	-	-	-	-	-
	23	0	-	-	-	-	-
	30	0	-	-	-	-	-
Dec	7	0	-	-	-	-	-
	14	0	-	-	-	-	-
	21	0	-	-	-	-	-
	28	0	-	-	-	-	-
Total		21.0	6.0	35.0	14.3	7.7	1.0

a. Spears.

continued

Weekly effort (set net-days) and CPUE by species in the Lower Lillooet River, 1986.

Week Ending	Effort	Chinook	Sockeye	Coho	Chum	Steelhead
Jan 5	0	-	-	-	-	-
12	0	-	-	-	-	-
19	0	-	-	-	-	-
26	21	0.0	0.0	0.0	0.0	0.1
Feb 2	0	-	-	-	-	-
9	0	-	-	-	-	-
16	0	-	-	-	-	-
23	0	-	-	-	-	-
Mar 2	0	-	-	-	-	-
9	14	0.0	0.0	0.0	0.0	0.1
16	28	0.0	0.0	0.0	0.0	0.0
23	49	0.0	0.0	0.0	0.0	0.0
30	56	0.1	0.0	0.0	0.0	0.0
Apr 6	42	0.0	0.0	0.0	0.0	0.0
13	70	0.0	0.0	0.0	0.0	0.0
20	56	0.1	0.0	0.0	0.0	0.0
27	84	0.0	0.0	0.0	0.0	0.0
May 4	56	0.0	0.0	0.0	0.0	0.0
11	56	0.0	0.0	0.0	0.0	0.0
18	5	0.0	0.0	0.0	0.0	0.0
25	1	0.0	0.0	0.0	0.0	0.0
Jun 1	0	-	-	-	-	-
8	0	-	-	-	-	-
15	0	-	-	-	-	-
22	0	-	-	-	-	-
29	0	-	-	-	-	-
Jul 6	0	-	-	-	-	-
13	0	-	-	-	-	-
20	0	-	-	-	-	-
27	0	-	-	-	-	-
Aug 3	0	-	-	-	-	-
10	21	0.0	0.1	0.0	0.0	0.0
17	28	0.0	0.5	0.0	0.0	0.0
24	0	-	-	-	-	-
31	42	0.0	12.3	0.0	0.0	0.0
Sep 7	56	0.0	12.2	0.0	0.0	0.0
14	63	0.0	32.5	0.0	0.0	0.0
21	28	0.0	9.8	0.0	0.0	0.0
28	42	0.0	6.5	0.7	1.2	0.0
Oct 5	42	0.1	3.5	1.0	0.8	0.0
12	35	0.3	0.0	4.0	6.6	0.0
19	35	0.0	0.6	3.1	4.2	0.0
26	42	0.0	0.0	2.6	3.1	0.0
Nov 2	0	-	-	-	-	-
9	0	-	-	-	-	-
16	0	-	-	-	-	-
23	0	-	-	-	-	-
30	7	0.0	0.0	5.7	0.0	0.0
Dec 7	7	0.0	0.0	0.0	0.0	0.0
14	7	0.0	0.0	2.9	0.0	0.0
21	7	0.0	0.0	0.0	0.0	0.0
28	0	-	-	-	-	-
Total	1,000.0	0.7	78.0	20.0	15.9	0.3

continued

Weekly effort (set net-days) and CPUE by species in the
Birkenhead River, 1986.

Week Ending		Effort	Chinook	Sockeye	Coho	Chum	Steelhead
Jan	5	0	-	-	-	-	-
	12	0	-	-	-	-	-
	19	0	-	-	-	-	-
	26	0	-	-	-	-	-
Feb	2	0	-	-	-	-	-
	9	0	-	-	-	-	-
	16	0	-	-	-	-	-
	23	0	-	-	-	-	-
Mar	2	0	-	-	-	-	-
	9	0	-	-	-	-	-
	16	0	-	-	-	-	-
	23	0	-	-	-	-	-
	30	0	-	-	-	-	-
Apr	6	0	-	-	-	-	-
	13	0	-	-	-	-	-
	20	0	-	-	-	-	-
	27	0	-	-	-	-	-
May	4	14	0.0	0.0	0.0	0.0	0.0
	11	14	0.0	0.0	0.0	0.0	0.0
	18	2	0.0	0.0	0.0	0.0	0.0
	25	3	2.3	0.0	0.0	0.0	0.0
Jun	1	0	-	-	-	-	-
	8	0	-	-	-	-	-
	15	0	-	-	-	-	-
	22	0	-	-	-	-	-
	29	0	-	-	-	-	-
Jul	6	0	-	-	-	-	-
	13	0	-	-	-	-	-
	20	0	-	-	-	-	-
	27	0	-	-	-	-	-
Aug	3	0	-	-	-	-	-
	10	0	-	-	-	-	-
	17	0	-	-	-	-	-
	24	0	-	-	-	-	-
	31	0	-	-	-	-	-
Sep	7	21	0.0	31.0	0.0	0.0	0.0
	14	77	0.0	36.6	0.0	0.0	0.0
	21	70	0.0	28.3	0.0	0.0	0.0
	28	42	0.0	20.0	0.0	0.0	0.0
Oct	5	7	0.0	7.1	0.0	0.0	0.0
	12	7	0.0	7.1	0.0	0.0	0.0
	19	35	0.0	0.0	1.1	0.0	0.0
	26	77	0.0	0.0	2.3	0.0	0.0
Nov	2	91	0.0	0.0	12.4	0.0	0.0
	9	77	0.0	0.0	7.8	0.0	0.0
	16	21	0.0	0.0	5.0	0.0	0.0
	23	42	0.0	0.0	10.0	0.0	0.0
	30	14	0.0	0.0	7.1	0.0	0.0
Dec	7	14	0.0	0.0	0.0	0.0	0.0
	14	7	0.0	0.0	0.0	0.0	0.0
	21	0	-	-	-	-	-
	28	0	-	-	-	-	-
Total		635.0	2.3	130.1	45.8	0.0	0.0

continued

Weekly effort (dip net-days) and CPUE by species between Churn Creek and Marguerite, 1986.

Week Ending	Churn Creek to Chilcotin Bridge			Chilcotin Bridge to Marguerite		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
Feb 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
Mar 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Apr 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
May 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Jun 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Jul 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0 a	-	-	0 a	-	-
27	0 a	-	-	0 a	-	-
Aug 3	0 a	-	-	0 a	-	-
10	105	0.3	1.7	140	0.4	1.7
17	105	0.5	40.0	56	1.1	12.0
24	105	0.5	32.0	56	0.7	12.0
31	56	0.3	16.0	63	0.2	8.0
Sep 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Oct 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
Nov 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Dec 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Total	371	1.5	89.7	315	2.3	33.7

a. Closure.

continued

Weekly effort (net-days) and CPUE by species between Marguerite and Hixon (dip nets) and above Hixon (set nets), 1986.

Week Ending	Marguerite to Hixon			above Hixon		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
Feb 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
Mar 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Apr 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
May 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Jun 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Jul 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0 a	-	-	0	-	-
27	0 a	-	-	0 a	-	-
Aug 3	0 a	-	-	0 a	-	-
10	105	0.3	4.8	0 a	-	-
17	105	1.0	14.3	95	0.2	8.2
24	105	0.7	15.7	90	0.0	14.6
31	56	0.0	13.4	60	1.8	17.6
Sep 7	35	0.3	14.3	45	0.4	15.0
14	0	-	-	25	0.0	3.1
21	0	-	-	0	-	-
28	0	-	-	5	0.4	0.0
Oct 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
Nov 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Dec 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Total	406	2.2	62.4	320	2.8	58.5

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Prince George and Fort Fraser in the Nechako River, 1986.

Week Ending	Prince George to Stuart River			Stuart River to Fort Fraser		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
Feb 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
Mar 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Apr 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
May 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Jun 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Jul 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Aug 3	0 ^a	-	-	0	-	-
10	9 ^a	0.3	1.6	90	0.0	0.6
17	55	0.0	1.6	90	0.1	2.9
24	15	0.0	3.7	135	0.0	7.3
31	20	0.0	3.7	180	0.0	24.0
Sep 7	15	0.0	3.1	150	0.0	27.2
14	5	0.0	0.6	95	0.0	23.1
21	0	-	-	65	0.0	15.0
28	0	-	-	45	0.0	2.7
Oct 5	- ^b	-	-	- ^b	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
Nov 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Dec 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Total	119	0.3	14.3	850	0.1	103.0

a. Closure.

b. Not estimated but considered minimal.

continued

Weekly effort (set net-days) and CPUE by species between Fort Fraser and Francois Lake in the Nechako River system, and Nechako River and Fort St. James in the Stuart River, 1986.

Week Ending	Fort Fraser to Francois Lake			Nechako River to Fort St. James		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
Feb 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
Mar 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Apr 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
May 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Jun 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Jul 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	60	0.0	9.4
Aug 3	0	-	-	70	0.0	5.6
10	35	0.0	0.1	50	0.2	3.8
17	20	0.0	1.1	20	0.2	0.4
24	55	0.0	3.0	75	0.0	5.1
31	60	0.0	6.9	60	0.0	11.0
Sep 7	65	0.0	21.3	50	0.0	6.4
14	55	0.0	16.3	25	0.2	4.6
21	45	0.0	13.6	25	0.0	2.8
28	40	0.0	5.7	15	0.0	2.3
Oct 5	- a	-	-	- a	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
Nov 2	0	-	-	0	-	-
9	0	-	-	0	-	-
16	0	-	-	0	-	-
23	0	-	-	0	-	-
30	0	-	-	0	-	-
Dec 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Total	375	0.0	67.7	450	0.7	51.5

a. Not estimated but considered minimal.

continued

Weekly effort (set net-days) and CPUE by species above Fort St. James in the Stuart River system, 1986.

		Fort St. James to Trembleur Lake			above Trembleur Lake		
Week Ending	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye	
Jan 5	0	-	-	0	-	-	
12	0	-	-	0	-	-	
19	0	-	-	0	-	-	
26	0	-	-	0	-	-	
Feb 2	0	-	-	0	-	-	
9	0	-	-	0	-	-	
16	0	-	-	0	-	-	
23	0	-	-	0	-	-	
Mar 2	0	-	-	0	-	-	
9	0	-	-	0	-	-	
16	0	-	-	0	-	-	
23	0	-	-	0	-	-	
30	0	-	-	0	-	-	
Apr 6	0	-	-	0	-	-	
13	0	-	-	0	-	-	
20	0	-	-	0	-	-	
27	0	-	-	0	-	-	
May 4	0	-	-	0	-	-	
11	0	-	-	0	-	-	
18	0	-	-	0	-	-	
25	0	-	-	0	-	-	
Jun 1	0	-	-	0	-	-	
8	0	-	-	0	-	-	
15	0	-	-	0	-	-	
22	0	-	-	0	-	-	
29	0	-	-	0	-	-	
Jul 6	0	-	-	0	-	-	
13	0	-	-	0	-	-	
20	0	-	-	0	-	-	
27	110	0.0	6.0	0	-	-	
Aug 3	85	0.0	2.7	30	0.0	2.4	
10	50	0.0	2.0	15	0.0	1.5	
17	40	0.0	0.5	0	-	-	
24	90	0.0	2.5	0	-	-	
31	90	0.0	7.0	0	-	-	
Sep 7	75	0.0	5.5	0	-	-	
14	40	0.0	3.9	0	-	-	
21	25	0.0	2.6	0	-	-	
28	15	0.0	2.3	0	-	-	
Oct 5	- a	-	-	0	-	-	
12	0	-	-	0	-	-	
19	0	-	-	0	-	-	
26	0	-	-	0	-	-	
Nov 2	0	-	-	0	-	-	
9	0	-	-	0	-	-	
16	0	-	-	0	-	-	
23	0	-	-	0	-	-	
30	0	-	-	0	-	-	
Dec 7	0	-	-	0	-	-	
14	0	-	-	0	-	-	
21	0	-	-	0	-	-	
28	0	-	-	0	-	-	
Total	620	0.0	34.8	45	0.0	3.9	

a. Not estimated but considered minimal.

continued

Weekly effort (dip net-days) and CPUE by species in the Chilcotin River system, 1986.

Week		Effort	Chinook	Sockeye
Ending				
Jan	5	0	-	-
	12	0	-	-
	19	0	-	-
	26	0	-	-
Feb	2	0	-	-
	9	0	-	-
	16	0	-	-
	23	0	-	-
Mar	2	0	-	-
	9	0	-	-
	16	0	-	-
	23	0	-	-
	30	0	-	-
Apr	6	0	-	-
	13	0	-	-
	20	0	-	-
	27	0	-	-
May	4	0	-	-
	11	0	-	-
	18	0	-	-
	25	0	-	-
Jun	1	0	-	-
	8	0	-	-
	15	0	-	-
	22	0	-	-
	29	0	-	-
Jul	6	0	-	-
	13	0	-	-
	20	0	-	-
	27	0	-	-
Aug	3	0	-	-
	10	84	1.2	3.6
	17	77	2.6	155.8
	24	315	0.3	49.8
	31	182	0.5	40.5
Sep	7	77	0.3	50.0
	14	- a	-	-
	21	0	-	-
	28	0	-	-
Oct	5	0	-	-
	12	0	-	-
	19	0	-	-
	26	0	-	-
Nov	2	0	-	-
	9	0	-	-
	16	0	-	-
	23	0	-	-
	30	0	-	-
Dec	7	0	-	-
	14	0	-	-
	21	0	-	-
	28	0	-	-
Total		735	4.8	299.7

a. Not estimated but considered minimal.

