

827

**Sport Catch Of Atlantic
Salmon From Margaree
River, Nova Scotia,
1947 to 1987**

G.J. Chaput and R.R. Claytor

Department of Fisheries and Oceans
Science Branch
Gulf Region
P.O. Box 5030
Moncton, NB E1C 9B6

January 1988

**Canadian Data Report of
Fisheries and Aquatic Sciences
No. 678**



Canada

Canadian Data Report of Fisheries and Aquatic Sciences

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport statistique canadien des sciences halieutiques et aquatiques

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of
Fisheries and Aquatic Sciences No. 678

January 1988

**SPORT CATCH OF ATLANTIC SALMON FROM MARGAREE RIVER, NOVA SCOTIA,
1947 to 1987**

by

G.J. Chaput and R.R. Claytor


Department of Fisheries and Oceans

Science Branch

Gulf Region

P.O. Box 5030

Moncton, NB E1C 9B6



(c) Minister of Supply and Services Canada 1988

Cat. No. Fs 97-13/678E

ISSN 0706-6465

Correct citation for this publication is:

Chaput, G.J. and R.R. Claytor. 1988. Sport Catch of Atlantic Salmon from Margaree River, Nova Scotia, 1947 to 1987. Can. Data Rep. Fish. Aquat. Sci. No. 678. iv + 50 p.

CONTENTS

Abstract/Résumé	iv
Introduction	1
Acknowledgements	2
References	3
Figure 1. Margaree River drainage, Inverness County, Nova Scotia.	4
Table 1. River sections of the Margaree River, Inverness County, Nova Scotia.	5
Table 2. Open season dates and variation orders for the Margaree River, 1947 to 1987.	6
Table 3. Angled catch of Atlantic salmon from the Margaree River, 1947 to 1987.	7
Table 4. Catch of grilse and multi-sea-winter salmon (MSW) from the summer and fall periods.	8
Table 5. Monthly catch of grilse and multi-sea-winter salmon (MSW), 1947 to 1987.	10
Table 6. Weekly catch of grilse and multi-sea-winter salmon (MSW), 1947 to 1987.	13
Table 7. Catch of grilse from specific river sections of the Margaree River, 1947 to 1987.	21
Table 8. Catch of multi-sea-winter salmon (MSW) from specific river sections of the Margaree River, 1947 to 1987.	23
Table 9. Monthly catch of grilse from specific river sections of the Margaree River, 1947 to 1987.	25
Table 10. Monthly catch of multi-sea-winter salmon (MSW) from specific river sections of the Margaree River, 1947 to 1987.	36
Table 11. Catch of grilse and multi-sea-winter salmon (MSW) from the most productive pools of the Margaree River, 1947 to 1987.	47
Table 12. Reported size (kg) of grilse and multi-sea-winter salmon (MSW) from the Margaree River, 1947 to 1987.	49

ABSTRACT

Chaput, G.J. and R.R. Claytor. 1988. Sport Catch of Atlantic Salmon from Margaree River, Nova Scotia, 1947 to 1987. Can. Data Rep. Fish. Aquat. Sci. No.678. iv + 50 p.

A summary of the sport catch of Atlantic salmon (Salmo salar) from the Margaree River, Nova Scotia, for the years 1947 to 1987 is presented. Data were collected by Department of Fisheries and Oceans, Conservation and Protection Branch field staff. Summaries include the catch of grilse and multi-sea-winter salmon by week and month, annual and monthly catches from specific river sections as well as the most productive angling pools of the river. In addition, a summary of the estimated size distribution of grilse and multi-sea-winter salmon in the sport catches of 1947 to 1987 is included.

RÉSUMÉ

Chaput, G.J. and R.R. Claytor. 1988. Sport Catch of Atlantic Salmon from Margaree River, Nova Scotia, 1947 to 1987. Can. Data Rep. Fish. Aquat. Sci. No.678. iv + 50 p.

On présente un résumé des prises sportives du saumon de l'Atlantique (Salmo salar), provenant de la Rivière Margaree en Nouvelle-Écosse, pour la période 1947 à 1987. Les données ont été recueillies par les agents des pêches du Ministère des Pêches et Océans. On y retrouve des sommaires hebdomadaires et mensuels des captures selon la taille des saumons et des résumés mensuels et annuels des captures pour certains tronçons de la rivière et des fosses les plus productives. De plus, on présente un estimé de la distribution des tailles de saumons unibermarins et pluribermarins.

1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900

INTRODUCTION

This report summarizes the angling catch of Atlantic salmon (Salmo salar) from the Margaree River, Inverness County, Nova Scotia for the years 1947 to 1987, recorded by field staff of Department of Fisheries and Oceans, Conservation and Protection Branch. Catches are summarized by month and week for the entire river as well as by month for specific river sections. These details are not previously reported in other sport catch statistics reports (Smith 1981; O'Neil and Swetnam 1984; Swetnam and O'Neil 1984; O'Neil et al. 1985, 1986, 1987).

The Margaree River, located on the west coast of Cape Breton Island, Nova Scotia, forks into two branches 13.5 km from the harbor breakwater (Figure 1). Angling for Atlantic salmon occurs in 63 pools located in the main Margaree and northeast Margaree rivers. The northeast Margaree River receives water from several feeder streams along its length in addition to headwater streams originating in the Cape Breton Highlands (Figure 1). Although spawning occurs in these streams, they have insufficient water during the angling season to attract and hold salmon. As a result, there is no angling for salmon in any tributaries of the Margaree River. Spawning also occurs in the southwest Margaree River. However, few salmon are angled in this branch and it appears they do not hold there during the fishing season. Hence, salmon angling is effectively restricted to the main and northeast Margaree rivers.

Field data, collected on a daily basis, included date angled, location of capture (pool), and estimated weight. These data were collected during enforcement patrols of the river and from information volunteered by anglers to fisheries officers. Not all fish angled were seen by officers, and most weights were visual estimates made by anglers. All salmon less than or equal to 2.7 kg (6 lbs) were considered grilse (1SW) whereas multi-sea-winter salmon were greater than 2.7 kg (Claytor and Chadwick 1985). Data for 1958 to 1960 were collected but not available for analysis.

The least productive pools individually accounted for less than 1% of the total catch in any year. Consequently, the river was divided into ten sections (Table 1), based upon particular geographical features and/or accessibility to angling (Figure 1).

Regulatory changes in seasonal dates and closures of specific river sections contributed to annual variation in salmon catches. The angling seasons and variation orders for the Margaree River (1947 to 1987) are described in Table 2.

ACKNOWLEDGEMENTS

We gratefully acknowledge the contribution and dedication of Department of Fisheries and Oceans, Conservation and Protection Branch field staff without whom this summary and associated database would not exist. In particular, we acknowledge the contributions of Ralph Watts, District Supervisor (1947 to 1986) and his field staff, and most recently Tom Murphy, Wes Barrington and other field staff of the Department of Fisheries and Oceans, Conservation and Protection Branch, Margaree Forks, N.S.

REFERENCES

- Clayton, R.R. and E.M.P. Chadwick. 1985. Assessment of Atlantic salmon, Salmo salar, in the Margaree River, Nova Scotia, 1985. CAFSAC Research Document 85/103, 25p.
- O'Neil, S.F., M. Bernard, P. Gallop and R. Pickard. 1987. 1986 Atlantic salmon sport catch statistics, Maritime Provinces. Can. Data Rep. Fish. Aquat. Sci. No. 663. V + 69 p.
- O'Neil, S.F., M. Bernard and J. Singer. 1985. 1984 Atlantic salmon sport catch statistics, Maritime Provinces (Redbook). Can. Data Rep. Fish. Aquat. Sci. No. 530. v + 98p.
- O'Neil, S.F., M. Bernard and J. Singer. 1986. 1985 Atlantic salmon sport catch statistics, Maritime Provinces. Can. Data Rep. Fish. Aquat. Sci. No. 600. v + 71p.
- O'Neil, S.F., and D.A.B. Swetnam. 1984. Collation of Atlantic salmon sport catch statistics, Maritime Provinces, 1970-79. Can. Data Rep. Fish. Aquat. Sci. No. 481. ix + 297p.
- Smith, S.J. 1981. Atlantic salmon sport catch and effort data, Maritime Region, 1951-79. Can. Data Rep. Fish. Aquat. Sci. No. 258. ix + 267p.
- Swetnam, D.A., and S.F. O'Neil. 1984. Collation of Atlantic salmon sport catch statistics, Maritime Provinces, 1980-83. Can. Data Rep. Fish. Aquat. Sci. No. 450. ix + 194p.

Figure 1. Margaree River drainage, Inverness County, Nova Scotia




Table 1. River sections of the Margaree River, Inverness County, Nova Scotia.

River Section	km from Breakwater	Length of Section (km)	Angling Pools Within Section	Distinguishing features
A	6.50	1.50	Chapel, Barrack, Ram Island, Long Marsh, Tidal	Upper limit of average tidal influence.
B	8.00	5.25	Thompkins, Seal, Big McDaniel, Rift, Long, Dollar, Hut	Lower pools above head of tide and below confluence of southwest and northeast Margaree branches.
C	13.25	0.50	Thornbush, Forks	Confluence of southwest and northeast Margaree.
D	13.75	4.75	Barracks, Libbus, Point, Wash Doyle's Bridge, Tanner, Brook, Etheridge, Garden	Upstream of Margaree forks to the mouth of Big Brook.
E	18.50	1.25	Brush, Shepard's Rock, Little McDaniel	Between Big Brook and Lake O'Law Brook.
F	19.75	4.25	Cranton Bridge, Laird's, Swallow Bank, Sheardam, Crowdis	Between Lake O'Law Brook and Nile Brook.
G	24.00	3.00	Redbank, Hart's, Ingram Bridge, Rock, Whitley, Cliff, Hatchery	Between Nile Brook and Ingram Brook.
H	27.00	6.00	Morrison, Slide, Jim Easter, Boar's Back, Tingley, Coady Brook, Portree Bridge, Chance, Tent, Black Rock	Upper valley pools accessible from main paved road, above Ingram Bridge.
I	33.00	6.00	Old Bridge, Ward's Rock, Skye Lodge, Cemetery, McKenzie, Big Intervale	Pools accessible from Big Intervale road.
Sanctuary	39.00	15.50	First Brook, McLoed's, Marsh, Second Brook, Rocky, McKay, Blue, Reed, Third Brook	Headwaters of northeast Margaree, above Big Intervale Bridge.

Table 2. Open season dates and variation orders for the Margaree River, 1947 to 1987.

1947 to 1956	June 1 to Sept. 30	All waters open
1957 to 1961	June 15 to Sept. 30	All waters open
1962 to 1978	June 15 to Oct. 15	All waters open
1979	June 15 to Aug. 31 Sept. 1 to 30 Oct. 1 to 15	Forks Pool to Ingram Bridge (only hatchery released grilse retained) Open below Ingram Bridge Open below Ross Bridge
1980	June 15 to July 15 July 16 to Aug. 31 Sept. 1 to Oct. 15	Forks Pool to Ingram Bridge (only hatchery released grilse retained) Head of tide to Forks Pool Doyles Bridge to Big Intervale Bridge (only hatchery released grilse retained) All waters downstream of Big Intervale Bridge
1981	June 1 to Aug. 31 Sept. 1 to Oct. 15	Diverse, intermittent closures of numerous river sections below Big Intervale Bridge All waters downstream of Big Intervale Bridge
1982	June 1 to 14 June 15 to July 14 July 15 to Aug. 31 Sept. 1 to Oct. 15	Forks Pool to Big Intervale Bridge (grilse only retained) Forks Pool to upper Ross Pool (grilse only retained) Doyle's Bridge to Ingram Bridge (grilse only retained) All waters downstream of Big Intervale Bridge
1983	June 1 to Oct. 15	All waters downstream of Big Intervale Bridge (June 1 to Aug. 31 grilse only retained)
1984	June 1 to Oct. 15	All waters downstream of Big Intervale Bridge (Aug. 8 to Oct. 15 grilse only retained)
1985 to 1987	June 1 to Oct. 15	All waters downstream of Big Intervale Bridge (grilse only retained)

Table 3. Angled catch of Atlantic salmon from the Margaree River, 1947 to 1987.

Year	Reported Catch						Total Catch for Year
	Grilse		Multi-Sea-Winter		Weight Not Specified		
	N	% Grilse	N	% MSW	N	% not spec.	
1947	36	9.0	363	90.7	1	0.3	400
1948	106	13.1	704	86.9	.	.	810
1949	41	10.7	332	86.9	9	2.4	382
1950	111	25.3	320	72.9	8	1.8	439
1951	21	4.5	424	90.2	25	5.3	470
1952	83	28.5	204	70.1	4	1.4	291
1953	49	14.1	291	83.6	8	2.3	348
1954	68	18.1	298	79.3	10	2.7	376
1955	53	17.0	258	83.0	.	.	311
1956	28	23.5	90	75.6	1	0.8	119
1957	36	20.9	136	79.1	.	.	172
1961	29	32.6	49	55.1	11	12.4	89
1962	46	10.1	410	89.9	.	.	456
1963	87	29.1	212	70.9	.	.	299
1964	120	29.3	289	70.7	.	.	409
1965	86	25.3	254	74.7	.	.	340
1966	92	35.8	165	64.2	.	.	257
1967	98	26.4	265	71.4	8	2.2	371
1968	64	23.9	198	73.9	6	2.2	268
1969	214	59.6	139	38.7	6	1.7	359
1970	85	28.1	215	71.0	3	1.0	303
1971	21	18.3	94	81.7	.	.	115
1972	42	28.6	105	71.4	.	.	147
1973	166	58.7	117	41.3	.	.	283
1974	60	35.9	107	64.1	.	.	167
1975	36	36.0	64	64.0	.	.	100
1976	96	53.9	82	46.1	.	.	178
1977	69	32.9	140	66.7	1	0.5	210
1978	25	13.7	158	86.3	.	.	183
1979	597	87.0	81	11.8	8	1.2	686
1980	167	52.5	140	44.0	11	3.5	318
1981	899	85.7	139	13.3	11	1.0	1049
1982	691	79.3	179	20.6	1	0.1	871
1983	68	30.8	149	67.4	4	1.8	221
1984	148	55.0	121	45.0	.	.	269
1985	223	41.6	312	58.2	1	0.2	536
1986	295	28.1	754	71.9	.	.	1049
1987	353	46.4	408	53.6	.	.	761

Table 4. Catch of grilse and multi-sea-winter salmon (MSW) from the summer and fall periods. % grilse and % MSW refer to catch of grilse or MSW as a percentage of total catch during the summer or fall period. % of grilse run and % of MSW run refer to percentage of total grilse or total MSW catch from each period. Summer period covers June 1 to August 31 and fall period covers September 1 to October 15.

Catch of Grilse

Year	Summer			Fall		
	N	% Grilse	% of	N	% Grilse	% of
			Grilse Run			Grilse Run
1947	16	9.3	44.4	20	8.8	55.6
1948	64	18.8	60.4	42	8.9	39.6
1949	25	25.0	61.0	16	5.7	39.0
1950	48	38.4	43.2	63	20.1	56.8
1951	13	6.6	61.9	8	2.9	38.1
1952	37	29.6	44.6	46	27.7	55.4
1953	27	18.2	55.1	22	11.0	44.9
1954	37	18.1	54.4	31	18.0	45.6
1955	30	23.1	56.6	23	12.7	43.4
1956	16	19.3	57.1	12	33.3	42.9
1957	15	28.3	41.7	21	17.6	58.3
1961	18	32.1	62.1	11	33.3	37.9
1962	25	8.4	54.3	21	13.3	45.7
1963	23	31.9	26.4	64	28.2	73.6
1964	77	36.3	64.2	43	21.8	35.8
1965	43	32.6	50.0	43	20.7	50.0
1966	48	68.6	52.2	44	23.5	47.8
1967	47	29.2	48.0	51	24.3	52.0
1968	30	34.5	46.9	34	18.8	53.1
1969	106	56.7	49.5	108	62.8	50.5
1970	47	45.6	55.3	38	19.0	44.7
1971	13	24.5	61.9	8	12.9	38.1
1972	22	29.3	52.4	20	27.8	47.6
1973	97	58.4	58.4	69	59.0	41.6
1974	34	53.1	56.7	26	25.2	43.3
1975	14	77.8	38.9	22	26.8	61.1
1976	43	82.7	44.8	53	42.1	55.2
1977	37	40.7	53.6	32	26.9	46.4
1978	9	31.0	36.0	16	10.4	64.0
1979	532	95.3	89.1	65	50.8	10.9
1980	100	89.3	59.9	67	32.5	40.1
1981	729	94.8	81.1	170	60.7	18.9
1982	602	90.3	87.1	89	43.6	12.9
1983	37	43.0	54.4	31	23.0	45.6
1984	81	75.0	54.7	67	41.6	45.3
1985	116	44.4	52.0	107	38.9	48.0
1986	196	42.2	66.4	99	19.3	33.6
1987	268	68.5	75.9	85	23.0	24.1

Table 4 (cont'd).

Catch of Multi-Sea-Winter Salmon

Year	Summer			Fall		
	N	% MSW	% of MSW Run	N	% MSW	% of MSW Run
1947	156	90.7	43.0	207	90.8	57.0
1948	276	81.2	39.2	428	91.1	60.8
1949	75	75.0	22.6	257	91.1	77.4
1950	77	61.6	24.1	243	77.4	75.9
1951	177	90.3	41.7	247	90.1	58.3
1952	85	68.0	41.7	119	71.7	58.3
1953	121	81.8	41.6	170	85.0	58.4
1954	165	80.9	55.4	133	77.3	44.6
1955	100	76.9	38.8	158	87.3	61.2
1956	66	79.5	73.3	24	66.7	26.7
1957	38	71.7	27.9	98	82.4	72.1
1961	31	55.4	63.3	18	54.5	36.7
1962	273	91.6	66.6	137	86.7	33.4
1963	49	68.1	23.1	163	71.8	76.9
1964	135	63.7	46.7	154	78.2	53.3
1965	89	67.4	35.0	165	79.3	65.0
1966	22	31.4	13.3	143	76.5	86.7
1967	114	70.8	43.0	151	71.9	57.0
1968	53	60.9	26.8	145	80.1	73.2
1969	76	40.6	54.7	63	36.6	45.3
1970	54	52.4	25.1	161	80.5	74.9
1971	40	75.5	42.6	54	87.1	57.4
1972	53	70.7	50.5	52	72.2	49.5
1973	69	41.6	59.0	48	41.0	41.0
1974	30	46.9	28.0	77	74.8	72.0
1975	4	22.2	6.3	60	73.2	93.8
1976	9	17.3	11.0	73	57.9	89.0
1977	53	58.2	37.9	87	73.1	62.1
1978	20	69.0	12.7	138	89.6	87.3
1979	21	3.8	25.9	60	46.9	74.1
1980	2	1.8	1.4	138	67.0	98.6
1981	29	3.8	20.9	110	39.3	79.1
1982	65	9.7	36.3	114	55.9	63.7
1983	45	52.3	30.2	104	77.0	69.8
1984	27	25.0	22.3	94	58.4	77.7
1985	144	55.2	46.2	168	61.1	53.8
1986 †	269	57.8	35.7	414	80.7	54.9
1987	123	31.5	30.1	285	77.0	69.9

† In 1986, an additional 71 MSW were released during the angling season.

Table 5. Monthly catch of grilse and multi-sea-winter salmon (MSW), 1947 to 1987. % grilse, etc. refer to monthly catch of grilse, MSW or non-specified weight as a percentage of total catch in each month.

Catch of Grilse

Year	By Month										Grilse Catch for year	
	June		July		August		September		October		N	%
	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse		
1947	2	3.6	5	7.2	9	18.8	20	8.8	.	.	36	9.0
1948	2	2.9	24	17.0	38	29.2	42	8.9	.	.	106	13.1
1949	.	.	4	13.3	21	38.2	16	5.7	.	.	41	10.7
1950	1	11.1	11	47.8	36	38.7	63	20.1	.	.	111	25.3
1951	.	.	2	9.5	11	6.5	8	2.9	.	.	21	4.5
1952	3	10.0	13	50.0	21	30.4	46	27.7	.	.	83	28.5
1953	.	.	7	38.9	20	16.5	22	11.0	.	.	49	14.1
1954	.	.	15	28.3	22	15.7	31	18.0	.	.	68	18.1
1955	1	6.7	11	21.2	18	28.6	23	12.7	.	.	53	17.0
1956	2	14.3	7	15.9	7	28.0	12	33.3	.	.	28	23.5
1957	.	.	2	10.5	13	40.6	21	17.6	.	.	36	20.9
1961	.	.	4	22.2	14	48.3	11	33.3	.	.	29	32.6
1962	.	.	9	5.6	16	12.8	18	15.0	3	7.9	46	10.1
1963	.	.	8	36.4	15	50.0	50	40.0	14	13.7	87	29.1
1964	8	28.6	32	34.4	37	40.7	34	28.6	9	11.5	120	29.3
1965	1	11.1	24	35.8	18	32.1	17	18.3	26	22.6	86	25.3
1966	.	.	17	68.0	31	75.6	36	43.4	8	7.7	92	35.8
1967	6	15.4	14	20.9	27	49.1	39	35.8	12	11.9	98	26.4
1968	3	60.0	10	21.7	17	47.2	14	14.9	20	23.0	64	23.9
1969	6	30.0	49	53.3	51	68.0	69	77.5	39	47.0	214	59.6
1970	2	28.6	16	43.2	29	49.2	22	18.8	16	19.3	85	28.1
1971	.	.	6	22.2	7	35.0	6	15.8	2	8.3	21	18.3
1972	.	.	8	20.0	14	42.4	14	38.9	6	16.7	42	28.6
1973	1	7.7	40	52.6	56	72.7	39	66.1	30	51.7	166	58.7
1974	.	.	18	46.2	16	64.0	13	44.8	13	17.6	60	35.9
1975	.	.	3	100.0	11	78.6	7	43.8	15	22.7	36	36.0
1976	.	.	2	40.0	41	93.2	41	65.1	12	19.0	96	53.9
1977	.	.	8	23.5	29	60.4	24	44.4	8	12.3	69	32.9
1978	1	25.0	5	26.3	3	50.0	11	19.0	5	5.2	25	13.7
1979	328	97.3	171	94.5	33	82.5	48	55.2	17	41.5	597	87.0
1980	4	100.0	72	86.7	24	96.0	48	42.5	19	20.4	167	52.5
1981	382	97.9	280	91.2	67	93.1	151	77.0	19	22.6	899	85.7
1982	247	85.5	300	94.6	55	90.2	70	50.0	19	29.7	691	79.3
1983	4	14.3	18	78.3	15	42.9	25	29.4	6	12.0	68	30.8
1984	10	66.7	25	96.2	46	68.7	51	52.6	16	25.0	148	55.0
1985	9	18.0	49	50.5	58	50.9	58	52.7	49	29.7	223	41.6
1986	29	31.2	79	53.7	88	39.1	57	31.0	42	12.8	295	28.1
1987	88	59.1	83	68.6	97	80.2	43	25.7	42	20.7	353	46.4

Table 5 (cont'd).

Catch of Multi-Sea-Winter Salmon

Year	By Month										MSW Catch for Year	
	June		July		August		September		October		N	%
	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW		
1947	53	96.4	64	92.8	39	81.3	207	90.8	.	.	363	90.7
1948	67	97.1	117	83.0	92	70.8	428	91.1	.	.	704	86.9
1949	15	100.0	26	86.7	34	61.8	257	91.1	.	.	332	86.9
1950	8	88.9	12	52.2	57	61.3	243	77.4	.	.	320	72.9
1951	7	100.0	19	90.5	151	89.9	247	90.1	.	.	424	90.2
1952	25	83.3	13	50.0	47	68.1	119	71.7	.	.	204	70.1
1953	9	100.0	11	61.1	101	83.5	170	85.0	.	.	291	83.6
1954	11	100.0	36	67.9	118	84.3	133	77.3	.	.	298	79.3
1955	14	93.3	41	78.8	45	71.4	158	87.3	.	.	258	83.0
1956	12	85.7	37	84.1	17	68.0	24	66.7	.	.	90	75.6
1957	2	100.0	17	89.5	19	59.4	98	82.4	.	.	136	79.1
1961	9	100.0	10	55.6	12	41.4	18	54.5	.	.	49	55.1
1962	11	100.0	153	94.4	109	87.2	102	85.0	35	92.1	410	89.9
1963	20	100.0	14	63.6	15	50.0	75	60.0	88	86.3	212	70.9
1964	20	71.4	61	65.6	54	59.3	85	71.4	69	88.5	289	70.7
1965	8	88.9	43	64.2	38	67.9	76	81.7	89	77.4	254	74.7
1966	4	100.0	8	32.0	10	24.4	47	56.6	96	92.3	165	64.2
1967	33	84.6	53	79.1	28	50.9	70	64.2	81	80.2	265	71.4
1968	2	40.0	34	73.9	17	47.2	80	85.1	65	74.7	198	73.9
1969	14	70.0	41	44.6	21	28.0	19	21.3	44	53.0	139	38.7
1970	5	71.4	20	54.1	29	49.2	95	81.2	66	79.5	215	71.0
1971	6	100.0	21	77.8	13	65.0	32	84.2	22	91.7	94	81.7
1972	2	100.0	32	80.0	19	57.6	22	61.1	30	83.3	105	71.4
1973	12	92.3	36	47.4	21	27.3	20	33.9	28	48.3	117	41.3
1974	.	.	21	53.8	9	36.0	16	55.2	61	82.4	107	64.1
1975	1	100.0	.	.	3	21.4	9	56.3	51	77.3	64	64.0
1976	3	100.0	3	60.0	3	6.8	22	34.9	51	81.0	82	46.1
1977	9	100.0	25	73.5	19	39.6	30	55.6	57	87.7	140	66.7
1978	3	75.0	14	73.7	3	50.0	47	81.0	91	94.8	158	86.3
1979	5	1.5	9	5.0	7	17.5	37	42.5	23	56.1	81	11.8
1980	.	.	1	1.2	1	4.0	64	56.6	74	79.6	140	44.0
1981	8	2.1	16	5.2	5	6.9	45	23.0	65	77.4	139	13.3
1982	42	14.5	17	5.4	6	9.8	70	50.0	44	68.8	179	20.6
1983	21	75.0	4	17.4	20	57.1	60	70.6	44	88.0	149	67.4
1984	5	33.3	1	3.8	21	31.3	46	47.4	48	75.0	121	45.0
1985	40	80.0	48	49.5	56	49.1	52	47.3	116	70.3	312	58.2
1986 *	64	68.8	68	46.3	137	60.9	127	69.0	287	87.2	754	71.9
1987	61	40.9	38	31.4	24	19.8	124	74.3	161	79.3	408	53.6

* In 1986, an additional 71 MSW were released during the angling season.

Table 6. Weekly catch of grilse and multi-sea-winter salmon (MSW), 1947 to 1987. % grilse, etc. refer to weekly catch of grilse or MSW as a percentage of total catch in each week. Weeks are categorized as week ending on specified day.

Catch of Grilse

Year	By Week											
	June not specified		June 3		June 10		June 17		June 24		July 1	
	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse
1947	1	3.1	1	3.8
1948	3	12.5
1949
1950	1	100.0
1951
1952	2	33.3	1	9.1	.	.
1953
1954
1955	1	14.3	.	.
1956	1	100.0	3	15.8
1957
1961
1962
1963
1964	1	11.1	9	42.9
1965	1	33.3	1	11.1
1966
1967	2	66.7	1	8.3	4	10.5
1968	1	100.0	2	28.6
1969	7	41.2
1970	1	33.3	2	50.0
1971
1972
1973	1	10.0
1974
1975
1976
1977
1978	1	100.0
1979	94	98.9	151	96.8	93	95.9
1980	3	100.0	1	100.0	.	.
1981	.	.	3	100.0	22	100.0	118	100.0	113	98.3	151	95.0
1982	.	.	11	84.6	12	75.0	45	71.4	74	85.1	115	95.0
1983	1	9.1	1	25.0	1	33.3	1	25.0
1984	1	100.0	6	66.7	3	75.0
1985	1	50.0	1	25.0	2	66.7	.	.	1	6.7	4	17.4
1986	2	25.0	8	28.6	9	27.3	14	43.8
1987	11	44.0	.	.	5	50.0	13	44.8	27	62.8	47	68.1

Table 6 (cont'd).

Catch of Grilse

Year	By Week													
	July not specified		July 8		July 15		July 22		July 29		Aug. 5		Aug. 12	
	%		%		%		%		%		%		%	
	N	Grilse	N	Grilse	N	Grilse	N	Grilse	N	Grilse	N	Grilse	N	Grilse
1947	.	.	1	4.3	1	5.6	2	12.5	1	20.0	1	11.1	1	25.0
1948	.	.	2	8.0	3	8.3	10	35.7	6	14.3	6	26.1	11	28.9
1949	.	.	2	20.0	.	.	2	33.3	.	.	1	33.3	1	20.0
1950	.	.	1	14.3	3	75.0	3	50.0	3	60.0	4	50.0	3	42.9
1951	1	25.0	1	25.0	1	20.0	1	10.0
1952	.	.	2	50.0	4	57.1	2	100.0	4	44.4	3	42.9	4	57.1
1953	1	33.3	2	50.0	3	37.5	7	29.2	5	12.2
1954	.	.	1	25.0	1	12.5	8	25.8	5	50.0	1	6.7	4	13.8
1955	8	32.0	2	14.3	7	43.8	4	22.2
1956	2	25.0	2	20.0	1	14.3	2	25.0	2	100.0
1957	1	25.0	1	10.0	2	40.0	4	50.0
1961	.	.	1	50.0	3	42.9	.	.	3	50.0
1962	2	3.8	5	11.9	1	2.7	2	5.9	2	10.5
1963	.	.	3	27.3	.	.	1	100.0	4	66.7	2	66.7	.	.
1964	.	.	4	36.4	8	22.9	9	56.3	5	23.8	14	53.8	7	41.2
1965	.	.	3	30.0	9	40.9	2	13.3	5	50.0	5	45.5	4	40.0
1966	.	.	2	33.3	6	85.7	8	80.0	1	50.0	3	100.0	2	66.7
1967	.	.	5	25.0	2	14.3	5	33.3	1	25.0	3	50.0	9	64.3
1968	.	.	3	15.8	1	12.5	2	20.0	2	100.0	2	50.0	3	42.9
1969	.	.	13	65.0	11	40.7	13	56.5	10	58.8	6	35.3	13	86.7
1970	.	.	4	40.0	4	36.4	4	44.4	3	50.0	3	100.0	3	100.0
1971	.	.	3	50.0	1	7.1	1	25.0	1	33.3	.	.	3	100.0
1972	.	.	3	37.5	2	28.6	2	18.2	1	9.1	1	12.5	7	43.8
1973	.	.	4	22.2	10	71.4	14	82.4	10	47.6	4	50.0	14	77.8
1974	.	.	3	75.0	2	50.0	3	33.3	8	42.1	3	75.0	4	57.1
1975	.	.	1	100.0	.	.	1	100.0	.	.	3	100.0	1	50.0
1976	1	100.0	1	100.0	5	83.3	.	.
1977	.	.	3	18.8	1	33.3	1	20.0	1	50.0	5	50.0	10	58.8
1978	.	.	1	25.0	.	.	1	33.3	2	33.3	2	50.0	1	33.3
1979	.	.	67	98.5	46	92.0	26	96.3	15	88.2	13	81.3	9	100.0
1980	.	.	20	95.2	10	100.0	29	100.0	11	91.7	12	100.0	6	100.0
1981	.	.	87	95.6	97	96.0	44	93.6	19	95.0	17	89.5	15	93.8
1982	.	.	125	95.4	71	89.9	37	97.4	48	98.0	21	91.3	18	94.7
1983	.	.	6	60.0	6	85.7	1	100.0	2	100.0	6	75.0	2	100.0
1984	.	.	15	100.0	7	87.5	2	100.0	1	100.0	1	50.0	8	88.9
1985	3	100.0	10	52.6	10	52.6	9	45.0	15	55.6	11	32.4	6	46.2
1986	.	.	13	52.0	18	54.5	18	52.9	18	69.2	42	37.2	16	36.4
1987	4	36.4	25	83.3	9	64.3	18	78.3	11	84.6	16	94.1	15	68.2

Table 6 (cont'd).

Catch of Grilse

Year	By Week													
	Aug. 19		Aug. 26		Sept. 2		September not specified		Sept. 9		Sept. 16		Sept. 23	
	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse
1947	2	28.6	3	15.0	5	29.4	.	.	4	12.9	4	20.0	1	4.5
1948	10	22.7	6	40.0	8	28.6	.	.	15	8.4	8	7.9	11	10.6
1949	3	75.0	9	32.1	7	33.3	.	.	3	18.8	4	7.1	7	6.9
1950	11	37.9	14	42.4	11	35.5	.	.	13	22.4	10	26.3	25	20.2
1951	1	14.3	4	26.7	4	2.3	.	.	4	4.8	2	3.2	1	2.2
1952	3	60.0	6	18.8	6	23.1	.	.	13	52.0	10	20.4	17	29.8
1953	2	9.5	3	13.0	8	34.8	.	.	7	30.4	7	25.9	2	11.1
1954	6	19.4	9	20.0	3	9.7	.	.	6	20.7	7	28.0	8	17.0
1955	5	35.7	3	25.0	5	7.9	8	22.9	2	8.0
1956	1	50.0	.	.	3	33.3	.	.	1	50.0	2	25.0	3	23.1
1957	1	50.0	3	42.9	4	30.8	.	.	5	15.2	6	17.6	3	12.5
1961	2	33.3	.	.	12	85.7	5	38.5
1962	4	11.4	4	20.0	7	15.9	.	.	3	15.0	4	25.0	6	18.8
1963	6	60.0	2	40.0	12	48.0	.	.	7	41.2	11	36.7	9	36.0
1964	10	38.5	7	43.8	3	15.0	.	.	10	43.5	5	25.0	9	23.1
1965	3	50.0	5	23.8	5	26.3	.	.	1	5.6	5	22.7	9	36.0
1966	12	80.0	11	84.6	7	50.0	.	.	7	53.8	6	37.5	9	39.1
1967	8	66.7	4	30.8	6	35.3	.	.	11	50.0	10	43.5	7	25.0
1968	4	66.7	9	45.0	3	50.0	.	.	4	19.0	2	7.7	5	22.7
1969	7	53.8	15	83.3	16	88.9	.	.	18	85.7	14	82.4	13	65.0
1970	5	45.5	14	48.3	5	29.4	.	.	3	18.8	7	18.9	3	8.1
1971	1	100.0	2	15.4	2	50.0	.	.	1	12.5	2	22.2	2	20.0
1972	3	50.0	3	75.0	3	60.0	.	.	1	50.0	1	25.0	4	23.5
1973	17	85.0	17	70.8	13	68.4	.	.	13	86.7	4	57.1	5	38.5
1974	6	75.0	5	62.5	2	66.7	.	.	3	75.0	3	50.0	1	50.0
1975	1	100.0	6	75.0	1	100.0	.	.	1	50.0	3	50.0	2	50.0
1976	13	86.7	11	100.0	17	89.5	.	.	7	77.8	9	75.0	10	62.5
1977	2	66.7	8	57.1	10	76.9	.	.	2	33.3	2	33.3	8	34.8
1978	1	100.0	1	100.0	3	27.3	3	14.3
1979	6	66.7	4	100.0	15	78.9	.	.	17	77.3	8	100.0	8	44.4
1980	5	100.0	.	.	15	71.4	.	.	8	47.1	10	52.6	15	45.5
1981	8	72.7	28	96.6	66	93.0	.	.	32	74.4	24	85.7	23	76.7
1982	13	86.7	7	100.0	39	72.2	.	.	17	43.6	7	53.8	6	31.6
1983	6	54.5	.	.	5	31.3	.	.	6	21.4	6	30.0	7	50.0
1984	11	68.8	12	75.0	17	58.6	.	.	13	72.2	11	68.8	16	55.2
1985	18	66.7	11	52.4	17	56.7	2	50.0	18	52.9	12	54.5	12	60.0
1986	9	36.0	15	46.9	23	57.5	2	100.0	17	43.6	2	7.4	15	27.3
1987	22	88.0	33	80.5	14	70.0	5	55.6	2	66.7	1	12.5	20	22.7

Table 6 (cont'd).

Catch of Grilse

Year	By Week											Grilse Catch for Year		
	Sept. 30		October not specified		Oct. 7		Oct. 14		Oct. 21		Nov. 4			
	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse	N	% Grilse
	1947	8	5.4	36	9.0
1948	7	9.5	106	13.1	
1949	2	1.9	41	10.7	
1950	9	11.2	111	25.3	
1951	1	2.4	21	4.5	
1952	6	20.0	83	28.5	
1953	2	1.6	49	14.1	
1954	9	15.0	68	18.1	
1955	8	14.3	53	17.0	
1956	5	41.7	28	23.5	
1957	6	23.1	36	20.9	
1961	3	18.8	29	32.6	
1962	3	7.1	.	.	2	10.0	1	7.1	.	.	.	46	10.1	
1963	16	39.0	.	.	8	14.0	4	10.0	2	40.0	.	87	29.1	
1964	10	33.3	.	.	6	14.6	3	9.7	.	.	.	120	29.3	
1965	2	8.3	.	.	9	22.0	14	23.0	3	23.1	.	86	25.3	
1966	10	41.7	.	.	4	13.3	4	6.3	.	.	.	92	35.8	
1967	8	27.6	.	.	8	13.8	4	13.8	.	.	.	98	26.4	
1968	1	4.5	.	.	7	38.9	12	18.8	1	20.0	.	64	23.9	
1969	19	73.1	.	.	16	38.1	21	53.8	2	100.0	.	214	59.6	
1970	8	34.8	.	.	6	23.1	10	18.5	.	.	.	85	28.1	
1971	2	13.3	21	18.3	
1972	5	50.0	.	.	5	22.7	1	7.1	.	.	.	42	28.6	
1973	10	62.5	.	.	15	60.0	14	48.3	1	25.0	.	166	58.7	
1974	4	26.7	.	.	3	20.0	9	16.4	1	25.0	.	60	35.9	
1975	1	25.0	.	.	8	20.5	7	25.9	.	.	.	36	36.0	
1976	10	50.0	.	.	5	18.5	7	19.4	.	.	.	96	53.9	
1977	8	61.5	.	.	4	33.3	4	8.7	.	.	.	69	32.9	
1978	4	16.0	.	.	2	8.3	3	4.4	.	.	.	25	13.7	
1979	8	26.7	.	.	13	43.3	3	30.0	.	.	1	100.0	597	87.0
1980	3	11.1	.	.	10	22.2	9	20.5	.	.	.	167	52.5	
1981	13	41.9	.	.	8	19.5	11	26.2	.	.	.	899	85.7	
1982	6	28.6	.	.	11	30.6	7	25.9	1	100.0	.	691	79.3	
1983	5	26.3	.	.	4	14.8	2	10.0	.	.	.	68	30.8	
1984	8	27.6	.	.	11	30.6	4	17.4	1	20.0	.	148	55.0	
1985	11	44.0	.	.	16	30.8	27	37.0	6	50.0	.	223	41.6	
1986	12	23.5	5	45.5	20	16.7	17	8.7	.	.	.	295	28.1	
1987	13	23.2	.	.	10	15.4	32	24.8	.	.	.	353	46.4	

Table 6 (cont'd).

Catch of Multi-Sea-Winter

Year	By Week											
	June not specified		June 3		June 10		June 17		June 24		July 1	
	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW
1947	2	100.0	31	96.9	25	96.2
1948	5	100.0	20	100.0	24	100.0	21	87.5
1949	3	100.0	1	100.0	12	100.0
1950	2	100.0	6	100.0	.	.
1951	3	100.0	5	100.0
1952	1	100.0	4	66.7	10	90.9	11	84.6
1953	1	100.0	6	100.0	2	100.0
1954	3	100.0	3	100.0	3	100.0	2	100.0
1955	2	100.0	6	85.7	7	100.0
1956	1	100.0	16	84.2
1957	2	100.0	.	.
1961	4	100.0	5	100.0
1962	2	100.0	5	100.0	5	100.0
1963	5	100.0	6	100.0	10	100.0
1964	1	100.0	8	88.9	12	57.1
1965	2	66.7	8	88.9
1966	1	100.0	3	100.0
1967	1	33.3	11	91.7	34	89.5
1968	5	71.4
1969	1	100.0	6	100.0	10	58.8
1970	1	100.0	2	66.7	2	50.0
1971	2	100.0	2	100.0	2	100.0
1972	1	100.0	1	100.0
1973	5	100.0	9	90.0
1974
1975	1	100.0
1976	2	100.0	1	100.0
1977	3	100.0	11	100.0
1978	3	100.0	.	.
1979	1	1.1	1	0.6	3	3.1
1980
1981	2	1.7	8	5.0
1982	.	.	2	15.4	4	25.0	18	28.6	13	14.9	6	5.0
1983	.	.	6	100.0	7	63.6	3	75.0	2	66.7	3	75.0
1984	1	100.0	.	.	3	33.3	1	25.0
1985	1	50.0	3	75.0	1	33.3	5	83.3	14	93.3	19	82.6
1986 †	1	100.0	1	100.0	6	75.0	20	71.4	24	72.7	18	56.3
1987	14	56.0	2	100.0	5	50.0	16	55.2	16	37.2	22	31.9

† An additional 71 MSW were released during the angling season.

Table 6 (cont'd).

Catch of Multi-Sea-Winter

Year	By Week													
	July not specified		July 8		July 15		July 22		July 29		Aug. 5		Aug. 12	
	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW
1947	.	.	22	95.7	17	94.4	14	87.5	4	80.0	8	88.9	3	75.0
1948	.	.	23	92.0	33	91.7	18	64.3	36	85.7	17	73.9	27	71.1
1949	.	.	8	80.0	8	100.0	4	66.7	4	100.0	2	66.7	4	80.0
1950	.	.	6	85.7	1	25.0	3	50.0	2	40.0	4	50.0	4	57.1
1951	.	.	6	100.0	4	100.0	3	75.0	3	75.0	4	80.0	9	90.0
1952	.	.	2	50.0	3	42.9	.	.	5	55.6	4	57.1	3	42.9
1953	.	.	1	100.0	2	66.7	2	50.0	5	62.5	17	70.8	36	87.8
1954	.	.	3	75.0	7	87.5	21	67.7	5	50.0	14	93.3	25	86.2
1955	.	.	10	100.0	.	.	17	68.0	12	85.7	9	56.3	14	77.8
1956	.	.	11	100.0	6	75.0	8	80.0	6	85.7	5	62.5	.	.
1957	.	.	3	100.0	1	100.0	3	75.0	9	90.0	3	60.0	4	50.0
1961	.	.	1	50.0	3	100.0	3	60.0	2	28.6	4	100.0	2	33.3
1962	.	.	12	100.0	51	96.2	37	88.1	36	97.3	32	94.1	17	89.5
1963	.	.	8	72.7	2	100.0	.	.	2	33.3	1	33.3	.	.
1964	.	.	7	63.6	27	77.1	7	43.8	16	76.2	12	46.2	10	58.8
1965	.	.	7	70.0	13	59.1	13	86.7	5	50.0	6	54.5	6	60.0
1966	.	.	4	66.7	1	14.3	2	20.0	1	50.0	.	.	1	33.3
1967	.	.	15	75.0	12	85.7	10	66.7	3	75.0	3	50.0	5	35.7
1968	.	.	16	84.2	7	87.5	6	60.0	.	.	2	50.0	4	57.1
1969	.	.	7	35.0	15	55.6	9	39.1	7	41.2	9	52.9	1	6.7
1970	.	.	6	60.0	6	54.5	5	55.6	3	50.0
1971	.	.	3	50.0	13	92.9	3	75.0	2	66.7
1972	.	.	5	62.5	5	71.4	9	81.8	10	90.9	7	87.5	9	56.3
1973	.	.	14	77.8	4	28.6	3	17.6	11	52.4	4	50.0	4	22.2
1974	.	.	1	25.0	2	50.0	6	66.7	11	57.9	1	25.0	3	42.9
1975	1	50.0
1976	.	.	1	100.0	.	.	1	100.0	.	.	1	16.7	.	.
1977	.	.	12	75.0	2	66.7	4	80.0	1	50.0	5	50.0	7	41.2
1978	.	.	3	75.0	4	100.0	2	66.7	4	66.7	2	50.0	2	66.7
1979	.	.	1	1.5	4	8.0	1	3.7	2	11.8	3	18.8	.	.
1980	.	.	1	4.8
1981	.	.	4	4.4	4	4.0	3	6.4	1	5.0	2	10.5	1	6.3
1982	.	.	6	4.6	8	10.1	1	2.6	1	2.0	2	8.7	1	5.3
1983	.	.	3	30.0	1	14.3	2	25.0	.	.
1984	1	12.5	1	50.0	1	11.1
1985	.	.	9	47.4	9	47.4	11	55.0	12	44.4	23	67.6	7	53.8
1986	.	.	12	48.0	15	45.5	16	47.1	8	30.8	71	62.8	28	63.6
1987	7	63.6	5	16.7	5	35.7	5	21.7	2	15.4	1	5.9	7	31.8

Table 6 (cont'd).

Catch of Multi-Sea-Winter

Year	By Week													
	Aug. 19		Aug. 26		Sept. 2		September not specified		Sept. 9		Sept. 16		Sept. 23	
	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW
1947	5	71.4	17	85.0	12	70.6	.	.	26	83.9	16	80.0	21	95.5
1948	34	77.3	9	60.0	20	71.4	.	.	164	91.6	93	92.1	93	89.4
1949	1	25.0	19	67.9	14	66.7	.	.	13	81.3	52	92.9	90	88.2
1950	18	62.1	19	57.6	20	64.5	.	.	45	77.6	28	73.7	93	75.0
1951	6	85.7	6	40.0	168	97.1	.	.	74	88.1	58	93.5	43	93.5
1952	1	20.0	26	81.3	20	76.9	.	.	12	48.0	39	79.6	39	68.4
1953	19	90.5	20	87.0	15	65.2	.	.	16	69.6	20	74.1	15	83.3
1954	25	80.6	36	80.0	28	90.3	.	.	23	79.3	18	72.0	35	74.5
1955	9	64.3	9	75.0	7	100.0	.	.	58	92.1	27	77.1	23	92.0
1956	1	50.0	6	100.0	6	66.7	.	.	1	50.0	6	75.0	10	76.9
1957	1	50.0	4	57.1	9	69.2	.	.	28	84.8	28	82.4	21	87.5
1961	3	50.0	3	75.0	2	14.3	5	38.5
1962	31	88.6	16	80.0	37	84.1	.	.	17	85.0	12	75.0	26	81.3
1963	4	40.0	3	60.0	13	52.0	.	.	10	58.8	19	63.3	16	64.0
1964	16	61.5	9	56.3	17	85.0	.	.	13	56.5	15	75.0	30	76.9
1965	3	50.0	16	76.2	14	73.7	.	.	17	94.4	17	77.3	16	64.0
1966	3	20.0	2	15.4	7	50.0	.	.	6	46.2	10	62.5	14	60.9
1967	4	33.3	9	69.2	11	64.7	.	.	11	50.0	13	56.5	21	75.0
1968	2	33.3	9	45.0	3	50.0	.	.	17	81.0	24	92.3	17	77.3
1969	6	46.2	3	16.7	2	11.1	.	.	3	14.3	3	17.6	7	35.0
1970	5	45.5	15	51.7	12	70.6	.	.	13	81.3	30	81.1	34	91.9
1971	.	.	11	84.6	2	50.0	.	.	7	87.5	7	77.8	8	80.0
1972	3	50.0	1	25.0	2	40.0	.	.	1	50.0	3	75.0	13	76.5
1973	3	15.0	7	29.2	6	31.6	.	.	2	13.3	3	42.9	8	61.5
1974	2	25.0	3	37.5	1	33.3	.	.	1	25.0	3	50.0	1	50.0
1975	.	.	2	25.0	1	50.0	3	50.0	2	50.0
1976	2	13.3	.	.	2	10.5	.	.	2	22.2	3	25.0	6	37.5
1977	1	33.3	6	42.9	3	23.1	.	.	4	66.7	4	66.7	15	65.2
1978	8	72.7	18	85.7
1979	3	33.3	.	.	4	21.1	.	.	3	13.6	.	.	10	55.6
1980	6	28.6	.	.	9	52.9	9	47.4	17	51.5
1981	3	27.3	1	3.4	5	7.0	.	.	11	25.6	4	14.3	7	23.3
1982	2	13.3	.	.	15	27.8	.	.	22	56.4	6	46.2	13	68.4
1983	5	45.5	5	100.0	11	68.8	.	.	22	78.6	14	70.0	7	50.0
1984	5	31.3	4	25.0	12	41.4	.	.	5	27.8	5	31.3	13	44.8
1985	9	33.3	10	47.6	13	43.3	2	50.0	16	47.1	10	45.5	8	40.0
1986	16	64.0	17	53.1	17	42.5	.	.	22	56.4	25	92.6	40	72.7
1987	3	12.0	8	19.5	6	30.0	4	44.4	1	33.3	7	87.5	68	77.3

Table 6 (cont'd).

Catch of Multi-Sea-Winter

Year	By Week												MSW Catch for Year	
	Sept. 30		October not specified		Oct. 7		Oct. 14		Oct. 21		Nov. 4		N	%
	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW	N	% MSW		
1947	140	94.6	363	90.7	
1948	67	90.5	704	86.9	
1949	97	94.2	332	86.9	
1950	69	86.2	320	72.9	
1951	32	76.2	424	90.2	
1952	24	80.0	204	70.1	
1953	114	92.7	291	83.6	
1954	47	78.3	298	79.3	
1955	48	85.7	258	83.0	
1956	7	58.3	90	75.6	
1957	20	76.9	136	79.1	
1961	12	75.0	49	55.1	
1962	39	92.9	.	.	18	90.0	13	92.9	4	100.0	.	410	89.9	
1963	25	61.0	.	.	49	86.0	36	90.0	3	60.0	.	212	70.9	
1964	20	66.7	.	.	35	85.4	28	90.3	6	100.0	.	289	70.7	
1965	22	91.7	.	.	32	78.0	47	77.0	10	76.9	.	254	74.7	
1966	14	58.3	.	.	26	86.7	59	93.7	11	100.0	.	165	64.2	
1967	21	72.4	.	.	42	72.4	25	86.2	14	100.0	.	265	71.4	
1968	21	95.5	.	.	11	61.1	50	78.1	4	80.0	.	198	73.9	
1969	6	23.1	.	.	26	61.9	18	46.2	.	.	.	139	38.7	
1970	15	65.2	.	.	20	76.9	43	79.6	3	100.0	.	215	71.0	
1971	10	100.0	.	.	13	86.7	8	100.0	1	100.0	.	94	81.7	
1972	5	50.0	.	.	17	77.3	13	92.9	.	.	.	105	71.4	
1973	6	37.5	.	.	10	40.0	15	51.7	3	75.0	.	117	41.3	
1974	11	73.3	.	.	12	80.0	46	83.6	3	75.0	.	107	64.1	
1975	3	75.0	.	.	31	79.5	20	74.1	.	.	.	64	64.0	
1976	10	50.0	.	.	22	81.5	29	80.6	.	.	.	82	46.1	
1977	5	38.5	.	.	8	66.7	42	91.3	7	100.0	.	140	66.7	
1978	21	84.0	.	.	22	91.7	65	95.6	4	100.0	.	158	86.3	
1979	22	73.3	.	.	16	53.3	7	70.0	.	.	.	81	11.8	
1980	24	88.9	.	.	35	77.8	35	79.5	4	100.0	.	140	44.0	
1981	18	58.1	.	.	33	80.5	31	73.8	1	100.0	.	139	13.3	
1982	15	71.4	.	.	25	69.4	19	70.4	.	.	.	179	20.6	
1983	14	73.7	.	.	23	85.2	18	90.0	3	100.0	.	149	67.4	
1984	21	72.4	.	.	25	69.4	19	82.6	4	80.0	.	121	45.0	
1985	14	56.0	28	100.0	36	69.2	46	63.0	6	50.0	.	312	58.2	
1986	39	76.5	6	54.5	100	83.3	178	91.3	3	100.0	.	754	71.9	
1987	43	76.8	.	.	55	84.6	97	75.2	9	100.0	.	408	53.6	

Table 7. Catch of grilse from specific river sections of the Margaree River, 1947 to 1987. % grilse refers to the catch of grilse from a section as a percentage of catch of grilse from the entire river in each year. River sections are described in Table 2 and Figure 1.

Year	River Section											
	Sec. A		Sec. B		Sec. C		Sec. D		Sec. E		Sec. F	
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse
1947	.	.	4	11.1	14	38.9	7	19.4	2	5.6	1	2.8
1948	3	2.8	41	38.7	24	22.6	14	13.2	.	.	2	1.9
1949	1	2.4	23	56.1	8	19.5	4	9.8	.	.	1	2.4
1950	1	0.9	47	42.3	12	10.8	12	10.8	7	6.3	4	3.6
1951	.	.	3	14.3	4	19.0	6	28.6	2	9.5	2	9.5
1952	1	1.2	47	56.6	10	12.0	7	8.4	.	.	2	2.4
1953	1	2.0	26	53.1	9	18.4	6	12.2	1	2.0	.	.
1954	.	.	38	55.9	9	13.2	6	8.8	1	1.5	2	2.9
1955	1	1.9	28	52.8	9	17.0	10	18.9	2	3.8	.	.
1956	.	.	12	42.9	9	32.1	4	14.3
1957	1	2.8	17	47.2	7	19.4	9	25.0
1961	2	6.9	8	27.6	10	34.5	4	13.8	2	6.9	1	3.4
1962	6	13.0	18	39.1	7	15.2	7	15.2
1963	2	2.3	44	50.6	23	26.4	6	6.9	2	2.3	1	1.1
1964	6	5.0	30	25.0	12	10.0	25	20.8	2	1.7	2	1.7
1965	2	2.3	22	25.6	21	24.4	17	19.8	2	2.3	1	1.2
1966	1	1.1	25	27.2	30	32.6	19	20.7	2	2.2	5	5.4
1967	4	4.1	9	9.2	20	20.4	35	35.7	3	3.1	1	1.0
1968	3	4.7	11	17.2	15	23.4	15	23.4	2	3.1	2	3.1
1969	6	2.8	50	23.4	46	21.5	56	26.2	17	7.9	5	2.3
1970	6	7.1	15	17.6	22	25.9	12	14.1	4	4.7	2	2.4
1971	1	4.8	2	9.5	5	23.8	9	42.9
1972	.	.	1	2.4	5	11.9	26	61.9	2	4.8	.	.
1973	2	1.2	38	22.9	23	13.9	21	12.7	23	13.9	11	6.6
1974	.	.	11	18.3	25	41.7	10	16.7	2	3.3	1	1.7
1975	.	.	7	19.4	8	22.2	8	22.2	2	5.6	1	2.8
1976	.	.	22	22.9	40	41.7	22	22.9	1	1.0	.	.
1977	1	1.4	21	30.4	8	11.6	18	26.1	5	7.2	.	.
1978	4	16.0	2	8.0	7	28.0	7	28.0	.	.	1	4.0
1979	4	0.7	20	3.4	148	24.8	119	19.9	68	11.4	48	8.0
1980	1	0.6	39	23.4	28	16.8	36	21.6	13	7.8	15	9.0
1981	2	0.2	62	6.9	188	20.9	172	19.1	71	7.9	82	9.1
1982	.	.	19	2.7	62	9.0	105	15.2	88	12.7	129	18.7
1983	6	8.8	12	17.6	17	25.0	8	11.8	4	5.9	6	8.8
1984	.	.	25	16.9	12	8.1	28	18.9	6	4.1	6	4.1
1985	1	0.4	90	40.4	24	10.8	17	7.6	16	7.2	8	3.6
1986	6	2.0	98	33.2	37	12.5	35	11.9	24	8.1	12	4.1
1987	1	0.3	37	10.5	53	15.0	40	11.3	51	14.4	17	4.8

Table 7 (cont'd).

Year	River Section										Grilse Catch for Year N
	Sec. G		Sec. H		Sec. I		Sec. Sanctuary		Unknown		
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	
1947	3	8.3	1	2.8	1	2.8	3	8.3	.	.	36
1948	12	11.3	9	8.5	1	0.9	106
1949	2	4.9	1	2.4	1	2.4	41
1950	11	9.9	5	4.5	4	3.6	8	7.2	.	.	111
1951	3	14.3	.	.	1	4.8	21
1952	8	9.6	6	7.2	.	.	2	2.4	.	.	83
1953	3	6.1	1	2.0	.	.	2	4.1	.	.	49
1954	4	5.9	6	8.8	.	.	2	2.9	.	.	68
1955	1	1.9	2	3.8	53
1956	2	7.1	.	.	1	3.6	28
1957	1	2.8	1	2.8	.	.	36
1961	.	.	1	3.4	1	3.4	29
1962	2	4.3	5	10.9	1	2.2	46
1963	6	6.9	1	1.1	1	1.1	1	1.1	.	.	87
1964	37	30.8	5	4.2	1	0.8	120
1965	12	14.0	5	5.8	3	3.5	.	.	1	1.2	86
1966	5	5.4	.	.	4	4.3	.	.	1	1.1	92
1967	14	14.3	5	5.1	5	5.1	1	1.0	1	1.0	98
1968	3	4.7	4	6.3	7	10.9	.	.	2	3.1	64
1969	21	9.8	5	2.3	5	2.3	2	0.9	1	0.5	214
1970	11	12.9	8	9.4	2	2.4	.	.	3	3.5	85
1971	1	4.8	.	.	1	4.8	.	.	2	9.5	21
1972	6	14.3	.	.	2	4.8	42
1973	40	24.1	7	4.2	1	0.6	166
1974	6	10.0	1	1.7	2	3.3	1	1.7	1	1.7	60
1975	8	22.2	.	.	1	2.8	.	.	1	2.8	36
1976	3	3.1	5	5.2	1	1.0	.	.	2	2.1	96
1977	11	15.9	2	2.9	1	1.4	.	.	2	2.9	69
1978	3	12.0	.	.	1	4.0	25
1979	134	22.4	17	2.8	31	5.2	.	.	8	1.3	597
1980	17	10.2	3	1.8	6	3.6	.	.	9	5.4	167
1981	194	21.6	57	6.3	67	7.5	.	.	4	0.4	899
1982	172	24.9	37	5.4	74	10.7	.	.	5	0.7	691
1983	5	7.4	2	2.9	6	8.8	.	.	2	2.9	68
1984	44	29.7	13	8.8	8	5.4	.	.	6	4.1	148
1985	41	18.4	6	2.7	8	3.6	.	.	12	5.4	223
1986	43	14.6	19	6.4	12	4.1	.	.	9	3.1	295
1987	70	19.8	30	8.5	35	9.9	.	.	19	5.4	353

Table B. Catch of multi-sea-winter salmon (MSW) from specific river sections of the Margaree River, 1947 to 1987. % MSW refers to the catch of MSW from a section as a percentage of catch of MSW from the entire river in each year. River sections are described in Table 2 and Figure 1.

Year	River Section													
	Sec. A		Sec. B		Sec. C		Sec. D		Sec. E		Sec. F		Sec. G	
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW
1947	8	2.2	83	22.9	79	21.8	45	12.4	23	6.3	23	6.3	33	9.1
1948	10	1.4	311	44.2	87	12.4	91	12.9	18	2.6	19	2.7	101	14.3
1949	31	9.3	118	35.5	62	18.7	49	14.8	2	0.6	11	3.3	31	9.3
1950	2	0.6	120	37.5	21	6.6	52	16.2	21	6.6	23	7.2	45	14.1
1951	9	2.1	128	30.2	38	9.0	60	14.2	35	8.3	19	4.5	56	13.2
1952	2	1.0	103	50.5	16	7.8	17	8.3	2	1.0	10	4.9	27	13.2
1953	4	1.4	147	50.5	42	14.4	29	10.0	22	7.6	5	1.7	26	8.9
1954	1	0.3	142	47.7	33	11.1	48	16.1	2	0.7	12	4.0	14	4.7
1955	.	.	97	37.6	37	14.3	43	16.7	2	0.8	3	1.2	40	15.5
1956	1	1.1	41	45.6	19	21.1	13	14.4	2	2.2
1957	.	.	48	35.3	21	15.4	23	16.9	.	.	3	2.2	6	4.4
1961	1	2.0	13	26.5	18	36.7	6	12.2	.	.	1	2.0	.	.
1962	23	5.6	158	38.5	75	18.3	68	16.6	5	1.2	2	0.5	22	5.4
1963	4	1.9	71	33.5	49	23.1	39	18.4	4	1.9	3	1.4	14	6.6
1964	12	4.2	71	24.6	31	10.7	70	24.2	6	2.1	2	0.7	60	20.8
1965	10	3.9	72	28.3	54	21.3	46	18.1	8	3.1	3	1.2	44	17.3
1966	1	0.6	32	19.4	27	16.4	38	23.0	10	6.1	10	6.1	22	13.3
1967	13	4.9	40	15.1	40	15.1	84	31.7	8	3.0	9	3.4	41	15.5
1968	9	4.5	36	18.2	18	9.1	64	32.3	6	3.0	8	4.0	15	7.6
1969	5	3.6	28	20.1	21	15.1	37	26.6	13	9.4	8	5.8	18	12.9
1970	5	2.3	44	20.5	28	13.0	43	20.0	11	5.1	13	6.0	29	13.5
1971	2	2.1	21	22.3	17	18.1	31	33.0	4	4.3	2	2.1	14	14.9
1972	2	1.9	7	6.7	18	17.1	40	38.1	4	3.8	2	1.9	16	15.2
1973	1	0.9	28	23.9	10	8.5	23	19.7	9	7.7	2	1.7	30	25.6
1974	.	.	18	16.8	28	26.2	18	16.8	5	4.7	.	.	15	14.0
1975	3	4.7	9	14.1	6	9.4	18	28.1	2	3.1	.	.	16	25.0
1976	.	.	13	15.9	11	13.4	26	31.7	1	1.2	1	1.2	13	15.9
1977	3	2.1	27	19.3	23	16.4	37	26.4	4	2.9	2	1.4	21	15.0
1978	1	0.6	18	11.4	25	15.8	48	30.4	11	7.0	5	3.2	25	15.8
1979	.	.	12	14.8	23	28.4	23	28.4	3	3.7	2	2.5	13	16.0
1980	1	0.7	14	10.0	26	18.6	21	15.0	15	10.7	7	5.0	27	19.3
1981	.	.	25	18.0	18	12.9	28	20.1	9	6.5	7	5.0	28	20.1
1982	1	0.6	30	16.8	46	25.7	31	17.3	8	4.5	9	5.0	31	17.3
1983	5	3.4	17	11.4	21	14.1	31	20.8	7	4.7	13	8.7	32	21.5
1984	2	1.7	15	12.4	9	7.4	29	24.0	6	5.0	9	7.4	25	20.7
1985	2	0.6	98	31.4	45	14.4	21	6.7	18	5.8	12	3.8	54	17.3
1986	4	0.5	182	24.1	95	12.6	122	16.2	34	4.5	23	3.1	103	13.7
1987	3	0.7	52	12.7	69	16.9	82	20.1	37	9.1	28	6.9	64	15.7

Table 8 (cont'd).

Year	River Section								MSW Catch for Year
	Sec. H		Sec. I		Sec. Sanctuary		Unknown		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	19	5.2	23	6.3	23	6.3	4	1.1	363
1948	47	6.7	4	0.6	16	2.3	.	.	704
1949	8	2.4	15	4.5	4	1.2	1	0.3	332
1950	12	3.8	20	6.3	4	1.3	.	.	320
1951	44	10.4	17	4.0	11	2.6	7	1.7	424
1952	15	7.4	3	1.5	7	3.4	2	1.0	204
1953	4	1.4	7	2.4	5	1.7	.	.	291
1954	31	10.4	.	.	13	4.4	2	0.7	298
1955	19	7.4	6	2.3	10	3.9	1	0.4	258
1956	4	4.4	2	2.2	7	7.8	1	1.1	90
1957	20	14.7	6	4.4	9	6.6	.	.	136
1961	7	14.3	1	2.0	1	2.0	1	2.0	49
1962	25	6.1	13	3.2	16	3.9	3	0.7	410
1963	9	4.2	13	6.1	4	1.9	2	0.9	212
1964	14	4.8	18	6.2	4	1.4	1	0.3	289
1965	8	3.1	8	3.1	1	0.4	.	.	254
1966	8	4.8	13	7.9	2	1.2	2	1.2	165
1967	13	4.9	15	5.7	.	.	2	0.8	265
1968	17	8.6	15	7.6	1	0.5	9	4.5	198
1969	5	3.6	3	2.2	1	0.7	.	.	139
1970	16	7.4	19	8.8	.	.	7	3.3	215
1971	1	1.1	2	2.1	94
1972	11	10.5	4	3.8	1	1.0	.	.	105
1973	11	9.4	1	0.9	1	0.9	1	0.9	117
1974	16	15.0	7	6.5	107
1975	7	10.9	1	1.6	.	.	2	3.1	64
1976	11	13.4	3	3.7	1	1.2	2	2.4	82
1977	12	8.6	9	6.4	.	.	2	1.4	140
1978	9	5.7	15	9.5	.	.	1	0.6	158
1979	2	2.5	2	2.5	.	.	1	1.2	81
1980	14	10.0	9	6.4	.	.	6	4.3	140
1981	8	5.8	15	10.8	.	.	1	0.7	139
1982	11	6.1	10	5.6	.	.	2	1.1	179
1983	16	10.7	7	4.7	149
1984	13	10.7	4	3.3	.	.	9	7.4	121
1985	14	4.5	11	3.5	.	.	37	11.9	312
1986	38	5.0	47	6.2	.	.	106	14.1	754
1987	29	7.1	36	8.8	.	.	8	2.0	408

Table 9. Monthly catch of grilse from specific river sections of the Margaree River, 1947 to 1987. % of grilse refers to monthly catch of grilse from the section as a percentage of the total grilse catch for the year, all sections combined. River sections are described in Table 2 and Figure 1.

Margaree River, Catch of Grilse from Section A

Year	By Month										Grilse Catch from Sec. A N
	June		July		August		September		October		
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	
1947
1948	.	.	2	1.9	.	.	1	0.9	.	.	3
1949	.	.	1	2.4	1
1950	1	0.9	.	.	1
1951
1952	1	1.2	.	.	1
1953	1	2.0	1
1954
1955	1	1.9	1
1956
1957	1	2.8	.	.	1
1961	2	6.9	2
1962	.	.	2	4.3	4	8.7	6
1963	1	1.1	1	1.1	2
1964	.	.	3	2.5	2	1.7	1	0.8	.	.	6
1965	1	1.2	.	.	1	1.2	2
1966	1	1.1	.	.	1
1967	.	.	1	1.0	2	2.0	1	1.0	.	.	4
1968	3	4.7	3
1969	.	.	2	0.9	2	0.9	1	0.5	1	0.5	6
1970	.	.	1	1.2	4	4.7	1	1.2	.	.	6
1971	1	4.8	.	.	1
1972
1973	.	.	1	0.6	1	0.6	2
1974
1975
1976
1977	.	.	1	1.4	1
1978	1	4.0	1	4.0	.	.	1	4.0	1	4.0	4
1979	2	0.3	1	0.2	1	0.2	4
1980	1	0.6	.	.	1
1981	.	.	1	0.1	.	.	1	0.1	.	.	2
1982
1983	1	1.5	3	4.4	2	2.9	6
1984
1985	.	.	1	0.4	1
1986	.	.	2	0.7	3	1.0	1	0.3	.	.	6
1987	.	.	1	0.3	1

Table 9 (cont'd).

Margaree River, Catch of Grilse from Section B

Year	By Month										Grilse Catch from Sec. B N
	June		July		August		September		October		
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	
1947	4	11.1	.	.	4
1948	1	0.9	8	7.5	17	16.0	15	14.2	.	.	41
1949	.	.	2	4.9	11	26.8	10	24.4	.	.	23
1950	1	0.9	1	0.9	14	12.6	31	27.9	.	.	47
1951	3	14.3	3
1952	.	.	5	6.0	10	12.0	32	38.6	.	.	47
1953	.	.	1	2.0	9	18.4	16	32.7	.	.	26
1954	.	.	7	10.3	11	16.2	20	29.4	.	.	38
1955	.	.	3	5.7	11	20.8	14	26.4	.	.	28
1956	1	3.6	5	17.9	.	.	6	21.4	.	.	12
1957	6	16.7	11	30.6	.	.	17
1961	4	13.8	4	13.8	.	.	8
1962	.	.	4	8.7	5	10.9	7	15.2	2	4.3	18
1963	.	.	3	3.4	7	8.0	27	31.0	7	8.0	44
1964	2	1.7	3	2.5	12	10.0	10	8.3	3	2.5	30
1965	.	.	2	2.3	8	9.3	7	8.1	5	5.8	22
1966	.	.	5	5.4	9	9.8	10	10.9	1	1.1	25
1967	1	1.0	.	.	2	2.0	4	4.1	2	2.0	9
1968	.	.	2	3.1	1	1.6	6	9.4	2	3.1	11
1969	1	0.5	10	4.7	16	7.5	19	8.9	4	1.9	50
1970	1	1.2	2	2.4	4	4.7	6	7.1	2	2.4	15
1971	1	4.8	1	4.8	.	.	2
1972	1	2.4	1
1973	1	0.6	1	0.6	17	10.2	15	9.0	4	2.4	38
1974	.	.	2	3.3	3	5.0	5	8.3	1	1.7	11
1975	2	5.6	5	13.9	.	.	7
1976	1	1.0	20	20.8	1	1.0	22
1977	.	.	3	4.3	10	14.5	8	11.6	.	.	21
1978	.	.	1	4.0	.	.	1	4.0	.	.	2
1979	6	1.0	1	0.2	.	.	11	1.8	2	0.3	20
1980	.	.	18	10.8	5	3.0	13	7.8	3	1.8	39
1981	8	0.9	4	0.4	4	0.4	43	4.8	3	0.3	62
1982	2	0.3	2	0.3	.	.	10	1.4	5	0.7	19
1983	.	.	1	1.5	.	.	9	13.2	2	2.9	12
1984	11	7.4	13	8.8	1	0.7	25
1985	.	.	4	1.8	14	6.3	40	17.9	32	14.3	90
1986	8	2.7	24	8.1	33	11.2	29	9.8	4	1.4	98
1987	6	1.7	8	2.3	11	3.1	3	0.8	9	2.5	37

Table 9 (cont'd).

Margaree River, Catch of Grilse from Section C

Year	By Month										Grilse Catch from Sec. C
	June		July		August		September		October		
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	
1947	.	.	1	2.8	5	13.9	8	22.2	.	.	14
1948	.	.	4	3.8	6	5.7	14	13.2	.	.	24
1949	7	17.1	1	2.4	.	.	8
1950	.	.	1	0.9	2	1.8	9	8.1	.	.	12
1951	.	.	2	9.5	.	.	2	9.5	.	.	4
1952	.	.	4	4.8	4	4.8	2	2.4	.	.	10
1953	.	.	1	2.0	5	10.2	3	6.1	.	.	9
1954	.	.	2	2.9	5	7.4	2	2.9	.	.	9
1955	.	.	1	1.9	3	5.7	5	9.4	.	.	9
1956	1	3.6	.	.	2	7.1	6	21.4	.	.	9
1957	4	11.1	3	8.3	.	.	7
1961	.	.	1	3.4	4	13.8	5	17.2	.	.	10
1962	.	.	1	2.2	3	6.5	3	6.5	.	.	7
1963	.	.	3	3.4	6	6.9	11	12.6	3	3.4	23
1964	.	.	3	2.5	6	5.0	3	2.5	.	.	12
1965	.	.	8	9.3	2	2.3	4	4.7	7	8.1	21
1966	.	.	6	6.5	16	17.4	6	6.5	2	2.2	30
1967	.	.	3	3.1	7	7.1	10	10.2	.	.	20
1968	.	.	2	3.1	8	12.5	2	3.1	3	4.7	15
1969	.	.	7	3.3	14	6.5	19	8.9	6	2.8	46
1970	.	.	7	8.2	11	12.9	1	1.2	3	3.5	22
1971	4	19.0	1	4.8	.	.	5
1972	4	9.5	1	2.4	.	.	5
1973	.	.	8	4.8	9	5.4	.	.	6	3.6	23
1974	.	.	8	13.3	11	18.3	3	5.0	3	5.0	25
1975	.	.	1	2.8	3	8.3	1	2.8	3	8.3	8
1976	.	.	1	1.0	29	30.2	7	7.3	3	3.1	40
1977	5	7.2	3	4.3	.	.	8
1978	.	.	1	4.0	3	12.0	2	8.0	1	4.0	7
1979	92	15.4	41	6.9	8	1.3	6	1.0	1	0.2	148
1980	2	1.2	12	7.2	.	.	12	7.2	2	1.2	28
1981	106	11.8	41	4.6	.	.	37	4.1	4	0.4	188
1982	22	3.2	16	2.3	.	.	19	2.7	5	0.7	62
1983	2	2.9	6	8.8	6	8.8	3	4.4	.	.	17
1984	1	0.7	1	0.7	8	5.4	2	1.4	.	.	12
1985	.	.	7	3.1	14	6.3	3	1.3	.	.	24
1986	4	1.4	7	2.4	19	6.4	5	1.7	2	0.7	37
1987	19	5.4	14	4.0	13	3.7	5	1.4	2	0.6	53

Table 9 (cont'd).

Margaree River, Catch of Grilse from Section D

Year	By Month										
	June		July		August		September		October		Grilse Catch from Sec. D
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N
1947	.	.	1	2.8	1	2.8	5	13.9	.	.	7
1948	.	.	5	4.7	6	5.7	3	2.8	.	.	14
1949	1	2.4	3	7.3	.	.	4
1950	8	7.2	4	3.6	.	.	12
1951	4	19.0	2	9.5	.	.	6
1952	.	.	2	2.4	3	3.6	2	2.4	.	.	7
1953	.	.	1	2.0	3	6.1	2	4.1	.	.	6
1954	.	.	2	2.9	3	4.4	1	1.5	.	.	6
1955	.	.	4	7.5	3	5.7	3	5.7	.	.	10
1956	.	.	1	3.6	3	10.7	4
1957	.	.	2	5.6	3	8.3	4	11.1	.	.	9
1961	.	.	1	3.4	1	3.4	2	6.9	.	.	4
1962	2	4.3	4	8.7	1	2.2	7
1963	6	6.9	.	.	6
1964	1	0.8	10	8.3	5	4.2	9	7.5	.	.	25
1965	.	.	6	7.0	1	1.2	2	2.3	8	9.3	17
1966	.	.	3	3.3	3	3.3	10	10.9	3	3.3	19
1967	2	2.0	4	4.1	9	9.2	15	15.3	5	5.1	35
1968	.	.	2	3.1	7	10.9	2	3.1	4	6.3	15
1969	4	1.9	16	7.5	8	3.7	15	7.0	13	6.1	56
1970	.	.	1	1.2	4	4.7	2	2.4	5	5.9	12
1971	.	.	5	23.8	2	9.5	1	4.8	1	4.8	9
1972	.	.	7	16.7	7	16.7	10	23.8	2	4.8	26
1973	.	.	8	4.8	6	3.6	4	2.4	3	1.8	21
1974	.	.	4	6.7	2	3.3	2	3.3	2	3.3	10
1975	3	8.3	1	2.8	4	11.1	8
1976	.	.	1	1.0	10	10.4	8	8.3	3	3.1	22
1977	.	.	2	2.9	8	11.6	7	10.1	1	1.4	18
1978	.	.	1	4.0	.	.	3	12.0	3	12.0	7
1979	52	8.7	43	7.2	5	0.8	14	2.3	5	0.8	119
1980	1	0.6	22	13.2	7	4.2	5	3.0	1	0.6	36
1981	89	9.9	53	5.9	19	2.1	8	0.9	3	0.3	172
1982	44	6.4	51	7.4	5	0.7	5	0.7	.	.	105
1983	.	.	2	2.9	2	2.9	4	5.9	.	.	8
1984	3	2.0	3	2.0	7	4.7	9	6.1	6	4.1	28
1985	4	1.8	.	.	7	3.1	3	1.3	3	1.3	17
1986	7	2.4	8	2.7	11	3.7	5	1.7	4	1.4	35
1987	7	2.0	10	2.8	8	2.3	9	2.5	6	1.7	40

Table 9 (cont'd).

Margaree River, Catch of Grilse from Section E

Year	By Month										
	June		July		August		September		October		Grilse Catch from Sec. E
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N
1947	2	5.6	2
1948
1949
1950	4	3.6	3	2.7	.	.	7
1951	1	4.8	1	4.8	.	.	2
1952
1953	1	2.0	.	.	1
1954	.	.	1	1.5	1
1955	.	.	1	1.9	.	.	1	1.9	.	.	2
1956
1957
1961	.	.	2	6.9	2
1962
1963	1	1.1	.	.	1	1.1	2
1964	.	.	2	1.7	2
1965	2	2.3	2
1966	2	2.2	2
1967	.	.	2	2.0	1	1.0	3
1968	1	1.6	1	1.6	.	.	2
1969	.	.	3	1.4	5	2.3	8	3.7	1	0.5	17
1970	2	2.4	2	2.4	.	.	4
1971
1972	.	.	1	2.4	.	.	1	2.4	.	.	2
1973	.	.	4	2.4	6	3.6	10	6.0	3	1.8	23
1974	1	1.7	1	1.7	2
1975	2	5.6	2
1976	1	1.0	1
1977	3	4.3	2	2.9	.	.	5
1978
1979	47	7.9	18	3.0	1	0.2	2	0.3	.	.	68
1980	1	0.6	4	2.4	4	2.4	2	1.2	2	1.2	13
1981	36	4.0	29	3.2	3	0.3	2	0.2	1	0.1	71
1982	44	6.4	39	5.6	4	0.6	.	.	1	0.1	88
1983	.	.	1	1.5	.	.	2	2.9	1	1.5	4
1984	2	1.4	4	2.7	.	.	6
1985	.	.	7	3.1	4	1.8	.	.	5	2.2	16
1986	3	1.0	2	0.7	8	2.7	.	.	11	3.7	24
1987	19	5.4	14	4.0	7	2.0	6	1.7	5	1.4	51

Table 9 (cont'd).

Margaree River, Catch of Grilse from Section F

Year	By Month										Grilse Catch from Sec. F N
	June		July		August		September		October		
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	
1947	1	2.8	1
1948	2	1.9	.	.	2
1949	1	2.4	1
1950	.	.	1	0.9	.	.	3	2.7	.	.	4
1951	1	4.8	1	4.8	.	.	2
1952	1	1.2	1	1.2	.	.	2
1953
1954	.	.	1	1.5	.	.	1	1.5	.	.	2
1955
1956
1957
1961	1	3.4	1
1962
1963	.	.	1	1.1	1
1964	2	1.7	2
1965	1	1.2	.	.	1
1966	.	.	1	1.1	1	1.1	2	2.2	1	1.1	5
1967	1	1.0	1
1968	2	3.1	2
1969	.	.	2	0.9	1	0.5	1	0.5	1	0.5	5
1970	.	.	1	1.2	.	.	1	1.2	.	.	2
1971
1972
1973	.	.	2	1.2	4	2.4	1	0.6	4	2.4	11
1974	1	1.7	1
1975	1	2.8	1
1976
1977
1978	1	4.0	.	.	1
1979	26	4.4	13	2.2	5	0.8	4	0.7	.	.	48
1980	.	.	10	6.0	.	.	2	1.2	3	1.8	15
1981	33	3.7	29	3.2	17	1.9	3	0.3	.	.	82
1982	58	8.4	57	8.2	9	1.3	3	0.4	2	0.3	129
1983	.	.	3	4.4	1	1.5	2	2.9	.	.	6
1984	3	2.0	1	0.7	2	1.4	6
1985	1	0.4	4	1.8	1	0.4	1	0.4	1	0.4	8
1986	4	1.4	1	0.3	.	.	3	1.0	4	1.4	12
1987	4	1.1	4	1.1	.	.	3	0.8	6	1.7	17

Table 9 (cont'd).

Margaree River, Catch of Grilse from Section 6

Year	By Month										Grilse Catch from Sec. 6 N
	June		July		August		September		October		
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	
1947	.	.	2	5.6	.	.	1	2.8	.	.	3
1948	1	0.9	2	1.9	5	4.7	4	3.8	.	.	12
1949	.	.	1	2.4	.	.	1	2.4	.	.	2
1950	.	.	4	3.6	1	0.9	6	5.4	.	.	11
1951	1	4.8	2	9.5	.	.	3
1952	3	3.6	1	1.2	1	1.2	3	3.6	.	.	8
1953	.	.	1	2.0	2	4.1	3
1954	.	.	1	1.5	1	1.5	2	2.9	.	.	4
1955	.	.	1	1.9	1
1956
1957	1	2.8	.	.	1
1961
1962	.	.	1	2.2	.	.	1	2.2	.	.	2
1963	.	.	1	1.1	1	1.1	3	3.4	1	1.1	6
1964	5	4.2	10	8.3	8	6.7	10	8.3	4	3.3	37
1965	.	.	5	5.8	3	3.5	1	1.2	3	3.5	12
1966	.	.	1	1.1	.	.	3	3.3	1	1.1	5
1967	3	3.1	.	.	3	3.1	5	5.1	3	3.1	14
1968	.	.	1	1.6	2	3.1	3
1969	1	0.5	6	2.8	3	1.4	5	2.3	6	2.8	21
1970	.	.	1	1.2	1	1.2	5	5.9	4	4.7	11
1971	1	4.8	1
1972	3	7.1	.	.	3	7.1	6
1973	.	.	12	7.2	10	6.0	9	5.4	9	5.4	40
1974	.	.	2	3.3	4	6.7	6
1975	.	.	1	2.8	2	5.6	.	.	5	13.9	8
1976	2	2.1	1	1.0	3
1977	.	.	1	1.4	2	2.9	3	4.3	5	7.2	11
1978	.	.	1	4.0	.	.	2	8.0	.	.	3
1979	69	11.6	37	6.2	13	2.2	11	1.8	4	0.7	134
1980	.	.	2	1.2	5	3.0	7	4.2	3	1.8	17
1981	77	8.6	85	9.5	22	2.4	7	0.8	3	0.3	194
1982	55	8.0	73	10.6	33	4.8	9	1.3	2	0.3	172
1983	1	1.5	1	1.5	2	2.9	1	1.5	.	.	5
1984	2	1.4	14	9.5	13	8.8	12	8.1	3	2.0	44
1985	3	1.3	20	9.0	13	5.8	5	2.2	.	.	41
1986	2	0.7	20	6.8	4	1.4	9	3.1	8	2.7	43
1987	17	4.8	16	4.5	26	7.4	5	1.4	6	1.7	70

Table 9 (cont'd).

Margarée River, Catch of Grilse from Section H

Year	By Month										Grilse Catch from Sec. H
	June		July		August		September		October		
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	
1947	1	2.8	.	.	1
1948	.	.	3	2.8	4	3.8	2	1.9	.	.	9
1949	1	2.4	1
1950	.	.	2	1.8	2	1.8	1	0.9	.	.	5
1951
1952	2	2.4	4	4.8	.	.	6
1953	.	.	1	2.0	1
1954	.	.	1	1.5	1	1.5	4	5.9	.	.	6
1955	1	1.9	1	1.9	2
1956
1957
1961	1	3.4	1
1962	.	.	1	2.2	2	4.3	2	4.3	.	.	5
1963	1	1.1	.	.	1
1964	.	.	1	0.8	2	1.7	1	0.8	1	0.8	5
1965	.	.	2	2.3	2	2.3	1	1.2	.	.	5
1966
1967	.	.	2	2.0	1	1.0	2	2.0	.	.	5
1968	.	.	2	3.1	.	.	1	1.6	1	1.6	4
1969	1	0.5	.	.	4	1.9	5
1970	1	1.2	2	2.4	3	3.5	1	1.2	1	1.2	8
1971
1972
1973	.	.	3	1.8	3	1.8	.	.	1	0.6	7
1974	1	1.7	1
1975
1976	3	3.1	2	2.1	5
1977	.	.	1	1.4	1	1.4	2
1978
1979	12	2.0	5	0.8	17
1980	2	1.2	1	0.6	3
1981	11	1.2	29	3.2	.	.	14	1.6	3	0.3	57
1982	.	.	27	3.9	.	.	8	1.2	2	0.3	37
1983	1	1.5	1	1.5	.	.	2
1984	2	1.4	3	2.0	3	2.0	5	3.4	.	.	13
1985	.	.	3	1.3	1	0.4	1	0.4	1	0.4	6
1986	1	0.3	12	4.1	3	1.0	2	0.7	1	0.3	19
1987	5	1.4	4	1.1	17	4.8	3	0.8	1	0.3	30

Table 9 (cont'd).

Margaree River, Catch of Grilse from Section I

Year	By Month										Grilse Catch from Sec. I N
	June		July		August		September		October		
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	
1947	1	2.8	.	.	1
1948	1	0.9	.	.	1
1949	1	2.4	.	.	1
1950	2	1.8	2	1.8	.	.	4
1951	1	4.8	1
1952
1953
1954
1955
1956	2	7.1	2
1957
1961
1962
1963	1	1.1	1
1964	1	0.8	1
1965	1	1.2	1	1.2	1	1.2	3
1966	.	.	1	1.1	.	.	3	3.3	.	.	4
1967	.	.	1	1.0	1	1.0	2	2.0	1	1.0	5
1968	.	.	1	1.6	.	.	1	1.6	5	7.8	7
1969	.	.	3	1.4	2	0.9	5
1970	2	2.4	.	.	2
1971	1	4.8	.	.	1
1972	2	4.8	.	.	2
1973	.	.	1	0.6	1
1974	.	.	1	1.7	.	.	1	1.7	.	.	2
1975	1	2.8	1
1976	1	1.0	1
1977	1	1.4	1
1978	1	4.0	.	.	1
1979	15	2.5	16	2.7	31
1980	2	1.2	4	2.4	6
1981	20	2.2	9	1.0	2	0.2	35	3.9	1	0.1	67
1982	19	2.7	33	4.8	4	0.6	16	2.3	2	0.3	74
1983	.	.	4	5.9	1	1.5	.	.	1	1.5	6
1984	.	.	1	0.7	1	0.7	3	2.0	3	2.0	8
1985	.	.	2	0.9	1	0.4	3	1.3	2	0.9	8
1986	5	1.7	3	1.0	4	1.4	12
1987	4	1.1	6	1.7	14	4.0	5	1.4	6	1.7	35

Table 9 (cont'd).

Margaree River, Catch of Grilse from Unspecified Sections

Year	By Month										Grilse Catch Unspec. Section N
	June		July		August		September		October		
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956	.	.	1	3.6	1
1957
1961	1	3.4	1
1962	1	2.2	.	.	1
1963
1964
1965	.	.	1	1.2	1
1966	1	1.1	.	.	1
1967	1	1.0	1
1968	1	1.6	1	1.6	2
1969	1	0.5	.	.	1
1970	.	.	1	1.2	.	.	1	1.2	1	1.2	3
1971	.	.	1	4.8	.	.	1	4.8	.	.	2
1972
1973
1974	.	.	1	1.7	1
1975	.	.	1	2.8	1
1976	1	1.0	1	1.0	.	.	2
1977	1	1.4	1	1.4	2
1978
1979	7	1.2	1	0.2	8
1980	.	.	4	2.4	3	1.8	2	1.2	.	.	9
1981	2	0.2	1	0.1	1	0.1	4
1982	3	0.4	2	0.3	5
1983	2	2.9	2
1984	.	.	3	2.0	.	.	2	1.4	1	0.7	6
1985	1	0.4	1	0.4	3	1.3	2	0.9	5	2.2	12
1986	.	.	3	1.0	2	0.7	.	.	4	1.4	9
1987	6	1.7	7	2.0	1	0.3	4	1.1	1	0.3	19

Table 10. Monthly catch of multi-sea-winter salmon (MSW) from specific river sections of the Margaree River, 1947 to 1987. % of MSW refers to monthly catch of MSW from the section as a percentage of the total MSW catch for the year, all sections combined. River sections are described in Table 2 and Figure 1.

Margaree River, Catch of MSW Salmon from Section A

Year	By Month										MSW Catch from Sec. A
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	4	1.1	4	1.1	.	.	8
1948	7	1.0	3	0.4	10
1949	31	9.3	.	.	31
1950	1	0.3	.	.	1	0.3	2
1951	5	1.2	4	0.9	.	.	9
1952	1	0.5	.	.	1	0.5	2
1953	1	0.3	3	1.0	.	.	4
1954	1	0.3	1
1955
1956	.	.	1	1.1	1
1957
1961	1	2.0	1
1962	.	.	13	3.2	9	2.2	.	.	1	0.2	23
1963	2	0.9	2	0.9	4
1964	1	0.3	8	2.8	2	0.7	1	0.3	.	.	12
1965	1	0.4	3	1.2	3	1.2	.	.	3	1.2	10
1966	1	0.6	1
1967	4	1.5	4	1.5	3	1.1	2	0.8	.	.	13
1968	1	0.5	5	2.5	.	.	2	1.0	1	0.5	9
1969	1	0.7	.	.	2	1.4	.	.	2	1.4	5
1970	1	0.5	.	.	3	1.4	1	0.5	.	.	5
1971	.	.	1	1.1	1	1.1	2
1972	1	1.0	1	1.0	2
1973	.	.	1	0.9	1
1974
1975	3	4.7	3
1976
1977	1	0.7	1	0.7	.	.	1	0.7	.	.	3
1978	1	0.6	1
1979
1980	1	0.7	.	.	1
1981
1982	1	0.6	1
1983	2	1.3	3	2.0	.	.	5
1984	2	1.7	2
1985	2	0.6	2
1986	1	0.1	.	.	1	0.1	1	0.1	1	0.1	4
1987	.	.	3	0.7	3

Table 10 (cont'd).

Margaree River, Catch of MSW Salmon from Section B

Year	By Month										MSW Catch from Sec. B N
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	13	3.6	8	2.2	3	0.8	59	16.3	.	.	83
1948	8	1.1	55	7.8	53	7.5	195	27.7	.	.	311
1949	8	2.4	10	3.0	11	3.3	89	26.8	.	.	118
1950	3	0.9	6	1.9	23	7.2	88	27.5	.	.	120
1951	2	0.5	3	0.7	47	11.1	76	17.9	.	.	128
1952	3	1.5	5	2.5	17	8.3	78	38.2	.	.	103
1953	2	0.7	3	1.0	51	17.5	91	31.3	.	.	147
1954	2	0.7	10	3.4	46	15.4	84	28.2	.	.	142
1955	4	1.6	16	6.2	16	6.2	61	23.6	.	.	97
1956	6	6.7	13	14.4	5	5.6	17	18.9	.	.	41
1957	.	.	9	6.6	8	5.9	31	22.8	.	.	48
1961	1	2.0	.	.	4	8.2	8	16.3	.	.	13
1962	7	1.7	59	14.4	43	10.5	41	10.0	8	2.0	158
1963	7	3.3	.	.	2	0.9	31	14.6	31	14.6	71
1964	8	2.8	21	7.3	12	4.2	20	6.9	10	3.5	71
1965	3	1.2	3	1.2	14	5.5	34	13.4	18	7.1	72
1966	.	.	2	1.2	5	3.0	16	9.7	9	5.5	32
1967	12	4.5	12	4.5	1	0.4	6	2.3	9	3.4	40
1968	.	.	12	6.1	2	1.0	20	10.1	2	1.0	36
1969	2	1.4	9	6.5	7	5.0	3	2.2	7	5.0	28
1970	1	0.5	3	1.4	5	2.3	22	10.2	13	6.0	44
1971	3	3.2	4	4.3	2	2.1	6	6.4	6	6.4	21
1972	.	.	3	2.9	1	1.0	.	.	3	2.9	7
1973	3	2.6	11	9.4	9	7.7	4	3.4	1	0.9	28
1974	.	.	5	4.7	1	0.9	4	3.7	8	7.5	18
1975	5	7.8	4	6.3	9
1976	1	1.2	.	.	1	1.2	6	7.3	5	6.1	13
1977	2	1.4	8	5.7	.	.	10	7.1	7	5.0	27
1978	1	0.6	8	5.1	9	5.7	18
1979	1	1.2	6	7.4	5	6.2	12
1980	7	5.0	7	5.0	14
1981	.	.	1	0.7	.	.	16	11.5	8	5.8	25
1982	1	0.6	19	10.6	10	5.6	30
1983	1	0.7	.	.	1	0.7	10	6.7	5	3.4	17
1984	4	3.3	5	4.1	6	5.0	15
1985	.	.	7	2.2	22	7.1	28	9.0	41	13.1	98
1986	19	2.5	20	2.7	59	7.8	42	5.6	42	5.6	182
1987	5	1.2	7	1.7	1	0.2	17	4.2	22	5.4	52

Table 10 (cont'd).

Margaree River, Catch of MSW Salmon from Section C

Year	By Month										MSW Catch from Sec. C
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	4	1.1	16	4.4	11	3.0	48	13.2	.	.	79
1948	3	0.4	10	1.4	8	1.1	66	9.4	.	.	87
1949	2	0.6	8	2.4	16	4.8	36	10.8	.	.	62
1950	1	0.3	1	0.3	2	0.6	17	5.3	.	.	21
1951	.	.	2	0.5	20	4.7	16	3.8	.	.	38
1952	2	1.0	2	1.0	4	2.0	8	3.9	.	.	16
1953	3	1.0	3	1.0	22	7.6	14	4.8	.	.	42
1954	1	0.3	3	1.0	17	5.7	12	4.0	.	.	33
1955	1	0.4	1	0.4	9	3.5	26	10.1	.	.	37
1956	1	1.1	6	6.7	7	7.8	5	5.6	.	.	19
1957	1	0.7	2	1.5	4	2.9	14	10.3	.	.	21
1961	3	6.1	7	14.3	5	10.2	3	6.1	.	.	18
1962	2	0.5	17	4.1	20	4.9	33	8.0	3	0.7	75
1963	4	1.9	7	3.3	5	2.4	13	6.1	20	9.4	49
1964	2	0.7	6	2.1	9	3.1	12	4.2	2	0.7	31
1965	1	0.4	10	3.9	6	2.4	22	8.7	15	5.9	54
1966	1	0.6	1	0.6	5	3.0	7	4.2	13	7.9	27
1967	1	0.4	11	4.2	11	4.2	11	4.2	6	2.3	40
1968	.	.	1	0.5	6	3.0	9	4.5	2	1.0	18
1969	1	0.7	3	2.2	4	2.9	6	4.3	7	5.0	21
1970	2	0.9	9	4.2	6	2.8	7	3.3	4	1.9	28
1971	1	1.1	4	4.3	1	1.1	6	6.4	5	5.3	17
1972	1	1.0	6	5.7	9	8.6	2	1.9	.	.	18
1973	.	.	5	4.3	2	1.7	3	2.6	.	.	10
1974	.	.	7	6.5	6	5.6	4	3.7	11	10.3	28
1975	1	1.6	5	7.8	6
1976	.	.	1	1.2	1	1.2	4	4.9	5	6.1	11
1977	1	0.7	5	3.6	7	5.0	8	5.7	2	1.4	23
1978	1	0.6	8	5.1	2	1.3	8	5.1	6	3.8	25
1979	1	1.2	7	8.6	6	7.4	8	9.9	1	1.2	23
1980	17	12.1	9	6.4	26
1981	1	0.7	4	2.9	.	.	8	5.8	5	3.6	18
1982	6	3.4	4	2.2	.	.	21	11.7	15	8.4	46
1983	2	1.3	.	.	10	6.7	8	5.4	1	0.7	21
1984	9	7.4	9
1985	.	.	16	5.1	23	7.4	4	1.3	2	0.6	45
1986	12	1.6	13	1.7	22	2.9	13	1.7	35	4.6	95
1987	16	3.9	12	2.9	9	2.2	26	6.4	6	1.5	69

Table 10 (cont'd).

Margaree River, Catch of MSW Salmon from Section D

Year	By Month										MSW Catch from Sec. D
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	7	1.9	7	1.9	6	1.7	25	6.9	.	.	45
1948	18	2.6	9	1.3	6	0.9	58	8.2	.	.	91
1949	2	0.6	1	0.3	4	1.2	42	12.7	.	.	49
1950	1	0.3	.	.	12	3.8	39	12.2	.	.	52
1951	2	0.5	1	0.2	27	6.4	30	7.1	.	.	60
1952	.	.	1	0.5	6	2.9	10	4.9	.	.	17
1953	1	0.3	1	0.3	8	2.7	19	6.5	.	.	29
1954	1	0.3	11	3.7	24	8.1	12	4.0	.	.	48
1955	3	1.2	6	2.3	13	5.0	21	8.1	.	.	43
1956	3	3.3	3	3.3	5	5.6	2	2.2	.	.	13
1957	1	0.7	3	2.2	1	0.7	18	13.2	.	.	23
1961	3	6.1	1	2.0	.	.	2	4.1	.	.	6
1962	1	0.2	30	7.3	14	3.4	16	3.9	7	1.7	68
1963	1	0.5	3	1.4	1	0.5	14	6.6	20	9.4	39
1964	2	0.7	13	4.5	17	5.9	21	7.3	17	5.9	70
1965	2	0.8	12	4.7	7	2.8	4	1.6	21	8.3	46
1966	1	0.6	2	1.2	.	.	8	4.8	27	16.4	38
1967	14	5.3	13	4.9	10	3.8	29	10.9	18	6.8	84
1968	.	.	5	2.5	8	4.0	20	10.1	31	15.7	64
1969	5	3.6	10	7.2	1	0.7	4	2.9	17	12.2	37
1970	1	0.5	5	2.3	9	4.2	15	7.0	13	6.0	43
1971	1	1.1	9	9.6	4	4.3	10	10.6	7	7.4	31
1972	.	.	14	13.3	5	4.8	10	9.5	11	10.5	40
1973	2	1.7	8	6.8	4	3.4	1	0.9	8	6.8	23
1974	.	.	3	2.8	.	.	5	4.7	10	9.3	18
1975	3	4.7	15	23.4	18
1976	.	.	1	1.2	.	.	7	8.5	18	22.0	26
1977	3	2.1	2	1.4	9	6.4	7	5.0	16	11.4	37
1978	1	0.6	3	1.9	1	0.6	15	9.5	28	17.7	48
1979	2	2.5	.	.	1	1.2	16	19.8	4	4.9	23
1980	12	8.6	9	6.4	21
1981	1	0.7	6	4.3	2	1.4	8	5.8	11	7.9	28
1982	15	8.4	3	1.7	.	.	6	3.4	7	3.9	31
1983	1	0.7	.	.	5	3.4	15	10.1	10	6.7	31
1984	1	0.8	12	9.9	16	13.2	29
1985	10	3.2	3	1.0	2	0.6	2	0.6	4	1.3	21
1986	13	1.7	12	1.6	27	3.6	22	2.9	48	6.4	122
1987	6	1.5	1	0.2	2	0.5	28	6.9	45	11.0	82

Table 10 (cont'd).

Margaree River, Catch of MSW Salmon from Section E

Year	By Month										MSW Catch from Sec. E
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	1	0.3	6	1.7	4	1.1	12	3.3	.	.	23
1948	3	0.4	4	0.6	1	0.1	10	1.4	.	.	18
1949	1	0.3	1	0.3	.	.	2
1950	3	0.9	18	5.6	.	.	21
1951	20	4.7	15	3.5	.	.	35
1952	2	1.0	2
1953	.	.	2	0.7	7	2.4	13	4.5	.	.	22
1954	2	0.7	2
1955	2	0.8	.	.	2
1956
1957
1961
1962	.	.	5	1.2	5
1963	1	0.5	.	.	1	0.5	2	0.9	.	.	4
1964	1	0.3	1	0.3	4	1.4	6
1965	8	3.1	8
1966	1	0.6	9	5.5	10
1967	1	0.4	1	0.4	.	.	3	1.1	3	1.1	8
1968	4	2.0	2	1.0	6
1969	.	.	3	2.2	3	2.2	3	2.2	4	2.9	13
1970	3	1.4	8	3.7	11
1971	.	.	2	2.1	1	1.1	.	.	1	1.1	4
1972	1	1.0	.	.	3	2.9	4
1973	1	0.9	3	2.6	5	4.3	9
1974	.	.	1	0.9	4	3.7	5
1975	2	3.1	2
1976	1	1.2	.	.	1
1977	1	0.7	.	.	3	2.1	4
1978	.	.	1	0.6	.	.	5	3.2	5	3.2	11
1979	1	1.2	2	2.5	3
1980	1	0.7	3	2.1	11	7.9	15
1981	2	1.4	1	0.7	.	.	2	1.4	4	2.9	9
1982	4	2.2	.	.	1	0.6	2	1.1	1	0.6	8
1983	4	2.7	2	1.3	1	0.7	7
1984	1	0.8	3	2.5	2	1.7	6
1985	8	2.6	3	1.0	3	1.0	.	.	4	1.3	18
1986	3	0.4	6	0.8	4	0.5	6	0.8	15	2.0	34
1987	12	2.9	.	.	3	0.7	10	2.5	12	2.9	37

Table 10 (cont'd).

Margaree River, Catch of MSW Salmon from Section F

Year	By Month										MSW Catch from Sec. F
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	2	0.6	2	0.6	.	.	19	5.2	.	.	23
1948	3	0.4	3	0.4	2	0.3	11	1.6	.	.	19
1949	1	0.3	10	3.0	.	.	11
1950	.	.	1	0.3	2	0.6	20	6.3	.	.	23
1951	8	1.9	11	2.6	.	.	19
1952	2	1.0	.	.	5	2.5	3	1.5	.	.	10
1953	1	0.3	4	1.4	.	.	5
1954	1	0.3	.	.	9	3.0	2	0.7	.	.	12
1955	.	.	1	0.4	.	.	2	0.8	.	.	3
1956
1957	1	0.7	2	1.5	.	.	3
1961	1	2.0	1
1962	.	.	2	0.5	2
1963	1	0.5	.	.	2	0.9	3
1964	2	0.7	2
1965	1	0.4	.	.	2	0.8	3
1966	1	0.6	2	1.2	7	4.2	10
1967	2	0.8	7	2.6	9
1968	.	.	1	0.5	.	.	2	1.0	5	2.5	8
1969	3	2.2	3	2.2	2	1.4	8
1970	.	.	2	0.9	.	.	6	2.8	5	2.3	13
1971	2	2.1	2
1972	1	1.0	1	1.0	.	.	2
1973	.	.	2	1.7	2
1974
1975
1976	1	1.2	1
1977	2	1.4	2
1978	5	3.2	5
1979	2	2.5	2
1980	3	2.1	4	2.9	7
1981	2	1.4	5	3.6	7
1982	4	2.2	2	1.1	.	.	2	1.1	1	0.6	9
1983	7	4.7	3	2.0	3	2.0	13
1984	1	0.8	.	.	1	0.8	3	2.5	4	3.3	9
1985	3	1.0	2	0.6	.	.	1	0.3	6	1.9	12
1986	6	0.8	1	0.1	2	0.3	1	0.1	13	1.7	23
1987	3	0.7	4	1.0	21	5.1	28

Table 10 (cont'd).

Margaree River, Catch of MSW Salmon from Section 6

Year	By Month										MSW Catch from Sec. 6
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	12	3.3	4	1.1	5	1.4	12	3.3	.	.	33
1948	15	2.1	20	2.8	16	2.3	50	7.1	.	.	101
1949	3	0.9	4	1.2	1	0.3	23	6.9	.	.	31
1950	.	.	4	1.3	8	2.5	33	10.3	.	.	45
1951	1	0.2	8	1.9	13	3.1	34	8.0	.	.	56
1952	9	4.4	2	1.0	6	2.9	10	4.9	.	.	27
1953	2	0.7	1	0.3	6	2.1	17	5.8	.	.	26
1954	.	.	2	0.7	7	2.3	5	1.7	.	.	14
1955	2	0.8	9	3.5	2	0.8	27	10.5	.	.	40
1956	.	.	2	2.2	2
1957	.	.	2	1.5	.	.	4	2.9	.	.	6
1961
1962	1	0.2	9	2.2	6	1.5	3	0.7	3	0.7	22
1963	1	0.5	1	0.5	1	0.5	4	1.9	7	3.3	14
1964	3	1.0	7	2.4	7	2.4	21	7.3	22	7.6	60
1965	1	0.4	12	4.7	2	0.8	14	5.5	15	5.9	44
1966	4	2.4	18	10.9	22
1967	.	.	3	1.1	2	0.8	10	3.8	26	9.8	41
1968	1	0.5	5	2.5	9	4.5	15
1969	1	0.7	9	6.5	1	0.7	3	2.2	4	2.9	18
1970	2	0.9	18	8.4	9	4.2	29
1971	.	.	1	1.1	3	3.2	8	8.5	2	2.1	14
1972	.	.	4	3.8	.	.	6	5.7	6	5.7	16
1973	4	3.4	5	4.3	5	4.3	4	3.4	12	10.3	30
1974	.	.	5	4.7	10	9.3	15
1975	1	1.6	.	.	15	23.4	16
1976	13	15.9	13
1977	.	.	2	1.4	2	1.4	2	1.4	15	10.7	21
1978	6	3.8	19	12.0	25
1979	1	1.2	6	7.4	6	7.4	13
1980	16	11.4	11	7.9	27
1981	4	2.9	3	2.2	3	2.2	3	2.2	15	10.8	28
1982	9	5.0	6	3.4	4	2.2	8	4.5	4	2.2	31
1983	5	3.4	3	2.0	2	1.3	11	7.4	11	7.4	32
1984	2	1.7	.	.	2	1.7	11	9.1	10	8.3	25
1985	8	2.6	16	5.1	2	0.6	11	3.5	17	5.4	54
1986	5	0.7	11	1.5	13	1.7	15	2.0	59	7.8	103
1987	10	2.5	6	1.5	6	1.5	17	4.2	25	6.1	64

Table 10 (cont'd).

Margaree River, Catch of MSW Salmon from Section H

Year	By Month										MSW Catch from Sec. H
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	6	1.7	6	1.7	4	1.1	3	0.8	.	.	19
1948	10	1.4	4	0.6	5	0.7	28	4.0	.	.	47
1949	.	.	2	0.6	.	.	6	1.8	.	.	8
1950	4	1.3	8	2.5	.	.	12
1951	2	0.5	2	0.5	5	1.2	35	8.3	.	.	44
1952	4	2.0	1	0.5	3	1.5	7	3.4	.	.	15
1953	.	.	1	0.3	2	0.7	1	0.3	.	.	4
1954	3	1.0	4	1.3	10	3.4	14	4.7	.	.	31
1955	2	0.8	3	1.2	1	0.4	13	5.0	.	.	19
1956	.	.	4	4.4	4
1957	.	.	1	0.7	3	2.2	16	11.8	.	.	20
1961	.	.	2	4.1	1	2.0	4	8.2	.	.	7
1962	.	.	9	2.2	6	1.5	6	1.5	4	1.0	25
1963	3	1.4	1	0.5	1	0.5	4	1.9	.	.	9
1964	1	0.3	3	1.0	3	1.0	2	0.7	5	1.7	14
1965	.	.	2	0.8	2	0.8	2	0.8	2	0.8	8
1966	.	.	2	1.2	.	.	2	1.2	4	2.4	8
1967	.	.	5	1.9	1	0.4	4	1.5	3	1.1	13
1968	.	.	3	1.5	1	0.5	7	3.5	6	3.0	17
1969	.	.	2	1.4	2	1.4	.	.	1	0.7	5
1970	4	1.9	6	2.8	6	2.8	16
1971	1	1.1	1
1972	.	.	4	3.8	2	1.9	1	1.0	4	3.8	11
1973	2	1.7	3	2.6	.	.	4	3.4	2	1.7	11
1974	1	0.9	3	2.8	12	11.2	16
1975	1	1.6	.	.	2	3.1	.	.	4	6.3	7
1976	3	3.7	8	9.8	11
1977	2	1.4	6	4.3	4	2.9	12
1978	.	.	2	1.3	.	.	2	1.3	5	3.2	9
1979	2	2.5	2
1980	1	0.7	13	9.3	14
1981	1	0.7	7	5.0	8
1982	.	.	1	0.6	.	.	5	2.8	5	2.8	11
1983	1	0.7	6	4.0	9	6.0	16
1984	8	6.6	5	4.1	13
1985	2	0.6	1	0.3	3	1.0	3	1.0	5	1.6	14
1986	3	0.4	4	0.5	4	0.5	7	0.9	20	2.7	38
1987	4	1.0	4	1.0	.	.	12	2.9	9	2.2	29

Table 10 (cont'd).

Margaree River, Catch of MSW Salmon from Section I

Year	By Month										MSW Catch from Sec. I
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	1	0.3	1	0.3	.	.	21	5.8	.	.	23
1948	.	.	2	0.3	.	.	2	0.3	.	.	4
1949	.	.	1	0.3	.	.	14	4.2	.	.	15
1950	1	0.3	19	5.9	.	.	20
1951	2	0.5	15	3.5	.	.	17
1952	1	0.5	.	.	1	0.5	1	0.5	.	.	3
1953	1	0.3	.	.	1	0.3	5	1.7	.	.	7
1954
1955	.	.	2	0.8	1	0.4	3	1.2	.	.	6
1956	1	1.1	1	1.1	2
1957	6	4.4	.	.	6
1961	1	2.0	.	.	1
1962	.	.	4	1.0	2	0.5	1	0.2	6	1.5	13
1963	1	0.5	.	.	1	0.5	6	2.8	5	2.4	13
1964	1	0.3	.	.	2	0.7	8	2.8	7	2.4	18
1965	.	.	1	0.4	2	0.8	.	.	5	2.0	8
1966	5	3.0	8	4.8	13
1967	.	.	4	1.5	.	.	3	1.1	8	3.0	15
1968	.	.	5	2.5	.	.	3	1.5	7	3.5	15
1969	1	0.7	2	1.4	3
1970	.	.	1	0.5	.	.	15	7.0	3	1.4	19
1971	2	2.1	.	.	2
1972	2	1.9	2	1.9	4
1973	1	0.9	1
1974	1	0.9	.	.	6	5.6	7
1975	1	1.6	1
1976	1	1.2	1	1.2	1	1.2	3
1977	.	.	1	0.7	.	.	2	1.4	6	4.3	9
1978	3	1.9	12	7.6	15
1979	.	.	2	2.5	2
1980	2	1.4	7	5.0	9
1981	5	3.6	10	7.2	15
1982	1	0.6	1	0.6	1	0.6	6	3.4	1	0.6	10
1983	.	.	1	0.7	.	.	2	1.3	4	2.7	7
1984	1	0.8	1	0.8	2	1.7	4
1985	2	0.6	.	.	1	0.3	2	0.6	6	1.9	11
1986	2	0.3	.	.	5	0.7	10	1.3	30	4.0	47
1987	2	0.5	2	0.5	3	0.7	8	2.0	21	5.1	36

Table 10 (cont'd).

Margaree River, Catch of MSW Salmon from Unspecified Sections

Year	By Month										MSW Catch Unspec. Section
	June		July		August		September		October		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	
1947	4	1.1	.	.	4
1948
1949	1	0.3	.	.	1
1950
1951	7	1.7	.	.	7
1952	2	1.0	2
1953
1954	1	0.3	1	0.3	.	.	2
1955	1	0.4	1
1956	.	.	1	1.1	1
1957
1961	1	2.0	1
1962	3	0.7	3
1963	1	0.5	1	0.5	2
1964	1	0.3	1
1965
1966	1	0.6	1	0.6	.	.	2
1967	1	0.4	1	0.4	2
1968	.	.	1	0.5	.	.	8	4.0	.	.	9
1969
1970	2	0.9	5	2.3	7
1971
1972
1973	1	0.9	.	.	1
1974
1975	2	3.1	2
1976	1	1.2	1	1.2	2
1977	2	1.4	2
1978	1	0.6	1
1979	1	1.2	1
1980	.	.	1	0.7	.	.	2	1.4	3	2.1	6
1981	.	.	1	0.7	1
1982	1	0.6	1	0.6	.	.	2
1983
1984	.	.	1	0.8	2	1.7	3	2.5	3	2.5	9
1985	5	1.6	1	0.3	31	9.9	37
1986 †	.	.	1	0.1	.	.	10	1.3	24	3.2	106
1987	3	0.7	3	0.7	.	.	2	0.5	.	.	8

† In 1986, an additional 71 MSW salmon were released during the angling season.

Table 11. Catch of grilse and multi-sea-winter salmon (MSW) from the most productive pools of the Margaree River, 1947 to 1987. % of grilse and % of MSW refer to percentage of total grilse or MSW catch for the year, angled from each pool.

Catch of Grilse

Year	Margaree River Angling Pools													
	A-Thompkins		B-Seal		C-Big McDaniel		D-Forks		E-Hart's		F-Crowdis Redbank		Other Pools	
	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse	N	% of Grilse
1947	1	2.8	3	8.3	.	.	14	38.9	2	5.6	.	.	16	44.4
1948	4	3.8	24	22.6	7	6.6	24	22.6	4	3.8	1	0.9	42	39.6
1949	2	4.9	11	26.8	9	22.0	8	19.5	1	2.4	.	.	10	24.4
1950	3	2.7	8	7.2	29	26.1	12	10.8	4	3.6	.	.	55	49.5
1951	.	.	1	4.8	2	9.5	4	19.0	1	4.8	1	4.8	12	57.1
1952	7	8.4	19	22.9	19	22.9	10	12.0	2	2.4	1	1.2	25	30.1
1953	3	6.1	9	18.4	9	18.4	9	18.4	19	38.8
1954	5	7.4	15	22.1	11	16.2	9	13.2	1	1.5	.	.	27	39.7
1955	4	7.5	7	13.2	14	26.4	9	17.0	19	35.8
1956	1	3.6	8	28.6	3	10.7	9	32.1	7	25.0
1957	2	5.6	7	19.4	5	13.9	7	19.4	1	2.8	.	.	14	38.9
1961	.	.	7	24.1	1	3.4	10	34.5	11	37.9
1962	5	10.9	7	15.2	4	8.7	7	15.2	1	2.2	.	.	22	47.8
1963	1	1.1	19	21.8	21	24.1	23	26.4	1	1.1	.	.	22	25.3
1964	3	2.5	7	5.8	17	14.2	12	10.0	12	10.0	1	0.8	68	56.7
1965	2	2.3	6	7.0	12	14.0	21	24.4	5	5.8	.	.	40	46.5
1966	6	6.5	11	12.0	1	1.1	30	32.6	2	2.2	.	.	42	45.7
1967	1	1.0	3	3.1	2	2.0	20	20.4	11	11.2	1	1.0	60	61.2
1968	.	.	3	4.7	6	9.4	15	23.4	40	62.5
1969	7	3.3	32	15.0	6	2.8	46	21.5	11	5.1	1	0.5	111	51.9
1970	1	1.2	4	4.7	4	4.7	22	25.9	7	8.2	1	1.2	46	54.1
1971	.	.	1	4.8	1	4.8	5	23.8	14	66.7
1972	1	2.4	5	11.9	36	85.7
1973	12	7.2	9	5.4	15	9.0	23	13.9	14	8.4	.	.	93	56.0
1974	1	1.7	1	1.7	8	13.3	25	41.7	3	5.0	1	1.7	21	35.0
1975	1	2.8	4	11.1	2	5.6	8	22.2	2	5.6	1	2.8	18	50.0
1976	6	6.3	14	14.6	.	.	39	40.6	37	38.5
1977	12	17.4	5	7.2	.	.	8	11.6	4	5.8	2	2.9	38	55.1
1978	.	.	1	4.0	1	4.0	7	28.0	2	8.0	.	.	14	56.0
1979	7	1.2	10	1.7	3	0.5	148	24.8	67	11.2	46	7.7	316	52.9
1980	12	7.2	12	7.2	11	6.6	28	16.8	2	1.2	11	6.6	91	54.5
1981	20	2.2	14	1.6	10	1.1	188	20.9	54	6.0	67	7.5	546	60.7
1982	3	0.4	7	1.0	3	0.4	62	9.0	68	9.8	50	7.2	498	72.1
1983	2	2.9	1	1.5	2	2.9	17	25.0	3	4.4	.	.	43	63.2
1984	3	2.0	4	2.7	.	.	12	8.1	8	5.4	7	4.7	114	77.0
1985	27	12.1	17	7.6	15	6.7	24	10.8	6	2.7	15	6.7	119	53.4
1986	27	9.2	56	19.0	6	2.0	37	12.5	1	0.3	20	6.8	148	50.2
1987	7	2.0	16	4.5	10	2.8	53	15.0	10	2.8	30	8.5	227	64.3

Table 11 (cont'd).

Catch of Multi-Sea-Winter Salmon

Year	Margaree River Angling Pools													
	A-Thompkins		B-Seal		C-Big McDaniel		D-Forks		E-Hart's		F-Crowdis Redbank		Other Pools	
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW
1947	8	2.2	38	10.5	23	6.3	79	21.8	9	2.5	8	2.2	198	54.5
1948	26	3.7	133	18.9	90	12.8	87	12.4	32	4.5	2	0.3	334	47.4
1949	14	4.2	40	12.0	43	13.0	61	18.4	7	2.1	7	2.1	160	48.2
1950	3	0.9	34	10.6	61	19.1	21	6.6	6	1.9	4	1.3	191	59.7
1951	26	6.1	34	8.0	39	9.2	36	8.5	13	3.1	3	0.7	273	64.4
1952	8	3.9	45	22.1	37	18.1	16	7.8	6	2.9	5	2.5	87	42.6
1953	18	6.2	52	17.9	39	13.4	42	14.4	2	0.7	.	.	138	47.4
1954	13	4.4	59	19.8	49	16.4	33	11.1	4	1.3	2	0.7	138	46.3
1955	10	3.9	23	8.9	53	20.5	37	14.3	10	3.9	.	.	125	48.4
1956	8	8.9	13	14.4	18	20.0	19	21.1	32	35.6
1957	1	0.7	8	5.9	21	15.4	21	15.4	85	62.5
1961	.	.	10	20.4	1	2.0	18	36.7	20	40.8
1962	23	5.6	69	16.8	58	14.1	75	18.3	10	2.4	1	0.2	174	42.4
1963	1	0.5	29	13.7	40	18.9	49	23.1	4	1.9	.	.	89	42.0
1964	5	1.7	24	8.3	37	12.8	31	10.7	32	11.1	.	.	160	55.4
1965	3	1.2	27	10.6	24	9.4	54	21.3	21	8.3	.	.	125	49.2
1966	3	1.8	11	6.7	13	7.9	27	16.4	8	4.8	.	.	103	62.4
1967	9	3.4	12	4.5	6	2.3	40	15.1	24	9.1	6	2.3	168	63.4
1968	7	3.5	10	5.1	12	6.1	18	9.1	4	2.0	3	1.5	144	72.7
1969	2	1.4	20	14.4	2	1.4	21	15.1	12	8.6	.	.	82	59.0
1970	2	0.9	5	2.3	20	9.3	28	13.0	10	4.7	8	3.7	142	66.0
1971	1	1.1	7	7.4	7	7.4	17	18.1	4	4.3	1	1.1	57	60.6
1972	4	3.8	1	1.0	1	1.0	18	17.1	9	8.6	.	.	72	68.6
1973	11	9.4	2	1.7	13	11.1	10	8.5	22	18.8	4	3.4	55	47.0
1974	7	6.5	2	1.9	8	7.5	28	26.2	11	10.3	.	.	51	47.7
1975	1	1.6	3	4.7	4	6.3	6	9.4	7	10.9	3	4.7	40	62.5
1976	4	4.9	9	11.0	.	.	11	13.4	3	3.7	6	7.3	49	59.8
1977	12	8.6	4	2.9	2	1.4	23	16.4	8	5.7	6	4.3	85	60.7
1978	6	3.8	11	7.0	1	0.6	25	15.8	12	7.6	7	4.4	96	60.8
1979	3	3.7	4	4.9	5	6.2	23	28.4	6	7.4	4	4.9	36	44.4
1980	.	.	6	4.3	8	5.7	26	18.6	6	4.3	13	9.3	81	57.9
1981	3	2.2	9	6.5	9	6.5	18	12.9	7	5.0	13	9.4	80	57.6
1982	7	3.9	18	10.1	2	1.1	46	25.7	13	7.3	8	4.5	85	47.5
1983	1	0.7	2	1.3	5	3.4	21	14.1	3	2.0	13	8.7	104	69.8
1984	1	0.8	.	.	5	4.1	9	7.4	3	2.5	15	12.4	88	72.7
1985	18	5.8	17	5.4	22	7.1	45	14.4	4	1.3	35	11.2	171	54.8
1986	20	2.7	103	13.7	40	5.3	95	12.6	7	0.9	47	6.2	442	58.6
1987	14	3.4	18	4.4	11	2.7	69	16.9	4	1.0	33	8.1	259	63.5

Table 12. Reported size (kg) of grilse and multi-sea-winter salmon (MSW) from the Margaree River, 1947 to 1987. % of grilse and % of MSW refer to percentage of total grilse or MSW catch for each year.

Year	Catch of grilse by size (kg)								Grilse Catch for the year N
	Grilse <1.4		Grilse 1.4 to 1.8		Grilse 1.9 to 2.3		Grilse 2.4 to 2.7		
	N	% of grilse	N	% of grilse	N	% of grilse	N	% of grilse	
1947	1	2.8	15	41.7	9	25.0	11	30.6	36
1948	2	1.9	38	35.8	47	44.3	19	17.9	106
1949	4	9.8	8	19.5	15	36.6	14	34.1	41
1950	5	4.5	32	28.8	36	32.4	38	34.2	111
1951	4	19.0	5	23.8	6	28.6	6	28.6	21
1952	3	3.6	40	48.2	15	18.1	25	30.1	83
1953	6	12.2	19	38.8	15	30.6	9	18.4	49
1954	11	16.2	18	26.5	21	30.9	18	26.5	68
1955	12	22.6	17	32.1	14	26.4	10	18.9	53
1956	4	14.3	12	42.9	4	14.3	8	28.6	28
1957	5	13.9	9	25.0	7	19.4	15	41.7	36
1961	4	13.8	12	41.4	6	20.7	7	24.1	29
1962	8	17.4	15	32.6	11	23.9	12	26.1	46
1963	19	21.8	36	41.4	23	26.4	9	10.3	87
1964	25	20.8	55	45.8	30	25.0	10	8.3	120
1965	22	25.6	27	31.4	13	15.1	24	27.9	86
1966	30	32.6	34	37.0	20	21.7	8	8.7	92
1967	16	16.3	46	46.9	24	24.5	12	12.2	98
1968	10	15.6	25	39.1	12	18.8	17	26.6	64
1969	48	22.4	84	39.3	39	18.2	43	20.1	214
1970	14	16.5	35	41.2	14	16.5	22	25.9	85
1971	3	14.3	13	61.9	4	19.0	1	4.8	21
1972	9	21.4	18	42.9	4	9.5	11	26.2	42
1973	34	20.5	73	44.0	49	29.5	10	6.0	166
1974	13	21.7	24	40.0	20	33.3	3	5.0	60
1975	13	36.1	17	47.2	.	.	6	16.7	36
1976	46	47.9	37	38.5	12	12.5	1	1.0	96
1977	18	26.1	37	53.6	9	13.0	5	7.2	69
1978	9	36.0	4	16.0	9	36.0	3	12.0	25
1979	244	40.9	294	49.2	45	7.5	14	2.3	597
1980	12	7.2	112	67.1	33	19.8	10	6.0	167
1981	335	37.3	523	58.2	32	3.6	9	1.0	899
1982	299	43.3	364	52.7	21	3.0	7	1.0	691
1983	11	16.2	46	67.6	8	11.8	3	4.4	68
1984	30	20.3	110	74.3	7	4.7	1	0.7	148
1985	123	55.2	95	42.6	4	1.8	1	0.4	223
1986	109	36.9	161	54.6	23	7.8	2	0.7	295
1987	131	37.1	200	56.7	21	5.9	1	0.3	353

Table 12 (cont'd).

Year	Catch of Multi-Sea-Winter by size (kg)									MSW Catch for the year	
	MSW 2.8 to 4.5		MSW 4.6 to 9.1		MSW 9.2 to 13.6		MSW > 13.6		MSW weight not specified		
	N	% of MSW	N	% of MSW	N	% of MSW	N	% of MSW	N		
1947	130	35.8	224	61.7	9	2.5	363
1948	163	23.2	513	72.9	25	3.6	3	0.4	.	.	704
1949	96	28.9	219	66.0	16	4.8	1	0.3	.	.	332
1950	164	51.2	146	45.6	10	3.1	320
1951	118	27.8	288	67.9	17	4.0	1	0.2	.	.	424
1952	107	52.5	92	45.1	5	2.5	204
1953	106	36.4	176	60.5	8	2.7	1	0.3	.	.	291
1954	180	60.4	107	35.9	11	3.7	298
1955	79	30.6	167	64.7	12	4.7	258
1956	54	60.0	34	37.8	2	2.2	90
1957	79	58.1	52	38.2	5	3.7	136
1961	26	53.1	20	40.8	3	6.1	49
1962	188	45.9	206	50.2	16	3.9	410
1963	70	33.0	133	62.7	9	4.2	212
1964	117	40.5	166	57.4	6	2.1	289
1965	103	40.6	146	57.5	5	2.0	254
1966	67	40.6	90	54.5	8	4.8	165
1967	114	43.0	146	55.1	5	1.9	265
1968	78	39.4	113	57.1	6	3.0	1	0.5	.	.	198
1969	85	61.2	53	38.1	1	0.7	139
1970	82	38.1	132	61.4	1	0.5	215
1971	42	44.7	51	54.3	1	1.1	94
1972	53	50.5	48	45.7	4	3.8	105
1973	44	37.6	73	62.4	117
1974	35	32.7	71	66.4	1	0.9	107
1975	26	40.6	35	54.7	3	4.7	64
1976	31	37.8	49	59.8	2	2.4	82
1977	59	42.1	77	55.0	4	2.9	140
1978	54	34.2	100	63.3	4	2.5	158
1979	19	23.5	54	66.7	8	9.9	81
1980	27	19.3	108	77.1	5	3.6	140
1981	26	18.7	104	74.8	7	5.0	2	1.4	.	.	139
1982	56	31.3	117	65.4	5	2.8	1	0.6	.	.	179
1983	38	25.5	110	73.8	1	0.7	149
1984	9	7.4	107	88.4	5	4.1	121
1985	76	24.4	207	66.3	29	9.3	312
1986	25	3.3	126	16.7	2	0.3	.	.	601	79.7	754
1987	408	100.0	408