



08000493

The Indian Food Fishery of the Fraser River: 1987 Summary

A.L. Macdonald

Department of Fisheries and Oceans
Fisheries Branch
80 - 6th Street
New Westminster, B.C.
V3L 5B3

May 1988



Canadian Data Report of
Fisheries and Aquatic Sciences
No. 690



Fisheries
and Oceans

Pêches
et Océans

Canada

Canadian Data Report of Fisheries and Aquatic Sciences

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport statistique canadien des sciences halieutiques et aquatiques

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of
Fisheries and Aquatic Sciences 690

May 1988

THE INDIAN FOOD FISHERY
OF THE FRASER RIVER:
1987 SUMMARY.

by

A.L. Macdonald

Department of Fisheries and Oceans
Fisheries Branch
80 - 6th Street
New Westminster, B.C.
V3L 5B3

© Minister of Supply and Services Canada 1988

Cat. No. Fs 97-13/0690E

ISSN 0706-6465

Correct citation for this publication:

Macdonald, A.L. 1988. The Indian food fishery of the Fraser River: 1987 summary. Can. Data Rep. Fish. Aquat. Sci. 690: 113 p.

CONTENTS

	Page
LIST OF TABLES AND FIGURES	iv
ABSTRACT/RÉSUMÉ	v
INTRODUCTION	1
FISHING AREAS AND GEAR	1
1987 CATCH	3
MANAGEMENT PROCEDURE	6
1987 PRE-SEASON MANAGEMENT PLAN	7
IN-SEASON AMENDMENTS	7
DATA SOURCES	8
DATA ORGANIZATION AND INTERPRETATION	8
ACKNOWLEDGEMENTS	9
LITERATURE CITED	9

LIST OF TABLES

Table	Page
1. Annual salmon and steelhead catch by the Fraser River Indian food fishery, 1951 to 1987	4
2. Distribution of salmon and steelhead catch by area in the Fraser River Indian food fishery in 1987	5
3. Management plans for the Fraser River Indian food fishery in 1987	11
4. Weekly number of days open, nets and net-days of effort by area in the Fraser River Indian food fishery in 1987	19
5. Annual catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987	35
6. Weekly estimates of catch by area in the Fraser River Indian food fishery in 1987	59
7. Weekly estimates of effort and catch per unit of effort (CPUE) by area and gear type in the Fraser River Indian food fishery in 1987	99

LIST OF FIGURES

Figure	Page
1. The Fraser River watershed and features delineating the fishing areas of the Indian food fishery	2

ABSTRACT

Macdonald, A.L. 1988. The Indian food fishery of the Fraser River: 1987 summary. Can. Data Rep. Fish. Aquat. Sci. 690: 113 p.

Weekly effort levels, catches, and catch per unit effort of five species of Pacific salmon (*Oncorhynchus* spp.), steelhead trout (*Salmo gairdneri*) and sturgeon (*Acipenser* spp.) are reported for all 23 fishing areas of the Fraser River Indian food fishery in 1987. The annual catch of 605,366 salmon and steelhead was the second highest on record. The catch by species was 14,525 chinook salmon (*O. tshawytscha*), 468,023 sockeye salmon (*O. nerka*), 70,514 pink salmon (*O. gorbuscha*), 23,737 coho salmon (*O. kisutch*), 26,312 chum salmon (*O. keta*), 2,255 steelhead and 1,479 sturgeon. A standard management plan for the fishery was amended because conservation of early and middle timed chinook and early Stuart sockeye stocks was required. For the second consecutive year, in-season management actions were taken to keep sockeye catches within an allocation of 500,000 fish for the entire fishery.

Key words: Indian food fishery, Fraser River, effort, catch, conservation, allocation.

RÉSUMÉ

Macdonald, A.L. 1988. The Indian food fishery of the Fraser River: 1987 summary. Can. Data Rep. Fish. Aquat. Sci. 690: 113 p.

On présente les niveaux d'effort hebdomadaire, les prises, et les prises par unité d'effort pour cinq espèces de saumon du pacifique (*genre Oncorhynchus*), la truite arc-en-ciel anadrome (*Salmo gairdneri*) et esturgeon (*genre Acipenser*), ceci pour les 23 zones de pêche touchant la pêche de subsistance des autochtones dans le fleuve Fraser en 1987. Une capture annuelle totale de 605 366 saumons et truites arc-en-ciel anadromes représente la deuxième en importance jamais enregistrée. Les prises par espèce ont été les suivantes: 14 525 saumons quinnats (*O. tshawytscha*), 468 023 saumons rouges (*O. nerka*), 70 514 saumons roses (*O. gorbuscha*), 23 737 saumons cohos (*O. kisutch*), 26 312 saumons kétas (*O. keta*), 2 255 truites arc-en-ciel anadromes et 1 479 esturgeons. On a modifié un plan de gestion normalisé de la pêche dans le but d'assurer la conservation des stocks de saumon quinnat à remontée hâtive et intermédiaire et les stocks de saumon rouge à remontée hâtive de la rivière Stuart. Pour la deuxième année consécutive, on a instauré des mesures de gestion pendant la saison afin de maintenir les prises de saumon rouge sous la limite des 500 000 individus.

Mots-cles: pêche de subsistance des autochtones, fleuve Fraser, effort, prises, conservation, allocation.

INTRODUCTION

Management plans for the Fraser River Indian food fishery (IFF) in 1987 and resultant effort, catch and catch per unit of effort (CPUE) of salmon (*Oncorhynchus spp.*), steelhead (*Salmo gairdneri*) and sturgeon (*Acipenser spp.*) are documented in this report. Management plans and salmonid catch, effort, and CPUE estimates for the IFF for the 1951 to 1982 period have been compiled by Schubert (1983) and published annually since 1983 (Schubert 1984, 1985, 1986; Macdonald 1987).

This report provides a brief description of fishing areas and gear, an overview of the management process, an annual catch summary, details of the data organization and interpretation, pre-season management plans, in-season management actions, and tabulated weekly effort, catch and CPUE by the IFF in 1987.

FISHING AREAS AND GEAR

The Fraser River watershed has been divided into 23 areas for the purpose of data collection and documentation. Areas are delineated by the locations described briefly below and shown in Fig. 1. The watershed is divided into two administrative districts by the Department of Fisheries and Oceans (DFO). Districts 1 and 2 represent, respectively, all areas upstream and downstream of North Bend. The following descriptions indicate the distance of the area boundaries from Steveston (near the mouth of the Fraser River) in brackets and gear types used in each area.

Steveston Area (below 9.6 km); drifted gill nets. The North Arm of the Fraser River downstream of the Knight Street bridge; the Middle Arm of the Fraser River between Swishwash and Lulu Islands; and Ladner Reach, Sea Reach and Canoe Passage in the Main

Arm of the Fraser River. The area in the Middle Arm was a new addition for 1987 and became effective on July 1.

Deas Island (9.6 km) to Mission (75 km); set gill nets. The main arm of the Fraser River from the westerly end of Deas Island upstream to Mission; and the North Arm of the Fraser River upstream from the Knight Street bridge.

Mission (75 km) to Hope (151 km); set gill nets. Prior to 1987, data for this area was compiled for north and south side sub-areas of the mainstem, each extending from Mission to Hope. In 1987, the north and south side sub-areas were combined for data collection and documentation.

Hope (151 km) to North Bend (206 km); set gill nets. This area includes a section of the Fraser River from North Bend to Ainslie Creek (214 km) and encompasses a permanently closed 8 km section of the Fraser River that extends from Williams Creek (191.5 km), 2.8 km south of Hell's Gate, to Petch Creek (199.5 km), 5.2 km north of Hell's Gate. The closed area protects salmon stocks passing an obstruction at Hell's Gate.


North Bend (206 km) to Texas Creek (280 km); set gill nets and dip nets. Prior to 1976, this area was North Bend to Lytton (236 km). Texas Creek flows into the Fraser River 18 km south of Lillooet.

Texas Creek (280 km) to Churn Creek (430 km); set gill nets and dip nets. Prior to 1976, this area was Lytton to Churn Creek.

Churn Creek (430 km) to Chilcotin Bridge (491 km); dip nets. Chilcotin Bridge (also known as Sheep Creek bridge) crosses the Fraser River 20 km south of Williams Lake.

Chilcotin Bridge (491 km) to Marguerite (552 km); dip nets.

FIGURE I. The Fraser River watershed and features delineating the fishing areas of the Indian food fishery.



Marguerite (552 km) to Hixon (689 km); dip nets.

Above Hixon (689 km); set gill nets. Fishing in this area is conducted in the Fraser River between Hixon and Prince George (768 km) and at Shelley (773 km). No fishing occurs in the mainstem or tributaries of the Fraser River upstream of Shelley.

Nechako and Stuart River Systems; set gill nets. These two systems are divided into six subareas as follows:

a. Nechako River

- Prince George (768 km) to the Stuart River mouth (855 km).
- Stuart River mouth (855 km) to Fort Fraser (958 km) including the Nautley River.
- Fort Fraser (958 km) to Francois Lake (990 km). Fishing in this area occurs along the foreshore of Fraser Lake off the reserves at Lejac and in the Fraser Lake town site, and in the lower 200 m of the Stellako River.

b. Stuart River

- Stuart-Nechako river confluence (855 km) to Fort St. James (967 km). Most fishing in this area occurs at the outlet of Stuart Lake.
- Fort St. James (967 km) to the Trembleur Lake outlet (1,035 km). Most fishing in this area occurs in the Tachie River at Grand Rapids and off the Tachie River mouth.
- above the Trembleur Lake outlet (1,035 km). Fishing is conducted in this area at the mouth of the Middle River.

Chilcotin River System

- Chilcotin River; from the Fraser River (460 km) to the Chilko River confluence (549 km); dip nets.
- Chilko River; from the Chilcotin River confluence (549 km) to Henry's Crossing (628 km); dip nets and gaffs.

Thompson River System

- Thompson River; Lytton (254 km) to Savona (368 km); set gill nets and dip nets.
- Shuswap River; from the Islands (610 km) to Skookumchuk Rapids (653 km); spears and gaffs.
- North Thompson River system; North Thompson mainstem above McLure (413 km); set gill nets; and in the Raft River (545 km); spears and gaffs.

Harrison-Lillooet River System

- Harrison River; mainstem (from 102 km to 121 km); set gill nets and spears.
- Lower Lillooet River; head of Harrison Lake (182 km) to the Lillooet Lake outlet (240 km); set gill nets.
- Birkenhead River (268 km); includes a set gill net fishery at the upper end of Lillooet Lake and a gaff fishery in the Birkenhead River.

1987 CATCH

Catches of salmon and steelhead by the IFF are presented by year from 1951 to 1987 in Table 1 and by area for 1987 in Table 2. The total catch of 605,366 salmon and steelhead in 1987 was the second highest on record and only 296 fish below the highest

Table 1. Annual salmon and steelhead catch by the Fraser River Indian food fishery, 1951 to 1987.

Year	Chinook	Sockeye	Pink	Coho	Chum	Steelhead	Total
1951	9,092	85,043	6,385	3,980	5,827	2,313	112,640
1952	9,450	83,986	11	5,191	5,787	3,090	107,515
1953	10,763	113,031	8,233	6,111	5,241	2,769	146,148
1954	12,501	95,200	0	7,206	6,168	2,803	123,878
1955	8,145	65,504	10,813	10,599	3,521	1,998	100,580
1956	5,003	64,918	168	6,377	2,267	1,838	80,571
1957	5,793	96,839	13,395	6,200	4,761	1,925	128,913
1958	7,693	82,632	117	5,975	6,741	2,488	105,646
1959	7,741	64,999	17,695	8,335	15,900	3,567	118,237
1960	8,086	83,649	0	8,105	9,970	4,115	113,925
1961	9,203	137,194	30,055	13,182	9,647	4,761	204,042
1962	8,899	137,448	0	15,680	11,300	4,796	178,123
1963	9,150	190,002	34,750	14,560	10,741	4,959	264,162
1964	10,513	145,639	0	16,217	12,210	5,893	190,472
1965	10,123	120,570	29,231	21,135	7,390	3,750	192,199
1966	9,063	154,059	0	21,527	12,181	3,606	200,436
1967	6,159	107,173	24,344	4,845	8,800	2,283	153,604
1968	10,123	124,191	0	17,622	11,102	1,996	165,034
1969	14,171	159,105	25,600	13,949	4,300	1,436	218,561
1970	18,933	150,555	0	19,390	5,603	1,423	195,904
1971	14,133	154,461	27,722	17,999	4,022	1,547	219,884
1972	16,008	135,003	0	19,647	6,301	2,657	179,616
1973	11,775	163,866	54,572	16,434	10,742	1,885	259,274
1974	18,144	222,430	6	27,924	15,102	2,030	285,636
1975	20,170	253,151	41,488	18,092	7,087	2,123	342,111
1976	19,189	233,462	0	24,924	13,603	2,320	293,498
1977	23,310	244,427	28,618	16,543	9,342	1,122	323,362
1978	19,541	237,552	0	22,739	9,509	442	289,783
1979	14,931	291,709	60,866	15,053	8,202	743	391,504
1980	15,252	185,966	0	29,427	12,333	1,357	244,335
1981	11,987	440,664	56,702	10,741	11,170	1,014	532,278
1982	35,687	429,799	0	49,645	19,233	2,374	536,738
1983	15,756	361,556	84,879	7,548	12,637	766	483,142
1984	22,784	357,529	0	57,297	18,635	6,745	462,990
1985	10,895	424,499	102,292	18,181	5,859	1,460	563,186
1986	15,646	534,159	0	35,158	16,711	3,988	605,662
1987	14,525	468,023	70,514	23,737	26,312	2,255	605,366
Averages							
1951-60	8,427	83,580	11,304	6,808	6,618	2,691	113,805
1961-70	10,634	142,594	28,796	15,811	9,327	3,490	196,254
1971-80	17,245	212,203	42,653	20,878	9,624	1,623	282,900
1981-87	18,183	430,890	78,597	28,901	15,794	2,657	541,337

Table 2. Distribution of salmon and steelhead catch by area in the Fraser River Indian food fishery in 1987.

Fishing Area	Chinook		Sockeye		Pink		Coho		Chum		Steelhead		Total	
	catch	%	catch	%	catch	%	catch	%	catch	%	catch	%	catch	%
Fraser mainstem														
Steveston area	728	5	26,501	6	7,837	11	2,602	11	3,371	13	60	3	41,099	7
Deas to Mission	749	5	8,458	2	9,003	13	4,068	17	3,755	14	100	4	26,133	4
Mission to Hope	4,084	28	89,917	19	29,547	42	11,191	47	14,944	57	582	26	150,265	25
Hope to North Bend	7,237	50	158,359	34	21,801	31	3,453	15	3,812	14	1,362	60	196,024	32
North Bend to Texas Creek	603	4	51,347	11	538	1	50	<1	-	-	70	3	52,608	9
Texas Creek to Churn Creek	802	6	48,930	10	55	<1	0	0	-	-	52	2	49,839	8
Churn Cr. to Chilcotin Bridge	16	<1	2,980	1	-	-	-	-	-	-	-	-	2,996	0
Chilcotin Br. to Marguerite	20	<1	4,215	1	-	-	-	-	-	-	-	-	4,235	1
Marguerite to Hixon	40	<1	4,450	1	-	-	-	-	-	-	-	-	4,490	1
above Hixon	9	<1	2,534	1	-	-	-	-	-	-	-	-	2,543	0
Tributaries														
Harrison River	19	<1	240	<1	267	<1	268	1	194	1	0	<1	988	0
Lillooet River System	35	<1	7,440	2	1	<1	1,936	8	236	1	15	1	9,663	2
Thompson River System	88	1	3,525	1	1,465	2	169	1	-	-	14	1	5,261	1
Chilcotin River System	41	<1	28,134	6	-	-	-	-	-	-	-	-	28,175	5
Nechako River System	43	<1	22,311	5	-	-	-	-	-	-	-	-	22,354	4
Stuart River System	11	<1	8,682	2	-	-	-	-	-	-	-	-	8,693	1
Total	14,525	100	468,023	100	70,514	100	23,737	100	26,312	100	2,255	100	605,366	100

1
5
1

catch in 1986. The chinook catch of 14,525 fish was below the 1981-87 average. The catch of 468,023 sockeye represented 77% of the salmonid total and was the second largest annual catch for the 1951-87 period. The catch of 70,514 pinks was below the 1981-87 average. The coho catch of 23,737 fish was below the 1981-87 average and less than half of the brood year catch in 1984. The catch of 26,312 chum was the highest on record and 37% above the previous high catch in 1982. The steelhead catch of 2,255 was approximately 400 fish less than the 1981-87 average.

The majority of the total catch in 1987 was taken in the mainstem of the Fraser River downstream of Churn Creek (87%). The greatest proportion of catch of any area in the fishery occurred between Mission and Hope (25%) and Hope and North Bend (32%).

MANAGEMENT PROCEDURE

The IFF is regulated to conserve the salmon resource and provide Indian people with a level of fishing opportunity that enables them to obtain their reasonable food fish requirements. The standard fishing plan for the fishery, which has not changed significantly since 1962, is shown in Table 3a. Prior to 1986, two regulatory measures were used in the management procedure: restrictions of fishing times and restrictions in the type and characteristics of gear. The durations of weekly open periods vary within the fishery because stock abundances and gear efficiencies differ between areas. For example, the fishery between Deas Island and North Bend is open for three days per week because most Fraser River stocks of all five salmon species are available to the relatively efficient gear used in this area. In comparison, the fishery between Churn Creek and Hixon and in the Chilcotin River system is open seven days per week because the number of salmon species, and abund-

ance and seasonal occurrence of stocks are considerably reduced. Additionally, the dip nets used in these areas are less efficient than set gill nets used in the lower parts of the river, and the number of fishing sites may be limited. Gear restrictions applying to the type and characteristics of gill nets are used as a method of limiting net efficiency which can not be compensated for by varying the duration of openings. Since 1986, an annual allocation of 500,000 sockeye has been established for the entire fishery in addition to the time and gear regulations.

Each year, including those in which an allocation has been established, a pre-season plan is developed by amending the standard plan if the status of stocks indicates that conservation measures are required. The proposed pre-season plan is finalized after consultation with appropriate Indian bands and tribal councils.

With the introduction of allocations, the fishery is actively managed during the season through amendments to the pre-season plan. Changes are also made during the season if emergency in-season conservation concerns arise. The sockeye allocations for 1986 and 1987 were divided between two stock groupings (summer and late timed runs) and two areas (below and above North Bend) on the basis of catch divisions for the previous four cycle years. During the season the weekly catch of sockeye is compared to pre-season projections derived from historic weekly catch rates and the allocations. Adjustments of fishing time are made to provide opportunities to reach the allocations.

The Interior Indian Fisheries Commission (IIFC) represents the fishing interests of most Indian bands and tribal councils throughout the Fraser River watershed and is one of the principal consultative groups for the IFF. The IIFC consists of two repre-

sentatives from each of the following ten tribal councils: Carrier-Sekani Tribal Council, Cariboo Tribal Council, Chilcotin-Ulkatcho-Kluskus Nation, Lillooet Tribal Council, Nlaka'-Pamux Tribal Council, Okanagan Tribal Council, Shuswap Nation Tribal Council, Kootenay Indian Area Council, Sto:Lo Nation, and Sto:Lo Tribal Council.

1987 PRE-SEASON MANAGEMENT PLAN

The pre-season plan for the IFF is shown in Tables 3b and 3c. Early and middle timed chinook and early Stuart sockeye stocks required conservation for the 1987 season. Three management actions were taken in an attempt to reduce catches from these stocks:

1. For early timed chinook, fishing times in the mainstem of the Fraser River downstream from North Bend, the major area of chinook interception, were reduced to one day per week during the chinook-directed fishery between late February and late June. Similar conservation measures for this run have been implemented annually since 1977;
2. For middle timed chinook, a restriction was placed on the mesh size of gill nets to a maximum of 140 mm (5.5 inches) from July to mid-September to reduce incidental interceptions of chinook during the sockeye-directed fishery. This was the sixth consecutive year in which mesh sizes have been restricted; and
3. For early Stuart sockeye, the pre-season prediction for the total return was 201,000 fish. The spawning escapement goal and total allowable catch (TAC) were established at 150,000 and 51,000 fish respectively. All of the TAC was designated for the IFF.

The fishing plan developed to achieve these objectives was: areas below North Bend were closed for two weeks and openings in the weeks immediately prior to and after the closure were restricted to 1 day/wk; areas between North Bend and Churn Creek were closed for 2 weeks and the opening in the week immediately prior to the closure was restricted to 2 days/wk; areas above Churn Creek except in the Stuart River system were closed for 2 weeks; no closures or restrictions were imposed in the Stuart River system. The closures were scheduled in a sequential manner according to the migration pattern.

In 1987, for the second consecutive year, a catch allocation of 500,000 sockeye for the entire fishery was established by DFO. The catch was divided by time period as follows: 51,000 early Stuart sockeye, 387,000 summer run sockeye and 62,000 late run sockeye. The summer and late run components were subdivided into geographic allocations as follows: 1. below North Bend - 166,000 summer and 45,000 late run sockeye; 2. above North Bend - 221,000 summer and 17,000 late run sockeye. The focus of management in 1987 was to attempt to achieve these allocations. Allocations were not established for other species.

IN-SEASON AMENDMENTS

In early July, the in-season early Stuart sockeye run size estimate was reduced to 175,000 from the pre-season forecast of 201,000. Since the food fishery was to be managed to achieve a fixed escapement goal of 150,000 fish, the TAC was reduced to 25,000 from the 51,000 sockeye anticipated in the pre-season plan. The pre-season plan was amended therefore, and a three week closure throughout the watershed, except in the Stuart

River system, was scheduled to reduce the catch.

The sub-allocations between run timing components also required a re-adjustment to compensate for the shortfall caused by the early Stuart run reduction. The adjusted allocations were 409,000 summer and 66,000 late run sockeye divided geographically as follows: 1. below North Bend - 176,000 summer and 48,000 late run fish; and 2. above North Bend - 233,000 summer and 18,000 late run fish.

During the season, catches of summer runs were less than levels required to reach the designated allocations below and above North Bend. Accordingly, changes to the pre-season plan (Table 3d) were made by scheduling additional time as follows: 12 hours in August in the Steveston area; 1 day in July and 5 days in August between Deas Island and Mission; 6 days in August between Mission and North Bend; 6 days in August and 8 days in September between North Bend and Texas Creek; 6 days in August and 9 days in September between Texas Creek and Churn Creek; 2.5 days in late August and 1.5 days in early September in the lower Nechako River. Decisions to extend time were made on a weekly basis in an attempt to pace the actual catch with the predicted catch levels required to achieve the allocations.

Other developments requiring in-season amendments included the re-scheduling of 16 hours of fishing time in the Steveston area in September to avoid a simultaneous commercial and Indian food fisheries opening (Table 3d). A similar response was made in 1986.

The consultative process established with native groups in past years was continued in 1987. Meetings were held prior to and during the fishing season with the IIFC, Musqueam

Indian Band and Sto:Lo Nation and Tribal Council to discuss management plans and facilitate in-season changes to these plans. Beginning in early July, status reports were sent regularly to the Indian groups to provide them with up-dated information on sockeye and pink run sizes and Indian food and commercial fishery catches.

DATA SOURCES

Effort and catch statistics of the IFF are estimated in each fishing area and compiled weekly by fisheries officers of DFO. Gear counts may be obtained from river, ground or aerial surveys. CPUE and catch may be estimated from interviews with or direct observation of fishermen and by physical inspection of deployed nets. Generally, each area of the fishery is surveyed one or more times during each weekly open period. Catch and effort estimation methods and intensity of assessment are dependent on characteristics of the fishery and extent of resources and as a result may vary between areas and within each area throughout the year.

DATA ORGANIZATION AND INTERPRETATION

The weekly number of open days, daily number of nets, and net-days per week of effort in 1987 are presented by area and gear type in Table 4. The net-days per week of effort were calculated by multiplying the number of days open for fishing each week by the number of nets observed.

All catch data are reported as number of fish (pieces). Annual catches of salmonid species by area for the 1951 to 1987 period are summarized in Table 5. Weekly catches of salmonid species and sturgeon by area in 1987 are presented in Table 6. In Table 6, non-numeric entries represented by hyphens indicate weekly openings when no effort was expended (e.g. no nets present).

Weekly CPUE of each salmonid species and sturgeon by area and gear type in 1987 is shown in Table 7. CPUE was calculated by dividing the total weekly catch by the total weekly effort and is expressed in units of catch per net-day. In the CPUE tables, non-numeric entries represented by hyphens indicate weeks when no effort was expended. CPUE was not calculated for the two areas between North Bend and Churn Creek in the mainstem of the Fraser River and the area between Lytton and Savona in the mainstem of the Thompson River because separate estimations of catch for each of the two gear types used in these areas (set gill nets and dip nets) were not reported.

ACKNOWLEDGEMENTS

I thank M. Farwell, R. Harrison and N. Schubert for reviewing a draft of the report and R. Reimer for typing the manuscript.

LITERATURE CITED

- Macdonald, A.L. 1987. The Indian food fishery of the Fraser River: 1986 summary. Can. Data Rep. Fish. Aquat. Sci. 623: v + 103 p.
- Schubert, N.D. 1983. The Indian food fishery of the Fraser River: catch summary, 1951 to 1982. Can. Data Rep. Fish. Aquat. Sci. 412: v + 357 p.
- Schubert, N.D. 1984. The Indian food fishery of the Fraser River: 1983 summary. Can. Data Rep. Fish. Aquat. Sci. 479: v + 67 p.
- Schubert, N.D. 1985. The Indian food fishery of the Fraser River: 1984 summary. Can. Data Rep. Fish. Aquat. Sci. 512: v + 64 p.
- Schubert, N.D. 1986. The Indian food fishery of the Fraser River: 1985 summary. Can. Data Rep. Fish. Aquat. Sci. 560: vi + 80 p.

Page

Table 3. Management plans for the Fraser River Indian food fishery in 1987:

3a. Standard management plan	12
3b. Pre-season management plan (fishing times)	13
3c. Pre-season management plan (gear restrictions)	15
3d. Record of management actions	16

Table 3a. The standard management plan (fishing times) for the Fraser River Indian food fishery.

Fishing areas	Fishery opening		Gear type
	Days/wk	Daily periods (PST)	
Steveston area (below Deas Island)	1.5	1200 Fri to 2400 Sat	Drifted gill net
Deas Island to Mission bridge	3	1200 Mon to 1200 Thurs	Set gill net
Mission Bridge to Williams Creek, Harrison River	3	1200 Thurs to 1200 Sun	Set gill net
Williams Creek to Petch Creek	0	Permanently closed	
Petch Creek to Texas Creek, Thompson River	4	0000 Thurs to 2400 Sun	Set gill net, dip net
Shuswap River	4	0000 Thurs to 2400 Sun	Spear, gaff
Texas Creek to Churn Creek	4	0000 Mon to 2400 Thurs	Set gill net, dip net
Churn Creek to Hixon, Chilcotin River	7	0000 Mon to 2400 Sun	Dip net
above Hixon, Nechako and Stuart river systems	5	1200 Mon to 1200 Sat	Set gill net
Lillooet River system	7	0000 Mon to 2400 Sun	Set gill net

Table 3b. The preseason management plan (fishing times) for the Fraser River Indian food fishery for the period 1 April 1987 to 31 May 1988.

Fishing areas	Fishery opening			Stocks requiring conservation
	Monthly period	Days/wk	Daily period (PST)	
Steveston area (below Deas Island)	01-Apr to 28-Jun	1	1200 Fri to 1200 Sat	early chinook
	29-Jun to 12-Jul	0	closed	early Stuart sockeye
	13-Jul to 19-Jul	1	1200 Fri to 1200 Sat	early Stuart sockeye
	20-Jul to 21-Feb	1.5	1200 Fri to 2400 Sat	-
	22-Feb to 31-May	1	1200 Fri to 1200 Sat	early chinook
Deas Island to Mission bridge	01-Apr to 05-Jul	1	1200 Wed to 1200 Thur	early chinook
	06-Jul to 19-Jul	0	closed	early Stuart sockeye
	20-Jul to 26-Jul	1	1200 Wed to 1200 Thur	early Stuart sockeye
	27-Jul to 21-Feb	3	1200 Mon to 2400 Thur	-
	22-Feb to 31-May	1	1200 Wed to 1200 Thur	early chinook
Mission Bridge to North Bend, Harrison River	01-Apr to 05-Jul	1	1200 Sat to 1200 Sun	early chinook
	06-Jul to 19-Jul	0	closed	early Stuart sockeye
	20-Jul to 26-Jul	1	1200 Sat to 1200 Sun	early Stuart sockeye
	27-Jul to 21-Feb	3	1200 Thur to 1200 Sun	-
	22-Feb to 31-May	1	1200 Sat to 1200 Sun	early chinook
Williams Creek to Petch Creek	All year	0	Permanently closed	-
North Bend to Ainsley Creek	01-Apr to 05-Jul	4	0000 Thur to 2400 Sun	-
	06-Jul to 19-Jul	0	closed	early Stuart sockeye
	20-Jul to 26-Jul	1	1200 Sat to 1200 Sun	early Stuart sockeye
	27-Jul to 31-May	4	0000 Thur to 2400 Sun	-

continued

Table 3b. The preseason management plan (fishing times) for the Fraser River Indian food fishery for the period 1 April 1987 to 31 May 1988 (continued).

Fishing areas	Fishery opening			Stocks requiring conservation
	Monthly period	Days/wk	Daily period (PST)	
Ainsley Creek to Texas Creek, Thompson river system	01-Apr to 05-Jul	4	0000 Tues to 2400 Fri	-
	06-Jul to 12-Jul	2	0000 Tues to 2400 Wed	early Stuart sockeye
	13-Jul to 26-Jul	0	closed	early Stuart sockeye
	27-Jul to 31-May	4	0000 Tues to 2400 Fri	-
Texas Creek to Churn Creek	01-Apr to 05-Jul	4	0000 Mon to 2400 Thur	-
	06-Jul to 12-Jul	2	0000 Mon to 2400 Tues	early Stuart sockeye
	13-Jul to 26-Jul	0	closed	early Stuart sockeye
	27-Jul to 31-May	4	0000 Mon to 2400 Thur	-
Churn Creek to Hixon	01-Apr to 19-Jul	7	0000 Mon to 2400 Sun	-
	20-Jul to 02-Aug	0	closed	early Stuart sockeye
	03-Aug to 31-May	7	0000 Mon to 2400 Sun	-
above Hixon, Nechako River below Stuart River	01-Apr to 20-Jul	5	1200 Wed to 1200 Mon	-
	21-Jul to 27-Jul	2	1200 Wed to 1200 Fri	early Stuart sockeye
	28-Jul to 03-Aug	0	closed	early Stuart sockeye
	04-Aug to 10-Aug	3	1200 Fri to 1200 Mon	early Stuart sockeye
	11-Aug to 31-May	5	1200 Wed to 1200 Mon	-
Stuart River, Nechako River above Stuart River	01-Apr to 30-Sep	5	1200 Mon to 1200 Sat	-
Chilcotin River	All year	7	0000 Mon to 2400 Sun	-
Lillooet River system	01-Apr to 14-Jun	1	1200 Sat to 1200 Sun	early chinook
	15-Jun to 31-May	7	0000 Mon to 2400 Sun	-

Table 3c. Preseason management plan (gear restrictions) for the Fraser River Indian food fishery for the period 1 April 1987 to 31 May 1988. No in-season amendments occurred.

Gear restriction	Fishing area	Time period	Conservation requirement
1. Use of monofilament nylon gill nets prohibited (a)	Entire fishery	All year	All species
2. Maximum set gill net length of 18.3 m (10 fathoms)	Entire fishery except Lillooet River system, and Stuart, Trembleur, Takla and Fraser lakes	All year	All species
3. Maximum set gill net length of 36.7 m (20 fathoms)	Lillooet River system	All year	All species
4. Maximum set gill net length of 31.0 m (17 fathoms)	Stuart, Trembleur, Takla and Fraser lakes	All year	All species
5. Maximum drifted gill net length of 45.7 m (25 fathoms)	Steveston area	All year	All species
6. Maximum gill net mesh size of 140 mm (5.5 inches)	Steveston area	1200 Jul 24 to 2400 Sep 19	middle timed chinook
	Deas to Mission bridge	1200 Jul 20 to 1200 Sep 17	middle timed chinook
	Mission bridge to Williams Creek	1200 Jul 23 to 1200 Sep 20	middle timed chinook
	Petch Creek to Texas Creek	0000 Jul 28 to 2400 Sep 18	middle timed chinook
	Texas Creek to Churn Creek	0000 Jul 27 to 2400 Sep 17	middle timed chinook
a. The definition of a monofilament net is as follows: the web does not contain any single filament that weighs more than 50 grams per 9000 meters of filament (50 deniers).			

Table 3d. Record of actual management actions (fishing times) taken for the Fraser River Indian food fishery for the period 1 April 1987 to 31 May 1988.

Fishing areas	Fishery opening			Stocks requiring con- servation, and inseason amendments to the pre-season plan
	Monthly period	Days/wk	Daily period (PST)	
Steveston area (below Deas Island)	01-Apr to 28-Jun	1	1200 Fri to 1200 Sat	early chinook
	29-Jun to 19-Jul	0	closed	early Stuart sockeye
	20-Jul to 26-Jul	1.5	1200 Fri to 2400 Sat	-
	27-Jul to 02-Aug	2	1200 Fri to 1200 Sun	allocation adjustment
	03-Aug to 06-Sep	1.5	1200 Fri to 2400 Sat	-
	07-Sep to 13-Sep	0.8	1200 Fri to 0800 Sat	opening adjustment
	14-Sep to 20-Sep	0.7	0800 Wed to 2400 Wed	opening adjustment
		1.5	1200 Fri to 2400 Sat	-
	21-Sep to 21-Feb	1.5	1200 Fri to 2400 Sat	-
	22-Feb to 31-May	1	1200 Fri to 1200 Sat	early chinook
Deas Island to Mission bridge	01-Apr to 05-Jul	1	1200 Wed to 1200 Thur	early chinook
	06-Jul to 26-Jul	0	closed	early Stuart sockeye
	27-Jul to 02-Aug	4	1200 Mon to 1200 Fri	allocation adjustment
	03-Aug to 16-Aug	3	1200 Mon to 1200 Thur	-
	17-Aug to 23-Aug	6	1200 Mon to 1200 Sun	allocation adjustment
	24-Aug to 30-Aug	5	1200 Mon to 1200 Sat	allocation adjustment
	31-Aug to 21-Feb	3	1200 Mon to 1200 Thur	-
	22-Feb to 31-May	1	1200 Wed to 1200 Thur	early chinook
Mission Bridge to North Bend, Harrison River (a)	01-Apr to 05-Jul	1	1200 Sat to 1200 Sun	early chinook
	06-Jul to 26-Jul	0	closed	early Stuart sockeye
	27-Jul to 02-Aug	3	1200 Thur to 1200 Sun	-
	03-Aug to 09-Aug	4	1200 Sun to 1200 Mon	allocation adjustment
			1200 Thur to 1200 Sun	-
	10-Aug to 16-Aug	3	1200 Thur to 1200 Sun	-
	17-Aug to 23-Aug	4	1200 Wed to 1200 Sun	allocation adjustment
	24-Aug to 30-Aug	7	1200 Sun to 1200 Sun	allocation adjustment
	31-Aug to 21-Feb	3	1200 Thur to 1200 Sun	-
	22-Feb to 31-May	1	1200 Sat to 1200 Sun	early chinook
Williams Creek to Petch Creek	All year	0	Permanently closed	
North Bend to Ainsley Creek	01-Apr to 05-Jul	4	0000 Tues to 2400 Fri	-
	06-Jul to 12-Jul	2	0000 Tues to 2400 Wed	early Stuart sockeye
	13-Jul to 02-Aug	0	closed	early Stuart sockeye
	03-Aug to 23-Aug	5	0000 Tues to 2400 Sat	allocation adjustment
	24-Aug to 30-Aug	6	0000 Tues to 2400 Sun	allocation adjustment
	31-Aug to 20-Sep	7	0000 Mon to 2400 Sun	allocation adjustment
	21-Sep to 31-May	4	0000 Tues to 2400 Fri	-

continued

Table 3d. Record of actual management actions (fishing times) taken for the Fraser River Indian food fishery for the period 1 April 1987 to 31 May 1988 (continued).

Fishing areas	Fishery opening			Stocks requiring con- servation, and inseason amendments to the pre-season plan
	Monthly period	Days/wk	Daily period (PST)	
Ainsley Creek to Texas Creek, Thompson river system	01-Apr to 05-Jul	4	0000 Tues to 2400 Fri	-
	06-Jul to 12-Jul	2	0000 Tues to 2400 Wed	early Stuart sockeye
	13-Jul to 02-Aug	0	closed	early Stuart sockeye
	03-Aug to 23-Aug	5	0000 Tues to 2400 Sat	allocation adjustment
	24-Aug to 30-Aug	6	0000 Tues to 2400 Sun	allocation adjustment
	31-Aug to 20-Sep	7	0000 Mon to 2400 Sun	allocation adjustment
	21-Sep to 31-May	4	0000 Tues to 2400 Fri	-
Texas Creek to Churn Creek	01-Apr to 05-Jul	4	0000 Mon to 2400 Thur	-
	06-Jul to 12-Jul	2	0000 Mon to 2400 Tues	early Stuart sockeye
	13-Jul to 02-Aug	0	closed	early Stuart sockeye
	03-Aug to 23-Aug	5	0000 Mon to 2400 Fri	allocation adjustment
	24-Aug to 20-Sep	7	0000 Mon to 2400 Sun	allocation adjustment
	21-Sep to 31-May	4	0000 Mon to 2400 Thur	-
Churn Creek to Hixon	01-Apr to 19-Jul	7	0000 Mon to 2400 Sun	-
	20-Jul to 09-Aug	0	closed	early Stuart sockeye
	10-Aug to 31-May	7	0000 Mon to 2400 Sun	-
above Hixon, Nechako River below Stuart River	01-Apr to 20-Jul	5	1200 Wed to 1200 Mon	-
	21-Jul to 27-Jul	2	1200 Wed to 1200 Fri	early Stuart sockeye
	28-Jul to 10-Aug	0	closed	early Stuart sockeye
	11-Aug to 17-Aug	3	1200 Fri to 1200 Mon	early Stuart sockeye
	18-Aug to 14-Sep	6	1200 Mon to 1200 Tues	allocation adjustment
	15-Sep to 30-Sep	5	1200 Wed to 1200 Mon	-
Stuart River, Nechako River above Stuart River	01-Apr to 30-Sep	5	1200 Mon to 1200 Sat	-
Chilcotin River	All year	7	0000 Mon to 2400 Sun	-
Lillooet River system	01-Apr to 14-Jun	1	1200 Sat to 1200 Sun	early chinook
	15-Jun to 31-May	7	0000 Mon to 2400 Sun	-

a. Devil's Run (near Sumas River) closed from 1 Dec 1987 to 15 Jan 1988.

Page

Table 4. Weekly number of days open, nets and net-days of effort by area in the Fraser River Indian food fishery in 1987:

Fraser River mainstem areas of District 2	21
Tributary areas of District 2	23
Summary of District 2	24
Fraser River mainstem areas of District 1	25
Tributary areas of District 1	28
Summary of Districts 1 and 2	32
Summary of Fraser River system	33

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 2, 1987.

Steveston area			
Week Ending	Days/wk	Drift nets/day	Drift net-days/wk
Jan 4	1.5	0	0.0
11	1.5	1	1.5
18	1.5	0	0.0
25	1.5	0	0.0
Feb 1	1.5	2	3.0
8	1.5	3	4.5
15	1.5	1	1.5
22	1.5	2	3.0
Mar 1	1.0	2	2.0
8	1.0	0	0.0
15	1.0	0	0.0
22	1.0	3	3.0
29	1.0	3	3.0
Apr 5	1.0	5	5.0
12	1.0	5	5.0
19	1.0	5	5.0
26	1.0	6	6.0
May 3	1.0	8	8.0
10	1.0	8	8.0
17	1.0	12	12.0
24	1.0	16	16.0
31	1.0	13	13.0
Jun 7	1.0	18	18.0
14	1.0	21	21.0
21	1.0	23	23.0
28	1.0	23	23.0
Jul 5	0	0	0
12	0	0	0
19	0 a	8	0
26	1.5	39	58.5
Aug 2	2.0	41	82.0
9	1.5	40	60.0
16	1.5	51	76.5
23	1.5	34	51.0
30	1.5	42	63.0
Sep 6	1.5	23	34.5
13	0.8	31	24.8
20	2.2	34	74.8
27	1.5	42	63.0
Oct 4	1.5	38	57.0
11	1.5	34	51.0
18	1.5	30	45.0
25	1.5	29	43.5
Nov 1	1.5	13	19.5
8	1.5	7	10.5
15	1.5	5	7.5
22	1.5	6	9.0
29	1.5	5	7.5
Dec 6	1.5	0	0.0
13	1.5	0	0.0
20	1.5	0	0.0
27	1.5	0	0.0
Total	65.0	732	1,023.1
Average	1.3	14.1	19.7

a. Fishery was open for less than 1 hour prior to closure notification.

continued

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 2, 1987.

Week Ending	Deas to Mission			Mission to Hope			Hope to North Bend		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 4	3	4	12	3	5	15	3	0	0
11	3	0	0	3	3	9	3	0	0
18	3	0	0	3	6	18	3	0	0
25	3	0	0	3	5	15	3	0	0
Feb 1	3	1	3	3	13	39	3	3	9
8	3	5	15	3	10	30	3	0	0
15	3	10	30	3	25	75	3	8	24
22	3	9	27	3	27	81	3	8	24
Mar 1	1	4	4	1	15	15	1	0	0
8	1	4	4	1	15	15	1	0	0
15	1	7	7	1	15	15	1	0	0
22	1	9	9	1	38	38	1	15	15
29	1	8	8	1	51	51	1	0	0
Apr 5	1	7	7	1	44	44	1	24	24
12	1	7	7	1	45	45	1	35	35
19	1	7	7	1	46	46	1	42	42
26	1	2	2	1	46	46	1	40	40
May 3	1	7	7	1	32	32	1	20	20
10	1	6	6	1	67	67	1	20	20
17	1	1	1	1	79	79	1	30	30
24	1	17	17	1	83	83	1	52	52
31	1	9	9	1	60	60	1	38	38
Jun 7	1	14	14	1	76	76	1	37	37
14	1	13	13	1	81	81	1	30	30
21	1	12	12	1	79	79	1	75	75
28	1	12	12	1	108	108	1	85	85
Jul 5	1	10	10	1	116	116	1	80	80
12	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0
Aug 2	4	34	136	3	165	495	3	149	447
9	3	24	72	4	159	634	4	133	533
16	3	29	87	3	190	570	3	131	393
23	6	41	246	4	168	672	4	141	564
30	5	44	220	7	165	1155	7	124	866
Sep 6	3	24	72	3	123	369	3	84	252
13	3	33	99	3	116	348	3	98	295
20	3	39	117	3	83	249	3	84	253
27	3	35	105	3	69	206	3	61	183
Oct 4	3	41	123	3	66	198	3	74	223
11	3	42	126	3	69	207	3	64	193
18	3	40	120	3	71	213	3	60	180
25	3	39	117	3	64	192	3	60	180
Nov 1	3	35	105	3	75	225	3	30	90
8	3	33	99	3	68	204	3	19	57
15	3	22	66	3	64	192	3	21	63
22	3	29	87	3	47	140	3	15	45
29	3	7	21	3	46	138	3	11	33
Dec 6	3	7	21	3	30	89	3	5	15
13	3	6	18	3	23	69	3	4	12
20	3	1	3	3	17	51	3	0	0
27	3	0	0	3	0	0	3	0	0
Total	115	790	2,303	115	3,066	7,992	115	2,011	5,555
Average	2.2	15.2	44.3	2.2	59.0	153.7	2.2	38.7	106.8

continued

Number of days open, nets and net-days of effort in the Fraser River tributary areas of District 2, 1987.

		Harrison River			Lower Lillooet R.			Birkenhead River		
Week Ending	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	
Jan	4	3	0	0	7	0	0	7	0	0
	11	3	0	0	7	0	0	7	0	0
	18	3	0	0	7	0	0	7	0	0
	25	3	0	0	7	0	0	7	0	0
Feb	1	3	0	0	7	0	0	7	0	0
	8	3	0	0	7	5	35	7	0	0
	15	3	0	0	7	5	35	7	0	0
	22	3	0	0	7	5	35	7	0	0
Mar	1	1	0	0	7	6	42	7	0	0
	8	1	0	0	7	4	28	7	1	7
	15	1	0	0	7	5	35	7	1	7
	22	1	0	0	7	4	28	7	0	0
	29	1	0	0	7	4	28	7	0	0
Apr	5	1	0	0	1	7	7	1	0	0
	12	1	0	0	1	6	6	1	0	0
	19	1	0	0	1	8	8	1	1	1
	26	1	0	0	1	4	4	1	5	5
May	3	1	0	0	1	4	4	1	3	3
	10	1	0	0	1	2	2	1	4	4
	17	1	0	0	1	1	1	1	4	4
	24	1	0	0	1	1	1	1	3	3
	31	1	0	0	1	1	1	1	4	4
Jun	7	1	0	0	1	0	0	1	3	3
	14	1	0	0	1	0	0	1	5	5
	21	1	0	0	7	0	0	7	0	0
	28	1	0	0	7	0	0	7	0	0
Jul	5	1	0	0	7	0	0	7	0	0
	12	0	0	0	7	0	0	7	0	0
	19	0	0	0	7	0	0	7	0	0
	26	0	0	0	7	0	0	7	0	0
Aug	2	3	0	0	7	0	0	7	0	0
	9	4	0	0	7	1	7	7	0	0
	16	3	0	0	7	0	0	7	0	0
	23	4	0	0	7	10	70	7	2	14
	30	7	0	0	7	14	98	7	6	42
Sep	6	3	0	0	7	5	35	7	9	63
	13	3	0	0	7	10	70	7	8	56
	20	3	0	0	7	12	84	7	7	49
	27	3	0	0	7	5	35	7	8	56
Oct	4	3	0	0	7	4	28	7	3	21
	11	3	0	0	7	6	42	7	4	28
	18	3	4	12	7	5	35	7	5	35
	25	3	4	12	7	5	35	7	8	56
Nov	1	3	0	0	7	5	35	7	7	49
	8	3	0	0	7	4	28	7	4	28
	15	3	1	3	7	2	14	7	5	35
	22	3	0	0	7	2	14	7	4	28
	29	3	0	0	7	1	7	7	3	21
Dec	6	3	0	0	7	0	0	7	0	0
	13	3	0	0	7	0	0	7	0	0
	20	3	0	0	7	0	0	7	0	0
	27	3	0	0	7	0	0	7	0	0
Total		115	9	27	298	163	937	298	117	627
Average		2.2	0.2	0.5	5.7	3.1	18.0	5.7	2.3	12.1

continued

Number of nets and net-days of effort in District 2.

Week Ending	District 2		District 2 mainstem		District 2 tributaries	
	Drift nets/day	Drift net- days/wk	Set nets/day	Set net- days/wk	Set nets/day	Set net- days/wk
Jan 4	0	0.0	9	27	0	0
11	1	1.5	3	9	0	0
18	0	0.0	6	18	0	0
25	0	0.0	5	15	0	0
Feb 1	2	3.0	17	51	0	0
8	3	4.5	15	45	5	35
15	1	1.5	43	129	5	35
22	2	3.0	44	132	5	35
Mar 1	2	2.0	19	19	6	42
8	0	0.0	19	19	5	35
15	0	0.0	22	22	6	42
22	3	3.0	62	62	4	28
29	3	3.0	59	59	4	28
Apr 5	5	5.0	75	75	7	7
12	5	5.0	87	87	6	6
19	5	5.0	95	95	9	9
26	6	6.0	88	88	9	9
May 3	8	8.0	59	59	7	7
10	8	8.0	93	93	6	6
17	12	12.0	110	110	5	5
24	16	16.0	152	152	4	4
31	13	13.0	107	107	5	5
Jun 7	18	18.0	127	127	3	3
14	21	21.0	124	124	5	5
21	23	23.0	166	166	0	0
28	23	23.0	205	205	0	0
Jul 5	0	0.0	206	206	0	0
12	0	0.0	0	0	0	0
19	8	0.0	0	0	0	0
26	39	58.5	0	0	0	0
Aug 2	41	82.0	348	1,078	0	0
9	40	60.0	316	1,239	1	7
16	51	76.5	350	1,050	0	0
23	34	51.0	350	1,482	12	84
30	42	63.0	333	2,241	20	140
Sep 6	23	34.5	231	693	14	98
13	31	24.8	247	742	18	126
20	34	74.8	206	619	19	133
27	42	63.0	165	494	13	91
Oct 4	38	57.0	181	544	7	49
11	34	51.0	175	526	10	70
18	30	45.0	171	513	14	82
25	29	43.5	163	489	17	103
Nov 1	13	19.5	140	420	12	84
8	7	10.5	120	360	8	56
15	5	7.5	107	321	8	52
22	6	9.0	91	272	6	42
29	5	7.5	64	192	4	28
Dec 6	0	0.0	42	125	0	0
13	0	0.0	33	99	0	0
20	0	0.0	18	54	0	0
27	0	0.0	0	0	0	0
Total	732	1,023.1	5,867	15,850	289	1,591
Average	14.1	19.7	112.8	304.8	5.6	30.6

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 1, 1987.

North Bend to Texas Creek						Texas Creek to Churn Creek				
Week Ending	Days /wk	Set nets /day	Set net-days /wk	Dip nets /day	Dip net-days /wk	Days /wk	Set nets /day	Set net-days /wk	Dip nets /day	Dip net-days /wk
Jan 4	4	0	0	0	0	4	0	0	0	0
11	4	0	0	0	0	4	0	0	0	0
18	4	0	0	0	0	4	0	0	0	0
25	4	0	0	0	0	4	0	0	0	0
Feb 1	4	0	0	0	0	4	0	0	0	0
8	4	0	0	0	0	4	0	0	0	0
15	4	0	0	0	0	4	0	0	0	0
22	4	0	0	0	0	4	0	0	0	0
Mar 1	4	0	0	0	0	4	0	0	0	0
8	4	0	0	0	0	4	0	0	0	0
15	4	0	0	0	0	4	0	0	0	0
22	4	0	0	0	0	4	0	0	0	0
29	4	0	0	0	0	4	0	0	0	0
Apr 5	4	1	4	0	0	4	1	4	0	0
12	4	2	8	0	0	4	2	8	0	0
19	4	1	4	0	0	4	2	8	0	0
26	4	1	4	0	0	4	2	8	0	0
May 3	4	1	4	0	0	4	2	8	0	0
10	4	1	4	0	0	4	2	8	0	0
17	4	1	4	0	0	4	2	8	0	0
24	4	1	4	0	0	4	2	8	0	0
31	4	2	8	0	0	4	2	8	0	0
Jun 7	4	4	16	0	0	4	3	12	0	0
14	4	9	36	0	0	4	5	20	0	0
21	4	6	24	0	0	4	6	24	0	0
28	4	13	52	0	0	4	17	68	3	12
Jul 5	4	14	56	0	0	4	19	76	4	16
12	2	72	144	15	30	2	22	44	8	16
19	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0
Aug 2	0	0	0	0	0	0	0	0	0	0
9	5	58	290	13	65	5	41	205	22	110
16	5	72	360	8	40	5	59	295	28	140
23	5	84	420	7	35	5	66	330	16	80
30	6	55	330	2	12	7	46	322	9	63
Sep 6	7	28	196	0	0	7	28	196	6	42
13	7	15	105	0	0	7	17	119	2	14
20	7	2	14	0	0	7	2	14	2	14
27	4	4	16	0	0	4	1	4	0	0
Oct 4	4	3	12	0	0	4	1	4	1	4
11	4	3	12	0	0	4	0	0	0	0
18	4	4	16	0	0	4	0	0	0	0
25	4	- a	-	- a	-	4	- a	-	- a	-
Nov 1	4	3	12	0	0	4	0	0	0	0
8	4	0	0	0	0	4	0	0	0	0
15	4	0	0	0	0	4	0	0	0	0
22	4	0	0	0	0	4	0	0	0	0
29	4	0	0	0	0	4	0	0	0	0
Dec 6	4	0	0	0	0	4	0	0	0	0
13	4	0	0	0	0	4	0	0	0	0
20	4	0	0	0	0	4	0	0	0	0
27	4	0	0	0	0	4	0	0	0	0
Total	208	460	2,155	45	182	209	350	1,801	101	511
Average	4.0	8.8	41.4	0.9	3.5	4.0	6.7	34.6	1.9	9.8

a. No estimate.

continued

Number of days open, nets and net-days of effort in the Fraser River mainstem areas of District 1, 1987.

Week Ending	Churn Creek to Chilcotin Bridge			Chilcotin Bridge to Marguerite			Marguerite to Hixon		
	Days /wk	Dip nets /day	Dip net-days/wk	Days /wk	Dip nets /day	Dip net-days/wk	Days /wk	Dip nets /day	Dip net-days/wk
Jan 4	7	0	0	7	0	0	7	0	0
11	7	0	0	7	0	0	7	0	0
18	7	0	0	7	0	0	7	0	0
25	7	0	0	7	0	0	7	0	0
Feb 1	7	0	0	7	0	0	7	0	0
8	7	0	0	7	0	0	7	0	0
15	7	0	0	7	0	0	7	0	0
22	7	0	0	7	0	0	7	0	0
Mar 1	7	0	0	7	0	0	7	0	0
8	7	0	0	7	0	0	7	0	0
15	7	0	0	7	0	0	7	0	0
22	7	0	0	7	0	0	7	0	0
29	7	0	0	7	0	0	7	0	0
Apr 5	7	0	0	7	0	0	7	0	0
12	7	0	0	7	0	0	7	0	0
19	7	0	0	7	0	0	7	0	0
26	7	0	0	7	0	0	7	0	0
May 3	7	0	0	7	0	0	7	0	0
10	7	0	0	7	0	0	7	0	0
17	7	0	0	7	0	0	7	0	0
24	7	0	0	7	0	0	7	0	0
31	7	0	0	7	0	0	7	0	0
Jun 7	7	0	0	7	0	0	7	0	0
14	7	0	0	7	0	0	7	0	0
21	7	0	0	7	0	0	7	0	0
28	7	0	0	7	0	0	7	0	0
Jul 5	7	0	0	7	0	0	7	0	- a
12	7	- a	-	7	0	0	7	0	- a a
19	7	6	42	7	15	105	7	0	- a a
26	0	0	0	0	0	0	0	0	0
Aug 2	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0
16	7	- a	-	7	- a	-	7	0	- a
23	7	- a	-	7	15	105	7	0	- a a
30	7	- a	-	7	- a	-	7	0	- a a
Sep 6	7	- a	-	7	- a	-	7	0	- a a
13	7	0	0	7	0	0	7	0	- a
20	7	0	0	7	0	0	7	0	0
27	7	0	0	7	0	0	7	0	0
Oct 4	7	0	0	7	0	0	7	0	0
11	7	0	0	7	0	0	7	0	0
18	7	0	0	7	0	0	7	0	0
25	7	0	0	7	0	0	7	0	0
Nov 1	7	0	0	7	0	0	7	0	0
8	7	0	0	7	0	0	7	0	0
15	7	0	0	7	0	0	7	0	0
22	7	0	0	7	0	0	7	0	0
29	7	0	0	7	0	0	7	0	0
Dec 6	7	0	0	7	0	0	7	0	0
13	7	0	0	7	0	0	7	0	0
20	7	0	0	7	0	0	7	0	0
27	7	0	0	7	0	0	7	0	0
Total	343	6	42	343	30	210	343	0	0
Average	6.6	0.1	0.8	6.6	0.6	4.0	6.6	0.0	0.0

a. No estimate.

continued

Number and summary of days open, nets and net-days of effort in the Fraser River mainstem areas of District 1, 1987.

				District 1 mainstem summary			
above Hixon				Set nets		Dip nets	
Week Ending	Days /wk	Set nets /day	Set net-days/wk	nets /day	net-days /wk	nets /day	net-days /wk
Jan 4	5	0	0	0	0	0	0
11	5	0	0	0	0	0	0
18	5	0	0	0	0	0	0
25	5	0	0	0	0	0	0
Feb 1	5	0	0	0	0	0	0
8	5	0	0	0	0	0	0
15	5	0	0	0	0	0	0
22	5	0	0	0	0	0	0
Mar 1	5	0	0	0	0	0	0
8	5	0	0	0	0	0	0
15	5	0	0	0	0	0	0
22	5	0	0	0	0	0	0
29	5	0	0	0	0	0	0
Apr 5	5	0	0	2	8	0	0
12	5	0	0	4	16	0	0
19	5	0	0	3	12	0	0
26	5	0	0	3	12	0	0
May 3	5	0	0	3	12	0	0
10	5	0	0	3	12	0	0
17	5	0	0	3	12	0	0
24	5	0	0	3	12	0	0
31	5	0	0	4	16	0	0
Jun 7	5	0	0	7	28	0	0
14	5	0	0	14	56	0	0
21	5	0	0	12	48	0	0
28	5	0	0	30	120	3 b	12
Jul 5	5	0	0	33	132	4 b	16
12	5	0	0	94	188	23 b	46
19	5	1	5	1	5	21 b	147
26	2	3	6	3	6	0	0
Aug 2	0	0	0	0	0	0	0
9	0	0	0	99	495	35 b	175
16	3	4	12	135	667	36 b	180
23	6	7	42	157	792	38 b	220
30	6	- a	-	101	652 b	11 b	75
Sep 6	6	6	36	62	428	6 b	42
13	6	4	24	36	248	2 b	14
20	5	5	25	9	53	2 b	14
27	5	1	5	6	25	0	0
Oct 4	5	0	0	4	16	1	4
11	5	0	0	3	12	0	0
18	5	0	0	4	16	0	0
25	5	0	0	0	0 b	0	0
Nov 1	5	0	0	3	12	0	0
8	5	0	0	0	0	0	0
15	5	0	0	0	0	0	0
22	5	0	0	0	0	0	0
29	5	0	0	0	0	0	0
Dec 6	5	0	0	0	0	0	0
13	5	0	0	0	0	0	0
20	5	0	0	0	0	0	0
27	5	0	0	0	0	0	0
Total	249	31	155	841	4,111	182	945
Average	4.8	0.6	3.0	16.2	79.1	3.5	18.2

a. No estimate
b. Incomplete.

continued

Number of days open, nets and net-days of effort in the Chilcotin and Thompson river systems, District 1, 1987.

		Chilcotin River System			Lytton to Savona				
Week Ending		Days /wk	Dip nets /day	Dip net-days/wk	Days /wk	Set nets /day	Set net-days /wk	Dip nets /day	Dip net-days /wk
Jan	4	7	0	0	4	0	0	0	0
	11	7	0	0	4	0	0	0	0
	18	7	0	0	4	0	0	0	0
	25	7	0	0	4	0	0	0	0
Feb	1	7	0	0	4	0	0	0	0
	8	7	0	0	4	0	0	0	0
	15	7	0	0	4	0	0	0	0
	22	7	0	0	4	0	0	0	0
Mar	1	7	0	0	4	0	0	0	0
	8	7	0	0	4	0	0	0	0
	15	7	0	0	4	0	0	0	0
	22	7	0	0	4	0	0	0	0
	29	7	0	0	4	0	0	0	0
Apr	5	7	0	0	4	0	0	0	0
	12	7	0	0	4	0	0	0	0
	19	7	0	0	4	0	0	0	0
	26	7	0	0	4	0	0	0	0
May	3	7	0	0	4	0	0	0	0
	10	7	0	0	4	0	0	0	0
	17	7	0	0	4	0	0	0	0
	24	7	0	0	4	0	0	0	0
	31	7	0	0	4	0	0	0	0
Jun	7	7	0	0	4	0	0	0	0
	14	7	0	0	4	0	0	0	0
	21	7	0	0	4	0	0	0	0
	28	7	0	0	4	0	0	0	0
Jul	5	7	0	0	4	0	0	0	0
	12	7	0	0	2	0	0	0	0
	19	7	0	0	0	0	0	0	0
	26	7	0	0	0	0	0	0	0
Aug	2	7	- a	-	0	0	0	0	0
	9	7	- a	-	5	0	0	0	0
	16	7	18	126	5	0	0	0	0
	23	7	32	224	5	0	0	5	25
	30	7	20	140	6	0	0	3	18
Sep	6	7	- a	-	7	0	0	3	21
	13	7	- a	-	7	0	0	2	14
	20	7	0	0	7	0	0	3	21
	27	7	0	0	4	1	4	5	20
Oct	4	7	0	0	4	0	0	5	20
	11	7	0	0	4	0	0	0	0
	18	7	0	0	4	1	4	6	24
	25	7	0	0	4	- a	-	- a	-
Nov	1	7	0	0	4	0	0	3	12
	8	7	0	0	4	0	0	0	0
	15	7	0	0	4	0	0	0	0
	22	7	0	0	4	0	0	0	0
	29	7	0	0	4	0	0	0	0
Dec	6	7	0	0	4	0	0	0	0
	13	7	0	0	4	0	0	0	0
	20	7	0	0	4	0	0	0	0
	27	7	0	0	4	0	0	0	0
Total		364	70	490	208	2	8	35	175
Average		7.0	1.3	9.4	4.0	0.0	0.2	0.7	3.4

a. No estimate.

continued

Number of days open, nets and net-days of effort in the Nechako River system, District 1, 1987.

Week Ending	Prince George to Stuart River			Stuart River to Fort Fraser			Fort Fraser to Francois Lake		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Feb 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
Mar 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
29	5	0	0	5	0	0	5	0	0
Apr 5	5	0	0	5	0	0	5	0	0
12	5	0	0	5	0	0	5	0	0
19	5	0	0	5	0	0	5	0	0
26	5	0	0	5	0	0	5	0	0
May 3	5	0	0	5	0	0	5	0	0
10	5	0	0	5	0	0	5	0	0
17	5	0	0	5	0	0	5	0	0
24	5	0	0	5	0	0	5	0	0
31	5	0	0	5	0	0	5	0	0
Jun 7	5	0	0	5	0	0	5	0	0
14	5	0	0	5	0	0	5	0	0
21	5	0	0	5	0	0	5	0	0
28	5	0	0	5	0	0	5	0	0
Jul 5	5	0	0	5	0	0	5	0	0
12	5	0	0	5	0	0	5	0	0
19	5	2	10	5	0	0	5	2	10
26	2	4	8	5	10	50	5	1	5
Aug 2	0	0	0	5	- a	-	5	- a	-
9	0	0	0	5	18	90	5	6	30
16	3	1	3	5	31	155	5	16	80
23	6	- a	-	5	32	160	5	14	70
30	6	- a	-	5	- a	-	5	- a	-
Sep 6	6	3	18	5	19	95	5	10	50
13	6	3	18	5	13	65	5	29	145
20	5	0	0	5	0	0	5	16	80
27	5	0	0	5	0	0	5	2	10
Oct 4	5	- a	-	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Nov 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
29	5	0	0	5	0	0	5	0	0
Dec 6	5	0	0	5	0	0	5	0	0
13	5	0	0	5	0	0	5	0	0
20	5	0	0	5	0	0	5	0	0
27	5	0	0	5	0	0	5	0	0
Total	249	13	57	260	123	615	260	96	480
Average	4.8	0.3	1.1	5.0	2.4	11.8	5.0	1.8	9.2

a. No estimate.

continued

Number of days open, nets and net-days of effort in the Stuart River system, District 1, 1987.

Week Ending	Nechako River to Fort St. James			Fort St. James to Trembleur Lake			above Trembleur Lake outlet		
	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk	Days /wk	Set nets /day	Set net-days/wk
Jan 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Feb 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
Mar 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
29	5	0	0	5	0	0	5	0	0
Apr 5	5	0	0	5	0	0	5	0	0
12	5	0	0	5	0	0	5	0	0
19	5	0	0	5	0	0	5	0	0
26	5	0	0	5	0	0	5	0	0
May 3	5	0	0	5	0	0	5	0	0
10	5	0	0	5	0	0	5	0	0
17	5	0	0	5	0	0	5	0	0
24	5	0	0	5	0	0	5	0	0
31	5	0	0	5	0	0	5	0	0
Jun 7	5	0	0	5	0	0	5	0	0
14	5	0	0	5	0	0	5	0	0
21	5	0	0	5	0	0	5	0	0
28	5	0	0	5	0	0	5	0	0
Jul 5	5	0	0	5	0	0	5	0	0
12	5	0	0	5	0	0	5	0	0
19	5	14	70	5	12	60	5	2	10
26	5	22	110	5	40	200	5	1	5
Aug 2	5	14	70	5	32	160	5	2	10
9	5	12	60	5	21	105	5	2	10
16	5	11	55	5	8	40	5	3	15
23	5	7	35	5	10	50	5	0	0
30	5	- ^a	-	5	- ^a	-	5	0	0
Sep 6	5	8	40	5	3	15	5	0	0
13	5	0	0	5	0	0	5	0	0
20	5	0	0	5	0	0	5	0	0
27	5	0	0	5	0	0	5	0	0
Oct 4	5	0	0	5	0	0	5	0	0
11	5	0	0	5	0	0	5	0	0
18	5	0	0	5	0	0	5	0	0
25	5	0	0	5	0	0	5	0	0
Nov 1	5	0	0	5	0	0	5	0	0
8	5	0	0	5	0	0	5	0	0
15	5	0	0	5	0	0	5	0	0
22	5	0	0	5	0	0	5	0	0
29	5	0	0	5	0	0	5	0	0
Dec 6	5	0	0	5	0	0	5	0	0
13	5	0	0	5	0	0	5	0	0
20	5	0	0	5	0	0	5	0	0
27	5	0	0	5	0	0	5	0	0
Total	260	88	440	260	126	630	260	10	50
Average	5.0	1.7	8.5	5.0	2.4	12.1	5.0	0.2	1.0

a. No estimate.

continued

Summary of number of days open, nets and net-days of effort in the Nechako and Stuart river systems, District 1, 1987.

Week Ending	Nechako River System total		Stuart River System total		Nechako and Stuart river systems total	
	Set nets /day	Set net-days /wk	Set nets /day	Set net-days /wk	Set nets /day	Set net-days /wk
Jan 4	0	0	0	0	0	0
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Feb 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
Mar 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
Apr 5	0	0	0	0	0	0
12	0	0	0	0	0	0
19	0	0	0	0	0	0
26	0	0	0	0	0	0
May 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
31	0	0	0	0	0	0
Jun 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Jul 5	0	0	0	0	0	0
12	0	0	0	0	0	0
19	4	20	28	140	32	160
26	15	63	63	315	78	378
Aug 2	0	0	48	240	48	240 a
9	24	120	35	175	59	295
16	48	238	22	110	70	348
23	46	230	17	85	63	315 a
30	0	0	0	0	0	0 a
Sep 6	32	163	11	55	43	218
13	45	228	0	0	45	228
20	16	80	0	0	16	80
27	2	10	0	0	2	10
Oct 4	0	0	0	0	0	0 a
11	0	0	0	0	0	0
18	0	0	0	0	0	0
25	0	0	0	0	0	0
Nov 1	0	0	0	0	0	0
8	0	0	0	0	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
29	0	0	0	0	0	0
Dec 6	0	0	0	0	0	0
13	0	0	0	0	0	0
20	0	0	0	0	0	0
27	0	0	0	0	0	0
Total	232	1,152	224	1,120	456	2,272
Average	4.5	22.2	4.3	21.5	8.8	43.7

a. Incomplete.

continued

Summary of number of nets and net-days of effort in Districts 2 and 1, 1987.

		District 2 total				District 1 total			
Week Ending		Drift nets /day	Drift net-days/wk	Set nets /day	Set net-days/wk	Set nets /day	Set net-days/wk	Dip nets /day	Dip net-days/wk
Jan	4	0	0.0	9	27	0	0	0	0
	11	1	1.5	3	9	0	0	0	0
	18	0	0.0	6	18	0	0	0	0
	25	0	0.0	5	15	0	0	0	0
Feb	1	2	3.0	17	51	0	0	0	0
	8	3	4.5	20	80	0	0	0	0
	15	1	1.5	48	164	0	0	0	0
	22	2	3.0	49	167	0	0	0	0
Mar	1	2	2.0	25	61	0	0	0	0
	8	0	0.0	24	54	0	0	0	0
	15	0	0.0	28	64	0	0	0	0
	22	3	3.0	66	90	0	0	0	0
	29	3	3.0	63	87	0	0	0	0
Apr	5	5	5.0	82	82	2	8	0	0
	12	5	5.0	93	93	4	16	0	0
	19	5	5.0	104	104	3	12	0	0
	26	6	6.0	97	97	3	12	0	0
May	3	8	8.0	66	66	3	12	0	0
	10	8	8.0	99	99	3	12	0	0
	17	12	12.0	115	115	3	12	0	0
	24	16	16.0	156	156	3	12	0	0
	31	13	13.0	112	112	4	16	0	0
Jun	7	18	18.0	130	130	7	28	0	0
	14	21	21.0	129	129	14	56	0	0
	21	23	23.0	166	166	12	48	0	0
	28	23	23.0	205	205	30	120	3	12 a
Jul	5	0	0.0	206	206	33	132	4	16 a
	12	0	0.0	0	0	94	188	23	46 a
	19	8	0.0	0	0	33	165	21	147 a
	26	39	58.5	0	0	81	384	0	0
Aug	2	41	82.0	348	1,078	48	240 a	0	0 a
	9	40	60.0	317	1,246	158	790	35	175 a
	16	51	76.5	350	1,050	205	1,015	54	306 a
	23	34	51.0	362	1,566	220	1,107	75	469 a
	30	42	63.0	353	2,381	101	652 a	34	233 a
Sep	6	23	34.5	245	791	105	646 a	9	63 a
	13	31	24.8	265	868	81	476	4	28 a
	20	34	74.8	225	752	25	133	5	35 a
	27	42	63.0	178	585	9	39	5	20
Oct	4	38	57.0	188	593	4	16 a	6	24
	11	34	51.0	185	596	3	12	0	0
	18	30	45.0	185	595	5	20	6	24
	25	29	43.5	180	592	0	0 a	0	0 a
Nov	1	13	19.5	152	504	3	12	3	12
	8	7	10.5	128	416	0	0	0	0
	15	5	7.5	115	373	0	0	0	0
	22	6	9.0	97	314	0	0	0	0
	29	5	7.5	68	220	0	0	0	0
Dec	6	0	0.0	42	125	0	0	0	0
	13	0	0.0	33	99	0	0	0	0
	20	0	0.0	18	54	0	0	0	0
	27	0	0.0	0	0	0	0	0	0
Total		732	1,023.1	6,156	17,441	1,299	6,391	287	1,610
Average		14.1	19.7	118.4	335.4	25.0	122.9	5.5	31.0

a. Incomplete.

Summary of number of nets and net-days of effort in the Fraser River system, 1986.

		Drift nets		Set nets		Dip nets	
Week Ending		nets/day	net-days/wk	nets/day	net-days/wk	nets/day	net-days/wk
Jan	4	0	0.0	9	27	0	0
	11	1	1.5	3	9	0	0
	18	0	0.0	6	18	0	0
	25	0	0.0	5	15	0	0
Feb	1	2	3.0	17	51	0	0
	8	3	4.5	20	80	0	0
	15	1	1.5	48	164	0	0
	22	2	3.0	49	167	0	0
Mar	1	2	2.0	25	61	0	0
	8	0	0.0	24	54	0	0
	15	0	0.0	28	64	0	0
	22	3	3.0	66	90	0	0
	29	3	3.0	63	87	0	0
Apr	5	5	5.0	84	90	0	0
	12	5	5.0	97	109	0	0
	19	5	5.0	107	116	0	0
	26	6	6.0	100	109	0	0
May	3	8	8.0	69	78	0	0
	10	8	8.0	102	111	0	0
	17	12	12.0	118	127	0	0
	24	16	16.0	159	168	0	0
	31	13	13.0	116	128	0	0
Jun	7	18	18.0	137	158	0	0
	14	21	21.0	143	185	0	0
	21	23	23.0	178	214	0	0
	28	23	23.0	235	325	3	12 a
Jul	5	0	0.0	239	338	4	16 a
	12	0	0.0	94	188	23	46 a
	19	8	0.0	33	165	21	147 a
	26	39	58.5	81	384	0	0
Aug	2	41	82.0	396	1,318 a	0	0 a
	9	40	60.0	475	2,036	35	175 a
	16	51	76.5	555	2,065	54	306 a
	23	34	51.0	582	2,673 a	75	469 a
	30	42	63.0	454	3,033 a	34	233 a
Sep	6	23	34.5	350	1,437	9	63 a
	13	31	24.8	346	1,344	4	28 a
	20	34	74.8	250	885	5	35 a
	27	42	63.0	187	624	5	20
Oct	4	38	57.0	192	609 a	6	24
	11	34	51.0	188	608	0	0
	18	30	45.0	190	615	6	24
	25	29	43.5	180	592 a	0	0 a
Nov	1	13	19.5	155	516	3	12
	8	7	10.5	128	416	0	0
	15	5	7.5	115	373	0	0
	22	6	9.0	97	314	0	0
	29	5	7.5	68	220	0	0
Dec	6	0	0.0	42	125	0	0
	13	0	0.0	33	99	0	0
	20	0	0.0	18	54	0	0
	27	0	0.0	0	0	0	0
Total		732	1,023.1	7,455	23,832	287	1,610
Average		14.1	19.7	143.4	458.3	5.5	31.0

a. Incomplete.

Table 5. Annual catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987:

Chinook	37
Sockeye	41
Pink	45
Coho	49
Chum	52
Steelhead	55

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	85	455	305	760	2,238
1952	0	171	510	320	830	2,374
1953	0	147	150	220	370	3,366
1954	0	90	215	260	475	3,884
1955	0	100	125	365	490	3,009
1956	0	150	155	475	630	1,125
1957	0	115	300	365	665	965
1958	0	125	835	465	1,300	1,475
1959	0	155	965	775	1,740	1,535
1960	0	180	1,005	940	1,945	1,520
1961	1	255	1,125	1,625	2,750	1,865
1962	0	155	1,045	1,355	2,400	1,835
1963	0	230	1,150	1,770	2,920	2,090
1964	0	305	1,425	1,825	3,250	1,990
1965	0	225	2,000	1,550	3,550	3,100
1966	0	300	1,595	2,550	4,145	975
1967	0	300	1,200	1,550	2,750	950
1968	0	250	1,250	3,800	5,050	1,250
1969	0	210	3,450	2,100	5,550	5,030
1970	0	260	4,925	1,621	6,546	5,550
1971	24	410	2,457	2,150	4,607	5,200
1972	5	300	4,375	3,564	7,939	5,150
1973	9	316	3,085	2,295	5,380	3,325
1974	12	341	4,497	4,795	9,292	5,839
1975	2	737	6,285	4,687	10,972	4,930
1976	114	839	5,089	5,156	10,245	5,374
1977	57	1,105	5,880	7,003	12,883	6,544
1978	206	740	5,470	5,126	10,596	5,209
1979	276	802	4,882	3,177	8,059	3,291
1980	627	1,751	4,893	3,231	8,124	2,395
1981	380	798	3,089	3,334	6,423	3,841
1982	2,208	2,508	5,493	5,987	11,480	14,973
1983	341	858	3,451	3,278	6,729	4,422
1984	1,425	1,309	3,666	6,522	10,188	6,336
1985	827	446	1,476	1,798	3,274	2,754
1986	708	1,038	2,319	3,404	5,723	5,144
1987	728	749	-	-	4,084	7,237
Averages						
1951-60	0	132	472	449	921	2,149
1961-70	0	249	1,917	1,975	3,891	2,464
1971-80	133	734	4,691	4,118	8,810	4,726
1981-87	945	1,101	2,785	3,475	6,843	6,387

continued

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon
1951	1,782	668	62	10	23	45
1952	2,392	486	56	12	18	39
1953	3,061	412	67	17	11	32
1954	3,501	329	35	8	5	37
1955	2,144	300	54	3	8	22
1956	1,480	250	46	3	5	18
1957	700	600	90	12	19	9
1958	600	600	68	12	28	11
1959	400	800	95	5	21	0
1960	0	1,500	79	10	25	8
1961	900	600	24	10	5	4
1962	600	410	18	11	8	17
1963	700	310	61	15	7	12
1964	1,200	1,025	110	25	20	48
1965	200	385	63	14	28	43
1966	230	405	38	24	23	34
1967	260	420	68	24	31	37
1968	545	232	79	27	30	27
1969	715	420	100	50	25	17
1970	740	255	130	85	40	15
1971	530	255	100	75	30	33
1972	685	630	150	- b	- b	22
1973	710	670	150	- b	- b	16
1974	800	610	125	- b	- b	22
1975	845	1,540	150	- b	- b	35
1976	450	1,230	62	74	108	36
1977	533	1,320	160	- b	- b	14
1978	793	1,020	62	90	91	17
1979	1,325	158	260	- b	- b	25
1980	1,000	1,000	80	- b	- b	20
1981	124	181	42	- b	- b	0
1982	925	1,057	130	885	315	264
1983	551	309	370	630	405	72
1984	517	423	680	523	340	198
1985	232	317	131	375	295	354
1986	668	970	160	180	210	148
1987	603	802	16	20	40	9
Averages						
1951-60	1,606	595	65	9	16	22
1961-70	609	446	69	29	22	25
1971-80	767	843	130	24	76	24
1981-87	517	580	218	373	268	149

continued

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	Harrison River	Lillooet River system	Chilli-wack River	Thompson River system	Chil-cotin River system	Nechako River system
1951	990	60	5	2,280	77	7
1952	1,360	262	20	1,312	118	0
1953	1,510	255	5	1,445	46	19
1954	1,040	270	25	2,401	388	13
1955	1,100	22	35	800	45	13
1956	210	179	20	705	155	27
1957	850	230	0	1,325	196	17
1958	1,115	105	30	1,855	199	170
1959	1,200	130	35	1,370	205	50
1960	650	205	5	1,855	91	13
1961	900	85	20	1,650	119	15
1962	850	90	20	2,160	311	14
1963	720	65	20	1,800	170	30
1964	990	180	10	1,185	163	12
1965	1,235	148	0	895	221	16
1966	1,280	186	0	480	933	10
1967	200	164	0	645	286	24
1968	350	192	0	1,140	942	9
1969	504	59	0	1,232	242	17
1970	1,100	305	0	2,865	1,026	16
1971	1,000	333	0	1,290	221	25
1972	- c	- c	0	815	300	12
1973	- c	232	0	700	250	17
1974	- c	135	0	577	375	16
1975	- c	100	0	405	425	29
1976	- c	52	0	89	493	23
1977	- c	31	0	175	472	16
1978	- c	36	0	135	508	38
1979	- c	50	0	340	315	30
1980	- c	25	0	50	123	57
1981	- c	24	0	100	42	32
1982	- c	222	0	232	460	28
1983	379	134	0	113	400	43
1984	8	153	0	50	458	176
1985	375	396	0	100	880	139
1986	70	38	0	42	505	42
1987	19	35	0	88	41	54
Averages						
1951-60	1,003	172	18	1,535	152	33
1961-70	813	147	7	1,405	441	16
1971-80	100	110	0	458	348	26
1981-87	170	143	0	104	398	73

continued

Annual chinook catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem tributary		mainstem tributary		
1951	3,083	1,055	2,590	2,364	9,092
1952	3,375	1,642	3,003	1,430	9,450
1953	3,883	1,770	3,600	1,510	10,763
1954	4,449	1,335	3,915	2,802	12,501
1955	3,599	1,157	2,531	858	8,145
1956	1,905	409	1,802	887	5,003
1957	1,745	1,080	1,430	1,538	5,793
1958	2,900	1,250	1,319	2,224	7,693
1959	3,430	1,365	1,321	1,625	7,741
1960	3,645	860	1,622	1,959	8,086
1961	4,871	1,005	1,543	1,784	9,203
1962	4,390	960	1,064	2,485	8,899
1963	5,240	805	1,105	2,000	9,150
1964	5,545	1,180	2,428	1,360	10,513
1965	6,875	1,383	733	1,132	10,123
1966	5,420	1,466	754	1,423	9,063
1967	4,000	364	840	955	6,159
1968	6,550	542	940	2,091	10,123
1969	10,790	563	1,327	1,491	14,171
1970	12,356	1,405	1,265	3,907	18,933
1971	10,241	1,333	1,023	1,536	14,133
1972	13,394	0	1,487	1,127	16,008
1973	9,030	232	1,546	967	11,775
1974	15,484	135	1,557	968	18,144
1975	16,641	100	2,570	859	20,170
1976	16,572	52	1,960	605	19,189
1977	20,589	31	2,027	663	23,310
1978	16,751	36	2,073	681	19,541
1979	12,428	50	1,768	685	14,931
1980	12,897	25	2,100	230	15,252
1981	11,442	24	347	174	11,987
1982	31,169	222	3,576	720	35,687
1983	12,350	513	2,337	556	15,756
1984	19,258	161	2,681	684	22,784
1985	7,301	771	1,704	1,119	10,895
1986	12,613	108	2,336	589	15,646
1987	12,798	54	1,490	183	14,525
Averages					
1951-60	3,201	1,192	2,313	1,720	8,427
1961-70	6,604	967	1,200	1,863	10,634
1971-80	14,403	199	1,811	832	17,245
1981-87	15,276	265	2,067	575	18,183

- a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".
- b. Included in total for "Churn Creek to Chilcotin Bridge".
- c. Not reported.

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	213	3,460	2,145	5,605	7,893
1952	0	213	6,310	2,120	8,430	6,746
1953	0	72	4,095	2,010	6,105	6,074
1954	0	475	3,955	2,640	6,595	7,745
1955	0	625	3,525	2,495	6,020	6,110
1956	0	875	2,875	1,745	4,620	2,820
1957	0	655	2,900	3,165	6,065	3,000
1958	0	1,275	13,480	3,225	16,705	5,890
1959	0	1,700	9,660	3,700	13,360	6,595
1960	0	1,120	16,855	4,700	21,555	6,800
1961	0	1,551	33,635	15,175	48,810	25,100
1962	0	1,300	27,820	18,425	46,245	13,600
1963	0	1,535	31,800	30,400	62,200	38,500
1964	0	1,665	21,150	20,875	42,025	42,750
1965	0	1,800	23,260	17,200	40,460	27,700
1966	2	1,900	29,690	29,500	59,190	29,100
1967	0	1,000	7,950	14,100	22,050	17,800
1968	0	850	7,250	9,106	16,356	37,021
1969	0	290	10,125	21,846	31,971	26,255
1970	0	675	12,150	14,860	27,010	32,040
1971	509	660	10,865	14,865	25,730	37,082
1972	734	3,091	13,780	17,490	31,270	24,565
1973	1,343	2,904	14,820	25,060	39,880	33,205
1974	2,260	7,232	23,315	39,435	62,750	51,900
1975	5,291	5,024	31,800	33,128	64,928	44,128
1976	1,069	15,301	17,956	20,627	38,583	62,026
1977	3,256	11,343	27,500	26,105	53,605	50,110
1978	4,877	8,821	31,915	39,490	71,405	54,845
1979	8,471	12,426	31,145	48,600	79,745	45,936
1980	3,983	3,870	20,739	24,768	45,507	20,855
1981	8,677	7,088	36,705	45,831	82,536	58,828
1982	41,973	9,023	43,430	70,446	113,876	101,976
1983	6,023	5,647	28,370	43,648	72,018	87,356
1984	14,277	4,019	35,601	41,186	76,787	110,412
1985	19,721	6,624	29,661	45,298	74,959	113,605
1986	25,162	12,406	59,680	82,659	142,339	165,181
1987	26,501	8,458	-	-	89,917	158,359
Averages						
1951-60	0	722	6,712	2,795	9,506	5,967
1961-70	0	1,257	20,483	19,149	39,632	28,987
1971-80	3,179	7,067	22,384	28,957	51,340	42,465
1981-87	20,333	7,609	33,350	47,010	93,205	113,674

continued

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon
1951	4,676	24,550	1,517	305	440	210
1952	6,294	25,479	2,358	365	530	232
1953	6,545	30,326	5,363	1,255	1,345	200
1954	8,347	20,125	1,939	594	266	171
1955	6,513	19,000	2,954	335	618	130
1956	6,230	17,500	993	110	117	85
1957	12,200	18,100	4,223	780	805	180
1958	2,800	4,700	660	220	465	192
1959	2,100	9,200	419	100	160	108
1960	6,000	16,060	2,835	225	540	68
1961	7,500	15,500	1,830	550	700	38
1962	5,000	14,200	3,040	550	600	155
1963	16,500	22,000	2,251	550	295	212
1964	15,700	20,900	2,950	425	300	36
1965	8,700	14,300	3,520	1,200	1,255	254
1966	10,000	16,750	1,055	370	345	87
1967	11,000	17,500	733	290	223	226
1968	8,157	31,830	1,800	525	300	195
1969	12,785	54,155	4,063	1,150	950	163
1970	13,050	39,945	1,800	500	325	107
1971	10,515	29,100	2,800	2,400	1,050	215
1972	9,260	28,425	3,950	- b	- b	250
1973	13,050	32,225	8,700	- b	- b	735
1974	18,075	36,275	1,280	1,150	1,475	366
1975	26,900	44,575	3,100	4,330	2,945	200
1976	15,500	32,000	4,377	2,143	2,045	640
1977	21,000	53,070	2,900	4,229	5,460	150
1978	14,610	24,015	1,530	1,681	1,377	704
1979	16,525	54,521	1,838	2,020	760	750
1980	28,660	32,595	1,110	688	384	1,000
1981	33,030	101,425	14,300	34,560	22,800	4,775
1982	43,520	23,875	5,975	9,725	4,765	3,591
1983	20,395	66,890	6,825	11,220	5,805	3,085
1984	13,890	31,203	7,350	5,120	3,880	3,019
1985	34,415	65,915	15,046	25,536	14,850	6,887
1986	25,145	61,248	8,926	2,313	4,900	3,899
1987	51,347	48,930	2,980	4,215	4,450	2,534
Averages						
1951-60	6,171	18,504	2,326	429	529	158
1961-70	10,839	24,708	2,304	611	529	147
1971-80	17,410	36,680	3,159	2,330	1,937	501
1981-87	31,677	57,069	8,772	13,241	8,779	3,970

continued

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	Harrison River	Lillooet River system	Chilli-wack River	Thompson River system	Chil-cotin River system	Nechako River system	Stuart River system
1951	1,850	12,968	255	12,946	4,634	3,909	3,072
1952	400	12,405	425	2,730	12,149	2,184	3,046
1953	265	10,837	235	9,430	9,524	4,041	21,414
1954	380	4,966	230	30,105	6,063	2,506	4,693
1955	450	3,486	400	9,124	6,839	1,550	1,350
1956	235	8,433	425	4,104	11,372	4,486	2,513
1957	550	5,560	560	3,970	14,692	7,304	18,195
1958	1,640	4,418	330	23,075	9,364	5,310	5,588
1959	1,450	4,565	525	7,310	12,777	4,103	527
1960	1,050	3,855	555	1,710	17,374	2,239	1,663
1961	1,200	5,526	650	1,340	3,872	5,976	17,051
1962	2,000	12,133	650	13,265	14,802	4,259	5,649
1963	520	10,240	675	7,258	20,115	6,070	1,081
1964	800	7,260	700	795	6,774	2,048	511
1965	1,100	5,900	100	1,725	958	3,955	7,643
1966	1,600	4,900	175	13,000	8,552	4,179	2,854
1967	500	6,350	100	13,400	6,543	6,204	3,254
1968	400	6,263	0	860	16,730	2,691	213
1969	900	4,677	0	1,435	3,118	4,329	12,864
1970	600	8,700	0	14,815	3,906	4,125	2,957
1971	500	6,750	0	8,790	15,325	6,693	6,342
1972	- c	4,285	0	6,425	17,400	4,175	1,173
1973	- c	4,075	0	6,090	1,695	4,880	15,084
1974	- c	11,550	0	12,995	6,856	4,358	3,908
1975	- c	6,450	0	7,565	24,181	7,103	6,431
1976	- c	7,500	0	522	43,823	5,702	2,231
1977	- c	14,050	0	560	8,465	6,078	10,151
1978	- c	14,910	0	16,950	8,450	6,248	7,129
1979	- c	14,000	0	2,860	20,926	21,294	9,637
1980	- c	11,850	0	1,000	17,022	13,589	3,853
1981	- c	5,010	0	150	31,350	16,452	19,683
1982	- c	10,230	0	31,480	14,950	11,798	3,042
1983	120	9,961	0	1,255	44,600	15,241	5,115
1984	13	10,123	0	0	56,874	15,276	5,286
1985	295	2,729	0	100	8,990	18,402	16,425
1986	425	10,369	0	9,975	39,396	17,101	5,374
1987	240	7,440	0	3,525	28,134	22,311	8,682
Averages							
1951-60	827	7,149	394	10,450	10,479	3,763	6,206
1961-70	962	7,195	305	6,789	8,537	4,384	5,408
1971-80	500	9,542	0	6,376	16,414	8,012	6,594
1981-87	219	7,980	0	6,641	32,042	16,654	9,087

continued

Annual sockeye catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	13,711	15,073	31,698	24,561	85,043
1952	15,389	13,230	35,258	20,109	83,986
1953	12,251	11,337	45,034	44,409	113,031
1954	14,815	5,576	31,442	43,367	95,200
1955	12,755	4,336	29,550	18,863	65,504
1956	8,315	9,093	25,035	22,475	64,918
1957	9,720	6,670	36,288	44,161	96,839
1958	23,870	6,388	9,037	43,337	82,632
1959	21,655	6,540	12,087	24,717	64,999
1960	29,475	5,460	25,728	22,986	83,649
1961	75,461	7,376	26,118	28,239	137,194
1962	61,145	14,783	23,545	37,975	137,448
1963	102,235	11,435	41,808	34,524	190,002
1964	86,440	8,760	40,311	10,128	145,639
1965	69,960	7,100	29,229	14,281	120,570
1966	90,192	6,675	28,607	28,585	154,059
1967	40,850	6,950	29,972	29,401	107,173
1968	54,227	6,663	42,807	20,494	124,191
1969	58,516	5,577	73,266	21,746	159,105
1970	59,725	9,300	55,727	25,803	150,555
1971	63,981	7,250	46,080	37,150	154,461
1972	59,660	4,285	41,885	29,173	135,003
1973	77,332	4,075	54,710	27,749	163,866
1974	124,142	11,550	58,621	28,117	222,430
1975	119,371	6,450	82,050	45,280	253,151
1976	116,979	7,500	56,705	52,278	233,462
1977	118,314	14,050	86,809	25,254	244,427
1978	139,948	14,910	43,917	38,777	237,552
1979	146,578	14,000	76,414	54,717	291,709
1980	74,215	11,850	64,437	35,464	185,966
1981	157,129	5,010	210,890	67,635	440,664
1982	266,848	10,230	91,451	61,270	429,799
1983	171,044	10,081	114,220	66,211	361,556
1984	205,495	10,136	64,462	77,436	357,529
1985	214,909	3,024	162,649	43,917	424,499
1986	345,088	10,794	106,431	71,846	534,159
1987	283,235	7,680	114,456	62,652	468,023
Averages					
1951-60	16,196	8,370	28,116	30,899	83,580
1961-70	69,875	8,462	39,139	25,118	142,594
1971-80	104,052	9,592	61,163	37,396	212,203
1981-87	234,821	8,136	123,508	64,424	430,890

a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".

b. Included in total for "Churn Creek to Chilcotin Bridge".

c. Not reported.

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	72	1,945	720	2,665	474
1952	-	-	-	-	0	11
1953	0	172	3,110	800	3,910	761
1954	-	-	-	-	0	-
1955	0	525	2,450	805	3,255	2,846
1956	-	-	15	135	150	18
1957	0	950	2,750	1,605	4,355	1,075
1958	-	-	27	90	117	-
1959	0	410	12,225	975	13,200	1,275
1960	-	-	-	-	0	-
1961	0	450	17,340	4,975	22,315	1,400
1962	-	-	-	-	0	-
1963	0	575	17,350	7,300	24,650	2,510
1964	-	-	-	-	0	-
1965	0	300	13,275	6,500	19,775	5,300
1966	-	-	-	-	0	-
1967	0	500	3,700	10,100	13,800	6,150
1968	-	-	-	-	0	-
1969	0	140	7,750	4,660	12,410	9,300
1970	-	-	-	-	0	-
1971	2	0	4,990	4,745	9,735	9,575
1972	-	-	-	-	0	-
1973	122	1,300	7,670	14,790	22,460	27,850
1974	-	-	-	4	4	2
1975	1	875	18,770	11,092	29,862	9,130
1976	-	-	-	-	0	-
1977	48	1,350	11,445	9,140	20,585	6,025
1978	-	-	-	-	0	-
1979	1,518	10,518	17,240	17,700	34,940	12,190
1980	-	-	-	-	0	-
1981	3,017	3,519	21,450	19,385	40,835	7,881
1982	-	-	-	-	0	-
1983	2,582	5,467	18,555	24,740	43,295	22,115
1984	-	-	-	5	5	-
1985	6,843	5,596	15,930	23,274	39,204	49,734
1986	-	-	-	-	0	-
1987	7,837	9,003	-	-	29,547	21,801
Averages (odd years only)						
1951-60	0	426	4,496	981	5,477	1,286
1961-70	0	393	11,883	6,707	18,590	4,932
1971-80	338	2,809	12,023	11,493	23,516	12,954
1981-87	5,070	5,896	13,984	16,850	38,220	25,383

continued

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Marguerite	Marguerite to Hixon	above Hixon
1951	657	0	0	0	0	0
1952	-	-	-	-	-	-
1953	959	0	0	0	0	0
1954	-	-	-	-	-	-
1955	1,504	0	0	0	0	0
1956	-	-	-	-	-	-
1957	1,800	1,900	0	0	0	0
1958	-	-	-	-	-	-
1959	200	500	0	0	0	0
1960	-	-	-	-	-	-
1961	1,100	700	0	0	0	0
1962	-	-	-	-	-	-
1963	1,700	1,550	0	0	0	0
1964	-	-	-	-	-	-
1965	150	230	0	0	6	0
1966	-	-	-	-	-	-
1967	1,000	1,150	34	0	0	0
1968	-	-	-	-	-	-
1969	930	1,380	5	0	0	0
1970	-	-	-	-	-	-
1971	1,205	1,690	0	0	25	0
1972	-	-	-	-	-	-
1973	490	705	0	0	0	0
1974	-	-	-	-	-	-
1975	520	505	0	0	0	0
1976	-	-	-	-	-	-
1977	0	100	10	0	0	0
1978	-	-	-	-	-	-
1979	300	0	50	0	0	0
1980	-	-	-	-	-	-
1981	700	370	0	0	0	0
1982	-	-	-	-	-	-
1983	5,407	2,080	0	0	0	0
1984	-	-	-	-	-	-
1985	0	0	0	0	0	0
1986	-	-	-	-	-	-
1987	538	55	0	0	0	0
Averages (odd years only)						
1951-60	1,024	480	0	0	0	0
1961-70	976	1,002	8	0	1	0
1971-80	503	600	12	0	5	0
1981-87	1,661	626	0	0	0	0

continued

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	Harrison River	Lillooet River system	Chilliwack River	Thompson River system	Chil-cotin River system	Nechako River system
1951	1,025	0	650	842	0	0
1952	-	-	-	-	-	-
1953	515	350	800	766	0	0
1954	-	-	-	-	-	-
1955	675	- b	730	1,278	0	0
1956	-	-	-	-	-	-
1957	750	160	755	1,650	0	0
1958	-	-	-	-	-	-
1959	825	0	725	560	0	0
1960	-	-	-	-	-	-
1961	1,225	15	1,875	975	0	0
1962	-	-	-	-	-	-
1963	400	15	2,150	1,200	0	0
1964	-	-	-	-	-	-
1965	1,000	0	1,600	870	0	0
1966	-	-	-	-	-	-
1967	400	0	0	1,310	0	0
1968	-	-	-	-	-	-
1969	1,000	0	0	435	0	0
1970	-	-	-	-	-	-
1971	1,480	0	0	4,010	0	0
1972	-	-	-	-	-	-
1973	- b	0	0	1,645	0	0
1974	-	-	-	-	-	-
1975	- b	0	0	595	0	0
1976	-	-	-	-	-	-
1977	- b	0	0	500	0	0
1978	-	-	-	-	-	-
1979	- b	0	0	1,350	0	0
1980	-	-	-	-	-	-
1981	- b	0	0	380	0	0
1982	-	-	-	-	-	-
1983	1,175	15	0	2,743	0	0
1984	-	-	-	-	-	-
1985	915	0	0	0	0	0
1986	-	-	-	-	-	-
1987	267	1	0	1,465	0	0
Averages (odd years only)						
1951-60	758	128	732	1019	0	0
1961-70	805	6	1,125	958	0	0
1971-80	1,480	0	0	1,620	0	0
1981-87	589	4	0	1,147	0	0

continued

Annual pink catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	3,211	1,675	657	842	6,385
1952	11	0	0	0	11
1953	4,843	1,665	959	766	8,233
1954	0	0	0	0	0
1955	6,626	1,405	1,504	1,278	10,813
1956	168	0	0	0	168
1957	6,380	1,665	3,700	1,650	13,395
1958	117	0	0	0	117
1959	14,885	1,550	700	560	17,695
1960	0	0	0	0	0
1961	24,165	3,115	1,800	975	30,055
1962	0	0	0	0	0
1963	27,735	2,565	3,250	1,200	34,750
1964	0	0	0	0	0
1965	25,375	2,600	386	870	29,231
1966	0	0	0	0	0
1967	20,450	400	2,184	1,310	24,344
1968	0	0	0	0	0
1969	21,850	1,000	2,315	435	25,600
1970	0	0	0	0	0
1971	19,312	1,480	2,920	4,010	27,722
1972	0	0	0	0	0
1973	51,732	0	1,195	1,645	54,572
1974	6	0	0	0	6
1975	39,868	0	1,025	595	41,488
1976	0	0	0	0	0
1977	28,008	0	110	500	28,618
1978	0	0	0	0	0
1979	59,166	0	350	1,350	60,866
1980	0	0	0	0	0
1981	55,252	0	1,070	380	56,702
1982	0	0	0	0	0
1983	73,459	1,190	7,487	2,743	84,879
1984	5	0	0	0	5
1985	101,377	915	0	0	102,292
1986	0	0	0	0	0
1987	68,188	268	593	1,465	70,514
Averages (odd years only)					
1951-60	7,189	1,592	1,504	1,019	11,304
1961-70	23,915	1,936	1,987	958	28,796
1971-80	39,617	296	1,120	1,620	42,653
1981-87	74,569	593	2,288	1,147	78,597

a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".

b. Not reported.

Annual coho catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	169	1,020	785	1,805	394
1952	0	303	965	1,080	2,045	304
1953	0	406	930	690	1,620	273
1954	0	775	1,225	1,075	2,300	201
1955	0	650	1,000	1,135	2,135	1,361
1956	0	520	710	995	1,705	495
1957	0	585	815	1,130	1,945	470
1958	0	600	1,167	980	2,147	640
1959	0	815	2,265	1,255	3,520	780
1960	0	475	2,540	1,125	3,665	780
1961	2	1,325	3,435	2,595	6,030	1,740
1962	0	1,275	3,610	4,275	7,885	1,700
1963	0	1,300	2,645	3,875	6,520	2,125
1964	0	1,575	3,535	3,775	7,310	2,175
1965	0	925	5,360	3,050	8,410	6,650
1966	24	725	10,865	3,500	14,365	2,850
1967	0	420	950	1,175	2,125	550
1968	0	250	3,150	9,500	12,650	2,525
1969	0	215	1,960	2,795	4,755	7,643
1970	0	1,380	3,280	4,310	7,590	7,120
1971	1	1,725	4,390	4,100	8,490	3,600
1972	2	1,810	2,990	4,735	7,725	7,985
1973	0	1,844	2,990	5,800	8,790	4,360
1974	5	7,513	6,622	6,574	13,196	4,940
1975	4	1,662	6,660	3,012	9,672	2,779
1976	10	2,797	8,505	6,045	14,550	5,210
1977	34	2,010	6,538	4,311	10,849	1,490
1978	907	3,227	3,934	5,705	9,639	5,556
1979	109	1,969	3,425	3,454	6,879	2,001
1980	1,642	2,807	8,595	7,040	15,635	7,918
1981	548	1,355	2,191	2,831	5,022	716
1982	7,641	3,019	11,912	18,006	29,918	4,905
1983	438	688	2,140	2,020	4,160	1,055
1984	4,494	4,188	5,947	11,184	17,131	28,786
1985	2,099	1,709	1,374	2,190	3,564	8,832
1986	1,940	2,883	7,682	9,657	17,339	9,236
1987	2,602	4,068	-	-	11,191	3,453
Averages						
1951-60	0	530	1,264	1,025	2,289	570
1961-70	3	939	3,879	3,885	7,764	3,508
1971-80	271	2,736	5,465	5,078	10,543	4,584
1981-87	2,823	2,559	4,464	6,555	12,618	8,140

continued

Annual coho catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	North Bend to Texas Creek (a)	Texas Creek to Churn Creek (a)	above Churn Creek	Harrison River	Lillooet River system	Chilliwack River	Thompson River system
1951	331	0	0	510	376	230	165
1952	320	0	0	295	1,388	325	211
1953	236	0	0	70	1,820	240	1,446
1954	375	0	0	230	1,634	355	1,336
1955	1,419	0	0	280	234	260	4,260
1956	890	0	0	150	872	140	1,605
1957	250	220	0	275	1,400	175	880
1958	100	50	0	495	658	280	1,005
1959	50	10	0	775	670	185	1,530
1960	100	50	0	720	815	145	1,355
1961	400	25	0	940	900	305	1,515
1962	250	0	0	1,280	1,195	675	1,420
1963	50	10	0	490	2,040	1,150	875
1964	100	12	0	875	2,200	1,025	945
1965	80	40	0	1,075	1,630	400	1,925
1966	90	65	0	1,460	1,478	70	400
1967	60	35	0	350	1,115	25	165
1968	165	0	0	1,200	802	0	30
1969	215	165	0	- b	851	0	105
1970	240	265	0	1,300	1,230	0	265
1971	425	135	0	1,000	2,308	0	315
1972	625	50	0	- b	1,125	0	325
1973	550	50	0	- b	525	0	315
1974	475	315	0	- b	1,235	0	245
1975	425	380	0	- b	3,000	0	170
1976	325	0	0	- b	2,000	0	32
1977	0	110	0	- b	1,750	0	300
1978	0	60	0	- b	2,500	0	850
1979	45	0	0	- b	2,800	0	1,250
1980	- b	- b	0	- b	1,395	0	30
1981	50	50	0	- b	3,000	0	- b
1982	262	0	0	- b	3,540	0	360
1983	11	34	0	61	1,037	0	64
1984	535	210	0	20	1,883	0	50
1985	275	20	0	35	1,587	0	60
1986	196	179	0	55	3,059	0	271
1987	50	0	0	268	1,936	0	169
Averages							
1951-60	407	33	0	380	987	234	1,379
1961-70	165	62	0	997	1,344	365	765
1971-80	319	122	0	1,000	1,864	0	383
1981-87	197	70	0	88	2,292	0	162

continued

Annual coho catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	2,368	1,116	331	165	3,980
1952	2,652	2,008	320	211	5,191
1953	2,299	2,130	236	1,446	6,111
1954	3,276	2,219	375	1,336	7,206
1955	4,146	774	1,419	4,260	10,599
1956	2,720	1,162	890	1,605	6,377
1957	3,000	1,850	470	880	6,200
1958	3,387	1,433	150	1,005	5,975
1959	5,115	1,630	60	1,530	8,335
1960	4,920	1,680	150	1,355	8,105
1961	9,097	2,145	425	1,515	13,182
1962	10,860	3,150	250	1,420	15,680
1963	9,945	3,680	60	875	14,560
1964	11,060	4,100	112	945	16,217
1965	15,985	3,105	120	1,925	21,135
1966	17,964	3,008	155	400	21,527
1967	3,095	1,490	95	165	4,845
1968	15,425	2,002	165	30	17,622
1969	12,613	851	380	105	13,949
1970	16,090	2,530	505	265	19,390
1971	13,816	3,308	560	315	17,999
1972	17,522	1,125	675	325	19,647
1973	14,994	525	600	315	16,434
1974	25,654	1,235	790	245	27,924
1975	14,117	3,000	805	170	18,092
1976	22,567	2,000	325	32	24,924
1977	14,383	1,750	110	300	16,543
1978	19,329	2,500	60	850	22,739
1979	10,958	2,800	45	1,250	15,053
1980	28,002	1,395	0	30	29,427
1981	7,641	3,000	100	0	10,741
1982	45,483	3,540	262	360	49,645
1983	6,341	1,098	45	64	7,548
1984	54,599	1,903	745	50	57,297
1985	16,204	1,622	295	60	18,181
1986	31,398	3,114	375	271	35,158
1987	21,314	2,204	50	169	23,737
Averages					
1951-60	3,388	1,600	440	1,379	6,808
1961-70	12,213	2,606	227	765	15,811
1971-80	18,134	1,964	397	383	20,878
1981-87	26,140	2,354	267	139	28,901

- a. Prior to 1976, area boundaries were "North Bend to Lytton" and "Lytton to Churn Creek".
b. Not reported.

Annual chum catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	534	2,360	725	3,085	38
1952	0	331	2,190	1,125	3,315	51
1953	0	349	2,080	565	2,645	55
1954	0	860	2,305	545	2,850	28
1955	0	495	1,405	535	1,940	21
1956	0	440	745	310	1,055	7
1957	0	685	2,135	790	2,925	11
1958	0	725	2,865	490	3,355	11
1959	0	1,090	11,225	705	11,930	35
1960	0	875	4,155	830	4,985	10
1961	167	975	3,650	2,785	6,435	75
1962	10	850	2,875	4,240	7,115	125
1963	196	950	3,080	3,675	6,755	70
1964	0	980	3,860	3,800	7,660	115
1965	0	635	2,330	1,775	4,105	350
1966	26	1,000	5,185	2,350	7,535	1,090
1967	0	600	2,300	2,700	5,000	1,000
1968	147	750	3,000	3,000	6,000	200
1969	249	350	2,725	830	3,555	135
1970	253	380	1,550	1,235	2,785	285
1971	87	830	1,400	475	1,875	160
1972	136	1,445	3,050	1,275	4,325	395
1973	174	2,548	3,635	3,215	6,850	1,170
1974	132	5,118	4,922	3,650	8,572	1,280
1975	533	940	3,720	1,460	5,180	434
1976	574	2,135	6,800	2,905	9,705	1,189
1977	483	1,693	4,740	2,145	6,885	281
1978	1,253	1,674	2,559	2,985	5,544	1,036
1979	316	2,197	2,860	2,529	5,389	300
1980	1,359	1,737	6,051	2,725	8,776	461
1981	1,393	1,805	3,288	4,045	7,333	639
1982	6,270	1,928	3,835	5,404	9,239	916
1983	1,828	1,253	4,438	2,845	7,283	505
1984	2,428	2,310	3,390	7,733	11,123	2,506
1985	2,659	1,460	192	390	582	478
1986	2,452	2,106	5,448	3,601	9,049	2,472
1987	3,371	3,755	-	-	14,944	3,812
Averages						
1951-60	0	638	3,147	662	3,809	27
1961-70	105	747	3,056	2,639	5,695	345
1971-80	505	2,032	3,974	2,336	6,310	671
1981-87	2,914	2,088	2,942	3,431	8,508	1,618

continued

Annual chum catch by fishing area in the Fraser River
Indian food fishery, 1951 to 1987 (con't).

=====

Year	North Bend to Texas Creek (a)	above Texas Creek	Harrison River	Lillooet River system	Chilli- wack River
1951	0	0	1,360	0	810
1952	0	0	905	185	1,000
1953	2	0	1,460	375	355
1954	0	0	1,675	395	360
1955	0	0	800	0	265
1956	0	0	585	75	105
1957	0	0	790	125	225
1958	0	0	2,425	40	185
1959	0	0	2,220	340	285
1960	0	0	3,515	300	285
1961	0	0	1,300	20	675
1962	0	0	1,975	25	1,200
1963	0	0	1,760	10	1,000
1964	0	0	2,150	55	1,250
1965	0	0	1,490	10	800
1966	0	0	2,330	0	200
1967	0	0	1,900	0	300
1968	0	0	4,000	5	0
1969	0	0	- b	11	0
1970	0	0	1,900	0	0
1971	0	0	1,000	70	0
1972	0	0	- b	0	0
1973	0	0	- b	0	0
1974	0	0	- b	0	0
1975	0	0	- b	0	0
1976	0	0	- b	0	0
1977	0	0	- b	0	0
1978	0	0	- b	2	0
1979	0	0	- b	0	0
1980	0	0	- b	0	0
1981	0	0	- b	0	0
1982	0	0	- b	880	0
1983	0	0	1,398	370	0
1984	0	0	192	76	0
1985	0	0	215	465	0
1986	0	0	41	591	0
1987	0	0	194	236	0
Averages					
1951-60	0	0	1,574	184	388
1961-70	0	0	2,089	14	543
1971-80	0	0	1,000	7	0
1981-87	0	0	408	374	0

continued

Annual chum catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	3,657	2,170	0	0	5,827
1952	3,697	2,090	0	0	5,787
1953	3,049	2,190	2	0	5,241
1954	3,738	2,430	0	0	6,168
1955	2,456	1,065	0	0	3,521
1956	1,502	765	0	0	2,267
1957	3,621	1,140	0	0	4,761
1958	4,091	2,650	0	0	6,741
1959	13,055	2,845	0	0	15,900
1960	5,870	4,100	0	0	9,970
1961	7,652	1,995	0	0	9,647
1962	8,100	3,200	0	0	11,300
1963	7,971	2,770	0	0	10,741
1964	8,755	3,455	0	0	12,210
1965	5,090	2,300	0	0	7,390
1966	9,651	2,530	0	0	12,181
1967	6,600	2,200	0	0	8,800
1968	7,097	4,005	0	0	11,102
1969	4,289	11	0	0	4,300
1970	3,703	1,900	0	0	5,603
1971	2,952	1,070	0	0	4,022
1972	6,301	0	0	0	6,301
1973	10,742	0	0	0	10,742
1974	15,102	0	0	0	15,102
1975	7,087	0	0	0	7,087
1976	13,603	0	0	0	13,603
1977	9,342	0	0	0	9,342
1978	9,507	2	0	0	9,509
1979	8,202	0	0	0	8,202
1980	12,333	0	0	0	12,333
1981	11,170	0	0	0	11,170
1982	18,353	880	0	0	19,233
1983	10,869	1,768	0	0	12,637
1984	18,367	268	0	0	18,635
1985	5,179	680	0	0	5,859
1986	16,079	632	0	0	16,711
1987	25,882	430	0	0	26,312
Averages					
1951-60	4,474	2,145	0	0	6,618
1961-70	6,891	2,437	0	0	9,327
1971-80	9,517	107	0	0	9,624
1981-87	15,128	665	0	0	15,794

a. Prior to 1976, the area boundary was "North Bend to Lytton".

b. Not reported.

Annual steelhead catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987.

Year	Steveston area	Deas to Mission	Mission to Hope			Hope to North Bend
			North Side	South Side	Total	
1951	0	31	205	245	450	547
1952	0	100	995	375	1,370	444
1953	0	96	445	305	750	278
1954	0	300	545	395	940	184
1955	0	95	555	375	930	177
1956	0	145	345	365	710	100
1957	0	145	385	380	765	195
1958	0	205	555	423	978	320
1959	0	320	1,265	820	2,085	445
1960	0	335	1,255	685	1,940	550
1961	21	265	1,095	1,250	2,345	1,005
1962	0	180	975	1,330	2,305	1,100
1963	14	205	620	1,790	2,410	1,225
1964	0	208	1,025	2,010	3,035	1,250
1965	0	100	1,075	875	1,950	725
1966	1	155	1,360	900	2,260	370
1967	0	150	300	1,175	1,475	345
1968	0	135	300	1,050	1,350	225
1969	0	176	250	330	580	230
1970	0	140	190	423	613	220
1971	2	250	300	300	600	400
1972	0	25	750	381	1,131	936
1973	9	121	365	455	820	510
1974	4	125	606	618	1,224	357
1975	12	196	562	580	1,142	423
1976	6	59	666	744	1,410	715
1977	0	55	296	363	659	218
1978	11	24	72	63	135	272
1979	2	150	168	277	445	146
1980	52	102	326	506	832	371
1981	56	147	235	358	593	168
1982	195	142	348	752	1,100	937
1983	12	82	138	167	305	367
1984	314	248	673	876	1,549	4,619
1985	140	99	136	418	554	641
1986	93	147	595	1,017	1,612	2,123
1987	60	100	-	-	582	1,362
Averages						
1951-60	0	177	655	437	1,092	324
1961-70	4	171	719	1,113	1,832	670
1971-80	10	111	411	429	840	435
1981-87	124	138	304	513	899	1,460

continued

Annual steelhead catch by fishing area in the Fraser River Indian food fishery, 1951 to 1987 (con't).

Year	North Bend to Texas Creek (a)	Texas Cr to Churn Creek (a)	above Churn Creek	Harrison River	Lillooet River system	Chilli-wack River	Thomp-son River system	Chil-cotin River system
1951	462	242	0	390	0	45	121	25
1952	314	204	0	375	70	70	143	0
1953	203	379	0	390	325	35	258	55
1954	201	125	0	400	330	45	218	60
1955	280	100	0	225	- b	80	61	50
1956	210	100	0	215	175	83	100	0
1957	100	150	0	300	135	10	125	0
1958	100	70	0	325	75	30	350	35
1959	50	35	0	300	130	77	110	15
1960	150	350	0	420	180	55	135	0
1961	150	75	0	300	155	120	200	125
1962	60	20	0	500	130	105	225	165
1963	80	35	0	240	95	250	125	280
1964	120	60	0	480	300	260	180	0
1965	40	15	0	550	170	35	115	50
1966	55	10	0	550	60	25	75	45
1967	70	20	0	100	0	10	75	38
1968	196	20	0	50	0	0	20	0
1969	220	40	0	- b	- b	0	50	140
1970	145	40	0	55	0	0	60	150
1971	130	40	0	80	0	0	45	0
1972	245	70	0	- b	0	0	250	0
1973	120	50	0	- b	75	0	180	0
1974	150	45	0	- b	35	0	90	0
1975	130	110	0	- b	0	0	110	0
1976	80	40	0	- b	0	0	10	0
1977	0	0	0	- b	0	0	190	0
1978	0	0	0	- b	0	0	0	0
1979	0	0	0	- b	0	0	0	0
1980	- b	- b	0	- b	0	0	0	0
1981	50	0	0	- b	0	0	0	0
1982	- b	- b	0	- b	0	0	- b	0
1983	- b	- b	0	0	0	0	- b	0
1984	15	0	0	0	0	0	0	0
1985	- b	- b	0	0	26	0	0	0
1986	0	0	0	3	10	0	0	0
1987	70	52	0	0	15	0	14	0
Averages								
1951-60	207	176	0	334	158	53	162	24
1961-70	114	34	0	314	101	81	113	99
1971-80	95	39	0	80	11	0	88	0
1981-87	34	13	0	1	7	0	3	0

continued

Annual steelhead catch by fishing area in the Fraser River
Indian food fishery, 1951 to 1987 (con't).

Year	District 2 total		District 1 total		Fraser System Total
	mainstem	tributary	mainstem	tributary	
1951	1,028	435	704	146	2,313
1952	1,914	515	518	143	3,090
1953	1,124	750	582	313	2,769
1954	1,424	775	326	278	2,803
1955	1,202	305	380	111	1,998
1956	955	473	310	100	1,838
1957	1,105	445	250	125	1,925
1958	1,503	430	170	385	2,488
1959	2,850	507	85	125	3,567
1960	2,825	655	500	135	4,115
1961	3,636	575	225	325	4,761
1962	3,585	735	80	390	4,790
1963	3,854	585	115	405	4,959
1964	4,493	1,040	180	180	5,893
1965	2,775	755	55	165	3,750
1966	2,786	635	65	120	3,606
1967	1,970	110	90	113	2,283
1968	1,710	50	216	20	1,996
1969	986	0	260	190	1,436
1970	973	55	185	210	1,423
1971	1,252	80	170	45	1,547
1972	2,092	0	315	250	2,657
1973	1,460	75	170	180	1,885
1974	1,710	35	195	90	2,030
1975	1,773	0	240	110	2,123
1976	2,190	0	120	10	2,320
1977	932	0	0	190	1,122
1978	442	0	0	0	442
1979	743	0	0	0	743
1980	1,357	0	0	0	1,357
1981	964	0	50	0	1,014
1982	2,374	0	0	0	2,374
1983	766	0	0	0	766
1984	6,730	0	15	0	6,745
1985	1,434	26	0	0	1,460
1986	3,975	13	0	0	3,988
1987	2,104	15	122	14	2,255
Averages					
1951-60	1,593	529	383	186	2,691
1961-70	2,677	454	147	212	3,490
1971-80	1,395	19	121	88	1,623
1981-87	2,621	8	27	2	2,657

a. Prior to 1976, area boundaries were "North Bend to Lytton"
and "Lytton to Churn Creek".

b. Not reported.

Table 6. Weekly estimates of catch by area in the Fraser River Indian food fishery in 1987:

Chinook	61
Sockeye	69
Pinks	77
Coho	83
Chum	88
Steelhead	91
Sturgeon	96

Chinook catches in the Fraser River mainstem areas of District 2, 1987.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 4	-	0	0	-	0	0
11	0	-	0	-	0	0
18	-	-	0	-	0	0
25	-	-	0	-	0	0
Feb 1	0	0	0	0	0	0
8	0	0	0	-	0	0
15	0	15	0	0	15	15
22	0	12	11	4	27	42
Mar 1	0	0	5	-	5	47
8	-	0	0	-	0	47
15	-	0	3	-	3	50
22	1	8	12	3	24	74
29	1	12	2	-	15	89
Apr 5	2	2	45	24	73	162
12	3	1	17	24	45	207
19	4	4	27	47	82	289
26	5	4	38	40	87	376
May 3	17	4	41	33	95	471
10	6	1	71	19	97	568
17	14	0	305	228	547	1,115
24	23	14	347	404	788	1,903
31	40	6	163	214	423	2,326
Jun 7	49	30 a	197	284	560	2,886
14	78	15	192	60	345	3,231
21	141	40	382	1,170	1,733	4,964
28	138	40	405	300	883	5,847
Jul 5	- b	20	273	863	1,156	7,003
12	- b	- b	- b	- b	0	7,003
19	1 b	- b	- b	- b	1	7,004
26	10	- b	- b	- b	10	7,014
Aug 2	15	76 c	142	450	683	7,697
9	18	0	64	799	881	8,578
16	10	6	116	544	676	9,254
23	7	197	141	522	867	10,121
30	10	24	263	511	808	10,929
Sep 6	4	9	20	109	142	11,071
13	12	0	84	284	380	11,451
20	35	0	48	121	204	11,655
27	31	12	27	64	134	11,789
Oct 4	38	76	24	31	169	11,958
11	6	10	0	26	42	12,000
18	3	6	191	41	241	12,241
25	3	27	138	14	182	12,423
Nov 1	0	45	162	0	207	12,630
8	2	33	89	4	128	12,758
15	0	0	32	0	32	12,790
22	0	0	7	0	7	12,797
29	1	0	0	0	1	12,798
Dec 6	-	0	0	0	0	12,798
13	-	0	0	0	0	12,798
20	-	0	0	-	0	12,798
27	-	-	-	-	-	12,798
Total	728	749	4,084	7,237	12,798	-

a. Includes 10 chinook taken with a drifted gill net under special permit.

b. Closure.

c. Includes 12 chinook taken with a drifted gill net under special permit.

continued

Chinook catches in the Fraser River tributary areas of District 2, 1987.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Feb 1	-	-	-	-	0
8	-	2	-	2	2
15	-	0	-	0	2
22	-	0	-	0	2
Mar 1	-	0	-	0	2
8	-	0	0	0	2
15	-	0	0	0	2
22	-	0	-	0	2
29	-	0	-	0	2
Apr 5	-	1	-	1	3
12	-	3	-	3	6
19	-	0	0	0	6
26	-	1	0	1	7
May 3	-	0	1	1	8
10	-	0	0	0	8
17	-	0	0	0	8
24	-	0	0	0	8
31	-	3	0	3	11
Jun 7	-	-	0	0	11
14	-	-	0	0	11
21	-	-	-	-	11
28	-	-	-	-	11
Jul 5	-	-	20	20	31
12	-	-	-	-	31
19	-	-	-	-	31
26	-	-	-	-	31
Aug 2	-	-	-	-	31
9	-	0	-	0	31
16	-	-	-	-	31
23	-	1	0	1	32
30	-	1	0	1	33
Sep 6	-	0	0	0	33
13	-	0	0	0	33
20	-	1	0	1	34
27	-	0	0	0	34
Oct 4	-	0	0	0	34
11	-	0	0	0	34
18	6	1	0	7	41
25	11	0	0	11	52
Nov 1	-	0	0	0	52
8	-	0	0	0	52
15	2	0	0	2	54
22	-	0	0	0	54
29	-	0	0	0	54
Dec 6	-	-	-	-	54
13	-	-	-	-	54
20	-	-	-	-	54
27	-	-	-	-	54
Total	19	14	21	54	-

continued

Chinook catches in the Fraser River mainstem areas of District 1, 1987.

Week Ending	North Bend to Texas Creek	Texas Creek to Churn Creek	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Mar-guerite	Mar-guerite to Hixon	above Hixon	District 1 mainstem Total	Cumulative
Jan 4	-	-	-	-	-	-	-	0
11	-	-	-	-	-	-	-	0
18	-	-	-	-	-	-	-	0
25	-	-	-	-	-	-	-	0
Feb 1	-	-	-	-	-	-	-	0
8	-	-	-	-	-	-	-	0
15	-	-	-	-	-	-	-	0
22	-	-	-	-	-	-	-	0
Mar 1	-	-	-	-	-	-	-	0
8	-	-	-	-	-	-	-	0
15	-	-	-	-	-	-	-	0
22	-	-	-	-	-	-	-	0
29	-	-	-	-	-	-	-	0
Apr 5	2	0	-	-	-	-	2	2
12	6	5	-	-	-	-	11	13
19	4	7	-	-	-	-	11	24
26	5	8	-	-	-	-	13	37
May 3	10	12	-	-	-	-	22	59
10	3	4	-	-	-	-	7	66
17	4	5	-	-	-	-	9	75
24	4	5	-	-	-	-	9	84
31	5	8	-	-	-	-	13	97
Jun 7	24	20	-	-	-	-	44	141
14	40	27	-	-	-	-	67	208
21	33	24	-	-	-	-	57	265
28	45	44	-	-	10	-	99	364
Jul 5	34	38	-	-	10	-	82	446
12	38	43	0	0	20	-	101	547
19	- a	- a	15	20	0	6	41	588
26	- a	- a	- a	- a	- a	0	0	588
Aug 2	- a	- a	- a	- a	- a	- a	0	588
9	76	54	- a	- a	- a	- a	130	718
16	143	308	1	0	0	3 a	455	1,173
23	82	148	0	0	0	0	230	1,403
30	35	32	0	0	0	0	67	1,470
Sep 6	6	6	0	0	0	0	12	1,482
13	0	4	-	-	0	0	4	1,486
20	0	0	-	-	0	0	0	1,486
27	0	0	-	-	-	0	0	1,486
Oct 4	0	0	-	-	-	-	0	1,486
11	0	-	-	-	-	-	0	1,486
18	4	-	-	-	-	-	4	1,490
25	- b	- b	-	-	-	-	-	1,490
Nov 1	0	-	-	-	-	-	0	1,490
8	-	-	-	-	-	-	-	1,490
15	-	-	-	-	-	-	-	1,490
22	-	-	-	-	-	-	-	1,490
29	-	-	-	-	-	-	-	1,490
Dec 6	-	-	-	-	-	-	-	1,490
13	-	-	-	-	-	-	-	1,490
20	-	-	-	-	-	-	-	1,490
27	-	-	-	-	-	-	-	1,490
Total	603	802	16	20	40	9	1,490	-

a. Closure.

b. No estimate.

continued

Chinook catches in the Chilcotin and Thompson river systems, District 1, 1987.

		Thompson River system					
Week Ending	Chilcotin River system	Lytton to Savona	South Thompson River(a)	North Thompson and Raft rivers	Shuswap River	Total	
Jan 4	-	-	-	-	-	-	
11	-	-	-	-	-	-	
18	-	-	-	-	-	-	
25	-	-	-	-	-	-	
Feb 1	-	-	-	-	-	-	
8	-	-	-	-	-	-	
15	-	-	-	-	-	-	
22	-	-	-	-	-	-	
Mar 1	-	-	-	-	-	-	
8	-	-	-	-	-	-	
15	-	-	-	-	-	-	
22	-	-	-	-	-	-	
29	-	-	-	-	-	-	
Apr 5	-	-	-	-	-	-	
12	-	-	-	-	-	-	
19	-	-	-	-	-	-	
26	-	-	-	-	-	-	
May 3	-	-	-	-	-	-	
10	-	-	-	-	-	-	
17	-	-	-	-	-	-	
24	-	-	-	-	-	-	
31	-	-	-	-	-	-	
Jun 7	-	-	-	-	-	-	
14	-	-	-	-	-	-	
21	-	-	-	-	-	-	
28	-	-	-	-	-	-	
Jul 5	-	-	-	-	-	-	
12	-	-	-	-	-	-	
19	-	-	-	-	-	-	
26	-	-	-	-	-	-	
Aug 2	20	-	-	-	-	-	
9	20	-	-	-	-	-	
16	0	-	-	-	-	-	
23	1	10	-	-	-	10	
30	0	8	-	-	-	8	
Sep 6	0	18	-	-	-	18	
13	0	0	-	-	-	0	
20	-	0	-	-	-	0	
27	-	2	-	-	-	2	
Oct 4	-	0	-	-	-	0	
11	-	0	-	-	-	0	
18	-	0	-	-	-	0	
25	-	- ^b	-	-	-	-	
Nov 1	-	0	-	-	-	0	
8	-	-	-	-	-	-	
15	-	-	-	-	-	-	
22	-	-	-	-	-	-	
29	-	-	-	-	-	-	
Dec 6	-	-	-	-	-	-	
13	-	-	-	-	-	-	
20	-	-	-	-	-	-	
27	-	-	-	-	-	-	
Total	41	38	50	0	0	88	

a. Catch is total to October 25.

b. No estimate.

continued

Chinook catches in the Nechako River system, District 1, 1987.

Week Ending	Prince George to Stuart River	Stuart River to Fort Fraser	Fort Fraser to Francois Lake	Nechako River system	
				Total	Cumulative
Jan 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Feb 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
Mar 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
29	-	-	-	-	0
Apr 5	-	-	-	-	0
12	-	-	-	-	0
19	-	-	-	-	0
26	-	-	-	-	0
May 3	-	-	-	-	0
10	-	-	-	-	0
17	-	-	-	-	0
24	-	-	-	-	0
31	-	-	-	-	0
Jun 7	-	-	-	-	0
14	-	-	-	-	0
21	-	-	-	-	0
28	-	-	-	-	0
Jul 5	-	-	-	-	0
12	-	-	-	-	0
19	0	-	8	8	8
26	0	10	0	10	18
Aug 2	- a	9	0	9	27
9	- a	10	0	10	37
16	0 a	1	5	6	43
23	0	0	0	0	43
30	0	0	0	0	43
Sep 6	0	0	0	0	43
13	0	0	0	0	43
20	-	-	0	0	43
27	-	-	0	0	43
Oct 4	0	-	-	0	43
11	-	-	-	-	43
18	-	-	-	-	43
25	-	-	-	-	43
Nov 1	-	-	-	-	43
8	-	-	-	-	43
15	-	-	-	-	43
22	-	-	-	-	43
29	-	-	-	-	43
Dec 6	-	-	-	-	43
13	-	-	-	-	43
20	-	-	-	-	43
27	-	-	-	-	43
Total	0	30	13	43	-

a. Closure.

continued

Chinook catches in the Stuart River System and catch summary for the Nechako-Stuart river systems, District 1, 1987.

Week Ending	Nechako River to Fort St. James to Trembleur Lake			Stuart River System		Nechako-Stuart systems	
	St. James	Trembleur Lake	above Lake outlet	Total	Cumulative	Total	Cumulative
Jan 4	-	-	-	-	0	-	0
11	-	-	-	-	0	-	0
18	-	-	-	-	0	-	0
25	-	-	-	-	0	-	0
Feb 1	-	-	-	-	0	-	0
8	-	-	-	-	0	-	0
15	-	-	-	-	0	-	0
22	-	-	-	-	0	-	0
Mar 1	-	-	-	-	0	-	0
8	-	-	-	-	0	-	0
15	-	-	-	-	0	-	0
22	-	-	-	-	0	-	0
29	-	-	-	-	0	-	0
Apr 5	-	-	-	-	0	-	0
12	-	-	-	-	0	-	0
19	-	-	-	-	0	-	0
26	-	-	-	-	0	-	0
May 3	-	-	-	-	0	-	0
10	-	-	-	-	0	-	0
17	-	-	-	-	0	-	0
24	-	-	-	-	0	-	0
31	-	-	-	-	0	-	0
Jun 7	-	-	-	-	0	-	0
14	-	-	-	-	0	-	0
21	-	-	-	-	0	-	0
28	-	-	-	-	0	-	0
Jul 5	-	-	-	-	0	-	0
12	-	-	-	-	0	-	0
19	0	0	0	0	0	8	8
26	0	0	0	0	0	10	18
Aug 2	0	0	0	0	0	9	27
9	4	1	0	5	5	15	42
16	2	0	0	2	7	8	50
23	0	0	-	0	7	0	50
30	4	0	-	4	11	4	54
Sep 6	0	0	-	0	11	0	54
13	-	-	-	-	11	0	54
20	-	-	-	-	11	0	54
27	-	-	-	-	11	0	54
Oct 4	-	-	-	-	11	-	54
11	-	-	-	-	11	-	54
18	-	-	-	-	11	-	54
25	-	-	-	-	11	-	54
Nov 1	-	-	-	-	11	-	54
8	-	-	-	-	11	-	54
15	-	-	-	-	11	-	54
22	-	-	-	-	11	-	54
29	-	-	-	-	11	-	54
Dec 6	-	-	-	-	11	-	54
13	-	-	-	-	11	-	54
20	-	-	-	-	11	-	54
27	-	-	-	-	11	-	54
Total	10	1	0	11	-	54	-

continued

Chinook catch summary for the Fraser River System, 1987.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 4	0	0	-	0	0	0
11	0	0	-	0	0	0
18	0	0	-	0	0	0
25	0	0	-	0	0	0
Feb 1	0	0	-	0	0	0
8	2	2	-	0	2	2
15	15	17	-	0	15	17
22	27	44	-	0	27	44
Mar 1	5	49	-	0	5	49
8	0	49	-	0	0	49
15	3	52	-	0	3	52
22	24	76	-	0	24	76
29	15	91	-	0	15	91
Apr 5	74	165	2	2	76	167
12	48	213	11	13	59	226
19	82	295	11	24	93	319
26	88	383	13	37	101	420
May 3	96	479	22	59	118	538
10	97	576	7	66	104	642
17	547	1,123	9	75	556	1,198
24	788	1,911	9	84	797	1,995
31	426	2,337	13	97	439	2,434
Jun 7	560	2,897	44	141	604	3,038
14	345	3,242	67	208	412	3,450
21	1,733	4,975	57	265	1,790	5,240
28	883	5,858	99	364	982	6,222
Jul 5	1,176	7,034	82	446	1,258	7,480
12	0	7,034	101	547	101	7,581
19	1	7,035	49	596	50	7,631
26	10	7,045	10	606	20	7,651
Aug 2	683	7,728	29	635	712	8,363
9	881	8,609	165	800	1,046	9,409
16	676	9,285	463	1,263	1,139	10,548
23	868	10,153	241	1,504	1,109	11,657
30	809	10,962	79	1,583	888	12,545
Sep 6	142	11,104	30	1,613	172	12,717
13	380	11,484	4	1,617	384	13,101
20	205	11,689	0	1,617	205	13,306
27	134	11,823	2	1,619	136	13,442
Oct 4	169	11,992	0	1,619	169	13,611
11	42	12,034	0	1,619	42	13,653
18	248	12,282	4	1,623	252	13,905
25	193	12,475	-	1,623	193	14,098
Nov 1	207	12,682	0	1,623	207	14,305
8	128	12,810	-	1,623	128	14,433
15	34	12,844	-	1,623	34	14,467
22	7	12,851	-	1,623	7	14,474
29	1	12,852	-	1,623	1	14,475
Dec 6	0	12,852	-	1,623	0	14,475
13	0	12,852	-	1,623	0	14,475
20	0	12,852	-	1,623	0	14,475
27	-	12,852	-	1,623	-	14,475
Total	12,852	-	1,673 a	-	14,525 a	-

a. Total includes 50 fish not reported in weekly catches.

Sockeye catches in the Fraser River mainstem areas of District 2, 1987.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 4	-	0	0	-	0	0
11	0	-	0	-	0	0
18	-	-	0	-	0	0
25	-	-	0	-	0	0
Feb 1	0	0	0	0	0	0
8	0	0	0	-	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
Mar 1	0	0	0	-	0	0
8	-	0	0	-	0	0
15	-	0	0	-	0	0
22	0	0	0	0	0	0
29	0	0	0	-	0	0
Apr 5	0	0	0	0	0	0
12	0	0	0	0	0	0
19	0	0	0	0	0	0
26	0	0	0	0	0	0
May 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
31	0	0	0	0	0	0
Jun 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	3	0	0	0	3	3
28	74	6	172	160	412	415
Jul 5	- a	156	2,586	3,859	6,601	7,016
12	- a	- a	- a	450 b	450	7,466
19	104 a	- a	- a	550 b	654	8,120
26	2,075	- a	- a	1,955 c	4,030	12,150
Aug 2	3,642	1,672 d	11,393	22,449 e	39,156	51,306
9	3,114	256	14,095	31,138	48,603	99,909
16	6,459	214	10,001	11,765	28,439	128,348
23	2,328	1,749	9,376	8,072	21,525	149,873
30	2,182	680	19,295	39,480	61,637	211,510
Sep 6	153	20	512	4,226	4,911	216,421
13	1,123	185	3,090	6,141	10,539	226,960
20	1,531	282	1,494	3,577	6,884	233,844
27	1,398	500	4,754	4,560	11,212	245,056
Oct 4	1,665	943	3,312	6,714	12,634	257,690
11	422	787	3,126	6,200	10,535	268,225
18	122	348	3,134	3,060	6,664	274,889
25	93	82	862	2,958	3,995	278,884
Nov 1	9	0	1,463	756	2,228	281,112
8	3	183	672	90	948	282,060
15	1	63	190	65	319	282,379
22	0	153	101	104	358	282,737
29	0	142	238	0	380	283,117
Dec 6	-	10	30	30	70	283,187
13	-	27	21	0	48	283,235
20	-	0	0	-	0	283,235
27	-	-	-	-	-	283,235
Total	26,501	8,458	89,917	158,359	283,235	-

- a. Closure.
- b. Closure. Catch taken under 1 drying permit.
- c. Closure. Catch taken under 10 drying permits.
- d. Includes 550 sockeye taken with a drifted gill net under special permit.
- e. Includes 1090 sockeye taken under 10 drying permits.

continued

Sockeye catches in the Fraser River tributary areas of District 2, 1987.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Feb 1	-	-	-	-	0
8	-	0	-	0	0
15	-	0	-	0	0
22	-	0	-	0	0
Mar 1	-	0	-	0	0
8	-	0	0	0	0
15	-	0	0	0	0
22	-	0	-	0	0
29	-	0	-	0	0
Apr 5	-	0	-	0	0
12	-	0	-	0	0
19	-	0	0	0	0
26	-	0	0	0	0
May 3	-	0	0	0	0
10	-	0	0	0	0
17	-	0	0	0	0
24	-	0	0	0	0
31	-	0	0	0	0
Jun 7	-	-	0	0	0
14	-	-	0	0	0
21	-	-	-	-	0
28	-	-	-	-	0
Jul 5	-	-	0	0	0
12	-	-	-	-	0
19	-	-	-	-	0
26	-	-	-	-	0
Aug 2	-	-	-	-	0
9	-	0	-	0	0
16	-	-	-	-	0
23	-	343	0	343	343
30	-	289	188	477	820
Sep 6	-	383	1,890	2,273	3,093
13	-	210	560	770	3,863
20	-	616	980	1,596	5,459
27	-	250	960	1,210	6,669
Oct 4	-	20	510	530	7,199
11	-	31	140	171	7,370
18	186	0	70	256	7,626
25	54	0	0	54	7,680
Nov 1	-	0	0	0	7,680
8	-	0	0	0	7,680
15	0	0	0	0	7,680
22	-	0	0	0	7,680
29	-	0	0	0	7,680
Dec 6	-	-	-	-	7,680
13	-	-	-	-	7,680
20	-	-	-	-	7,680
27	-	-	-	-	7,680
Total	240	2,142	5,298	7,680	-

continued

Sockeye catches in the Fraser River mainstem areas of District 1, 1987.

Week Ending	North Bend Creek to Texas Creek	Texas Creek to Churn Creek	Churn Creek to Chilcotin Bridge	Chilcotin Bridge to Mar-guerite	Mar-guerite to Hixon	above Hixon	District 1 mainstem	
	Texas Creek	Churn Creek	cotin Bridge	Mar-guerite	Hixon	Hixon	Total	Cumulative
Jan 4	-	-	-	-	-	-	-	0
11	-	-	-	-	-	-	-	0
18	-	-	-	-	-	-	-	0
25	-	-	-	-	-	-	-	0
Feb 1	-	-	-	-	-	-	-	0
8	-	-	-	-	-	-	-	0
15	-	-	-	-	-	-	-	0
22	-	-	-	-	-	-	-	0
Mar 1	-	-	-	-	-	-	-	0
8	-	-	-	-	-	-	-	0
15	-	-	-	-	-	-	-	0
22	-	-	-	-	-	-	-	0
29	-	-	-	-	-	-	-	0
Apr 5	0	0	-	-	-	-	0	0
12	0	0	-	-	-	-	0	0
19	0	0	-	-	-	-	0	0
26	0	0	-	-	-	-	0	0
May 3	0	0	-	-	-	-	0	0
10	0	0	-	-	-	-	0	0
17	0	0	-	-	-	-	0	0
24	0	0	-	-	-	-	0	0
31	0	0	-	-	-	-	0	0
Jun 7	0	0	-	-	-	-	0	0
14	0	0	-	-	-	-	0	0
21	0	0	-	-	-	-	0	0
28	0	0	-	-	0	-	0	0
Jul 5	34	8	-	-	0	-	42	42
12	1,900	235	320	320	0	-	2,775	2,817
19	-	a	a	420	630	1,500	50	2,600
26	-	a	a	-	a	-	150	150
Aug 2	-	a	a	-	a	-	-	0
9	13,850	9,300	-	a	-	a	-	23,150
16	14,150	16,025	1,190	1,715	1,200	110	a	34,390
23	8,900	10,960	650	1,150	500	529	-	22,689
30	8,155	8,295	150	150	300	1,200	-	18,250
Sep 6	3,360	3,395	250	250	700	300	-	8,255
13	525	650	-	-	150	40	-	1,365
20	35	50	-	-	100	135	-	320
27	40	6	-	-	-	20	-	66
Oct 4	50	6	-	-	-	-	-	56
11	168	-	-	-	-	-	-	168
18	140	-	-	-	-	-	-	140
25	-	b	b	-	-	-	-	-
Nov 1	40	-	-	-	-	-	-	40
8	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
Dec 6	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
Total	51,347	48,930	2,980	4,215	4,450	2,534	114,456	-

a. Closure.
b. No estimate.

continued

Sockeye catches in the Chilcotin and Thompson river systems, District 1, 1987.

		Thompson River system					
Week Ending	Chilcotin River system	Lytton to Savona	South Thompson River(a)	North Thompson and Raft rivers	Shuswap River	Total	
Jan	4	-	-	-	-	-	
	11	-	-	-	-	-	
	18	-	-	-	-	-	
	25	-	-	-	-	-	
Feb	1	-	-	-	-	-	
	8	-	-	-	-	-	
	15	-	-	-	-	-	
	22	-	-	-	-	-	
Mar	1	-	-	-	-	-	
	8	-	-	-	-	-	
	15	-	-	-	-	-	
	22	-	-	-	-	-	
	29	-	-	-	-	-	
Apr	5	-	-	-	-	-	
	12	-	-	-	-	-	
	19	-	-	-	-	-	
	26	-	-	-	-	-	
May	3	-	-	-	-	-	
	10	-	-	-	-	-	
	17	-	-	-	-	-	
	24	-	-	-	-	-	
	31	-	-	-	-	-	
Jun	7	-	-	-	-	-	
	14	-	-	-	-	-	
	21	-	-	-	-	-	
	28	-	-	-	-	-	
Jul	5	-	-	-	-	-	
	12	-	-	-	-	-	
	19	-	-	-	-	-	
	26	-	-	-	-	-	
Aug	2	500	-	-	-	-	
	9	300	-	-	-	-	
	16	5,500	-	-	-	-	
	23	15,134	75	-	-	75	
	30	4,200	210	-	-	210	
Sep	6	1,750	630	-	-	630	
	13	750	210	-	-	210	
	20	-	45	-	-	45	
	27	-	75	-	-	75	
Oct	4	-	600	-	-	600	
	11	-	650	-	-	650	
	18	-	480	-	-	480	
	25	-	- ^b	-	-	-	
Nov	1	-	400	-	-	400	
	8	-	-	-	-	-	
	15	-	-	-	-	-	
	22	-	-	-	-	-	
	29	-	-	-	-	-	
Dec	6	-	-	-	-	-	
	13	-	-	-	-	-	
	20	-	-	-	-	-	
	27	-	-	-	-	-	
Total		28,134	3,375	150	0	0	3,525

a. Catch is total to October 25.

b. No estimate.

continued

Sockeye catches in the Nechako River system, District 1, 1987.

Week Ending	Prince George to Stuart River	Stuart River to Fort Fraser	Fort Fraser to Francois Lake	Nechako River system	
				Total	Cumulative
Jan 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Feb 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
Mar 1	-	-	-	-	0
8	-	-	-	-	0
15	-	-	-	-	0
22	-	-	-	-	0
29	-	-	-	-	0
Apr 5	-	-	-	-	0
12	-	-	-	-	0
19	-	-	-	-	0
26	-	-	-	-	0
May 3	-	-	-	-	0
10	-	-	-	-	0
17	-	-	-	-	0
24	-	-	-	-	0
31	-	-	-	-	0
Jun 7	-	-	-	-	0
14	-	-	-	-	0
21	-	-	-	-	0
28	-	-	-	-	0
Jul 5	-	-	-	-	0
12	-	-	-	-	0
19	24	-	2	26	26
26	200	269	6	475	501
Aug 2	- a	1,053	92	1,145	1,646
9	- a	1,436	323	1,759	3,405
16	7 a	2,625	822	3,454	6,859
23	50	3,973	1,243	5,266	12,125
30	50	3,797	918	4,765	16,890
Sep 6	25	2,604	1,509	4,138	21,028
13	30	240	639	909	21,937
20	-	-	334	334	22,271
27	-	-	26	26	22,297
Oct 4	14	-	-	14	22,311
11	-	-	-	-	22,311
18	-	-	-	-	22,311
25	-	-	-	-	22,311
Nov 1	-	-	-	-	22,311
8	-	-	-	-	22,311
15	-	-	-	-	22,311
22	-	-	-	-	22,311
29	-	-	-	-	22,311
Dec 6	-	-	-	-	22,311
13	-	-	-	-	22,311
20	-	-	-	-	22,311
27	-	-	-	-	22,311
Total	400	15,997	5,914	22,311	-

a. Closure.

continued

Sockeye catches in the Stuart River System and catch summary for the Nechako-Stuart river systems, District 1, 1987.

Week Ending	Nechako River to Fort St. James to Trembleur Lake			Stuart River System		Nechako-Stuart systems	
	St. James	Trembleur Lake	above Lake outlet	Total	Cumulative	Total	Cumulative
Jan 4	-	-	-	-	0	-	0
11	-	-	-	-	0	-	0
18	-	-	-	-	0	-	0
25	-	-	-	-	0	-	0
Feb 1	-	-	-	-	0	-	0
8	-	-	-	-	0	-	0
15	-	-	-	-	0	-	0
22	-	-	-	-	0	-	0
Mar 1	-	-	-	-	0	-	0
8	-	-	-	-	0	-	0
15	-	-	-	-	0	-	0
22	-	-	-	-	0	-	0
29	-	-	-	-	0	-	0
Apr 5	-	-	-	-	0	-	0
12	-	-	-	-	0	-	0
19	-	-	-	-	0	-	0
26	-	-	-	-	0	-	0
May 3	-	-	-	-	0	-	0
10	-	-	-	-	0	-	0
17	-	-	-	-	0	-	0
24	-	-	-	-	0	-	0
31	-	-	-	-	0	-	0
Jun 7	-	-	-	-	0	-	0
14	-	-	-	-	0	-	0
21	-	-	-	-	0	-	0
28	-	-	-	-	0	-	0
Jul 5	-	-	-	-	0	-	0
12	-	-	-	-	0	-	0
19	163	76	8	247	247	273	273
26	2,185	1,776	2	3,963	4,210	4,438	4,711
Aug 2	595	562	6	1,163	5,373	2,308	7,019
9	431	709	8	1,148	6,521	2,907	9,926
16	299	191	70	560	7,081	4,014	13,940
23	61	173	-	234	7,315	5,500	19,440
30	790	282	-	1,072	8,387	5,837	25,277
Sep 6	139	156	-	295	8,682	4,433	29,710
13	-	-	-	-	8,682	909	30,619
20	-	-	-	-	8,682	334	30,953
27	-	-	-	-	8,682	26	30,979
Oct 4	-	-	-	-	8,682	14	30,993
11	-	-	-	-	8,682	-	30,993
18	-	-	-	-	8,682	-	30,993
25	-	-	-	-	8,682	-	30,993
Nov 1	-	-	-	-	8,682	-	30,993
8	-	-	-	-	8,682	-	30,993
15	-	-	-	-	8,682	-	30,993
22	-	-	-	-	8,682	-	30,993
29	-	-	-	-	8,682	-	30,993
Dec 6	-	-	-	-	8,682	-	30,993
13	-	-	-	-	8,682	-	30,993
20	-	-	-	-	8,682	-	30,993
27	-	-	-	-	8,682	-	30,993
Total	4,663	3,925	94	8,682	-	30,993	-

continued

Sockeye catch summary for the Fraser River System, 1987.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 4	0	0	-	0	0	0
11	0	0	-	0	0	0
18	0	0	-	0	0	0
25	0	0	-	0	0	0
Feb 1	0	0	-	0	0	0
8	0	0	-	0	0	0
15	0	0	-	0	0	0
22	0	0	-	0	0	0
Mar 1	0	0	-	0	0	0
8	0	0	-	0	0	0
15	0	0	-	0	0	0
22	0	0	-	0	0	0
29	0	0	-	0	0	0
Apr 5	0	0	0	0	0	0
12	0	0	0	0	0	0
19	0	0	0	0	0	0
26	0	0	0	0	0	0
May 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
31	0	0	0	0	0	0
Jun 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	3	3	0	0	3	3
28	412	415	0	0	412	415
Jul 5	6,601	7,016	42	42	6,643	7,058
12	450	7,466	2,775	2,817	3,225	10,283
19	654	8,120	2,873	5,690	3,527	13,810
25	4,030	12,150	4,588	10,278	8,618	22,428
Aug 2	39,156	51,306	2,808	13,086	41,964	64,392
9	48,603	99,909	26,357	39,443	74,960	139,352
16	28,439	128,348	43,904	83,347	72,343	211,695
23	21,868	150,216	43,398	126,745	65,266	276,961
30	62,114	212,330	28,497	155,242	90,611	367,572
Sep 6	7,184	219,514	15,068	170,310	22,252	389,824
13	11,309	230,823	3,234	173,544	14,543	404,367
20	8,480	239,303	699	174,243	9,179	413,546
27	12,422	251,725	167	174,410	12,589	426,135
Oct 4	13,164	264,889	670	175,080	13,834	439,969
11	10,706	275,595	818	175,898	11,524	451,493
18	6,920	282,515	620	176,518	7,540	459,033
25	4,049	286,564	-	176,518	4,049	463,082
Nov 1	2,228	288,792	440	176,958	2,668	465,750
8	948	289,740	-	176,958	948	466,698
15	319	290,059	-	176,958	319	467,017
22	358	290,417	-	176,958	358	467,375
29	380	290,797	-	176,958	380	467,755
Dec 6	70	290,867	-	176,958	70	467,825
13	48	290,915	-	176,958	48	467,873
20	0	290,915	-	176,958	0	467,873
27	-	290,915	-	176,958	-	467,873
Total	290,915	-	177,108 a	-	468,023 a	-

a. Total includes 150 fish not reported in weekly catches.

Pink catches in the Fraser River mainstem areas of District 2, 1987.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 4	-	0	0	-	0	0
11	0	-	0	-	0	0
18	-	-	0	-	0	0
25	-	-	0	-	0	0
Feb 1	0	0	0	0	0	0
8	0	0	0	-	0	0
15	0	0	0	0	0	0
22	0	0	0	0	0	0
Mar 1	0	0	0	-	0	0
8	-	0	0	-	0	0
15	-	0	0	-	0	0
22	0	0	0	0	0	0
29	0	0	0	-	0	0
Apr 5	0	0	0	0	0	0
12	0	0	0	0	0	0
19	0	0	0	0	0	0
26	0	0	0	0	0	0
May 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
31	0	0	0	0	0	0
Jun 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Jul 5	- a	0	0	0	0	0
12	- a	- a	- a	- a	0	0
19	- a	- a	- a	- a	0	0
26	0	- a	- a	- a	0	0
Aug 2	0	0	0	0	0	0
9	0	0	11	0	11	11
16	92	0	62	389	543	554
23	265	25	360	1,717	2,367	2,921
30	518	209	2,861	2,542	6,130	9,051
Sep 6	516	12	471	721	1,720	10,771
13	1,362	774	4,594	2,533	9,263	20,034
20	3,117	2,744	6,018	4,621	16,500	36,534
27	1,291	2,470	7,976	3,323	15,060	51,594
Oct 4	611	1,424	3,721	3,466	9,222	60,816
11	64	918	1,822	1,640	4,444	65,260
18	1	190	1,430	591	2,212	67,472
25	0	168	148	222	538	68,010
Nov 1	0	30	49	36	115	68,125
8	0	39	24	0	63	68,188
15	0	0	0	0	0	68,188
22	0	0	0	0	0	68,188
29	0	0	0	0	0	68,188
Dec 6	-	0	0	0	0	68,188
13	-	0	0	0	0	68,188
20	-	0	0	-	0	68,188
27	-	-	-	-	-	68,188
Total	7,837	9,003	29,547	21,801	68,188	-

a. Closure.

continued

Pink catches in the Fraser River tributary areas of District 2, 1987.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Feb 1	-	-	-	-	0
8	-	0	-	0	0
15	-	0	-	0	0
22	-	0	-	0	0
Mar 1	-	0	-	0	0
8	-	0	0	0	0
15	-	0	0	0	0
22	-	0	-	0	0
29	-	0	-	0	0
Apr 5	-	0	-	0	0
12	-	0	-	0	0
19	-	0	0	0	0
26	-	0	0	0	0
May 3	-	0	0	0	0
10	-	0	0	0	0
17	-	0	0	0	0
24	-	0	0	0	0
31	-	0	0	0	0
Jun 7	-	-	0	0	0
14	-	-	0	0	0
21	-	-	-	-	0
28	-	-	-	-	0
Jul 5	-	-	0	0	0
12	-	-	-	-	0
19	-	-	-	-	0
26	-	-	-	-	0
Aug 2	-	-	-	-	0
9	-	0	-	0	0
16	-	-	-	-	0
23	-	0	0	0	0
30	-	0	0	0	0
Sep 6	-	0	0	0	0
13	-	0	0	0	0
20	-	0	0	0	0
27	-	0	0	0	0
Oct 4	-	0	0	0	0
11	-	0	0	0	0
18	258	1	0	259	259
25	9	0	0	9	268
Nov 1	-	0	0	0	268
8	-	0	0	0	268
15	0	0	0	0	268
22	-	0	0	0	268
29	-	0	0	0	268
Dec 6	-	-	-	-	268
13	-	-	-	-	268
20	-	-	-	-	268
27	-	-	-	-	268
Total	267	1	0	268	-

continued

Pink catches in the Fraser River mainstem areas of District 1, 1987.

Week Ending	North Bend to Texas Creek	Texas Creek to Churn Creek	District 1 mainstem	
			Total	Cumulative
Jan 4	-	-	-	0
11	-	-	-	0
18	-	-	-	0
25	-	-	-	0
Feb 1	-	-	-	0
8	-	-	-	0
15	-	-	-	0
22	-	-	-	0
Mar 1	-	-	-	0
8	-	-	-	0
15	-	-	-	0
22	-	-	-	0
29	-	-	-	0
Apr 5	0	0	0	0
12	0	0	0	0
19	0	0	0	0
26	0	0	0	0
May 3	0	0	0	0
10	0	0	0	0
17	0	0	0	0
24	0	0	0	0
31	0	0	0	0
Jun 7	0	0	0	0
14	0	0	0	0
21	0	0	0	0
28	0	0	0	0
Jul 5	0	0	0	0
12	0	0	0	0
19	- a	- a	0	0
26	- a	- a	0	0
Aug 2	- a	- a	0	0
9	0	0	0	0
16	0	0	0	0
23	0	0	0	0
30	12	0	12	12
Sep 6	31	10	41	53
13	0	0	0	53
20	0	0	0	53
27	65	25	90	143
Oct 4	130	20	150	293
11	200	-	200	493
18	100	-	100	593
25	- b	- b	-	593
Nov 1	0	-	0	593
8	-	-	-	593
15	-	-	-	593
22	-	-	-	593
29	-	-	-	593
Dec 6	-	-	-	593
13	-	-	-	593
20	-	-	-	593
27	-	-	-	593
Total	538	55	593	-

a. Closure.

Pink catches in the Thompson river system, District 1, 1987.

Thompson River system						
Week Ending	Lytton to Savona	South Thompson River	North Thompson and Raft rivers	Shuswap River	Total	
Jan 4	-	-	-	-	-	-
11	-	-	-	-	-	-
18	-	-	-	-	-	-
25	-	-	-	-	-	-
Feb 1	-	-	-	-	-	-
8	-	-	-	-	-	-
15	-	-	-	-	-	-
22	-	-	-	-	-	-
Mar 1	-	-	-	-	-	-
8	-	-	-	-	-	-
15	-	-	-	-	-	-
22	-	-	-	-	-	-
29	-	-	-	-	-	-
Apr 5	-	-	-	-	-	-
12	-	-	-	-	-	-
19	-	-	-	-	-	-
26	-	-	-	-	-	-
May 3	-	-	-	-	-	-
10	-	-	-	-	-	-
17	-	-	-	-	-	-
24	-	-	-	-	-	-
31	-	-	-	-	-	-
Jun 7	-	-	-	-	-	-
14	-	-	-	-	-	-
21	-	-	-	-	-	-
28	-	-	-	-	-	-
Jul 5	-	-	-	-	-	-
12	-	-	-	-	-	-
19	-	-	-	-	-	-
26	-	-	-	-	-	-
Aug 2	-	-	-	-	-	-
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	0	-	-	-	-	0
30	0	-	-	-	-	0
Sep 6	0	-	-	-	-	0
13	0	-	-	-	-	0
20	0	-	-	-	-	0
27	125	-	-	-	-	125
Oct 4	500	-	-	-	-	500
11	480	-	-	-	-	480
18	360	-	-	-	-	360
25	- a	-	-	-	-	-
Nov 1	0	-	-	-	-	0
8	-	-	-	-	-	-
15	-	-	-	-	-	-
22	-	-	-	-	-	-
29	-	-	-	-	-	-
Dec 6	-	-	-	-	-	-
13	-	-	-	-	-	-
20	-	-	-	-	-	-
27	-	-	-	-	-	-
Total	1,465	0	0	0		1,465

a. No estimate.

continued

Pink catch summary for the Fraser River System, 1987.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 4	0	0	-	0	0	0
11	0	0	-	0	0	0
18	0	0	-	0	0	0
25	0	0	-	0	0	0
Feb 1	0	0	-	0	0	0
8	0	0	-	0	0	0
15	0	0	-	0	0	0
22	0	0	-	0	0	0
Mar 1	0	0	-	0	0	0
8	0	0	-	0	0	0
15	0	0	-	0	0	0
22	0	0	-	0	0	0
29	0	0	-	0	0	0
Apr 5	0	0	0	0	0	0
12	0	0	0	0	0	0
19	0	0	0	0	0	0
26	0	0	0	0	0	0
May 3	0	0	0	0	0	0
10	0	0	0	0	0	0
17	0	0	0	0	0	0
24	0	0	0	0	0	0
31	0	0	0	0	0	0
Jun 7	0	0	0	0	0	0
14	0	0	0	0	0	0
21	0	0	0	0	0	0
28	0	0	0	0	0	0
Jul 5	0	0	0	0	0	0
12	0	0	0	0	0	0
19	0	0	0	0	0	0
26	0	0	0	0	0	0
Aug 2	0	0	0	0	0	0
9	11	11	0	0	11	11
16	543	554	0	0	543	554
23	2,367	2,921	0	0	2,367	2,921
30	6,130	9,051	12	12	6,142	9,063
Sep 6	1,720	10,771	41	53	1,761	10,824
13	9,263	20,034	0	53	9,263	20,087
20	16,500	36,534	0	53	16,500	36,587
27	15,060	51,594	215	268	15,275	51,862
Oct 4	9,222	60,816	650	918	9,872	61,734
11	4,444	65,260	680	1,598	5,124	66,858
18	2,471	67,731	460	2,058	2,931	69,789
25	547	68,278	-	2,058	547	70,336
Nov 1	115	68,393	0	2,058	115	70,451
8	63	68,456	-	2,058	63	70,514
15	0	68,456	-	2,058	0	70,514
22	0	68,456	-	2,058	0	70,514
29	0	68,456	-	2,058	0	70,514
Dec 6	0	68,456	-	2,058	0	70,514
13	0	68,456	-	2,058	0	70,514
20	0	68,456	-	2,058	0	70,514
27	-	68,456	-	2,058	-	70,514
Total	68,456	-	2,058	-	70,514	-

Coho catches in the Fraser River mainstem areas of District 2, 1987.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 4	-	45	75	-	120	120
11	0	-	0	-	0	120
18	-	-	0	-	0	120
25	-	-	0	-	0	120
Feb 1	0	0	0	0	0	120
8	0	0	0	-	0	120
15	0	0	0	0	0	120
22	0	0	0	0	0	120
Mar 1	0	0	0	-	0	120
8	-	0	0	-	0	120
15	-	0	0	-	0	120
22	0	0	0	0	0	120
29	0	0	0	-	0	120
Apr 5	0	0	0	0	0	120
12	0	0	0	0	0	120
19	0	0	0	0	0	120
26	0	0	0	0	0	120
May 3	0	0	0	0	0	120
10	0	0	0	0	0	120
17	0	0	0	0	0	120
24	0	0	0	0	0	120
31	0	0	0	0	0	120
Jun 7	0	0	0	0	0	120
14	0	0	0	0	0	120
21	0	0	0	0	0	120
28	0	0	0	0	0	120
Jul 5	- a	0	0	0	0	120
12	- a	- a	- a	- a	0	120
19	- a	- a	- a	- a	0	120
26	0	- a	- a	- a	0	120
Aug 2	0	0	0	0	0	120
9	0	0	0	0	0	120
16	0	0	0	0	0	120
23	1	45	0	0	46	166
30	1	0	0	0	1	167
Sep 6	11	0	0	0	11	178
13	153	10	125	228	516	694
20	448	62	299	527	1,336	2,030
27	383	65	360	430	1,238	3,268
Oct 4	499	304	337	479	1,619	4,887
11	431	403	269	636	1,739	6,626
18	435	1,083	2,701	629	4,848	11,474
25	183	618	1,523	114	2,438	13,912
Nov 1	31	155	1,528	122	1,836	15,748
8	22	533	1,205	134	1,894	17,642
15	3	321	1,054	128	1,506	19,148
22	1	284	555	8	848	19,996
29	0	79	596	12	687	20,683
Dec 6	-	5	284	6	295	20,978
13	-	56	161	0	217	21,195
20	-	0	119	-	119	21,314
27	-	-	-	-	-	21,314
Total	2,602	4,068	11,191	3,453	21,314	-

a. Closure.

continued

Coho catches in the Fraser River tributary areas of District 2, 1987.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Feb 1	-	-	-	-	0
8	-	0	-	0	0
15	-	0	-	0	0
22	-	0	-	0	0
Mar 1	-	0	-	0	0
8	-	0	0	0	0
15	-	0	0	0	0
22	-	0	-	0	0
29	-	0	-	0	0
Apr 5	-	0	-	0	0
12	-	0	-	0	0
19	-	0	0	0	0
26	-	0	0	0	0
May 3	-	0	0	0	0
10	-	0	0	0	0
17	-	0	0	0	0
24	-	0	0	0	0
31	-	0	0	0	0
Jun 7	-	-	0	0	0
14	-	-	0	0	0
21	-	-	-	-	0
28	-	-	-	-	0
Jul 5	-	-	0	0	0
12	-	-	-	-	0
19	-	-	-	-	0
26	-	-	-	-	0
Aug 2	-	-	-	-	0
9	-	0	-	0	0
16	-	-	-	-	0
23	-	0	0	0	0
30	-	0	0	0	0
Sep 6	-	0	0	0	0
13	-	0	0	0	0
20	-	0	0	0	0
27	-	6	0	6	6
Oct 4	-	50	15	65	71
11	-	60	28	88	159
18	156	60	350	566	725
25	95	120	392	607	1,332
Nov 1	-	60	245	305	1,637
8	-	55	150	205	1,842
15	17	30	150	197	2,039
22	-	25	80	105	2,144
29	-	10	50	60	2,204
Dec 6	-	-	-	-	2,204
13	-	-	-	-	2,204
20	-	-	-	-	2,204
27	-	-	-	-	2,204
Total	268	476	1,460	2,204	-

continued

Coho catches in the Fraser River mainstem areas of District 1, 1987.

Week Ending	North Bend to Texas Creek	Texas Creek to Churn Creek	District 1 mainstem	
			Total	Cumulative
Jan 4	-	-	-	0
11	-	-	-	0
18	-	-	-	0
25	-	-	-	0
Feb 1	-	-	-	0
8	-	-	-	0
15	-	-	-	0
22	-	-	-	0
Mar 1	-	-	-	0
8	-	-	-	0
15	-	-	-	0
22	-	-	-	0
29	-	-	-	0
Apr 5	0	0	0	0
12	0	0	0	0
19	0	0	0	0
26	0	0	0	0
May 3	0	0	0	0
10	0	0	0	0
17	0	0	0	0
24	0	0	0	0
31	0	0	0	0
Jun 7	0	0	0	0
14	0	0	0	0
21	0	0	0	0
28	0	0	0	0
Jul 5	0	0	0	0
12	0	0	0	0
19	- a	- a	0	0
26	- a	- a	0	0
Aug 2	- a	- a	0	0
9	0	0	0	0
16	0	0	0	0
23	0	0	0	0
30	0	0	0	0
Sep 6	0	0	0	0
13	0	0	0	0
20	0	0	0	0
27	0	0	0	0
Oct 4	6	0	6	6
11	12	-	12	18
18	12	-	12	30
25	- b	- b	-	30
Nov 1	20	-	20	50
8	-	-	-	50
15	-	-	-	50
22	-	-	-	50
29	-	-	-	50
Dec 6	-	-	-	50
13	-	-	-	50
20	-	-	-	50
27	-	-	-	50
Total	50	0	50	-

a. Closure.
b. No estimate.

Coho catches in the Thompson river system, District 1, 1987.

Thompson River system						
Week Ending	Lytton to Savona	South Thompson River	North Thompson and Raft rivers	Shuswap River	Total	
Jan 4	-	-	-	-	-	
11	-	-	-	-	-	
18	-	-	-	-	-	
25	-	-	-	-	-	
Feb 1	-	-	-	-	-	
8	-	-	-	-	-	
15	-	-	-	-	-	
22	-	-	-	-	-	
Mar 1	-	-	-	-	-	
8	-	-	-	-	-	
15	-	-	-	-	-	
22	-	-	-	-	-	
29	-	-	-	-	-	
Apr 5	-	-	-	-	-	
12	-	-	-	-	-	
19	-	-	-	-	-	
26	-	-	-	-	-	
May 3	-	-	-	-	-	
10	-	-	-	-	-	
17	-	-	-	-	-	
24	-	-	-	-	-	
31	-	-	-	-	-	
Jun 7	-	-	-	-	-	
14	-	-	-	-	-	
21	-	-	-	-	-	
28	-	-	-	-	-	
Jul 5	-	-	-	-	-	
12	-	-	-	-	-	
19	-	-	-	-	-	
26	-	-	-	-	-	
Aug 2	-	-	-	-	-	
9	-	-	-	-	-	
16	-	-	-	-	-	
23	0	-	-	-	0	
30	0	-	-	-	0	
Sep 6	0	-	-	-	0	
13	0	-	-	-	0	
20	4	-	-	-	4	
27	20	-	-	-	20	
Oct 4	30	-	-	-	30	
11	50	-	-	-	50	
18	25	-	-	-	25	
25	- ^a	-	-	-	-	
Nov 1	40	-	-	-	40	
8	-	-	-	-	-	
15	-	-	-	-	-	
22	-	-	-	-	-	
29	-	-	-	-	-	
Dec 6	-	-	-	-	-	
13	-	-	-	-	-	
20	-	-	-	-	-	
27	-	-	-	-	-	
Total	169	0	0	0	169	

a. No estimate.

continued

Coho catch summary for the Fraser River System, 1987.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 4	120	120	-	0	120	120
11	0	120	-	0	0	120
18	0	120	-	0	0	120
25	0	120	-	0	0	120
Feb 1	0	120	-	0	0	120
8	0	120	-	0	0	120
15	0	120	-	0	0	120
22	0	120	-	0	0	120
Mar 1	0	120	-	0	0	120
8	0	120	-	0	0	120
15	0	120	-	0	0	120
22	0	120	-	0	0	120
29	0	120	-	0	0	120
Apr 5	0	120	0	0	0	120
12	0	120	0	0	0	120
19	0	120	0	0	0	120
26	0	120	0	0	0	120
May 3	0	120	0	0	0	120
10	0	120	0	0	0	120
17	0	120	0	0	0	120
24	0	120	0	0	0	120
31	0	120	0	0	0	120
Jun 7	0	120	0	0	0	120
14	0	120	0	0	0	120
21	0	120	0	0	0	120
28	0	120	0	0	0	120
Jul 5	0	120	0	0	0	120
12	0	120	0	0	0	120
19	0	120	0	0	0	120
26	0	120	0	0	0	120
Aug 2	0	120	0	0	0	120
9	0	120	0	0	0	120
16	0	120	0	0	0	120
23	46	166	0	0	46	166
30	1	167	0	0	1	167
Sep 6	11	178	0	0	11	178
13	516	694	0	0	516	694
20	1,336	2,030	4	4	1,340	2,034
27	1,244	3,274	20	24	1,264	3,298
Oct 4	1,684	4,958	36	60	1,720	5,018
11	1,827	6,785	62	122	1,889	6,907
18	5,414	12,199	37	159	5,451	12,358
25	3,045	15,244	-	159	3,045	15,403
Nov 1	2,141	17,385	60	219	2,201	17,604
8	2,099	19,484	-	219	2,099	19,703
15	1,703	21,187	-	219	1,703	21,406
22	953	22,140	-	219	953	22,359
29	747	22,887	-	219	747	23,106
Dec 6	295	23,182	-	219	295	23,401
13	217	23,399	-	219	217	23,618
20	119	23,518	-	219	119	23,737
27	-	23,518	-	219	-	23,737
Total	23,518	-	219	-	23,737	-

Chum catches in the Fraser River mainstem areas of District 2, 1987.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 4	-	30	50	-	80	80
11	0	-	0	-	0	80
18	-	-	0	-	0	80
25	-	-	0	-	0	80
Feb 1	0	0	0	0	0	80
8	0	0	0	-	0	80
15	0	0	0	0	0	80
22	0	0	0	0	0	80
Mar 1	0	0	0	-	0	80
8	-	0	0	-	0	80
15	-	0	0	-	0	80
22	0	0	0	0	0	80
29	0	0	0	-	0	80
Apr 5	0	0	0	0	0	80
12	0	0	0	0	0	80
19	0	0	0	0	0	80
26	0	0	0	0	0	80
May 3	0	0	0	0	0	80
10	0	0	0	0	0	80
17	0	0	0	0	0	80
24	0	0	0	0	0	80
31	0	0	0	0	0	80
Jun 7	0	0	0	0	0	80
14	0	0	0	0	0	80
21	0	0	0	0	0	80
28	0	0	0	0	0	80
Jul 5	- a	0	0	0	0	80
12	- a	- a	- a	- a	0	80
19	- a	- a	- a	- a	0	80
26	0	- a	- a	- a	0	80
Aug 2	0	0	0	0	0	80
9	0	0	0	0	0	80
16	0	0	0	0	0	80
23	0	30	0	0	30	110
30	0	0	0	0	0	110
Sep 6	0	0	0	0	0	110
13	0	0	0	0	0	110
20	14	0	0	0	14	124
27	79	25	0	19	123	247
Oct 4	294	15	0	76	385	632
11	607	251	228	228	1,314	1,946
18	905	520	948	208	2,581	4,527
25	933	932	1,050	662	3,577	8,104
Nov 1	200	515	3,024	1,412	5,151	13,255
8	26	434	1,767	302	2,529	15,784
15	109	372	3,186	723	4,390	20,174
22	196	406	1,722	82	2,406	22,580
29	8	142	2,070	78	2,298	24,878
Dec 6	-	51	499	22	572	25,450
13	-	32	230	0	262	25,712
20	-	0	170	-	170	25,882
27	-	-	-	-	-	25,882
Total	3,371	3,755	14,944	3,812	25,882	-

a. Closure.

continued

Chum catches in the Fraser River tributary areas of District 2, 1987.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Feb 1	-	-	-	-	0
8	-	0	-	0	0
15	-	0	-	0	0
22	-	0	-	0	0
Mar 1	-	0	-	0	0
8	-	0	0	0	0
15	-	0	0	0	0
22	-	0	-	0	0
29	-	0	-	0	0
Apr 5	-	0	-	0	0
12	-	0	-	0	0
19	-	0	0	0	0
26	-	0	0	0	0
May 3	-	0	0	0	0
10	-	0	0	0	0
17	-	0	0	0	0
24	-	0	0	0	0
31	-	0	0	0	0
Jun 7	-	-	0	0	0
14	-	-	0	0	0
21	-	-	-	-	0
28	-	-	-	-	0
Jul 5	-	-	0	0	0
12	-	-	-	-	0
19	-	-	-	-	0
26	-	-	-	-	0
Aug 2	-	-	-	-	0
9	-	0	-	0	0
16	-	-	-	-	0
23	-	0	0	0	0
30	-	0	0	0	0
Sep 6	-	0	0	0	0
13	-	0	0	0	0
20	-	0	0	0	0
27	-	0	0	0	0
Oct 4	-	0	0	0	0
11	-	15	0	15	15
18	78	71	0	149	164
25	66	50	0	116	280
Nov 1	-	80	0	80	360
8	-	20	0	20	380
15	50	0	0	50	430
22	-	0	0	0	430
29	-	0	0	0	430
Dec 6	-	-	-	-	430
13	-	-	-	-	430
20	-	-	-	-	430
27	-	-	-	-	430
Total	194	236	0	430	-

continued

Chum catch summary for the Fraser River System, 1987.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 4	80	80	-	0	80	80
11	0	80	-	0	0	80
18	0	80	-	0	0	80
25	0	80	-	0	0	80
Feb 1	0	80	-	0	0	80
8	0	80	-	0	0	80
15	0	80	-	0	0	80
22	0	80	-	0	0	80
Mar 1	0	80	-	0	0	80
8	0	80	-	0	0	80
15	0	80	-	0	0	80
22	0	80	-	0	0	80
29	0	80	-	0	0	80
Apr 5	0	80	0	0	0	80
12	0	80	0	0	0	80
19	0	80	0	0	0	80
26	0	80	0	0	0	80
May 3	0	80	0	0	0	80
10	0	80	0	0	0	80
17	0	80	0	0	0	80
24	0	80	0	0	0	80
31	0	80	0	0	0	80
Jun 7	0	80	0	0	0	80
14	0	80	0	0	0	80
21	0	80	0	0	0	80
28	0	80	0	0	0	80
Jul 5	0	80	0	0	0	80
12	0	80	0	0	0	80
19	0	80	0	0	0	80
26	0	80	0	0	0	80
Aug 2	0	80	0	0	0	80
9	0	80	0	0	0	80
16	0	80	0	0	0	80
23	30	110	0	0	30	110
30	0	110	0	0	0	110
Sep 6	0	110	0	0	0	110
13	0	110	0	0	0	110
20	14	124	0	0	14	124
27	123	247	0	0	123	247
Oct 4	385	632	0	0	385	632
11	1,329	1,961	0	0	1,329	1,961
18	2,730	4,691	0	0	2,730	4,691
25	3,693	8,384	-	0	3,693	8,384
Nov 1	5,231	13,615	0	0	5,231	13,615
8	2,549	16,164	-	0	2,549	16,164
15	4,440	20,604	-	0	4,440	20,604
22	2,406	23,010	-	0	2,406	23,010
29	2,298	25,308	-	0	2,298	25,308
Dec 6	572	25,880	-	0	572	25,880
13	262	26,142	-	0	262	26,142
20	170	26,312	-	0	170	26,312
27	-	26,312	-	0	-	26,312
Total	26,312	-	0	-	26,312	-

Steelhead catches in the Fraser River mainstem areas of District 2, 1987.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 4	-	3	13	-	16	16
11	0	-	14	-	14	30
18	-	-	30	-	30	60
25	-	-	20	-	20	80
Feb 1	4	0	6	1	11	91
8	1	5	10	-	16	107
15	1	12	12	4	29	136
22	1	17	13	2	33	169
Mar 1	0	5	10	-	15	184
8	-	1	10	-	11	195
15	-	6	20	-	26	221
22	0	4	12	4	20	241
29	0	1	4	-	5	246
Apr 5	1	0	9	3	13	259
12	0	0	4	0	4	263
19	0	6	9	4	19	282
26	3	0	9	4	16	298
May 3	0	0	3	0	3	301
10	0	0	0	0	0	301
17	0	0	15	21	36	337
24	0	0	6	12	18	355
31	1	0	5	18	24	379
Jun 7	1	0	5	12	18	397
14	0	2	8	0	10	407
21	0	0	0	18	18	425
28	1	0	0	0	1	426
Jul 5	- a	0	0	0	0	426
12	- a	- a	- a	- a	0	426
19	- a	- a	- a	- a	0	426
26	1 a	- a	- a	- a	1	427
Aug 2	1	0	0	0	1	428
9	0	0	0	0	0	428
16	2	0	7	0	9	437
23	0	22	0	3	25	462
30	0	0	10	0	10	472
Sep 6	1	0	0	0	1	473
13	3	2	16	13	34	507
20	12	0	0	209	221	728
27	0	0	40	56	96	824
Oct 4	4	0	0	88	92	916
11	6	0	62	108	176	1,092
18	9	6	116	134	265	1,357
25	7	0	20	408	435	1,792
Nov 1	0	0	0	96	96	1,888
8	0	8	24	42	74	1,962
15	0	0	14	40	54	2,016
22	0	0	15	30	45	2,061
29	0	0	0	26	26	2,087
Dec 6	-	0	11	6	17	2,104
13	-	0	0	0	0	2,104
20	-	0	0	-	0	2,104
27	-	-	-	-	-	2,104
Total	60	100	582	1,362	2,104	-

a. Closure.

continued

Steelhead catches in the Fraser River tributary areas of
District 2, 1987.

Week Ending	Harrison River	Lower Lillooet River	Birkenhead River	District 2 tributaries	
				Total	Cumulative
Jan 4	-	-	-	-	0
11	-	-	-	-	0
18	-	-	-	-	0
25	-	-	-	-	0
Feb 1	-	-	-	-	0
8	-	6	-	6	6
15	-	0	-	0	6
22	-	0	-	0	6
Mar 1	-	0	-	0	6
8	-	0	0	0	6
15	-	0	0	0	6
22	-	0	-	0	6
29	-	1	-	1	7
Apr 5	-	2	-	2	9
12	-	1	-	1	10
19	-	0	0	0	10
26	-	4	0	4	14
May 3	-	0	0	0	14
10	-	1	0	1	15
17	-	0	0	0	15
24	-	0	0	0	15
31	-	0	0	0	15
Jun 7	-	-	0	0	15
14	-	-	0	0	15
21	-	-	-	-	15
28	-	-	-	-	15
Jul 5	-	-	0	0	15
12	-	-	-	-	15
19	-	-	-	-	15
26	-	-	-	-	15
Aug 2	-	-	-	-	15
9	-	0	-	0	15
16	-	-	-	-	15
23	-	0	0	0	15
30	-	0	0	0	15
Sep 6	-	0	0	0	15
13	-	0	0	0	15
20	-	0	0	0	15
27	-	0	0	0	15
Oct 4	-	0	0	0	15
11	-	0	0	0	15
18	0	0	0	0	15
25	0	0	0	0	15
Nov 1	-	0	0	0	15
8	-	0	0	0	15
15	0	0	0	0	15
22	-	0	0	0	15
29	-	0	0	0	15
Dec 6	-	-	-	-	15
13	-	-	-	-	15
20	-	-	-	-	15
27	-	-	-	-	15
Total	0	15	0	15	-

continued

Steelhead catches in the Fraser River mainstem areas of District 1, 1987.

Week Ending	North Bend to Texas Creek	Texas Creek to Churn Creek	District 1 mainstem	
			Total	Cumulative
Jan 4	-	-	-	0
11	-	-	-	0
18	-	-	-	0
25	-	-	-	0
Feb 1	-	-	-	0
8	-	-	-	0
15	-	-	-	0
22	-	-	-	0
Mar 1	-	-	-	0
8	-	-	-	0
15	-	-	-	0
22	-	-	-	0
29	-	-	-	0
Apr 5	5	4	9	9
12	10	8	18	27
19	6	10	16	43
26	8	12	20	63
May 3	5	10	15	78
10	0	2	2	80
17	2	3	5	85
24	2	3	5	90
31	0	0	0	90
Jun 7	0	0	0	90
14	0	0	0	90
21	0	0	0	90
28	0	0	0	90
Jul 5	0	0	0	90
12	0	0	0	90
19	- a	- a	0	90
26	- a	- a	0	90
Aug 2	- a	- a	0	90
9	0	0	0	90
16	0	0	0	90
23	0	0	0	90
30	0	0	0	90
Sep 6	0	0	0	90
13	0	0	0	90
20	0	0	0	90
27	0	0	0	90
Oct 4	0	0	0	90
11	8	-	8	98
18	14	-	14	112
25	- b	- b	-	112
Nov 1	10	-	10	122
8	-	-	-	122
15	-	-	-	122
22	-	-	-	122
29	-	-	-	122
Dec 6	-	-	-	122
13	-	-	-	122
20	-	-	-	122
27	-	-	-	122
Total	70	52	122	-

a. Closure.
b. No estimate.

Steelhead catches in the Thompson river system, District 1,
1987.

Thompson River system						
Week Ending	Lytton to Savona	South Thompson River	North Thompson and Raft rivers	Shuswap River	Total	
Jan 4	-	-	-	-	-	-
11	-	-	-	-	-	-
18	-	-	-	-	-	-
25	-	-	-	-	-	-
Feb 1	-	-	-	-	-	-
8	-	-	-	-	-	-
15	-	-	-	-	-	-
22	-	-	-	-	-	-
Mar 1	-	-	-	-	-	-
8	-	-	-	-	-	-
15	-	-	-	-	-	-
22	-	-	-	-	-	-
29	-	-	-	-	-	-
Apr 5	-	-	-	-	-	-
12	-	-	-	-	-	-
19	-	-	-	-	-	-
26	-	-	-	-	-	-
May 3	-	-	-	-	-	-
10	-	-	-	-	-	-
17	-	-	-	-	-	-
24	-	-	-	-	-	-
31	-	-	-	-	-	-
Jun 7	-	-	-	-	-	-
14	-	-	-	-	-	-
21	-	-	-	-	-	-
28	-	-	-	-	-	-
Jul 5	-	-	-	-	-	-
12	-	-	-	-	-	-
19	-	-	-	-	-	-
26	-	-	-	-	-	-
Aug 2	-	-	-	-	-	-
9	-	-	-	-	-	-
16	-	-	-	-	-	-
23	0	-	-	-	-	0
30	0	-	-	-	-	0
Sep 6	0	-	-	-	-	0
13	0	-	-	-	-	0
20	0	-	-	-	-	0
27	0	-	-	-	-	0
Oct 4	0	-	-	-	-	0
11	4	-	-	-	-	4
18	10	-	-	-	-	10
25	- a	-	-	-	-	-
Nov 1	0	-	-	-	-	0
8	-	-	-	-	-	-
15	-	-	-	-	-	-
22	-	-	-	-	-	-
29	-	-	-	-	-	-
Dec 6	-	-	-	-	-	-
13	-	-	-	-	-	-
20	-	-	-	-	-	-
27	-	-	-	-	-	-
Total	14	0	0	0	0	14

a. No estimate.

continued

Steelhead catch summary for the Fraser River System, 1987.

Week Ending		District 2		District 1		Fraser River summary	
		Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan	4	16	16	-	0	16	16
	11	14	30	-	0	14	30
	18	30	60	-	0	30	60
	25	20	80	-	0	20	80
Feb	1	11	91	-	0	11	91
	8	22	113	-	0	22	113
	15	29	142	-	0	29	142
Mar	22	33	175	-	0	33	175
	1	15	190	-	0	15	190
	8	11	201	-	0	11	201
	15	26	227	-	0	26	227
Apr	22	20	247	-	0	20	247
	29	6	253	-	0	6	253
	5	15	268	9	9	24	277
	12	5	273	18	27	23	300
May	19	19	292	16	43	35	335
	26	20	312	20	63	40	375
	3	3	315	15	78	18	393
	10	1	316	2	80	3	396
Jun	17	36	352	5	85	41	437
	24	18	370	5	90	23	460
	31	24	394	0	90	24	484
	7	18	412	0	90	18	502
Jul	14	10	422	0	90	10	512
	21	18	440	0	90	18	530
	28	1	441	0	90	1	531
	5	0	441	0	90	0	531
Aug	12	0	441	0	90	0	531
	19	0	441	0	90	0	531
	26	1	442	0	90	1	532
	2	1	443	0	90	1	533
Sep	9	0	443	0	90	0	533
	16	9	452	0	90	9	542
	23	25	477	0	90	25	567
	30	10	487	0	90	10	577
Oct	6	1	488	0	90	1	578
	13	34	522	0	90	34	612
	20	221	743	0	90	221	833
Nov	27	96	839	0	90	96	929
	4	92	931	0	90	92	1,021
	11	176	1,107	12	102	188	1,209
	18	265	1,372	24	126	289	1,498
Dec	25	435	1,807	-	126	435	1,933
	1	96	1,903	10	136	106	2,039
	8	74	1,977	-	136	74	2,113
	15	54	2,031	-	136	54	2,167
Total	22	45	2,076	-	136	45	2,212
	29	26	2,102	-	136	26	2,238
	6	17	2,119	-	136	17	2,255
	13	0	2,119	-	136	0	2,255
	20	0	2,119	-	136	0	2,255
	27	-	2,119	-	136	-	2,255
Total		2,119	-	136	-	2,255	-

Sturgeon catches in the Fraser River mainstem areas of District 2, 1987.

Week Ending	Steveston Area	Deas to Mission	Mission to Hope	Hope to North Bend	District 2 mainstem	
					Total	Cumulative
Jan 4	-	0	0	-	0	0
11	0	-	0	-	0	0
18	-	-	0	-	0	0
25	-	-	0	-	0	0
Feb 1	0	0	0	1	1	1
8	0	0	0	-	0	1
15	0	0	0	0	0	1
22	0	0	0	0	0	1
Mar 1	0	0	0	-	0	1
8	-	0	0	-	0	1
15	-	1	0	-	1	2
22	0	0	2	0	2	4
29	0	0	0	-	0	4
Apr 5	0	0	4	3	7	11
12	0	0	13	8	21	32
19	0	0	5	4	9	41
26	0	1	9	2	12	53
May 3	0	1	3	0	4	57
10	0	1	0	0	1	58
17	0	0	0	21	21	79
24	0	9	18	24	51	130
31	0	1	36	10	47	177
Jun 7	19	6	12	16	53	230
14	11	0	1	4	16	246
21	17	5	11	18	51	297
28	2	0	17	9	28	325
Jul 5	- a	0	0	19	19	344
12	- a	- a	- a	- a	0	344
19	- a	- a	- a	- a	0	344
26	0	- a	- a	- a	0	344
Aug 2	1	16	93	32	142	486
9	0	1	0	0	1	487
16	0	0	0	26	26	513
23	0	22	94	36	152	665
30	0	45	94	118	257	922
Sep 6	0	79	58	43	180	1,102
13	0	0	48	23	71	1,173
20	0	17	48	7	72	1,245
27	7	0	0	0	7	1,252
Oct 4	0	99	0	4	103	1,355
11	0	0	0	0	0	1,355
18	0	6	17	5	28	1,383
25	0	48	17	0	65	1,448
Nov 1	0	0	7	0	7	1,455
8	0	0	0	0	0	1,455
15	0	0	0	0	0	1,455
22	0	0	6	0	6	1,461
29	0	0	12	0	12	1,473
Dec 6	-	0	6	0	6	1,479
13	-	0	0	0	0	1,479
20	-	0	0	-	0	1,479
27	-	-	-	-	-	1,479
Total	57	358	631	433	1,479	-

a. Closure.

continued

Sturgeon catch summary for the Fraser River System, 1987.

Week Ending	District 2		District 1		Fraser River summary	
	Total	Cumulative	Total	Cumulative	Total	Cumulative
Jan 4	0	0	-	0	0	0
11	0	0	-	0	0	0
18	0	0	-	0	0	0
25	0	0	-	0	0	0
Feb 1	1	1	-	0	1	1
8	0	1	-	0	0	1
15	0	1	-	0	0	1
22	0	1	-	0	0	1
Mar 1	0	1	-	0	0	1
8	0	1	-	0	0	1
15	1	2	-	0	1	2
22	2	4	-	0	2	4
29	0	4	-	0	0	4
Apr 5	7	11	0	0	7	11
12	21	32	0	0	21	32
19	9	41	0	0	9	41
26	12	53	0	0	12	53
May 3	4	57	0	0	4	57
10	1	58	0	0	1	58
17	21	79	0	0	21	79
24	51	130	0	0	51	130
31	47	177	0	0	47	177
Jun 7	53	230	0	0	53	230
14	16	246	0	0	16	246
21	51	297	0	0	51	297
28	28	325	0	0	28	325
Jul 5	19	344	0	0	19	344
12	0	344	0	0	0	344
19	0	344	0	0	0	344
26	0	344	0	0	0	344
Aug 2	142	486	0	0	142	486
9	1	487	0	0	1	487
16	26	513	0	0	26	513
23	152	665	0	0	152	665
30	257	922	0	0	257	922
Sep 6	180	1,102	0	0	180	1,102
13	71	1,173	0	0	71	1,173
20	72	1,245	0	0	72	1,245
27	7	1,252	0	0	7	1,252
Oct 4	103	1,355	0	0	103	1,355
11	0	1,355	0	0	0	1,355
18	28	1,383	0	0	28	1,383
25	65	1,448	-	0	65	1,448
Nov 1	7	1,455	0	0	7	1,455
8	0	1,455	-	0	0	1,455
15	0	1,455	-	0	0	1,455
22	6	1,461	-	0	6	1,461
29	12	1,473	-	0	12	1,473
Dec 6	6	1,479	-	0	6	1,479
13	0	1,479	-	0	0	1,479
20	0	1,479	-	0	0	1,479
27	-	1,479	-	0	-	1,479
Total	1,479	-	0	-	1,479	-

Table 7. Weekly estimates of effort and catch per unit of effort (CPUE) by area and gear type in the Fraser River Indian food fishery in 1987:

Steveston	101
Deas to Mission	102
Mission to Hope	103
Hope to North Bend	104
Harrison River	105
Lower Lillooet River	106
Birkenhead River	107
Churn Creek to Marguerite	108
Marguerite to Hixon	109
Above Hixon	109
Nechako River	110
Stuart River	111
Chilcotin River	113

Weekly effort (drift net-days) and CPUE by species in the Steveston area, 1987.

Week		Effort	Chinook	Sockeye	Pink	Coho	Chum	Steelhead	Sturgeon
Ending									
Jan	4	0.0	-	-	-	-	-	-	-
	11	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	18	0.0	-	-	-	-	-	-	-
	25	0.0	-	-	-	-	-	-	-
Feb	1	3.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0
	8	4.5	0.0	0.0	0.0	0.0	0.0	0.2	0.0
	15	1.5	0.0	0.0	0.0	0.0	0.0	0.7	0.0
	22	3.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
Mar	1	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	8	0.0	-	-	-	-	-	-	-
	15	0.0	-	-	-	-	-	-	-
	22	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
	29	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
Apr	5	5.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0
	12	5.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0
	19	5.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0
	26	6.0	0.8	0.0	0.0	0.0	0.0	0.5	0.0
May	3	8.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0
	10	8.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0
	17	12.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0
	24	16.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0
	31	13.0	3.1	0.0	0.0	0.0	0.0	0.1	0.0
Jun	7	18.0	2.7	0.0	0.0	0.0	0.0	0.1	1.1
	14	21.0	3.7	0.0	0.0	0.0	0.0	0.0	0.5
	21	23.0	6.1	0.1	0.0	0.0	0.0	0.0	0.7
	28	23.0	6.0	3.2	0.0	0.0	0.0	0.0	0.1
Jul	5	0.0	a	-	-	-	-	-	-
	12	0.0	a	-	-	-	-	-	-
	19	0.0	a	-	-	-	-	-	-
	26	58.5	0.2	35.5	0.0	0.0	0.0	0.0	0.0
Aug	2	82.0	0.2	44.4	0.0	0.0	0.0	0.0	0.0
	9	60.0	0.3	51.9	0.0	0.0	0.0	0.0	0.0
	16	76.5	0.1	84.4	1.2	0.0	0.0	0.0	0.0
	23	51.0	0.1	45.6	5.2	0.0	0.0	0.0	0.0
	30	63.0	0.2	34.6	8.2	0.0	0.0	0.0	0.0
Sep	6	34.5	0.1	4.4	15.0	0.3	0.0	0.0	0.0
	13	24.8	0.5	45.3	54.9	6.2	0.0	0.1	0.0
	20	74.8	0.5	20.5	41.7	6.0	0.2	0.2	0.0
	27	63.0	0.5	22.2	20.5	6.1	1.3	0.0	0.1
Oct	4	57.0	0.7	29.2	10.7	8.8	5.2	0.1	0.0
	11	51.0	0.1	8.3	1.3	8.5	11.9	0.1	0.0
	18	45.0	0.1	2.7	0.0	9.7	20.1	0.2	0.0
	25	43.5	0.1	2.1	0.0	4.2	21.4	0.2	0.0
Nov	1	19.5	0.0	0.5	0.0	1.6	10.3	0.0	0.0
	8	10.5	0.2	0.3	0.0	2.1	2.5	0.0	0.0
	15	7.5	0.0	0.1	0.0	0.4	14.5	0.0	0.0
	22	9.0	0.0	0.0	0.0	0.1	21.8	0.0	0.0
	29	7.5	0.1	0.0	0.0	0.0	1.1	0.0	0.0
Dec	6	0.0	-	-	-	-	-	-	-
	13	0.0	-	-	-	-	-	-	-
	20	0.0	-	-	-	-	-	-	-
	27	0.0	-	-	-	-	-	-	-
Total		1,023.1	34.3	435.4	158.7	53.9	110.2	4.3	2.5

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Deas Island and Mission, 1987.

Week Ending		Effort	Chinook	Sockeye	Pink	Coho	Chum	Steelhead	Sturgeon
Jan	4	12	0.0	0.0	0.0	3.8	2.5	0.3	0.0
	11	0	-	-	-	-	-	-	-
	18	0	-	-	-	-	-	-	-
	25	0	-	-	-	-	-	-	-
Feb	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	8	15	0.0	0.0	0.0	0.0	0.0	0.3	0.0
	15	30	0.5	0.0	0.0	0.0	0.0	0.4	0.0
	22	27	0.4	0.0	0.0	0.0	0.0	0.6	0.0
Mar	1	4	0.0	0.0	0.0	0.0	0.0	1.3	0.0
	8	4	0.0	0.0	0.0	0.0	0.0	0.3	0.0
	15	7	0.0	0.0	0.0	0.0	0.0	0.9	0.1
	22	9	0.9	0.0	0.0	0.0	0.0	0.4	0.0
	29	8	1.5	0.0	0.0	0.0	0.0	0.1	0.0
Apr	5	7	0.3	0.0	0.0	0.0	0.0	0.0	0.0
	12	7	0.1	0.0	0.0	0.0	0.0	0.0	0.0
	19	7	0.6	0.0	0.0	0.0	0.0	0.9	0.0
	26	2	2.0	0.0	0.0	0.0	0.0	0.0	0.5
May	3	7	0.6	0.0	0.0	0.0	0.0	0.0	0.1
	10	6	0.2	0.0	0.0	0.0	0.0	0.0	0.2
	17	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	24	17	0.8	0.0	0.0	0.0	0.0	0.0	0.5
	31	9	0.7	0.0	0.0	0.0	0.0	0.0	0.1
Jun	7	14	2.1	0.0	0.0	0.0	0.0	0.0	0.4
	14	13	1.2	0.0	0.0	0.0	0.0	0.2	0.0
	21	12	3.3	0.0	0.0	0.0	0.0	0.0	0.4
	28	12	3.3	0.5	0.0	0.0	0.0	0.0	0.0
Jul	5	10	2.0	15.6	0.0	0.0	0.0	0.0	0.0
	12	0 a	-	-	-	-	-	-	-
	19	0 a	-	-	-	-	-	-	-
	26	0 a	-	-	-	-	-	-	-
Aug	2	136	0.6	12.3	0.0	0.0	0.0	0.0	0.1
	9	72	0.0	3.6	0.0	0.0	0.0	0.0	0.0
	16	87	0.1	2.5	0.0	0.0	0.0	0.0	0.0
	23	246	0.8	7.1	0.1	0.2	0.1	0.1	0.1
	30	220	0.1	3.1	1.0	0.0	0.0	0.0	0.2
Sep	6	72	0.1	0.3	0.2	0.0	0.0	0.0	1.1
	13	99	0.0	1.9	7.8	0.1	0.0	0.0	0.0
	20	117	0.0	2.4	23.5	0.5	0.0	0.0	0.1
	27	105	0.1	4.8	23.5	0.6	0.2	0.0	0.0
Oct	4	123	0.6	7.7	11.6	2.5	0.1	0.0	0.8
	11	126	0.1	6.2	7.3	3.2	2.0	0.0	0.0
	18	120	0.1	2.9	1.6	9.0	4.3	0.1	0.1
	25	117	0.2	0.7	1.4	5.3	8.0	0.0	0.4
Nov	1	105	0.4	0.0	0.3	1.5	4.9	0.0	0.0
	8	99	0.3	1.8	0.4	5.4	4.4	0.1	0.0
	15	66	0.0	1.0	0.0	4.9	5.6	0.0	0.0
	22	87	0.0	1.8	0.0	3.3	4.7	0.0	0.0
	29	21	0.0	6.8	0.0	3.8	6.8	0.0	0.0
Dec	6	21	0.0	0.5	0.0	0.2	2.4	0.0	0.0
	13	18	0.0	1.5	0.0	3.1	1.8	0.0	0.0
	20	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	27	0	-	-	-	-	-	-	-
Total		2,303	24.0	84.7	78.6	47.3	47.8	5.8	5.4

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Mission and Hope, 1987.

Week Ending		Effort	Chinook	Sockeye	Pink	Coho	Chum	Steelhead	Sturgeon
Jan	4	15	0.0	0.0	0.0	5.0	3.3	0.9	0.0
	11	9	0.0	0.0	0.0	0.0	0.0	1.6	0.0
	18	18	0.0	0.0	0.0	0.0	0.0	1.7	0.0
	25	15	0.0	0.0	0.0	0.0	0.0	1.3	0.0
Feb	1	39	0.0	0.0	0.0	0.0	0.0	0.2	0.0
	8	30	0.0	0.0	0.0	0.0	0.0	0.3	0.0
	15	75	0.0	0.0	0.0	0.0	0.0	0.2	0.0
	22	81	0.1	0.0	0.0	0.0	0.0	0.2	0.0
Mar	1	15	0.3	0.0	0.0	0.0	0.0	0.7	0.0
	8	15	0.0	0.0	0.0	0.0	0.0	0.7	0.0
	15	15	0.2	0.0	0.0	0.0	0.0	1.3	0.0
	22	38	0.3	0.0	0.0	0.0	0.0	0.3	0.1
	29	51	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Apr	5	44	1.0	0.0	0.0	0.0	0.0	0.2	0.1
	12	45	0.4	0.0	0.0	0.0	0.0	0.1	0.3
	19	46	0.6	0.0	0.0	0.0	0.0	0.2	0.1
	26	46	0.8	0.0	0.0	0.0	0.0	0.2	0.2
May	3	32	1.3	0.0	0.0	0.0	0.0	0.1	0.1
	10	67	1.1	0.0	0.0	0.0	0.0	0.0	0.0
	17	79	3.9	0.0	0.0	0.0	0.0	0.2	0.0
	24	83	4.2	0.0	0.0	0.0	0.0	0.1	0.2
	31	60	2.7	0.0	0.0	0.0	0.0	0.1	0.6
Jun	7	76	2.6	0.0	0.0	0.0	0.0	0.1	0.2
	14	81	2.4	0.0	0.0	0.0	0.0	0.1	0.0
	21	79	4.8	0.0	0.0	0.0	0.0	0.0	0.1
	28	108	3.8	1.6	0.0	0.0	0.0	0.0	0.2
Jul	5	116	2.4	22.3	0.0	0.0	0.0	0.0	0.0
	12	0 a	-	-	-	-	-	-	-
	19	0 a	-	-	-	-	-	-	-
	26	0 a	-	-	-	-	-	-	-
Aug	2	495	0.3	23.0	0.0	0.0	0.0	0.0	0.2
	9	634	0.1	22.2	0.0	0.0	0.0	0.0	0.0
	16	570	0.2	17.5	0.1	0.0	0.0	0.0	0.0
	23	672	0.2	14.0	0.5	0.0	0.0	0.0	0.1
	30	1155	0.2	16.7	2.5	0.0	0.0	0.0	0.1
Sep	6	369	0.1	1.4	1.3	0.0	0.0	0.0	0.2
	13	348	0.2	8.9	13.2	0.4	0.0	0.0	0.1
	20	249	0.2	6.0	24.2	1.2	0.0	0.0	0.2
	27	206	0.1	23.1	38.8	1.8	0.0	0.2	0.0
Oct	4	198	0.1	16.7	18.8	1.7	0.0	0.0	0.0
	11	207	0.0	15.1	8.8	1.3	1.1	0.3	0.0
	18	213	0.9	14.7	6.7	12.7	4.5	0.5	0.1
	25	192	0.7	4.5	0.8	7.9	5.5	0.1	0.1
Nov	1	225	0.7	6.5	0.2	6.8	13.4	0.0	0.0
	8	204	0.4	3.3	0.1	5.9	8.7	0.1	0.0
	15	192	0.2	1.0	0.0	5.5	16.6	0.1	0.0
	22	140	0.1	0.7	0.0	4.0	12.3	0.1	0.0
	29	138	0.0	1.7	0.0	4.3	15.0	0.0	0.1
Dec	6	89	0.0	0.3	0.0	3.2	5.6	0.1	0.1
	13	69	0.0	0.3	0.0	2.3	3.3	0.0	0.0
	20	51	0.0	0.0	0.0	2.3	3.3	0.0	0.0
	27	0	-	-	-	-	-	-	-
Total		7,992	37.6	221.7	116.0	66.3	92.7	12.2	3.4

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Hope and North Bend, 1987.

Week Ending	Effort	Chinook	Sockeye	Pink	Coho	Chum	Steelhead	Sturgeon
Jan 4	0	-	-	-	-	-	-	-
11	0	-	-	-	-	-	-	-
18	0	-	-	-	-	-	-	-
25	0	-	-	-	-	-	-	-
Feb 1	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
8	0	-	-	-	-	-	-	-
15	24	0.0	0.0	0.0	0.0	0.0	0.2	0.0
22	24	0.2	0.0	0.0	0.0	0.0	0.1	0.0
Mar 1	0	-	-	-	-	-	-	-
8	0	-	-	-	-	-	-	-
15	0	-	-	-	-	-	-	-
22	15	0.2	0.0	0.0	0.0	0.0	0.3	0.0
29	0	-	-	-	-	-	-	-
Apr 5	24	1.0	0.0	0.0	0.0	0.0	0.1	0.1
12	35	0.7	0.0	0.0	0.0	0.0	0.0	0.2
19	42	1.1	0.0	0.0	0.0	0.0	0.1	0.1
26	40	1.0	0.0	0.0	0.0	0.0	0.1	0.1
May 3	20	1.7	0.0	0.0	0.0	0.0	0.0	0.0
10	20	1.0	0.0	0.0	0.0	0.0	0.0	0.0
17	30	7.6	0.0	0.0	0.0	0.0	0.7	0.7
24	52	7.8	0.0	0.0	0.0	0.0	0.2	0.5
31	38	5.6	0.0	0.0	0.0	0.0	0.5	0.3
Jun 7	37	7.7	0.0	0.0	0.0	0.0	0.3	0.4
14	30	2.0	0.0	0.0	0.0	0.0	0.0	0.1
21	75	15.6	0.0	0.0	0.0	0.0	0.2	0.2
28	85	3.5	1.9	0.0	0.0	0.0	0.0	0.1
Jul 5	80	10.8	48.2	0.0	0.0	0.0	0.0	0.2
12	0 a	-	-	-	-	-	-	-
19	0 a	-	-	-	-	-	-	-
26	0 a	-	-	-	-	-	-	-
Aug 2	447	1.0	50.2	0.0	0.0	0.0	0.0	0.1
9	533	1.5	58.4	0.0	0.0	0.0	0.0	0.0
16	393	1.4	29.9	1.0	0.0	0.0	0.0	0.1
23	564	0.9	14.3	3.0	0.0	0.0	0.0	0.1
30	866	0.6	45.6	2.9	0.0	0.0	0.0	0.1
Sep 6	252	0.4	16.8	2.9	0.0	0.0	0.0	0.2
13	295	1.0	20.8	8.6	0.8	0.0	0.0	0.1
20	253	0.5	14.2	18.3	2.1	0.0	0.8	0.0
27	183	0.3	24.9	18.2	2.3	0.1	0.3	0.0
Oct 4	223	0.1	30.2	15.6	2.2	0.3	0.4	0.0
11	193	0.1	32.2	8.5	3.3	1.2	0.6	0.0
18	180	0.2	17.0	3.3	3.5	1.2	0.7	0.0
25	180	0.1	16.4	1.2	0.6	3.7	2.3	0.0
Nov 1	90	0.0	8.4	0.4	1.4	15.7	1.1	0.0
8	57	0.1	1.6	0.0	2.4	5.3	0.7	0.0
15	63	0.0	1.0	0.0	2.0	11.5	0.6	0.0
22	45	0.0	2.3	0.0	0.2	1.8	0.7	0.0
29	33	0.0	0.0	0.0	0.4	2.4	0.8	0.0
Dec 6	15	0.0	2.0	0.0	0.4	1.5	0.4	0.0
13	12	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0	-	-	-	-	-	-	-
27	0	-	-	-	-	-	-	-
Total	5,555	75.6	436.4	83.9	21.5	44.6	12.4	3.8

a. Closure.

continued

Weekly effort (set net-days) and CPUE by species in the Harrison River, 1987.

Week Ending	Effort	Chinook	Sockeye	Pink	Coho	Chum	Steelhead
Jan 4	0	-	-	-	-	-	-
11	0	-	-	-	-	-	-
18	0	-	-	-	-	-	-
25	0	-	-	-	-	-	-
Feb 1	0	-	-	-	-	-	-
8	0	-	-	-	-	-	-
15	0	-	-	-	-	-	-
22	0	-	-	-	-	-	-
Mar 1	0	-	-	-	-	-	-
8	0	-	-	-	-	-	-
15	0	-	-	-	-	-	-
22	0	-	-	-	-	-	-
29	0	-	-	-	-	-	-
Apr 5	0	-	-	-	-	-	-
12	0	-	-	-	-	-	-
19	0	-	-	-	-	-	-
26	0	-	-	-	-	-	-
May 3	0	-	-	-	-	-	-
10	0	-	-	-	-	-	-
17	0	-	-	-	-	-	-
24	0	-	-	-	-	-	-
31	0	-	-	-	-	-	-
Jun 7	0	-	-	-	-	-	-
14	0	-	-	-	-	-	-
21	0	-	-	-	-	-	-
28	0	-	-	-	-	-	-
Jul 5	0	-	-	-	-	-	-
12	0	-	-	-	-	-	-
19	0	-	-	-	-	-	-
26	0	-	-	-	-	-	-
Aug 2	0	-	-	-	-	-	-
9	0	-	-	-	-	-	-
16	0	-	-	-	-	-	-
23	0	-	-	-	-	-	-
30	0	-	-	-	-	-	-
Sep 6	0	-	-	-	-	-	-
13	0	-	-	-	-	-	-
20	0	-	-	-	-	-	-
27	0	-	-	-	-	-	-
Oct 4	0	-	-	-	-	-	-
11	0	-	-	-	-	-	-
18	12	0.5	15.5	21.5	13.0	6.5	0.0
25	12	0.9	4.5	0.8	7.9	5.5	0.0
Nov 1	0	-	-	-	-	-	-
8	0	-	-	-	-	-	-
15	3	0.7	0.0	0.0	5.7	16.7	0.0
22	0	-	-	-	-	-	-
29	0	-	-	-	-	-	-
Dec 6	0	-	-	-	-	-	-
13	0	-	-	-	-	-	-
20	0	-	-	-	-	-	-
27	0	-	-	-	-	-	-
Total	27	2.1	20.0	22.3	26.6	28.7	0.0

continued

Weekly effort (set net-days) and CPUE by species in the Lower Lillooet River, 1987.

Week Ending	Effort	Chinook	Sockeye	Pink	Coho	Chum	Steelhead
Jan 4	0	-	-	-	-	-	-
11	0	-	-	-	-	-	-
18	0	-	-	-	-	-	-
25	0	-	-	-	-	-	-
Feb 1	0	-	-	-	-	-	-
8	35	0.1	0.0	0.0	0.0	0.0	0.2
15	35	0.0	0.0	0.0	0.0	0.0	0.0
22	35	0.0	0.0	0.0	0.0	0.0	0.0
Mar 1	42	0.0	0.0	0.0	0.0	0.0	0.0
8	28	0.0	0.0	0.0	0.0	0.0	0.0
15	35	0.0	0.0	0.0	0.0	0.0	0.0
22	28	0.0	0.0	0.0	0.0	0.0	0.0
29	28	0.0	0.0	0.0	0.0	0.0	0.0
Apr 5	7	0.1	0.0	0.0	0.0	0.0	0.3
12	6	0.5	0.0	0.0	0.0	0.0	0.2
19	8	0.0	0.0	0.0	0.0	0.0	0.0
26	4	0.3	0.0	0.0	0.0	0.0	1.0
May 3	4	0.0	0.0	0.0	0.0	0.0	0.0
10	2	0.0	0.0	0.0	0.0	0.0	0.5
17	1	0.0	0.0	0.0	0.0	0.0	0.0
24	1	0.0	0.0	0.0	0.0	0.0	0.0
31	1	3.0	0.0	0.0	0.0	0.0	0.0
Jun 7	0	-	-	-	-	-	-
14	0	-	-	-	-	-	-
21	0	-	-	-	-	-	-
28	0	-	-	-	-	-	-
Jul 5	0	-	-	-	-	-	-
12	0	-	-	-	-	-	-
19	0	-	-	-	-	-	-
26	0	-	-	-	-	-	-
Aug 2	0	-	-	-	-	-	-
9	7	0.0	0.0	0.0	0.0	0.0	0.0
16	0	-	-	-	-	-	-
23	70	0.0	4.9	0.0	0.0	0.0	0.0
30	98	0.0	2.9	0.0	0.0	0.0	0.0
Sep 6	35	0.0	10.9	0.0	0.0	0.0	0.0
13	70	0.0	3.0	0.0	0.0	0.0	0.0
20	84	0.0	7.3	0.0	0.0	0.0	0.0
27	35	0.0	7.1	0.0	0.2	0.0	0.0
Oct 4	28	0.0	0.7	0.0	1.8	0.0	0.0
11	42	0.0	0.7	0.0	1.4	0.4	0.0
18	35	0.0	0.0	0.0	1.7	2.0	0.0
25	35	0.0	0.0	0.0	3.4	1.4	0.0
Nov 1	35	0.0	0.0	0.0	1.7	2.3	0.0
8	28	0.0	0.0	0.0	2.0	0.7	0.0
15	14	0.0	0.0	0.0	2.1	0.0	0.0
22	14	0.0	0.0	0.0	1.8	0.0	0.0
29	7	0.0	0.0	0.0	1.4	0.0	0.0
Dec 6	0	-	-	-	-	-	-
13	0	-	-	-	-	-	-
20	0	-	-	-	-	-	-
27	0	-	-	-	-	-	-
Total	937	4.0	37.7	0.0	17.6	6.8	2.2

continued

Weekly effort (set net-days) and CPUE by species in the
Birkenhead River, 1987.

Week Ending	Effort	Chinook	Sockeye	Pink	Coho	Chum	Steelhead
Jan 4	0	-	-	-	-	-	-
11	0	-	-	-	-	-	-
18	0	-	-	-	-	-	-
25	0	-	-	-	-	-	-
Feb 1	0	-	-	-	-	-	-
8	0	-	-	-	-	-	-
15	0	-	-	-	-	-	-
22	0	-	-	-	-	-	-
Mar 1	0	-	-	-	-	-	-
8	7	0.0	0.0	0.0	0.0	0.0	0.0
15	7	0.0	0.0	0.0	0.0	0.0	0.0
22	0	-	-	-	-	-	-
29	0	-	-	-	-	-	-
Apr 5	0	-	-	-	-	-	-
12	0	-	-	-	-	-	-
19	1	0.0	0.0	0.0	0.0	0.0	0.0
26	5	0.0	0.0	0.0	0.0	0.0	0.0
May 3	3	0.3	0.0	0.0	0.0	0.0	0.0
10	4	0.0	0.0	0.0	0.0	0.0	0.0
17	4	0.0	0.0	0.0	0.0	0.0	0.0
24	3	0.0	0.0	0.0	0.0	0.0	0.0
31	4	0.0	0.0	0.0	0.0	0.0	0.0
Jun 7	3	0.0	0.0	0.0	0.0	0.0	0.0
14	5	0.0	0.0	0.0	0.0	0.0	0.0
21	0	-	-	-	-	-	-
28	0	-	-	-	-	-	-
Jul 5	0	-	-	-	-	-	-
12	0	-	-	-	-	-	-
19	0	-	-	-	-	-	-
26	0	-	-	-	-	-	-
Aug 2	0	-	-	-	-	-	-
9	0	-	-	-	-	-	-
16	0	-	-	-	-	-	-
23	14	0.0	0.0	0.0	0.0	0.0	0.0
30	42	0.0	4.5	0.0	0.0	0.0	0.0
Sep 6	63	0.0	30.0	0.0	0.0	0.0	0.0
13	56	0.0	10.0	0.0	0.0	0.0	0.0
20	49	0.0	20.0	0.0	0.0	0.0	0.0
27	56	0.0	17.1	0.0	0.0	0.0	0.0
Oct 4	21	0.0	24.3	0.0	0.7	0.0	0.0
11	28	0.0	5.0	0.0	1.0	0.0	0.0
18	35	0.0	2.0	0.0	10.0	0.0	0.0
25	56	0.0	0.0	0.0	7.0	0.0	0.0
Nov 1	49	0.0	0.0	0.0	5.0	0.0	0.0
8	28	0.0	0.0	0.0	5.4	0.0	0.0
15	35	0.0	0.0	0.0	4.3	0.0	0.0
22	28	0.0	0.0	0.0	2.9	0.0	0.0
29	21	0.0	0.0	0.0	2.4	0.0	0.0
Dec 6	0	-	-	-	-	-	-
13	0	-	-	-	-	-	-
20	0	-	-	-	-	-	-
27	0	-	-	-	-	-	-
Total	627	0.3	112.9	0.0	38.6	0.0	0.0

continued

Weekly effort (dip net-days) and CPUE by species between Churn Creek and Marguerite, 1987.

Week Ending	Churn Creek to Chilcotin Bridge			Chilcotin Bridge to Marguerite		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Feb 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
Mar 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Apr 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
May 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
31	0	-	-	0	-	-
Jun 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Jul 5	0	-	-	0	-	-
12	a	-	-	0	-	-
19	42	0.4	10.0	105	0.2	6.0
26	0 b	-	-	0 b	-	-
Aug 2	0 b	-	-	0 b	-	-
9	0 b	-	-	0 b	-	-
16	- a	-	-	- a	-	-
23	- a	-	-	105	0.0	11.0
30	- a	-	-	- a	-	-
Sep 6	- a	-	-	- a	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Oct 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Nov 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Dec 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Total	42	0.4	10.0	210	0.2	17.0

a. No estimate.
b. Closure.

continued

Weekly effort (net-days) and CPUE by species between Marguerite and Hixon (dip nets) and above Hixon (set nets), 1987.

Week Ending	Marguerite to Hixon			above Hixon		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Feb 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
Mar 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Apr 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
May 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
31	0	-	-	0	-	-
Jun 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	- a	-	-	0	-	-
Jul 5	- a	-	-	0	-	-
12	- a	-	-	0	-	-
19	- a	-	-	5	1.2	10.0
26	0 b	-	-	6	0.0	25.0
Aug 2	0 b	-	-	0 b	-	-
9	0 b	-	-	0 b	-	-
16	- a	-	-	12	0.3	9.2
23	- a	-	-	42	0.0	12.6
30	- a	-	-	- a	-	-
Sep 6	- a	-	-	36	0.0	8.3
13	- a	-	-	24	0.0	1.7
20	- a	-	-	25	0.0	5.4
27	0	-	-	5	0.0	4.0
Oct 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Nov 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Dec 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Total	0	0.0	0.0	155	1.5	76.2

a. No estimate.
b. Closure.

continued

Weekly effort (set net-days) and CPUE by species between Prince George and Fort Fraser in the Nechako River, 1987.

Week Ending	Prince George to Stuart River			Stuart River to Fort Fraser		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Feb 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
Mar 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Apr 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
May 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
31	0	-	-	0	-	-
Jun 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Jul 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	10	0.0	2.4	0	-	-
26	8	0.0	25.0	50	0.2	5.4
Aug 2	0 a	-	-	- b	-	-
9	0 a	-	-	90	0.1	16.0
16	3	0.0	2.3	155	0.0	16.9
23	- b	-	-	160	0.0	24.8
30	- b	-	-	- b	-	-
Sep 6	18	0.0	1.4	95	0.0	27.4
13	18	0.0	1.7	65	0.0	3.7
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Oct 4	- b	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Nov 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Dec 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Total	57	0.0	32.8	615	0.3	94.2

a. Closure.
b. No estimate.

continued

Weekly effort (set net-days) and CPUE by species above Fort St. James in the Stuart River system, 1987.

Week Ending	Fort St. James to Trembleur Lake			above Trembleur Lake		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Feb 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
Mar 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Apr 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
May 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
31	0	-	-	0	-	-
Jun 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Jul 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	60	0.0	1.3	10	0.0	0.8
26	200	0.0	8.9	5	0.0	0.4
Aug 2	160	0.0	3.5	10	0.0	0.6
9	105	0.0	6.8	10	0.0	0.8
16	40	0.0	4.8	15	0.0	4.7
23	50	0.0	3.5	0	-	-
30	- a	-	-	0	-	-
Sep 6	15	0.0	10.4	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Oct 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Nov 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Dec 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Total	630	0.0	39.0	50	0.0	7.3

a. No estimate.

continued

Weekly effort (set net-days) and CPUE by species between Fort Fraser and Francois Lake in the Nechako River system, and Nechako River and Fort St. James in the Stuart River, 1987.

Week Ending	Fort Fraser to Francois Lake			Nechako River to Fort St. James		
	Effort	Chinook	Sockeye	Effort	Chinook	Sockeye
Jan 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Feb 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
Mar 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Apr 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	0	-	-	0	-	-
26	0	-	-	0	-	-
May 3	0	-	-	0	-	-
10	0	-	-	0	-	-
17	0	-	-	0	-	-
24	0	-	-	0	-	-
31	0	-	-	0	-	-
Jun 7	0	-	-	0	-	-
14	0	-	-	0	-	-
21	0	-	-	0	-	-
28	0	-	-	0	-	-
Jul 5	0	-	-	0	-	-
12	0	-	-	0	-	-
19	10	0.8	0.2	70	0.0	2.3
26	5	0.0	1.2	110	0.0	19.9
Aug 2	- a	-	-	70	0.0	8.5
9	30	0.0	10.8	60	0.1	7.2
16	80	0.1	10.3	55	0.0	5.4
23	70	0.0	17.8	35	0.0	1.7
30	- a	-	-	- a	-	-
Sep 6	50	0.0	30.2	40	0.0	3.5
13	145	0.0	4.4	0	-	-
20	80	0.0	4.2	0	-	-
27	10	0.0	2.6	0	-	-
Oct 4	0	-	-	0	-	-
11	0	-	-	0	-	-
18	0	-	-	0	-	-
25	0	-	-	0	-	-
Nov 1	0	-	-	0	-	-
8	0	-	-	0	-	-
15	0	-	-	0	-	-
22	0	-	-	0	-	-
29	0	-	-	0	-	-
Dec 6	0	-	-	0	-	-
13	0	-	-	0	-	-
20	0	-	-	0	-	-
27	0	-	-	0	-	-
Total	480	0.9	81.6	440	0.1	48.5

a. No estimate.

continued

Weekly effort (dip net-days) and CPUE by species in the Chilcotin River system, 1987.

Week Ending	Effort	Chinook	Sockeye
Jan 4	0	-	-
11	0	-	-
18	0	-	-
25	0	-	-
Feb 1	0	-	-
8	0	-	-
15	0	-	-
22	0	-	-
Mar 1	0	-	-
8	0	-	-
15	0	-	-
22	0	-	-
29	0	-	-
Apr 5	0	-	-
12	0	-	-
19	0	-	-
26	0	-	-
May 3	0	-	-
10	0	-	-
17	0	-	-
24	0	-	-
31	0	-	-
Jun 7	0	-	-
14	0	-	-
21	0	-	-
28	0	-	-
Jul 5	0	-	-
12	0	-	-
19	0	-	-
26	0	-	-
Aug 2	- a	-	-
9	- a	-	-
16	126	0.0	43.7
23	224	0.0	67.6
30	140	0.0	30.0
Sep 6	- a	-	-
13	- a	-	-
20	0	-	-
27	0	-	-
Oct 4	0	-	-
11	0	-	-
18	0	-	-
25	0	-	-
Nov 1	0	-	-
8	0	-	-
15	0	-	-
22	0	-	-
29	0	-	-
Dec 6	0	-	-
13	0	-	-
20	0	-	-
27	0	-	-
Total	490	0.0	141.2

a. No estimate.

