

A Fish Habitat Survey Of The Jacquet River Watershed, Restigouche County, N.B. Volume 2: Water and Sediment Chemistry Data

John A. Legault

Department of Fisheries and Oceans Science Branch Gulf Region P.O. Box 5030 Moncton, N.B. E1C 9B6

February, 1989

Canadian Data Report of Fisheries and Aquatic Sciences No. 724 (Vol. 2)



Fisheries and Oceans

Pêches et Océans Canadä

Canadian Data Report of Fisheries and Aquatic Sciences

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in Aquatic Sciences and Fisheries Abstracts and indexed in the Department's annual index to scientific and technical publications.

Numbers 1 25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26 160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport statistique canadien des sciences halieutiques et aquatiques

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflétent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue Résumés des sciences aquatiques et halieutiques, et ils sont classes dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of Fisheries and Aquatic Sciences No.724 (Vol.2)

February 1989

A Fish Habitat Survey of the Jacquet River Watershed, Restigouche County, N.B. Volume 2 Water and Sediment Chemistry Data

by

John A. Legault

Department of Fisheries and Oceans

Gulf Region

Science Branch

Fish Habitat and Enhancement Division

P.O. Box 5030, Moncton, NB E1C 9B6

© Minister of Supply and Services Canada 1989 Cat. No. Fs 97-13/724 (Vol. 2)E ISSN 0706-6465

Correct citation for this publication:

Legault, J.A., 1989. A Fish Habitat Survey of the Jacquet River Watershed, Restigouche County, N.B. Volume 2 Water and Sediment Chemistry Data. Can. Data Rep. Fish. Aquat. Sci .724 (Vol.2), 47p.

ABSTRACT

Legault, J.A., 1989. A Fish Habitat Survey of the Jacquet River Watershed, Restigouche County, N.B. Volume 2 Water and Sediment Chemistry Data. Can. Data Rep. Fish. Aquat. Sci. 724 (Vol.2), 47p.

This report, Volume 2 of a four volume series, is a compilation of water and sediment data for the Jacquet River watershed collected during August, 1984. General nutrient and metal data are presented. Other topics are:

Volume 1 - Hydraulic and Physiographic Data

Volume 3 - Estimated Fish Densities and Biological Data for Salmonid Specimens

Volume 4 - Species Composition and Relative Abundance of Benthic Macro-invertebrates

RESUMÉ

Legault, J.A., 1989. A Fish Habitat Survey of the Jacquet River Watershed, Restigouche County, N.B. Volume 2 Water and Sediment Chemistry Data. Can. Data Rep. Fish. Aquat. Sci. 724 (Vol.2), 47p.

Ce rapport, le deuxième d'une série de quatre volumes, consiste d'une compilation de données se rapportant à l'eau et aux sédiments de la ligne de partage des fonds de la rivière Jacquet en août 1984. Des données générales de nutriments et de métaux sont présentées. D'autres sujets sont:

Volume 1 - Hydraulic and Physiographic Data

Volume 3 - Estimated Fish Densities and Biological Data for Salmonid Specimens

Volume 4 - Species Composition and Relative Abundance of Benthic Macro-invertebrates

TABLE OF CONTENTS

VOLUME 2

PAGE
Abstract / Resumeiii
Introduction1
Materials and Methods
Acknowledgements2
References2
TABLE OF CONTENTS
LIST OF FIGURES
PAGI
Figure 2.1 Location of sampling sites, Jacquet River watershed
SITE 1, JACQUET RIVER Figure 2.2 Location of chemistry sampling stations
SITE 2, LOWER MCNAIR BROOK Figure 2.3 Location of chemistry sampling stations
SITE 3, BIG HOLE BROOK Figure 2.4 Location of chemistry sampling stations8
SITE 5, ANTINOURI LAKE Figure 2.5 Location of chemistry sampling stations
SITE 6, ROCKY BROOK Figure 2.6 Location of chemistry sampling stations
SITE 7, UPPER MCNAIR BROOK Figure 2.7 Location of chemistry sampling stations
SITE 8, LOWER SOUTH BRANCH JACQUET RIVER Figure 2.8 Location of chemistry sampling stations
SITE 9, BIG HOLE BROOK Figure 2.9 Location of chemistry sampling stations
SITE 10, TONGUE LAKE BROOK Figure 2.10 Location of chemistry sampling stations
SITE 11, HEAD LAKE Figure 2.11 Location of chemistry sampling stations
SITE 12, LOWER SOUTH BRANCH JACQUET RIVER Figure 2.12 Location of chemistry sampling stations
SITE 13, UPPER MCNAIR BROOK Figure 2.13 Location of chemistry sampling stations

SITE 14, JA Figure 2.14	ACQUET RIVER Location of chemistry sampling stations	28
SITE 15, JA Figure 2.15	ACQUET RIVER 5 Location of chemistry sampling stations	30
	ACQUET RIVER 5 Location of chemistry sampling stations	32
SITE 17, JA Figure 2.17	ACQUET RIVER Location of chemistry sampling stations	34
SITE 18, UP Figure 2.18	PPER SOUTH BRANCH JACQUET RIVER Location of chemistry sampling stations	36
	OWER MCNAIR BROOK Location of chemistry sampling stations	38
SITE 20, CA Figure 2.20	CARL GULCH Description of chemistry sampling stations	40
SITE 21, UN	NNAMED TRIBUTARY TO UPPER SOUTH BRANCH JACQUET RIVER	
Figure 2.21	Location of chemistry sampling stations	42
	NNAMED TRIBUTARY TO UPPER SOUTH BRANCH JACQUET RIVER Location of chemistry sampling stations	44
	ACQUET RIVER 3 Location of chemistry sampling stations	46
	LIST OF TABLES	
	LIST OF TABLES	PAGE
SITE 1, JAC Table 2.1	LIST OF TABLES CQUET RIVER Water and sediment analyses.	
Table 2.1 SITE 2, LO	.CQUET RIVER	5
Table 2.1 SITE 2, LO' Table 2.2	CQUET RIVER Water and sediment analyses	7
Table 2.1 SITE 2, LO' Table 2.2 SITE 3, BIG Table 2.3	CQUET RIVER Water and sediment analyses. WER MCNAIR BROOK Water and sediment analyses. G HOLE BROOK	7 9
Table 2.1 SITE 2, LOY Table 2.2 SITE 3, BIG Table 2.3 SITE 5, ANY Table 2.4	CQUET RIVER Water and sediment analyses. DWER MCNAIR BROOK Water and sediment analyses G HOLE BROOK Water and sediment analyses.	
Table 2.1 SITE 2, LOY Table 2.2 SITE 3, BIG Table 2.3 SITE 5, ANY Table 2.4 SITE 6, ROY Table 2.5	CQUET RIVER Water and sediment analyses. DWER MCNAIR BROOK Water and sediment analyses G HOLE BROOK Water and sediment analyses. JTINOURI LAKE Water and sediment analyses.	
Table 2.1 SITE 2, LOT Table 2.2 SITE 3, BIG Table 2.3 SITE 5, ANT Table 2.4 SITE 6, ROT Table 2.5 SITE 7, UPI Table 2.6	CQUET RIVER Water and sediment analyses. WER MCNAIR BROOK Water and sediment analyses. G HOLE BROOK Water and sediment analyses. VTINOURI LAKE Water and sediment analyses. CKY BROOK Water and sediment analyses.	5
Table 2.1 SITE 2, LOY Table 2.2 SITE 3, BIG Table 2.3 SITE 5, ANY Table 2.4 SITE 6, ROY Table 2.5 SITE 7, UPI Table 2.6 SITE 8, LOY Table 2.7	CQUET RIVER Water and sediment analyses. DWER MCNAIR BROOK Water and sediment analyses. G HOLE BROOK Water and sediment analyses. JTINOURI LAKE Water and sediment analyses. CKY BROOK Water and sediment analyses. DYPER MCNAIR BROOK Water and sediment analyses.	59111315

SITE 11, HEAD LAKE Table 2.10 Water and sediment analyses	23
SITE 12, LOWER SOUTH BRANCH JACQUET RIVER Table 2.11 Water and sediment analyses.	25
SITE 13, UPPER MCNAIR BROOK Table 2.12 Water and sediment analyses	27
SITE 14, JACQUET RIVER Table 2.13 Water and sediment analyses	29
SITE 15, JACQUET RIVER Table 2.14 Water and sediment analyses	31
SITE 16, JACQUET RIVER Table 2.15 Water and sediment analyses	33
SITE 17, JACQUET RIVER Table 2.16 Water and sediment analyses	35
SITE 18, UPPER SOUTH BRANCH Table 2.17 Water and sediment analyses	37
SITE 19, LOWER MCNAIR BROOK Table 2.18 Water and sediment analyses	39
SITE 20, CARL GULCH Table 2.19 Water and sediment analyses	41
SITE 21, UNNAMED TRIBUTARY to UPPER SOUTH BRANCH JACQUET RIVE Table 2.20 Water and sediment analyses	
SITE 22, UNNAMED TRIBUTARY to UPPER SOUTH BRANCH JACQUET RIVE Table 2.21 Water and sediment analyses	
SITE 24, JACQUET RIVER Table 2.22 Water and sediment analyses	47

INTRODUCTION

The Jacquet River, a medium-sized salmon stream approximately 50 km in linear extent in Restigouche Co., New Brunswick contains ideal spawning and rearing habitat for Atlantic Salmon (Salmo salar). With the exception of logging activity, the watershed is largely undeveloped. In 1965, Brunswick Mining and Smelting, Ltd. installed a water intake structure approximately 2 km from the mouth of the Jacquet River. They are presently operating on a water license from the New Brunswick Department of Municipal Affairs and Environment (formerly the Dept. of Fisheries and Environment). This license, renewed in 1974, expired in 1979 and has not since been formally renewed. The license permits a withdrawal of a maximum of 39312 cu. meters/day for consumption in the lead smelter and the fertilizer plant as well as for domestic use in two adjacent town sites in Belledune.

Five previous studies of the river have been undertaken within the last twenty years. Three were qualitative in scope offering visual descriptions of available habitat and fish present (Smith 1956, N.B.D.N.R.(unpublished 1969 report), and IEC Beak 1984). Two studied the microhabitat requirements of salmon in the area downstream from the water intake station (Morantz 1983, IEC Beak 1982). None of these studies presented quantitative data for water or sediment quality or hydrology.

Low stream discharges have a potential negative impact on adult salmon. This is related to reduced attraction flows, impediments to migration, and greater exposure to poaching (IEC Beak, 1982). Survival of salmon parr is also threatened by low flows, particularly in summer when territories are being defended and metabolic demands are higher. It has been determined that the minimum maintenance flow requirement for the Jacquet River is 97,600 cu. meters per day. (Morantz, 1983). However, records for 1965 to 1976 show that flows less than 86,000 cu. meters per day are common for periods of three to seven days and occur for a period of thirty days or more once every six years. Withdawal of any water under these low flow conditions will result in loss of fish habitat. Withdrawal of water at the maximum rate allowed under conditions of low flow "would result in a drastic habitat loss in the stream reach below the pumphouse." (Morantz, 1983) Despite these extremes, water withdrawal is estimated to average 21,600 cu. meters per day. Withdrawal of this volume under normal flow conditions results in habitat losses ranging from 8% to greater than 22%. (Morantz, 1983)

In August, 1984, the Gulf Region's Fish Habitat Division conducted a survey on the Jacquet River to determine site-specific baseline conditions for hydrology, water and sedi-

ment chemistry, fish and macro-invertebrate populations, and assess the general habitat quality of the watershed. The area of study consisted of 24 sites along the main stem of the river and seven of its major tributaries: Big Hole Brook, Antinouri Lake Brook, Lower South Branch, Lower McNair Brook, Upper South Branch, Upper McNair Brook and Rocky Brook. This report, the second in a series of four data reports, presents the water and sediment chemistry data collected on this survey.

METHODS AND MATERIALS

Sampling of water for chemical analysis was performed immediately upstream of the sites selected for biological and hydrologic analysis. Water temperature, conductivity, pH and dissolved oxygen were measured on site using a Hydrolab meter (model #4041) equipped with a multi-probe sonde. Turbidity was also measured on site using a field turbidimeter (H.F.Instruments, model DRT-15). Nutrient chemistry samples were collected in pre-washed 500 ml plastic bottles (for total nitrogen and silica and dissolved organic carbon) and 50 ml glass bottles (for total phosphorus). Sample bottles were supplied by Inland Waters Directorate, Water Quality Branch Environment Canada. the agency responsible for a greater part of the chemical analysis in this report. Samples for dissolved metals (Iron, copper, lead, zinc, cadmium, and arsenic) were collected using acid-washed 500 ml plastic bottles. These samples were acid-preserved on-site with 5 mls ultra pure (Ultrex brand) sulfuric acid.

All water samples were collected by hand at locations as close to mid-stream as possible. Each bottle was rinsed three times with the river water before the sample was taken. Samples for total phosphorus were poured off from the plastic bottles into the glass bottles. Replicate samples for dissolved metals were taken at most sites and ordinarily multiple Hydrolab readings were taken at separate stations within the site. All water samples were then stored on ice for transport and kept refrigerated until analyzed.

Sediment samples were taken from exposed mud/silt reaches from the banks of the river. The samples were scooped into rinsed bottles using the lid and filled as complete as possible. These were sealed with the bottle caps and kept cool for transport. The sediment samples were then frozen until analyzed. The sediments were analyzed for organic carbon, total carbon, moisture, and the following metals: copper, lead, zinc, cadmium, and mercury. The sediments were also analyzed for the presence of Fenitrothion, a pesticide used commonly in this watershed for control of the Spruce Budworm in softwood stands.

ANALYSES

Dissolved nutrients (nitrogen, silica, phosphorus and dissolved organic carbon) were analyzed within 6 weeks of sampling by the Inland Waters Directorate Water Quality Branch, D.O.E. in Moncton, N.B. using the standard methods described in their Analytical Methods Manual (1979). Dissolved metals (iron, copper, lead, zinc, cadmium, and arsenic) were analyzed within 4 weeks of sampling at Brunswick Mining and Smelting Company laboratory in Belledune, N.B. using Greenberg et. al. (1975) All metals except arsenic were pre-concentrated and determined by Atomic Absorption. Arsenic was analyzed by hydride evolution and determined by colorimetry. Collected sediments were analyzed for copper, lead, zinc, cadmium, mercury and Fenitrothion by the Environmental Protection Services Labs, Dartmouth, Nova Scotia using their standard methods manual (EPS 1973). Sediment carbon, organic carbon and percent moisture were determined by the Nova Scotia Research Foundation using the standards methods manual (EPS 1973).

RESULTS

The results of the analyses are presented on a site by site basis in the following tables. All results are expressed in milligrams per liter (mg/l) except for temperature (°C), conductivity (µS/cm - micro Siemens per cm), Turbidity (NTU - Nephelometric Turbidity Units), Percent moisture and pH units. Replicate readings and samples are presented without averaging. Maps were drawn from aerial photographs at a 1:8000 scale for each site. Locations of the water and sediment sampling sites were added from hand drawn sketches made during the sampling survey.

ACKNOWLEDGEMENTS

Special thanks are extended to Larry D. Haight for the preparation of the maps.

REFERENCES

American Water Works Association. 1975. Standard Methods for the Examination of Water and Wastewater. 14th Edition. Environmental Protection Service. Atlantic Region.

1973. Methods for Chemical Analysis of Water and Wastewater. 7th Report. EPS 5-AR-73-12.

IEC Beak. 1982. An examination of Water Withdrawal Effects on Atlantic Salmon Habitats and Populations in the Lower Jacquet River, N.B. - a report for the Brunswick Mining and Smelting Corp. Ltd., Smelting Division, Belledune, N.B.

IEC Beak. 1984. Assessment of Juvenile Atlantic Salmon Stocks in the South Branch, Jacquet River. - a report for the Brunswick Mining and Smelting Corp. Ltd., Smelting Division, Belledune, N.B.

Inland Waters Directorate. Water Quality Branch. 1979. Analytical Methods Manual.

Morantz, D. 1983. Instream Flow Incremental Flow Methodology (IFIM) for minimum flow requirements in the Jacquet River. an unpublished report. Department of Fisheries and Oceans. Scotia Fundy Region.

New Brunswick Dept. of Natural Resources. 1969. Habitat River Survey - unpublished data.

Smith, K. 1956. Jacquet River Salmon Survey. - an unpublished report for the Department of Fisheries and Oceans.

FIG. 2.1 LOCATION OF SAMPLING SITES, JACQUET RIVER WATERSHED, AUGUST 1984





FIG. 2.2 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 1, JACQUET RIVER, AUGUST 9,1984





WATER CHEMISTRY SAMPLING STATION SEDIMENT SAMPLING STATION RIFFLE AREA



POOL BARRIER GRAVEL




Table 2.1 Water and sediment analyses,
Site 1, Jacquet River, August 9, 1984.

Parameter		iter ole No.	Sediments			
	1	2	3	_ 1		
Temperature (°C)	18.9	19.0				
Dissolved oxygen (mg/l)	9.3					
Conductivity (μ S/cm)	98	80				
рН	7.4	7.6				
Turbidity (ntu.)	0.21					
Dissolved organic carbon (mg/l)	3.70					
Organic Carbon (mg/l)				9.9		
Carbon (mg/1)				20.3		
Moisture (%)				1.46		
Dissolved nitrogen (mg/l)	0.10					
Total nitrogen (mg/l)	0.18					
Total phosphorous (mg/l)	0.002	0.002				
Silica (mg/l)	8.70					
Iron (mg/l)	0.038	0.028				
Copper (mg/1)	<0.001	L <0.001		18.2 *		
Lead (mg/l)	<0.002	2 <0.002		<2.0 *		
Zinc (mg/l)	0.164	0.022		126.0 *		
Cadmium (mg/l)	<0.001	<0.001		0.20 *		
Arsenic (mg/l)	<0.002	2 <0.002				
Mercury (mg/l)				0.04 *		
Fenitrothion (mg/l)				<0.005		

^{* -} sediment analysis expressed as $\mu\text{g/g}$ dry weight

FIG. 2.3 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 2.
LOWER MCNAIR BROOK, AUGUST 10,1984



WATER CHEMISTRY SAMPLING STATION SEDIMENT SAMPLING STATION



RIFFLE AREA POOL BARRIER GRAVEL




Table 2.2 Water and sediment analyses, Site 2, Lower McNair Brook, August 10, 1984.

Parameter	Water Sample No.	Sediment
	1 2	31
Temperature (°C)	16.7 14.10	
Dissolved oxygen (mg/l)	9.1 8.7	
Conductivity (µS/cm)	64 56	
рН	7.0 6.7	
Turbidity (ntu.)	0.16	-
Dissolved organic carbon (ppm)		
Organic carbon (mg/l)		233.2
Carbon (mg/l)		342.9
Moisture (%)		21.12
Dissolved nitrogen (mg/l)		
Total nitrogen (mg/l)		
Total phosphorous (mg/l)	0.008	
Silica (mg/l)		
Iron (mg/l)	0.070 0.068	
Copper (mg/l)	<0.001 <0.001	7.4 *
Lead (mg/l)	<0.002 <0.002	<2.0 *
Zinc (mg/l)	0.104 0.067	75.7 *
Cadmium (mg/l)	<0.001 <0.001	0.3 *
Arsenic (mg/l)	<0.002 <0.002	
Mercury (mg/l)		0.04 *
Fenitrothion (mg/l)		<0.005

^{* -} sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.4 LOCATION OF CHEMISTRY SAMPLING STATIONS. SITE 3.
BIG HOLE BROOK. AUGUST 11.1984







777777777

WATER CHEMISTRY SAMPLING STATION SEDIMENT SAMPLING STATION



GRAVEL

RIFFLE AREA





Table 2.3 Water and sediment analyses, Site 3, Big Hole Brook, August 11, 1984.

Parameter	Water Sample No.	Sediment
	1 2 3	1
Temperature (°C)	20.0 20.0	
Dissolved oxygen (mg/l)	8.2 8.7	
Conductivity (µS/cm)	83 67	
рН	7.1 7.3	
Turbidity (ntu.)	0.06	
Dissolved organic carbon (mg/l)	4.8	
Organic carbon (mg/l)		58.6
Carbon (mg/l)		203.4
Moisture (%)		22.63
Dissolved nitrogen (mg/l)	0.02	
Total nitrogen (mg/l)	0.11	
Total phosphorous (mg/l)	0.006	
Silica (mg/l)	9.0	
Iron (mg/l)	0.044 0.044	
Copper (mg/l)	<0.001 <0.001	9.3 *
Lead (mg/l)	<0.002 <0.002	<2.0 *
Zinc (mg/l)	0.017 0.025	83.6 *
Cadmium (mg/l)	<0.001 <0.001	0.4 *
Arsenic (mg/l)	0.002 < 0.002	
Mercury (mg/l)	<0.025 *	
Fenitrothion (mg/l)	<0.005 *	


^{* -} sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.5 LOCATION OF CHEMISTRY SAMPLING STATIONS. SITE 5. ANTINOURI LAKE, AUGUST 12.1984



LEGEND

WATER CHEMISTRY SAMPLING STATION POOL







Table 2.4 Water and sediment analyses, Site 5, Antinouri Lake, August 18, 1984.

Parameter	Water Sample No.			Sediment
	1	2	3	1
Temperature (°C)	22.4	22.5	21.7	
Dissolved oxygen (mg/l)	7.8	7.8	7.9	
Conductivity (µS/cm)	23	23	22	
рН	6.1	5.9	5.9	
Turbidity (ntu.)		0.31		
Dissolved organic carbon (mg/l)	4.4			
Organic carbon (mg/l)				
Carbon (mg/l)				
Dissolved nitrogen (mg/l)	0.04			
Total nitrogen (mg/l)	0.13			
Total phosphorus	0.008	3		
Silica (mg/l)	9.3			
Iron (mg/l)	0.022	0.022	2	
Copper (mg/l)	<0.001	L <0.001	1	
Lead (mg/l)	<0.002	2 <0.002	2	
Zinc (mg/l)	0.040	0.01	7	
Cadmium (mg/l)	<0.001	L <0.001	1	
Arsenic (mg/l)	0.002	2 <0.002	2	
Mercury (mg/l)				

Fenitrothion (mg/l)

FIG. 2.6 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 6. ROCKY BROOK, AUGUST 14,1984



LEGEND

GRAVEL

SEDIMENT SAMPLING STATION RIFFLE AREA POOL BARRIER


SCALE (APPROX.)
TOPOGRAPHIC MAP 21-0/9 WATER CHEMISTRY SAMPLING STATION MILITARY GRID 986 885

Table 2.5 Water and sediment analyses, Site 6, Rocky Brook, August 14 , 1984 .

Parameter	Water Sample No.			Sediment		
	1	2	3	1		
Temperature (°C)	17.6					
Dissolved oxygen (mg/l)	9.1					
Conductivity (μ S/cm)	58					
рН	6.9					
Turbidity (ntu.)						
Dissolved Organic Carbon (mg/l)	2.8					
Organic carbon (g/kg)						
Carbon (g/kg)						
Moisture (%)						
Dissolved nitrogen (mg/l)	<0.01					
Total nitrogen (mg/l)	0.10					
Total phosphorous (mg/l)	0.010					
Silica (mg/l)	1.4					
Iron (mg/l)	0.224	0.232				
Copper (mg/l)	<0.001	<0.001				
Lead (mg/l)	<0.002	<0.002				
Zinc (mg/l)	0.054	0.023				
Cadmium (mg/l)	<0.001	<0.001				
Arsenic (mg/l)	<0.002	<0.002				
Mercury (mg/l)						

Fenitrothion

FIG. 2.7 LOCATION OF CHEMISTRY SAMPLING STATIONS. SITE 7. UPPER MCNAIR BROOK, AUGUST 14.1984



LEGEND

BARRIER GRAVEL

WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION
RIFFLE AREA
POOL







Table 2.6 Water and sediment analyses,
Site 7, Upper McNair Brook, August 14 , 1984

Parameter		Water Sample No.		
_	1	2	3	1
Temperature (°C)	18.8			
Dissolved oxygen (mg/l)	8.0			
Conductivity (µS/cm)	61			
рН	6.8			
Turbidity (ntu.)				
Dissolved organic carbon (ppm)				
Organic carbon (mg/l)				
Carbon (mg/l)				
Moisture (%)				
Dissolved nitrogen (mg/l)				
Total nitrogen (mg/l)				
Total phosphorous (mg/l)				
Silica (mg/l)				
Iron (mg/l)				
Copper (mg/l)				
Lead (mg/l)				
Zinc (mg/l)				
Cadmium (mg/l)				
Arsenic (mg/l)				
Mercury (mg/l)				
Fenitrothion (mg/l)				

FIG. 2.8 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 8.

LOWER SOUTH BRANCH JACQUET RIVER, AUGUST 18,1984



WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION
DIET E APEA

RIFFLE AREA
POOL

XXXXXX BARRIER
GRAVEL





Table 2.7 Water and sediment analyses,
Site 8, Lower South Branch, Jacquet River, August 18, 1984.

Parameter	Water Sample No.				Sediment		
	1	2	3		1		
Temperature (°C)	4.4						
Dissolved oxygen (mg/l)	9.1						
Conductivity (µS/cm)	71						
рН	6.8						
Turbidity (ntu.)	3.25	3.0					
Dissolved organic carbon (mg/l)	11.0						
Organic carbon (mg/l)					81.7		
Carbon (mg/l)	106.2						
Moisture (%)	26.73						
Dissolved nitrogen (mg/l)	0.21						
Total nitrogen (mg/l)	0.38						
Total phosphorous (mg/l)	0.015						
Silica (mg/l)	5.6						
Iron (mg/l)	0.324	0.304					
Copper (mg/l)	<0.001	<0.001			10.3	*	
Lead (mg/l)	<0.002	<0.002	<2.0	*			
Zinc (mg/l)	0.027	0.026	98.0	*			
Cadmium (mg/l)	<0.001	<0.001	0.20	*			
Arsenic (mg/l)	0.002	<0.002					
Mercury (mg/l)	<0.025	*					
Fenitrothion (mg/l)	<0.005	*					

 $[\]star$ - sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.9 LOCATION OF CHEMISTRY SAMPLING STATIONS. SITE 9. BIG HOLE BROOK, AUGUST 17.1984





WATER CHEMISTRY SAMPLING STATION SEDIMENT SAMPLING STATION RIFFLE AREA



POOL BARRIER GRAVEL




Table 2.8 Water and sediment analyses,
Site 9, Big Hole Brook, August 16, 1984

Parameter	Sar	Sediment		
	1	2	3	1
Temperature (°C)	18.4	17.7	17.9	
Dissolved oxygen (mg/l)	9.3	9.6	9.3	
Conductivity (µS/cm)	90	94	93	
рН	7.4	7.4	7.4	
Turbidity (ntu.)	0.1			
Dissolved organic carbon (mg/l)	4.4			
Organic carbon (mg/l)	21.0			
Carbon (mg/l)	46.4			
Moisture (%)	2.67			
Dissolved nitrogen (mg/l)	0.09			
Total nitrogen (mg/l)	0.17			
Total phosphorous (mg/l)	0.00	5		
Silica (mg/l)	8.20			
Iron (mg/l)	0.052	2 0.040	ı	
Copper (mg/l)	0.002	2 <0.001	17.1	*
Lead (mg/l)	<0.002	2 <0.002	<2.0	*
Zinc (mg/l)	0.215	5 0.032	118.0	*
Cadmium (mg/l)	<0.00	1 <0.001	0.2	*
Arsenic (mg/l)	<0.002	2 <0.002		
Mercury (mg/l)	0.04	*		
Fenitrothion (mg/l)	<0.005	5 *		

^{* -} sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.10 LOCATION OF CHEMISTRY SAMPLING STATIONS. SITE 10.
TONGUE LAKE BROOK, AUGUST 19,1984



water chemistry sampling station
sediment sampling station



RIFFLE AREA POOL BARRIER GRAVEL





Table 2.9 Water and sediment analyses,
Site 10, Tongue Lake Brook, August 19, 1984

Parameter .	Water Sample No.	Sediment
	1 2 3	1
Temperature (°C)	13.8	
Dissolved oxygen (mg/l)	8.5	
Conductivity (µS/cm)	88	
Н	6.6	
Turbidity (ntu.)	8.5	
Dissolved organic carbon (mg/l)	9.5	
Organic carbon (mg/l)	219.9	
Carbon (mg/l)	305.5	
Moisture (%)	26.92	
Dissolved nitrogen (mg/l)	0.11	
Total nitrogen (mg/l)	0.27	
Total phosphorous (mg/l)	0.014	
Silica (mg/l)	9.2	
Iron (mg/l)	0.128 0.132	
Copper (mg/l)	<0.001 <0.001 16.8	30 *
Lead (mg/l)	<0.002 <0.002 <2.0	0 *
Zinc (mg/l)	0.032 0.036 104.0	0 *
Cadmium (mg/l)	<0.001 <0.001 0.:	1 *
Arsenic (mg/l)	0.002 0.002	
Mercury (mg/l)	<0.025 *	
Fenitrothion (mg/l)	<0.005 *	

^{* -} sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.11 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 11, HEAD LAKE, AUGUST 21,1984



BARRIER GRAVEL

WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION
RIFFLE AREA
POOL







Table 2.10 Water and sediment analyses, Site 11, Head Lake, August 21, 1984.

Parameter	Water Sample No.		Sediment
	1 2	3	1
Temperature (°C)	17.8 18.5		
Dissolved oxygen (mg/l)	7.6 7.9		
Conductivity (µS/cm)	83 90		
рН	6.7 6.7		
Turbidity (ntu.)	1.4		
Dissolved organic carbon (mg/l)	4.4		
Organic carbon (mg/l)	124.9		
Carbon (mg/l)	164.1		
Moisture (%)	25.06		
Dissolved nitrogen (mg/l)	0.02		
Total nitrogen (mg/l)	0.15		
Total phosphorous (mg/l)	0.068		
Silica (mg/l)	11.0		
Iron (mg/l)	0.066 0.112		
Copper (mg/l)	<0.001 <0.001	23.8	*
Lead (mg/l)	<0.002 <0.002	<2.0	*
Zinc (mg/l)	0.030 0.022	110.0	*
Cadmium (mg/l)	<0.001 <0.001	0.2	*
Arsenic (mg/l)	<0.002 <0.002		
Mercury (mg/l)	0.03 *		
Fenitrothion (mg/l)	<0.005 *		

^{* -} sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.12 LOCATION OF CHEMISTRY SAMPLING STATIONS. SITE 12.

LOWER SOUTH BRANCH JACQUET RIVER, AUGUST 22,1984





WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION

RIFFLE AREA POOL

CXXXX BARRIER
CRAVEL


	0	10	20 m	n
SCALE		1		(APPROX.)
TOPOGRA	PHIC	MAF	_	21-0/16
MILITARY	GRID		179	989

Table 2.11 Water and sediment analyses,
Site 12, Lower South Branch, Jacquet River, August 22, 1984.

Parameter	Water Sample No.	Sediment
	1 2 3	1
Temperature (°C)	16.6	
Dissolved oxygen (mg/l)	9.3	
Conductivity (µS/cm)	131	
рн	7.5	
Turbidity (ntu.)		
Dissolved organic carbon (mg/l)	1.6	
Organic carbon (mg/l)	28.9	
Carbon (mg/l)	54.0	
Moisture (%)	1.66	
Dissolved nitrogen (mg/l)	0.19	
Total nitrogen (mg/l)	0.16	
Total phosphorous (mg/l)	0.005	
Silica (mg/l)	5.8	
Iron (mg/l)	0.008 0.008	
Copper (mg/1)	<0.001 <0.001 23.7	*
Lead (mg/l)	<0.002 <0.002 <2.0	*
Zinc (mg/l)	0.020 0.022 95.7	*
Cadmium (mg/l)	<0.001 <0.001 0.2	*
Arsenic (mg/l)	0.002 0.002	
Mercury (mg/l)	0.09 *	
Fenitrothion (mg/l)	<0.005 *	

^{* -} sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.13 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 13, JPPER MCNAIR BROOK, AUGUST 23.1984





POOL


BARRIER **GRAVEL**

Table 2.12 Water and sediment analyses,
Site 13, Upper McNair Brook, August 23, 1984.

Parameter	Water Sample No.	Sediment
	1 2 3	1
Temperature (°C)	11.8	
Dissolved oxygen (mg/l)	10.4	
Conductivity (µS/cm)	106	
рн 7.3		
Turbidity (ntu.)		
Dissolved organic carbon (mg/l)	2.2	
Organic carbon (mg/l)	11.0	
Carbon (mg/l)	59.6	
Moisture (%)	3.39	
Dissolved nitrogen (mg/l)	0.13	
Total nitrogen (mg/l)	0.16	
Total phosphorous (mg/l)	0.004	
Silica (mg/l)	9.0	
Iron (mg/l)	0.018 0.016	
Copper (mg/l)	<0.001 <0.001 19.	0 *
Lead (mg/l)	<0.002 <0.002 18.	6 *
Zinc (mg/l)	0.027 0.021 224.	0 *
Cadmium (mg/l)	<0.001 <0.001 0.	4 *
Arsenic (mg/l)	<0.002 0.002	
Mercury (mg/l)	0.05 *	
Fenitrothion (mg/l)	<0.005 *	

^{* -} sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.14 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 14. JACQUET RIVER, AUGUST 23,1984



LEGEND

WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION
RIFFLE AREA



RIFFLE AREA POOL BARRIER GRAVEL





Table 2.13 Water and sediment analyses, Site 14, Jacquet River, August 23, 1984.

Parameter	Water Sample No.	Sediment	
	1 2 3	1	
Temperature (°C)	13.2 12.2		
Dissolved oxygen (mg/l)	9.8 10.1		
Conductivity (µS/cm)	89 104		
рн	7.2 7.3		
Turbidity (ntu.)			
Dissolved organic carbon (mg/l)	3.8		
Organic carbon (mg/l)	21.3		
Carbon (mg/l)	42.7		
Moisture (mg/l)	2.34		
Dissolved nitrogen (mg/l)	0.11		
Total nitrogen (mg/l)	0.16		
Total phosphorous (mg/l)	0.005		
Silica (mg/l)	9.2		
Iron (mg/l)	0.036 0.034		
Copper (mg/l)	0.001 0.001 14.8	*	
Lead (mg/l)	0.002 0.002 2.0	*	
Zinc (mg/l)	0.022 0.021 113.0	*	
Cadmium (mg/l)	0.001 0.001 0.2	*	
Arsenic (mg/l)	0.002 0.002		
Mercury (mg/l)	0.04 *		
Fenitrothion (mg/l)	0.005 *		

^{* -} sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.15 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 15, JACQUET RIVER, AUGUST 25,1984



GRAVEL

WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION
RIFFLE AREA
POOL
BARRIER





Table 2.14 Water and sediment analyses, Site 15, Jacquet River, August 25, 1984.

Parameter	Water Sample No.	Sediment
	1 2	31
Temperature (°C)	13.5 13.4	
Dissolved oxygen (mg/l)	9.6 9.6	
Conductivity (µS/cm)	90 90	
Н	7.3 7.2	
Turbidity (ntu.)	0.3	
Dissolved organic carbon (mg/l)	3.4	
Organic carbon (mg/l)	105.0	
Carbon (g/kg)	194.7	
Moisture (%)	10.49	
Dissolved nitrogen (mg/l)	<0.01	
Total nitrogen (mg/l)	0.1	
Total phosphorous (mg/l)	0.015	
Silica (mg/l)	12.0	
Iron (mg/l)		
Copper (mg/l)	17.8 *	
Lead (mg/l)	<2.0 *	
Zinc (mg/l)	71.6 *	
Cadmium (mg/l)	0.2 *	
Arsenic (mg/l)		
Mercury (mg/l)	0.05 *	
Fenitrothion (mg/l)	<0.005 *	

^{* -} sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.16 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 16, JACQUET RIVER, AUGUST 26,1984



LEGEND

WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION

RIFFLE AREA POOL BARRIER

GRAVEL


SCALE 20 40 m (APPROX.)
TOPOGRAPHIC MAP 21-0/16
MILITARY GRID 226 057

Table 2.15 Water and sediment analyses, Site 16, Jacquet River, August 26, 1984.

Parameter	Water Sample No.	Sediment
	2 3	1
Temperature (°C)	15.2	
Dissolved oxygen (mg/l)	10.2	
Conductivity (µS/cm)	102	
рН	7.4	
Turbidity (ntu.)		
Dissolved organic carbon (mg/l)	2.9	
Organic carbon (mg/l)	22.6	
Carbon (mg/l)	59.8	
Moisture (%)	0.93	
Dissolved nitrogen (mg/l)	0.10	
Total nitrogen (mg/l)	0.15	
Total phosphorous (mg/l)	0.001	
Silica (mg/l)	7.5	
Iron (mg/l)	0.024 0.024	
Copper (mg/l)	<0.001 <0.001 18.2	*
Lead (mg/l)	0.002 0.003 <2.0	*
Zinc (mg/l)	0.029 0.024 128.0	*
Cadmium (mg/l)	<0.001 <0.001 0.1	*
Arsenic (mg/l)	<0.002 0.002	
Mercury (mg/l)	0.05 *	
Fenitrothion (mg/l)	<0.005 *	

^{* -} sediment analysis expressed as $\mu \text{g/g}$ dry weight

FIG. 2.17 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 17, JACQUET RIVER, AUGUST 27,1984



WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION
RIFFLE AREA



POOL
BARRIER
GRAVEL


SCALE (APPROX.)
TOPOGRAPHIC MAP 21-0/16
MILITARY GRID 153 951

Table 2.16 Water and sediment analyses, Site 17, Jacquet River, August 27, 1984.

Parameter	Water Sample No.	Sediment	
	1 2 3	1	
Temperature (°C)	14.9		
Dissolved oxygen (mg/l)	9.8		
Conductivity (µS/cm)	97		
рН	7.5		
Turbidity (ntu.)			
Dissolved organic carbon (mg/l)	2.6		
Organic carbon (mg/l)	24.9		
Carbon (mg/l)	47.6		
Moisture (%)	1.54		
Dissolved nitrogen (mg/l)	0.10		
Total nitrogen (mg/l)	0.17		
Total phosphorous (mg/l)	0.007		
Silica (mg/l)	8.3		
Iron (mg/l)	0.018 0.016		
Copper (mg/l)	<0.001 <0.001 16.7	*	
Lead (mg/l)	0.002 0.003 <2.0	*	
Zinc (mg/l)	0.022 0.023 136.0	*	
Cadmium (mg/l)	<0.001 <0.001 0.2	*	
Arsenic (mg/l)	<0.002 <0.002		
Mercury (mg/l)	0.03 *		
Fenitrothion (mg/l)	<0.005 *		

 $[\]star$ - sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.18 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 18, UPPER SOUTH BRANCH JACQUET RIVER, AUGUST 28,1984



WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION



RIFFLE AREA POOL BARRIER GRAVEL




Table 2.17 Water and sediment analyses,
Site 18, Upper South Branch, Jacquet River, August 28, 1984.

Parameter	Water Sample No.			Sediment	
	1	2	3	_ 1	
Temperature (°C)	13.2	12.8	13.0		
Dissolved oxygen (mg/l)	9.1	9.9	10.0		
Conductivity (µS/cm)	89	92	95		
рн	6.8	7.1	7.0		
Turbidity (ntu.)					
Dissolved organic carbon (mg/l)	3.1				
Organic carbon (mg/l)	27.0				
Carbon (mg/l)	46.2				
Moisture (%)	2.90				
Dissolved nitrogen (mg/l)	0.08				
Total nitrogen (mg/l)	0.14				
Total phosphorous (mg/l)	0.005	5			
Silica (mg/l)	5.6				
Iron (mg/l)	0.008	0.008	3		
Copper (mg/l)	<0.001	L <0.00	19.5	*	
Lead (mg/l)	0.002	0.00	3 <2.0	*	
Zinc (mg/l)	0.023	0.022	2 89.7	*	
Cadmium (mg/l)	<0.001	<0.00	0.1	*	
Arsenic (mg/l)	0.002	0.002	2		
Mercury (mg/l)	0.05	*			
Fenitrothion (mg/l)	<0.005	5 *			

 $[\]star$ - sediment analysis expressed as $\mu g/g$ dry weight

FIG. 2.19 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 19, LOWER MCNAIR BROOK, AUGUST 28,1984



WATER CHEMISTRY SAMPLING STATION SEDIMENT SAMPLING STATION RIFFLE AREA



POOL BARRIER GRAVEL





Table 2.18 Water and sediment analyses,
Site 19, Lower McNair Brook, August 28, 1984.

Parameter	Water Sample No.			Sediment
	11	2	3	1
Temperature (°C)	14.8	16.1	15.9	
Dissolved oxygen (mg/l)	9.7	10.0	8.8	
Conductivity (µS/cm)	91	97	95	
рН	7.5	7.4	7.5	
Turbidity (ntu.)				
Dissolved organic carbon (mg/l)	2.3			
Organic carbon (mg/1)	33.4			
Carbon (mg/l)	74.7			
Moisture (%)	3.83			
Dissolved nitrogen (mg/l)	0.09			
Total nitrogen (mg/l)	0.14			
Total phosphorous (mg/l)	0.00	6		
Silica (mg/l)	9.1			
Iron (mg/l)	0.01	2 0.014	1	
Copper (mg/1)	<0.00	1 <0.001	17.8	*
Lead (mg/l)	0.00	3 0.004	4 <2.0	*
Zinc (mg/l)	0.02	2 0.02	125.0	*
Cadmium (mg/l)	<0.00	1 <0.001	0.2	*
Arsenic (mg/1)	<0.002	2 0.002	2	
Mercury (mg/l)	0.08	*		
Fenitrothion (mg/l)	<0.00	5 *		

^{* -} sediment analysis expressed as $\mu\text{g/g}$ dry weight

FIG. 2.20 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 20. CARL GULCH, AUGUST 29,1984



WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION



RIFFLE AREA POOL BARRIER GRAVEL





Table 2.19 Water and sediment analyses, Site 20, Carl Gulch, August 29, 1984.

Parameter		Water Sample No.		Sediment
	11	2	3	1
Temperature (°C)	18.7			
Dissolved oxygen (mg/l)	7.6			
Conductivity (µS/cm)	60			
рн	6.4			
Turbidity (ntu.)				
Dissolved organic carbon (mg/l)	12.0			
Organic carbon (mg/l)				
Carbon (mg/l)				
Moisture (%)				
Dissolved nitrogen (mg/l)	0.11			
Total nitrogen (mg/l)	0.31			
Total phosphorous (mg/l)	0.012			
Silica (mg/l)	6.3			
Iron (mg/l)				
Copper (mg/l)				
Lead (mg/l)				
Zinc (mg/l)				
Cadmium (mg/l)				
Arsenic (mg/l)				
Mercury (mg/l)				
Fenitrothion (mg/l)				

FIG. 2.21 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 21, UNNAMED TRIBUTARY TO UPPER SOUTH BRANCH JACQUET FIVER, AUGUST 29,1984



BARRIER GRAVEL

WATER CHEMISTRY SAMPLING STATION
SEDIMENT SAMPLING STATION
RIFFLE AREA
POOL







Table 2.20 Water and sediment analyses, Site 21, Unnamed Tributary to Upper South Branch Jacquet River, August 29, 1984.

Parameter	Water Sample No.			Sediment	
	_1	2	3	1	
Temperature (°C)	19.7				
Dissolved oxygen (mg/l)	9.1				
Conductivity (μ S/cm)	71				
рН	7.3				
Turbidity (ntu.)					
Dissolved organic carbon (mg/l)	5.1				
Organic carbon (mg/l)					
Carbon (mg/1)					
Moisture (%)					
Dissolved nitrogen (mg/l)	0.04				
Total nitrogen (mg/l)	0.14				
Total phosphorous (mg/l)	0.008				
Silica (mg/l)	5.4				
Iron (mg/l)					
Copper (mg/l)					
Lead (mg/l)					
Zinc (mg/l)					
Cadmium (mg/l)					
Arsenic (mg/l)					
Mercury (mg/1)					
Fenitrothion (mg/l)					

FIG. 2.22 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 22, UNNAMED TRIBUTARY TO UPPER SOUTH BRANCH JACQUET RIVER, AUGUST 29,1984



GRAVEL

WATER CHEMISTRY SAMPLING STATION



SEDIMENT SAMPLING STATION RIFFLE AREA POOL BARRIER





Table 2.21 Water and sediment analyses,
Site 22, Unnamed Tributary to Upper South Branch Jacquet River,
August 29, 1984.


Parameter	Water Sample No.			Sediment	
	1	2	3	1	
Temperature (°C)	19.1				
Dissolved oxygen (mg/l)	8.6				
Conductivity (µS/cm)	83				
рН	7.1				
Turbidity (ntu.)					
Dissolved organic carbon (mg/l)	4.30				
Organic carbon (mg/l)					
Carbon (mg/l)					
Moisture (%)					
Dissolved nitrogen (mg/l)	0.03				
Total nitrogen (mg/l)	0.12				
Total phosphorous (mg/l)	0.006				
Silica (mg/l)	5.2				
Iron (mg/l)					
Copper (mg/l)					
Lead (mg/l)					
Zinc (mg/l)					
Cadmium (mg/l)					
Arsenic (mg/l)					
Mercury (mg/l)					
Fenitrothion (mg/l)					


FIG. 2.23 LOCATION OF CHEMISTRY SAMPLING STATIONS, SITE 24. JACQUET RIVER, AUGUST 30,1984













POOL BARRIER GRAVEL

Table 2.22 Water and sediment analyses, Site 24, Estuary, August 24, 1984.

Parameter		Water mple No.	Sediment	
	1	2	3	1
Temperature (°C)				
Dissolved oxygen (mg/l)				
Conductivity (μ S/cm)				
рн				
Turbidity (ntu.)				
Dissolved organic carbon (mg/l)				
Organic Carbon (g/kg)	53.0			
Carbon (mg/l)		87.1		
Moisture (%)		6.33		
Dissolved nitrogen (mg/l)				
Total nitrogen (mg/l)				
Total phosphorous (mg/l)				
Silica (mg/l)				
Iron (mg/l)				
Copper (mg/l)	15.9	*		
Lead (mg/l)	<2.0	*		
Zinc (mg/l)	99.3	*		
Cadmium (mg/l)	0.2	*		
Arsenic (mg/l)				
Mercury (mg/l)				0.05 *
Fenitrothion (mg/l)	<0.00	5 *		

^{* -} sediment analysis expressed as $\mu g/g$ dry weight

		,
		٤
		,
		,