

DFO - Library / MPO - Bibliothèque



08001147

Scientific Excellence • Resource Protection & Conservation • Benefits for Canadians
Excellence scientifique • Protection et conservation des ressources • Bénéfices aux Canadiens

Water Temperature at Selected Sites in the Fraser River Basin During the Summers of 1993 and 1994

R. Lauzier, T. J. Brown, I. V. Williams, and L. C. Walther

Department of Fisheries and Oceans
Science Branch, Pacific Region
West Vancouver Laboratory
4160 Marine Drive
West Vancouver, British Columbia V7V 1N6



1995

Canadian Data Report of Fisheries and Aquatic
Sciences 956



Fisheries
and Oceans

Pêches
et Océans

Canada

Canadian Data Report of Fisheries and Aquatic Sciences

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport statistique canadien des sciences halieutiques et aquatiques

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of
Fisheries and Aquatic Sciences 956

1995

WATER TEMPERATURE AT SELECTED SITES IN THE
FRASER RIVER BASIN DURING THE SUMMERS OF 1993 AND 1994

by

R. Lauzier, T. J. Brown¹, I. V. Williams¹, and L. C. Walther²

Department of Fisheries and Oceans
Science Branch, Pacific Region
West Vancouver Laboratory
4160 Marine Drive
West Vancouver, British Columbia V7V 1N6

¹Department of Fisheries and Oceans
Science Branch, Pacific Region
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

²StreamLine Research
184 Black Powder Trail
Nanaimo, British Columbia V9S 5G9

© Minister of Supply and Services Canada 1995
Cat. No. Fs 97-13/956E ISSN 0706-6465

Correct citation for this publication:

Lauzier, R., T. J. Brown, I. V. Williams, and L. C. Walther. 1995. Water temperature at selected sites in the Fraser River basin during the summers of 1993 and 1994. Can. Data Rep. Fish. Aquat. Sci. 956: 86 p.

ABSTRACT

Lauzier, R., T. J. Brown, I. V. Williams, and L. C. Walther. 1995. Water temperature at selected sites in the Fraser River basin during the summers of 1993 and 1994. Can. Data Rep. Fish. Aquat. Sci. 956: 86 p.

Electronic temperature stations were installed and maintained in the Fraser River basin during the summers of 1993 and 1994. Hourly mean temperatures were recorded at 22 sites in 1993 and at 34 sites in 1994. The recorded temperatures were adjusted with a calibration factor for each site. Cross-stream temperature profiles were conducted to ensure representative water temperatures were recorded.

The daily maximum, minimum, and mean water temperatures for each site are presented.

RÉSUMÉ

Lauzier, R., T. J. Brown, I. V. Williams, and L. C. Walther. 1995. Water temperature at selected sites in the Fraser River basin during the summers of 1993 and 1994. Can. Data Rep. Fish. Aquat. Sci. 956: 86 p.

Des stations thermométriques ont été installées et entretenues dans le bassin du fleuve Fraser pendant les étés de 1993 et 1994. Les températures horaires moyennes ont été enregistrées en 22 emplacements en 1993 et 34 emplacements en 1994. Les températures enregistrées ont été corrigées d'un facteur d'étalonnage pour chaque emplacement. Des profils transverseaux de températures de l'eau dans des cours d'eau ont été relevés afin de s'assurer que des températures de l'eau représentatives étaient enregistrées.

Les températures maximales, minimales et moyennes pour chaque jour et chaque emplacement sont présentées.

INTRODUCTION

The productivity of fish stocks in British Columbia is directly linked to water temperature. Temperature determines distribution, growth, and energetics of all salmon species. The temperature of the Fraser River watershed has come under scrutiny in major investigations such as the Pearse/Larkin report, which investigated discrepancies between escapement estimates of sockeye salmon (*Oncorhynchus nerka*) past Mission B.C., and spawning ground estimates approximately 1000 km upstream. Temperature induced stress was identified as a contributing factor to pre-spawning mortalities (Pearse and Larkin 1992).

The Biological Sciences Branch, with Fraser River Action Plan funding, implemented a water temperature monitoring program throughout the Fraser watershed. Average water temperatures were calculated hourly and recorded at 22 sites in 1993 and at 34 sites in 1994 in the Fraser River watershed between late June/early July and late October. There data were summarized into daily maximum, minimum, and mean temperatures.

MATERIALS AND METHODS

Sample sites were selected in order to assess the effect of tributary input into the Fraser River. These tributaries included the Thompson, North Thompson, South Thompson, Nicola, Bridge, Chilcotin, Quesnel, West Road (Blackwater), and Nechako Rivers and Siska Creek. Temperatures were monitored within these tributaries, as well as upstream and downstream of the confluence where complete mixing had occurred. A few strategic sites (Hell's Gate, FR200; lower Stuart River, SR26; and upper Stuart River, SR51) were added where temperature was thought to be a critical factor for migrating spawners.

Fraser River mainstem sites were identified by the initials FR followed by the number of kilometers upstream from Steveston (Table 1). Tributary sites were identified by the initials applicable to the specific tributary, followed by the number of kilometers upstream from the confluence, or in the case of the Thompson River tributaries, the number of kilometers upstream of the confluence with the Thompson (Table 2,3). Detailed site descriptions are in Appendix 1. Site locations throughout the Fraser watershed are shown in Figure 1.

Unidata data loggers (Models 6003 or 6004-2) were used throughout this study, with the exception of the Stuart River sites, where an Omnidata logger was used. The data loggers were placed in lockable aluminum boxes, in an attempt to provide protection and reduce vandalism.

The data loggers were configured with two water temperature probes (Unidata Model 6507A Red), and in some cases one air temperature probe. Each thermistor was checked for stability prior to installation. The 100 foot leads used for water temperature measurement were threaded through 1/2 inch inside diameter flexible conduit. The exposed ends of the thermistors were securely taped to the end of the conduit, and the other end was then secured to the aluminum box. The water temperature probes were placed 4 to 8 meters from shore, depending on the slope, in moving water. The air temperature thermistor was suspended in a shaded area. A detailed description of assembling the Starlogger components is given elsewhere (Unidata 1993, 1992a, 1992b, 1992c, 1989).

The data loggers were programmed (Starlogger Version 2.024) to log the average temperature every hour, with a scan rate of 5 seconds. A complete detailed description of the programming details is given elsewhere (Streamline Research 1994). Following installation a temperature reading was taken with a hand-held calibrated thermometer next to the probes to calibrate the thermistors. The aluminum box and conduit were then concealed to prevent theft or vandalism.

The Omnidata (Easy Logger Model) data logger was configured with four temperature probes, two dissolved oxygen probes and a depth probe. The probe leads were threaded through 3 inch inside diameter ABS irrigation pipe for protection. The protective pipe was then fitted with a rebar stake in the water, and the probes were suspended in the water column. The other end of the pipe was secured to the data logger weather-proof case. This data logger was also programmed to log all parameters every hour. A complete description of the assembly, programming and maintenance of the Omnidata data logging system is given elsewhere (Omnidata 1987).

Most sites were visited weekly to verify the data loggers were still functioning, and to ensure the proper position of the water temperature probes, which were moved if necessary, to accomodate the change in water levels. Temperatures were taken during the weekly visits with the hand-held calibrated thermometers. The date, time, service personnel, calibrated water temperature, water temperature value at each probe and battery voltage were recorded. At monthly intervals, the data was down loaded to a lap-top computer using Starlog software.

Table 1. Temperature recording stations in the Fraser River and tributaries.

SITE NAME	DATA LOGGER CODE	LONGITUDE	LATITUDE	YEAR SAMPLED
Hope	FR149	121.503	49.377	1994
Hells Gate	FR200	121.437	49.757	1993, 1994
Siska Creek	SIS	121.542	50.122	1994
Siska	FR245	121.581	50.141	1993, 1994
After Rafter	FR262	121.638	50.307	1993, 1994
Bridge River	BR1	122.010	50.789	1994
Sallus Creek	FR337	121.856	50.795	1993, 1994
Big Bar Ferry	FR390	122.156	51.182	1993, 1994
Chilcotin River	CR16	122.573	51.832	1993, 1994
Chilcotin Bridge	FR500	122.269	51.992	1993, 1994
Marguerite Ferry	FR550	122.455	52.522	1993, 1994
Quesnel River	QR1	122.491	52.975	1993, 1994
Quesnel Hospital	FR610	122.544	53.026	1994
Long Bar	FR617	122.746	53.177	1993
West Road River.	WRR22	123.147	53.292	1993, 1994
White's Landing	FR687	122.660	53.389	1993, 1994
Stoner	FR730	122.670	53.644	1993, 1994
CN Bridge	FR763	122.711	53.911	1993, 1994
Nechako River	NR3	122.790	53.922	1993, 1994
Shelley	FR784	122.612	54.018	1994
Middle Stuart R.	SR26	123.640	54.165	1993
Upper Stuart R.	SR51	124.239	54.329	1994

Table 2. Temperature recording stations in the Thompson River and tributaries.

SITE NAME	DATA LOGGER CODE	LONGITUDE	LATITUDE	YEAR SAMPLED
Gold Pan	TR24	121.400	50.350	1993, 1994
Savona	TR113	120.871	50.752	1994
Weyerhauser	TR163	120.415	50.678	1993, 1994
Halston Bridge	NTR3	120.351	50.720	1993, 1994
LaFarge	STR28	120.161	50.669	1994
Chase	STR70	119.717	50.790	1994
CN Freight Shed	NTR121	120.021	51.629	1994
Clearwater River	CWR2	120.059	51.666	1994

Table 3. Temperature recording stations in the Nicola River and tributaries.

SITE NAME	DATA LOGGER CODE	LONGITUDE	LATITUDE	YEAR SAMPLED
Lower Nicola River	NIR4	121.270	50.392	1994
Petit Creek Bridge	NIR48	121.054	50.162	1994
Sunshine Valley Rd	NIR56	120.960	50.138	1994
Coldwater River	COR4	120.778	50.081	1994
Nicola Dam	NIR96	120.639	50.168	1994
Upper Nicola River	NIR115	120.436	50.204	1994

The suitability of the thermistor probe position in the river to accurately record the temperature was tested with cross-stream temperature profiles. A river boat was used to drift across the river, at a similar velocity as the stream flow, to or from the position of the data logger. This ensured that the probe suspended from the boat was at the desired depth and prevented entrainment of air from the surface. A YSI Model 34 Conductivity/Temperature meter was used. The instrument was calibrated with a hand-held thermometer before and after each set of profiles. A down-rigger with a 5-kg cannon ball was used to keep the probe at the selected depths. Temperature was measured at 1, 5, 10, 15, and 20 feet if the site had sufficient depth. Data recorded included date, time, direction of travel, position on the river, temperature and depth. Cross-stream profiles conducted with the river boat at FR245 - Fraser River at Siska, FR262 - Fraser River above Thompson confluence, FR610 - Fraser River above Quesnel R. confluence, FR763 - Fraser River above Nechako confluence, NR3 - Nechako River at Prince George, TR24 - Thompson River at Gold Pan Prov. Park, TR113 - Thompson River at Savona, TR163 - Thompson River above Kamloops Lake. The use of cross-stream profiles also confirmed tributary mixing. The cross-stream profiles are shown in Tables 4 to 13.

Table 4. Fraser River at Long Bar Cross-stream Profile Site:FR617 Date:07/18/93 Time:10:30

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
2	14.5	1/4	Datalogger	East to West
2	14.5	1/3	Datalogger	East to West
2	14.5	2/3	Datalogger	East to West
2	14.5	3/4	Datalogger	East to West
7	14.5	1/4	Datalogger	West to East
7	14.5	1/3	Datalogger	West to East
7	14.5	2/3	Datalogger	West to East
7	14.5	3/4	Datalogger	West to East
12	14.5	1/4	Datalogger	East to West
12	14.5	1/3	Datalogger	East to West
12	14.5	2/3	Datalogger	East to West
12	14.5	3/4	Datalogger	East to West

Table 5. Fraser River at Stoner Cross-stream Profile Site:FR730 Date:07/18/93 Time:14:10

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
2	17.0	1/4	Datalogger	West to East
2	17.0	1/3	Datalogger	West to East
2	17.0	2/3	Datalogger	West to East
2	17.0	3/4	Datalogger	West to East
7	17.0	1/4	Datalogger	West to East
7	17.0	1/3	Datalogger	West to East
7	17.0	2/3	Datalogger	West to East
7	17.0	3/4	Datalogger	West to East
12	17.0	1/4	Datalogger	West to East
12	17.0	1/3	Datalogger	West to East
12	17.0	2/3	Datalogger	West to East
12	17.0	3/4	Datalogger	West to East

Table 6. Fraser River at After Rafter Cross-stream Profile Site:FR262 Date:09/06/93 Time:13:30

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
2	17.0	Canyon wall	Datalogger	West to East
2	17.0	1/4	Datalogger	West to East
2	17.0	1/2	Datalogger	West to East
2	17.0	3/4	Datalogger	West to East
5	17.0	Canyon Wall	Datalogger	West to East
5	17.0	1/4	Datalogger	West to East
5	17.0	1/2	Datalogger	West to East
5	17.0	3/4	Datalogger	West to East
10	17.0	Canyon Wall	Datalogger	West to East
10	17.0	1/4	Datalogger	West to East
10	17.0	1/2	Datalogger	West to East
10	17.0	3/4	Datalogger	West to East

Table 7. Fraser River at Siska Cross-stream Profile Site:FR245 Date:09/06/93 Time:16:00

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
5	18.5	Canyon Wall	Datalogger	West to East
5	18.5	1/4	Datalogger	West to East
5	18.5	1/2	Datalogger	West to East
5	18.5	3/4	Datalogger	West to East
10	18.5	Canyon Wall	Datalogger	West to East
10	18.5	1/4	Datalogger	West to East
10	18.5	1/2	Datalogger	West to East
10	18.5	3/4	Datalogger	West to East
15	17.0	Canyon Wall	Datalogger	West to East
15	17.0	1/4	Datalogger	West to East
15	17.0	1/2	Datalogger	West to East
15	17.0	3/4	Datalogger	West to East

Table 8. Nechako River Cross-stream Profile Site:NR3 Date:08/10/94 Time:15:30

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
2	19.5	1/4	Datalogger	North to South
2	19.5	1/3	Datalogger	North to South
2	19.5	2/3	Datalogger	North to South
2	19.5	3/4	Datalogger	North to South
5	19.5	1/4	Datalogger	North to South
5	19.5	1/3	Datalogger	North to South
5	19.5	2/3	Datalogger	North to South
5	19.5	3/4	Datalogger	North to South

Table 9. Fraser River at Prince George Cross-stream Profile Site:FR763 Date:08/10/94 Time:16:45

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
2	16.0	1/4	Datalogger	North to South
2	16.0	1/3	Datalogger	North to South
2	16.5	2/3	Datalogger	North to South
2	16.5	3/4	Datalogger	North to South
2	16.5	20 ft offshore	Datalogger	North to South
7	15.5	1/4	Datalogger	North to South
7	15.5	1/3	Datalogger	North to South
7	16.0	2/3	Datalogger	North to South
7	16.0	3/4	Datalogger	North to South
7	16.0	20 ft offshore	Datalogger	North to South

Table 10. Fraser River at Quesnel Hospital Cross-stream Profile Site:FR610 Date:08/11/94 Time:09:30

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
2	17.0	1/4	Datalogger	West to East
2	17.0	1/3	Datalogger	West to East
2	17.0	2/3	Datalogger	West to East
2	17.0	3/4	Datalogger	West to East
2	17.0	20 ft offshore	Datalogger	West to East
7	17.0	1/4	Datalogger	West to East
7	17.0	1/3	Datalogger	West to East
7	17.0	2/3	Datalogger	West to East
7	17.0	3/4	Datalogger	West to East
7	17.0	20 ft offshore	Datalogger	West to East

Table 11. Thompson River at Savona Cross-stream Profile Site:TR113 Date:08/11/94 Time:16:50

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
2	19.0	1/4	Datalogger	East to West
2	19.0	1/3	Datalogger	East to West
2	18.0	1/2	Datalogger	East to West
2	17.5	2/3	Datalogger	East to West
2	17.5	3/4	Datalogger	East to West
2	18.5	20 ft offshore	Datalogger	East to West
5	19.0	1/4	Datalogger	East to West
5	18.5	1/3	Datalogger	East to West
5	18.0	1/2	Datalogger	East to West
5	17.5	2/3	Datalogger	East to West
5	17.5	3/4	Datalogger	East to West
5	18.5	20 ft offshore	Datalogger	East to West


Table 12. Thompson River at Weyerhauser Cross-stream Profile Site:TR163 Date:08/12/94 Time:08:45

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
2	18.5	1/4	Datalogger	North to South
2	18.5	1/3	Datalogger	North to South
2	18.5	2/3	Datalogger	North to South
2	18.5	3/4	Datalogger	North to South
2	18.5	20 ft offshore	Datalogger	North to South
7	18.5	1/4	Datalogger	North to South
7	18.5	1/3	Datalogger	North to South
7	18.5	2/3	Datalogger	North to South
7	18.5	3/4	Datalogger	North to South
7	18.5	20 ft offshore	Datalogger	North to South

Table 13. Thompson River at Gold Pan Cross-stream Profile Site:TR24 Date:08/12/94 Time:12:15

Depth (ft)	Temp (°C)	Cross-Stream Position	Location	Drift Direction
2	18.5	10 ft offshore	Datalogger	North to South
2	18.5	1/4	Datalogger	North to South
2	18.5	1/3	Datalogger	North to South
2	18.5	1/2	Datalogger	North to South
2	18.5	2/3	Datalogger	North to South
2	18.5	3/4	Datalogger	North to South
7	18.5	10 ft offshore	Datalogger	North to South
7	18.5	1/4	Datalogger	North to South
7	18.5	1/3	Datalogger	North to South
7	18.5	1/2	Datalogger	North to South
7	18.5	2/3	Datalogger	North to South
7	18.5	3/4	Datalogger	North to South
12	18.5	10 ft offshore	Datalogger	North to South
12	18.5	1/4	Datalogger	North to South
12	18.5	1/3	Datalogger	North to South
12	18.5	1/2	Datalogger	North to South
12	18.5	2/3	Datalogger	North to South
12	18.5	3/4	Datalogger	North to South

Table 14. Maximum, minimum and mean daily water temperature at selected sites in the Fraser River basin during the summer of 1993.



SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
CR16	07/07/93	14.08	13.40	13.89
CR16	07/08/93	15.01	12.74	13.88
CR16	07/09/93	15.01	13.40	14.37
CR16	07/10/93	14.54	12.52	13.62
CR16	07/11/93	14.08	12.52	13.01
CR16	07/12/93	12.74	11.65	12.30
CR16	07/13/93	14.31	11.65	12.92
CR16	07/14/93	14.54	12.30	13.56
CR16	07/15/93	14.31	12.74	13.65
CR16	07/16/93	14.31	12.52	13.35
CR16	07/17/93	14.54	12.52	13.52
CR16	07/18/93	15.49	13.18	14.32
CR16	07/19/93	15.49	13.40	14.57
CR16	07/20/93	15.73	13.86	14.94
CR16	07/21/93	16.21	14.08	15.19
CR16	07/22/93	15.73	14.31	15.08
CR16	07/23/93	15.97	14.08	15.11
CR16	07/24/93	16.21	14.54	15.35
CR16	07/25/93	15.97	14.08	15.10
CR16	07/26/93	16.46	14.08	15.36
CR16	07/27/93	16.46	14.78	15.63
CR16	07/28/93	15.97	15.01	15.43
CR16	07/29/93	15.49	14.08	14.87
CR16	07/30/93	15.25	13.63	14.52
CR16	07/31/93	16.46	13.40	14.96
CR16	08/01/93	16.70	14.08	15.57
CR16	08/02/93	17.71	15.25	16.50
CR16	08/03/93	17.71	15.25	16.65
CR16	08/04/93	17.46	14.78	16.32
CR16	08/05/93	17.71	14.78	16.22
CR16	08/06/93	17.71	15.49	16.60
CR16	08/07/93	17.71	15.25	16.55
CR16	08/08/93	16.70	14.78	15.61
CR16	08/09/93	15.73	13.86	14.94
CR16	08/10/93	15.73	14.78	15.19
CR16	08/11/93	15.25	13.63	14.56
CR16	08/12/93	15.49	13.63	14.55
CR16	08/13/93	15.97	14.31	15.20
CR16	08/14/93	15.49	14.54	14.94
CR16	08/15/93	16.21	14.08	15.06
CR16	08/16/93	16.46	14.31	15.41
CR16	08/17/93	16.70	14.31	15.67
CR16	08/18/93	16.95	15.01	16.13
CR16	08/19/93	17.46	15.49	16.68
CR16	08/20/93	17.46	15.25	16.52
CR16	08/21/93	17.20	15.49	16.47
CR16	08/22/93	16.70	15.49	15.88
CR16	08/23/93	15.49	14.54	15.06
CR16	08/24/93	14.54	12.96	13.62
CR16	08/25/93	14.54	12.74	13.48

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
CR16	08/26/93	15.01	13.86	14.45
CR16	08/27/93	14.54	13.40	14.01
CR16	08/28/93	14.78	13.18	14.02
CR16	08/29/93	14.78	12.74	13.92
CR16	08/30/93	14.78	12.52	13.83
CR16	08/31/93	15.01	12.74	14.05
CR16	09/01/93	16.46	14.08	15.37
CR16	09/02/93	16.46	14.31	15.66
CR16	09/03/93	16.21	14.08	15.45
CR16	09/04/93	15.97	13.86	15.22
CR16	09/05/93	15.73	13.63	14.92
CR16	09/06/93	15.49	12.96	14.44
CR16	09/07/93	15.25	13.18	14.37
CR16	09/08/93	15.49	13.18	14.53
CR16	09/09/93	15.49	13.40	14.69
CR16	09/10/93	15.97	13.63	15.02
CR16	09/11/93	15.97	14.08	14.81
CR16	09/12/93	14.08	11.87	12.91
CR16	09/13/93	13.63	11.65	12.70
CR16	09/14/93	13.86	12.74	13.33
CR16	09/15/93	13.63	12.30	12.96
CR16	09/16/93	12.74	10.81	11.91
CR16	09/17/93	12.08	10.19	11.40
CR16	09/18/93	12.08	10.39	11.54
CR16	09/19/93	11.87	10.39	10.97
CR16	09/20/93	10.60	9.18	9.94
CR16	09/21/93	9.78	7.80	9.03
CR16	09/22/93	10.39	8.58	9.63
CR16	09/23/93	10.39	8.78	9.86
CR16	09/24/93	11.44	9.58	10.61
CR16	09/25/93	11.65	10.19	11.20
CR16	09/26/93	11.65	9.98	10.97
CR16	09/27/93	12.96	10.81	11.87
CR16	09/28/93	12.30	10.60	11.65
CR16	09/29/93	11.44	10.39	10.81
CR16	09/30/93	11.44	9.58	10.50
CR16	10/01/93	11.02	9.38	10.28
CR16	10/02/93	11.65	9.78	10.76
CR16	10/03/93	11.87	10.19	11.14
CR16	10/04/93	11.87	10.39	11.18
CR16	10/05/93	11.44	10.60	11.13
CR16	10/06/93	11.44	10.19	10.99
CR16	10/07/93	9.98	8.38	9.14
CR16	10/08/93	8.58	8.19	8.44
CR16	10/09/93	9.18	8.19	8.64
CR16	10/10/93	8.38	7.42	8.05
CR16	10/11/93	8.00	7.04	7.47
CR16	10/12/93	7.23	6.29	6.83
CR16	10/13/93	7.61	6.29	6.95
CR16	10/14/93	8.19	7.04	7.58

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
CR16	10/15/93	8.98	7.80	8.36
CR16	10/16/93	7.80	6.29	6.85
FR200	07/23/93	18.37	18.37	18.37
FR200	07/24/93	18.63	18.11	18.39
FR200	07/25/93	18.63	18.37	18.59
FR200	07/26/93	18.63	18.37	18.42
FR200	07/27/93	18.63	18.37	18.52
FR200	07/28/93	18.63	18.37	18.58
FR200	07/29/93	18.63	18.37	18.41
FR200	07/30/93	18.37	17.85	18.00
FR200	07/31/93	18.11	17.59	17.96
FR200	08/01/93	18.37	17.85	18.17
FR200	08/02/93	18.37	18.11	18.26
FR200	08/03/93	18.37	18.11	18.18
FR200	08/04/93	18.37	17.85	18.05
FR200	08/05/93	18.63	18.11	18.38
FR200	08/06/93	19.17	18.63	18.88
FR200	08/07/93	19.44	19.17	19.30
FR200	08/08/93	19.71	19.17	19.50
FR200	08/09/93	19.44	18.90	19.25
FR200	08/10/93	18.90	18.37	18.76
FR200	08/11/93	18.37	18.11	18.21
FR200	08/12/93	18.11	17.85	18.04
FR200	08/13/93	18.11	17.85	18.03
FR200	08/14/93	18.11	17.59	17.90
FR200	08/15/93	17.85	17.59	17.79
FR200	08/16/93	17.59	17.59	17.59
FR200	08/17/93	18.11	17.59	17.86
FR200	08/18/93	18.37	18.11	18.25
FR200	08/19/93	18.90	18.63	18.75
FR200	08/20/93	19.44	18.90	19.27
FR200	08/21/93	19.44	19.17	19.40
FR200	08/22/93	19.44	19.17	19.23
FR200	08/23/93	19.17	18.63	18.85
FR200	08/24/93	18.63	17.59	18.04
FR200	08/25/93	17.85	17.34	17.59
FR200	08/26/93	17.34	17.08	17.13
FR200	08/27/93	17.08	16.83	17.02
FR200	08/28/93	16.83	16.34	16.73
FR200	08/29/93	16.34	15.85	16.09
FR200	08/30/93	16.09	16.09	16.09
FR200	08/31/93	16.34	16.09	16.21
FR200	09/01/93	16.83	16.34	16.54
FR200	09/02/93	17.08	16.58	16.85
FR200	09/03/93	17.59	16.83	17.27
FR200	09/04/93	17.85	17.34	17.65
FR200	09/05/93	17.85	17.59	17.68
FR200	09/06/93	17.59	17.34	17.47
FR200	09/07/93	17.59	17.08	17.43
FR200	09/08/93	17.85	17.34	17.57

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR200	09/09/93	17.85	17.59	17.68
FR200	09/10/93	17.59	17.34	17.45
FR200	09/11/93	17.59	17.08	17.40
FR200	09/12/93	16.83	16.34	16.56
FR200	09/13/93	16.58	15.61	16.04
FR200	09/14/93	15.61	15.61	15.61
FR200	09/15/93	15.61	15.37	15.51
FR200	09/16/93	15.61	15.13	15.40
FR200	09/17/93	15.13	14.66	14.83
FR200	09/18/93	14.66	14.42	14.59
FR200	09/19/93	14.66	14.42	14.53
FR200	09/20/93	14.19	13.74	13.96
FR200	09/21/93	13.74	13.28	13.56
FR200	09/22/93	13.28	13.06	13.14
FR200	09/23/93	13.28	13.06	13.15
FR200	09/24/93	13.28	13.06	13.10
FR200	09/25/93	13.06	12.84	12.95
FR200	09/26/93	13.51	13.06	13.17
FR200	09/27/93	13.74	13.28	13.48
FR200	09/28/93	13.96	13.74	13.83
FR200	09/29/93	13.99	13.96	13.98
FR200	09/30/93	13.99	13.77	13.87
FR200	10/01/93	13.77	13.31	13.52
FR200	10/02/93	13.31	12.87	13.09
FR200	10/03/93	13.09	12.87	13.04
FR200	10/04/93	13.31	13.09	13.19
FR200	10/05/93	13.54	13.31	13.47
FR200	10/06/93	13.54	13.31	13.44
FR200	10/07/93	13.31	12.65	13.10
FR200	10/08/93	12.87	12.21	12.48
FR200	10/09/93	12.21	11.56	11.93
FR200	10/10/93	11.56	11.14	11.37
FR200	10/11/93	11.35	10.93	11.11
FR200	10/12/93	10.93	10.51	10.76
FR200	10/13/93	10.72	10.51	10.60
FR200	10/14/93	10.51	10.51	10.51
FR200	10/15/93	10.72	10.30	10.54
FR200	10/16/93	10.51	10.30	10.43
FR200	10/17/93	10.30	10.30	10.30
FR200	10/18/93	10.30	10.10	10.29
FR200	10/19/93	10.30	10.10	10.14
FR200	10/20/93	10.10	9.69	9.94
FR200	10/21/93	9.89	9.69	9.70
FR200	10/22/93	9.89	9.69	9.74
FR200	10/23/93	9.89	9.69	9.77
FR200	10/24/93	9.69	9.49	9.52
FR200	10/25/93	9.49	9.49	9.49
FR200	10/26/93	9.49	9.09	9.31
FR200	10/27/93	9.09	8.89	8.93
FR200	10/28/93	8.89	8.89	8.89

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR245	09/21/93	13.93	13.03	13.38
FR245	09/22/93	13.25	13.03	13.18
FR245	09/23/93	13.25	13.03	13.18
FR245	09/24/93	13.25	12.81	13.01
FR245	09/25/93	13.03	12.59	12.89
FR245	09/26/93	13.47	12.81	13.10
FR245	09/27/93	13.70	13.03	13.25
FR245	09/28/93	14.21	13.03	13.70
FR245	09/29/93	14.21	13.99	14.13
FR245	09/30/93	13.99	13.76	13.87
FR245	10/01/93	13.76	13.09	13.40
FR245	10/02/93	13.31	12.87	13.09
FR245	10/03/93	13.31	12.87	13.13
FR245	10/04/93	13.76	13.09	13.43
FR245	10/05/93	13.76	13.31	13.60
FR245	10/06/93	13.76	13.31	13.48
FR245	10/07/93	13.31	12.87	13.04
FR245	10/08/93	12.87	12.21	12.41
FR245	10/09/93	12.21	11.57	11.83
FR245	10/10/93	11.57	11.15	11.41
FR245	10/11/93	11.36	10.94	11.08
FR245	10/12/93	10.94	10.52	10.70
FR245	10/13/93	10.73	10.52	10.55
FR245	10/14/93	10.73	10.52	10.58
FR245	10/15/93	10.52	10.32	10.48
FR245	10/16/93	10.52	10.11	10.22
FR245	10/17/93	10.11	9.71	9.87
FR245	10/18/93	9.91	9.71	9.77
FR245	10/19/93	9.71	9.31	9.55
FR245	10/20/93	9.51	8.91	9.22
FR245	10/21/93	9.31	8.91	9.12
FR245	10/22/93	9.51	9.11	9.34
FR245	10/23/93	9.51	9.11	9.20
FR245	10/24/93	9.31	8.91	9.09
FR245	10/25/93	9.11	8.91	9.02
FR245	10/26/93	8.91	8.51	8.70
FR245	10/27/93	8.71	8.32	8.49
FR245	10/28/93	8.91	8.51	8.79
FR245	10/29/93	8.91	8.51	8.71
FR245	10/30/93	8.91	8.51	8.77
FR245	10/31/93	8.91	8.71	8.78
FR245	11/01/93	8.51	8.13	8.32
FR245	11/02/93	8.13	8.13	8.13
FR245	11/03/93	8.13	7.93	8.01
FR245	11/04/93	7.93	7.36	7.71
FR245	11/05/93	7.36	6.60	6.95
FR245	11/06/93	6.60	5.50	5.94
FR245	11/07/93	5.32	4.60	4.92
FR245	11/08/93	4.78	4.60	4.71
FR245	11/09/93	4.96	4.60	4.80

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR245	11/10/93	4.96	4.78	4.89
FR245	11/11/93	4.96	4.78	4.88
FR262	06/28/93	15.75	15.27	15.51
FR262	06/29/93	15.51	14.80	15.09
FR262	06/30/93	14.80	14.57	14.76
FR262	07/01/93	15.04	14.80	14.88
FR262	07/02/93	15.51	14.80	15.09
FR262	07/03/93	15.99	15.51	15.73
FR262	07/04/93	16.72	15.99	16.30
FR262	07/05/93	16.96	16.47	16.71
FR262	07/06/93	16.96	16.72	16.84
FR262	07/07/93	17.21	16.72	16.99
FR262	07/08/93	17.21	16.96	17.12
FR262	07/09/93	17.21	16.72	17.03
FR262	07/10/93	16.96	16.47	16.73
FR262	07/11/93	16.96	16.47	16.78
FR262	07/12/93	16.96	16.47	16.72
FR262	07/13/93	16.72	16.47	16.58
FR262	07/14/93	16.72	16.47	16.55
FR262	07/15/93	16.96	16.72	16.93
FR262	07/16/93	17.21	16.96	17.01
FR262	07/17/93	16.96	16.72	16.88
FR262	07/18/93	16.96	16.47	16.78
FR262	07/19/93	17.21	16.72	16.94
FR262	07/20/93	17.46	17.21	17.33
FR262	07/21/93	17.72	17.21	17.54
FR262	07/22/93	17.97	17.72	17.85
FR262	07/23/93	18.75	17.97	18.36
FR262	07/24/93	18.75	18.49	18.68
FR262	07/25/93	19.01	18.75	18.85
FR262	07/26/93	19.01	18.75	18.85
FR262	07/27/93	19.01	18.75	18.97
FR262	07/28/93	18.75	18.49	18.69
FR262	07/29/93	18.49	18.23	18.45
FR262	07/30/93	18.23	17.97	18.05
FR262	07/31/93	18.23	17.97	18.08
FR262	08/01/93	18.23	17.97	18.08
FR262	08/02/93	18.23	17.72	18.04
FR262	08/03/93	18.49	17.97	18.16
FR262	08/04/93	18.23	17.72	17.93
FR262	08/05/93	18.49	17.97	18.20
FR262	08/06/93	19.01	18.49	18.72
FR262	08/07/93	19.55	19.01	19.21
FR262	08/08/93	19.55	19.28	19.41
FR262	08/09/93	19.28	19.01	19.11
FR262	08/10/93	19.01	18.23	18.56
FR262	08/11/93	18.23	18.23	18.23
FR262	08/12/93	17.97	17.72	17.79
FR262	08/13/93	17.72	17.46	17.47
FR262	08/14/93	17.21	17.21	17.21

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR200	10/29/93	8.89	8.69	8.88
FR200	10/30/93	8.89	8.69	8.72
FR200	10/31/93	8.89	8.69	8.87
FR200	11/01/93	8.89	8.29	8.55
FR200	11/02/93	8.29	8.10	8.22
FR200	11/03/93	8.29	8.10	8.12
FR200	11/04/93	8.10	7.71	7.90
FR200	11/05/93	7.52	6.95	7.20
FR200	11/06/93	6.95	5.46	6.37
FR200	11/07/93	5.46	4.56	5.18
FR200	11/08/93	4.92	4.56	4.75
FR200	11/09/93	4.92	4.56	4.77
FR200	11/10/93	4.92	4.56	4.79
FR200	11/11/93	4.92	4.74	4.85
FR200	11/12/93	4.92	4.92	4.92
FR200	11/13/93	4.92	4.92	4.92
FR200	11/14/93	4.92	4.38	4.61
FR200	11/15/93	5.10	4.38	4.74
FR200	11/16/93	5.10	4.56	4.93
FR200	11/17/93	5.10	4.74	4.93
FR200	11/18/93	4.74	4.74	4.74
FR200	11/19/93	4.74	4.56	4.69
FR245	06/28/93	15.56	15.08	15.37
FR245	06/29/93	15.56	14.85	15.06
FR245	06/30/93	15.08	14.38	14.69
FR245	07/01/93	15.08	14.85	14.97
FR245	07/02/93	15.32	15.08	15.16
FR245	07/03/93	15.56	15.08	15.32
FR245	07/04/93	16.04	15.56	15.70
FR245	07/05/93	16.53	12.59	15.91
FR245	07/06/93	16.77	16.28	16.39
FR245	07/07/93	16.77	16.28	16.47
FR245	07/08/93	16.77	16.53	16.63
FR245	07/09/93	16.77	16.53	16.68
FR245	07/10/93	16.77	16.53	16.61
FR245	07/11/93	17.02	16.53	16.80
FR245	07/12/93	17.02	16.53	16.76
FR245	07/13/93	16.77	16.04	16.50
FR245	07/14/93	17.02	16.28	16.54
FR245	07/15/93	17.02	16.77	16.96
FR245	07/23/93	18.56	18.56	18.56
FR245	07/24/93	18.56	18.30	18.49
FR245	07/25/93	18.56	18.30	18.32
FR245	07/26/93	18.56	18.04	18.29
FR245	07/27/93	18.82	18.30	18.50
FR245	07/28/93	18.56	18.30	18.48
FR245	07/29/93	18.56	18.30	18.55
FR245	07/30/93	18.30	17.78	18.10
FR245	07/31/93	18.30	18.04	18.13
FR245	08/01/93	18.56	18.04	18.29

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR245	08/02/93	18.56	18.04	18.34
FR245	08/03/93	18.56	18.04	18.30
FR245	08/04/93	18.56	17.78	18.14
FR245	08/05/93	19.09	18.30	18.56
FR245	08/06/93	19.63	18.82	19.13
FR245	08/07/93	19.90	19.36	19.62
FR245	08/08/93	19.90	19.36	19.67
FR245	08/09/93	19.63	19.09	19.33
FR245	08/10/93	19.09	18.30	18.83
FR245	08/11/93	18.56	18.04	18.36
FR245	08/12/93	18.56	18.04	18.21
FR245	08/13/93	18.30	18.04	18.17
FR245	08/14/93	18.30	17.78	18.02
FR245	08/15/93	18.04	17.78	17.92
FR245	08/16/93	18.04	17.53	17.82
FR245	08/17/93	18.30	18.04	18.14
FR245	08/18/93	18.82	18.30	18.55
FR245	08/19/93	19.36	18.82	19.04
FR245	08/20/93	19.63	19.36	19.48
FR245	08/21/93	19.90	19.63	19.64
FR245	08/22/93	19.63	19.36	19.40
FR245	08/23/93	19.36	18.82	19.15
FR245	08/24/93	18.82	18.04	18.29
FR245	08/25/93	18.04	17.53	17.81
FR245	08/26/93	17.53	17.02	17.39
FR245	08/27/93	17.27	17.02	17.22
FR245	08/28/93	17.02	16.53	16.78
FR245	08/29/93	16.53	15.80	16.24
FR245	08/30/93	16.53	16.04	16.31
FR245	08/31/93	16.77	16.28	16.49
FR245	09/01/93	17.27	16.53	16.85
FR245	09/02/93	17.53	16.53	17.09
FR245	09/03/93	18.04	17.27	17.57
FR245	09/04/93	18.30	17.53	17.93
FR245	09/05/93	18.04	17.53	17.80
FR245	09/06/93	17.78	17.27	17.63
FR245	09/07/93	17.78	17.27	17.54
FR245	09/08/93	18.04	17.02	17.36
FR245	09/09/93	18.04	16.77	17.25
FR245	09/10/93	17.53	16.77	17.06
FR245	09/11/93	17.53	16.53	17.02
FR245	09/12/93	16.77	16.28	16.57
FR245	09/13/93	16.53	15.56	15.92
FR245	09/14/93	15.80	15.80	15.80
FR245	09/15/93	15.80	15.56	15.65
FR245	09/16/93	15.80	15.08	15.41
FR245	09/17/93	15.32	14.38	14.76
FR245	09/18/93	14.85	14.38	14.67
FR245	09/19/93	14.85	14.15	14.56
FR245	09/20/93	14.15	13.93	13.98

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR262	08/15/93	17.21	16.96	17.06
FR262	08/16/93	16.96	16.72	16.90
FR262	08/17/93	16.96	16.72	16.84
FR262	08/18/93	17.21	16.72	16.92
FR262	08/19/93	17.72	16.72	17.13
FR262	08/20/93	18.49	17.21	17.77
FR262	08/21/93	18.75	17.97	18.28
FR262	08/22/93	18.49	17.97	18.28
FR262	08/23/93	19.28	9.44	18.24
FR262	08/24/93	18.75	17.72	18.13
FR262	08/25/93	17.72	16.96	17.38
FR262	08/26/93	16.96	16.72	16.86
FR262	08/27/93	16.72	16.47	16.68
FR262	08/28/93	16.47	15.99	16.17
FR262	08/29/93	16.23	15.75	15.93
FR262	08/30/93	15.99	15.75	15.96
FR262	08/31/93	15.99	15.75	15.85
FR262	09/01/93	16.47	15.75	16.13
FR262	09/02/93	16.96	15.99	16.48
FR262	09/03/93	17.72	16.72	17.24
FR262	09/04/93	17.97	17.21	17.63
FR262	09/05/93	17.97	17.21	17.53
FR262	09/06/93	17.72	16.96	17.31
FR262	09/07/93	17.46	16.96	17.21
FR262	09/08/93	17.72	16.96	17.33
FR262	09/09/93	17.72	16.96	17.31
FR262	09/10/93	17.46	16.96	17.22
FR262	09/11/93	17.21	16.72	17.09
FR262	09/12/93	16.72	16.47	16.56
FR262	09/13/93	16.23	15.51	15.87
FR262	09/14/93	15.51	15.04	15.21
FR262	09/15/93	15.27	14.80	15.00
FR262	09/16/93	15.04	14.57	14.76
FR262	09/17/93	14.57	13.89	14.18
FR262	09/18/93	14.12	13.44	13.88
FR262	09/19/93	13.89	13.44	13.60
FR262	09/20/93	13.44	13.00	13.17
FR262	09/21/93	13.00	12.56	12.78
FR262	09/22/93	12.56	12.13	12.37
FR262	09/23/93	12.56	11.91	12.24
FR262	09/24/93	12.34	11.91	12.13
FR262	09/25/93	12.56	11.70	12.17
FR262	09/26/93	13.00	12.13	12.50
FR262	09/27/93	13.44	12.56	12.90
FR262	09/28/93	13.60	12.78	13.18
FR262	09/29/93	13.38	12.94	13.25
FR262	09/30/93	13.16	12.72	12.92
FR262	10/01/93	12.72	12.28	12.41
FR262	10/02/93	12.50	11.85	12.17
FR262	10/03/93	12.50	12.07	12.28

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR262	10/04/93	12.72	12.28	12.51
FR262	10/05/93	12.94	12.50	12.71
FR262	10/06/93	12.94	12.50	12.73
FR262	10/07/93	12.50	12.28	12.37
FR262	10/08/93	12.28	11.64	11.92
FR262	10/09/93	11.64	10.80	11.12
FR262	10/10/93	10.80	10.39	10.58
FR262	10/11/93	10.39	9.78	10.12
FR262	10/12/93	9.78	9.38	9.64
FR262	10/13/93	9.58	9.18	9.32
FR262	10/14/93	9.38	8.78	9.21
FR262	10/15/93	9.38	8.98	9.20
FR262	10/16/93	9.18	8.78	9.00
FR262	10/17/93	8.98	8.58	8.81
FR262	10/18/93	8.78	8.39	8.66
FR262	10/19/93	8.78	8.20	8.41
FR262	10/20/93	8.20	7.81	8.03
FR262	10/21/93	8.39	7.81	8.05
FR262	10/22/93	8.39	8.00	8.20
FR262	10/23/93	8.20	8.00	8.02
FR262	10/24/93	8.39	7.81	8.08
FR262	10/25/93	8.20	7.81	7.96
FR262	10/26/93	7.81	7.62	7.74
FR262	10/27/93	7.81	7.62	7.64
FR262	10/28/93	8.00	7.81	7.83
FR262	10/29/93	7.81	7.62	7.74
FR262	10/30/93	8.00	7.81	7.91
FR262	10/31/93	8.00	7.81	7.98
FR262	11/01/93	7.81	7.43	7.62
FR262	11/02/93	7.43	7.43	7.43
FR262	11/03/93	7.43	7.05	7.23
FR262	11/04/93	7.05	6.49	6.78
FR262	11/05/93	6.49	6.12	6.21
FR262	11/06/93	5.93	4.49	5.18
FR262	11/07/93	4.49	3.61	3.96
FR262	11/08/93	3.96	3.43	3.75
FR262	11/09/93	3.96	3.43	3.78
FR262	11/10/93	3.96	3.78	3.82
FR262	11/11/93	3.96	3.78	3.79
FR337	07/08/93	16.90	16.65	16.87
FR337	07/09/93	16.65	16.41	16.62
FR337	07/10/93	16.90	15.92	16.46
FR337	07/11/93	16.90	16.41	16.59
FR337	07/12/93	16.65	16.16	16.42
FR337	07/13/93	16.65	16.16	16.28
FR337	07/14/93	17.41	16.41	16.79
FR337	07/15/93	17.66	16.65	17.10
FR337	07/16/93	16.65	15.92	16.48
FR337	07/23/93	18.70	18.18	18.58
FR337	07/24/93	18.97	18.18	18.53

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR337	07/25/93	18.97	18.44	18.73
FR337	07/26/93	19.24	18.18	18.73
FR337	07/27/93	18.97	18.44	18.82
FR337	07/28/93	18.97	18.44	18.66
FR337	07/29/93	18.70	18.18	18.39
FR337	07/30/93	18.44	17.66	18.05
FR337	07/31/93	18.44	17.92	18.16
FR337	08/01/93	18.18	17.66	17.99
FR337	08/02/93	18.70	17.41	17.98
FR337	08/03/93	18.44	17.66	18.06
FR337	08/04/93	18.70	17.66	17.97
FR337	08/22/93	19.51	19.51	19.51
FR337	08/23/93	19.51	18.44	18.92
FR337	08/24/93	18.44	17.66	17.96
FR337	08/25/93	17.66	16.90	17.05
FR337	08/26/93	16.90	16.41	16.69
FR337	08/27/93	16.90	16.41	16.49
FR337	08/28/93	16.16	15.68	15.88
FR337	08/29/93	16.16	15.44	15.85
FR337	08/30/93	16.16	15.44	15.76
FR337	08/31/93	15.92	15.20	15.61
FR337	09/01/93	16.41	15.44	15.95
FR337	09/02/93	17.15	16.16	16.61
FR337	09/03/93	17.92	16.41	17.12
FR337	09/04/93	17.92	16.65	17.27
FR337	09/05/93	17.66	16.65	17.13
FR337	09/06/93	17.41	16.65	17.08
FR337	09/07/93	17.41	16.65	16.99
FR337	09/08/93	17.15	16.65	17.00
FR337	09/09/93	17.15	16.41	16.92
FR337	09/10/93	17.41	16.41	16.86
FR337	09/11/93	16.90	16.16	16.61
FR337	09/12/93	16.41	15.68	16.01
FR337	09/13/93	15.68	14.96	15.19
FR337	09/14/93	14.96	14.73	14.87
FR337	09/15/93	14.96	14.49	14.67
FR337	09/16/93	14.49	11.60	13.33
FR337	09/17/93	13.81	13.13	13.48
FR337	09/18/93	13.58	12.91	13.23
FR337	09/19/93	13.13	12.69	13.01
FR337	09/20/93	12.69	12.25	12.45
FR337	09/21/93	12.25	11.82	11.99
FR337	09/22/93	11.82	11.39	11.59
FR337	09/23/93	11.82	11.18	11.54
FR337	09/24/93	11.82	11.39	11.51
FR337	09/25/93	12.03	11.18	11.67
FR337	09/26/93	12.69	11.82	12.13
FR337	09/27/93	12.91	12.03	12.48
FR337	09/28/93	13.35	12.69	12.97
FR337	09/29/93	13.13	12.47	12.83

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR337	09/30/93	12.47	12.03	12.31
FR337	10/01/93	12.03	11.60	11.83
FR337	10/02/93	12.03	11.60	11.76
FR337	10/03/93	12.25	11.82	12.03
FR337	10/04/93	12.69	12.03	12.27
FR337	10/05/93	12.69	12.25	12.40
FR337	10/06/93	12.47	12.03	12.31
FR337	10/07/93	12.25	11.82	11.99
FR337	10/08/93	11.82	10.97	11.37
FR337	10/09/93	10.97	10.34	10.59
FR337	10/10/93	10.34	9.93	10.09
FR337	10/11/93	9.93	9.13	9.45
FR337	10/12/93	9.33	8.73	8.90
FR337	10/13/93	8.93	8.53	8.66
FR337	10/14/93	8.73	8.33	8.51
FR337	10/15/93	9.13	8.53	8.66
FR337	10/16/93	9.53	8.53	8.87
FR337	10/17/93	9.73	8.53	8.95
FR337	10/18/93	9.13	8.14	8.62
FR337	10/19/93	8.93	7.95	8.42
FR337	10/20/93	8.53	7.95	8.26
FR337	10/21/93	9.13	8.14	8.47
FR337	10/22/93	8.14	7.37	7.84
FR337	10/23/93	7.95	7.37	7.54
FR337	10/24/93	8.93	7.75	8.13
FR337	10/25/93	7.95	7.18	7.59
FR337	10/26/93	7.37	6.99	7.23
FR337	10/27/93	7.37	7.18	7.24
FR337	10/28/93	7.37	7.18	7.19
FR337	10/29/93	7.56	7.18	7.32
FR337	10/30/93	7.56	7.56	7.56
FR337	10/31/93	7.56	7.37	7.42
FR337	11/01/93	7.18	6.99	7.17
FR337	11/02/93	6.99	6.80	6.94
FR337	11/03/93	6.80	6.42	6.48
FR337	11/04/93	6.42	6.05	6.19
FR337	11/05/93	6.05	5.32	5.66
FR337	11/06/93	5.14	3.89	4.49
FR337	11/07/93	3.89	3.53	3.61
FR337	11/08/93	3.53	3.53	3.53
FR337	11/09/93	3.53	3.36	3.42
FR337	11/10/93	3.53	3.36	3.38
FR337	11/11/93	3.36	3.18	3.32
FR337	11/12/93	3.18	3.18	3.18
FR390	07/08/93	16.65	16.65	16.65
FR390	07/09/93	16.65	16.16	16.45
FR390	07/10/93	16.65	15.92	16.38
FR390	07/11/93	16.65	16.16	16.45
FR390	07/12/93	16.41	16.16	16.25
FR390	07/13/93	16.41	16.16	16.28

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR390	07/14/93	17.15	16.41	16.78
FR390	07/15/93	17.66	16.90	17.10
FR390	07/16/93	17.41	16.65	17.00
FR390	07/17/93	17.66	16.41	16.83
FR390	07/18/93	17.92	16.65	17.06
FR390	07/19/93	18.44	16.90	17.47
FR390	07/20/93	18.18	17.15	17.68
FR390	07/21/93	18.97	17.66	18.20
FR390	07/22/93	18.44	18.18	18.30
FR390	07/23/93	18.44	18.18	18.26
FR390	07/24/93	18.70	18.18	18.41
FR390	07/25/93	18.70	18.44	18.51
FR390	07/26/93	18.97	18.18	18.50
FR390	07/27/93	18.70	18.44	18.62
FR390	07/28/93	18.44	18.18	18.42
FR390	07/29/93	18.18	17.92	18.04
FR390	07/30/93	18.18	17.66	17.91
FR390	07/31/93	17.92	17.66	17.84
FR390	08/01/93	17.66	17.41	17.57
FR390	08/02/93	17.66	17.41	17.56
FR390	08/03/93	17.66	16.90	17.33
FR390	08/04/93	18.18	17.41	17.72
FR390	08/05/93	18.70	17.92	18.40
FR390	08/06/93	19.51	18.70	19.11
FR390	08/07/93	19.78	19.24	19.50
FR390	08/08/93	19.51	19.24	19.35
FR390	08/09/93	19.24	18.18	18.68
FR390	08/10/93	18.44	17.92	18.21
FR390	08/11/93	17.92	17.66	17.80
FR390	08/12/93	17.41	16.90	17.22
FR390	08/13/93	16.90	16.65	16.89
FR390	08/14/93	17.41	16.65	17.00
FR390	08/15/93	17.15	16.90	17.00
FR390	08/16/93	17.66	16.90	17.29
FR390	08/17/93	18.18	17.66	17.84
FR390	08/18/93	18.70	17.92	18.32
FR390	08/19/93	19.24	18.44	18.84
FR390	08/20/93	19.78	18.70	19.25
FR390	08/21/93	19.51	19.24	19.41
FR390	08/22/93	19.24	18.97	19.17
FR390	08/23/93	18.70	17.92	18.38
FR390	08/24/93	17.92	16.65	17.39
FR390	08/25/93	16.65	16.16	16.52
FR390	08/26/93	16.41	16.16	16.27
FR390	08/27/93	16.16	15.68	15.93
FR390	08/28/93	15.44	15.20	15.40
FR390	08/29/93	15.68	15.20	15.42
FR390	08/30/93	15.68	14.96	15.32
FR390	08/31/93	15.68	14.96	15.28
FR390	09/01/93	16.90	14.73	15.61

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR390	09/05/93	17.41	16.90	17.25
FR390	09/06/93	16.90	16.41	16.76
FR390	09/07/93	16.90	16.16	16.60
FR390	09/08/93	17.15	16.16	16.69
FR390	09/09/93	17.15	16.41	16.74
FR390	09/10/93	17.41	16.41	16.80
FR390	09/11/93	16.90	15.92	16.49
FR390	09/12/93	16.16	14.96	15.70
FR390	09/13/93	15.92	14.26	14.87
FR390	09/14/93	16.16	14.26	14.75
FR390	09/15/93	14.26	14.26	14.26
FR390	09/16/93	13.81	13.35	13.62
FR390	09/17/93	13.35	12.69	13.15
FR390	09/18/93	13.13	12.69	12.95
FR390	09/19/93	13.13	12.47	12.74
FR390	09/20/93	12.47	11.82	12.13
FR390	09/21/93	11.82	11.18	11.54
FR390	09/22/93	12.03	10.76	11.32
FR390	09/23/93	11.18	9.53	10.31
FR390	09/26/93	12.76	11.89	12.14
FR390	09/27/93	12.76	12.10	12.42
FR390	09/28/93	12.98	12.54	12.74
FR390	09/29/93	12.76	12.10	12.26
FR390	09/30/93	12.10	11.46	11.69
FR390	10/01/93	11.46	11.25	11.39
FR390	10/02/93	11.67	11.25	11.45
FR390	10/03/93	11.89	11.46	11.73
FR390	10/04/93	12.10	11.67	11.98
FR390	10/05/93	12.32	11.89	12.11
FR390	10/06/93	12.10	11.67	11.93
FR390	10/07/93	11.67	11.25	11.58
FR390	10/08/93	11.25	10.21	10.66
FR390	10/09/93	10.21	9.80	10.04
FR390	10/10/93	9.80	9.00	9.47
FR390	10/11/93	9.00	8.60	8.83
FR390	10/12/93	8.40	8.02	8.23
FR390	10/13/93	8.21	7.82	7.97
FR390	10/14/93	8.02	7.82	7.91
FR390	10/15/93	7.82	7.63	7.73
FR390	10/16/93	7.82	7.44	7.57
FR390	10/17/93	7.44	6.87	7.25
FR390	10/18/93	7.25	6.87	6.98
FR390	10/19/93	7.25	6.68	6.83
FR390	10/20/93	7.06	6.68	6.83
FR390	10/21/93	7.06	6.49	6.70
FR390	10/22/93	6.87	6.68	6.70
FR390	10/23/93	6.87	6.68	6.78
FR390	10/24/93	6.87	6.68	6.78
FR390	10/25/93	7.06	6.87	6.91
FR390	10/26/93	6.87	6.68	6.78

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR390	10/27/93	6.87	6.68	6.75
FR390	10/28/93	6.87	6.68	6.70
FR390	10/29/93	7.25	6.87	7.13
FR390	10/30/93	7.25	7.06	7.11
FR390	10/31/93	7.06	6.87	6.93
FR390	11/01/93	6.87	6.49	6.66
FR390	11/02/93	6.49	5.94	6.16
FR390	11/03/93	5.94	5.75	5.85
FR390	11/04/93	5.75	5.21	5.58
FR390	11/05/93	5.21	4.13	4.66
FR390	11/06/93	3.96	2.74	3.23
FR390	11/07/93	2.91	2.74	2.83
FR390	11/08/93	2.91	2.74	2.88
FR390	11/09/93	2.91	2.74	2.83
FR390	11/10/93	2.91	2.74	2.77
FR390	11/11/93	2.74	2.56	2.60
FR390	11/12/93	2.56	2.56	2.56
FR390	11/13/93	2.74	2.56	2.64
FR390	11/14/93	2.91	2.74	2.82
FR390	11/15/93	3.08	2.91	2.98
FR390	11/16/93	2.91	2.56	2.75
FR390	11/17/93	2.56	2.39	2.50
FR390	11/18/93	2.39	2.05	2.24
FR390	11/19/93	2.05	2.05	2.05
FR500	07/07/93	16.51	16.51	16.51
FR500	07/08/93	16.51	16.02	16.27
FR500	07/09/93	16.27	15.78	16.01
FR500	07/10/93	16.51	15.78	16.27
FR500	07/11/93	16.51	16.02	16.25
FR500	07/12/93	16.51	16.02	16.23
FR500	07/13/93	17.27	16.27	16.64
FR500	07/14/93	17.27	16.51	16.95
FR500	07/15/93	18.04	16.76	17.29
FR500	07/16/93	16.76	16.02	16.35
FR500	07/17/93	17.52	17.01	17.21
FR500	07/18/93	18.04	16.76	17.34
FR500	07/19/93	18.04	17.27	17.64
FR500	07/20/93	18.56	17.52	17.98
FR500	07/21/93	19.10	18.30	18.68
FR500	07/22/93	19.10	18.56	18.73
FR500	07/23/93	18.83	18.30	18.54
FR500	07/24/93	19.10	18.56	18.82
FR500	07/25/93	19.10	18.30	18.75
FR500	07/26/93	19.10	18.30	18.70
FR500	07/27/93	19.10	18.56	18.85
FR500	07/28/93	19.10	18.56	18.65
FR500	07/29/93	18.56	18.30	18.47
FR500	07/30/93	18.56	18.04	18.24
FR500	07/31/93	18.30	17.27	17.63
FR500	08/01/93	17.52	16.76	17.28

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR500	08/02/93	17.52	16.76	17.08
FR500	08/03/93	17.78	16.76	17.11
FR500	08/04/93	18.56	17.52	17.93
FR500	08/05/93	19.64	18.30	18.88
FR500	08/06/93	20.20	19.37	19.66
FR500	08/07/93	19.92	19.10	19.59
FR500	08/08/93	19.92	19.10	19.50
FR500	08/09/93	19.10	18.30	18.71
FR500	08/10/93	18.83	18.04	18.37
FR500	08/11/93	18.04	17.27	17.53
FR500	08/12/93	17.52	16.76	16.99
FR500	08/13/93	17.01	16.51	16.81
FR500	08/14/93	17.27	16.76	16.99
FR500	08/15/93	17.78	16.51	17.01
FR500	08/16/93	18.04	17.27	17.65
FR500	08/17/93	18.56	17.52	18.08
FR500	08/18/93	19.10	18.30	18.65
FR500	08/19/93	19.64	18.56	19.07
FR500	08/20/93	19.92	19.10	19.52
FR500	08/21/93	19.92	19.37	19.77
FR500	08/22/93	19.92	18.83	19.26
FR500	08/23/93	18.83	18.04	18.38
FR500	08/24/93	18.04	17.01	17.27
FR500	08/25/93	17.01	16.27	16.49
FR500	08/26/93	16.51	16.02	16.14
FR500	08/27/93	16.02	15.30	15.57
FR500	08/28/93	15.54	15.06	15.31
FR500	08/29/93	15.54	14.82	15.30
FR500	08/30/93	15.30	14.59	15.02
FR500	08/31/93	15.54	14.59	15.10
FR500	09/01/93	16.76	15.54	15.94
FR500	09/02/93	17.27	16.27	16.63
FR500	09/03/93	17.27	16.51	16.99
FR500	09/04/93	17.52	16.51	17.09
FR500	09/05/93	17.27	16.51	16.96
FR500	09/06/93	17.27	16.51	16.86
FR500	09/07/93	17.27	16.51	16.82
FR500	09/08/93	17.27	16.51	16.87
FR500	09/09/93	17.27	16.51	16.78
FR500	09/10/93	17.01	16.51	16.72
FR500	09/11/93	17.01	16.02	16.44
FR500	09/12/93	16.02	15.06	15.26
FR500	09/13/93	15.06	14.35	14.53
FR500	09/14/93	14.35	14.12	14.30
FR500	09/15/93	14.35	13.44	13.79
FR500	09/16/93	13.67	12.99	13.24
FR500	09/17/93	13.44	12.77	12.99
FR500	09/18/93	12.99	12.55	12.82
FR500	09/19/93	12.77	12.11	12.43
FR500	09/20/93	12.11	11.68	11.80

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR500	09/21/93	11.68	11.04	11.30
FR500	09/22/93	11.25	11.04	11.15
FR500	09/23/93	11.04	10.42	10.85
FR500	09/24/93	11.26	10.84	11.02
FR500	09/25/93	11.69	11.05	11.30
FR500	09/26/93	12.34	11.47	11.79
FR500	09/27/93	12.34	11.90	12.19
FR500	09/28/93	12.34	11.69	11.91
FR500	09/29/93	11.90	11.05	11.42
FR500	09/30/93	11.05	10.63	10.82
FR500	10/01/93	11.05	10.63	10.85
FR500	10/02/93	11.26	10.84	11.13
FR500	10/03/93	11.47	11.05	11.38
FR500	10/04/93	11.69	11.26	11.54
FR500	10/05/93	11.69	11.47	11.68
FR500	10/06/93	11.69	11.26	11.58
FR500	10/07/93	11.26	10.42	10.74
FR500	10/08/93	10.42	9.60	9.92
FR500	10/09/93	9.60	8.80	9.27
FR500	10/10/93	8.80	8.20	8.58
FR500	10/11/93	8.20	7.82	7.96
FR500	10/12/93	7.82	7.43	7.65
FR500	10/13/93	7.43	7.24	7.37
FR500	10/14/93	7.24	6.86	7.04
FR500	10/15/93	7.24	6.86	6.97
FR500	10/16/93	7.05	6.48	6.68
FR500	10/17/93	6.48	6.29	6.31
FR500	10/18/93	6.67	6.29	6.37
FR500	10/19/93	6.86	6.29	6.61
FR500	10/20/93	6.48	6.11	6.29
FR500	10/21/93	6.11	5.74	5.87
FR500	10/22/93	6.48	5.92	6.16
FR500	10/23/93	6.29	6.11	6.28
FR500	10/24/93	6.67	6.29	6.54
FR500	10/25/93	6.67	6.48	6.55
FR500	10/26/93	6.48	6.29	6.46
FR500	10/27/93	6.48	6.29	6.34
FR500	10/28/93	6.67	6.29	6.54
FR500	10/29/93	6.67	6.48	6.57
FR500	10/30/93	6.67	6.29	6.40
FR500	10/31/93	6.48	6.29	6.45
FR500	11/01/93	6.29	5.55	5.92
FR500	11/02/93	5.55	5.19	5.42
FR500	11/03/93	5.37	5.19	5.22
FR500	11/04/93	5.19	4.29	4.73
FR500	11/05/93	4.29	2.71	3.30
FR500	11/06/93	2.71	2.19	2.33
FR500	11/07/93	2.54	2.36	2.45
FR500	11/08/93	2.71	2.36	2.52
FR500	11/09/93	2.71	2.19	2.41

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR500	11/10/93	2.36	2.19	2.29
FR500	11/11/93	2.19	2.02	2.16
FR500	11/12/93	2.36	2.02	2.21
FR500	11/13/93	2.54	2.36	2.50
FR500	11/14/93	2.54	2.36	2.48
FR500	11/15/93	2.54	2.36	2.47
FR500	11/16/93	2.36	2.36	2.36
FR550	07/07/93	16.76	16.27	16.49
FR550	07/08/93	16.76	15.79	16.34
FR550	07/09/93	16.76	15.55	16.12
FR550	07/10/93	17.01	15.79	16.34
FR550	07/11/93	16.76	16.27	16.37
FR550	07/12/93	17.01	16.03	16.48
FR550	07/13/93	17.77	16.27	17.00
FR550	07/14/93	18.29	16.52	17.21
FR550	07/15/93	18.29	16.27	17.08
FR550	07/16/93	17.01	16.27	16.64
FR550	07/17/93	17.52	16.27	16.87
FR550	07/18/93	18.29	16.76	17.34
FR550	07/19/93	18.29	17.01	17.56
FR550	07/20/93	19.08	17.52	18.26
FR550	07/21/93	19.08	18.03	18.62
FR550	07/22/93	18.81	18.29	18.53
FR550	07/23/93	19.08	18.03	18.57
FR550	07/24/93	19.08	18.29	18.70
FR550	07/25/93	19.08	18.29	18.64
FR550	07/26/93	19.08	17.77	18.47
FR550	07/27/93	19.08	18.29	18.67
FR550	07/28/93	18.55	18.29	18.42
FR550	07/29/93	18.81	18.03	18.40
FR550	07/30/93	18.29	17.52	17.99
FR550	07/31/93	17.77	16.76	17.27
FR550	08/01/93	17.52	16.52	17.00
FR550	08/02/93	17.01	16.03	16.69
FR550	08/03/93	17.77	16.52	17.13
FR550	08/04/93	18.81	17.26	18.04
FR550	08/05/93	19.89	18.29	19.05
FR550	08/06/93	20.17	19.08	19.57
FR550	08/07/93	20.17	18.81	19.50
FR550	08/08/93	19.89	18.55	19.16
FR550	08/09/93	19.08	18.29	18.50
FR550	08/10/93	18.29	17.77	18.04
FR550	08/11/93	17.52	16.76	17.21
FR550	08/12/93	17.26	16.27	16.75
FR550	08/13/93	17.26	16.27	16.67
FR550	08/14/93	17.01	16.76	16.81
FR550	08/15/93	18.03	16.52	17.09
FR550	08/16/93	18.29	17.01	17.67
FR550	08/17/93	18.81	17.52	18.13
FR550	08/18/93	19.35	18.03	18.64

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR550	08/19/93	19.89	18.29	19.11
FR550	08/20/93	20.17	18.81	19.50
FR550	08/21/93	20.17	19.35	19.67
FR550	08/22/93	19.35	18.55	18.93
FR550	08/23/93	18.55	17.52	18.07
FR550	08/24/93	17.52	16.27	16.98
FR550	08/25/93	16.76	16.03	16.29
FR550	08/26/93	16.27	15.55	15.90
FR550	08/27/93	15.55	15.07	15.40
FR550	08/28/93	15.79	14.84	15.25
FR550	08/29/93	15.79	14.84	15.22
FR550	08/30/93	15.79	14.60	15.07
FR550	08/31/93	16.03	14.60	15.30
FR550	09/01/93	17.26	15.55	16.29
FR550	09/02/93	17.77	16.03	16.83
FR550	09/03/93	18.03	16.27	17.13
FR550	09/04/93	17.77	16.52	17.14
FR550	09/05/93	17.77	16.27	17.04
FR550	09/06/93	17.77	16.27	16.99
FR550	09/07/93	17.77	16.27	17.00
FR550	09/08/93	17.77	16.27	17.01
FR550	09/09/93	17.52	16.03	16.83
FR550	09/10/93	17.52	16.03	16.70
FR550	09/11/93	16.76	15.55	16.18
FR550	09/12/93	15.79	14.60	15.15
FR550	09/13/93	14.84	13.92	14.47
FR550	09/14/93	14.84	13.92	14.30
FR550	09/15/93	14.37	13.02	13.68
FR550	09/16/93	14.14	12.80	13.42
FR550	09/17/93	14.14	12.36	13.16
FR550	09/18/93	13.69	12.14	12.95
FR550	09/19/93	13.02	11.93	12.44
FR550	09/20/93	12.58	11.08	11.78
FR550	09/21/93	13.02	10.45	11.46
FR550	09/23/93	12.11	11.26	11.51
FR550	09/24/93	11.68	10.63	11.23
FR550	09/25/93	12.33	10.84	11.57
FR550	09/26/93	12.55	11.68	12.07
FR550	09/27/93	12.77	11.47	12.24
FR550	09/28/93	12.55	11.26	11.99
FR550	09/29/93	11.90	11.05	11.35
FR550	09/30/93	11.68	10.42	11.04
FR550	10/01/93	11.90	10.63	11.24
FR550	10/02/93	12.33	10.63	11.46
FR550	10/03/93	12.33	11.05	11.65
FR550	10/04/93	12.55	11.26	11.83
FR550	10/05/93	12.55	11.47	12.00
FR550	10/06/93	12.11	11.05	11.63
FR550	10/07/93	11.05	10.42	10.73
FR550	10/08/93	10.42	9.61	9.89

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR550	10/09/93	9.61	9.01	9.22
FR550	10/10/93	8.81	8.22	8.54
FR550	10/11/93	8.41	7.83	8.07
FR550	10/12/93	8.03	7.64	7.74
FR550	10/13/93	7.64	7.26	7.41
FR550	10/14/93	7.26	6.88	7.10
FR550	10/15/93	7.64	6.88	7.19
FR550	10/16/93	7.26	6.50	6.79
FR550	10/17/93	6.88	6.32	6.59
FR550	10/18/93	7.26	6.50	6.87
FR550	10/19/93	7.45	6.32	6.87
FR550	10/20/93	6.50	6.13	6.25
FR550	10/21/93	6.32	5.58	6.00
FR550	10/22/93	6.88	6.13	6.52
FR550	10/23/93	6.69	6.32	6.54
FR550	10/24/93	7.64	6.69	6.98
FR550	10/25/93	7.07	6.50	6.75
FR550	10/26/93	6.88	6.50	6.67
FR550	10/27/93	6.69	6.50	6.58
FR550	10/28/93	6.88	6.69	6.78
FR550	10/29/93	7.07	6.50	6.81
FR550	10/30/93	6.69	6.32	6.53
FR550	10/31/93	6.88	6.50	6.67
FR550	11/01/93	6.50	5.76	5.95
FR550	11/02/93	5.76	5.40	5.45
FR550	11/03/93	5.58	5.22	5.37
FR550	11/04/93	5.22	3.97	4.60
FR550	11/05/93	3.79	2.40	2.98
FR550	11/06/93	2.75	2.40	2.52
FR550	11/07/93	2.92	2.57	2.70
FR550	11/08/93	3.09	2.57	2.77
FR550	11/09/93	2.92	2.40	2.63
FR550	11/10/93	2.75	2.40	2.52
FR550	11/11/93	2.40	2.06	2.33
FR550	11/12/93	2.92	2.40	2.62
FR550	11/13/93	2.92	2.40	2.73
FR550	11/14/93	2.92	2.40	2.68
FR550	11/15/93	2.75	2.40	2.65
FR550	11/16/93	2.57	2.23	2.43
FR617	07/07/93	17.51	16.26	16.97
FR617	07/08/93	17.00	16.01	16.56
FR617	07/09/93	17.51	15.53	16.51
FR617	07/10/93	17.51	15.77	16.63
FR617	07/11/93	17.51	16.01	16.71
FR617	07/12/93	17.77	15.77	16.66
FR617	07/13/93	18.03	15.53	16.75
FR617	07/14/93	18.29	15.77	16.93
FR617	07/15/93	17.51	15.77	16.58
FR617	07/16/93	17.77	15.29	16.20
FR617	07/17/93	17.77	15.29	16.49

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR617	07/18/93	18.55	16.26	17.15
FR617	07/19/93	19.09	16.50	17.69
FR617	07/20/93	19.63	17.51	18.29
FR617	07/21/93	19.91	18.29	18.85
FR617	07/22/93	19.09	18.03	18.59
FR617	07/23/93	19.36	18.03	18.61
FR617	07/24/93	19.09	18.03	18.49
FR617	07/25/93	18.82	17.51	18.16
FR617	07/26/93	19.36	17.26	18.32
FR617	07/27/93	19.36	17.77	18.48
FR617	07/28/93	18.55	17.77	18.24
FR617	07/29/93	18.82	17.77	18.06
FR617	07/30/93	17.77	16.75	17.26
FR617	07/31/93	16.75	15.77	16.28
FR617	08/01/93	16.50	15.53	15.99
FR617	08/02/93	16.50	14.81	15.68
FR617	08/03/93	17.77	15.53	16.59
FR617	08/04/93	19.09	16.50	17.78
FR617	08/05/93	20.19	17.77	18.91
FR617	08/06/93	20.19	18.55	19.38
FR617	08/07/93	20.19	18.55	19.30
FR617	08/08/93	19.09	18.55	18.73
FR617	08/09/93	18.82	17.77	18.22
FR617	08/10/93	18.03	16.50	17.33
FR617	08/11/93	17.26	15.29	16.36
FR617	08/12/93	16.50	15.53	16.07
FR617	08/13/93	17.00	15.53	16.24
FR617	08/14/93	17.26	15.53	16.29
FR617	08/15/93	18.55	16.01	17.05
FR617	08/16/93	19.09	16.01	17.44
FR617	08/17/93	19.63	16.50	17.97
FR617	08/18/93	20.19	17.26	18.44
FR617	08/19/93	20.75	17.51	18.91
FR617	08/20/93	20.75	17.77	18.95
FR617	08/21/93	20.47	18.29	19.02
FR617	08/22/93	18.55	17.77	18.21
FR617	08/23/93	17.77	16.50	17.26
FR617	08/24/93	16.50	15.29	15.89
FR617	08/25/93	15.77	14.81	15.17
FR617	08/26/93	15.29	14.11	14.60
FR617	08/27/93	15.29	13.66	14.27
FR617	08/28/93	15.29	13.43	14.25
FR617	08/29/93	16.50	12.98	14.20
FR617	09/04/93	17.63	16.13	16.85
FR617	09/05/93	17.38	15.41	16.38
FR617	09/06/93	17.38	15.41	16.34
FR617	09/07/93	17.12	15.65	16.32
FR617	09/08/93	17.63	15.65	16.32
FR617	09/09/93	17.63	15.17	16.11
FR617	09/10/93	17.38	14.93	15.87

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR617	09/11/93	15.89	13.78	15.05
FR617	09/12/93	15.89	13.10	14.13
FR617	09/13/93	15.41	12.88	13.85
FR617	09/14/93	13.55	12.44	13.22
FR617	09/15/93	15.17	11.57	12.93
FR617	09/16/93	15.65	10.94	12.60
FR617	09/17/93	10.94	10.52	10.75
FR687	07/06/93	16.97	16.23	16.55
FR687	07/07/93	16.97	15.75	16.36
FR687	07/08/93	16.72	16.23	16.51
FR687	07/09/93	17.22	15.75	16.44
FR687	07/10/93	17.22	15.99	16.65
FR687	07/11/93	16.97	16.23	16.63
FR687	07/12/93	16.97	16.23	16.62
FR687	07/13/93	17.22	15.99	16.66
FR687	07/14/93	16.97	16.48	16.71
FR687	07/15/93	16.48	15.99	16.28
FR687	07/16/93	16.48	15.51	15.95
FR687	07/17/93	17.48	15.99	16.56
FR687	07/18/93	17.73	16.48	17.06
FR687	07/19/93	18.51	17.48	17.91
FR687	07/20/93	19.31	17.73	18.49
FR687	07/21/93	19.31	18.25	18.77
FR687	07/22/93	18.77	18.25	18.62
FR687	07/23/93	19.04	18.25	18.63
FR687	07/24/93	18.77	18.25	18.42
FR687	07/25/93	18.51	17.73	18.09
FR687	07/26/93	18.51	17.48	18.09
FR687	07/27/93	18.51	18.25	18.37
FR687	07/28/93	18.51	17.99	18.26
FR687	07/29/93	18.25	17.48	17.92
FR687	07/30/93	17.73	15.75	16.81
FR687	07/31/93	16.23	15.03	15.51
FR687	08/01/93	15.75	14.80	15.27
FR687	08/02/93	16.23	14.80	15.52
FR687	08/03/93	17.48	15.99	16.60
FR687	08/04/93	18.77	17.22	17.87
FR687	08/05/93	19.85	18.25	18.91
FR687	08/06/93	19.58	19.04	19.32
FR687	08/07/93	19.58	18.51	19.02
FR687	08/08/93	19.04	18.25	18.72
FR687	08/09/93	18.25	17.48	17.91
FR687	08/10/93	17.22	16.48	16.91
FR687	08/11/93	16.48	15.51	16.14
FR687	08/12/93	16.23	15.75	16.00
FR687	08/13/93	16.48	15.75	16.19
FR687	08/14/93	16.97	15.99	16.38
FR687	08/15/93	17.48	16.48	16.91
FR687	08/16/93	17.99	16.72	17.31
FR687	08/17/93	18.25	17.22	17.71

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR687	08/18/93	18.77	17.99	18.29
FR687	08/19/93	19.04	17.99	18.55
FR687	08/20/93	19.58	18.51	18.87
FR687	08/21/93	19.04	18.51	18.85
FR687	08/22/93	18.51	17.73	18.21
FR687	08/23/93	17.73	16.48	17.30
FR687	08/24/93	16.48	15.03	15.73
FR687	08/25/93	15.03	14.33	14.67
FR687	08/26/93	14.33	13.88	14.19
FR687	08/27/93	14.33	13.65	13.97
FR687	08/28/93	14.33	13.65	13.98
FR687	08/29/93	14.56	13.65	14.00
FR687	08/30/93	15.03	13.88	14.33
FR687	08/31/93	15.75	14.33	14.97
FR687	09/01/93	16.48	14.80	15.55
FR687	09/02/93	16.72	15.27	15.93
FR687	09/03/93	16.97	15.75	16.26
FR687	09/04/93	16.97	15.99	16.38
FR687	09/05/93	16.97	15.75	16.33
FR687	09/06/93	16.97	15.75	16.24
FR687	09/07/93	16.97	15.75	16.22
FR687	09/08/93	16.97	15.51	16.18
FR687	09/09/93	16.72	15.51	15.94
FR687	09/10/93	16.48	15.03	15.67
FR687	09/11/93	15.75	14.56	15.21
FR687	09/12/93	14.56	13.42	13.93
FR687	09/13/93	13.88	13.20	13.48
FR687	09/14/93	13.65	12.98	13.22
FR687	09/15/93	13.42	12.32	12.80
FR687	09/16/93	12.98	11.89	12.36
FR687	09/17/93	12.98	11.46	12.17
FR687	09/18/93	12.76	11.67	12.10
FR687	09/19/93	12.10	11.04	11.52
FR687	09/20/93	11.89	10.41	11.02
FR687	09/21/93	11.46	9.80	10.52
FR687	09/22/93	11.46	9.80	10.46
FR687	09/23/93	11.46	9.80	10.46
FR687	09/24/93	11.02	10.41	10.63
FR687	09/25/93	12.08	10.60	11.08
FR687	09/26/93	12.30	11.02	11.38
FR687	09/27/93	12.08	10.81	11.28
FR687	09/28/93	12.08	10.39	10.97
FR687	09/29/93	11.02	10.19	10.58
FR687	09/30/93	11.23	9.98	10.56
FR687	10/01/93	11.23	9.98	10.54
FR687	10/02/93	11.65	9.98	10.66
FR687	10/03/93	11.87	10.19	10.92
FR687	10/04/93	12.08	10.39	11.13
FR687	10/05/93	12.08	10.81	11.37
FR687	10/06/93	11.23	10.39	10.71

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR687	10/07/93	10.60	9.58	10.02
FR687	10/08/93	9.58	8.58	9.10
FR687	10/09/93	8.58	7.80	8.16
FR687	10/10/93	7.80	7.42	7.55
FR687	10/11/93	7.42	7.04	7.18
FR687	10/12/93	7.04	6.47	6.69
FR687	10/13/93	6.47	6.29	6.37
FR687	10/14/93	6.47	6.10	6.20
FR687	10/15/93	6.66	5.92	6.31
FR687	10/16/93	6.66	5.55	6.01
FR687	10/17/93	6.85	5.92	6.36
FR687	10/18/93	6.47	5.92	6.20
FR687	10/19/93	6.10	5.55	5.79
FR687	10/20/93	6.10	5.01	5.39
FR687	10/21/93	5.37	4.65	5.08
FR687	10/22/93	6.10	5.19	5.63
FR687	10/23/93	6.10	5.55	5.88
FR687	10/24/93	6.47	6.10	6.23
FR687	10/25/93	6.10	5.73	5.98
FR687	10/26/93	6.29	5.92	6.10
FR687	10/27/93	6.47	6.10	6.27
FR687	10/28/93	6.47	5.92	6.21
FR687	10/29/93	6.10	5.55	5.88
FR687	10/30/93	6.29	5.92	6.05
FR687	10/31/93	6.29	5.55	6.01
FR687	11/01/93	5.55	4.65	4.98
FR687	11/02/93	4.65	4.29	4.44
FR687	11/03/93	4.47	3.76	4.28
FR687	11/04/93	3.58	2.37	2.97
FR687	11/05/93	2.20	1.69	1.92
FR687	11/06/93	1.86	1.69	1.78
FR687	11/07/93	2.03	1.86	1.91
FR687	11/08/93	2.20	1.69	1.95
FR687	11/09/93	2.03	1.69	1.89
FR687	11/10/93	1.86	1.53	1.70
FR687	11/11/93	2.03	1.69	1.85
FR687	11/12/93	2.37	2.03	2.14
FR687	11/13/93	2.20	1.86	2.04
FR730	06/27/93	14.40	14.17	14.24
FR730	06/28/93	14.17	12.83	13.32
FR730	06/29/93	13.05	12.61	12.83
FR730	06/30/93	13.72	12.39	12.97
FR730	07/01/93	14.40	13.27	13.82
FR730	07/02/93	15.34	14.17	14.71
FR730	07/03/93	16.30	15.10	15.67
FR730	07/04/93	16.79	16.06	16.45
FR730	07/05/93	17.04	16.06	16.52
FR730	07/06/93	16.79	16.06	16.30
FR730	07/07/93	16.79	15.82	16.20
FR730	07/08/93	16.79	16.06	16.39

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR730	07/09/93	17.04	15.82	16.39
FR730	07/10/93	17.04	15.58	16.36
FR730	07/11/93	17.80	16.06	16.57
FR730	07/12/93	17.29	15.82	16.37
FR730	07/13/93	17.04	15.82	16.46
FR730	07/14/93	16.79	16.06	16.54
FR730	07/15/93	16.55	15.82	16.15
FR730	07/18/93	17.80	17.55	17.70
FR730	07/19/93	18.58	17.29	17.89
FR730	07/20/93	19.11	17.80	18.46
FR730	07/21/93	19.11	18.06	18.65
FR730	07/22/93	18.84	18.06	18.54
FR730	07/23/93	18.84	18.06	18.48
FR730	07/24/93	18.58	17.80	18.25
FR730	07/25/93	18.32	17.29	17.83
FR730	07/26/93	18.58	17.29	17.96
FR730	07/27/93	18.58	17.80	18.30
FR730	07/28/93	18.32	17.80	18.12
FR730	07/29/93	18.06	17.55	17.88
FR730	07/30/93	17.80	16.06	16.84
FR730	07/31/93	16.06	15.34	15.70
FR730	08/01/93	15.82	13.95	14.69
FR730	08/02/93	15.82	14.40	15.06
FR730	08/03/93	17.29	15.58	16.18
FR730	08/04/93	18.32	16.79	17.55
FR730	08/05/93	19.38	18.06	18.69
FR730	C8/06/93	19.38	18.84	19.18
FR730	08/07/93	19.11	18.32	18.84
FR730	08/08/93	19.11	18.32	18.63
FR730	08/09/93	18.06	17.29	17.62
FR730	08/10/93	17.04	16.30	16.59
FR730	08/11/93	16.30	15.34	15.83
FR730	08/12/93	16.30	15.58	15.85
FR730	08/13/93	16.30	15.58	15.94
FR730	08/14/93	16.79	15.58	16.18
FR730	08/15/93	17.29	16.06	16.67
FR730	08/16/93	17.80	16.55	17.18
FR730	08/17/93	18.06	16.79	17.57
FR730	08/18/93	18.58	17.80	18.13
FR730	08/19/93	18.84	17.55	18.28
FR730	08/20/93	19.11	18.06	18.71
FR730	08/21/93	19.11	18.32	18.62
FR730	08/22/93	18.58	17.80	18.02
FR730	08/23/93	17.80	16.55	17.05
FR730	08/24/93	16.55	15.10	15.56
FR730	08/25/93	14.87	14.17	14.48
FR730	08/26/93	14.17	13.49	13.90
FR730	08/27/93	13.95	13.27	13.75
FR730	08/28/93	13.95	13.27	13.69
FR730	08/29/93	14.17	13.49	13.88

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR730	08/30/93	14.87	13.72	14.31
FR730	08/31/93	16.06	14.40	15.11
FR730	09/01/93	14.87	13.95	14.30
FR730	09/03/93	16.28	16.03	16.25
FR730	09/04/93	16.28	15.79	16.09
FR730	09/05/93	16.28	15.55	16.06
FR730	09/06/93	16.28	15.55	15.99
FR730	09/07/93	16.03	15.55	15.92
FR730	09/08/93	16.03	15.55	15.87
FR730	09/09/93	16.03	15.31	15.58
FR730	09/10/93	15.79	15.07	15.43
FR730	09/11/93	15.55	14.13	14.84
FR730	09/12/93	14.13	13.22	13.61
FR730	09/13/93	13.45	13.00	13.13
FR730	09/14/93	13.22	13.00	13.01
FR730	09/15/93	13.00	12.12	12.57
FR730	09/16/93	12.56	11.90	12.22
FR730	09/17/93	12.78	11.69	12.08
FR730	09/18/93	12.34	11.69	12.03
FR730	09/19/93	12.12	11.05	11.43
FR730	09/20/93	11.69	10.42	10.90
FR730	09/24/93	10.54	10.33	10.47
FR730	09/25/93	10.96	10.54	10.71
FR730	09/26/93	10.96	10.96	10.96
FR730	09/27/93	10.96	10.54	10.83
FR730	09/28/93	10.75	10.12	10.49
FR730	09/29/93	10.54	10.33	10.40
FR730	09/30/93	10.54	9.92	10.30
FR730	10/01/93	10.54	9.92	10.31
FR730	10/02/93	10.75	10.12	10.42
FR730	10/03/93	10.96	10.33	10.67
FR730	10/04/93	11.17	10.75	10.92
FR730	10/05/93	11.17	10.96	11.02
FR730	10/06/93	10.96	10.33	10.66
FR730	10/07/93	10.33	9.31	9.78
FR730	10/08/93	9.31	8.31	8.84
FR730	10/09/93	8.31	7.53	7.90
FR730	10/10/93	7.53	7.15	7.32
FR730	10/11/93	6.96	6.58	6.81
FR730	10/12/93	6.58	6.20	6.34
FR730	10/13/93	6.20	6.02	6.07
FR730	10/14/93	6.02	5.83	5.97
FR730	10/15/93	6.20	6.02	6.10
FR730	10/16/93	6.20	5.65	5.96
FR730	10/17/93	6.39	6.02	6.15
FR730	10/18/93	6.20	6.02	6.13
FR730	10/19/93	6.02	5.28	5.56
FR730	10/20/93	5.46	4.74	5.06
FR730	10/21/93	4.92	4.74	4.82
FR730	10/22/93	5.83	4.92	5.43

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR730	10/23/93	6.02	5.65	5.78
FR730	10/24/93	6.39	5.83	6.06
FR730	10/25/93	6.20	5.83	6.00
FR730	10/26/93	6.20	6.20	6.20
FR730	10/27/93	6.58	6.20	6.36
FR730	10/28/93	6.58	5.83	6.17
FR730	10/29/93	6.02	5.83	5.99
FR730	10/30/93	6.20	6.02	6.09
FR730	10/31/93	6.20	5.65	5.94
FR730	11/01/93	5.65	4.38	5.03
FR730	11/02/93	4.38	4.38	4.38
FR730	11/03/93	4.38	3.84	4.08
FR730	11/04/93	3.67	2.45	3.00
FR730	11/05/93	2.45	1.93	2.09
FR730	11/06/93	1.93	1.76	1.88
FR730	11/07/93	1.93	1.76	1.87
FR730	11/08/93	2.10	1.76	1.96
FR730	11/09/93	2.10	1.93	2.00
FR730	11/10/93	1.93	1.76	1.85
FR730	11/11/93	2.10	1.93	2.02
FR730	11/12/93	2.45	2.10	2.31
FR730	11/13/93	2.45	2.10	2.24
FR763	07/21/93	18.16	17.90	18.13
FR763	07/22/93	18.16	17.39	17.81
FR763	07/23/93	18.16	17.39	17.72
FR763	07/24/93	17.64	16.88	17.20
FR763	07/25/93	17.13	16.14	16.67
FR763	07/26/93	17.64	16.14	16.86
FR763	07/27/93	17.39	16.39	16.79
FR763	07/28/93	16.88	16.14	16.43
FR763	07/29/93	17.39	16.14	16.51
FR763	07/31/93	14.70	14.01	14.33
FR763	08/01/93	14.01	12.44	13.29
FR763	08/02/93	14.70	13.32	13.95
FR763	08/03/93	16.14	14.23	15.07
FR763	08/04/93	17.39	15.65	16.37
FR763	08/05/93	18.42	16.88	17.59
FR763	08/06/93	18.42	17.64	18.05
FR763	08/07/93	18.42	17.13	17.80
FR763	08/08/93	18.42	17.39	17.64
FR763	08/19/93	17.39	16.39	17.11
FR763	08/20/93	17.90	16.63	17.35
FR763	08/21/93	17.90	16.88	17.32
FR763	08/22/93	17.13	16.14	16.54
FR763	08/23/93	16.14	15.18	15.57
FR763	08/24/93	15.18	13.78	14.28
FR763	08/25/93	13.78	12.89	13.15
FR763	08/26/93	12.89	12.23	12.56
FR763	08/27/93	12.89	12.23	12.55
FR763	08/28/93	12.66	12.01	12.43

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR763	08/29/93	13.10	12.01	12.63
FR763	08/30/93	14.01	12.66	13.27
FR763	08/31/93	14.23	13.32	13.82
FR763	09/01/93	14.47	13.56	14.06
FR763	09/02/93	14.94	14.01	14.54
FR763	09/03/93	15.41	14.47	14.92
FR763	09/04/93	15.41	14.70	15.12
FR763	09/05/93	15.41	14.70	15.14
FR763	09/06/93	15.41	14.47	15.00
FR763	09/07/93	15.18	14.47	14.95
FR763	09/08/93	15.18	14.47	14.83
FR763	09/09/93	14.94	14.01	14.50
FR763	09/10/93	14.70	14.01	14.35
FR763	09/11/93	14.23	13.10	13.73
FR763	09/12/93	13.10	12.23	12.56
FR763	09/13/93	12.44	11.80	12.12
FR763	09/14/93	12.23	11.57	11.95
FR763	09/15/93	11.80	10.94	11.37
FR763	09/16/93	11.15	10.52	10.90
FR763	09/17/93	11.15	10.31	10.83
FR763	09/18/93	10.94	10.31	10.71
FR763	09/19/93	10.52	9.71	10.14
FR763	09/20/93	10.11	9.11	9.59
FR763	09/21/93	9.51	8.91	9.33
FR763	09/22/93	9.71	8.91	9.30
FR763	09/23/93	9.51	9.11	9.33
FR763	09/24/93	9.87	9.51	9.66
FR763	09/25/93	10.08	9.47	9.82
FR763	09/26/93	10.08	9.67	9.90
FR763	09/27/93	10.08	9.47	9.79
FR763	09/28/93	10.08	9.27	9.71
FR763	09/29/93	10.08	9.67	9.81
FR763	09/30/93	10.08	9.27	9.62
FR763	10/01/93	9.87	9.07	9.55
FR763	10/02/93	10.28	9.27	9.77
FR763	10/03/93	10.49	9.67	10.04
FR763	10/04/93	10.70	9.87	10.28
FR763	10/05/93	10.49	10.28	10.38
FR763	10/06/93	10.28	9.67	9.96
FR763	10/07/93	9.67	8.67	9.11
FR763	10/08/93	8.67	7.69	8.12
FR763	10/09/93	7.69	7.31	7.53
FR763	10/10/93	7.12	6.55	6.91
FR763	10/11/93	6.55	5.99	6.19
FR763	10/12/93	5.81	5.44	5.65
FR763	10/13/93	5.44	5.26	5.34
FR763	10/14/93	5.26	5.26	5.26
FR763	10/15/93	5.62	5.26	5.37
FR763	10/16/93	5.44	4.90	5.24
FR763	10/17/93	5.62	5.26	5.46

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR763	10/18/93	5.44	5.26	5.41
FR763	10/19/93	5.08	4.72	4.93
FR763	10/20/93	4.72	4.18	4.41
FR763	10/21/93	4.36	4.00	4.19
FR763	10/22/93	5.26	4.54	4.89
FR763	10/23/93	5.62	5.26	5.38
FR763	10/24/93	6.18	5.62	5.96
FR763	10/25/93	5.99	5.81	5.92
FR763	10/26/93	5.99	5.81	5.95
FR763	10/27/93	6.36	5.99	6.15
FR763	10/28/93	6.18	5.62	5.85
FR763	10/29/93	5.99	5.62	5.85
FR763	10/30/93	5.81	5.44	5.66
FR763	10/31/93	5.62	5.08	5.28
FR763	11/01/93	4.90	4.18	4.50
FR763	11/02/93	4.18	3.30	3.72
FR763	11/03/93	3.47	3.12	3.36
FR763	11/04/93	3.12	2.26	2.56
FR763	11/05/93	2.09	1.58	1.79
FR763	11/06/93	1.58	1.42	1.44
FR763	11/07/93	1.42	1.25	1.35
FR763	11/08/93	1.75	1.42	1.58
FR763	11/09/93	1.75	1.58	1.69
FR763	11/10/93	1.92	1.58	1.78
FR763	11/11/93	2.09	1.92	1.93
FR763	11/12/93	2.09	1.92	2.03
FR763	11/13/93	2.09	1.92	2.02
NR3	06/27/93	17.18	16.18	16.74
NR3	06/28/93	16.18	15.21	15.57
NR3	06/29/93	15.21	14.73	14.96
NR3	06/30/93	15.45	14.26	14.94
NR3	07/01/93	15.69	14.97	15.41
NR3	07/02/93	16.18	15.21	15.63
NR3	07/03/93	17.43	15.93	16.57
NR3	07/04/93	17.43	16.67	17.02
NR3	07/05/93	17.43	16.67	17.00
NR3	07/06/93	17.18	16.67	16.85
NR3	07/07/93	17.69	16.42	17.08
NR3	07/08/93	17.95	17.18	17.50
NR3	07/09/93	17.69	16.67	17.23
NR3	07/10/93	17.69	16.42	17.08
NR3	07/11/93	17.95	16.92	17.38
NR3	07/12/93	17.69	16.42	17.15
NR3	07/13/93	18.21	16.42	17.34
NR3	07/14/93	17.69	16.42	17.04
NR3	07/15/93	16.42	16.18	16.36
NR3	07/16/93	17.18	15.69	16.31
NR3	07/17/93	17.69	15.93	16.72
NR3	07/18/93	18.21	16.42	17.37
NR3	07/19/93	18.74	17.43	18.26

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NR3	07/20/93	19.28	17.95	18.63
NR3	07/21/93	19.28	18.21	18.72
NR3	07/22/93	19.28	18.21	18.70
NR3	07/23/93	19.01	18.21	18.67
NR3	07/24/93	19.01	18.21	18.63
NR3	07/25/93	18.74	17.95	18.35
NR3	07/26/93	19.55	17.95	18.65
NR3	07/27/93	19.83	18.47	19.26
NR3	07/28/93	20.11	19.01	19.51
NR3	07/29/93	19.55	18.74	19.10
NR3	07/30/93	18.74	17.18	17.85
NR3	07/31/93	17.43	16.42	16.98
NR3	08/01/93	17.69	16.18	16.89
NR3	08/02/93	18.74	16.67	17.65
NR3	08/03/93	19.55	17.69	18.66
NR3	08/04/93	20.39	18.74	19.60
NR3	08/05/93	20.96	19.55	20.25
NR3	08/06/93	20.96	19.83	20.37
NR3	08/07/93	20.11	19.28	19.69
NR3	08/08/93	19.55	18.74	19.27
NR3	08/09/93	18.74	18.21	18.49
NR3	08/10/93	18.21	17.43	17.77
NR3	08/11/93	17.69	16.67	17.25
NR3	08/12/93	18.21	17.18	17.72
NR3	08/13/93	18.47	17.18	17.83
NR3	08/14/93	19.01	17.43	18.17
NR3	08/15/93	19.28	17.43	18.39
NR3	08/16/93	19.55	17.69	18.72
NR3	08/17/93	20.11	18.21	19.13
NR3	08/18/93	20.39	18.74	19.58
NR3	08/19/93	20.67	18.74	19.75
NR3	08/20/93	20.67	19.01	19.85
NR3	08/21/93	20.39	19.01	19.80
NR3	08/22/93	19.83	19.01	19.42
NR3	08/23/93	19.01	17.69	18.36
NR3	08/24/93	17.43	16.42	16.79
NR3	08/25/93	16.18	15.69	15.99
NR3	08/26/93	16.18	15.21	15.71
NR3	08/27/93	15.93	14.73	15.36
NR3	08/28/93	15.93	14.50	15.31
NR3	08/29/93	16.42	14.50	15.53
NR3	08/30/93	16.67	14.50	15.71
NR3	08/31/93	17.43	15.21	16.20
NR3	09/01/93	17.69	15.45	16.68
NR3	09/02/93	18.47	15.93	17.26
NR3	09/03/93	18.45	16.18	17.52
NR3	09/04/93	18.45	16.40	17.53
NR3	09/05/93	18.19	15.91	17.32
NR3	09/06/93	18.45	16.16	17.42
NR3	09/07/93	18.19	16.16	17.41

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NR3	09/08/93	18.19	16.16	17.33
NR3	09/09/93	17.93	15.91	17.05
NR3	09/10/93	17.67	15.67	16.95
NR3	09/11/93	17.16	15.43	16.06
NR3	09/12/93	15.43	14.01	14.85
NR3	09/13/93	15.19	13.78	14.65
NR3	09/14/93	14.95	13.78	14.49
NR3	09/15/93	14.71	12.88	14.01
NR3	09/16/93	14.48	12.66	13.75
NR3	09/17/93	14.48	12.44	13.67
NR3	09/18/93	14.24	12.44	13.42
NR3	09/19/93	13.33	11.78	12.71
NR3	09/20/93	12.66	10.93	12.09
NR3	09/21/93	12.44	10.30	11.56
NR3	09/22/93	12.66	10.72	11.79
NR3	09/23/93	12.44	10.93	11.86
NR3	09/24/93	12.44	11.54	12.01
NR3	09/25/93	12.63	11.33	11.98
NR3	09/26/93	12.85	11.76	12.37
NR3	09/27/93	12.85	11.54	12.27
NR3	09/28/93	12.63	10.70	11.83
NR3	09/29/93	12.41	11.12	11.80
NR3	09/30/93	12.19	10.91	11.64
NR3	10/01/93	12.41	10.70	11.64
NR3	10/02/93	12.41	10.70	11.66
NR3	10/03/93	12.85	10.91	11.93
NR3	10/04/93	12.85	11.33	12.16
NR3	10/05/93	12.85	11.76	12.32
NR3	10/06/93	12.63	11.12	11.73
NR3	10/07/93	11.33	9.87	10.60
NR3	10/08/93	10.70	9.07	9.70
NR3	10/09/93	9.47	8.27	8.65
NR3	10/10/93	8.47	7.89	8.01
NR3	10/11/93	7.89	7.50	7.63
NR3	10/12/93	7.50	7.12	7.25
NR3	10/13/93	7.12	6.74	7.01
NR3	10/14/93	7.12	6.74	6.92
NR3	10/15/93	7.50	6.93	7.22
NR3	10/16/93	7.12	6.36	6.88
NR3	10/17/93	7.50	6.36	7.01
NR3	10/18/93	7.31	6.74	6.98
NR3	10/19/93	6.74	5.81	6.36
NR3	10/20/93	6.55	5.62	6.11
NR3	10/21/93	6.36	5.62	5.99
NR3	10/22/93	6.93	6.18	6.57
NR3	10/23/93	7.12	6.36	6.78
NR3	10/24/93	7.12	6.55	6.88
NR3	10/25/93	6.93	6.18	6.55
NR3	10/26/93	6.74	6.36	6.57
NR3	10/27/93	7.31	6.74	7.00

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NR3	10/28/93	7.12	5.99	6.51
NR3	10/29/93	6.93	6.18	6.53
NR3	10/30/93	7.50	6.93	7.14
NR3	10/31/93	7.50	6.55	6.84
NR3	11/01/93	6.55	5.08	5.60
NR3	11/02/93	5.44	5.26	5.34
NR3	11/03/93	5.44	4.72	5.22
NR3	11/04/93	4.54	3.47	3.77
NR3	11/05/93	3.47	2.43	2.82
NR3	11/06/93	3.30	2.61	2.99
NR3	11/07/93	3.30	2.78	3.03
NR3	11/08/93	3.30	2.95	3.10
NR3	11/09/93	3.12	2.43	2.74
NR3	11/10/93	2.61	2.09	2.33
NR3	11/11/93	2.78	2.26	2.45
NR3	11/12/93	2.95	2.61	2.75
NR3	11/13/93	2.95	2.26	2.61
NTR2	06/25/93	13.51	13.06	13.42
NTR2	06/26/93	14.21	12.83	13.53
NTR2	06/27/93	13.97	13.29	13.62
NTR2	06/28/93	13.97	13.06	13.50
NTR2	06/29/93	13.74	12.83	13.20
NTR2	06/30/93	13.06	12.39	12.71
NTR2	07/01/93	13.97	12.61	13.22
NTR2	07/02/93	14.68	13.29	13.91
NTR2	07/03/93	14.68	13.51	14.25
NTR2	07/04/93	15.16	13.97	14.55
NTR2	07/05/93	15.16	14.21	14.56
NTR2	07/06/93	15.16	13.97	14.57
NTR2	07/07/93	15.40	14.21	14.74
NTR2	07/08/93	15.64	14.44	15.00
NTR2	07/09/93	15.16	13.97	14.60
NTR2	07/10/93	15.64	14.44	15.01
NTR2	07/11/93	15.89	14.21	15.10
NTR2	07/12/93	15.64	14.68	15.12
NTR2	07/13/93	15.16	14.44	14.75
NTR2	07/14/93	15.64	14.21	14.87
NTR2	07/15/93	15.89	14.21	15.02
NTR2	07/16/93	15.89	14.21	14.91
NTR2	07/17/93	15.16	14.21	14.76
NTR2	07/18/93	15.64	13.97	14.80
NTR2	07/19/93	15.64	14.44	15.07
NTR2	07/20/93	16.13	15.16	15.58
NTR2	07/21/93	16.13	15.16	15.69
NTR2	07/22/93	15.89	15.16	15.63
NTR2	07/23/93	16.63	15.40	16.00
NTR2	07/24/93	16.38	15.64	15.96
NTR2	07/25/93	16.89	15.40	16.23
NTR2	07/26/93	17.14	15.89	16.61
NTR2	07/27/93	17.40	16.13	16.79

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NTR2	07/28/93	16.89	16.13	16.40
NTR2	07/29/93	16.38	15.64	15.98
NTR2	07/30/93	16.13	15.16	15.73
NTR2	07/31/93	15.89	15.16	15.58
NTR2	08/01/93	16.13	14.68	15.36
NTR2	08/02/93	16.63	14.92	15.67
NTR2	08/03/93	17.40	15.64	16.47
NTR2	08/04/93	17.92	16.38	17.21
NTR2	08/05/93	17.40	16.38	17.04
NTR2	08/06/93	17.92	16.63	17.28
NTR2	08/07/93	17.66	16.89	17.42
NTR2	08/08/93	17.40	16.38	16.96
NTR2	08/09/93	17.14	16.38	16.67
NTR2	08/10/93	16.38	15.89	16.06
NTR2	08/11/93	16.63	15.16	15.88
NTR2	08/12/93	16.38	15.64	16.13
NTR2	08/13/93	16.13	15.40	15.91
NTR2	08/14/93	16.13	15.16	15.77
NTR2	08/15/93	16.13	15.64	15.91
NTR2	08/16/93	16.89	16.13	16.43
NTR2	08/17/93	17.14	16.38	16.76
NTR2	08/18/93	17.40	16.63	17.10
NTR2	08/19/93	17.66	16.89	17.30
NTR2	08/20/93	17.66	16.89	17.18
NTR2	08/21/93	17.14	16.63	16.99
NTR2	08/22/93	16.89	16.38	16.52
NTR2	08/23/93	16.38	15.64	16.01
NTR2	08/24/93	16.63	14.68	15.48
NTR2	08/25/93	15.40	14.21	14.74
NTR2	08/26/93	14.44	13.74	14.16
NTR2	08/27/93	15.16	13.97	14.44
NTR2	08/28/93	14.92	14.21	14.48
NTR2	08/29/93	15.40	13.97	14.68
NTR2	08/30/93	15.89	13.97	14.96
NTR2	08/31/93	16.13	14.44	15.20
NTR2	09/01/93	16.38	14.68	15.42
NTR2	09/02/93	16.89	14.92	15.90
NTR2	09/03/93	17.40	15.64	16.57
NTR2	09/04/93	17.66	16.13	16.90
NTR2	09/05/93	17.40	15.89	16.68
NTR2	09/06/93	17.14	15.40	16.28
NTR2	09/07/93	16.89	15.40	16.22
NTR2	09/08/93	17.14	15.64	16.41
NTR2	09/09/93	17.14	15.64	16.44
NTR2	09/10/93	17.14	15.64	16.41
NTR2	09/11/93	16.38	15.40	15.91
NTR2	09/12/93	15.89	14.44	15.27
NTR2	09/13/93	15.16	14.21	14.69
NTR2	09/14/93	14.44	13.74	14.05
NTR2	09/15/93	14.68	13.51	13.98

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NTR2	09/16/93	14.92	13.51	14.14
NTR2	09/17/93	14.92	13.29	14.03
NTR2	09/18/93	14.68	13.06	13.78
NTR2	09/19/93	13.97	13.06	13.46
NTR2	09/20/93	13.29	12.61	12.95
NTR2	09/21/93	13.29	11.73	12.55
NTR2	09/22/93	13.29	11.51	12.36
NTR2	09/23/93	13.29	11.51	12.36
NTR2	09/24/93	12.61	11.73	12.17
NTR2	09/25/93	13.06	11.30	12.09
NTR2	09/26/93	13.51	11.95	12.54
NTR2	09/27/93	12.61	12.39	12.45
QR1	07/07/93	11.93	10.66	11.49
QR1	07/08/93	11.72	10.24	10.91
QR1	07/09/93	12.81	10.87	11.72
QR1	07/10/93	13.25	11.08	12.17
QR1	07/11/93	13.03	12.37	12.76
QR1	07/12/93	14.39	12.59	13.44
QR1	07/13/93	15.34	13.48	14.30
QR1	07/14/93	15.34	13.48	14.43
QR1	07/15/93	15.58	14.86	15.23
QR1	07/16/93	16.31	15.10	15.63
QR1	07/17/93	16.06	14.63	15.36
QR1	07/18/93	15.82	14.39	15.14
QR1	07/19/93	16.31	14.86	15.61
QR1	07/20/93	16.55	15.34	15.90
QR1	07/21/93	16.06	14.39	15.25
QR1	07/22/93	15.82	14.86	15.40
QR1	07/23/93	16.80	15.10	15.79
QR1	07/24/93	17.31	16.06	16.60
QR1	07/25/93	17.05	15.82	16.33
QR1	07/26/93	16.55	15.58	16.23
QR1	07/27/93	16.80	15.58	16.15
QR1	07/28/93	17.05	16.55	16.83
QR1	07/29/93	17.82	16.80	17.25
QR1	07/30/93	17.31	16.55	16.76
QR1	07/31/93	17.56	16.31	16.97
QR1	08/01/93	18.08	16.55	17.29
QR1	08/02/93	18.08	16.80	17.52
QR1	08/03/93	18.08	17.05	17.64
QR1	08/04/93	18.60	17.31	17.90
QR1	08/05/93	18.60	17.56	18.17
QR1	08/06/93	18.60	17.31	17.78
QR1	08/07/93	18.08	16.80	17.47
QR1	08/08/93	17.56	15.58	16.31
QR1	08/09/93	16.80	15.58	16.05
QR1	08/10/93	17.05	16.06	16.55
QR1	08/11/93	16.80	15.58	16.24
QR1	08/12/93	16.55	15.58	16.12
QR1	08/13/93	17.05	16.06	16.51

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
QR1	08/14/93	16.80	15.82	16.28
QR1	08/15/93	17.31	15.82	16.49
QR1	08/16/93	17.56	16.06	16.77
QR1	08/17/93	18.08	16.55	17.21
QR1	08/18/93	18.08	17.05	17.52
QR1	08/19/93	18.87	17.56	18.07
QR1	08/20/93	19.41	18.34	18.86
QR1	08/21/93	19.14	18.60	18.87
QR1	08/22/93	18.60	17.82	18.17
QR1	08/23/93	17.82	17.05	17.44
QR1	08/24/93	17.31	16.55	16.84
QR1	08/25/93	17.31	16.55	16.83
QR1	08/26/93	17.31	16.55	16.79
QR1	08/27/93	17.31	16.31	16.82
QR1	08/28/93	17.31	16.31	16.69
QR1	08/29/93	16.31	15.34	15.80
QR1	08/30/93	15.34	13.93	14.47
QR1	08/31/93	16.06	14.39	15.03
QR1	09/01/93	17.05	15.58	16.23
QR1	09/02/93	17.31	16.06	16.75
QR1	09/03/93	17.56	16.31	16.97
QR1	09/04/93	17.05	16.06	16.66
QR1	09/05/93	16.80	16.06	16.46
QR1	09/06/93	16.55	15.58	16.14
QR1	09/07/93	17.05	15.82	16.38
QR1	09/08/93	17.31	16.06	16.60
QR1	09/09/93	16.55	15.82	16.28
QR1	09/10/93	16.55	15.58	16.05
QR1	09/11/93	16.31	14.86	15.76
QR1	09/12/93	14.63	13.71	14.29
QR1	09/13/93	14.16	13.25	13.73
QR1	09/14/93	13.71	13.03	13.32
QR1	09/15/93	13.93	12.81	13.38
QR1	09/16/93	13.93	12.81	13.46
QR1	09/17/93	13.93	12.81	13.51
QR1	09/18/93	14.16	13.03	13.58
QR1	09/19/93	13.25	12.15	12.76
QR1	09/25/93	13.47	12.14	13.05
QR1	09/26/93	13.70	12.80	13.25
QR1	09/27/93	13.92	12.58	13.28
QR1	09/28/93	13.24	11.92	12.65
QR1	09/29/93	12.58	11.92	12.28
QR1	09/30/93	12.80	11.28	12.08
QR1	10/01/93	12.80	11.49	12.33
QR1	10/02/93	13.24	11.71	12.54
QR1	10/03/93	13.47	12.14	12.96
QR1	10/04/93	13.70	12.14	13.05
QR1	10/05/93	13.70	12.58	13.19
QR1	10/06/93	13.24	11.49	12.13
QR1	10/07/93	11.28	10.44	11.01

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
QR1	10/08/93	11.28	10.23	10.70
QR1	10/09/93	10.65	10.23	10.47
QR1	10/10/93	10.44	10.03	10.28
QR1	10/11/93	10.23	9.82	10.09
QR1	10/12/93	10.03	9.62	9.92
QR1	10/13/93	10.03	9.42	9.64
QR1	10/14/93	9.62	9.22	9.54
QR1	10/15/93	10.03	9.22	9.58
QR1	10/16/93	9.42	8.42	8.99
QR1	10/17/93	9.62	8.62	9.10
QR1	10/18/93	9.62	9.02	9.29
QR1	10/19/93	9.62	4.49	7.45
QR1	10/20/93	7.45	3.25	5.52
QR1	10/21/93	8.82	6.50	7.67
QR1	10/22/93	10.23	7.45	8.95
QR1	10/23/93	8.22	5.39	7.26
QR1	10/24/93	9.82	8.22	9.27
QR1	10/25/93	9.42	8.62	8.97
QR1	10/26/93	9.02	8.42	8.68
QR1	10/27/93	9.22	8.62	8.90
QR1	10/28/93	9.02	8.82	8.99
QR1	10/29/93	9.02	8.42	8.69
QR1	10/30/93	8.82	8.22	8.55
QR1	10/31/93	9.02	8.62	8.76
QR1	11/01/93	8.62	7.45	7.89
QR1	11/02/93	7.45	7.26	7.36
QR1	11/03/93	7.84	7.45	7.62
QR1	11/04/93	7.26	5.57	6.37
QR1	11/05/93	5.76	4.85	5.26
QR1	11/06/93	6.69	5.76	6.15
QR1	11/07/93	7.07	6.69	6.90
QR1	11/08/93	7.07	6.69	6.95
QR1	11/09/93	6.88	6.31	6.54
QR1	11/10/93	6.31	5.76	5.97
QR1	11/11/93	5.94	5.57	5.76
QR1	11/12/93	6.13	5.76	5.95
QR1	11/13/93	6.13	5.76	5.88
QR1	11/14/93	5.76	5.21	5.47
RR3	07/09/93	14.91	14.21	14.74
RR3	07/10/93	14.91	13.53	14.18
RR3	07/11/93	15.14	13.31	13.90
RR3	07/12/93	14.44	13.09	13.82
RR3	07/13/93	13.31	12.43	12.78
RR3	07/14/93	13.76	12.00	12.72
RR3	07/15/93	13.76	11.78	12.87
RR3	07/16/93	13.09	11.78	12.42
RR3	07/17/93	13.53	12.00	12.92
RR3	07/18/93	14.21	12.43	13.42
RR3	07/19/93	14.44	12.43	13.64
RR3	07/20/93	14.44	13.53	14.11

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
RR3	07/21/93	15.62	14.21	14.83
RR3	07/22/93	15.38	13.76	14.37
RR3	07/23/93	15.14	13.53	14.32
RR3	07/24/93	15.38	14.21	14.89
RR3	07/25/93	15.86	13.53	14.90
RR3	07/26/93	17.33	14.67	15.87
RR3	07/27/93	16.59	15.38	16.02
RR3	07/28/93	15.62	14.67	15.28
RR3	07/29/93	15.62	13.99	14.62
RR3	07/30/93	14.67	13.31	14.17
RR3	07/31/93	14.91	13.09	14.01
RR3	08/01/93	15.86	12.65	14.14
RR3	08/02/93	16.83	13.99	15.26
RR3	08/03/93	17.84	14.91	16.26
RR3	08/04/93	18.88	15.62	16.95
RR3	08/05/93	18.36	15.86	17.11
RR3	08/06/93	18.36	16.59	17.39
RR3	08/07/93	17.59	15.38	16.54
RR3	08/08/93	17.84	15.14	16.49
RR3	08/09/93	17.08	15.62	16.07
RR3	08/10/93	16.34	14.44	15.31
RR3	08/11/93	16.10	13.99	14.98
RR3	08/12/93	16.34	13.53	14.97
RR3	08/13/93	16.59	14.67	15.70
RR3	08/14/93	17.08	14.91	16.04
RR3	08/15/93	17.33	14.67	15.98
RR3	08/16/93	18.10	15.86	16.96
RR3	08/17/93	19.15	16.59	17.91
RR3	08/18/93	18.36	15.86	17.10
RR3	08/19/93	18.62	15.62	17.11
RR3	08/20/93	18.88	15.86	17.38
RR3	08/21/93	18.36	16.83	17.78
RR3	08/22/93	18.10	16.34	16.99
RR3	08/23/93	16.83	14.67	15.70
RR3	08/24/93	14.67	12.43	13.07
RR3	08/25/93	12.65	11.57	12.17
RR3	08/26/93	13.31	12.21	12.76
RR3	08/27/93	13.09	12.65	12.88
RR3	08/28/93	12.87	11.36	12.18
RR3	08/29/93	13.09	11.36	12.36
RR3	08/30/93	13.09	11.15	12.18
RR3	08/31/93	12.65	11.57	12.30
RR3	09/01/93	13.99	11.78	12.86
RR3	09/02/93	14.44	13.09	13.79
RR3	09/03/93	14.91	13.76	14.25
RR3	09/04/93	14.67	13.31	14.03
RR3	09/05/93	14.21	12.65	13.58
RR3	09/06/93	14.21	12.65	13.51
RR3	09/07/93	14.44	12.65	13.65
RR3	09/08/93	14.67	12.87	13.89

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
RR3	09/09/93	14.67	12.65	13.79
RR3	09/10/93	15.14	13.09	14.20
RR3	09/11/93	14.91	13.53	14.24
RR3	09/12/93	13.31	11.36	12.19
RR3	09/13/93	11.78	9.91	10.95
RR3	09/14/93	12.43	10.94	11.62
RR3	09/15/93	12.21	10.32	11.42
RR3	09/16/93	11.78	9.51	10.72
RR3	09/17/93	10.94	8.91	10.08
RR3	09/18/93	10.94	8.91	10.04
RR3	09/19/93	11.36	10.11	10.79
RR3	09/20/93	11.15	9.71	10.45
RR3	09/21/93	10.32	8.32	9.18
RR3	09/22/93	9.11	7.74	8.53
RR3	09/23/93	9.11	7.74	8.62
RR3	09/24/93	9.91	8.51	9.17
RR3	09/25/93	10.94	9.71	10.20
RR3	09/26/93	11.57	10.32	10.64
STR3	06/25/93	15.21	15.21	15.21
STR3	06/26/93	15.44	14.51	15.01
STR3	06/27/93	15.21	14.51	14.93
STR3	06/28/93	15.21	14.51	14.95
STR3	06/29/93	15.92	15.21	15.51
STR3	06/30/93	15.44	14.74	15.05
STR3	07/01/93	15.21	14.29	14.69
STR3	07/02/93	15.44	14.06	14.82
STR3	07/03/93	15.44	14.97	15.16
STR3	07/04/93	15.92	14.51	15.16
STR3	07/05/93	16.16	15.44	15.85
STR3	07/06/93	15.92	14.97	15.60
STR3	07/07/93	16.64	15.44	16.10
STR3	07/08/93	17.63	16.64	17.09
STR3	07/09/93	17.38	16.40	16.79
STR3	07/10/93	17.13	16.40	16.83
STR3	07/11/93	17.63	16.64	17.04
STR3	07/12/93	17.89	17.13	17.52
STR3	07/13/93	17.89	17.38	17.72
STR3	07/14/93	19.18	17.13	18.19
STR3	07/15/93	19.18	17.89	18.47
STR3	07/16/93	18.66	17.63	18.10
STR3	07/17/93	18.92	17.89	18.25
STR3	07/18/93	18.66	17.89	18.24
STR3	07/19/93	19.18	17.89	18.43
STR3	07/20/93	19.18	18.14	18.52
STR3	07/21/93	18.66	17.89	18.36
STR3	07/22/93	18.92	18.14	18.53
STR3	07/23/93	27.71	18.14	20.06
STR3	07/24/93	37.40	16.64	20.67
STR3	07/25/93	43.03	14.74	24.48
STR3	07/26/93	46.38	16.16	23.75

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
STR3	07/27/93	19.18	18.40	18.87
STR3	07/28/93	18.92	18.14	18.53
STR3	07/29/93	19.18	18.14	18.66
STR3	07/30/93	19.18	18.14	18.61
STR3	07/31/93	19.45	18.14	18.86
STR3	08/01/93	19.72	18.92	19.40
STR3	08/02/93	19.72	18.92	19.47
STR3	08/03/93	20.54	19.18	19.88
STR3	08/04/93	20.82	19.72	20.43
STR3	08/05/93	20.82	19.99	20.56
STR3	08/06/93	21.10	20.26	20.68
STR3	08/07/93	21.10	19.99	20.61
STR3	08/08/93	21.10	19.99	20.67
STR3	08/09/93	21.10	20.26	20.70
STR3	08/10/93	20.26	19.72	20.08
STR3	08/11/93	19.99	19.18	19.64
STR3	08/12/93	20.26	19.18	19.88
STR3	08/13/93	20.54	19.45	20.07
STR3	08/14/93	20.54	19.45	20.05
STR3	08/15/93	20.26	19.18	19.72
STR3	08/16/93	19.99	18.92	19.52
STR3	08/17/93	20.82	19.72	20.19
STR3	08/18/93	21.10	19.99	20.59
STR3	08/19/93	21.67	20.54	21.11
STR3	08/20/93	21.67	20.82	21.38
STR3	08/21/93	21.67	20.82	21.09
STR3	08/22/93	20.82	19.99	20.27
STR3	08/23/93	20.54	19.18	19.89
STR3	08/24/93	19.99	19.18	19.47
STR3	08/25/93	19.45	18.92	19.08
STR3	08/26/93	19.45	18.66	19.15
STR3	08/27/93	19.45	18.92	19.24
STR3	08/28/93	19.18	18.40	18.77
STR3	08/29/93	19.18	18.14	18.67
STR3	08/30/93	19.45	18.40	19.11
STR3	08/31/93	19.45	18.66	19.03
STR3	09/01/93	19.99	18.66	19.24
STR3	09/02/93	19.99	18.92	19.54
STR3	09/03/93	20.26	19.18	19.87
STR3	09/04/93	20.54	19.72	20.15
STR3	09/05/93	20.26	19.45	19.88
STR3	09/06/93	19.99	19.18	19.80
STR3	09/07/93	20.26	19.18	19.78
STR3	09/08/93	20.51	19.18	19.96
STR3	09/09/93	20.51	19.70	20.23
STR3	09/10/93	20.51	19.70	20.20
STR3	09/11/93	20.24	19.43	19.84
STR3	09/12/93	19.17	18.14	18.54
STR3	09/13/93	18.65	17.88	18.25
STR3	09/14/93	18.39	17.88	18.18

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
STR3	09/15/93	19.17	17.63	18.16
STR3	09/16/93	18.65	16.41	17.53
STR3	09/17/93	16.89	15.93	16.48
TR163	06/25/93	15.29	15.05	15.12
TR163	06/26/93	15.29	14.35	14.87
TR163	06/27/93	15.05	14.58	14.83
TR163	06/28/93	15.05	14.35	14.84
TR163	06/29/93	15.77	14.82	15.26
TR163	06/30/93	15.53	14.58	14.88
TR163	07/01/93	14.82	14.35	14.62
TR163	07/02/93	15.53	13.90	14.72
TR163	07/03/93	15.53	14.82	15.10
TR163	07/04/93	15.53	14.82	15.15
TR163	07/05/93	16.01	15.29	15.63
TR163	07/06/93	15.77	15.05	15.52
TR163	07/07/93	16.50	15.29	16.00
TR163	07/08/93	17.50	16.50	17.01
TR163	07/09/93	17.24	16.50	16.78
TR163	07/10/93	17.75	16.25	17.01
TR163	07/11/93	17.75	16.74	17.29
TR163	07/12/93	18.27	16.99	17.64
TR163	07/13/93	18.01	17.50	17.79
TR163	07/14/93	18.53	16.99	17.75
TR163	07/15/93	18.53	17.50	18.01
TR163	07/16/93	18.27	17.24	17.72
TR163	07/17/93	18.27	17.50	17.86
TR163	07/18/93	18.27	17.24	17.81
TR163	07/19/93	18.53	17.24	17.91
TR163	07/20/93	18.53	17.75	18.09
TR163	07/21/93	18.01	17.50	17.90
TR163	07/22/93	18.53	17.75	18.06
TR163	07/23/93	18.79	17.75	18.22
TR163	07/24/93	18.53	18.01	18.31
TR163	07/25/93	18.27	17.50	17.91
TR163	07/26/93	18.79	17.75	18.25
TR163	07/27/93	18.79	18.27	18.53
TR163	07/28/93	18.53	17.75	18.13
TR163	07/29/93	18.79	17.75	18.16
TR163	07/30/93	18.27	17.50	17.96
TR163	07/31/93	18.79	17.50	18.13
TR163	08/01/93	19.06	17.75	18.46
TR163	08/02/93	19.33	18.01	18.71
TR163	08/03/93	19.87	18.53	19.20
TR163	08/04/93	20.43	19.33	19.90
TR163	08/05/93	20.43	19.60	20.05
TR163	08/06/93	20.71	19.60	20.18
TR163	08/07/93	20.71	19.60	20.11
TR163	08/08/93	20.43	19.33	19.95
TR163	08/09/93	20.15	19.60	19.80
TR163	08/10/93	19.60	18.79	19.13

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR163	08/11/93	19.06	18.27	18.72
TR163	08/12/93	19.33	18.27	18.95
TR163	08/13/93	19.06	18.53	18.91
TR163	08/14/93	19.33	18.27	18.98
TR163	08/15/93	19.33	18.53	18.91
TR163	08/16/93	19.60	18.27	18.91
TR163	08/17/93	20.15	19.06	19.62
TR163	08/18/93	20.43	19.33	20.00
TR163	08/19/93	20.99	19.87	20.49
TR163	08/20/93	20.99	20.15	20.54
TR163	08/21/93	20.43	19.87	20.20
TR163	08/22/93	19.87	19.06	19.33
TR163	08/23/93	19.06	18.27	18.68
TR163	08/24/93	18.27	17.50	17.90
TR163	08/25/93	17.75	16.74	17.09
TR163	08/26/93	16.99	16.25	16.70
TR163	08/27/93	17.24	16.50	16.92
TR163	08/28/93	16.99	16.50	16.73
TR163	08/29/93	17.24	16.25	16.81
TR163	08/30/93	17.75	16.50	17.22
TR163	08/31/93	17.75	16.99	17.45
TR163	09/01/93	18.27	16.99	17.61
TR163	09/02/93	18.53	17.24	17.98
TR163	09/03/93	19.06	17.75	18.45
TR163	09/04/93	19.33	18.27	18.80
TR163	09/05/93	18.79	18.01	18.55
TR163	09/06/93	18.53	17.75	18.28
TR163	09/07/93	18.53	17.75	18.18
TR163	09/08/93	18.79	17.75	18.29
TR163	09/09/93	18.79	17.75	18.32
TR163	09/10/93	18.53	17.75	18.27
TR163	09/11/93	18.27	16.99	17.76
TR163	09/12/93	16.74	16.25	16.56
TR163	09/13/93	16.74	16.01	16.34
TR163	09/14/93	16.25	15.77	15.92
TR163	09/15/93	16.50	15.53	15.86
TR163	09/16/93	16.01	15.05	15.68
TR163	09/17/93	16.01	14.82	15.53
TR163	09/18/93	16.01	14.82	15.48
TR163	09/19/93	15.53	14.58	15.04
TR163	09/20/93	14.58	13.90	14.15
TR163	09/21/93	14.82	13.44	14.15
TR163	09/22/93	14.82	13.67	14.23
TR163	09/23/93	15.05	13.67	14.31
TR163	09/24/93	14.58	13.67	14.09
TR163	09/25/93	14.82	13.22	13.99
TR163	09/26/93	15.29	13.67	14.34
TR163	09/27/93	14.35	13.90	14.19
TR24	07/12/93	16.51	16.02	16.35
TR24	07/13/93	16.51	15.30	16.00

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR24	07/14/93	17.00	15.78	16.39
TR24	07/15/93	17.51	15.78	16.71
TR24	07/16/93	17.51	16.51	17.08
TR24	07/17/93	17.76	16.75	17.30
TR24	07/18/93	17.51	16.75	17.25
TR24	07/19/93	18.28	16.75	17.53
TR24	07/20/93	18.28	17.51	17.78
TR24	07/21/93	18.54	16.75	17.69
TR24	07/22/93	18.02	17.00	17.56
TR24	07/23/93	18.54	17.00	17.80
TR24	07/24/93	18.28	17.51	18.02
TR24	07/25/93	17.76	16.75	17.22
TR24	07/26/93	17.76	16.51	17.18
TR24	07/27/93	18.28	16.75	17.55
TR24	07/28/93	18.54	17.51	17.97
TR24	07/29/93	18.80	18.28	18.61
TR24	07/30/93	18.54	17.51	18.04
TR24	07/31/93	18.28	17.25	17.94
TR24	08/01/93	18.80	17.76	18.21
TR24	08/02/93	19.07	18.02	18.54
TR24	08/03/93	18.80	17.51	18.27
TR24	08/04/93	19.07	17.51	18.35
TR24	08/05/93	19.07	18.28	18.79
TR24	08/06/93	19.61	18.54	19.10
TR24	08/07/93	19.88	18.54	19.29
TR24	08/08/93	20.16	18.02	19.09
TR24	08/09/93	19.61	18.28	18.85
TR24	08/10/93	19.34	18.02	18.68
TR24	08/11/93	18.54	17.51	18.05
TR24	08/12/93	19.34	17.51	18.42
TR24	08/13/93	19.61	18.54	19.05
TR24	08/14/93	19.34	18.54	19.10
TR24	08/15/93	19.07	18.02	18.39
TR24	08/16/93	19.07	17.76	18.44
TR24	08/17/93	19.07	18.02	18.61
TR24	08/18/93	19.61	18.28	18.96
TR24	08/19/93	19.88	18.28	19.14
TR24	08/20/93	20.16	18.80	19.63
TR24	08/21/93	20.16	19.07	19.61
TR24	08/22/93	19.34	18.80	19.16
TR24	08/23/93	19.88	19.07	19.43
TR24	08/24/93	19.61	18.02	18.76
TR24	08/25/93	19.61	18.02	18.67
TR24	08/26/93	18.80	17.76	18.31
TR24	08/27/93	18.54	18.02	18.33
TR24	08/28/93	18.54	17.25	17.78
TR24	08/29/93	17.51	16.02	16.88
TR24	08/30/93	17.76	16.02	16.94
TR24	08/31/93	18.28	17.00	17.64
TR24	09/01/93	18.80	17.51	18.17

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR24	09/02/93	18.54	17.25	18.01
TR24	09/03/93	18.54	17.25	18.00
TR24	09/04/93	18.54	17.51	18.15
TR24	09/05/93	18.54	17.00	17.98
TR24	09/06/93	18.28	17.25	17.99
TR24	09/07/93	18.80	17.51	18.22
TR24	09/08/93	19.07	18.02	18.55
TR24	09/09/93	18.80	17.51	18.28
TR24	09/10/93	18.80	17.51	18.28
TR24	09/11/93	18.54	17.25	17.75
TR24	09/12/93	17.51	16.75	17.11
TR24	09/13/93	17.00	15.30	16.27
TR24	09/14/93	17.25	16.75	17.00
TR24	09/15/93	17.25	16.51	17.05
TR24	09/16/93	17.00	16.02	16.57
TR24	09/17/93	16.75	15.54	16.20
TR24	09/18/93	17.00	16.02	16.63
TR24	09/19/93	17.00	16.02	16.59
TR24	09/20/93	16.26	15.30	15.83
TR24	09/21/93	15.30	14.36	14.91
TR24	09/22/93	15.77	15.06	15.43
TR24	09/23/93	16.01	15.29	15.70
TR24	09/24/93	15.77	15.05	15.53
TR24	09/25/93	16.01	15.05	15.45
TR24	09/26/93	15.53	15.05	15.36
TR24	09/27/93	16.01	15.29	15.60
TR24	09/28/93	16.01	15.29	15.66
TR24	09/29/93	15.53	15.29	15.48
TR24	09/30/93	16.01	15.29	15.63
TR24	10/01/93	15.53	15.05	15.35
TR24	10/02/93	15.29	14.82	15.08
TR24	10/03/93	15.53	14.82	15.19
TR24	10/04/93	15.77	15.29	15.55
TR24	10/05/93	15.53	15.29	15.39
TR24	10/06/93	15.29	14.58	15.00
TR24	10/07/93	14.58	13.67	14.15
TR24	10/08/93	13.67	12.78	13.27
TR24	10/09/93	13.67	13.00	13.29
TR24	10/10/93	13.67	13.22	13.33
TR24	10/11/93	13.44	13.00	13.18
TR24	10/12/93	13.44	13.00	13.15
TR24	10/13/93	13.44	13.22	13.28
TR24	10/14/93	13.67	13.22	13.40
TR24	10/15/93	13.67	13.00	13.41
TR24	10/16/93	13.00	12.12	12.73
TR24	10/17/93	12.78	11.91	12.29
TR24	10/18/93	12.56	12.12	12.25
TR24	10/19/93	12.78	11.91	12.23
TR24	10/20/93	11.91	11.27	11.68
TR24	10/21/93	12.56	11.27	11.70

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR24	10/22/93	12.78	11.69	12.12
TR24	10/23/93	12.12	11.48	11.65
TR24	10/24/93	11.91	11.06	11.47
TR24	10/25/93	12.34	10.85	11.38
TR24	10/26/93	11.48	10.23	10.83
TR24	10/27/93	11.27	10.64	11.10
TR24	10/28/93	11.91	11.27	11.51
TR24	10/29/93	11.91	11.06	11.43
TR24	10/30/93	11.27	10.85	11.01
TR24	10/31/93	11.06	10.64	10.87
TR24	11/01/93	10.64	10.23	10.36
TR24	11/02/93	10.23	10.02	10.10
TR24	11/03/93	10.85	10.02	10.27
TR24	11/04/93	10.23	9.42	9.93
TR24	11/05/93	9.42	8.62	8.86
TR24	11/06/93	9.22	8.62	8.82
TR24	11/07/93	9.22	8.82	8.95
TR24	11/08/93	9.02	8.62	8.86
TR24	11/09/93	8.62	8.42	8.57
TR24	11/10/93	8.82	8.42	8.56
TR24	11/11/93	8.82	8.42	8.58
WRR22	07/06/93	16.10	15.86	15.91
WRR22	07/07/93	17.08	15.39	16.20
WRR22	07/08/93	17.08	15.86	16.48
WRR22	07/09/93	17.33	15.15	16.11
WRR22	07/10/93	16.34	14.91	15.88
WRR22	07/11/93	17.08	15.39	16.21
WRR22	07/12/93	17.08	15.63	16.24
WRR22	07/13/93	16.83	14.68	15.80
WRR22	07/14/93	16.59	14.91	15.90
WRR22	07/15/93	15.86	14.91	15.47
WRR22	07/16/93	16.10	14.68	15.23
WRR22	07/17/93	17.59	14.68	16.01
WRR22	07/18/93	18.89	15.86	17.20
WRR22	07/19/93	18.10	16.34	16.94
WRR22	07/20/93	18.36	15.86	16.94
WRR22	07/21/93	18.36	16.34	17.29
WRR22	07/22/93	17.84	16.34	17.28
WRR22	07/23/93	18.36	16.34	17.32
WRR22	07/24/93	18.36	16.34	17.36
WRR22	07/25/93	18.89	16.59	17.60
WRR22	07/26/93	19.69	16.10	17.88
WRR22	07/27/93	18.89	17.33	18.11
WRR22	07/28/93	18.63	17.33	18.00
WRR22	07/29/93	18.36	17.08	17.72
WRR22	07/30/93	16.83	15.63	16.00
WRR22	07/31/93	17.59	14.44	15.90
WRR22	08/01/93	17.84	14.91	16.38
WRR22	08/02/93	19.42	15.63	17.40
WRR22	08/03/93	20.25	16.34	18.23

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
WRR22	08/04/93	21.08	16.83	19.00
WRR22	08/05/93	21.95	17.59	19.74
WRR22	08/06/93	20.52	18.10	19.25
WRR22	08/07/93	20.52	16.59	18.62
WRR22	08/08/93	19.16	17.59	18.26
WRR22	08/09/93	17.84	15.86	16.79
WRR22	08/10/93	17.59	15.15	16.28
WRR22	08/11/93	18.10	13.99	15.99
WRR22	08/12/93	17.84	14.91	16.33
WRR22	08/13/93	17.84	14.68	16.28
WRR22	08/14/93	18.10	15.15	16.56
WRR22	08/15/93	18.89	14.68	16.81
WRR22	08/16/93	19.69	14.91	17.26
WRR22	08/17/93	19.97	15.63	17.77
WRR22	08/18/93	20.25	17.08	18.69
WRR22	08/19/93	20.81	17.33	19.13
WRR22	08/20/93	21.66	17.59	19.53
WRR22	08/21/93	19.97	18.10	19.17
WRR22	08/22/93	18.89	16.34	17.27
WRR22	08/23/93	17.08	15.39	16.28
WRR22	08/24/93	15.15	13.53	14.36
WRR22	08/25/93	15.39	13.31	14.26
WRR22	08/26/93	15.86	13.77	14.77
WRR22	08/27/93	15.86	13.53	14.72
WRR22	08/28/93	14.91	12.88	14.04
WRR22	08/29/93	16.10	12.88	14.35
WRR22	08/30/93	16.34	12.44	14.39
WRR22	08/31/93	16.34	13.53	14.86
WRR22	09/01/93	17.33	13.77	15.58
WRR22	09/02/93	18.36	14.22	16.20
WRR22	09/03/93	17.84	14.44	16.27
WRR22	09/04/93	17.08	13.77	15.59
WRR22	09/05/93	16.83	13.53	15.19
WRR22	09/06/93	16.83	13.31	15.18
WRR22	09/07/93	16.83	13.77	15.33
WRR22	09/08/93	16.83	13.53	15.29
WRR22	09/09/93	16.34	13.10	14.82
WRR22	09/10/93	16.59	13.31	14.93
WRR22	09/11/93	15.63	12.88	14.04
WRR22	09/12/93	13.31	10.52	12.06
WRR22	09/13/93	13.99	11.36	12.64
WRR22	09/14/93	13.53	12.44	12.83
WRR22	09/15/93	12.88	10.11	11.62
WRR22	09/16/93	12.44	9.52	11.03
WRR22	09/17/93	12.44	9.32	10.97
WRR22	09/18/93	12.01	9.52	10.83
WRR22	09/19/93	10.73	8.52	9.72
WRR22	09/20/93	9.92	7.18	8.70
WRR22	09/21/93	9.72	6.80	8.35
WRR22	09/22/93	10.52	7.37	8.93

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
WRR22	09/23/93	10.73	7.56	9.22
WRR22	09/24/93	10.52	9.52	10.07
WRR22	09/25/93	11.53	9.12	10.29
WRR22	09/26/93	11.74	10.48	11.00
WRR22	09/27/93	11.96	9.87	10.91
WRR22	09/28/93	11.11	8.28	9.87
WRR22	09/29/93	10.69	8.87	9.84
WRR22	09/30/93	10.90	8.47	9.74
WRR22	10/01/93	11.32	8.09	9.58
WRR22	10/02/93	11.32	8.28	9.82
WRR22	10/03/93	11.53	8.67	10.14
WRR22	10/04/93	11.74	8.87	10.35
WRR22	10/05/93	11.53	9.67	10.64
WRR22	10/06/93	10.90	9.07	9.68
WRR22	10/07/93	8.67	6.75	7.92
WRR22	10/08/93	7.89	6.19	7.14
WRR22	10/09/93	7.13	6.01	6.47
WRR22	10/10/93	6.56	6.01	6.32
WRR22	10/11/93	6.01	5.64	5.92
WRR22	10/12/93	5.82	5.28	5.64
WRR22	10/13/93	6.01	5.10	5.64
WRR22	10/14/93	6.38	5.46	5.88
WRR22	10/15/93	6.75	5.82	6.23
WRR22	10/16/93	5.46	4.20	4.83
WRR22	10/17/93	6.38	4.56	5.32
WRR22	10/18/93	5.82	4.92	5.45
WRR22	10/19/93	4.92	3.32	4.23
WRR22	10/20/93	4.92	3.32	4.04
WRR22	10/21/93	4.92	3.50	4.27
WRR22	10/22/93	6.56	4.92	5.64
WRR22	10/23/93	5.82	4.20	5.19
WRR22	10/24/93	6.56	5.46	5.95
WRR22	10/25/93	5.28	4.20	4.79
WRR22	10/26/93	5.10	4.74	4.94
WRR22	10/27/93	5.64	4.38	4.90
WRR22	10/28/93	5.64	4.92	5.21
WRR22	10/29/93	5.64	5.10	5.29
WRR22	10/30/93	5.64	4.92	5.25
WRR22	10/31/93	5.46	4.56	5.03
WRR22	11/01/93	4.38	3.15	3.65
WRR22	11/02/93	4.20	3.67	3.89
WRR22	11/03/93	4.92	4.20	4.41
WRR22	11/04/93	4.03	1.62	2.60
WRR22	11/05/93	1.45	0.29	0.95
WRR22	11/06/93	2.12	0.78	1.44
WRR22	11/07/93	3.32	2.12	2.75
WRR22	11/08/93	2.98	2.29	2.71
WRR22	11/09/93	2.63	1.45	1.83
WRR22	11/10/93	1.28	0.45	0.80
WRR22	11/11/93	1.28	0.29	0.82

SITE	DATE	MAX_TEMP	MIN_TEMP	Avg TEMP
WRR22	11/12/93	1.95	0.95	1.46
WRR22	11/13/93	1.62	0.62	1.14

Table 15. Maximum, minimum and mean daily water temperature at selected sites in the Fraser River basin during the summer of 1994.

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
BR1	07/26/94	18.43	17.65	18.17
BR1	07/27/94	18.17	14.95	16.72
BR1	07/28/94	17.91	14.95	16.80
BR1	07/29/94	17.65	14.48	16.37
BR1	07/30/94	17.14	14.48	16.01
BR1	07/31/94	16.89	13.34	15.35
BR1	08/01/94	17.65	14.02	15.98
BR1	08/02/94	17.40	14.48	16.10
BR1	08/03/94	16.64	14.72	15.81
BR1	08/04/94	17.91	14.48	16.20
BR1	08/05/94	17.14	14.95	16.04
BR1	08/06/94	16.15	13.80	15.03
BR1	08/07/94	16.15	13.57	15.02
BR1	08/08/94	15.67	13.12	14.10
BR1	08/09/94	14.95	12.24	13.44
BR1	08/10/94	15.43	12.02	13.81
BR1	08/11/94	16.40	12.90	14.70
BR1	08/12/94	17.14	13.80	15.55
BR1	08/13/94	17.91	14.48	16.26
BR1	08/14/94	17.14	14.48	16.06
BR1	08/15/94	16.89	14.02	15.78
BR1	08/16/94	16.64	14.25	15.10
BR1	08/17/94	14.25	12.68	13.33
BR1	08/18/94	15.67	12.24	13.92
BR1	08/19/94	16.40	13.34	15.00
BR1	08/20/94	16.40	13.80	15.20
BR1	08/21/94	15.67	13.80	15.08
BR1	08/22/94	15.43	13.12	14.31
BR1	08/23/94	14.72	12.68	13.94
BR1	08/24/94	14.48	12.24	13.54
BR1	08/25/94	15.19	12.68	13.99
BR1	08/26/94	14.48	12.46	13.80
BR1	08/27/94	14.72	11.59	13.45
BR1	08/28/94	14.02	11.59	13.05
BR1	08/29/94	14.48	11.59	13.11
BR1	08/30/94	15.43	12.24	13.93
BR1	08/31/94	15.67	13.12	14.48
BR1	09/01/94	15.67	13.12	14.21
BR1	09/02/94	14.25	11.81	13.41
BR1	09/03/94	14.02	12.24	13.25
BR1	09/04/94	14.48	12.46	13.67
BR1	09/05/94	14.02	11.59	13.14
BR1	09/06/94	13.80	11.81	12.91
BR1	09/07/94	13.80	12.02	13.10
BR1	09/08/94	14.02	12.46	13.31
BR1	09/09/94	14.02	12.02	13.19
BR1	09/10/94	12.90	11.59	12.27
BR1	09/11/94	12.46	10.96	11.77
BR1	09/12/94	12.24	9.72	11.35
BR1	09/13/94	11.81	10.13	11.02

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
BR1	09/14/94	13.57	10.96	12.17
BR1	09/15/94	13.57	12.46	13.11
BR1	09/16/94	14.02	11.59	12.94
BR1	09/17/94	14.25	12.24	13.36
BR1	09/18/94	14.48	12.02	13.41
BR1	09/19/94	14.02	11.81	13.18
BR1	09/20/94	14.48	13.12	13.71
BR1	09/21/94	13.57	11.81	12.81
BR1	09/22/94	12.90	10.75	12.06
BR1	09/23/94	12.46	10.96	11.95
BR1	09/24/94	12.90	10.75	11.87
BR1	09/25/94	12.24	10.96	11.62
BR1	09/26/94	12.24	10.33	11.40
BR1	09/27/94	12.46	10.54	11.65
BR1	09/28/94	12.68	11.17	12.04
BR1	09/29/94	12.24	11.17	11.84
BR1	09/30/94	13.34	12.24	12.59
BR1	10/01/94	13.34	11.81	12.86
BR1	10/02/94	11.59	9.32	10.14
BR1	10/03/94	9.12	6.79	7.85
BR1	10/04/94	7.74	6.04	7.08
BR1	10/05/94	7.74	6.79	7.28
BR1	10/06/94	7.74	6.23	7.08
BR1	10/07/94	7.94	6.41	7.18
BR1	10/08/94	8.92	7.74	8.36
BR1	10/09/94	9.52	7.94	8.69
BR1	10/10/94	9.72	8.72	9.20
BR1	10/11/94	8.32	6.41	7.17
BR1	10/12/94	6.23	4.95	5.72
BR1	10/13/94	6.04	4.95	5.58
BR1	10/14/94	7.17	6.04	6.58
BR1	10/15/94	8.13	7.17	7.53
BR1	10/16/94	7.36	6.04	6.58
BR1	10/17/94	6.60	5.67	6.04
BR1	10/18/94	6.98	5.67	6.25
BR1	10/19/94	7.74	6.79	7.16
BR1	10/20/94	7.94	7.17	7.67
BR1	10/21/94	7.74	6.23	6.99
BR1	10/22/94	6.04	5.13	5.47
BR1	10/23/94	6.41	5.13	5.69
BR1	10/24/94	6.23	5.49	5.80
BR1	10/25/94	6.60	5.31	5.84
BR1	10/26/94	7.17	6.60	6.84
BR1	10/27/94	6.79	6.04	6.54
BR1	10/28/94	5.86	5.31	5.55
COR4	06/28/94	20.77	17.79	19.36
COR4	06/29/94	19.65	14.36	17.01
COR4	06/30/94	18.57	13.00	15.46
COR4	07/01/94	17.28	13.22	14.78
COR4	07/02/94	16.52	11.69	13.74

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
COR4	07/03/94	17.02	11.47	14.00
COR4	07/04/94	14.36	11.47	12.45
COR4	07/05/94	16.03	11.26	13.44
COR4	07/06/94	21.93	13.00	16.87
COR4	07/07/94	21.93	14.13	18.17
COR4	07/08/94	20.77	15.07	17.98
COR4	07/09/94	22.53	13.22	17.56
COR4	07/10/94	22.23	14.36	18.05
COR4	07/11/94	23.45	14.13	18.23
COR4	07/12/94	24.40	14.83	19.21
COR4	07/13/94	24.08	15.55	19.52
COR4	07/14/94	24.40	15.55	19.65
COR4	07/15/94	25.72	16.03	20.48
COR4	07/16/94	25.38	17.02	20.94
COR4	07/17/94	19.65	16.52	17.88
COR4	07/18/94	22.23	14.13	17.78
COR4	07/19/94	26.06	16.03	20.56
COR4	07/20/94	27.10	16.77	21.72
COR4	07/21/94	27.10	18.05	22.42
COR4	07/22/94	28.19	18.05	22.89
COR4	07/23/94	28.94	18.05	23.24
COR4	07/24/94	29.70	20.21	24.50
COR4	07/25/94	27.46	19.93	23.25
COR4	07/26/94	25.72	17.53	21.28
COR4	07/27/94	20.77	16.28	18.08
COR4	07/28/94	.	.	.
COR4	07/29/94	.	.	.
COR4	07/30/94	.	.	.
COR4	07/31/94	.	.	.
COR4	08/01/94	.	.	.
COR4	08/02/94	.	.	.
COR4	08/03/94	24.40	19.65	22.10
COR4	08/04/94	25.05	17.28	21.06
COR4	08/05/94	22.83	16.77	19.32
COR4	08/06/94	23.14	14.13	18.41
COR4	08/07/94	24.08	16.03	19.55
COR4	08/08/94	19.11	15.55	16.82
COR4	08/09/94	23.14	13.68	17.66
COR4	08/10/94	25.05	14.13	19.22
COR4	08/11/94	25.38	15.07	20.08
COR4	08/12/94	25.05	15.31	19.62
COR4	08/13/94	26.06	15.31	20.21
COR4	08/14/94	25.38	16.52	20.54
COR4	08/15/94	24.08	15.55	19.38
COR4	08/16/94	24.08	15.31	19.08
COR4	08/17/94	19.65	14.83	17.54
COR4	08/18/94	24.72	13.68	18.71
COR4	08/19/94	22.53	15.31	18.51
COR4	08/20/94	24.08	14.13	18.47
COR4	08/21/94	21.93	14.83	17.79

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
COR4	08/22/94	20.49	13.68	16.13
COR4	08/23/94	22.53	12.56	16.84
COR4	08/24/94	22.83	12.78	17.02
COR4	08/25/94	18.57	12.78	15.84
COR4	08/26/94	18.57	13.68	16.24
COR4	08/27/94	22.23	11.47	16.44
COR4	08/28/94	20.77	12.34	16.52
COR4	08/29/94	21.34	14.60	17.25
COR4	08/30/94	23.76	13.45	17.94
COR4	08/31/94	21.06	14.36	17.66
COR4	09/01/94	22.53	14.13	17.44
COR4	09/02/94	21.06	11.90	16.01
COR4	09/03/94	18.84	14.13	15.92
COR4	09/04/94	21.34	13.00	16.18
COR4	09/05/94	21.34	11.47	15.91
COR4	09/06/94	21.06	11.90	16.13
COR4	09/07/94	21.64	13.68	17.10
COR4	09/08/94	17.53	13.45	15.25
COR4	09/09/94	18.84	10.84	14.28
COR4	09/10/94	18.05	9.80	13.59
COR4	09/11/94	20.21	12.56	15.61
COR4	09/12/94	18.84	9.80	13.95
COR4	09/13/94	16.03	10.42	13.21
COR4	09/14/94	18.57	11.47	14.42
COR4	09/15/94	18.84	13.00	15.47
COR4	09/16/94	21.34	12.12	16.19
COR4	09/17/94	19.93	13.00	16.29
COR4	09/18/94	21.34	12.34	16.32
COR4	09/19/94	21.06	11.90	16.04
COR4	09/20/94	20.77	13.45	16.44
COR4	09/21/94	18.84	10.21	14.25
COR4	09/22/94	19.65	9.80	14.36
COR4	09/23/94	20.49	10.84	15.14
COR4	09/24/94	20.21	11.26	15.25
COR4	09/25/94	17.53	10.63	14.09
COR4	09/26/94	18.84	11.26	14.79
COR4	09/27/94	19.65	11.05	14.88
COR4	09/28/94	17.02	12.12	14.53
COR4	09/29/94	19.65	12.34	15.30
COR4	09/30/94	14.83	12.78	13.71
COR4	10/01/94	15.31	11.90	13.40
COR4	10/02/94	11.26	7.82	9.52
COR4	10/03/94	13.00	4.83	8.61
COR4	10/04/94	13.68	5.55	9.20
COR4	10/05/94	9.40	5.92	7.57
COR4	10/06/94	10.21	3.76	6.85
COR4	10/07/94	12.56	5.01	8.32
COR4	10/08/94	10.21	7.24	8.80
COR4	10/09/94	13.00	8.20	10.23
COR4	10/10/94	12.56	9.00	10.57

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
COR4	10/11/94	11.05	4.83	7.84
COR4	10/12/94	9.20	3.76	6.53
COR4	10/13/94	9.60	5.55	7.67
COR4	10/14/94	8.60	7.24	7.91
COR4	10/15/94	8.60	6.86	7.55
COR4	10/16/94	7.62	5.92	6.58
COR4	10/17/94	8.20	5.37	6.59
COR4	10/18/94	7.82	4.11	5.99
COR4	10/19/94	10.21	6.11	7.65
COR4	10/20/94	8.60	6.48	7.47
COR4	10/21/94	9.20	5.01	6.63
COR4	10/22/94	5.74	3.05	4.55
COR4	10/23/94	7.62	4.65	5.83
COR4	10/24/94	9.40	4.65	6.43
COR4	10/25/94	8.40	3.93	6.43
COR4	10/26/94	7.62	6.11	7.05
COR4	10/27/94	8.20	5.37	6.41
COR4	10/28/94	6.11	4.47	5.21
CR16	06/29/94	14.87	13.72	14.58
CR16	06/30/94	14.87	13.26	14.17
CR16	07/01/94	13.94	13.49	13.59
CR16	07/02/94	13.26	12.16	12.81
CR16	07/03/94	13.26	11.73	12.28
CR16	07/04/94	13.94	13.04	13.44
CR16	07/05/94	14.64	12.82	13.64
CR16	07/06/94	15.83	13.49	14.72
CR16	07/07/94	15.35	14.40	14.93
CR16	07/08/94	15.35	13.26	14.32
CR16	07/09/94	15.83	13.49	14.75
CR16	07/10/94	15.83	13.72	14.89
CR16	07/11/94	15.83	13.94	15.01
CR16	07/12/94	17.06	14.64	15.75
CR16	07/13/94	16.56	14.40	15.65
CR16	07/14/94	16.56	14.17	15.45
CR16	07/15/94	16.81	14.40	15.65
CR16	07/16/94	16.81	14.64	15.87
CR16	07/17/94	16.07	15.59	15.95
CR16	07/18/94	16.32	15.11	15.67
CR16	07/19/94	17.32	15.35	16.34
CR16	07/20/94	18.09	15.83	17.00
CR16	07/21/94	18.61	16.81	17.77
CR16	07/22/94	18.35	16.81	17.82
CR16	07/23/94	18.88	17.06	17.99
CR16	07/24/94	19.97	17.83	18.84
CR16	07/25/94	19.97	18.88	19.51
CR16	07/26/94	19.69	18.61	19.17
CR16	07/27/94	19.15	18.09	18.75
CR16	07/28/94	19.42	18.09	18.73
CR16	07/29/94	19.15	17.83	18.52
CR16	07/30/94	18.09	17.06	17.53

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
CR16	07/31/94	17.32	16.07	16.61
CR16	08/01/94	17.83	15.59	16.56
CR16	08/02/94	18.35	16.56	17.61
CR16	08/03/94	17.83	17.06	17.41
CR16	08/04/94	18.35	16.81	17.43
CR16	08/05/94	17.57	16.81	17.14
CR16	08/06/94	16.81	15.83	16.28
CR16	08/07/94	16.81	15.11	15.90
CR16	08/08/94	16.56	15.35	15.84
CR16	08/09/94	15.83	14.40	15.12
CR16	08/10/94	16.56	14.64	15.45
CR16	08/11/94	16.32	14.87	15.74
CR16	08/12/94	16.81	15.11	16.00
CR16	08/13/94	16.32	14.87	15.77
CR16	08/14/94	16.32	14.64	15.56
CR16	08/15/94	16.32	15.11	15.77
CR16	08/16/94	15.59	14.87	15.26
CR16	08/17/94	16.32	14.40	15.41
CR16	08/18/94	16.56	15.11	15.86
CR16	08/19/94	16.56	15.11	15.91
CR16	08/20/94	16.56	14.87	15.80
CR16	08/21/94	16.32	14.87	15.61
CR16	08/22/94	16.32	14.87	15.59
CR16	08/23/94	15.83	14.17	15.07
CR16	08/24/94	15.81	13.91	14.81
CR16	08/25/94	16.07	13.94	15.07
CR16	08/26/94	15.51	13.72	14.70
CR16	08/27/94	15.11	13.04	14.28
CR16	08/28/94	15.11	13.04	14.32
CR16	08/29/94	16.56	13.94	15.32
CR16	08/30/94	16.56	14.64	15.82
CR16	08/31/94	16.32	14.17	15.38
CR16	09/01/94	15.83	13.94	15.04
CR16	09/02/94	15.11	13.26	14.12
CR16	09/03/94	14.40	13.26	13.86
CR16	09/04/94	14.64	12.82	13.80
CR16	09/05/94	15.11	13.04	14.24
CR16	09/06/94	14.87	13.26	13.90
CR16	09/07/94	14.17	13.04	13.76
CR16	09/08/94	13.72	12.38	13.25
CR16	09/09/94	14.40	12.60	13.51
CR16	09/10/94	13.72	12.38	13.06
CR16	09/11/94	13.49	11.94	12.80
CR16	09/12/94	13.04	11.30	12.22
CR16	09/13/94	12.82	11.30	11.99
CR16	09/14/94	13.72	12.16	12.96
CR16	09/15/94	13.72	12.38	13.11
CR16	09/16/94	14.64	12.82	13.72
CR16	09/17/94	14.40	13.04	13.57
CR16	09/18/94	13.26	11.73	12.67

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
CR16	09/19/94	13.94	11.94	13.10
CR16	09/20/94	14.64	13.04	13.96
CR16	09/21/94	14.17	12.38	13.30
CR16	09/22/94	13.49	11.51	12.81
CR16	09/23/94	14.40	12.60	13.65
CR16	09/24/94	14.40	13.04	13.86
CR16	09/25/94	14.17	12.16	13.34
CR16	09/26/94	13.72	11.51	12.54
CR16	09/27/94	13.26	11.09	12.25
CR16	09/28/94	13.04	11.73	12.53
CR16	09/29/94	12.60	11.30	11.99
CR16	09/30/94	12.38	11.73	12.10
CR16	10/01/94	13.04	12.16	12.51
CR16	10/02/94	12.38	10.46	11.02
CR16	10/03/94	10.25	8.24	9.18
CR16	10/04/94	9.84	7.66	8.76
CR16	10/05/94	11.09	9.44	10.27
CR16	10/06/94	10.88	8.44	9.20
CR16	10/07/94	8.64	7.28	8.06
CR16	10/08/94	9.44	8.24	8.78
CR16	10/09/94	10.05	9.44	9.72
CR16	10/10/94	10.05	8.64	9.47
CR16	10/11/94	8.64	7.09	7.67
CR16	10/12/94	7.28	6.33	6.93
CR16	10/13/94	7.09	5.96	6.57
CR16	10/14/94	7.66	6.71	7.13
CR16	10/15/94	8.05	7.09	7.58
CR16	10/16/94	7.28	6.52	6.98
CR16	10/17/94	7.66	6.90	7.28
CR16	10/18/94	7.09	6.52	6.82
CR16	10/19/94	7.47	6.71	7.03
CR16	10/20/94	7.66	6.71	7.31
CR16	10/21/94	7.47	5.78	6.52
CR16	10/22/94	5.78	4.69	5.10
CR16	10/23/94	5.41	4.69	4.99
CR16	10/24/94	5.96	4.87	5.43
CR16	10/25/94	7.28	5.78	6.58
CR16	10/26/94	7.47	6.33	6.85
CR16	10/27/94	6.15	4.51	5.26
CR16	10/28/94	4.69	3.80	4.25
CR16	10/29/94	3.80	2.75	3.26
CR16	10/30/94	3.27	2.92	3.12
CWR2	06/27/94	13.94	13.71	13.74
CWR2	06/28/94	13.71	12.38	13.06
CWR2	06/29/94	14.16	12.60	13.30
CWR2	06/30/94	13.94	12.16	13.08
CWR2	07/01/94	13.48	12.16	12.80
CWR2	07/02/94	11.95	11.10	11.44
CWR2	07/03/94	11.31	10.89	11.20
CWR2	07/04/94	11.95	10.47	11.22

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
CWR2	07/05/94	12.60	10.68	11.65
CWR2	07/06/94	13.04	11.73	12.38
CWR2	07/07/94	13.71	12.16	12.86
CWR2	07/08/94	13.71	11.95	12.86
CWR2	07/09/94	14.39	12.16	13.19
CWR2	07/10/94	14.39	12.82	13.82
CWR2	07/11/94	14.16	12.38	13.43
CWR2	07/12/94	15.33	13.26	14.08
CWR2	07/13/94	15.33	13.48	14.43
CWR2	07/14/94	14.86	13.48	14.35
CWR2	07/15/94	15.57	14.16	14.68
CWR2	07/16/94	15.81	14.39	15.08
CWR2	07/17/94	16.54	14.62	15.53
CWR2	07/18/94	16.54	15.09	15.55
CWR2	07/19/94	15.33	14.39	14.93
CWR2	07/20/94	16.05	14.16	15.06
CWR2	07/21/94	16.05	14.39	15.36
CWR2	07/22/94	16.54	15.09	15.76
CWR2	07/23/94	17.28	15.09	16.26
CWR2	07/24/94	17.03	15.81	16.41
CWR2	07/25/94	17.79	16.29	16.93
CWR2	07/26/94	17.79	16.05	17.14
CWR2	07/27/94	17.54	15.81	16.79
CWR2	07/28/94	17.79	15.81	16.94
CWR2	07/29/94	17.54	15.57	16.35
CWR2	07/30/94	16.78	15.09	15.78
CWR2	07/31/94	.	.	.
CWR2	08/01/94	.	.	.
CWR2	08/02/94	.	.	.
CWR2	08/03/94	.	.	.
CWR2	08/04/94	17.79	15.57	17.05
CWR2	08/05/94	17.54	16.29	16.89
CWR2	08/06/94	17.03	16.05	16.61
CWR2	08/07/94	17.54	16.29	16.96
CWR2	08/08/94	17.28	16.29	16.69
CWR2	08/09/94	16.05	14.86	15.19
CWR2	08/10/94	16.05	14.86	15.48
CWR2	08/11/94	17.03	15.57	16.35
CWR2	08/12/94	17.54	16.29	17.01
CWR2	08/13/94	18.05	16.78	17.47
CWR2	08/14/94	17.54	16.78	17.35
CWR2	08/15/94	17.54	16.78	17.24
CWR2	08/16/94	17.03	16.05	16.64
CWR2	08/17/94	17.03	16.29	16.69
CWR2	08/18/94	17.28	15.81	16.56
CWR2	08/19/94	18.05	16.54	17.26
CWR2	08/20/94	18.31	17.54	17.96
CWR2	08/21/94	17.54	16.05	16.72
CWR2	08/22/94	16.54	15.81	16.20
CWR2	08/23/94	16.29	15.81	16.09

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
CWR2	08/24/94	16.05	15.57	15.90
CWR2	08/25/94	16.54	15.57	16.12
CWR2	08/26/94	16.29	15.33	15.76
CWR2	08/27/94	16.05	15.33	15.70
CWR2	08/28/94	16.29	15.33	15.76
CWR2	08/29/94	17.54	15.81	16.67
CWR2	08/30/94	17.28	16.54	16.79
CWR2	08/31/94	16.78	16.29	16.50
CWR2	09/01/94	17.28	16.29	16.72
CWR2	09/02/94	17.03	16.29	16.56
CWR2	09/03/94	16.29	15.57	16.08
CWR2	09/04/94	15.81	15.09	15.43
CWR2	09/05/94	15.09	14.39	14.82
CWR2	09/06/94	15.57	14.86	15.09
CWR2	09/07/94	16.05	15.09	15.58
CWR2	09/08/94	15.81	15.33	15.57
CWR2	09/09/94	15.81	14.62	15.34
CWR2	09/10/94	15.33	14.39	14.73
CWR2	09/11/94	15.09	14.16	14.56
CWR2	09/12/94	14.62	13.71	14.19
CWR2	09/13/94	14.86	14.16	14.48
CWR2	09/14/94	15.33	14.39	14.85
CWR2	09/15/94	15.09	14.62	14.84
CWR2	09/16/94	15.81	14.39	14.99
CWR2	09/17/94	15.81	14.86	15.34
CWR2	09/18/94	16.05	15.09	15.49
CWR2	09/19/94	15.81	14.86	15.29
CWR2	09/20/94	16.05	15.09	15.61
CWR2	09/21/94	15.33	14.16	14.60
CWR2	09/22/94	15.09	14.16	14.56
CWR2	09/23/94	15.57	14.39	14.99
CWR2	09/24/94	15.81	15.09	15.37
CWR2	09/25/94	15.33	14.86	15.11
CWR2	09/26/94	15.09	14.39	14.77
CWR2	09/27/94	14.86	13.94	14.48
CWR2	09/28/94	14.86	14.39	14.51
CWR2	09/29/94	14.62	14.39	14.48
CWR2	09/30/94	14.39	14.16	14.31
CWR2	10/01/94	14.86	13.94	14.40
CWR2	10/02/94	13.94	13.04	13.31
CWR2	10/03/94	13.04	12.38	12.79
CWR2	10/04/94	13.04	12.60	12.77
CWR2	10/05/94	12.82	12.38	12.62
CWR2	10/06/94	12.38	11.73	12.02
CWR2	10/07/94	12.16	11.52	11.83
CWR2	10/08/94	11.73	11.52	11.55
CWR2	10/09/94	11.95	11.52	11.74
CWR2	10/10/94	12.16	11.10	11.75
CWR2	10/11/94	10.89	9.86	10.39
CWR2	10/12/94	10.06	9.26	9.65

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
CWR2	10/13/94	10.47	9.66	10.05
CWR2	10/14/94	10.47	9.86	10.27
CWR2	10/15/94	10.27	9.26	9.73
CWR2	10/16/94	10.06	9.26	9.56
CWR2	10/17/94	9.26	8.66	8.93
CWR2	10/18/94	9.26	8.46	8.79
CWR2	10/19/94	9.26	8.46	8.76
CWR2	10/20/94	9.06	8.46	8.74
CWR2	10/21/94	9.06	8.08	8.56
CWR2	10/22/94	8.08	7.50	7.82
CWR2	10/23/94	8.46	7.50	7.81
CWR2	10/24/94	7.88	6.93	7.40
CWR2	10/25/94	8.08	6.93	7.55
CWR2	10/26/94	8.27	7.69	8.13
CWR2	10/27/94	7.88	7.12	7.46
CWR2	10/28/94	7.50	6.55	6.95
CWR2	10/29/94	6.93	6.00	6.44
FR149	06/27/94	16.72	16.48	16.62
FR149	06/28/94	16.97	16.48	16.83
FR149	06/29/94	16.72	15.99	16.54
FR149	06/30/94	15.99	15.03	15.61
FR149	07/01/94	15.51	15.27	15.38
FR149	07/02/94	15.51	14.80	15.20
FR149	07/03/94	14.80	14.10	14.44
FR149	07/04/94	14.56	14.10	14.33
FR149	07/05/94	14.33	14.10	14.23
FR149	07/06/94	14.10	13.65	14.03
FR149	07/07/94	14.10	13.88	13.99
FR149	07/08/94	14.56	14.10	14.38
FR149	07/09/94	15.03	14.10	14.58
FR149	07/10/94	15.27	14.80	15.05
FR149	07/11/94	15.75	15.03	15.50
FR149	07/12/94	16.23	15.51	15.89
FR149	07/13/94	16.48	15.99	16.22
FR149	07/14/94	16.48	15.99	16.19
FR149	07/15/94	16.72	15.99	16.42
FR149	07/16/94	17.48	16.48	17.02
FR149	07/17/94	17.99	17.22	17.70
FR149	07/18/94	17.73	17.22	17.53
FR149	07/19/94	17.99	17.73	17.87
FR149	07/20/94	18.25	17.73	18.06
FR149	07/21/94	18.77	17.73	18.35
FR149	07/22/94	19.31	18.51	18.90
FR149	07/23/94	18.77	18.51	18.72
FR149	07/24/94	19.31	18.51	19.03
FR149	07/25/94	19.58	19.04	19.46
FR149	07/26/94	20.13	19.58	19.88
FR149	07/27/94	19.85	19.31	19.67
FR149	07/28/94	20.13	19.85	19.93
FR149	07/29/94	20.41	19.85	20.17

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR149	07/30/94	20.13	19.58	19.91
FR149	07/31/94	19.85	19.31	19.56
FR149	08/01/94	19.58	19.31	19.44
FR149	08/02/94	19.85	19.31	19.64
FR149	08/03/94	19.85	19.31	19.57
FR149	08/04/94	19.85	19.04	19.52
FR149	08/05/94	19.85	19.31	19.61
FR149	08/06/94	20.13	19.31	19.76
FR149	08/07/94	20.13	19.58	19.90
FR149	08/08/94	19.58	18.77	19.24
FR149	08/09/94	18.77	18.25	18.56
FR149	08/10/94	19.04	18.25	18.58
FR149	08/11/94	19.31	18.51	18.85
FR149	08/12/94	19.58	18.51	18.99
FR149	08/13/94	19.58	18.77	19.28
FR149	08/14/94	19.85	19.04	19.49
FR149	08/15/94	19.58	19.04	19.38
FR149	08/16/94	19.58	19.04	19.29
FR149	08/17/94	19.58	19.04	19.28
FR149	08/18/94	19.31	18.51	18.96
FR149	08/19/94	19.85	19.04	19.38
FR149	08/20/94	19.85	19.31	19.55
FR149	08/21/94	19.58	19.31	19.40
FR149	08/22/94	19.31	18.77	19.06
FR149	08/23/94	19.31	18.77	18.95
FR149	08/24/94	19.31	18.51	18.87
FR149	08/25/94	18.77	18.51	18.64
FR149	08/26/94	18.77	18.25	18.55
FR149	08/27/94	18.77	17.99	18.29
FR149	08/28/94	18.25	17.73	17.94
FR149	08/29/94	17.73	17.48	17.57
FR149	08/30/94	18.77	17.22	17.88
FR149	08/31/94	19.04	17.48	18.10
FR149	09/01/94	19.31	17.73	18.32
FR149	09/02/94	19.04	17.73	18.30
FR149	09/03/94	18.25	17.73	17.98
FR149	09/04/94	18.77	17.48	18.02
FR149	09/05/94	18.77	16.97	17.83
FR149	09/06/94	18.51	16.97	17.68
FR149	09/07/94	18.51	16.97	17.69
FR149	09/08/94	17.48	16.72	17.24
FR149	09/09/94	17.73	16.72	16.94
FR149	09/10/94	17.22	16.48	16.70
FR149	09/11/94	17.73	16.23	16.70
FR149	09/12/94	17.73	16.23	16.80
FR149	09/13/94	16.48	15.75	16.09
FR149	09/14/94	16.23	15.75	15.89
FR149	09/15/94	17.22	15.75	16.20
FR149	09/16/94	17.48	15.75	16.46
FR149	09/17/94	17.48	15.75	16.53

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR149	09/18/94	17.73	15.99	16.76
FR149	09/19/94	17.73	15.99	16.70
FR149	09/20/94	17.73	15.99	16.75
FR149	09/21/94	17.48	15.75	16.41
FR149	09/22/94	17.22	15.27	16.20
FR149	09/23/94	17.22	15.51	16.24
FR149	09/24/94	17.22	15.27	16.13
FR149	09/25/94	16.97	15.27	16.02
FR149	09/26/94	17.48	15.51	16.33
FR149	09/27/94	17.48	15.27	16.27
FR149	09/28/94	17.48	15.27	16.30
FR149	09/29/94	16.72	15.51	16.07
FR149	09/30/94	15.99	15.27	15.68
FR149	10/01/94	15.99	14.80	15.30
FR149	10/02/94	15.27	13.88	14.45
FR149	10/03/94	14.80	12.98	13.76
FR149	10/04/94	14.10	12.54	13.14
FR149	10/05/94	12.76	11.67	12.23
FR149	10/06/94	11.67	11.25	11.48
FR149	10/07/94	12.32	11.25	11.68
FR149	10/08/94	12.54	11.46	11.84
FR149	10/09/94	12.32	11.46	11.75
FR149	10/10/94	11.67	11.25	11.45
FR149	10/11/94	12.54	11.04	11.63
FR149	10/12/94	11.89	10.21	11.10
FR149	10/13/94	11.04	10.21	10.78
FR149	10/14/94	10.62	10.21	10.31
FR149	10/15/94	10.83	10.00	10.36
FR149	10/16/94	11.89	9.40	10.38
FR149	10/17/94	10.83	10.00	10.40
FR149	10/18/94	11.46	10.21	10.78
FR149	10/19/94	10.62	10.00	10.15
FR149	10/20/94	10.41	9.80	10.14
FR149	10/21/94	10.41	9.40	9.89
FR149	10/22/94	10.41	9.60	10.04
FR149	10/23/94	10.83	9.80	10.11
FR149	10/24/94	10.83	8.80	9.51
FR149	10/25/94	10.00	8.40	9.17
FR149	10/26/94	9.60	9.00	9.16
FR149	10/27/94	9.20	8.60	8.90
FR149	10/28/94	8.80	8.40	8.56
FR149	10/29/94	9.60	8.40	8.83
FR149	10/30/94	8.60	8.02	8.27
FR149	10/31/94	8.02	7.44	7.80
FR149	11/01/94	7.63	7.06	7.44
FR149	11/02/94	7.63	7.06	7.29
FR200	07/06/94	13.98	13.52	13.72
FR200	07/07/94	14.20	13.52	13.85
FR200	07/08/94	14.43	13.98	14.19
FR200	07/09/94	15.37	14.43	14.73

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR200	07/10/94	15.13	14.20	14.72
FR200	07/11/94	15.61	14.20	14.87
FR200	07/12/94	16.58	14.66	15.25
FR200	07/13/94	17.07	15.13	15.76
FR200	07/14/94	17.07	16.09	16.39
FR200	07/15/94	.	.	.
FR200	07/16/94	.	.	.
FR200	07/17/94	.	.	.
FR200	07/18/94	17.83	17.58	17.69
FR200	07/19/94	18.09	17.58	17.74
FR200	07/20/94	18.09	17.58	17.82
FR200	07/21/94	18.87	18.09	18.31
FR200	07/22/94	18.87	18.61	18.70
FR200	07/23/94	18.87	18.09	18.44
FR200	07/24/94	19.41	18.87	18.99
FR200	07/25/94	19.95	19.41	19.52
FR200	07/26/94	19.95	19.41	19.70
FR200	07/27/94	19.95	19.41	19.66
FR200	07/28/94	20.23	19.41	19.85
FR200	07/29/94	20.23	19.95	20.04
FR200	07/30/94	19.95	19.41	19.71
FR200	07/31/94	19.68	19.14	19.38
FR200	08/01/94	19.68	19.14	19.31
FR200	08/02/94	19.95	19.14	19.51
FR200	08/03/94	19.68	19.14	19.39
FR200	08/04/94	19.41	19.41	19.41
FR200	08/05/94	19.68	19.41	19.61
FR200	08/06/94	19.95	19.68	19.88
FR200	08/07/94	19.95	19.41	19.71
FR200	08/08/94	19.68	18.35	19.00
FR200	08/09/94	18.61	18.35	18.40
FR200	08/10/94	18.61	18.35	18.47
FR200	08/11/94	18.87	18.35	18.65
FR200	08/12/94	18.87	18.61	18.86
FR200	08/13/94	19.41	19.14	19.20
FR200	08/14/94	19.41	19.14	19.28
FR200	08/15/94	19.41	19.14	19.24
FR200	08/16/94	19.41	19.14	19.22
FR200	08/17/94	19.14	18.61	18.93
FR200	08/18/94	19.41	18.61	18.97
FR200	08/19/94	19.68	19.41	19.47
FR200	08/20/94	19.68	18.61	19.20
FR200	08/21/94	20.23	18.35	19.09
FR200	08/22/94	19.68	17.07	18.50
FR200	08/23/94	18.87	17.32	18.26
FR200	08/24/94	18.87	18.61	18.77
FR200	08/25/94	18.61	18.35	18.58
FR200	08/26/94	18.35	18.09	18.27
FR200	08/27/94	18.09	17.83	17.96
FR200	08/28/94	17.83	17.58	17.67

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR200	08/29/94	17.58	17.32	17.44
FR200	08/30/94	17.83	17.32	17.61
FR200	08/31/94	18.35	17.83	17.99
FR200	09/01/94	18.35	18.35	18.35
FR200	09/02/94	18.35	18.09	18.30
FR200	09/03/94	18.09	17.83	18.02
FR200	09/04/94	17.83	17.58	17.81
FR200	09/05/94	17.83	17.58	17.66
FR200	09/06/94	17.58	17.32	17.57
FR200	09/07/94	17.58	17.32	17.42
FR200	09/08/94	17.32	16.09	16.84
FR200	09/09/94	16.67	15.22	15.82
FR200	09/10/94	16.92	13.60	15.24
FR200	09/11/94	16.67	14.28	15.25
FR200	09/12/94	16.92	14.51	15.61
FR200	09/13/94	15.94	15.70	15.71
FR200	09/14/94	15.70	15.46	15.50
FR200	09/15/94	15.94	15.70	15.79
FR200	09/16/94	15.94	15.70	15.90
FR200	09/17/94	16.17	15.94	16.03
FR200	09/18/94	16.17	15.94	16.14
FR200	09/19/94	16.17	15.94	16.15
FR200	09/20/94	16.17	15.94	16.13
FR200	09/21/94	16.17	15.70	15.82
FR200	09/22/94	15.70	15.70	15.70
FR200	09/23/94	15.70	15.46	15.68
FR200	09/24/94	15.70	15.46	15.59
FR200	09/25/94	15.94	15.70	15.77
FR200	09/26/94	15.94	15.70	15.74
FR200	09/27/94	15.70	15.46	15.63
FR200	09/28/94	15.70	15.46	15.65
FR200	09/29/94	15.70	14.75	15.39
FR200	09/30/94	14.98	14.75	14.96
FR200	10/01/94	14.98	14.51	14.74
FR200	10/02/94	14.51	13.60	14.14
FR200	10/03/94	13.60	13.15	13.28
FR200	10/04/94	13.15	12.27	12.59
FR200	10/05/94	12.05	11.41	11.66
FR200	10/06/94	11.41	10.99	11.15
FR200	10/07/94	11.41	10.99	11.26
FR200	10/08/94	11.41	11.20	11.27
FR200	10/09/94	11.20	10.99	11.06
FR200	10/10/94	11.20	10.99	11.16
FR200	10/11/94	11.20	10.99	11.03
FR200	10/12/94	10.99	10.36	10.67
FR200	10/13/94	10.36	9.95	10.11
FR200	10/14/94	10.16	9.95	9.99
FR200	10/15/94	10.16	9.95	9.96
FR200	10/16/94	9.95	9.75	9.86
FR200	10/17/94	9.75	9.35	9.59

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR200	10/18/94	9.55	9.35	9.46
FR200	10/19/94	9.55	9.35	9.37
FR200	10/20/94	9.55	9.55	9.55
FR200	10/21/94	9.55	9.35	9.44
FR200	10/22/94	9.35	9.15	9.29
FR200	10/23/94	9.15	8.75	8.98
FR200	10/24/94	8.75	8.55	8.67
FR200	10/25/94	8.55	8.35	8.41
FR200	10/26/94	8.55	8.35	8.48
FR200	10/27/94	8.55	8.35	8.53
FR245	06/27/94	16.97	16.97	16.97
FR245	06/28/94	16.97	16.48	16.63
FR245	06/29/94	16.72	15.75	15.95
FR245	06/30/94	15.51	14.80	15.16
FR245	07/01/94	15.51	15.03	15.27
FR245	07/02/94	15.27	14.56	14.87
FR245	07/03/94	14.33	13.88	14.12
FR245	07/04/94	14.33	13.88	14.02
FR245	07/05/94	14.10	13.65	13.83
FR245	07/06/94	13.88	13.20	13.53
FR245	07/07/94	14.10	13.20	13.67
FR245	07/08/94	14.10	13.65	13.93
FR245	07/09/94	14.80	14.10	14.42
FR245	07/10/94	15.27	14.56	14.80
FR245	07/11/94	15.75	14.80	15.21
FR245	07/12/94	15.99	15.27	15.68
FR245	07/13/94	15.99	15.27	15.65
FR245	07/14/94	16.72	15.51	16.01
FR245	07/15/94	16.23	15.51	15.89
FR245	07/16/94	17.73	16.97	17.45
FR245	07/17/94	17.73	16.97	17.40
FR245	07/18/94	17.73	16.97	17.38
FR245	07/19/94	17.99	17.22	17.61
FR245	07/20/94	18.25	17.22	17.69
FR245	07/21/94	18.77	17.99	18.27
FR245	07/22/94	18.77	17.99	18.43
FR245	07/23/94	18.77	17.99	18.29
FR245	07/24/94	19.31	18.51	18.90
FR245	07/25/94	19.85	19.04	19.45
FR245	07/26/94	19.85	19.04	19.51
FR245	07/27/94	19.85	19.04	19.51
FR245	07/28/94	20.41	19.31	19.75
FR245	07/29/94	20.13	19.58	19.81
FR245	07/30/94	19.85	19.04	19.47
FR245	07/31/94	19.31	18.77	19.15
FR245	08/01/94	19.85	18.77	19.24
FR245	08/02/94	19.58	18.77	19.22
FR245	08/03/94	19.58	18.77	19.17
FR245	08/04/94	19.58	19.04	19.28
FR245	08/05/94	19.85	19.31	19.57

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR245	08/06/94	19.85	19.58	19.77
FR245	08/07/94	19.85	19.04	19.48
FR245	08/08/94	19.31	18.25	18.63
FR245	08/09/94	18.51	17.99	18.26
FR245	08/10/94	18.77	17.99	18.43
FR245	08/11/94	18.77	18.25	18.41
FR245	08/12/94	19.85	18.51	18.96
FR245	08/13/94	.	.	.
FR245	08/14/94	.	.	.
FR245	08/15/94	.	.	.
FR245	08/16/94	.	.	.
FR245	08/17/94	.	.	.
FR245	08/18/94	.	.	.
FR245	08/19/94	.	.	.
FR245	08/20/94	.	.	.
FR245	08/21/94	.	.	.
FR245	08/22/94	.	.	.
FR245	08/23/94	18.77	18.77	18.77
FR245	08/24/94	18.77	18.51	18.64
FR245	08/25/94	18.77	18.25	18.37
FR245	08/26/94	18.25	17.99	18.09
FR245	08/27/94	17.99	17.48	17.71
FR245	08/28/94	17.73	17.22	17.35
FR245	08/29/94	17.48	16.97	17.33
FR245	08/30/94	17.99	17.22	17.52
FR245	08/31/94	18.25	17.73	17.98
FR245	09/01/94	18.51	17.99	18.27
FR245	09/02/94	18.25	17.99	18.07
FR245	09/03/94	17.99	17.73	17.80
FR245	09/04/94	17.73	17.48	17.65
FR245	09/05/94	17.73	17.48	17.54
FR245	09/06/94	17.73	17.22	17.40
FR245	09/07/94	17.48	16.97	17.22
FR245	09/08/94	16.97	16.48	16.86
FR245	09/09/94	16.72	16.48	16.66
FR245	09/10/94	16.72	16.23	16.47
FR245	09/11/94	16.72	16.48	16.62
FR245	09/12/94	16.72	15.75	16.01
FR245	09/13/94	15.99	15.51	15.71
FR245	09/14/94	15.75	15.27	15.48
FR245	09/15/94	15.99	15.51	15.72
FR245	09/16/94	16.23	15.51	15.81
FR245	09/17/94	16.23	15.75	16.03
FR245	09/18/94	16.23	15.75	16.01
FR245	09/19/94	16.23	15.75	16.06
FR245	09/20/94	16.23	15.75	15.99
FR245	09/21/94	15.99	15.51	15.81
FR245	09/22/94	15.75	15.51	15.70
FR245	09/23/94	15.75	15.27	15.65
FR245	09/24/94	15.99	15.27	15.57

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR245	09/25/94	15.99	15.75	15.80
FR245	09/26/94	15.75	15.27	15.67
FR245	09/27/94	15.75	15.27	15.61
FR245	09/28/94	15.75	15.27	15.61
FR245	09/29/94	15.51	14.80	15.12
FR245	09/30/94	15.03	14.80	14.87
FR245	10/01/94	14.80	14.33	14.57
FR245	10/02/94	14.56	13.65	13.97
FR245	10/03/94	13.65	12.98	13.16
FR245	10/04/94	12.98	11.89	12.29
FR245	10/05/94	11.89	11.25	11.48
FR245	10/06/94	11.25	11.04	11.11
FR245	10/07/94	11.46	11.04	11.27
FR245	10/08/94	11.46	11.04	11.17
FR245	10/09/94	11.25	10.83	10.98
FR245	10/10/94	11.25	11.04	11.16
FR245	10/11/94	11.25	10.83	11.00
FR245	10/12/94	10.83	10.21	10.49
FR245	10/13/94	10.21	9.80	10.04
FR245	10/14/94	10.00	9.80	9.98
FR245	10/15/94	10.21	10.00	10.04
FR245	10/16/94	10.00	9.60	9.83
FR245	10/17/94	9.60	9.40	9.54
FR245	10/18/94	9.80	9.20	9.47
FR245	10/19/94	9.20	9.00	9.14
FR262	06/29/94	16.03	15.79	15.97
FR262	06/30/94	15.79	15.31	15.53
FR262	07/01/94	15.55	14.84	15.26
FR262	07/02/94	14.84	14.14	14.57
FR262	07/03/94	14.37	13.92	14.12
FR262	07/04/94	13.92	13.69	13.76
FR262	07/05/94	13.69	13.46	13.57
FR262	07/06/94	13.46	13.02	13.27
FR262	07/07/94	13.69	13.02	13.34
FR262	07/08/94	13.92	13.24	13.54
FR262	07/09/94	14.84	13.92	14.41
FR262	07/10/94	15.55	14.60	15.09
FR262	07/11/94	16.27	15.07	15.42
FR262	07/12/94	15.79	15.31	15.45
FR262	07/13/94	15.55	15.31	15.49
FR262	07/14/94	15.79	15.31	15.57
FR262	07/15/94	17.01	15.79	16.31
FR262	07/16/94	18.03	16.52	17.20
FR262	07/17/94	17.77	17.26	17.54
FR262	07/18/94	18.03	17.26	17.70
FR262	07/19/94	17.77	17.26	17.51
FR262	07/20/94	17.52	17.01	17.27
FR262	07/21/94	18.03	17.52	17.73
FR262	07/22/94	18.03	17.77	17.95
FR262	07/23/94	18.29	17.77	17.99

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR262	07/24/94	18.29	17.77	18.04
FR262	07/25/94	18.03	17.77	17.80
FR262	07/26/94	18.29	18.03	18.11
FR262	07/27/94	19.89	18.03	19.11
FR262	07/28/94	20.17	19.89	19.97
FR262	07/29/94	19.89	19.62	19.84
FR262	07/30/94	19.89	19.35	19.59
FR262	07/31/94	19.62	19.08	19.33
FR262	08/01/94	19.62	19.08	19.27
FR262	08/02/94	19.35	18.81	19.02
FR262	08/03/94	19.08	18.81	18.91
FR262	08/04/94	19.35	18.81	19.10
FR262	08/05/94	19.62	19.08	19.31
FR262	08/06/94	19.62	19.35	19.47
FR262	08/07/94	19.62	19.08	19.31
FR262	08/08/94	19.08	18.29	18.70
FR262	08/09/94	18.29	18.03	18.12
FR262	08/10/94	18.03	17.77	17.89
FR262	08/11/94	18.03	17.52	17.79
FR262	08/12/94	18.81	18.03	18.25
FR262	08/13/94	19.08	18.55	18.87
FR262	08/14/94	19.08	18.81	19.07
FR262	08/15/94	19.35	19.08	19.14
FR262	08/16/94	19.35	18.81	19.14
FR262	08/17/94	18.81	18.81	18.81
FR262	08/18/94	19.35	18.55	18.85
FR262	08/19/94	19.35	19.08	19.11
FR262	08/20/94	19.35	19.08	19.17
FR262	08/21/94	19.08	19.08	19.08
FR262	08/22/94	19.08	18.81	18.87
FR262	08/23/94	18.81	18.55	18.76
FR262	08/24/94	18.55	18.29	18.41
FR262	08/25/94	18.29	17.77	18.04
FR262	08/26/94	17.77	17.26	17.57
FR262	08/27/94	17.26	16.76	17.04
FR262	08/28/94	16.76	16.52	16.62
FR262	08/29/94	17.01	16.27	16.55
FR262	08/30/94	17.52	16.52	16.98
FR262	08/31/94	18.03	17.26	17.64
FR262	09/01/94	18.29	17.52	17.94
FR262	09/02/94	18.03	17.52	17.87
FR262	09/03/94	17.77	17.26	17.52
FR262	09/04/94	17.77	17.01	17.26
FR262	09/05/94	17.26	17.01	17.11
FR262	09/06/94	.	.	.
FR262	09/07/94	.	.	.
FR262	09/08/94	.	.	.
FR262	09/09/94	.	.	.
FR262	09/10/94	.	.	.
FR262	09/11/94	.	.	.

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR262	09/12/94	.	.	.
FR262	09/13/94	.	.	.
FR262	09/14/94	.	.	.
FR262	09/15/94	15.07	14.84	15.00
FR262	09/16/94	15.07	14.60	14.89
FR262	09/17/94	15.31	14.84	15.09
FR262	09/18/94	15.55	14.84	15.12
FR262	09/19/94	15.55	15.07	15.25
FR262	09/20/94	15.55	15.07	15.27
FR262	09/21/94	15.55	15.07	15.29
FR262	09/22/94	15.55	15.07	15.25
FR262	09/23/94	15.07	14.84	14.91
FR262	09/24/94	15.31	14.37	14.79
FR262	09/25/94	15.07	14.84	14.96
FR262	09/26/94	15.07	14.84	14.95
FR262	09/27/94	15.31	14.84	14.97
FR262	09/28/94	15.07	14.84	14.94
FR262	09/29/94	14.84	14.14	14.31
FR262	09/30/94	14.14	13.92	14.12
FR262	10/01/94	14.14	13.69	13.90
FR262	10/02/94	13.69	13.02	13.27
FR262	10/03/94	12.80	12.14	12.49
FR262	10/04/94	11.93	11.08	11.52
FR262	10/05/94	10.87	10.25	10.56
FR262	10/06/94	10.25	10.04	10.22
FR262	10/07/94	10.66	10.25	10.44
FR262	10/08/94	10.25	10.04	10.10
FR262	10/09/94	10.04	9.64	9.85
FR262	10/10/94	10.25	9.84	10.08
FR262	10/11/94	10.25	9.84	10.06
FR262	10/12/94	9.84	9.64	9.68
FR262	10/13/94	9.44	9.04	9.23
FR262	10/14/94	9.04	8.84	8.94
FR262	10/15/94	9.04	8.84	9.02
FR262	10/16/94	9.04	8.64	8.83
FR262	10/17/94	8.84	8.64	8.72
FR262	10/18/94	8.64	8.44	8.48
FR262	10/19/94	8.64	8.44	8.56
FR262	10/20/94	8.84	8.64	8.67
FR262	10/21/94	8.84	8.44	8.63
FR262	10/22/94	8.64	8.25	8.35
FR262	10/23/94	8.25	7.67	8.01
FR262	10/24/94	7.86	7.48	7.65
FR262	10/25/94	7.67	7.29	7.51
FR262	10/26/94	7.86	7.48	7.66
FR262	10/27/94	7.86	7.67	7.82
FR337	07/15/94	16.63	16.63	16.63
FR337	07/16/94	17.39	16.63	17.03
FR337	07/17/94	17.39	17.13	17.35
FR337	07/18/94	17.39	17.13	17.38

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR337	07/19/94	17.39	17.13	17.28
FR337	07/20/94	17.90	17.39	17.58
FR337	07/21/94	18.16	17.64	17.95
FR337	07/22/94	18.16	17.90	18.08
FR337	07/23/94	18.42	18.16	18.27
FR337	07/24/94	18.95	18.42	18.62
FR337	07/25/94	19.76	18.95	19.23
FR337	07/26/94	19.76	19.22	19.48
FR337	07/27/94	19.76	19.22	19.52
FR337	07/28/94	19.76	19.49	19.62
FR337	07/29/94	19.76	19.22	19.49
FR337	07/30/94	19.22	18.95	19.13
FR337	07/31/94	18.95	18.68	18.89
FR337	08/01/94	18.95	18.68	18.80
FR337	08/02/94	18.68	18.42	18.59
FR337	08/03/94	18.95	18.42	18.70
FR337	08/04/94	18.95	18.68	18.77
FR337	08/05/94	19.49	18.42	18.95
FR337	08/06/94	20.04	19.22	19.46
FR337	08/07/94	19.22	18.68	18.98
FR337	08/08/94	18.68	17.90	18.44
FR337	08/09/94	17.90	17.64	17.76
FR337	08/10/94	17.90	17.39	17.52
FR337	08/11/94	17.64	17.13	17.40
FR337	08/12/94	17.64	17.13	17.42
FR337	08/13/94	18.95	16.14	17.82
FR337	08/14/94	18.95	18.42	18.76
FR337	08/15/94	19.22	18.42	18.87
FR337	08/16/94	19.22	18.68	18.88
FR337	08/17/94	18.95	18.42	18.64
FR337	08/18/94	19.49	18.68	18.95
FR337	08/19/94	19.22	18.68	18.98
FR337	08/20/94	19.22	18.68	18.97
FR337	08/21/94	19.22	18.68	18.87
FR337	08/22/94	18.95	18.42	18.70
FR337	08/23/94	18.68	18.16	18.34
FR337	08/24/94	18.42	17.90	18.07
FR337	08/25/94	17.90	17.39	17.64
FR337	08/26/94	17.64	16.88	17.13
FR337	08/27/94	17.13	16.14	16.58
FR337	08/28/94	16.63	15.90	16.25
FR337	08/29/94	16.39	15.90	16.28
FR337	08/30/94	17.39	16.39	16.91
FR337	08/31/94	17.90	17.13	17.50
FR337	09/01/94	18.16	17.64	17.81
FR337	09/02/94	17.90	17.13	17.52
FR337	09/03/94	17.39	16.88	17.05
FR337	09/04/94	17.13	16.63	16.90
FR337	09/05/94	16.88	16.39	16.62
FR337	09/06/94	16.63	16.39	16.51

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR337	09/07/94	16.39	15.42	15.78
FR337	09/08/94	15.42	14.94	15.17
FR337	09/09/94	14.94	14.71	14.72
FR337	09/10/94	14.71	14.71	14.71
FR337	09/11/94	14.71	14.24	14.46
FR337	09/12/94	14.24	14.01	14.16
FR337	09/13/94	14.24	13.56	13.84
FR337	09/14/94	14.47	13.56	13.91
FR337	09/15/94	14.47	14.24	14.34
FR337	09/16/94	14.94	14.24	14.46
FR337	09/17/94	14.94	14.47	14.66
FR337	09/18/94	14.94	14.47	14.80
FR337	09/19/94	14.94	14.71	14.82
FR337	09/20/94	15.42	14.94	15.07
FR337	09/21/94	15.42	14.94	15.23
FR337	09/22/94	15.18	14.71	14.81
FR337	09/23/94	14.71	14.24	14.37
FR337	09/24/94	14.94	14.47	14.64
FR337	09/25/94	14.94	14.24	14.50
FR337	09/26/94	14.71	14.24	14.51
FR337	09/27/94	14.71	14.24	14.42
FR337	09/28/94	14.47	14.01	14.26
FR337	09/29/94	14.01	13.79	13.85
FR337	09/30/94	13.79	13.33	13.51
FR337	10/01/94	13.56	12.89	13.31
FR337	10/02/94	12.89	12.23	12.60
FR337	10/03/94	12.23	11.16	11.60
FR337	10/04/94	11.16	10.32	10.53
FR337	10/05/94	10.32	9.51	9.84
FR337	10/06/94	9.91	9.51	9.69
FR337	10/07/94	9.91	9.51	9.77
FR337	10/08/94	.	.	.
FR337	10/09/94	.	.	.
FR337	10/10/94	.	.	.
FR337	10/11/94	.	.	.
FR337	10/12/94	8.91	8.51	8.71
FR337	10/13/94	8.51	8.12	8.29
FR337	10/14/94	8.31	7.93	8.09
FR337	10/15/94	8.31	7.93	8.08
FR337	10/16/94	8.12	7.73	7.94
FR337	10/17/94	8.12	7.73	7.90
FR337	10/18/94	8.12	7.54	7.77
FR337	10/19/94	7.93	7.73	7.86
FR337	10/20/94	7.93	7.54	7.72
FR337	10/21/94	7.93	7.54	7.77
FR337	10/22/94	7.54	6.97	7.26
FR337	10/23/94	6.97	6.59	6.80
FR337	10/24/94	6.78	6.40	6.60
FR337	10/25/94	6.97	6.22	6.49
FR337	10/26/94	7.16	6.78	7.03

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR337	10/27/94	7.16	6.97	7.02
FR337	10/28/94	6.97	6.59	6.76
FR390	06/29/94	15.27	15.27	15.27
FR390	06/30/94	15.27	14.80	15.04
FR390	07/01/94	15.03	14.33	14.52
FR390	07/02/94	14.10	13.65	13.80
FR390	07/03/94	13.65	13.42	13.51
FR390	07/04/94	13.42	13.20	13.29
FR390	07/05/94	13.20	12.76	12.98
FR390	07/06/94	12.76	12.54	12.61
FR390	07/07/94	12.98	12.54	12.84
FR390	07/08/94	13.88	12.76	13.30
FR390	07/09/94	14.56	13.88	14.24
FR390	07/10/94	14.80	14.33	14.65
FR390	07/11/94	15.03	14.56	14.89
FR390	07/12/94	15.27	14.80	15.09
FR390	07/13/94	15.27	15.03	15.17
FR390	07/14/94	16.23	15.27	15.61
FR390	07/15/94	16.72	15.99	16.37
FR390	07/16/94	17.22	16.72	17.01
FR390	07/17/94	17.22	17.22	17.22
FR390	07/18/94	17.22	17.22	17.22
FR390	07/19/94	17.48	16.72	17.19
FR390	07/20/94	17.99	17.22	17.55
FR390	07/21/94	17.99	17.48	17.84
FR390	07/22/94	17.99	17.73	17.88
FR390	07/23/94	18.25	17.99	18.12
FR390	07/24/94	19.04	18.25	18.53
FR390	07/25/94	19.58	19.04	19.21
FR390	07/26/94	19.85	19.04	19.40
FR390	07/27/94	19.85	19.31	19.56
FR390	07/28/94	19.85	19.31	19.57
FR390	07/29/94	19.58	19.31	19.37
FR390	07/30/94	19.31	18.77	19.07
FR390	07/31/94	19.04	18.77	18.81
FR390	08/01/94	18.77	18.51	18.68
FR390	08/02/94	18.77	18.51	18.53
FR390	08/03/94	18.77	18.51	18.72
FR390	08/04/94	19.31	18.77	19.03
FR390	08/05/94	19.85	19.31	19.51
FR390	08/06/94	19.58	19.31	19.44
FR390	08/07/94	19.31	18.51	18.80
FR390	08/08/94	18.77	17.73	18.24
FR390	08/09/94	17.73	17.48	17.68
FR390	08/10/94	17.73	17.22	17.53
FR390	08/11/94	.	.	.
FR390	08/12/94	.	.	.
FR390	08/13/94	.	.	.
FR390	08/14/94	.	.	.
FR390	08/15/94	.	.	.

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR390	08/16/94	.	.	.
FR390	08/17/94	.	.	.
FR390	08/18/94	.	.	.
FR390	08/19/94	.	.	.
FR390	08/20/94	.	.	.
FR390	08/21/94	.	.	.
FR390	08/22/94	.	.	.
FR390	08/23/94	.	.	.
FR390	08/24/94	.	.	.
FR390	08/25/94	.	.	.
FR390	08/26/94	17.22	16.72	16.94
FR390	08/27/94	16.72	16.23	16.42
FR390	08/28/94	16.48	15.75	16.17
FR390	08/29/94	16.72	15.75	16.30
FR390	08/30/94	17.73	16.72	17.20
FR390	08/31/94	17.99	17.22	17.65
FR390	09/01/94	17.99	17.73	17.84
FR390	09/02/94	17.73	17.22	17.49
FR390	09/03/94	17.22	16.72	17.00
FR390	09/04/94	16.97	16.72	16.87
FR390	09/05/94	16.97	16.23	16.62
FR390	09/06/94	16.72	16.23	16.43
FR390	09/07/94	16.23	15.75	16.00
FR390	09/08/94	15.99	15.75	15.85
FR390	09/09/94	15.75	15.51	15.66
FR390	09/10/94	15.75	15.27	15.57
FR390	09/11/94	15.27	14.56	14.87
FR390	09/12/94	15.03	14.56	14.68
FR390	09/13/94	14.56	13.88	14.16
FR390	09/14/94	14.33	13.88	14.08
FR390	09/15/94	14.33	14.10	14.30
FR390	09/16/94	14.80	14.33	14.46
FR390	09/17/94	14.80	14.33	14.55
FR390	09/18/94	14.80	14.56	14.70
FR390	09/19/94	15.03	14.33	14.72
FR390	09/20/94	15.51	14.80	15.09
FR390	09/21/94	15.27	14.80	15.09
FR390	09/22/94	14.80	14.33	14.51
FR390	09/23/94	14.56	13.88	14.27
FR390	09/24/94	14.80	14.56	14.63
FR390	09/25/94	14.80	14.33	14.50
FR390	09/26/94	14.56	14.33	14.51
FR390	09/27/94	14.56	14.10	14.44
FR390	09/28/94	14.33	13.88	13.99
FR390	09/29/94	13.88	13.42	13.69
FR390	09/30/94	13.42	13.20	13.31
FR390	10/01/94	13.20	12.76	13.07
FR390	10/02/94	12.76	11.89	12.39
FR390	10/03/94	11.67	10.83	11.23
FR390	10/04/94	10.62	10.00	10.22

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR390	10/05/94	9.80	9.40	9.66
FR390	10/06/94	10.00	9.60	9.76
FR390	10/07/94	9.60	9.00	9.23
FR390	10/08/94	9.20	8.80	8.98
FR390	10/09/94	9.40	9.00	9.11
FR390	10/10/94	9.60	9.20	9.39
FR390	10/11/94	9.40	9.00	9.13
FR390	10/12/94	8.80	8.40	8.55
FR390	10/13/94	8.40	7.82	8.04
FR390	10/14/94	8.21	7.82	7.98
FR390	10/15/94	8.21	7.82	7.90
FR390	10/16/94	8.02	7.63	7.81
FR390	10/17/94	7.82	7.63	7.69
FR390	10/18/94	7.82	7.63	7.70
FR390	10/19/94	7.82	7.63	7.73
FR390	10/20/94	8.02	7.63	7.75
FR390	10/21/94	7.82	7.44	7.67
FR390	10/22/94	7.44	6.68	7.07
FR390	10/23/94	6.68	6.49	6.66
FR390	10/24/94	6.68	6.31	6.52
FR390	10/25/94	6.87	6.31	6.63
FR390	10/26/94	7.06	6.87	6.93
FR390	10/27/94	7.25	6.68	6.94
FR390	10/28/94	6.68	6.12	6.42
FR390	10/29/94	6.31	5.75	5.92
FR390	10/30/94	5.75	5.39	5.54
FR390	10/31/94	5.57	5.21	5.44
FR390	11/01/94	5.39	5.21	5.29
FR500	06/28/94	15.26	15.02	15.12
FR500	06/29/94	14.79	14.55	14.66
FR500	06/30/94	14.55	13.87	14.41
FR500	07/01/94	13.87	13.19	13.55
FR500	07/02/94	13.41	13.19	13.22
FR500	07/03/94	13.19	12.75	12.96
FR500	07/04/94	12.75	12.31	12.54
FR500	07/05/94	12.31	11.88	11.98
FR500	07/06/94	12.09	11.88	11.98
FR500	07/07/94	12.75	12.09	12.22
FR500	07/08/94	13.87	12.75	13.23
FR500	07/09/94	14.09	13.64	13.89
FR500	07/10/94	14.55	14.09	14.27
FR500	07/11/94	14.79	14.09	14.47
FR500	07/12/94	14.79	14.09	14.42
FR500	07/13/94	15.26	14.32	14.78
FR500	07/14/94	14.79	13.87	14.40
FR500	07/15/94	16.71	16.22	16.53
FR500	07/16/94	17.21	16.47	16.79
FR500	07/17/94	17.21	16.96	17.02
FR500	07/18/94	16.96	16.47	16.72
FR500	07/19/94	17.21	16.47	16.81

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR500	07/20/94	17.47	16.96	17.18
FR500	07/21/94	17.47	16.96	17.23
FR500	07/22/94	17.72	17.21	17.51
FR500	07/23/94	17.98	17.21	17.67
FR500	07/24/94	18.76	17.98	18.27
FR500	07/25/94	18.76	18.50	18.64
FR500	07/26/94	19.03	18.50	18.74
FR500	07/27/94	19.30	18.76	19.05
FR500	07/28/94	19.30	18.76	19.00
FR500	07/29/94	19.03	18.50	18.71
FR500	07/30/94	18.76	18.50	18.65
FR500	07/31/94	18.76	18.50	18.60
FR500	08/01/94	18.50	17.98	18.21
FR500	08/02/94	18.50	17.98	18.26
FR500	08/03/94	19.03	18.50	18.65
FR500	08/04/94	19.57	18.50	18.98
FR500	08/05/94	19.57	19.30	19.52
FR500	08/06/94	19.30	18.76	19.00
FR500	08/07/94	18.76	18.24	18.47
FR500	08/08/94	18.24	17.72	17.87
FR500	08/09/94	17.72	17.21	17.45
FR500	08/10/94	17.98	16.96	17.50
FR500	08/11/94	18.50	17.47	18.01
FR500	08/12/94	18.76	17.72	18.24
FR500	08/13/94	19.03	18.24	18.61
FR500	08/14/94	19.03	18.24	18.76
FR500	08/15/94	19.30	18.50	18.92
FR500	08/16/94	19.30	18.76	19.03
FR500	08/17/94	19.03	18.50	18.82
FR500	08/18/94	19.03	18.50	18.84
FR500	08/19/94	19.30	18.50	18.90
FR500	08/20/94	19.30	18.50	18.89
FR500	08/21/94	19.30	18.76	18.94
FR500	08/22/94	18.76	18.24	18.49
FR500	08/23/94	18.50	17.72	18.12
FR500	08/24/94	17.98	17.21	17.53
FR500	08/25/94	17.47	16.47	16.86
FR500	08/26/94	16.96	15.98	16.33
FR500	08/27/94	16.47	15.50	15.99
FR500	08/28/94	16.47	15.50	15.95
FR500	08/29/94	17.21	16.22	16.61
FR500	08/30/94	17.72	16.96	17.28
FR500	08/31/94	17.98	17.72	17.92
FR500	09/01/94	17.98	17.47	17.85
FR500	09/02/94	17.98	17.21	17.52
FR500	09/03/94	17.47	16.96	17.14
FR500	09/04/94	16.96	16.47	16.73
FR500	09/05/94	.	.	.
FR500	09/06/94	.	.	.
FR500	09/07/94	.	.	.

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR500	09/08/94	15.74	15.50	15.54
FR500	09/09/94	15.50	14.79	15.05
FR500	09/10/94	15.02	14.55	14.74
FR500	09/11/94	14.55	14.09	14.28
FR500	09/13/94	14.09	13.64	13.89
FR500	09/14/94	14.09	13.64	13.91
FR500	09/15/94	14.09	13.87	14.03
FR500	09/16/94	14.32	13.64	13.95
FR500	09/17/94	14.55	14.32	14.44
FR500	09/18/94	14.79	14.32	14.48
FR500	09/19/94	15.02	14.32	14.59
FR500	09/20/94	15.02	14.79	14.97
FR500	09/21/94	14.79	14.09	14.29
FR500	09/22/94	14.09	13.64	13.88
FR500	09/23/94	14.32	13.87	14.10
FR500	09/24/94	14.55	13.87	14.13
FR500	09/25/94	14.55	14.09	14.41
FR500	09/26/94	14.55	14.09	14.33
FR500	09/27/94	14.32	13.87	14.01
FR500	09/28/94	14.09	13.41	13.67
FR500	09/29/94	13.41	12.97	13.12
FR500	09/30/94	12.97	12.53	12.79
FR500	10/01/94	12.53	12.09	12.32
FR500	10/02/94	11.88	11.03	11.43
FR500	10/03/94	11.03	9.99	10.37
FR500	10/04/94	9.99	9.19	9.46
FR500	10/05/94	9.79	9.19	9.41
FR500	10/06/94	9.79	8.99	9.21
FR500	10/07/94	8.99	8.39	8.64
FR500	10/08/94	8.79	8.59	8.73
FR500	10/09/94	8.99	8.79	8.90
FR500	10/10/94	9.19	8.79	8.98
FR500	10/11/94	8.79	8.39	8.59
FR500	10/12/94	8.39	7.81	7.95
FR500	10/13/94	8.01	7.62	7.77
FR500	10/14/94	7.62	7.43	7.52
FR500	10/15/94	7.62	7.43	7.49
FR500	10/16/94	7.43	7.05	7.26
FR500	10/17/94	7.81	7.24	7.53
FR500	10/18/94	7.62	7.24	7.35
FR500	10/19/94	7.43	7.24	7.33
FR500	10/20/94	7.62	7.24	7.39
FR500	10/21/94	7.24	6.67	7.04
FR500	10/22/94	6.67	6.30	6.46
FR500	10/23/94	6.48	5.93	6.29
FR500	10/24/94	6.30	5.93	6.06
FR500	10/25/94	6.67	6.11	6.39
FR500	10/26/94	6.86	6.67	6.82
FR500	10/27/94	6.67	6.11	6.39

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR500	10/28/94	6.30	5.93	6.05
FR500	10/29/94	5.93	5.38	5.55
FR500	10/30/94	5.38	5.20	5.29
FR550	06/28/94	14.72	14.48	14.59
FR550	06/29/94	14.48	14.02	14.31
FR550	06/30/94	14.48	13.57	13.93
FR550	07/01/94	13.57	13.12	13.19
FR550	07/02/94	13.12	12.90	13.03
FR550	07/03/94	12.90	12.46	12.63
FR550	07/04/94	12.46	12.02	12.09
FR550	07/05/94	11.81	11.17	11.55
FR550	07/06/94	12.02	11.59	11.73
FR550	07/07/94	12.90	11.59	12.18
FR550	07/08/94	13.80	12.68	13.20
FR550	07/09/94	14.02	13.12	13.62
FR550	07/10/94	14.25	13.57	13.96
FR550	07/11/94	14.25	13.80	14.10
FR550	07/12/94	14.48	13.57	14.09
FR550	07/13/94	15.19	14.02	14.53
FR550	07/14/94	16.15	14.95	15.41
FR550	07/15/94	16.40	15.67	16.08
FR550	07/16/94	16.89	16.40	16.66
FR550	07/17/94	16.89	16.64	16.86
FR550	07/18/94	16.64	16.15	16.48
FR550	07/19/94	17.14	16.15	16.69
FR550	07/20/94	17.14	16.40	16.87
FR550	07/21/94	17.40	16.40	17.03
FR550	07/22/94	17.65	16.89	17.33
FR550	07/23/94	17.91	16.89	17.48
FR550	07/24/94	18.69	17.65	18.13
FR550	07/25/94	18.96	18.17	18.52
FR550	07/26/94	19.23	18.17	18.61
FR550	07/27/94	19.23	18.43	18.83
FR550	07/28/94	18.96	18.17	18.72
FR550	07/29/94	18.69	18.17	18.51
FR550	07/30/94	18.96	18.17	18.53
FR550	07/31/94	18.43	18.17	18.33
FR550	08/01/94	18.17	17.40	17.90
FR550	08/02/94	18.69	17.65	18.17
FR550	08/03/94	18.69	18.43	18.54
FR550	08/04/94	19.77	18.43	19.13
FR550	08/05/94	19.77	19.23	19.43
FR550	08/06/94	19.23	18.69	18.77
FR550	08/07/94	18.43	17.65	18.13
FR550	08/08/94	17.91	17.14	17.57
FR550	08/09/94	17.65	17.14	17.28
FR550	08/10/94	18.17	17.14	17.50
FR550	08/11/94	18.43	17.40	17.95
FR550	08/12/94	18.96	17.65	18.16
FR550	08/13/94	19.23	17.91	18.50

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR550	08/14/94	19.23	18.17	18.72
FR550	08/15/94	19.77	18.43	18.93
FR550	08/16/94	19.50	18.43	18.90
FR550	08/17/94	19.50	18.17	18.73
FR550	08/18/94	19.50	18.17	18.78
FR550	08/19/94	19.50	18.17	18.81
FR550	08/20/94	19.50	18.43	18.83
FR550	08/21/94	18.96	18.43	18.73
FR550	08/22/94	18.96	17.91	18.37
FR550	08/23/94	18.17	17.40	17.85
FR550	08/24/94	17.65	16.89	17.19
FR550	08/25/94	17.14	15.91	16.53
FR550	08/26/94	16.64	15.43	16.03
FR550	08/27/94	16.64	15.19	15.87
FR550	08/28/94	17.14	14.95	16.00
FR550	08/29/94	17.91	15.91	16.85
FR550	08/30/94	18.69	16.40	17.46
FR550	08/31/94	18.43	17.14	17.78
FR550	09/01/94	18.43	17.14	17.76
FR550	09/02/94	17.91	16.64	17.35
FR550	09/03/94	17.40	16.64	16.95
FR550	09/04/94	17.14	15.67	16.47
FR550	09/05/94	16.89	15.67	16.26
FR550	09/06/94	16.64	15.67	16.12
FR550	09/07/94	16.15	15.43	15.83
FR550	09/08/94	16.15	15.19	15.69
FR550	09/09/94	15.91	15.19	15.46
FR550	09/10/94	15.91	14.48	14.96
FR550	09/11/94	15.43	13.80	14.60
FR550	09/12/94	14.48	13.57	14.03
FR550	09/13/94	14.48	13.12	13.71
FR550	09/14/94	14.48	13.12	13.80
FR550	09/15/94	14.25	13.57	13.84
FR550	09/16/94	14.95	13.12	13.96
FR550	09/17/94	14.95	13.80	14.38
FR550	09/18/94	14.95	13.80	14.39
FR550	09/19/94	15.43	14.02	14.62
FR550	09/20/94	15.43	14.25	14.72
FR550	09/21/94	14.72	13.34	13.98
FR550	09/22/94	14.72	13.12	13.78
FR550	09/23/94	14.02	13.57	13.84
FR550	09/24/94	15.43	13.57	14.25
FR550	09/25/94	15.43	13.80	14.45
FR550	09/26/94	14.95	13.34	14.10
FR550	09/27/94	14.72	13.34	13.83
FR550	09/28/94	13.80	12.90	13.26
FR550	09/29/94	13.34	12.46	12.85
FR550	09/30/94	12.68	12.24	12.46
FR550	10/01/94	12.24	11.59	11.92
FR550	10/02/94	11.59	10.54	11.00

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR550	10/03/94	10.33	9.52	9.87
FR550	10/04/94	9.52	8.72	9.07
FR550	10/05/94	9.92	8.92	9.40
FR550	10/06/94	9.32	8.52	8.88
FR550	10/07/94	8.92	8.13	8.52
FR550	10/08/94	8.92	8.32	8.55
FR550	10/09/94	9.12	8.52	8.85
FR550	10/10/94	8.92	8.52	8.72
FR550	10/11/94	8.52	7.74	8.30
FR550	10/12/94	8.32	7.36	7.80
FR550	10/13/94	7.74	7.17	7.46
FR550	10/14/94	7.36	7.17	7.33
FR550	10/15/94	7.36	6.98	7.16
FR550	10/16/94	.	.	.
FR550	10/17/94	.	.	.
FR550	10/18/94	.	.	.
FR550	10/19/94	.	.	.
FR550	10/20/94	.	.	.
FR550	10/21/94	.	.	.
FR550	10/22/94	.	.	.
FR550	10/23/94	.	.	.
FR550	10/24/94	.	.	.
FR550	10/25/94	.	.	.
FR550	10/26/94	.	.	.
FR550	10/27/94	6.04	5.86	5.92
FR550	10/28/94	6.04	5.49	5.76
FR550	10/29/94	5.67	4.95	5.26
FR550	10/30/94	5.49	4.77	5.08
FR550	10/31/94	5.13	4.23	4.65
FR610	07/14/94	16.60	15.36	16.49
FR610	07/15/94	17.36	15.63	16.55
FR610	07/16/94	17.87	16.60	17.29
FR610	07/17/94	17.61	17.10	17.26
FR610	07/18/94	17.10	16.36	16.63
FR610	07/19/94	17.10	15.63	16.32
FR610	07/20/94	17.10	15.63	16.38
FR610	07/21/94	17.61	16.11	16.79
FR610	07/22/94	17.87	16.36	17.20
FR610	07/23/94	18.65	17.10	17.74
FR610	07/24/94	18.92	17.61	18.21
FR610	07/25/94	18.92	18.13	18.49
FR610	07/26/94	19.19	18.13	18.61
FR610	07/27/94	19.19	17.87	18.61
FR610	07/28/94	19.19	17.87	18.57
FR610	07/29/94	18.65	17.61	18.32
FR610	07/30/94	18.92	17.87	18.30
FR610	07/31/94	18.39	17.36	17.83
FR610	08/01/94	18.92	17.36	18.10
FR610	08/02/94	19.46	17.87	18.63
FR610	08/03/94	19.19	18.13	18.81

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR610	08/04/94	20.01	18.65	19.33
FR610	08/05/94	19.73	19.19	19.48
FR610	08/06/94	19.19	18.13	18.51
FR610	08/07/94	18.13	17.10	17.74
FR610	08/08/94	17.87	16.85	17.42
FR610	08/09/94	17.87	17.10	17.52
FR610	08/10/94	18.39	16.85	17.61
FR610	08/11/94	18.65	17.10	17.93
FR610	08/12/94	18.65	17.36	18.14
FR610	08/13/94	18.92	17.36	18.26
FR610	08/14/94	18.92	17.87	18.48
FR610	08/15/94	19.46	18.13	18.87
FR610	08/16/94	19.46	18.13	18.88
FR610	08/17/94	19.46	18.13	18.86
FR610	08/18/94	19.46	18.13	18.86
FR610	08/19/94	19.19	17.87	18.76
FR610	08/20/94	19.46	18.13	18.87
FR610	08/21/94	18.92	18.13	18.54
FR610	08/22/94	18.39	17.61	18.15
FR610	08/23/94	18.13	16.85	17.36
FR610	08/24/94	17.10	15.87	16.60
FR610	08/25/94	16.36	15.15	15.85
FR610	08/26/94	15.87	14.68	15.45
FR610	08/27/94	15.87	14.91	15.50
FR610	08/28/94	16.36	15.15	15.81
FR610	08/29/94	16.85	15.63	16.33
FR610	08/30/94	17.61	16.60	17.03
FR610	08/31/94	17.87	16.85	17.31
FR610	09/01/94	17.87	17.10	17.44
FR610	09/02/94	17.36	16.60	17.08
FR610	09/03/94	16.85	16.11	16.42
FR610	09/04/94	16.11	15.63	15.88
FR610	09/05/94	15.87	15.15	15.49
FR610	09/06/94	15.63	14.91	15.38
FR610	09/07/94	15.63	15.15	15.29
FR610	09/08/94	15.63	14.91	15.28
FR610	09/09/94	15.15	14.68	14.94
FR610	09/10/94	14.91	13.98	14.49
FR610	09/11/94	14.68	13.53	14.03
FR610	09/12/94	13.98	13.08	13.38
FR610	09/13/94	13.30	12.86	13.03
FR610	09/14/94	13.53	12.86	13.15
FR610	09/15/94	13.08	12.86	12.93
FR610	09/16/94	14.21	12.64	13.37
FR610	09/17/94	14.21	13.30	13.75
FR610	09/18/94	14.68	13.76	14.14
FR610	09/19/94	14.68	14.21	14.40
FR610	09/20/94	14.91	13.76	14.24
FR610	09/21/94	13.98	13.08	13.58
FR610	09/22/94	13.98	12.64	13.30

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR610	09/23/94	13.76	13.30	13.52
FR610	09/24/94	14.68	13.30	13.78
FR610	09/25/94	14.68	13.53	14.01
FR610	09/26/94	13.98	13.08	13.56
FR610	09/27/94	13.53	12.86	13.20
FR610	09/28/94	13.30	12.42	12.81
FR610	09/29/94	12.64	11.98	12.38
FR610	09/30/94	12.20	11.34	11.72
FR610	10/01/94	11.34	10.71	11.03
FR610	10/02/94	10.71	9.68	10.04
FR610	10/03/94	9.68	8.68	9.12
FR610	10/04/94	8.88	7.90	8.39
FR610	10/05/94	9.28	8.48	8.92
FR610	10/06/94	8.88	7.90	8.25
FR610	10/07/94	8.28	7.70	7.99
FR610	10/08/94	8.09	7.90	8.00
FR610	10/09/94	8.48	8.09	8.27
FR610	10/10/94	8.68	8.09	8.24
FR610	10/11/94	8.09	7.32	7.60
FR610	10/12/94	7.51	6.94	7.24
FR610	10/13/94	6.94	6.56	6.73
FR610	10/14/94	6.94	6.56	6.67
FR610	10/15/94	7.32	6.19	6.69
FR610	10/16/94	6.94	6.37	6.58
FR610	10/17/94	7.32	6.56	6.82
FR610	10/18/94	7.13	6.37	6.61
FR610	10/19/94	6.75	6.37	6.55
FR610	10/20/94	6.56	6.37	6.43
FR610	10/21/94	6.37	5.82	6.16
FR610	10/22/94	6.19	5.27	5.61
FR610	10/23/94	5.82	5.45	5.55
FR610	10/24/94	5.63	5.09	5.38
FR610	10/25/94	6.37	5.45	5.89
FR610	10/26/94	6.19	5.82	6.08
FR610	10/27/94	5.82	5.27	5.53
FR610	10/28/94	5.45	5.27	5.34
FR610	10/29/94	5.27	4.55	4.84
FR610	10/30/94	4.73	4.37	4.51
FR610	10/31/94	4.37	3.31	4.16
FR687	06/28/94	14.14	13.69	13.98
FR687	06/29/94	13.91	13.46	13.75
FR687	06/30/94	13.46	13.01	13.20
FR687	07/01/94	13.23	12.57	12.82
FR687	07/02/94	12.57	11.70	12.09
FR687	07/03/94	11.70	11.06	11.19
FR687	07/04/94	11.06	10.64	10.85
FR687	07/05/94	11.27	10.43	10.77
FR687	07/06/94	11.48	10.85	11.15
FR687	07/07/94	12.57	11.48	11.97
FR687	07/08/94	13.69	12.57	12.96

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR687	07/09/94	13.91	12.79	13.29
FR687	07/10/94	14.14	12.79	13.45
FR687	07/11/94	13.91	13.01	13.47
FR687	07/12/94	14.61	13.01	13.75
FR687	07/13/94	15.32	13.91	14.59
FR687	07/14/94	16.04	15.08	15.50
FR687	07/15/94	16.78	15.56	16.20
FR687	07/16/94	17.29	16.78	16.98
FR687	07/17/94	17.03	16.29	16.61
FR687	07/18/94	16.29	15.56	15.88
FR687	07/19/94	16.29	15.08	15.74
FR687	07/20/94	16.29	15.08	15.78
FR687	07/21/94	17.03	15.80	16.42
FR687	07/22/94	17.54	16.04	16.84
FR687	07/23/94	18.06	16.78	17.42
FR687	07/24/94	18.58	17.54	17.92
FR687	07/25/94	18.58	17.54	18.03
FR687	07/26/94	18.32	17.80	18.12
FR687	07/27/94	18.32	17.54	17.97
FR687	07/28/94	18.32	17.54	17.95
FR687	07/29/94	18.32	17.29	17.78
FR687	07/30/94	18.32	17.54	17.91
FR687	07/31/94	17.80	17.29	17.59
FR687	08/01/94	18.06	17.29	17.65
FR687	08/02/94	18.58	17.80	18.17
FR687	08/03/94	18.85	18.32	18.47
FR687	08/04/94	19.66	18.58	19.10
FR687	08/05/94	19.39	18.32	18.89
FR687	08/06/94	18.06	17.29	17.61
FR687	08/07/94	17.29	16.53	16.81
FR687	08/08/94	17.03	16.53	16.77
FR687	08/09/94			
FR687	08/10/94	17.54	17.29	17.41
FR687	08/11/94	17.80	16.78	17.32
FR687	08/12/94	17.80	17.03	17.43
FR687	08/13/94	18.06	17.03	17.62
FR687	08/14/94	18.58	17.54	18.03
FR687	08/15/94	18.85	17.80	18.26
FR687	08/16/94	18.58	17.80	18.17
FR687	08/17/94	18.58	17.80	18.17
FR687	08/18/94	18.58	17.54	18.07
FR687	08/19/94	18.58	17.54	18.08
FR687	08/20/94	18.85	18.06	18.29
FR687	08/21/94	18.32	17.80	18.08
FR687	08/22/94	17.80	17.03	17.49
FR687	08/23/94	17.03	16.04	16.52
FR687	08/24/94	16.04	15.08	15.60
FR687	08/25/94	15.56	14.61	14.96
FR687	08/26/94	15.56	14.61	14.98
FR687	08/27/94	16.04	14.37	15.15

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR687	08/28/94	16.53	14.84	15.53
FR687	08/29/94	17.29	15.32	15.99
FR687	08/30/94	17.80	15.80	16.54
FR687	08/31/94	17.03	16.29	16.55
FR687	09/01/94	.	.	.
FR687	09/02/94	16.78	16.29	16.56
FR687	09/03/94	16.04	15.32	15.89
FR687	09/04/94	15.56	14.61	14.99
FR687	09/05/94	15.56	14.61	14.87
FR687	09/06/94	15.80	13.46	14.85
FR687	09/07/94	.	.	.
FR687	09/08/94	.	.	.
FR687	09/09/94	.	.	.
FR687	09/10/94	.	.	.
FR687	09/11/94	.	.	.
FR687	09/12/94	.	.	.
FR687	09/13/94	.	.	.
FR687	09/14/94	13.01	12.57	12.75
FR687	09/15/94	12.57	12.35	12.46
FR687	09/16/94	13.91	12.13	12.83
FR687	09/17/94	14.14	12.79	13.33
FR687	09/18/94	14.61	13.23	13.83
FR687	09/19/94	14.14	13.46	13.75
FR687	09/20/94	13.91	12.79	13.29
FR687	09/21/94	13.23	12.13	12.60
FR687	09/22/94	13.69	11.91	12.67
FR687	09/23/94	13.01	12.57	12.75
FR687	09/24/94	14.14	12.57	13.18
FR687	09/25/94	14.14	13.01	13.48
FR687	09/26/94	13.23	12.35	12.76
FR687	09/27/94	13.01	12.13	12.52
FR687	09/28/94	12.35	11.48	11.98
FR687	09/29/94	11.91	11.06	11.51
FR687	09/30/94	11.27	10.43	10.79
FR687	10/01/94	10.43	10.02	10.24
FR687	10/02/94	9.81	8.81	9.32
FR687	10/03/94	8.81	7.83	8.17
FR687	10/04/94	8.61	7.83	8.10
FR687	10/05/94	8.81	8.02	8.38
FR687	10/06/94	8.02	7.63	7.80
FR687	10/07/94	8.21	7.25	7.70
FR687	10/08/94	8.02	7.44	7.74
FR687	10/09/94	8.02	7.83	7.89
FR687	10/10/94	8.02	7.25	7.69
FR687	10/11/94	7.44	6.87	7.17
FR687	10/12/94	7.06	6.12	6.61
FR687	10/13/94	6.49	5.93	6.25
FR687	10/14/94	6.68	6.30	6.39
FR687	10/15/94	6.68	5.93	6.26
FR687	10/16/94	6.49	5.75	6.08

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR687	10/17/94	7.06	6.12	6.42
FR687	10/18/94	6.49	5.93	6.20
FR687	10/19/94	6.30	5.93	6.08
FR687	10/20/94	6.12	5.93	6.01
FR687	10/21/94	5.93	5.20	5.55
FR687	10/22/94	5.38	4.84	5.13
FR687	10/23/94	5.38	4.84	5.06
FR687	10/24/94	5.02	4.84	4.93
FR687	10/25/94	5.75	5.02	5.36
FR687	10/26/94	5.93	5.38	5.64
FR687	10/27/94	5.56	4.84	5.13
FR687	10/28/94	5.20	4.66	4.99
FR687	10/29/94	4.66	4.12	4.28
FR687	10/30/94	4.48	3.94	4.13
FR730	07/13/94	15.64	14.69	15.27
FR730	07/14/94	16.12	14.92	15.48
FR730	07/15/94	17.11	15.40	16.26
FR730	07/16/94	17.37	16.61	16.96
FR730	07/17/94	17.11	16.37	16.54
FR730	07/18/94	16.37	15.40	15.77
FR730	07/19/94	15.88	14.69	15.42
FR730	07/20/94	16.12	14.69	15.49
FR730	07/21/94	16.86	15.64	16.28
FR730	07/22/94	17.62	16.12	16.82
FR730	07/23/94	18.14	16.61	17.41
FR730	07/24/94	18.40	17.37	17.85
FR730	07/25/94	18.40	17.37	17.96
FR730	07/26/94	18.40	17.62	18.10
FR730	07/27/94	18.40	17.11	17.85
FR730	07/28/94	18.14	17.11	17.69
FR730	07/29/94	18.14	17.11	17.70
FR730	07/30/94	18.14	17.37	17.87
FR730	07/31/94	18.14	16.86	17.54
FR730	08/01/94	18.40	16.86	17.69
FR730	08/02/94	18.93	17.37	18.14
FR730	08/03/94	19.20	18.14	18.62
FR730	08/04/94	19.74	18.66	19.17
FR730	08/05/94	19.74	18.14	18.79
FR730	08/06/94	18.14	17.11	17.50
FR730	08/07/94	17.11	16.12	16.74
FR730	08/08/94	17.11	16.37	16.81
FR730	08/09/94	17.37	16.61	17.10
FR730	08/10/94	17.62	16.86	17.27
FR730	08/11/94	17.62	16.61	17.31
FR730	08/12/94	17.88	16.86	17.47
FR730	08/13/94	18.14	16.86	17.68
FR730	08/14/94	18.66	17.62	18.14
FR730	08/15/94	18.66	17.88	18.34
FR730	08/16/94	18.66	17.62	18.16
FR730	08/17/94	18.40	17.62	18.14

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR730	08/18/94	18.40	17.37	18.00
FR730	08/19/94	18.66	17.62	18.08
FR730	08/20/94	18.66	17.88	18.37
FR730	08/21/94	18.66	17.62	18.07
FR730	08/22/94	17.88	17.11	17.42
FR730	08/23/94	17.11	16.12	16.44
FR730	08/24/94	16.12	14.92	15.44
FR730	08/25/94	15.40	14.45	14.92
FR730	08/26/94	15.40	14.45	15.04
FR730	08/27/94	15.88	14.69	15.26
FR730	08/28/94	15.40	14.92	15.21
FR730	08/29/94	.	.	.
FR730	08/30/94	17.11	16.37	16.94
FR730	08/31/94	17.37	16.61	17.05
FR730	09/01/94	17.37	16.86	17.04
FR730	09/02/94	16.86	16.12	16.47
FR730	09/03/94	16.61	15.40	15.81
FR730	09/04/94	15.40	14.45	14.90
FR730	09/05/94	14.92	14.69	14.82
FR730	09/06/94	15.40	14.92	15.07
FR730	09/07/94	15.16	14.92	14.99
FR730	09/08/94	15.40	14.69	15.01
FR730	09/09/94	15.16	14.22	14.71
FR730	09/10/94	14.22	13.77	13.96
FR730	09/11/94	13.77	13.31	13.51
FR730	09/12/94	13.31	12.65	12.94
FR730	09/13/94	12.65	12.43	12.53
FR730	09/14/94	12.65	11.99	12.26
FR763	08/10/94	16.02	15.30	15.85
FR763	08/11/94	16.02	15.06	15.67
FR763	08/12/94	16.02	15.30	15.73
FR763	08/13/94	16.51	15.30	15.91
FR763	08/14/94	16.75	16.02	16.38
FR763	08/15/94	17.00	16.26	16.65
FR763	08/16/94	17.00	16.02	16.55
FR763	08/17/94	17.00	16.02	16.64
FR763	08/18/94	16.75	15.78	16.42
FR763	08/19/94	17.00	15.78	16.52
FR763	08/20/94	17.00	16.51	16.79
FR763	08/21/94	17.00	16.26	16.52
FR763	08/22/94	16.26	15.54	15.80
FR763	08/23/94	15.54	14.59	14.89
FR763	08/24/94	14.59	13.45	13.87
FR763	08/25/94	14.13	12.79	13.49
FR763	08/26/94	14.13	13.01	13.65
FR763	08/27/94	14.36	13.23	13.93
FR763	08/28/94	14.83	13.68	14.31
FR763	08/29/94	15.30	14.36	14.79
FR763	08/30/94	15.78	14.83	15.22
FR763	08/31/94	16.02	15.06	15.60

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR763	09/01/94	16.02	15.54	15.72
FR763	09/02/94	15.54	15.06	15.29
FR763	09/03/94	15.06	14.13	14.51
FR763	09/04/94	14.13	13.45	13.86
FR763	09/05/94	14.13	13.68	13.90
FR763	09/06/94	14.36	13.91	14.14
FR763	09/07/94	14.36	13.91	14.19
FR763	09/08/94	14.59	13.91	14.27
FR763	09/09/94	14.36	13.45	13.84
FR763	09/10/94	13.45	12.79	13.02
FR763	09/11/94	12.79	12.13	12.56
FR763	09/12/94	12.57	11.70	12.06
FR763	09/13/94	11.70	11.28	11.44
FR763	09/14/94	11.49	11.07	11.19
FR784	07/13/94	14.17	13.72	13.94
FR784	07/14/94	14.64	13.26	13.89
FR784	07/15/94	15.83	13.94	14.78
FR784	07/16/94	15.59	14.87	15.18
FR784	07/17/94	14.87	13.94	14.53
FR784	07/18/94	14.17	13.49	13.82
FR784	07/19/94	13.94	12.82	13.37
FR784	07/20/94	14.64	13.04	13.67
FR784	07/21/94	15.11	13.72	14.42
FR784	07/22/94	15.83	14.40	15.11
FR784	07/23/94	16.32	15.11	15.63
FR784	07/24/94	16.32	15.59	15.83
FR784	07/25/94	16.56	15.59	15.98
FR784	07/26/94	16.56	15.83	16.06
FR784	07/27/94	16.56	15.59	15.98
FR784	07/28/94	16.07	15.11	15.62
FR784	07/29/94	16.56	15.11	15.75
FR784	07/30/94	16.32	15.59	15.99
FR784	07/31/94	16.32	15.11	15.77
FR784	08/01/94	16.81	15.35	16.06
FR784	08/02/94	17.57	15.83	16.53
FR784	08/03/94	17.83	16.07	16.85
FR784	08/04/94	18.09	16.56	17.27
FR784	08/05/94	17.32	15.83	16.52
FR784	08/06/94	15.83	15.11	15.45
FR784	08/07/94	15.59	14.40	14.96
FR784	08/08/94	15.83	14.40	15.03
FR784	08/09/94	16.32	14.87	15.41
FR784	08/10/94	16.07	15.11	15.38
FR784	08/11/94	.	.	.
FR784	08/12/94	.	.	.
FR784	08/13/94	.	.	.
FR784	08/14/94	.	.	.
FR784	08/15/94	17.06	16.56	16.90
FR784	08/16/94	17.32	15.59	16.47
FR784	08/17/94	17.06	15.59	16.39

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
FR784	08/18/94	17.06	15.35	16.26
FR784	08/19/94	17.32	15.59	16.44
FR784	08/20/94	17.32	16.07	16.68
FR784	08/21/94	17.57	13.94	16.08
FR784	08/22/94	16.07	12.16	14.55
FR784	08/23/94	15.11	14.17	14.57
FR784	08/24/94	14.17	13.26	13.62
FR784	08/25/94	14.17	12.82	13.44
FR784	08/26/94	14.17	12.82	13.53
FR784	08/27/94	14.40	13.04	13.79
FR784	08/28/94	14.87	13.49	14.17
FR784	08/29/94	15.35	13.94	14.63
FR784	08/30/94	16.07	14.40	15.12
FR784	08/31/94	16.56	14.87	15.55
FR784	09/01/94	16.07	15.35	15.57
FR784	09/02/94	15.35	14.64	15.07
FR784	09/03/94	15.11	9.64	11.78
NIR4	06/29/94	21.05	17.78	19.71
NIR4	06/30/94	19.37	16.27	17.85
NIR4	07/01/94	18.04	15.78	16.65
NIR4	07/02/94	18.04	14.12	16.02
NIR4	07/03/94	16.51	14.59	15.85
NIR4	07/04/94	15.54	13.44	14.21
NIR4	07/05/94	17.01	12.33	14.44
NIR4	07/06/94	21.63	15.06	18.12
NIR4	07/07/94	22.52	17.27	19.95
NIR4	07/08/94	22.52	18.30	20.59
NIR4	07/09/94	22.22	16.76	19.53
NIR4	07/10/94	22.52	17.01	19.97
NIR4	07/11/94	21.92	17.27	19.86
NIR4	07/12/94	23.13	17.78	20.44
NIR4	07/13/94	23.13	18.30	20.91
NIR4	07/14/94	22.82	18.30	20.74
NIR4	07/15/94	23.75	18.04	20.80
NIR4	07/16/94	24.71	19.10	22.11
NIR4	07/17/94	22.82	18.56	20.29
NIR4	07/18/94	21.33	16.27	18.70
NIR4	07/19/94	24.07	18.04	20.90
NIR4	07/20/94	26.05	19.10	22.51
NIR4	07/21/94	26.05	20.20	23.36
NIR4	07/22/94	25.04	21.33	23.42
NIR4	07/23/94	27.09	20.20	23.59
NIR4	07/24/94	28.18	22.82	25.47
NIR4	07/25/94	27.45	23.13	25.39
NIR4	07/26/94	26.05	20.20	23.41
NIR4	07/27/94	25.71	19.64	22.79
NIR4	07/28/94	25.04	18.83	22.23
NIR4	07/29/94	24.39	18.83	21.87
NIR4	07/30/94	24.39	18.30	21.41
NIR4	07/31/94	24.07	18.04	21.07

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NIR4	08/01/94	24.39	18.04	21.45
NIR4	08/02/94	23.75	18.56	21.43
NIR4	08/03/94	22.82	19.92	21.42
NIR4	08/04/94	25.04	19.64	21.88
NIR4	08/05/94	24.07	19.37	21.56
NIR4	08/06/94	21.63	18.56	20.21
NIR4	08/07/94	20.76	17.27	19.05
NIR4	08/08/94	19.10	17.52	18.19
NIR4	08/09/94	18.30	15.06	16.70
NIR4	08/10/94	21.33	15.78	18.35
NIR4	08/11/94	22.52	17.27	20.15
NIR4	08/12/94	23.44	18.04	20.74
NIR4	08/13/94	23.75	18.04	21.06
NIR4	08/14/94	23.13	18.83	21.19
NIR4	08/15/94	22.82	18.56	20.74
NIR4	08/16/94	21.05	18.30	19.83
NIR4	08/17/94	19.37	17.27	18.20
NIR4	08/18/94	22.22	16.27	18.99
NIR4	08/19/94	21.33	17.78	19.67
NIR4	08/20/94	22.52	17.01	19.79
NIR4	08/21/94	21.92	18.04	19.77
NIR4	08/22/94	20.20	16.27	18.19
NIR4	08/23/94	19.64	15.30	17.63
NIR4	08/24/94	20.20	14.82	17.54
NIR4	08/25/94	18.04	15.30	16.91
NIR4	08/26/94	19.37	15.30	17.46
NIR4	08/27/94	20.48	14.35	17.49
NIR4	08/28/94	19.37	14.82	17.39
NIR4	08/29/94	20.20	16.27	18.02
NIR4	08/30/94	21.33	15.78	18.55
NIR4	08/31/94	21.63	17.01	19.21
NIR4	09/01/94	20.76	16.76	18.63
NIR4	09/02/94	17.78	14.59	16.39
NIR4	09/03/94	18.83	15.06	16.74
NIR4	09/04/94	19.92	15.30	17.34
NIR4	09/05/94	18.56	14.12	16.62
NIR4	09/06/94	18.30	14.35	16.55
NIR4	09/07/94	18.56	14.82	16.59
NIR4	09/08/94	16.76	15.06	15.97
NIR4	09/09/94	17.52	12.99	15.29
NIR4	09/10/94	15.54	12.99	14.39
NIR4	09/11/94	17.52	13.89	15.53
NIR4	09/12/94	16.76	12.33	14.93
NIR4	09/13/94	15.78	12.99	14.45
NIR4	09/14/94	17.78	12.99	15.31
NIR4	09/15/94	18.83	15.30	16.92
NIR4	09/16/94	19.64	14.82	17.26
NIR4	09/17/94	19.10	15.30	17.35
NIR4	09/18/94	19.37	14.82	17.21
NIR4	09/19/94	19.10	14.82	17.02

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NIR4	09/20/94	18.30	15.78	16.92
NIR4	09/21/94	17.01	12.99	15.19
NIR4	09/22/94	17.01	12.77	15.09
NIR4	09/23/94	17.52	13.21	15.37
NIR4	09/24/94	17.52	12.99	15.42
NIR4	09/25/94	16.02	12.99	14.64
NIR4	09/26/94	16.51	12.77	14.79
NIR4	09/27/94	17.27	12.99	15.20
NIR4	09/28/94	17.27	14.12	15.90
NIR4	09/29/94	15.78	13.44	14.86
NIR4	09/30/94	16.51	14.59	15.47
NIR4	10/01/94	15.54	13.44	14.63
NIR4	10/02/94	13.21	10.20	11.46
NIR4	10/03/94	11.46	8.39	9.90
NIR4	10/04/94	11.25	7.81	9.68
NIR4	10/05/94	10.00	8.19	8.97
NIR4	10/06/94	8.79	5.91	7.58
NIR4	10/07/94	10.20	6.85	8.57
NIR4	10/08/94	9.79	9.19	9.48
NIR4	10/09/94	10.20	8.39	9.34
NIR4	10/10/94	11.46	9.39	10.27
NIR4	10/11/94	9.79	7.04	8.55
NIR4	10/12/94	8.00	5.73	7.08
NIR4	10/13/94	7.81	5.54	6.99
NIR4	10/14/94	8.99	7.81	8.32
NIR4	10/15/94	9.59	8.19	8.81
NIR4	10/16/94	8.39	6.85	7.45
NIR4	10/17/94	8.19	6.10	7.01
NIR4	10/18/94	7.04	5.36	6.41
NIR4	10/19/94	8.19	6.66	7.31
NIR4	10/20/94	8.99	7.04	8.11
NIR4	10/21/94	8.79	6.66	7.88
NIR4	10/22/94	7.42	5.36	5.84
NIR4	10/23/94	6.47	5.00	5.64
NIR4	10/24/94	6.47	4.82	5.64
NIR4	10/25/94	8.59	5.91	7.07
NIR4	10/26/94	8.59	7.23	8.26
NIR4	10/27/94	7.81	6.66	7.23
NIR4	10/28/94	7.23	5.91	6.49
NIR48	07/05/94	16.95	15.49	16.30
NIR48	07/06/94	20.11	12.74	16.13
NIR48	07/07/94	20.95	13.86	17.22
NIR48	07/08/94	19.83	14.54	17.25
NIR48	07/09/94	20.39	13.18	16.70
NIR48	07/10/94	20.67	13.86	17.25
NIR48	07/11/94	21.52	13.86	17.30
NIR48	07/12/94	21.82	14.54	18.11
NIR48	07/13/94	21.82	15.25	18.15
NIR48	07/14/94	21.82	15.25	18.31
NIR48	07/15/94	22.71	15.01	18.76

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NIR48	07/16/94	23.63	16.21	19.28
NIR48	07/17/94	.	.	.
NIR48	07/18/94	.	.	.
NIR48	07/19/94	.	.	.
NIR48	07/20/94	.	.	.
NIR48	07/21/94	.	.	.
NIR48	07/22/94	25.90	22.71	24.60
NIR48	07/23/94	26.93	17.97	22.22
NIR48	07/24/94	27.64	19.56	23.49
NIR48	07/25/94	26.58	19.83	22.97
NIR48	07/26/94	25.56	17.71	21.41
NIR48	07/27/94	25.56	16.70	20.85
NIR48	07/28/94	24.58	16.21	20.47
NIR48	07/29/94	24.58	16.21	20.28
NIR48	07/30/94	23.94	15.97	19.75
NIR48	07/31/94	24.58	15.25	19.62
NIR48	08/01/94	24.58	15.73	20.11
NIR48	08/02/94	24.90	16.46	20.61
NIR48	08/03/94	23.01	17.97	20.57
NIR48	08/04/94	23.94	17.71	20.90
NIR48	08/05/94	22.71	17.97	20.13
NIR48	08/06/94	21.24	15.73	18.54
NIR48	08/07/94	22.41	16.21	19.07
NIR48	08/08/94	19.56	15.73	17.08
NIR48	08/09/94	18.75	13.63	15.97
NIR48	08/10/94	22.41	13.86	17.93
NIR48	08/11/94	23.94	15.25	19.46
NIR48	08/12/94	23.63	15.73	19.61
NIR48	08/13/94	23.94	15.97	19.92
NIR48	08/14/94	23.63	16.70	20.15
NIR48	08/15/94	23.01	16.46	19.73
NIR48	08/16/94	22.11	15.97	19.02
NIR48	08/17/94	19.56	15.49	17.86
NIR48	08/18/94	23.01	14.54	18.70
NIR48	08/19/94	20.67	15.73	18.60
NIR48	08/20/94	22.41	15.01	18.71
NIR48	08/21/94	21.82	15.97	18.67
NIR48	08/22/94	19.02	14.31	16.68
NIR48	08/23/94	20.11	13.40	16.52
NIR48	08/24/94	20.11	13.18	16.58
NIR48	08/25/94	18.23	13.18	15.90
NIR48	08/26/94	18.75	14.08	16.45
NIR48	08/27/94	20.39	12.52	16.31
NIR48	08/28/94	19.02	13.18	16.43
NIR48	08/29/94	19.83	14.54	17.01
NIR48	08/30/94	20.95	13.86	17.48
NIR48	08/31/94	20.95	15.01	17.96
NIR48	09/01/94	20.39	14.78	17.60
NIR48	09/02/94	17.97	12.74	15.52
NIR48	09/03/94	19.29	14.31	16.42

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NIR48	09/04/94	19.29	13.40	16.19
NIR48	09/05/94	19.02	12.30	15.76
NIR48	09/06/94	19.02	12.74	15.94
NIR48	09/07/94	19.29	13.86	16.55
NIR48	09/08/94	17.20	14.31	15.76
NIR48	09/09/94	18.23	12.08	14.83
NIR48	09/10/94	15.01	11.44	13.60
NIR48	09/11/94	17.97	12.74	15.13
NIR48	09/12/94	16.95	10.81	14.11
NIR48	09/13/94	14.78	11.23	13.34
NIR48	09/14/94	17.71	11.65	14.32
NIR48	09/15/94	17.97	13.40	15.61
NIR48	09/16/94	19.02	12.52	15.73
NIR48	09/17/94	19.29	13.18	16.24
NIR48	09/18/94	19.02	12.52	15.87
NIR48	09/19/94	19.02	12.52	15.90
NIR48	09/20/94	18.23	14.08	15.95
NIR48	09/21/94	17.20	11.23	14.47
NIR48	09/22/94	17.71	11.02	14.38
NIR48	09/23/94	17.97	11.44	14.77
NIR48	09/24/94	17.71	11.87	14.89
NIR48	09/25/94	15.25	11.23	13.59
NIR48	09/26/94	17.20	11.87	14.54
NIR48	09/27/94	17.71	11.65	14.71
NIR48	09/28/94	15.73	12.52	14.40
NIR48	09/29/94	16.95	12.08	14.57
NIR48	09/30/94	15.49	13.40	14.25
NIR48	10/01/94	15.25	12.96	13.84
NIR48	10/02/94	12.52	8.98	10.43
NIR48	10/03/94	12.08	6.85	9.51
NIR48	10/04/94	12.08	6.66	9.44
NIR48	10/05/94	10.19	6.85	8.30
NIR48	10/06/94	9.58	5.01	7.51
NIR48	10/07/94	11.02	5.92	8.58
NIR48	10/08/94	9.58	8.00	8.93
NIR48	10/09/94	12.08	8.19	10.09
NIR48	10/10/94	11.44	9.38	10.38
NIR48	10/11/94	10.19	5.92	8.18
NIR48	10/12/94	9.58	4.83	7.22
NIR48	10/13/94	8.78	5.73	7.57
NIR48	10/14/94	8.58	7.80	8.18
NIR48	10/15/94	8.98	7.42	8.02
NIR48	10/16/94	7.80	5.92	6.82
NIR48	10/17/94	8.00	5.92	6.89
NIR48	10/18/94	7.61	4.65	6.24
NIR48	10/19/94	8.58	6.29	7.50
NIR48	10/20/94	9.18	6.85	7.91
NIR48	10/21/94	8.78	5.73	7.01
NIR48	10/22/94	5.92	3.76	4.94
NIR48	10/23/94	7.80	4.83	6.10

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NIR48	10/24/94	8.19	4.11	6.01
NIR48	10/25/94	8.19	5.01	6.69
NIR48	10/26/94	7.80	5.92	6.99
NIR48	10/27/94	8.00	5.37	6.34
NIR48	10/28/94	6.10	4.65	5.26
NIR56	07/05/94	18.26	16.49	17.59
NIR56	07/06/94	21.55	14.11	17.43
NIR56	07/07/94	22.74	16.00	19.28
NIR56	07/08/94	22.44	16.73	19.39
NIR56	07/09/94	23.04	15.28	18.79
NIR56	07/10/94	23.04	16.00	19.30
NIR56	07/11/94	23.66	15.76	19.44
NIR56	07/12/94	23.04	16.49	19.75
NIR56	07/13/94	24.29	16.98	20.36
NIR56	07/14/94	24.29	17.23	20.46
NIR56	07/15/94	25.59	17.74	21.41
NIR56	07/16/94	25.26	18.52	21.86
NIR56	07/17/94	21.55	18.00	19.40
NIR56	07/18/94	21.85	15.76	18.64
NIR56	07/19/94	25.59	16.49	20.73
NIR56	07/20/94	26.61	18.00	22.08
NIR56	07/21/94	27.31	19.05	23.04
NIR56	07/22/94	27.31	19.59	23.28
NIR56	07/23/94	28.40	19.59	23.83
NIR56	07/24/94	29.15	21.27	25.03
NIR56	07/25/94	28.03	21.27	24.73
NIR56	07/26/94	26.96	19.32	23.19
NIR56	07/27/94	26.96	18.26	22.30
NIR56	07/28/94	25.93	17.74	21.74
NIR56	07/29/94	25.26	17.49	21.39
NIR56	07/30/94	25.26	17.23	20.98
NIR56	07/31/94	25.26	16.49	20.70
NIR56	08/01/94	25.59	16.73	21.04
NIR56	08/02/94	25.93	17.23	21.57
NIR56	08/03/94	24.61	18.26	21.28
NIR56	08/04/94	25.26	18.26	21.63
NIR56	08/05/94	23.04	18.26	20.43
NIR56	08/06/94	22.14	16.24	19.17
NIR56	08/07/94	23.35	16.73	19.80
NIR56	08/08/94	19.86	16.98	17.77
NIR56	08/09/94	19.05	15.04	17.13
NIR56	08/10/94	23.97	15.28	19.10
NIR56	08/11/94	24.61	16.24	20.26
NIR56	08/12/94	24.61	16.49	20.20
NIR56	08/13/94	24.93	16.49	20.55
NIR56	08/14/94	24.61	17.23	20.94
NIR56	08/15/94	23.66	16.98	20.25
NIR56	08/16/94	23.04	16.49	19.55
NIR56	08/17/94	20.42	16.00	18.53
NIR56	08/18/94	23.66	15.28	19.23

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NIR56	08/19/94	22.14	16.00	19.00
NIR56	08/20/94	23.04	15.52	19.15
NIR56	08/21/94	22.14	16.24	19.00
NIR56	08/22/94	20.14	14.81	17.34
NIR56	08/23/94	19.59	13.89	16.84
NIR56	08/24/94	20.70	13.43	17.02
NIR56	08/25/94	19.05	13.43	16.23
NIR56	08/26/94	18.26	14.11	16.40
NIR56	08/27/94	20.98	12.55	16.56
NIR56	08/28/94	20.42	13.21	16.80
NIR56	08/29/94	20.42	14.81	17.24
NIR56	08/30/94	21.85	14.11	17.78
NIR56	08/31/94	21.27	15.04	18.17
NIR56	09/01/94	20.42	15.04	17.61
NIR56	09/02/94	18.78	13.21	16.10
NIR56	09/03/94	19.59	14.57	16.63
NIR56	09/04/94	19.86	13.89	16.35
NIR56	09/05/94	19.59	12.77	16.05
NIR56	09/06/94	19.32	12.77	16.14
NIR56	09/07/94	20.14	14.11	16.96
NIR56	09/08/94	17.49	14.81	16.17
NIR56	09/09/94	18.26	12.55	15.16
NIR56	09/10/94	15.28	11.47	13.67
NIR56	09/11/94	18.52	12.77	15.21
NIR56	09/12/94	17.74	11.26	14.55
NIR56	09/13/94	15.04	11.47	13.70
NIR56	09/14/94	17.23	11.90	14.53
NIR56	09/15/94	17.23	13.43	15.51
NIR56	09/16/94	19.59	12.55	15.90
NIR56	09/17/94	18.78	13.21	16.17
NIR56	09/18/94	19.59	12.99	16.17
NIR56	09/19/94	19.32	12.77	16.09
NIR56	09/20/94	18.52	14.11	16.29
NIR56	09/21/94	18.00	11.68	14.87
NIR56	09/22/94	18.00	11.26	14.68
NIR56	09/23/94	18.26	11.68	14.99
NIR56	09/24/94	18.26	12.11	15.12
NIR56	09/25/94	16.73	11.47	14.24
NIR56	09/26/94	17.49	12.11	14.89
NIR56	09/27/94	18.00	11.90	14.88
NIR56	09/28/94	16.24	12.77	14.71
NIR56	09/29/94	17.49	12.77	14.92
NIR56	09/30/94	15.52	13.66	14.44
NIR56	10/01/94	15.76	13.21	14.22
NIR56	10/02/94	12.77	9.61	10.94
NIR56	10/03/94	12.55	7.64	10.01
NIR56	10/04/94	12.55	7.07	9.76
NIR56	10/05/94	10.22	7.45	8.84
NIR56	10/06/94	10.01	5.58	7.96
NIR56	10/07/94	11.26	6.13	8.72

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NIR56	10/08/94	10.22	8.03	9.22
NIR56	10/09/94	11.90	8.61	10.25
NIR56	10/10/94	11.68	9.41	10.52
NIR56	10/11/94	10.63	6.32	8.53
NIR56	10/12/94	9.81	5.40	7.70
NIR56	10/13/94	9.41	6.32	8.11
NIR56	10/14/94	9.01	8.03	8.58
NIR56	10/15/94	9.41	7.83	8.49
NIR56	10/16/94	8.81	6.88	7.62
NIR56	10/17/94	8.81	6.50	7.46
NIR56	10/18/94	8.41	5.22	6.86
NIR56	10/19/94	9.61	6.88	8.11
NIR56	10/20/94	9.21	7.07	8.28
NIR56	10/21/94	8.41	5.95	7.40
NIR56	10/22/94	7.07	4.50	5.84
NIR56	10/23/94	7.83	5.58	6.56
NIR56	10/24/94	8.61	4.86	6.51
NIR56	10/25/94	8.61	5.76	7.30
NIR56	10/26/94	8.22	7.26	7.75
NIR56	10/27/94	9.21	6.50	7.60
NIR56	10/28/94	7.64	5.58	6.30
NIR96	06/28/94	20.36	19.80	20.01
NIR96	06/29/94	19.80	18.99	19.36
NIR96	06/30/94	18.99	18.20	18.65
NIR96	07/01/94	18.72	17.68	18.24
NIR96	07/02/94	17.68	15.70	16.41
NIR96	07/03/94	15.46	14.98	15.21
NIR96	07/04/94	14.98	14.28	14.50
NIR96	07/05/94	15.70	14.05	14.77
NIR96	07/06/94	17.68	15.22	16.23
NIR96	07/07/94	19.26	17.17	18.07
NIR96	07/08/94	19.53	18.46	18.95
NIR96	07/09/94	19.80	17.94	18.82
NIR96	07/10/94	20.08	18.46	19.34
NIR96	07/11/94	20.64	18.46	19.42
NIR96	07/12/94	21.49	18.99	20.10
NIR96	07/13/94	21.79	20.08	20.88
NIR96	07/14/94	22.08	20.36	21.14
NIR96	07/15/94	22.68	20.36	21.29
NIR96	07/16/94	22.38	20.92	21.74
NIR96	07/17/94	22.08	20.36	21.16
NIR96	07/18/94	20.36	18.99	19.69
NIR96	07/19/94	22.08	19.53	20.65
NIR96	07/20/94	23.91	20.92	22.15
NIR96	07/21/94	23.91	22.38	23.15
NIR96	07/22/94	24.87	22.98	23.83
NIR96	07/23/94	25.87	23.29	24.40
NIR96	07/24/94	26.90	24.55	25.46
NIR96	07/25/94	26.21	24.87	25.35
NIR96	07/26/94	24.87	23.29	23.94

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NIR96	07/27/94	23.60	21.79	22.71
NIR96	07/28/94	22.98	21.49	22.37
NIR96	07/29/94	22.68	21.21	21.97
NIR96	07/30/94	21.79	20.36	21.05
NIR96	07/31/94	21.79	19.80	20.80
NIR96	08/01/94	21.79	20.08	21.11
NIR96	08/02/94	22.98	20.64	21.74
NIR96	08/03/94	22.68	21.49	22.07
NIR96	08/04/94	22.68	21.21	21.95
NIR96	08/05/94	22.08	20.36	21.09
NIR96	08/06/94	20.36	18.72	19.65
NIR96	08/07/94	20.92	19.26	20.11
NIR96	08/08/94	20.36	18.46	19.40
NIR96	08/09/94	19.80	17.68	18.63
NIR96	08/10/94	20.92	18.72	19.73
NIR96	08/11/94	22.08	19.53	20.68
NIR96	08/12/94	22.38	20.36	21.39
NIR96	08/13/94	22.68	20.36	21.39
NIR96	08/14/94	22.08	20.92	21.64
NIR96	08/15/94	21.79	20.36	21.01
NIR96	08/16/94	21.21	19.80	20.54
NIR96	08/17/94	20.64	19.53	19.85
NIR96	08/18/94	20.92	18.72	19.80
NIR96	08/19/94	20.92	19.53	20.04
NIR96	08/20/94	20.36	18.72	19.49
NIR96	08/21/94	20.08	18.72	19.42
NIR96	08/22/94	19.26	17.68	18.38
NIR96	08/23/94	18.20	16.67	17.47
NIR96	08/24/94	18.20	16.92	17.64
NIR96	08/25/94	18.20	17.17	17.52
NIR96	08/26/94	17.43	16.67	17.10
NIR96	08/27/94	18.20	15.94	16.93
NIR96	08/28/94	18.46	16.92	17.74
NIR96	08/29/94	18.72	17.94	18.36
NIR96	08/30/94	19.53	17.68	18.59
NIR96	08/31/94	19.53	18.46	19.18
NIR96	09/01/94	19.53	18.20	18.88
NIR96	09/02/94	18.99	17.17	18.04
NIR96	09/03/94	18.20	17.17	17.59
NIR96	09/04/94	17.68	16.43	17.08
NIR96	09/05/94	18.20	16.67	17.42
NIR96	09/06/94	18.46	16.92	17.79
NIR96	09/07/94	18.46	17.17	17.93
NIR96	09/08/94	18.46	16.67	17.39
NIR96	09/09/94	16.43	14.75	15.52
NIR96	09/10/94	15.70	14.75	15.24
NIR96	09/11/94	16.67	14.98	15.68
NIR96	09/12/94	16.43	15.22	15.91
NIR96	09/13/94	16.18	15.22	15.63
NIR96	09/14/94	15.70	14.75	15.26

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NIR96	09/15/94	16.18	15.22	15.69
NIR96	09/16/94	17.94	15.70	16.70
NIR96	09/17/94	18.20	17.17	17.76
NIR96	09/18/94	18.72	16.92	17.92
NIR96	09/19/94	18.72	17.17	17.95
NIR96	09/20/94	18.46	17.68	18.12
NIR96	09/21/94	18.20	16.18	16.96
NIR96	09/22/94	17.43	15.70	16.57
NIR96	09/23/94	17.94	16.18	17.06
NIR96	09/24/94	17.94	16.67	17.33
NIR96	09/25/94	17.68	16.67	17.00
NIR96	09/26/94	16.92	15.94	16.47
NIR96	09/27/94	17.17	15.70	16.47
NIR96	09/28/94	17.17	16.43	16.85
NIR96	09/29/94	17.17	16.18	16.76
NIR96	09/30/94	17.17	15.22	16.13
NIR96	10/01/94	15.22	14.28	14.65
NIR96	10/02/94	14.28	11.20	12.45
NIR96	10/03/94	11.20	9.75	10.43
NIR96	10/04/94	11.20	9.75	10.52
NIR96	10/05/94	11.20	9.75	10.49
NIR96	10/06/94	9.75	7.97	8.49
NIR96	10/07/94	9.35	8.16	8.63
NIR96	10/08/94	9.75	9.15	9.53
NIR96	10/09/94	10.57	9.75	10.02
NIR96	10/10/94	10.57	10.36	10.50
NIR96	10/11/94	10.36	8.95	9.46
NIR96	10/12/94	9.15	8.16	8.51
NIR96	10/13/94	8.95	8.35	8.61
NIR96	10/14/94	8.95	8.55	8.86
NIR96	10/15/94	8.55	7.77	7.97
NIR96	10/16/94	7.77	7.20	7.41
NIR96	10/17/94	7.20	6.82	7.10
NIR96	10/18/94	7.39	6.44	6.81
NIR96	10/19/94	7.58	6.82	7.09
NIR96	10/20/94	7.58	7.20	7.36
NIR96	10/21/94	7.39	6.63	7.03
NIR96	10/22/94	7.39	5.89	6.54
NIR96	10/23/94	6.44	5.70	5.98
NIR96	10/24/94	6.44	5.89	6.16
NIR96	10/25/94	7.39	6.26	6.70
NIR96	10/26/94	7.77	7.39	7.68
NIR96	10/27/94	7.39	7.01	7.18
NIR96	10/28/94	7.20	6.26	6.77
NR3	07/12/94	18.22	17.96	18.15
NR3	07/13/94	19.28	16.94	18.07
NR3	07/14/94	19.55	17.70	18.59
NR3	07/15/94	20.10	17.96	19.01
NR3	07/16/94	20.10	19.01	19.64
NR3	07/17/94	19.55	18.74	19.12

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NR3	07/18/94	19.01	18.22	18.59
NR3	07/19/94	19.55	17.96	18.59
NR3	07/20/94	20.10	18.48	19.21
NR3	07/21/94	20.94	19.28	20.14
NR3	07/22/94	21.23	19.82	20.49
NR3	07/23/94	21.51	19.82	20.77
NR3	07/24/94	21.23	20.38	20.89
NR3	07/25/94	21.23	20.66	20.99
NR3	07/26/94	20.94	20.38	20.63
NR3	07/27/94	20.94	19.55	20.22
NR3	07/28/94	21.51	20.10	20.76
NR3	07/29/94	22.10	20.66	21.38
NR3	07/30/94	21.51	20.66	21.09
NR3	07/31/94	20.94	19.82	20.31
NR3	08/01/94	20.94	19.55	20.21
NR3	08/02/94	20.94	19.55	20.30
NR3	08/03/94	21.81	20.38	20.95
NR3	08/04/94	22.10	20.66	21.41
NR3	08/05/94	21.51	20.38	20.85
NR3	08/06/94	20.10	19.26	19.70
NR3	08/07/94	19.82	18.48	19.07
NR3	08/08/94	19.55	18.48	19.07
NR3	08/09/94	19.55	18.48	19.04
NR3	08/10/94	19.55	18.48	18.97
NR3	08/11/94	19.82	18.22	19.00
NR3	08/12/94	20.10	18.48	19.33
NR3	08/13/94	20.66	18.74	19.73
NR3	08/14/94	21.23	19.28	20.25
NR3	08/15/94	20.94	19.55	20.21
NR3	08/16/94	20.10	19.01	19.59
NR3	08/17/94	20.10	18.74	19.47
NR3	08/18/94	20.38	18.74	19.51
NR3	08/19/94	20.66	18.74	19.80
NR3	08/20/94	20.66	19.01	20.01
NR3	08/21/94	20.10	19.01	19.65
NR3	08/22/94	19.55	18.48	19.05
NR3	08/23/94	18.74	17.45	18.17
NR3	08/24/94	17.96	16.45	17.33
NR3	08/25/94	18.22	15.72	17.06
NR3	08/26/94	18.22	15.72	17.00
NR3	08/27/94	18.48	15.72	17.22
NR3	08/28/94	18.74	16.20	17.62
NR3	08/29/94	19.01	16.45	17.87
NR3	08/30/94	19.55	17.19	18.46
NR3	08/31/94	19.28	17.45	18.64
NR3	09/01/94	19.01	17.70	18.36
NR3	09/02/94	18.48	17.19	17.87
NR3	09/03/94	17.96	16.45	17.05
NR3	09/04/94	16.69	15.48	16.20
NR3	09/05/94	16.69	15.24	16.04

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NR3	09/06/94	16.69	15.24	16.05
NR3	09/07/94	16.20	15.48	15.94
NR3	09/08/94	16.45	15.00	15.74
NR3	09/09/94	15.96	14.77	15.35
NR3	09/10/94	15.72	14.30	14.94
NR3	09/11/94	15.48	13.85	14.73
NR3	09/12/94	15.00	13.62	14.23
NR3	09/13/94	14.30	13.39	13.90
NR3	09/14/94	14.77	13.39	14.18
NR3	09/15/94	14.77	13.62	14.30
NR3	09/16/94	15.96	14.07	14.96
NR3	09/17/94	16.20	14.53	15.38
NR3	09/18/94	15.96	14.53	15.22
NR3	09/19/94	15.96	14.77	15.15
NR3	09/20/94	15.00	13.39	14.21
NR3	09/21/94	14.30	12.51	13.49
NR3	09/22/94	14.07	12.51	13.40
NR3	09/23/94	14.07	13.17	13.77
NR3	09/24/94	15.24	13.62	14.32
NR3	09/25/94	15.00	13.85	14.40
NR3	09/26/94	14.53	13.17	13.63
NR3	09/27/94	13.85	12.95	13.41
NR3	09/28/94	13.62	12.29	12.88
NR3	09/29/94	12.73	11.43	12.07
NR3	09/30/94	12.07	11.43	11.63
NR3	10/01/94	11.43	10.59	10.98
NR3	10/02/94	10.59	9.57	10.07
NR3	10/03/94	9.97	8.57	9.33
NR3	10/04/94	10.38	8.77	9.49
NR3	10/05/94	10.38	9.17	9.82
NR3	10/06/94	9.97	8.77	9.22
NR3	10/07/94	9.77	8.57	9.08
NR3	10/08/94	9.77	8.97	9.30
NR3	10/09/94	9.37	9.37	9.37
NR3	10/10/94	9.17	8.77	9.00
NR3	10/11/94	8.77	7.79	8.19
NR3	10/12/94	7.99	7.22	7.52
NR3	10/13/94	7.60	6.84	7.23
NR3	10/14/94	7.79	7.22	7.54
NR3	10/15/94	7.60	6.65	7.17
NR3	10/16/94	7.79	6.65	7.10
NR3	10/17/94	7.79	7.22	7.66
NR3	10/18/94	7.60	6.65	7.06
NR3	10/19/94	7.22	6.46	6.77
NR3	10/20/94	7.22	6.84	6.92
NR3	10/21/94	6.65	6.09	6.42
NR3	10/22/94	6.28	5.36	5.79
NR3	10/23/94	5.91	5.54	5.78
NR3	10/24/94	6.09	5.54	5.77
NR3	10/25/94	6.28	5.91	6.13

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NR3	10/26/94	6.65	6.28	6.43
NR3	10/27/94	6.46	5.72	5.95
NR3	10/28/94	5.72	5.00	5.42
NR3	10/29/94	5.18	4.28	4.71
NR3	10/30/94	4.64	4.28	4.47
NTR121	06/27/94	12.14	11.49	11.85
NTR121	06/28/94	12.80	10.65	11.81
NTR121	06/29/94	11.92	10.65	11.41
NTR121	06/30/94	11.28	9.82	10.67
NTR121	07/01/94	10.65	9.82	10.12
NTR121	07/02/94	9.62	8.82	9.24
NTR121	07/03/94	9.22	8.22	8.70
NTR121	07/04/94	10.23	8.42	9.25
NTR121	07/05/94	11.28	9.02	10.05
NTR121	07/06/94	12.36	10.03	11.15
NTR121	07/07/94	13.47	10.86	12.06
NTR121	07/08/94	13.47	11.71	12.56
NTR121	07/09/94	13.70	11.71	12.76
NTR121	07/10/94	13.70	11.71	12.77
NTR121	07/11/94	12.80	11.49	12.33
NTR121	07/12/94	13.70	11.28	12.40
NTR121	07/13/94	14.85	11.71	13.16
NTR121	07/14/94	14.62	12.36	13.81
NTR121	07/15/94	14.38	13.02	13.75
NTR121	07/16/94	14.38	12.58	13.53
NTR121	07/17/94	13.70	12.80	13.34
NTR121	07/18/94	13.70	12.36	13.06
NTR121	07/19/94	13.70	11.28	12.34
NTR121	07/20/94	14.62	11.92	13.09
NTR121	07/21/94	16.05	12.80	14.25
NTR121	07/22/94	15.81	13.47	14.70
NTR121	07/23/94	15.57	13.47	14.47
NTR121	07/24/94	15.57	13.47	14.71
NTR121	07/25/94	15.57	13.70	14.75
NTR121	07/26/94	15.57	13.47	14.64
NTR121	07/27/94	15.81	13.70	14.81
NTR121	07/28/94	15.57	13.24	14.37
NTR121	07/29/94	15.33	13.24	14.49
NTR121	07/30/94	15.09	13.02	14.27
NTR121	07/31/94	15.57	13.02	14.22
NTR121	08/01/94	15.57	13.24	14.47
NTR121	08/02/94	14.85	13.47	14.25
NTR121	08/03/94	14.62	13.24	14.12
NTR121	08/04/94	15.57	13.92	14.71
NTR121	08/05/94	15.33	13.70	14.58
NTR121	08/06/94	14.62	13.24	14.02
NTR121	08/07/94	14.85	12.36	13.72
NTR121	08/08/94	14.38	12.58	13.15
NTR121	08/09/94	12.80	11.71	12.13
NTR121	08/10/94	13.02	11.28	12.15

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NTR121	08/11/94	14.15	12.36	13.19
NTR121	08/12/94	15.09	13.92	14.37
NTR121	08/13/94	15.33	13.70	14.58
NTR121	08/14/94	15.33	14.15	14.84
NTR121	08/15/94	15.33	14.38	15.00
NTR121	08/16/94	15.09	13.92	14.47
NTR121	08/17/94	14.62	13.70	14.17
NTR121	08/18/94	14.62	13.02	13.88
NTR121	08/19/94	14.85	13.24	14.16
NTR121	08/20/94	15.09	13.92	14.57
NTR121	08/21/94	14.62	13.70	14.18
NTR121	08/22/94	13.70	12.58	13.21
NTR121	08/23/94	13.02	12.36	12.72
NTR121	08/24/94	12.58	11.28	11.94
NTR121	08/25/94	12.80	11.28	12.05
NTR121	08/26/94	12.36	11.28	11.86
NTR121	08/27/94	13.02	10.65	11.76
NTR121	08/28/94	14.38	11.71	13.01
NTR121	08/29/94	15.09	12.80	13.81
NTR121	08/30/94	14.38	13.24	13.75
NTR121	08/31/94	14.15	12.80	13.52
NTR121	09/01/94	14.15	13.47	13.75
NTR121	09/02/94	13.70	12.80	13.28
NTR121	09/03/94	12.80	11.92	12.52
NTR121	09/04/94	13.24	11.49	12.29
NTR121	09/05/94	13.02	11.07	12.08
NTR121	09/06/94	13.47	11.92	12.60
NTR121	09/07/94	14.15	12.14	13.07
NTR121	09/08/94	13.47	12.14	12.77
NTR121	09/09/94	12.14	11.28	11.86
NTR121	09/10/94	11.92	11.07	11.41
NTR121	09/11/94	12.80	11.07	11.81
NTR121	09/12/94	12.36	10.86	11.56
NTR121	09/13/94	12.58	11.28	12.02
NTR121	09/14/94	13.02	11.28	12.14
NTR121	09/15/94	13.02	11.71	12.41
NTR121	09/16/94	13.70	11.71	12.66
NTR121	09/17/94	13.70	11.92	12.84
NTR121	09/18/94	13.47	12.36	12.86
NTR121	09/19/94	13.47	12.14	12.68
NTR121	09/20/94	13.47	11.92	12.62
NTR121	09/21/94	12.58	11.07	11.80
NTR121	09/22/94	12.14	10.86	11.45
NTR121	09/23/94	11.92	10.03	10.96
NTR121	09/24/94	12.14	10.44	11.27
NTR121	09/25/94	11.92	10.44	11.17
NTR121	09/26/94	11.71	10.65	11.05
NTR121	09/27/94	11.49	10.03	10.74
NTR121	09/28/94	11.92	10.23	11.14
NTR121	09/29/94	11.92	10.86	11.36

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NTR121	09/30/94	11.49	10.86	11.26
NTR121	10/01/94	10.86	9.42	10.36
NTR121	10/02/94	9.42	8.62	8.99
NTR121	10/03/94	8.62	7.26	8.01
NTR121	10/04/94	8.22	7.07	7.59
NTR121	10/05/94	7.84	6.88	7.40
NTR121	10/06/94	7.26	6.31	6.83
NTR121	10/07/94	7.64	5.94	6.76
NTR121	10/08/94	7.64	5.94	6.97
NTR121	10/09/94	7.84	6.69	7.33
NTR121	10/10/94	8.42	7.26	7.80
NTR121	10/11/94	8.03	6.31	7.29
NTR121	10/12/94	7.45	5.94	6.84
NTR121	10/13/94	6.88	5.76	6.41
NTR121	10/14/94	6.88	6.13	6.53
NTR121	10/15/94	7.84	6.31	7.02
NTR121	10/16/94	7.84	6.50	7.29
NTR121	10/17/94	7.26	6.13	6.50
NTR121	10/18/94	6.69	5.94	6.32
NTR121	10/19/94	7.07	6.13	6.54
NTR121	10/20/94	6.69	5.94	6.27
NTR121	10/21/94	6.50	5.94	6.21
NTR121	10/22/94	5.76	5.03	5.47
NTR121	10/23/94	5.94	5.03	5.47
NTR121	10/24/94	5.57	4.49	5.05
NTR121	10/25/94	6.13	4.67	5.33
NTR121	10/26/94	6.31	5.94	6.17
NTR121	10/27/94	5.76	5.03	5.43
NTR121	10/28/94	5.57	4.85	5.22
NTR121	10/29/94	4.85	4.13	4.43
NTR3	08/03/94	17.67	17.16	17.50
NTR3	08/04/94	17.67	16.40	17.16
NTR3	08/05/94	17.93	16.90	17.35
NTR3	08/06/94	17.41	16.65	17.13
NTR3	08/07/94	17.41	16.16	16.80
NTR3	08/08/94	17.16	16.16	16.35
NTR3	08/09/94	15.91	15.43	15.77
NTR3	08/10/94	16.16	14.95	15.58
NTR3	08/11/94	16.90	15.19	16.03
NTR3	08/12/94	17.67	15.91	16.77
NTR3	08/13/94	18.45	16.65	17.66
NTR3	08/14/94	18.72	17.41	18.23
NTR3	08/15/94	18.72	17.67	18.33
NTR3	08/16/94	18.72	17.41	17.87
NTR3	08/17/94	17.93	16.65	17.11
NTR3	08/18/94	17.67	16.16	16.98
NTR3	08/19/94	17.67	16.65	17.15
NTR3	08/20/94	17.67	16.65	17.23
NTR3	08/21/94	18.19	17.16	17.73
NTR3	08/22/94	17.93	16.40	16.96

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NTR3	08/23/94	16.65	15.43	16.14
NTR3	08/24/94	16.65	15.43	15.92
NTR3	08/25/94	.	.	.
NTR3	08/26/94	.	.	.
NTR3	08/27/94	.	.	.
NTR3	08/28/94	15.91	15.19	15.69
NTR3	08/29/94	17.16	15.91	16.40
NTR3	08/30/94	17.41	16.16	16.90
NTR3	08/31/94	17.67	16.90	17.25
NTR3	09/01/94	17.16	16.16	16.78
NTR3	09/02/94	16.90	15.91	16.47
NTR3	09/03/94	16.40	15.67	16.06
NTR3	09/04/94	15.91	15.19	15.54
NTR3	09/05/94	15.91	14.71	15.31
NTR3	09/06/94	15.67	14.71	15.33
NTR3	09/07/94	15.91	14.71	15.36
NTR3	09/08/94	15.43	14.95	15.27
NTR3	09/09/94	15.91	14.48	15.12
NTR3	09/10/94	15.43	14.24	14.90
NTR3	09/11/94	15.43	14.48	14.92
NTR3	09/12/94	14.71	14.24	14.43
NTR3	09/13/94	17.16	14.48	15.18
NTR3	09/14/94	.	.	.
NTR3	09/15/94	.	.	.
NTR3	09/16/94	.	.	.
NTR3	09/17/94	.	.	.
NTR3	09/18/94	16.16	15.67	16.01
NTR3	09/19/94	16.16	14.95	15.57
NTR3	09/20/94	16.40	15.43	15.75
NTR3	09/21/94	15.43	14.24	14.97
NTR3	09/22/94	14.95	13.78	14.49
NTR3	09/23/94	14.71	13.56	14.20
NTR3	09/24/94	14.95	13.56	14.29
NTR3	09/25/94	14.71	13.78	14.28
NTR3	09/26/94	14.95	13.78	14.30
NTR3	09/27/94	14.71	13.56	14.15
NTR3	09/28/94	14.48	13.56	14.05
NTR3	09/29/94	14.24	13.33	13.93
NTR3	09/30/94	14.01	13.56	13.83
NTR3	10/01/94	13.56	12.88	13.39
NTR3	10/02/94	12.66	12.00	12.28
NTR3	10/03/94	12.00	10.51	11.05
NTR3	10/04/94	10.72	9.89	10.35
NTR3	10/05/94	10.51	9.89	10.19
NTR3	10/06/94	10.09	9.48	9.85
NTR3	10/07/94	10.30	9.28	9.86
NTR3	10/08/94	10.51	9.68	10.09
NTR3	10/09/94	10.09	9.89	9.96
NTR3	10/10/94	9.89	9.48	9.70
NTR3	10/11/94	.	.	.

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
NTR3	10/12/94	.	.	.
NTR3	10/13/94	.	.	.
NTR3	10/14/94	.	.	.
NTR3	10/15/94	.	.	.
NTR3	10/16/94	.	.	.
NTR3	10/17/94	8.88	8.48	8.77
NTR3	10/18/94	8.48	8.08	8.36
NTR3	10/19/94	8.88	8.48	8.61
NTR3	10/20/94	8.68	8.08	8.22
NTR3	10/21/94	8.48	7.70	8.08
NTR3	10/22/94	7.89	7.31	7.49
NTR3	10/23/94	7.70	7.31	7.46
NTR3	10/24/94	7.50	6.93	7.32
NTR3	10/25/94	7.89	7.12	7.49
NTR3	10/26/94	7.70	7.31	7.49
NTR3	10/27/94	7.50	6.93	7.22
NTR3	10/28/94	7.12	6.36	6.72
NTR3	10/29/94	6.36	5.99	6.17
QR1	06/28/94	13.69	13.46	13.50
QR1	06/29/94	13.46	12.14	12.75
QR1	06/30/94	13.24	11.29	12.21
QR1	07/01/94	13.02	11.08	11.84
QR1	07/02/94	13.92	13.02	13.55
QR1	07/03/94	13.92	13.46	13.57
QR1	07/04/94	13.24	11.93	12.53
QR1	07/05/94	11.71	10.25	10.90
QR1	07/06/94	11.29	9.84	10.60
QR1	07/07/94	13.02	11.08	11.96
QR1	07/08/94	12.58	10.66	11.37
QR1	07/09/94	.	.	.
QR1	07/10/94	.	.	.
QR1	07/11/94	.	.	.
QR1	07/12/94	.	.	.
QR1	07/13/94	.	.	.
QR1	07/14/94	14.60	13.69	14.24
QR1	07/15/94	14.37	12.80	13.75
QR1	07/16/94	14.84	13.02	13.90
QR1	07/17/94	14.84	14.14	14.46
QR1	07/18/94	16.03	13.69	14.61
QR1	07/19/94	17.01	15.55	16.26
QR1	07/20/94	17.01	15.07	16.18
QR1	07/21/94	17.52	15.07	16.30
QR1	07/22/94	17.26	14.84	15.98
QR1	07/23/94	17.01	14.37	15.72
QR1	07/24/94	17.01	15.31	16.24
QR1	07/25/94	17.26	15.55	16.46
QR1	07/26/94	18.55	17.01	17.63
QR1	07/27/94	18.55	16.76	17.74
QR1	07/28/94	18.03	15.31	16.84
QR1	07/29/94	19.08	16.03	17.49

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
QR1	07/30/94	19.08	18.03	18.63
QR1	07/31/94	18.81	16.03	16.81
QR1	08/01/94	16.27	14.37	15.35
QR1	08/02/94	17.01	14.37	15.58
QR1	08/03/94	17.52	16.27	16.90
QR1	08/04/94	19.35	17.26	18.19
QR1	08/05/94	19.35	18.29	18.84
QR1	08/06/94	19.08	18.55	18.83
QR1	08/07/94	18.55	17.52	18.13
QR1	08/08/94	18.55	15.79	16.87
QR1	08/09/94	16.76	14.37	15.75
QR1	08/10/94	18.29	16.52	17.29
QR1	08/11/94	18.03	16.27	17.14
QR1	08/12/94	18.81	17.01	17.69
QR1	08/13/94	19.62	18.29	18.85
QR1	08/14/94	19.35	18.55	19.00
QR1	08/15/94	19.35	18.55	19.00
QR1	08/16/94	19.08	17.01	17.77
QR1	08/17/94	17.01	16.27	16.78
QR1	08/18/94	18.55	16.03	17.23
QR1	08/19/94	18.81	17.52	18.19
QR1	08/20/94	19.35	17.77	18.53
QR1	08/21/94	19.08	18.29	18.67
QR1	08/22/94	18.81	18.03	18.49
QR1	08/23/94	18.55	18.03	18.24
QR1	08/24/94	18.29	17.52	17.97
QR1	08/25/94	18.29	17.01	17.77
QR1	08/26/94	17.77	16.03	16.98
QR1	08/27/94	16.76	15.07	15.85
QR1	08/28/94	17.26	16.03	16.58
QR1	08/29/94	18.55	17.01	17.69
QR1	08/30/94	18.81	17.77	18.33
QR1	08/31/94	18.81	18.03	18.49
QR1	09/01/94	18.55	17.77	18.17
QR1	09/02/94	18.55	17.26	17.98
QR1	09/03/94	18.29	17.52	17.78
QR1	09/04/94	18.29	17.01	17.54
QR1	09/05/94	18.03	17.52	17.79
QR1	09/06/94	18.03	17.52	17.91
QR1	09/07/94	17.77	17.26	17.54
QR1	09/08/94	17.52	17.01	17.14
QR1	09/09/94	17.01	16.03	16.37
QR1	09/10/94	16.03	15.55	15.91
QR1	09/11/94	16.52	15.31	15.89
QR1	09/12/94	16.03	15.31	15.59
QR1	09/13/94	15.79	15.31	15.50
QR1	09/14/94	16.76	15.79	16.15
QR1	09/15/94	16.27	16.03	16.08
QR1	09/16/94	17.01	15.79	16.38
QR1	09/17/94	17.01	16.27	16.62

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
QR1	09/18/94	16.52	15.79	16.23
QR1	09/19/94	16.27	15.55	15.96
QR1	09/20/94	16.27	15.55	15.91
QR1	09/21/94	15.31	14.14	14.79
QR1	09/22/94	15.79	14.60	15.25
QR1	09/23/94	15.79	15.31	15.48
QR1	09/24/94	16.52	15.31	15.82
QR1	09/25/94	16.27	15.31	15.87
QR1	09/26/94	15.55	14.37	14.86
QR1	09/27/94	15.31	14.37	14.89
QR1	09/28/94	14.84	13.92	14.39
QR1	09/29/94	14.37	13.69	14.09
QR1	09/30/94	14.37	13.46	13.77
QR1	10/01/94	14.14	13.69	13.99
QR1	10/02/94	13.69	12.14	12.58
QR1	10/03/94	12.14	11.71	11.99
QR1	10/04/94	11.93	11.08	11.48
QR1	10/05/94	12.14	11.71	11.89
QR1	10/06/94	11.93	10.87	11.13
QR1	10/07/94	11.71	10.87	11.22
QR1	10/08/94	11.50	10.87	11.14
QR1	10/09/94	11.93	11.29	11.59
QR1	10/10/94	11.50	10.87	11.09
QR1	10/11/94	10.66	10.04	10.24
QR1	10/12/94	10.25	9.64	10.00
QR1	10/13/94	10.66	9.84	10.25
QR1	10/14/94	10.66	10.25	10.46
QR1	10/15/94	10.25	9.44	9.89
QR1	10/16/94	10.04	9.44	9.82
QR1	10/17/94	10.66	9.84	10.25
QR1	10/18/94	10.25	9.04	9.48
QR1	10/19/94	9.84	9.04	9.49
QR1	10/20/94	9.84	9.44	9.62
QR1	10/21/94	9.44	8.84	9.18
QR1	10/22/94	9.04	8.44	8.82
QR1	10/23/94	9.04	8.64	8.83
QR1	10/24/94	8.84	8.44	8.61
QR1	10/25/94	9.64	8.64	9.11
QR1	10/26/94	9.44	8.84	9.27
QR1	10/27/94	8.84	8.06	8.33
QR1	10/28/94	8.25	7.86	8.11
QR1	10/29/94	8.06	7.10	7.54
QR1	10/30/94	8.06	7.48	7.72
QR1	10/31/94	7.67	7.29	7.43
SIS	06/27/94	13.01	12.13	12.64
SIS	06/28/94	13.45	10.65	12.03
SIS	06/29/94	13.01	11.70	12.41
SIS	06/30/94	12.79	11.07	11.89
SIS	07/01/94	12.35	11.28	11.78
SIS	07/02/94	11.28	9.83	10.62

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
SIS	07/03/94	10.86	9.63	10.33
SIS	07/04/94	10.24	9.63	10.00
SIS	07/05/94	12.35	9.63	10.84
SIS	07/06/94	13.68	10.86	12.16
SIS	07/07/94	14.59	11.70	13.12
SIS	07/08/94	14.36	12.35	13.49
SIS	07/09/94	14.36	11.70	13.15
SIS	07/10/94	14.36	11.92	13.29
SIS	07/11/94	14.36	12.13	13.38
SIS	07/12/94	14.83	12.35	13.72
SIS	07/13/94	15.06	13.01	14.17
SIS	07/14/94	15.78	13.45	14.63
SIS	07/15/94	16.02	13.68	15.00
SIS	07/16/94	16.75	14.36	15.59
SIS	07/17/94	16.02	14.83	15.27
SIS	07/18/94	16.02	13.91	14.90
SIS	07/19/94	16.26	13.91	15.15
SIS	07/20/94	17.00	14.13	15.56
SIS	07/21/94	17.51	15.06	16.39
SIS	07/22/94	17.51	15.78	16.69
SIS	07/23/94	18.02	15.54	16.89
SIS	07/24/94	18.80	16.75	17.76
SIS	07/25/94	18.54	17.00	17.83
SIS	07/26/94	17.76	16.02	16.97
SIS	07/27/94	17.76	15.78	16.73
SIS	07/28/94	17.25	15.54	16.49
SIS	07/29/94	17.25	15.54	16.42
SIS	07/30/94	16.75	15.06	15.94
SIS	07/31/94	16.26	14.59	15.45
SIS	08/01/94	16.51	14.59	15.51
SIS	08/02/94	16.51	14.83	15.73
SIS	08/03/94	16.75	15.54	16.09
SIS	08/04/94	17.25	15.54	16.36
SIS	08/05/94	16.26	15.54	15.90
SIS	08/06/94	16.02	14.36	15.19
SIS	08/07/94	15.78	14.59	15.24
SIS	08/08/94	15.30	13.91	14.64
SIS	08/09/94	14.36	13.01	13.59
SIS	08/10/94	14.83	12.79	13.78
SIS	08/11/94	15.54	13.23	14.35
SIS	08/12/94	15.78	13.68	14.83
SIS	08/13/94	16.26	14.36	15.40
SIS	08/14/94	16.26	15.06	15.66
SIS	08/15/94	16.02	14.59	15.36
SIS	08/16/94	15.78	14.36	15.07
SIS	08/17/94	14.83	13.91	14.30
SIS	08/18/94	15.06	13.23	14.19
SIS	08/19/94	15.78	14.13	14.80
SIS	08/20/94	15.30	14.13	14.77
SIS	08/21/94	15.06	14.13	14.61

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
SIS	08/22/94	14.36	13.68	14.15
SIS	08/23/94	14.36	13.23	13.87
SIS	08/24/94	14.13	13.01	13.66
SIS	08/25/94	14.13	12.79	13.53
SIS	08/26/94	13.91	12.79	13.38
SIS	08/27/94	13.68	12.35	13.08
SIS	08/28/94	13.68	12.35	13.04
SIS	08/29/94	14.59	13.01	13.71
SIS	08/30/94	14.36	13.23	13.85
SIS	08/31/94	14.83	13.68	14.24
SIS	09/01/94	14.59	13.91	14.25
SIS	09/02/94	13.91	12.79	13.26
SIS	09/03/94	13.45	13.01	13.22
SIS	09/04/94	13.23	12.57	12.89
SIS	09/05/94	13.23	12.13	12.69
SIS	09/06/94	13.45	12.13	12.82
SIS	09/07/94	13.45	12.57	13.10
SIS	09/08/94	13.91	13.23	13.45
SIS	09/09/94	13.23	12.35	12.74
SIS	09/10/94	12.57	11.92	12.31
SIS	09/11/94	12.57	11.92	12.30
SIS	09/12/94	12.57	11.28	11.97
SIS	09/13/94	12.57	11.49	12.05
SIS	09/14/94	13.01	12.13	12.51
SIS	09/15/94	13.68	12.79	13.20
SIS	09/16/94	13.45	12.57	13.05
SIS	09/17/94	13.68	12.35	13.03
SIS	09/18/94	13.68	12.79	13.31
SIS	09/19/94	13.68	12.57	13.14
SIS	09/20/94	13.45	12.79	13.19
SIS	09/21/94	13.01	11.70	12.25
SIS	09/22/94	12.35	11.28	11.93
SIS	09/23/94	12.57	11.70	12.22
SIS	09/24/94	12.35	11.49	12.07
SIS	09/25/94	13.23	11.92	12.45
SIS	09/26/94	13.23	12.35	12.76
SIS	09/27/94	13.23	12.35	12.77
SIS	09/28/94	13.23	12.57	12.93
SIS	09/29/94	13.45	12.79	13.07
SIS	09/30/94	13.45	13.23	13.32
SIS	10/01/94	13.23	12.35	13.03
SIS	10/02/94	12.13	10.03	10.81
SIS	10/03/94	9.83	9.03	9.49
SIS	10/04/94	9.43	8.43	9.05
SIS	10/05/94	9.83	9.03	9.45
SIS	10/06/94	9.63	8.43	9.09
SIS	10/07/94	9.63	9.23	9.44
SIS	10/08/94	10.24	9.43	9.80
SIS	10/09/94	10.86	9.83	10.23
SIS	10/10/94	10.65	9.63	10.09

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
SIS	10/11/94	9.43	7.85	8.44
SIS	10/12/94	8.24	7.09	7.76
SIS	10/13/94	8.43	7.28	7.88
SIS	10/14/94	8.43	8.24	8.34
SIS	10/15/94	8.63	8.05	8.30
SIS	10/16/94	8.05	7.66	7.80
SIS	10/17/94	8.43	7.85	8.05
SIS	10/18/94	8.24	7.66	7.97
SIS	10/19/94	8.43	7.85	8.18
SIS	10/20/94	8.83	8.24	8.48
SIS	10/21/94	8.24	7.47	7.73
SIS	10/22/94	7.66	6.90	7.33
SIS	10/23/94	7.85	7.28	7.49
SIS	10/24/94	7.28	6.90	7.11
SIS	10/25/94	8.05	6.90	7.44
SIS	10/26/94	8.24	6.52	7.06
SIS	10/27/94	6.71	6.52	6.64
SR51	07/27/94	20.88	20.68	20.81
SR51	07/28/94	21.31	19.86	20.67
SR51	07/29/94	21.26	19.61	20.55
SR51	07/30/94	20.56	19.34	19.98
SR51	07/31/94	19.98	18.43	19.26
SR51	08/01/94	20.87	18.91	20.03
SR51	08/02/94	21.44	19.47	20.57
SR51	08/03/94	21.63	20.11	20.89
SR51	08/04/94	21.39	19.92	20.62
SR51	08/05/94	20.45	19.48	19.95
SR51	08/06/94	19.33	18.32	18.84
SR51	08/07/94	19.75	18.39	19.01
SR51	08/08/94	19.88	18.26	19.14
SR51	08/09/94	18.81	18.06	18.33
SR51	08/10/94	18.93	17.01	18.01
SR51	08/11/94	19.61	17.09	18.36
SR51	08/12/94	19.83	18.07	18.88
SR51	08/13/94	20.38	18.15	19.28
SR51	08/14/94	20.53	18.75	19.81
SR51	08/15/94	20.47	18.91	19.68
SR51	08/16/94	20.57	18.03	19.35
SR51	08/17/94	20.6	17.64	19.25
SR51	08/18/94	20.98	18	19.56
SR51	08/19/94	21.37	18.48	19.9
SR51	08/20/94	20.53	18.62	19.5
SR51	08/21/94	19.59	17.88	18.8
SR51	08/22/94	19.12	17.73	18.41
SR51	08/23/94	17.99	16.06	17.16
SR51	08/24/94	17.54	15.01	16.34
SR51	08/25/94	18.03	14.64	16.41
SR51	08/26/94	18.18	14.48	16.46
SR51	08/27/94	18.57	14.48	16.7
SR51	08/28/94	18.95	14.92	17.05

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
SR51	08/29/94	18.98	15.06	17.18
SR51	08/30/94	18.93	15.13	17.09
SR51	08/31/94	18.26	15.83	17.06
SR51	09/01/94	16.83	13.91	15.38
STR70	06/16/94	13.34	12.68	13.01
STR70	06/17/94	13.34	12.68	12.95
STR70	06/18/94	13.34	12.90	13.10
STR70	06/19/94	13.80	12.90	13.27
STR70	06/20/94	15.19	13.12	13.80
STR70	06/21/94	15.67	13.57	14.17
STR70	06/22/94	15.67	13.57	14.45
STR70	06/23/94	15.91	14.02	14.75
STR70	06/24/94	16.40	14.02	14.86
STR70	06/25/94	15.91	13.80	14.58
STR70	06/26/94	14.48	13.57	14.07
STR70	06/27/94	14.95	13.34	13.99
STR70	06/28/94	16.15	13.12	14.06
STR70	06/29/94	14.95	13.80	14.42
STR70	06/30/94	15.43	14.02	14.56
STR70	07/01/94	14.95	14.25	14.49
STR70	07/02/94	15.19	14.48	14.73
STR70	07/03/94	14.72	14.48	14.58
STR70	07/04/94	14.48	14.02	14.31
STR70	07/05/94	14.72	14.02	14.38
STR70	07/06/94	14.72	13.57	14.23
STR70	07/07/94	15.43	13.57	14.40
STR70	07/08/94	16.64	14.25	15.11
STR70	07/09/94	16.64	14.72	15.44
STR70	07/10/94	15.91	14.95	15.56
STR70	07/11/94	16.40	14.72	15.52
STR70	07/12/94	18.96	14.95	15.93
STR70	07/13/94	18.43	15.19	16.44
STR70	07/14/94	17.40	16.15	16.76
STR70	07/15/94	18.43	16.40	17.35
STR70	07/16/94	18.96	17.14	18.04
STR70	07/17/94	18.43	17.65	17.93
STR70	07/18/94	18.69	17.40	17.92
STR70	07/19/94	20.61	17.65	18.79
STR70	07/20/94	21.76	17.91	19.33
STR70	07/21/94	19.77	18.69	19.25
STR70	07/22/94	.	.	.
STR70	07/23/94	.	.	.
STR70	07/24/94	23.26	21.18	22.28
STR70	07/25/94	22.35	20.61	21.49
STR70	07/26/94	21.76	20.05	21.00
STR70	07/27/94	22.35	19.77	21.03
STR70	07/28/94	22.65	19.77	21.07
STR70	07/29/94	22.95	20.61	21.39
STR70	07/30/94	22.35	19.50	20.69
STR70	07/31/94	22.35	19.50	20.69

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
STR70	08/01/94	22.65	18.96	20.47
STR70	08/02/94	22.65	19.23	20.83
STR70	08/03/94	21.46	19.77	20.57
STR70	08/04/94	22.35	19.50	20.56
STR70	08/05/94	22.05	19.77	20.51
STR70	08/06/94	22.65	18.69	20.48
STR70	08/07/94	22.65	19.23	20.85
STR70	08/08/94	20.89	18.96	19.59
STR70	08/09/94	20.61	18.17	19.26
STR70	08/10/94	22.95	18.17	20.23
STR70	08/11/94	22.95	18.43	20.42
STR70	08/12/94	23.88	18.43	20.71
STR70	08/13/94	23.26	19.23	21.08
STR70	08/14/94	24.20	19.50	21.49
STR70	08/15/94	22.95	18.69	20.45
STR70	08/16/94	22.65	18.17	19.92
STR70	08/17/94	22.35	17.40	19.48
STR70	08/18/94	23.57	17.65	20.20
STR70	08/19/94	22.05	17.65	19.67
STR70	08/20/94	23.26	17.40	19.97
STR70	08/21/94	22.65	17.40	19.71
STR70	08/22/94	21.76	17.65	19.21
STR70	08/23/94	22.05	17.14	19.19
STR70	08/24/94	22.05	16.89	19.19
STR70	08/25/94	19.77	17.65	18.84
STR70	08/26/94	18.43	17.65	18.09
STR70	08/27/94	22.05	17.14	18.94
STR70	08/28/94	22.35	16.89	19.20
STR70	08/29/94	21.46	17.91	19.21
STR70	08/30/94	22.95	17.14	19.52
STR70	08/31/94	22.35	18.17	19.65
STR70	09/01/94	22.65	17.91	19.41
STR70	09/02/94	22.35	16.40	18.89
STR70	09/03/94	20.33	17.14	18.18
STR70	09/04/94	21.18	16.89	18.65
STR70	09/05/94	20.89	17.14	18.80
STR70	09/06/94	21.18	17.40	18.93
STR70	09/07/94	21.46	17.40	19.05
STR70	09/08/94	20.05	17.65	18.46
STR70	09/09/94	20.89	16.40	18.20
STR70	09/10/94	21.18	16.40	18.16
STR70	09/11/94	20.61	16.89	18.11
STR70	09/12/94	20.61	16.40	18.11
STR70	09/13/94	19.50	16.40	17.85
STR70	09/14/94	20.89	16.89	18.43
STR70	09/15/94	20.89	17.14	18.56
STR70	09/16/94	21.18	17.14	18.70
STR70	09/17/94	21.46	17.40	18.85
STR70	09/18/94	21.46	17.40	18.89
STR70	09/19/94	21.18	17.14	18.67

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
STR70	09/20/94	20.33	17.14	18.39
STR70	09/21/94	20.05	16.40	17.77
STR70	09/22/94	20.33	16.40	17.86
STR70	09/23/94	20.33	16.40	17.78
STR70	09/24/94	20.33	16.40	17.85
STR70	09/25/94	19.50	16.15	17.38
STR70	09/26/94	18.96	15.67	16.90
STR70	09/27/94	18.96	15.67	16.76
STR70	09/28/94	18.43	15.43	16.49
STR70	09/29/94	17.65	15.43	16.25
STR70	09/30/94	16.40	15.67	16.10
STR70	10/01/94	16.15	15.19	15.81
STR70	10/02/94	15.67	14.72	14.95
STR70	10/03/94	.	.	.
STR70	10/04/94	.	.	.
STR70	10/05/94	.	.	.
STR70	10/06/94	.	.	.
STR70	10/07/94	.	.	.
STR70	10/08/94	.	.	.
STR70	10/09/94	.	.	.
STR70	10/10/94	15.43	13.12	14.26
STR70	10/11/94	15.91	12.24	13.51
STR70	10/12/94	15.91	11.81	13.31
STR70	10/13/94	14.48	12.24	13.11
STR70	10/14/94	14.25	12.24	12.95
STR70	10/15/94	14.95	12.02	12.82
STR70	10/16/94	14.25	11.38	12.34
STR70	10/17/94	13.34	11.17	12.03
STR70	10/18/94	13.57	10.75	11.64
STR70	10/19/94	13.57	10.75	11.73
STR70	10/20/94	11.81	10.96	11.49
STR70	10/21/94	13.12	10.54	11.29
STR70	10/22/94	11.59	9.92	10.89
STR70	10/23/94	13.34	10.54	11.49
STR70	10/24/94	12.02	9.52	10.64
STR70	10/25/94	12.02	9.92	10.81
STR70	10/26/94	10.96	10.13	10.72
STR70	10/27/94	12.68	9.92	10.86
STR70	10/28/94	11.81	9.92	10.60
STR70	10/29/94	9.92	9.32	9.67
TR113	06/15/94	11.75	11.54	11.68
TR113	06/16/94	12.40	11.54	11.89
TR113	06/17/94	13.06	11.33	11.84
TR113	06/18/94	13.28	12.84	13.12
TR113	06/19/94	13.06	12.18	12.66
TR113	06/20/94	13.28	12.62	12.99
TR113	06/21/94	13.28	12.18	12.61
TR113	06/22/94	13.73	12.40	12.87
TR113	06/23/94	14.88	12.84	13.55
TR113	06/24/94	15.59	12.84	14.19

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR113	06/25/94	15.83	14.64	15.12
TR113	06/26/94	16.07	14.88	15.54
TR113	06/27/94	16.56	14.88	15.85
TR113	06/28/94	15.35	13.96	14.89
TR113	06/29/94	14.64	13.73	14.02
TR113	06/30/94	16.07	13.73	14.93
TR113	07/01/94	16.80	14.88	16.12
TR113	07/02/94	14.88	13.96	14.38
TR113	07/03/94	14.88	14.18	14.61
TR113	07/04/94	15.11	13.96	14.72
TR113	07/05/94	13.96	12.84	13.34
TR113	07/06/94	14.18	13.06	13.63
TR113	07/07/94	15.11	14.18	14.57
TR113	07/08/94	15.83	13.96	14.76
TR113	07/09/94	14.64	13.73	14.26
TR113	07/10/94	15.11	13.96	14.54
TR113	07/11/94	16.07	14.18	15.07
TR113	07/12/94	16.31	15.35	15.79
TR113	07/13/94	16.56	15.11	15.69
TR113	07/14/94	16.31	15.11	15.62
TR113	07/15/94	15.83	14.41	15.27
TR113	07/16/94	.	.	.
TR113	07/17/94	17.56	17.05	17.36
TR113	07/18/94	17.05	16.56	16.82
TR113	07/19/94	17.30	16.56	16.99
TR113	07/20/94	21.92	16.56	17.78
TR113	07/21/94	18.85	17.56	18.33
TR113	07/22/94	18.07	16.80	17.42
TR113	07/23/94	19.12	17.56	18.22
TR113	07/24/94	20.21	18.59	19.43
TR113	07/25/94	20.21	18.07	19.38
TR113	07/26/94	20.21	17.81	18.37
TR113	07/27/94	19.66	18.33	18.94
TR113	07/28/94	20.77	19.12	20.12
TR113	07/29/94	20.21	18.33	19.35
TR113	07/30/94	18.85	18.33	18.62
TR113	07/31/94	18.85	18.07	18.44
TR113	08/01/94	19.93	18.85	19.35
TR113	08/02/94	19.93	18.85	19.54
TR113	08/03/94	19.93	18.33	19.32
TR113	08/04/94	19.93	18.33	19.32
TR113	08/05/94	20.77	19.39	20.08
TR113	08/06/94	19.93	18.59	19.36
TR113	08/07/94	19.12	17.05	18.11
TR113	08/08/94	18.85	18.59	18.61
TR113	08/09/94	19.39	18.85	19.24
TR113	08/10/94	19.66	18.59	19.23
TR113	08/11/94	19.12	18.59	18.85
TR113	08/12/94	19.39	18.59	18.89
TR113	08/13/94	19.66	18.33	18.89

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR113	08/14/94	19.12	18.33	18.79
TR113	08/15/94	18.85	18.33	18.45
TR113	08/16/94	18.85	18.33	18.58
TR113	08/17/94	19.66	18.59	19.10
TR113	08/18/94	20.21	18.85	19.57
TR113	08/19/94	19.66	19.12	19.45
TR113	08/20/94	19.93	19.12	19.40
TR113	08/21/94	19.39	18.85	19.17
TR113	08/22/94	19.39	18.85	19.20
TR113	08/23/94	19.66	18.59	19.10
TR113	08/24/94	19.39	18.85	19.17
TR113	08/25/94	19.66	18.85	19.13
TR113	08/26/94	19.66	18.85	19.22
TR113	08/27/94	19.66	18.85	19.11
TR113	08/28/94	19.66	18.59	19.15
TR113	08/29/94	19.12	18.07	18.64
TR113	08/30/94	19.12	17.81	18.44
TR113	08/31/94	19.93	18.59	18.97
TR113	09/01/94	20.77	18.85	19.49
TR113	09/02/94	20.21	18.33	19.09
TR113	09/03/94	19.39	18.33	18.75
TR113	09/04/94	18.85	17.56	18.28
TR113	09/05/94	18.85	18.07	18.46
TR113	09/06/94	19.12	18.33	18.71
TR113	09/07/94	19.12	17.56	18.32
TR113	09/08/94	19.12	17.81	18.48
TR113	09/09/94	18.85	18.07	18.45
TR113	09/10/94	19.12	18.07	18.44
TR113	09/11/94	18.59	17.30	17.95
TR113	09/12/94	18.33	17.05	17.48
TR113	09/13/94	18.33	17.05	17.66
TR113	09/14/94	18.85	17.30	17.88
TR113	09/15/94	18.85	17.30	17.95
TR113	09/16/94	19.66	17.30	18.28
TR113	09/17/94	19.66	17.81	18.43
TR113	09/18/94	19.39	17.30	18.01
TR113	09/19/94	18.33	17.05	17.55
TR113	09/20/94	17.81	16.31	17.04
TR113	09/21/94	17.81	15.83	16.73
TR113	09/22/94	18.59	16.80	17.48
TR113	09/23/94	18.85	17.05	17.63
TR113	09/24/94	18.85	16.80	17.78
TR113	09/25/94	18.85	16.31	17.40
TR113	09/26/94	18.33	15.11	16.68
TR113	09/27/94	18.59	16.07	16.94
TR113	09/28/94	18.85	15.11	16.58
TR113	09/29/94	18.85	15.11	16.53
TR113	09/30/94	17.05	15.83	16.43
TR113	10/01/94	16.80	14.18	15.94
TR113	10/02/94	17.05	13.06	14.79

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR113	10/03/94	15.59	13.06	14.34
TR113	10/04/94	16.07	14.64	15.45
TR113	10/05/94	15.83	15.11	15.53
TR113	10/06/94	15.59	14.41	14.90
TR113	10/07/94	15.83	14.18	14.85
TR113	10/08/94	15.35	14.64	14.84
TR113	10/09/94	15.11	14.18	14.65
TR113	10/10/94	13.96	13.73	13.85
TR113	10/11/94	.	.	.
TR113	10/12/94	.	.	.
TR113	10/13/94	.	.	.
TR113	10/14/94	.	.	.
TR113	10/15/94	.	.	.
TR113	10/16/94	.	.	.
TR113	10/17/94	12.84	12.62	12.71
TR113	10/18/94	12.62	12.62	12.62
TR113	10/19/94	12.84	12.62	12.66
TR113	10/20/94	12.84	12.40	12.62
TR113	10/21/94	12.84	12.18	12.46
TR113	10/22/94	12.40	11.97	12.16
TR113	10/23/94	12.40	11.97	12.16
TR113	10/24/94	12.18	11.97	12.02
TR113	10/25/94	12.18	11.75	11.97
TR113	10/26/94	12.18	11.97	11.99
TR113	10/27/94	12.18	11.75	11.97
TR113	10/28/94	12.18	11.54	11.81
TR113	10/29/94	11.54	11.12	11.33
TR163	06/15/94	13.51	12.83	13.14
TR163	06/16/94	13.05	12.61	12.79
TR163	06/17/94	13.51	12.61	13.20
TR163	06/18/94	13.51	12.83	13.24
TR163	06/19/94	13.73	12.83	13.21
TR163	06/20/94	14.19	13.51	13.85
TR163	06/21/94	14.66	13.96	14.35
TR163	06/22/94	15.14	14.43	14.77
TR163	06/23/94	15.62	14.90	15.18
TR163	06/24/94	15.38	14.90	15.13
TR163	06/25/94	15.38	14.90	15.21
TR163	06/26/94	15.14	14.19	14.65
TR163	06/27/94	14.66	13.96	14.23
TR163	06/28/94	14.90	14.43	14.69
TR163	06/29/94	15.14	14.66	14.88
TR163	06/30/94	15.14	14.43	14.79
TR163	07/01/94	14.90	14.43	14.77
TR163	07/02/94	15.14	14.19	14.60
TR163	07/03/94	14.90	14.43	14.78
TR163	07/04/94	.	.	.
TR163	07/05/94	.	.	.
TR163	07/06/94	.	.	.
TR163	07/07/94	.	.	.

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR163	07/08/94	.	.	.
TR163	07/09/94	.	.	.
TR163	07/10/94	.	.	.
TR163	07/11/94	.	.	.
TR163	07/12/94	.	.	.
TR163	07/13/94	.	.	.
TR163	07/14/94	.	.	.
TR163	07/15/94	.	.	.
TR163	07/16/94	.	.	.
TR163	07/17/94	.	.	.
TR163	07/18/94	.	.	.
TR163	07/19/94	.	.	.
TR163	07/20/94	.	.	.
TR163	07/21/94	.	.	.
TR163	07/22/94	.	.	.
TR163	07/23/94	.	.	.
TR163	07/24/94	.	.	.
TR163	07/25/94	.	.	.
TR163	07/26/94	.	.	.
TR163	07/27/94	.	.	.
TR163	07/28/94	.	.	.
TR163	07/29/94	.	.	.
TR163	07/30/94	.	.	.
TR163	07/31/94	.	.	.
TR163	08/01/94	.	.	.
TR163	08/02/94	.	.	.
TR163	08/03/94	20.31	20.31	20.31
TR163	08/04/94	20.31	19.48	19.97
TR163	08/05/94	20.31	19.48	19.92
TR163	08/06/94	20.03	19.48	19.65
TR163	08/07/94	20.03	18.94	19.39
TR163	08/08/94	19.75	18.67	19.08
TR163	08/09/94	18.67	18.15	18.43
TR163	08/10/94	19.21	17.89	18.49
TR163	08/11/94	19.75	18.41	18.99
TR163	08/12/94	20.31	18.94	19.55
TR163	08/13/94	20.59	19.48	20.07
TR163	08/14/94	20.87	20.03	20.37
TR163	08/15/94	20.87	19.75	20.36
TR163	08/16/94	20.31	19.21	19.73
TR163	08/17/94	19.48	18.67	19.03
TR163	08/18/94	19.48	18.15	18.87
TR163	08/19/94	19.48	18.67	19.10
TR163	08/20/94	19.48	18.67	19.09
TR163	08/21/94	19.48	18.94	19.20
TR163	08/22/94	19.48	18.15	18.69
TR163	08/23/94	18.67	17.63	18.15
TR163	08/24/94	18.41	17.63	18.08
TR163	08/25/94	18.15	17.63	17.78
TR163	08/26/94	17.63	16.87	17.26

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR163	08/27/94	17.63	16.38	17.01
TR163	08/28/94	18.41	16.87	17.53
TR163	08/29/94	19.21	17.63	18.28
TR163	08/30/94	19.21	18.15	18.65
TR163	08/31/94	19.21	18.41	18.81
TR163	09/01/94	18.94	18.15	18.53
TR163	09/02/94	18.67	17.63	18.13
TR163	09/03/94	18.41	17.12	17.79
TR163	09/04/94	17.89	16.62	17.28
TR163	09/05/94	17.89	16.62	17.26
TR163	09/06/94	17.63	16.62	17.21
TR163	09/07/94	17.89	16.87	17.38
TR163	09/08/94	17.63	16.87	17.28
TR163	09/09/94	17.38	16.13	16.84
TR163	09/10/94	16.87	16.13	16.62
TR163	09/11/94	17.63	16.38	16.91
TR163	09/12/94	17.12	15.89	16.52
TR163	09/13/94	16.87	15.89	16.42
TR163	09/14/94	17.12	15.89	16.47
TR163	09/15/94	17.63	16.13	16.83
TR163	09/16/94	18.15	16.38	17.20
TR163	09/17/94	18.15	16.87	17.50
TR163	09/18/94	18.15	16.87	17.44
TR163	09/19/94	17.89	16.87	17.31
TR163	09/20/94	17.63	16.87	17.17
TR163	09/21/94	17.12	15.89	16.59
TR163	09/22/94	16.87	15.41	16.22
TR163	09/23/94	16.62	15.65	16.08
TR163	09/24/94	16.87	15.17	16.08
TR163	09/25/94	16.62	15.65	16.07
TR163	09/26/94	16.62	15.41	16.02
TR163	09/27/94	16.62	15.41	15.92
TR163	09/28/94	16.38	15.17	15.71
TR163	09/29/94	16.13	14.93	15.60
TR163	09/30/94	15.65	14.93	15.32
TR163	10/01/94	15.17	14.46	14.84
TR163	10/02/94	14.23	12.88	13.34
TR163	10/03/94	12.88	12.00	12.51
TR163	10/04/94	12.88	11.79	12.28
TR163	10/05/94	12.22	11.57	11.95
TR163	10/06/94	12.00	11.15	11.57
TR163	10/07/94	12.44	10.94	11.67
TR163	10/08/94	12.44	11.36	11.89
TR163	10/09/94	12.00	11.57	11.82
TR163	10/10/94	12.44	11.15	11.65
TR163	10/11/94	12.22	10.73	11.35
TR163	10/12/94	12.00	10.52	11.04
TR163	10/13/94	12.00	10.73	11.22
TR163	10/14/94	10.94	10.52	10.82
TR163	10/15/94	11.15	10.31	10.72

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR163	10/16/94	11.79	9.90	10.52
TR163	10/17/94	10.94	10.11	10.38
TR163	10/18/94	10.52	9.50	9.93
TR163	10/19/94	10.94	9.90	10.21
TR163	10/20/94	10.52	9.50	9.96
TR163	10/21/94	10.94	9.30	9.91
TR163	10/22/94	9.70	8.90	9.34
TR163	10/23/94	10.11	9.10	9.40
TR163	10/24/94	10.11	8.50	9.13
TR163	10/25/94	10.94	8.90	9.50
TR163	10/26/94	9.50	8.90	9.24
TR163	10/27/94	9.90	8.70	9.05
TR163	10/28/94	9.30	8.11	8.62
TR163	10/29/94	8.30	7.72	7.92
TR24	06/15/94	12.99	11.47	12.59
TR24	06/16/94	12.55	11.68	12.08
TR24	06/17/94	12.55	11.68	12.14
TR24	06/18/94	13.21	12.11	12.72
TR24	06/19/94	12.99	12.55	12.78
TR24	06/20/94	14.11	12.77	13.39
TR24	06/21/94	13.66	12.55	13.21
TR24	06/22/94	14.11	12.77	13.32
TR24	06/23/94	14.34	13.21	13.74
TR24	06/24/94	14.81	12.99	13.79
TR24	06/25/94	15.52	14.34	14.97
TR24	06/26/94	15.76	14.57	15.21
TR24	06/27/94	16.49	14.81	15.57
TR24	06/28/94	16.00	14.81	15.49
TR24	06/29/94	15.04	14.11	14.60
TR24	06/30/94	15.28	13.89	14.39
TR24	07/01/94	16.24	15.04	15.58
TR24	07/02/94	16.24	14.11	15.19
TR24	07/03/94	15.04	13.66	14.39
TR24	07/04/94	14.81	14.11	14.46
TR24	07/05/94	14.57	13.66	14.07
TR24	07/06/94	14.81	12.99	13.86
TR24	07/07/94	15.52	13.66	14.52
TR24	07/08/94	15.52	14.11	14.85
TR24	07/09/94	15.28	14.34	14.85
TR24	07/10/94	15.76	14.11	14.83
TR24	07/11/94	16.00	14.11	15.08
TR24	07/12/94	16.73	15.28	15.97
TR24	07/13/94	16.24	15.52	15.86
TR24	07/14/94	16.24	15.28	15.87
TR24	07/15/94	16.73	15.76	16.17
TR24	07/16/94	17.74	15.76	16.76
TR24	07/17/94	17.74	16.49	17.05
TR24	07/18/94	17.74	16.73	17.16
TR24	07/19/94	18.52	16.49	17.44
TR24	07/20/94	18.26	16.24	17.42

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR24	07/21/94	19.59	17.49	18.41
TR24	07/22/94	19.05	17.49	18.15
TR24	07/23/94	18.78	17.23	17.96
TR24	07/24/94	20.14	18.52	19.14
TR24	07/25/94	20.14	19.05	19.63
TR24	07/26/94	19.59	17.74	18.73
TR24	07/27/94	19.86	18.00	19.07
TR24	07/28/94	20.98	18.26	19.52
TR24	07/29/94	20.42	18.52	19.53
TR24	07/30/94	19.86	18.00	19.07
TR24	07/31/94	19.32	18.00	18.74
TR24	08/01/94	20.42	18.00	19.25
TR24	08/02/94	20.42	18.78	19.68
TR24	08/03/94	20.42	18.78	19.61
TR24	08/04/94	20.14	18.78	19.54
TR24	08/05/94	20.70	19.32	19.97
TR24	08/06/94	20.14	19.32	19.83
TR24	08/07/94	20.14	18.26	19.20
TR24	08/08/94	18.78	17.23	18.20
TR24	08/09/94	19.59	18.00	18.82
TR24	08/10/94	20.42	18.78	19.68
TR24	08/11/94	20.42	18.52	19.57
TR24	08/12/94	19.86	18.52	19.32
TR24	08/13/94	19.86	18.78	19.35
TR24	08/14/94	19.59	18.78	19.41
TR24	08/15/94	19.59	18.52	19.06
TR24	08/16/94	19.32	18.26	18.93
TR24	08/17/94	.	.	.
TR24	08/18/94	.	.	.
TR24	08/19/94	.	.	.
TR24	08/20/94	.	.	.
TR24	08/21/94	.	.	.
TR24	08/22/94	.	.	.
TR24	08/23/94	.	.	.
TR24	08/24/94	19.86	18.52	19.31
TR24	08/25/94	19.86	18.52	19.18
TR24	08/26/94	19.86	18.26	19.19
TR24	08/27/94	20.14	18.26	19.24
TR24	08/28/94	19.59	18.26	19.09
TR24	08/29/94	19.59	18.78	19.12
TR24	08/30/94	19.32	18.26	18.83
TR24	08/31/94	19.32	18.26	18.94
TR24	09/01/94	19.59	18.78	19.27
TR24	09/02/94	19.32	18.52	18.95
TR24	09/03/94	19.32	18.26	18.86
TR24	09/04/94	19.32	18.26	18.64
TR24	09/05/94	19.05	17.74	18.45
TR24	09/06/94	18.78	18.00	18.56
TR24	09/07/94	18.78	18.00	18.50
TR24	09/08/94	18.52	17.74	18.17

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
TR24	09/09/94	19.05	17.49	18.04
TR24	09/10/94	18.52	17.49	18.06
TR24	09/11/94	19.05	17.74	18.33
TR24	09/12/94	18.26	16.98	17.62
TR24	09/13/94	17.49	16.98	17.23
TR24	09/14/94	18.00	16.98	17.52
TR24	09/15/94	18.26	17.49	17.87
TR24	09/16/94	18.52	17.49	18.02
TR24	09/17/94	18.78	18.00	18.36
TR24	09/18/94	18.78	18.00	18.42
TR24	09/19/94	18.26	17.49	18.03
TR24	09/20/94	18.00	17.49	17.79
TR24	09/21/94	17.23	16.49	16.95
TR24	09/22/94	17.49	16.34	16.87
TR24	09/23/94	17.74	16.98	17.49
TR24	09/24/94	18.26	17.23	17.75
TR24	09/25/94	18.00	17.49	17.74
TR24	09/26/94	17.49	16.98	17.28
TR24	09/27/94	17.23	16.49	16.98
TR24	09/28/94	17.23	16.73	17.09
TR24	09/29/94	16.98	16.49	16.78
TR24	09/30/94	16.73	16.49	16.61
TR24	10/01/94	16.49	16.24	16.48
TR24	10/02/94	16.24	15.04	15.63
TR24	10/03/94	15.04	14.57	14.90
TR24	10/04/94	14.81	13.89	14.56
TR24	10/05/94	15.28	14.81	14.95
TR24	10/06/94	14.81	14.34	14.56
TR24	10/07/94	14.81	14.11	14.36
TR24	10/08/94	14.57	14.34	14.37
TR24	10/09/94	14.57	14.11	14.41
TR24	10/10/94	14.57	14.34	14.45
TR24	10/11/94	14.34	12.77	13.57
TR24	10/12/94	12.99	12.11	12.61
TR24	10/13/94	13.21	12.55	12.83
TR24	10/14/94	13.21	12.99	13.16
TR24	10/15/94	13.21	12.77	13.04
TR24	10/16/94	12.99	12.11	12.39
TR24	10/17/94	12.11	11.47	11.73
TR24	10/18/94	12.11	11.68	11.87
TR24	10/19/94	12.33	11.90	12.07
TR24	10/20/94	12.11	11.90	12.07
TR24	10/21/94	12.33	11.68	11.94
TR24	10/22/94	11.68	11.05	11.43
TR24	10/23/94	11.68	11.05	11.31
TR24	10/24/94	11.68	11.05	11.39
TR24	10/25/94	11.68	11.26	11.43
TR24	10/26/94	11.68	11.05	11.44
TR24	10/27/94	11.26	10.84	11.00
TR24	10/28/94	11.05	10.84	10.89

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
WRR22	07/14/94	19.12	18.06	18.67
WRR22	07/15/94	20.50	17.29	18.74
WRR22	07/16/94	19.66	18.06	19.02
WRR22	07/17/94	18.85	17.54	18.15
WRR22	07/18/94	19.12	16.53	17.48
WRR22	07/19/94	20.50	15.80	18.06
WRR22	07/20/94	22.24	17.29	19.74
WRR22	07/21/94	22.84	18.58	20.67
WRR22	07/22/94	22.54	17.54	20.17
WRR22	07/23/94	22.84	17.80	20.46
WRR22	07/24/94	23.46	18.58	20.95
WRR22	07/25/94	23.15	19.66	21.32
WRR22	07/26/94	22.24	19.12	20.68
WRR22	07/27/94	23.15	18.32	20.61
WRR22	07/28/94	23.46	18.32	20.93
WRR22	07/29/94	22.84	18.58	20.88
WRR22	07/30/94	21.35	18.32	19.74
WRR22	07/31/94	19.66	16.78	18.50
WRR22	08/01/94	21.35	16.29	18.69
WRR22	08/02/94	22.54	17.54	19.98
WRR22	08/03/94	21.35	18.32	20.06
WRR22	08/04/94	21.94	18.58	20.18
WRR22	08/05/94	20.50	18.06	19.05
WRR22	08/06/94	17.80	15.56	16.97
WRR22	08/07/94	16.78	15.08	15.76
WRR22	08/08/94	.	.	.
WRR22	08/09/94	.	.	.
WRR22	08/10/94	20.22	18.58	19.67
WRR22	08/11/94	19.94	15.80	17.94
WRR22	08/12/94	20.22	16.29	18.30
WRR22	08/13/94	21.07	16.78	18.90
WRR22	08/14/94	20.50	17.29	19.00
WRR22	08/15/94	20.50	17.29	18.80
WRR22	08/16/94	19.39	16.78	18.08
WRR22	08/17/94	19.94	16.29	17.97
WRR22	08/18/94	20.22	15.80	18.16
WRR22	08/19/94	20.50	16.53	18.54
WRR22	08/20/94	20.22	16.78	18.27
WRR22	08/21/94	18.58	16.29	17.42
WRR22	08/22/94	19.12	15.56	17.18
WRR22	08/23/94	17.80	14.37	16.05
WRR22	08/24/94	16.04	13.23	14.98
WRR22	08/25/94	17.29	12.79	14.89
WRR22	08/26/94	17.03	11.91	14.55
WRR22	08/27/94	17.54	12.57	14.99
WRR22	08/28/94	17.80	12.79	15.29
WRR22	08/29/94	18.58	13.46	15.88
WRR22	08/30/94	18.32	15.08	16.69
WRR22	08/31/94	18.32	15.32	16.76
WRR22	09/01/94	17.03	15.08	16.24

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
WRR22	09/02/94	16.53	13.69	15.28
WRR22	09/03/94	15.56	13.69	14.44
WRR22	09/04/94	15.08	11.91	13.53
WRR22	09/05/94	15.80	13.23	14.50
WRR22	09/06/94	15.08	13.46	14.42
WRR22	09/07/94	14.37	13.01	13.93
WRR22	09/08/94	14.84	12.57	13.67
WRR22	09/09/94	13.91	12.13	13.13
WRR22	09/10/94	13.91	11.70	12.74
WRR22	09/11/94	14.14	11.27	12.64
WRR22	09/12/94	13.01	10.64	11.51
WRR22	09/13/94	13.01	11.27	12.02
WRR22	09/14/94	13.01	10.64	11.87
WRR22	09/15/94	13.46	11.70	12.52
WRR22	09/16/94	15.56	11.91	13.56
WRR22	09/17/94	15.08	12.35	13.76
WRR22	09/18/94	15.08	11.91	13.64
WRR22	09/19/94	14.14	11.91	13.19
WRR22	09/20/94	13.69	11.48	12.66
WRR22	09/21/94	13.23	9.61	11.45
WRR22	09/22/94	13.46	10.22	11.91
WRR22	09/23/94	13.69	12.13	12.86
WRR22	09/24/94	15.56	13.01	14.10
WRR22	09/25/94	14.14	12.13	13.30
WRR22	09/26/94	13.01	10.22	11.71
WRR22	09/27/94	12.79	10.85	11.84
WRR22	09/28/94	11.91	9.41	10.70
WRR22	09/29/94	11.48	9.81	10.65
WRR22	09/30/94	10.85	9.81	10.23
WRR22	10/01/94	10.22	9.21	9.83
WRR22	10/02/94	9.41	7.25	8.33
WRR22	10/03/94	8.41	5.75	7.16
WRR22	10/04/94	9.01	6.12	7.43
WRR22	10/05/94	9.41	7.83	8.62
WRR22	10/06/94	8.02	6.30	7.15
WRR22	10/07/94	8.02	6.12	7.17
WRR22	10/08/94	8.02	6.49	7.29
WRR22	10/09/94	8.81	7.83	8.28
WRR22	10/10/94	8.21	6.30	7.17
WRR22	10/11/94	6.68	5.38	5.90
WRR22	10/12/94	5.93	4.66	5.33
WRR22	10/13/94	5.75	4.48	5.12
WRR22	10/14/94	6.12	5.56	5.78
WRR22	10/15/94	5.75	4.12	5.05
WRR22	10/16/94	5.93	4.30	5.07
WRR22	10/17/94	6.49	5.38	5.86
WRR22	10/18/94	5.93	4.48	5.29
WRR22	10/19/94	5.93	5.02	5.56
WRR22	10/20/94	5.93	5.38	5.60
WRR22	10/21/94	5.56	4.12	4.86

SITE	DATE	MAX_TEMP	MIN_TEMP	AVG_TEMP
WRR22	10/22/94	4.30	3.06	3.66
WRR22	10/23/94	4.66	3.59	4.04
WRR22	10/24/94	5.38	3.59	4.36
WRR22	10/25/94	6.49	5.20	5.74
WRR22	10/26/94	6.12	5.20	5.73
WRR22	10/27/94	5.02	3.59	4.30
WRR22	10/28/94	4.30	3.24	3.79
WRR22	10/29/94	3.41	2.03	2.60
WRR22	10/30/94	3.24	2.37	2.82
WRR22	10/31/94	2.20	1.69	1.94

A relational database program was used to process and archive the data. Comparisons between each probe and the spot temperatures were used to adjust the data from each probe. Variance of the difference for each probe was calculated. The probe with the least variance was considered the most stable, and these data were selected as the base data for the final adjusted temperature. The data were graphed in order to identify anomalies. The resulting data set was the final corrected hourly temperature data from each site. The 1993 daily maximum, minimum, and mean water temperatures are in Table 14, and the 1994 daily maximum, minimum, and mean water temperatures are in Table 15.

ACKNOWLEDGMENTS

J. Alphonse, A. Chingee, P. Frank, W. Lehto, S. Manuel, G. Michel, D. Pertula, G. Pierre, and L. Rhodes assisted in monitoring the data loggers. L. Barton and K. Lill collected the 1994 water temperature data.



REFERENCES

- Pearse, P. H., and P. A. Larkin. 1992. Managing salmon in the Fraser. Report to the Minister of Fisheries and Oceans on the Fraser River Salmon Investigation. Dep. Fish. Oceans, Vancouver: 36 p.
- Omnidata. 1987. Easy Logger Recording System, Operator's Manual. Document 2542, Version 2.00. Omnidata International Inc. Logan, Utah.
- Streamline Research. 1994. Training manual for Fraser River Watershed Temperature Program, using STARLOG Data Logging Systems. Unpublished MS.
- Unidata. 1993. Starlog. StarLogger Hardware, Model 6004 A/B Revision 20 Firmware. User Manual Supplement 6244, Revision A. Lynn Maclaren Publishing, Australia.
- Unidata. 1992a. Starlog. Field Termination and Signal Conditioning Modules, Model 6103, Models 6104 to 6107, Model 6110, Model 6114. User Manual Supplement 6208, Revision H. Lynn Maclaren Publishing, Australia.
- Unidata. 1992b. Starlog. Temperature Probes, Model 6507, Model 6515. User Manual Supplement 6207, Revision F. Lynn Maclaren Publishing, Australia.
- Unidata. 1992c. Starlog. Starlog System User's Manual, (Version 2.01 Software). User Manual 6203. Lynn Maclaren Publishing, Australia.
- Unidata. 1989. Starlog. Data Logger Programming, Version 2.01. User Manual Supplement 6201, Revision I. Lynn Maclaren Publishing, Australia.






Fig. 1. Temperature stations in the Fraser River basin during the summers of 1993 and 1994.

APPENDIX 1

DATA LOGGER SITE DESCRIPTIONS

FR149 : This site was located on the Fraser River downstream of Hope at the gas pipeline crossing. The data logger was hidden in rip-rap adjacent to the CP Rail mainline. The stream flow was moderate, and the bank slope was steep. Access was from Hwy. 7, and walking across the railway tracks approximately 200 m downstream of the pipeline crossing. This data logger measured water temperature at the initiation of difficult migration conditions for adult spawning salmonids. There was an air temperature probe at this site.

FR200: This site was located at the Hells Gate fish ladders on the east side of the Fraser River adjacent to the CN Rail mainline. The data logger was moved to the next lower fish ladder as freshet flows receded. The stream flow through the fish ladders was slow to moderate, but the stream flow through the Hells Gate gorge is fast. Access was through a locked gate on the east end of the Hells Gate foot bridge. This data logger measured temperature at one of the most difficult points of the spawners migratory route. There was an air temperature probe at this site.

FR245: This site was located on the east bank of the Fraser River, approximately 11 km downstream of Lytton. The data logger was hidden in boulders approximately 100 m upstream of the mouth of Siska Creek. The probes were at the edge of a large back eddy, immediately downstream of the narrow railway bridges gorge and major hydraulics. Stream flow and bank slope were moderate. Access was west on a dirt road from Highway 1, 1 km north of the Siska Indian Reserve, crossing the CN mainline, and down through the abandoned Williams homestead. This data logger measured the temperature of the completely mixed water of the Thompson and Fraser rivers.

SIS: This site was located in Siska Creek, close to the mouth. Stream flow was moderate, and bank slope was steep. Access was the same as the previous site (FR245). This data logger measured water temperature from a small mostly undisturbed watershed, which may be an important source of cooling water during hot weather.

FR262: This site was located on the east bank of the Fraser River approximately 10 km above the confluence with the Thompson River at Lytton. The data logger was hidden in boulders along the bank approximately 30 m upstream of a traditional aboriginal fishing site. Stream flow was moderate and bank slope was shallow. Access was from Highway 12, approximately 10 km north of Lytton, through a locked gate on private property, opposite a house with "After Rafter" sign. This data logger assessed thermal conditions in the Fraser River before mixing with the Thompson River.

BR1: This site was located on the south bank of the Bridge River approximately 50 m downstream of the bridge. The data logger was hidden in boulders and shrubbery on the bank. The stream flow was moderate to fast and the bank slope was steep. Access was via footpath from a pull out next to the Bridge River Road bridge (approximately 3 km north of Lillooet), through Indian Reserve lands. This data logger measured tributary input water temperature from the Bridge River before mixing with the Fraser River.

FR337: This site was located on the east bank of the Fraser River at the mouth Sallus Creek. The data logger was hidden in boulders 10-30 m upstream of the mouth of Sallus Creek, and moved several times to accommodate the fluctuating flow of the Fraser River and shifting alluvial fan of Sallus Creek. Stream flow was moderate to fast and bank slope was shallow to moderate. Access was from Highway 99, with a left turn 27 km north of Lillooet on the Sallus Creek Road. Approximately 1 km down the Sallus Creek Road, there was a right turn onto a rough dirt track (4-wheel drive), which dropped into the Fraser Canyon for approximately 2.5 km. This data logger measured water temperature in a climatic zone with high summer temperatures, and assessed thermal conditions in the Fraser River before input from the Bridge River. There was an air temperature probe at this site.

FR390: This site was located on the east bank of the Fraser River 50-100 m upstream of the Big Bar Ferry landing. At high water, the data logger was hidden in riparian vegetation, but as water levels receded, the data logger was hidden in boulder clusters along a steeper bank. Stream flow was slow to moderate, and bank slope was shallow to moderate. Access was from the village of Clinton via the Kelley Lake Road, the Jesmond Road to Big Bar junction, then left to the Big Bar reaction ferry. This data logger measured the temperature of the Fraser River after mixing with the Chilcotin River. There was an air temperature probe at this site.

CR16: This site was located on the south bank of the Chilcotin River between Farwell Creek and Farwell Canyon. The data logger was hidden in the boulders along the bank approximately 10 m upstream of a small abandoned ranch. The stream flow was very fast, and the bank slope was steep. Access was via Highway 20 west from Williams Lake then south on the Farwell Canyon Road, crossing Farwell bridge. The ranch access was approximately 0.3 km from the bridge down a rough dirt road. This data logger measured tributary input from the Chilcotin River.

FR501: This site was located on the west bank of the Fraser River approximately 0.6 km upstream of the Chilcotin Highway (Hwy 20) (Sheep's Creek) Bridge. The data logger was hidden in boulders along a steep gravel bank. The stream flow was moderate, and the bank slope was steep. Access was via Highway 20, west from Williams Lake, and right on a rough dirt road, immediately after crossing the Highway 20 bridge. This data logger measured water temperature of the Fraser River before tributary input from the Chilcotin River.

FR550: This site was located on the east bank of the Fraser River, approximately 70 m upstream of the Marguerite reaction ferry. The data logger was hidden in boulder clusters. Stream flow was slow and the bank slope was shallow. Access was from Highway 97 and the Marguerite ferry landing. This data logger measured water temperature in the completely mixed zone of Fraser River and Quesnel river waters. There was an air temperature probe at this site.

QR1: This site was located on the north bank of the Quesnel River, 1 km upstream from the confluence of with the Fraser River. The data logger was hidden in riparian vegetation at the top of the bank. The stream flow was fast and the bank slope was steep. Access was via the Weldwood Access Road in Quesnel, and Riverside Park. This data logger measured water temperature from tributary input of the Quesnel River into the Fraser River.

FR610: This site was located on the east bank of the Fraser River approximately 2 km upstream of the Quesnel River confluence. The data logger was hidden in the rip-rap bank adjacent to the Riverside Park walking path behind the George Baker Memorial Hospital. The

stream flow was slow to moderate, and the bank slope was steep. This data logger measured water temperature in the Fraser River before tributary input from the Quesnel River and after mixing from tributary inputs from the Cottonwood and West Road rivers. There was an air temperature probe at this site.

WRR22: This site was located on the south bank of the West Road (Blackwater) River, approximately 20 m downstream of the Gilley's Crossing Bridge. The data logger was placed in a bedrock crevice, and covered with cobble and debris. The stream flow was fast and the bank slope was steep. Access was the Blackwater Forest Access Road from Quesnel to Gilley's Crossing. This data logger measured tributary input from the West Road River.

FR687: This site was located on the east bank of the Fraser River at White's Landing. The data logger was hidden in riparian vegetation at the top of the bank. The stream flow and bank slope were moderate. Access was via Highway 97 north of Quesnel, west on Plett Road for 2 km, and right on White's Landing Road for 8 km. The steep drop to the Fraser River may require 4-Wheel drive. This data logger measured water temperature in the Fraser River before tributary input from the West Road and Cottonwood rivers.

FR730: This site was located on the east bank of the Fraser River at Stoner. The data logger was hidden in a boulder cluster along the bank, approximately 30 m downstream of the mouth of Stone Creek. The stream flow was slow to moderate, and the bank slope was shallow. Access was from Highway 97 via a rough dirt road 30 m south of the Stone Creek bridge. This data logger measured water temperature after mixing with the Nechako River.

NR3: This site was on the south bank of the Nechako River at Prince George. The data logger was hidden in riparian vegetation at the top of the bank, adjacent to a walking path. The stream flow was moderate to fast, and the bank slope was moderate. Access was via River Road and the Spruce City Hatchery parking lot. This data logger measured tributary input from the Nechako River.

SR26: This site was on the south bank of the Stuart River at the Charles Davidson ranch. The data logger was hidden in riparian vegetation. The stream flow was slow and the bank slope was shallow. Access was via Sturgeon Point Road from Vanderhoof. There was an air temperature probe at this site.

SR51: This site was on the west bank of the Stuart River near the confluence with Dog Creek. The data logger was hidden in the riparian vegetation at the top of the bank. The stream flow was very slow, and the bank slope was moderate. Access was a dirt road 4 km north of the community of Dog Creek on Hwy 27 north of Vanderhoof.

FR763: This site was located on the east bank of the Fraser River at Prince George. The data logger was hidden in riparian vegetation approximately 10 m upstream of the CN bridge abutment. The stream flow was moderate to fast, and the bank slope was very steep. Access was via Highway 16, and north at the first exit east of the Prince George Regional Correctional Facility, down to the BC Railway / CN junction, and west to the CN bridge spanning the Fraser River. This data logger measured water temperature in the Fraser River before tributary input from the Nechako River. There was an air temperature probe at this site.

FR784: This site was located on the south bank of the Fraser River at Shelley. The data logger was hidden in boulders and debris at the top of the bank. The stream flow was slow, and the bank slope was moderate. Access was via the settlement of Shelley next to the abandoned sawmill. This data logger measured water temperature in the Fraser River before the heated effluent sources from the pulpmills and the city of Prince George.

TR24: This site was located on the south bank of the Thompson River approximately 0.5 km upstream of Gold Pan Provincial Park. The data logger was hidden in boulders approximately 10 m upstream of the Water Survey of Canada Gauge (No.08LF051). Stream flow was moderate, and the bank slope was steep. Access was via Highway 1, and a dirt road 1 km east of Shaw Springs Resort. This data logger measured water temperature in the Thompson River, before mixing with the Fraser River. There was an air temperature probe at this site.

TR113: This site was located on the west bank of the Thompson River at the Savona highway bridge, approximately 0.8 km downstream of the outlet of Kamloops Lake. The data logger was hidden under boulders and debris along the bank. Access was via the Savona Station Road and then foot access down the bank, under the new highway bridge, to the site approximately 30 m downstream. This data logger measured water temperature at the outlet of Kamloops Lake.

TR163: This site was located on the south bank of the Thompson River at the Weyerhauser pulp mill. The data logger was hidden behind a barrier at the top of a concrete retaining wall at the Weyerhauser pump house. The stream flow was moderate and the bank slope was very steep. Access was via the Mission Flats Road in Kamloops to the Weyerhauser pulp mill complex, and via Weyerhauser property to the pump house. This data logger measured water temperature in the Thompson River after complete mixing of the North and South Thompson rivers and before flowing into Kamloops Lake.

STR28: This site was located on the south bank of the South Thompson River approximately 26 km east of Kamloops. The data logger was hidden under an abandoned shed next to the South Thompson River. The stream flow and bank slope were moderate. Access was via Highway 1 and 26 km east of Kamloops, exit via the Lafarge access road, with a right turn east along south bank of the South Thompson River for approximately 0.3 km. This data logger measured water temperature in the South Thompson River before mixing with the North Thompson River.

STR70: This site was located on the south bank of the South Thompson River in the village of Chase. The data logger was hidden next to a large cottonwood tree approximately 50 m upstream of the launch ramp. Access was from Mill Road in the village of Chase. Stream flow was slow and bank slope was very shallow. This data logger measured the water temperature in the South Thompson River downstream of Shuswap Lake.

NTR3: This site was located on the west bank of the North Thompson River approximately 70 m upstream of the Halston bridge in Kamloops. The data logger was hidden in the rip-rap bank. Stream flow was moderate and bank slope was steep. Access was from an R.V. sani-station behind an industrial area in North Kamloops. This data logger measured water temperature in the North Thompson River before mixing with the South Thompson River.

NTR121: This site was located on the south (east) bank of the North Thompson River at Clearwater approximately 0.3 km upstream of the bridge spanning the North Thompson River. The

data logger was hidden in riparian vegetation at the top of the bank opposite The CN freight shed. The stream flow was moderate to fast and the bank slope was steep. Access was from the village of Clearwater via the girder bridge across the North Thompson River, an immediate left along a narrow dirt road past the CN freight shed. This data logger measured water temperature from the North Thompson River before mixing with tributary input from the Clearwater River.

CWR2: This site was located on the west bank of the Clearwater River approximately 50 m downstream of the abandoned wooden bridge spanning the Clearwater River. The data logger was hidden in boulders and riparian vegetation. The stream flow was moderate, and the bank slope was shallow. Access was south from the shopping centre in the village of Clearwater on the former highway 5, and left immediately past Lehto's Glass on a wide dirt road down to the Clearwater River. This data logger measured water temperature in the Clearwater River before mixing with the North Thompson River. This site had an air temperature probe.

NIR4: This site was located on the north bank of the Nicola River approximately 4 km upstream from the mouth. The data logger was hidden in large boulders along the bank adjacent to Highway 8. The stream flow was moderate and the bank slope was steep. Access was from Highway 8, 5 km from Spences Bridge. This data logger measured water temperature of the Nicola River.

NIR48: This site was located on the south bank of the Nicola River approximately 0.7 km downstream of the confluence with Spius Creek. The data logger was hidden in rip-rap under the Petit Creek Bridge. The stream flow was moderate and the bank slope was shallow. Access was from Highway 8 and the Petit Creek Road. This data logger measured water temperature in the Nicola River after mixing with Spius Creek.

NIR56: This site was located on the south bank of the Nicola River approximately 0.5 km downstream of the Sunshine Valley Bridge. The data logger was hidden in rip-rap along the bank, immediately next to the Sunshine Valley Road. The stream flow was moderate and the bank slope was steep. This data logger measured the water temperature in the Nicola River downstream of Merritt and Guichon Creek, but upstream of Spius Creek. This site also had an air temperature probe.

COR4: This site was located on the north bank of the Coldwater River at the south east corner of Merritt. The data logger was hidden in the large rip-rap bank adjacent to the CP Rail right-of-way. The stream flow was moderate, and the bank slope was steep. Access was via the CP Rail right-of-way adjacent to a mobile home park.

NIR96: This site was located on the south bank of the Nicola River approximately 100 m downstream of the Nicola Lake Dam. The data logger was hidden in boulders and riparian vegetation. The stream flow was moderate to fast and the bank slope was moderate. Access was via Highway 5A north of Merritt to the Nicola Lake Dam, then a right turn on a dirt road towards a large ranch, and a right turn approximately 100 m further down the road to a wide flat grassy area next to the Nicola River. This data logger measured the water temperature of the Nicola River downstream of the Nicola Lake Dam.

NIR115: This site was located on the south bank of the Nicola River approximately 2 km upstream of Nicola Lake. The data logger was hidden in riprap under the foot bridge at the Indian

Reserve. The stream flow was slow to moderate, and the bank slope was moderate. Access was via Nicola Lake Reserve.