Pêches et Océans Canada

Canadian Coast Guard Garde côtière canadienne

NOTICES TO MARINERS PUBLICATION EASTERN EDITION

MONTHLY EDITION NO 6 **JUNE 26, 2015**

Dage



Published monthly by the

CANADIAN COAST GUARD

www.notmar.gc.ca/subscribe

CONTENTS

		rage
Section 1	Safety and General Information	1 - 9
Section 2	Chart Corrections	10 - 24
Section 3	Radio Aids to Marine Navigation Corrections	25 - 44
Section 4	Sailing Directions and Small Craft Guide Corrections	
Section 5		

Canadian Coast Guard Programs Aids to Navigation and Waterways



EXPLANATORY NOTES

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile = 1 852 metres (6,076.1 feet)
1 statute mile = 1 609.3 metres (5,280 feet)

1 metre = 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) in the section 1. Please note that Nautical charts are not amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet - Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the Marine Information Report & Suggestion Sheet inserted on the last page of each monthly edition of Notices to Mariners.

Canadian Hydrographic Service – Information Published in Section 2 Notices to Mariners - Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in Chart Corrections - Section 2. This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or height of a light may not result in the production of a chart correction, in *Notices to Mariners*, but may result in a *List of Light, Buoys and Fog Signals* correction.

In case of discrepancy between information provided on CHS charts related to aids to navigation, and the List of Light publication, the latter shall be deemed as containing the most up to date information

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & Publications is published in Notice No.* 14 of the *Notices to Mariners Annual Edition April 2014.* The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following website:

www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp


NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart corection:



The last correction number is identified with the **LNM/D** or <u>L</u>ast <u>N</u>otice to <u>M</u>ariners Number / <u>D</u>ate. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

MONTHLY EDITION OF NOTICES TO MARINERS.

WEB ACCESS.

We are offering a feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners. We are encouraging our clients to visit the

www.notmar.gc.ca/subscribe website to subscribe for this service.

Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the following web page

www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25IJmxhbmc9ZSI7

This feature permits users to register the nautical charts they currently have in their possession.

Registrants are then automatically notified by e-mail when a Notice to Mariners is published concerning these charts.

ADVISORY NOTICES TO SHIPPING (WRITTEN AND BROADCAST).

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada. These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are available on the Canadian Coast Guard Website at www.ccg-gcc.gc.ca/eng/CCG/NOTSHIP

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

Newfoundland

*Fisheries and Oceans Canada Canadian Coast Guard Port aux Basques MCTS Centre 49 Stadium Road P.O. Box 99 PORT AUX BASQUES. NL A0M 1C0

Telephone: (709) 695-2168
Facsimile: (709) 695-7784
Email: notshippax@dfo-mpo.gc.ca
Website: http://www.ccq-gcc.gc.ca/e30407

Québec

* Fisheries and Oceans Canada Canadian Coast Guard Les Escoumins MCTS Centre 5 Otis street, LES ESCOUMINS, QC G0T 1K0

Telephone: (418) 233-2308 Facsimile: (418) 233-3299 Website: www.marinfo.gc.ca/;

http://www.marinfo.gc.ca/en/avisecrits/index.asp Website: www.ccq-cc.gc.ca/enq/CCG/Notship Home

Maritimes

* Fisheries and Oceans Canada Canadian Coast Guard Sydney MCTS Centre 1190 Westmount Road SYDNEY, N.S, B1R 2J6

Telephone: (902) 564-7751 or 1-800-686-8676

Facsimile: (902) 564-2446

Email: notshipssyd@mar.dfo-mpo.gc.ca Website: http://www.ccg-gcc.gc.ca/e30406

Central & Arctic

* Fisheries and Oceans Canada Canadian Coast Guard Marine Communications and Traffic Services Notices to Shipping Series "C" 401 King Street West PRESCOTT, ON K0E 1T0 Telephone (613) 925-0666 or 1-800 265 0237

Facsimile: (613) 925-4519

Email: NotshipC&A@DFO-MPO.GC.CA

Website: www.ccg-cc.gc.ca/eng/CCG/Notship-Home

* Fisheries and Oceans Canada Canadian Coast Guard Iqaluit MCTS Centre Notices to Shipping Series "A" and Series "H" P.O. Box 189 IQALUIT NU X0A 0H0

Telephone: (867) 979-5269 Facsimile: (867) 979-4264

Email: IQANORDREG@INNAV.GC.CA

Website: www.ccg-cc.gc.ca/eng/CCG/Notship Home

^{*} Services provided in English and French.

INDEX.

CANA	DIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC	
	SERVICE CHART PATCHES.	.1
CANA	DIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS	.1
CANA	DIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES	.1
CANA	DIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE	.1
CANA	DIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS	.2
UPDAT	TE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS)	
	CENTRES	.2
SAGUE	ENAY-ST. LAWRENCE MARINE PARK AND SURROUNDING WATERS - WHALE PROTECTION	.2
CANA	DIAN COAST GUARD PUBLICATION - RADIO AIDS TO MARINE NAVIGATION (ATLANTIC, ST.	
	LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND EASTERN ARCTIC) PUBLICATION – 2014 -	
	THE COMMERCIAL PUBLIC CORRESPONDENCE SERVICE.	.4
TRANS	SPORT CANADA - RESTRICTED SPEED AREA - ST. CLAIR AND DETROIT RIVER	.4
*601	SERVICE HYDROGRAPHIQUE DU CANADA - CARTES MARINES	.4
*602	SERVICE HYDROGRAPHIQUE DU CANADA - CARTES ÉLECTRONIQUES DE NAVIGATION	.4
*603(P)) CARAQUET HARBOUR, BAIE DE SHIPPEGAN AND/ET MISCOU HARBOUR – AIDS TO BE CHANGED	.5
*604	TRANSPORT CANADA - SHIP SAFETY BULLETIN	
*605	TRANSPORT CANADA – SHIP SAFETY BULLETIN	.6
*606	ENTRÉ À/ENTRANCE TO MIRAMICHI RIVER – RANGE DISCOUNTINUED	.6
*607	PORT SEVERN TO/À PARRY SOUND – BUOY RELOCATED AND AID CODE CHANGED	
*608	PAPINEAUVILLE À/TO OTTAWA – RELOCATED BUOY	
*609(P)) MUSQUODOBOIT HARBOUR - AIDS TO BE CHANGED	.7
*610(P)) TAYLORS HEAD TO/À SHUT-IN ISLAND - BELL TO BE REMOVED	.7
*611(P)) MIRAMICHI – RANGE TO BE DISCONTINUED	.8
*612(P)) PORT ELGIN/BAIE VERTE – BUOY TO BE DISCONTINUED	.8
*613	ANNUAL EDITON NOTICES TO MARINERS 1 TO 46. UPDATE TO SECTION C	.9
*614	RADIO AIDS TO MARINE NAVIGATION 2015, (ATLANTIC, ST. LAWRENCE, GREAT LAKES, LAKE	
	WINNIPEG AND ARCTIC)	25

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED.

SECTION 1 CORRECTIONS TO SAFETY AND GENERAL INFORMATION

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world.

CHS welcomes your feedback on this service at chsinfo@dfo-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.

The cumulative Notices to Mariners corrections for charts can now be accessed at www.notmar.gc.ca/search/notmar-eng.php.

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT".

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notices to Mariners and making existing editions obsolete.

REPRINTS.

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notices to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can be accessed at www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.

Background.

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

Care of Your POD Chart.

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

SECTION 1 CORRECTIONS TO SAFETY AND GENERAL INFORMATION

CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY - ECDIS.

Mariners are advised that ECDIS may not display some isolated shoal depths when operating in "base or standard display" mode. Route planning and monitoring alarms for these shoal depths may not always be activated. To ensure safe navigation and to confirm that a planned route is clear of such dangers, mariners should visually inspect the planned route and any deviations from it using ECDIS configured to display "all data". The automated voyage planning check function should not be solely relied upon.

UPDATE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES.

The Canadian Coast Guard is modernizing and consolidating its Marine Communications and Traffic Services Centres. Clients will continue to receive the high-quality service they have come to expect.

Once complete, there will be a total of 12 MCTS Centres strategically located across the country. Additional information pertaining to this project will be advertised to clients by all available means.

Atlantic Region

Saint John (Fundy) MCTS Centre will consolidate to Halifax MCTS Centre commencing March 2015 St. John's MCTS Centre will consolidate to Placentia MCTS Centre commencing March 2015 St. Anthony MCTS Centre will consolidate to Labrador (Goose Bay) MCTS Centre commencing August 2015

Central & Arctic Region

Thunder Bay MCTS Centre will consolidate to Sarnia MCTS Centre commencing May 2015.
Rivière-au-Renard MCTS centre will consolidate to Les Escoumins MCTS centre commencing June 2015.

The new technology will increase efficiency permitting employees to have a greater ability to focus on the safety services they provide to mariners. Mariners are encouraged to visit the Radio Aids to Marine Navigation (RAMN), http://www.ccg-gcc.cg/marine-Communications/Home and Notices to Mariners (NOTMAR), http://www.notmar.gc.ca/ PART 3 on a monthly basis for updated information and potential changes to contact information and marine broadcast schedules.

SAGUENAY-ST. LAWRENCE MARINE PARK AND SURROUNDING WATERS - WHALE PROTECTION

The waters in and around the Saguenay-St. Lawrence Marine Park are well known for their resident threatened beluga population and the wide diversity of whales that migrate there to feed, particularly between April and November.

REGULATORY PROTECTION MEASURES

All whale species that are found in the St. Lawrence are protected under the *Marine Mammal Regulations*, pursuant to the *Fisheries Act*. Within the boundaries of the Marine Park, specific measures are set out in the *Marine Activities in the Saguenay–St. Lawrence Marine Park Regulations*, pursuant to the *Act Establishing the Saguenay-St. Lawrence Marine Park*. Any collision with a marine mammal within the Marine Park must immediately be reported to a park warden at 1-866-508-9888. For collisions that occur outside the Marine Park or for any situation involving a marine mammal that is dead or in trouble, contact the emergency network at 1-877-722-5346 or on channel 16.

For more information on the Saguenay-St. Lawrence Marine Park, see section 5C of the Annual Edition of the Notices to Mariners – April 2015 to March 2016.

SECTION 1 CORRECTIONS TO SAFETY AND GENERAL INFORMATION


VOLUNTARY PROTECTION MEASURES

Provisional measures in effect from May 1st to October 31st, 2015. See map below.

These measures apply to merchant vessels and cruise ships between Pointe à Boisvert and Cap de la Tête au Chien to prevent collisions with whales. These measures should only be taken when they will not jeopardize navigational safety.

Caution area (yellow area): To reduce the risk of collisions with whales that can be present anywhere in this area, heightened vigilance of navigators is critical. Posting a lookout is recommended in order to increase the chances of seeing the whales and thus taking necessary measures to avoid them. If bypassing the whales is not possible, slow down and wait for the animals to move away to a distance greater than 400 meters (0.215 nautical miles) before resuming original speed. It is more difficult to see the animals at night therefore increased caution is recommended. Slow down to 10 knots or less area (red area): To reduce the risk of collisions with whales in this feeding area, it is recommended that vessels slow down to a maximum speed through the water of 10 knots and post a lookout. It is further recommended to remain in the Laurentian Channel to the north of Île Rouge to minimize the impact of noise in a sensitive area south of this island, which is highly frequented by herds of beluga whales composed of females and young.

Area to be avoided (hatched red area): To reduce noise and the risk of collisions with whales, vessels should avoid transiting through this area which is highly frequented by blue whales, an endangered species. If the area cannot be avoided, slow down to a speed through the water of 10 knots or less.



Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

SECTION 1 CORRECTIONS TO SAFETY AND GENERAL INFORMATION

CANADIAN COAST GUARD PUBLICATION - RADIO AIDS TO MARINE NAVIGATION (ATLANTIC, ST. LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND EASTERN ARCTIC) PUBLICATION – 2014 - THE COMMERCIAL PUBLIC CORRESPONDENCE SERVICE.

Part I – Page 1 of 10 ADVANCE NOTICES

The Commercial Public Correspondence Service

Effective January 1, 2014, the following changes to the Canadian Coast Guard commercial public correspondence service, provided through select Marine Communications and Traffic Services centres, will be in effect:

All <u>long distance ship-shore calls</u> will be administered through the regular telephone service provider as a <u>collect call</u>. Individuals intending to place <u>shore-ship calls</u> will be required to direct-dial the appropriate MCTS centre.

MCTS centres providing a commercial public correspondence service are identified in RAMN, Part 2.

TRANSPORT CANADA - RESTRICTED SPEED AREA - ST. CLAIR AND DETROIT RIVER.

Since November 14, 2012 the restricted speed area currently in place as per the St. Clair and Detroit River Navigation Safety Regulation between the Detroit River light and Peche Island light is reduced in size by relocating the southern point of the restricted speed area from its current location at the Detroit River light to a new location at Bar Point light D33. (This notice refers to the previous one published in November 2012 with number *1103)

*601 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHART.

CHARTS	MAIN TITLE	SCALE	PUBLISHED	CAT#	PRICE
New Editions					
6427	Point Separation to/au Aklavik Channel Kilometre 1480 / Kilomètre 1540	1:50000	30-JAN-2015	4	12.00

*602 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHART.

NEW PRODUCT	
S-57 ENC NUMBER	CHART TITLE
CA576723	Escuminac

SECTION 1 CORRECTIONS TO SAFETY AND GENERAL INFORMATION

*603(P) CARAQUET HARBOUR, BAIE DE SHIPPEGAN AND/ET MISCOU HARBOUR – AIDS TO BE CHANGED.

Reference chart: 4913

The Canadian Coast Guard proposes the following permanent changes:

	Floating Aids	
List of Lights Number	Name	Proposed Change(s)
6262.423	Fox Dens Gully Conical Plastic Buoy	Positioned at 47 53 5.28N 064 30 29.82W. Flash
EAA New Establishment	New Establishment	characteristics 2cd w/White (Q)1s. A new lit buoy, 2cd, with a white (Q(6)+LFI) 15s flash to be established at
EAB New Establishment	New Establishment	47 53 5.52N 064 30 31.38W. A new unlit buoy to be established at 47
	New Establishment	53 2.82N 064 30 36.06W.
EA41 New Establishment	New Establishment	New lit buoy, positioned at 47 53 0.66N 064 30 37.14W.
EA40 6272.3	Miscou Harbour Plastic Can Buoy	Change flash characteristics to Green Q FI 1s 2cd, and relocate buoy to
EA39 New Establishment	New Establishment	47 52 57.06 064 30 50.16W. A new unlit buoy to be established at 47 52 57.06N 064 30 50.16W.
EA38 6272.29	Miscou Harbour Plastic Can Buoy	Relocate buoy to
EA37		47 52 57.18N 064 30 59.46W, and change flash characteristics to green FI 4s,2cd.
New Establishment	New Establishment	A new lit buoy to be positioned at 47 52 56.4N / 064 30 58.68W.
EA36 6272.28	Miscou Harbour Plastic Can Buoy	Relocate buoy to 47 52 55.2N 064 31 12.42W.
EA35 New Establishment	New Establishment	A new unlit buoy to be established at 47 52 52.68N 064 31 24.48W.
EA32 1272.10	Miscou Harbour Bouy	Relocate buoy to
EA30 6272.26	Miscou Harbour Plastic Can Buoy	47 52 50.76N / 064 31 37.14W, and change flash characteristics to Fl 1s., 2cd. Add lantern with Green Fl 4s, and min. of
EA31		2cd. Relocate buoy to 47 52 51.54N / 064 31 37.44W.

Comments on this action are solicited from mariners and other interested parties. Comments should be directed to

Superintendent, Aids to Navigation, Canadian Coast Guard by PO Box 1236,

Charlottetown, Prince Edward Island, C1A 7M8

Telephone: 902-566-7936,

Email: claire.maclaren@dfo-mpo.gc.ca

Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit within three months from the date of this Notice.

(G2015-047)

SECTION 1 CORRECTIONS TO SAFETY AND GENERAL INFORMATION

TRANSPORT CANADA - SHIP SAFETY BULLETIN. *604

This is to notify you that a new Ship Safety Bulletin has recently been posted to the Transport Canada website at www.tc.gc.ca/ssb-bsn/.

To go online to view or download this bulletin, please click on the link below:

SSB#06/2015 - Safety of Dead Ship Towing Operations - RDIMS#10506677

Sign yourself up for e-Bulletin to receive an e-mail notice each time a new Ship Safety Bulletin is published on our Website.

Contact us at marinesafety-securitemaritime@tc.gc.ca or 1-855-859-3123 (Toll Free)

*605 TRANSPORT CANADA - SHIP SAFETY BULLETIN.

This is to notify you that an updated Ship Safety Bulletin has recently been posted to the Transport Canada website at www.tc.gc.ca/ssb-bsn/.

To go online to view or download the bulletin, please click on the links below:

SSB#03/2015 - Sheltered waters voyages (amendment 2015-05-29) - RDIMS#10385708

Sign yourself up for e-Bulletin to receive an e-mail notice each time a new Ship Safety Bulletin is published on our Website.

Contact us at marinesafety-securitemaritime@tc.qc.ca or 1-855-859-3123 (Toll Free)

*606 ENTRÉ À/ENTRANCE TO MIRAMICHI RIVER - RANGE DISCOUNTINUED.

Reference: Notice 707(P)/2014 LL 1173.15 and LL1173.16 is now cancelled. (Chart 4911)

(G2015-030-031)

PORT SEVERN TO/À PARRY SOUND - BUOY RELOCATED AND AID CODE CHANGED. *607

Reference Chart: 2202

The Canadian Coast Guard have permanently changed the aid code and relocated the following aid:

Georgian Bay-port Severn Bridge LL 8047.9

New aid code C9

44 47' 57.24 new position

079 43' 23.76

(D2015-001)

PAPINEAUVILLE À/TO OTTAWA - RELOCATED BUOY. 608

Reference Chart: 1515

The Canadian Coast Guard have permanently relocated the following aid to navigation:

Parc national 2, LL 11981.0 (45° 35'35.1"N 075°05' 01.7"W)

(Q2015-054)

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

SECTION 1 CORRECTIONS TO SAFETY AND GENERAL INFORMATION

*609(P) MUSQUODOBOIT HARBOUR - AIDS TO BE CHANGED.

Reference Chart: 4236

The Canadian Coast Guard proposes to make the following permanent changes to the aids to navigation in the Musquodoboit Harbour area:

- LLNO 5566.01 YV5 Discontinue
- LLNO 5566.02 YV7 Add green lantern, FI 4s, change LLNO 566.02
- LLNO 5566.03 YV10 Add Red lantern, quick flash, change LLNO 566.03, reposition to 44 41.16N 063 04.775W
- LLNO 5566.04 YV11 Add green lantern, FI 4s, change LLNO 566.04, reposition to 44 41.437N 063 04.792W
- LLNO 5566.05 YV12 Add red lantern, FI 4s, change LLNO 566.05, reposition to 44 41.437N 063 04.714W
- LLNO 5566.06 YV13 Add green lantern, FI 4s, change LLNO 566.06, reposition to 44 41.567N 063 04.729W
- LLNO 5566.07 YV14 Discontinue
- LLNO 5566.08 YV15 Add green lantern, guick flash, change LLNO 566.08, reposition to 44 41.685N 063 04.745W
- LLNO 5566.09 YV16 reposition to 44 41.823N 063 04.750W
- LLNO 5566.10 YV17 reposition to 44 42.07N 064 04.904W
- LLNO 5566.11 YV18 add red lantern, quick flash, change LLNO 566.11, reposition to 44 42.52N 063 04.95W
- LLNO 5566.13 YV22- Discontinue (replaced by YV20)
- LLNO 5566.115 YV20 rename to Musquodoboit (NE Francis Nose Is.) Spar Buoy YV20, reposition to 44 42.962N 063 05.052W (YV22 position)
- LLNO 5566.12 YV21 add green lantern with quick flash

Comments on this action are solicited from mariners and other interested parties within three month from the date of this Notice. Comments should be directed to:

Superintendent, Aids to Navigations, Canadian Coast Guard P.O. Box 5667, St. John's, NL, A1C 5X1

Telephone: 709-772-5195,

Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit within three months from the date of this Notice.

(F2015-19)

*610(P) TAYLORS HEAD TO/À SHUT-IN ISLAND - BELL TO BE REMOVED

Reference Chart: 4236

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Musquodoboit Ledge light and Bell Buoy YV3 - Sound to be removed (Bell), LL 566.5 (44°39'36.0"N 63° 04'16.0"W)

Comments on this action are solicited from mariners and other interested parties. Comments should be directed to:

Superintendent, Aids to Navigations, Canadian Coast Guard P.O. Box 5667, St. John's, NL, A1C 5X1 Email: <u>Claire.maclaren@dfo-mpo.gc.ca</u> Telephone: 709-772-5195,

Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

(F2015-018)

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

SECTION 1 CORRECTIONS TO SAFETY AND GENERAL INFORMATION

*611(P) MIRAMICHI – RANGE TO BE DISCONTINUED.

Reference chart: 4912

Telephone: 709-772-5195,

The Canadian Coast guard proposed to permanently discontinue the following Aids to navigation:

Newcastle range, front LL 1218 (47°00' 57,9"N 065° 32' 44.1W) Rear LL 1219 (47°00'58.1"N 065° 32'46.4"W)

Comments on this action are solicited from mariners and other interested parties.

Comments should be directed to the following within three months from the date of this notice:

Superintendent, Aids to Navigations and Waterways, Canadian Coast Guard PO Box 1236, Charlottetown, Prince Edward Island, C1A 7M8 Email:Claire.maclaren@dfo-mpo.gc.ca

Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

(G2015-032) (G2015-034)

*612(P) PORT ELGIN/BAIE VERTE - BUOY TO BE DISCONTINUED.

The Canadian Coast Guard proposes to permanently discontinue the following buoys:

```
PLAS10 - 6094.54 - Port Elgin - Baie Verte can plastic buoy
          6094.53 - Port Elgin - Baie Verte can plastic buoy
          6094.52 - Port Elgin - Baie Verte can plastic buoy
          6094.51 - Port Elgin - Baie Verte can plastic buoy
          6094.50 - Port Elgin - Baie Verte can plastic buoy
          6094.49 - Port Elgin - Baie Verte can plastic buoy
          6094.48 - Port Elgin - Baie Verte can plastic buoy
          6094.47 - Port Elgin - Baie Verte can plastic buoy
          6094.46 - Port Elgin - Baie Verte can plastic buoy
          6094.31 - Port Elgin - Baie Verte can plastic buoy
PLAS15 - 6094.30 - Port Elgin - Baie Verte can plastic buoy
          6094.45 - Port Elgin - Baie Verte can plastic buoy
          6094.44 - Port Elgin - Baie Verte can plastic buoy
          6094.43 - Port Elgin - Baie Verte can plastic buoy
          6094.42 - Port Elgin - Baie Verte can plastic buoy
          6094.41 - Port Elgin - Baie Verte can plastic buoy
          6094.40 - Port Elgin - Baie Verte can plastic buoy
          6094.39 - Port Elgin - Baie Verte can plastic buoy
          6094.38 - Port Elgin - Baie Verte can plastic buoy
          6094.37 - Port Elgin - Baie Verte can plastic buoy
          6094.36 - Port Elgin - Baie Verte can plastic buoy
          6094.35 - Port Elgin - Baie Verte can plastic buoy
          6094.34 - Port Elgin - Baie Verte can plastic buoy
          6094.33 - Port Elgin - Baie Verte can plastic buoy
          6094.32 - Port Elgin - Baie Verte can plastic buoy
```

SECTION 1 CORRECTIONS TO SAFETY AND GENERAL INFORMATION

PLAS - 6094.20 - Port Elgin - Baie Verte conical plastic buoy - 46° 3' 6"N 64° 4' 6"W - Uncharted

XC2 - 6094.10 - Port Elgin Conical XC2 - 46° 2' 5.1"N 64° 2' 38.9"W - Chart 4406

Comments on this action are solicited from mariners and other interested parties. Comments should be directed to

Superintendent, Aids to Navigation, Canadian Coast Guard, PO Box 1236, Charlottetown, PEI, C1A 7M8 Telephone: 902-566-7936

Email: claire.maclaren@dfo-mpo.gc.ca

Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

(G2015-003)

*613 ANNUAL EDITON NOTICES TO MARINERS 1 TO 46. UPDATE TO SECTION C.

Reference to Notice to Mariners 27A.
GUIDELINES FOR THE TRANSIT OF WIDE BEAM VESSELS AND LONG VESSELS.

AMEND:

2) Directives concerning the meeting of vessels in medium- and high-risk areas (R)

R-1) Meetings are prohibited in high-risk areas. The high-risk areas between Québec and Montréal for vessels with a combined nominal breadth of between 65 and 72.6 metres and between 72.61 metres and 88 metres are identified on chart VN-301.

TO READ:

2) Directives concerning the meeting of vessels in medium- and high-risk areas (R) Any time, wide beam vessels have to favor day transit in the section Quebec-Montreal.

R-1) Meetings are prohibited in high-risk areas. The high-risk areas between Québec and Montréal for vessels with a combined nominal breadth of between 65 and 72.6 metres and between 72.61 metres and 88 metres are identified on chart VN-301.

AMEND:

3) Directives on overtaking in medium- and high-risk (D)

D-1) Overtaking is prohibited in high-risk areas. The high-risk areas between Québec and Montréal for vessels with a combined nominal breadth of between 65 metres and 72.6 metres and between 72.61 metres and 88 metres are identified on chart VN-301.

TO READ:

3) Directives on overtaking in medium- and high-risk (D)

Any time, wide beam vessels will have to favor day transit in the section Quebec-Montreal.

D-1) Overtaking is prohibited in high-risk areas. The high-risk areas between Québec and Montréal for vessels with a combined nominal breadth of between 65 metres and 72.6 metres and between 72.61 metres and 88 metres are identified on chart VN-301.

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

SECTION 2 CHART CORRECTIONS

1230 - Rivière-au-Renard - New Edition - 19-FEB-2010 - NAD 1983

05-JUN-2015 LNM/D. 09-JAN-2015

Delete depth of 0 metres 3 decimetres 48°59′55.8″N 064°23′28.4″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579167

DFO(6409105-01)

Add drying height of 0 metres 1 decimetre 48°59′56.0″N 064°23′28.7″W

(See Chart No. 1, I15)

This notice affects Electronic Navigational Chart: CA579167

DFO(6409105-02)

Add depth of 0 metres 2 decimetres 48°59′55.4″N 064°23′27.8″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579167

DFO(6409105-03)

Delete depth of 0 metres 8 decimetres 48°59′54.4″N 064°23′28.0″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579167

DFO(6409105-04)

Add depth of 0 metres 6 decimetres 48°59′54.0″N 064°23′28.5″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579167

DFO(6409105-05)

Amend FI G 5s19M to read FI G 5s8m19M against light 48°59′52.4″N 064°22′59.9″W

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: CA279044, CA579167

(Q2015044) LL(1629) DFO(6409106-01)

1236 - Pointe des Monts aux/to Escoumins - New Edition - 26-OCT-2012 - NAD 1983

12-JUN-2015 LNM/D. 27-MAR-2015

Replace depth of 135 metres 49°20′08.0″N 067°13′36.9″W

with depth of 128 metres (See Chart No. 1, I10)

DFO(6409120-01)

1312 - Lac Saint-Pierre - New Edition - 24-MAY-2013 - NAD 1983

12-JUN-2015 LNM/D. 15-MAY-2015

Amend F G 28m15M 46°15′32.7″N 072°37′21.4″W

to read F G 29m15M against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: CA479129

(Q2015045) LL(2118) DFO(6409107-01)

Amend F G 8m15M 46°15′34.9″N 072°37′48.4″W

to read F G 10m15M against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: CA479129

(Q2015046) LL(2117) DFO(6409108-01)

SECTION 2 CHART CORRECTIONS

1313 - Batiscan au/to Lac Saint-Pierre - New Edition - 07-JUN-2013 - NAD 1983

12-JUN-2015 LNM/D. 05-JUN-2015

Amend F G 28m15M 46°15′32.7″N 072°37′21.4″W

to read F G 29m15M against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: CA479129

(Q2015045) LL(2118) DFO(6409107-01)

Amend F G 8m15M 46°15′34.9″N 072°37′48.4″W

to read F G 10m15M against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: CA479129

(Q2015046) LL(2117) DFO(6409108-01)

05-JUN-2015 LNM/D. 15-MAY-2015

Add depth of 8 metres 8 decimetres 46°22′56.2″N 072°25′46.7″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA479014

DFO(6409121-01)

LNM/D. 15-MAY-2015

Add depth of 4 metres 9 decimetres 46°26′17.2″N 072°19′59.6″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA479014

DFO(6409121-02)

Add depth of 6 metres 4 decimetres 46°26′29.0″N 072°17′12.1″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA479014

DFO(6409121-03)

1313 - Port de Trois-Rivières - New Edition - 07-JUN-2013 - NAD 1983 05-JUN-2015

Delete depth of 7 metres 6 decimetres 46°20'45.5"N 072°31'47.6"W

Delete depth of 7 metres 6 decimetres (See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579015

DFO(6409039-01)

Add depth of 7 metres 2 decimetres 46°20'45.8"N 072°31'47.1"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579015

DFO(6409039-02)

Delete depth of 7 metres 4 decimetres 46°20'43.1"N 072°31'51.2"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579015

DFO(6409039-03)

Add depth of 6 metres 9 decimetres 46°20'43.1"N 072°31'51.5"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579015

DFO(6409039-04)

Delete depth of 8 metres 8 decimetres 46°20′41.3″N 072°31′54.2″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579015

DFO(6409039-05)

SECTION 2 CHART CORRECTIONS

Add depth of 8 metres 4 decimetres 46°20'41.3"N 072°31'53.3"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579015

DFO(6409039-06)

Delete depth of 9 metres 3 decimetres 46°20'35.8"N 072°32'02.6"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579015

DFO(6409039-07)

Add depth of 9 metres 0 decimetres 46°20'35.8"N 072°32'03.2"W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA579015

DFO(6409039-08)

Amend 10,4m (2013) 46°20′03.0″N 072°32′33.3″W

to read 10,1m (2014) (See Chart No. 1, I22)

This notice affects Electronic Navigational Chart: CA579015

DFO(6409039-09)

1320 - Port de Gros-Cacouna - New Chart - 26-AUG-2011 - NAD 1983

26-JUN-2015 LNM/D. 16-JAN-2015

Affix patch 47°55′50.0″N 069°30′58.0″W

Download Patch - http://www.chs-shc.gc.ca/patches/pa1320-20150527.pdf

This notice affects Electronic Navigational Chart: CA579234

DFO(6409127-01)

1509 - Rapides du Cheval Blanc - Sheet/Feuille 1 - New Edition - 19-APR-2013 - NAD 1983

05-JUN-2015 LNM/D. 20-MAR-2015

Amend 45°27'36.00"N left side of south border

to read 45°30′36.00″N (See Chart No. 1, A10)

DFO(6409023-01)

1514 - Carillon à/to L'Orignal - Sheet/Feuille 1 - New Chart - 24-JUL-1998 - NAD 1983

19-JUN-2015 LNM/D. 06-MAR-2015

Delete depth of 1 metre 5 decimetres 45°37′03.4″N 074°37′16.8″W

(See Chart No. 1, I10)

DFO(6409124-04)

Add obstruction with known depth of 0 metres 1 decimetre 45°37′03.4″N 074°37′15.6″W

(See Chart No. 1, K41)

(See Chart No. 1, K43.2)

DFO(6409124-05)

1514 - L'Orignal à/to Papineauville - Sheet/Feuille 2 - New Chart - 24-JUL-1998 - NAD 1983

19-JUN-2015 LNM/D. 06-MAR-2015

Add Stump 45°37′59.2″N 074°42′58.8″W

DFO(6409124-01)

Delete depth of 5 metres 5 decimetres 45°38'32.3"N 074°52'12.8"W

(See Chart No. 1, I10)

DFO(6409124-02)

SECTION 2 CHART CORRECTIONS

Add obstruction with known depth of 1 metre 0 decimetres 45°38′32.4″N 074°52′11.2″W

(See Chart No. 1, K41)

DFO(6409124-03)

2029 - Big Chute to/à Port Severn - Sheet/Feuille 2 - New Edition - 21-DEC-2012 - NAD 1983

05-JUN-2015 LNM/D. 29-NOV-2013

Replace green port hand spar buoy, marked C9/3 44°47′57.2″N 079°43′23.8″W

with green port hand spar buoy, marked C9

(See Chart No. 1, QG)

(D2015001) LL(8047.9) DFO(6604096-02)

2058 - Cobourg to/à Oshawa - New Edition - 25-FEB-2000 - NAD 1983

19-JUN-2015 LNM/D. 19-SEP-2014

Delete obstruction, depth unknown, "Rep (2013)" 43°54′57.0"N 078°17′57.0"W

(See Chart No. 1, K40, I3.2)

This notice affects Electronic Navigational Chart: CA373064

DFO(6604102-01)

Add wreck, least depth unknown, dangerous to surface navigation 43°54′58.3″N 078°17′55.6″W

(See Chart No. 1, K28)

This notice affects Electronic Navigational Chart: CA373064

DFO(6604102-03)

2120 - Port Dover - New Edition - 15-APR-2005 - NAD 1983

19-JUN-2015 LNM/D. 24-OCT-2014

Add depth of 1.5 metres 42°46′50.3″N 080°11′44.5″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA573303

DFO(6604103-03)

2202 - Port Severn to/à Tomahawk Island - Sheet/Feuille 1 - New Edition - 05-JAN-2007 - NAD 1983

05-JUN-2015 LNM/D. 27-SEP-2013

Replace green port hand spar buoy, marked C9/3 44°47′57.2″N 079°43′23.8″W

with green port hand spar buoy, marked C9

(See Chart No. 1, QG)

(D2015001) LL(8047.9) DFO(6604096-02)

2228 - Lake Huron/Lac Huron (Southern Portion/Partie sud) - New Chart - 16-FEB-1990 - NAD 1983

12-JUN-2015 LNM/D. 16-JAN-2015

Amend chart 2228 or L/C 2228 located outside of the chart border in the South West and North East corners.

to read 2228-1

DFO(6604101-01)

Amend "See Inset on back" 43°43'36.0"N 081°41'48.0"W

to read "See Inset/voir cartouche on/sur 2228-2"

DFO(6604101-02)

2243 - Bateau Island to/à Byng Inlet - New Edition - 30-AUG-1985 - NAD 1927

12-JUN-2015 LNM/D. 07-JUN-2013

Delete depth of 7 feet (See Chart No. 1, I10) 45°19′52.8″N 080°22′53.0″W

This notice affects Electronic Navigational Chart: CA373311

DFO(6604100-01)

SECTION 2 CHART CORRECTIONS

Add depth of 2 feet 45°19′54.5″N 080°22′52.0″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA373311

DFO(6604100-03)

4000 - Gulf of Maine to/à Baffin Bay / Baie de Baffin - New Edition - 25-JUL-2003 - NAD 1983

19-JUN-2015 LNM/D. 29-MAY-2015

Add subsurface Ocean Data Acquisition system 51°50′06.0″N 052°30′24.0″W

(ODAS) with known depth of 60 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030

DFO(6307140-01)

Add subsurface Ocean Data Acquisition system (ODAS) 50°16′42.0″N 051°50′42.0″W

with known depth of 45 metres (See Chart No. 1, L25) This notice affects Electronic Navigational Chart: CA176030

DFO(6307140-02)

Add subsurface Ocean Data Acquisition system (ODAS) 48°59′24.0″N 051°02′06.0″W

with known depth of 56 metres (See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030, CA276092

DFO(6307140-03)

4001 - Gulf of Maine to Strait of Belle Isle /au Detroit de Belle Isle - New Edition - 01-DEC-1995 - NAD 1983

19-JUN-2015 LNM/D. 29-MAY-2015

Add subsurface Ocean Data Acquisition system (ODAS) 51°50′06.0″N 052°30′24.0″W

with known depth of 60 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030

DFO(6307140-01)

Add subsurface Ocean Data Acquisition system (ODAS) 50°16′42.0″N 051°50′42.0″W

with known depth of 45 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030

DFO(6307140-02)

Add subsurface Ocean Data Acquisition system (ODAS) 48°59′24.0″N 051°02′06.0″W

with known depth of 56 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030, CA276092

DFO(6307140-03)

4006 - Newfoundland and Labrador/Terre-Neuve-et-Labrador to Bermuda / aux Bermudes - New Edition - 08-AUG-2003 - NAD 1983

19-JUN-2015 LNM/D. 29-MAY-2015

Add subsurface Ocean Data Acquisition system (ODAS) with known depth of 60 metres 51°50′06.0″N 052°30′24.0″W

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030

DFO(6307140-01)

SECTION 2 CHART CORRECTIONS

4012 - Yarmouth to/à Halifax - New Edition - 14-FEB-2003 - NAD 1983

05-JUN-2015 LNM/D. 29-MAY-2015

Amend FogSig to read FogSig (Occas) 43°26′59.0″N 065°28′15.0″W

(See Chart No. 1, R20)

This notice affects Electronic Navigational Chart: CA276800, CA376047

(F2015014) LL(336) DFO(6307115-01)

4017 - Cape Race to/à Cape Freels - New Edition - 07-MAR-2003 - NAD 1983

19-JUN-2015 LNM/D. 16-JAN-2015

Add subsurface Ocean Data Acquisition system (ODAS) 48°59′24.0″N 051°02′06.0″W

with known depth of 31 fathoms

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030, CA276092

DFO(6307140-03)

4023 - Northumberland Strait / Détroit de Northumberland - New Edition - 27-DEC-2002 - NAD 1983

19-JUN-2015 LNM/D. 07-NOV-2014

Amend FIG 46°24′20.5″N 064°08′05.9″W

to read QG against light (See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: CA276286, CA376076

(G2015038) LL(1025.5) DFO(6307141-01)

4025 - Cap Whittle à/to Havre-Saint-Pierre et/and Île d'Anticosti - New Edition - 28-MAR-2014 - NAD 1983

12-JUN-2015 LNM/D. 09-JAN-2015

Delete depth of 121 metres 49°19'43.6"N 063°35'36.0"W

(See Chart No. 1, I10)

DFO(6409120-02)

Add depth of 91 metres 49°20′05.9″N 063°36′14.4″W

(See Chart No. 1, I10)

DFO(6409120-03)

4026 - Havre Saint-Pierre et/and Cap des Rosiers à/to Pointe des Monts - New Edition - 23-MAY-2014 - NAD 1983

05-JUN-2015 LNM/D. 27-MAR-2015

Amend FI G 5s19M 48°59′52.4″N 064°22′59.9″W

to read FI G 5s8m19M against light

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: CA279044, CA579167

(Q2015044) LL(1629) DFO(6409106-01)

4117 - Saint John Harbour and Approaches / et les approches - New Edition - 29-MAY-2009 - NAD 1983

05-JUN-2015 LNM/D. 15-MAY-2015

Delete light F 45°16′06.5″N 066°04′28.8″W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: CA576005

DFO(6307125-01)

Delete light F 45°16′12.0″N 066°04′29.8″W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: CA576005

DFO(6307125-02)

SECTION 2 CHART CORRECTIONS

Add light FG 45°16′07.6″N 066°04′28.7″W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: CA576005

DFO(6307125-03)

Add light FG 45°16′07.5″N 066°04′29.7″W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: CA576005

DFO(6307125-04)

Add light FR 45°16′10.6″N 066°04′29.2″W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: CA576005

DFO(6307125-05)

Add light FR 45°16′10.5″N 066°04′30.2″W

(See Chart No. 1, P1)

This notice affects Electronic Navigational Chart: CA576005

DFO(6307125-06)

4230 - Little Hope Island to/à Cape St Marys - New Chart - 15-JUN-1990 - NAD 1983

05-JUN-2015 LNM/D. 27-MAR-2015

Amend FogSig 20s 43°26′59.0″N 065°28′15.0″W

to read FogSig 20s (Occas) (See Chart No. 1, R20)

This notice affects Electronic Navigational Chart: CA276800, CA376047

(F2015014) LL(336) DFO(6307115-01)

4235 - Sheet Harbour - New Edition - 28-APR-2000 - NAD 1983

19-JUN-2015 LNM/D. 15-NOV-2013

Add light FIR against red starboard hand spar buoy, marked XU18 44°54′36.5″N 062°31′09.0″W

(See Chart No. 1, Q7)

This notice affects Electronic Navigational Chart: CA476103

(F2015015) LL(596.04) DFO(6307146-01)

4237 - Approaches to/Approches au Halifax Harbour - New Edition - 02-JUN-2000 - NAD 1983

26-JUN-2015 LNM/D. 19-JUN-2015

Add light FIR against red starboard hand spar buoy, marked HE10 44°26′51.2″N 063°34′51.1″W

(See Chart No. 1, Q7)

This notice affects Electronic Navigational Chart: CA476009, CA576010

(F2015017) LL(503.05) DFO(6307148-01)

19-JUN-2015 LNM/D. 22-MAY-2015

Delete green port hand spar buoy, marked HE7 44°26′10.5″N 063°36′03.0″W

(See Chart No. 1, Qg)

This notice affects Electronic Navigational Chart: CA476009

(F2015016) DFO(6307147-01)

Add green port hand lighted spar buoy FIG, marked HE7 44°26′14.5″N 063°35′52.8″W

(See Chart No. 1, Q7)

This notice affects Electronic Navigational Chart: CA476009

(F2015016) LL(503.03) DFO(6307147-02)

SECTION 2 CHART CORRECTIONS

4237 - Sambro Harbour - New Edition - 02-JUN-2000 - NAD 1983

26-JUN-2015 LNM/D. 19-JUN-2015

Add light FIR against red starboard hand spar buoy, marked HE10 44°26′51.2″N 063°34′50.6″W

(See Chart No. 1, Q7)

This notice affects Electronic Navigational Chart: CA476009, CA576010

(F2015017) LL(503.05) DFO(6307148-01)

4241 - Lockeport to/à Cape Sable - New Edition - 08-NOV-2002 - NAD 1983

05-JUN-2015 LNM/D. 06-FEB-2015

Amend FogSig 20s 43°26′59.0″N 065°28′15.0″W

to read FogSig 20s (Occas) (See Chart No. 1, R20)

This notice affects Electronic Navigational Chart: CA276800, CA376047

(F2015014) LL(336) DFO(6307115-01)

4242 - Cape Sable Island to/aux Tusket Islands - New Edition - 28-AUG-1992 - NAD 1983

05-JUN-2015 LNM/D. 18-OCT-2013

Amend FogSig 20s 43°26′59.0″N 065°28′15.0″W

to read FogSig 20s (Occas) (See Chart No. 1, R20)

This notice affects Electronic Navigational Chart: CA276800, CA376047

(F2015014) LL(336) DFO(6307115-01)

4277 - Great Bras D'Or, St. Andrews Channel and/et St. Anns Bay - New Edition - 17-APR-1998 - NAD 1983

26-JUN-2015 LNM/D. 20-FEB-2015

Add subsurface Ocean Data Acquisition system ODAS/SADO 46°12′50.1″N 060°21′17.4″W

with known depth of 14 metres, 8 decimetres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA476063

DFO(6307151-01)

Add subsurface Ocean Data Acquisition system ODAS/SADO 46°13′12.7″N 060°21′10.6″W

with known depth of 17 metres, 6 decimetres.

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA476063

DFO(6307151-02)

Add subsurface Ocean Data Acquisition system ODAS/SADO 46°13′34.5″N 060°22′39.8″W

with known depth of 1 metre, 6 decimetres.

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA476063

DFO(6307151-03)

4279 - Bras D'Or Lake - New Edition - 28-AUG-1998 - NAD 1983

26-JUN-2015 LNM/D. 03-APR-2015

Add causeway joining 45°37'40.3"N 061°02'22.2"W

(See Chart No. 1, F3) 45°37′43.0″N 061°02′14.7″W This notice affects Electronic Navigational Chart: CA376272, CA476273 45°37′44.2″N 061°02′16.8″W

45°37'42.2"N 061°02'22.3"W and 45°37'40.3"N 061°02'22.2"W

DFO(6307150-01)

SECTION 2 CHART CORRECTIONS

4279 - Lennox Passage - New Edition - 28-AUG-1998 - NAD 1983

26-JUN-2015 LNM/D. 03-APR-2015

Add causeway joining 45°37′40.3″N 061°02′21.8″W

(See Chart No. 1, F3) 45°37′42.8″N 061°02′15.2″W This notice affects Electronic Navigational Chart: CA376272, CA476273 45°37′44.1″N 061°02′16.4″W

45°37'42.2"N 061°02'21.8"W and 45°37'40.3"N 061°02'21.8"W

DFO(6307150-01)

4308 - St. Peters Bay to/à Strait of Canso - New Edition - 21-MAR-2003 - NAD 1983

26-JUN-2015 LNM/D. 24-APR-2015

Add causeway joining 45°37′40.5″N 061°02′21.6″W (See Chart No. 1, F3) 45°37′43.0″N 061°02′14.7″W

This notice affects Electronic Navigational Chart: CA376272, CA476273 45°37'44.2"N 061°02'16.8"W 45°37'42.3"N 061°02'21.9"W

and 45°37'40.5"N 061°02'21.6"W

DFO(6307150-01)

4335 - Strait of Canso and Approaches/et les approches - New Edition - 04-JAN-2008 - NAD 1983

26-JUN-2015 LNM/D. 24-APR-2015

Add causeway joining 45°37′40.8″N 061°02′20.8″W

(See Chart No. 1, F3) 45°37'43.4"N 061°02'13.8"W This notice affects Electronic Navigational Chart: CA376272, CA476273 45°37'45.0"N 061°02'14.6"W

45°37'42.5"N 061°02'21.7"W and 45°37'40.8"N 061°02'20.8"W

DFO(6307150-01)

4377 - Main-à-Dieu Passage - New Edition - 06-NOV-1998 - NAD 1983

12-JUN-2015 LNM/D. 16-JAN-2015

Add breakwater extension between 46°00′17.7″N 059°50′27.2″W

(See Chart No. 1, F4.1) and 46°00′17.3″N 059°50′25.4″W

DFO(6307135-01)

Reposition light FIG from 46°00′17.7″N 059°50′27.2″W

(See Chart No. 1, P1) to 46°00′17.3″N 059°50′25.4″W (G2015035) LL(765.3) DFO(6307135-02)

4385 - Chebucto Head to/à Betty Island - New Edition - 07-JUN-1996 - NAD 1983

26-JUN-2015 LNM/D. 19-JUN-2015

Add light FIR against red starboard hand spar buoy, marked HE10 44°26′50.8″N 063°34′50.9″W

(See Chart No. 1, Q7)

This notice affects Electronic Navigational Chart: CA476009, CA576010

(F2015017) LL(503.05) DFO(6307148-01)

19-JUN-2015 LNM/D. 22-MAY-2015

Delete green port hand spar buoy, marked HE7 44°26′10.1″N 063°36′02.4″W

(See Chart No. 1, Qg)

This notice affects Electronic Navigational Chart: CA476009

(F2015016) DFO(6307147-01)

Add green port hand lighted spar buoy FIG, marked HE7 44°26′14.5″N 063°35′52.8″W

(See Chart No. 1, Q7)

This notice affects Electronic Navigational Chart: CA476009

(F2015016) LL(503.03) DFO(6307147-02)

SECTION 2 CHART CORRECTIONS

4406 - Tryon Shoals to/à Cape Egmont - New Edition - 27-FEB-1998 - NAD 1983

19-JUN-2015 LNM/D. 24-APR-2015

Amend FIG to read QG against light 46°24′26.1″N 064°08′06.7″W

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: CA276286, CA376076

(G2015038) LL(1025.5) DFO(6307141-01)

4429 - Havre Saint-Pierre - New Edition - 18-FEB-2011 - NAD 1983

26-JUN-2015 LNM/D. 27-MAR-2015

Replace ON CERTAIN COPIES 50°14′09.1″N 063°36′44.5″W

depth of 18 metres

with depth of 18 metres 1 decimetre

(See Chart No. 1, I10)

DFO(6409128-01)

4432 - Havre de Mingan - New Edition - 11-MAR-2011 - NAD 1983

05-JUN-2015 LNM/D. 20-JUN-2014

Delete pier joining 50°17′20.1″N 064°01′21.5″W

 (See Chart No. 1, F14)
 50°17′17.7″N 064°01′20.0″W

 This notice affects Electronic Navigational Chart: CA479027
 50°17′17.4″N 064°01′21.3″W

 50°17′17.7″N 064°01′21.5″W

50°17′17.9″N 064°01′20.7″W and 50°17′20.0″N 064°01′21.9″W

DFO(6409112-01)

pier joining 50°17′22.0″N 064°01′14.7″W (See Chart No. 1, F14) 50°17′20.8″N 064°01′14.1″W

This notice affects Electronic Navigational Chart: CA479027 50°17′20.9″N 064°01′13.7″W and 50°17′20.6″N 064°01′14.8″W

DFO(6409112-02)

Add pier joining 50°17′19.1″N 064°01′16.8″W

(See Chart No. 1, F14) 50°17′20.3″N 064°01′13.4″W This notice affects Electronic Navigational Chart: CA479027 and 50°17′22.3″N 064°01′15.1″W

DFO(6409112-03)

4440 - Îles Sainte-Marie à/to Île à la Brume - New Edition - 19-JUL-2013 - NAD 1983

19-JUN-2015

Delete

Add underwater rock of unknown depth, dangerous to surface navigation 50°14′48.0″N 059°55′45.4″W

(See Chart No. 1, K13)

This notice affects Electronic Navigational Chart: CA379164

DFO(6409099-01)

Add underwater rock of unknown depth, dangerous to surface navigation 50°14′48.5″N 059°55′21.1″W

(See Chart No. 1, K13)

This notice affects Electronic Navigational Chart: CA379164

DFO(6409099-02)

Add underwater rock of unknown depth, dangerous to surface navigation 50°15′41.1″N 059°52′39.0″W

(See Chart No. 1, K13)

This notice affects Electronic Navigational Chart: CA379164

DFO(6409099-03)

SECTION 2 CHART CORRECTIONS

Add underwater rock of unknown depth, dangerous to surface navigation 50°15′53.6″N 059°53′01.8″W

(See Chart No. 1, K13)

This notice affects Electronic Navigational Chart: CA379164

DFO(6409099-04)

Add underwater rock of unknown depth, dangerous to surface navigation 50°15′17.8″N 059°55′34.9″W

(See Chart No. 1, K13)

This notice affects Electronic Navigational Chart: CA379164

DFO(6409099-05)

Delete depth of 2 metres 7 decimetres 50°17′03.7″N 059°52′46.8″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA379164

DFO(6409099-06)

Add underwater rock of unknown depth, dangerous to surface navigation 50°17′04.6″N 059°52′46.8″W

(See Chart No. 1, K13)

This notice affects Electronic Navigational Chart: CA379164

DFO(6409099-07)

4530 - Hamilton Sound, Eastern Portion / Partie est - New Edition - 15-MAR-2002 - NAD 1983

26-JUN-2015 LNM/D. 16-JAN-2015

Add breakwater extension between 49°27′32.7″N 053°57′22.6″W

(See Chart No. 1, F4.1) and 49°27'32.2"N 053°57'24.9"W

This notice affects Electronic Navigational Chart: CA476279

DFO(6307149-01)

4617 - Long Harbour, Erco Wharf - New Edition - 30-APR-2010 - NAD 1983

19-JUN-2015 LNM/D. 06-MAR-2015

Add outfall pipe joining 47°25′17.7″N 053°48′59.0″W

(See Chart No. 1, L41.1) 47°25′15.2″N 053°49′13.2″W This notice affects Electronic Navigational Chart: CA476300, CA576301 47°25′13.2″N 053°49′22.3″W

47°25′10.2″N 053°49′35.9″W 47°25′06.9″N 053°49′49.4″W and 47°25′05.9″N 053°49′54.7″W

DFO(6307142-01)

4617 - Red Island to/à Pinchgut Point - New Edition - 30-APR-2010 - NAD 1983

19-JUN-2015 LNM/D. 06-MAR-2015

Add outfall pipe joining 47°25′17.7″N 053°48′59.4″W

(See Chart No. 1, L41.1) 47°25'15.2"N 053°49'13.2"W

This notice affects Electronic Navigational Chart: CA476300, CA576301 47°25′10.2″N 053°49′35.9″W 47°25′06.9″N 053°49′49.4″W

47°25'03.4"N 053°50'07.8"W 47°24'59.3"N 053°50'30.5"W 47°24'59.4"N 053°51'03.7"W 47°24'56.5"N 053°51'22.3"W 47°24'55.6"N 053°51'31.7"W 47°24'51.2"N 053°51'59.6"W 47°24'50.0"N 053°52'13.8"W and 47°24'49.9"N 053°52'54.6"W

DFO(6307142-01)

SECTION 2 CHART CORRECTIONS

4825 - Burgeo and/et Ramea Islands - New Chart - 01-MAR-2002 - NAD 1983

12-JUN-2015 LNM/D. 08-AUG-2014

Delete depth of 10 metres, 1 decimetre 47°34′20.5″N 057°42′03.6″W

(See Chart No. 1, I10)

DFO(6307139-01)

Add depth of 3 metres, 3 decimetres 47°34′18.5″N 057°42′02.5″W

(See Chart No. 1, I10)

DFO(6307139-02)

4855 - Bonavista Bay, Southern Portion/Partie sud - New Chart - 06-JUN-1997 - NAD 1983

26-JUN-2015 LNM/D. 28-FEB-2014

Reposition ON CERTAIN COPIES from 48°43′04.6″N 053°46′59.4″W

light FIG (See Chart No. 1, P1)

to 48°43'04.9"N 053°47'02.1"W

This notice affects Electronic Navigational Chart: CA376808

LL(439.37) DFO(6307155-01)

Delete bottom quality R 48°43′48.9″N 053°58′19.8″W

(See Chart No. 1, J9.1)

This notice affects Electronic Navigational Chart: CA376808

DFO(6307158-01)

Add underwater rock of unknown depth, dangerous to surface navigation, with 48°43′45.0″N 053°58′21.0″W

legend PA

(See Chart No. 1, K13)

This notice affects Electronic Navigational Chart: CA376808

DFO(6307158-02)

4858 - Greenspond Harbour to/à Pound Cove - New Chart - 25-DEC-1998 - NAD 1983

05-JUN-2015 LNM/D. 16-JAN-2015

Affix patch 49°08′00.0″N 053°36′00.0″W

Download Patch - http://www.chs-shc.gc.ca/patches/4858PA 20150504.pdf

This notice affects Electronic Navigational Chart: CA576373

DFO(6307138-02)

4858 - Valleyfield - New Chart - 25-DEC-1998 - NAD 1983

05-JUN-2015 LNM/D. 16-JAN-2015

Affix patch 49°07′12.0″N 053°36′30.0″W

Download Patch - http://www.chs-shc.gc.ca/patches/4858_20150430.pdf

This notice affects Electronic Navigational Chart: CA576374

DFO(6307138-01)

4905 - Cape Tormentine à/to West Point - New Edition - 29-DEC-2000 - NAD 1983

19-JUN-2015 LNM/D. 24-APR-2015

Amend FIG to read QG against light 46°24′24.0″N 064°08′05.3″W

(See Chart No. 1, P16)

This notice affects Electronic Navigational Chart: CA276286, CA376076

(G2015038) LL(1025.5) DFO(6307141-01)

SECTION 2 CHART CORRECTIONS

4911 - Entrée à/Entrance to Miramichi River - New Edition - 27-JAN-2006 - NAD 1983

12-JUN-2015 LNM/D. 15-MAY-2015

Delete front range/leading light Iso Y 1s 11m 47°04′01.0″N 064°56′31.5″W

(See Chart No. 1, P20.2)

This notice affects Electronic Navigational Chart: CA476133

(G2015030) LL(1173.15) DFO(6307131-01)

Delete rear range/leading light Iso Y 4s 27m, 47°03′00.8″N 064°55′48.3″W

with leading line and bearings 1531/2° - 3331/2°

(See Chart No. 1, P20.2)

This notice affects Electronic Navigational Chart: CA476133

(G2015031) LL(1173.16) DFO(6307131-02)

4921 - Quai / Wharf Port-Daniel-Est - New Edition - 16-MAR-2012 - NAD 1983

26-JUN-2015 LNM/D. 29-MAY-2015

Amend vertical clearance of 2 metres 3 decimetres, 48°11′00.6″N 064°57′50.0″W

to read 2 metres 0 decimetres (See Chart No. 1, D22)

This notice affects Electronic Navigational Chart: CA579069

DFO(6409129-01)

Amend vertical clearance of 7 metres 6 decimetres, 48°10′59.0″N 064°57′49.2″W

to read 7 metres 3 decimetres (See Chart No. 1, D22)

This notice affects Electronic Navigational Chart: CA579069

DFO(6409129-02)

5001 - Labrador Sea/ Mer du Labrador - New Edition - 17-JAN-2003 - NAD 1983

19-JUN-2015 LNM/D. 22-MAY-2015

Add subsurface Ocean Data Acquisition system (ODAS) 51°50′06.0″N 052°30′24.0″W

with known depth of 60 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030

DFO(6307140-01)

7083 - Cambridge Bay to/à Shepherd Bay - New Edition - 15-JUN-1984 - Unknown

26-JUN-2015 LNM/D. 27-MAR-2015

Amend note Chart 7733 68°26′00.0″N 096°52′00.0″W

to read Chart 7736 (See Chart No. 1, A20)

DFO(6604105-01)

7121 - Cape Mills to/à Cape Rammelsberg - New Edition - 16-MAY-2003 - NAD 1983

12-JUN-2015

Delete depth of 48 fathoms 63°17′56.3″N 067°40′26.7″W

(See Chart No. 1, I10)

DFO(6604099-01)

Add depth of 17 fathoms 63°18′03.3″N 067°40′31.0″W

(See Chart No. 1, I10)

DFO(6604099-02)

SECTION 2 CHART CORRECTIONS

Delete depth of 24 fathoms 63°19′58.6″N 067°43′42.3″W

(See Chart No. 1, I10)

DFO(6604099-03)

Add depth of 15 fathoms 63°20′00.0″N 067°43′34.4″W

(See Chart No. 1, I10)

DFO(6604099-04)

Add depth of 14 fathoms 63°20′16.3″N 067°43′46.2″W

(See Chart No. 1, I10)

DFO(6604099-05)

7122 - Culbertson Island to/à Koojesse Inlet - New Edition - 08-JUL-2005 - NAD 1983

12-JUN-2015 LNM/D. 23-NOV-2012

Add depth of 14 fathoms 63°20′16.3″N 067°43′46.2″W

(See Chart No. 1, I10)

DFO(6604099-05)

7736 - Simpson Strait - New Chart - 31-DEC-2004 - NAD 1983

19-JUN-2015 LNM/D. 09-NOV-2012

Delete depth of 8.9 metres 68°32′17.0″N 097°26′10.0″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA473317

DFO(6604104-01)

Add depth of 8.7 metres 68°32′17.0″N 097°26′11.0″W

(See Chart No. 1, I10)

This notice affects Electronic Navigational Chart: CA473317

DFO(6604104-02)

8006 - Scotian Shelf/Plate-Forme Néo-Écossaise, Browns Bank to Emerald Bank/Banc de Brown au Banc D'Émeraude - New Edition - 14-FEB-2003 - NAD 1983

05-JUN-2015 LNM/D. 08-NOV-2013

Amend FogSig 43°26′59.0″N 065°28′15.0″W

to read FogSig (Occas) (See Chart No. 1, R20)

This notice affects Electronic Navigational Chart: CA276800, CA376047

(F2015014) LL(336) DFO(6307115-01)

8014 - Grand Banc/Grand Bank (Northeast Portion/Partie-nord-est) - New Edition - 25-JUL-2003 - NAD 1983

19-JUN-2015 LNM/D. 11-OCT-2013

Add subsurface Ocean Data Acquisition system (ODAS) 48°59′24.0″N 051°02′06.0″W

with known depth of 31 fathoms

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030, CA276092

DFO(6307140-03)

8015 - Funk Island and Approaches/et les approches - New Edition - 16-NOV-2001 - NAD 1983

19-JUN-2015 LNM/D. 16-JAN-2015

Add subsurface Ocean Data Acquisition system (ODAS) 50°16′42.0″N 051°50′42.0″W

with known depth of 45 metres

(See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030

DFO(6307140-02)

SECTION 2 CHART CORRECTIONS

8049 - St. Michael Bay to/aux Gray Islands - New Edition - 07-MAR-2003 - Unknown

19-JUN-2015 LNM/D. 22-MAY-2015

Add subsurface Ocean Data Acquisition system (ODAS)

with known depth of 60 metres (See Chart No. 1, L25)

This notice affects Electronic Navigational Chart: CA176030

DFO(6307140-01)

51°50'06.0"N 052°30'24.0"W

Monthly Notices to Mariners - Eastern Edition Edition 6/2015 SECTION 3 CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

*614 RADIO AIDS TO MARINE NAVIGATION 2015, (ATLANTIC, ST. LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND ARCTIC)

Part 1 - Page 6

AMEND the following rows:

Table 1-2 - Maritime Mobile Safety and Communication Frequencies VHF

	encies		,		cation Frequencies VHF
MHz (ship)	MHz (coast)	Channel	Class of Emission	Areas Used	Remarks
156.550	156.550	11	F3E	b, c	Vessel Traffic Services & Pilotage. Continuously monitored – MCTS Port aux Basques, Sarnia, Placentia, Thunder Bay only.
156.600	156.600	12	F3E	b, c	VTS / Port Operations/Pilotage. Continuously monitored – MCTS Halifax, Placentia, Port aux Basques, Québec, Sarnia, Thunder Bay only.
156.700	156.700	14	F3E	b, c	VTS/Port Operations/Pilotage. Continuously monitored – MCTS Halifax, Les Escoumins, Placentia, Sarnia, St-Anthony, Sydney only.
156.950	161.550	19	F3E	a, b, c	Ship and Canadian Coast Guard liaison, MSI broadcasts. Continuously monitored – MCTS Thunder Bay only.
157.200	161.800	24	F3E	b, c	Public correspondence. Continuously monitored – MCTS Halifax (except Kingsburg, Fox Island) Labrador, Placentia, Port aux Basques, Prescott, Sarnia, St-Anthony, Thunder Bay only.
157.275	161.875	85	F3E	b, c, d	Public correspondence. Continuously monitored – MCTS Placentia, Prescott (except Gananoque), Sarnia, Thunder Bay only.
157.300	161.900	26	F3E	a, b, c, d, e	Public correspondence, MSI broadcasts. Continuously monitored – MCTS Halifax, Iqaluit, Labrador, Placentia, Port aux Basques, Prescott, , St-Anthony, Sydney, Thunder Bay only.
157.350	161.950	27	F3E	b, c	Public correspondence. Continuously monitored – MCTS Placentia, Port aux Basques, Prescott, Halifax, Sarnia and Thunder Bay only.
157.375	157.375	87	F3E	a, b, c	Port operations/Ship movement. Continuously monitored – MCTS Sarnia, Thunder Bay only.

TO READ:

Frequ	Frequencies		Class of			
MHz (ship)	MHz (coast)	Channel	Emission	Areas Used	Remarks	
156.550	156.550	11	F3E	b, c	Vessel Traffic Services & Pilotage. Continuously monitored – MCTS Port aux Basques, Sarnia, Placentia only.	
156.600	156.600	12	F3E	b, c	VTS / Port Operations/Pilotage. Continuously monitored – MCTS Halifax, Placentia, Port aux Basques, Québec, Sarnia, only.	

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Frequ	Frequencies		Class of	Areas	
MHz (ship)	MHz (coast)	Channel	Emission	Used	Remarks
156.700	156.700	14	F3E	b, c	VTS/Port Operations/Pilotage. Continuously monitored – MCTS Halifax, Les Escoumins, Placentia,St-Anthony, Sydney only.
156.950	161.550	19	F3E	a, b, c	Ship and Canadian Coast Guard liaison, MSI broadcasts. Continuously monitored – MCTS Sarnia only.
157.200	161.800	24	F3E	b, c	Public correspondence. Continuously monitored – MCTS Halifax (except Kingsburg, Fox Island) Labrador, Placentia, Port aux Basques, Prescott, Sarnia, St-Anthony only.
157.275	161.875	85	F3E	b, c, d	Public correspondence. Continuously monitored – MCTS Placentia, Prescott (except Gananoque), Sarnia only.
157.300	161.900	26	F3E	a, b, c, d, e	Public correspondence, MSI broadcasts. Continuously monitored – MCTS Halifax, Iqaluit, Labrador, Placentia, Port aux Basques, Prescott, Sarnia, St-Anthony, Sydney only.
157.350	161.950	27	F3E	b, c	Public correspondence. Continuously monitored – MCTS Placentia, Port aux Basques, Prescott, Halifax, Sarnia only.
157.375	157.375	87	F3E	a, b, c	Port operations/Ship movement.

Part 1 - Page 8

REMOVE the following row:

Table 1-4 - Telephone / Facsimile / Telex Directory

Service Telephone Number		Facsimile Number	Telex Number	Answer Back Code	MMSI
Thunder Bay, ON (VBA)	807-345-5190	807-345-2688			003160031

Part 2 - Page 1

AMEND:

SUPVRMCTS@MAR.DFO-MPO.GC.CA

TO READ:

Supervisor.mcts-halifax@dfo-mpo.gc.ca

Part 2- Page 23

AMEND:

PlaSafe1@innav.gc.ca

TO READ:

Safety.Placentia@innav.gc.ca

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Part 2- Page 24

AMEND:

Table 2-10 - MCTS Placentia / VCP - Broadcasts

Time UTC	Site	Frequency or Channel	Contents
00:07	St-John's	2598J3E	 Radiotelephony Technical marine synopsis, forecasts and wave height forecasts for marine areas 232, 233, 234, 235, 236, 237 and 238. Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches.
00:48	St. Lawrence	2598J3E	 Radiotelephony Technical marine synopsis, forecasts and wave height forecasts for marine areas 231, 232, 233, 234, 235 and 236. Weather and Wave height forecasts for marine area 213.
02:20	St. John's	518F1B	NAVTEX: (O) • Weather
06:20	St. John's	518F1B	NAVTEX: (O) • Weather (Notices to Shipping only in winter).
07:37	St. Lawrence	2598J3E	 Radiotelephony Technical marine synopsis and forecasts for marine areas: 231, 232, 233, 234, 235 and 236. Weather forecasts for marine area 213. Ice Edge and Conditions South Coast east of Penguin Island, East Coast to Cape Freels. Notices to Fish Harvesters (when available).
08:37	St. John's	2598J3E	 Radiotelephony Technical marine synopsis and forecasts for marine areas 232, 233, 234, 235, 236, 237 and 238. Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches. Notices to Fish Harvesters (when available).
10:20	St. John's	518F1B	NAVTEX: (O) • Weather (Notices to Shipping only in summer).
11:37	St. Lawrence	2598J3E	Radiotelephony Notices to Shipping Ramea Island to Cape Ballard. Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.
13:07	St. John's	2598J3E	Radiotelephony Notice to Shipping: Nearshore - Cape Pine to Twillingate. Offshore – North Atlantic to Cape Bauld. Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.

Monthly Notices to Mariners - Eastern Edition Edition 6/2015 SECTION 3 CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Time	CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION Time				
Time UTC	Site	Frequency or Channel	Contents		
14:20	St. John's	518F1B	NAVTEX: (O) • Weather.		
16:07	St. Lawrence	2598J3E	 Radiotelephony Technical marine synopsis forecasts and wave height forecasts for marine areas: 231, 232, 233, 234, 235 and 236. Weather and Wave height forecasts for marine area 213. 		
16:37	St. John's	2598J3E	Radiotelephony Technical marine synopsis, forecasts and wave height forecasts for marine areas 232, 233, 234, 235, 236, 237 and 238. Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches.		
18:07	St. Lawrence	2598J3E	Radiotelephony Notices to Shipping Ramea Island to Cape Ballard. Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.		
18:20	St. John's	518F1B	NAVTEX: (O) • Weather and wave height forecasts (summer) Ice (winter).		
20:07	St. John's	2598J3E	 Radiotelephony Technical marine synopsis and forecasts for marine areas 232, 233, 234, 235, 236, 237 and 238. Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches. 		
21:37	St. Lawrence	2598J3E	 Radiotelephony Technical marine synopsis and forecasts for marine areas: 231, 232, 233, 234, 235 and 236. Weather forecasts for marine area 213. Ice Edge and Conditions South Coast east of Penguin Island, East Coast to Cape Freels. Notices to Fish Harvesters (when available). 		
22:07	St. John's	2598J3E	 Radiotelephony Notices to Shipping: Nearshore – Cape Pine to Twillingate. Offshore – North Atlantic to Cape Bauld. Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel. Notices to Fish Harvesters (when available). 		
22:20	St. John's	518F1B	NAVTEX (O) • Weather (winter) Notices to Shipping/Ice (summer).		

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Time UTC	Site	Frequency or Channel	Contents
Placentia North Continuous	St. John's Cape Bonavista	Ch21B	 Radiotelephony Technical marine synopsis, forecasts and wave height forecasts for marine areas 232, 233, 234, 235, 236, 237 and 238.
	Victoria	Ch83B	
	Lumsden	Ch28B	 Actual weather observations (when available) for the following sites: Pool's Island – Bonavista – Grates Cove – St. John's – Cape Race – Argentia
			 Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches.
			Notices to Shipping Cape Pine to Twillingate.
			Notices to Fish Harvesters (when available).
Placentia South Continuous	St. Lawrence Bay L'Argent	Ch21B	Radiotelephony
			Technical marine synopsis, forecasts and wave height forecasts for marine 231, 232, 233, 234, 235 and 236.
			Weather and wave height forecasts for marine area 213.
			 Actual weather observations (when available) for the following sites: Cape Race – Argentia – St. Pierre – Marticot – Sagona – St. Lawrence.
			 Ice Edge and Conditions South Coast east of Penguin Island, East Coast to Cape Freels.
			Notices to Shipping Ramea Island to Cape Ballard.
			 Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.
			Notices to Fish Harvesters (when available).
			 Notices to Shipping Placentia Bay and Approaches, Ferryland Head to Cape St. Mary's on CH23B only.

TO READ:

Table 2-10 - MCTS Placentia / VCP - Broadcasts

Time UTC	Site	Frequency or Channel	Contents
00:07	St-John's	2598J3E	 Radiotelephony Technical marine synopsis, forecasts and wave height forecasts for marine areas 231, 232, 233, 234, 235, 236, 237 and 238. Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches.
00:48	St. Lawrence	2598J3E	 Radiotelephony Technical marine synopsis, forecasts and wave height forecasts for marine areas 231, 232, 233, 234, 235, 236, 237 and 238. Weather and Wave height forecasts for marine area 213.
02:20	St. John's	518F1B	NAVTEX: (O) • Weather

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Time UTC	Site	Frequency or Channel	Contents
UIC		or Channel	NAV/TEV: (O)
06:20	St. John's	518F1B	NAVTEX: (O) • Weather (Notices to Shipping only in winter).
	St. Lawrence	2598J3E	Radiotelephony Technical marine synopsis and forecasts for marine areas:
			231, 232, 233, 234, 235, 236, 237 and 238.
07:37			Weather forecasts for marine area 213.
			Ice Edge and Conditions South Coast east of Penguin Island, East Coast to Cape Freels.
			Notices to Fish Harvesters (when available).
	St. John's	2598J3E	Radiotelephony
08:37			 Technical marine synopsis and forecasts for marine areas 231, 232, 233, 234, 235, 236, 237 and 238.
00.51			 Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches.
			Notices to Fish Harvesters (when available).
10:20	St. John's	518F1B	NAVTEX: (O)
10.20	ot. John's		Weather (Notices to Shipping only in summer).
			Radiotelephony
11:37	St. Lawrence	2598J3E	Notices to Shipping Ramea Island to Cape Ballard.
			 Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.
	St. John's	2598J3E	Radiotelephony
			Notice to Shipping: Nearshore - Cape Pine to Twillingate.
13:07			Offshore – North Atlantic to Cape Bauld.
			Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.
14,20	Ct. John's	540E4D	NAVTEX: (O)
14:20	St. John's	518F1B	Weather.
	St. Lawrence	2598J3E	Radiotelephony
			Technical marine synopsis forecasts and wave height
16:07			forecasts for marine areas: 231, 232, 233, 234, 235, 236, 237 and 238.
			Weather and Wave height forecasts for marine area 213.
			Radiotelephony
16:37	St. John's	2598J3E	Technical marine synopsis, forecasts and wave height
			forecasts for marine areas 231, 232, 233, 234, 235, 236, 237 and 238.
			Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches.
18:07	St. Lawrence	2598J3E	Radiotelephony
			Notices to Shipping Ramea Island to Cape Ballard.
			 Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Time	Site	Frequency	Contents
UTC	Site	or Channel	Contents
18:20	St. John's	518F1B	NAVTEX: (O)
10.20	G.: GG:111 G	0.01.12	Weather and wave height forecasts (summer) Ice (winter).
			Radiotelephony
20:07	St. John's	2598J3E	 Technical marine synopsis and forecasts for marine areas 231, 232, 233, 234, 235, 236, 237 and 238.
			Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches.
			Radiotelephony
			• Technical marine synopsis and forecasts for marine areas: 231, 232, 233, 234, 235, 236, 237 and 238.
21:37	St. Lawrence	2598J3E	Weather forecasts for marine area 213.
			Ice Edge and Conditions South Coast east of Penguin Island, East Coast to Cape Freels.
			Notices to Fish Harvesters (when available).
	St. John's	2598J3E	Radiotelephony
22:07			Notices to Shipping: Nearshore – Cape Pine to Twillingate. Offshore – North Atlantic to Cape Bauld.
			Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.
			Notices to Fish Harvesters (when available).
22:20	St. John's	F40F4D	NAVTEX (O)
22:20	St. John S	518F1B	Weather (winter) Notices to Shipping/Ice (summer).
	St. John's	Ch21B	Radiotelephony
	Cape Bonavista	CHZTD	Technical marine synopsis, forecasts and wave height
	Victoria	Ch83B	forecasts for marine areas 231, 232, 233, 234, 235, 236, 237 and 238.
Placentia North Continuous	Lumsden	Ch28B	Actual weather observations (when available) for the following sites: Pool's Island – Bonavista – Grates Cove – St. John's – Cape Race – Argentia
			Ice Edge and Conditions East Newfoundland Coast south of Strait of Belle Isle and approaches.
			Notices to Shipping Cape Pine to Twillingate.
			Notices to Fish Harvesters (when available).

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Time UTC	Site	Frequency or Channel	Contents
	St. Lawrence Bay L'Argent	Ch21B	Radiotelephony Technical marine synopsis, forecasts and wave height To record for marine areas 224, 232, 234, 235, 236, 237
	Freshwater	Ch23B	forecasts for marine areas 231, 232, 233, 234, 235, 236, 237 and 238.
	Hermitage Ch28B	Actual weather observations (when available) for the	
Placentia South			following sites: Cape Race – Argentia – St. Pierre – Marticot – Sagona – St. Lawrence.
Continuous	Cape Pine Fortune Head	Ch83B	Ice Edge and Conditions South Coast east of Penguin Island, East Coast to Cape Freels.
			Notices to Shipping Ramea Island to Cape Ballard.
		0.1882	Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.
			Notices to Fish Harvesters (when available).
			Notices to Shipping Placentia Bay and Approaches, Ferryland Head to Cape St. Mary's on CH23B only.

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Part 2 - Page 45

COMPLETELY REMOVE 2.1.10, Sarnia, Ontario (Pages 45 to 46) and COMPLETELY REMOVE 2.1.13, Thunder Bay, Ontario (Pages 55 to 57).

REPLACE with:

2.1.10 Sarnia, Ontario

MMSI: 003160030 Call Sign: VBE

HOURS: H24

Services in English only.

For Radio Services call Sarnia Coast Guard Radio.

For Vessel Traffic Services call Sarnia Traffic – refer to Part 3.

Coordinates

Mailing Address:

Fisheries and Oceans Canada Canadian Coast Guard Officer-in-Charge - MCTS Operations Sarnia MCTS Centre P.O. Box 2778 Sarnia ON N7T 7W1

Telephone: 519-336-4003 MCTS Operations

519-337-6572 Officer-in-Charge

Facsimile: 519-336-0229

Sarnia MCTS Centre VHF Direction Finding Advisory Service:

A VHF/DF advisory service is available for vessels in difficulty in Georgian Bay within range of receiver sites located at Tobermory, Cape Croker, Banks and Pointe au Baril. Position and/or bearing and distance information may be provided for use at the discretion of the recipient.

Public correspondence services are no longer available.

Table 2-19 - MCTS Sarnia / VBE - Ship/Shore Communications

Oites lessted at	01	Freque	encies	Down and a
Sites located at	Channel	Transmit	Receive	Remarks
Sarnia 43°01'41"N 082°11'09"W	Ch11 Ch16 Ch24 Ch70 Ch85			
Kincardine 44°07'01"N 081°41'24"W	Ch11 Ch16 Ch27 Ch70 Ch85			

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

	CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION Frequencies			
Sites located at	Channel	Transmit	Receive	Remarks
Leamington 42°04'10"N 082°39'58"W	Ch12 Ch16 Ch27 Ch70 Ch85			
Port Burwell 42°34'58"N 080°36'13"W	Ch12 Ch16 Ch24 Ch70 Ch85			
Grande Pointe 42°23'26"N 082°24'17"W	Ch11 Ch12 Ch16 Ch70 Ch85			
Rondeau 42°25'22"N 081°50'40"W	Ch12 Ch16 Ch70 Ch85			
Thunder Bay 48°26'02"N 089°18'06"W	Ch16 Ch70 Ch85			
Horn 48°49'06"N 087°21'12"W	Ch16 Ch24 Ch70			
Bald Head 47°39'37"N 084°47'39"W	Ch16 Ch27 Ch70			
Sault Ste.Marie (Gros Cap) 46°32'16"N 084°34'54"W	Ch11 Ch16 Ch24 Ch70			
Silver Water (Manitoulin Island) 45°54'03"N 082°54'50"W	Ch11 Ch16 Ch27 Ch70			
Wiarton 44°44'50"N 081°06'44"W	Ch16 Ch26 Ch70			
Meaford 44°30'56"N 080°34'00"W	Ch16 Ch70 Ch85			
Tobermory 45°09'36"N 081°29'45"W	Ch16 Ch26 Ch70			VHF Direction Finding service is available.
Killarney 45°58'05"N 081°29'22"W	Ch16 Ch24 Ch70			
Pointe au Baril 45°33'53"N 080°19'02"W	Ch16 Ch26 Ch70			VHF Direction Finding service is available.

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Table 2-20 - MCTS Sarnia/VBE - Ship/Shore Communications serving Lake Winnipeg

014 - 1 - 4 - 1 - 4		Frequencies		Dawn allea
Sites located at	Channel	Transmit	Receive	Remarks
Beaver Creek 51°23'21"N 096°54'25"W	Ch16 Ch26			Operational May 15 to October 31.
Fraserwood 50°34'47"N 097°13'56"W	Ch16 Ch19			Operational May 15 to October 31.
Jackhead 51°53'20"N 097°19'01"W	Ch16 Ch26			Operational May 15 to October 31.
Long Point 52°55'33"N 098°58'10"W	Ch16 Ch26			Operational May 15 to October 31.

Table 2-21 - MCTS Sarnia / VBE - Broadcasts

Time UTC	Site	Frequency or Channel	Contents
02:30	Thunder Bay	518F1B	NAVTEX: (P) • Weather.
06:30	Thunder Bay	518F1B	NAVTEX: (P) • Notices to Shipping. • Ice (during ice season).
10:30	Thunder Bay	518F1B	NAVTEX: (P) • Weather.
14:30	Thunder Bay	518F1B	NAVTEX: (P) • Weather.
18:30	Thunder Bay	518F1B	NAVTEX: (P) Notices to Shipping. Ice (during ice season).
22:30	Thunder Bay	518F1B	NAVTEX: (P) • Weather

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

			TO RADIO AIDS TO MARINE NAVIGATION
Time UTC	Site	Frequency or Channel	Contents
	Horn Sault Ste. Marie	Ch21B	Radiotelephony Weather Warning/Watches, Marine Weather Statements, Technical Marine Synopsis, Regular Marine Forecasts, MAFOR code (available upon request), Extended Marine Forecast and Wave Height Forecast and for Lakes Superior,
Continuous (CMB West)	Thunder Bay Bald Head	Ch83B	 Huron, St Clair and Erie, and Georgian Bay. Notices for Shipping for Lake Superior and the St. Mary's River. Water levels for Lakes Superior and Huron. Ice forecast for Lakes Superior and Huron.
	Tobermory Killarney Pointe au Baril	Ch21B	Radiotelephony Weather Warnings/Watches, Marine Weather Statements, Technical Marine Synopsis, Regular Marine Forecasts, MAFOR code (available upon request), Extended Marine Forecast and Wave Height Forecast and for Lakes Superior,
Continuous (CMB East)	Silver Water Meaford	Ch83B	 Huron, St Clair and Erie, and Georgian Bay. Recreational boating forecast for the North Channel. Notices to Shipping for Lake Huron north of latitude 44 00N, Georgian Bay (including Port Severn Lock), the North Channel and the St. Mary's River. Water levels for Lakes Superior and Huron. Ice forecast for Lakes Superior and Huron.
	Sarnia	Ch21B	Radiotelephony
Continuous (CMB North)	Kincardine	Ch83B	 Weather Warnings/Watches, Marine Weather Statements, Technical Marine Synopsis, Regular Marine Forecasts, MAFOR code (available upon request), Extended Marine Forecast and Wave Height Forecast and for Lakes Superior, Huron, St Clair and Erie, and Georgian Bay. Notices to Shipping Lake Huron South of 45 10N, St. Clair River, Lake St. Clair and Detroit River. Water levels for Lake Huron, Lake St. Clair and Lake Erie.
			Ice forecast for Lake Srie, St. Clair and Huron.
	Port Burwell	Ch21B	Radiotelephony
Continuous (CMB South)	Leamington	Ch83B	 Weather Warnings/Watches, Marine Weather Statements, Technical Marine Synopsis, Regular Marine Forecasts, MAFOR code (available upon request), Extended Marine Forecast and Wave Height Forecast and for Lakes Superior, Huron, St Clair and Erie, and Georgian Bay. Notices to Shipping in St. Clair River, Lake St. Clair, Detroit River and Lake Erie West of 79 40W. Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel. Water levels for Lake Huron, Lake St. Clair and Lake Erie.
			Ice forecast for Lakes Erie, St. Clair and Huron.

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Table 2-22 - MCTS Sarnia/VBE - Lake Winnipeg Broadcasts

Time UTC	Site	Frequenc y or Channel	Contents
01:40 08:40 12:40	Long Point Ch26 Beaver Creek	Radiotelephony Localized Weather Warnings/Watches, Marine Weather Statements, Technical Marine Synopsis, Regular Marine Forecasts,	
16:40 21:40	Fraserwood	Ch19	MAFOR code, Wave Height Forecast and Extended Marine Forecasts for Lake Winnipeg. • Notices to Shipping.

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Part 2 - Page 59

Table 2-30 – Great Lakes (includes St. Lawrence River to Montréal)

REMOVE last row:

Name Coordinates Call Sign	Class of Service	Channe I	Remarks
Thunder Bay, ON			Commercial vessels entering the Port of Thunder Bay are
48°25'12"N		16	requested to contact Thunder Bay MCTS Centre when
089°11'31"W		12	abeam of Welcome Islands and also when shifting berths or
VBA			departing the harbour.

Part 2 Page Numbering

AMEND:

Page numbering from St-Anthony's (now page 51) to the end of Part 2 (page 73).

Part 3 - Page 45

REMOVE the following paragraph:

3.7.8.1 Sarnia Vessel Traffic Services Zone

All vessels reporting in the area north of the Harbour Beach/Point Clark line will be answered by Thunder Bay Marine Communications and Traffic Services Centre on behalf of Sarnia Marine Communications and Traffic Services. The identifier "SARNIA TRAFFIC" may still be used.

Part 3 - Page 46

AMEND:

Table 3-25 - Calling-In-Points for Sarnia Zone and Areas

Numbe r	Secto r	Name	General Description and Conditions	Geographic Description
С	1	Cove Island	At Cove Island light for vessels enroute to or from Georgian Bay.	A line running 000° True from 45°19'37"N 081°44'07"W Call Thunder Bay Marine Communications and Traffic Services on Ch 26.

Numbe r	Secto r	Name	General Description and Conditions	Geographic Description
С	1	Cove Island	At Cove Island light for vessels enroute to or from Georgian Bay.	A line running 000° True from 45°19'37"N 081°44'07"W Call Sarnia Marine Communications and Traffic Services on Ch 26.

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Part 3 - Page 49

AMEND:

Table 3-26 - VHF Listening Watch Requirements

	Location	Monitor	Remarks
	Lake Huron Cut Light Buoy "11" to Detour Reef Light including Cove Island (Lake Huron and Georgian Bay)	3	Thunder Bay and Sarnia Marine Communications and Traffic Services Centres operate on Ch 11 Lake Huron.

	Location	Monitor	Remarks
L	Lake Huron Cut Light Buoy "11" to Detour Reef Light including Cove Island (Lake Huron and Georgian Bay)	Bridge Ch 13 and Ch 16	Sarnia Marine Communications and Traffic Services Centre operates on Ch 11 Lake Huron.

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Part 4 - Page 52

AMEND:

4.3.2 Canadian NAVTEX Service

Table 4-18- Transmitting sites where NAVTEX Service is available:

Controlled by	Site	Position	Range (NM)	ID 518 kHz (English)	ID 490 kHz (French)
St. John's MCTS	St. John's	47°36'N 52°40'W	300	0	
Labrador MCTS	Cartwright	53°42'N 57°01'W	300	Х	
Sydney MCTS	Port Caledonia	46°11'N 59°54'W	300	Ø	J
Saint John MCTS	Yarmouth	43°45'N 66°07'W	300	U	V
Rivière-au-Renard MCTS	Moisie	50°15'N 66°10'W	300	С	D
Thunder Bay MCTS	Pass Lake	48°34'N 88°39'W	300	Р	
Prescott MCTS	Ferndale	44°56'N 81°14'W	300	Н	
Iqaluit MCTS	Iqaluit	63°43'N 68°33'W	300	Т	S

Controlled by	Site	Position	Range (NM)	ID 518 kHz (English)	ID 490 kHz (French)
St. John's MCTS	St. John's	47°36'N 52°40'W	300	0	
Labrador MCTS	Cartwright	53°42'N 57°01'W	300	Х	
Sydney MCTS	Port Caledonia	46°11'N 59°54'W	300	Q	J
Saint John MCTS	Yarmouth	43°45'N 66°07'W	300	U	V
Rivière-au-Renard MCTS	Moisie	50°15'N 66°10'W	300	С	D
Sarnia MCTS	Pass Lake	48°34'N 88°39'W	300	Р	
Prescott MCTS	Ferndale	44°56'N 81°14'W	300	Н	
Iqaluit MCTS	Iqaluit	63°43'N 68°33'W	300	Т	S


Monthly Notices to Mariners - Eastern Edition Edition 6/2015 SECTION 3 CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Part 4 - Page 57

REMOVE:

FIGURE 4-14 - Radio Coverage Prediction - Great Lakes

REPLACE WITH:



CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Part 5 - Page 30

REMOVE:

Table 5-38- Production Schedule - NAVTEX Format (refer to Part 2 for the MCTS broadcast schedule):

MCTS Centres	Name	Header	Issue Time
St. John's VON	Navtex	FQCN33 CYQX	03:00, 06:00, 10:00, 15:30, 18:00, 20:00 NDT / NST
Labrador VOK	Navtex	FQCN35 CYQX	04:00, 06:00, 10:00, 16:00, 18:00,21:30 NDT / NST

TO READ:

MCTS Centres	Name	Header	Issue Time
Placentia VCP	Navtex	FQCN33 CYQX	03:00, 06:00, 10:00, 15:30, 18:00, 20:00 NDT / NST
Labrador VOK	Navtex	FQCN35 CYQX	04:00, 06:00, 10:00, 16:00, 18:00,21:30 NDT / NST

Part 5 - Page 34

REMOVE

Table 5-42 - Production Schedule - NAVTEX Format (refer to Part 2 for the MCTS broadcast schedule):

MCTS Centres	Name	Header	Issue Time
Saint John VAR	NAVTEX	FQCN33 CWHX	03:00, 05:00, 10:00, 15:30, 17:00, 20:00 ADT / AST
Sydney VCO	NAVTEX/1	FQCN34 CWHX	03:00, 05:00, 10:00, 15:30, 17:00, 20:00 ADT / AST
Sydney VCO	NAVTEX/2	FQCN34 CYQX	03:00, 06:00, 10:00, 15:30, 18:00, 20:00 NDT / NST

TO READ:

MCTS Centres	Name	Header	Issue Time
Halifax VCS	NAVTEX	FQCN33 CWHX	03:00, 05:00, 10:00, 15:30, 17:00, 20:00 ADT / AST
Sydnov VCO	NAVTEX/1	FQCN34 CWHX	03:00, 05:00, 10:00, 15:30, 17:00, 20:00 ADT / AST
Sydney VCO	NAVTEX/2	FQCN34 CYQX	03:00, 06:00, 10:00, 15:30, 18:00, 20:00 NDT / NST

Part 5 - Page 43

AMEND

Table 5-51- Production Schedule - NAVTEX Format (refer to Part 2 for the MCTS broadcast schedule):

sonedule).					
MCTS Centres	Name	Header	Issue Time		
Prescott VBR	NAVTEX	FQCN38 CWTO	03:00, 10:30, 18:30 EDT/EST		
Thunder Bay VBA	NAVTEX	FQCN39 CWTO	03:00, 10:30, 18:30 EDT/EST		

MCTS Centres	Name	Header	Issue Time
Prescott VBR	NAVTEX	FQCN38 CWTO	03:00, 10:30, 18:30 EDT/EST
Sarnia VBE	NAVTEX	FQCN39 CWTO	03:00, 10:30, 18:30 EDT/EST

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

Part 5 - Page 47

AMEND:

Table 5-57- Production Schedule - NAVTEX Format (refer to Part 2 for the MCTS broadcast schedule):

MCTS Centre	Name	Header	Issue Time
St John's VON	Ice NAVTEX	FICN33 CWIS	17:50 (W), 21:50 (S) UTC
Sydney VCO	Ice NAVTEX	FICN34 CWIS	22:10 UTC
Labrador VOK	Ice NAVTEX	FICN35 CWIS	23:20 UTC
Iqaluit VFF	Ice NAVTEX	*FICN36 CWIS	07:00, 19:00 UTC
Prescott VBR	Ice NAVTEX	FICN38 CWIS	00:40, 12:40 UTC
Thunder Bay VBA	Ice NAVTEX	FICN39 CWIS	06:00, 18:00 UTC

MCTS Centre	Name	Header	Issue Time
PlacentiaVCP	Ice NAVTEX	FICN33 CWIS	17:50 (W), 21:50 (S) UTC
Sydney VCO	Ice NAVTEX	FICN34 CWIS	22:10 UTC
Labrador VOK	Ice NAVTEX	FICN35 CWIS	23:20 UTC
Iqaluit VFF	Ice NAVTEX	*FICN36 CWIS	07:00, 19:00 UTC
Prescott VBR	Ice NAVTEX	FICN38 CWIS	00:40, 12:40 UTC
Sarnia VBE	Ice NAVTEX	FICN39 CWIS	06:00, 18:00 UTC

CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

AMEND:

Table of Content Page iii
TO READ:

PART 2	FACILIT	TIES INFORMATION	1
2.1	Marine	1	
	2.1.11	Halifax, Nova Scotia Iqaluit, Nunavut	71721232933374145
2.2 2.3 2.4 2.5	Canal, Radio	And Lock Operations Port And Lock Operations Beacon Stations Continuously in Operations Beacon (Racons)	59 67
	2.5.1 2.5.2 2.5.3	Atlantic Coast, Gulf and St. Lawrence River to Montréal, Eastern Arctic Lake Winnipeg	72

SECTION 4 SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

ATL 101 — Newfoundland — Northeast and East Coasts, Second Edition, 2013 —

Chapter 1 — Paragraph 147 Delete: 11 feet (3.3 m) Replace by: 13 feet (4 m)

(N2015-02.5)

Chapter 2 — Delete paragraph 93

Replace by: 93 An L-shaped Public **wharf** extends 135 feet (41 m) from the north shore of Westport Cove to an outer end 59 feet (18 m) long. The west face and outer end of this wharf is encased with stone. The east face, 115 feet (35 m) long, has depths of 7 to 10 feet (2 to 3 m) alongside its southern 66-foot (20-m) length. Fresh water is available.

This wharf has a concrete deck.

(N2015-02.6)

Chapter 6 — Paragraph 166, last line

Add: An uncharted shoal is reported to lie approximately 1.1 miles WNW of Linton Rock in position 48°43.75′N, 53°58.35′W; **caution** is advised.

(N2015-02.7)

ATL 103 — Newfoundland — Southwest Coast, Second Edition, 2010 —

Chapter 4 — Paragraph 99

Delete: "A 3.7 m (12 ft) ... in 1993."

Replace by: A 3.3 m (11 ft) shoal is charted close south of Graley Rock;

caution is advised.

(N2015-02.8)

ATL 106 — Gulf of Maine and Bay of Fundy, First Edition, 2001 —

Chapter 4 — Paragraph 41

Delete: 23 Replace by: 21

(A2015-006.5)

Chapter 4 — Paragraph 41

Delete: "Fixed white lights ... both directions."

Replace by: Fixed red and green lights are fitted to masts

beneath the bridge deck, on each side of the channel, on both the upstream and downstream

sides of the bridge.

(A2015-006.6)

ATL 107 — Saint John River, Second Edition, 2009 —

Chapter 2 — Paragraph 21

Delete: 22 Replace by: 21

(A2015-007.01)

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

SECTION 4 SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 2 — Paragraph 21

Delete: "Fixed white lights ... both directions."

Replace by: Fixed red and green lights are fitted to masts beneath the

bridge deck, on each side of the channel, on both the

upstream and downstream sides of the bridge.

(A2015-007.02)

ATL 108 — Gulf of St. Lawrence (Southwest Portion), First Edition, 2006 —

Chapter 3 — Delete paragraph 241

Replace by: 241 A buoyed channel leads through Baie de

Buctouche to Buctouche Harbour, west of Dune de Buctouche. **Dixon Point** is on the south side of Buctouche Harbour, **Pointe à Jérôme** is on the north side. The inner channel is as narrow as 30 m; **caution** is advised. Attention must also be paid to the numerous aquaculture installations which line

Buctouche Harbour.

(A2015-008.10)

Chapter 3 — Adjacent to paragraph 241, delete the light pictograph and replace it with a caution pictograph.

(A2015-008.11)

Chapter 4 — In the vicinity of paragraph 14, delete the **ESCUMINAC HARBOUR** diagram.

(A2015-008.12)

Chapter 4 — Delete paragraph 22.

(A2015-008.13)

ATL 109 — Gulf of St. Lawrence (Northeast Portion), First Edition, 2006 —

Chapter 2 — Paragraph 154 Delete: 512 feet (156 m) Replace by: 148 m

(Q2014-072.1)

Chapter 2 — Paragraph 157 Delete: 17 feet (5.2 m) Replace by: 5.2 m

(Q2014-072.2)

Chapter 2 — Paragraph 158 Delete: 8 feet (2.4 m) Replace by: 2.4 m

(Q2014-072.3)

Chapter 2 — Paragraph 158, after "54 feet (16.5 m)"

Insert: (Chart 4469)

(Q2014-072.4)

Chapter 2 — Paragraph 159

Delete: 6 to 12 fathoms (11 to 22 m)

Replace by: 5 to 30 m

(Q2014-072.5)

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

SECTION 4 SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 2 — Paragraph 159

Delete: 3 to 9 fathoms (5.5 to 16.5 m)

Replace by: 5 to 10 m

(Q2014-072.6)

Chapter 2 — Paragraph 161 Delete: 275 feet (84 m) Replace by: 79 m

(Q2014-072.7)

Chapter 2 — Paragraph 162 Delete: 33 feet (10.1 m) Replace by: 9.9 m

(Q2014-072.8)

Chapter 2 — Delete paragraph 164

Replace by: 164 Havre de Harrington is a small harbour,

well sheltered with anchorage in 5 to 17.4 m over mud bottom which lies between Île Harrington and **Île de l'Entrée**. The north side of the harbour is bordered by submerged **rocks** and **shoals**. **Détroit de l'Entrée**, deep and narrow, is the main entrance

channel into the harbour.

(Q2014-072.9)

Chapter 2 — Adjacent to paragraph 164, add a caution pictograph.

(Q2014-072.9)

Chapter 2 — Paragraph 167

Delete: "The least observed ... 23 feet (7 m)."

(Q2014-072.10)

Chapter 2 — Paragraph 168 Delete: 15 feet (4.6 m) Replace by: 4.7 m

(Q2014-072.11)

Chapter 2 — Delete paragraph 171

Replace by: 171 There is a 183 m long **wharf** in the small

cove in the bay, with a depth of 6.3 m at its outer end. The berths on both sides of the wharf are 54 m long; the north side has a depth of 2.7 m, while depths on the south side range from 2.9 to 6.9 m. A **ledge** of about 20 m long with a depth of 2.7 m

extends from the north side of the wharf.

(Q2014-072.12)

Chapter 2 — Paragraph 174

Delete: SSW Replace by: SSE

(Q2014-072.13)

SECTION 4 SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 2 — Paragraph 174

Delete: 7 feet (2.1 m) high and 150 feet (46 m)

Replace by: 2 m and 170 m

(Q2014-072.14)

Chapter 2 — Paragraph 176 Delete: 600 feet (183 m) Replace by: 180 m

(Q2014-072.15)

Chapter 2 — Paragraph 177 Delete: 50 fathoms (91 m) Replace by: 100 m

(Q2014-072.16)

Chapter 2 — Paragraph 177

Delete: 5 to 10 fathoms (9.1 to 18.3 m)

Replace by: 10 to 20 m

(Q2014-072.17)

Chapter 2 — Paragraph 178 Delete: 55 feet (17 m) Replace by: 17 m

(Q2014-072.18)

Chapter 2 — Paragraph 180

Delete: **buoyed channel** with a depth of 3 feet (0.9 m)

Replace by: and shoal buoyed channel

(Q2014-072.19)

Chapter 2 — Paragraph 181 Delete: 50 feet (15 m) Replace by: 15 m

(Q2014-072.20)

Chapter 2 — Paragraph 183 Delete: 25 feet (7.6 m) Replace by: 8 m

(Q2014-072.21)

Chapter 2 — Paragraph 185 Delete: about 18 fathoms (33 m)

Replace by: 5 to 20 m

(Q2014-072.22)

Chapter 2 — Paragraph 187 Delete: 33 feet (10.1 m) Replace by: 10.1 m

(Q2014-072.23)

Chapter 2 — Paragraph 187 Delete: 31 feet (9.4 m) Replace by: 9.4 m

(Q2014-072.24)

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

SECTION 4 SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 2 — Paragraph 188 Delete: 20 fathoms (37 m)

Replace by: 30 m

(Q2014-072.25)

Chapter 2 — Paragraph 188 Delete: 4 feet (1.2 m) Replace by: 1.2 m

(Q2014-072.26)

Chapter 2 — Paragraph 189

Delete: two **shoals** with less than 6 feet (1.8 m) of water over them, lies

Replace by: rocks awash, lie

(Q2014-072.27)

Chapter 2 — Paragraph 190 Delete: 4 feet (1.2 m) Replace by: 1.2 m

(Q2014-072.28)

Chapter 2 — Paragraph 190 Delete: 23 feet (7 m) Replace by: 7 m

(Q2014-072.29)

Chapter 2 — Paragraph 191 Delete: 8 feet (2.4 m) Replace by: 2.3 m

(Q2014-072.30)

Chapter 2 — Paragraph 192 Delete: 11 fathoms (20 m) Replace by: 20 m

(Q2014-072.31)

Chapter 3 — Paragraph 29

Delete: "89 feet (27 m) long ... 4 feet (1.2 m)."

Replace by: 69 feet (21 m) long and 20 feet (6 m) wide, with an outer end 82 feet (25 m) long, is situated on the west

side of the bay. There is a depth of 14 feet (4.2 m)

alongside the outer end.

(N2015-02.9)

Chapter 3 — Paragraph 170 Delete: 1 to 7 feet (0.4 to 2 m) Replace by: 5 to 7 feet (1.5 to 2 m)

(N2015-03.0)

SECTION 4 SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 4 — Paragraph 99

Delete: "These protect ... in 2013; caution is advised."

Replace by: These breakwaters encased with stone protect an

entrance 92 feet (28 m) wide that lead into a sheltered small craft basin. The channel leading into the basin has depths of 5 to 7 feet (1.5 to 2 m) in 2014; **caution** is advised. Inside the basin there is a Public **wharf** with a west face 177 feet (54 m) long with depths of 5 to 6 feet (1.4 to 1.8 m) alongside. The north face is 138 feet (42 m) long with depths

of 4 to 5 feet (1.1 to 1.5 m) alongside.

(N2015-03.1)

ATL 111 — St. Lawrence River — Île Verte to Québec and Fjord du Saguenay, Third Edition, 2007 —

Chapter 3 — Paragraph 38

Delete: a depth alongside of 9.7 m

Replace by: depths alongside of 9.5 to 9.8 m

(Q2015-030.1)

ATL 112 — St. Lawrence River — Cap-Rouge to Montréal and Rivière Richelieu, Third Edition, 2009 —

Chapter 2 — Paragraph 167

Delete: *48 m Replace by: *31 m

(Q2015-022.1)

APPENDICES — Summary of air obstructions for this booklet Table

Make the following change in the "Cable with ice" column.

Location Cable with ice Pointe-aux-Trembles 31 m

(Q2015-022.2)

ATL 120 — Labrador, Camp Islands to Hamilton Inlet (including Lake Melville), First Edition, 2004 —

Chapter 1 — Paragraph 54, last line

Add: Another wharf extends 62 m (203 ft) north from the previously described Ro-Ro ramp. There are depths of 4 to 4.5 m (13 to 15 ft) alongside its southern 55 m (180 ft) length. A slipway is located close north of this wharf.

(N2015-03.2)

CEN 302 — Lake Ontario, First Edition, 1996 —

Chapter 3 — After paragraph 77

Insert: 77.1 A wreck, least depth unknown, dangerous to surface navigation, is located 1.75 miles on a bearing of 205° from Port Hope West Pier light.

(C2015-008.01)

SECTION 4 SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 3 — Adjacent to paragraph 77.1, add a caution pictograph.

(C2015-008.02)

CEN 303 — Welland Canal and Lake Erie, First Edition, 1996 —

Chapter 2 — Delete paragraph 132.2

Replace by: 132.2 A state park and small-craft basin are on

the east side of Buffalo Outer Harbor about 2.3 [2.0] miles southeast of the mouth of Buffalo River. The basin has a marina with 1,000 slips and

launching ramps.

(C2015-010.01)

CEN 304 — Detroit River, Lake St. Clair, St. Clair River, First Edition, 1996 —

Chapter 3 — Paragraph 16

Delete: "A large dayboard ... Danger Submerged Jetty"

Replace by: A light, with a diamond-shaped white dayboard

with orange border worded danger rocks,

(C2015-009.01)

SECTION 5 LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Heigh t in m. above water	Nomi- nal Rang e	Description Height in meters above ground	Remarks Fog Signals
-----	------	---	--------------------------	---	---------------------------	---	----------------------------

The amendments have been highlighted in yellow

ATLANTIC

<u> </u>	o								
202 H3892	Digby Gut	E. side of entrance to Digby Gut. 44 41 17.4 065 45 35.1	LFI	G	6s	20		Square skeleton tower, three green and white daymarks facing 181°T, 212°T and 002°T.	Flash 2 s; eclipse. 4s Chart:4396 Edn 05/15 (F15-011)
336 H3782	Baccaro Point	E. side of entrance to Barrington Bay. 43 26 59 65 28 15	Mo(D)	W	10s	15.0	15	White square tower, red upper portion. 14.0	Flash 5 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s. Visible from 207° through W., N. and E. to 127°. Operates at night only. Horn: Blast 2 s; sil. 18 s. Horn points 200°. Fog signal is VHF activated. Activated by keying the microphone 5 times on channel 65 within one nautical mile of the fog signal. It will be activated for a 15 min period and then will shut off automatically Chart: 4241 Edn 06/15 (F15-014)
<u>503.03</u>	<mark>Sambro</mark> light buoy HE7	44 26 14.5 063 35 52.8	FI	G	<mark>4s</mark>	<u></u>	<mark></mark>	Green spar, marked "HE7".	Operates at night only. Chart: 4237 Edn 06/15(F15-016)
<u>503.05</u>	Sambro light buoy HE10	44 26 51.0 063 34 50.5	Fi	R	<mark>4s</mark>		<mark></mark>	Red spar, marked "HE10".	Operates at night only. Chart: 4237 Edn 06/15 (F15-017)
503.52	Sambro light buoy HE6	44 25 17.1 063 36 15.6	FI	R	4 s			Red spar marked "HE6".	Operates at night only. Carte:4237 Edn 06/15
<u>596.04</u>	Mussel Shoal XU18	44 54 36.5 062 31 09.0	FI	R	4 s	<u>.</u>	<mark></mark>	Red spar, marked "XU18".	Operates at night only. Chart:4235 Edn 06/15 (F15-015)
765.1 H745.6	Main-à-Dieu Harbour	46 00 13.7 059 50 22.2	FI	R	4s	6.2	4	Triangular skeleton tower, enclosed lower portion. 3.6	Operates at night only. Chart:4377 Edn 06/15 (G15-036)
765.3 H745.4	Battery Point (Main-à-Dieu)	46 00 17.3 059 50 25.4	FI	G	4s	4	4	Cylindrical mast. 2.2	Operates at night only. Chart:4377 Edn 06/15 (G15-035)
951 H0930	Launching Pond Breakwater	On outer end of N. breakwater. 46 13 13.3 062 24 32.6	FI	R	3s	5.4	4	Cylindrical mast. 3.7	Flash 1 s; eclipse 2 s. Privately maintained. Operates at night only. Seasonal. Chart:4421 Edn 06/15 (G15-037)

SECTION 5 LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position Latitude N. Longitude W.	Cha	Light racteris	stics	Focal Heigh t in m. above water	Nomi- nal Rang e	Description Height in meters above ground	Remarks Fog Signals
1025.5 H1057.5	Fishing Cove West Breakwater	On S. end of W. breakwater. 46 24 26.1 064 08 06.7	Q	G	<mark>1s</mark>	3.2	4	Cylindrical mast. 2.8	Operates at night only. Seasonal. Chart:4905 Edn 06/15(G15-038)
1173.15 <i>H144</i> 2 1173.16 <i>H144</i> 2.1	Preston Beach – Range West								Chart:4911
H1442.1 2117 H2401	Traverse de Nicolet range	On shore at Port Saint-François. 46 15 34.9 72 37 48.4	F	G		9.5	15	White cylindrical tower, orange daymark, black vertical stripe.	Edn 06/15 (G15-030, 31) Visible in line of range. Emergency light.
2118 H2401.1		096°44′ 583m from front.	F	G		28.9	15	Square skeleton tower, orange daymark, black vertical stripe. 23.2	Visible in line of range. Emergency light. Chart:1312 Edn 06/15(G15-046-45)

CANADIAN COAST GUARD MARINE INFORMATION REPORT AND SUGGESTION SHEET.

Name of Ship or Sender:			Date:					
Address of Sender:S		Street Name						
			Postal Code / Zip Code:					
Tel / Fax / E-mail address of	sender:							
Observation Date:		Time (UTC):						
Geographical Position:								
Coordinate Position: Lat:		Long:						
Position Method:	OGPS GPS with V	WAAS 🔲 GPS	□ Radar	□Other				
Horizontal Datum Used:	□WGS 84	☐ NAD 27	0	ther				
Estimated Position Accuracy	/·							
Chart #:		Datum:	7 🗆 N	AD 83				
Chart Edition:		Last Correction applied	:					
Publications affected: (Quote	e Volume and page):							
*Full details (Attach additiona	al sheets as necessary)							
Mariners are requested to no discovered, changes are obs necessary.								
In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipmen method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.								
Reports should be made to the should be confirmed in writing		nications and Traffic Ser	vices Centre (MC	TS) and				
Leader, Notices to Mariners Canadian Coast Guard Department of Fisheries and Montréal, Qc H2Y 2E7	Oceans	In the case of inform or the List of Lights,						
Notmar.XNCR@dfo-mpo.go	c.ca							
OF	₹							
Director General, Canadian Oceanographic Services Department of Fisheries and Ottawa, Ontario, K1A 0E6		In the case of new o or where corrections to be necessary.						

CHSINFO@dfo-mpo.gc.ca

Or general questions on Coast Guard programs or services please send an e-mail message to: info@dfo-mpo.gc.ca