

Fisheries and Oceans Canada

Canadian Coast Guard Pêches et Océans Canada

Garde côtière canadienne

NOTICES TO MARINERS PUBLICATION WESTERN EDITION

MONTHLY EDITION N^o 4 April 24, 2015



Safety First, Service Always

Published monthly by the CANADIAN COAST GUARD www.notmar.gc.ca/subscribe

CONTENTS

Page

Section 1	Safety and General Information	
Section 2	Chart Corrections	
Section 3	Radio Aids to Marine Navigation Corrections	N/A
Section 4	Sailing Directions and Small Craft Guide Corrections	
Section 5	List of Lights, Buoys and Fog Signals Corrections	

Canadian Coast Guard Programs Aids to Navigation and Waterways



EXPLANATORY NOTES.

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile	= 1 852 metres (6,076.1 feet)
1 statute mile	= 1 609.3 metres (5,280 feet)
1 metre	= 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) in the section 1. Please note that Nautical charts are not amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet.

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.

Canadian Hydrographic Service. Information Published in Section 2 Notices to Mariners - Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in Chart Corrections - Section 2. This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or height of a light may not result in the production of a chart correction, in *Notices to Mariners*, but may result in a *List of Light, Buoys and Fog Signals* correction.

In case of discrepancy between information provided on CHS charts related to aids to navigation, and the List of Light publication, the latter shall be deemed as containing the most up to date information

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & Publications is published in Notice No. 14* of the *Notices to Mariners Annual Edition April 2014.* The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following website:

www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2.

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction.

Weekly	Chart Number C	Chart Title Charts latest n Cap Eternité à/to Saint-Fu		Horizontal Chart		orrection
chart correction date	6-Aug-1999 Adq	light FI G				V D 23-Jul-1999 170°53'08.6"W
L		(See Chart No 1 P24)		(F2007-	107) LL (700) DFC	0(6829264-01)
	Chart a	ction Chart No 1 refere	nce no. CCC	G reference no.	List of light no.	CHS reference no.

The last correction number is identified with the LNM/D or Last Notice to Mariners Number / Date. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

MONTHLY EDITION OF NOTICES TO MARINERS

WEB ACCESS

We are offering a feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners. We are encouraging our clients to visit the website to subscribe for this service: www.notmar.gc.ca/subscribe

Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the following web page : www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25IJmxhbmc9ZSI7

This feature permits users to register the nautical charts they currently have in their possession.

Registrants are then automatically notified by e-mail when a Notice to Mariners is published concerning these charts.

ADVISORY NOTICES TO SHIPPING (WRITTEN AND BROADCAST).

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

Pacific

Fisheries and Oceans Canada Canadian Coast Guard Vancouver MCTS Centre 2380 - 555 West Hastings Street VANCOUVER, BC V6B 4N6

Telephone : (604) 666-6011 Facsimile : (604) 666-8453

RMIC Email: <u>rmic-pacific@pac.dfo-mpo.gc.ca</u> Website: <u>www.ccg-gcc.gc.ca/e0003907</u>

* Services provided in English and French

 * Fisheries and Oceans Canada Canadian Coast Guard Iqaluit MCTS Centre Notices to Shipping Series "A" and Series "H" P.O. Box 189
IQALUIT, NU X0A 0H0

Telephone: (867) 979-5269 Facsimile: (867) 979-4264

Email: IQANORDREG@INNAV.GC.CA Website: http://www.ccg-gcc.gc.ca/eng/CCG/Notship-Home

INDEX

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE
CHART PATCHES1
CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS1
CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.
CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE
CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS.
UPDATE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES2
*401 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS
*402 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS
*403 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4)
*408 TRANSPORT CANADA - SHIP SAFETY BULLETIN
*412 CANADIAN COAST GUARD PUBLICATIONS - NEW EDITION OF RADIO AIDS TO MARINE NAVIGATION (PACIFIC
AND ARCTIC) – 2015
*410 CANADIAN COAST GUARD - LIST OF CHARTS AND REFERENCE CHARTS (SECTION 1) AFFECTED BY
TEMPORARY AND PRELIMINARY NOTICES

Chart No.	Page	Chart No.	Page	Chart No.	Page
3313	5				
3442	5 – 6				
3462	6				
3463	6				
3473	6				
3481	7				
3489	7				
3493	7				
3494	7 – 8				
3512	8				
3513	8				
3548	8				
3673	9				
3890	9				
3894	9				
4024	2				
4468	2				
6341	9				
6355	9				
6356	10				
6422	10				

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

SECTION 1 SAFETY AND GENERAL INFORMATION

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world.

CHS welcomes your feedback on this service at chsinfo@dfo-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.

The cumulative Notices to Mariners corrections for charts can now be accessed at www.notmar.gc.ca/search/notmar-eng.php

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notices to Mariners and making existing editions obsolete.

REPRINTS

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notices to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force

The current chart edition dates can be accessed at www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

SECTION 1 SAFETY AND GENERAL INFORMATION

CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS.

Mariners are advised that ECDIS may not display some isolated shoal depths when operating in "base or standard display" mode. Route planning and monitoring alarms for these shoal depths may not always be activated. To ensure safe navigation and to confirm that a planned route is clear of such dangers, mariners should visually inspect the planned route and any deviations from it using ECDIS configured to display "all data". The automated voyage planning check function should not be solely relied upon.

UPDATE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES

The Canadian Coast Guard is modernizing and consolidating its Marine Communications and Traffic Services Centres. Clients will continue to receive the high-quality service they have come to expect.

Once complete, there will be a total of 12 MCTS Centres strategically located across the country. Additional information pertaining to this project will be advertised to clients by all available means.

Western Region

Tofino MCTS Centre will consolidate to Prince Rupert MCTS Centre commencing April 2015 Vancouver MCTS will consolidate to Victoria MCTS in Spring 2015 Comox MCTS will consolidate to Victoria MCTS in Winter/Spring 2016

The new technology will increase efficiency permitting employees to have a greater ability to focus on the safety services they provide to mariners. Mariners are encouraged to visit the Radio Aids to Marine Navigation (RAMN) http://www.ccg-gcc.gc.ac/Marine-Communications/Home and Notices to Mariners (NOTMAR) http://www.notmar.gc.ca/ PART 3 on a monthly basis for updated information and potential changes to contact information and marine broadcast schedules.

*401 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS

NEW PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA376176	Long Island to St. Lawrence Harbours
CA379115	Île du Petit Mecatina aux/to Îles Sainte-Marie
CA470178	Masset Harbour and/et Naden Harbour
CA479116	Havre de Harrington
CA570179	Wiah Point
CA570404	Masset Harbour and Approaches/et les Approches
CA570405	Alexandra Narrows
CA570406	Parry Passage

*402 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS

CHARTS	MAIN TITLE	SCALE	PUBLISHED	CAT#	PRICE
	New Editions				
4024	Baie des Chaleurs/Chaleur Bay aux/to Îles de la Madeleine	1:350000	06-MAR-2015	1	20.00
4468	Île du Petit Mécatina aux/to Îles Sainte-Marie	1:75000	27-FEB-2015	1	20.00

SECTION 1 SAFETY AND GENERAL INFORMATION

*403 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4)

CHARTS	MAIN TITLE	SCALE	PUBLISHED
New Editions			
R/M4641	Port aux Basques and Approaches/et les Approches	1:7500	31-OCT-2014
R/M4957	Havre-Aubert	1:10000	02-JAN-2015

*408 TRANSPORT CANADA - SHIP SAFETY BULLETIN

This is to notify you that a new Ship Safety Bulletin has recently been posted to the Transport Canada website at <u>www.tc.gc.ca/ssb-bsn/</u>.

To go online to view or download the bulletin, please click on the links below:

SSB#03/2015 - Sheltered waters voyages

RDIMS#10385708

Note: Sign yourself up for <u>e-Bulletin</u> to receive an e-mail notice each time a new Ship Safety Bulletin is published on our Website.

Questions? Contact Transport Canada Marine Safety and Security Directorate by:

*412 CANADIAN COAST GUARD PUBLICATIONS - NEW EDITION OF RADIO AIDS TO MARINE NAVIGATION (PACIFIC AND ARCTIC) – 2015.

The 2015 edition of the *Radio Aids to Marine Navigation Pacific and Arctic.* is now available for download, free of charge, on the *Marine Communications and Traffic Services MCTS* website: <u>http://www.ccg-gcc.gc.ac/Marine-Communications/Home</u>.

Paper copies of the publication are no longer sold.

Amendments to this publication are advertised by radio broadcast (Notices to Shipping) and/or in Section 3 of the monthly edition of Notices to Mariners <u>www.notmar.gc.ca</u>.

The 2015 edition has been revised to April 24, 2015 and supersedes the 2014 edition.

SECTION 1 SAFETY AND GENERAL INFORMATION

*410 CANADIAN COAST GUARD - LIST OF CHARTS AND REFERENCE CHARTS (SECTION 1) AFFECTED BY TEMPORARY AND PRELIMINARY NOTICES

IN EFFECT APRIL 24, 2015 (REVISED AND PROMULGATED QUARTERLY)

2017	909(P)/14
3490	1112(P)/14; 213(P)/15
3546	714(P)/14 ; 1113(P)/14
3668	1213(P)/14
4010	605(P)/14
4201	509(P)/13
4241	810(P)/14
4244	1006(T)/14
4279	1210(P)/13
4340	418(P)/14
4374	310(P)/15 311(P)/15
4375	411(P)/15
4377	405(P)/13
4385	202(P)/15
4386	1108(P)/13
4396	507(P)/14; 705(P)/14; 706(P)/14; 709(P)/14;
4422	1005(P)/14; 1007(P)/14
4466	109(P)/14
4512	1205(P)/13
4522	1206(P)/14
4596	1209(T)/13; 1003(P)/09
4641	906(P)/14; 907(P)/14; 908(P)/14; 1004(P)/14
4670	1206(T)/13;
4830	1104(T)/13;
4909	613(P)/12, 810(P)/12;
4911	811(P)/12 707(P)/14
5051	1208(T)/13;
6267	1114(P)/14
US14832	712(T)/14
US14884	715(T)/13
US14853	1211(T)/14

SECTION 2 CHART CORRECTIONS

3313 - Swanson Channel - Sheet/Feuille 8 - New Edition - 02-JAN-2009 - NAD 1983 24-APR-2015 LNM/D. 20-MAR-2015 Add submarine cable between 48°52'54.0"N 123°18'09.0"W (See Chart No. 1, L30.1) and 48°52'46.4"N 123°18'46.9"W DFO(6202988-05) 3313 - Active Pass - Sheet/Feuille 9 - New Edition - 02-JAN-2009 - NAD 1983 24-APR-2015 LNM/D. 20-MAR-2015 Add submarine cable joining 48°52'22.0"N 123°17'12.4"W (See Chart No. 1, L30.1) 48°52'25.9"N 123°17'14.9"W 48°52'30.5"N 123°17'28.9"W 48°52'43.5"N 123°17'44.6"W 48°52'51.8"N 123°18'06.6"W 48°52'49.7"N 123°18'23.4"W 48°52'44.9"N 123°18'40.9"W and 48°52'46.6"N 123°18'46.9"W DFO(6202988-04) 3313 - Plumper Sound - Sheet/Feuille 11 - New Edition - 02-JAN-2009 - NAD 1983 24-APR-2015 LNM/D. 20-MAR-2015 Add submarine cable joining 48°52'22.4"N 123°17'11.3"W (See Chart No. 1, L30.1) 48°52'25.9"N 123°17'14.9"W 48°52'30.5"N 123°17'28.9"W This notice affects Electronic Navigational Chart: CA470005 48°52'43.5"N 123°17'44.6"W 48°52'48.1"N 123°17'53.3"W 48°52'52.3"N 123°18'14.1"W 48°52'45.7"N 123°18'32.0"W and 48°52'46.4"N 123°18'46.9"W DFO(6202988-02) Add submarine cable joining 48°49'32.2"N 123°17'01.7"W (See Chart No. 1, L30.1) 48°49'30.7"N 123°17'15.4"W This notice affects Electronic Navigational Chart: CA470005 48°49'20.6"N 123°17'23.9"W 48°49'03.5"N 123°17'09.9"W and 48°48'57.1"N 123°17'09.7"W DFO(6202988-06)

3442 - North Pender Island to/à Thetis Island - New Edition - 01-JUL-2005 - NAD 1983 24-APR-2015

Add submarine cable (See Chart No. 1, L30.1) This notice affects Electronic Navigational Chart: CA470005 joining 48°52′22.4″N 123°17′11.3″W 48°52′25.9″N 123°17′14.9″W 48°52′30.5″N 123°17′28.9″W 48°52′43.5″N 123°17′28.9″W 48°52′43.1″N 123°17′53.3″W 48°52′52.3″N 123°18′14.1″W 48°52′25.3″N 123°18′14.1″W 48°52′45.7″N 123°18′32.0″W and 48°52′46.4″N 123°18′46.9″W DFO(6202988-02)

LNM/D. 27-MAR-2015

SECTION 2 CHART CORRECTIONS

Add	submarine cable	joining 48°49′32.2″N 123°17′01.7″W
	(See Chart No. 1, L30.1)	48°49′30.7″N 123°17′15.4″W
	This notice affects Electronic Navigational Chart: CA470005	48°49′20.6″N 123°17′23.9″W
		48°49′03.5″N 123°17′09.9″W
		and 48°48′57.1″N 123°17′09.7″W
		DFO(6202988-06)
3462 - Juan 24-APR-201	de Fuca Strait to/à Strait of Georgia - New Edition - 01-JUL-2005 - NA	
24-APR-201	0	LNM/D. 27-MAR-2015
Add	submarine cable	joining 48°52′27.9″N 123°17′20.7″W
	(See Chart No. 1, L30.1)	48°52′35.2″N 123°17′36.5″W
	This notice affects Electronic Navigational Chart: CA370145	48°52′48.1″N 123°17′53.3″W
	5	48°52′52.3″N 123°18′14.1″W
		48°52′45.7″N 123°18′32.0″W
		and 48°52'46.4"N 123°18'46.9"W
		DFO(6202988-03)
Add	submarine cable	joining 48°49′32.7″N 123°17′00.8″W
	(See Chart No. 1, L30.1)	48°49′29.5″N 123°17′16.0″W
	This notice affects Electronic Navigational Chart: CA370367	48°49′20.6″N 123°17′23.9″W
		48°49′09.5″N 123°17′14.3″W
		and 48°48′58.6″N 123°17′08.6″W
		DFO(6202988-07)
3463 - Strait	of Georgia, Southern Portion/Partie Sud - New Edition - 01-JUL-200	5 - NAD 1983
24-APR-201	-	LNM/D. 27-MAR-2015
Add	submarine cable	joining 48°52′27.9″N 123°17′20.7″W
	(See Chart No. 1, L30.1)	48°52′35.2″N 123°17′36.5″W
	This notice affects Electronic Navigational Chart: CA370145	48°52′48.1″N 123°17′53.3″W
	5	48°52′52.3″N 123°18′14.1″W
		48°52′45.7″N 123°18′32.0″W
		and 48°52'46.4"N 123°18'46.9"W
		DFO(6202988-03)
	e Pass - New Edition - 02-MAY-2003 - NAD 1983	
24-APR-201	b	LNM/D. 12-AUG-2011
Add	submarine cable	joining 48°52′22.0″N 123°17′12.4″W
	(See Chart No. 1, L30.1)	48°52′25.9″N 123°17′14.9″W
	This notice affects Electronic Navigational Chart: CA570006	48°52′30.5″N 123°17′28.9″W
	3	48°52'35.2"N 123°17'36.5"W
		48°52′43.5″N 123°17′44.6″W
		48°52′48.1″N 123°17′53.3″W
		48°52′51.8″N 123°18′06.6″W
		40°E0/E0 0//N 400°40/4 4 4/N/

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

48°52'52.3"N 123°18'14.1"W 48°52'49.7"N 123°18'23.4"W 48°52'45.7"N 123°18'32.0"W 48°52'44.9"N 123°18'40.9"W and 48°52'46.4"N 123°18'46.9"W

DFO(6202988-01)

SECTION 2 CHART CORRECTIONS

3481 - Appro 24-APR-2015	paches to/Approches à Vancouver Harbour - New Edition - 06-APR-2012 - NA	D 1983 LNM/D. 25-APR-2014
Add	depth of 10.2 metres (See Chart No. 1, I10)	49°17′32.6″N 123°02′17.0″W
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-01)
Delete	depth of 13 metres (See Chart No. 1, I10)	49°17′33.4″N 123°02′17.3″W
	This notice affects Electronic Navigational Chart: CA470072	DFO(6202989-02)
Add	depth of 2.2 metres (See Chart No. 1, I10)	49°17′28.8″N 123°02′16.0″W
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-03)
Add	depth of 14.7 metres (See Chart No. 1, I10)	49°17′33.0″N 123°01′53.3″W
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-04)
3489 - Pattul 03-APR-2015	lo Bridge to/à Barnston Island - Sheet/Feuille 1 - New Chart - 21-OCT-1994 -	NAD 1983 LNM/D. 26-AUG-2011
Add	light QR (See Chart No. 1, P1)	49°11′35.8″N 122°55′12.6″W
2402 Vana	ouver Harbour Western Portion/Partie Ouest - New Edition - 11-JUN-2010 - N	DFO(6202986-02)
24-APR-2015		LNM/D. 27-FEB-2015
Add	depth of 10.2 metres (See Chart No. 1, I10)	49°17′32.6″N 123°02′17.0″W
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-01)
Add	depth of 2.2 metres (See Chart No. 1, I10)	49°17′28.8″N 123°02′16.0″W
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-03)
Add	depth of 14.7 metres (See Chart No. 1, I10)	49°17′33.0″N 123°01′53.3″W
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-04)
3494 - Secor 24-APR-2015	nd Narrows - New Edition - 16-NOV-2012 - World Geodetic System 1984	
Add	depth of 10.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470072, CA570123	49°17′32.6″N 123°02′17.0″W
	This holice allects Electronic Navigational Chart. CA470072, CA570125	DFO(6202989-01)
Add	depth of 2.2 metres (See Chart No. 1, I10)	49°17′28.8″N 123°02′16.0″W
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-03)

SECTION 2 CHART CORRECTIONS

Add	depth of 14.7 metres (See Chart No. 1, I10)	49°17′33.0″N 123°01′53.3″W		
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-04)		
3494 - Vanco 24-APR-2015	uver Harbour Central Portion/Partie Centrale - New Edition - 16-NOV-2012 - Wo	orld Geodetic System 1984		
Add	depth of 10.2 metres (See Chart No. 1, I10)	49°17′32.6″N 123°02′17.0″W		
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-01)		
Add	depth of 2.2 metres (See Chart No. 1, I10)	49°17′28.8″N 123°02′16.0″W		
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-03)		
Add	depth of 14.7 metres (See Chart No. 1, I10)	49°17′33.0″N 123°01′53.3″W		
	This notice affects Electronic Navigational Chart: CA470072, CA570123	DFO(6202989-04)		
3512 - Strait 10-APR-2015	of Georgia, Central Portion/Partie Centrale - New Edition - 25-DEC-1998 - NAD	1983 LNM/D. 06-FEB-2015		
Add	rock which covers and uncovers, with height above chart datum of 2.3 metres	49°31′10.2″N 124°23′01.9″W		
	(See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA370016	DFO(6202983-01)		
Add	rock which covers and uncovers, with height above chart datum of 2.7 metres (See Chart No. 1, K11)	49°42′11.0″N 124°03′25.5″W		
	This notice affects Electronic Navigational Chart: CA370381	DFO(6202987-01)		
3513 - Strait	of Georgia, Northern Portion/Partie Nord - New Edition - 29-OCT-1999 - NAD 19	983		
10-APR-2015		LNM/D. 06-JUN-2014		
Add	rock which covers and uncovers, with height above chart datum of 2.3 metres (See Chart No. 1, K11)	49°31′10.2″N 124°23′01.9″W		
	This notice affects Electronic Navigational Chart: CA370016	DFO(6202983-01)		
3548 - Queen Charlotte Strait, Central Portion/Partie Centrale - New Edition - 26-SEP-1997 - NAD 1983				
10-APR-2015		LNM/D. 13-FEB-2015		
Add	marine farm (See Chart No. 1, K48.2) This notice affects Electronic Navigational Chart: CA470031	50°54′22.8″N 127°20′24.0″W		
	This house affects Electronic Navigational Chart. CA470031	DFO(6202984-01)		

SECTION 2 CHART CORRECTIONS

3673 - Clay 10-APR-201	oquot Sound, Tofino Inlet to/à Millar Channel - New Chart - 01-DE 5	C-1995 - NAD 1983 LNM/D. 28-SEP-2012
Add	submarine pipeline (See Chart No. 1, L41.1) This notice affects Electronic Navigational Chart: CA470333	joining 49°15′31.3″N 125°52′11.6″W 49°15′35.0″N 125°51′55.1″W 49°16′04.4″N 125°51′46.9″W 49°16′15.0″N 125°51′46.9″W 49°16′21.3″N 125°51′46.1″W 49°16′36.9″N 125°51′32.0″W and 49°16′42.8″N 125°51′36.3″W <i>DFO(6202985-01)</i>
3890 - Appr 24-APR-201	oaches to/Approches à Skidegate Inlet - New Chart - 14-MAR-198 5	36 - NAD 1927 LNM/D. 07-SEP-2007
Amend	R Lts to read W Lts against light (See Chart No. 1, Pf)	53°11′47.0″N 131°46′33.0″W
		DFO(6202990-01)
Amend	Tr (49) to read Tr (90) against tower	53°11′47.0″N 131°46′33.0″W DFO(6202990-03)
3894 - Selw	yn Inlet to/à Lawn Point - New Edition - 12-JUN-1998 - NAD 1983	
24-APR-201	5	LNM/D. 28-APR-2006
Amend	R Lts to read W Lts against light (See Chart No. 1, Pf)	53°11′44.8″N 131°46′37.8″W
	This notice affects Electronic Navigational Chart: CA370372	DFO(6202990-02)
Amend	Tr (49) to read Tr (90) against tower This notice affects Electronic Navigational Chart: CA370372	53°11′44.8″N 131°46′37.8″W
		DFO(6202990-04)
6341 - Grea 2004 - Unkr	t Slave Lake/Grand lac des Esclaves, Eastern Portion/Partie est -	Sheet/Feuille 1 - New Edition - 16-JAN-
28-NOV-201		LNM/D. 23-MAY-2008
Delete	light, Fl (See Chart No. 1, P1)	62°53′10.0″N 110°52′15.0″W
		(A2014023) LL(1716.2) DFO(6604051-01)
Add	beacon, Bn (See Chart No. 1, Q80)	62°53′10.0″N 110°52′15.0″W
		DFO(6604051-02)
Delete	light, Fl (See Chart No. 1, P1)	62°55′31.0″N 110°00′33.0″W
		(A2014024) LL(1716.5) DFO(6604052-01)
Add	beacon, Bn (See Chart No. 1, OSO)	62°55′28.0″N 110°00′30.0″W
	(See Chart No. 1, Q80)	DFO(6604052-02)
6255 Miro	no Boint to/à Hardisty Island - Shoot/Fouillo 1 - Now Edition - 27 N	AX 2005 - NAD 1983

6355 - Mirage Point to/à Hardisty Island - Sheet/Feuille 1 - New Edition - 27-MAY-2005 - NAD 1983 24-APR-2015

Affix	patch	61°47′04.0″N 114°42′00.0″W
	Download Patch - http://www.chs-shc.gc.ca/patches/pa6355-20150327.pdf	
		DFO(6604095-03)

SECTION 2 CHART CORRECTIONS

6356 - Hardisty Island to/à North Head - Sheet/Feuille 1 - New Edition - 27-MAY-2005 - NAD 1983 24-APR-2015

Affix	patch Download Patch - http://www.chs-shc.gc.ca/patches/pa6356-201	61°47′28.0″N 114°42′05.0″W
	Download Fater - mtp.//www.chs-shc.gc.ca/pateres/pa0550-201	DFO(6604095-02)
6422 - For 17-APR-20	t Good Hope to/à Askew Islands Kilometre 1100 / Kilometre 118 015	0 - New Edition - 11-FEB-2011 - NAD 1983 LNM/D. 07-FEB-2014
Delete	Front and rear leading beacons with leading line, "RAM" (See Chart No. 1, Q120, Pe)	66°23′24.0″N 128°57′42.0″W
		(A2015001) LL(3977.5) DFO(6604092-01)
Add	starboard hand daybeacon (See Chart No. 1, Qt)	66°23′21.0″N 128°57′34.0″W
		DFO(6604092-02)

SECTION 5 LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	----------------------------

The amendments have been highlighted in yellow

PACIFIC

338	49 06 33.03 123 09 57.07	F	Y		9.1	10	Square skeleton tower on 6-pile	Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s;
New Cut Inbound range		FI(3)	R	12s	8.2	5	dolphin, red daymark, white vertical stripe.	flash 0.5 s; eclipse 6.5 s. In operation 24 hours. Year round.
<mark>338.5</mark>	121°25' 220m from front. 	F	Y		14.2	10	Square skeleton tower on 6-pile dolphin, red daymark, white	<mark>In operation 24 hours.</mark> Year round.
							vertical stripe.	Chart:3490
								Edn 04/15 (P14-079,080)

CANADIAN COAST GUARD MARINE INFORMATION REPORT AND SUGGESTION SHEET.

Name of Ship or Sende	er:		I	Date:							
Address of Sender:	Street #		Street Name								
Town / City:	Pr	ov / State:	Postal Code / Zip Code:								
Tel / Fax / E-mail address of sender:											
Observation Date:	Observation Date:										
Geographical Position:											
Coordinate Position: L	Coordinate Position: Lat:										
Position Method:		GPS with WAAS	GPS	Radar	Dother						
Horizontal Datum Used	d:	□WGS 84	🛛 NAD 27	Other							
Estimated Position Accuracy:											
Chart #:		Datum:	🗆 NAD 27		IAD 83						
Chart Edition:											
Publications affected: (Quote Volume and page):											
*Full details (Attach additional sheets as necessary)											
Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are											

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Leader, Notices to Mariners Canadian Coast Guard Department of Fisheries and Oceans Montréal, Qc H2Y 2E7

Notmar.XNCR@dfo-mpo.gc.ca

OR

Director General, Canadian Hydrographic Service & Oceanographic Services Department of Fisheries and Oceans Ottawa, Ontario, K1A 0E6 In the case of information concerning aids to navigation or the List of Lights, Buoys and Fog Signals.

In the case of new or suspected dangers to navigation or where corrections to "Sailing Directions" appear to be necessary.

CHSINFO@dfo-mpo.gc.ca

Or general questions on Coast Guard programs or services please send an e-mail message to: info@dfo-mpo.gc.ca