



Environment and
Climate Change Canada

Environnement et
Changement climatique Canada



Canadian Environmental Sustainability Indicators

Managing Pulp and Paper Effluent Quality in Canada



Canada 

Suggested citation for this document: Environment and Climate Change Canada (2016) Canadian Environmental Sustainability Indicators: Managing Pulp and Paper Effluent Quality in Canada. Consulted on *Month day, year*.

Available at: www.ec.gc.ca/indicateurs-indicators/default.asp?lang=en&n=E20C2E23-1.

Cat. No.: En4-144/60-2016E-PDF

ISBN: 978-0-660-06041-5

Unless otherwise specified, you may not reproduce materials in this publication, in whole or in part, for the purposes of commercial redistribution without prior written permission from Environment and Climate Change Canada's copyright administrator. To obtain permission to reproduce Government of Canada materials for commercial purposes, apply for Crown Copyright Clearance by contacting:

Environment and Climate Change Canada
Public Inquiries Centre
7th floor, Fontaine Building
200 Sacré-Coeur boul.
Gatineau, QC K1A 0H3
Telephone: 819-938-3860
Toll Free: 1-800-668-6767 (in Canada only)
Fax: 819-994-1412
TTY: 819-994-0736
Email: ec.enviroinfo.ec@canada.ca

Photos: © Thinkstockphotos.ca; © Environment and Climate Change Canada

© Her Majesty the Queen in Right of Canada, represented by the Minister of Environment and Climate Change, 2016

Aussi disponible en français

Canadian Environmental Sustainability Indicators

Managing Pulp and Paper Effluent Quality in Canada

November 2016

Table of Contents

Part 1. Managing Pulp and Paper Effluent Quality in Canada Indicator	4
Part 2. Data Sources and Methods for the Managing Pulp and Paper Effluent Quality in Canada Indicator.....	6
Introduction.....	6
Description and rationale of the Managing Pulp and Paper Effluent Quality in Canada indicator.....	6
Data	6
Methods	7
Caveats and limitations	7
Part 3. Annexes	8
Annex A. Data tables for the figures presented in this document	8
Annex B. References and additional information	9
List of Figures	
Figure 1. Percentage of regulatory tests passed by pulp and paper mills, Canada, 1985 to 2014 (selected years).....	4
List of Tables	
Table A.1. Data for Figure 1. Percentage of regulatory tests passed by pulp and paper mills, Canada, 1985 to 2014 (selected years)	8

Part 1. Managing Pulp and Paper Effluent Quality in Canada Indicator

The *Pulp and Paper Effluent Regulations* (the Regulations) oversee the discharge of harmful substances from pulp and paper mills into water frequented by fish.

Since 1985, the quality of pulp and paper effluent released directly to the environment, as set out in the Regulations, has improved considerably. In 2014, 97.5%, 99.9% and 99.8% of effluent samples met regulatory requirements for toxicity tests on fish, biochemical oxygen demand, and total suspended solids, respectively.

The Regulations set limits on the amounts of total suspended solids and biochemical oxygen demanding matter, and prohibit deposits of effluents that display acute lethality to fish. Since 1996, all mills are subject to the Regulations.

Figure 1. Percentage of regulatory tests passed by pulp and paper mills, Canada, 1985 to 2014 (selected years)



[Data for Figure 1](#)

Note: Toxicity test refers to tests of effluent toxicity on fish. Biochemical oxygen demand refers to the amount of dissolved oxygen needed to break down organic material in water. Total suspended solids includes all particles in water that will not pass through a filter. As levels of biochemical oxygen demand and total suspended solids rise, a water body begins to lose its ability to support aquatic animals.

Source: For 1985 to 2008: Environment and Climate Change Canada (2012) [Status Report on the Pulp and Paper Effluent Regulations](#). For 2012 to 2014: Environment and Climate Change Canada's Fisheries Act and Forest Products (Water) office based on submissions from regulated pulp and paper mills and off-site treatment facilities.

Pulp is produced from wood, fibre crop or waste paper. It can be produced using chemical, semi-chemical or mechanical processes to break the raw materials into fibres to be used to create paper. Canada is one of the world leaders in the production of pulp and paper products. In 2014, the pulp, paper and paperboard mills industry employed 29 655 Canadians,¹ and contributed to 0.3% of Canada's gross domestic product.²

Large volumes of water are used in pulp production with the industry ranking second to municipalities in wastewater output to the Canadian environment. For example, a typical kraft mill discharges between 80 000 and 130 000 cubic metres of effluent per day into water, or roughly three to five Olympic swimming pools of effluent a day. Effluents are a complex combination of waste produced during the pulp and paper making process including wastewater from debarking, pulp washing, bleaching and regeneration of cooking chemicals. The effluents are treated prior to release, typically in two stages, primary and secondary treatment. In primary treatment, suspended solids are removed in clarifiers and/or settling basins. In secondary treatment, bacteria break down biodegradable material and toxic components – reducing biochemical oxygen demand, toxicity and levels of total suspended solids that can damage fish habitat downstream from the mill. Secondary biological treatment became common by 1996 following the establishment of current regulatory limits in 1992.



Pristine lakes and rivers

This indicator supports the measurement of progress towards the long-term goal of the [2016–2019 Federal Sustainable Development Strategy](#): Clean and healthy lakes and rivers support economic prosperity and the well-being of Canadians.

¹ Statistics Canada, [Table 383-0031](#) – Labour statistics consistent with the System of National Accounts, by province and territory, job category and North American Industry Classification System, for the pulp, paper and paperboard mills industry (NAICS 3221), annual (persons). Retrieved on July 11, 2016.

² Statistics Canada, [Table 379-0031](#) – Gross domestic product at basic prices, by the North American Industry Classification System, for the pulp, paper and paperboard mills industry (NAICS 3221), annual (2007 constant million dollars). Retrieved on July 11, 2016.

Part 2. Data Sources and Methods for the Managing Pulp and Paper Effluent Quality in Canada Indicator

Introduction

The [Managing Pulp and Paper Effluent Quality in Canada](#) indicator is part of the [Canadian Environmental Sustainability Indicators](#) (CESI) program, which provides data and information to track Canada's performance on key environmental sustainability issues. This indicator is also used to report and measure progress towards the goals of the [2016–2019 Federal Sustainable Development Strategy](#).

Description and rationale of the Managing Pulp and Paper Effluent Quality in Canada indicator

Description

The Managing Pulp and Paper Effluent Quality in Canada indicator reports the percentage of acute lethality, biochemical oxygen demand and total suspended solid tests that met their regulatory limits from 1985 to 2014. The indicator provides information about whether Canada's *Pulp and Paper Effluent Regulations* (the Regulations) are able to sustainably manage the impact of Canada's pulp and paper industry on the environment.

Rationale

The Regulations were developed under the *Fisheries Act* in 1971 to govern the discharge of deleterious substances into waters frequented by fish. The Regulations have the overall objective of protecting water quality that sustains fish, fish habitat and the use of fisheries resources. This indicator summarizes the results achieved since the mid 1980's under the Regulations.

The Regulations were designed to encourage mills to modify their processes in order to improve water quality and protect fish, fish habitat and the use of fisheries resources. Prior to 1992, the Regulations set mass-based limits for deposits of total suspended solid and biochemical oxygen demand matter, and prohibited the release of effluents that were acutely lethal to fish. In 1992, the 1971 Regulations were updated to expand coverage to all mills, and to drive further effluent quality improvements based on standards achievable using secondary wastewater treatment. Since 1992, the regulatory standards have remained unchanged.

Recent changes to the indicator

The Managing Pulp and Paper Effluent indicator has been updated with the latest information available.

Data

Data source

Data from 1985 to 2008 for the Managing Pulp and Paper Effluent Quality in Canada indicator are taken from Environment and Climate Change Canada's [Status Report on the Pulp and Paper Effluent Regulations](#). Data from 2012 to 2014 comes from Environment and Climate Change Canada's Fisheries Act and Forest Products (Water) office based on submissions from

regulated pulp and paper mills and off-site treatment facilities as required under section 7 of the *Pulp and Paper Effluent Regulations* (the Regulations) pursuant to the *Fisheries Act*.

Spatial coverage

For this indicator, data for all active pulp and paper mills across Canada are used. There are mills operating in all provinces except Prince Edward Island.

Temporal coverage

Environment and Climate Change Canada receives monthly or annual reports from pulp and paper mills across Canada. These reports include monitoring results and production information.

Effluent samples for biochemical oxygen demand, total suspended solid and toxicity are taken throughout the year as laid out in the regulations. Biochemical oxygen demand tests are taken at least three times a week for each outfall structure discharging directly to the environment. Total suspended solid are sampled daily for each outfall structure discharging directly to the environment. Toxicity tests are run once a month for each outfall structure discharging directly to the environment.

Data from selected years (1985, 1996, 1998, 2000, 2002, 2003, 2008, 2012, 2013 and 2014) are included to represent effluent quality at key points in the evolution of the regulations and during the rationalization of the industry.

Data completeness

The indicator includes all compliance data sent to Environment and Climate Change Canada for the years reported in this indicator.

Data timeliness

The most recent data available at the time this indicator was produced are for 2014.

Methods

The Managing Pulp and Paper Effluent Quality in Canada indicator is based on the compliance rate, which is calculated as the number of tests passing their maximum limits in a year for all mills divided by the total number tests of taken in a given year.

Toxicity tests refer to effluent acute lethality tests conducted on Rainbow Trout (*Oncorhynchus mykiss*). Tests are run once a month for each outfall structure discharging directly to water following [Environment and Climate Change Canada's Reference Method EPS 1/RM/13](#). An effluent is considered acutely lethal if the effluent at 100% concentration kills more than 50% of the Rainbow Trout during a 96-hour period.

Caveats and limitations

The Managing Pulp and Paper Effluent Quality in Canada indicator only assesses the quality of effluent releases to surface waters. Groundwater is not considered in this indicator.

Part 3. Annexes

Annex A. Data tables for the figures presented in this document

Table A.1. Data for Figure 1. Percentage of regulatory tests passed by pulp and paper mills, Canada, 1985 to 2014 (selected years)

Year	Toxicity tests passed (percentage)	Total number of toxicity tests	Biochemical oxygen demand tests passed (percentage)	Total number of biochemical oxygen demand tests	Total suspended solids tests passed (percentage)	Total number of total suspended solids tests
1985	25	n/a	68	n/a	60	n/a
1996	78	2517	97.9	37 453	99.7	45 366
1998	90.4	n/a	99.7	n/a	99.9	n/a
2000	94.9	n/a	99.8	n/a	99.8	n/a
2002	95.9	n/a	99.9	n/a	99.9	n/a
2003	96.4	1966	99.9	33 585	99.9	41 926
2008	97.4	1847	99.9	20 883	99.9	35 646
2012	98.3	1535	99.7	16 706	99.8	29 383
2013	96.2	1540	99.9	16 851	99.8	29 012
2014	97.5	1457	99.9	16 559	99.8	28 670

Note: n/a = not available. Toxicity test refers to tests of effluent toxicity on fish. Biochemical oxygen demand refers to the amount of dissolved oxygen needed to break down organic material in water. Total suspended solids includes all particles in water that will not pass through a filter. As levels of biochemical oxygen demand and total suspended solids rise, a water body begins to lose its ability to support aquatic animals.

Source: For 1985 to 2008: Environment and Climate Change Canada (2012) [Status Report on the Pulp and Paper Effluent Regulations](#). For 2012 to 2014: Environment and Climate Change Canada's Fisheries Act and Forest Products (Water) office based on submissions from regulated pulp and paper mills and off-site treatment facilities.

Annex B. References and additional information

References and further reading

Environment Canada (2000) [Biological Test Method: Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout, Report EPS 1/RM/13](#). Environmental Protection Series. 2nd ed., December 2000. Retrieved on July 11, 2016.

Environment Canada (2003) [National Assessment of Pulp and Paper Environmental Effects Monitoring Data: A Report Synopsis](#). National Water Research Institute, Burlington, Ontario. NWRI Scientific Assessment Report Series No. 2. 28 p. Retrieved on July 11, 2016.

Environment Canada (2012) [Status Report on the Pulp and Paper Effluent Regulations](#). Retrieved on July 11, 2016.

Fisheries and Oceans Canada (2012) [Pulp and Paper Effluent Regulations](#). Retrieved on July 11, 2016.

McMaster ME, Parrott JL and Hewitt LM (2003) [A Decade of Research on the Environmental Impacts of Pulp and Paper Mill Effluent in Canada \(1992–2002\)](#). National Water Research Institute, Burlington, Ontario. NWRI Scientific Assessment Report Series No. 4. 84 p. Retrieved on July 11, 2016.

Related information

[Managing Metal Mining Effluent Quality in Canada](#)

www.ec.gc.ca

Additional information can be obtained at:

Environment and Climate Change Canada
Public Inquiries Centre
7th Floor, Fontaine Building
200 Sacré-Coeur boul.
Gatineau, QC K1A 0H3
Telephone: 1-800-668-6767 (in Canada only) or 819-938-3860
Fax: 819-994-1412
TTY: 819-994-0736
Email: ec.enviroinfo.ec@canada.ca