Canadian Data Report of

Hydrography and Ocean Sciences No. 69

June 1988

OCEANOGRAPHIC AND METEOROLOGICAL OBSERVATIONS FROM THE HIBERNIA REGION OF NEWFOUNDLAND GRAND BANKS

by

B. Petrie and D. Warnell

Physical and Chemical Sciences Branch Scotia-Fundy Region Department of Fisheries and Oceans

Bedford Institute of Oceanography P.O. Box 1006 Dartmouth, Nova Scotia Canada B2Y 4A2

Minister of Supply and Services 1988

Cat. No. Fs 97-16/69E ISSN 0711-6721

Correct citation for this publication:

Petrie, B. and D. Warnell. 1988. Oceanographic and meteorological observations from the Hibernia region of the Newfoundland Grand Banks. Can. Data Rep. Hydrogr. Ocean Sci. No. 69: iv + 270 pp.

ABSTRACT

Petrie, B. and D. Warnell. 1988. Oceanographic and meteorological observations from the Hibernia region of the Newfoundland Grand Banks. Can. Data Rep. Hydrogr. Ocean Sci. No. 69: iv + 270 pp.

Maps of mean currents for the entire Grand Banks area for three depth intervals are presented. Current, temperature and salinity time series for three depth intervals and for the total water depth less than and exceeding 100 m have been constructed for the Hibernia region by joining oil company data for the period 1980-1984. Plots, histograms and statistics of these data are presented. Satellite tracked drifting buoy observations, 1976-85, have been used to produce maps of mean, maximum and variable currents for the Grand Banks region. Sea level and adjusted sea level data from St. John's, hydrographic observations from Sta. 27 and wind speed and direction data from St. John's are shown and some statistics presented for the period 1980-1986.

<u>RÉSUMÉ</u>

Petrie, B. and D. Warnell, 1988. Oceanographic and meteorological observations from the Hibernia region of the Newfoundland Grand Banks. Can. Data Rep. Hydrogr. Ocean Sci. No. 69: iv + 270 pp.

Des cartes des courants moyens dans toute la région des Grands Bancs sont présentées pour trois intervalles de profondeurs. Des successions chronologiques de courants, de températures et de salinités pour trois intervalles de profondeurs et pour les profondeurs totales inférieures à 100 m et supérieures à 100 m ont été assemblées pour la région d'Hibernia en réunissant les données de sociétés pétrolières pour la période de 1980 à 1984. Des graphiques, des histogrammes et des statistiques illustrant ces données sont présentés. Des observations de bouées dérivantes poursuivies par satellite de 1976 à 1985 ont été utilisées pour dresser des cartes des courants moyens, maximums et variables pour la région des Grands Bancs. Des données sur le niveau de la mer et des données corrigées pour cette variable issues d'observations hydrographiques à la station 27 de Saint-Jean ainsi que des données sur la vitesse et la direction du vent à Saint-Jean sont présentées avec certaines statistiques pour la période de 1980 à 1986.

TABLE OF CONTENTS

| Abstract/Résumé | ii i |
|---|-------------|
| Introduction | 1 |
| Acknowledgements | 3 |
| References | 3 |
| Section 1. Eulerian Currents | 4 |
| Section 2. Lagrangian Currents | .189 |
| Section 3. St. John's Sea Level | . 226 |
| Section 4. Station 27 Temperature and Salinity, 1980-1986 | .241 |
| Section 5. St. John's Wind Data, 1980-1986. | .250 |

1

1

11

1

0

1.

U

1. INTRODUCTION

Current meter time series primarily from Hibernia (approximately 46°45'N, 48°45'W), satellite-tracked drifter trajectories for the Grand Banks, sea level data from St. John's, hydrographic observations at Sta. 27 (approximately 47°33'N, 52°35'W) and wind observations from St. John's generally covering the period 1980-86 have been assembled in this report describing some of the oceanographic aspects of the Grand Banks of Newfoundland. It will be clear that more analysis of the existing data could have been done but the focus here will be primarily on the Hibernia region. More detailed analysis will be carried out for data from this area. The report will be presented in five parts which may be generally described as Eulerian currents, Lagrangian currents, sea level, hydrography and winds.

1.1 <u>Eulerian Currents</u>

Current maps and statistics are presented for three depth ranges: surface (0.35 m), mid-depth (35-50 m) and bottom (>50 m). The maps represent about 350 current meter records with an average length of 50 d and a standard deviation of 36 d. Mean current maps which cover the entire Grand Banks region are presented first. In areas where the density of observations is high, maps with an expanded scale are shown. The extrema and statistics of all data in the current meter inventory have been compiled by Gregory (1988).

Current meter records from the oil company moorings in the Hibernia region have been divided into two groups. One includes all observations from sites where the <u>total water</u> <u>depth</u> was less than 100 m, the second from sites where the depth was greater than 100 m. The former, called Hibernia, and the latter time series, called slope, have been again divided into the three depth ranges indicated above. These records have been joined to form a new time series covering five years (1980-1984) but, of course, there are numerous data gaps. The joined time series have also been filtered (half power point at 31 h) to eliminate diurnal and

semidiurnal tides and inertial period motions. Time series plots, progressive vector diagrams, scatter plots of U (eastward current) and V (northward current), scatter plots of temperature, T, and salinity, S, statistics of entire records, monthly statistics and histograms of rate, T and S are presented.

In some cases it is evident that while an instrument was in the water not all data channels were recording. For example, there are cases when direction was recorded but rate was not. In addition, there are some abrupt changes in salinity when instruments were changed. These points should be kept in mind.

1.2 Lagrangian Currents

In this section maps of mean surface currents, eddy kinetic energy, maximum currents, the Labrador Current and a table and plot of new drifting buoy tracks are presented. These results represent an update of two earlier reports (Petrie and Isenor 1984; Isenor and Petrie, 1985). The buoys were drogued for the upper 10-25 m depth. The data were interpolated to daily mean positions at 1200 UT which are indicated by a square in the plots. Currents were calculated by taking differences between successive positions.

1.3 <u>Sea Level</u>

Time series, histograms and statistics of St. John's sea level and adjusted sea level, for the period 1980-1986, are presented.

1.4 <u>Station 27 Hydrography</u>

Contour plots of temperature and salinity are shown for Sta. 27 observations, 1980-1986, to give an idea of the varying hydrographic conditions over the Grand Banks.

1.5 St. John's Wind Observations

Time series of wind speed and direction observed at St. John's for the period 1980-1986 are presented to give an idea of the varying meteorological conditions in the Grand Banks area.

ACKNOWLEDGEMENTS

This work was supported financially by the Department of Energy, Mines and Resources, Office of Environmental Research and Development. PetroCanada and the International Ice Patrol of the United States Coast Guard kindly provided us with satellite tracked drifting buoy data.

REFERENCES

GREGORY, D. (1988) Bedford Institute of Oceanography Inventory of Current Meter Data. BIO Informal Rep. Series, Dartmouth, 302 pp.

ISENOR, A. and PETRIE, B. (1985) An analysis of satellite-tracked drifter observations collected in the Grand Banks region. BIO Informal Rep. Series, Dartmouth, 22 pp.

PETRIE, B. and ISENOR, A. (1984) An analysis of satellite tracked-drifter observations collected in the Grand Banks region. Can. Tech. Rep. Hydrogr. Ocean Sci. 39, Dartmouth, 64 pp.

Section 1

Eulerian Currents

Index of Figures

| Figure 1. | Mean currents for the surface layer of the Grand Banks. | 13 |
|----------------|--|----|
| Figure 2. | Mean currents for the Hibernia region, surface layer. | 14 |
| Figure 3. | Mean currents for the Avalon Channel, surface layer. | 15 |
| Figure 4. | Mean currents for the Notre Dame Channel, surface layer. | 16 |
| Figure 5. | Mean currents for the Strait of Belle Isle, surface layer. | 17 |
| Figure 6. | Mean currents for the mid-depth layer of the Grand Banks. | 18 |
| Figure 7. | Mean currents for the Hibernia region, middle layer. | 19 |
| Figure 8. | Mean currents for the Avalon Channel, middle layer. | 20 |
| Figure 9. | Mean currents for the Strait of Belle Isle, middle layer. | 21 |
| Figure 10. | Mean currents for the bottom layer of the Grand Banks. | 22 |
| Figure 11. | Mean currents for the Hibernia region, bottom layer. | 23 |
| Figure 12. | Mean currents for the Avalon Channel, bottom layer. | 24 |
| Figure 13. | Mean currents for the Strait of Belle Isle, bottom layer. | 25 |
| Figure 14(a). | Near surface (0-35 m) currents at 1 hour sampling for the Hibernia region for 1980. This time series was constructed by joining records from locations where the total water depth was less than 100 m. | 26 |
| Figure 14(a'). | Filtered time series of data shown in Figure 14(a). | 27 |
| Figure 14(b). | Near surface currents at 1 hour sampling for the Hibernia region for 1981. | 28 |
| Figure 14(b'). | Filtered time series of data shown in Figure 14(b). | 29 |
| Figure 14(c). | Near surface currents at 1 hour sampling for the Hibernia region for 1982. | 30 |
| Figure 14(c'). | Filtered time series of data shown in Figure 14(c). | 31 |

÷

13

-

J

à

| | Index of Figures | Page |
|----------------|---|------|
| Figure 14(d). | Near surface currents at 1 hour sampling for the Hibernia region for 1983. | 32 |
| Figure 14(d'). | Filtered time series of data shown in Figure 14(d). | 33 |
| Figure 14(e). | Near surface currents at 1 hour sampling for the Hibernia region for 1984. | 34 |
| Figure 14(e'). | Filtered time series of data shown in Figure 14(e). | 35 |
| Figure 15(a). | Mid-depth (35-50) currents for the Hibernia region for 1980 formed in the same manner as the surface currents. | 36 |
| Figure 15(a'). | Filtered time series of data shown in Figure 15(a). | 37 |
| Figure 15(b). | Mid-depth currents for the Hibernia region for 1981. | 38 |
| Figure 15(b'). | Filtered time series of data shown in Figure 15(b). | 39 |
| Figure 15(c). | Mid-depth currents for the Hibernia region for 1982. | 40 |
| Figure 15(c'). | Filtered time series of data shown in Figure 15(c). | 41 |
| Figure 15(d). | Mid-depth currents for the Hibernia region for 1983. | 42 |
| Figure 15(d'). | Filtered time series of data shown in Figure 15(d). | 43 |
| Figure 15(e). | Mid-depth currents for the Hibernia region for 1984. | 44 |
| Figure 15(e'). | Filtered time series of data shown in Figure 15(e). | 45 |
| Figure 16(a). | Near bottom (>50m) currents for the Hibernia region for 1980 formed in the same manner as the surface currents. | 46 |
| Figure 16(a'). | Filtered time series of data shown in Figure 16(a). | 47 |
| Figure 16(b). | Near bottom currents for the Hibernia region for 1981. | 48 |
| Figure 16(b'). | Filtered time series of data shown in Figure 16(b). | 49 |

[]

[]

IJ

Ű

Û

[]

| Index of | Figures |
|----------|---------|
|----------|---------|

| Figure 16(c). | Near bottom currents for the Hibernia region for 1982. | 50 |
|----------------|---|------------|
| Figure 16(c'). | Filtered time series of data shown in Figure 16(c). | 51 |
| Figure 16(d). | Near bottom currents for the Hibernia region for 1983. | 52 |
| Figure 16(d'). | Filtered time series of data shown in Figure 16(d). | 53 |
| Figure 16(e). | Near bottom currents for the Hibernia region for 1984. | 54 |
| Figure 16(e'). | Filtered time series of data shown in Figure 16(e). | 55 |
| Figure 17(a). | Near surface (0-35 m) currents at 1 hour sampling for the slope area of the Grand Banks near Hibernia for 1980. This time series was constructed by joining records from locations where the total water depth exceeded 100 m. | 56 |
| Figure 17(a'). | Filtered time series of data shown in Figure 17(a). | 57 |
| Figure 17(b). | No near surface currents available for the slope area for 1981. | 58 |
| Figure 17(c). | Near surface currents for the slope area for 1982. | 5 9 |
| Figure 17(c'). | Filtered time series of data shown in Figure 17(c). | 60 |
| Figure 17(d). | Near surface currents for the slope area for 1983. | 61 |
| Figure 17(d'). | Filtered time series of data shown in Figure 17(d). | 62 |
| Figure 17(e). | Near surface currents for the slope area for 1984. | 63 |
| Figure 17(e'). | Filtered time series of data shown in Figure 17(e). | 64 |
| Figure 18(a). | Mid-depth currents for the slope region of the Grand Banks near Hibernia for 1980 formed in the same manner as the surface currents. | 65 |
| Figure 18(a'). | Filtered time series of data shown in Figure 18(a). | 66 |

| | Index of Figures | Page |
|----------------|--|------|
| Figure 18(b). | Mid-depth currents for the slope area for 1981. | 67 |
| Figure 18(b'). | Filtered time series of data shown in Figure 18(b). | 68 |
| Figure 18(c). | Mid-depth currents for the slope area for 1982. | 69 |
| Figure 18(c'). | Filtered time series of data shown in Figure 18(c). | 70 |
| Figure 18(d). | Mid-depth currents for the slope area for 1983. | 71 |
| Figure 18(d'). | Filtered time series of data shown in Figure 18(d). | 72 |
| Figure 18(e). | Mid-depth currents for the slope area for 1984. | 73 |
| Figure 18(e'). | Filtered time series of data shown in Figure 18(e). | 74 |
| Figure 19(a). | Near bottom (>50 m) currents for the slope region of the Grand Banks near Hibernia for 1980 formed in the same manner as the surface currents. | 75 |
| Figure 19(a'). | Filtered time series of currents shown in Figure 19(a). | 76 |
| Figure 19(b). | Near bottom currents for the slope area for 1981. | 77 |
| Figure 19(b'). | Filtered time series of currents shown in Figure 19(b). | 78 |
| Figure 19(c). | Near bottom currents for the slope area for 1982. | 79 |
| Figure 19(c'). | Filtered time series of currents shown in Figure 19(c). | 80 |
| Figure 19(d). | Near bottom currents for the slope area for 1983. | 81 |
| Figure 19(d'). | Filtered time series of currents shown in Figure 19(d). | 82 |
| Figure 19(e). | Near bottom currents for the slope area for 1984. | 83 |
| Figure 19(e'). | Filtered time series of currents shown in Figure 19(e). | 84 |

[]

[]

E

El

1

Į.]

Ð

0

1

[]

Ð

Ũ

ß

1

8

Ņ

[]

Index of Figures

| Figure 20. | Progressive vector diagram of the current data shown in Figure 14. The depth shown is the average depth of the records used to create the plot. Crosses are 1 year apart. | 85 |
|------------|---|----|
| Figure 21. | Progressive vector diagram of the current data shown in Figure 15. The depth shown is the average depth of the records used to create the plot. Crosses are 1 year apart. | 86 |
| Figure 22. | Progressive vector diagram of the current data shown in Figure 16. The depth shown is the average depth of the records used to create the plot. Crosses are 1 year apart. | 87 |
| Figure 23. | Progressive vector diagram of the current data shown in Figure 17. The depth shown is the average depth of the records used to create the plot. Crosses are 1 year apart. | 88 |
| Figure 24. | Progressive vector diagram of the current data shown in Figure 18. The depth shown is the average depth of the records used to create the plot.Crosses are 1 year apart. | 89 |
| Figure 25. | Progressive vector diagram of the current data shown in Figure 19. The depth shown is the average depth of the records used to create the plot.Crosses are 1 year apart. | 90 |
| Figure 26. | Scatter plot of the filtered U-V components for the near surface layer at Hibernia. | 91 |
| Figure 27. | Scatter plot of the filtered T-S for the near surface layer at Hibernia. | 92 |
| Figure 28. | Scatter plot of the filtered U-V components for the mid-depth layer at Hibernia. | 93 |
| Figure 29. | Scatter plot of the filtered T-S for the mid-depth layer at Hibernia. | 94 |
| Figure 30. | Scatter plot of the filtered U-V components for the near bottom layer at Hibernia. | 95 |
| Figure 31. | Scatter plot of the filtered T-S for the near bottom layer at Hibernia. | 96 |
| Figure 32. | Scatter plot of the filtered U-V components for the near surface layer in the slope region near Hibernia. | 97 |
| Figure 33. | Scatter plot of the filtered T-S for the near surface layer in the slope region near Hibernia. | 98 |

| | Index of Figures | Page |
|------------|--|------|
| Figure 34. | Scatter plot of the filtered U-V components for the mid-depth layer in the slope region near Hibernia. | 99 |
| Figure 35. | Scatter plot of the filtered T-S for the mid-depth layer in the slope region near Hibernia. | 100 |
| Figure 36. | Scatter plot of the filtered U-V components for the near bottom layer in the slope region near Hibernia. | 101 |
| Figure 37. | Scatter plot of the filtered T-S for the near bottom layer in the slope region near Hibernia. | 102 |

[]

Index of Tables

| Table 1. | Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom layers at Hibernia for the hourly data. | 103 |
|-----------|--|-----|
| Table 2. | Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom layers at Hibernia for the filtered data. | 106 |
| Table 3. | Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom layers for the slope area near Hibernia based on the hourly data. | 109 |
| Table 4. | Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom layers for the slope area near Hibernia based on the filtered data. | 112 |
| Table 5. | Histograms of temperature for the (a) near surface, (b) mid- depth and (c) bottom layers at Hibernia based on the filtered data. | 115 |
| Table 6. | Histograms of temperature for the (a) near surface, (b) mid- depth and (c) bottom layers for the slope area near Hibernia based on the filtered data. | 118 |
| Table 7. | Histograms of salinity for the (a) near surface, (b) mid-depth and (c) bottom layers at Hibernia based on the filtered data. | 121 |
| Table 8. | Histograms of salinity for the (a) near surface, (b)mid-depth and (c) bottom layers for the slope area near Hibernia based on the filtered data. | 124 |
| Table 9. | Overall statistics of rate, u, v, T and S for all three depth levels at Hibernia based on the hourly data. | 127 |
| Table 10. | Monthly statistics of rate, u, v, T and S for the near surface layer at Hibernia based on the hourly data. | 128 |
| Table 11. | Monthly statistics of rate, u, v, T and S for the mid-depth layer at Hibernia based on the hourly data. | 133 |
| Table 12. | Monthly statistics of the rate, u, v, T and S for the near bottom layer at Hibernia based on the hourly data. | 138 |
| Table 13. | Overall statistics of rate, u, v, T and S for all three depth levels for the slope area near Hibernia based on the hourly data. | 143 |
| Table 14. | Monthly statistics of rate, u, v, T and S for the near surface layer for the slope area near Hibernia based on the hourly data. Note there were not any data for 1981. | 144 |

| | Index of Tables | Page |
|--------------------|--|------|
| Table 15. | Monthly statistics of the rate, u, v, T and S for the mid-depth layer for the slope area near Hibernia based on the hourly data. | 148 |
| Table 16. | Monthly statistics of the rate, u, v, T and S for the near bottom layer for the slope area near Hibernia based on the hourly data. | 153 |
| Table 17. | Overall statistics of rate, u, v, T and S for all three depth levels at Hibernia based on the filtered data. | 158 |
| Table 18. | Monthly statistics of rate, u, v, T and S for the near surface layer at Hibernia based on the filtered data. | 159 |
| Table 19. | Monthly statistics of rate, u, v, T and S for the mid-depth layer at Hibernia based on the filtered data. | 164 |
| Table 20. | Monthly statistics of rate, u, v, T and S for the near bottom layer at Hibernia based on the filtered data. | 169 |
| Table 21. | Overall statistics of rate, u, v, T and S for all three depth levels for the slope area near Hibernia based on the filtered data. | 174 |
| Table 2 2 . | Monthly statistics of rate, u, v, T and S for the near surface layer for the slope area near Hibernia based on the filtered data. Note there were not any data for 1981. | 175 |
| Table 23. | Monthly statistics of the rate, u, v, T and S for the mid-depth layer for the slope area near Hibernia based on the filtered data. | 179 |
| Table 24. | Monthly statistics of the rate, u, v, T and S for the near bottom layer for the slope area near Hibernia based on the filtered data. | 184 |



50° N

48° N

46°N

44°N



200m

NEWFOUNDLAND SHELF AND SLOPE (0 - 35 M.)







Figure 2. Mean currents for the Hibernia region, surface layer.



Figure 3. Mean currents for the Avalon Channel, surface layer.



Figure 4. Mean currents for the Notre Dame Channel, surface layer.



Figure 5. Mean currents for the Strait of Belle Isle, surface layer.





Figure 6. Mean currents for the mid-depth layer of the Grand Banks



Figure 7. Mean currents for the Hibernia region, middle layer.



Figure 8. Mean currents for the Avalon Channel, middle layer.







NEWFOUNDLAND SHELF AND SLOPE (> 50 M.)



Figure 11. Mean currents for the Hibernia region, bottom layer.





Figure 13. Mean currents for the Strait of Belle Isle, bottom layer.





Figure 14(a'). Filtered time series of data shown in Figure 14(a).





Figure 14(b'). Filtered time series of data shown in Figure 14(b).



Figure 14(c). Near surface currents at 1 hour sampling for the Hibernia region for 1982










Figure 14(d'). Filtered time series of data shown in Figure 14(d).

ы С





Figure 14(e'). Filtered time series of data shown in Figure 14(e).





Figure 15(a'). Filtered time series of data shown in Figure 15(a).



Figure 15(b). Mid-depth currents for the Hibernia region for 1981.



Figure 15(b'). Filtered time series of data shown in Figure 15(b).





Figure 15(c'). Filtered time series of data shown in Figure 15(c).





Figure 15(d'). Filtered time series of data shown in Figure 15(d).







Figure 15(e'). Filtered time series of data shown in Figure 15(e).





Figure 16(a'). Filtered time series of data shown in Figure 16(a).







Figure 16(b'). Filtered time series of data shown in Figure 16(b).







Figure 16(c'). Filtered time series of data shown in Figure 16(c).







Figure 16(d'). Filtered time series of data shown in Figure 16(d).





Figure 16(e'). Filtered time series of data shown in Figure 16(e).







Figure 17(a'). Filtered time series of data shown in Figure 17(a).





Figure 17(c). Near surface currents for the slope area for 1982.





Figure 17(d). Near surface currents for the slope area for 1983.
































Figure 18(d). Mid-depth currents for the slope area for 1983.





Figure 18(e). Mid-depth currents for the slope area for 1984.









Figure 19(b). Near bottom currents for the slope area for 1981.











Figure 19(d). Near bottom currents for the slope area for 1983







Figure 19(e). Near bottom currents for the slope area for 1984.





























Figure 25. Progressive vector diagram of the current data shown in Figure 19 depth shown is the average depth of the records used to create the plot. Crosses are 1 year apart.



| | | | | | | | | | | 1 | N | | | | | | | | | | | 0 |
|-----|------------|---|---|----|----|----------------|----|--------|----|---------|--------|-----|--------|------------|----|---|---|---|---|-----|-----|----------------|
| | • | • | • | • | • | • | • | • | • | • - | 1 | • | • | • | • | • | • | • | • | • | • | ^{5.0} |
| | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| | • | • | • | • | ٠ | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| | • | • | • | • | • | • | • | • | • | •1 | • | • | • | • | • | • | • | • | • | • | • | |
| | • | • | • | • | • | • | • | •1 | •1 | • - | • | • | • | • | • | • | • | • | • | • | • | |
| | • | • | • | • | • | • | •1 | •1 | •1 | .3 | 1 | • | • | • | • | | • | • | • | • | • | |
| | | | • | • | •1 | | •1 | •1 | .2 | .4 | .2 | .3 | •1 | | | | | | | • | | |
| | | | | •1 | • | . ¹ | .3 | •1 | .5 | .8 | 5 | .4 | •1 | . 1 | | | | | | | | |
| | | | | | .1 | . 1 | 3 | .4 | 13 | 31 | 28 | .7 | 3 | .1 | | | | • | | | | /S |
| | _ | _ | - | | 1 | t | 3 | 7 | 20 | 135 | 131 | 21 | 5 | 2 | | | | | | | | Ω |
| Μ | | | | - | | 2 | 4 | 10 | 25 | 114 | 130 | 25 | 5 | 2 | I | 1 | | | | | ΤĿ | |
| | • | • | • | • | • | • | 2 | • 6 | • | • 35 | 37 | • | • 5 | • | • | • | • | • | • | • | • | ł |
| | • | • | • | • | • | • | • | • | • | • | • | • | 2 | 2 | • | • | • | • | • | ٠ | • | L |
| | • | • | • | • | • | • | • | • | • | • | • - | • | - ז | • | • | • | • | • | • | • | • | 5 |
| | • | • | • | • | • | • | •' | • | • | • | • _ | • | •. | • | •` | • | • | • | • | • | • | > |
| | • | • | • | • | • | • | • | • | • | • - | • | • | • | • 1 | • | • | • | • | • | • | • | |
| | • | • | • | • | • | • | • | • | •1 | • | •1 | • | • | • | • | • | • | • | • | • | • | |
| | • | • | • | • | • | • | • | • | • | • | - | • | • | • | • | • | • | • | • | • | • | |
| | • | • | • | • | • | • | • | • | • | • | - | • | • | • | • | • | • | • | • | • | • | |
| | • | • | | | • | • | • | • | • | | - | • | | | • | • | • | | | | | |
| | | | | | • | | • | | | • - | | | | | | | | • | | | | 8 |
| -75 | n ∩ | | | | | | | | | | S | | | | | | | | | 75 | 00 | -75. |
| /J. | 00 | | | | | | U(| COM | P١ | /EL | C۲ | 1/S | | | | | | | | / J | •00 | |

FREQUENCY DISTRIBUTION PLOT CRUISE O STATION O DEPTH 23 M. START TIME 1/ 2/1980 4:50: .0 GMT FREQUENCY UNIT 0.1%

Figure 26. Scatter plot of the filtered U-V components for the near surface layer at Hibernia.



Figure 27. Scatter plot of the filtered T-S for the near surface layer at Hibernia.



75.00

COMP VEL CM/S

>

٦°E



Figure 29. Scatter plot of the filtered T-S for the mid-depth layer at Hibernia.



Figure 30. Scatter plot of the filtered U-V components for the near bottom layer at Hibernia.



FREQUENCY DISTRIBUTION PLOT CRUISE O STATION O DEPTH 67 M. START TIME 16/ 5/1980 5:50: .0 GMT FREQUENCY UNIT 0.1%

Figure 31. Scatter plot of the filtered T-S for the near bottom layer at Hibernia.



FREQUENCY DISTRIBUTION PLOT CRUISE O STATION O DEPTH 24 M. START TIME 5/10/1980 16:30: .0 GMT FREQUENCY UNIT 0.1%

Figure 32. Scatter plot of the filtered U-V components for the near surface layer in the slope region near Hibernia.

0 [] E РРТ SALINITY

35.00

98

| | • - | ľ | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | 0.0 |
|----|-----|-----|-----------------|-----------------|-----------------|-----|------|-----|-------|-----|----|-----|----|------------|-----|----|----|---|-----|-----|------|
| • | • | - | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | ٠ | ň |
| • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| | • | - | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| • | • _ | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| • | • | - | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| • | • | | • | • | • | • | • | .2 | • | • | | • | • | | • | | • | | • | • | |
| | • | - | •5 | .4 | . ^L | • | •1 | •1 | .3 | • | • | | • | • | • | • | • | | • | | |
| | 13 | .34 | . ²⁹ | . ⁴² | . ³⁷ | .14 | .4 | • | .11 | • | | | | | | • | • | | • | | |
| 1 | 66 | 86 | .5 | • | .11 | 21 | .20 | .3 | .18 | • | | | • | | | • | • | | | | |
| 2 | 47 | - | .33 | .4 | | .10 | .3 | .11 | .13 | | | • | • | | • | • | • | | • | | |
| 2 | • | | .1 | .27 | .5 | | | | .8 | .11 | .8 | .11 | • | | | | | | • | | |
| 25 | 1 | | • | • | .6 | .4 | | • | | • | .2 | .6 | 13 | | | | | | | | |
| | | | • | • | 13 | .16 | | • | | • | | • | | .9 | | | | | | | |
| | • - | | • | • | ຸ ເ3 | .11 | .1 | .3 | | • | | • | | <u></u> ۱0 | .10 | | .8 | | | | |
| | | | • | | | | .1 | .28 | .6 | .6 | 10 | | | 23 | .14 | 35 | 13 | 8 | | | |
| | | | | | | | | 6 | | | 5 | .4 | 19 | 8 | 3 | 11 | 8 | 8 | _ | _ | |
| | - | | | | | | | | | | | | 1 | - | - | | - | | - | - | |
| | - | | | - | | | | | | - | - | - | - | - | - | | | | - | - | |
| | - | [| • | • | • | | • | • | • | • | • | • | | • | • | • | • | • | • | • | 8 |
| | • | | - | - | T | | | | - | 1 | | • | - | | 1 | | | | | ר• | 30.0 |
|)0 | | | | | | TFM | 1PFI | RAT | 'I IR | DF | ם' | | | | | | | | 18. | .00 | ., |

FREQUENCY DISTRIBUTION PLOT CRUISE O STATION O DEPTH 24 M. START TIME 5/10/1980 .O GMT 16:30: FREQUENCY UNIT 0.1%

Figure 33. Scatter plot of the filtered T-S for the near surface layer in the slope region near Hibernia.



FREQUENCY DISTRIBUTION PLOT CRUISE O STATION O DEPTH 90 M. START TIME 5/10/1980 16:30: .0 GMT FREQUENCY UNIT 0.1%

Figure 34. Scatter plot of the filtered U-V components for the mid-depth layer in the slope region near Hibernia.



near Hibernia.



FREQUENCY UNIT 0.1%

Figure 36. Scatter plot of the filtered U-V components for the near bottom layer in the slope region near Hibernia.

101

75.00

COMP VEL CM/S

>

6

SALINITY

17

.00.00 30.00

102

-2.00

2

24

62

116

188

39

•

2

23

190

10 5

137 6

41

2

TEMPERATUR DEG C

FREQUENCY OISTRIBUTION PLOT CRUISE O STATION O OEPTH 165 M. START TIME 5/10/1980 16:30: .0 GMT FREQUENCY UNIT 0.1%

Figure 37. Scatter plot of the filtered T-S for the near bottom layer in the slope region near Hibernia.



A) HISTOGRAM OF RATE

6---- F

(CM/S) HIBERNIA : NEAR SURFACE JAN. 1/80 - DEC. 31/84 (20 M. ; 1 HOUR)

For the part for the task of the task that the task that has not and and

BAND NUMBER PER .GE. .LT. IN BAND CENT

0.00 5.00 1849 5.00 10.00 2783 3546 10.00 15.00 17.6 15.00 20.00 3809 2915 20.00 25.00 25.00 30.00 2366 10.9 30.00 35.00 1698 35.00 40.00 1185 5.5 ********************** 40.00 45.00 754 3.5 ***************** 45.00 50.00 359 1.7 ********* 50.00 55.00 219 1.0 ***** 55.00 60.00 86 .4 *** 60.00 65.00 41 .2 ** 65.00 70.00 27 .1 • 70.00 75.00 .1 + 16

TOTAL NO. OF CYCLES 40085 MISSING DATA 18429

TOTAL NO. OF SAMPLES 21656

Table 1. Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

layers at Hibernia for the hourly data.

B) HISTOGRAM OF RATE

| (CM/S |) | HIE |
|-------|---|-----|
|-------|---|-----|

BAND NAMBER PER

.GE. . LT. IN BAND CENT

| 0.00 | 5.00 | 579 | 2.7 | ••••• |
|-------|-------|------|------|---|
| 5.00 | 10.00 | 3286 | 15.4 | ••••• |
| 10.00 | 15.00 | 5979 | 28,1 | *************************************** |
| 15.00 | 20.00 | 5101 | 23.9 | *************************************** |
| 20.00 | 25.00 | 3335 | 15.6 | •••••• |
| 25.00 | 30.00 | 1747 | 8.2 | ********************** |
| 30.00 | 35.00 | 717 | 3.4 | ****** |
| 35.00 | 40.00 | 316 | 1.5 | 90000 C |
| 40.00 | 45.00 | 150 | .7 | ••• |
| 45.00 | 50.00 | 53 | .2 | • |
| 50.00 | 55.00 | 21 | .1 | • |
| 55.00 | 80.00 | 10 | .0 | • |
| 60.00 | 65.00 | 4 | .0 | • |
| 65.00 | 70.00 | 2 | .0 | • |
| 70.00 | 75.00 | 0 | 0.0 | |
| | | | | |
| | | | | |

TOTAL NO. OF CYCLES 41010 MISSING DATA 19710

TOTAL NO. OF SAMPLES 21300

Table 1. Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

layers at Hibernia for the hourly data.
C) HISTOGRAM OF RATE (CM/S) HIBERINA : NEAR BOTTOM JAN. 1/80 - DEC. 31/80 (75 M. ; 1 HOUR)

BAND NUMBER PER

.GE. .LT. IN BAND CENT

0.00 5.00 1036 4.5 ********** 5.00 5799 10.00 25.4 10.00 15.00 8651 37.8 15.00 20.00 4860 21.3 20.00 25.00 1722 7.5 ************** 25.00 30.00 563 2.5 ****** 30.00 35.00 153 .7 ++ 35.00 40.00 47 .2 + 40.00 45.00 14 .5 + 45.00 50.00 9 .0 + 50.00 55.00 6 .0 . 55.00 60.00 6 .0 + 60.00 65.00 1 .0 . 65,00 70.00 0 0.0 70.00 75.00 0 0.0 TOTAL NO. OF CYCLES 40189 **MISSING DATA** 17322

TOTAL NO. OF SAMPLES 22867

 Table 1.
 Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

layers at Hibernia for the hourly data.

| A) | HI | ST | OGR/ | W. | OF | RATE |
|----|----|----|------|----|----|------|

- BAND NUMBER PER
- .GE. . LT. IN BAND CENT

| 0.00 | 5,00 | 1094 | 30.8 | *************************************** |
|-------|--------------------|-----------|------|---|
| 5.00 | 10.00 | 970 | 27.3 | *************************************** |
| 10.00 | 15.00 | 564 | 15.9 | *************************************** |
| 15.00 | 20.00 | 340 | 9.6 | ************************ |
| 20.00 | 25.00 | 214 | 6.0 | ************ |
| 25.00 | 30.00 | 140 | 3.9 | ******* |
| 30.00 | 35.00 | 101 | 2.8 | ****** |
| 35.00 | 40.00 | 62 | 1.7 | ***** |
| 40.00 | 45.00 | 37 | 1.0 | **** |
| 45.00 | 50.00 | 19 | .5 | •• |
| 50.00 | 55.00 | 11 | .3 | • |
| 55.00 | 60,00 | 3 | .1 | • |
| 60.00 | 65. 0 0 | 2 | .1 | • |
| 65.00 | 70.00 | 1 | .0 | • |
| 70.00 | 75.00 | 0 | 0.0 | |
| | | | | |
| | | | | |

TOTAL NO. OF CYCLES 6660 MISSING DATA 3102

TOTAL NO. OF SAMPLES 3558

Table 2. Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

layers at Hibernia for the filtered data.

B) HISTOGRAM OF RATE

HIBERNIA : NEAR MIDDLE JAN. 1/80 - DEC. 31/84 (45 M.; 6 HOUR)

SAND NUMBER PER ,GE. .LT. IN BAND CENT (CM/S)

0.00 5.00 1204 34.4 5.00 10.00 1086 31.0 10.00 15.00 574 16.4 15.00 20.00 334 9.5 ************************* 20.00 25.00 170 4.9 *********** 25.00 30.00 79 2.3 ****** 30.00 35.00 23 .7 35.00 40,00 14 .4 ** 40.00 45.00 10 .3 • 45.00 50.00 2 .1 + 50.00 55.00 1 .0 • 55.00 60.00 0.0 0 60.00 65.00 Ø 0.0 65.00 70.00 0.0 Ø 70.00 75.00 Ø 0.0 TOTAL NO. OF CYCLES 6814 MISSING DATA 3317

TOTAL NO. OF SAMPLES 3497

Table 2.` Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottomlayers at Hibernia for the filtered data.

- BAND NUMBER PER
- .GE. . LT. IN BAND CENT

| 0.00 | 5.00 | 157 4 | 41.9 | *************************************** |
|-----------|--------|------------------|------|---|
| 5.00 | 10.00 | 1391 | 37.0 | • •••••••••••••••••••••••••••••••• |
| 10.00 | 15.00 | 542 | 14.4 | ****************************** |
| 15.00 | 20.00 | 181 | 4.8 | ******* |
| 20.00 | 25.00 | 49 | 1.3 | **** |
| 25.00 | 30.00 | 10 | .3 | • |
| 30.00 | 35.00 | 8 | .2 | • |
| 35.00 | 40.00 | 3 | .1 | • |
| 40.00 | 45.00 | 2 | .0 | • |
| 45.00 | 50.00 | 0 | 0.0 | |
| 50.00 | 55.00 | 0 | 0.0 | |
| 55.00 | 60.00 | 0 | 0.0 | |
| 60.00 | 65.00 | 0 | 0.0 | |
| 65.00 | 70.00 | 0 | 0.0 | |
| 70.00 | 75.00 | 0 | 0.0 | |
| | | | | |
| TOTAL NO. | OF CYC | LES 66 | 577 | |
| MISSING D | ATA | 29 | 917 | |

TOTAL NO. OF SAMPLES 3760

Table 2. Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

layers at Hibernia for the filtered data.

_

£____1

(CM/S) GRAND BANKS : NEAR SURFACE JAN. 1/80 - DEC. 31/84 (20 M. ; 1 HOUR)

BAND NUMBER PER .GE. , LT. IN BAND CENT

0.00 5.00 3256 20.4 5.00 10.00 1760 11.0 10.00 2003 15.00 12.6 15.00 20.00 2221 13.9 20.00 25.00 2230 14.0 25.00 30.00 1692 10.6 30.00 35.00 1107 6.9 *********************************** 35.00 40.00 800 5.0 ********************** 40.00 45.00 472 3.0 ************* 45.00 50.00 220 1.4 50.00 55.00 95 .6 *** 55.00 60.00 54 .4 ... 60.00 65.00 16 .1 + 65.00 70.00 8 .0 • 70.00 75.00 8 .0 +

TOTAL NO. OF CYCLES 36771

MISSING DATA 20829

TOTAL NO. OF SAMPLES 15942

Table 3. Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

layers for the slope area near Hibernia based on the hourly data.

Channel & Stational

B) HISTOGRAM OF RATE (CM/S) GRAND BANKS : NEAR MIDDLE JAN 1./80 - DEC.31/84 (100 M.; 1 HOUR)

| BAND |) | NUMBER | PER |
|------|------|---------|------|
| .GE. | .LT. | IN BAND | CENT |

0.00 5.00 1430 7.3 ********************* 5276 5.00 10.00 26.7 ------........ 10.00 15.00 5669 28.7 *********************** 15.00 20.00 3612 18.3 20.00 25.00 1953 10.0 *********************************** 25.00 890 30.00 4.5 ************* 30.00 35.00 446 2.3 ******* 35.00 40.00 240 1.2 ***** 40.00 132 45.00 .7 45.00 50.00 48 .2 + 50.00 55.00 26 .1 + 55.00 60.00 8 .0 • 60.00 65.00 0 0.0 65.00 70.00 0 0.0 70.00 75.00 0 0.0 TOTAL NO. OF CYCLES 36781 MISSING DATA 17051

TOTAL NO. OF SAMPLES 19730

Table 3. Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

C) HISTOGRAM OF RATE

12 4

(CM/S) GRAND BANKS : NEAR BOTTOM JAN. 1/80 - DEC. 31/84 (175 M.; 1 HOUR)

Married Married

11

BAND NUMBER PER .GE. .LT. IN BAND CENT

17.3

Sec. and

5 T

| 0.00 | 5.00 | 1691 | 12.7 | ********************************** |
|---------------|--------|-----------------|------|---|
| 5.00 | 10.00 | 4298 | 32.2 | *************************************** |
| 10.00 | 15.00 | 3481 | 26.0 | ••••••••••••••••••••••••••••••••••••••• |
| 15.00 | 20.00 | 2142 | 16.0 | ***** |
| 20.00 | 25.00 | 1037 | 7.8 | ***************** |
| 25.00 | 30.00 | 441 | 3.3 | ****** |
| 30.00 | 35.00 | 16 0 | 1.2 | •••• |
| 35.00 | 40.00 | 65 | .5 | •• |
| 40.00 | 45.00 | 23 | . 2 | • |
| 45.00 | 50.00 | 13 | .1 | • |
| 50.00 | 55.00 | 7 | .0 | • |
| 55, 00 | 60.00 | 0 | 0,0 | |
| 60.00 | 65.00 | 0 | 0.0 | |
| 65.00 | 70.00 | 0 | 0.0 | |
| 70.00 | 75.00 | 0 | 0.0 | |
| TOTAL NO. | OF CYC | LES 3 | 6102 | |
| MISSING C | ATA | 22 | 2744 | |
| TOTAL NO. | OF SAM | PLES 1 | 3358 | |

Table 3.Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

A) HISTOGRAM OF RATE

- BAND NUMBER PER
- .GE. .LT. IN BAND CENT

| 0. | 0 0 | 5. | 00 | 301 | 13.4 | ****** |
|-------------|------------|-------------|---------------|--------|------|---|
| 5. | 00 | 10. | 00 | 543 | 24.2 | ****** |
| 10. | 00 | 15. | 0 0 | 521 | 23.2 | ****** |
| 15. | 0 0 | 20. | 00 | 375 | 16.7 | ****** |
| 20. | 0 0 | 25. | 00 | 264 | 11.7 | *************************************** |
| 25. | 00 | 30. | 00 | 107 | 4.8 | ********** |
| 30. | 00 | 35. | 00 | 69 | 3.1 | ****** |
| 35. | 00 | 40. | 00 | 38 | 1.7 | ****** |
| 40. | 00 | 45. | 00 | 20 | .9 | **** |
| 45. | 00 | 50. | 00 | 9 | .4 | •• |
| 50. | 00 | 55. | 00 | 0 | 0.0 | |
| 55. | 00 | 60. | 00 | 0 | 0.0 | |
| 60. | 00 | 65. | 00 | 0 | 0.0 | |
| 65. | 00 | 70. | 00 | 0 | 0.0 | |
| 70 . | 00 | 75 . | 00 | 0 | 0.0 | |
| | | | | | | |
| TOTAL | NO. | 0F | CYCL | .ES 6 | 108 | |
| MISSI | NG DA | TA | | 3 | 861 | |
| | | | | | | |
| TOTAL | ND. | OF | SAMP | PLES 2 | 247 | |
| | | | | | | |
| | | | | Table | e 4. | Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom |

BAND NUMBER PER

| 0.00 | 5.00 | 796 | 24.5 | *************************************** |
|-------|-------|-----|------|---|
| 5.00 | 10.00 | 913 | 28.1 | ***************** |
| 10.00 | 15.00 | 774 | 23.9 | *************************************** |
| 15.00 | 20.00 | 380 | 11.7 | **************** |
| 20.00 | 25.00 | 201 | 6.2 | ************ |
| 25.00 | 30.00 | 92 | 2.8 | ****** |
| 30.00 | 35.00 | 44 | 1.4 | ***** |
| 35.00 | 40.00 | 25 | .8 | *** |
| 40.00 | 45.00 | 16 | .5 | ** |
| 45.00 | 50.00 | 0 | 0.0 | |
| 50.00 | 55.00 | 4 | .1 | • |
| 55.00 | 60.00 | 1 | .0 | • |
| 60.00 | 65.00 | 0 | 0.0 | |
| 65.00 | 70.00 | 0 | 0.0 | |
| 70.00 | 75.00 | 0 | 0.0 | |
| | | | | |

TOTAL NO. OF CYCLES 6109 MISSING DATA 2863

TOTAL NO. OF SAMPLES 3246

Table 4. Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

C) HISTOGRAM OF RATE (CM/S) GRAND BANKS : NEAR BOTTOM JAN. 1/80 - DEC. 31/84 (175 M.; 6 HOUR)

- Band Number Per
- .GE. .LT. IN BAND CENT

| 0.00 | 5.00 | 666 | 30.3 | *************************************** |
|-----------|----------|-------|------|---|
| 5.00 | 10.00 | 714 | 32.7 | *************************************** |
| 10.00 | 15.00 | 472 | 21.6 | ***** |
| 15.00 | 20.00 | 208 | 9.5 | ***************** |
| 20.00 | 25.00 | 76 | 3.5 | ***** |
| 25.00 | 30.00 | 31 | 1.4 | **** |
| 30.00 | 35.00 | 10 | .5 | •• |
| 35.00 | 40.00 | 8 | .3 | • |
| 40.00 | 45.00 | 2 | .1 | • |
| 45.00 | 50.00 | 0 | 0.0 | |
| 50.00 | 55.00 | 0 | 0.0 | |
| 55.00 | 60.00 | 0 | 0.0 | |
| 60.00 | 65.00 | 0 | 0.0 | |
| 65.00 | 70.00 | 0 | 0.0 | |
| 70.00 | 75.00 | 0 | 0.0 | |
| | | | | |
| TOTAL NO | . OF CYC | LES 5 | 996 | |
| MISSING I | DATA | - 34 | 811 | |

TOTAL NO. OF SAMPLES 2185

Table 4. Histograms of rate for the (a) near surface, (b) mid-depth and (c) bottom

| A) HISTOGRAM OF TEMPERATURE | | | E | (DEG C) | HIBERNIA : | NEAR | SURFACE | JAN. 1/80 - DEC. 31/84 | (20 M.;6 HOUR) |
|-----------------------------|------|----------|------|-------------|------------|-------|---------------------|---|------------------|
| BAI | Ð | NUMBER | PER | | | | | | |
| .GE. | .LT. | IN BAND | CENT | | | | | | |
| -2.00 | -1.0 | 0 0 | 0.0 | | | | | | |
| -1.00 | 0.0 | 0 606 | 19.0 | ********** | ********** | ***** | | •••••• | **************** |
| 0.00 | 1.0 | 0 444 | 14.0 | ********** | ********** | ***** | | •••••• | • |
| 1.00 | 2.0 | 0 377 | 11.8 | ****** | ••••• | | | • | |
| 2.00 | 3.0 | 0 339 | 10.7 | ********** | ••••• | ***** | • • • • • • • • • • | ******* | |
| 3.00 | 4.0 | 0 172 | 5.4 | ******* | ********* | | | | |
| 4.00 | 5.0 | 0 94 | 3.0 | ******* | • | | | | |
| 5.00 | 6.0 | 0 215 | 6.7 | ********** | ********** | ***** | | | |
| 6,00 | 7.0 | 0 239 | 7.5 | ***** | ********* | ***** | **** | | |
| 7.00 | 8.0 | 0 274 | 8.6 | *********** | ********** | ***** | ******* | | |
| 8.00 | 9.0 | 0 165 | 5.2 | ********** | ********* | | | | |
| 9.00 | 10.0 | 0 39 | 1.2 | ****** | | | | | |
| 10.00 | 11.0 | 0 94 | 3.0 | ********* | • | | | | |
| 11.00 | 12.0 | 0 122 | 3.8 | ***** | **** | | | | |
| 12.00 | 13.0 | 03 | .1 | • | | | | | |
| 13.00 | 14.0 | 0 0 | 0.0 | | | | | | |
| 14.00 | 15.0 | 0 0 | 0.0 | | | | | | |
| 15.00 | 16.0 | 0 0 | 0.0 | | | | | | |
| 16.00 | 17.0 | 0 0 | 0.0 | | | | | | |
| 17.00 | 18.0 | 0 0 | 0.0 | | | | | | |
| TOTAL NO | OFC | YCLES 65 | 25 | | | | | | |
| MISSING 8 | ATA | 33 | 42 | | | | | | |

TOTAL NO. OF SAMPLES 3183

| Table 5. Histograms of temperature for the (a) near surface, (b) mid-depth an | 1 (c) |
|---|-------|
|---|-------|

bottom layers at Hibernia based on the filtered data.

| RA | NT) | | PFR | |
|-----------|--------|----------------|-------|---|
| .GE. | .LT. | IN BAND | CENT | |
| | | | | |
| -2.00 | -1.0 | 9 9 | 0.0 | |
| -1.00 | 0.0 | 907 | 23.6 | ***** |
| 0.00 | 1.0 | 841 | 21.9 | *************************************** |
| 1.00 | 2.0 | 810 | 21.1 | *************************************** |
| 2.00 | 3.0 | 3 292 | 7.6 | ********************** |
| 3.00 | 4.0 | 294 | 7.6 | ****************** |
| 4.00 | 5.0 | ð 2 0 9 | 5.4 | ••••• |
| 5.00 | 6.0 | 9 122 | 3.2 | ********* |
| 6.00 | 7.0 | 9 157 | 4.1 | ********* |
| 7.00 | 8.0 | 8 110 | 2.9 | ****** |
| 8.00 | 9.0 | 8 42 | 1.1 | **** |
| 9.00 | 10.0 | 9 23 | .6 | *** |
| 10.00 | 11.0 | ð 23 | .6 | *** |
| 11.00 | 12.0 | 9 16 | .4 | •• |
| 12.00 | 13.0 | 9 0 | 0.0 | |
| 13.00 | 14.0 | 0 0 | 0.0 | |
| 14.00 | 15.0 | 8 0 | 0.0 | |
| 15.00 | 16.0 | 9 0 | 0.0 | |
| 16.00 | 17.0 | 3 0 | 0.0 | |
| 17.00 | 18.0 | 9 0 | 0.0 | |
| | | | | |
| TOTAL NO | . OF C | YCLES 68 | 314 | |
| MISSING I | DATA | 28 | 168 | |
| TOTAL NO | . OF S | MPLES 38 | 346 | |
| | | | | |
| | | Tab | le 5. | Histograms of temperature for the (a) near surface, (b) mid-depth and (c) |

HIBERNIA : NEAR MIDDLE JAN. 1/80 - DEC. 31/84 (45 M. ; 6 HOUR)

B) HISTOGRAM OF TEMPERATUR

(DEGC)

bottom layers at Hibernia based on the filtered data.

| BA | ND N | amber | PER | |
|------------------------------|--------------------|---------|------------------|---|
| GE. | .LT. 1 | in Band | CENT | |
| -2.00 | -1.00 | 256 | 6.8 | ***** |
| -1.00 | 0.00 | 2616 | 6 9.6 | *************************************** |
| 0 , 00 | 1.00 | 592 | 15.7 | *************** |
| 1.00 | 2.00 | 238 | 6.3 | ****** |
| 2.00 | 3.00 | 51 | 1.3 | •• |
| 3.00 | 4.00 | 7 | .2 | • |
| 4.00 | 5.00 | 0 | 0.0 | |
| 5.00 | 6.00 | 0 | 0.0 | |
| 6.00 | 7.00 | 0 | 0.0 | |
| 7.00 | 8.00 | 0 | 0.0 | |
| 8.00 | 9.00 | 0 | 0.0 | |
| 9.00 | 10.00 | 0 | 0.0 | |
| 0.00 | 11.00 | 0 | 0.0 | |
| 1.00 | 12.00 | 0 | 0.0 | |
| 2.00 | 13.00 | 0 | 0.0 | |
| 3.00 | 14.00 | Ð | 0.0 | |
| 4.00 | 15.00 | 0 | 0.0 | |
| 5.00 | 16.00 | Ð | 0.0 | |
| 6.00 | 17.00 | 0 | 0.0 | |
| 7.00 | 18. 0 0 | 0 | 0.0 | |
| AL NO. | OF CYC | LES 66 | 77 | |
| SING C | ATA | 29 | 17 | |
| AL NO. | OF SAN | PLES 37 | 60 | |

bottom layers at Hibernia based on the filtered data.

| A) HISTOGRAM OF TEMPERATURE | (DEG C) | GRAND BANKS : NEAR SURFACE | JAN. 1/80 - DEC. 31/84 | 4 (201M.;6HOUR) |
|-----------------------------|-----------|----------------------------|------------------------|-----------------|
|-----------------------------|-----------|----------------------------|------------------------|-----------------|

| BA | D. | NUMBER | PER | |
|-----------|-------|----------|------------|--|
| .GE. | .LT. | IN BAND | CENT | |
| -2.00 | -1.06 | 9 313 | 18.2 | ********** |
| -1.00 | 0.0 | 0 219 | 12.7 | ************* |
| 0.00 | 1.00 | 3 169 | 9,8 | *************** |
| 1.00 | 2.0 | 0 104 | 6.0 | **************** |
| 2.00 | 3.00 | 0 108 | 6.3 | ***************** |
| 3.00 | 4.00 | 9 121 | 7.0 | ********************** |
| 4.00 | 5.06 | 9 107 | 6.2 | ***************** |
| 5.00 | 6.00 | 3 44 | 2.7 | ***** |
| 6.00 | 7.00 | ð 78 | 4.5 | ************ |
| 7.00 | 8.00 | 85 | 4.9 | ************** |
| 8.00 | 9.06 | ð 23 | 1.3 | ***** |
| 9.00 | 10.00 | 36 | 2.1 | ***** |
| 10.00 | 11.00 | 30 | 1.7 | ****** |
| 11.00 | 12.00 | 3 48 | 2.8 | ***** |
| 12.00 | 13.00 | 3 71 | 4.1 | *********** |
| 13.00 | 14.00 | 38 | 2.2 | ****** |
| 14.00 | 15.00 | 64 | 3.7 | ********** |
| 15.00 | 16.00 | 9 42 | 2.4 | ****** |
| 16.00 | 17.00 | 3 24 | 1.4 | ***** |
| 17.00 | 18.00 | 0 | 0.0 | |
| TOTAL NO. | OF C) | CLES 61 | 8 8 | |
| | ATA | 43 | 84 | |
| | | | | |
| TOTAL NO. | OF SA | WPLES 17 | 24 | |
| | | ጥፈሌነል | G | Histograms of temperature for the (a) near surface. (b) mid-depth and (c) |
| | | ranie | v . | through a second and the second s |

bottom layers for the slope area near Hibernia based on the filtered data.

1.00

_

| RAI | ND. | MIMBER | PFR | |
|-----------|---------|----------|------|---|
| .GE. | .LT. | IN BAND | CENT | |
| -2.00 | -1.00 | 0 1911 | 58.9 | ••••••••••••••••••••••••••••••••••••••• |
| -1.00 | 0.0 | 3 1094 | 33.7 | ****** |
| 0.00 | 1.00 | 9 231 | 7.1 | ****** |
| 1.00 | 2.0 | 9 9 | .3 | • |
| 2.00 | 3.0 | 9 0 | 0.0 | |
| 3.00 | 4.0 | 9 0 | 0.0 | |
| 4.00 | 5.0 | ð 0 | 0.0 | |
| 5.00 | 6.0 | ð 0 | 0.0 | |
| 6.00 | 7.0 | 9 0 | 0.0 | • |
| 7.00 | 8.0 | ð 0 | 0.0 | |
| 8.00 | 9.0 | 9 0 | 0.0 | |
| 9.00 | 10.0 | 0 | 0.0 | |
| 10.00 | 11.00 | ð 0 | 0.0 | |
| 11.00 | 12.06 | 9 0 | 0.0 | |
| 12.00 | 13.00 | 9 0 | 0.0 | |
| 13.00 | 14.00 | 0 | 0.0 | |
| 14.00 | 15.00 | 9 0 | 0.0 | |
| 15.00 | 16.0 | 9 0 | 0.0 | |
| 16.00 | 17.00 | 0 6 | 0.0 | |
| 17.00 | 18.8 | 9 0 | 0.0 | |
| TOTAL NO | OF C | CLES 61 | 09 | |
| AISSING (| ATA | 28 | 64 | |
| TOTAL NO. | . OF SI | MPLES 32 | 45 | |

10-11

10000

bottom layers for the slope area near Hibernia based on the filtered data.

1......

| BA | ND. | NUMBER | PER | |
|-------|-------|---------|------|---|
| .GE. | .LT. | IN BAND | CENT | |
| -2.00 | -1.00 | 870 | 35.8 | ***** |
| -1.00 | 0.0 | 1059 | 43.5 | ••••••••••••••••••••••••••••••••••••••• |
| 0.00 | 1.0 | 472 | 19.4 | •••••••••••••••••• |
| 1.00 | 2.00 | 28 | 1.2 | ••• |
| 2.00 | 3.06 |) 3 | .1 | ¢ |
| 3.00 | 4.00 | | 0.0 | |
| 4.00 | 5.0 | 0 | 0.0 | |
| 5.00 | 6.06 |) 0 | 0.0 | |
| 6.00 | 7.00 | 0 | 0.0 | |
| 7.00 | 8.0 | | 0.0 | |
| 8.00 | 9.06 | 0 | 0.0 | |
| 9.00 | 10.00 | | 0.0 | |
| 10.00 | 11.00 | | 0.0 | |
| 11.00 | 12.06 | 0 | 0.0 | |
| 12.00 | 13.06 | | 0.0 | |
| 13.00 | 14.00 | | 0.0 | |
| 14.00 | 15.00 | 9 0 | 0.0 | |
| 15.00 | 16.06 |) 0 | 0.0 | |
| 16.00 | 17.00 | | 0.0 | |

(DEG C) GRAND BANKS : NEAR BOTTOM JAN. 1/80 - DEC. 31/84 (175 M.; 6 HOUR)

TOTAL NO. OF CYCLES 5996 MISSING DATA 3564

18.00

0

0.0

17.00

C) HISTOGRAM OF TEMPERATURE

TOTAL NO. OF SAMPLES 2432

| Table 6. | Histograms of temperature for the (a) near surface, (b) mid-depth and | (c) |
|----------|---|-----|
|----------|---|-----|

(PPT) A) HISTOGRAM OF SALINITY HIBERNIA : NEAR SURFACE JAN. 1/80 - DEC. 31/84 (20 M.; 6 HOUR) BAND NUMBER PER .GE. .LT. IN BAND CENT 30.00 30.50 0 0.0 30.50 31.00 152 4.8 ******* 31.00 31.50 0 0.0 31.50 32.00 62 2.0 **** 32.00 32.50 816 26.0 32.50 33.00 1661 52.9 33.00 33.50 40 1.3 *** 33.50 34.00 208 6.6 ********** 34.00 34.50 203 6.5 ********** 34.50 35.00 0 0.0 TOTAL NO. OF CYCLES 6525 MISSING DATA 3383 TOTAL NO. OF SAMPLES 3142

L'and

Table 7.Histograms of salinity for the (a) near surface, (b) mid-depth and (c) bottom

layers at Hibernia based on the filtered data.

B) HISTOGRAM OF SALINITY (PPT) HIBERNIA : NEAR MIDDLE JAN. 1/80 - DEC. 31/84 (45 M. ; 6 HOUR)

| BAN | D | NUMBER | PER |
|------|------|---------|------|
| .GE. | .LT. | IN BAND | CENT |

| 30.00 | 30.50 | 0 | 0.0 | |
|-----------|--------|--------|------|--------------------------------|
| 30.50 | 31.00 | 0 | 0.0 | |
| 31.00 | 31.50 | 0 | 0.0 | |
| 31.50 | 32.00 | 162 | 4.1 | ***** |
| 32.00 | 32.50 | 993 | 25.3 | ***** |
| 32.50 | 33.00 | 2016 | 51.3 | ***** |
| 33.00 | 33.50 | 756 | 19.3 | ****************************** |
| 33.50 | 34.00 | 0 | 0.0 | |
| 34.00 | 34.50 | 0 | 0.0 | |
| 34.50 | 35.00 | 0 | 0.0 | |
| TOTAL NO. | OF CYC | LES 6 | 814 | |
| MISSING [| ATA | 2 | 887 | |
| TOTAL NO. | OF SAM | PLES 3 | 927 | |

 Table 7.
 Histograms of salinity for the (a) near surface, (b) mid-depth and (c) bottom

.

layers at Hibernia based on the filtered data.

| C) | HISTO | GRAN | OF | SAL | .INITY | | (PPT) HIBERNIA : NEAR BOTTOM JAN.1/80 ~ DEC.31/84 (75 M. ; 6 HOUR) |
|----|-------|-------------|-----|------------------|---------|------|--|
| | .GE | BAND NUMBER | | iumber N Band | PER | | |
| | | | | , – | | | |
| | 30. | 90 | 30. | 50 | 0 | 0.0 | |
| | 30. | 50 | 31. | 00 | 0 | 0.0 | |
| | 31.0 | 90 | 31. | 50 | 0 | 0.0 | |
| | 31. | 50 | 32. | 00 | 0 | 0.0 | |
| | 32.0 | 80 | 32. | 50 | 321 | 9.3 | *********** |
| | 32. | 50 | 33. | 00 | 1176 | 33.9 | ••••••••••••••••••••••••••••••••••••••• |
| | 33.0 | 90 | 33. | 50 | 1465 | 42.2 | ••••••••••••••••••••••••••••••••••••••• |
| | 33.5 | 50 | 34, | 00 | 508 | 14.6 | ••••• |
| | 34.(| 90 | 34. | 50 | 0 | 0.0 | |
| | 34, | 50 | 35. | 00 | 0 | 0.0 | |
| | | | | | | | |
| | TOTAL | NO. | OF | CYC | LES 66 | 77 | |
| | MISSI | NG D | ATA | | 32 | 07 | |
| | TOTAL | NO. | OF | SAM | PLES 34 | 70 | |

Table 7.Histograms of salinity for the (a) near surface, (b) mid-depth and (c) bottom

layers at Hibernia based on the filtered data.

A) HISTOGRAM OF SALINITY (PPT) GRAND BANKS : NEAR SURFACE JAN. 1/80 - DEC. 31/84 (20 M.; 6 HOUR)

| BAND NUMBER PI | R |
|----------------|---|
|----------------|---|

.GE. .LT. IN BAND CENT

. .

| 30.00 | 30.50 | 9 | 0.0 | |
|----------|---------|---------|------|---|
| 30.50 | 31.00 | 105 | 7.4 | ************** |
| 31.00 | 31.50 | 284 | 20.1 | *************************************** |
| 31.50 | 32.00 | 133 | 9.4 | ••••• |
| 32.00 | 32.50 | 280 | 19.8 | *************************************** |
| 32.50 | 33.00 | 589 | 41.6 | ******** |
| 33.00 | 33.50 | 24 | 1.7 | •••• |
| 33.50 | 34.00 | 0 | 0.0 | |
| 34.00 | 34.50 | 0 | 0.0 | |
| 34.50 | 35.00 | • • | 0.0 | |
| TOTAL NO | . OF CY | CLES 6 | 108 | |
| MISSING | DATA | 4 | 693 | |
| TOTAL NO | . OF SA | MPLES 1 | 415 | |

Table 8. Histograms of salinity for the (a) near surface, (b) mid-depth and (c) bottom

| B) HISTOGRAM | i of Sal | INITY | | (PPT) GRAND | BANKS : NEAR MIDDLE | JAN. 1/80 - DEC. 31/80 | (100 M. ; 6 HOUR) |
|--------------|-------------|---------|------|-------------|---|------------------------|---------------------|
| BAN | BAND NUMBER | | PER | | | | |
| .92. | | N DAND | CENT | | | | |
| 30.00 | 30.50 | ø | 0.0 | | | | |
| 30.50 | 31.00 | 0 | 0.0 | | | | |
| 31.00 | 31.50 | 0 | 0.0 | | | | |
| 31.50 | 32.00 | 0 | 0.0 | | | | |
| 32.00 | 32.50 | 0 | 0.0 | | | | |
| 32.50 | 33.00 | 1048 | 32.3 | ••••• | ••••• | ••••• | |
| 33.00 | 33.50 | 1863 | 57.4 | ***** | • | ***** | ******* |
| 33.50 | 34.00 | 334 | 10.3 | ***** | | | |
| 34.00 | 34.50 | 0 | 0.0 | | | | |
| 34.50 | 35.00 | 0 | 0.0 | | | | |
| TOTAL NO. | OF CYC | LES 61 | 09 | | | | |
| MISSING D | ATA | 28 | 64 | | | | |
| TOTAL NO. | OF SAM | PLES 32 | 45 | | | | |

E_3

E___3

Table 8. Histograms of salinity for the (a) near surface, (b) mid-depth and (c) bottom

•

C) HISTOGRAM OF SALINITY (PPT) GRAND BANKS : NEAR BOTTOM JAN. 1/80 - DEC. 31/84 (175 M.; 6 HOUR)

| BAN | Ð | NUMBER | PER | |
|-----------|-------|----------|------|---|
| .GE. | .LT. | IN BAND | CENT | |
| | | | | |
| 30.00 | 30.50 | 0 | 0.0 | |
| 30.50 | 31.00 | 0 | 0.0 | |
| 31.00 | 31.50 | 0 | 0.0 | |
| 31.50 | 32.00 | 0 | 0.0 | |
| 32.00 | 32.50 | 0 | 0.0 | |
| 32.50 | 33.00 | 2 | .1 | • |
| 33.00 | 33.50 | 915 | 37.6 | *************************************** |
| 33.50 | 34.00 | 1249 | 51.4 | ***** |
| 34.00 | 34.50 | 258 | 10.6 | ************ |
| 34.50 | 35.00 | 8 | .3 | • |
| | 05 m | | | |
| IUIAL NO. | UFCT | ULES 5 | 990 | |
| MISSING D | ATA | 3. | 564 | |
| TOTAL NO. | OF SA | MPLES 24 | 432 | |
| | | Tabl | e 8. | Histograms of salinity for the (a) near surface, (b) mid-depth and (c) bottom |
| | | | | layers for the slope area near Hibernia based on the filtered data. |

E 13

HIBERNIA : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 3600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

20.2 112.9 0.0 12.1 -0.6 60.0 -72.1 16.6 -1.1 108.5 -70.7 16.6 3.6 12.6 -0.9 3.6 32.66 30.69 34.39 0.66

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 3600 SEC.

 RATE
 U-COMPONENT
 V-COMPONENT
 TEMPERATURE
 SALINITY

 MEAN WAX MIN STDEV
 MEAN MAX MIN STDEV
 M

HIBERNIA : NEAR BOTTOM JAN. 1980 - DEC. 1984 (75 M.) SAMPLE INTERVAL : 3600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX STDEV

13.2 61.7 0.2 5.7 -0.1 39.0 -39.0 10.1 0.0 47.3 -60.1 10.2 -0.3 3.3 -1.5 0.7 33.03 32.00 33.97 0.38

Table 9.Overall statistics of rate, u, v, T and S for all three depth levels at Hiberniabased on the hourly data.

HIBERNIA : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RAT | Ε | | U - C | 0 M P | ONE | ENT | V – C | 0 M | PON | ENT | TEM | PEF | R A T | URE | S A | i L I P | N I T | Y |
|--------|--------------|------------------|------|-------|-------|--------|------------------|-------|-------|-------|-------|-------|------|-------------------|-------|-------|-------|----------------|-------|--------|
| 1980 | MEAN | MAX | MIN | STDEV | MEAN | MAX N | IIN S | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV |
| JAN | 20.2 | 32.0 | 2.4 | 6.5 | 1.4 | 22.2 - | -26.2 | 14.8 | -6.2 | 19.0 | 28.9 | 14.1 | 0.1 | 0 .2 - | -0.1 | 0.1 | 32.84 | 32.93 | 32.74 | 9.04 |
| FEB | 2 2.1 | 50.3 | 1.2 | 10.0 | -1.1 | 42.0 - | -39.5 | 16.3 | 4.4 | 44.9 | -49.0 | 17.3 | -0.6 | 0 .2 - | -0.9 | 0.3 | 32.92 | 33.11 | 32.67 | 0.09 |
| MARCH | 21.5 | 44.5 | 3.9 | 7.7 | -1.7 | 39.7 - | -33.4 | 12.8 | 4.6 | 43.4 | -42.8 | 18.2 | -0.4 | 0.0 - | -0.9 | 0.2 | 32.89 | 33. 0 6 | 32.74 | 0.06 |
| APRIL | 28.3 | 112.9 | 10.5 | 23.6 | -8.6 | 48.2 - | 61.3 | 20.3 | -2.4 | 108.5 | 53.3 | 30.0 | 0.1 | -0.1 - | -0.1 | 0.01 | 32.93 | 32.94 | 32.88 | 8 0.01 |
| MAY | 22.1 | 50.3 | 2.1 | 7.1 | -1.7 | 36.4 - | -37.3 | 16.5 | -4.3 | 32.0 | -42.6 | 15.6 | 2.6 | 3.4 | 2.0 | 0.4 | 34.20 | 34.35 | 34.08 | 0.05 |
| JUNE | 22.2 | 57.0 | 0.6 | 7.8 | 0.8 | 47.5 - | -51.3 | 15.8 | -6.6 | 48.3 | -54.0 | 16.0 | 5.3 | 7.6 | 3.2 | 1.2 | 34.22 | 34.39 | 33.97 | 0.07 |
| JULY | 19.1 | 50.6 | 0.8 | 7.7 | 0.1 | 39.2 - | 43.7 | 14.3 | -3.4 | 39.4 | -47.4 | 14.5 | 8.5 | 10.7 | 6.8 | 1.0 | 33.83 | 34.20 | 33.67 | 0.13 |
| AUGUST | 25.7 | 70. 0 | 1.4 | 12.1 | -2.0 | 60.0 - | -69.7 | 20.8 | -0.7 | 65.4 | -68.7 | 19.2 | 11.2 | 12.2 | 9.4 | 0.4 | 33.58 | 33.88 | 33.39 | 0.08 |
| SEPT | | | | | | | | | | | | | | | | | | | | |
| 001 | 27.7 | 69.0 | 2.1 | 9.0 | -3.4 | 42.6 - | 6 8.8 | 21.2 | 4.3 | 44.2 | -40.5 | 19.2 | 7.6 | 8.6 | 6.2 | 0.6 | 32.65 | 32.98 | 32.49 | 0.07 |
| NOV | 28.5 | 68.6 | 3.7 | 10.6 | -8.0 | 37.3 - | 62 .5 | 23.1 | 5.3 | 52.0 | -36.8 | 17.4 | 5.2 | 6.7 | 3.2 | 1.0 | 32.56 | 32.76 | 32.39 | 0.07 |
| DEC | 32.5 | 59. 8 | 2.2 | 9.9 | 0.3 | 49.9 - | 49.4 | 22.4 | -11.9 | 44.3 | -55.5 | 22.6 | 2.5 | 3.6 | 1.5 | 0.5 | 32.65 | 32.79 | 32.45 | 0.05 |

Table 10. Monthly statistics of rate, u, v, T and S for the near surface layer at Hibernia

based on the hourly data.

1

HIBERNIA : NEAR SURFACE JAN. 1980 ~ DEC. 1984 (20 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RAT | E | | U - C | 0 M | PON | ENT | V - C | O M | PON | ENT | TEM | ΙΡΕ | RAT | URE | S A | LI | N I T ' | Y |
|--------|------|------|-----|-------|-------|--------------|-------|--------|-------|------|---------------|--------|------|------|------|-------|-------|-------|---------|-------|
| 1981 | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV |
| JAN | 32.2 | 54.9 | 3.6 | 8.9 | 7.0 | 45.1 | -45. | 3 21.2 | -10.9 | 39.8 | -54.4 | 22.3 | 1.9 | 2.4 | 1.5 | 0.2 | 32.55 | 32.71 | 32.43 | 0.06 |
| FEB | 32.0 | 57.1 | 3.8 | 9.5 | 1.1 | 45.4 | 41.1 | 7 20.4 | 18.0 | 32.2 | -57.1 | 19.3 | 1.6 | 2.0 | 0.6 | 0.3 | 32.49 | 32.61 | 32.41 | 0.04 |
| MARCH | 21.4 | 29.8 | 5.9 | 3.6 | 0.8 | 25.6 | -23. | 0 15.1 | 1.8 | 28.5 | -24.1 | 15.6 | 0.1 | 0.2 | 0.0 | 0.1 | 32.76 | 32.87 | 32.62 | 0.05 |
| APRIL | 22.1 | 45.5 | 3.3 | 6.2 | 1.2 | 32.1 | 43.0 | 6 16.3 | -3.8 | 37.4 | -32.3 | 5 15.6 | 0.6 | 1.2 | 0.1 | 0.3 | 32.73 | 32.87 | 32.56 | 0.06 |
| MAY | 16.2 | 28.4 | 0.0 | 3.7 | 0.7 | 22.4 | -23.0 | 8 11.3 | -2.8 | 21.3 | -22.6 | 5 11.8 | 2.3 | 3.8 | 1.1 | 0.8 | 32.68 | 32.85 | 32.59 | 0.04 |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | 15.6 | 32.5 | 2.8 | 6.0 | -0.2 | 29.9 | -27. | 7 11.7 | 5.5 | 31.5 | -20 .7 | 10.7 | -0.2 | 0,3 | -0.6 | 0.2 | 30.87 | 31.08 | 30.69 | 0.06 |
| AUGUST | 13.4 | 25.3 | 2.3 | 4.5 | 0.4 | 22.7 | -24. | 4 9.9 | 3.1 | 23.3 | -18.9 | 9.5 | 0.5 | 2.0 | -0.6 | 0.8 | 31.96 | 32.86 | 30.76 | 0.94 |
| SEPT | 15.6 | 35.6 | 2.9 | 5.1 | 0.5 | 26.0 | -34. | 4 11.5 | -1.0 | 28.7 | -28.5 | 5 11.7 | 2.2 | 5.0 | 0.7 | 0.5 | 32.68 | 32.83 | 32.43 | 0.06 |
| ост | 29.6 | 70.2 | 3.8 | 13.3 | -1.1 | 43.6 | -70.; | 2 23.5 | -9.4 | 51.8 | -55.4 | 20.3 | 8.6 | 12.6 | 1.7 | 3.4 | 32.27 | 32.78 | 31.84 | 0.24 |
| NOV | 37.7 | 74.6 | 3.7 | 11.3 | -6.2 | 59. 0 | -72. | 1 27.9 | 5.7 | 64.3 | -49.8 | 26.5 | 7.7 | 9.2 | 5.8 | 0.7 | 32.28 | 32.42 | 32.15 | 0.05 |
| DEC | 31.8 | 56.1 | 7.0 | 9.3 | 0.9 | 45.3 | -53.4 | 4 22.0 | -47 | 47.3 | -56.1 | 24.4 | 5.3 | 6 9 | 23 | 01 | 32 07 | 32.39 | 31.76 | a 2a |

HIBERNIA : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RATE | | U - C | OMPON | ENT | V - C O M | PON | ENT | TEM | PE | RAT | URE | S A | LI | NIT | Y |
|--------|------|-----------|--------|-------|-----------|--------|-----------|---------|--------|------|-----|-----|-------|-------|-------|-------|--------|
| 1982 | MEAN | MAX MIN | STDEV | MEAN | MAX MIN | STDEV | MEAN MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | мах | MIN | STDEV |
| JAN | 34.0 | 73.4 5.5 | 5 t0.7 | 0.0 | 57.2 -56 | 7 23.6 | 7.6 44. | 3 -70.7 | 7 25.7 | 1.2 | 3.1 | 0.0 | 0.9 | 32.43 | 32.83 | 32.02 | 2 0.20 |
| FEB | 39.8 | 49.7 12.3 | 3 7.0 | 4.3 | 44.1 -47. | 9 30.3 | -7.6 43. | 6 -49.3 | 3 25.7 | 0.1 | 0.3 | 0.0 | 0.1 | 32.65 | 32.73 | 32.57 | 0.04 |
| MARCH | | | | | | | | | | | | | | | | | |
| APRIL | 8.9 | 33.2 0.1 | 6.8 | 1.9 | 32.5 -17 | 3 8.2 | -3.8 10. | 9 -27.4 | 6.4 | | | | | | | | |
| MAY | 10.5 | 38.6 0.2 | 2 7.4 | 0.7 | 35.5 -34 | 7 9.7 | -0.4 23. | 9 -38.6 | 3 8.4 | | | | | | | | |
| JUNE | 8.8 | 41.7 0.3 | 5 6.6 | | 24.4 ~39 | 8 8.2 | -0.8 25. | 7 -31.0 | 7.3 | | | | | | | | |
| JULY | 11.2 | 31.9 0.3 | 5 7.4 | 4.6 | 29.8 -19. | 8 9.0 | 4.6 12. | 8 -25.5 | 57.6 | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | |
| OCT | | | | | | | | | | | | | | | | | |
| NOV | | | | | | | | | | | | | | | | | |
| DEC | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

-

1

HIBERNIA : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RAT | ε | | U - C | 0 M B | P O N | ENT | V - C | 0 M . | PON | ENT | TEI | мΡЕ | RAT | URE | S A | LIH | TIP | Y |
|--------|------|------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|------|------|-------|-------|-------|-------|-------|
| 1983 | MEAN | MAX | MIN S | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | stdev |
| JAN | 12.3 | 33.0 | 0.5 | 7.1 | 0.3 | 26.2 | -28.4 | l 10.4 | -1.8 | 24.9 | -26.2 | 9.5 | 0.2 | 0.8 | -0.4 | 0.3 | 32.20 | 32.49 | 31.97 | 0.13 |
| F938 | 16.0 | 49.8 | 0.6 | 8.9 | -5.9 | 29.9 | -47.0 | 9 13.5 | 2.4 | 28.2 | -25.8 | 10.6 | -0.1 | 0.6 | -0.7 | 0.3 | 32.28 | 32.60 | 31.92 | 0.16 |
| MARCH | 13.7 | 46.1 | 0.4 | 8.7 | -3.0 | 24.3 | -44.7 | 7 13.6 | 2.3 | 19.9 | -19.3 | 7.9 | -0.5 · | -0.3 | -0.8 | 0.1 | 32.39 | 32.55 | 32.29 | 0.06 |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | 5.2 | 6.0 | 4.2 | 0.6 | 32.63 | 32.80 | 32.41 | 0.07 |
| JUNE | | | | | | | | | | | | | 7.1 | 8.9 | 5.8 | 0.6 | 32.54 | 32.68 | 32.36 | 0.04 |
| JULY | 12.2 | 34.6 | 0.4 | 6.8 | 0.6 | 32.5 | -25.3 | 5 10.6 | 1.3 | 23.7 | -25.7 | 9.0 | 8.3 | 8.8 | 7.8 | 0.3 | 32.48 | 32.54 | 32.43 | 0.03 |
| AUGUST | 21.3 | 70.1 | 3.0 | 14.3 | -6.4 | 21.2 | -67.5 | 5 19.3 | 3.6 | 35.4 | -31.4 | 15.3 | | | | | | | | |
| SEPT | 12.9 | 44.0 | 0.3 | 8.4 | -3.1 | 34.3 | -42.0 | 9 11.8 | 1.4 | 37.0 | -35.2 | 9.3 | | | | | | | | |
| OCT | 13.3 | 43.0 | 0.2 | 8.3 | 0.4 | 30.6 | -35.8 | 3 11.3 | -1.6 | 38.2 | -39.0 | 10.8 | | | | | | | | |
| NOV | 15.1 | 38.0 | 2.5 | 9.4 | 7.7 | 25.9 | -14.5 | 5 9,3 | 5.0 | 35.2 | -23.4 | 12.2 | | | | | | | | |

DEC

| | HIBERNIA : NEAR SUR | FACE JAN. 1980 - DEC. | 1984 (20 M.) SAM | PLE INTERVAL : 3600 SEC. | |
|--------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------------|--------------------------------|
| 1984 | RATE MEAN MAX MIN STDEV | U–COMPONENT MEAN MAX MIN STDEV | V–COMPONENT MEAN MAX MIN STDEV | TEMPERATURE MEAN MAX MIN STDEV | SALINITY MEAN MAX MIN STDEV |
| JAN | | | | | |
| FEB | | | | | |
| MARCH | | | | 0.1 0.8 -0.8 0.3 | 32.64 32.88 32.54 0.06 |
| APRIL | | | | 0.4 1.2 -0.4 0.4 | 32.71 32.88 32.59 0.08 |
| MAY | 11.1 26.0 0.3 5.6 | 0.2 21.9 -21.4 9.3 | 2.7 23.3 -14.5 7.9 | 2.3 5.6 0.4 1.5 | 32.71 32.88 32.44 0.13 |
| JUNE | 14.0 45.5 0.2 8.7 | -0.1 44.7 -33.6 12.1 | 3.3 35.7 -32.7 10.9 | 6.3 7.4 4.0 0.7 | 32.41 32.64 32.22 0.07 |
| JULY | 10.6 41.1 0.0 7.2 | 0.3 27.9 -38.4 9.5 | 0.3 33.6 -26.5 8.7 | 8.7 10.9 6.8 1.0 | 32.32 32.46 32.21 0.04 |
| AUGUST | 6.9 23.2 0.1 4.0 | 0.3 21.0 -20.1 6.2 | -0.1 12.6 -16.8 5.0 | | |
| SEPT | | | | | |
| ост | | | | | |
| NOV | | | | | |
| DEC | | | | | |
| | | | | | |

C =

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RAT | E | | U - C | OMPO | ONE | NT | V - C | OME | PONI | ENT | TEM | ΡΕ | RAT | URE | S A | . L I I | T 1 V | Y |
|--------|------|------|-------|------|-------|--------|------|------|-------|------|-------|-------|------|-----|------|-------|-------|---------|-------|--------|
| 1980 | MEAN | MAX | MIN S | TDEV | MEAN | MAX M | IN S | TDEV | MEAN | MAX | MIN S | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV |
| JAN | 20.2 | 27.5 | 4.0 | 4.2 | -3.0 | 19.8 - | 26.3 | 12.2 | 6.5 | 23.1 | -27.2 | 15.2 | 0.0 | 0.2 | -0.2 | 0.1 | 32.80 | 32.91 | 32.61 | 0.07 |
| FEB | 17.1 | 42.9 | 1.1 | 6.1 | 2.0 | 28.6 - | 31.1 | 11.4 | 5.1 | 37.7 | -30.1 | 13.0 | -0.6 | 0.2 | -1.1 | 0.3 | 32.95 | 33.32 | 32.59 | 0.11 |
| MARCH | 14.0 | 33.1 | 1.3 | 5.3 | 0.9 | 28.9 - | 32.9 | 9.9 | 2.7 | 26.6 | -25.1 | 10.9 | -0.4 | 0.0 | -0.9 | 0.2 | 32.91 | 33.24 | 32.49 | 0.07 |
| APRIL | 7.5 | 20.8 | 0.3 | 4.0 | 3.8 | 18.2 - | -6.1 | 3.8 | 5.3 | 17.5 | -7.3 | 3.9 | -0.1 | 0.0 | -0.2 | 0.1 | 32.55 | 32.87 | 32.24 | 0.13 |
| MAY | 13.3 | 43.8 | 2.7 | 3.8 | -0.4 | 20.3 - | 22.3 | 10.0 | -2.5 | 15.6 | 38.2 | 9.2 | 1.4 | 2.2 | 0.3 | 0.5 | 33.06 | 33.15 | 32.97 | 0.03 |
| JUNE | 14.0 | 50.2 | 1.0 | 4.8 | 0.3 | 23.8 - | 26.3 | 10.5 | -3.3 | 20.0 | -44.2 | 9.9 | 1.7 | 2,4 | 0.2 | 0.3 | 32.95 | 33.10 | 32.72 | 2 0.10 |
| JULY | 14.2 | 33.0 | 2.4 | 4.8 | -1.2 | 22.8 - | 31.4 | 10.5 | -0.7 | 23.5 | -30.9 | 10.7 | 1.8 | 3.0 | 1.0 | 0.3 | 32.88 | 33.09 | 32.70 | 0.09 |
| AUGUST | 13.9 | 28.8 | 2.0 | 3.8 | 0.1 | 19.7 | 28.0 | 10.2 | 0.6 | 23.9 | -21.3 | 10.2 | 1.4 | 3.9 | -0.4 | 0.7 | 33.04 | 33.11 | 32.96 | 8 0.03 |
| SEPT | | | | | | | | | | | | | | | | | | | | |
| OCT | 22.1 | 59.2 | 2.1 | 7.1 | -4.5 | 34.0 - | 58.1 | 16.0 | 5.8 | 37.8 | -33.1 | 15.2 | 7.2 | 8.7 | 5.0 | 0.9 | 32.08 | 32.39 | 31.85 | i 0.08 |
| NOV | 24.9 | 60.0 | 2.6 | 7.5 | -7.0 | 33.5 - | 52.3 | 19.5 | 4.0 | 42.8 | -26.9 | 15.3 | 5.5 | 7.3 | 3.3 | 1.1 | 32.16 | 32.55 | 31.96 | 8 0.16 |
| DEC | 27.7 | 46.2 | 4.2 | 6.9 | -7.5 | 31.7 - | 45.0 | 18.3 | -8.0 | 42.1 | -45.9 | 19.0 | 2.5 | 3.8 | 1.4 | 0.6 | 32.57 | 32.84 | 32.33 | 0.08 |
| | | | | | | | | | | | | | | | | | | | | |

Table 11.Monthly statistics of rate, u, v, T and S for the mid-depth layer at Hiberniabased on the hourly data.

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RAT | E | | U – C | Ó M I | PÓN | ENT | V - C | OM | PÓN | ENT | TEM | ΡΕΙ | RAT | URE | S / | VLI. | NIT | Y | |
|--------|------|------|-------------|-------|--------------|-------|-------|--------|-------|------|-------|-------|------|------|------|-------|-------|-------|-----------------|--------|--|
| 1981 | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | мах | MIN | STDEV | MEAN | MAX | MIN | STDEV | |
| JAN | 26.6 | 47.2 | 1. 7 | 5.8 | -3.7 | 32.6 | -38.9 | 18.1 | -6.5 | 33.2 | -43.9 | 18.9 | 1.9 | 2.4 | 1.4 | 0.2 | 32.41 | 32.59 | 32.2 | 60.08 | |
| FEB | 26.3 | 46.3 | 3.8 | 5.2 | -7.6 | 27.7 | -32.1 | 15.2 | -12.2 | 24.7 | -46.1 | 17.1 | 1.6 | 1.9 | 0.7 | 0.3 | 32.34 | 32.51 | 32.2 | 1 0.05 | |
| MARCH | 15.3 | 24.1 | 2.9 | 2.7 | 19.2 | 21.8 | -18.1 | 10.6 | 5.0 | 18.7 | -14.7 | 10.0 | -0.1 | 0.1 | -0.8 | 0.1 | 32.76 | 32.97 | 32.5 | 4 0.08 | |
| APRIL | 16.3 | 42.5 | 0.8 | 6.1 | -1.7 | 24.1 | -31.5 | 5 11.7 | 2.1 | 38.0 | -29.3 | 12.5 | -0.5 | 0.1 | -1.3 | 0.4 | 32.59 | 32.99 | 32.0 | 0 0.33 | |
| MAY | 13.9 | 26.3 | 1.9 | 3.7 | 0.8 | 24.4 | -26.0 | 10.8 | -1.6 | 21.4 | -20.3 | 9.3 | 0.8 | 1.1 | -0.4 | 0.2 | 32.58 | 33.18 | 32.0 | 2 0.14 | |
| JUNE | | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | | | | | |
| OCT | 18.9 | 31.8 | 3.8 | 4.6 | -3. † | 26.5 | -29.2 | 13.7 | -1.2 | 29.2 | -25.8 | 13.4 | 3.6 | 10.8 | -0.3 | 2.8 | 32.24 | 32.59 | F 31.4 / | 90.28 | |
| NOV | 20.5 | 46.3 | 2.0 | 5.5 | -5.8 | 26.4 | -43.5 | 14.7 | 6.5 | 37.6 | -26.6 | 12.6 | 4.6 | 8.8 | -0.8 | 2.1 | 31.98 | 32.64 | 31.5 | 4 0.25 | |
| DEC | 21.5 | 68.5 | 4.8 | 7.8 | -2.9 | 28.5 | -47.7 | 15.5 | 5.7 | 67.9 | -23.2 | 15.5 | 3.1 | 7.9 | -0.9 | 1.9 | 32.36 | 32.99 | 31.6 | 8 0.38 | |

1 3

11.

1

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 3600 SEC. RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY 1 9 8 2 MEAN MAX MIN STDEV 22.8 64.1 3.3 8.4 -1.8 32.3 -54.6 16.7 -0.4 45.9 -34.5 17.5 1.6 7.9 -0.6 1.1 32.57 32.98 32.16 0.17 JAN FEB MARCH . APRIL 10.9 23.8 1.5 4.4 -0.1 23.7 -22.6 8.6 -3.0 14.2 -20.6 7.5 0.1 0.4 -0.1 0.1 33.26 33.35 33.18 0.04 MAY 11.5 29.9 3.8 4.2 0.5 29.9 -28.3 9.3 1.0 21.6 -20.8 8.0 0.3 2.8 -0.2 0.4 33.22 33.47 33.00 0.06 JUNE 11.7 38.7 0.7 5.1 0.3 21.2 - 36.2 9.4 0.4 25.5 - 19.1 8.6 1.2 4.4 - 0.7 0.8 33.20 33.53 32.83 0.10 JULY 10.2 22.6 2.1 4.3 0.5 17.0 - 19.5 8.3 0.0 22.5 - 20.3 7.3 1.6 4.4 - 0.4 0.9 33.15 33.39 33.00 0.10 AUGUST SEPT

OCT

NOV

DEC

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RAT | E | | U - C | OMP | ONI | ENT | V - C | 0 M | PON | ENT | ΤE | MPE | RAT | URE | \$ A | LI | NIT | Y |
|--------|------|------|-------|------|-------|--------|-------|-------|-------|------|-------|-------------|------|-------|------|-------|-------|-------|-------|-------|
| 1983 | MEAN | MAX | MIN S | TDEV | MEAN | MAX | MIN : | STDEV | MEAN | MAX | MIN | STDEV | MEAN | A MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV |
| JAN | 14.1 | 37.4 | 0.9 | 5.1 | -0.6 | 21.6 | -28.0 | 11.0 | 0.4 | 30.8 | -23.6 | 9 10.2 | 0.2 | 0.7 | -0.3 | 0.3 | 32.87 | 32.98 | 32.77 | 0.04 |
| FEB | 18.4 | 59.9 | 3.1 | 8.0 | -5.1 | 24.9 | -55.5 | 14,3 | 3.9 | 32.1 | -28.5 | 5 12.5 | -0.2 | 0.5 | -0.6 | 0.3 | 32.94 | 33.15 | 32.76 | 0.09 |
| MARCH | 16.4 | 53.1 | 2.2 | 7.9 | -1.6 | 27.0 | -49.2 | 14.3 | 2.7 | 27.0 | -22.7 | 7 10.9 | -0.5 | -0.2 | -0.8 | 0.2 | 33.03 | 33.16 | 32.97 | 0.03 |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | 11.4 | 24.8 | 1.0 | 5.5 | -1.7 | 13.9 - | 22.2 | 9.2 | 1.6 | 19.4 | -17.2 | 2 8.4 | 1.9 | 4.0 | 0.9 | 0.5 | 33.01 | 33.06 | 32.95 | 0.02 |
| JUNE | 12.9 | 36.4 | 0.4 | 6.0 | -1.6 | 23.1 | -36.3 | 10.5 | 2.3 | 24.8 | -21.5 | 9 .1 | 3.7 | 6.1 | 0.9 | 1.0 | 32.91 | 33.11 | 32.70 | 0.05 |
| JULY | 12.3 | 28.2 | 0.7 | 5.1 | -0.9 | 25.3 · | -27.6 | 9.4 | 2.5 | 23.7 | -23.6 | 9.1 | 8.8 | 6.4 | 0.8 | 0.9 | 32.86 | 33.21 | 32.67 | 0.05 |
| AUGUST | 25.0 | 40.5 | 4.0 | 6.6 | -1.9 | 31.4 | -39.7 | 19.2 | -1.8 | 28.6 | -35.6 | 9 17.4 | 4.2 | 10.3 | 1.5 | 1.8 | 32.81 | 33.04 | 32.48 | 0.09 |
| SEPT | 17.1 | 53.9 | 0.4 | 8.8 | 0.6 | 52.4 | -40.0 | 14.0 | 0.6 | 40.8 | -42.8 | 3 13.2 | 5.5 | 12.8 | 0.4 | 3.0 | 32.67 | 33.03 | 32.04 | 0.17 |
| OCT | 15.2 | 43.2 | 1.9 | 6.4 | -0.6 | 34,7 | -37.0 | 12.0 | -1.5 | 31.4 | -24.4 | 11.2 | 7.1 | 12.4 | -0.5 | 4.0 | 32.26 | 33.09 | 31.50 | 0.38 |
| NOV | 17.6 | 52.7 | 0.6 | 7.7 | -1.7 | 33.6 · | -52.6 | 14.5 | -1.0 | 29.8 | -34.3 | 3 12.4 | 4.2 | 7.6 | -0.4 | 2.1 | 32.26 | 33.19 | 31.80 | 0.31 |
| DEC | 19.2 | 49.2 | 3.3. | 8.4 | -3.0 | 37.8 · | -47.9 | 14.4 | -4.2 | 28.7 | -38.9 | 14.2 | 1.6 | 3.5 | 0.0 | 1.0 | 32.49 | 32.78 | 32.22 | 0.14 |

0

1 11

100

100

136

.

1-3

.

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 3600 SEC. RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV 1 9 8 4 MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV 15.4 31.1 3.2 5.5 1.6 22.1 -25.5 10.8 -6.0 18.1 -29.8 10.6 0.5 0.7 0.1 0.1 32.58 32.65 32.51 0.03 JAN FEB -0.1 0.9 -0.7 0.4 32.51 32.68 32.31 0.07 MARCH -0.3 0.6 -1.0 0.3 32.45 32.70 32.26 0.10 APRIL -0.2 0.3 -0.7 0.2 32.51 32.61 32.32 0.08 MAY 0.8 1.1 0.0 0.2 32.60 32.67 32.55 0.03 0.6 2.8 -0.2 0.4 32.61 32.73 32.49 0.03 JUNE JULY 13.0 44.5 1.1 6.2 1.1 31.6 -36.5 10.8 0.9 36.8 -24.7 9.5 1.2 3.8 -0.7 0.7 32.62 32.97 32.39 0.08 AUGUST 12.2 27.2 0.3 5.6 -0.4 22.6 -27.2 9.7 -0.9 24.2 -22.6 9.3 0.0 1.3 -0.7 0.3 32.78 32.94 32.63 0.06 SEPT 16.4 45.7 1.4 8.9 -1.2 39.3 -42.9 13.0 $-0.6\ 35.5\ -41.8\ 13.4\ -0.4\ 1.1\ -1.0\ 0.3\ 32.82\ 33.00\ 32.66\ 0.06$ OCT 11.0 18.7 3.3 3.4 3.4 14.6 -9.7 6.2 -6.0 9.4 -17.6 6.9 -0.8 -0.1 -1.1 0.3 33.03 33.15 32.84 0.08

NOV

DEC

HIBERNIA : NEAR BOTTOM JAN. 1980 - DEC. 1984 (75 M.) SAMPLE INTERVAL : 3600 SEC. RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY 1980 MEAN MAX MIN STDEV JAN. FEB MARCH APRIL MAY 12.5 26.7 2.5 4.3 -0.2 22.0 -20.5 9.6 -2.1 21.3 -24.3 9.0 -0.8 -0.5 -1.4 0.1 33.69 33.78 33.49 0.05 JUNE 12.1 28.3 3.3 3.6 0.8 22.0 -21.0 9.2 -0.8 16.5 -26.9 8.5 -0.6 -0.4 -0.8 0.1 33.55 33.77 33.10 0.19 JULY 10.9 22.4 0.5 3.5 -0.1 21.8 -20.7 8.2 -0.1 14.1 -21.4 8.0 -0.7 -0.5 -0.9 0.1 33.41 33.75 33.21 0.17 AUGUST 12.0 22.9 1.2 3.1 -0.3 18.4 -20.3 9.0 0.4 17.8 -21.0 8.5 -0.9 -0.9 -1.1 0.03 33.75 33.82 33.69 0.04 SEPT OCT. 16.2 30.5 2.7 5.4 0.4 29.3 -26.7 12.2 3.5 29.6 -28.3 11.4 -0.6 0.2 -0.9 0.2 32.99 33.13 32.77 0.06 17.4 54.8 2.4 NOV 2.2 47.3 -26.5 12.7 5.9 0.3 39.0 -31.0 13.1 -0,5 1.4 -0.9 0.4 33,00 33,25 32,71 0.09 DEC 17.3 34.4 1.6 5.0 -1.7 28.5 -29.8 12.0 -3.5 25.3 -33.4 12.8 0.5 2.3 -1.5 1.1 33,16 33.97 32.59 0.36 Table 12. Monthly statistics of the rate, u, v, T and S for the near bottom layer at

Table 12. Monthly statistics of the rate, u, v, T and S for the near bottom layer at Hibernia based on the hourly data.

HIBERNIA : NEAR BOTTOM JAN. 1980 - DEC. 1984 (75 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RAT | Ε | | U – C | 0.00 | PON | ENT | V - C | ΟM | PON | ENT | TEM | PE | RAT | URE | S A | L II | TIN | Y |
|--------|------|------|-----|-------|-------|------|---------------|--------|-------|------|-------|-------|------|------|------|-------|-------|-------------|-------|-------|
| 1981 | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV |
| JAN | 16.8 | 39.7 | 0.3 | 4.8 | -1.3 | 23.0 | -38.3 | 5 11.9 | -2.0 | 27.3 | -34.3 | 12.5 | 1.6 | 2.2 | 1.1 | 0.2 | 32.63 | 33.07 | 32.41 | 0.10 |
| FEB | 18.2 | 39.3 | 4.7 | 6.0 | -2.6 | 20.3 | -28.7 | 7 11.5 | -4.2 | 36.5 | -33.3 | 14.6 | 1.2 | 1.9 | 0.2 | 0.5 | 32.61 | 32.89 | 32.42 | 0.11 |
| MARCH | 12.5 | 22.3 | 5.0 | 2.5 | 2.5 | 17.2 | -14.7 | 7 9.3 | 2.4 | 18.8 | -14.0 | 8.2 | -0.2 | -0.1 | -0.3 | 0.1 | 32.60 | 32.71 | 32.46 | 0.06 |
| APRIL | 14.8 | 30.3 | 1.4 | 4.9 | 0.3 | 23.7 | -28 .1 | 1 11.3 | -2.0 | 26.1 | -25.8 | 10.6 | 0.0 | 0.5 | -0.6 | 0.2 | 32.50 | 32.70 | 32.32 | Ø.07 |
| MAY | 11.8 | 29.4 | 3.8 | 3.6 | 2.8 | 21.6 | -29.4 | 4 9.3 | -1.2 | 17.8 | -19.8 | 8.0 | -0.1 | 0.6 | -0.4 | 0.2 | 32.34 | 32.52 | 32.17 | 0.06 |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | |
| AUGUST | 11.2 | 24.2 | 0.8 | 4.9 | 0.2 | 21.7 | -22.5 | 9.8 | -0.1 | 19.3 | -21.6 | 7.2 | -0.6 | -0.4 | -0.7 | 0.1 | 33.64 | 33.83 | 33.51 | 0.04 |
| SEPT | 11.7 | 37.8 | 0.4 | 5.2 | 1.6 | 25.7 | -32.0 | 9.3 | -2.1 | 20.2 | -32.8 | 8.3 | -0.4 | 0.0 | -0.6 | 0.1 | 33.55 | 33.73 | 33.42 | 0.05 |
| OCT | 13.1 | 27.3 | 2.2 | 4.1 | -0.3 | 20.3 | -22.9 | 9 9.6 | -1.3 | 23.5 | -23.4 | 9.8 | -0.6 | 0.1 | -1.1 | 0.2 | 33.27 | 33.70 | 32.99 | 0.20 |
| NOV | 14.4 | 32.7 | 1.3 | 5.0 | -0.7 | 30.9 | -32.5 | 5 10.9 | 2.6 | 30.2 | -24.2 | 10.3 | -0.8 | -0.6 | -1.2 | 0.1 | 33.17 | 33.56 | 33.00 | 0.08 |
| DEC | 12.8 | 37.0 | 0.2 | 4.5 | 0.0 | 18.0 | -21.6 | 8.7 | 1.5 | 36.1 | 18.9 | 10.1 | -0.7 | -0.6 | -1.1 | 0.1 | | | | |

| | HI | BERNIA | L : NI | EAR BOTT | CM J | AN. 1 | 988 | DEC. | 1984 | (75 | M.) | SAMPLE | INTE | RVAL | : 36 00 | SEC. | | | | |
|--------|------|------------|----------|----------|---------------|--------------|------------|----------------|---------------|--------------|------------|----------------|---------------|------------|--------------------|----------------|-------|--------------|---------------|------------|
| 1982 | MEAN | RAT MAX | E MIN | STDEV | U – C Mean | o m Max | PON MIN | e n t Stdev | V - (MEAN | COM MAX | PON MIN | e n t Stdev | t e i Mean | IPE MAX | R A T MIN | u r e Stdev | S / | ALI I MAX | N I T MIN | y Stdev |
| JAN | 15.5 | 35.5 | 2.4 | 5.2 | -1.2 | 24.9 | -33. | 0 10.6 | 1.9 | 30.4 | -24.8 | 12.2 | -0.5 | 0.3 | -0.9 | 0.3 | | | | |
| FEB | 16.4 | 31.2 | 5.6 | 6.8 | -2.0 | 23. 6 | -24. | 0 11.3 | 8.5 | 30.4 | -10.8 | 10.7 | 0.0 | 0.0 | -0.1 | 0.1 | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | 10.4 | 21.5 | 2.3 | 4.4 | -0.2 | 17.7 | -21. | 0 8.3 | -1.9 | 14.0 | -19.3 | 7.5 | 0.2 | 0.5 | 0.1 | 0.1 | | | | |
| MAY | 10.4 | 26,6 | 0.3 | 4.7 | 0.3 | 26.1 | -22. | 78.4 | 1.5 | 20 .1 | -19.0 | 7.5 | 0 .2 | 0.5 | -0.2 | 0.2 | 32.88 | 33.20 | 32.7 1 | 0.15 |
| JUNE | 9.7 | 29.0 | 1.9 | 4.4 | 0.4 | 21.2 | 28 | 57.7 | 0.3 | 22.6 | -18.4 | 7.3 - | -0.1 | 0.0 | -0.4 | 0.1 | 33.10 | 33.18 | 33.02 | 0.03 |
| JULY | 8.6 | 20.1 | 1.1 | 4.1 | 0.3 | 15.6 | -14. | 6 6.9 | 1.0 | 17.5 | -15.6 | 6.4 | -0.2 | 0.1 | -0.4 | 0.1 | 33.07 | 33.15 | 33.01 | 0.03 |
| AUGUST | | | | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | | | | |
| OCT | | | | | | | | | | | | | | | | | | | | |
| NOV | | | | | | | | | | | | | | | | | | | | |
| DEC | | | | | | | | | | | | | | | | | | | | |

 \square

0

0

100

 \square

1

1

 \square
HIBERNIA : NEAR BOTTOM JAN. 1980 - DEC. 1984 (75 M.) SAMPLE INTERVAL : 3600 SEC.

U-COMPONENT V-COMPONENT TEMPERATURE SALINITY RATE 1983 MEAN MAX MIN STDEV JAN 12.1 32.3 1.4 4.5 -0.5 17.0 -25.0 9.1 3.0 27.5 -16.0 8.7 0.1 0.6 -0.3 0.2 32.93 33.01 32.82 0.03 FEB 15.2 53.8 3.3 7.3 -3.9 21.7 -45.6 11.5 3.9 30.0 -22.1 11.1 -0.3 0.1 -0.6 0.2 32.98 33.19 32.85 0.09 MARCH 14.0 47.1 1.7 7.0 -1.7 24.8 -40.3 11.5 2.4 28.0 -20.1 10.2 -0.5 -0.2 -0.8 0.2 33.06 33.15 33.00 0.03 APR1L MAY 11.7 23.5 1.5 4.3 -0.1 18.2 -21.9 9.2 2.2 17.8 -18.0 8.1 0.3 0.6 -0.1 0.2 33.08 33.25 32.98 0.07 JUNE 11.3 26.3 1.6 4.5 -0.2 19.7 -26.2 9.1 1.7 22.8 -22.1 8.0 0.1 0.3 -0.2 0.1 33.17 33.40 33.04 0.06 JULY 11.5 25.9 1.1 4.8 -0.4 21.3 -22.5 8.9 2.7 25.5 -19.3 8.3 -0.3 0.3 -0.8 0.2 33.18 33.41 33.03 0.06 AUGUST 11.2 26.7 2.4 5.3 -0.6 17.3 -17.7 8.3 -5.9 9.7 -20.1 7.1 -0.1 0.3 -0.4 0.2 33.21 33.27 33.15 0.03 SEPT 12.5 31.1 0.6 5.2 0.7 22.7 -30.2 9.3 -2.0 28.3 -27.3 9.6 -0.3 0.4 -0.7 0.2 33.17 33.26 33.12 0.02 OCT. 14.1 33.2 1.8 5.7 1.1 28.1 -33.0 10.0 -2.6 29.5 -23.9 11.1 -0.4 0.1 -1.2 0.2 33.18 33.35 33.10 0.04 NOV 14.2 30.1 1.1 5.7 0.1 26.8 -30.1 10.9 0.2 23.8 -27.5 10.7 -0.7 0.2 -1.3 0.3 33.25 33.42 33.12 0.07 DEC 15.6 41.0 2.5 6.3 -0.3 28.7 -27.5 11.5 -3.7 26.1 -37.4 11.7 -0.3 2.1 -1.1 0.8 33.03 33.24 32.51 0.21

HIBERNIA : NEAR BOTTOM JAN. 1980 - DEC. 1984 (75 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RAT 1 | E | U - C | OMPONE | ENT | V - C | OMPON | ENT | TEMPERAT | URE | SALINITY |
|--------|------|--------|---------|--------|------------|-------|---------|-------------|-------|----------------|-------|------------------------|
| 1984 | MEAN | MAX M | IN STDE | V MEAN | MAX MIN S | STDEV | MEAN | MAX MIN | STDEV | MEAN MAX MIN | STDEV | MEAN MAX MIN STDEV |
| JAN | 15.6 | 15.7 1 | 5.5 1. | 1 6.8 | 7.0 6.5 | 0.3 | -14.1 - | -13.9 -14.3 | 0.4 | 0.1 0.1 0.1 | 0.02 | 32.56 32.58 32.55 0.02 |
| FEB | 12.5 | 28.3 | 1.0 5. | 5 0.6 | 26.1 -23.9 | 9.6 | -2.9 | 22.0 -26.6 | 9.3 | -0.2 0.7 -0.8 | 0.3 | 32.58 32.72 32.41 0.07 |
| MARCH | 13.7 | 35.4 (| 0.5 6. | 3 0.5 | 20.0 -33.4 | 10.2 | -4.2 | 30.9 -32.1 | 10.3 | -0.5 0.4 -1.3 | 0.3 | 32.53 32.77 32.30 0.12 |
| APRIL | 10.9 | 28.0 | 0.4 5. | 4 2.2 | 21.2 -25.4 | 8.7 | 2.2 | 19.6 -16.2 | 7.9 | -0.5 0.2 -1.2 | 0.3 | 32.60 32.82 32.34 0.09 |
| MAY | 11.2 | 26.9 | 1.3 5. | 3 -1.1 | 20.2 -25.9 | 9.1 | 2.9 | 21.2 -17.4 | 7.9 | -0.7 -0.1 -1.3 | 0.3 | 32.75 32.96 32.61 0.07 |
| JUNE | 12.2 | 36.9 (| 0.2 6. | 6 -0.5 | 27.4 -29.7 | 9.8 | 3.9 | 36.6 -26.0 | 9.1 | -1.1 -0.2 -1.5 | 0.2 | 32.87 33.03 32.61 0.04 |
| JULY | 11.1 | 28.5 | 9.7 4. | 8 1.2 | 25.4 -20.7 | 9.0 | -0.4 | 22.9 -22.9 | 8.0 | -1.1 -0.5 -1.3 | 0.1 | 32.96 33.03 32.82 0.04 |
| AUGUST | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | |
| ост | | | | | | | | - | | | | |
| NOV | 13.9 | 57.9 | 0.68. | 8 1.4 | 30.1 -45.0 | 11.6 | -4.2 | 22.8 -49.9 | 10.8 | 2.4 3.3 1.7 | 0.4 | 32.18 32.34 32.00 0.08 |
| DEC | 16.2 | 61.7 | 0.9 10. | 4 1.6 | 31.4 -34.0 | 13.0 | -4.6 | 26.1 -60.1 | 13.3 | 1.5 1.9 0.8 | 0.3 | 32.35 32.49 32.24 0.06 |

(in)

200

GRAND BANK SLOPE : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 3600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

17.9 72.5 0.0 12.8 -0.2 53.0 -71.6 13.9 -9.0 52.5 -69.8 14.4 4.0 16.5 -2.4 5.3 32.11 33.47 30.72 0.69

GRAND BANK SLOPE : NEAR MIDDLE JAN. 1980 - DEC. 1984 (100 M.) SAMPLE INTERVAL : 3600 SEC.

 RATE
 U-COMPONENT
 V-COMPONENT
 TEMPERATURE
 SALINITY

 MEAN
 MAX
 MIN
 STDEV
 MEAN
 MAX
 MIN

GRAND BANK SLOPE : NEAR BOTTOM JAN. 1980 - DEC. 1984 (175 M.) SAMPLE INTERVAL : 3600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

12.2 55.0 0.1 7.0 0.8 44.7 - 30.1 8.1 - 6.4 22.5 - 55.0 9.4 - 0.5 2.9 - 1.7 0.6 33.63 34.73 32.96 0.31

Table 13.Overall statistics of rate, u, v, T and S for all three depth levels for the slope

area near Hibernia based on the hourly data.

GRAND BANK SLOPE : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RA | ТΕ | | U - C | 0 M | PON | ENT | V - C | 0 M I | PON | ENT | TEM | PE | RAT | URE | : s/ | LI | TIN | Y |
|--------|------|------|-------|-------|-------|-------|---------------|-------------|----------|--------|-------|-----------|---------|--------|--------|----------|----------|-------|-------|-------|
| 1980 | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV |
| | | | | | | | | | | | | | | | | | | | | |
| JAN | | | | | | | | | | | | | | | | | | | | |
| FEB | | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | | | | |
| OCT | 27.4 | 59.2 | 3.6 | 9.8 | -2.3 | 50.4 | -53. | 3 18.3 | -11.7 | 52.5 | -50.7 | 19.2 | 6.8 | 8.0 | 4.4 | 1.0 | 32.59 | 33.47 | 31.75 | .27 |
| NOV | 29.4 | 72.5 | 3.5 | 10.4 | -4.6 | 43.5 | -71 . | 6 21.1 | -14.0 | 39.8 | -56.5 | 17.6 | 3.3 | 5.0 | 1.6 | 0.9 | 32.79 | 33.31 | 32.03 | . 20 |
| DEC | 25.8 | 39.9 | 5.6 | 6.7 | -5.5 | 25.5 | -34 .(| 0 15.8 | -14.4 | 21.1 | -39.8 | 15.0 | 2.2 | 2.6 | 2.0 | 0.2 | 32.83 | 32.98 | 32.70 | . 08 |
| | | | Table | e 14. | Ма | onthl | y stat | istics of 1 | rate, u, | v, T : | and S | for the i | near si | ırface | e laye | r for tl | ne slope | | | |
| | | | | | аге | ea ne | ar Hi | bernia b | ased o | n the | hourl | y data. | Note | there | weгe | not a | ny data | | | |
| | | | | | for | 1981 | L, | | | | | | | | | | | | | |

23.4

£ 3

122

| | GRAND E | BANK SI | LOPE : | NEAR SUF | RFACE | JAN. | 1980 | - DEC. | 1984 | (| 20 M. |) SA | MPLE | INTERV | AL: 30 | 500 SEC. | | | | |
|--------|-----------------|------------|--------|---------------|-------------|--------------|-------------|---------------|-------------|------------|----------------|-------------|----------------|--------------|--------------|-------------|-----|--------------|------------|--|
| 1982 | R A MEAN MAX | T E MIN | STDEV | U – C Mean | OMP MAXI | ONE WINS1 | n T TDEV | V – C Mean | OM 1 MAX | PON MIN | e n t Stdev | T E MEAN | M P E I MAX | R A T MIN | URE STDEV | s a Mean | MAX | N I T MIN | y Stdev | |
| JAN | | | | | | | | | | | | | | | | | | | | |
| FEB | | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | 23.0 57.0 | 3 1.5 | 12.7 | 6.8 | 26.7 · | -20.6 1 | 10.4 | -16.8 | 16.9 | -57. | 5 16.0 | | | | | | | | | |
| JUNE | 14.0 48.0 | 9 1.0 | 9.2 | 3.4 | 35.7 · | -47.3 | 9.1 | -8.3 | 23.2 | -41. | 8 10.8 | | | | | | | | | |
| JULY | 12.2 39.9 | 9 0.1 | 8.3 | 4.3 | 32.2 | -26.1 | 8.1 | -7.7 | 13.2 | -37. | 1 8.5 | | | | | | | | | |
| AUGUST | 18.1 61.2 | 2 0.1 | 13.0 | 4.0 | 53.0 · | -54.6 1 | 13.6 | -8.9 | 35.6 | -56. | 4 14.8 | | | | | | | | | |
| SEPT | 17.4 35.3 | 7 1.4 | 8.5 | 0.6 | 27.6 | -32.8 | 13.9 | -4.2 | 20.7 | -33. | 1 13.0 | | | | | | | | | |
| ост | 27.4 47.0 | 0 0.7 | 10.4 | 6.5 | 33.8 | -28.4 | 13.7 | -22.4 | 6.6 | -46. | 5 11.2 | | | | | | | | | |
| NOV | 20.2 54.0 | 8 0.6 | 11.3 | 1.0 | 44.2 | -45.9 | 16.5 | -9.7 | 29.9 | -54. | 0 13.1 | | | | | | | | | |
| DEC | 24.6 63.4 | ¢ 1.0 | 11.5 | 5.8 | 50.2 | -38.7 1 | 14.7 | -15.5 | 30.3 | -62. | 3 15.7 | | | | | | | | | |

-

| | GR | AND B | NK SI | LOPE : | NEAR SU | RFACE | JAN. | 1980 | - DEC. | 1984 | (| 20 M. |) SAN | PLE I | NTERV | AL : 36 | 00 SEC. | | | |
|--------|------|--------------|------------|--------|---------------|-------------|--------------------------|----------------|---------------|--------------|------------|----------------|-------------|-------|------------|-----------------|-------------|------------|------------|------------|
| 1983 | MEAN | R A 1 Max | T E Min | STDEV | u - C Mean | OM F MAX | ^P ONE MINS | E N T STDEV | V – C Mean | o m i Max | PON MIN | e n t Stdev | TEN MEAN | MAX | RAT MIN | ur e Stdev | s a Mean | LIN MAX | ITT MIN | y Stdev |
| JAN | 27.9 | 44.1 | 9.3 | 9.8 | -2.1 | 26.1 | -33.6 | 14.5 | -23.6 | -2.4 | -44.1 | 10.1 | 5 | 3 | 6 | ð . 1 | 32.40 J | 32.57 | 32.27 | 0.08 |
| FEB | 20.9 | 58.0 | 1.8 | 10.3 | -8.1 | 20.3 | -39.8 | 11.7 | -13.0 | 17.1 | -49.3 | 3 13.2 | 7 | 2 | -1.1 | 0.2 | 32.49 3 | 2.86 | 32.18 | 0.10 |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | 18.1 | 47.4 | 0.2 | 11.2 | -0.6 | 29.7 | -47.0 | 11.1 | -13.7 | 16.8 | -45.8 | 11.9 | | | | | | | | |
| AUGUST | 25.9 | 49.8 | 0.5 | 13.6 | -2.8 | 49.7 | -48.5 | 19.7 | -10.8 | 32.6 | -46.6 | 18.5 | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | | | | |
| ост | | | | | | | | | | | | | | | | | | | | |
| NOV | 31.4 | 72.1 | 0.1 | 16.6 | -3.7 | 41.0 | -60.4 | 19.1 | -22.8 | 27.Ø | -69.9 | 19.1 | 2.0 | 5.0 | -1.6 | 2.6 | 31.69 3 | 2.04 | 31.41 | 0.14 |
| DEC | 19.4 | 51.9 | 0.5 | 9.5 | -3.9 | 31.2 | -50.5 | 13.8 | 6.4 | 34.8 | -38.1 | 14.7 | -1.8 | -1.4 | -2.1 | 0 .1 | | | | |

1000 m

GRAND BANK SLOPE : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 3600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV 1 9 8 4 MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV 17.9 34.5 1.1 7.1 -0.3 27.0 -34.5 12.6 -10.1 14.8 -34.2 10.4 -2.1 -2.0 -2.2 0.02 JAN FEB 15.8 38.7 0.5 7.8 0.5 24.2 -25.6 9.9 -11.4 13.3 -38.7 9.0 -1.2 -.3 -2.4 0.2 31.91 32.15 31.77 0.07 MARCH 6.4 36.7 0.1 9.6 -0.3 23.8 -27.7 5.4 -5.0 8.1 -36.1 8.9 -0.2 0.8 -1.2 0.4 32.64 32.88 32.54 0.06 APRIL 0.9 1.5 0.0 0.4 -0.1 1.4 -1.5 0.6 -0.2 1.4 -1.5 0.7 0.4 1.2 -0.4 0.4 32.71 32.88 32.59 0.08 MAY 0.9 1.5 0.0 0.4 0.1 1.5 -1.5 0.7 -0.2 1.5 -1.5 0.6 2.3 4.8 0.4 1.4 32.80 32.88 32.70 0.03 JUNE 1.0 1.5 0.1 0.4 0.1 1.4 - 1.4 0.8 - 0.2 1.4 - 1.4 0.7 5.5 6.3 3.5 0.432.71 32.82 32.60 0.04 JULY 17.7 40.8 0.3 9.2 -1.1 36.2 -35.4 13.9 -5.4 24.8 -36.8 13.2 10.3 13.4 7.4 1.7 31.96 32.30 31.22 0.23 AUGUST 22.1 50.3 0.2 9.4 -0.3 37.3 -40.8 16.4 -4.5 48.8 -44.3 17.0 14.7 16.5 10.8 1.2 31.14 31.65 30.87 0.15 SEPT 21.6 71.7 0.1 11.4 -2.1 34.5 -67.3 16.5 -6.7 32.3 -51.2 16.6 13.2 16.5 10.6 1.3 31.01 31.25 30.76 0.10 OCT | 19.8 59.5 0.3 11.3 -3.0 49.5 -47.3 15.7 -5.5 36.7 -46.8 15.3 7.3 12.1 4.2 2.0 31.14 31.64 30.72 0.20 NOV 15.1 57.8 0.6 9.1 -0.2 30.1 -45.0 12.1 -6.5 22.8 -49.9 11.1 2.8 5.2 1.7 0.8 31.94 32.34 31.21 0.39 DEC 16.2 61.7 0.9 10.4 1.7 31.4 -34.0 13.0 -4.6 26.1 -60.1 13.3 1.5 1.9 0.8 0.3 32.35 32.49 32.24 0.32

| | GR | AND B | wik s | LOPE : I | NEAR MI | DDLE | JAN | . 1980 - | - DEC. | 1984 | (| 100 M.) |) SAN | IPLE I | INTERV | AL : 36 | 00 SEC. | | | |
|--------|------|--------------|------------|----------|---------------|------------|------------|----------------|---------------|------------|------------|----------------|---------------|------------|--------------|---------------|-------------|------------|--------------|------------|
| 1980 | MEAN | R A ' Max | F E Min | STDEV | u - C Mean | O M Max | PON MIN | e n t Stdev | V – C Mean | O M Max | PON Min | e n t Stdev | TEN MEAN | IPE MAX | R A T MIN | ur e Stdev | s a Mean | LII MAX | N I T MIN | y Stdev |
| JAN | | | | | | | | | | | | | | | | | | | | |
| FEB | | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | | | | |
| OCT | 14.2 | 37.6 | 1.7 | 5.9 | 0.3 | 23.4 | -25. | 1 8.7 | -6.6 | 23.2 | 2 -36.0 | 0 10.9 | -1.2 | -0.8 | -1.4 | 0.1 | 33.24 | 33.43 | 33.00 | 0.07 |
| NOV | 15.2 | 45.5 | 0.6 | 6.6 | -0.8 | 33.7 | -42.9 | 9 10.1 | -6.3 | 31.0 | -41.3 | 7 10.2 | -0.6 | 1.5 | -1.3 | 0.8 | 33.29 | 33.88 | 32.98 | 9.10 |
| DEC | 14.3 | 37.6 | 2.2 | 5.3 | -4.9 | 20.3 | -30. | 1 9.5 | -5.1 | 27.6 | -29. | 5 9.7 | - 0. 5 | 1.7 | -2.0 | 0.7 | 33.39 | 33.97 | 32.71 | 0.17 |
| | | | T٤ | able 15. | | Mon | thly s | tatistics | s of the | e rate | , u, v, | T and | S for t | he m | id-de | oth laye | er for tl | ne | | |
| | | | | | | slope | e area | near Hi | bernia | base | d on tl | he hour | ly data | ι. | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |

E

E-2

100

500

-

-

100

E-3

(· · ·)

| | GF | RAND B | ank sl | OPE : I | NEAR MI | DDLE | JAN. | 19 60 - | - DEC. | 19 84 | (| 100 M. |) saw | PLE IN | TERVA | NL : 36 | 00 SEC. | | | |
|--------|------|--------|--------|---------|---------------|------|-------|----------------|---------------|--------------|------|--------|--------|--------|-------|---------|-------------|-------|-------------------|-----------|
| 1981 | MFAN | R A ' | TE | STDEV | U – C Mfan | | PON | E N T | V – C MFAN | O M | PON | E N T | TEN | | | URE | S A MFAN | | ITY MIN S | (STDF |
| | | | mait | SIDCI | | | | | | | | 51201 | ML/ IV | | | 01001 | | | | |
| JAN | 14.2 | 35.6 | 2.3 | 5.7 | -5.0 | 20.1 | -32.6 | 9.5 | -4.3 | 19.9 | -34. | 0 10.1 | -0.3 | 0.2 - | 1.5 | 0.4 | 33.25 | 33.92 | 32.7 9 | 0.2 |
| FEB | | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | | | | |
| OCT | | | | | | | | | | | | | | | | | | | | |
| NOV | | | | | | | | | | | | | | | | | | | | |
| DEC | | | | | | | | | | | | | | | | | | | | |

| | GF | and b/ | wk si | LOPE : | NEAR MI | DDLE | JAN. | 1980 | - DEC. | 1984 | (| 100 M. |) S | MPLE | INTERV | AL : 36 | 00 SEC. | | | |
|--------|------|--------------|----------|--------|---------------|--------------|--------------|----------------|---------------|------------|--------------|----------------|-------------|--------------|------------|--------------|-------------|--------------|--------------|------|
| 1982 | MEAN | R A 1 Max | E Min | STDEV | u — C Mean | OMP MAX N | ONI AIN S | e n t Stdev | V - C MEAN | O M MAX | P O N MIN | e n t Stdev | t e Meai | MPE N MAX | RAT MIN | URE STDEV | S A Mean | L I I MAX | ITY Min S | TDEV |
| JAN | | | | | | | | | | | | | | | | | | | | |
| FEB | | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | 17.9 | 46.2 | 1.6 | 12.4 | 6.0 | 25.0 - | -18.3 | 8.3 | -13.1 | 14.8 | 3 -46. | 0 14.1 | -0.9 | 0.1 | -1.3 | 0.3 | 33.05 | 33.19 | 32.92 | 0.06 |
| JUNE | 11.9 | 26.8 | 1.3 | 6.0 | 3.5 | 19.8 - | -21.1 | 6.5 | -8.1 | 8.4 | -26. | 0 7.5 | -1.2 | 0.2 | -1.5 | 0.3 | 32.98 | 33.17 | 32.72 | 0.07 |
| JULY | 9.3 | 30.5 | 0.5 | 5.1 | 3.3 | 18.8 - | -13.7 | 5.6 | -5.7 | 13.1 | -29. | 5 6.3 | -1.2 | -0.3 | -1.5 | 0.2 | 33.12 | 33.40 | 32.75 | 0.14 |
| AUGUST | 11.5 | 27.1 | 0.2 | 5.6 | 3.2 | 18.6 - | -12.5 | 6.2 | -8.6 | 6.7 | -25. | 7 6.4 | -1.2 | -0.1 | -1.6 | 0.2 | 33.19 | 33.54 | 32.99 | 0.11 |
| SEPT | 9.1 | 18.6 | 1.5 | 4.3 | 1.6 | 14.4 - | -11.5 | 6.1 | -4.9 | 11.5 | 5 -17. | 36.1 | -1.2 | -0.7 | -1.3 | 0.1 | 33.25 | 33.32 | 33.16 | 0.03 |
| ост | 17.2 | 41.4 | 1.4 | 7.8 | 6.9 | 30.2 | -8.9 | 7.0 | -14.3 | 6.7 | / ~31. | 07.7 | -1.1 | -0.5 | -1,4 | 0.2 | 33.53 | 33.83 | 33.36 | 0.10 |
| NOV | 14.3 | 44.5 | 0.4 | 8.4 | 2.3 | 30.9 - | -22.5 | 10.0 | -8.2 | : 15.7 | / -44. | 3 10.0 | -0.1 | 7 1.2 | -1.4 | 0.5 | 33.47 | 33.81 | 33.23 | 0.07 |
| DEC | 19.0 | 56.8 | 0.4 | 9.1 | 1.3 | 34.2 - | -36.3 | 10.4 | -14.3 | i 19.8 | 3 -54. | 6 11.4 | -0. | 1.1 | -1.3 | 0.6 | 33.48 | 33.88 | 33.25 | 0.10 |

-

| 1983 | MEAN | RAT MAX | E MIN | STDEV | U – C MEAN | OMPONE MAX MINS | E N T | V – C Mean | ÓMPONE MAX MINS | TDEV | TEMPE MEAN MAX | RAT | U R E STDEV | SALINITY MEAN MAX MIN STDEV |
|--------|------|------------|----------|-------|---------------|--------------------|-------|---------------|--------------------|------|-------------------|------|----------------|--------------------------------|
| JAN | 21.2 | 50.2 | 0.6 | 10.3 | -4.2 | 22.7 -31.8 | 10.6 | -15.5 | 17.2 -48.7 | 13.5 | 0.3 0.1 | 0.8 | 0.2 | 33.39.33.75.33.05.0.14 |
| FEB | 18.4 | 46.1 | 1.0 | 9.2 | -6.0 | 18.7 -36.8 | 7.9 | -13.8 | 19.4 -42.4 | 11.7 | -8.7 -8.1 | -1.5 | 0.3 | 33 36 33 69 33 19 9 98 |
| MARCH | | | | | •••• | | ,,,, | | 1011 1211 | | | | •.• | |
| APRIL | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | |
| JULY | 15.1 | 33.0 | 4.5 | 5.8 | -2.3 | 10.3 -23.2 | 6.2 | -13.7 | -1.2 -31.3 | 5.5 | -1.6 -0.9 | -1.8 | 0.2 | 33.19.33.55.33.08.0.08 |
| AUGUST | 15.9 | 41.5 | 0.9 | 7.8 | 2.8 | 12.5 -26.8 | 6.5 | -14.2 | 0.8 -40.8 | 7.9 | -1.6 -1.0 | -1.8 | 0.1 | 33.18 33.54 33.08 0.07 |
| SEPT | 18.0 | 37.8 | 1.5 | 8.3 | -3.1 | 15.4 -26.9 | 6.1 | -16.5 | 4.2 -37.3 | 8.7 | -1.4 -0.7 | -1.7 | 0.2 | 33.53 33.77 33.40 0.06 |
| 001 | 23.6 | 58.0 | 2.5 | 10.9 | -4.3 | 12.4 -26.8 | 6.8 | -22.0 | 2.4 -56.0 | 11.2 | -1.1 0.3 | -1.6 | 0.4 | 33.60 34.02 33.33 0.15 |
| NOV | 20.2 | 53.3 | 0.5 | 12.4 | -2.2 | 25.9 -27.1 | 8.6 | -15.9 | 29.8 -53.2 | 15.2 | -1,3 -0.5 | -1.6 | 0.3 | 33.34 33.81 33.14 0.17 |
| DEC | 14.3 | 42.9 | 1.5 | 6.5 | -0.5 | 28.4 -26.5 | 9.5 | -4.6 | 28.6 -42.4 | 11.7 | -0.8 1.1 | -1.6 | 0.7 | 33.02 33.28 32.69 0.15 |

GRAND BANK SLOPE : NEAR MIDDLE JAN. 1980 - DEC. 1984 (100 M.) SAMPLE INTERVAL : 3600 SEC.

GRAND BANK SLOPE : NEAR MIDDLE JAN. 1980 - DEC. 1984 (100 M.) SAMPLE INTERVAL : 3600 SEC.

| | | RAT | Ε | | U - C | OMPONE | ENT | V - C O M P O | NENT | TEMPERAT | URE | SALINITY |
|--------|------|--------------|-------|-------|-------|-------------------|-------|---------------|---------|----------------|-----------------|------------------------|
| 1984 | MEAN | MAX | MIN S | STDEV | MEAN | MAX MIN S | STDEV | MEAN MAX MI | STDEV | MEAN MAX MIN | STDEV | MEAN MAX MIN STDEV |
| JAN | 12,3 | 31.0 | 1.2 | 5.5 | 0.4 | 18.2 -28.8 | 8.5 | -5.1 21.7 -20 | 9.2 9.2 | -0.4 -0.1 -0.8 | 0.1 | 32.92 33.08 32.77 0.06 |
| FEB | 12.1 | 29. 8 | 1.5 | 5.6 | -1.8 | 15.8 -25.9 | 7.3 | -7.4 28.7 28 | .7 8.2 | -1.2 -0.8 -1.7 | 0.2 | 32.89 33.04 32.75 0.05 |
| MARCH | 13.1 | 35.1 | 1.5 | 5.7 | -2.3 | 34.1 -29.1 | 9.5 | -5.4 26.7 -20 | i.1 8.9 | -0.8 0.3 -1.7 | 0.5 | 32.78 33.05 32.55 0.12 |
| APRIL | 13.2 | 40.1 | 1.1 | 5.6 | -1.2 | 18.0 -39.4 | 10.2 | -2.4 21.5 -24 | .8 9.7 | -0.1 0.6 -1.0 | 0.4 | 32.78 32.97 32.60 0.08 |
| MAY | 10.4 | 35.2 | 0.6 | 4.9 | -0.6 | 24.2 -24.1 | 9.0 | -0.4 25.7 -2 | .0 7.1 | -0.2 0.8 -1.1 | 0.2 | 32.84 33.03 32.75 0.03 |
| JUNE | 12.8 | 29.5 | 2.0 | 4.8 | -1.5 | 15.8 -22.6 | 9,5 | 2.1 28.4 -24 | .2 9.5 | -0.2 0.4 -0.9 | 0.2 | 32.90 33.13 32.78 0.08 |
| JULY | 9.2 | 25.3 | 0.1 | 4.7 | -0.8 | 16.9 -21.6 | 6.9 | -0.5 17.5 -25 | 5.3 7.3 | -1.1 -0.3 -1.4 | 0.2 | 32.85 32.98 32.62 0.07 |
| AUGUST | 8.5 | 23.2 | 0.2 | 4.3 | 0.2 | 18.4 -21.6 | 6.9 | -0.9 16.4 -21 | .5 6.5 | -1.2 -0.8 -1.4 | 0.1 | 32.87 33.07 32.74 0.05 |
| SEPT | 10.4 | 28.3 | 0.8 | 4.9 | -0.5 | 27.2 -23.4 | 8.2 | -0.4 19.0 -21 | .2 8.1 | -1.3 -1.1 -1.5 | 0.1 | 33.03 33.15 32.90 0.05 |
| OCT | 10.6 | 28.9 | 0.9 | 4.5 | -0.8 | 28.8 -26.8 | 8.4 | -0.4 20.7 -17 | 7.4 7.9 | -0.4 -1.2 -1.6 | 0 .1 | 33.08 33.21 32.95 0.03 |
| NOV | 12.0 | 35.2 | 1.7 | 5.5 | -0.2 | 22.1 -32.1 | 9.6 | 0.6 19.0 -32 | .3 9.0 | -1.1 -1.1 -1.7 | 0.6 | 33.04 33.21 32.75 0.08 |
| DEC | 12.4 | 30.5 | 1.1 | 5.0 | 0.8 | 27.9 –21.2 | 9.9 | 0.2 16.4 -36 | .4 9.1 | -1.4 1.1 -1.6 | 0.6 | 32.95 33.20 32.68 0.11 |

£ 3

C

1000

-

-

0

(T)

| | GF | and B | ank s | LOPE : I | NEAR BO | TTOM | JAN. | 1980 - | - DEC. | 1984 | (| 175 M. |) SAN | Ple I | NTERV | AL : 36 | 00 SEC. | | | |
|--------|------|--------------|------------|----------|---------------|------------|---------------------------|---------------------|-------------------|---------------|---------------|---------------------|---------------------|-----------------|--------------|------------------|-------------|------------|--------------|------------|
| 1980 | MEAN | R A ' MAX | T E MIN | STDEV | u — C Mean | o m Max | PÓN MIN | ENT STDEV | V — C Mean | o m Max | P Ó N MIN | e n t Stdev | T E N MEAN | NAX | R A T MIN | URE STDEV | s a Mean | L I MAX | N I T MIN | y Stdev |
| JAN | | | | | | | | | | | | | | | | | | | | |
| FEB | | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | | | | |
| ост | 11.8 | 31.1 | 0.5 | 5.8 | 1.5 | 22.4 | -24.0 | 6.9 | -4.7 | 21.4 | 4 –27. | 7 10.0 | 0.1 | 0.3 | -0.5 | 0.2 | 33.80 | 34.02 | 33.6 | 1 0.09 |
| NOV | 13.1 | 41.8 | 1.2 | 7.1 | 1. 2 | 32.7 | -27.9 | 8.5 | -8.1 | 17.7 | 7 -41. | 1 9.1 | -0 .1 | 0.5 | -0.7 | 0.1 | 33.86 | 34.04 | 33.6 | 1 0.07 |
| DEC | 13.2 | 38.5 | 1.3 | 6.5 | -5.0 | 21.0 | -28.1 | 8.7 | -5.9 | 18.9 | 9-36. | 68.9 | -0.4 | 1.3 | -0.8 | 0.2 | 33.80 | 34.10 | 33.6 | 5 0.07 |
| | | | | Tab | ole 16. | | Month layer : data. | ly stati for the | istics o slope | f the area | rate, near | u, v, T : Hiberr | and S fo nia bas | or the ed or | near the | bottom hourly | | | | |

| | GF | AND B | iank s | LOPE : | NEAR D | DTTOM | JAN | . 19 80 · | - DEC. | 1984 | (| 175 M.) | SAMPL | E INTERN | /AL : 36 | 00 SEC. | |
|---------------|------|------------|------------|--------|---------------|--------------|------------|------------------|---------------|------------|----------------|------------------|----------------|----------|---------------|------------------|-------------------|
| 1981 | MEAN | R A MAX | T E Min | STDEV | u — (Mean | M O S MAX | PON MIN | e n t Stdev | V - C MEAN | O M MAX | PON | i ë n t Stdev | TEMP MEAN M | ERAT | TURE STDEV | SALI MEAN MAX | NITY MIN STDEV |
| JAN | 13.1 | 36.6 | 5 1.4 | 7.0 | -5.3 | 18.8 | -30. | 18.7 | -5.5 | 17,6 | i - 32. | 7 9.3 | 0.50 | .1 -0.8 | 0.1 | 33.64 33.87 | 33.44 0.08 |
| FEB | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | |
| <u></u> APRIL | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| OFC | | | | | | | | | | | | | | | | | |
| 520 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

GRAND BANK SLOPE : NEAR BOTTOM JAN, 1980 - DEC, 1984 (175 M.) SAMPLE INTERVAL : 3600 SEC. RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY 1 9 8 2 MEAN MAX MIN STDEV JAN FEB MARCH APRIL MAY 14.0 35.8 1.4 1.4 3.4 20.0 -13.9 8.4 -8.3 12.1 -33.4 11.4 0.7 1.3 0.1 0.4 33.79 34.00 33.54 0.12 JUNE 11.4 34.3 1.5 5.6 3.5 21.7 -15.7 6.2 -8.0 12.7 -33.9 6.9 0.1 1.4 -0.8 0.4 33.59 33.99 33.33 0.11 JULY 8.5 21.3 0.5 4.1 2.2 18.7 -13.7 5.5 -5.0 12.4 -20.2 5.4 -1.0 0.9 -0.7 0.4 33.72 34.02 33.32 0.19 AUGUST 11.5 27.7 0.2 5.1 4.0 19.5 -13.1 5.9 -8.1 10.8 -25.0 6.5 0.2 0.7 -0.4 0.2 33.80 33.97 33.64 0.06 SEPT 10.2 28.3 0.8 5.0 3.7 17.5 -7.9 5.9 -7.6 3.6 -21.1 4.9 -1.0 0.2 -0.3 0.2 33.74 33.84 33.66 0.04 OCT | 15.0 33.6 2.1 6.6 6.0 24.3 -7.2 5.7 -12.0 7.7 -31.8 7.5 -0.6 0.8 -0.9 0.4 33.71 34.13 33.55 0.12 NOV 15.1 53.5 1.4 8.7 5.4 44.7 -24.7 9.6 -10.3 16.1 -43.3 8.8 -0.4 0.6 -0.8 0.2 33.69 34.02 33.45 0.09

DEC 15.6 32.9 1.3 7.7 6.1 32.4 -17.6 6.9 -9.8 13.5 -31.1 9.9 -0.2 0.3 -0.8 0.2 33.61 33.61 33.38 0.12

| | GR | AND B | NNK SL | .OPE : | NEAR BO | TTOM | JAN. | 19 80 | - DEC. | 1984 | (1 | 175 M. |) SA | MPLE | INTERV | AL : 36 | 00 SEC. | |
|--------|------|------------|------------|--------|---------------|-------------|--------------------|---------------|---------------|-----------|------------|----------------|-------------|--------------|--------------|--------------|------------------|-------------------|
| 1983 | MEAN | RA1 MAX | T E Min | STDEV | U – C Mean | OMP MAXI | ONE Min S | en t Stdev | V — C Mean | OM Max | PON Min | e n t Stdev | T E MEAN | M P E MAX | R A T MIN | ure Stdev | SALI MEAN MAX | NITY MIN STDEV |
| JAN | 24.1 | 55.0 | 3.2 | 11.3 | -0.9 | 15.8 - | -19.6 | 7.5 | -20.4 | 22.1 | -55.6 | 9 15.4 | 0.5 | 1.7 | -0.3 | 0.5 | 33.87 34.28 | 33.43 0.21 |
| FEB | 16.9 | 41.8 | 1.5 | 8.7 | -2.3 | 22.3 - | -27.0 | 7.7 | -14.2 | 20.6 | -41.5 | 5 9.6 | 0.4 | 2.9 | -1.2 | 0.6 | 33.84 34.63 | 3 33.27 0.22 |
| MARCH | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | -0.4 | 0.4 | -1.1 | 0.2 | 34.28 34.73 | 34.03 0.14 |
| AUGUST | | | | | | | | | | | | | -0.6 | 0 .1 | -1.2 | 0.3 | 34.08 34.35 | 33.85 0.11 |
| SEPT | | | | | | | | | | | | | -0.4 | -0.3 | -0.6 | 0.1 | 34.16 34.22 | 2 33.99 0.06 |
| OCT | | | | | | | | | | | | | | | | | | |
| NOV | 16.0 | 45.1 | 1.2 | 8.7 | 0.2 | 19.2 - | -1 9 .7 | 7.4 | -12.0 | 21.5 | -44.8 | 11.5 | -0.8 | 1.0 | -1.5 | 0.6 | 33.53 34.31 | 33.17 0.34 |
| DEC | 14.0 | 36.7 | 1.2 | 6.4 | 1.3 | 24.2 - | -23.3 | 8.3 | -6.5 | 22.5 | -36.2 | : 11.1 | -1.3 | -1.2 | -1.5 | 0.1 | 33.21 33.30 | 33.10 0.03 |

.

5

156

2

P. I

GRAND BANK SLOPE : NEAR BOTTOM JAN. 1980 ~ DEC. 1984 (175 M.) SAMPLE INTERVAL : 3600 SEC.

.

| | | RAT | E | | U - C | OMP | ONE | EN T | v – c | 0 M | PON | ENT | TEM | РЕ | RAT | URE | S A | LI | TIN | Y |
|--------|------|------|-------|------|-------|------|-------|------|--------------|------|-------|-------|------|------|-------------------|-------|-------|-------|-------|-------|
| 1984 | MEAN | MAX | MIN S | TDEV | MEAN | MAX | MIN S | TDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV |
| JAN | 11.2 | 32.8 | 0.7 | 6.0 | 1.3 | 31.4 | -23.7 | 8.0 | -5.5 | 13.4 | -29.8 | 8.2 | -1.3 | -0.9 | -1.6 | 0.1 | 33.12 | 33.23 | 33.03 | 0.04 |
| FEB | 10.7 | 26.5 | 1.2 | 5.4 | 0.7 | 25.8 | -17.3 | 7.0 | -6.1 | 16.7 | 26.2 | 7.6 | -1.2 | -0.9 | -1.7 | 0.2 | 33,13 | 33.31 | 32.96 | 0.06 |
| MARCH | 8.6 | 22.2 | 1.2 | 4.7 | 0.2 | 12.6 | -15.1 | 5.5 | -5.9 | 8.2 | -21.2 | 5.6 | -1.3 | -1.0 | -1.6 | 0.2 | 33.20 | 33.35 | 33.02 | 0.06 |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | 8.5 | 22.3 | 0.5 | 4.3 | -0.3 | 15.8 | -21.7 | 6.9 | -0,9 | 15.6 | -20.7 | 6.4 | -1.2 | -1.1 | -1.3 | 0.1 | 33.37 | 33.48 | 33.23 | 0.04 |
| AUGUST | 8.6 | 22.7 | 0.8 | 4.4 | 0.0 | 19.4 | -21.7 | 7.0 | -1.3 | 19.8 | -21.0 | 6.5 | -1.2 | -1.1 | -1.3 [.] | 0.1 | 33.39 | 33.46 | 33.30 | 0.03 |
| SEPT | 9.7 | 28.4 | 0.9 | 5.1 | -0.5 | 24.3 | -22.2 | 7.9 | -0.4 | 18.2 | -24.7 | 7.6 | -1,0 | -0.8 | -1.4 | 0.1 | 33.46 | 33.59 | 33.29 | 0.05 |
| OCT | 10.2 | 26.6 | 0.1 | 5.2 | -0.8 | 21.1 | -24.9 | 8.2 | -1.9 | 21.8 | -23.3 | 7.8 | -1.1 | -0.9 | -1.4 | 0.1 | 33.49 | 33.60 | 33.37 | 0.04 |
| NOV | t1.3 | 28.1 | 1.0 | 6.0 | -0.8 | 21.7 | -24.1 | 9.1 | -2.6 | 16.3 | -27.0 | 8.7 | -1.3 | -1.1 | ~1.6 | 0.1 | 33,44 | 33.55 | 33.30 | 0.06 |

DEC

HIBERNIA : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 21600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

11.4 62.5 0.0 10.0 -0.6 50.0 -62.7 10.2 -1.1 50.0 -62.1 11.1 3.6 12.3 -0.9 3.6 32.66 34.31 30.72 0.66

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 21600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

9.1 50.9 0.1 7.1 -1.6 22.3 -44.6 7.9 0.4 37.6 -38.2 8.3 1.9 11.9 -1.0 2.5 32.66 33.35 31.62 0.35

HIBERNIA : NEAR BOTTOM JAN. 1980 - DEC. 1984 (75 M.) SAMPLE INTERVAL : 21600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

6.9 44.2 0.1 4.9 -0.1 22.3 -35.7 5.4 0.0 31.7 -29.3 6.5 -0.3 3.1 -1.4 0.7 33.03 33.80 32.01 0.39

Table 17.Overall statistics of rate, u, v, T and S for all three depth levels at Hiberniabased on the filtered data.

HIBERNIA : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 21600 SEC.

P - 2 [- 1

TEMPERATURE SALINITY RATE U-COMPONENT V-COMPONENT MEAN MAX MIN STDEV MEAN MAX MIN STDEV 1980 MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV JAN 32.92 33.07 32.73 0.09 FEB 13.7 34.4 1.1 9.2 -1.0 15.1 -27.6 9.3 4.4 33.0 -19.8 13.0 -0.6 0.2 -0.9 0.3 15.0 40.5 0.9 9.1 -1.7 12.0 -22.0 7.1 4.5 39.7 -32.0 15.4 32.89 33.02 32.77 0.05 MARCH -0.4 0.0 -0.8 0.2 APRIL 14.4 7.5 2.5 -7.8 -6.1 -9.0 1.2 -3.2 8.9 -11.2 8.3 -0.1 -0.1 -0.1 0.01 32.92 32.93 32.91 0.01 1.1 34.20 34.29 34.14 0.04 MAY 8.4 18.9 1.5 4.5 -1.7 12.1 -14.5 6.3 -4.4 4.7 -18.4 5.4 2.6 3.3 2.0 0.4 JUNE 7.9 20.1 0.9 0.8 14.7 -16.9 4.2 -6.6 1.2 -16.9 4.2 5.3 7.5 3.3 1.2 34.22 34.31 34.01 0.07 4.5 JULY 5.7 25.6 0.6 4.5 0.3 8.2 -9.6 4.0 -3.4 5.4 -25.1 5.0 8.5 10.4 7.2 1.0 33.84 34.14 33.71 0.13 AUGUST 9.3 29.8 0.7 6.2 -2.1 28.1 -28.2 8.9 -1.0 21.9 -18.9 6.5 11.2 11.8 10.2 0.3 33.58 33.76 33.47 0.07 SEPT 4.2 26.7 -28.2 10.1 OCT 9.3 29.8 0.7 6.2 -4.0 26.3 -46.7 12.2 7.6 8.4 6.2 0.6 32.65 32.82 32.54 0.06 NOV 19.7 54.3 1.7 11.6 -7.9 24.3 -54.0 17.2 5.3 33.7 -23.3 11.8 5.2 6.7 3.3 1.0 32.56 32.72 32.47 0.06 22.6 50.1 3.2 9.6 DEC 0.4 33.9 -33.0 15.4 -12.1 35.4 -40.6 15.0 2.5 3.5 1.5 0.6 32.65 32.72 32.51 0.04

Table 18.Monthly statistics of rate, u, v, T and S for the near surface layer at Hiberniabased on the filtered data.

HIBERNIA : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 21600 SEC.

| | | RAT | E | | U - C | 0 M I | PON | ENT | V - C | O M | PON | ENT | TEM | I P E | RAT | URE | S / | L I I | NIT | Y |
|--------|------|------|-----|-------|-------|-------|--------------|--------|-------|------|-------|-------|------|-------|------|-------|-------|-------|-------|--------|
| 1981 | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV |
| JAN | 19.3 | 43.1 | 2.0 | 9.1 | 6.9 | 33.7 | -18.2 | 2 11.8 | -10,9 | 15.6 | -38.5 | 12.3 | 1.9 | 2.4 | 1.6 | 0.2 | 32.54 | 32.70 | 32.47 | 0.06 |
| FEB | 20.9 | 38.4 | 7.8 | 8.6 | 0.8 | 23.4 | -26.0 | 3 12.0 | -17.3 | -2.4 | -35.2 | 8.2 | 1.6 | 2.0 | 1.0 | 0.2 | 32.48 | 32.54 | 32.44 | 0.03 |
| MARCH | 12.8 | 23.0 | 2.0 | 6.0 | 0.6 | 18.6 | -11.4 | 8.6 | 1,1 | 17.2 | -22.3 | 11.4 | 0.1 | 0.2 | 0.0 | 0.1 | 32.76 | 32.83 | 32.69 | 0.04 |
| APRIL | 12.6 | 29.2 | 2.0 | 6.7 | 1.2 | 26.2 | -24.3 | 5 10.0 | -3.8 | 21.3 | -22.8 | 9.4 | 0.6 | 1.2 | 0.1 | 0.3 | 32.73 | 32.87 | 32.63 | 0.05 |
| MAY | 4.8 | 11.1 | 0.3 | 2.3 | 9.7 | 5.7 | -4.7 | 7 2.4 | -2.7 | 7.3 | -11.1 | 3.8 | 2.3 | 3.6 | 1.1 | 0.7 | 32.68 | 32.73 | 32.65 | 0.02 |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | 6.8 | 19.2 | 0.8 | 3.6 | -0.2 | 9.5 | -12.6 | 9 4.0 | 5,5 | 18.7 | -0.1 | 3.7 | -0.2 | 0.2 | -0.5 | 0.2 | 30.88 | 30.96 | 30.72 | 0.05 |
| AUGUST | 4.6 | 13.4 | 0.3 | 3.2 | 0.5 | 6.2 | -4.0 | 3 2.3 | 3.1 | 13.0 | -6.4 | 4.0 | 0.5 | 1.4 | -0.6 | 0,8 | 31.97 | 32.80 | 30.81 | 0.94 |
| SEPT | 7.1 | 16.1 | 0.6 | 4.1 | 0.4 | 10.0 | -13.2 | 2 4.1 | 1.0 | 15.0 | -15.1 | 7.1 | 2.3 | 4.2 | 1.1 | 0.7 | 32.68 | 32.76 | 32.56 | 6 0.05 |
| OCT | 18.8 | 59.2 | 0.9 | 12.7 | -1.5 | 28.2 | 50.6 | 9 14.9 | ~9.3 | 40.9 | -46.0 | 14.4 | 8.7 | 12.3 | 2.1 | 3.3 | 32.27 | 32.68 | 31.88 | 0.23 |
| NOV | 23.8 | 63.3 | 0.6 | 13,0 | -6.0 | 50.0 | 62 .7 | 7 19.8 | 5.8 | 50.0 | -37.8 | 16.7 | 7.7 | 8.9 | 5.9 | 0.7 | 32.28 | 32.39 | 32.19 | 0.05 |
| DEC | 19.9 | 51.5 | 2.1 | 11.3 | 1.0 | 31.9 | -38.2 | 2 15.1 | -4.8 | 36.9 | -49.3 | 16.6 | 5.3 | 6.9 | 2.6 | 1.4 | 32.07 | 32.35 | 31.78 | 0.19 |

| | - | i. | - | 3 | | | L | 1 | Ľ., | 9 | 4 | - | L. | - 3 | | i | 1,000 | 3 | | 1- | 7 - | -11 | and | - |
|--------|------------|----|--------------|------------|----------|---------------|------------|--------------|--------------|------------|-------------|----------|------------|------------------|-----|----------------|-------------|--------------|---------|--------------|-------------|--------------|--------------|-----------|
| | | HI | BERNI | N : 1 | iear sur | FACE | JAN. | 1980 | - D | EC. | 1984 | | (2 | 0 M. |) | SAMPL | LE INT | ERVAL | . : 216 | 00 SEC | • | | | |
| 1982 | 2 MEA | 11 | R A 1 MAX | T E Min | STDEV | U – C Mean | o m Max | P O I Min | N E I Sti | n t Dev | V Mea | - C N | o m Max | P O Min | N (| e n t Stdev | T E MEAN | M P E MAX | RAT | URE STDEV | S . MEAN | N L I MAX | N I T MIN | y Stde |
| JAN | 25. | 0 | 65.5 | 2.1 | 13.7 | 0.0 | 43.7 | -45 | .0 1 | 7.3 | -7. | 7 | 35.8 | 62. | 1 | 21.4 | 1.2 | 2.9 | 0.0 | 0.9 | 32.49 | 32.79 | 32.07 | 0.19 |
| FEB | 20. | 0 | 38.4 | 6.7 | 9.9 | 2.4 | 36.7 | -17 | .1 1 | 9.6 | -5. | 2 | 6.8 | -21. | 0 | 11.1 | 0,1 | 0.2 | 0.1 | 0.1 | 32.65 | 32.69 | 32.63 | 0.0 |
| MARCH | | | | | | | | | | | | | | | | | | | | | | | | |
| APRIL | 6 . | 1 | 22,4 | 0.4 | 4.5 | 1.9 | 22.0 | -3 | .5 | 5.1 | -3. | 7 | 2.2 | - 11. | 6 | 3.8 | | | | | | | | |
| MAY | 6. | 3 | 22.6 | 0.5 | 5.2 | 0.6 | 16.0 | -17 | .6 | 8.2 | -0 . | 6 | 8.8 | -17. | 9 | 5.3 | | | | | | | | |
| JUNE | 5. | 2 | 17.8 | 0.3 | 3.6 | 0.0 | 13.1 | -16 | .8 | 4.8 | -0. | 8 | 10.4 | -13. | 8 | 4.0 | | | | | | | | |
| JULY | 7. | 8 | 18.2 | 0.2 | 4.7 | 4.7 | 16.7 | -3 | .8 | 4.9 | -4. | 9 | 1.9 | -10. | 0 | 3.6 | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | | | | | |

SEPT

OCT

NOV

DEC

100-11 ------

HIBERNIA : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 21600 SEC.

| | | RAT | ε | | U - C | O M F | PON | ENT | V - C | 0 M (| PONE | ENT | TEI | MPE | RAT | URE | S A L | INI1 | ГҮ |
|--------|------|------|-------|------|-------|-------|-------|--------|-------|-------|-------|------------|--------|------|------|-------|----------|----------|-------------------|
| 1983 | MEAN | MAX | MIN S | TDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN S | STDEV | MEAN | MAX | MIN | STDEV | MEAN M | AX MIN | STDEV |
| JAN | 7.1 | 16.3 | 1.3 | 4.2 | 0.3 | 14.7 | -8.4 | 4.9 | -1.8 | 11.3 | -16.2 | 6.6 | 0.2 | 0.6 | -0.2 | 0.3 | 32.19 32 | .45 32.0 | 9 0.12 |
| FEB | 12.8 | 44.1 | 2.0 | 7.5 | -5.9 | 16.6 | -40.5 | 5 10.4 | 2.4 | 17.8 | -19.4 | 8.6 | -0.1 | 0.4 | -0.7 | 0.3 | 32.28 32 | .57 32.0 | 05 0.16 |
| MARCH | 10.1 | 39.0 | 0.9 | 8.6 | -3.1 | 14.4 | -38.0 | 11.2 | 2.4 | 13.2 | -9.6 | 8.0 | -0.5 · | -0.3 | -0.8 | 0.1 | 32.39 32 | .52 32.3 | 32 0.05 |
| APRIL | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | 5.2 | 5.9 | 4.3 | 0.5 | 32.63 32 | .76 32. | 53 0.06 |
| JUNE | | | | | | | | | | | | | 7.1 | 8.3 | 5.9 | 0.6 | 32.54 32 | .65 32.4 | 18 0.04 |
| JULY | 4.7 | 22.6 | 0.2 | 3.7 | 0.7 | 22.5 | -5.8 | 4.6 | 1.4 | 11.5 | -8.0 | 3.6 | 8.3 | 8.3 | 8.2 | 0.02 | 32.48 32 | .48 32.4 | 48 0.01 |
| AUGUST | 10.0 | 32.7 | 0.3 | 9.6 | -6.5 | 3.7 | -28.0 | 9.3 | 4.5 | 18.4 | -6.9 | 6.7 | | | | | | | |
| SEPT | 6.4 | 26.6 | 0.3 | 5.3 | -3.2 | 12.1 | -25.4 | 6.4 | 1.4 | 14.9 | -11.1 | 4.1 | | | | | | | |
| OCT | 9.3 | 28.6 | 1.3 | 5.1 | 0.5 | 16.1 | -17.1 | 7.4 | -1.6 | 25.6 | -18.9 | 7.5 | | | | | | | |
| NOV | 11.5 | 24.1 | 5.5 | 4.9 | 7.8 | 12.7 | 0.4 | 4.3 | 4.2 | 24.1 | -2.7 | 7.9 | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

End End

DEC

162

1

| | HIBERNIA : NEAR (| SURFACE JAN, 1980 - DEC. | . 1984 (20 M,) SAN | PLE INTERVAL : 21600 SEC. | |
|----------|---------------------------|--------------------------------------|-----------------------------------|--|---|
| 1984 ME | RATE IEAN MAX MIN STDI | U-COMPONENT EV MEAN MAX MIN STDEV | V–COMPONENT MEAN MAX MIN STDEV | TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDE | v |
| JAN | | | | | |
| FEB | | | | | |
| MARCH | | | | 0.1 0.7 -0.5 0.2 32.64 32.78 32.56 0.0 | 5 |
| APRIL | | | | 0.4 1.2 -0.2 0.4 32.71 32.85 32.62 0.0 | 8 |
| MAY | 4.9 9.9 1.2 1 | .8 0.3 9.6 -7.2 3.8 | 2.8 6.1 -2.8 2.3 | 2.4 4.8 0.6 1.5 32.71 32.84 32.49 0.1 | 3 |
| JUNE 5 | 5.7 18.4 0.5 3 | .0 -0.1 18.1 -7.3 4.3 | 3.3 14.0 -4.3 3.5 | 6.3 7.3 4.9 0.7 32.41 32.55 32.31 0.0 | 7 |
| JULY 3 | 3.2 9.6 0.1 2 | .1 0.2 9.0 -8.7 2.8 | 0.4 6.6 -9.3 2.5 | 8.7 10.7 7.2 1.0 32.32 32.36 32.24 0.0 | 3 |
| AUGUST 2 | 2.3 6.2 0.3 1 | .5 0.3 5.8 -5.2 2.4 | 0.0 3.1 -2.6 1.3 | | |
| SEPT | | | | | |
| OCT | | | | | |
| NOV | | | | | |

Karl Karl Karl

-

-

E____)

0

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 21800 SEC.

SALINITY RATE U-COMPONENT V = COMPONENTTEMPERATURE 1 9 8 0 MEAN MAX MIN STDEV JAN FEB 10.8 26.9 1.4 6.8 2.0 18.3 -11.7 6.8 5.1 25.7 -10.5 9.4 -0.6 0.0 -0.9 0.3 32.95 33.13 32.73 0.10 23.4 0.4 0.9 20.5 -21.5 7.1 2.7 21.0 -16.2 8.7 -0.4 0.0 -0.6 0.2 32.91 33.04 32.72 0.06 MARCH 10.4 4.9 APRIL 10.9 2.5 2.5 3.7 7.8 1.2 1.8 5.2 8.7 1.9 1.9 -0.1 0.0 -0.2 0.04 32.56 32.74 32.42 0.10 6.5 -0.4 11.2 -10.3 5.5 -2.5 10.3 -11.6 5.1 33.06 33.11 33.03 0.02 MAY 7.1 13.5 1.6 3.3 1.4 2.0 0.7 0.4 JUNE 5.8 14.2 0.7 3.1 0.3 10.6 -8.0 4.0 -3.3 8.4 -14.2 4.1 1.7 2.1 1.2 0.2 32.95 33.06 32.80 0.10 JULY 3.2 12.7 0.3 2.1 -1.2 4.8 -10.6 2.7 -0.8 4.8 -8.5 2.3 1.8 2.6 1.5 0.2 32.88 33.05 32.80 0.09 33.04 33.08 32.98 0.02 AUGUST 0.1 20.2 -16.4 5.7 -0.6 8.9 -8.7 2.7 1.4 2.8 0.3 0.6 4.9 20.4 0.2 4.0 SEPT OCT 13.8 37.5 1.3 7.2 -4.7 18.0 -36.9 9.7 5.8 24.3 -24.8 9.7 7.2 8.6 4.9 0.8 32.08 32.21 31.93 0.07 NOV 17.2 45.9 2.8 9.3 -6.9 20.6 -40.8 14.4 4.0 30.4 -20.8 10.7 5.5 7.2 3.5 1.1 32.16 32.47 31.98 0.15 2.5 3.7 1.4 0.6 DEC 19.0 38.2 1.4 7.9 -7.6 19.6 -33.5 13.2 -8.2 19.3 -38.2 11.3 32.57 32.71 32.40 0.06

Table 19.Monthly statistics of rate, u, v, T and S for the mid-depth layer at Hiberniabased on the filtered data.

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 21600 SEC.

| | | RAT | ε | | U - C | 0 14 6 | PON | ENT | V - C | OMF | 9 O N I | ENT | TEM | ΡEI | RAT | URE | S / | V L I I | NIT | Y |
|--------|------|------|-----------------|-------|-------|--------|--------|-------|-------|------|---------|-------|------|-----|------|-------|-------|---------|---------------|--------|
| 1981 | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | stdev | MEAN | MAX | MIN | STDEV | MEAN | мах | MIN | STDEV |
| JAN | 15.1 | 32.0 | 1.2 | 7.7 | -3.7 | 23.3 | -23.1 | 11.4 | -6.6 | 19.4 | -28.0 | 10.1 | 1,9 | 2.4 | 1.6 | 0.2 | 32.41 | 32.58 | 32.31 | 0.07 |
| FEB | 15.8 | 27.3 | 4.6 | 7.2 | -7.3 | 3.1 | -25.0 | 8.3 | -11.9 | -2.2 | -26.9 | 6.1 | 1.6 | 2.0 | 1.0 | 0.2 | 32.34 | 32.41 | 32.28 | 3 0.03 |
| MARCH | 10.1 | 16.6 | 0.7 | 4.0 | 1.7 | 13.0 | -11.1 | 6.1 | 4.8 | 15.2 | -10.8 | 7.6 | -0.1 | 0.1 | -0.3 | 0.1 | 32.76 | 32.89 | 32.64 | 0.06 |
| APRIL | 9.6 | 25.0 | 0.3 | 6.2 | -1.7 | 18.9 | 20 . 1 | 7.1 | 2.2 | 19.9 | -17.1 | 8.6 | -0.4 | 0.0 | -0.8 | 0.2 | 32.58 | 33.00 | 32.00 | 5 0.33 |
| MAY | 4.4 | 10.5 | 0.7 | 2.1 | 0.8 | 6.9 | 6.6 | 3.0 | -1.5 | 5.4 | -10.2 | 3.4 | 0.8 | 0.9 | 0.6 | 0.1 | 32.58 | 32.68 | 32 .17 | 0.10 |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | |
| Sept | | | | | | | | | | | | | | | | | | | | |
| OCT | 9.1 | 26.4 | 0 .2 | 5.7 | -3.2 | 7.0 | -17.1 | 5.7 | -1.1 | 25.3 | -17.3 | 8.5 | 3.6 | 8.6 | 0.2 | 2.5 | 32.24 | 32.51 | 31.77 | 0.24 |
| NOV | 13.2 | 29.1 | 1.0 | 5.9 | -5.7 | 21.1 | -22.5 | 8.9 | 6.4 | 23.0 | -11.2 | 7.5 | 4.6 | 8.3 | 0.0 | 1.9 | 31.98 | 32.57 | 31.62 | 2 0.21 |
| DEC | 12.8 | 41.5 | 1.6 | 8.2 | -2.9 | 11.6 | -26.2 | 9.2 | 5.8 | 37.6 | -13.1 | 10.3 | 3.1 | 6.0 | -0.1 | 1.7 | 32.36 | 32.86 | 31.73 | 3 0.36 |

| | HI | BERNI | A:N | EAR MIDD | HE J | AN. 19 | - 050 | DEC. | 1984 | (45 | M.) | SAMPLE | INTE | RVAL | : 2168 | Ø SEC. | | | |
|--------|------|--------------|------------|----------|---------------|--------------|------------|--------------|---------------|------------|------------|--------------|-------------|--------------|------------|--------------|-----------------|----------------|------------|
| 1982 | MEAN | R A T MAX | T E Min | STDEV | U – C Mean | O M I MAX | PON MIN | ent Stdev | V — (Mean | O M MAX | PON MIN | ENT STDEV | T E MEAN | M P E MAX | RAT MIN | URE STDEV | SAL Mean May | EN I T CMIN | y Stdev |
| JAN | 12,5 | 34.3 | 0.9 | 7.5 | -1.4 | 19.5 | -20.0 | 8.3 | -0.4 | 27.1 | -30.2 | 11.9 | 1.6 | 3.8 | -0.2 | 0.8 | 32.57 32.84 | 32.32 | 0.13 |
| FEB | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | |
| APRIL | 5.4 | 13.7 | 0.1 | 3.0 | 8.1 | 12.3 | -5.3 | 3 3.8 | -2.8 | 3.7 | -10.3 | 4.0 | 0.1 | 0.3 | -0.1 | 0.1 | 33.26 33.3 | 3 33.22 | 0.03 |
| MAY | 5.3 | 15.0 | 0.7 | 3.3 | 0.5 | 12.4 | -8.1 | 9 4.3 | 1.0 | 11.4 | -8.4 | 4.3 | 0.3 | 1.5 | 0.0 | 0.3 | 33.21 33.3 | 5 33.03 | 0.04 |
| JUNE | 5.7 | 14.1 | 0.7 | 2.6 | 0.2 | 9.2 | -10.3 | 3 4.2 | 0.4 | 13.7 | 7.8 | 4.6 | 1.2 | 2.8 | -0.2 | 0.6 | 33.20 33.3 | 33.10 | 0.05 |
| JULY | 4.7 | 7.3 | 1.6 | 1.6 | 0.8 | 7.3 | -6.9 | 5 3.6 | 0.0 | 6.3 | -5.4 | 3.4 | 1.6 | 2.8 | 0.7 | 0.6 | 33.15 33.20 | 3 33.08 | 0.05 |
| AUGUST | | | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | | | |
| OCT | | | | | | | | | | | | | | | | | | | |
| NOV | | | | | | | | | | | | | | | | | | | |
| DEC | | | | | | | | | | | | | | | | | | | |

E

Contraction of the local division of the loc

HIBERNIA : NEAR MIDDLE JAN. 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 21600 SEC.

the set that that the had that had not not not not had not

| | | RAT | E. | | U - C | OMPON | ENT | V - C | OMP | ONE | ΝΤ | TE | M P E | RAT | URE | SA | LIN | ΙΤΥ | ſ |
|--------|------|------|-------|-------|-------|-----------|--------|-------|--------|------|------|------------------|-------|------|-------|---------|------|-------------------|------|
| 1983 | MEAN | MAX | MIN S | STDEV | MEAN | MAX MIN | STDEV | MEAN | MAX M | IN S | TDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN S | TDEV |
| JAN | 7.0 | 18.2 | 1.5 | 3.6 | -0.4 | 8.9 -9. | 7 4.3 | 0.6 | 17.4 - | 13.1 | 6.6 | 0.2 | 0.5 | -0.2 | 0.3 | 32.87 3 | 2.94 | 32. 80 | 0.04 |
| FEB | 13.3 | 50.9 | 1.4 | 8.0 | -5.0 | 13.7 -44. | 6 10.5 | 3.9 | 24.5 - | 16.1 | 9.6 | -0.2 | 0.4 | -0.6 | 0.2 | 32.94 3 | 3.15 | 32.79 | 0.09 |
| MARCH | 11.7 | 41.9 | 0.8 | 8.8 | -1.6 | 13.3 -39. | 1 11.3 | 2.8 | 19.8 - | 13.0 | 8.7 | -0.5 - | -0.2 | -0.7 | 0.2 | 33.03 3 | 3.13 | 32.99 | 0.03 |
| APRIL | | | | | | | | | | | | | | | | | | | |
| MAY | 4.0 | 6.7 | 1.3 | 1.6 | -1.1 | 0.9 -3. | 3 1.2 | 2.3 | 6.5 | -3.4 | 3.4 | 1.9 | 2.3 | 1.5 | 0.3 | 33.00 3 | 3.03 | 32.98 | 0.02 |
| JUNE | 4.7 | 9.5 | 0.5 | 2.0 | -1.6 | 5.3 -9. | 0 3.2 | 2.3 | 8.4 | -4.5 | 2.9 | 3.7 | 4.5 | 2.4 | 0.4 | 32.91 3 | 2.98 | 32.84 | 0.03 |
| JULY | 5.5 | 14.4 | 0.3 | 3.6 | -0.9 | 4.0 -7. | 62.8 | 2.6 | 14.3 | -7.9 | 5.1 | 3.8 | 4.9 | 2.8 | 0.5 | 32.86 3 | 2.91 | 32.81 | 0.02 |
| AUGUST | 4.5 | 14.9 | 0.3 | 4.6 | -2.1 | 1.6 -7. | 3 2.7 | ~2.0 | 2.2 - | 13.8 | 5.2 | 4.2 | 6.0 | 3.7 | 0.6 | 32.81 3 | 2.85 | 32.74 | 0.03 |
| SEPT | 5.9 | 15.0 | 0.8 | 2.9 | 0.6 | 11.0 -11. | 3 4.6 | 0.7 | 14.7 | -9.1 | 4.6 | 5.5 ⁻ | 10.4 | 1.5 | 2.5 | 32.67 3 | 2.88 | 32.31 | 0.12 |
| OCT | 8.9 | 22.7 | 1.6 | 4.4 | -0.6 | 16.9 -15. | 7 6.5 | -1.5 | 20.1 - | 13.3 | 7.4 | 7.1 ⁻ | 11.9 | -0.8 | 3,7 | 32.26 3 | 2.98 | 31.72 | 0.32 |
| NOV | 12.8 | 40.7 | 1.3 | 6.8 | -1.6 | 19.7 -40. | 6 11.0 | -0.8 | 19.4 - | 20.1 | 9.3 | 4.2 | 7.2 | -0.3 | 2.0 | 32.27 3 | 2.96 | 31.87 | 0.29 |
| DEC | 14.1 | 43.4 | 0.8 | 8.0 | -3.0 | 14.1 -42. | 3 10.1 | -4.2 | 19.3 - | 26.2 | 11.6 | 1.6 | 3.5 | 0.0 | 1.0 | 32,49 3 | 2.74 | 32.25 | 0.14 |

| | | RAT | E | | U – C | 0 M P 0 | NENT | v – c | : O M P O N | ENT | TEM | PERAT | URE | SALINITY |
|--------|------|------|-----|-------|-------|---------|--------|-------|-------------|-------|------|----------|-------|------------------------|
| 1984 | MEAN | MAX | MIN | STDEV | MEAN | MAX MIN | STDEV | MEAN | MAX MIN | STDEV | MEAN | MAX MIN | STDEV | MEAN MAX MIN STDEV |
| JAN | 7.5 | 19.3 | 0.3 | 5.2 | 1.5 | 8.3 —6 | .3 3.4 | -6.0 | 3.1 -18. | 7 5.9 | 0.5 | 0.6 0.4 | 0.1 | 32.58 32.63 32.54 0.02 |
| FEB | | | | | | | | | | | 0.1 | 0.8 -0.7 | 0.4 | 32.51 32.63 32.36 0.07 |
| MARCH | | | | | | | | | | | -0.3 | 0.6 -1.0 | 0.3 | 32.45 32.66 32.29 0.09 |
| APRIL | | | | | | | | | | | -0.2 | 0.3 -0.5 | 0.2 | 32.51 32.59 32.35 0.07 |
| MAY | | | | | | | | | | | 0.8 | 1.0 0.6 | 0.1 | 32.60 32.64 32.58 0.02 |
| JUNE | | | | | | | | | | | 0.6 | 1.9 0.2 | 0,3 | 32.61 32.63 32.57 0.01 |
| JULY | 3.5 | 10.4 | 0.9 | 2.2 | 1.2 | 7.7 -7 | .7 2.8 | 0.8 | 10.2 -6. | 1 2.6 | 1.2 | 2.1 -0.1 | 0.4 | 32.61 32.83 32.54 0.07 |
| AUGUST | 2.8 | 8.0 | 0.1 | 1.5 | -0.4 | 4.5 —6 | .1 2.1 | -0.8 | 7.2 -5. | 6 2.2 | 0.0 | 0,5 -0.5 | 0.2 | 32.78 32.87 32.72 0.04 |
| SEPT | 5.7 | 20.3 | 0.4 | 3.8 | -1.3 | 8.9 -14 | .6 4.1 | -0.5 | 14.1 -11. | 8 5.3 | -0.4 | 0.3 -0.9 | 0.3 | 32.82 32.94 32.72 0.05 |
| OCT | | | | | | | | | | | | | | |
| NOV | | | | | | | | | | | | | | |

HIBERNIA : NEAR MIDDLE JAN, 1980 - DEC. 1984 (45 M.) SAMPLE INTERVAL : 21600 SEC.

DEC

1

in the second second

-

1

1

1

| | HI | BERNIA | : NE | AR BOTT | OM J | AN. 19 | 9 80 - I | DEC. 1 | 984 | (75 | M.) | SAMPLE | INTER | VAL : 2160 | Ø SEC. | | |
|--------|------|------------|------------|------------------|---------------|--------------|-----------------|--------------|---------------|------------|------------|--------------|-------------|------------------|--------------|-------------------------------|----|
| 1980 | MEAN | RAT MAX | . E WIN | STDEV | u – C Mean | o m p Max | PON MIN | ent Stoev | V – C Mean | o m Max | PON MIN | ent Stdev | TEM MEAN | PERAT MAX MIN | URE STDEV | SALINITY MEAN MAX MIN STDE | :V |
| JAN | | | | | | | | | | | | | | | | | |
| FEB | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | |
| MAY | 5.2 | 12.5 | 1.1 | 2.5 | -0.4 | 6.4 | -9.2 | 3.8 | -2.1 | 5.7 | -8.4 | 3.8 | -0.8 | -0.5 -1.1 | 0.1 | 33.69 33.75 33.63 0.0 | 34 |
| JUNE | 3.7 | 8.3 | 0.5 | 2.1 | 0.8 | 7.6 | -6.9 | 2.9 | -0.8 | 5.8 | -7.6 | 5 2.8 | -0.6 | 0.50.7 | 0.1 | 33.55 33.73 33.22 0.1 | 19 |
| JULY | 2.9 | 8.1 | 0.3 | 2.0 | 0.1 | 7.5 | -6.4 | 2.3 | -0.1 | 8.1 | -7.1 | 2.6 | 0.7 | 0.60.9 | 0.1 | 33.41 33.74 33.26 0.1 | 7 |
| AUGUST | 4.6 | 14.1 | 0.3 | 3.3 | 0.3 | 14.1 | -13.5 | 5.0 | 0.4 | 7.2 | -8.1 | 2.6 | -0.9 | 0.9 -1.0 | 0.03 | 33.75 33.80 33.67 0.0 | 34 |
| SEPT | | | | | | | | | | | | | | | | | |
| OCT | 7.9 | 22.0 | 0.3 | 3.9 | 0.4 | 13.4 | -12.5 | 5.4 | 3.3 | 21.8 | -12.6 | 6.2 | -0.6 | 0.20.9 | 0.2 | 32.99 33.06 32.92 0.0 | 13 |
| NOV | 10.6 | 34.2 | 1.2 | 5.9 | 0.2 | 15.5 | -16.9 | 7.4 | 2.3 | 31.7 | -12.8 | 9.3 | 0.5 | 0.3 -0.9 | 0.3 | 33.00 33.15 32.73 0.0 | 8 |
| DEC | 9.8 | 23.9 | 0.3 | 5.2 | -1.8 | 14.0 | -15.7 | 8.0 | -3.7 | 11.1 | -22.7 | 6.6 | 0.5 | 2.1 -1.3 | 1.1 | 33.16 33.69 32.66 0.3 | 13 |
| | | | Ta | b le 20 . | | Mont | hly sta | atistic | s of rate | , u, v | , T an | d S for t | he nea | r bottom i | ayer at | Hibernia | |

based on the filtered data.

HIBERNIA : NEAR BOTTOM JAN. 1980 - DEC. 1984 (75 M.) SAMPLE INTERVAL : 21600 SEC.

| | | RAT | Ε | | U - C | OMP | ONE | NT | V - C | OMP | ONE | ΝΤ | TEM | PE | RAT | URE | S A | LIN | ΙΤΥ | 1 |
|--------|------|------|-----|-------|-------|--------|-------|------|-------|------|-------|------|--------|------|------|-------|---------|------|-------|------|
| 1981 | MEAN | MAX | MIN | STDEV | MEAN | MAX N | AIN S | TDEV | MEAN | MAX | MIN S | TDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN S | TDEV |
| JAN | 9.3 | 22.0 | 0.2 | 5.1 | -1.4 | 14.9 - | -21.3 | 8.1 | -2.0 | 13.6 | -16.9 | 6.5 | 1.6 | 2.2 | 1.3 | 0.2 | 32.63 3 | 2.79 | 32.49 | 0.09 |
| FEB | 7.9 | 230 | 0.5 | 5.5 | -1.9 | 9.6 - | -15.6 | 5.7 | -3.7 | 10.3 | -16.9 | 6.6 | 1.2 | 1.7 | 0.2 | 0.4 | 32.61 3 | 2.85 | 32.47 | 0.10 |
| MARCH | 7.0 | 12.3 | 1.2 | 3.3 | 2.2 | 11.2 | -8.5 | 4.9 | 2.2 | 10.0 | -7.8 | 5.3 | -0.2 - | -0.1 | -0.3 | 0.1 | 32.80 3 | 2.65 | 32.52 | 0.04 |
| APRIL | 8.0 | 19.3 | 0.7 | 4.8 | 0.4 | 13.6 - | -15.2 | 6.0 | -2.0 | 17.3 | -18.6 | 7.0 | 0.0 | 0.4 | -0.6 | 0.2 | 32.50 3 | 2.67 | 32.41 | 0.05 |
| MAY | 3.8 | 9.1 | 0.6 | 2.0 | 0.2 | 7.2 | -5.5 | 2.7 | -1.2 | 5.1 | -8.4 | 3.1 | 0.1 | 0.4 | -0.2 | 0.2 | 32.34 3 | 2.42 | 32.25 | 0.05 |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | |
| AUGUST | 2.5 | 5.7 | 0.7 | 1.2 | 0.5 | 4.2 | -4.0 | 2.0 | 0.0 | 5.6 | -3.7 | 1.9 | -0.6 - | -0.6 | -0.7 | 0.03 | 33.64 3 | 3.68 | 33.58 | 0.02 |
| SEPT | 8.5 | 15.3 | 0.9 | 3.3 | 1.6 | 8.7 | -7.9 | 3.3 | -2.1 | 10.9 | -15.3 | 6.0 | -0.4 - | -0.2 | -0.6 | 0.1 | 33.55 3 | 3.64 | 33.48 | 0.03 |
| ост | 6.7 | 21.8 | 0.5 | 4.4 | -0.4 | 8.3 - | -14.2 | 4.4 | -1.2 | 21.3 | -15.2 | 6.6 | -0.6 - | -0.2 | -0.9 | 0.2 | 33.27 3 | 3.65 | 33.05 | 0.20 |
| NOV | 6.6 | 15.7 | 0.6 | 3.5 | -0.7 | 9.8 - | 14.7 | 5.1 | 2.7 | 11.9 | -9.8 | 4.8 | -0.8 - | -0.6 | -1.0 | 0.1 | 33.17 3 | 3.34 | 33.05 | 0.07 |
| DEC | 5.8 | 31.9 | 0.2 | 5.4 | 0.0 | 9.1 - | -10.4 | 3.9 | 1.5 | 31.5 | -9.7 | 6.7 | -0.7 - | -0.6 | -0.8 | 0.1 | | | | |

| tt | <u></u> | | t | 21.1 | l1 | t | L | 4 | | ÷ | 1. 1. | - 3 | <u>i</u> j | | | | 1 | 1.1 | | | i have | 1 |
|----|---------|------|--------|-------|---------|-------|---------|-------|--------|-------|-------|-------|------------|--------|------|--------|---------|-------|-------|-------|--------|----------|
| | | | | | | | | | | | | | | | | | | | | | | |
| | | ні | BERNI/ | A : N | ear bot | TOM J | AN. 19 | 980 - | DEC. 1 | 984 | (75 | M.) | SAMPLI | E INTE | RVAL | : 2166 | HO SEC. | | | | | |
| | | | RA' | TE | | U – C | : O M I | PON | ENT | V – (| сом | PON | ENT | TEI | MPE | RAT | TURE | S | ALI | NI | T Y | |
| | 1982 | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | мах | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | N MAX | MIN | STDEV | |
| | JAN | 11.3 | 24.6 | 0.9 | 5.9 | -1.2 | 14.7 | -23.0 | 57.8 | 1.8 | 22.5 | -20.7 | 9.9 | -0.5 | 0.2 | -0.9 | 0.3 | | | | | |
| | FEB | 11.8 | 22.8 | 5,4 | 5.t | -1.9 | 13.8 | -9.2 | 2 7.4 | 0.8 | 21.4 | 0.0 | 6.4 | 0.0 | 0.0 | -0.1 | 0.03 | | | | | |
| | MARCH | | | | | | | | | | | | | | | | | | | | | |
| | APRIL | 5.1 | 9.5 | 0.5 | 2.4 | -0.3 | 8.8 | -6.2 | 2 3.3 | -1.7 | 6.3 | -9.3 | 4.3 | 0.2 | 0.3 | 0.2 | 0.03 | 32.82 | 32.87 | 32.77 | 7 0.02 | |
| | MAY | 5.4 | 17.3 | 0.4 | 3.5 | 0.3 | 14.5 | -7.9 | 9 4.4 | 1.5 | 12.3 | -9.2 | 4.5 | 0.2 | 0.4 | -0.2 | 0.2 | 32.88 | 33.18 | 32.70 | 6 0.15 | |
| | JUNE | 4.8 | 14.8 | 0,3 | 2.5 | 0.4 | 7.7 | -8.8 | 3.3 | 0.4 | 14.8 | -7.8 | 4.3 | -0.1 | 0.0 | -0.4 | 0.1 | 33.10 | 33.16 | 33.04 | 0.02 | _ |
| | JULY | 5.2 | 8.6 | 2.0 | 1.9 | 0.4 | 7.8 | -5.8 | 9 4.0 | 0.9 | 7.7 | -5.3 | 3.9 | -0.2 | 0.0 | -0.4 | 0.1 | 33.07 | 33.10 | 33.03 | 8 0.02 | .71 |
| | AUGUST | | | | | | | | | | | | | | | | | | | | | |
| | SEPT | | | | | | | | | | | | | | | | | | | | | |
| | OCT | | | | | | | | | | | | | | | | | | | | | |

NOV

DEC

HIBERNIA : NEAR BOTTOM JAN. 1980 - DEC. 1984 (75 M.) SAMPLE INTERVAL : 21600 SEC.

| | | RAT | ε | | U - C | OMPONI | ENT | V – C | OMPO | NENI | ΤE | MPE | R A T | URE | SALI | ΝΙΤΥ |
|--------|------|------|-----|-------|-------|------------|-------|-------|----------|--------|--------------|-------|-------|-------|-------------|------------|
| 1983 | MEAN | MAX | MIN | STDEV | MEAN | MAX MIN S | STDEV | MEAN | MAX MI | STDEN | MEAN | KAM I | MIN | STDEV | MEAN MAX | MIN STDEV |
| JAN | 7.0 | 18.6 | 0.3 | 3.6 | -0.4 | 8.7 -10.6 | 4.3 | 3.0 | 18.6 -8 | .6 5.9 | 0.1 | 0.4 | -0.2 | 0.2 | 32.93 32.96 | 32.87 0.02 |
| FEB | 11.5 | 44.2 | 2.6 | 6.8 | -4.0 | 11.2 -35.7 | 8.6 | 3.9 | 26.0 -14 | .6 8.6 | -0.3 | 0.0 | -0.6 | 0.2 | 32.98 33.18 | 32.89 0.09 |
| MARCH | 10.4 | 36.5 | 0.5 | 7.4 | -1.6 | 12.4 32.7 | 9.2 | 2.4 | 20.9 -10 | .9 8.4 | -0.5 | -0.2 | -0.8 | 0.2 | 33.06 33.13 | 33.01 0.03 |
| APRIL | | | | | | | | | | | | | | | | |
| MAY | 4.7 | 9.5 | 0.2 | 2.0 | -0.2 | 8.4 -5.0 | 3.2 | 2.4 | 7.8 -4 | .8 3.3 | 0.3 | 0.6 | 0.0 | 0.2 | 33.07 33.22 | 33.00 0.07 |
| JUNE | 4.2 | 9.2 | 0.1 | 1.9 | -0.2 | 5,1 -8.4 | 2.7 | 1.7 | 8.2 -7 | .0 3.3 | 0.1 | 0.2 | -0.2 | 0.1 | 33.17 33.24 | 33.11 0.03 |
| JULY | 4.9 | 12.1 | 0.4 | 3.1 | -8.4 | 6.1 -7.4 | 2.5 | 2.7 | 12.1 -{ | .7 4.4 | -0.3 | 0.0 | -0.7 | 0.2 | 33.18 33.30 | 33.11 0.05 |
| AUGUST | 6.4 | 9.3 | 4.2 | 1.9 | -0.7 | 1.7 -4.1 | 1.7 | -8.1 | -3.8 -6 | .7 1.7 | —0 .1 | 0.3 | -0.3 | 0.2 | 33.20 33.24 | 33.18 0.02 |
| SEPT | 6.3 | 18.7 | 0.2 | 3.4 | 0.7 | 9.4 -5.7 | 3.3 | -2.0 | 18.7 -12 | .6 6.0 | -0.3 | 0.3 | -0.7 | 0.2 | 33.19 33.29 | 33.13 0.04 |
| ост | 9.0 | 23.9 | 0.7 | 4.4 | 1.1 | 16.3 -13.2 | 5.4 | -2.6 | 19.6 -16 | .8 8.0 | -0.4 | 0.0 | ~1.2 | 0.2 | 33.19 33.29 | 33.13 0.04 |
| NOV | 9.1 | 22.2 | 1.4 | 5.2 | 0.2 | 20.7 -15.9 | 7.2 | 0.4 | 17.3 -17 | .3 7.7 | -0.7 | 0.1 | -1.3 | 0.3 | 33.25 33.38 | 33.15 0.07 |
| DEC | 10.3 | 25.5 | 0.7 | 6.3 | -0.4 | 22.3 -13.8 | 7.4 | -3.9 | 12.5 -24 | .4 8.8 | -0.3 | 1.3 | -1.1 | 0.6 | 33.03 33.23 | 32.59 0.16 |

E

Email Amuri

Email

1

172

(Caral)

HIBERNIA : NEAR BOTTOM JAN, 1980 - DEC. 1984 (75 M.) SAMPLE INTERVAL : 21600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY 1 9 8 4 MEAN MAX MIN STDEV JAN FEB 7.2 17.0 1.1 3.4 0.5 13.7 -9.4 4.6 -2.8 9.3 -16.8 5.9 -0.2 0.3 -0.7 0.3 32.58 32.69 32.44 0.06 MARCH 9.9 24.6 0.8 5.4 0.6 14.3 -24.3 6.7 -4.2 22.1 -20.4 8.1 -0.5 0.5 -1.2 0.3 32.53 32.73 32.32 0.11 APRIL 7.5 16.0 1.1 3.8 2.2 9.9 -11.5 5.1 2.4 13.7 -8.4 6.0 -0.5 0.1 -1.1 0.3 32.60 32.73 32.39 0.07 MAY 5.7 10.2 0.9 2.3 -1.0 8.0 -8.3 3.9 2.9 7.0 -6.1 3.6 -0.7 -0.3 -1.0 0.2 32.75 32.83 32.71 0.04 JUNE 5.9 19.1 0.3 3.5 -0.4 9.6 -7.3 3.6 3.9 18.8 -2.8 4.3 -1.1 -0.7 -1.4 0.2 32.87 32.96 32.72 0.06 JULY 3.5 9.8 0.5 1.8 1.1 7.5 -4.9 2.7 -0.4 6.3 -6.8 2.7 -1.1 -0.8 -1.2 0.1 32.96 33.02 32.88 0.03 AUGUST SEPT OCT | NOV 1.7 14.2 -20.8 6.7 -3.8 8.1 -16.3 5.5 2.4 3.1 1.9 0.4 32.18 32.28 32.01 0.08 8.4 26.4 0.8 4.5 DEC 9.6 32.7 2.4 7.0 1.8 11.8 -19.2 7.0 -5.6 4.1 -29.3 7.8 1.7 1.9 1.2 0.2 32.32 32.42 32.25 0.03 GRAND BANK SLOPE : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 21600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

14.1 49.4 0.0 8.8 -0.3 37.4 -40.2 8.6 -10.5 26.9 -46.9 9.6 4.0 16.3 -2.1 5.4 32.11 33.38 30.74 0.69

GRAND BANK SLOPE : NEAR MIDDLE JAN. 1980 - DEC. 1984 (100 M.) SAMPLE INTERVAL : 21600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

10.9 55.8 0.0 7.7 -0.7 20.5 -24.7 5.7 -7.6 15.8 -53.4 9.4 -0.9 1.2 -1.8 0.6 33.15 33.98 32.57 0.26

GRAND BANK SLOPE : NEAR BOTTOM JAN. 1980 - DEC. 1984 (175 M.) SAMPLE INTERVAL ; 21600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

9.1 44.8 0.1 6.2 0.7 22.8 -17.5 5.0 -6.5 14.4 -44.1 7.3 -0.5 2.7 -1.7 0.6 33.63 34.66 32.98 0.31

Table 21.Overall statistics of rate, u, v, T and S for all three depth levels for the slopearea near Hibernia based on the filtered data.

| AN MAX | MINS | stdev | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN | MAX M | IN STDEV |
|---------|------------------|--------------------------|----------------------------------|--|---|---|--|--|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| .3 40.5 | 1.0 | 9.9 | -2.6 | -11.7 | -29.0 | 7.4 | -11.7 | 5.4 | -36.2 | 10.3 | 6.8 | 7.9 | 4.5 | 1.0 | 32.61 | 33.38 3 | 2.26 0.25 |
| .4 41.4 | 2.3 | 8.9 | -4.6 | 23.9 | -40.2 | 13.3 | -14.0 | 17.3 | 39.5 | 10.1 | 3.3 | 5.0 | 1.8 | 0.9 | 32,79 | 33.21 3 | 2.31 0.19 |
| | | | | | | | | | | | | | | | | | |
| - | 3 40.5 4 41.4 | 3 40.5 1.0 4 41.4 2.3 | 3 40.5 1.0 9.9 4 41.4 2.3 8.9 | 3 40.5 1.0 9.9 -2.6 4 41.4 2.3 8.9 -4.6 | 3 40.5 1.0 9.9 -2.6 -11.7 4 41.4 2.3 8.9 -4.6 23.9 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 4 41.4 2.3 8.9 -4.6 23.9 -40.2 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 5.4 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 17.3 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 5.4 -36.2 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 17.3 -39.5 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 5.4 -36.2 10.3 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 17.3 -39.5 10.1 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 5.4 -36.2 10.3 6.8 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 17.3 -39.5 10.1 3.3 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 5.4 -36.2 10.3 6.8 7.9 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 17.3 -39.5 10.1 3.3 5.0 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 5.4 -36.2 10.3 6.8 7.9 4.5 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 17.3 -39.5 10.1 3.3 5.0 1.8 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 5.4 -36.2 10.3 6.8 7.9 4.5 1.0 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 17.3 -39.5 10.1 3.3 5.0 1.8 0.9 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 5.4 -36.2 10.3 6.8 7.9 4.5 1.0 32.61 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 17.3 -39.5 10.1 3.3 5.0 1.8 0.9 32.79 | 3 40.5 1.0 9.9 -2.6 -11.7 -29.0 7.4 -11.7 5.4 -36.2 10.3 6.8 7.9 4.5 1.0 32.61 33.38 3 4 41.4 2.3 8.9 -4.6 23.9 -40.2 13.3 -14.0 17.3 -39.5 10.1 3.3 5.0 1.8 0.9 32.79 33.21 3 |

GRAND BANK SLOPE : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 21600 SEC.

RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY 1982 MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV

JAN

FEB

MARCH

APRIL

| MAY | 18.7 | 45.2 | 5.1 | 13.3 | 6.5 | 14.9 2 | 2.0 3.4 | -16.9 | -2.4 -45.1 13 | 5.7 |
|--------|------|------|------|------|-----|----------|----------|-------|---------------|-----|
| JUNE | 11.6 | 24.4 | 1.0 | 6.3 | 3.4 | 17.5 -21 | 1.3 5.7 | -8.3 | 9.5 -24.2 7 | 7.9 |
| JULY | 9.5 | 18.4 | 0.4 | 4.7 | 4.3 | 15.9 -7 | 7.8 3.7 | -7.8 | 0.4 -17.2 | 1.3 |
| AUGUST | 10.7 | 26.5 | 0.8 | 6.0 | 4.1 | 14.9 -6 | 5.4 3.9 | -9.0 | 3.1 -26.4 | 5.2 |
| SEPT | 6.1 | 13.0 | 1.5 | 3.2 | 0.3 | 6.7 -4 | 4.5 4.0 | -4.3 | 0.3 -11.4 | 5.8 |
| OCT | 24.6 | 37.2 | 10.9 | 6.1 | 6.4 | 25.0 -11 | 1.7 8.3 | -22.4 | -9.3 -35.2 | 5.6 |
| NOV | 13.7 | 25.9 | 2.8 | 5.8 | 1.1 | 23.4 -19 | 9.6 9.4 | -9.7 | 3.2 -23.6 | 5.4 |
| DEC | 21.0 | 43.8 | 4.5 | 10.1 | 5.7 | 37.4 -18 | 3.6 10.3 | -15.7 | 24.2 -39.0 12 | 2.6 |

200

.
GRAND BANK SLOPE : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 21600 SEC. U-COMPONENT V-COMPONENT TEMPERATURE SALINITY RATE 1983 MEAN MAX MIN STDEV 26.8 43.8 11.0 9.1 -1.8 11.7 -30.5 12.6 -23.8 -9.5 -43.8 8.8 -0.5 0.3 -0.6 0.1 32.40 32.54 32.29 0.08 JAN FEB 19.5 40.3 0.2 9.6 -8.2 8.4 -37.5 9.8 -13.1 13.9 -36.2 11.7 -0.7 -0.2 -1.1 0.2 32.49 32.76 32.20 0.09 MARCH APRIL MAY -JUNE JULY 14.6 30.9 0.1 6.0 -0.6 23.2 -12.8 5.7 -13.6 -0.1 -28.3 5.7 AUGUST 12.7 18.5 1.9 3.8 -2.6 8.1 -14.7 4.1 -10.9 10.2 -17.2 5.9 SEPT OCT. NOV 26.5 49.4 2.1 11.6 -3.1 20.1 -29.8 11.5 -22.9 2.1 -48.9 13.1 2.0 4.9 -1.6 2.6 31.68 31.91 31.47 0.11 DEC 13.4 34.4 0.6 7.8 -4.0 8.6 -30.8 8.6 -6.5 16.6 -26.5 10.4 -1.8 -1.5 -2.0 0.1

GRAND BANK SLOPE : NEAR SURFACE JAN. 1980 - DEC. 1984 (20 M.) SAMPLE INTERVAL : 21600 SEC.

| | | RAT | £ | 1 | U – C | OMPONE | NT | V - C | OMPONE | NT | TEMPERAT | URE | SALINITY |
|--------|------|-------|--------|--------|-------|------------|------|-------|------------|------|----------------|-------|------------------------|
| 1984 | MEAN | MAX M | IIN ST | 'DEV I | MEAN | MAX MIN S | TDEV | MEAN | MAX MIN S | TDEV | MEAN MAX MIN | STDEV | MEAN MAX MIN STDEV |
| JAN | 14.1 | 29.8 | 2.7 | 5.9 | -0.3 | 12.7 -29.1 | 8.9 | -10.3 | 3.6 -22.4 | 6.9 | -2.1 -2.0 -2.1 | 0.02 | |
| FEB | 13.5 | 25.3 | 0.5 | 6.7 | 0.4 | 15.1 -15.7 | 7.2 | -11.4 | 4.0 -22.7 | 6.8 | -1.2 -0.2 -1.6 | 0.2 | 31.90 32.00 31.81 0.04 |
| MARCH | 18.1 | 31.5 | 1.4 | 6.6 | -0.9 | 12.2 -15.6 | 7.4 | -16.5 | 1.5 ~29.1 | 6.7 | -0.2 0.7 -1.3 | 0.4 | 32.64 32.81 32.56 0.05 |
| APRIL | | | | | | | | | | | 0.4 1.2 -0.2 | 0.4 | 32.71 32.85 32.62 0.08 |
| MAY | | | | | | | | | | | 2.3 4.7 0.6 | 1.4 | 32.80 32.84 32.76 0.02 |
| JUNE | | | | | | | | | | | 5.5 6.1 4.7 | 0.3 | 32.71 32.76 32.66 0.03 |
| JULY | 6.7 | 12.3 | 1.3 | 2.4 | -1.1 | 6.3 -7.7 | 3.3 | -5.5 | 1.5 -11.9 | 2.9 | 10.3 12.8 7.5 | 1.6 | 31.96 32.26 31.40 0.22 |
| AUGUST | 6.7 | 15.1 | 0.3 | 3.6 | -0.2 | 6.6 -10.2 | 3.2 | -4.5 | 14.9 -14.9 | 5.3 | 14.7 16.3 12.6 | 1.1 | 31.14 31.37 30.88 0.14 |
| SEPT | 12.5 | 32.6 | 1.6 | 6.8 | -2.1 | 15.0 -28.5 | 8.1 | -6.7 | 26.9 -30.2 | 9.4 | 13.2 16.3 11.2 | 1.3 | 31.01 31.22 30.82 0.10 |
| ост | 11.8 | 38.4 | 0.9 | 7.0 . | -3.0 | 16.3 -30.0 | 8.8 | -5.5 | 16.4 -26.5 | 8.6 | 7.3 11.5 4.2 | 1.9 | 31.14 31.61 30.74 0.20 |
| NOV | 10.2 | 28.2 | 0.4 | 5.8 | -0.2 | 13.8 -21.3 | 7.3 | -6.3 | 8.9 -23.4 | 6.8 | 2.8 5.1 1.9 | 0.8 | 31.94 32.28 31.21 0.38 |
| DEC | 9.7 | 31.5 | 6.9 | 6.9 | 1.7 | 11.6 -18.9 | 7.1 | -5.6 | 4.4 -29.7 | 7.7 | 1.7 1.9 1.2 | 0.2 | 32.32 32.42 32.25 0.04 |

GRAND BANK SLOPE : NEAR MIDDLE JAN. 1980 - DEC. 1984 (100 M.) SAMPLE INTERVAL : 21600 SEC. RATE U-COMPONENT V-COMPONENT TEMPERATURE SALINITY 1 9 8 0 MEAN MAX MIN STDEV JAN FEB MARCH APRIL MAY JUNE JULY AUGUST SEPT OCT. 0.5 5.7 -7.2 2.8 -6.2 10.2 -24.2 8.7 -1.2 -1.1 -1.4 0.1 33.25 33.37 33.10 0.06 9.5 24.3 1.0 5.5 10.8 30.8 0.4 -0.8 18.6 -13.8 5.0 -8.3 13.8 -29.2 7.3 -0.6 1.2 -1.3 0.8 NOV 5.8 33.29 33.50 33.10 0.08 DEC -5.0 10.4 -14.0 6.0 -5.0 10.0 -15.1 6.0 -0.5 1.1 -1.6 0.6 33.29 33.74 33.19 0.12 9,8 20.6 0.4 5.1

ind and and and

the set

Table 23. Monthly statistics of the rate, u, v, T and S for the mid-depth layer for the

slope area near Hibernia based on the filtered data.

1.14

| | GR | AND B | ank s | LOPE : | NEAR MI | DOLE | JAN | . 1980 | - DEC. | 1984 | (| 100 M. |) SAM | PLE 1 | INTERV | AL : 21 | 600 SEC | ٠ | | |
|--------|------|------------|------------|--------|---------------|------------|---------------------|----------------|---------------|------------|------------|------------------|-------------|-------|--------------|--------------|-------------|------------|--------------|--------------|
| 1981 | MEAN | R A MAX | T E MIN | STDEV | u - C Mean | o M Max | PON MIN | e n t Stdev | V — C Mean | o M Max | PON MIN | I E N T STDEV | TEM MEAN | MAX | R A T MIN | URE STDEV | s a Mean | L I MAX | N I T MIN | y Stdev |
| JAN | 9.3 | 20.5 | 1.0 | 4.2 | -4.9 | 12.0 | 9 -17. ⁻ | 9 5.7 | -4.3 | 8.8 | -16. | 6 5.5 | -0.3 | 0.0 | -1.4 | 0.3 | 33.25 | 33.75 | 32.8 | 9 .17 |
| FEB | | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | |
| SEPŤ | | | | | | | | | | | | | | | | | | | | |
| OCT | | | | | | | | | | | | | | | | | | | | |
| NOV | | | | | | | | | | | | | | | | | | | | |
| DEC | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |

(____)

| | GR | AND BA | NK SI | LOPE : | NEAR MI | DDLE | JAN. | 1980 - | DEC. | 984 | (1 | 00 M. |) sa | MPLE | INTERV | AL : 21 | 600 SEC. | | |
|--------|------|------------|-----------|--------|---------------|-------------|-------------|----------------|---------------|-------------|------------|----------------|-------------|------------|--------------|--------------|--------------------|---------------|-------|
| 1982 | MEAN | RA1 MAX | ΓE MIN | STDEV | U – C Mean | om p Max | ONE MINS | e n t Stdev | V – C Mean | om f Max | PON MIN | e n t Stdev | T E MEAN | MPE MAX | R A T MIN | URE STDEV | SAL'II MEAN MAX | NITY MINST | DEV |
| JAN | | | | | | | | | | | | | | | | | | | |
| FEB | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | |
| MAY | 15.0 | 42.6 | 1.0 | 13.4 | 5.8 | 12.5 | -3.7 | 5.2 | -12.9 | 2.3 | -41.5 | 5 13.4 | -0.9 | 0.1 | -1.1 | 0.3 | 33.05 33.13 | 32.98 0 | . 05 |
| JUNE | 10.2 | 20.4 | 0.5 | 4.8 | 3.5 | 13.7 | -8.5 | 3.6 | -8.2 | 3.9 | -19.7 | 5.9 | -1.2 | 0.0 | -1.5 | 0.3 | 32.97 33.14 | 32.74 0 | . 07 |
| JULY | 7.2 | 17.8 | 0.3 | 4.6 | 3.2 | 10.0 | -2.5 | 2.7 | -5.7 | 2.5 | -17.1 | 4.8 | -1.2 | -0.8 | -1.5 | 0.2 | 33.12 33.34 | 32.84 0 |). 13 |
| AUGUST | 10.1 | 22.3 | 1.6 | 4.7 | 3.2 | 12.9 | -5.6 | 4.1 | -8.6 | 0.5 | -20.4 | 4.8 | -1.2 | -0.3 | -1.6 | 0.2 | 33.19 33.51 | 33.01 0 |). 10 |
| SEPT | 5.5 | 12.6 | 1.1 | 3.0 | 1.9 | 4.8 | -1.2 | 2.1 | -4.8 | -0.9 | -11.7 | 3.0 | -1.2 | -1.0 | -1.3 | 0.1 | 33.25 33.27 | 33.23 0 | 0.01 |
| OCT | 16.2 | 34.7 | 0.6 | 6.6 | 6.9 | 20.5 | -4.8 | 4.1 | -14.4 | 0.8 | -28.1 | 6.0 | -1.1 | -0.5 | -1,4 | 0.2 | 33.52 33.74 | 33.40 0 | . 09 |
| NOV | 10.5 | 21.1 | 1.4 | 4.7 | 2.3 | 13.2 | -14.3 | 5.6 | -8.2 | 4.4 | -20.3 | 5.3 | -0.7 | 0.5 | -1.3 | 0.5 | 33.47 33.66 | 33.37 0 | .06 |
| DEC | 17.4 | 37.7 | 0.8 | 7.9 | 1.3 | 16.2 | -17.2 | 8.1 | -14.3 | 8.1 | -35.6 | 9.6 | -0.1 | 0.6 | -1.2 | 0.5 | 33.48 33.85 | 33.33 0 | . 09 |

| 1983 | MEAN | R A T MAX | E MIN | STDEV | U – C MEAN | OMPONE MAXMINS | n t Tdev | V ~ C Mean | OMPON MAX MIN | e n t Stdev | TEMPE MEAN MAX | RAT MIN | URE STDEV | SALINITY MEAN MAX MIN STDEV |
|--------|------|--------------|----------|-------|---------------|-------------------|-------------|---------------|------------------|----------------|-------------------|------------|--------------|--------------------------------|
| JAN | 18.9 | 50.7 | 0.8 | 10.0 | -4.0 | 14.3 -24.7 | 7.9 | -15.5 | 5.5 -45.4 | 11.7 | -0.3 0.0 | -0.6 | 0.1 | 33.29 33.68 33.09 0.13 |
| FEB | 17.3 | 41.5 | 2.7 | 8.3 | -6.0 | 6.5 -18.0 | 5.6 | -14.0 | 13.7 -37.0 | 10.4 | -0.7 -0.2 | -1.2 | 0.2 | 33.36 33.58 33.21 0.07 |
| MARCH | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | |
| JULY | 14.7 | 24.1 | 6,6 | 4.7 | -2.2 | 6.2 -16.7 | 4.9 | -13.8 | -6.1 -23.5 | 4.3 | -1.6 -1.0 | -1.8 | 0.1 | 33.19 33.50 33.10 0.08 |
| AUGUST | 15,1 | 39.1 | 4.2 | 6,8 | -2.7 | 8.4 -15.1 | 4.5 | -14.1 | -2.7 -38.9 | 7.0 | -1.6 -1.2 | -1.8 | 0.1 | 33.18 33.40 33.10 0.07 |
| SEPT | 17.4 | 32.7 | 3.4 | 7.7 | -3.0 | 8.3 -16.2 | 4.2 | -16.5 | -1.3 ~31.1 | 7.7 | -1.4 -0.9 | -1.7 | 0.1 | 33.53 33.71 33.44 0.06 |
| ост | 23.0 | 55.8 | 7.4 | 10.1 | -4.4 | 6.3 -16.1 | 4.6 | -22.1 | -4.8 -53.4 | 10.1 | -1.1 0.1 | -1.5 | 0.4 | 33.60 33.98 33.37 0.15 |
| NOV | 17.5 | 44.4 | 2.6 | 12.0 | -2.1 | 8.1 -9.7 | 3.9 | -15.7 | 10.3 -43.9 | 13.5 | -1.3 -0.6 | -1.6 | 0.3 | 33.33 33.74 33.16 0.17 |
| DEC | 10.0 | 26.7 | 0.6 | 5.0 | 0.5 | 10.0 -13.9 | 5.2 | -4.6 | 13.6 -25.7 | 8.8 | -0.8 0.3 | ~1.7 | 0.6 | 33.02 33.20 32.76 0.14 |

<u>___</u>

1

E 1

E 7

GRAND BANK SLOPE : NEAR MIDDLE JAN. 1980 - DEC. 1984 (100 M.) SAMPLE INTERVAL : 21600 SEC.

GRAND BANK SLOPE : NEAR MIDDLE JAN. 1980 - DEC. 1984 (100 M.) SAMPLE INTERVAL : 21600 SEC.

| | | RAT | Ε | | U - C | OMPONE | NT | V - C | OMP | ONE | IN T | TEM | IPE | R A T | URE | S A | LII | NIT | Y |
|--------|------|------|-------|-------|-------|------------|------|-------|------------|-------|------|------|-------------------|-------------------|-------|-------|-------|-------|------------------|
| 1984 | MEAN | MAX | MIN : | STDEV | MEAN | MAX MIN S | TDEV | MEAN | MAX | MIN S | TDEV | MEAN | мах | MIN | STDEV | MEAN | мах | MIN | STDEV |
| JAN | 8.6 | 20.3 | 1.2 | 4.7 | 0.3 | 11.78.7 | 4.8 | -5,1 | 7.3 | -20.2 | 6.8 | -0.4 | 0 .2 | - 0 .7 | 0.1 | 32.92 | 33.03 | 32.81 | 0.06 |
| FEB | 9.8 | 19.1 | 2.0 | 4.2 | -1.9 | 9.1 -12.2 | 4.5 | -7.5 | 6.8 | -18.1 | 5.8 | -1.2 | -0.9 | -1.6 | 0.2 | 32.89 | 33.01 | 32.77 | 0.05 |
| MARCH | 10.3 | 21.7 | 1.3 | 4.3 | -2.3 | 18.6 -20.6 | 6.9 | -5.5 | 11.6 | -18.0 | 6.6 | -0.8 | 0.2 | -1.7 | 0.5 | 32.77 | 33.01 | 32.57 | 0 .12 |
| APRIL | 8.9 | 25.2 | 1.2 | 5.5 | -1.2 | 9.3 -23.9 | 7.2 | -2.4 | 12.1 | -16.7 | 7.1 | -0.1 | 0.4 | -1.0 | 0.3 | 32.78 | 32.93 | 32.62 | 0.08 |
| MAY | 5.2 | 14.2 | 0.5 | 3.3 | -0.6 | 13.9 -12.4 | 5.3 | -0.3 | 7.5 | 8.2 | 3.0 | -0.2 | 0.2 | 0 .5 | 0.2 | 32.84 | 32.91 | 32.81 | 0.02 |
| JUNE | 5.8 | 16.1 | 0.8 | 3.4 | -1.8 | 4.98.5 | 4.0 | 2.1 | 15.8 | -4.2 | 4.8 | -0.2 | 0.0 | -0.4 | 0,1 | 32.90 | 33.02 | 32.82 | 0.06 |
| JULY | 4.1 | 8.5 | 0.4 | 1.5 | -0.8 | 4.4 -7.8 | 2.3 | -0.5 | 5.7 | -7.0 | 3.7 | -1.1 | - 0 .7 | -1.3 | 0.1 | 32.85 | 32.92 | 32.70 | 0.06 |
| AUGUST | 3.3 | 8.2 | 0.2 | 1.6 | 0.2 | 5.4 -4.9 | 2.3 | -0.9 | 6.6 | -8.2 | 2.7 | -1.2 | -0.9 | -1.3 | 0.1 | 32.87 | 33.01 | 32.80 | 0.04 |
| SEPT | 4.8 | 13.0 | 0.3 | 2.5 | -0.5 | 7.1 -11.9 | 3.7 | -0.4 | 7.3 | -9.4 | 3.9 | -1.3 | -1.2 | -1,4 | 0.03 | 33.03 | 33.10 | 32.95 | 0.04 |
| OCT | 5.5 | 16.1 | 0.3 | 3.7 | -0.8 | 10.3 -13.6 | 4.7 | -0.4 | 8.0 · | -12.0 | 4.7 | -1.4 | -1.2 | -1.5 | 0.1 | 33.08 | 33.13 | 33.01 | 0.02 |
| NOV | 7.7 | 18.5 | 0.5 | 4.1 | -0.3 | 10.8 -16.0 | 6.0 | 0.5 | 12.1 | -14.1 | 6,4 | -1.1 | 0.0 | -1.6 | 0.5 | 33.05 | 33.18 | 32.86 | 0.06 |
| DEC | 7.8 | 15.5 | 2.0 | 2.9 | 1.8 | 10.4 -10.5 | 5.4 | 0.1 | 8.7 - | -12.7 | 6.2 | 0.1 | 0.5 | -1.4 | 0.4 | 32.96 | 33.16 | 32.85 | 0.06 |

| | GF | and B/ | ank s | LOPE : N | iear bo | TTOM | JAN. | 1980 - | DEC. | 1984 | (1 | 75 M.) | SAN | PLE IN | TERV/ | AL : 21 | 600 SEC | | | |
|--------|------|-------------|------------|----------|---------------|------------|------------|----------------|---------------|------------|------------|----------------|---------------|--------|------------|--------------|-------------|-------|--------------|------------|
| 1980 | MEAN | RA 1 Max | T E Min | STDEV | u — C Mean | O M Max | PON MIN | e n t Stdev | V – C Mean | o m Max | PON MIN | e n t Stdev | T E M MEAN | MAX N | A T AIN | URE STDEV | s / Mean | MAX | N I T MIN | y Stdev |
| JAN | | | | | | | | | | | | | | | | | | | | |
| FEB | | | | | | | | | | | | | | | | | | | | |
| MARCH | | | | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | | | | | | | | |
| AUGUST | | | | | | | | | | | | | | | | | | | | |
| SEPT | | | | | | | | | | | | | | | | | | | | |
| OCT | 8.7 | 23.3 | 1.2 | 5.2 | 1.7 | 7.0 | -4.1 | 2.9 | -4.3 | 10.2 | -22.9 | 8.6 | -0.1 | 0.3 - | 9.5 | 0.2 | 33.81 | 33.95 | 33.66 | 0.08 |
| NOV | 9.5 | 23.3 | 0.7 | 5.6 | 1.2 | 15.3 | -11.1 | 4.2 | -8.0 | 3.9 | -23.1 | 6.1 | 0.1 | 0.2 - | 9.6 | 0.1 | 33.86 | 33.98 | 33.67 | 0.05 |
| DEC | 10,0 | 26.1 | 1.2 | 5.8 | -5.2 | 12.7 | -17.5 | 6.3 | -5.9 | 6.6 | -19.3 | 5.8 | -0.4 | 0.3 -0 | 9.6 | 0.1 | 33.80 | 33.98 | 33.71 | 0.06 |
| | | | Т | able 24. | | Mon | thly st | atistics | s of the | rate | , u, v, | T and S | 5 for th | e near | bott | om lay | er for t | the | | |
| | | | | | | slop | e area | near H | ibernia | a base | ed on ti | he filter | red dat | a. | | | | | | |

1.1

-

| | GRAND BANK SLOPE : | NEAR BOTTOM JAN. 1980 | - DEC. 1984 (175 M.) |) SAMPLE INTERVAL : 21600 SI | EC. |
|--------|----------------------------|-----------------------------------|-----------------------------------|--|----------------------------|
| 1981 | RATE MEAN MAX MIN STDEV | U-COMPONENT MEAN MAX MIN STDEV | V-COMPONENT MEAN MAX MIN STDEV | TEMPERATURE S MEAN MAX MIN STDEV MEAN | ALINITY N MAX MIN STDEV |
| JAN | 9.1 20.7 1.2 4.5 | -5.3 8.5 -15.8 4.9 | -5.5 4.4 -17.6 4.6 | -0.5 -0.2 -0.7 0.1 33.64 | 33.84 33.52 0.07 |
| FEB | | | | | |
| MARCH | | | | | |
| APRIL | | | | | |
| MAY | | | | | |
| JUNE | | | | | |
| JULY | | | | | |
| AUGUST | | | | | |
| SEPT | | | | | |
| 001 | | | | | |
| NOV | | | | | |
| DEC | | | | | |

la seconda de la seconda de

£____]

GRAND BANK SLOPE : NEAR BOTTOM JAN. 1980 - DEC. 1984 (175 M.) SAMPLE INTERVAL : 21600 SEC.

RATEU-COMPONENT V-COMPONENT TEMPERATURESALINITY1982 MEAN MAX MIN STDEVMEAN MAX MIN STDEVMEAN MAX MIN STDEVMEAN MAX MIN STDEV

JAN

FEB

MARCH

APRIL

| MAY | 11.0 | 31.5 | 2.3 | 10.0 | 3.4 | 15.4 | -5.3 | 6.0 | -8.0 | 4.3 -30.1 | 10.5 | 0.7 | 1.2 | 0.1 | 0.4 | 33.80 33.9 | 5 33.57 0. | 12 |
|--------|------|------|-----|------|-----|------|------|-----|-------|------------|------|------|-----|------|-----|------------|-------------|----------------|
| JUNE | 9.5 | 19.6 | 0.9 | 4.5 | 3.4 | 9.5 | -6.9 | 2.9 | -8.0 | 4.0 -19.0 | 5.1 | 0.1 | 1.1 | -0.5 | 0.3 | 33.59 33.9 | 1 33.41 0. | 11 |
| JULY | 6.2 | 13.0 | 0.8 | 2.3 | 2.3 | 5.8 | -3.1 | 1.8 | -5.1 | 3.4 -11.8 | 3.0 | 0.1 | 0.8 | -0.5 | 0.4 | 33.72 33.9 | 9 33.38 0. | 19 |
| AUGUST | 9.4 | 18.4 | 0.1 | 4.2 | 4.0 | 10.5 | -2.9 | 2.3 | -8.1 | 1.6 -16.7 | 4.3 | 0.2 | 0.6 | -0.4 | 0.2 | 33.80 33.9 | 2 33.66 0.0 | 0 6 |
| SEPT | 8.6 | 13.6 | 4.7 | 2.6 | 3.9 | 7.9 | 0.4 | 2.5 | -7.4 | -4.2 -11.9 | 2.0 | -0.1 | 0.1 | -0.3 | 0.1 | 33.74 33.8 | 0 33.70 0.(| 04 |
| OCT | 13.9 | 27.6 | 1.6 | 5.6 | 6.0 | 12.7 | 1.0 | 2.7 | -12.2 | 3.5 -24.8 | 5.8 | -0.6 | 0.8 | -0.9 | 0.4 | 33.71 34.1 | 1 33.58 0. | 11 |
| NOV | 12.9 | 36.0 | 1.1 | 5.9 | 5.3 | 22.8 | -9.2 | 6.3 | -10.2 | 3.0 -27.9 | 5.4 | -0.4 | 0.3 | -0.8 | 0.2 | 33.69 33.9 | 3 33.50 0.(| 0 8 |
| DEC | 12.1 | 25.9 | 0.5 | 7.5 | 6.0 | 15.3 | -3.6 | 4.7 | -9.8 | 1.5 -21.8 | 7.0 | -0.2 | 0.2 | -0.5 | 0.2 | 33.61 33,7 | 7 33.41 0. | 11 |

5-1

| | | | | | | | vrut. | 1000 | DLU. | | | U M.) | | | | | |
|--------|------|--------------|-----|-------|-------|------|-------|-------|--------------|------|---------------|--------|----------|---------|-------|---------------|------------------------|
| | | RA1 | ΓE | | u – c | 0 м | PON | ENT | v – c | 0 м | PON | ENT | TEMP | ERA1 | URE | SALIN | ΙΤΥ |
| 1983 | MEAN | MAX | MIN | STDEV | MEAN | мах | MIN | STDEV | MEAN | MAX | MIN | STDEV | MEAN M | AX MIN | STDEV | MEAN MAX N | AIN STDEV |
| JAN | 23.4 | 44. 8 | 4.0 | 10.4 | -1.0 | 6.1 | -8.5 | 4.3 | 20 .7 | 13.4 | -44 .1 | 14.6 | 0.5 1. | 4 — 0.2 | 0.5 | 33.87 34.18 3 | 53.52 0.21 |
| FEB | 15.2 | 31.1 | 2.4 | 7.1 | -2.4 | 10.5 | -11.7 | 4.1 | -14.3 | -2.2 | 2 -31.0 | 7.3 | 0.4 2. | 7 — 0.8 | 0.6 | 33.84 34.57 3 | 53.38 0.21 |
| MARCH | | | | | | | | | | | | | | | | | |
| APRIL | | | | | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | | | | | |
| JULY | | | | | | | | | | | | | -0.4 0. | 3 — 0.9 | 0.2 | 34.28 34.66 3 | 54. 09 0.14 |
| AUGUST | | | | | | | | | | | | | 0.8 0. | 0 -1.2 | 0.3 | 34.08 34.30 3 | 53.86 0.10 |
| SEPT | | | | | | | | | | | | | -0.4 -0. | 3 -0.4 | 0.1 | 34.16 34.18 3 | 54.15 0.02 |
| OCT | | | | | | | | | | | | | | | | | |
| NOV | 13.9 | 37.1 | 2.0 | 8.1 | 0.3 | 8.8 | -10.7 | 3.9 | -12.9 | 10.9 | 9 -37.0 |) 10.0 | -0.9 0. | 8 -1.4 | 0.6 | 33.52 34.24 3 | 53.20 0.33 |
| DEC | 10.6 | 26.1 | 0.8 | 5.5 | 1.3 | 11.5 | -7.1 | 4.1 | 6.5 | 14.4 | -25.9 | 9.1 | -1.3 -1. | 3 -1.5 | 0.04 | 33.21 33.28 3 | 53.14 0.03 |

GRAND BANK SLOPE : NEAR BOTTOM JAN. 1980 - DEC. 1984 (175 M.) SAMPLE INTERVAL : 21600 SEC.

GRAND BANK SLOPE : NEAR BOTTOM JAN. 1980 - DEC. 1984 (175 M.) SAMPLE INTERVAL : 21600 SEC.

| | | RAT | Ε | | U - C | OMPO | NENT | V - C | OMPONE | NT | TEMPERAT | URE | SALINITY |
|--------|------|------|-------|------|-------|----------|--------|-------|------------|------|----------------|-------|------------------------|
| 1984 | MEAN | MAX | MIN S | TDEV | MEAN | MAX MIN | STDEV | MEAN | MAX MIN S | TDEV | MEAN MAX MIN | STDEV | MEAN MAX MIN STDEV |
| JAN | 7.7 | 18.2 | 0.3 | 4.5 | 1.4 | 11.1 -7 | .6 3.8 | -5.4 | 4.0 -17.9 | 5.8 | -1.3 -1.1 -1.5 | 0.1 | 33.12 33.20 33.07 0.03 |
| FEB | 7.9 | 17.7 | 0.2 | 4.1 | 0.7 | 10.4 -8 | .2 3.6 | -6.2 | 3.9 -17.3 | 5.3 | -1.2 -0.9 -1.7 | 0.2 | 33.13 33.23 32.98 0.05 |
| MARCH | 7.0 | 15.0 | 0.8 | 3.4 | 0.2 | 5.8 -5 | .1 3.3 | -6.0 | -0.2 -15.0 | 3.9 | -1.3 -1.1 -1.6 | 0,1 | 33.20 33.29 33.06 0.06 |
| APRIL | | | | | | | | | | | | | |
| MAY | | | | | | | | | | | | | |
| JUNE | | | | | | | | | | | | | |
| JULY | 3.3 | 8.4 | 0.2 | 1.7 | -0.3 | 6.8 -5 | .9 2.2 | -1.0 | 4.7 -6.9 | 2.8 | -1.2 -1.1 -1.3 | 0.1 | 33.37 33.44 33.28 0.03 |
| AUGUST | 3.6 | 7.5 | 0.3 | 1.5 | -0.1 | 5.85 | .7 2.5 | -1.3 | 6.1 -7.0 | 2.7 | -1.2 -1.1 -1.2 | 0,03 | 33.39 33.44 33.35 0.02 |
| SEPT | 4.6 | 13.1 | 0.1 | 2.5 | -0.1 | 7.5 -10 | .9 3.5 | -0.1 | 8.1 -8.8 | 3.8 | -1.0 -0.9 -1.2 | 0.1 | 33.46 33.55 33.35 0.04 |
| OCT | 5.8 | 18.2 | 0.5 | 3.8 | -0.7 | 10.3 -11 | .3 4.4 | -1.8 | 7.6 -14.3 | 5.0 | -1.1 -1.0 -1.4 | 0.1 | 33.49 33.57 33.41 0.03 |
| NOV | 9.5 | 19.0 | 1.0 | 4.6 | -1.7 | 9.8 -14 | .9 6.8 | 3.9 | 8.8 -15.0 | 6.9 | -1.3 -1.2 -1.5 | 0.1 | 33.45 33.51 33.34 0.05 |
| | | | | | | | | | | | | | |

1

8

1

-

DEC

188

 \square

Section 2

Lagrangian Currents

| | 190 | |
|------------|--|-------------|
| | Index of Figures and Tables | Page |
| Figure 1. | The study area is divided into $1^{\circ} \times 1^{\circ}$ squares each containing an identity number in the upper right hand corner and the number of satellite tracked drifters which entered each square/the number of daily mean current vectors for each square. | 192 |
| Figure 2. | Map of the mean current vectors for each $1^{\circ} \times 1^{\circ}$ square. An open (solid) arrow head signifies a current between 0 and 0.05 m/s (0.05 and 0.10 m/s). | 193 |
| Figure 3. | Contour map of eddy kinetic energy (units are $10^{-4}m^{2}/s^{2}$) based on values in the $1^{\circ} \times 1^{\circ}$ squares. Squares with fewer than 10 data points are omitted. | 194 |
| Figure 4. | Map of the maximum daily mean currents observed in each 1° $	imes$ 1° square. | 195 |
| Figure 5. | Currents derived from the tracks of the Labrador Current drifters 1976-1985. | 196 |
| Table 1. | Start time and position of satellite tracked buoys. | 197 |
| Figure 6. | Track of buoy 4070. An "S" indicates start of the track and an "E" indicates the end. Squares mark 1200 UT each day. | 198 |
| Figure 7. | Track of buoy 4071. | 199 |
| Figure 8. | Track of buoy 4072. | 2 00 |
| Figure 9. | Track of buoy 4078. | 201 |
| Figure 10. | Track of buoy 4079. | 202 |
| Figure 11. | Track of buoy 4080. | 203 |
| Figure 12. | Track of buoy 4091. | 204 |
| Figure 13. | Track of buoy 4509. | 205 |
| Figure 14. | Track of buoy 4510. | 206 |
| Figure 15. | Track of buoy 4511. | 207 |
| Figure 16. | Track of buoy 4512. | 208 |
| Figure 17. | Track of buoy 4514. | 209 |

[]

[]

Ũ

U

| | Index of Figures and Tables | Page |
|------------|-----------------------------|------|
| Figure 18. | Track of buoy 4528. | 210 |
| Figure 19. | Track of buoy 4530. | 211 |
| Figure 20. | Track of buoy 4531. | 212 |
| Figure 21. | Track of buoy 2632. | 213 |
| Figure 22. | Track of buoy 2633. | 214 |
| Figure 23. | Track of buoy 5419. | 215 |
| Figure 24. | Track of buoy 5420. | 216 |
| Figure 25. | Track of buoy 5421. | 217 |
| Figure 26. | Track of buoy 5422. | 218 |
| Figure 27. | Track of buoy 5423. | 219 |
| Figure 28. | Track of buoy 5424. | 220 |
| Figure 29. | Track of buoy 5426. | 221 |
| Figure 30. | Track of buoy 5427. | 222 |
| Figure 31. | Track of buoy 5428. | 223 |
| Figure 32. | Track of buoy 5429. | 224 |
| Figure 33. | Track of buoy 5439. | 225 |

| Â | 251 | 250 | 249 | 218 | 247 | 216 | 215 | 291 | 243 | 242 | 241 |
|-------------------|-----------|---------------------|--------|--------|----------------------|----------------------|--------|-------|-------|--------|------------|
| | | | | | | | 1 | 2 | | | |
| Ŧ | 5/35 | 6/92 | 8/52 | 6/25 | 6/22 | 4/15 | 4/15 | 5/31 | 7785 | 10/43 | 9/27 |
| | 521 | 230 | 229 | 228 | 227 | 226 | 225 | 224 | 223 | 222 | 221 |
| | 2/29 | 4/57 | δ≠76 | 9/16 | 7/39 | 5/21 | 2/31 | 4/14 | 9/29 | 10/17 | 12/38 |
| , 9 | TV12 | 210 | 209 | 905 | 207 | 206 | 205 | 204 | 203 | 202 | 201 |
| | 2/1 | 2/16 | 5/28 | 9/78 | 8/39 | 6/35 | 1/32 | 5/41 | 6/77 | 10/60 | 12/10 |
| ¥,63 | 191 |) 190 | 189 | 188 | 187 | 186 | 165 | 184 | 183 | 195 | 181 |
| | 7) 1/Q | Ant | pier | 8/11 | 16/59 | 18/74 | 15/61 | 11/13 | 12/83 | 13/108 | 11/89 |
| ÷ | 2/11 | - 12- 7 180 | | 168 | 192 | 166 | 165 | 161 | 163 | 162 | 161 |
| | 0/0 | 5/84 | 5/57 | \$1121 | 13/138 | 17/102 | 29/110 | 7/40 | 4/22 | 9767 | 12/67 |
| 6 ,0 | 151 | 1\$0 q | 149 | 148 | 147 | 146 | 145 | 144 | 145 | 112 | 141 |
| _ | 2/20 | 0 5/112 | 1/65 | 4/51 | 6/62 | 11/141 | 28/122 | 3/27 | 5/31 | j[/70 | 14/74 |
| 15 [°] , | 131 | 130 | 129 | 126 | 127 | 126 | 125 | 124 | 123 | 122 | 121 |
| | Q/O | 2/31 | 3/54 | 4/41 | 1/98 | 71/153 | 23/94 | 10/51 | 12/52 | 13/38 | 9/13 |
| د گ | 111 | 110 | 109 | 108 | 105 | 106 | 105 | 101 | 103 | 102 | 10) |
| - | 1/11 | 3/65 | 3/36 | 1/38 | 7/38 | 27/99 | 11/68 | 13/44 | 12/51 | 14/11 | 6/16 |
| 2 | 91 | 90 | 69 | 88 | 52 | 86 | 85 | 81 | 83 | 82 | B) |
| | 174 | 2/34 | 3736 | 2/38 | 14547 | 17/58 | 10/65 | 9/26 | B/12 | 6/9 | 1/7 |
| ţ, | 7 1 | 70 | 69 | - 00 | ^م ر 57 | 86 | 65 | 61 | 63 | 62 | 81 |
| | 174 | 2/1 | 3/29 | 9/15 | 12/11 | 10/31 | 10/31 | 6/13 | 2/2 | 1/2 | G/O |
| \$ | 51 | 50 | 19 | 16 | 17 | 15 | 15 | 11 | 13 | 12 | 41 |
| | D/O | 1/6 | 3/6 | 6/11 | 9/2 1 | 8/20 | \$/17 | 2/8 | Q/O | 0/0 | 2/1 |
| 1, I | 31 | 30 | 29 | 28 | 27 | 26 | 25 | 24 | 23 | 22 | 21 |
| , | 0/0 | 0/0 | 0/0 | 1/1 | 3/15 | \$/10 | 3/1 | 0/0 | 0/0 | 0/0 | 1/13 |
| ĝ | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 1 | 3 | 2 | 3 |
| .* | 0/0 | 0/0 | 0/0 | 0/0 | 1/12 | 171 | 0/0 | 0/0 | 0/0 | 0/0 | 1/5 |
| y, | ie 4 5 | 5 ⁴ H 57 | 2 R 53 | - × |)"W 49 | า้ห și การตราชาติ | 1 v7 | *u +o | in e | s*x 4 | <u>.</u> . |

Figure 1. The study area is divided into 1° × 1° squares each containing an identity number in the upper right hand corner and the number of satellite tracked drifters which entered each square/the number of daily mean current vectors for each square.



MEAN CURRENTS



 \times 1° squares. Square with fewer than 10 data points are omitted.



Figure 4. Map of the maximum daily mean currents observed in each $1^{\circ}\times1^{\circ}$ square.

MAXIMUM CURRENTS



Figure 5. Currents derived from the tracks of the Labrador Current drifters 1976-1985.

196

LABRADOR CURRENT

1]

[]

| Data Source | Buoy Number | Year | Day | Latitude | Longitude | |
|---------------|-------------|------|--------------|----------|-----------|--|
| Petro-Canada | 4070 | 1981 | 16 Dec (350) | 50.19 | 54.15 | |
| | 4071 | 1983 | 20 Oct (293) | 51.88 | 49.87 | |
| | 4072 | 1982 | 11 Oct (284) | 51.99 | 50.74 | |
| | 4078 | 1982 | 10 Nov (314) | 51.98 | 52.61 | |
| | 4079 | 1982 | 2 Dec (336) | 51,99 | 52.91 | |
| | 4080 | 1982 | 11 Dec (345) | 51.98 | 53.45 | |
| | 4091 | 1983 | 11 Nov (315) | 51.82 | 49.59 | |
| | | | | | _ | |
| International | 4509 | 1984 | 23 Mar (083) | 49.96 | 46.00 | |
| Ice Patrol | 4510 | 1984 | 25 Mar (085) | 49.05 | 47.85 | |
| | 4511 | 1984 | 22 Mar (082) | 48.26 | 50.04 | |
| | 4512 | 1984 | 27 Apr (118) | 47.88 | 47.48 | |
| | 4514 | 1984 | 28 Apr (119) | 48.25 | 52.50 | |
| | 4528 | 1984 | 05 Aug (210) | 50.98 | 50.98 | |
| | 4530 | 1984 | 06 Aug (211) | 46.77 | 46.94 | |
| | 4531 | 1984 | 13 Jun (165) | 48.53 | 47.92 | |
| - <u>-</u> . | 2632 | 1984 | 17 Jul (199) | 48.63 | 46.09 | |
| | 2633 | 1984 | 06 Jul (188) | 48.28 | 48.14 | |
| | | | | | i | |
| Fisheries and | | | | | | |
| Oceans | 5419 | 1984 | 28 Nov (332) | 47.03 | 49.50 | |
| | 5420 | 1984 | 28 Nov (332) | 46.94 | 49.48 | |
| | 5421 | 1984 | 28 Nov (332) | 47.07 | 49.50 | |
| | 5422 | 1984 | 28 Nov (332) | 47.04 | 49.51 | |
| | 5423 | 1985 | 27 Apr (117) | 46.99 | 50.89 | |
| | 5424 | 1985 | 27 Apr (117) | 46.98 | 49.48 | |
| | 5426 | 1985 | 27 Apr (117) | 46.97 | 49.96 | |
| | 5427 | 1985 | 27 Apr (117) | 47.02 | 50.44 | |
| | 5428 | 1984 | 28 Nov (332) | 47.04 | 49.52 | |
| | 5429 | 1985 | 27 Apr (117) | 47.00 | 51.93 | |
| | 5439 | 1985 | 27 Apr (117) | 46.989 | 49.00 | |

 Table 1.
 Start time and position of satellite tracked buoys.







[]

0

1]

0





]



;



:



204

1

]

[]









BUOY TRACK



1

1

F

[]









BUOY TRACK










[1]

0

l

1





η











0

Ľ

Ū

1

Ű



23 LEGEND - 5428 51**'** H N, OS ¥,9 \$,ª S 5 1 q 0 K LATITUDE 45[°]N 45[°]N ÷ 1 42, H H, 14 ₩,0# -= ₽ 54°₩ 19°H 18°H LONGITUOE 53[°] H 51^{*}H 47^{*}H 52°H 50[°] H 46[°] H 45[°] H 44°H 43 H Figure 31. Track of buoy 5428.

÷.

Ш



1

]

L

U

0



Section 3

St. John's Sea Level

| | Index of Figures | Page |
|-----------|--|------|
| Figure 1. | Time series of St. John's sea level barometric pressure (BP), sea level (SL) and adjusted sea level (ASL) for the period 1980 - 1986 based on filtered data. | 228 |
| Figure 2. | Time series of BP, SL and ASL for 1980. | 229 |
| Figure 3. | Time series of BP, SL and ASL for 1981. | 230 |
| Figure 4. | Time series of BP, SL and ASL for 1982. | 231 |
| Figure 5. | Time series of BP, SL and ASL for 1983. | 232 |
| Figure 6. | Time series of BP, SL and ASL for 1984. | 233 |
| Figure 7. | Time series of BP, SL and ASL for 1985. | 234 |
| Figure 8. | Time series of BP, SL and ASL for 1986. | 235 |

Index of Tables

| Table 1. | Histogram of SL based on the hourly data, 1980 - 1986. | 236 |
|----------|---|-----|
| Table 2. | Histogram of SL based on the filtered data, 1980 - 1986. | 237 |
| Table 3. | Histogram of ASL based on the hourly data, 1980 - 1986. | 238 |
| Table 4. | Histogram of ASL based on the filtered data, 1980 - 1986. | 239 |
| Table 5. | Statistics of hourly and filtered sea level and adjusted sea level. | 240 |

-

ą





Figure 2. Time series of BP, SL and ASL for 1980.





Figure 4. Time series of BP, SL and ASL for 1982.













| B | DAV | NUMBER | PER | |
|---------------------|---------|--------------------|--------|---|
| .GE. | .LT. | IN BAN | D CENT | |
| -30.00 | -20.0 | a 3 | .0 | • |
| -20.00 | -10.0 | 0 22 | .0 | • |
| -10.00 | 0.0 | 0 118 | .2 | ••• |
| 0.00 | 10.0 | 0 335 | .6 | ***** |
| 10.00 | 20.0 | 0 812 | 1.5 | ****** |
| 20.00 | 30.0 | 0 1793 | 3.4 | ******************* |
| 30.00 | 40.0 | 0 3158 | 6.0 | ***** |
| 40.00 | 50.0 | 0 4279 | 8.1 | *************************************** |
| 50.00 | 60.0 | 0 5053 | 9.6 | *************************************** |
| 60.00 | 70.0 | 0 5534 | 10.5 | *************************************** |
| 70.00 | 80.0 | 0 5579 | 10.5 | *************************************** |
| 80.00 | 90.0 | 0 5722 | 10.8 | *************************************** |
| 90.00 | 100.0 | 0 5549 | 10.5 | *************************************** |
| 100.00 | 110.0 | 8 4753 | 9.0 | ********************* |
| 110.00 | 120.0 | 0 38 09 | 7.2 | ******* |
| 120.00 | 130.0 | 0 2738 | 5.2 | ****** |
| 130.00 | 140.0 | 0 1730 | 3.3 | ••••••••••••••••••••••••• |
| 140.00 | 150.0 | 0 990 | 1.9 | *********** |
| 150.00 | 160.0 | 9 5 88 | 1.0 | ****** |
| 160.00 | 170.0 | ð 237 | .4 | **** |
| 170.00 | 180.0 | 8 94 | .2 | •• |
| 180.00 | 190.0 | 9 31 | , 1 | • |
| 190.00 | 200.0 | 8 8 | .0 | • |
| 200, 0 0 | 210.0 | ð 3 | .0 | • |
| 210.00 | 220.0 | ð 1 | .0 | • |
| 220.00 | 230.0 | 92 | .0 | • |
| 230.00 | 240.0 | 9 0 | 0.0 | |
| 240.00 | 250.0 | 0 0 | 0.0 | |
| 250.00 | 260.0 | 8 0 | 0.0 | |
| 260.00 | 270.0 | 9 0 | 0.0 | |
| TOTAL NO | . OF C | YCLES | 58440 | |
| OUTSIDE | RANGE | | 5579 | |
| | | | | The state of the second state 1000, 1000 |
| TOTAL NO | . OF S/ | MPLES | 52861 | Table 1. Histogram of SL based on the nourly data, 1980 - 1980. |

0

-

5

| HISTOGRA | M OF SEA | LEVELS | 5 | (CM) AESI | DATA FOR ST. | JOHN'S, | NEWFOUNDLAND | JAN. | 1980 - | DEC. | 1986 | (21600 | SEC.) |
|----------|----------|--------|------|-----------|--------------|-----------|---|----------|---------|-----------------|-------|-----------------|-------|
| BA | ND N | LMBER | PER | | | | | | | | | | |
| .GE. | .LT. I | N BAND | CENT | | | | | | | | | | |
| 0.00 | 10.00 | 0 | 0.0 | | | | | | | | | | |
| 10.00 | 20.00 | 0 | 0.0 | | | | | | | | | | |
| 20.00 | 30.00 | 6 | .1 | • | | | | | | | | | |
| 30.00 | 40.00 | 19 | .2 | • | | | | | | | | | |
| 40.00 | 50.00 | 134 | 1.5 | ***** | | | | | | | | | |
| 50.00 | 60.00 | 667 | 7.6 | | ••••• | | | | | | | | |
| 60.00 | 70.00 | 1733 | 19.8 | | | ••••• | • | | ****** | ***** | | | |
| 70.00 | 80.00 | 2405 | 27.5 | ••••• | ••••• | ••••• | ••••• | | ****** | ***** | ••••• | • • • • • • • • | ••••• |
| 80.00 | 90.00 | 1668 | 19.0 | ••••• | ****** | ••••• | ••••• | ••••• | ****** | ** | | | |
| 90.00 | 100.00 | 1090 | 12.4 | ••••• | ********* | ••••• | •••• | | | | | | |
| 100.00 | 110.00 | 605 | 6.9 | ••••• | ******* | | | | | | | | |
| 110.00 | 120.00 | 271 | 3.1 | ***** | | | | | | | | | |
| 120.00 | 130.00 | 119 | 1.4 | ***** | | | | | | | | | |
| 130.00 | 140.00 | 30 | .3 | •• | | | | | | | | | |
| 140.00 | 150.00 | 6 | .1 | • | | | | | | | | | |
| 150.00 | 160.00 | 1 | .0 | • | | | | | | | | | |
| 160.00 | 170.00 | 0 | 0.0 | | | | | | | | | | |
| 170.00 | 180.00 | 0 | 0.0 | | | | | | | | | | |
| 180.00 | 190.00 | 0 | 0.0 | | | | | | | | | | |
| 190.00 | 200.00 | 0 | 0.0 | | | | | | | | | | |
| | 05 000 | | 0740 | | | | | | | | | | |
| IUTAL NO | DATA | LES | 9/19 | | | | | | | | | | |
| MI22ING | UATA | | 205 | | | | | | | | | | |
| TOTAL NO | . OF SAN | PLES | 8754 | Table 2. | Histogram | n of SL b | ased on the filte | ered dat | a, 1980 | - 1 98 6 | 3. | | |

HISTOGRAM OF ADJUSTED SEA LEVELS (CM) AES DATA FOR ST. JOHN'S, NEWFOUNDLAND JAN. 1980 - DEC. 1986 (3600 SEC.)

-

1

| 8 | BAND | NU | MBER | PER | |
|---------|--------|----------------|--------------|------------|--|
| .GE. | . L' | F. IN | BAN | CENT | |
| | | | • | • • | |
| 960.00 | 9/0 | .00 | | 0.0 | |
| 970.00 | 988 | .00 | 1 | .0 | • |
| 980.00 | 990 | . 66 | 1 | .0 | |
| 990.00 | 1000 | .00 | | .0 | • |
| 1000.00 | 1010 | 00 | 28 | ,1 | |
| 1010.00 | 1020 | 00 | 113 | .2 | ••• |
| 1020.00 | 1030 | .00 | 4004 | .9 | ••••• |
| 1030.00 | 1040 | .00 | 1201 | Z-4 8-4 | ••••••••••••••••••••••• |
| 1040.00 | 1050 | . 00 | 2343 | 5.1 | *************************************** |
| 1000.00 | 1000 | .00 | 4051 | 0.1 | *************************************** |
| 1000.00 | 1070 | .00 | 490.2 | 9.9 | *************************************** |
| 1070.00 | 1000 | .00 : | 5330 | 10.7 | *************************************** |
| 1000.00 | 11090 | 00 0 | | 10.0 | *************************************** |
| 1100.00 | 11100 | 00 0 | 5363 | 10.0 | *************************************** |
| 1110.00 | 1120 | 00 : | 4057 | 10.9 | |
| 1120 00 | 1120 | 00 ' | 1007 1075 | 9./ | |
| 1130.00 | 1140 | . 00 . 00 · | 28/0 | 57 | |
| 1140 00 | 1150 | .00 . aa - | 2043 1831 | 3.7 | |
| 1150.00 | 1150 | 00 | 031 | 1.0 | |
| 1160.00 | 1170 | 00 | 410 | 1.3 | ****** |
| 1170.00 | 1180 | a a | 173 | , O T | |
| 1180 00 | 1190 | aa | 46 | .5 | • |
| 1190.00 | 1200 | 00 | 14 | | |
| 1200.00 | 1210 | 00 | 5 | .0 | |
| 1210.00 | 1220 | 00 | 1 | .0 | |
| 1220.00 | 1230 | 00 | ø | 0.0 | |
| 1230.00 | 1240 | 00 | 2 | .0 | • |
| 1240.00 | 1250 | 00 | 1 | .0 | |
| 1250.00 | 1260. | 00 | 0 | 0.0 | |
| | | | | | |
| HUTAL N | U. OF | CTCLI | 25 | 55488 | |
| M1551NG | DATA | | | 5579 | |
| TOTAL N | 10. OF | SAMPI | LES | 49909 | Table 3. Histogram of ASL based on the hourly data, 1980 - 1986. |

100

<u>___</u>

ومن المنذ المنه وسلم المن المن المن المنه المنة المنة ومن المن منه المنة المنة المنة المنة المنة ومنة

| 84 | ND | NUMBER | PER | |
|----------|---------|--------------|------|--|
| .GE. | .LT. | IN BAND | CENT | |
| | | | | |
| 1000.00 | 1010.00 | 9 0 | 0.0 | |
| 1010.00 | 1020.00 | 9 0 | 0.0 | |
| 1020.00 | 1030.00 | 9 0 | 0.0 | |
| 1030.00 | 1040.00 | ð 0 | 0.0 | |
| 1040.00 | 1050.00 | 2 | .0 | • |
| 1050.00 | 1060.00 | 9 15 | .2 | • |
| 1060.00 | 1070.00 | 9 115 | 1.4 | 4000 |
| 1070.00 | 1080.00 | 900 | 10.9 | **************** |
| 1080.00 | 1090.00 | 29 80 | 36.0 | •••••• |
| 1090.00 | 1100.00 | 2338 | 28.3 | ••••••••••••••••••••••••••••••••••••••• |
| 1100.00 | 1110.00 | 9 1151 | 13.9 | •••••• |
| 1110.00 | 1120.00 | 520 | 6.3 | ••••• |
| 1120.00 | 1130.00 | 3 181 | 2.2 | ****** |
| 1130.00 | 1140.00 | 59 | .7 | ** |
| 1140.00 | 1150.00 | 9 | .1 | • |
| 1150.00 | 1160.00 | 0 | 0.0 | |
| 1160.00 | 1170.00 | 2 | .0 | • |
| 1170.00 | 1180.00 | 0 | 0.0 | |
| 1180.00 | 1190.00 | 0 | 0.0 | |
| 1190.00 | 1200.00 | 0 | 0.0 | |
| | | | | |
| TOTAL NO | . OF CI | CLES | 9237 | |
| MISSING | DATA | | 965 | |
| | | | | |
| TOTAL NO | . OF SA | MPLES | 8272 | Table 4. Histogram of ASL based on the filtered data, 1980 - 1986. |

AES DATA FOR ST. JOHN'S, NEWFOUNDLAND JAN. 1980 - DEC. 1986 SAMPLE INTERVAL : 3600 SEC.

ADJUSTED SEA LEVELS BAROMETRIC PRESS SEA LEVELS MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV 1013.0 1055.0 11.4 79.5 33.0 1092.0 1242.0 979.5 31.3 954.3 266.0 -25.0

AES DATA FOR ST. JOHN'S, NEWFOUNDLAND JAN. 1980 - DEC. 1986 SAMPLE INTERVAL : 21600 SEC. BAROMETRIC PRESS SEA LEVELS ADJUSTED SEA LEVELS MEAN MAX MIN STDEV MEAN MAX MIN STDEV MEAN MAX MIN STDEV 1166.0 1013.0 1054.0 960.5 11.3 79.6 157.3 24.0 16.4 1092.0 1047.0 12.4

Table 5. Statistics of hourly and filtered sea level and adjusted sea level.

Section 4

Station 27 Temperature and Salinity 1980-1986

| | Index of Figures | Page |
|-----------|--|------|
| Figure 1. | Contours of temperature and salinity at Sta. 27, 1980. Observations are indicated by a dot. | 243 |
| Figure 2. | Contours of temperature and salinity at Sta. 27, 1981. Observations are indicated by a dot. | 244 |
| Figure 3. | Contours of temperature and salinity at Sta. 27, 1982. Observations are indicated by a dot. | 245 |
| Figure 4. | Contours of temperature and salinity at Sta. 27, 1983. Observations are indicated by a dot. | 246 |
| Figure 5. | Contours of temperature and salinity at Sta. 27, 1984. Observations are indicated by a dot. | 247 |
| Figure 6. | Contours of temperature and salinity at Sta. 27, 1985. Observations are indicated by a dot. | 248 |
| Figure 7. | Contours of temperature and salinity at Sta. 27, 1986. Observations are indicated by a dot. | 249 |

1]



Figure 1. Contours of temperature and salinity at Sta. 27, 1980. Observations are indicated by a dot.



Figure 2. Contours of temperature and salinity at Sta. 27, 1981. Observations are indicated by a dot.



Figure 3. Contours of temperature and salinity at Sta. 27, 1982. Observations are indicated by a dot.



Figure 4. Contours of temperature and salinity at Sta. 27, 1983. Observations are indicated by a dot.



Figure 5. Contours of temperature and salinity at Sta. 27, 1984. Observations are indicated by a dot.



Figure 6. Contours of temperature and salinity at Sta. 27, 1985. Observations are indicated by a dot.

Û


Figure 7. Contours of temperature and salinity at Sta. 27, 1986. Observations are indicated by a dot.

Section 5

St. John's Wind Data

| | Index of Figures | Page |
|------------|---|------|
| Figure 1. | Wind speed and direction at St. John's, 1980, based on hourly data. Wind direction is given as the direction wind is blowing towards. | 253 |
| Figure 2. | Wind speed and direction at St. John's, 1981, based on hourly data. | 254 |
| Figure 3. | Wind speed and direction at St. John's, 1982, based on hourly data. | 255 |
| Figure 4. | Wind speed and direction at St. John's, 1983, based on hourly data. | 256 |
| Figure 5. | Wind speed and direction at St. John's, 1984, based on hourly data. | 257 |
| Figure 6. | Wind speed and direction at St. John's, 1985, based on hourly data. | 258 |
| Figure 7. | Wind speed and direction at St. John's, 1986, based on hourly data. | 259 |
| Figure 8. | Wind speed and direction, U (eastward) and V (northward) components of wind at St. John's, 1980, based on filtered data. | 260 |
| Figure 9. | Wind speed and direction, U (eastward) and V (northward) components of wind at St. John's, 1981, based on filtered data. | 261 |
| Figure 10. | Wind speed and direction, U (eastward) and V (northward) components of wind at St. John's, 1982, based on filtered data. | 262 |
| Figure 11. | Wind speed and direction, U (eastward) and V (northward) components of wind at St. John's, 1983, based on filtered data. | 263 |
| Figure 12. | Wind speed and direction, U (eastward) and V (northward) components of wind at St. John's, 1984, based on filtered data. | 264 |
| Figure 13. | Wind speed and direction, U (eastward) and V (northward) components of wind at St. John's, 1985, based on filtered data. | 265 |
| Figure 14. | Wind speed and direction, U (eastward) and V (northward) components of wind at St. John's, 1986, based on filtered data. | 266 |

| | Index of Figures | Page |
|------------|---|------|
| Figure 15. | Progressive vector diagram of wind, 1980 - 1986, based on filtered data. Crosses mark one year intervals. | 267 |
| Figure 16. | Scatter plot of U-V components of wind, 1980 - 1986, based on filtered data. | 268 |
| | Index of Tables | Page |
| Table 1. | Histogram of wind speed based on hourly data. | 269 |
| Table 2. | Histogram of wind speed based on filtered data. | 270 |

P

[]

[]

]]

[]

0

0

U

0

0

Û

1

ß

0

[]

[]





Figure 2. Wind speed and direction at St. John's, 1981, based on hourly data.







Figure 4. Wind speed and direction at St. John's, 1983, based on hourly data.



Figure 5. Wind speed and direction at St. John's, 1984, based on hourly data.







Figure 7. Wind speed and direction at St. John's, 1986, based on hourly data.



















components of wind at St. John's, 1986, based on filtered data.



Figure 15. Progressive vector diagram of wind, 1980 - 1986, based on filtered data. Crosses mark one year intervals.



START TIME 3/ 1/ 80 19:30: .0 GMT FREQUENCY UNIT 0.1%

Figure 16. Scatter plot of U-V components of wind, 1980 - 1986, based on filtered data.

BAND NUMBER PER

81741

.GE. .LT. IN BAND CENT

0.00 5.00 18815 33.9 •••••••••••••••••••••••• 5.00 10.00 27354 10.00 15.00 7654 13.8 ************************ 15,00 20.00 1554 2.8 ***** 20.00 25.00 110 .2 • 25.00 30.00 1 .0 .

TOTAL NO. OF SAMPLES55488

OUTSIDE RANGE 0 Table 1. Histogram of wind speed based on hourly data.

HISTOGRAM OF WINDSPEED (M/S) AES DATA FOR ST. JOHN'S, NFLD JAN. 1980 TO DEC. 1986 (21600 SEC.)

BAND NUMBER PER

.GE. . LT. IN BAND CENT

0.00 5.00 3567 38.7 5.00 10.00 4503 48.8 10.00 15.00 1037 11.2 ********************* 15.00 20.00 117 1.3 *** 20.00 25.00 3 .0 + 25.09 30.00 0 0.0 TOTAL NO. OF SAMPLES 9227

OUTSIDE RANGE 0 Table 2. Histogram of wind speed based on filtered data.