


#9.63

**Observations of Seawater Temperature and
Salinity at British Columbia Shore Stations
1980**



L. F. Giovando

Institute of Ocean Sciences
Department of Fisheries and Oceans
Sidney, B.C. V8L 4B2

1983

Canadian Data Report of
Hydrography and Ocean Sciences
No. 9

copy 2.



Pêches
et Océans

Canada

Canadian Data Report Of Hydrography and Ocean Sciences

Data reports provide a medium for the documentation and dissemination of data in a form directly useable by the scientific and engineering communities. Generally, the reports contain raw and/or analyzed data but will not contain interpretations of the data. Such compilations commonly will have been prepared in support of work related to the programs and interests of the Ocean Science and Surveys (OSS) sector of the Department of Fisheries and Oceans.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out of stock reports will be supplied for a fee by commercial agents.

Regional and headquarters establishments of Ocean Science and Surveys ceased publication of their various report series as of December 1981. A complete listing of these publications is published in the *Canadian Journal of Fisheries and Aquatic Sciences*, Volume 39: Index to Publications 1982. The current series, which begins with report number 1, was initiated in January 1982.

Rapport statistique canadien sur l'hydrographie et les sciences océaniques

Les rapports statistiques servent de véhicule pour la compilation et la diffusion des données sous une forme directement utilisable par les scientifiques et les techniciens. En général, les rapports contiennent des données brutes ou analysées, mais ne fournissent pas d'interprétation des données. Ces compilations sont préparées le plus souvent à l'appui de travaux liés aux programmes et intérêts du service des Sciences et levés océaniques (SLO) du ministère des Pêches et des Océans.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans une autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences halieutiques et aquatiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés sont fournis contre rétribution par des agents commerciaux.

Les établissements des Sciences et levés océaniques dans les régions et à l'administration centrale ont cessé de publier leurs diverses séries de rapports en décembre 1981. Une liste complète de ces publications figure dans le volume 39, Index des publications 1982, du *Journal canadien des sciences halieutiques et aquatiques*. La série actuelle a commencé avec la publication du rapport numéro 1 en janvier 1982.

Canadian Data Report of Hydrography and Ocean Sciences No. 9
1983

OBSERVATIONS OF SEAWATER TEMPERATURE AND SALINITY AT BRITISH COLUMBIA
SHORE STATIONS 1980

by

L.F. Giovando

Institute of Ocean Sciences
Department of Fisheries and Oceans
Sidney, B.C. V8L 4B2

Copyright Minister of Supply and Services Canada--1983
Cat No. Fs 97-16/9 ISSN 0711-6721

Correct citation for this publication:

Giovando, L.F. 1983. Observations of Seawater Temperature and
Salinity at British Columbia Shore Stations, 1980.
Can. Data Rep. Hydrogr. Ocean Sci: 9: 133 p.

ABSTRACT

Giovando, L.F. 1983. Observations of Seawater Temperature and Salinity at British Columbia Shore Stations 1980. Can. Data Rep. Hydrogr. Ocean Sci. No. 9: 133 p.

Surface oceanic salinities and temperatures have been recorded once a day at several locations on the coast of British Columbia for varying lengths of time--from about one year to several decades. This publication presents the data obtained in 1980 from nineteen such shore stations.

The data obtained are presented in two forms. Firstly, tables provide, for each site, the monthly means and the associated standard deviations, as well as the maximum and minimum values recorded during each month; the annual means are also listed. Secondly, graphs indicate the behaviour, throughout the year, of the data after the higher-frequency oscillations (e.g., those associated with lunar tides) have been removed by the use of a seven-day normally-weighted running mean.

Keywords: British Columbia, shorestations, surface temperatures, surface salinities.

RÉSUMÉ

Giovando, L.F. 1983. Observations of Seawater Temperature and Salinity at British Columbia Shore Stations 1980. Can. Data Rep. Hydrogr. Ocean Sci. No. 9: 133 p.

Les températures et salinités des eaux océaniques superficielles ont été relevées une fois par jour à de nombreux endroits le long de la côte de la Colombie-Britannique, pendant diverses périodes variant d'environ un an à plusieurs décennies. Le présent rapport porte sur les données obtenues en 1980 à 19 de ces stations côtières.

Cette information est présentée sous deux formes. La première consiste en des tableaux qui regroupent les moyennes mensuelles et les écarts types, les valeurs minimale et maximale relevées chaque mois et les moyennes annuelles pour chaque site. Viennent ensuite des graphiques illustrant le comportement des données pendant toute l'année, après que les oscillations de plus haute fréquence (par ex. celles associées avec les marées lunaires) ont été éliminées à l'aide d'une moyenne cumulée normalement pondérée sur 7 jours.

Mots-clés: Colombie-Britannique, stations côtières, températures et salinités superficielles

INTRODUCTION

A program involving once-daily observations of sea-surface salinities and/or temperatures at numerous locations on the coast of British Columbia has been in effect since the early 1930's. Most of these sampling sites have been at lightstations operated by the Ministry of Transport (MOT) or its organizational predecessors. The number of sites reporting at any given time has varied throughout the course of the program; sampling has been discontinued (and in a few cases later resumed) at some places and commenced (not necessarily simultaneously) at others. All available data obtained from these shorestations prior to 1980 have been published in various formats (e.g. Giovando 1981a and b; Hollister and Sandnes, 1972).

In 1980, nineteen such locations provided sea-surface data. Fifteen of these were MOT lightstations. The remaining four were: the Pacific Biological Station (of the Department of Fisheries and Oceans (DFO)¹) at Departure Bay; the West Vancouver Laboratory (West Van) - formerly the Pacific Environment Institute¹ - also of DFO; the Western Canadian Universities Marine Biological Station at Bamfield; and the meteorological station (of the Atmospheric Environment Service (AES) of the Department of Environment (DOE)¹) at Cape St. James.

The stations in question are shown (underlined) in Figure 1. Table 1 lists them in *northwest-to-southeast* order, along the "outside coast" (Langara Island to Race Rocks) and along the Strait of Georgia (Cape Mudge to Active Pass); the general location of each station, as well as the names of the observers that obtained the data during 1980, are also given.

OBSERVATIONAL EQUIPMENT AND PROCEDURES

Except at Bamfield, Cape Beale and Active Pass, each daily observation was made at daytime high tide. At Bamfield and Cape Beale, sampling was carried out one hour before the daytime high tide. At Active Pass, observations were done at daylight high-water slack. All sampling times were determined by reference to the Canadian Tide and Current Tables (Fisheries and Environment Canada, 1980). On occasion - because of weather conditions or of the press of the observer's primary duties - the schedule could not be strictly adhered to; however, results obtained *within ± one hour of the desired time* were recorded. For reasons of observer safety, sampling was never attempted in darkness at any station.

(a) Temperature

At all *nineteen* stations, water temperature was measured by means of a mercury-in-glass thermometer. At fifteen (all except Departure Bay, West Van, Bamfield and Cape Beale) the thermometers used in 1980 recorded in

¹On 1 April 1977, the Pacific Environment Institute was renamed the West Vancouver Laboratory.

On 1 April 1979, the then Department of Fisheries and Environment (DFE) was split into two new Departments - Fisheries and Oceans (DFO), and Environment (DOE).

degrees Fahrenheit ($^{\circ}\text{F}$), as has been the case since the inception of sampling. The instruments cover the range -10° to 145°F , and are graduated in 1° intervals. At the remaining four stations Celsius thermometers, of range -10° to 60° and of interval 0.5°C , were employed. The seawater temperature was estimated to within $\pm 0.1^{\circ}\text{F}$ or $\pm 0.1^{\circ}\text{C}$. (Before being sent to a station, each thermometer is checked against a calibrated instrument; the maximum error allowed is $\pm 0.4^{\circ}\text{F}$ or $\pm 0.2^{\circ}\text{C}$.)

Because of the near-total predominance of the Celsius scale that now prevails in marine affairs, all shorestation sea-surface temperature data obtained subsequent to 1977 have been published in $^{\circ}\text{C}$. Therefore, for those stations still utilizing Fahrenheit thermometers in 1980, the original readings were converted to the corresponding Celsius values - rounded off to the first decimal place. The $^{\circ}\text{F}$ thermometers presently in use are being replaced by $^{\circ}\text{C}$ ones (-25° to $+55^{\circ}$, interval 1°) as attrition demands.

At all stations except West Van, McInnes Island, Cape Beale and Bamfield, the thermometer is (partially) enclosed in a protective case of 2.5-cm (1-in) aluminum pipe; this case also provides a "well" around the bulb of the thermometer. The case is attached to the end of a pole (also of aluminum pipe) which can be as long as about 6m (20 ft); the greater pole lengths are necessary at sites where observations are carried out from steep bluffs. The thermometer is lowered to a depth of 1m, and left for about two minutes. It is then raised and the water temperature recorded. At a few of these stations, seawater is obtained by bucket during inclement weather. At West Van, McInnes Island and Cape Beale, a bucket is used for all oceanographic observations; at Bamfield, a Van Dorn sampling bottle is used at all times. When bucket or bottle is used, the temperature recorded is that obtained by immersion of the thermometer in the water thus collected.

(b) Salinity

Salinities were determined at *seventeen* stations (all except Cape St. James² and West Van³). At the sites at which the pole assembly is usually utilized, a plastic or glass bottle - usually of about 710-cc (25-oz) capacity - is also attached to the assembly. The uncapped bottle will fill during immersion. At the same time that the temperature of the water is recorded, a sample is drawn from the bottle for use in the determination of salinity. For those sites where a bucket (e.g. Cape Beale) or a bottle (e.g. Bamfield) is used, the salinity sample is drawn from the bucket or bottle.

At all but three of these seventeen stations, the density of each sample was determined by hydrometer. (The salinity, in $^{\circ}/\text{oo}$ (parts per thousand), is then obtained from this value of density.) The hydrometers employed are similar to those used by the U.S. Coast and Geodetic

²Measurement of salinity was discontinued at Cape St. James on 31 May 1971.

³Only temperature has been measured at West Van since sampling began there on 3 December 1979.

Survey (USC&GS) at its tidal stations⁴; they actually measure the *specific gravity*⁵ of a seawater sample. Specific gravity is a ratio of two densities and is therefore a dimensionless quantity. If however, by definition, distilled water at a temperature 4°C (39.2°F) has a density $\rho_m = 1$, then the specific gravity of a substance having a density ρ is ρ/ρ_m and will be numerically equal to the value of ρ .

The density (or specific gravity) of a seawater sample depends upon both the salinity (the quantity of dissolved material in the sample) and the temperature of the sample at the time the measurement is made. Densities determined by hydrometer without temperature control must therefore be reduced to some "standard" temperature for conversion to the corresponding salinities. The standard adopted for this program is 15°C (59°F), the same as that presently used by the USC&GS.

An expression of the general form *Sp. Gr. Tp. (or Temp.) $15/4^{\circ}\text{C}$* is provided on every hydrometer utilized in this program. It incorporates both the basis of specific gravity (distilled water at 4°C (39.2°F)) and the standard temperature (15°C , or 59°F) employed.

Hydrometers are supplied to the stations in one or more of three ranges of specific gravity: $0.9960 - 1.0110$, $1.0100 - 1.0210$, and $1.0200 - 1.0310$. The scales are divided into intervals of 0.0002 , and the values are estimated to ± 0.0001 ; the instruments are read employing techniques described by the USC&GS (Adams, 1942). Each instrument has its calibration checked immediately before being sent to a station.

Salinities at Departure Bay were determined by means of a laboratory inductive (electrodeless) salinometer - an Auto-Lab Model Mark III. Values were estimated to the nearest $0.001^{\circ}/\text{oo}$. The accuracy of this model is claimed to be $\pm 0.003^{\circ}/\text{oo}$ with duplicate determinations.

It may be noted that "comparison" determinations involving several dozen samples collected at British Columbia shorestations have indicated that about 85% of the "hydrometer" salinity values were within $\pm 0.3^{\circ}/\text{oo}$ of the corresponding ones obtained by salinometer (Hollister, unpublished).

Because of a continuing incapacity of inductive-salinometry equipment (see Giovando, 1981b), samples obtained from Cape Beale or Bamfield were analysed by means of an American Optical Corporation salinity refractometer having automatic temperature compensation. The accuracy of this instrument is believed to be about $\pm 0.8^{\circ}/\text{oo}$. Readings were estimated to the equivalent of about $\pm 0.4^{\circ}/\text{oo}$.

The time of each daily observation, as well as the associated seawater temperature and hydrometer, salinometer or refractometer readings, were

⁴Since 1970, the USC&GS has been a component of the National Ocean Surveys of the National Oceanic and Atmospheric Administration (NOAA).

⁵It should be noted that the term "specific gravity" has recently been replaced, in scientific usage at least, by the term "relative density".

recorded on monthly field sheets. These sheets were forwarded to West Van, where they underwent preliminary processing.

PRELIMINARY PROCESSING OF THE DATA

The temperature data were scanned, and values were rejected if it was discovered that a faulty thermometer had been used, or if the value was obviously the result of a misreading or of any other error in technique. Observed hydrometer readings were reduced to densities at the standard temperature, 15°C (59°F), by means of tables prepared by the USC&GS (Zerbe and Taylor, 1953). The appropriate calibration correction was then applied to each such density value. These corrected values were in turn converted to salinities. A salinity value was rejected, again, only if it obviously had resulted from a misreading of hydrometer, salinometer or refractometer or from other procedural errors.

If observations were missing for *one* day or for *two consecutive* days, the resulting gap was filled by value(s) obtained by linear interpolation utilizing the two observations bounding the gap. No interpolation was undertaken in those cases for which readings had been missed for *three or more consecutive* days (whether by accident or by design). Interpolated values were used to provide continuity to graphical representation of the data (see next section).

The salinity values determined by inductive salinometer were reported, in "final" form, to *two* decimal places. Those obtained by hydrometer or by refractometer were reported to only *one* decimal place, because of the lesser accuracy of these instruments compared to that of the salinometer.

MACHINE PROCESSING OF THE DATA

The daily temperature and salinity data remaining after the preliminary procedures noted above were processed into final form by the Marine Environmental Data Service (MEDS), of DFO, in Ottawa, Ontario. For each station, this computer processing involved the determination of the twelve monthly means for temperature and for salinity, as well as of the corresponding standard deviations. The annual means were also computed (Somers, 1965). All such means - except those associated with salinity for months during which a salinometer was utilized - were rounded to *one* decimal place, and the corresponding standard deviations were truncated at the *second* decimal place. The remaining means were rounded to *two* places, and the corresponding standard deviations were truncated at the *third* place. Data obtained by interpolation were not utilized in the computation of the means.

A form of smoothing was performed on the data to minimize the effect of any variability associated with frequencies large compared to the annual frequency (those associated with lunar tides, for example). For simplicity, the daily values of salinity and/or temperature at each sampling station were here considered to be equally spaced in time - with a sampling interval, therefore, of 24 hours. A seven-day, normally-weighted running mean (Holloway, 1958) was utilized to smooth the resulting series; this form of

filtering is considered to result in an output free of such defects as "polarity reversals" or phase shifts. The running mean was computed, for the entire year, for both temperature and salinity. In order that these means for each station be as continuous as possible consistent with the data involved, daily values obtained by interpolation were utilized in the associated computations. However, when a period of greater than two consecutive days of missed data was encountered the computations were "interrupted".

PRESENTATION OF DATA

The data from each station are presented in two forms:

(1) Tabulations, in monthly format, of the daily values of temperature in °C and of salinity in parts per thousand (‰) - pages 18 to 93.
 The results are listed in the same station order as that given in Table 1. Three months' data are listed on each page. Also recorded for each month are the mean, the standard deviation (STD. DEV.), the number of observations (OBSVNS.) involved in the computations of these two quantities, and the MAXIMUM and MINIMUM values. The annual means (YRLY. MEANS) for temperature and salinity are included with the December output for each station. Each interpolated daily value is identified by an asterisk (*). "Missed" values with which no interpolation is associated are denoted by a * followed by a blank space. Invalid days, such as April 31, are indicated by a blank space alone. Both the latitude and the longitude of each station (in degrees, minutes and seconds) are noted on every page, immediately after the station designation. For ease in reference, the monthly- and annual-mean temperatures and salinities have been summarized. Temperatures in °C are given in Table 2. In addition, the °F equivalents of the values in Table 2 are provided in Table 3 - primarily for the convenience of those who, because of either choice or necessity, still employ the Fahrenheit scale. The corresponding salinities are given in Table 4.

(2) "Annual" graphs of the seven-day, normally-weighted running means for temperature and salinity - pages 96 to 133.

These graphs are copies of the computer-generated plots of the means. Any interruption - due to missing data - in the associated computations will result in a gap in the plotted output as well. Each graph for temperature is provided with scales in both °C and °F.

Several features associated with the information presented should be noted:

(a) Circumstances beyond the control of the sampling program have resulted in significant data shortfalls at some stations:

(i) At Bamfield, no sampling was carried out during the months January through April, November and December. Of the remaining six months, four - July through October - were each characterized by having a number of daily values considerably less than the maximum possible; observations in September and October were especially scanty.

(ii) At Departure Bay, observations have *not* - since May 1974 - been carried out on weekends (Saturdays and Sundays) or on statutory holidays. The maximum number of (non-interpolated) values available for determination of each monthly mean has therefore been permanently reduced from, approximately, thirty to twenty at this site.

In the "overall" view provided by the monthly-mean summaries in Tables 2, 3 and 4, the reader is alerted to the presence of "data-poor" months by the symbols "++" and "+". In three tables, those months for which 1 to 10 (11 to 20) values of temperature or salinity were recorded have been flagged by ++(+); it is hoped that these (admittedly-arbitrary) designations will emphasize the need for circumspection in the use of the data involved.

(b) At Bamfield, temperatures obtained in 1980 were recorded only to the nearest 0.5°C . This unfortunately differs from the procedure followed during the years 1978 and 1979 - at which time temperatures were read to the nearest 0.1°C .

(c) At Langara Island, a few salinities of $33^{\circ}/\text{o}$ or more were recorded in May of 1980. Such values have also been obtained in some previous years at B.C. shorestations (see e.g. Giovando, 1981b). All physical-oceanographic studies so far conducted indicate that such values of salinity are extremely unlikely to occur in the nearshore surface waters of B.C. The observer at the station had previously been apprised of this fact, and therefore checked both equipment and procedures thoroughly during the "high-value" periods. No obvious faults or errors were revealed; however, with due regard to the uncertainties associated with salinities determined by hydrometer, such values should be regarded with extreme caution pending a satisfactory explanation of their occurrences. These "high" salinities have been retained in the tabular output but have been flagged by a double asterisk (**); arbitrarily, they have been utilized in the computations of the running means but *not* in those of the monthly means.

(d) At some of the program's shorestations in the Strait of Georgia, there can exist periods throughout which the recorded daily *salinity* values (and therefore the associated running means) are relatively low - often appreciably less than $20^{\circ}/\text{o}$. Such values can be present at any time. However, they occur by far the most frequently during the months June through August - at which time they presumably result primarily from the marked freshening of the surface waters by runoff from the Fraser River. In 1980, low values were noted at Active Pass (especially), Departure Bay and Entrance Island.

In previous data reports of the program, such values of the running means in *salinity* have been accommodated (and emphasized) by changing the range of the graphs in question to 18 to $32^{\circ}/\text{o}$ from the usual 20 to $34^{\circ}/\text{o}$. Commencing with the present report, a new method will be utilized to display any

depressed means. The salinity range associated with the relevant graph will remain unchanged. (20 to 34‰). However, running-mean values of 20‰ or less are "displaced" to the uppermost level of the graph, i.e. for these values the 34‰ level becomes in effect the 20‰ level, the 32‰ level the 18‰ level, and so on. As an example, the three salinity running-mean minima that occurred at Active Pass during July 1980 - numbered chronologically (1, 2 and 3) on page 133- are in this new representation seen to have the graphical values 16.9, 19.1 and 16.0 respectively. The actual values calculated for these minima were 16.86, 19.08 and 16.06 respectively.

Brief mention may be made of some recent efforts at analysis (as opposed to "annual" tabulations) of the B.C. shorestation data obtained up to the end of 1976. A preliminary study (Webster and Farmer, 1976) examined data from three of the stations on the outer coast - Langara Island, Kains Island and Amphitrite Point. The primary purpose was the development of techniques for the presentation of important features of the data - such as long- and short-term variations at each station, and the possible relationships between the data from different stations. The techniques applied were simple annual and monthly averaging, and the relatively modern technique of spectral analysis. The same authors later extended these analytical techniques to a further fourteen stations (Webster and Farmer, 1977).

A third publication (Associated Engineering Services Ltd., 1977) deals with the general efficiency of the present shorestation sampling program, especially in the light of financial constraints involved. Sampling errors, especially those inherent in salinity determination by hydrometry, are exhaustively discussed. Central to the study was a questionnaire - forwarded to all present and potential users of the data - seeking to clarify such information as the time scales of interest and the required accuracy of the data. Responses to this questionnaire, and the sampling accuracies determined, were utilized to prepare several options (further versions of the sampling program). These options, each of different sampling intensities and/or instrumentation mixes, and cost, are presented for consideration by the users.

ACKNOWLEDGEMENTS

The sea-sampling program at British Columbia shore stations owes its success primarily to the dedication of the many observers who are taking, or have taken, part in the obtaining of data. These observers have maintained a remarkable continuity of effort, often in the face of extremely hazardous sea and weather conditions. The several vital contributions of MOT to the program are gratefully acknowledged: the provision of the voluntary services of the lightkeepers as observers, as well as the excellent assistance received from the District Managers and Staffs of the Marine Transportation Division in Victoria and Prince Rupert, and from its Radio Branch, which transmits the numerous messages involved in the program. The services of the meteorological staff at Cape St. James have been made available to the program through the kind permission of the Regional Director of the Pacific Region of AES. The observers at all stations except Bamfield and Cape Beale receive payment from Ocean and Aquatic Sciences, DFO, for their work on behalf of the program. Observations at Bamfield are carried out by members of the station staff; the observer at Cape Beale is paid by Bamfield. Thanks are due to the Director at Bamfield, Dr. R.E. Foreman, for permission

to publish the Bamfield and Cape Beale data included in this report, and to Miss Sabina Leader for her efforts in making these data available. The computations were carried out by the Data Processing and Analysis Section of MEDS, under the direction of Mr. J. Nasr.

The report was typed by Netta Delacretaz/Judy Pitcher.

REFERENCES

- Adams, K.T. 1942. Hydrographic manual. Rev. Ed. U.S. Coast and Geodetic Survey. Special Publication No. 143.
- Associated Engineering Services Ltd. 1977. Analysis of Lighthouse Oceanographic Data - Phase III. Contractor Report Series 77-5. For: Institute of Ocean Sciences, Patricia Bay - Sidney, B.C.
- Fisheries and Environment Canada. 1980. Canadian Tide and Current Tables, Volumes 5 (Juan de Fuca and Georgia Straits) and 6 (Barkley Sound and Discovery Passage to Dixon Entrance). Fisheries and Marine Service, Ottawa.
- Giovando, L.F. 1981a. Observations of Seawater Temperature and Salinity at Cape Beale Lightstation and Bamfield Marine Station, 1969-1977. Pacific Marine Science Report 81-6. Institute of Ocean Sciences, Sidney, B.C.
- Giovando, L.F. 1981b. Observations of Seawater Temperature and Salinity at British Columbia Shore Stations, 1979. Pacific Marine Science Report 81-23. Institute of Ocean Sciences, Sidney, B.C.
- Hollister, H.J. and A.M. Sandnes. 1972. Sea surface temperatures and salinities at shore stations on the British Columbia coast, 1914-1970. Pacific Marine Science Report 72-13. Environment Canada, Marine Sciences Directorate, Pacific Region, Victoria, B.C.
- Holloway, J.L., Jr. 1958. Smoothing and filtering of time series and space fields. In: Advances in Geophysics, Vol. 4. pp. 351-389. Academic Press Inc., New York.
- Somers, H. 1965. Program G20106, daily seawater observations. Memorandum 1220-2-4/April 30, 1965. Canadian Oceanographic Data Centre, Special Administrative Services Division, Ottawa.
- Webster, Ian and David M. Farmer. 1976. Analysis of Salinity and Temperature Records Taken at Three Lighthouses on the B.C. Coast. Pacific Marine Science Report 76-11. Institute of Ocean Sciences, Patricia Bay - Victoria, B.C.
- Webster, I. and D.M. Farmer. 1977. Analysis of Lighthouse Station Temperature and Salinity Data - Phase II. Pacific Marine Science Report 77-21. Institute of Ocean Sciences, Patricia Bay - Sidney, B.C.
- Zerbe, W.B. and C.B. Taylor. 1953. Sea water temperature and density reduction tables. U.S. Coast and Geodetic Survey. Special Publication No. 298.




Figure 1. Location of B.C. shore stations (underlined) making daily oceanographic observations (1980) reported in this publication.

Table 1. B.C. shore stations providing the oceanographic data reported in this publication: general locations, and names of observers.

STATION	LOCATION	OBSERVER(S)
<u>Outside Coast</u>		
Langara Island	Dixon Entrance, south side	J.E. Redhead (Mrs.)
Bonilla Island	Hecate Strait, north	J. Beaudet
Cape St. James	Queen Charlotte Islands, south end	R. Dobinson H. Ewen
McInnes Island	Milbanke Sound entrance, north side	K. Coldwell (Mrs.)
Egg Island	Smith Sound, southern entrance	S.G. Westhaver R.E. Akerstrom
Pine Island	Queen Charlotte Strait, western entrance	L. Bablitz (Mrs.) S. Lee (Mrs.) A. Bablitz
Kains Island	Quatsino Sound entrance, north side	R.W. Moe
Amphitrite Point	Barkley Sound, western entrance	M.V. Stewart (Mrs.) C. Slater (Mrs.)
Cape Beale	Barkley Sound, eastern entrance	A.D. Thomson
Bamfield	Barkley Sound, near eastern entrance	S. Leader (Miss)
Sheringham Point	Juan de Fuca Strait, northern shore	E. Bruton (Mrs.)
Race Rocks	Juan de Fuca Strait, eastern end	F.B. Anderson (Mrs.)

Table 1 continued

STATION	LOCATION	OBSERVER(S)
<u>Strait of Georgia</u>		
Cape Mudge	Strait of Georgia, northern entrance	R. Wilkie S. Terrill D. Earl
Chrome Island	Strait of Georgia, off central western shore	J. Etzkorn (Mrs.) K.E. Watson (Mrs.) M.V. Stewart (Mrs.)
Sisters Island	Strait of Georgia, central	D.J. McNeil W. Milne R.J. Grunert R. Nagel
Departure Bay	Strait of Georgia, central western shore	A. Ballantyne (Mrs.)
Entrance Island	Strait of Georgia, off central western shore	E. Cehak (Mrs.)
West Vancouver	Strait of Georgia, central eastern shore	A. Lamb P. Edgell
Active Pass	Strait of Georgia, southwestern shore	J.E. Ruck

Table 2. Monthly- and annual-mean temperatures ($^{\circ}\text{C}$) - 1980

Station	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Langara I.	5.5	7.0	6.8	7.9	9.3	10.6	12.3	12.1	11.3	11.6	9.5	6.6	9.2
Bonilla I.	6.6	6.9	7.1	7.9	9.3	11.1	12.4	12.3	11.1	11.0	9.8	7.8	9.4
Cape St. James	8.3	8.1	7.8	8.2	9.2	11.1	12.2	12.8	11.8	10.2	9.7	8.8	9.9
McInnes I.	6.8	6.8	7.1	8.1	9.9	11.5	13.4	13.1	12.0	10.7	9.6	7.7	9.7
Egg I.	7.5	7.6	7.8	8.4	10.0	12.6	13.7	12.4	10.8	10.3	10.2	8.4	10.0
Pine I.	8.2	7.9	8.0	8.5	8.8	9.6	9.9	9.5	9.3	9.7	9.6	8.6	9.0
Kains I.	8.1	8.2	8.6	9.1	10.8	12.2	13.3	12.3	12.5	12.4	10.6	9.1	10.6
Amphitrite Pt.	7.5	8.0	8.7	10.1	11.3	12.1	12.7	13.4	12.9	12.1	11.1	9.4	10.8
Cape Beale	8.1	7.8	8.7	10.4	11.2	11.8	12.7	11.7	11.2	11.8	10.6	9.2	10.5
Bamfield	-	-	-	-	13.4	13.8	+15.4	+15.3	+13.5	+12.0	-	-	-+++
Sheringham Pt.	8.0	7.7	8.0	8.6	9.5	10.5	11.5	11.5	11.4	10.6	9.6	8.6	9.6
Race Rocks	7.8	7.7	8.0	8.7	9.5	9.5	10.7	10.9	10.5	10.0	9.3	8.6	9.3
Cape Mudge	7.2	7.1	7.9	10.0	11.7	12.5	15.2	13.3	12.4	11.1	9.4	8.2	10.6
Chrome I.	6.7	6.8	7.5	8.7	11.4	14.0	16.4	16.4	13.0	11.1	9.2	7.6	10.7
Sisters I.	6.4	6.4	7.5	9.2	12.4	15.2	17.0	17.1	14.2	12.2	9.5	7.7	11.3
Departure Bay	6.0	6.6	7.6	+9.9	+12.4	+14.9	17.7	+16.8	+14.1	+11.5	+9.1	+7.1	11.0
Entrance I.	6.7	6.5	7.6	9.5	12.2	14.6	16.8	16.6	13.6	12.0	9.5	8.0	11.1
West Vancouver	7.1	7.7	8.0	8.8	10.9	13.6	16.9	16.6	14.2	11.8	9.7	8.3	11.1
Active Pass	6.7	6.4	7.7	9.9	11.4	13.1	15.5	15.2	13.0	11.6	9.4	7.9	10.7

14

Note: - Signifies no data obtained

+ Signifies months in which 11 to 20 daily values of temperature were recorded

++ Signifies months in which 1 to 10 daily values of temperature were recorded

-+++ Signifies annual mean not listed, being considered unrepresentative because of general lack of data during the year

Table 3. Monthly- and annual-mean temperatures ($^{\circ}$ F) - 1980

Station	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Langara I.	41.9	44.6	44.2	46.2	48.7	51.1	54.1	53.8	52.3	52.9	49.1	43.9	48.6
Bonilla I.	43.9	44.4	44.8	46.2	48.7	52.0	54.3	54.1	52.0	51.8	49.6	46.0	48.9
Cape St. James	46.9	46.6	46.0	46.8	48.6	52.0	54.0	55.0	53.2	50.4	49.5	47.8	49.8
McInnes I.	44.2	44.2	44.8	46.6	49.8	52.7	56.1	55.6	53.6	51.3	49.3	45.9	49.5
Egg I.	45.5	45.7	46.0	47.1	50.0	54.7	56.7	54.3	51.4	50.5	50.4	47.1	50.0
Pine I.	46.8	46.2	46.4	47.3	47.8	49.3	49.8	49.1	48.7	49.5	49.3	47.5	48.2
Kains I.	46.6	46.8	47.5	48.4	51.4	54.0	55.9	54.1	54.5	54.3	51.1	48.4	51.1
Amphitrite Pt.	45.5	46.4	47.7	50.2	52.3	53.8	54.9	56.1	55.2	53.8	52.0	48.9	51.4
Cape Beale	46.6	46.0	47.7	50.7	52.2	53.2	54.9	53.1	52.2	53.2	51.1	48.6	50.9
Bamfield	-	-	-	-	56.1	56.8	+59.7	+59.5	++56.3	++53.6	-	-	-+++
Sheringham Pt.	46.4	45.9	46.4	47.5	49.1	50.9	52.7	52.7	52.5	51.1	49.3	47.5	49.3
Race Rocks	46.0	45.9	46.4	47.7	49.1	49.1	51.3	51.6	50.9	50.0	48.7	47.5	48.7
Cape Mudge	45.0	44.8	46.2	50.0	53.1	54.5	59.4	55.9	54.3	52.0	48.9	46.8	51.1
Chrome I.	44.1	44.2	45.5	47.7	52.5	57.2	61.5	61.5	55.4	52.0	48.6	45.7	51.3
Sisters I.	43.5	43.5	45.5	48.6	54.3	59.4	62.6	62.8	57.6	54.0	49.1	45.9	52.3
Departure Bay	42.8	43.9	45.7	+49.8	+54.3	+58.8	63.9	+62.2	+57.4	+52.7	+48.4	+44.8	51.8
Entrance I.	44.1	43.7	45.7	49.1	54.0	58.3	62.2	61.9	56.5	53.6	49.1	46.4	52.0
West Vancouver	44.8	45.9	46.4	47.8	51.6	56.5	62.4	61.9	57.6	53.2	49.5	46.9	52.0
Active Pass	44.1	43.5	45.9	49.8	52.5	55.6	59.9	59.4	55.4	52.9	48.9	46.2	51.3

15

Note: - Signifies no data obtained

+ Signifies months in which 11 to 20 daily values of temperature were recorded

++ Signifies months in which 1 to 10 daily values of temperature were recorded

-+++ Signifies annual mean not listed, being considered unrepresentative because of general lack
of data during the year

Table 4. Monthly- and annual-mean salinities ($^{\circ}/oo$) - 1980

Station	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Langara I.	31.9	32.0	32.0	32.0	32.3	32.3	32.2	31.9	32.1	32.0	31.7	31.7	32.0
Bonilla I.	30.6	30.9	30.8	30.8	30.7	31.1	31.0	31.0	31.1	31.2	31.1	31.1	30.9
McInnes I.	30.8	31.1	31.6	31.6	31.3	31.9	31.6	31.5	31.2	30.2	30.5	30.1	31.1
Egg I.	31.4	32.1	31.3	31.5	30.5	29.3	27.6	30.1	30.7	31.4	31.5	30.6	30.6
Pine I.	31.2	31.2	30.9	31.2	31.2	31.3	31.6	32.1	31.9	32.1	31.6	31.3	31.5
Kains I.	28.7	29.4	29.2	29.7	29.9	31.2	31.3	31.7	30.6	30.4	28.5	27.4	29.8
Amphitrite Pt.	28.4	28.8	28.1	29.3	30.1	30.8	30.8	30.9	29.9	30.2	28.2	26.8	29.4
**Cape Beale	29.4	29.4	29.8	30.4	31.1	31.5	31.0	31.3	30.7	31.2	29.8	28.0	30.3
**Bamfield	-	-	-	-	26.1	28.7	+26.9	+28.0	++27.8	++28.6	-	-	-+++
Sheringham Pt.	30.4	30.8	31.3	31.0	31.3	31.5	31.7	31.5	31.5	31.3	30.9	30.6	31.2
Race Rocks	31.1	31.5	31.4	31.7	31.7	32.0	31.9	31.8	31.9	31.9	32.1	31.8	31.7
Cape Mudge	28.4	28.5	28.7	29.2	29.0	28.4	27.5	28.6	28.7	29.1	29.1	28.8	28.7
Chrome I.	28.9	28.9	28.9	29.2	28.7	27.5	26.0	27.4	28.5	29.0	28.7	27.1	28.2
Sisters I.	28.3	28.6	28.9	28.9	27.3	25.3	24.0	26.7	27.4	27.5	27.6	27.8	27.3
*Departure Bay	26.84	25.37	27.56	+27.16	+25.67	+22.86	21.30	+25.80	+26.35	+27.85	+26.02	+25.33	25.68
Entrance I.	27.7	27.6	27.8	28.0	26.1	23.8	22.4	26.1	27.1	27.4	28.2	27.3	26.6
Active Pass	28.6	28.3	28.2	27.2	26.8	24.8	23.3	25.2	27.0	25.9	27.9	26.8	26.6

16

Note: * Signifies daily salinity values were determined by inductive salinometer

** Signifies daily salinity values were determined by refractometer

- Signifies no data obtained

+ Signifies months in which 11 to 20 daily values of salinity were recorded

++ Signifies months in which 1 to 10 daily values of salinity were recorded

-+++ Signifies annual mean not listed, being considered unrepresentative because of general lack of data during the year

Tabulations of Daily Sea-surface
Temperature and Salinity

1980

TEMP: Temperature ($^{\circ}$ C)

SAL: Salinity ($^{\circ}$ /oo)

LANGARA ISLAND

54 15 19 N 133 03 30 W

	JANUARY		FEBRUARY		MARCH		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	07.7	32.1	07.1	31.9	07.8	32.1	
2	07.8	32.1	07.4	31.8	07.8	32.4	
3	07.2	31.9	06.4	31.9	07.4	32.4	
4	06.6	32.3	06.6	32.0	06.1	32.4	
5	06.1	32.0	07.2	31.9	06.6	32.4	
6	07.3	32.0	07.4	32.4	06.8	32.0	
7	06.8	32.0	07.3	32.0	07.4	32.3	
8	02.9	31.8	07.3	31.8	07.4	32.3	
9	03.5	31.6	07.2	31.8	07.2	31.9	
10	03.3	31.9	07.1	31.9	06.5	32.1	
11	03.4	31.6	06.9	32.0	05.8	31.6	
12	02.7	31.8	07.6	31.6	05.7	31.9	
13	02.8	31.8	06.7	32.0	05.9	31.9	
14	04.8	32.0	06.1	31.9	05.8	31.9	
15	05.6	31.9	05.7	32.0	06.3	31.8	
16	05.4	32.0	05.9	32.1	06.7	32.0	
17	05.9	32.1	06.1	31.9	06.2	31.8	
18	04.4	31.6	06.6	32.4	06.8	31.5	
19	06.5	32.0	06.7	32.5	07.0	32.0	
20	06.6	31.8	07.1	32.4	07.3	31.9	
21	06.7	31.8	06.7	32.1	07.3	32.1	
22	07.7	31.8	07.7	31.6	07.1	32.1	
23	06.3	31.8	07.4	32.0	07.2	32.0	
24	06.2	32.1	07.2	32.4	06.4	32.0	
25	05.6	31.9	07.1	32.4	06.1	31.8	
26	04.9	31.9	07.1	31.8	06.6	31.6	
27	04.4	32.0	07.2	32.3	06.5	32.0	
28	04.3	32.0	07.6	32.4	06.9	31.9	
29	05.1	32.0	07.4	32.1	07.3	31.6	
30	04.7	31.8			07.1	31.8	
31	06.6	32.4			07.2	31.9	
MEANS	5.5	31.9	7.0	32.0	6.8	32.0	
STDEVNS.	31	31	29	29	31	31	
MAXIMUM	7.8	32.4	7.7	32.5	7.8	32.4	
MINIMUM	2.7	31.6	5.7	31.6	5.7	31.5	
STD.DEV.	1.54	.18	.52	.25	.59	.25	

LANGARA ISLAND

54 15 19 N 133 03 30 W

	APRIL	MAY	JUNE	1980		
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	07•3	32•0	08•7	32•0	08•9	32•1
2	07•8	32•0	08•9	32•0	09•4	31•9
3	08•1	31•9	09•1	32•8	10•6	32•9
4	07•4	32•3	09•6	31•8	09•1	32•7
5	07•9	31•9	09•8	31•9	10•3	32•4
6	07•1	32•0	09•9	32•4	12•7	32•5
7	07•8	31•9	09•0	32•1	10•3	32•3
8	07•7	31•8	09•1	32•3	09•5	32•3
9	07•8	32•1	10•7	32•8	09•5	32•0
10	07•7	32•0	08•9	32•5	11•3	32•3
11	07•8	32•1	08•8	** 33•0	08•9	32•5
12	07•9	32•0	09•1	** 33•0	09•5	32•5
13	08•4	31•9	09•1	32•5	09•4	32•4
14	08•3	32•1	09•6	32•7	09•4	32•5
15	07•8	32•1	09•8	32•4	10•0	32•1
16	07•8	31•8	09•4	32•8	11•1	32•7
17	08•3	31•9	10•2	32•7	10•0	32•5
18	08•2	31•9	09•6	** 33•4	10•7	32•4
19	08•3	31•8	09•4	** 33•2	11•1	32•4
20	08•2	31•9	09•8	32•4	11•8	32•1
21	07•5	31•8	09•9	32•7	12•1	32•3
22	08•3	31•6	08•8	32•4	10•9	32•1
23	07•4	32•3	08•8	32•1	10•9	31•9
24	07•7	31•9	08•6	32•4	11•7	32•0
25	07•8	31•9	08•4	32•4	12•1	32•3
26	08•3	32•3	08•8	32•1	11•1	31•4
27	07•4	31•8	08•7	32•1	10•7	32•1
28	08•5	32•1	09•3	32•1	12•4	32•5
29	07•7	32•0	09•1	32•4	11•1	32•8
30	08•8	32•0	09•9	32•4	11•3	32•3
31			09•2	31•9		
S•	7•9	32•0	9•3	32•3	10•6	32•3
	30	30	31	27	30	30
UM	8•8	32•3	10•7	32•8	12•7	32•9
UM	7•1	31•6	8•4	31•8	8•9	31•4
EV.	•40	•16	•53	•30	1•08	•31

WANGARA ISLAND 54 15 19 N 133 05 30 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.1	32.7	13.2	31.8	11.1	31.4
2	11.8	32.5	13.9	32.0	11.2	31.6
3	12.7	32.8	13.4	31.9	11.1	32.1
4	13.9	32.5	14.4	32.0	10.1	32.1
5	13.2	32.5	13.2	32.1	10.6	32.0
6	12.0	32.3	12.2	32.1	11.3	32.1
7	11.1	32.3	12.4	31.9	10.7	32.1
8	11.3	32.3	12.7	32.0	12.0	32.4
9	* 12.0	* 32.5	12.7	32.3	12.2	32.3
10	12.7	32.8	11.7	32.3	12.5	32.3
11	11.3	32.1	12.4	31.9	12.1	32.4
12	12.4	32.3	11.4	32.4	12.7	32.3
13	11.0	32.4	12.3	32.3	13.1	32.3
14	11.9	32.5	12.1	31.9	11.6	32.0
15	11.4	32.5	11.5	31.9	11.3	31.9
16	12.3	32.5	10.9	31.8	11.1	31.9
17	11.1	32.1	11.7	32.0	11.3	32.1
18	10.6	32.0	11.8	31.4	11.3	31.9
19	12.3	32.1	12.6	31.0	10.7	31.8
20	12.7	32.1	12.8	30.6	11.4	31.8
21	12.5	32.0	12.4	30.8	10.1	31.5
22	13.2	31.9	10.9	31.4	11.2	31.9
23	13.3	31.9	10.7	31.8	10.7	31.9
24	12.6	31.6	12.3	31.4	10.4	32.3
25	12.9	31.9	10.3	32.3	10.3	32.1
26	12.8	31.8	11.1	31.8	10.8	32.1
27	12.7	31.9	11.8	32.0	11.0	32.4
28	13.0	31.9	11.1	32.1	10.5	32.3
29	13.2	32.3	12.2	32.1	11.8	32.3
30	12.5	31.6	11.6	32.3	12.5	32.3
31	13.4	32.0	11.1	31.8		
MEANS OBSVNS.	12.3 30	32.2 30	12.1 31	31.9 31	11.3 30	32.1 30
MAXIMUM	13.9	32.8	14.4	32.4	13.1	32.4
MINIMUM	10.6	31.6	10.3	30.6	10.1	31.4
STD.DEV.	.66	.33	.95	.44	.78	.27

LANGARA ISLAND

54 15 19 N 133 03 30 W

OCTOBER DATE	OCTOBER		NOVEMBER		DECEMBER		1980
	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	* 12.6	* 32.2	10.8	31.6	06.1	31.2	
2	2.5 12.7	32.1	10.7	31.9	06.0	31.4	
3	5.5 12.1	32.1	11.4	31.8	05.9	31.1	
4	5.5 12.4	32.1	11.1	31.6	05.7	31.1	
5	5.5 12.6	32.0	10.7	31.4	05.6	31.1	
6	5.5 12.6	31.9	10.7	31.6	04.5	31.2	
7	2.5 12.4	31.6	10.1	32.0	05.4	31.0	
8	0.5 12.3	32.0	10.9	31.0	07.3	31.4	
9	3.0 11.8	32.0	08.4	31.9	07.7	31.9	
10	0.5 11.7	32.3	08.9	32.0	08.1	31.4	
11	1.5 11.9	32.0	09.2	32.0	07.6	31.4	
12	2.5 11.4	31.9	10.1	31.5	07.4	31.5	
13	1.5 11.2	32.0	10.1	31.5	07.8	31.9	
14	2.5 11.4	32.1	09.5	31.4	08.2	32.0	
15	0.5 11.9	32.0	09.6	31.9	07.6	31.5	
16	0.5 12.7	32.1	10.0	31.8	06.6	31.8	
17	2.5 12.2	32.0	09.6	31.9	06.7	31.5	
18	1.5 11.9	31.9	09.5	31.5	06.5	32.1	
19	3.5 11.4	32.0	09.5	31.8	05.4	32.1	
20	2.5 11.7	31.9	09.4	31.5	04.7	32.3	
21	2.5 11.6	32.0	08.6	31.8	04.9	32.0	
22	2.5 10.6	32.0	08.4	31.6	05.6	31.9	
23	2.5 10.4	32.1	09.1	31.6	05.4	32.1	
24	2.5 10.4	32.0	08.7	31.5	07.1	32.1	
25	2.5 10.2	32.3	08.8	31.8	07.1	32.0	
26	0.5 10.6	31.8	09.2	31.5	07.5	32.1	
27	0.5 11.1	31.9	08.9	31.9	07.4	31.6	
28	2.5 11.3	31.8	08.4	31.6	08.2	31.6	
29	2.5 11.7	31.6	07.8	31.6	07.9	31.4	
30	2.5 10.4	31.6	07.2	31.4	06.9	32.0	
31	0.5 11.1	31.6			06.5	32.0	
MEANS	11.6	32.0	9.5	31.7	6.6	31.7	31.4
STD. DEVS.	1.5 3.1	30	30	30	31	31	31
YRLY. MEANS	9.2	32.0	
MAXIMUM	12.8	32.3	11.4	32.0	8.2	32.3	32.3
MINIMUM	0.5 10.2	31.6	8.7	31.4	4.5	31.0	31.0
STD. DEV.	0.76	0.18	1.02	0.19	1.10	0.38	0.41
SDS.	0.5						

BUNILLA ISLAND

53 29 39 N 130 30 04 W

	JANUARY		FEBRUARY		MARCH		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	08.6	31.1	7.0	30.8	7.3	30.8	
2	08.4	31.0	* 7.0	* 30.8	7.2	30.6	
3	08.3	30.7	6.9	30.7	7.2	30.3	
4	08.2	30.6	6.9	30.7	7.2	30.7	
5	07.5	30.7	7.2	31.0	* 7.2	* 30.7	
6	07.2	30.6	7.2	30.8	7.1	30.7	
7	07.5	30.7	7.2	30.8	7.6	31.0	
8	06.7	30.7	7.2	30.6	6.8	30.6	
9	06.2	30.7	7.1	30.6	7.3	31.0	
10	* 06.2	* 30.6	6.9	30.7	7.1	30.2	
11	* 06.1	* 30.5	* 6.8	* 30.9	6.9	30.6	
12	06.1	30.4	6.6	31.1	5.7	30.8	
13	06.2	30.7	6.6	30.4	6.7	31.0	
14	06.2	30.6	6.1	30.6	6.6	30.8	
15	* 06.3	* 30.3	5.6	30.8	6.9	31.0	
16	06.5	30.0	6.7	31.4	7.3	30.8	
17	06.6	30.7	6.8	31.2	7.1	31.0	
18	06.1	30.4	6.9	31.4	7.2	30.8	
19	06.0	30.8	6.9	31.0	* 7.3	* 30.6	
20	06.1	30.6	* 6.9	* 31.0	7.5	30.3	
21	06.3	30.4	6.9	31.0	7.3	30.6	
22	07.1	29.9	7.2	30.8	7.2	31.0	
23	06.9	30.4	6.9	31.1	7.7	30.7	
24	06.6	31.0	6.9	31.1	7.4	30.7	
25	06.1	30.7	6.9	30.8	6.8	31.0	
26	05.6	31.0	6.9	30.8	6.9	30.4	
27	05.5	30.7	7.2	30.8	6.7	30.8	
28	05.0	31.0	7.2	30.6	7.3	31.1	
29	05.3	30.7	7.2	30.6	7.2	31.0	
30	05.0	30.6			7.0	30.7	
31	05.5	30.6			7.3	31.1	
MEANS BSNSNS.	6.6 28	30.6 28	6.9 26	30.9 26	7.1 29	30.8 29	
MAXIMUM	8.6	31.1	7.2	31.4	7.7	31.1	
MINIMUM	5.0	29.9	5.6	30.4	5.7	30.2	
STD DEV.	.97	.27	.30	.25	.38	.25	

BUNILLA ISLAND

53 29 39 N 130 36 04 W

	APRIL		MAY		JUNE		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	07.7	30.8	07.7	30.4	09.9	31.0	
2	* 08.4	* 30.9	10.0	30.4	09.7	31.1	
3	09.1	31.1	08.8	31.5	10.0	31.1	
4	08.6	30.8	10.3	30.7	10.3	30.7	
5	08.4	31.0	08.9	30.7	10.8	30.4	
6	07.2	31.0	10.0	31.1	12.5	31.4	
7	08.0	30.8	08.6	30.7	10.6	31.2	
8	07.6	31.0	08.6	30.4	10.5	31.1	
9	07.8	31.0	08.8	31.1	10.7	31.0	
10	07.5	30.6	08.6	30.7	10.0	30.8	
11	07.3	30.3	08.9	31.0	10.8	31.0	
12	07.6	30.3	* 09.2	* 30.7	11.2	31.4	
13	07.3	30.7	09.4	30.4	10.8	31.6	
14	08.2	30.8	10.0	30.8	* 11.2	* 31.6	
15	07.4	31.0	09.7	30.8	11.5	31.5	
16	* 08.0	* 31.1	10.0	30.6	12.2	31.2	
17	08.6	31.2	10.0	30.8	10.8	31.4	
18	07.6	30.8	10.1	30.7	11.7	31.5	
19	07.4	30.8	10.0	30.6	12.3	31.5	
20	* 07.6	* 30.9	08.6	30.4	10.8	31.1	
21	07.7	31.1	10.0	30.6	10.6	31.1	
22	07.5	30.8	08.9	30.2	* 11.1	* 30.9	
23	07.8	31.0	09.2	30.4	11.6	30.6	
24	07.7	30.8	09.2	31.0	12.3	31.0	
25	07.8	30.8	09.2	30.7	12.6	31.0	
26	08.2	30.8	09.2	30.7	12.8	31.1	
27	07.9	30.6	08.9	30.7	10.6	31.1	
28	09.3	30.8	09.1	30.7	* 10.9	* 31.1	
29	* 08.5	* 30.6	09.0	30.7	11.2	31.0	
30	07.7	30.4	09.4	31.1	* 11.3	* 31.0	
31			09.9	31.0			
MEANS	7.9	30.8	9.3	30.7	11.1	31.1	
STD.VNS.	2.6	2.6	3.0	3.0	2.6	2.6	
MAXIMUM	9.3	31.2	10.3	31.5	12.8	31.6	
MINIMUM	7.2	30.3	7.7	30.2	9.7	30.4	
STD.DEV.	.52	.23	.63	.28	.90	.29	

BONILLA ISLAND

53 29 39 N 130 38 04 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.4	31.0	13.1	30.7	12.1	30.8
2	11.6	30.7	13.1	31.0	12.7	30.8
3	12.5	31.1	12.9	30.7	11.7	30.8
4	12.8	31.5	12.8	31.0	12.1	30.6
5	11.6	30.8	12.3	31.0	11.6	30.4
6	11.9	30.8	11.6	31.2	* 12.2	* 30.7
7	11.1	31.4	* 11.8	* 31.2	12.8	31.0
8	11.3	31.4	11.9	31.1	11.5	30.6
9	11.6	31.1	11.1	31.5	11.7	30.6
10	11.8	31.2	11.1	30.8	11.3	30.6
11	11.7	30.6	13.7	31.6	10.9	31.2
12	* 11.7	* 30.8	* 13.8	* 31.4	10.7	31.2
13	11.7	31.0	14.0	31.2	10.7	31.4
14	* 12.4	* 31.1	13.3	31.2	10.4	31.2
15	13.2	31.2	12.9	30.7	10.2	31.2
16	13.4	31.1	12.8	30.7	10.4	31.1
17	13.6	31.2	* 12.4	* 30.8	10.8	31.5
18	12.1	31.4	11.9	31.0	10.3	31.6
19	11.8	31.2	12.5	31.4	10.4	31.1
20	12.7	31.0	12.2	30.7	10.6	31.4
21	12.2	30.4	12.0	30.8	10.4	31.5
22	11.9	31.0	10.8	30.4	11.1	31.1
23	13.4	30.4	11.2	30.8	11.1	31.5
24	13.3	30.4	12.8	31.0	* 11.1	* 31.5
25	13.6	31.0	11.9	30.7	11.2	31.4
26	12.5	30.8	12.6	30.8	10.7	31.6
27	13.6	31.0	* 12.1	* 30.9	10.6	31.6
28	* 13.5	* 31.2	11.6	31.1	10.5	31.4
29	13.3	31.4	11.2	31.0	10.8	31.4
30	12.9	31.0	12.8	31.2	10.3	31.1
31	12.6	30.6	12.7	31.1		
MEANS	12.4	31.0	12.3	31.0	11.1	31.1
STD.VNS.	2.8	2.8	2.7	2.7	2.8	2.8
MAXIMUM	13.6	31.5	14.0	31.6	12.8	31.6
MINIMUM	11.1	30.4	10.8	30.4	10.2	30.4
STD.DEV.	.80	.32	.84	.28	.72	.36

BONILLA ISLAND

53 29 39 N 130 38 04 W

OCTOBER

NOVEMBER

DECEMBER 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.2	31.2	10.3	30.7	07.2	31.8
2	10.9	31.4	10.2	31.0	08.0	31.4
3	10.7	31.6	10.4	31.0	07.9	31.4
4	11.3	31.8	10.4	31.1	07.4	31.1
5	11.6	31.5	10.4	31.2	06.7	31.1
6	11.4	31.6	10.1	31.2	* 06.3	* 31.3
7	12.1	30.7	10.0	30.3	05.9	31.5
8	11.7	31.8	10.1	31.0	07.7	30.7
9	11.6	31.5	09.9	31.5	07.5	30.8
10	11.7	31.5	09.8	31.2	08.8	30.2
11	11.9	31.4	09.6	31.4	08.2	30.8
12	11.3	31.6	09.9	30.8	07.9	31.0
13	* 11.3	* 31.6	10.3	31.5	08.3	30.8
14	11.3	31.6	09.8	31.4	09.0	31.8
15	11.0	31.6	10.0	31.4	09.4	31.1
16	11.1	31.4	10.2	30.7	09.3	31.4
17	11.3	31.5	09.9	31.2	08.4	31.2
18	10.9	31.0	09.4	31.4	07.3	31.2
19	10.4	30.3	09.6	31.1	08.2	31.1
20	10.3	31.2	09.9	31.1	07.4	31.8
21	10.5	30.7	09.9	31.5	07.8	31.6
22	10.1	31.0	09.3	31.2	07.6	31.4
23	10.7	31.0	09.4	30.8	07.0	31.1
24	10.3	30.6	09.3	30.8	07.2	31.0
25	10.1	31.1	09.7	31.4	07.9	31.1
26	10.4	31.1	* 09.4	* 31.3	07.9	30.3
27	10.5	30.2	09.2	31.2	07.7	30.8
28	10.7	30.6	09.0	31.2	08.1	30.8
29	10.6	31.1	09.4	31.1	07.7	30.3
30	10.5	31.2	09.1	31.1	07.3	30.6
31	10.4	30.7			07.1	30.6
MEANS	11.0	31.2	9.8	31.1	7.8	31.1
B&SVNS.	30	30	29	29	30	30
YRLY.MEANS.....					9.4	30.9
MAXIMUM	12.1	31.8	10.4	31.5	9.4	31.8
MINIMUM	10.1	30.2	9.0	30.3	5.9	30.2
STD.DEV.	.55	.43	.41	.28	.74	.43

CAPE ST JAMES

51 56 18 N 131 00 50 W

	JANUARY		FEBRUARY		MARCH		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	09.1	*		08.4	*	08.0	*
2	08.9	*	*	08.4	*	08.1	*
3	08.9	*		08.3	*	07.9	*
4	08.7	*		08.3	*	07.7	*
5	08.6	*		08.4	*	07.8	*
6	08.8	*		08.4	*	07.7	*
7	08.7	*		08.3	*	07.8	*
8	08.2	*		08.4	*	07.7	*
9	08.3	*		08.3	*	07.8	*
10	08.4	*		08.2	*	07.6	*
11	08.4	*		08.1	*	07.6	*
12	08.1	*		08.0	*	07.4	*
13	08.3	*		07.9	*	07.5	*
14	08.4	*	*	07.7	*	07.5	*
15	08.3	*		07.6	*	07.4	*
16	08.1	*		07.5	*	07.8	*
17	07.7	*		07.4	*	08.0	*
18	08.2	*		07.7	*	08.1	*
19	08.4	*		07.8	*	08.1	*
20	08.4	*		07.8	*	08.3	*
21	08.6	*		07.9	*	08.2	*
22	08.6	*		08.1	*	08.2	*
23	08.6	*		08.1	*	08.2	*
24	08.3	*		08.1	*	07.7	*
25	07.9	*		08.3	*	07.8	*
26	07.7	*		08.3	*	07.8	*
27	07.7	*		08.3	*	07.7	*
28	07.7	*		08.3	*	07.7	*
29	07.7	*		08.1	*	07.9	*
30	08.6	*				07.8	
31	* 08.2	*				07.9	*
MEANS OBSVNS.	8.3 30	0.0 0	8.1 27	0.0 0	7.8 31	0.0 0	
MAXIMUM	9.1	0.0	8.4	0.0	8.3	0.0	
MINIMUM	7.7	0.0	7.4	0.0	7.4	0.0	
STD.DEV.	.39	0.00	.29	0.00	.24	0.00	

CAPE ST JAMES

51 56 18 N

131 00 50 W

	APRIL		MAY		JUNE		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	08.2	*	08.3	*	09.8	*	
2	08.4	*	08.6	*	10.2	*	
3	08.4	*	08.6	*	11.1	*	
4	08.1	*	09.3	*	10.8	*	
5	08.1	*	09.3	*	11.1	*	
6	07.9	*	09.3	*	10.9	*	
7	08.1	*	08.6	*	10.4	*	
8	07.9	*	08.5	*	10.4	*	
9	08.0	*	08.6	*	10.2	*	
10	07.8	*	08.9	*	10.2	*	
11	08.1	*	08.8	*	10.7	*	
12	08.0	*	08.9	*	10.6	*	
13	08.0	*	09.2	*	10.7	*	
14	08.2	*	09.5	*	11.1	*	
15	08.1	*	09.7	*	11.1	*	
16	08.1	*	* 09.6	*	10.9	*	
17	08.4	*	09.6	*	10.9	*	
18	08.3	*	09.1	*	11.3	*	
19	08.3	*	09.0	*	12.0	*	
20	08.4	*	09.2	*	11.4	*	
21	08.1	*	09.4	*	11.8	*	
22	08.2	*	10.0	*	11.3	*	
23	08.1	*	09.1	*	11.2	*	
24	* 08.1	*	09.2	*	11.8	*	
25	* 08.2	*	09.5	*	12.3	*	
26	08.3	*	09.9	*	11.2	*	
27	08.2	*	09.9	*	10.9	*	
28	08.4	*	09.6	*	12.1	*	
29	08.2	*	09.9	*	11.7	*	
30	08.3	*	09.7	*	12.3	*	
31			09.4	*			
MEANS BSVNS.	8.2 28	0.0 0	9.2 30	0.0 0	11.1 30	0.0 0	
MAXIMUM	8.4	0.0	10.0	0.0	12.3	0.0	
MINIMUM	7.8	0.0	8.3	0.0	9.8	0.0	
STD.DEV.	.17	0.00	.47	0.00	.65	0.00	

CAPE ST JAMES

51 56 18 N

131 00 50 W

JULY

AUGUST

SEPTEMBER 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.4	*	11.6	*	11.6	*
2	11.1	*	11.6	*	12.4	*
3	12.8	*	12.1	*	12.2	*
4	11.2	*	11.3	*	11.9	*
5	11.6	*	13.2	*	10.9	*
6	11.2	*	11.3	*	11.4	*
7	11.1	*	13.8	*	11.6	*
8	11.8	*	12.2	*	11.6	*
9	12.3	*	14.2	*	12.1	*
10	12.6	*	13.7	*	12.1	*
11	12.9	*	13.2	*	12.3	*
12	13.0	*	13.2	*	12.3	*
13	12.3	*	12.5	*	12.4	*
14	12.3	*	13.2	*	12.7	*
15	12.1	*	12.9	*	12.7	*
16	12.8	*	13.2	*	12.3	*
17	* 12.5	*	12.8	*	12.1	*
18	12.2	*	13.6	*	11.9	*
19	12.4	*	12.6	*	11.8	*
20	12.7	*	13.4	*	11.7	*
21	12.7	*	13.5	*	11.6	*
22	12.4	*	13.7	*	11.7	*
23	12.5	*	13.2	*	12.1	*
24	12.8	*	13.4	*	11.6	*
25	12.7	*	13.2	*	12.1	*
26	12.4	*	12.8	*	11.8	*
27	11.4	*	12.1	*	11.4	*
28	11.7	*	12.7	*	11.4	*
29	11.8	*	11.9	*	10.7	*
30	12.1	*	12.1	*	10.9	*
31	12.1	*	11.8	*		
MEANS BSNS.	12.2 30	0.0 0	12.8 31	0.0 0	11.8 30	0.0 0
MAXIMUM	13.0	0.0	14.2	0.0	12.7	0.0
MINIMUM	11.1	0.0	11.3	0.0	10.7	0.0
STD.DEV.	.59	0.00	.79	0.00	.50	0.00

CAPE ST JAMES

51 56 18 N

131 00 50 W

	OCTOBER		NOVEMBER		DECEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.4	*	09.4	*	09.3	*
2	11.0	*	09.6	*	09.3	*
3	11.7	*	09.3	*	08.9	*
4	11.2	*	09.7	*	08.9	*
5	10.3	*	09.9	*	08.6	*
6	10.4	*	09.3	*	08.7	*
7	10.1	*	09.9	*	08.9	*
8	09.6	*	09.6	*	09.1	*
9	10.4	*	09.4	*	09.1	*
10	10.9	*	09.6	*	09.2	*
11	10.0	*	09.6	*	09.0	*
12	10.3	*	09.3	*	08.8	*
13	10.4	*	09.4	*	09.0	*
14	10.5	*	09.4	*	09.0	*
15	10.6	*	10.0	*	09.4	*
16	10.7	*	09.9	*	08.7	*
17	10.4	*	09.8	*	08.7	*
18	10.0	*	09.6	*	08.3	*
19	10.3	*	09.9	*	08.2	*
20	09.9	*	09.7	*	08.5	*
21	09.7	*	09.6	*	08.8	*
22	09.6	*	09.7	*	08.2	*
23	10.1	*	09.7	*	08.6	*
24	09.7	*	09.9	*	08.8	*
25	09.5	*	09.6	*	08.7	*
26	09.8	*	10.3	*	08.8	*
27	09.6	*	09.6	*	08.7	*
28	09.5	*	09.9	*	08.9	*
29	* 09.6	*	09.9	*	08.7	*
30	09.7	*	09.6	*	08.5	*
31	09.7	*			08.6	*
MEANS	10.2	0.0	9.7	0.0	8.8	0.0
BBSNS.	30	0	30	0	31	0
YRLY MEANS.....					9.9	0.0
MAXIMUM	11.7	0.0	10.3	0.0	9.4	0.0
MINIMUM	9.5	0.0	9.3	0.0	8.2	0.0
STD.DEV.	.58	0.00	.24	0.00	.30	0.00

MCINNES ISLAND 52 15 48 N 128 45 10 W

	JANUARY		FEBRUARY		MARCH		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	07.7	30.2	06.8	31.1	07.1	31.6	
2	07.7	30.2	06.8	31.1	07.1	31.4	
3	07.7	30.2	07.0	31.1	* 07.1	* 31.4	
4	07.1	30.0	07.0	31.4	* 07.1	* 31.5	
5	07.0	30.0	06.8	31.1	07.1	31.6	
6	07.0	30.0	06.8	31.1	07.1	31.6	
7	06.9	30.3	06.9	31.1	06.9	31.6	
8	06.7	30.3	07.1	30.8	07.0	31.6	
9	06.1	30.6	06.9	30.6	07.0	31.5	
10	06.4	30.6	06.7	30.6	07.0	31.5	
11	06.7	30.8	06.7	30.8	07.6	31.8	
12	06.7	30.8	06.7	30.8	07.2	31.6	
13	06.9	31.1	06.5	30.8	07.0	31.5	
14	07.7	31.5	06.0	30.7	06.7	31.4	
15	07.2	31.4	05.8	30.7	06.8	31.4	
16	07.1	31.4	06.0	30.7	07.0	31.4	
17	06.5	31.1	* 06.4	* 30.9	07.0	31.4	
18	06.1	31.0	06.8	31.1	07.3	31.6	
19	06.5	31.1	06.8	31.1	07.2	31.6	
20	06.7	31.1	06.9	31.1	07.1	31.6	
21	06.8	31.1	07.1	31.1	07.1	31.6	
22	07.2	31.1	06.9	31.4	07.2	31.6	
23	07.7	31.2	06.9	31.4	07.2	31.6	
24	07.4	31.1	06.8	31.4	07.2	31.6	
25	07.1	31.1	06.9	31.4	* 07.3	* 31.7	
26	06.9	31.1	07.2	31.1	07.4	31.8	
27	05.8	30.7	07.3	31.6	07.4	31.8	
28	05.8	30.7	07.1	31.4	07.7	31.6	
29	05.9	30.7	07.1	31.4	07.2	31.5	
30	06.1	30.7			07.0	31.4	
31	06.3	30.7			07.1	31.4	
MEANS OBSVNS.	6.8 31	30.8 31	6.8 28	31.1 28	7.1 28	31.6 28	
MAXIMUM	7.7	31.5	7.3	31.6	7.7	31.8	
MINIMUM	5.8	30.0	5.8	30.6	6.7	31.4	
STD.DEV.	.58	.44	.35	.29	.21	.12	

MINNES ISLAND 52 15 48 N 128 43 10 W

APRIL MAY JUNE 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	07.6	31.5	08.2	31.2	08.9	32.1
2	07.7	31.2	08.4	31.2	09.2	31.9
3	07.8	31.2	09.0	31.4	09.9	31.9
4	07.9	31.4	09.0	31.1	10.0	31.9
5	07.7	31.8	09.2	31.0	10.1	31.6
6	07.6	32.3	09.2	31.0	11.1	31.1
7	07.6	32.0	09.2	30.8	11.3	31.2
8	07.6	31.5	09.2	30.6	11.7	31.2
9	07.8	31.8	09.3	30.7	11.5	31.4
10	08.1	32.3	10.0	30.6	11.2	31.8
11	08.1	32.0	10.8	30.7	11.7	31.4
12	08.2	32.0	10.8	30.7	11.6	31.6
13	08.0	31.6	10.8	30.7	11.2	32.0
14	08.1	31.4	10.6	31.2	11.6	31.9
15	08.1	31.2	09.9	31.6	11.2	31.5
16	08.6	32.1	10.1	30.7	11.6	32.0
17	08.4	31.8	10.4	31.1	11.3	32.1
18	08.3	31.8	11.0	31.8	11.1	32.0
19	08.1	31.5	10.0	31.9	10.7	32.5
20	08.2	31.5	09.6	32.0	11.0	32.3
21	08.1	31.5	10.0	31.9	11.6	32.1
22	08.1	31.5	10.1	31.9	11.9	32.3
23	08.1	31.5	10.1	31.9	12.3	32.0
24	08.2	31.4	10.1	31.9	12.8	32.1
25	08.2	31.4	10.0	31.9	13.1	32.3
26	08.3	31.4	10.4	31.9	13.0	32.1
27	08.4	31.4	10.6	31.5	13.1	32.1
28	08.7	31.4	10.7	31.1	12.8	32.1
29	08.2	31.5	* 10.6	* 31.2	12.7	32.1
30	08.2	31.2	10.4	31.4	13.2	31.5
31			09.8	31.4		

MEANS 8.1 31.6 9.9 31.3 11.5 31.9
STD.VNS. 30 30 30 30 30 30MAXIMUM 8.7 32.3 11.0 32.0 13.2 32.5
MINIMUM 7.6 31.2 8.2 30.6 8.9 31.1

STD.DEV. .29 .31 .73 .48 1.12 .36

MCINNES ISLAND 52 15 48 N 128 43 10 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	13.1	31.9	14.1	31.6	12.7	32.0
2	12.9	32.1	14.6	31.8	12.7	32.0
3	13.3	31.2	14.0	31.5	12.3	32.3
4	13.2	31.1	13.8	31.5	12.2	32.4
5	12.2	31.5	14.0	31.1	12.1	32.3
6	12.8	32.1	13.8	31.1	11.9	31.8
7	13.4	32.3	13.7	31.2	12.1	31.8
8	13.4	32.3	13.4	31.5	12.2	31.1
9	13.4	32.3	13.8	31.5	12.9	29.9
10	13.3	32.3	13.9	31.5	12.7	30.6
11	13.3	31.8	14.0	31.4	12.4	30.6
12	13.3	31.0	13.8	31.4	12.3	30.3
13	13.3	31.2	13.4	31.5	12.7	30.4
14	13.3	31.5	13.3	31.5	12.8	31.1
15	13.5	31.5	13.2	31.4	12.3	31.0
16	13.8	31.6	13.2	31.4	12.0	31.1
17	14.1	31.1	13.0	31.4	12.4	31.0
18	14.1	31.6	12.9	31.6	12.2	31.0
19	14.2	31.6	12.8	31.6	12.0	31.2
20	14.0	31.6	12.7	31.5	11.3	31.1
21	*	*	12.6	31.5	11.3	31.1
22	*	*	12.4	31.5	11.4	31.9
23	*	*	12.1	31.8	11.3	31.6
24	*	*	12.0	31.8	11.2	30.8
25	*	*	12.1	31.5	11.6	30.3
26	*	*	12.4	31.0	11.8	30.4
27	*	*	11.7	31.6	11.7	30.3
28	*	*	12.2	31.1	11.6	31.0
29	14.0	31.4	12.5	31.5	11.4	31.1
30	14.2	31.4	12.7	32.0	11.1	31.2
31	13.2	31.1	12.7	32.0		
MEANS OBSVNS.	13.4 23	31.6 23	13.1 31	31.5 31	12.0 30	31.2 30
MAXIMUM	14.2	32.3	14.6	32.0	12.9	32.4
MINIMUM	12.2	31.0	11.7	31.0	11.1	29.9
STD.DEV.	.49	.43	.75	.24	.53	.67

MCINNES ISLAND

52 15 48 N 128 45 10 W

		OCTOBER	NOVEMBER	DECEMBER	1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.1	31.2	10.6	31.8	07.2	29.0
2	11.3	31.1	10.4	31.4	07.0	29.0
3	11.7	29.5	10.3	30.6	07.1	29.8
4	11.7	29.5	10.3	30.6	07.0	30.0
5	11.6	29.5	10.3	30.8	06.8	30.2
6	11.6	30.6	10.3	30.8	07.0	30.3
7	11.1	31.5	10.1	30.3	06.9	30.3
8	11.1	31.2	10.2	30.6	07.8	30.7
9	11.1	31.2	09.9	30.0	08.9	31.6
10	11.1	30.2	09.4	29.7	08.9	31.6
11	11.0	29.7	09.9	30.6	09.0	31.8
12	11.0	29.7	09.4	30.4	08.8	31.6
13	10.9	29.4	09.3	30.4	08.3	31.2
14	10.8	29.5	09.1	30.7	08.4	31.2
15	10.7	29.4	09.1	30.4	08.8	31.4
16	10.7	29.1	09.1	30.4	08.6	31.4
17	10.6	29.4	09.1	30.4	07.7	30.2
18	10.4	29.8	09.3	30.6	07.2	29.3
19	10.2	30.3	09.4	31.0	06.7	28.5
20	10.2	30.0	09.8	31.9	06.6	28.4
21	10.1	30.0	08.9	29.1	07.2	28.5
22	10.1	29.5	09.0	29.7	06.8	28.6
23	10.2	29.3	09.2	30.7	06.4	28.5
24	10.2	29.3	*	*	07.1	28.8
25	10.0	29.8	*	*	07.3	29.1
26	09.8	30.0	*	*	07.8	29.5
27	10.0	30.3	*	*	08.8	30.3
28	10.6	31.8	*	*	08.8	30.7
29	10.6	31.5	08.7	30.7	08.9	31.1
30	10.3	31.1	07.9	29.5	07.7	29.7
31	10.1	30.7			07.7	29.8
MEANS	10.7	30.2	9.6	30.5	7.7	30.1
BSVNS.	31	31	25	25	31	31
YRLY. MEANS.....					9.7	31.1
MAXIMUM	11.7	31.8	10.6	31.9	9.0	31.8
MINIMUM	9.8	29.1	7.9	29.1	6.4	28.4
STD.DEV.	.55	.80	.66	.63	.85	1.10

EGG ISLAND

51 15 06 N 127 49 53 W

	JANUARY		FEBRUARY		MARCH	1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	08.3	31.2	07.6	31.9	07.9	31.4
2	08.2	31.1	* 07.6	* 32.0	07.8	31.5
3	08.3	31.2	07.7	32.1	07.9	31.5
4	07.9	31.1	07.7	31.5	07.9	31.2
5	07.4	31.1	07.7	32.0	07.8	31.2
6	07.1	30.7	07.8	32.1	* 07.8	* 31.6
7	07.8	31.0	07.7	31.6	07.8	32.1
8	07.2	31.4	07.7	32.3	07.8	32.1
9	07.2	31.4	07.6	32.8	07.8	31.1
10	07.8	* 31.4	07.5	31.5	07.7	31.9
11	* 07.5	* 31.5	07.4	31.6	07.3	31.0
12	07.9	31.5	07.4	32.0	07.7	31.1
13	07.8	31.4	07.2	32.8	* 07.7	* 31.1
14	07.9	31.8	07.2	32.9	07.6	31.1
15	* 07.9	* 31.5	07.1	32.3	07.4	31.2
16	07.8	31.2	07.1	31.4	07.8	31.0
17	07.6	31.2	07.6	32.3	07.9	30.8
18	07.2	31.2	* 07.7	* 32.4	* 07.9	* 30.9
19	07.5	31.4	07.8	32.5	07.8	31.1
20	07.7	31.2	* 07.8	* 32.7	07.8	31.6
21	07.7	31.6	07.7	32.9	08.1	31.6
22	07.8	31.8	07.7	32.3	07.9	31.2
23	07.9	31.8	07.4	32.4	07.9	31.1
24	07.7	32.1	07.8	32.3	07.7	31.0
25	* 07.6	* 31.9	07.8	32.0	07.8	31.1
26	07.2	31.6	07.9	31.8	07.7	30.8
27	07.1	31.5	07.8	31.2	* 07.7	* 30.9
28	06.9	31.4	07.9	32.3	07.8	31.1
29	06.1	31.0	07.8	31.2	07.8	31.2
30	07.0	31.8			07.8	31.2
31	06.9	32.0			07.9	31.2
MEANS	7.5	31.4	7.6	32.1	7.8	31.3
BBSVNS.	28	27	26	26	27	27
MAXIMUM	8.3	32.1	7.9	32.9	8.1	32.1
MINIMUM	6.1	30.7	7.1	31.2	7.3	30.8
STD.DEV.	.49	.33	.24	.50	.16	.34

EGG ISLAND

51 15 06 N 127 49 53 W

APRIL

MAY

JUNE

1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	07.9	31.5	09.1	31.0	09.4	31.2
2	07.9	31.6	08.8	31.1	10.2	31.1
3	08.3	31.1	09.4	30.8	10.5	30.8
4	* 08.3	* 31.2	09.7	31.0	12.3	28.8
5	08.2	31.4	10.1	30.4	11.6	28.9
6	07.8	31.4	10.4	31.2	10.5	29.8
7	07.8	31.2	09.9	29.9	11.7	29.5
8	07.9	31.2	09.9	30.4	11.9	29.1
9	08.0	31.5	09.9	31.0	13.6	27.1
10	08.1	31.5	09.4	31.0	11.4	28.6
11	08.1	31.1	09.9	31.0	12.3	29.8
12	08.2	31.9	09.4	29.8	11.9	30.0
13	08.3	31.2	09.9	31.1	12.1	29.8
14	08.3	31.4	10.3	30.6	12.6	30.2
15	08.6	31.2	10.7	30.3	13.0	29.4
16	08.3	31.8	11.2	29.4	12.3	29.8
17	08.3	31.4	* 10.9	* 29.8	12.2	29.4
18	08.6	31.8	10.6	30.2	11.7	29.7
19	* 08.6	* 31.6	09.4	31.0	* 12.4	* 29.5
20	08.5	31.4	09.2	30.6	13.1	29.3
21	08.8	31.8	08.9	30.4	* 13.9	* 28.7
22	08.3	31.4	09.3	30.8	14.7	28.1
23	08.7	31.5	09.9	30.8	13.9	28.1
24	08.6	32.3	09.4	31.1	15.0	27.6
25	08.5	31.9	10.6	25.1	13.7	28.6
26	08.7	32.1	* 10.6	* 27.7	14.1	29.1
27	08.7	31.2	10.7	30.4	14.2	29.1
28	08.7	31.1	11.0	30.7	15.1	28.2
29	08.9	31.2	10.9	30.8	13.2	30.2
30	09.4	30.8	10.4	31.4	14.6	29.8
31			10.9	30.2		
MEANS OBSVNS.	8.4 28	31.5 28	10.0 29	30.5 29	12.6 28	29.3 28
MAXIMUM	9.4	32.3	11.2	31.4	15.1	31.2
MINIMUM	7.8	30.8	8.8	25.1	9.4	27.1
STD.DEV.	.38	.34	.67	1.13	1.50	.98

EGG ISLAND

51 15 06 N 127 49 53 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	14.4	29.0	13.6	28.1	11.4	30.3
2	14.6	27.8	12.4	29.9	11.4	29.8
3	14.4	28.0	12.6	28.8	11.7	29.7
4	13.3	29.0	12.3	29.7	10.9	30.6
5	13.1	28.5	11.1	30.3	10.1	31.4
6	12.1	29.1	12.1	29.8	10.3	29.8
7	13.1	27.6	13.9	28.5	10.6	31.2
8	12.6	28.5	12.7	29.9	11.2	29.9
9	13.6	25.9	12.0	30.8	11.3	30.0
10	12.8	27.8	13.6	29.9	11.9	30.7
11	12.7	27.4	13.8	30.3	11.7	30.2
12	13.1	28.5	14.6	30.0	11.5	29.8
13	11.5	29.5	13.8	30.4	11.1	31.2
14	12.9	28.0	13.3	30.3	11.9	29.8
15	* 13.4	* 28.5	13.2	30.2	* 12.1	* 29.8
16	13.9	29.0	13.2	30.2	12.2	29.8
17	13.4	28.5	* 12.2	* 30.6	11.1	30.7
18	14.9	24.2	11.3	31.1	10.4	31.2
19	13.6	27.8	11.7	29.8	10.1	31.1
20	14.1	27.4	11.5	30.8	09.9	31.6
21	13.2	28.1	11.9	30.3	10.4	31.0
22	14.5	25.0	11.9	29.8	10.1	31.0
23	15.9	24.2	11.0	31.0	10.1	31.1
24	14.7	26.9	12.1	30.2	10.4	31.1
25	16.5	22.9	11.2	31.1	10.7	30.4
26	14.3	26.8	11.2	31.0	10.6	31.0
27	14.5	26.8	12.1	30.0	10.2	31.4
28	12.3	29.9	12.4	30.8	09.9	31.4
29	12.7	29.7	11.5	30.8	09.8	31.5
30	13.5	28.1	12.4	29.5	09.8	31.6
31	13.3	28.8	11.6	30.2		
MEANS	13.7	27.6	12.4	30.1	10.8	30.7
OBSVNS.	30	30	30	30	29	29
MAXIMUM	16.8	29.9	14.6	31.1	12.2	31.6
MINIMUM	11.5	22.9	11.0	28.1	9.8	29.7
STD.DEV.	1.11	1.70	.97	.72	.72	.65

EGG ISLAND

51 15 06 N 127 49 53 W

	OCTOBER	NOVEMBER	DECEMBER	1980
DATE	TEMP	SAL	TEMP	SAL
1	10.0	31.2	10.6	31.5
2	10.1	31.4	10.7	31.9
3	09.9	31.8	11.1	32.1
4	10.2	31.9	11.1	31.8
5	10.1	31.5	10.7	31.9
6	10.4	31.5	10.7	31.6
7	10.4	31.2	10.9	31.6
8	10.0	31.2	11.1	31.8
9	10.4	31.2	11.0	31.5
10	10.5	31.2	10.8	31.6
11	10.5	31.1	10.6	31.8
12	10.7	31.0	10.4	31.5
13	10.6	31.1	10.2	31.1
14	10.6	31.4	* 10.3	* 31.1
15	10.5	31.5	10.4	31.2
16	10.0	31.2	10.1	31.4
17	10.2	31.4	10.2	31.4
18	10.4	31.5	10.4	31.5
19	10.4	31.5	09.9	31.4
20	10.3	31.4	09.9	31.6
21	09.9	31.4	09.4	31.0
22	09.8	31.2	09.3	31.1
23	10.3	30.7	09.4	31.4
24	10.6	31.5	09.7	31.5
25	10.5	31.6	09.8	31.6
26	10.0	31.6	09.7	31.5
27	10.3	32.0	* 09.7	* 31.5
28	10.5	31.8	09.7	31.5
29	09.9	31.6	09.4	31.2
30	10.4	31.6	08.9	31.2
31	10.4	31.2		
MEANS	10.3	31.4	10.2	31.5
STD.VNS.	31	31	28	28
YEARLY MEANS.....				10.0
MAXIMUM	10.7	32.0	11.1	32.1
MINIMUM	9.8	30.7	8.9	31.0
STD.DEV.	.25	.28	.63	.26
				.33
				1.15

PINE ISLAND

50 58 33 127 43 35 W

	JANUARY		FEBRUARY		MARCH	1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	09.0	32.4	07.6	31.1	08.1	31.0
2	09.0	31.1	07.9	31.6	08.1	31.0
3	09.2	31.4	07.8	31.1	08.0	30.8
4	09.3	31.2	08.0	31.2	08.2	31.0
5	09.0	31.4	07.9	31.4	08.1	31.1
6	08.8	31.4	07.9	31.1	08.1	30.4
7	08.2	30.8	07.9	31.5	08.0	30.6
8	08.2	30.8	08.0	31.4	07.9	30.4
9	08.0	31.1	07.8	31.8	07.8	31.2
10	07.8	31.2	07.8	31.0	08.0	30.4
11	08.0	30.6	08.0	31.0	07.9	30.6
12	07.8	30.4	07.8	30.8	07.8	30.7
13	07.8	30.6	08.0	31.0	07.8	31.1
14	08.0	30.8	07.6	31.5	07.8	31.4
15	08.1	31.6	07.6	31.6	07.7	30.7
16	08.1	31.5	07.8	31.6	* 07.8	* 30.7
17	08.5	31.5	07.9	31.5	08.0	30.8
18	08.2	31.4	08.0	31.1	07.8	31.0
19	08.2	31.6	08.0	31.0	07.9	30.8
20	08.2	31.6	08.0	31.5	08.2	30.8
21	08.1	31.1	07.9	31.2	08.2	30.8
22	08.1	31.1	08.0	31.1	* 08.2	* 30.9
23	08.2	31.0	07.8	31.1	08.1	31.0
24	08.1	31.1	07.9	31.1	08.0	30.7
25	08.0	31.6	07.8	31.1	07.9	30.4
26	07.8	31.0	* 07.8	* 31.0	07.8	30.6
27	08.4	31.0	07.8	30.8	07.8	31.2
28	07.6	31.0	07.9	31.0	08.0	30.8
29	07.6	30.8	07.8	31.2	07.9	31.0
30	07.4	31.0			07.9	31.0
31	* 07.5	* 31.0			08.0	31.4
MEANS	8.2	31.2	7.9	31.2	8.0	30.9
BDSVNS.	30	30	28	28	29	29
MAXIMUM	9.3	32.4	8.0	31.8	8.2	31.4
MINIMUM	7.4	30.4	7.6	30.8	7.7	30.4
STD.DEV.	.48	.40	.12	.26	.14	.28

PINE ISLAND

50 58 33 127 43 35 W

APRIL

MAY

JUNE

1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	08.2	31.0	08.9	31.8	08.8	31.4
2	08.3	31.2	09.1	31.4	09.0	31.6
3	08.3	31.4	08.9	31.2	09.0	31.4
4	08.2	31.2	09.2	30.8	09.5	31.1
5	08.4	31.2	09.1	31.4	09.4	31.2
6	07.9	31.1	09.3	31.2	09.3	31.8
7	08.1	31.1	09.1	31.2	09.4	31.9
8	08.0	31.1	09.0	31.1	09.2	31.5
9	08.0	30.8	09.0	31.2	09.3	31.6
10	08.1	30.8	09.1	31.1	09.3	31.6
11	08.3	31.1	09.0	31.0	09.4	31.2
12	08.6	31.4	08.5	31.0	09.2	31.1
13	08.8	31.4	08.6	31.1	09.3	31.2
14	08.8	31.2	08.8	31.5	10.0	30.3
15	08.5	31.1	08.9	31.4	09.8	31.0
16	08.2	31.4	08.7	30.8	09.7	30.7
17	08.5	31.6	08.8	31.1	09.6	30.8
18	08.8	31.2	08.8	31.0	10.0	31.2
19	08.8	31.2	08.5	31.2	10.1	31.2
20	09.0	31.5	08.3	31.2	10.0	31.1
21	09.1	31.8	08.7	31.0	09.8	31.4
22	09.2	31.5	08.7	31.2	09.8	31.4
23	09.0	31.1	08.4	31.4	10.0	31.2
24	09.0	31.5	08.4	31.0	09.7	31.2
25	08.6	31.1	08.7	31.4	10.2	31.0
26	08.5	31.0	08.6	31.2	09.8	31.4
27	08.7	30.8	08.8	31.4	10.3	31.1
28	08.6	31.1	08.8	31.6	09.9	31.6
29	09.0	31.5	08.8	31.2	09.5	31.8
30	09.0	31.5	08.8	31.6	09.7	31.5
31			* 08.8	* 31.5		
MEANS OBSVNS.	8.5 30	31.2 30	8.8 30	31.2 30	9.6 30	31.3 30
MAXIMUM	9.2	31.8	9.3	31.8	10.3	31.9
MINIMUM	7.9	30.8	8.3	30.8	8.8	30.3
STD.DEV.	.37	.25	.25	.23	.38	.34

PINE ISLAND

50 58 33 127 43 35 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	10.3	31.0	29.8	31.4	29.0	31.9
2	10.0	30.7	* 29.9	* 31.8	28.9	31.9
3	09.3	31.1	10.1	32.3	08.8	31.6
4	09.2	31.0	09.3	31.9	08.8	32.3
5	* 09.7	* 31.2	09.2	32.3	09.9	31.4
6	10.3	31.4	29.6	31.9	09.2	31.2
7	09.2	32.0	10.8	32.0	10.0	31.2
8	10.0	32.3	10.0	32.0	09.9	31.8
9	10.1	31.0	09.8	31.9	09.6	32.3
10	09.6	31.5	09.8	32.7	09.6	31.5
11	09.4	32.0	09.8	32.3	09.4	32.4
12	09.4	31.6	10.0	32.3	09.4	32.0
13	* 09.4	* 31.6	09.8	31.9	09.3	31.6
14	09.5	31.5	09.2	31.9	09.5	31.8
15	09.7	31.8	09.2	32.4	09.4	31.2
16	09.4	31.6	09.4	32.1	09.5	31.8
17	09.6	31.9	09.2	* 33.0	09.4	31.8
18	09.8	31.5	09.6	31.9	09.5	31.9
19	09.6	31.6	09.8	32.7	09.7	32.0
20	09.8	31.2	09.4	32.4	09.6	32.3
21	10.2	31.8	09.4	31.8	09.4	31.9
22	09.4	31.2	09.4	32.1	09.4	31.8
23	09.7	31.8	09.0	32.3	09.2	31.9
24	10.8	31.5	09.2	32.0	09.2	32.0
25	10.2	32.0	09.4	31.8	09.0	32.4
26	10.7	31.8	09.4	31.8	09.0	32.3
27	10.2	32.1	09.0	32.4	08.9	31.9
28	10.2	31.9	09.1	32.1	08.6	32.0
29	10.0	31.9	09.0	32.3	08.8	31.9
30	10.1	32.9	08.8	32.1	09.8	32.8
31	09.8	31.6	08.8	32.4		
MEANS OBSVNS.	9.9 29	31.6 29	9.5 30	32.1 29	9.3 30	31.9 30
MAXIMUM	10.6	32.9	10.8	32.7	10.0	32.8
MINIMUM	9.2	30.7	8.8	31.4	8.6	31.2
STD.DEV.	.42	.46	.44	.29	.37	.38

PINE ISLAND

50 58 33 127 43 35 W

	OCTOBER	NOVEMBER	DECEMBER	1980
DATE	TEMP	SAL	TEMP	SAL
1	09.2	32.3	10.2	31.8
2	09.0	31.9	10.6	32.4
3	09.1	32.1	10.5	31.8
4	09.4	32.4	10.2	31.5
5	09.4	32.0	10.5	30.4
6	10.6	32.5	10.6	32.1
7	10.8	32.7	10.2	31.2
8	11.1	32.1	10.1	31.9
9	10.6	32.1	09.9	31.1
10	09.9	32.0	09.8	31.2
11	09.8	31.8	09.8	31.1
12	09.6	31.8	09.6	31.9
13	09.5	31.8	* 09.5	* 32.0
14	09.3	32.3	09.4	32.1
15	09.2	32.1	09.2	31.5
16	09.2	32.3	09.3	31.2
17	09.3	31.9	09.2	31.5
18	09.2	31.9	09.4	31.6
19	09.0	31.9	09.2	31.8
20	08.8	31.8	09.2	31.6
21	09.9	32.7	09.2	31.6
22	09.7	31.6	09.2	31.8
23	09.8	32.3	09.3	32.0
24	09.0	31.9	09.2	31.9
25	09.2	31.6	09.1	31.9
26	10.2	32.0	09.0	31.8
27	09.9	32.8	09.2	31.8
28	09.8	32.9	09.3	31.6
29	10.3	32.0	09.0	31.4
30	10.3	31.8	09.0	31.5
31	10.4	31.9		09.0
M_EANS	9.7	32.1	9.6	31.6
BBSVNS.	31	31	29	29
YRLY.MEANS.....				9.0
MAXIMUM	11.1	32.9	10.6	32.4
MINIMUM	8.8	31.6	9.0	30.4
STD.DEV.	.60	.34	.54	.40
				.35
				.23

KAINS ISLAND

50 20 39 N 128 01 47 W

	JANUARY		FEBRUARY		MARCH	1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	09.2	26.7	07.4	29.0	08.7	28.8
2	09.3	28.2	07.5	29.3	09.1	28.8
3	09.2	28.2	08.3	29.8	08.7	28.8
4	08.4	27.1	07.6	28.1	08.8	29.5
5	08.1	27.8	08.1	28.6	08.7	29.7
6	08.5	28.5	08.8	28.5	08.4	29.5
7	08.5	28.2	08.6	29.0	08.7	29.5
8	07.8	28.4	08.7	28.8	08.7	29.7
9	06.8	28.2	08.7	28.8	08.7	29.5
10	08.0	28.6	08.5	29.0	08.8	29.3
11	07.8	29.1	08.1	29.1	08.4	28.2
12	08.5	29.8	08.0	28.9	07.9	28.4
13	08.6	30.0	07.4	29.4	08.3	28.8
14	08.2	29.1	07.6	29.5	08.0	28.9
15	08.6	29.8	07.6	29.7	08.3	29.1
16	07.9	28.6	07.7	30.0	08.3	29.7
17	07.4	27.8	07.7	29.5	08.6	29.5
18	07.3	28.2	08.2	29.9	08.6	29.8
19	07.9	28.9	08.6	30.0	08.6	29.3
20	08.4	29.1	08.3	29.7	08.6	29.5
21	08.6	29.3	08.6	30.2	08.9	29.0
22	08.6	29.0	08.2	29.7	08.7	29.3
23	08.8	28.8	08.3	29.4	08.8	29.3
24	08.7	28.8	08.6	29.8	08.8	29.5
25	08.1	28.8	08.7	29.9	08.7	29.3
26	08.1	28.5	08.8	29.8	09.0	29.3
27	07.9	28.4	08.8	29.8	08.6	29.5
28	07.1	28.9	08.7	30.0	08.9	29.5
29	07.0	29.1	08.7	29.8	08.8	28.2
30	07.3	29.5			08.9	29.0
31	07.6	29.5			08.8	28.5
MEANS OBSVNS.	8.1 31	28.7 31	8.2 29	29.4 29	8.6 31	29.2 31
MAXIMUM	9.3	30.0	8.8	30.2	9.1	29.8
MINIMUM	6.8	26.7	7.4	28.1	7.9	28.2
STD.DEV.	.65	.74	.48	.53	.27	.44

KAINS ISLAND

50 26 39 N 128 01 47 W

		APRIL	MAY	JUNE	1980	
	DATE	TEMP	SAL	TEMP	SAL	
	1	07.5	29.0	10.0	29.7	10.3
	2	10.3	28.9	10.1	29.4	10.7
	3	09.0	28.6	10.3	29.4	11.1
	4	08.2	29.7	10.6	29.8	11.2
	5	08.8	29.5	10.3	29.9	10.9
	6	08.6	30.0	10.4	29.7	11.9
	7	08.6	29.3	10.3	29.7	11.1
	8	07.8	29.1	10.4	29.9	12.1
	9	08.8	29.5	10.8	29.5	11.9
	10	08.6	29.5	11.4	29.4	12.1
	11	08.6	29.3	11.0	29.8	12.0
	12	09.2	30.0	10.7	30.0	12.5
	13	09.4	30.6	10.9	29.8	11.8
	14	09.7	30.8	11.3	29.1	12.6
	15	08.8	29.8	10.8	30.0	12.2
	16	09.4	29.9	11.1	30.0	12.2
	17	10.0	29.4	11.7	29.9	12.2
	18	09.4	29.8	11.1	30.0	12.2
	19	09.7	29.9	10.8	30.3	12.7
	20	09.7	30.4	10.8	30.3	12.7
	21	08.6	30.0	10.5	30.0	12.8
	22	09.3	30.0	10.6	30.0	11.5
	23	09.2	30.0	11.2	29.8	12.3
	24	09.1	29.5	10.7	30.0	13.6
	25	09.4	30.4	10.5	30.3	13.1
	26	09.3	30.3	10.6	30.3	12.8
	27	09.0	30.2	10.6	30.0	13.0
	28	09.1	28.5	11.1	30.3	13.1
	29	09.3	29.9	11.9	30.6	13.1
	30	10.1	29.1	11.1	30.6	13.1
	31			10.6	30.6	31.5
	MEANS OBSVNS.	9.1 30	29.7 30	10.8 31	29.9 31	12.2 30
	MAXIMUM MINIMUM	10.3 7.5	30.8 28.5	11.9 10.0	30.6 29.1	13.6 10.3
	STD.DEV.	.64	.57	.44	.37	.81
						.23

KAINS ISLAND

50 26 39 N 128 01 47 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	12.6	31.4	12.2	31.6	12.3	30.8
2	12.1	31.9	10.6	31.4	12.1	31.1
3	12.5	31.1	12.5	31.4	11.7	31.2
4	12.4	30.8	13.1	31.8	12.4	31.1
5	13.0	31.0	11.8	31.4	12.9	31.2
6	13.4	31.4	12.8	31.8	12.6	27.3
7	13.6	31.1	12.9	31.8	12.4	26.8
8	13.4	31.4	13.2	31.5	12.8	29.3
9	13.1	31.2	12.4	31.4	13.2	29.9
10	13.2	31.0	12.8	31.2	13.8	30.4
11	13.4	31.1	13.2	31.8	13.2	30.2
12	13.8	31.2	12.6	31.9	13.0	30.4
13	13.4	30.8	12.8	31.8	12.7	30.3
14	13.1	30.7	13.0	31.8	12.5	30.8
15	13.4	31.4	12.7	31.4	12.4	30.8
16	13.7	31.6	12.1	31.1	13.1	31.2
17	12.9	31.5	12.2	31.9	13.4	31.1
18	13.2	31.2	12.5	31.6	12.2	31.4
19	12.4	31.1	12.3	31.9	12.1	31.1
20	13.8	31.5	12.5	31.9	11.8	31.1
21	15.8	30.6	12.5	31.9	11.9	30.7
22	14.0	31.1	11.2	31.6	11.9	31.4
23	13.3	31.4	11.9	31.9	12.3	30.7
24	14.3	31.4	11.8	31.9	12.5	30.6
25	14.2	31.2	11.5	31.8	12.3	30.8
26	15.2	31.4	11.7	31.8	12.3	31.1
27	13.4	31.4	11.6	31.8	12.5	31.1
28	12.6	31.6	11.9	31.8	12.1	30.6
29	12.2	31.6	11.7	31.6	12.4	31.1
30	12.4	31.6	12.4	31.6	12.6	31.1
31	11.9	31.6	12.1	31.4		
MEANS OBSVNS.	13.3 31	31.3 31	12.3 31	31.7 31	12.5 30	30.6 30
MAXIMUM	15.8	31.9	13.2	31.9	13.8	31.4
MINIMUM	11.9	30.6	10.6	31.1	11.7	26.8
STD.DEV.	.86	.30	.61	.23	.49	1.06

KAINS ISLAND

50 26 39 N 148 01 47 W

	OCTOBER		NOVEMBER		DECEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	13.2	29.9	11.9	30.0	08.9	28.0
2	13.0	29.9	11.3	29.3	08.6	27.4
3	13.0	30.2	11.4	29.1	08.9	28.2
4	12.8	30.4	11.4	28.4	08.6	28.5
5	12.8	31.0	11.9	29.3	07.8	28.9
6	13.2	30.4	11.9	30.0	08.6	29.5
7	12.8	30.4	11.9	29.0	08.3	29.5
8	13.0	30.2	11.9	29.3	08.9	29.7
9	12.8	30.7	10.6	26.7	09.2	29.4
10	12.8	30.4	10.3	26.8	09.9	29.5
11	12.8	30.2	10.2	27.2	10.0	28.2
12	12.9	30.6	10.4	27.8	08.6	24.3
13	12.4	30.4	09.9	27.1	09.7	25.9
14	12.1	30.7	10.0	26.0	09.9	25.8
15	12.2	30.6	10.3	28.1	09.9	26.4
16	12.3	30.7	10.2	28.1	09.7	24.4
17	12.3	30.7	10.3	27.8	08.6	23.1
18	12.3	30.8	10.0	27.1	07.6	23.9
19	12.1	30.7	09.8	28.8	08.8	26.1
20	12.3	30.7	10.6	29.4	09.1	28.0
21	11.6	29.0	10.1	28.2	09.0	28.2
22	11.6	30.3	09.8	29.0	09.1	28.5
23	11.8	30.2	10.0	28.9	08.7	28.0
24	11.9	30.8	10.4	29.5	09.2	28.8
25	11.8	30.0	10.3	29.7	09.6	29.1
26	11.9	30.3	10.4	29.8	09.4	29.0
27	11.9	30.0	10.5	29.5	10.0	29.4
28	12.0	30.3	10.0	28.6	10.2	27.6
29	11.8	30.3	09.6	28.1	09.7	26.5
30	11.8	30.0	09.3	28.2	09.5	25.8
31	12.0	30.3			09.4	25.2
MEANS	12.4	30.4	10.6	28.5	9.1	27.4
BGSVNS.	31	31	30	30	31	31
YRLY MEANS.....					10.6	29.8
MAXIMUM	13.2	31.0	11.9	30.0	10.2	29.7
MINIMUM	11.6	29.0	9.3	26.0	7.6	23.1
STD.DEV.	.50	.38	.77	1.07	.65	1.89

AMPHITRITE POINT 48 55 16 N 125 32 17 W

	JANUARY		FEBRUARY		MARCH	1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	09.2	27.3	07.5	29.1	09.4	26.8
2	09.2	25.8	07.8	29.3	09.2	27.3
3	09.0	27.6	08.3	29.9	08.9	27.1
4	08.4	27.2	08.0	29.3	08.8	26.8
5	08.4	28.0	08.4	29.3	08.9	27.1
6	07.7	26.5	09.1	29.5	09.2	27.1
7	07.2	26.5	08.8	28.9	09.2	26.8
8	07.0	26.8	08.9	28.9	09.1	26.7
9	06.6	26.4	08.6	28.0	08.7	25.6
10	05.8	26.7	08.3	28.2	08.3	21.6
11	* 06.2	* 27.0	07.8	28.8	08.1	28.2
12	06.7	27.4	07.6	28.6	07.9	29.0
13	06.3	28.1	07.5	28.5	08.4	30.2
14	07.5	28.4	07.2	28.4	07.3	27.8
15	08.0	29.0	06.8	28.2	07.8	28.5
16	08.4	29.3	07.3	28.4	08.3	28.4
17	07.9	29.9	07.8	28.4	08.4	28.5
18	07.4	29.3	07.8	29.3	08.7	30.3
19	07.2	28.1	07.7	29.3	08.7	28.8
20	07.8	29.1	07.6	29.4	09.1	28.9
21	07.9	29.4	07.8	28.8	09.5	29.3
22	08.4	29.3	07.8	29.3	09.0	29.7
23	08.6	29.7	07.9	28.8	* 08.8	* 29.4
24	08.6	29.3	* 08.0	* 28.5	08.6	29.0
25	08.0	29.4	08.1	28.2	08.4	28.6
26	06.8	28.8	08.5	28.8	08.3	28.1
27	06.5	29.0	08.9	28.9	08.7	30.3
28	05.8	29.7	08.8	28.4	09.1	27.1
29	05.7	29.4	08.7	28.1	08.8	29.4
30	05.9	29.4			09.1	29.1
31	06.3	29.9			09.2	29.4
MEANS	7.5	28.4	8.0	28.8	8.7	28.1
DESVNS.	30	30	28	28	30	30
MAXIMUM	9.2	29.9	9.1	29.9	9.5	30.3
MINIMUM	5.6	25.8	6.8	28.0	7.3	21.6
STD.DEV.	1.09	1.24	.58	.50	.51	1.72

IMPHITRITE POINT 48 55 16 N 125 32 17 W

	APRIL		MAY		JUNE		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	09.6	28.5	10.6	30.7	12.1	30.7	
2	10.6	28.9	10.6	31.0	12.2	30.3	
3	10.6	28.4	11.7	30.6	12.7	30.2	
4	* 10.4	* 29.3	11.0	30.7	12.3	30.3	
5	10.1	30.3	10.9	30.8	12.4	30.4	
6	10.6	30.8	11.7	30.6	12.1	31.1	
7	08.9	28.9	11.4	30.0	11.7	31.4	
8	09.2	30.0	11.1	28.8	11.7	30.8	
9	09.3	29.9	10.9	29.1	11.8	30.2	
10	09.2	30.6	11.2	29.7	11.9	29.4	
11	09.6	29.9	11.3	29.9	12.6	30.6	
12	10.0	29.8	11.5	29.8	12.1	30.2	
13	10.6	29.5	11.4	30.3	11.9	30.3	
14	10.3	28.8	11.9	29.9	12.1	31.2	
15	10.2	29.3	11.4	30.8	12.0	31.2	
16	09.9	29.7	11.4	30.8	11.7	31.2	
17	10.1	28.8	11.9	30.7	11.9	31.2	
18	10.4	27.7	11.5	29.9	11.8	31.4	
19	10.8	29.1	11.0	28.4	12.1	31.2	
20	10.6	29.9	11.4	30.0	12.3	31.4	
21	10.7	29.7	11.5	30.0	12.3	31.5	
22	10.5	29.3	11.4	29.8	12.2	31.2	
23	10.3	28.5	10.9	29.0	12.1	31.4	
24	10.1	29.3	11.2	30.4	12.5	31.5	
25	10.3	28.8	11.0	30.4	12.0	31.0	
26	10.6	28.6	10.9	30.7	12.1	31.2	
27	10.6	28.9	11.4	29.8	11.9	30.2	
28	10.4	28.5	11.5	30.3	12.1	30.6	
29	10.1	30.3	11.6	30.6	12.2	30.2	
30	10.4	30.4	12.0	30.7	12.3	30.7	
31			12.1	30.4			
MEANS 105VNS.	10.1 29	29.3 29	11.3 31	30.1 31	12.1 30	30.8 30	
MAXIMUM MINIMUM	10.8 8.9	30.8 27.7	12.1 10.6	31.0 28.4	12.7 11.7	31.5 29.4	
STD.DEV.	.51	.76	.38	.64	.26	.54	

AMPHITRITE POINT 48 55 16 N 125 32 17 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	12.4	31.2	13.3	31.5	13.2	27.3
2	12.5	30.7	14.0	31.6	13.2	29.7
3	11.9	31.2	13.0	31.4	12.7	29.9
4	11.9	31.6	13.1	31.5	12.8	27.8
5	12.3	31.0	13.4	31.5	12.9	30.0
6	12.3	30.7	13.0	30.8	13.0	30.0
7	12.1	30.4	12.9	31.4	13.1	30.2
8	11.9	31.0	13.2	31.2	13.2	29.9
9	12.3	31.0	13.4	31.5	13.9	29.7
10	12.5	30.8	13.9	31.6	14.1	29.9
11	12.4	31.0	14.6	30.4	13.8	31.0
12	13.1	29.5	13.6	30.7	13.7	31.0
13	13.0	29.5	13.4	31.5	13.8	31.1
14	13.1	29.5	13.8	31.5	13.9	30.8
15	13.0	30.0	14.0	30.3	14.2	30.7
16	13.7	30.6	14.1	31.2	13.1	30.8
17	13.8	30.0	13.4	28.9	13.3	30.3
18	13.6	30.8	13.3	29.8	13.2	29.4
19	13.3	30.6	13.6	29.4	12.3	29.9
20	13.2	31.1	12.4	30.2	12.0	31.2
21	13.1	31.4	12.5	30.4	11.4	30.4
22	13.2	31.1	13.0	31.0	11.7	29.9
23	12.0	31.8	13.1	30.7	12.0	29.7
24	11.9	31.0	13.2	31.1	12.5	29.7
25	12.1	31.2	13.3	31.2	13.0	30.0
26	13.3	30.8	13.4	31.0	12.9	30.0
27	12.5	31.4	13.6	31.0	12.9	30.0
28	12.1	31.0	13.6	31.0	12.4	29.0
29	12.7	31.4	13.6	31.0	12.0	29.4
30	13.4	31.4	13.5	30.7	11.7	29.3
31	13.3	31.6	13.8	31.0		
MEANS BSVNS.	12.7 31	30.8 31	13.4 31	30.9 31	12.9 30	29.9 30
MAXIMUM	13.8	31.8	14.6	31.6	14.2	31.2
MINIMUM	11.9	29.5	12.4	28.9	11.4	27.3
STD.DEV.	.58	.61	.46	.66	.75	.86

AMPHITRITE POINT 48 55 16 N 125 32 17 W

	OCTOBER		NOVEMBER		DECEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.7	29.9	11.6	30.7	09.5	27.1
2	12.2	30.2	11.7	31.0	09.1	26.1
3	11.7	29.9	11.6	30.4	09.0	26.7
4	12.2	29.9	11.8	29.4	09.7	28.8
5	12.5	29.4	11.7	30.2	09.3	28.5
6	12.4	30.2	12.3	31.2	08.1	27.8
7	12.6	30.4	12.2	30.2	07.3	27.1
8	12.4	29.9	12.8	31.8	07.7	26.7
9	12.1	30.2	11.9	27.4	08.7	27.8
10	12.9	30.4	11.2	25.1	09.4	25.0
11	12.1	29.8	10.9	23.0	09.2	25.5
12	12.2	30.0	10.3	22.9	09.3	25.5
13	12.6	29.9	10.6	25.1	09.0	25.8
14	12.6	30.0	10.5	26.0	09.1	25.8
15	12.6	30.0	10.7	26.7	10.1	27.1
16	12.5	29.9	* 10.8	* 27.3	09.9	28.8
17	12.2	29.8	10.9	28.0	09.7	26.3
18	11.9	29.5	11.2	26.4	09.1	25.8
19	11.7	31.0	11.4	29.4	08.4	24.0
20	12.2	30.4	11.3	26.5	08.6	23.8
21	11.7	31.0	11.2	28.8	09.6	26.4
22	11.6	30.2	10.8	28.1	09.7	29.8
23	11.6	29.9	10.4	27.4	09.1	27.6
24	11.9	30.8	10.2	27.3	09.6	28.8
25	12.1	31.4	10.5	28.0	10.1	29.5
26	12.2	30.4	10.1	28.0	10.3	29.0
27	12.1	30.7	10.9	30.2	10.5	29.9
28	11.9	30.7	10.4	28.5	10.3	28.2
29	11.8	30.8	10.6	29.9	10.2	21.8
30	11.7	30.6	10.0	28.9	10.2	22.6
31	* 11.7	* 30.6			10.3	26.7
MEANS	12.1	30.2	11.1	28.2	9.4	26.8
SDSVNS.	30	30	29	29	51	31
YRLY.MEANS.....					10.8	29.4
MAXIMUM	12.9	31.4	12.8	31.8	10.5	29.9
MINIMUM	11.6	29.4	10.0	22.9	7.3	21.8
STD.DEV.	•37	•47	•71	2.31	•78	2.00

CAPE BEALE

48 47 12 N 125 12 53 W

	JANUARY		FEBRUARY		MARCH	1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	09.6	28.3	07.6	30.5	09.1	29.4
2	09.6	27.8	07.7	29.4	09.3	28.3
3	09.0	28.8	07.7	29.9	* 09.2	* 28.1
4	09.0	29.4	*	*	09.1	27.8
5	08.5	29.4	*	*	08.9	28.3
6	08.6	29.4	*	*	* 09.1	* 28.5
7	09.5	29.4	08.6	29.4	09.4	28.8
8	06.7	29.4	08.6	29.9	09.4	28.3
9	06.8	29.4	08.0	28.3	09.1	28.3
10	*	*	* 07.6	* 28.5	08.0	27.8
11	*	*	07.1	28.8	08.0	29.4
12	*	*	07.0	28.3	08.8	29.4
13	07.6	29.9	06.9	28.3	07.6	30.5
14	07.6	28.3	06.6	29.4	07.6	31.0
15	07.7	28.8	06.7	29.4	07.6	30.5
16	08.3	28.3	07.0	29.4	08.1	30.5
17	08.4	29.4	07.4	29.4	* 08.6	* 30.5
18	* 08.4	* 29.6	07.6	29.4	* 09.2	* 30.5
19	08.3	29.9	07.7	29.4	09.8	30.5
20	08.5	29.4	07.9	30.5	09.4	29.4
21	08.5	29.4	* 08.1	* 30.2	10.0	29.9
22	08.8	29.4	08.3	29.9	09.0	29.9
23	08.6	29.9	* 08.2	* 30.2	09.1	30.5
24	08.8	29.4	08.0	30.5	08.0	30.5
25	06.2	29.4	08.6	29.4	08.0	31.5
26	* 06.9	* 29.6	08.7	29.4	08.0	30.5
27	07.6	29.9	08.7	28.3	08.1	30.5
28	07.2	29.4	08.9	29.4	08.2	28.3
29	07.2	31.0	08.9	29.4	08.2	30.5
30	07.2	31.0			09.1	32.6
31	07.4	31.0			09.4	31.0
MEANS BSVNS.	8.1 26	29.4 26	7.8 23	29.4 23	8.7 27	29.8 27
MAXIMUM	9.6	31.0	8.9	30.5	10.0	32.6
MINIMUM	6.2	27.8	6.6	28.3	7.6	27.8
STD.DEV.	.92	.79	.73	.66	.72	1.22

CAPE BEALE

48 47 12 N 125 12 53 W

1980

	APRIL		MAY		JUNE	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	* 09.6	* 31.0	11.3	30.5	*	*
2	09.8	31.0	* 11.3	* 31.0	10.6	32.6
3	10.2	31.5	11.2	31.5	11.0	31.5
4	10.6	31.5	* 11.1	* 31.5	10.6	31.5
5	* 10.1	* 31.5	11.0	31.5	11.6	31.5
6	09.6	31.5	* 11.0	* 31.5	11.3	31.5
7	09.3	31.5	11.0	31.5	* 10.9	* 31.5
8	* 09.1	* 31.2	* 10.6	* 31.3	10.4	31.5
9	* 08.9	* 30.8	10.1	31.0	10.6	31.5
10	08.7	30.5	10.6	31.5	10.8	31.5
11	09.4	30.5	10.5	31.0	11.4	31.0
12	09.6	30.5	10.6	31.0	* 11.4	* 31.1
13	09.9	29.9	11.4	31.0	* 11.4	* 31.3
14	* 10.1	* 30.2	11.3	31.5	11.4	31.5
15	10.3	30.5	* 11.4	* 31.3	11.8	31.0
16	10.9	30.5	11.5	31.0	* 12.2	* 31.0
17	* 10.7	* 30.0	* 11.5	* 31.2	12.6	31.0
18	10.4	29.4	11.5	31.5	* 12.5	* 31.2
19	10.6	29.4	* 11.5	* 31.0	12.4	31.5
20	11.8	29.4	11.4	30.5	12.0	31.5
21	13.4	29.4	12.8	31.0	12.4	32.6
22	* 12.3	* 29.4	* 11.7	* 31.2	13.1	31.5
23	* 11.2	* 29.4	10.6	31.5	11.7	32.1
24	10.1	29.4	11.4	31.0	12.6	31.5
25	09.8	30.5	11.1	31.5	* 12.1	* 31.5
26	10.4	30.5	10.7	31.0	11.5	31.5
27	11.0	30.5	11.3	31.5	12.2	30.5
28	10.5	29.9	12.4	29.9	13.2	31.5
29	* 10.7	* 30.2	11.6	30.5	13.0	31.5
30	11.0	30.5	*	*	12.6	31.5
31			*	*		
MEANS θSVNS.	10.4 21	30.4 21	11.2 21	31.1 21	11.8 23	31.5 23
MAXIMUM	13.4	31.5	12.8	31.5	13.2	32.6
MINIMUM	8.7	29.4	10.1	29.9	10.4	30.5
STD.DEV.	.98	.73	.62	.45	.87	.45

CAPE BEALE

48 47 12 N 125 12 53 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	13.7	31.0	11.6	31.5	11.0	27.2
2	* 13.4	* 30.8	12.0	31.5	11.6	30.5
3	* 13.0	* 30.7	12.0	31.5	11.6	31.5
4	12.7	30.5	12.2	31.0	10.6	31.5
5	12.3	31.0	11.6	31.5	11.6	31.5
6	13.6	30.5	11.6	31.5	11.0	29.9
7	13.7	29.9	13.6	30.5	11.0	31.5
8	11.9	31.0	12.0	31.5	11.5	30.5
9	12.8	30.5	12.6	31.5	11.6	30.5
10	11.8	31.0	12.6	31.0	11.8	30.5
11	11.9	31.5	* 12.3	* 31.0	11.7	31.5
12	11.6	31.5	12.0	31.0	11.2	31.5
13	11.3	31.5	12.0	31.5	11.0	31.5
14	11.7	31.5	* 11.9	* 31.5	11.0	31.5
15	* 12.7	* 30.5	* 11.7	* 31.5	11.6	31.5
16	13.8	29.4	11.6	31.5	11.5	31.0
17	12.8	30.5	11.6	31.5	11.0	31.5
18	13.5	30.5	11.0	31.5	11.0	31.5
19	12.5	31.5	11.0	31.5	11.5	30.5
20	14.0	29.9	10.6	31.5	10.6	31.5
21	13.5	30.5	11.0	31.5	11.0	30.5
22	13.0	31.5	11.0	31.5	11.0	30.5
23	13.0	31.5	11.0	31.5	11.1	30.5
24	12.5	31.5	11.0	31.5	11.4	29.9
25	14.0	30.5	11.6	31.0	11.5	30.5
26	13.5	31.5	11.6	30.5	11.5	30.5
27	12.5	31.5	11.6	31.0	11.0	30.5
28	11.1	31.5	11.6	31.5	10.6	30.5
29	11.6	31.5	* 11.6	* 31.4	10.6	29.4
30	12.0	31.5	* 11.6	* 31.2	10.6	30.5
31	12.0	31.0	11.6	31.0		
MEANS	12.7	31.0	11.7	31.3	11.2	30.7
BDSVNS.	28	28	26	26	30	30
MAXIMUM	14.0	31.5	13.6	31.5	11.8	31.5
MINIMUM	11.1	29.4	10.6	30.5	10.6	27.2
STD.DEV.	.68	.61	.64	.32	.38	.90

CAPE BEALE

48 47 12 N 125 12 53 W

	OCTOBER		NOVEMBER		DECEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.6	31.5	10.6	29.9	09.8	30.5
2	11.9	30.5	10.1	30.5	09.0	28.8
3	13.2	30.5	10.2	29.9	08.2	28.3
4	13.1	30.5	11.5	28.8	09.0	28.8
5	12.8	30.5	12.0	30.5	08.9	29.4
6	12.1	31.0	12.0	28.3	08.9	29.9
7	12.1	31.5	12.0	28.8	08.2	29.9
8	12.0	31.0	* 11.9	* 29.6	08.6	29.4
9	10.6	31.5	11.8	30.5	08.9	29.4
10	10.7	31.5	11.1	30.5	* 08.9	* 27.7
11	10.8	31.5	11.0	29.9	09.0	26.1
12	10.7	31.5	10.4	29.9	09.0	29.9
13	10.6	31.0	10.9	29.4	08.9	27.2
14	10.4	31.0	10.5	29.4	09.0	20.7
15	10.5	31.5	10.0	30.5	09.9	26.1
16	10.6	31.5	10.1	29.9	09.4	27.2
17	11.8	31.5	10.0	28.3	09.5	29.4
18	12.1	31.0	10.5	29.4	09.0	28.3
19	12.3	31.0	10.5	29.9	* 09.0	* 28.3
20	12.1	31.0	11.0	28.8	09.0	28.3
21	11.6	31.5	10.5	29.9	09.0	27.8
22	11.0	31.5	10.9	30.5	09.2	27.8
23	10.6	31.5	10.4	30.5	08.9	29.4
24	11.6	31.0	10.0	30.5	09.2	27.2
25	12.6	31.5	10.0	29.9	10.0	27.8
26	12.6	31.5	10.0	30.5	10.0	28.3
27	12.6	31.5	10.0	29.4	10.0	26.7
28	12.6	31.5	10.0	30.5	10.2	27.8
29	13.5	31.5	69.2	29.4	10.0	25.0
30	13.5	31.5	69.2	30.5	*	*
31	* 12.1	* 30.7			*	*
MEANS	11.8	31.2	10.6	29.8	9.2	28.0
88SVNS.	30	30	c9	29	27	27
YRLY.MEANS.....	10.5	30.3
MAXIMUM	13.6	31.5	12.0	30.5	10.2	30.5
MINIMUM	10.4	30.5	9.2	28.3	8.2	20.7
STD.DEV.	.98	.37	.76	.70	.54	1.98

BAMFIELD

48 56 05 N 125 08 07 W

JANUARY

FEBRUARY

MARCH

1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	*	*	*	*	*	*
2	*	*	*	*	*	*
3	*	*	*	*	*	*
4	*	*	*	*	*	*
5	*	*	*	*	*	*
6	*	*	*	*	*	*
7	*	*	*	*	*	*
8	*	*	*	*	*	*
9	*	*	*	*	*	*
10	*	*	*	*	*	*
11	*	*	*	*	*	*
12	*	*	*	*	*	*
13	*	*	*	*	*	*
14	*	*	*	*	*	*
15	*	*	*	*	*	*
16	*	*	*	*	*	*
17	*	*	*	*	*	*
18	*	*	*	*	*	*
19	*	*	*	*	*	*
20	*	*	*	*	*	*
21	*	*	*	*	*	*
22	*	*	*	*	*	*
23	*	*	*	*	*	*
24	*	*	*	*	*	*
25	*	*	*	*	*	*
26	*	*	*	*	*	*
27	*	*	*	*	*	*
28	*	*	*	*	*	*
29	*	*	*	*	*	*
30	*	*			*	*
31	*	*			*	*

MEANS	0.0	0.0	0.0	0.0	0.0	0.0
BDSVNS.	0	0	0	0	0	0
MAXIMUM	0.0	0.0	0.0	0.0	0.0	0.0
MINIMUM	0.0	0.0	0.0	0.0	0.0	0.0
STD.DEV.	0.00	0.00	0.00	0.00	0.00	0.00

BAMFIELD

48 50 05 N

125 08 07 W

	APRIL		MAY		JUNE		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	*	*	13.5	21.8	* 14.3	* 28.6	
2	*	*	13.5	26.7	14.0	31.0	
3	*	*	* 13.4	* 27.2	14.0	32.1	
4	*	*	* 13.2	* 27.8	13.0	31.0	
5	*	*	13.0	28.3	* 13.2	22.9	
6	*	*	14.0	25.6	13.5	22.3	
7	*	*	14.0	24.5	* 13.3	* 25.0	
8	*	*	13.5	25.0	13.0	27.8	
9	*	*	12.5	27.2	* 12.5	* 28.8	
10	*	*	13.0	25.6	12.0	29.9	
11	*	*	13.0	26.7	12.5	28.8	
12	*	*	13.0	27.8	12.5	29.4	
13	*	*	13.5	27.2	* 13.2	* 29.4	
14	*	*	13.5	25.6	14.0	29.4	
15	*	*	13.5	27.2	13.5	28.8	
16	*	*	14.0	27.8	* 13.6	* 29.2	
17	*	*	* 14.0	* 27.3	* 13.8	* 29.5	
18	*	*	14.0	26.7	14.0	29.9	
19	*	*	13.0	28.3	15.5	28.3	
20	*	*	* 13.0	* 27.0	15.5	27.8	
21	*	*	13.0	25.6	16.0	27.2	
22	*	*	13.0	25.0	* 15.0	*	
23	*	*	13.0	26.1	* 14.0	*	
24	*	*	13.5	25.6	13.0	*	
25	*	*	13.5	26.1	13.0	28.8	
26	*	*	13.0	29.9	13.0	30.5	
27	*	*	13.0	26.7	13.0	28.3	
28	*	*	14.0	26.1	13.0	29.9	
29	*	*	14.0	20.7	15.0	29.9	
30	*	*	15.0	23.9	16.0	28.3	
31			* 14.7	* 26.3			
MEANS BSVNS.	0.0 0	0.0 0	13.4 26	26.1 26	13.8 21	28.7 21	
MAXIMUM	0.0	0.0	15.0	29.9	16.0	32.1	
MINIMUM	0.0	0.0	12.5	20.7	12.0	22.3	
STD.DEV.	0.00	0.00	.53	1.94	1.16	2.36	

BAMFIELD

48 50 05 N

125 08 07 W

JULY

AUGUST

SEPTEMBER 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	15.5	* 28.5	15.5	28.3	*	*
2	* 14.3	* 28.6	*	*	*	*
3	14.0	28.8	*	*	14.0	27.2
4	14.3	27.2	*	*	*	*
5	15.0	25.0	*	*	*	*
6	16.0	25.6	16.0	28.3	*	*
7	15.5	24.5	15.5	28.8	*	*
8	15.5	27.8	17.0	27.2	*	*
9	15.7	27.8	* 17.0	* 27.2	13.0	28.3
10	* 14.7	* 26.0	* 17.0	* 27.2	13.0	28.3
11	* 14.3	* 24.1	17.0	27.2	* 13.0	* 28.3
12	14.0	22.3	16.5	27.2	13.0	28.3
13	15.0	25.6	* 16.3	*	15.0	27.2
14	15.0	25.0	* 16.2	*	*	*
15	16.0	27.2	16.0	*	*	*
16	*	*	* 15.7	*	*	*
17	*	*	* 15.3	*	13.0	27.2
18	*	*	15.0	28.3	*	*
19	*	*	15.0	27.2	*	*
20	*	*	15.5	27.2	*	*
21	16.0	*	*	*	*	*
22	16.0	27.2	*	*	*	*
23	15.0	28.8	*	*	*	*
24	* 15.2	* 29.1	*	*	*	*
25	15.5	29.4	*	*	*	*
26	15.3	28.8	13.0	28.3	*	*
27	* 15.5	* 29.1	13.5	28.8	*	*
28	15.5	29.4	13.5	28.8	*	*
29	* 16.2	* 28.3	*	*	*	*
30	17.0	27.2	*	*	*	*
31	17.0	27.2	*	*		
MEANS BSVNS.	15.4 20	26.9 18	15.3 13	28.0 12	13.5 6	27.8 6
MAXIMUM	17.0	29.4	17.0	28.8	15.0	28.3
MINIMUM	14.0	22.3	13.0	27.2	13.0	27.2
STD.DEV.	.83	1.93	1.30	.70	.84	.60

SAMFIELD

48 56 05 N

125 08 07 W

OCTOBER

NOVEMBER

DECEMBER 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	*	*	*	*	*	*
2	*	*	*	*	*	*
3	*	*	*	*	*	*
4	*	*	*	*	*	*
5	*	*	*	*	*	*
6	*	*	*	*	*	*
7	*	*	*	*	*	*
8	*	*	*	*	*	*
9	*	*	*	*	*	*
10	*	*	*	*	*	*
11	*	*	*	*	*	*
12	*	*	*	*	*	*
13	*	*	*	*	*	*
14	*	*	*	*	*	*
15	*	*	*	*	*	*
16	*	*	*	*	*	*
17	12.0	28.3				
18	12.5	27.2				
19	12.0	28.3				
20	13.0	29.4				
21	* 12.8	* 29.4				
22	12.5	29.4				
23	12.0	29.4				
24	*	*				
25	*	*				
26	*	*				
27	*	*				
28	11.5	28.3				
29	11.5	28.3				
30	11.5	28.3				
31	11.5	28.8				
MEANS	12.0	28.6	0.0	0.0	0.0	0.0
ISCVNS.	10	10	0	0	0	0
<hr/>						
MAXIMUM	13.0	29.4	0.0	0.0	0.0	0.0
MINIMUM	11.5	27.2	0.0	0.0	0.0	0.0
JTD.DEV.	.53	.70	0.00	0.00	0.00	0.00

SHERINGHAM POINT 48 22 40 N 123 55 10 W

	JANUARY		FEBRUARY		MARCH		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	08.6	30.3	07.5	31.1	08.7	30.6	
2	08.6	30.3	07.4	30.8	08.9	31.0	
3	08.5	30.3	07.5	30.8	08.2	30.4	
4	08.5	30.2	07.4	31.1	08.1	30.8	
5	08.6	30.3	07.3	31.0	07.4	31.4	
6	08.6	30.2	07.4	31.0	07.9	31.0	
7	08.5	30.2	07.7	31.1	07.6	31.1	
8	08.2	30.0	07.6	30.8	07.4	31.0	
9	08.2	30.2	07.6	31.0	07.6	31.0	
10	07.5	30.7	07.6	31.2	07.5	31.1	
11	07.9	30.0	07.7	30.8	06.8	31.4	
12	08.0	29.8	07.6	30.8	07.1	31.2	
13	07.4	29.1	07.3	30.7	07.1	31.1	
14	07.7	29.3	07.3	30.7	07.2	31.4	
15	07.6	30.2	07.3	30.7	07.2	31.5	
16	08.2	30.7	07.3	30.7	07.8	31.1	
17	08.2	30.7	07.3	30.4	07.9	31.0	
18	07.5	30.3	07.3	30.3	07.8	31.1	
19	08.1	30.4	07.4	30.3	08.3	32.3	
20	08.2	30.6	08.1	31.0	08.0	31.4	
21	08.1	30.4	07.9	31.2	08.9	30.6	
22	08.2	31.0	07.9	31.2	08.8	30.7	
23	08.4	31.2	07.9	31.1	08.6	30.8	
24	08.1	30.8	07.9	31.0	08.6	30.8	
25	08.2	30.8	08.2	31.2	08.1	32.1	
26	07.4	30.7	08.4	30.8	08.0	32.1	
27	07.4	30.8	08.0	30.8	08.9	31.8	
28	07.6	31.0	08.4	30.2	08.0	31.9	
29	07.7	30.4	08.3	30.4	08.7	31.4	
30	06.9	30.8			09.2	32.1	
31	07.1	30.7			08.4	31.8	
MEANS	8.0	30.4	7.7	30.8	8.0	31.3	
JSDVNS.	31	31	29	29	31	31	
MAXIMUM	8.6	31.2	8.4	31.2	9.2	32.3	
MINIMUM	6.9	29.1	7.3	30.2	6.8	30.4	
STD.DEV.	•51	•46	•36	•29	•64	•50	

SHERINGHAM POINT 48 2 \circ 40' N 123 55' 10' W

	APRIL		MAY		JUNE		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	05.8	31.9	09.2	30.7	10.0	31.8	
2	09.2	31.8	09.2	30.6	09.9	31.4	
3	06.2	31.6	09.1	30.7	09.8	31.4	
4	08.1	30.8	09.2	30.8	10.0	30.8	
5	08.1	30.6	09.1	30.8	10.1	31.1	
6	07.9	30.6	09.2	31.1	10.1	31.4	
7	07.9	30.8	09.1	30.8	10.0	31.1	
8	08.2	30.8	09.0	31.2	10.0	31.1	
9	08.3	30.8	09.0	30.8	10.6	31.0	
10	08.3	31.1	09.1	31.4	10.8	31.0	
11	08.7	31.2	09.2	31.1	11.1	30.8	
12	08.6	31.0	09.1	31.4	10.6	30.8	
13	08.3	31.0	10.0	31.8	10.6	31.4	
14	09.0	31.4	09.7	31.8	10.6	30.8	
15	08.8	31.1	09.8	31.4	10.6	30.8	
16	08.9	31.2	10.0	31.8	10.6	30.8	
17	08.9	31.2	09.8	31.8	10.6	32.0	
18	08.9	31.0	09.8	31.8	10.6	31.1	
19	08.9	30.7	09.9	31.5	10.0	32.1	
20	09.0	30.7	09.2	31.6	10.2	32.1	
21	09.0	30.7	09.1	31.6	10.6	32.3	
22	09.1	31.1	09.1	31.6	10.7	32.0	
23	09.0	30.7	09.1	31.6	10.6	31.5	
24	08.9	31.2	09.7	31.9	10.6	31.9	
25	09.0	30.7	10.0	31.6	10.7	32.0	
26	09.2	31.1	09.9	31.6	10.7	31.1	
27	09.4	30.8	09.7	31.6	11.1	31.9	
28	09.0	31.0	10.0	30.7	11.2	32.0	
29	09.1	30.7	09.8	30.6	11.7	32.4	
30	09.1	30.7	10.0	31.0	11.1	32.4	
31			09.7	30.8			
MEANS OBSVNS.	8.6 36	31.0 30	9.5 31	31.3 31	10.5 30	31.5 30	
MAXIMUM	9.4	31.9	10.0	31.9	11.7	32.4	
MINIMUM	5.8	30.6	9.0	30.6	9.8	30.8	
STD.DEV.	.81	.34	.38	.44	.45	.55	

SHERINGHAM POINT 48 2 \circ 40' N 123 55' 10' W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.1	31.9	11.3	32.3	10.6	31.4
2	11.7	32.0	11.1	31.8	11.1	31.8
3	11.4	31.8	10.8	31.8	10.8	31.6
4	11.4	31.9	11.1	31.2	11.4	31.2
5	10.8	31.8	11.2	32.0	11.3	31.5
6	10.8	31.8	12.2	31.4	11.3	31.5
7	11.1	31.8	11.7	31.4	11.2	31.2
8	11.2	31.9	12.2	31.4	11.3	31.5
9	12.2	32.0	11.8	31.2	11.8	31.8
10	11.3	31.8	12.1	31.5	11.3	31.2
11	11.9	31.8	11.8	31.2	11.4	31.8
12	11.9	31.8	11.7	32.0	11.4	31.2
13	11.7	31.9	11.7	31.2	11.1	31.5
14	11.3	32.0	11.7	31.8	11.4	31.8
15	11.6	32.0	11.8	31.5	11.3	31.2
16	11.2	31.9	11.7	31.8	11.4	31.8
17	11.7	31.8	11.1	31.8	11.4	32.0
18	11.3	31.9	11.3	31.8	11.4	31.2
19	10.8	31.6	11.3	31.4	11.4	31.2
20	11.1	31.8	11.7	31.5	11.5	31.2
21	13.3	31.4	11.5	31.5	11.4	31.0
22	12.2	31.0	12.0	31.4	11.3	31.2
23	11.7	31.8	11.5	31.2	11.7	31.6
24	11.6	30.6	11.5	31.4	11.8	31.9
25	12.2	31.2	11.6	31.1	11.7	32.3
26	12.2	31.1	11.7	31.5	11.8	31.2
27	11.6	30.8	11.7	31.1	11.7	32.0
28	11.4	31.8	11.4	32.0	11.1	32.4
29	11.7	32.3	11.5	31.1	11.3	32.1
30	11.1	31.8	10.6	31.9	11.2	31.0
31	11.1	31.8	11.0	31.8		
MEANS	11.5	31.7	11.5	31.5	11.4	31.5
SDSVNS.	31	31	31	31	30	30
MAXIMUM	13.3	32.3	12.2	32.3	11.8	32.4
MINIMUM	10.8	30.6	10.6	31.1	10.6	31.0
STD.DEV.	.55	.38	.38	.32	.27	.38

SHERINGHAM POINT 48 2d 40 N 123 55 10 W

	OCTOBER		NOVEMBER		DECEMBER		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	11.1	31.1	09.2	30.7	09.7	30.7	
2	12.3	31.8	09.5	30.7	09.2	31.1	
3	12.8	32.3	09.2	30.4	09.4	30.8	
4	11.1	31.1	09.1	30.7	08.9	30.6	
5	11.1	31.0	09.0	30.4	08.7	30.6	
6	11.2	31.0	09.6	31.4	07.8	30.0	
7	11.1	30.7	10.6	30.7	08.3	30.6	
8	11.0	31.0	10.8	31.0	07.8	30.3	
9	11.1	31.6	10.6	31.1	08.4	30.6	
10	10.9	31.2	10.4	30.4	08.9	30.0	
11	10.3	31.2	09.7	31.1	08.3	30.8	
12	10.6	31.5	10.8	30.2	08.6	30.7	
13	10.7	31.1	09.7	31.1	08.6	30.8	
14	10.4	31.4	10.6	30.3	08.4	30.6	
15	10.9	31.1	10.3	31.1	08.4	30.3	
16	11.0	31.4	10.3	30.7	08.9	30.8	
17	10.8	31.4	09.7	31.0	08.6	30.6	
18	10.6	31.5	09.7	31.1	08.3	30.4	
19	10.7	31.5	09.6	30.8	08.4	30.6	
20	10.6	31.2	09.9	31.1	08.3	30.6	
21	10.6	31.1	09.1	30.8	08.9	30.7	
22	10.0	31.0	08.9	31.1	08.8	31.4	
23	10.0	31.1	08.9	30.8	08.4	30.6	
24	09.8	31.2	09.0	31.1	08.9	31.4	
25	09.9	31.8	08.9	30.8	08.4	30.6	
26	09.4	31.9	08.9	30.8	08.4	30.3	
27	09.3	31.9	08.9	31.1	08.6	30.6	
28	09.4	30.8	09.0	31.4	08.5	30.4	
29	09.4	31.8	08.9	31.6	08.4	30.6	
30	09.4	30.8	08.9	31.5	08.6	30.0	
31	09.5	31.9			08.5	30.2	
MEANS	10.6	31.3	9.6	30.9	8.6	30.6	
BDSVNS.	31	31	30	30	31	31	
YRLY.MEANS.....					9.6	31.2	
MAXIMUM	12.8	32.3	10.8	31.6	9.7	31.4	
MINIMUM	9.3	30.7	8.9	30.2	7.8	30.0	
STD.DEV.	•83	•39	•67	•35	•40	•33	

RALE ROCKS

48 17 57 N 123 31 48 W

	JANUARY		FEBRUARY		MARCH	1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	08.3	31.2	07.4	31.4	08.1	31.5
2	08.2	31.1	07.5	31.2	08.1	31.2
3	08.2	31.1	07.7	31.5	07.9	31.5
4	08.2	31.0	07.6	31.4	07.8	31.6
5	08.2	31.1	07.8	31.5	07.9	31.4
6	08.1	31.2	07.9	31.5	07.8	31.5
7	08.2	31.0	07.8	31.4	07.8	31.1
8	08.1	30.8	07.6	31.5	07.9	31.2
9	08.1	31.0	07.7	31.2	07.9	31.4
10	07.9	31.2	07.4	31.1	07.9	31.4
11	07.9	31.0	07.3	31.2	07.9	31.1
12	07.9	30.8	07.3	31.1	07.8	31.0
13	07.8	31.0	07.3	31.2	07.8	31.2
14	07.6	30.7	07.4	31.4	07.8	31.4
15	07.7	31.1	07.4	31.4	07.9	31.5
16	07.8	31.0	07.6	31.8	07.9	31.4
17	07.9	31.2	07.6	31.9	07.9	31.4
18	07.8	31.2	07.8	32.1	07.9	31.1
19	07.9	31.4	07.7	31.8	08.0	31.5
20	07.9	31.2	07.7	31.9	08.0	31.2
21	07.8	31.1	07.8	31.9	07.9	31.0
22	07.9	31.5	07.8	31.8	07.9	31.2
23	07.9	31.2	07.9	31.6	08.1	31.5
24	07.8	31.4	07.8	31.6	08.0	31.4
25	07.7	31.4	07.8	31.4	08.1	31.2
26	07.6	31.2	07.8	31.2	08.2	31.5
27	07.5	31.0	07.9	31.2	07.3	31.6
28	07.2	31.0	08.0	31.4	08.4	31.5
29	06.8	30.8	07.9	31.4	08.4	31.8
30	06.8	30.7			08.3	31.6
31	06.7	30.7			08.5	31.9
MEANS	7.8	31.1	7.7	31.5	8.0	31.4
STDSVNS.	31	31	29	29	31	31
MAXIMUM	8.3	31.5	8.0	32.1	8.5	31.9
MINIMUM	6.7	30.7	7.3	31.1	7.3	31.0
STD.DEV.	.41	.21	.21	.27	.23	.22

RACE ROCKS

48 17 57 N 123 31 48 W

APRIL

MAY

JUNE

1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	08.6	31.5	09.7	31.5	08.9	31.8
2	08.4	31.2	09.8	31.6	08.7	31.9
3	08.4	31.4	09.7	31.4	08.8	31.8
4	08.4	31.4	09.7	31.2	08.8	31.8
5	08.4	31.2	09.7	31.4	08.9	32.0
6	08.3	31.5	09.6	31.6	09.1	32.1
7	08.4	31.6	09.4	31.5	09.1	32.0
8	08.3	31.4	09.3	31.4	09.0	32.3
9	08.3	31.2	09.2	31.5	09.1	32.1
10	08.3	31.5	09.3	31.5	09.2	32.3
11	08.5	31.6	09.3	31.6	09.3	32.0
12	08.3	31.9	09.4	31.6	09.3	32.1
13	08.4	31.8	09.4	32.0	09.3	32.0
14	08.4	32.0	09.4	32.0	09.4	32.3
15	08.5	32.3	09.4	31.9	09.4	32.1
16	08.5	32.1	09.4	31.9	09.7	32.1
17	08.6	32.1	09.3	32.1	09.7	32.0
18	08.6	32.3	09.3	32.1	09.9	31.9
19	08.7	32.3	09.4	31.9	09.9	31.8
20	08.7	32.0	09.4	32.1	09.9	31.9
21	08.8	32.0	09.6	32.0	10.0	31.9
22	08.9	31.9	09.5	31.8	09.8	32.1
23	09.1	31.8	09.6	31.9	09.9	32.0
24	09.0	31.6	09.6	31.0	09.8	32.0
25	09.2	31.9	09.7	31.8	10.0	31.8
26	09.2	31.6	09.7	31.9	10.1	32.1
27	09.3	31.6	09.7	31.6	10.1	31.9
28	09.3	31.5	09.8	31.6	10.1	32.1
29	09.4	31.6	09.6	31.9	10.2	32.1
30	09.0	31.6	09.4	31.8	10.2	32.1
31			09.2	31.9		
MEANS OBSVNS.	8.7 30	31.7 30	9.5 31	31.7 31	9.5 30	32.0 30
MAXIMUM	9.6	32.3	9.8	32.1	10.2	32.3
MINIMUM	8.3	31.2	9.2	31.0	8.7	31.8
STD.DEV.	.39	.33	.18	.28	.48	.15

RACE ROCKS

48 17 57 N 123 31 48 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	10.4	32.0	10.7	31.9	10.8	31.8
2	10.5	32.3	10.6	31.8	10.8	32.0
3	10.4	32.0	10.7	31.6	10.7	31.9
4	10.4	32.0	10.7	31.8	10.7	32.1
5	10.3	32.0	10.8	31.8	10.5	32.0
6	10.4	32.0	10.9	32.1	10.1	32.1
7	10.5	31.9	11.0	32.0	10.6	32.1
8	10.6	31.9	10.9	32.3	10.6	32.4
9	10.5	32.3	11.0	32.3	10.6	32.0
10	10.4	32.3	11.1	31.9	10.4	32.3
11	10.2	32.1	11.3	31.9	10.5	32.3
12	10.2	32.3	11.3	31.9	10.4	32.0
13	10.3	32.1	11.3	32.0	10.3	32.3
14	10.4	32.3	11.2	32.1	10.4	31.9
15	10.5	32.0	10.9	31.8	10.3	32.1
16	10.6	32.0	10.9	31.6	10.6	31.6
17	10.7	31.6	10.9	31.8	10.8	31.5
18	10.8	31.8	10.8	31.4	11.6	31.0
19	10.7	31.6	10.9	31.6	11.0	31.5
20	10.9	31.8	11.0	31.8	10.7	31.6
21	10.8	31.5	10.9	31.8	10.5	31.9
22	11.3	31.4	11.0	31.5	10.6	31.8
23	11.3	31.1	11.1	31.4	10.4	32.0
24	11.3	31.4	11.2	31.4	10.3	32.0
25	11.4	31.2	10.9	31.6	10.1	32.3
26	11.1	31.6	11.0	31.8	10.2	32.1
27	10.8	32.3	10.9	31.5	10.4	31.9
28	10.8	32.3	10.8	31.6	10.2	31.8
29	10.8	32.4	10.9	31.6	10.3	32.0
30	10.6	32.1	10.9	31.9	10.1	31.5
31	10.7	32.0	10.9	31.8		
MEANS	10.7	31.9	10.9	31.8	10.5	31.9
STD.SVNS.	31	31	31	31	30	30
MAXIMUM	11.4	32.4	11.3	32.3	11.6	32.4
MINIMUM	10.2	31.1	10.6	31.4	10.1	31.0
STD.DEV.	.33	.35	.18	.24	.31	.30

RACE ROCKS

48 17 57 N 123 31 48 W

OCTOBER

NOVEMBER

DECEMBER 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	10.0	31.8	9.8	32.4	8.4	31.9
2	10.2	31.9	9.9	32.1	8.7	31.6
3	10.3	31.9	9.8	32.3	8.6	31.5
4	10.1	31.9	9.7	32.0	8.6	31.8
5	10.1	32.0	9.6	32.1	8.4	31.6
6	10.2	31.9	9.4	32.0	8.7	31.9
7	10.2	31.6	9.4	32.0	8.7	31.6
8	10.3	31.8	9.3	32.3	8.8	31.5
9	10.3	32.1	9.4	32.0	9.1	31.8
10	10.2	31.9	9.3	32.3	8.9	32.0
11	10.1	32.0	9.2	32.1	8.9	31.6
12	10.0	31.5	9.2	32.3	8.9	31.8
13	10.1	31.6	9.1	32.3	9.1	31.9
14	10.1	31.6	9.2	32.3	9.0	31.9
15	10.2	31.8	9.2	32.1	9.2	31.8
16	10.3	31.6	9.2	32.0	8.6	31.6
17	10.1	31.8	9.1	32.1	8.7	31.8
18	10.2	31.5	9.2	31.9	8.5	31.8
19	10.4	31.4	9.3	31.9	8.4	31.9
20	10.3	31.4	9.3	32.0	8.5	31.8
21	10.1	31.5	9.4	31.8	8.4	32.0
22	9.8	31.9	9.4	31.8	8.4	32.1
23	9.4	32.3	9.3	31.8	8.4	31.9
24	9.5	32.3	9.2	32.0	8.5	31.8
25	9.4	32.5	9.2	31.8	8.4	32.0
26	9.6	32.7	9.0	31.6	8.3	31.8
27	9.5	32.4	9.1	32.0	8.4	31.6
28	9.6	32.1	9.0	32.0	8.3	31.5
29	9.6	32.5	8.9	32.1	8.4	31.4
30	9.4	32.1	8.9	32.3	8.4	31.6
31	9.3	32.7			8.3	31.6
MEANS	10.0	31.9	9.3	32.1	8.6	31.8
SDSVNS.	31	31	30	30	31	31
YRLY.MEANS.....					9.3	31.7
MAXIMUM	10.4	32.7	9.9	32.4	9.2	32.1
MINIMUM	9.3	31.4	8.9	31.6	8.3	31.4
STD.DEV.	.34	.37	.25	.19	.26	.18

CAPE MUDGE

49 59 56 N 125 11 38 W

	JANUARY		FEBRUARY		MARCH	1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	07.9	28.8	*	*	07.9	29.3
2	08.4	29.1	*	*	08.0	28.9
3	07.9	28.2	07.2	28.5	08.3	29.1
4	07.2	26.8	07.2	28.4	07.8	29.0
5	07.5	26.9	06.9	28.6	08.6	29.0
6	08.1	28.9	07.3	28.8	07.7	29.0
7	* 07.7	* 28.2	07.1	27.7	07.9	28.9
8	07.2	27.4	07.3	28.5	07.8	28.9
9	*	*	07.1	27.7	* 07.8	* 28.9
10	*	*	06.8	26.5	07.8	29.0
11	*	*	07.2	27.1	08.0	29.1
12	07.1	27.1	07.2	27.3	06.9	28.5
13	06.7	28.2	06.1	27.8	* 06.8	* 28.5
14	06.9	28.5	05.0	28.4	06.7	28.5
15	* 07.0	* 28.4	06.0	28.6	* 07.5	* 28.6
16	07.2	28.2	06.3	28.8	* 08.3	* 28.8
17	07.4	28.4	06.6	28.8	09.1	29.0
18	07.4	28.6	07.6	28.9	08.2	28.9
19	07.7	28.8	07.8	29.0	08.0	28.9
20	* 07.2	* 28.7	07.5	29.1	08.2	28.8
21	06.6	28.6	07.7	29.3	08.3	28.5
22	07.1	29.0	07.1	28.6	* 08.4	* 28.3
23	07.2	28.5	07.2	28.9	08.4	28.1
24	06.3	28.4	* 07.4	* 29.1	07.1	28.1
25	06.7	28.8	07.7	29.3	07.6	28.4
26	07.1	28.8	* 07.7	* 29.3	07.3	28.1
27	06.2	28.6	07.8	29.4	07.5	28.1
28	07.2	28.8	07.8	29.3	* 07.6	* 28.5
29	07.2	28.9	07.6	29.1	07.6	28.9
30	07.3	29.3			07.5	28.6
31	*	*			10.3	29.1
MEANS BSVNS.	7.2 24	28.4 24	7.1 25	28.5 25	7.9 25	28.7 25
MAXIMUM	8.4	29.3	7.8	29.4	10.3	29.3
MINIMUM	6.2	26.8	5.0	26.5	6.7	28.1
STD.DEV.	.53	.63	.67	.75	.72	.36

CAPE MUDGE

49 59 56 N 125 11 38 W

	APRIL		MAY		JUNE		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	10.2	29.1	10.6	29.4	* 11.2	* 28.6	
2	10.3	29.1	11.6	29.5	09.9	28.5	
3	09.8	29.3	11.3	29.3	09.6	29.5	
4	07.8	28.9	* 10.3	* 29.3	10.1	29.3	
5	* 07.8	* 28.9	09.3	29.4	11.1	29.3	
6	* 07.8	* 29.0	09.1	29.7	12.2	29.5	
7	07.8	29.1	09.4	29.7	12.2	29.7	
8	* 08.2	* 29.2	09.9	29.5	11.1	29.1	
9	* 08.7	* 29.3	10.4	29.3	12.2	29.1	
10	09.2	29.4	11.4	29.7	12.2	28.8	
11	09.4	29.1	12.8	29.8	13.7	28.8	
12	10.6	29.1	11.7	30.0	12.7	28.8	
13	10.3	29.0	14.4	29.5	13.3	29.0	
14	09.9	29.1	10.8	29.1	13.3	28.9	
15	* 09.8	* 29.2	12.6	29.3	12.7	29.0	
16	09.7	29.3	11.9	28.9	12.3	28.2	
17	* 09.6	* 29.3	12.7	29.4	12.6	28.5	
18	* 09.4	* 29.4	11.4	29.0	12.7	28.1	
19	09.3	29.4	10.8	28.4	11.6	28.0	
20	09.4	29.3	* 10.8	* 28.3	11.4	27.7	
21	08.4	29.0	10.8	28.2	* 13.1	* 27.9	
22	09.4	29.1	11.6	28.0	14.8	28.1	
23	10.0	29.0	11.9	28.1	* 14.1	* 28.2	
24	10.1	29.3	11.7	28.0	13.4	28.4	
25	09.0	29.3	13.9	28.4	13.9	28.0	
26	11.9	29.4	13.8	28.5	13.7	27.1	
27	12.8	29.3	12.1	28.6	13.1	26.8	
28	10.7	29.4	11.9	29.0	14.3	26.4	
29	11.7	29.4	13.6	28.6	13.9	26.4	
30	11.9	29.4	13.3	28.6	14.4	28.9	
31			12.5	28.6			
MEANS OBSVNS.	10.0 23	29.2 23	11.7 29	29.0 29	12.5 27	28.4 27	
MAXIMUM	12.8	29.4	14.4	30.0	14.8	29.7	
MINIMUM	7.8	28.9	9.1	28.0	9.6	26.4	
STD.DEV.	1.25	.16	1.41	.59	1.37	.91	

CAPE MUDGE

49 59 56 N 125 11 38 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	15.4	27.6	10.7	29.4	* 12.3	* 28.7
2	* 14.9	* 27.6	11.0	29.1	12.8	28.5
3	* 14.3	* 27.6	13.6	28.5	* 12.6	* 28.4
4	13.8	27.6	13.3	28.8	12.3	28.2
5	14.2	28.1	14.3	28.5	13.0	28.4
6	* 14.7	* 27.9	15.2	28.6	* 13.1	* 28.4
7	15.1	27.6	16.8	28.5	* 13.2	* 28.4
8	18.6	27.1	14.0	28.8	13.2	28.4
9	13.9	27.6	12.5	28.4	* 13.7	* 28.3
10	* 14.6	* 27.4	16.0	27.8	14.2	28.1
11	15.4	27.1	13.7	28.8	12.3	27.1
12	13.9	26.8	14.3	28.5	11.4	27.4
13	15.4	27.4	15.0	28.9	11.7	27.2
14	15.6	27.4	14.0	27.7	10.1	28.8
15	16.1	25.4	11.4	28.9	11.0	29.1
16	16.3	26.1	13.3	28.6	13.0	29.4
17	16.4	27.2	13.4	28.2	14.4	29.8
18	13.3	27.3	15.1	27.8	14.3	29.7
19	14.2	27.2	* 15.2	* 28.3	* 13.4	* 29.4
20	16.1	27.2	15.3	28.9	12.4	29.1
21	17.0	26.8	11.9	28.5	14.2	29.0
22	* 17.7	* 26.8	11.7	28.5	11.6	28.2
23	18.3	26.8	13.5	28.8	12.0	29.0
24	15.3	26.5	14.7	28.1	13.9	29.4
25	10.4	28.5	12.8	28.2	13.4	29.0
26	14.2	28.4	12.5	28.5	12.2	29.4
27	15.3	28.4	12.6	28.2	10.3	28.8
28	14.2	28.4	11.4	28.6	10.6	28.6
29	13.8	29.1	11.4	29.5	12.1	29.0
30	11.9	28.6	12.3	28.6	12.3	28.8
31	13.6	28.4	11.8	28.9		
MEANS	15.2	27.5	13.3	28.6	12.4	28.7
SDSNS.	2.6	2.6	3.0	3.0	2.4	2.4
MAXIMUM	18.6	29.1	16.8	29.5	14.4	29.8
MINIMUM	11.9	25.4	10.7	27.7	10.1	27.1
STD.DEV.	1.54	.85	1.57	.42	1.25	.72

CAPE MUDGE

49 59 56 N 125 11 38 W

	OCTOBER		NOVEMBER		DECEMBER	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	13.6	29.3	19.9	29.7	18.5	28.5
2	14.4	29.0	* 19.9	* 29.6	18.3	28.4
3	14.7	28.8	10.0	29.5	18.3	28.9
4	11.9	28.8	10.1	29.5	18.2	28.9
5	13.4	29.0	10.0	29.5	17.8	28.9
6	12.8	28.8	* 09.8	* 29.2	18.1	29.1
7	12.2	28.8	* 19.6	* 28.8	17.5	29.3
8	12.2	29.0	19.4	28.4	17.8	28.9
9	11.9	29.3	19.6	28.6	17.7	28.9
10	10.6	29.5	19.8	28.5	* 17.8	* 29.0
11	10.1	29.3	19.9	28.6	* 17.8	* 29.0
12	10.1	29.3	19.4	29.4	17.8	29.0
13	10.2	29.3	19.2	29.3	17.6	29.0
14	09.7	29.1	19.1	29.1	17.7	29.0
15	10.1	28.8	19.0	29.0	18.1	29.4
16	10.0	28.8	18.6	28.0	18.4	27.7
17	10.3	28.2	18.5	27.8	18.6	28.1
18	10.1	28.5	19.4	29.1	18.5	28.0
19	11.6	29.0	19.4	29.1	18.6	28.2
20	10.8	29.3	* 19.4	* 29.2	18.6	29.3
21	11.1	29.3	19.4	29.4	18.6	28.8
22	11.7	29.5	19.5	29.4	18.4	29.0
23	10.8	29.5	19.4	29.1	18.6	29.0
24	11.3	29.3	19.2	29.1	* 18.6	* 29.1
25	10.6	28.4	19.0	29.3	18.6	29.3
26	09.7	29.4	18.9	29.3	* 18.7	* 29.3
27	09.7	29.1	19.2	29.4	18.8	29.4
28	09.9	29.4	19.2	29.1	18.6	29.3
29	10.0	29.4	19.1	29.3	* 18.4	*
30	10.0	29.4	19.0	29.3	18.2	*
31	10.1	28.6			17.9	*
MEANS	11.1	29.1	19.4	29.1	18.2	28.8
SDSVNS.	31	31	26	26	26	24
YRLY. MEANS.....					10.6	28.7
MAXIMUM	14.7	29.5	10.1	29.7	8.8	29.4
MINIMUM	9.7	28.2	8.5	27.8	7.5	27.7
STD.DEV.	1.42	.35	.42	.47	.38	.46

CHROME ISLAND

49 26 20 N

124 40 57 W

	JANUARY		FEBRUARY		MARCH		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	08.2	28.9	06.8	28.8	08.0	29.0	
2	08.0	28.5	07.1	30.0	07.9	28.1	
3	07.9	29.0	07.3	29.8	08.4	27.6	
4	07.7	28.9	07.3	29.8	07.7	28.8	
5	07.4	29.0	07.0	29.9	06.9	28.8	
6	07.2	28.8	06.7	28.5	06.9	28.2	
7	07.2	28.6	07.1	29.5	06.9	29.3	
8	06.5	28.6	06.9	28.6	06.7	29.0	
9	06.8	28.9	07.0	28.8	06.9	27.3	
10	06.8	29.5	06.7	28.5	07.5	28.9	
11	06.8	29.9	06.2	27.8	07.3	28.9	
12	06.7	29.8	06.1	28.0	07.2	28.8	
13	07.0	29.9	06.4	29.0	07.6	29.1	
14	07.3	30.0	06.1	28.1	07.3	29.0	
15	07.1	29.0	06.5	28.6	07.4	29.3	
16	07.3	28.9	06.7	28.8	07.2	29.1	
17	06.6	28.2	06.5	28.9	07.5	29.4	
18	05.8	27.4	06.8	28.6	07.5	29.5	
19	06.4	28.8	06.6	28.8	07.6	29.3	
20	06.7	29.4	06.3	28.6	07.4	29.1	
21	06.6	28.8	06.4	28.9	07.2	29.1	
22	06.2	29.4	06.3	28.6	07.4	29.0	
23	06.3	28.9	06.2	28.8	07.3	28.9	
24	06.3	28.9	06.5	28.8	07.3	28.8	
25	06.1	28.6	06.8	29.3	07.7	28.4	
26	06.0	28.5	07.5	29.5	07.4	28.9	
27	05.8	28.6	07.8	28.9	07.7	28.9	
28	05.9	28.8	07.9	29.7	07.8	29.1	
29	05.8	28.9	07.7	29.4	07.7	28.9	
30	05.8	28.8			08.0	29.0	
31	05.9	28.6			08.0	29.0	
MEANS BSVNS.	6.7 31	28.9 31	6.8 29	28.9 29	7.5 31	28.9 31	
MAXIMUM	8.2	30.0	7.9	30.0	8.4	29.5	
MINIMUM	5.8	27.4	6.1	27.8	6.7	27.3	
STD.DEV.	.69	.53	.50	.57	.39	.48	

CHROME ISLAND

49 28 20 N

124 40 57 W

APRIL

MAY

JUNE

1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	08.2	29.1	10.8	29.4	13.6	27.4
2	08.3	29.3	10.0	29.3	13.3	27.2
3	08.0	29.0	10.6	30.0	13.4	27.6
4	08.0	29.1	10.2	29.1	13.3	27.4
5	08.0	29.1	11.2	28.6	12.8	27.7
6	07.5	29.3	09.9	29.5	13.8	28.2
7	07.2	29.5	09.4	29.4	13.4	27.7
8	07.7	29.4	10.2	29.3	13.8	26.9
9	07.9	29.4	10.2	29.4	13.5	27.7
10	07.9	29.7	10.7	29.1	12.7	28.2
11	08.3	29.7	12.8	28.6	13.8	27.8
12	09.2	28.9	10.8	29.1	14.2	28.0
13	08.5	29.7	10.8	29.5	15.5	26.7
14	08.8	29.1	10.4	29.4	14.8	27.4
15	09.0	29.1	11.2	29.5	13.8	27.8
16	08.8	29.3	11.5	29.0	14.0	28.1
17	08.5	29.5	11.0	29.3	13.7	29.3
18	08.4	29.5	12.0	28.9	14.5	27.1
19	08.3	29.1	10.8	29.9	15.3	26.5
20	08.2	29.0	10.3	29.3	15.8	26.3
21	08.5	26.3	10.4	30.2	16.3	26.3
22	09.1	29.0	10.8	29.1	13.4	27.8
23	09.0	29.4	11.0	28.6	13.6	27.7
24	09.1	29.4	12.4	28.0	14.2	27.7
25	08.9	29.5	12.9	26.5	13.8	27.6
26	09.6	29.3	12.9	26.3	13.0	28.2
27	10.5	28.9	12.3	26.9	13.8	28.1
28	09.8	30.0	13.1	27.4	13.2	28.4
29	10.6	28.9	13.8	27.2	13.8	27.6
30	10.3	29.3	14.0	27.1	15.8	26.0
31			13.8	27.3		
MEANS OBSVNS.	8.7 30	29.2 30	11.4 31	28.7 31	14.0 30	27.5 30
MAXIMUM MINIMUM	10.6 7.2	30.0 26.3	14.0 9.4	30.2 26.3	16.3 12.7	29.3 26.0
STD.DEV.	.85	.61	1.28	1.07	.92	.70

CHROME ISLAND

49 26 20 N

124 40 57 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	15.4	26.3	17.2	26.8	12.7	29.0
2	15.2	26.1	14.8	27.6	12.9	28.5
3	13.9	27.1	15.0	27.4	12.4	29.0
4	12.5	28.5	14.8	27.7	13.0	28.9
5	13.2	27.3	16.6	27.1	12.9	28.5
6	15.2	25.9	16.9	26.7	12.4	28.9
7	15.2	26.4	18.4	26.1	12.7	28.9
8	15.7	23.8	17.8	26.5	14.0	28.6
9	16.9	23.4	18.3	26.7	14.2	28.1
10	14.1	26.4	19.2	26.5	14.7	27.7
11	15.8	25.9	19.0	26.4	14.0	27.8
12	14.7	26.9	16.2	27.3	14.4	27.4
13	15.3	26.5	16.9	27.3	14.7	27.8
14	15.6	26.4	16.1	27.3	14.2	28.0
15	14.2	27.2	16.6	27.6	13.9	28.2
16	14.4	26.9	15.6	28.0	15.1	27.7
17	15.3	26.5	13.3	28.4	14.3	27.8
18	16.2	25.8	15.1	28.2	14.7	28.0
19	16.9	25.4	16.8	27.8	12.7	28.5
20	17.0	25.9	16.8	27.4	12.2	28.4
21	16.5	26.4	17.3	27.6	12.3	29.3
22	19.7	25.1	17.4	27.2	11.3	29.0
23	18.6	25.5	17.5	27.3	12.6	29.0
24	18.3	25.8	19.9	27.3	12.0	28.8
25	18.9	25.5	16.8	27.4	12.6	28.9
26	19.6	25.1	14.9	27.8	12.4	28.5
27	20.1	25.1	15.7	28.0	12.1	28.1
28	19.2	25.4	15.5	27.7	11.2	29.1
29	18.8	25.9	14.2	27.8	11.1	29.0
30	18.7	25.6	14.2	28.1	11.0	29.1
31	17.8	26.7	13.3	27.8		
MEANS OBSVNS.	16.4 31	26.0 31	16.4 31	27.4 31	13.0 30	28.5 30
MAXIMUM	20.1	28.5	19.9	28.4	15.1	29.3
MINIMUM	12.5	23.4	13.3	26.1	11.0	27.4
STD.DEV.	2.08	.99	1.66	.57	1.19	.53

CHROME ISLAND

49 28 20 N

124 40 57 W

	OCTOBER		NOVEMBER		DECEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	10.2	29.9	09.8	29.4	08.1	28.0
2	11.5	29.4	09.8	29.4	08.0	27.8
3	11.5	29.3	09.7	28.9	07.2	27.6
4	11.6	29.1	09.8	29.1	07.0	27.4
5	11.7	28.9	09.9	28.9	06.4	27.6
6	12.0	28.8	10.0	28.9	05.2	26.8
7	11.0	29.0	09.7	29.4	05.8	26.8
8	11.6	29.7	09.6	27.7	06.1	27.6
9	12.3	28.9	09.6	29.3	06.4	27.7
10	12.6	28.4	09.2	28.4	07.0	27.7
11	12.4	28.6	09.0	28.4	07.8	28.0
12	11.4	29.4	09.0	28.4	07.4	27.2
13	11.2	29.1	08.8	28.5	07.5	27.3
14	11.0	28.8	09.0	28.5	08.1	28.9
15	11.0	29.1	08.8	28.5	08.3	28.8
16	11.2	28.5	09.0	28.5	09.2	24.0
17	11.3	29.3	09.1	29.3	08.8	24.6
18	11.6	28.8	09.4	30.0	08.1	26.8
19	11.2	28.8	09.2	29.0	07.6	26.8
20	11.8	29.3	09.1	29.3	07.2	26.7
21	11.0	29.1	09.0	28.4	07.3	26.7
22	10.8	28.9	09.0	28.2	07.4	26.9
23	10.7	28.6	08.5	28.4	07.6	26.8
24	10.9	28.6	08.6	28.2	07.7	26.3
25	10.7	29.0	08.7	28.9	08.0	28.1
26	10.3	28.8	08.4	28.1	08.1	27.8
27	10.0	28.9	08.9	28.6	08.2	27.8
28	10.3	29.5	08.9	28.8	08.2	28.4
29	10.2	29.3	08.5	29.0	08.3	28.1
30	10.3	29.5	08.7	26.7	08.8	28.2
31	10.1	26.7			08.7	21.0
MEANS	11.1	29.0	9.2	28.7	7.6	27.1
BBSVNS.	31	31	30	30	31	31
YRLY.MEANS.....					10.7	28.2
MAXIMUM	12.6	29.9	10.0	30.0	9.2	28.9
MINIMUM	10.0	26.7	8.4	26.7	5.2	21.0
STD.DEV.	.69	.55	.46	.62	.91	1.53

SISTERS ISLAND

49 29 13 N 124 26 00 W

	JANUARY		FEBRUARY		MARCH		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	07.6	28.1	26.1	28.4	07.5	28.8	
2	07.7	28.2	26.1	28.5	07.4	28.5	
3	07.5	28.1	26.8	28.8	07.7	28.8	
4	07.4	28.0	26.7	28.8	07.0	28.5	
5	07.0	28.2	26.4	28.5	06.7	28.4	
6	06.7	28.1	26.7	28.5	06.7	28.8	
7	06.4	27.8	26.4	28.4	06.9	29.0	
8	06.0	27.8	26.4	28.5	07.1	28.8	
9	05.6	27.8	26.3	28.2	07.3	29.0	
10	05.6	28.1	25.8	28.0	07.4	28.6	
11	06.4	28.1	26.1	28.4	07.2	28.8	
12	06.7	28.1	26.1	28.4	07.4	28.6	
13	06.7	28.4	26.7	28.9	07.5	28.9	
14	07.3	28.2	26.4	28.5	07.2	28.8	
15	06.9	28.5	25.4	28.6	07.7	28.9	
16	07.4	28.8	25.3	28.5	07.4	28.9	
17	* 07.2	* 28.5	25.7	28.4	07.3	28.9	
18	06.9	28.2	26.4	28.8	07.4	29.0	
19	05.8	28.4	26.5	28.8	07.4	28.5	
20	06.6	28.4	26.2	28.8	07.3	28.2	
21	05.4	28.1	26.1	28.5	07.3	28.6	
22	05.9	28.5	26.2	28.5	07.5	28.5	
23	05.9	28.5	26.4	28.6	07.3	28.6	
24	06.3	28.4	26.7	28.6	07.7	29.3	
25	06.2	28.4	26.7	28.4	07.9	29.4	
26	06.1	29.3	07.1	28.4	07.5	29.4	
27	05.8	28.2	07.2	28.6	08.1	29.4	
28	05.6	28.5	07.8	28.8	07.8	29.3	
29	05.3	28.4	07.5	29.1	07.8	29.5	
30	05.6	28.5			08.6	29.4	
31	05.6	28.4			08.1	28.9	
MEANS OBSVNS.	6.4 30	28.3 30	6.4 29	28.6 29	7.5 31	28.9 31	
MAXIMUM	7.7	29.3	7.8	29.1	8.6	29.5	
MINIMUM	5.6	27.8	5.3	28.0	6.7	28.2	
STD.DEV.	.70	.30	.55	.22	.40	.34	

SISTERS ISLAND 49 25 13 N 124 20 00 W

	APRIL	MAY	JUNE	1980		
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	08.1	28.8	12.2	28.4	13.8	26.9
2	08.9	28.8	10.3	29.3	13.2	27.2
3	07.8	28.5	10.5	28.9	13.2	27.4
4	08.3	28.6	11.0	29.5	13.3	27.1
5	08.2	28.8	11.1	29.0	13.6	27.1
6	07.9	28.8	12.7	29.0	14.4	26.5
7	07.9	28.8	12.4	29.0	15.3	26.1
8	07.9	29.0	11.2	29.1	14.9	25.0
9	08.3	29.1	11.6	28.9	15.0	25.4
10	08.4	28.9	12.9	29.0	15.3	22.4
11	09.2	28.8	15.0	28.9	15.4	24.4
12	10.6	28.9	14.0	26.0	14.7	26.3
13	09.9	28.6	12.9	27.6	15.6	25.8
14	08.9	28.8	13.2	26.1	16.0	24.8
15	09.3	28.8	13.4	26.9	15.3	25.6
16	09.2	28.8	12.7	23.9	15.0	25.6
17	09.2	28.6	14.0	25.2	15.0	25.6
18	09.1	28.5	12.4	26.5	15.6	25.5
19	08.9	28.8	11.3	29.0	16.1	25.4
20	08.8	28.9	11.7	26.7	17.2	25.5
21	08.7	29.0	11.2	27.3	17.5	25.6
22	08.7	29.1	11.0	25.6	16.1	25.8
23	09.0	29.0	10.9	23.4	15.6	25.9
24	09.3	29.0	11.9	25.8	15.4	25.0
25	09.6	28.8	12.1	26.0	15.8	23.5
26	10.3	29.1	12.4	26.3	15.7	22.2
27	11.3	29.3	12.9	26.1	16.6	22.6
28	10.5	28.9	13.7	26.5	15.2	23.4
29	10.9	29.3	14.1	27.1	15.6	23.7
30	12.3	29.1	13.4	27.3	15.1	24.8
31			13.9	26.8		
S.	9.2	28.9	12.4	27.3	15.2	25.3
	30	30	31	31	30	30
UM	12.3	29.3	15.0	29.5	17.5	27.4
UM	7.8	28.5	10.3	23.4	13.2	22.2
EV.	1.10	.20	1.21	1.64	1.05	1.41

SISTERS ISLAND

49 25 13 N 124 26 00 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	15.6	25.1	17.3	26.5	14.6	27.4
2	14.7	26.0	16.1	27.1	15.1	27.3
3	15.6	24.6	16.4	26.9	14.3	27.4
4	13.1	26.0	17.3	26.8	15.0	27.1
5	14.0	22.7	17.3	26.8	14.8	27.1
6	16.1	21.0	18.0	25.9	13.1	27.6
7	17.2	20.6	18.3	26.4	14.4	27.2
8	17.3	23.4	19.7	26.4	14.6	27.6
9	18.3	21.6	19.7	26.7	15.0	27.6
10	17.2	22.5	18.3	26.4	15.2	27.6
11	15.8	24.4	18.8	26.4	15.0	27.6
12	16.9	22.7	17.8	26.7	14.7	27.3
13	16.1	22.7	18.1	26.7	13.3	27.4
14	16.1	22.0	18.3	26.5	13.9	27.7
15	16.7	21.6	18.3	26.4	14.1	27.8
16	16.4	21.6	18.6	26.5	16.4	27.8
17	16.4	22.9	18.3	26.0	15.3	27.4
18	17.7	23.7	16.3	27.2	15.0	27.7
19	16.9	24.3	17.2	26.1	13.9	27.6
20	17.8	23.8	16.1	26.9	14.1	27.7
21	16.6	24.4	16.4	27.1	14.7	27.6
22	20.3	24.4	17.0	26.5	13.9	27.4
23	19.4	24.7	16.5	27.2	14.6	27.4
24	17.9	24.2	15.1	27.1	13.3	26.8
25	18.6	25.2	16.1	27.2	13.5	26.7
26	18.7	25.8	15.9	27.4	13.6	26.4
27	18.5	25.9	16.1	27.2	13.3	27.7
28	17.5	25.8	15.4	27.3	13.5	26.3
29	16.1	27.3	14.7	27.4	12.6	26.9
30	17.4	26.1	15.1	26.4	12.2	28.2
31	18.2	26.4	15.7	25.6		
MEANS OBSVNS.	17.0 31	24.0 31	17.1 31	26.7 31	14.2 30	27.4 30
MAXIMUM	20.3	27.3	19.7	27.4	16.4	28.2
MINIMUM	13.1	20.6	14.7	25.6	12.2	26.3
STD.DEV.	1.55	1.77	1.35	.46	.90	.42

SISTERS ISLAND

49 29 13 N 124 26 00 W

OCTOBER

NOVEMBER

DECEMBER 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	12.4	27.8	10.5	29.1	08.4	27.3
2	12.1	25.8	10.1	28.9	07.6	27.3
3	13.4	26.0	10.4	28.4	07.8	28.1
4	13.7	26.1	10.6	27.8	07.4	27.7
5	14.1	26.9	10.7	27.6	06.6	28.4
6	13.4	27.4	10.2	28.8	06.4	27.8
7	13.3	27.4	10.3	28.2	06.4	27.8
8	13.6	27.2	10.4	27.7	06.3	27.4
9	12.8	27.4	10.1	27.6	06.6	27.6
10	12.2	28.2	09.8	26.1	07.4	27.8
11	12.9	26.9	09.4	26.5	08.1	27.8
12	12.8	26.9	09.7	27.1	08.3	28.8
13	12.2	27.3	09.4	26.8	07.6	27.7
14	12.2	27.3	09.6	27.8	08.2	28.1
15	12.1	27.3	09.4	27.4	08.4	28.2
16	11.9	27.3	09.4	27.7	08.6	28.4
17	12.1	27.6	09.6	28.0	07.8	28.0
18	12.1	27.7	09.6	28.4	07.8	28.0
19	12.4	27.4	09.8	28.1	07.4	27.7
20	12.2	27.7	09.4	27.6	07.2	27.2
21	11.9	27.7	09.4	27.8	07.5	27.8
22	11.7	27.7	08.8	26.8	07.6	27.4
23	11.6	27.8	08.3	26.1	07.4	27.8
24	11.1	27.8	08.2	26.8	07.7	27.8
25	11.4	28.0	08.8	28.0	08.1	28.0
26	11.0	27.8	08.9	27.8	08.6	28.0
27	10.9	28.1	09.0	27.4	08.3	27.7
28	10.9	28.4	08.7	27.2	08.3	27.8
29	11.0	28.2	08.8	27.3	08.4	27.7
30	11.3	28.0	08.6	27.3	08.2	27.8
31	10.7	29.0			07.9	27.6
MEANS	12.2	27.5	9.5	27.6	7.7	27.8
BDSVNS.	31	31	30	30	31	31
YRLY MEANS.....					11.3	27.3
MAXIMUM	14.1	29.0	10.7	29.1	8.6	28.8
MINIMUM	10.7	25.8	8.2	26.1	6.3	27.2
STD DEV.	.92	.68	.70	.74	.67	.34

DEPARTURE DAY

49 12 38 N

123 57 17 W

JANUARY

FEBRUARY

MARCH

1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	* 07.5	* 25.76	6.3	27.54	* 07.9	* 23.01
2	07.6	26.30	* 6.2	* 27.86	* 07.7	* 24.81
3	06.5	26.61	* 6.0	* 28.18	7.6	26.61
4	07.2	27.62	5.9	28.50	7.5	27.78
5	* 06.8	* 27.10	5.6	24.94	6.8	27.16
6	* 06.4	* 26.57	6.5	23.67	7.5	27.93
7	06.0	26.04	6.2	26.32	7.0	27.52
8	04.5	24.54	6.2	25.77	* 07.2	* 26.98
9	04.5	25.56	* 6.1	* 26.22	* 07.5	* 26.43
10	07.5	29.02	* 5.9	* 26.67	7.8	25.89
11	06.1	28.06	5.8	27.12	7.4	28.63
12	* 06.1	* 26.97	5.8	27.19	7.4	28.62
13	* 06.0	* 25.87	6.6	27.36	7.5	26.90
14	06.0	24.77	5.5	25.02	6.7	27.22
15	06.5	21.64	5.0	24.26	* 06.9	* 27.30
16	07.0	26.96	* 5.4	* 25.34	* 07.2	* 27.38
17	06.1	27.43	* 5.9	* 26.43	7.5	27.46
18	05.7	27.21	6.4	27.52	7.8	29.41
19	* 05.7	* 27.27	6.5	27.35	7.5	29.04
20	* 05.7	* 27.34	6.8	28.28	7.5	26.82
21	05.7	27.40	6.4	27.70	7.4	28.23
22	06.1	27.62	6.3	27.46	* 07.5	* 28.17
23	05.9	27.67	* 6.5	* 27.09	* 07.7	* 28.10
24	06.0	27.58	* 6.8	* 26.72	7.8	28.04
25	06.2	27.86	7.0	26.35	8.0	25.58
26	* 05.5	* 27.74	7.9	25.38	7.6	26.49
27	* 04.7	* 27.62	8.2	17.35	7.8	28.11
28	04.0	27.50	10.0	16.40	8.0	26.61
29	05.5	28.23	8.0	21.22	* 08.3	* 27.33
30	05.5	28.14			* 08.6	* 28.06
31	05.1	26.82			08.9	28.78
MEANS OBSVNS.	6.0 22	26.84 22	6.6 21	25.37 21	7.6 21	27.56 21
MAXIMUM	7.6	29.02	10.0	28.50	8.9	29.41
MINIMUM	4.0	21.64	5.0	16.40	6.7	25.58
STD.DEV.	.92	1.601	1.12	3.317	.45	1.036

DEPARTURE DAY

49 12 38 N

123 57 17 W

APRIL

MAY

JUNE

1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	08.6	28.80	12.2	26.06	* 13.4	* 23.24
2	08.4	28.65	11.5	26.89	13.3	23.41
3	08.0	28.62	* 11.8	* 26.80	14.0	23.94
4	*	*	* 12.1	* 26.71	13.0	25.54
5	*	*	12.4	26.62	12.6	25.71
6	*	*	12.2	27.13	13.0	26.71
7	*	*	* 12.1	* 27.45	* 13.5	* 26.79
8	08.1	26.29	11.9	27.78	* 14.1	* 26.88
9	09.0	27.07	12.8	26.76	14.6	26.96
10	08.9	28.60	* 13.0	* 26.96	15.5	24.48
11	09.5	28.16	* 13.3	* 27.16	16.1	20.43
12	* 09.6	* 27.92	13.5	27.37	17.5	16.03
13	* 09.7	* 27.68	12.5	28.37	16.5	17.12
14	09.8	27.43	11.5	28.46	* 15.6	* 20.21
15	10.5	27.75	11.5	24.04	* 14.6	* 23.30
16	09.5	27.60	12.5	20.48	13.7	26.39
17	09.3	27.54	*	*	13.6	26.56
18	09.7	24.98	*	*	15.8	22.18
19	* 09.7	* 25.76	*	*	16.7	21.37
20	* 09.8	* 26.54	12.5	22.66	17.2	21.61
21	09.8	27.32	10.8	27.97	* 16.3	* 23.24
22	10.0	27.44	10.6	28.05	* 15.3	* 24.87
23	11.4	25.79	12.6	23.57	14.4	26.50
24	10.9	24.12	* 12.8	* 23.28	14.5	27.38
25	10.6	26.75	* 13.0	* 22.98	15.1	19.64
26	* 10.8	* 27.27	13.2	22.69	15.2	16.07
27	* 10.8	* 27.80	13.3	22.81	15.9	19.21
28	10.8	28.33	13.7	25.97	*	*
29	12.5	20.82	12.4	26.91	*	*
30	11.7	25.16	13.5	22.89	*	*
31			* 13.4	* 23.06		
MEANS	9.9	27.16	12.4	25.67	14.9	22.86
BBSVNS.	20	20	20	20	20	20
MAXIMUM	12.5	28.80	13.7	28.46	17.5	27.38
MINIMUM	8.0	24.12	10.6	20.48	12.6	16.03
STD.DEV.	1.22	1.323	.87	2.392	1.47	3.772

DEPARTURE DAY 49 12 38 N 123 57 17 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	*	*	17.5	24.55	*	*
2	16.8	17.66	*	*	14.1	27.53
3	14.6	22.23	*	*	13.8	27.44
4	13.7	24.37	*	*	13.7	27.92
5	*	*	*	*	*	*
6	*	*	18.5	24.11	*	*
7	*	*	18.8	24.57	*	*
8	19.0	15.48	*	*	15.2	24.21
9	18.7	17.85	*	*	14.5	23.97
10	18.3	22.88	*	*	14.6	24.34
11	15.0	25.35	19.4	24.42	15.0	24.73
12	* 15.4	* 24.16	19.2	24.73	14.5	25.54
13	* 15.9	* 22.97	17.2	25.67	* 14.5	* 25.94
14	16.4	21.78	14.0	27.41	* 14.4	* 26.34
15	16.4	21.10	16.5	26.34	14.3	26.74
16	15.9	18.88	* 16.2	* 26.33	15.0	26.85
17	17.0	17.23	* 15.8	* 26.31	15.3	25.98
18	17.6	16.64	15.5	26.30	15.3	25.86
19	* 18.0	* 16.80	16.5	25.20	14.5	26.87
20	* 18.4	* 20.97	17.0	25.75	* 14.1	* 27.28
21	18.8	23.14	17.7	25.52	* 13.6	* 27.70
22	20.7	20.20	17.1	25.66	13.2	28.11
23	19.8	21.67	* 17.1	* 25.78	12.4	28.69
24	20.0	22.83	* 17.0	* 25.91	12.8	28.51
25	20.0	22.90	17.0	26.03	13.0	26.66
26	* 20.0	* 22.90	16.4	26.51	13.4	24.42
27	* 20.1	* 22.91	14.3	27.38	*	*
28	20.1	22.92	14.1	27.41	*	*
29	19.0	23.06	14.8	26.83	*	*
30	18.0	24.28	*	*	*	*
31	17.6	24.87	*	*	*	*
MEANS	17.7	21.30	16.8	25.80	14.1	26.35
BDSVNS.	21	21	18	18	18	18
MAXIMUM	20.7	25.35	19.4	27.41	15.3	28.69
MINIMUM	13.2	15.48	14.0	24.11	12.4	23.97
STD.DEV.	2.03	2.912	1.69	1.065	.90	1.548

DEPARTURE DAY 49 12 38 N 123 57 17 W

	OCTOBER		NOVEMBER		DECEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	*	*	* 10.5	* 27.53	07.0	25.49
2	*	*	* 10.2	* 27.36	07.5	26.13
3	*	*	10.0	27.20	06.0	21.93
4	*	*	11.2	27.66	06.0	24.41
5	*	*	10.5	27.73	05.9	23.99
6	*	*	10.3	26.65	* 05.8	* 24.76
7	*	*	10.5	23.29	* 05.7	* 25.53
8	13.0	26.82	* 09.8	* 24.77	05.6	26.30
9	13.0	26.76	* 09.1	* 26.26	05.9	25.65
10	12.7	26.94	08.4	27.75	06.9	26.78
11	*	*	* 08.3	* 26.67	07.8	24.06
12	*	*	08.2	25.59	07.4	24.87
13	*	*	07.8	25.89	* 07.9	* 24.76
14	11.2	28.33	08.8	26.12	* 08.5	* 24.65
15	11.7	27.74	* 08.8	* 25.81	09.0	24.54
16	11.8	27.15	* 08.8	* 25.49	09.1	26.32
17	*	*	08.8	25.17	07.9	26.46
18	*	*	09.3	25.82	07.3	26.81
19	*	*	09.5	27.23	07.2	26.15
20	11.8	28.78	09.4	25.19	* 07.4	* 26.37
21	11.9	28.53	09.4	27.38	* 07.7	* 26.60
22	11.7	27.70	* 09.0	* 26.50	08.0	26.83
23	11.5	27.65	* 08.5	* 25.61	06.9	25.20
24	11.0	27.77	08.0	24.72	07.3	24.08
25	* 10.9	* 27.97	07.6	22.75	*	*
26	* 10.7	* 28.18	07.7	24.64	*	*
27	10.6	28.38	08.7	26.25	*	*
28	10.6	28.58	08.4	27.32	*	*
29	10.6	28.82	* 08.0	* 26.71	*	*
30	10.9	27.93	* 07.5	* 26.10	*	*
31	10.7	27.69	*	*	*	*
MEANS	11.6	27.85	9.1	26.02	7.1	25.33
BDSVNS.	16	16	19	19	18	18
YRLY.MEANS.....					11.0	25.68
MAXIMUM	13.0	28.82	11.2	27.75	9.1	26.83
MINIMUM	10.0	26.76	7.6	22.75	5.6	21.93
STD.DEV.	.88	.633	1.06	1.469	1.01	1.315

ENTRANCE ISLAND 49 12 34 N 123 48 27 W

	JANUARY		FEBRUARY		MARCH		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	07.7	26.8	06.8	28.6	07.4	28.0	
2	08.1	27.6	07.9	29.1	07.4	26.9	
3	07.5	26.3	07.2	28.5	07.8	26.4	
4	07.4	26.9	07.7	28.5	07.3	27.7	
5	07.1	27.2	06.3	23.7	07.3	27.2	
6	06.9	26.8	07.4	27.6	07.1	26.5	
7	06.6	26.8	06.1	26.8	06.9	27.2	
8	06.9	27.7	06.6	26.8	07.0	27.3	
9	07.2	28.2	06.3	27.1	07.2	27.2	
10	05.9	26.9	06.0	26.9	07.6	28.2	
11	07.7	28.8	05.7	26.8	07.4	28.1	
12	08.4	29.0	05.7	26.5	07.5	27.8	
13	07.6	28.8	06.1	27.6	07.9	27.7	
14	07.3	29.0	05.6	27.3	07.8	27.6	
15	08.2	29.3	05.4	27.7	08.1	28.8	
16	08.1	28.9	05.9	27.8	08.0	29.1	
17	07.0	28.1	05.7	27.7	08.1	29.3	
18	06.2	27.4	06.1	28.1	07.8	29.0	
19	06.0	27.2	06.6	28.1	07.7	28.4	
20	05.7	27.2	06.6	26.9	07.8	28.2	
21	05.4	27.1	06.5	28.5	07.7	26.8	
22	05.1	26.9	06.8	27.4	07.7	27.4	
23	05.2	26.8	06.2	26.9	07.6	27.7	
24	05.7	26.9	06.8	28.0	07.2	27.8	
25	06.0	27.4	06.9	28.8	07.8	27.3	
26	05.7	27.2	07.3	28.5	07.6	27.6	
27	06.1	28.1	07.1	27.7	07.7	27.8	
28	05.7	27.8	07.3	28.2	07.8	28.2	
29	05.6	28.1	07.2	28.6	07.9	28.0	
30	05.5	28.0			08.2	27.8	
31	05.5	28.1			08.1	28.1	
MEANS	6.7	27.7	6.5	27.6	7.6	27.8	
BDSVNS.	31	31	29	29	31	31	
MAXIMUM	8.4	29.3	7.9	29.1	8.2	29.3	
MINIMUM	5.1	26.3	5.4	23.7	6.9	26.4	
STD.DEV.	1.02	.82	.67	1.04	.34	.70	

ENTRANCE ISLAND 49 12 34 N 123 40 27 W

		APRIL	MAY	JUNE	1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	08.0	28.0	12.9	25.9	13.7	22.5
2	08.2	28.1	11.9	26.8	13.9	24.3
3	08.0	28.2	12.1	26.8	13.1	26.4
4	08.5	28.1	12.9	26.8	13.1	26.3
5	08.1	28.4	12.5	26.9	12.6	26.4
6	08.1	28.5	11.3	26.9	12.6	27.3
7	07.9	28.2	11.6	27.1	14.0	26.4
8	08.0	28.6	12.2	26.8	14.4	15.8
9	08.2	28.9	11.0	27.3	14.2	26.5
10	08.4	28.6	12.4	27.4	14.7	25.6
11	09.3	28.4	14.6	25.1	16.9	18.8
12	09.3	28.4	11.1	28.5	17.4	17.6
13	09.6	28.5	10.2	28.6	17.0	20.9
14	09.3	28.1	11.1	28.5	14.1	25.1
15	09.4	28.0	12.7	23.3	13.4	27.2
16	09.2	28.4	12.0	26.0	13.4	26.3
17	08.6	28.6	12.1	27.2	15.4	22.4
18	08.4	28.6	12.3	27.1	14.6	23.7
19	08.6	28.5	10.2	28.2	16.3	22.1
20	08.9	28.4	19.7	28.8	17.4	22.2
21	09.5	28.1	19.7	29.5	16.4	23.5
22	09.9	27.8	19.9	28.5	14.7	26.0
23	10.3	27.3	11.9	25.4	13.8	28.2
24	10.7	28.1	12.5	20.9	13.3	28.4
25	10.3	27.7	13.1	22.2	13.9	28.1
26	11.9	26.5	13.1	22.9	14.3	25.2
27	12.6	26.7	12.5	25.4	14.6	20.6
28	10.8	27.7	14.5	25.4	14.3	23.0
29	12.4	25.5	13.8	25.9	14.8	21.3
30	12.2	26.5	14.6	21.8	15.5	16.5
31			14.3	21.2		
MEANS BSVNS.	9.5 30	28.0 30	12.2 31	26.1 31	14.6 30	23.8 30
MAXIMUM	12.6	28.9	14.6	29.5	17.4	28.4
MINIMUM	7.9	25.5	9.7	20.9	12.6	15.8
STD.DEV.	1.39	.77	1.39	2.32	1.38	3.48

ENTRANCE ISLAND 49° 12' 34" N. 123° 48' 27" W.

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	16.4	18.0	17.6	25.8	12.7	28.8
2	16.7	17.1	14.9	26.1	13.5	28.8
3	12.8	27.7	16.3	25.2	13.9	28.1
4	11.4	28.9	17.7	25.0	13.4	28.6
5	12.1	28.1	18.1	24.0	12.5	29.3
6	14.8	26.9	18.2	24.6	11.1	29.3
7	17.4	16.0	18.2	25.2	14.6	24.8
8	19.3	16.5	18.8	25.0	14.9	24.8
9	17.8	16.6	18.5	25.1	14.9	25.4
10	14.5	23.9	19.4	24.8	14.7	25.2
11	12.7	29.1	20.7	24.7	15.6	25.2
12	13.6	26.9	15.6	26.9	14.8	25.0
13	14.4	25.9	15.2	26.9	14.3	26.7
14	15.2	24.0	16.7	26.5	14.4	26.8
15	15.7	21.7	15.1	27.4	14.3	26.8
16	15.7	19.9	16.8	26.1	15.5	27.1
17	17.1	16.9	15.4	27.1	15.4	26.7
18	17.4	17.5	15.5	26.0	14.3	26.5
19	17.3	18.4	16.8	24.7	13.0	28.0
20	16.2	23.1	16.9	25.0	13.6	27.7
21	18.6	21.7	17.2	24.8	13.4	28.6
22	19.4	21.7	16.9	25.8	12.0	28.4
23	20.4	22.0	16.8	26.3	12.6	28.5
24	19.3	22.5	16.4	25.5	12.7	29.1
25	19.9	22.7	16.7	25.9	13.9	25.0
26	19.5	23.9	14.2	28.2	13.4	24.3
27	20.5	21.4	14.2	28.2	13.6	24.8
28	19.2	23.9	15.4	28.1	12.8	27.6
29	13.9	24.3	14.4	28.5	11.0	29.1
30	18.3	25.6	14.0	28.4	11.3	29.1
31	18.8	25.1	15.1	27.6		
MEANS OBSVNS.	16.8 31	22.4 31	16.6 31	26.1 31	13.6 30	27.1 30
MAXIMUM	20.5	29.1	20.7	28.5	15.6	29.3
MINIMUM	11.4	16.0	14.0	24.0	11.0	24.3
STD.DEV.	2.60	4.04	1.64	1.30	1.26	1.68

ENTRANCE ISLAND

49 1 \circ 34' N 123 46' 27" W

	OCTOBER		NOVEMBER		DECEMBER	1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	12.5	28.0	09.9	29.9	08.1	27.3
2	13.3	25.2	09.9	29.8	08.2	28.1
3	13.7	23.8	09.9	30.0	07.7	27.2
4	13.5	25.2	10.3	29.8	06.8	26.1
5	13.2	26.1	10.2	29.8	06.7	26.7
6	14.1	25.1	10.3	30.0	06.8	26.9
7	13.3	25.1	09.7	30.2	07.6	28.4
8	13.6	25.8	09.6	28.9	07.7	28.6
9	13.1	26.3	09.8	28.4	08.1	28.8
10	13.0	26.4	09.7	27.7	08.9	29.1
11	12.9	26.1	09.8	27.1	09.1	29.4
12	12.7	26.9	09.6	28.1	08.7	27.2
13	11.8	28.4	09.2	27.6	07.5	26.9
14	12.1	28.1	09.3	28.5	09.1	29.4
15	12.1	28.1	09.3	22.5	09.4	29.5
16	12.0	28.1	09.2	26.4	08.7	28.8
17	11.7	28.1	09.9	28.9	07.6	27.3
18	11.7	28.6	09.9	29.3	07.3	27.3
19	11.9	28.2	09.2	25.4	06.9	27.1
20	11.2	29.0	09.7	29.3	07.1	27.2
21	10.9	28.9	09.6	28.6	07.9	28.1
22	11.1	28.4	08.4	25.1	07.9	27.8
23	11.2	27.7	08.1	25.1	07.6	28.1
24	11.1	28.1	08.7	26.1	08.2	28.5
25	10.7	28.8	09.3	28.6	08.4	28.8
26	10.7	28.6	09.1	28.2	08.7	29.0
27	10.6	28.6	09.6	29.4	08.4	21.3
28	10.6	28.8	08.9	28.6	08.6	28.2
29	10.6	29.0	09.3	29.4	08.5	28.8
30	11.4	28.0	08.9	28.6	08.0	16.6
31	10.6	28.9			07.9	23.5
MEANS	12.0	27.4	9.5	28.2	8.0	27.3
BBSVNS.	31	31	30	30	31	31
YRLY.MEANS.....					11.1	26.6
MAXIMUM	14.1	29.0	10.3	30.2	9.4	29.5
MINIMUM	10.6	23.8	8.1	22.5	6.7	16.6
STD.DEV.	1.10	1.48	.53	1.83	.72	2.60

WEST VANCOUVER

49 20 18 N 123 14 06 W

	JANUARY		FEBRUARY		MARCH		1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL	
1	08.0	*	07.4	*	07.5	*	
2	08.1	*	08.0	*	08.0	*	
3	07.3	*	07.5	*	07.4	*	
4	07.0	*	07.8	*	08.1	*	
5	07.5	*	07.8	*	08.0	*	
6	07.7	*	07.9	*	07.9	*	
7	07.5	*	07.3	*	08.1	*	
8	07.1	*	06.2	*	08.0	*	
9	07.0	*	07.8	*	08.0	*	
10	07.6	*	06.8	*	08.0	*	
11	08.0	*	07.8	*	07.0	*	
12	08.5	*	08.0	*	07.0	*	
13	06.8	*	06.8	*	07.2	*	
14	06.7	*	07.3	*	09.8	*	
15	06.7	*	06.8	*	09.7	*	
16	06.8	*	08.5	*	09.6	*	
17	06.4	*	08.0	*	07.5	*	
18	07.3	*	07.9	*	08.2	*	
19	07.6	*	08.0	*	07.1	*	
20	07.0	*	07.8	*	07.2	*	
21	06.8	*	08.0	*	07.1	*	
22	06.7	*	08.9	*	09.2	*	
23	07.9	*	09.8	*	08.8	*	
24	08.0	*	07.0	*	07.5	*	
25	08.0	*	07.2	*	07.1	*	
26	07.0	*	07.1	*	07.2	*	
27	05.0	*	08.0	*	08.0	*	
28	04.5	*	08.0	*	07.8	*	
29	06.9	*	08.1	*	08.9	*	
30	06.0	*			08.9	*	
31	05.0	*			07.8	*	
MEANS OBSVNS.	7.1 31	0.0 0	7.7 29	0.0 0	8.0 31	0.0 0	
MAXIMUM	8.6	0.0	9.8	0.0	9.8	0.0	
MINIMUM	4.5	0.0	6.2	0.0	7.0	0.0	
STD.DEV.	.95	0.00	.70	0.00	.82	0.00	

WEST VANCOUVER

49 20 18 N 123 14 06 W

APRIL

MAY

JUNE

1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	07.8	*	11.0	*	10.3	*
2	07.8	*	11.0	*	13.0	*
3	07.9	*	10.8	*	12.8	*
4	08.8	*	10.3	*	11.5	*
5	09.0	*	10.1	*	11.2	*
6	08.6	*	10.2	*	12.9	*
7	08.8	*	10.1	*	12.0	*
8	08.1	*	10.1	*	12.2	*
9	08.1	*	10.2	*	11.8	*
10	08.0	*	10.7	*	12.0	*
11	08.0	*	11.0	*	11.9	*
12	08.3	*	10.0	*	14.2	*
13	09.0	*	10.1	*	14.7	*
14	08.2	*	10.2	*	15.0	*
15	08.1	*	11.2	*	15.5	*
16	08.1	*	11.2	*	15.5	*
17	08.2	*	11.5	*	12.5	*
18	08.5	*	11.8	*	12.0	*
19	08.5	*	12.1	*	13.0	*
20	09.0	*	10.5	*	14.0	*
21	08.9	*	10.6	*	15.5	*
22	08.4	*	11.3	*	15.0	*
23	09.0	*	10.2	*	15.8	*
24	09.7	*	10.5	*	15.6	*
25	09.6	*	10.3	*	15.1	*
26	10.0	*	11.5	*	15.0	*
27	10.0	*	11.2	*	11.5	*
28	10.0	*	11.1	*	15.5	*
29	11.0	*	13.0	*	15.0	*
30	11.0	*	13.0	*	15.0	*
31			10.5	*		
MEANS OBSVNS.	8.8 30	0.0 0	10.9 31	0.0 0	13.6 30	0.0 0
MAXIMUM	11.0	0.0	13.0	0.0	15.8	0.0
MINIMUM	7.8	0.0	10.0	0.0	10.3	0.0
STD.DEV.	.89	0.00	.79	0.00	1.67	0.00

WEST VANCOUVER

49 20 18 N 123 14 06 W

JULY AUGUST SEPTEMBER 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	20.0	*	16.4	*	14.0	*
2	17.8	*	17.0	*	15.0	*
3	14.8	*	16.5	*	15.6	*
4	15.0	*	16.0	*	* 15.7	*
5	16.0	*	17.9	*	15.8	*
6	16.0	*	17.2	*	16.0	*
7	13.5	*	18.2	*	15.5	*
8	16.0	*	18.0	*	13.9	*
9	18.2	*	18.5	*	14.1	*
10	17.0	*	18.0	*	14.5	*
11	16.5	*	17.2	*	14.6	*
12	16.0	*	18.8	*	14.3	*
13	17.2	*	18.5	*	15.0	*
14	16.4	*	17.5	*	13.0	*
15	17.0	*	16.0	*	14.1	*
16	16.5	*	16.0	*	15.9	*
17	15.2	*	16.0	*	15.8	*
18	15.1	*	16.0	*	15.2	*
19	17.0	*	16.0	*	14.2	*
20	19.0	*	14.0	*	14.0	*
21	19.5	*	15.0	*	13.7	*
22	19.0	*	16.2	*	13.2	*
23	19.5	*	*	*	14.0	*
24	19.0	*	*	*	13.0	*
25	19.1	*	*	*	12.2	*
26	19.0	*	15.5	*	11.2	*
27	18.0	*	15.2	*	13.0	*
28	11.0	*	15.0	*	13.5	*
29	14.5	*	14.9	*	13.7	*
30	18.2	*	17.0	*	13.3	*
31	16.4	*	16.5	*		
MEANS OBSVNS.	16.9 31	0.0 0	16.6 28	0.0 0	14.2 29	0.0 0
MAXIMUM	20.0	0.0	18.8	0.0	16.0	0.0
MINIMUM	11.0	0.0	14.0	0.0	11.2	0.0
STD.DEV.	2.01	0.00	1.25	0.00	1.16	0.00

WEST VANCOUVER

49 20 18 N 123 14 06 W

OCTOBER

NOVEMBER

DECEMBER 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	13.3	*	11.0	*	08.2	*
2	13.2	*	11.5	*	09.1	*
3	12.9	*	10.9	*	09.2	*
4	12.2	*	11.0	*	08.9	*
5	15.1	*	11.2	*	* 08.9	*
6	14.0	*	10.8	*	* 09.0	*
7	13.2	*	11.0	*	09.0	*
8	13.1	*	11.5	*	08.5	*
9	12.4	*	11.2	*	08.1	*
10	11.2	*	09.2	*	09.0	*
11	12.0	*	08.3	*	08.0	*
12	12.5	*	08.7	*	06.9	*
13	12.0	*	10.2	*	08.7	*
14	10.9	*	11.1	*	08.8	*
15	11.0	*	09.0	*	08.4	*
16	10.8	*	08.8	*	09.8	*
17	11.1	*	09.0	*	09.8	*
18	10.7	*	09.1	*	08.7	*
19	10.5	*	09.2	*	08.0	*
20	11.9	*	09.6	*	08.5	*
21	12.2	*	09.0	*	07.5	*
22	11.1	*	09.0	*	07.4	*
23	11.2	*	09.0	*	07.6	*
24	11.1	*	09.1	*	07.6	*
25	11.6	*	08.4	*	*	*
26	10.5	*	08.6	*	*	*
27	10.4	*	09.0	*	*	*
28	10.1	*	09.1	*	*	*
29	10.9	*	09.0	*	07.0	*
30	10.8	*	07.8	*	08.0	*
31	10.7	*			08.0	*
MEANS	11.8	0.0	9.7	0.0	8.3	0.0
SDSVNS.	31	0	30	0	25	0
YRLY.MEANS.....					11.1	0.0
MAXIMUM	15.1	0.0	11.5	0.0	9.8	0.0
MINIMUM	10.1	0.0	7.8	0.0	6.9	0.0
STD.DEV.	1.20	0.00	1.12	0.00	.77	0.00

ACTIVE PASS

48 52 26 N 123 17 23 W

	JANUARY		FEBRUARY		MARCH	1980
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	8.2	29.7	6.7	29.0	7.8	27.1
2	8.3	30.0	7.1	29.5	7.9	23.9
3	8.2	29.1	6.7	29.5	7.3	23.5
4	07.8	28.8	06.5	29.9	06.9	24.8
5	06.7	25.1	06.1	27.1	06.7	28.6
6	06.7	24.7	06.8	28.8	06.2	27.6
7	06.6	28.4	06.6	29.0	06.6	26.1
8	06.9	28.9	06.3	28.2	07.6	27.2
9	00.5	29.5	06.0	24.2	07.3	28.8
10	* 06.7	* 29.5	06.0	26.5	07.6	29.7
11	06.8	29.4	05.7	23.1	07.4	28.1
12	07.9	30.7	05.7	27.1	07.2	28.1
13	07.7	30.0	05.7	27.3	08.1	29.5
14	07.8	30.0	05.0	28.1	08.6	28.9
15	08.2	30.3	06.0	30.6	07.7	29.8
16	06.2	30.3	05.7	27.8	07.6	29.9
17	06.2	29.0	05.8	28.2	07.7	29.9
18	05.7	28.1	06.2	27.8	07.9	30.2
19	05.4	28.0	06.4	29.0	07.8	29.5
20	06.5	28.5	06.1	28.5	07.6	29.4
21	06.0	28.0	05.7	29.4	07.4	29.1
22	06.1	28.5	05.7	29.3	07.6	27.6
23	06.1	27.8	05.9	27.7	07.6	27.1
24	05.7	27.7	07.1	29.4	08.3	28.9
25	05.4	26.7	07.6	29.9	08.1	28.9
26	05.3	28.1	07.8	29.7	08.3	28.9
27	05.2	28.5	07.6	28.8	09.1	28.6
28	05.9	29.1	07.9	28.8	08.4	28.9
29	05.7	28.6	07.6	28.9	07.9	28.8
30	05.7	29.0			08.3	28.8
31	06.4	28.8			08.4	28.5
MEANS OBSVNS.	0.7 30	28.6 30	6.4 29	28.3 29	7.7 31	28.2 31
MAXIMUM	8.3	30.7	7.9	30.6	9.1	30.2
MINIMUM	5.2	24.7	5.0	23.1	6.2	23.5
STD.DEV.	1.00	1.36	.76	1.62	.61	1.68

ACTIVE PASS

48 52 26 N 123 17 23 W

APRIL

MAY

JUNE

1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	08.9	26.4	11.4	28.2	12.4	22.9
2	08.9	28.6	11.7	20.6	12.4	25.1
3	08.4	26.3	11.2	25.8	12.4	27.3
4	08.3	28.8	11.7	25.4	12.4	27.2
5	09.0	29.3	11.0	29.1	12.5	24.2
6	07.6	28.9	11.1	29.4	11.6	28.1
7	08.7	29.8	11.4	28.8	13.0	26.1
8	08.8	29.9	11.2	28.9	13.8	18.2
9	09.0	30.6	11.2	30.0	13.1	26.1
10	09.0	29.8	12.4	28.2	12.3	28.1
11	10.2	30.0	13.4	27.2	18.1	10.7
12	10.6	23.9	10.3	29.7	17.3	18.2
13	10.6	25.2	10.7	30.0	14.4	26.4
14	09.7	27.1	10.6	29.0	12.0	27.4
15	09.9	28.1	10.1	27.6	11.1	28.4
16	10.0	28.0	09.7	29.5	10.9	29.1
17	08.9	27.1	10.1	29.8	11.1	28.0
18	08.9	28.9	11.2	26.9	12.1	25.6
19	09.3	28.6	10.9	28.4	15.7	15.2
20	08.8	27.2	09.5	29.1	14.8	21.4
21	09.4	22.9	10.8	28.8	13.0	25.4
22	10.6	28.0	11.3	29.3	12.2	28.6
23	11.6	27.7	12.3	22.1	12.7	27.8
24	11.7	26.8	12.8	13.2	12.6	28.4
25	12.0	20.1	12.7	24.6	12.2	27.1
26	12.1	20.3	11.2	27.2	10.8	28.9
27	12.4	28.0	10.7	27.8	11.1	28.9
28	10.1	27.4	11.7	27.2	11.9	29.7
29	11.4	25.2	12.1	28.1	13.9	24.2
30	12.7	26.0	15.1	14.8	18.3	10.8
31			12.1	25.2		
MEANS BSVNS.	9.9 30	27.2 30	11.4 31	26.8 31	13.1 30	24.8 30
MAXIMUM MINIMUM	12.7 7.6	30.6 20.1	15.1 9.5	30.0 13.2	18.3 10.8	29.7 10.7
STD.DEV.	1.36	2.62	1.13	4.07	1.99	5.18

ALITIVE PASS

48 5° 26' N 123 17 23 W

	JULY		AUGUST		SEPTEMBER 1980	
DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	14.2	24.4	15.3	24.8	11.4	28.9
2	12.2	26.4	13.3	27.2	12.4	29.0
3	11.6	26.9	15.6	23.7	13.1	28.0
4	11.5	26.8	17.8	21.8	12.7	28.8
5	11.6	26.2	18.3	18.7	11.7	29.0
6	15.4	22.8	* 17.8	* 21.9	11.5	29.3
7	18.4	22.3	17.2	25.1	14.1	23.9
8	19.5	16.0	18.9	17.1	14.4	21.7
9	12.8	29.0	18.3	23.4	13.4	27.2
10	11.1	28.9	18.9	21.8	14.5	25.0
11	13.1	29.0	15.1	26.0	13.7	27.3
12	14.0	27.7	13.9	28.5	13.4	25.9
13	12.7	27.6	12.8	28.8	14.0	23.7
14	12.7	27.4	12.9	28.6	14.2	23.8
15	12.8	27.6	13.1	28.5	13.9	26.3
16	13.2	27.3	13.2	28.5	14.6	27.7
17	13.4	27.3	11.8	28.2	14.0	27.7
18	15.7	22.2	14.5	21.2	14.0	27.3
19	13.0	27.2	15.6	25.4	11.6	29.0
20	17.3	20.8	18.3	19.2	12.7	28.9
21	18.3	28.8	17.2	18.8	12.6	28.8
22	15.5	24.6	17.1	22.7	12.2	27.4
23	17.7	25.4	15.8	26.5	12.1	28.8
24	17.2	26.3	16.9	24.0	12.6	28.4
25	18.3	15.7	16.9	24.7	13.1	22.5
26	20.6	12.8	12.7	28.6	14.1	20.4
27	21.4	13.5	13.9	28.8	11.8	28.4
28	20.1	21.2	11.8	28.8	12.3	27.3
29	19.7	23.3	12.3	28.9	11.2	29.4
30	16.9	23.3	12.8	28.4	11.4	29.4
31	16.7	24.7	12.7	28.0		
MEANS	15.5	23.3	15.2	25.2	13.0	27.0
STD.VNS.	31	31	30	30	50	30
MAXIMUM	21.4	29.0	18.9	28.9	14.6	29.4
MINIMUM	11.1	8.8	11.8	17.1	11.2	20.4
STD.DEV.	3.09	6.10	2.33	3.62	1.08	2.49

ACTIVE PASS

48 52 26 N

123 17 23 W

OCTOBER

NOVEMBER


DECEMBER 1980

DATE	TEMP	SAL	TEMP	SAL	TEMP	SAL
1	11.2	29.0	11.1	28.6	09.0	29.9
2	13.9	19.2	10.2	29.5	08.4	30.0
3	13.9	23.8	10.0	29.5	08.3	30.0
4	12.7	27.4	10.8	27.8	08.2	29.3
5	12.7	27.4	10.5	27.8	07.1	27.1
6	12.1	26.9	10.1	27.7	06.8	27.1
7	11.2	28.0	10.0	28.4	06.5	26.8
8	13.7	18.0	09.9	29.9	06.9	26.7
9	13.1	21.4	09.3	29.4	07.4	26.5
10	12.4	24.8	09.3	28.5	08.4	27.8
11	12.3	27.1	09.2	27.8	08.8	28.4
12	11.4	27.8	09.1	27.6	08.7	30.0
13	11.4	27.7	08.9	28.9	08.4	26.8
14	11.3	27.3	08.8	28.6	08.9	28.6
15	11.8	22.1	08.2	21.2	08.8	30.2
16	11.9	23.8	09.0	27.1	08.8	30.0
17	11.7	25.9	09.8	28.8	08.3	28.0
18	11.7	26.8	09.8	29.5	07.4	25.0
19	11.7	26.9	09.7	27.8	07.1	24.8
20	11.3	27.8	09.4	27.8	07.3	25.1
21	11.5	21.7	* 09.0	* 25.6	07.7	26.4
22	11.4	25.5	08.5	23.4	07.7	27.4
23	10.9	25.5	08.7	25.2	07.3	26.1
24	10.7	28.1	08.7	25.8	07.9	28.5
25	10.8	27.3	08.8	27.6	08.2	28.1
26	10.5	27.4	09.0	27.8	08.3	28.2
27	10.3	28.2	09.3	29.1	08.6	28.9
28	09.9	28.5	08.7	28.1	08.5	29.1
29	09.9	27.6	09.1	29.9	08.4	29.1
30	10.0	26.8	09.2	29.9	07.1	13.6
31	10.2	28.0			06.7	08.0
MEANS	11.6	25.9	9.4	27.9	7.9	26.8
SDSNS.	31	31	29	29	31	31
YRLY MEANS.....					10.7	26.6
MAXIMUM	13.9	29.0	11.1	29.9	9.0	30.2
MINIMUM	9.9	18.0	8.2	21.2	6.5	8.0
STD.DEV.	1.11	2.79	.70	1.93	.74	4.61

Annual Graphs of the 7-day
Normally-Weighted Running Means
for Temperature and Salinity


1980


TEMP: Temperature ($^{\circ}\text{C}$ and $^{\circ}\text{F}$)
SAL: Salinity ($^{\circ}/\infty$)



LANGARA ISLAND


1980 SALINITIES







BONILLA ISLAND

1980 SALINITIES









MCINNES ISLAND


1980 SALINITIES






EGG ISLAND


1980 SALINITIES






PINE ISLAND


1980 SALINITIES






KAINS ISLAND


1980 SALINITIES






AMPHITRITE POINT


1980 SALINITIES






CAPE BEALE


1980 SALINITIES







BAMFIELD


1980 SALINITIES






SHERINGHAM POINT 1980 SALINITIES






RACE ROCKS


1980 SALINITIES






CAPE MUDGE


1980 SALINITIES






CHROME ISLAND

1980 SALINITIES







124

SISTERS ISLAND


1980 SALINITIES






DEPARTURE BAY

1980 SALINITIES







ENTRANCE ISLAND

1980 SALINITIES

129






$$\omega_{\rho_1}^{(1)} = \nabla \cdot \mathbf{u}_0 + \Omega_{\rho_1}^{(1)}$$

14

C^b

ρ



ACTIVE PASS

1980 SALINITIES

