



118990
Scientific Excellence • Resource Protection & Conservation • Benefits for Canadians
Excellence scientifique • Protection et conservation des ressources • Bénéfices aux Canadiens

CA9100 412

Long-Term Temperature Monitoring Program 1990: Scotia-Fundy and the Gulf of St. Lawrence

D.N. Gregory, E.Verge, and P. Langille

Physical and Chemical Sciences Branch
Scotia-Fundy Region
Department of Fisheries and Oceans

Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, Nova Scotia
Canada B2Y 4A2

1991

**Canadian Data Report of
Hydrography and Ocean Sciences
No. 93**



Fisheries
and Oceans

Pêches
et Océans

Canada

Canadian Data Report Of Hydrography and Ocean Sciences

Data reports provide a medium for the documentation and dissemination of data in a form directly useable by the scientific and engineering communities. Generally, the reports contain raw and/or analyzed data but will not contain interpretations of the data. Such compilations commonly will have been prepared in support of work related to the programs and interests of the Ocean Science and Surveys (OSS) sector of the Department of Fisheries and Oceans.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out of stock reports will be supplied for a fee by commercial agents.

Regional and headquarters establishments of Ocean Science and Surveys ceased publication of their various report series as of December 1981. A complete listing of these publications is published in the *Canadian Journal of Fisheries and Aquatic Sciences*, Volume 39: Index to Publications 1982. The current series, which begins with report number 1, was initiated in January 1982.

Rapport statistique canadien sur l'hydrographie et les sciences océaniques

Les rapports statistiques servent de véhicule pour la compilation et la diffusion des données sous une forme directement utilisable par les scientifiques et les techniciens. En général, les rapports contiennent des données brutes ou analysées, mais ne fournissent pas d'interprétation des données. Ces compilations sont préparées le plus souvent à l'appui de travaux liés aux programmes et intérêts du service des Sciences et levés océaniques (SLO) du ministère des Pêches et des Océans.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans une autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences halieutiques et aquatiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés sont fournis contre rétribution par des agents commerciaux.

Les établissements des Sciences et levés océaniques dans les régions et à l'administration centrale ont cessé de publier leurs diverses séries de rapports en décembre 1981. Une liste complète de ces publications figure dans le volume 39, Index des publications 1982, du *Journal canadien des sciences halieutiques et aquatiques*. La série actuelle a commencé avec la publication du rapport numéro 1 en janvier 1982.

Canadian Data Report of
Hydrography and Ocean Sciences No. 93

CA 91 ϕϕ 412

May 1991

LONG-TERM TEMPERATURE MONITORING PROGRAM 1990:

SCOTIA-FUNDY AND THE GULF OF ST. LAWRENCE

by

D.N. Gregory, E. Verge, and P. Langille

Physical and Chemical Sciences
Scotia-Fundy Region
Department of Fisheries and Oceans

Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, Nova Scotia
Canada B2Y 4A2

Minister of Supply and Services 1991
Cat. No. Fs 97-16/93E ISSN 0711-6721

Correct citation for this publication:

Gregory D.N., E. Verge, and P. Langille. 1991. Long-Term Temperature Monitoring Program 1990: Scotia-Fundy and the Gulf of St. Lawrence. Can. Data Rep. Hydrogr. Ocean Sci. No. 93: vi + 197 pp.

TABLE OF CONTENTS

	Page
List of Tables.....	v
List of Figures.....	v
Abstract/Résumé.....	vi
Introduction.....	1
Instrumentation.....	1
Calibrations.....	2
Station Designations.....	3
Data Presentation.....	3
General.....	3
Time-Series Plots.....	3
Monthly Degree Day Tables.....	4
Mean Daily Temperatures.....	4
Summary of Data Returns.....	4
Bibliography.....	5
Scotia-Fundy: Daily Mean Temperatures, Accumulative Degree Days relative to 0° and 4°C and Temperature Plots.....	14
4Wd - Canso, N.S. (DFO Hfx).....	16
- Little Harbour, N.S. (Marine Fish)	20
- Whitehaven Harbour N.S.	22
4Wk - BIO Marina, N.S.....	36
- Port Bickerton, N.S.....	40
- Ship Harbour, N.S.	52
4Xm - Big Thrum Cap, N.S. (Marine Fish)	64
- Indian Point, N.S. (Marine Fish)	66
- Kitty Shoal, N.S.	68
- North West Cove, N.S.	70
- St. Margarets Bay, N.S.	76
4Xo - Cape Sable Island, N.S.	88
- Duck Island, N.S.	96
- Pubnico Harbour, N.S. (DFO Hfx)	98
- Pubnico, N.S. (Marine Fish)	100
- Woods Harbour, N.S. (DFO Hfx)	102
4Xq - Argyle Sound, N.S.	104
- Board Islands, N.S. (DFO Hfx)	108
- Lobster Bay, N.S. (DFO Hfx)	112
- Pubnico Point, N.S. (DFO Hfx)	116
- Sandford, N.S.	118

4Xr - Annapolis Basin, N.S.	120
- Delap's Cove, N.S.	122
4Xs - Brandy Cove, N.S.	124
- Deadman Cove, N.S.	130
- Letang Harbour, N.B.	138
- St. Andrews, N.B.	142
Gulf of St. Lawrence: Daily Mean Temperatures, Accumulative Degree Days relative to 0° and 4°C and Temperature Plots	
	146
4Sv - La Tabatiere, P.Q. (Baie Bussiere)	148
4Sy - Cap au Corbeau, P.Q. (Laval)	170
- Ile au Fantome, P.Q. (Laval)	172
4Tf - Iles de la Madeleine, P.Q. (Grande Entree)....	174
- Iles de la Madeleine, P.Q. (Grosse Ile)....	182
- Iles de la Madeleine, P.Q. (Havre Aubert)..	184
- Iles de la Madeleine, P.Q. (Ile d'Entree)..	186
4Tg - Savage Harbour, P.E.I.	188
4Tl - Alberton, P.E.I	190
4Tp - Les Escoumains, P.Q. (Laval)	194
- St. Irene, P.Q. (IML)	196

LIST OF TABLES

Table No.		Page
1	Summary of Temperature Data	
	Scotia-Fundy	7
	Gulf of St. Lawrence	9
2	Monthly Degree Days Referenced to 0° C	
	Scotia-Fundy	10
	Gulf of St. Lawrence	12

LIST OF FIGURES

Figure No.		Page
1	Unit Areas for Scotia-Fundy, Gulf of St. Lawrence and Newfoundland Regions	13
2	Mooring Sites of Scotia-Fundy Unit Areas	15
3	Mooring Sites of Gulf of St. Lawrence Unit Areas	147

CA91ΦΦ412

ABSTRACT

Gregory D.N., E. Verge, and P. Langille. 1991. Long-Term Temperature Monitoring Program 1990: Scotia-Fundy and the Gulf of St. Lawrence. Can. Data Rep. Hydrogr. Ocean Sci. No. 93: vi + 197 pp.

Daily mean sea temperatures and time-series plots of the temperatures measured at various depths in the Scotia-Fundy and Gulf of St. Lawrence areas from instruments recovered in 1990 are presented together with degree day calculations.

RESUME

Gregory D.N., E. Verge, and P. Langille. 1991. Long-Term Temperature Monitoring Program 1990: Scotia-Fundy and the Gulf of St. Lawrence. Can. Data Rep. Hydrogr. Ocean Sci. No. 93: vi + 197 pp.

On présente les moyennes quotidiennes de la température de l'eau de mer et des graphiques des températures mesurées à diverses profondeurs en fonction du temps (séries chronologiques) pour les régions de Scotia-Fundy et du golfe du Saint-Laurent. Les données ont été recueillies en 1990. On présente également les calculs des degrés-jours.

INTRODUCTION

Temperature data from coastal areas have been collected extensively from Newfoundland region since 1967 and Scotia-Fundy and Gulf of St. Lawrence since 1978. The program, referred to as the Long-Term Temperature Monitoring Program, is conducted mainly in support of various fisheries programs as well as to monitor any long term changes of temperature. Instrument calibration, maintenance and deployment is the individual responsibility of the region and is arranged through the Bedford Institute of Oceanography (Scotia-Fundy) or Institut Maurice LaMontagne. Data analysis and publication is carried out at the Bedford Institute of Oceanography. Previous reports in this series are listed in the bibliography.

The calibrated temperature data are incorporated into the thermograph data archive held by the Physical and Chemical Sciences Branch at the Bedford Institute. The data are available to any individual upon request from the Data Management Section of Physical and Chemical Sciences at BIO.

As was the case last year, only data from Scotia-Fundy, Gulf and Quebec regions are reported. The Physical and Chemical Sciences Branch in Newfoundland region is responsible for the collection and reporting of thermograph data in its region.

INSTRUMENTATION

The Ryan Thermograph Model J is the primary instrument for the Long Term Temperature Monitoring Program. When an instrument is returned from the field, the analogue record is removed, the start and stop time of data recorded and any problems noted. The instrument is then forwarded to the Data Analysis Section for processing. At regular intervals each thermograph is routed through the Coastal Oceanography instrument shop for calibration checks to maintain data integrity. Should maintenance of the thermograph be required, the instrument is sent to the local repair facility in Kentville, Nova Scotia.

A second instrument which is being phased into the program is the Hugrun Seamon temperature recorder model MS-100SH. The Hugren is a digitally

recording instrument with a claimed accuracy and resolution of 0.1°C over the range of -5°C to $+20^{\circ}\text{C}$. There were twelve separate Hugren deployments during 1990.

Various federal and provincial agencies and universities throughout Atlantic Canada are supplied with thermographs by BIO. The thermographs are started prior to delivery and then dispatched in a condition ready for immediate mooring. The requirement that field attendants do not open the thermograph case has effectively reduced the instrument failure rate due to flooding.

A group of selected attendants throughout Scotia-Fundy region are contracted by BIO. The Gulf and Quebec regions maintain their own system for arranging deployments. It is the responsibility of an attendant to moor the thermograph at a pre-selected site, inspect the mooring during the mooring period and recover the thermograph according to schedule. Mooring configurations are generally modified to meet local conditions. The thermographs are returned to BIO as soon as practicable after recovery has taken place.

CALIBRATIONS

Calibrations of Ryan recorders are carried out in the Coastal Oceanography instrument shop at the Bedford Institute.

The complete thermograph is submerged in an 180 litre insulated bath containing seawater. Temperature is controlled with a Neslab HX75 refrigerated recirculating heat exchanger connected to 12 metres of coiled stainless steel tubing at the bottom of the bath. Circulation is accomplished with the use of an upward facing submersible pump also placed at the bottom of the bath. Temperature is monitored using a Guildline 9535 platinum resistance thermometer. The complete system is stable to $0.05^{\circ}\text{C}/\text{day}$.

Up to 14 thermographs can be calibrated at one time. Once the bath has equilibrated, sufficient time is allowed for the chart paper to advance. The instruments are subjected to nominal temperatures of 20, 15, 10, 5 and -1°C .

STATION DESIGNATIONS

To standardize the method of station identification, the Unit Areas defined by the Department of Fisheries and Oceans have been adopted. A chart of these areas is shown in Fig. 1. The data in this report are organized by Unit Area and sequenced alpha/numerically.

Individual stations in each region are established in numerical sequence of data processing. Gulf of St. Lawrence deployments start with station number 100. Scotia-Fundy begins at station number 400.

DATA PRESENTATION

General

All Ryan data were digitized using a 36" digitizing tablet with a resolution of 0.001". Digitized values are averaged over a four hour sampling interval and interpolated to the mid-point of the sample. Hugrun data are sampled at thirty minute intervals and averaged over four hours.

Although present values are reported to the nearest 0.1°C , the 0.5°C accuracy maintained for previous reports still applies.

The report primarily contains data from instruments recovered in 1989, however, previously unreported data from other years are also included.

Time Series Plots

The complete data sets are presented as time series plots on a scale of 4 months/plot. Both Julian and Gregorian dates are presented to facilitate analysis.

A station location map is also provided with each plot. The station location appears as a solid circle in the Unit Area.

Some of the plots include comments when some irregularity was noted with the instrument. In most cases, the comments are intended to draw attention to a lack of confidence in the data, although the cause of the errors (or even if

the data are in error) may not be known.

Mean Daily Temperature

Mean daily temperature, 0°C and 4°C "degree-days" are listed adjacent to the corresponding temperature time-series plots. The "degree-days" are the daily accumulation of degrees above the specified reference temperature. Note that when a reading is less than the reference temperature, the accumulated degree days are not decremented.

Monthly Degree Day Tables

Monthly degree calculations relative to 0°C are presented in Table 2. This table presents monthly calculations for time series, month and year contained in the report. No calculations are made for months containing less than 15 days data. Incomplete months with more than 15 days data are extrapolated to the full month. Note that the table listings are alphabetical.

SUMMARY OF DATA RETURNS

	S-F	Gulf ²
Deployments during 1990	78	
Useful Recoveries ¹ during 1990	58	25
Returned unused	0	0
Returned with no useful data	4	1
In the field - to be reported in 1992	34	

Data Summary for 1989

Recoveries in 1990 ¹ (days)	7751	2913
Average deployment length for 1990 ¹ (days)	134	117

¹Includes instruments deployed in 1989 and recovered in 1990.

²Gulf Region is responsible for their own deployments and recoveries. The reported statistics are based on data received.

BIBLIOGRAPHY

Gregory, D. and D. Dobson. 1978. Long-Term Temperature Monitoring Program Bedford Institute of Oceanography, Data Series, BI-D-78-7, ii + 12 p.

Dobson, D., B. Petrie and S. Butters. 1981. Long-Term Temperature Monitoring Program, 1979. Bedford Institute of Oceanography, Data Series, BI-D-81-4, iii + 153 p.

Dobson, D., B. Petrie and S. Butters. 1981. Long-Term Temperature Monitoring Program, 1979. Bedford Institute of Oceanography, Data Series, BI-D-81-3, ii + 202 p.

Dobson, D., and B. Petrie . 1982. Long-Term Temperature Monitoring Program, 1981. Canadian Data Report of Hydrography and Ocean Sciences, no. 6: vii + 297 p.

Dobson, D., and B. Petrie. 1983. Long-Term Temperature Monitoring Program 1982, Scotia-Fundy, Gulf Regions. Canadian Data Report of Hydrography and Ocean Sciences, No. 10: vii + 384 p.

Dobson, D. and B. Petrie. 1983. Long-Term Temperature Monitoring Program 1982, Newfoundland Region. Canadian Data Report of Hydrography and Ocean Sciences No. 11: v + 335 p.

Dobson, D. and B. Petrie. 1984. Long-Term Temperature Monitoring Program 1983, Scotia-Fundy, Gulf Regions. Canadian Data Report of Hydrography and Ocean Sciences No. 22: vi + 406 p.

Dobson D. and B. Petrie. 1984. Long-Term Temperature Monitoring Program 1983, Newfoundland Region. Canadian Data Report of Hydrography and Ocean Sciences No. 21: vi + 411 p.

Dobson, D., B. Petrie and P. Stead. 1985. Long-Term Temperature Monitoring Program 1984, Newfoundland Region. Canadian Data Report of Hydrography and Ocean Sciences, No. 34: v + 333 p.

Walker, R.E., D. Dobson, and P. Stead. 1986. Long-Term Temperature Monitoring Program 1985, Scotia-Fundy, Gulf of St. Lawrence, and Newfoundland. Canadian Data Report of Hydrography and Ocean Sciences, No. 49: ix + 521 p.

Walker, R.E., D. Dobson, and P. Stead. 1987. Long-Term Temperature Monitoring Program 1986, Scotia-Fundy, Gulf of St. Lawrence, and Newfoundland. Canadian Data Report of Hydrography and Ocean Sciences, No. 53: ix + 529 p.

Gregory, D.N., E. Verge, D. Dobson, and C. Smith. 1988. Long-Term Temperature Monitoring Program 1987, Scotia-Fundy, Gulf of St. Lawrence, and Newfoundland. Canadian Data Report of Hydrography and Ocean Sciences, No. 65: vii + 497 pp.

Gregory, D.N., E. Verge, and P. Langille. 1989. Long-Term Temperature Monitoring Program 1988: Scotia-Fundy and Gulf of St. Lawrence. Canadian Data Report of Hydrography and Ocean Sciences, No. 74: vi + 233 pp.

Gregory, D.N., E. Verge, and P. Langille. 1990. Long-Term Temperature Monitoring Program 1989: Scotia-Fundy and Gulf of St. Lawrence. Canadian Data Report of Hydrography and Ocean Sciences, No. 84: vi + 175 pp.

TABLE 1

SUMMARY OF SCOTIA-FUNDY TEMPERATURE DATA RECOVERED IN 1982

AREA STA	NAME	SERIAL	DEPTH	LAT	LONG	START	END	DAYS
4XQ 452	ARGYLE S NS	60910	7.0	43.75	65.88	20/ 8/82	15/11/82	87

SUMMARY OF SCOTIA-FUNDY TEMPERATURE DATA RECOVERED IN 1983

AREA STA	NAME	SERIAL	DEPTH	LAT	LONG	START	END	DAYS
4XQ 453	ARGYLE S NS	60910	7.0	43.75	65.88	16/11/82	22/ 1/83	67

SUMMARY OF SCOTIA-FUNDY TEMPERATURE DATA RECOVERED IN 1984

AREA STA	NAME	SERIAL	DEPTH	LAT	LONG	START	END	DAYS
4XO 424	DUCK ISLAND NS	62921	16.0	43.40	65.76	8/ 6/84	1/11/84	146

SUMMARY OF SCOTIA-FUNDY TEMPERATURE DATA RECOVERED IN 1989

AREA STA	NAME	SERIAL	DEPTH	LAT	LONG	START	END	DAYS
4XM 411	ST MARGARET'S BAY NS (OUTER)	62542	3.0	44.53	63.95	8/11/89	30/11/89	21
4XM 412	ST MARGARET'S BAY NS (OUTER)	62911	12.0	44.53	63.95	8/11/89	30/11/89	22
4XO 403	PUBNICO HARBOUR NS (DFO HFX)	61523	5.0	43.58	65.80	21/ 6/89	20/10/89	121
4XO 404	WOODS HARBOUR NS (DFO HFX)	60860	1.0	43.55	65.74	10/ 8/89	18/12/89	129

SUMMARY OF SCOTIA-FUNDY TEMPERATURE DATA RECOVERED IN 1990

AREA STA	NAME	SERIAL	DEPTH	LAT	LONG	START	END	DAYS
4WD 461	WHITEHAVEN HBR NS (OUTER)	4395	11.0	45.27	61.16	9/11/90	8/ 4/90	150
4WD 462	WHITEHAVEN HBR NS (INNER)	4397	5.0	45.29	61.17	9/11/90	9/ 5/90	180
4WD 463	WHITEHAVEN HBR NS (INNER)	4393	3.0	45.29	61.17	9/11/90	30/ 4/90	171
4WD 465	WHITEHAVEN HBR NS (INNER)	4394	3.0	45.29	61.17	9/ 5/90	8/11/90	182
4WD 428	LITTLE HARBOUR NS	61523	.0	45.58	60.75	13/ 6/90	13/ 7/90	29
4WD 436	WHITEHAVEN HBR NS (OUTER)	62497	3.0	45.27	61.16	9/ 5/90	8/11/90	182
4WD 437	WHITEHAVEN HBR NS (OUTER)	62542	11.0	45.27	61.16	9/ 5/90	8/11/90	182
4WD 445	CANSO NS	62899	17.0	45.35	60.95	5/ 7/90	22/10/90	109
4WD 446	CANSO NS	62899	17.0	45.35	60.95	15/ 5/90	4/ 7/90	49
4WD 464	WHITEHAVEN HBR NS (INNER)	4391	5.0	45.29	61.17	9/ 5/90	8/11/90	182
4WK 455	SHIP HARBOUR NS (INNER)	4394	2.0	44.81	62.86	6/11/89	10/ 4/90	155
4WK 456	SHIP HARBOUR NS (INNER)	4391	10.0	44.81	62.86	6/11/89	15/ 3/90	129
4WK 457	SHIP HARBOUR NS (INNER)	4399	3.0	44.81	62.86	26/ 4/90	6/11/90	193
4WK 458	SHIP HARBOUR NS (INNER)	4398	12.0	44.81	62.86	26/ 4/90	6/11/90	193
4WK 409	SHIP HARBOUR NS (OUTER)	63297	3.0	44.76	62.79	6/11/89	26/ 4/90	170
4WK 410	SHIP HARBOUR NS (OUTER)	60916	9.0	44.76	62.79	6/11/89	26/ 4/90	170
4WK 414	BIO MARINA (DARTMOUTH) NS	63335	2.0	44.70	63.61	19/10/89	17/ 4/90	180
4WK 417	BIO MARINA (DARTMOUTH) NS	63299	2.0	44.70	63.61	17/ 4/90	23/10/90	189

TABLE 1
SUMMARY OF SCOTIA-FUNDY TEMPERATURE DATA RECOVERED IN 1990

AREA	STA	NAME	SERIAL	DEPTH	LAT	LONG	START	END	DAYS
4WK	421	PORT BICKERTON NS	60990	4.0	45.05	61.75	28/10/89	9/ 4/90	162
4WK	422	PORT BICKERTON NS	63366	22.0	45.05	61.75	15/11/89	9/ 4/90	144
4WK	423	PORT BICKERTON NS	63294	11.0	45.05	61.75	15/11/89	9/ 4/90	144
4WK	431	PORT BICKERTON NS	64477	4.0	45.05	61.75	17/ 4/90	7/ 8/90	112
4WK	432	PORT BICKERTON NS	63295	11.0	45.05	61.75	17/ 4/90	4/10/90	169
4WK	433	PORT BICKERTON NS	63290	22.0	45.05	61.75	17/ 4/90	4/10/90	169
4XM	459	ST MARGARETS BAY NS {INNER}	4399	2.0	44.60	63.94	8/11/89	18/ 3/90	129
4XM	460	ST MARGARETS BAY NS {INNER}	4398	9.0	44.60	63.94	8/11/89	20/ 4/90	162
4XM	418	NORTH WEST COVE NS	62899	9.0	41.52	64.00	26/ 9/89	9/ 2/90	135
4XM	419	NORTH WEST COVE NS	63258	36.0	41.52	64.00	26/ 9/89	14/ 2/90	140
4XM	420	NORTH WEST COVE NS	63374	18.0	41.52	64.00	26/ 9/89	31/ 1/90	127
4XM	426	INDIAN PT NS	63297	9.0	44.64	63.94	19/ 7/90	6/ 8/90	17
4XM	427	KITTY SHOAL NS	63297	13.0	44.46	63.79	9/ 6/90	20/ 6/90	11
4XM	430	BIG THRUM CAP NS	63325	13.0	43.59	63.95	9/ 6/90	21/ 9/90	104
4XM	434	ST MARGARETS BAY NS (OUTER)	62482	3.0	44.53	63.95	25/ 4/90	17/10/90	175
4XM	435	ST MARGARETS BAY NS (OUTER)	61612	12.0	44.53	63.95	25/ 4/90	15/10/90	173
4XO	415	CAPE SABLE IS NS	63348	40.0	43.22	65.55	13/ 1/90	23/ 5/90	130
4XO	416	CAPE SABLE IS NS	62471	20.0	43.42	65.55	13/ 1/90	26/ 5/90	132
4XO	450	CAPE SABLE IS NS	60914	20.0	43.42	65.55	24/ 6/90	11/12/90	170
4XO	451	CAPE SABLE IS NS	63320	10.0	43.44	65.50	23/ 6/90	8/12/90	167
4XQ	401	LOBSTER BAY NS (DFO HFX)	62592	20.0	43.60	65.83	25/ 4/90	13/ 6/90	49
4XQ	402	LOBSTER BAY NS (DFO HFX)	63281	20.0	43.60	65.83	11/12/89	28/ 3/90	107
4XQ	425	SANDFORD NS	63325	28.0	43.93	66.18	2/10/89	16/ 2/90	136
4XQ	443	BOARD ISLANDS NS	63294	12.0	43.73	65.86	13/ 6/90	10/ 9/90	88
4XQ	444	BOARD ISLANDS NS	60860	11.0	43.74	65.86	10/ 9/90	22/11/90	72
4XQ	447	PUBNICO PT NS	63294	20.0	43.60	65.83	10/ 9/90	1/12/90	81
4XR	449	DELAPS COVE NS	63370	45.0	44.78	65.63	1/ 5/90	27/10/90	179
4XR	454	ANNEAPOLIS BASIN NS	4396	3.0	44.65	65.74	31/ 1/90	1/ 3/90	28
4XS	405	BRANDY COVE NB	63314	10.0	45.08	67.09	27/11/89	24/ 2/90	89
4XS	406	BRANDY COVE NB	64137	4.0	45.08	67.09	27/11/89	3/ 5/90	156
4XS	407	DEADMAN HARBOUR NB	60908	14.0	45.04	66.78	27/11/89	2/ 5/90	155
4XS	408	DEADMAN HARBOUR NB	62497	14.0	45.04	66.78	27/11/89	3/ 5/90	156
4XS	413	ST ANDREWS NB	62491	.0	45.08	67.03	15/11/89	12/ 5/90	178
4XS	438	LETANG HARBOUR NB	64172	13.0	45.06	66.83	19/ 7/90	28/11/90	132
4XS	439	LETANG HARBOUR NB	62905	5.0	45.06	66.83	19/ 7/90	10/10/90	82
4XS	440	BRANDY COVE NB	62468	4.0	45.08	67.09	4/ 5/90	7/ 8/90	96
4XS	441	DEADMAN HARBOUR NB	62910	4.0	45.04	66.78	4/ 5/90	31/ 8/90	119
4XS	442	DEADMAN HARBOUR NB	60916	12.0	45.04	66.78	3/ 5/90	12/11/90	192
4XS	448	ST ANDREWS NB	63366	.0	45.08	67.03	24/ 5/90	15/11/90	174
429	4XO	PUBNICO NS	63318	9.0	43.56	65.80	13/ 6/90	28/ 6/90	15

TABLE 1

SUMMARY OF GULF TEMPERATURE DATA RECOVERED IN 1988

AREA	STA	NAME	SERIAL	DEPTH	LAT	LONG	START	END	DAYS
4TF	117	GRANDE ENTREE PQ	64079	2.0	47.56	61.53	29/ 4/88	31/10/88	184
4TF	116	ILE D'ENTREE PQ	62906	.0	47.27	61.70	13/ 5/88	14/ 9/88	123
4TP	123	LES ESCOUIMINS PQ	63913	10.0	48.53	69.70	4/ 5/88	14/10/88	162

SUMMARY OF GULF TEMPERATURE DATA RECOVERED IN 1989

AREA	STA	NAME	SERIAL	DEPTH	LAT	LONG	START	END	DAYS
4SV	101	BAIE BUSSIÈRE PQ	63346	10.0	50.35	59.85	6/ 7/89	10/10/89	96
4SV	102	BAIE BUSSIÈRE PQ	63318	5.0	50.35	59.85	6/ 7/89	10/10/89	96
4SV	103	BAIE BUSSIÈRE PQ	64172	10.0	50.35	59.85	6/ 7/89	10/10/89	95
4SV	104	BAIE BUSSIÈRE PQ	64174	5.0	50.35	59.85	6/ 7/89	10/10/89	96
4SV	106	BAIE BUSSIÈRE PQ	62893	5.0	50.35	59.85	10/10/89	7/11/89	28

SUMMARY OF GULF TEMPERATURE DATA RECOVERED IN 1990

AREA	STA	NAME	SERIAL	DEPTH	LAT	LONG	START	END	DAYS
4SV	105	BAIE BUSSIÈRE PQ	63311	10.0	50.35	59.85	10/10/89	4/ 4/90	176
4SV	107	BAIE BUSSIÈRE PQ	62489	5.0	50.35	59.85	10/10/89	23/ 3/90	164
4SV	108	BAIE BUSSIÈRE PQ	63334	10.0	50.35	59.85	10/10/89	31/ 3/90	171
4SV	111	BAIE BUSSIÈRE PQ	63545	5.0	50.35	59.85	9/ 6/90	1/ 9/90	84
4SV	113	BAIE BUSSIÈRE PQ	63761	5.0	50.35	59.85	9/ 6/90	16/ 9/90	99
4SV	114	BAIE BUSSIÈRE PQ	63920	10.0	50.35	59.85	9/ 6/90	16/ 9/90	99
4SY	125	CAP AU CORBEAU PQ (LAVAL U)	63342	10.0	50.20	63.60	12/ 6/90	22/ 7/90	39
4SY	126	ILE AU FANTOME PQ (LAVAL U)	63342	33.0	50.20	63.70	23/ 7/90	21/ 8/90	29
4TF	118	GROSSE ILE PQ	63439	2.0	47.60	61.50	4/ 6/90	22/11/90	171
4TF	119	GRANDE ENTREE PQ	63807	2.0	47.60	61.50	8/ 6/90	16/11/90	160
4TF	120	GRANDE ENTREE PQ	62862	2.0	47.50	61.60	28/ 6/90	19/ 7/90	20
4TF	121	GRANDE ENTREE PQ	62862	2.0	47.50	61.60	24/ 7/90	21/11/90	120
4TF	122	HAVRE AUBERT PQ	61672	2.0	47.20	61.90	12/ 6/90	8/11/90	148
4TG	115	SAVAGE HBR PEI	64158	.0	46.46	62.85	3/ 7/90	12/10/90	100
4TL	109	ALBERTON PEI	64078	20.0	46.83	64.05	18/ 5/90	26/ 9/90	130
4TL	110	ALBERTON PEI	63813	.0	46.83	64.05	18/ 5/90	26/ 9/90	130
4TP	124	ST IRENE PQ (IML)	61526	.0	47.60	70.20	6/ 9/90	31/10/90	54

TABLE 2

SCOTIA-FUNDY MONTHLY DEGREE DAYS REFERENCED TO 0 DEG C FOR 82 (* INDICATES EXTRAPOLATED MONTH)

	DEPTH	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
ARGYLE S NS		7.0									405.3	317.4	
ARGYLE S NS		7.0									150.4*	65.1	

SCOTIA-FUNDY MONTHLY DEGREE DAYS REFERENCED TO 0 DEG C FOR 83 (* INDICATES EXTRAPOLATED MONTH)

	DEPTH	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
ARGYLE S NS		7.0	10.1*										

SCOTIA-FUNDY MONTHLY DEGREE DAYS REFERENCED TO 0 DEG C FOR 84 (* INDICATES EXTRAPOLATED MONTH)

	DEPTH	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC		
DUCK ISLAND NS		16.0									320.1*	363.6	414.1	409.1	386.0

SCOTIA-FUNDY MONTHLY DEGREE DAYS REFERENCED TO 0 DEG C FOR 89 (* INDICATES EXTRAPOLATED MONTH)

	DEPTH	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC		
BIO MARINA (DARTMOUTH) NS		2.0									224.4	49.8			
BRANDY COVE NB		10.0									71.2				
BRANDY COVE NB		4.0									59.0				
DEADMAN HARBOUR NB		14.0									82.2				
DEADMAN HARBOUR NB		14.0									88.8				
LOBSTER BAY NS (DFO HFX)		20.0									20.7*				
NORTH WEST COVE NS		9.0									244.4	239.6	84.0		
NORTH WEST COVE NS		36.0									222.1	223.8	99.3		
NORTH WEST COVE NS		18.0									192.8	194.6	63.3		
PORT BICKERTON NS		4.0									213.9	21.4			
PORT BICKERTON NS		11.0									161.7*	38.6			
PORT BICKERTON NS		22.0									167.4*	62.6			
PUNICOO HARBOUR NS (DFO)		5.0									508.7	532.9	466.2	358.9*	
SANDFORD NS		28.0									328.6*	248.9	56.5		
SHIP HARBOUR NS (INNER)		10.0									288.9*	75.3			
SHIP HARBOUR NS (OUTER)		3.0									283.7*	22.0			
SHIP HARBOUR NS (INNER)		2.0									245.5*	51.3			
SHIP HARBOUR NS (OUTER)		9.0									193.6*	28.1			
ST ANDREWS NB		.0									202.6*	66.4			
ST MARGARETS BAY NS		2.0									246.3*	68.4			
ST MARGARETS BAY NS		3.0									236.5*				
ST MARGARETS BAY NS		9.0									234.5*	77.2			
ST MARGARETS BAY NS		12.0									226.9*				
WHITEHAVEN HER NS (OUTER)		11.0									227.0*	47.1			
WHITEHAVEN HER NS (INNER)		3.0									253.0*	54.1			
WHITEHAVEN HER NS (INNER)		5.0									251.1*	55.6			
WOODS HARBOUR NS (DFO HFX)		1.0									424.9*	412.8	327.9	227.4	21.3*

TABLE 2

SCOTIA-FUNDY MONTHLY DEGREE DAYS REFERENCED TO 0 DEG C FOR 90 (* INDICATES EXTRAPOLATED MONTH)

	DEPTH	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
ANNAPOLIS BASIN NS	3.0		58.9										
BIG THRUM CAP NS	13.0							220.5*	239.4	444.1	538.3*		
BIO MARINA (DARTMOUTH) NS	2.0						186.6	338.8	430.4	590.7	524.4	465.2*	
BIO MARINA (DARTMOUTH) NS	2.0	9.8	1.9	19.0	69.0*								
BOARD ISLANDS NS	12.0							357.7*	455.1	514.2			
BOARD ISLANDS NS	11.0										472.9*	425.5	218.3*
BRANDY COVE NB	10.0	24.7	18.0*										
BRANDY COVE NB	4.0						177.8*	239.8	350.1				
BRANDY COVE NB	4.0	11.5	4.4	16.3	68.8								
CANSO NS	17.0							294.9*	426.3	477.0	443.1*		
CANSO NS	17.0						111.1*	163.8					
CAPE SABLE IS NS	20.0	21.6*	17.0	37.3	81.1	168.1*							
CAPE SABLE IS NS	20.0							284.4	410.7	455.3	302.6	175.1	
CAPE SABLE IS NS	40.0	.0*	.0	16.2	67.5	176.6*							
CAPE SABLE IS NS	10.0							240.4	378.2	456.1	277.2	199.6	
DEADMAN HARBOUR NB	14.0	46.2	11.4	7.5	37.2								
DEADMAN HARBOUR NB	4.0					154.5*	229.0	323.3	454.5*				
DEADMAN HARBOUR NB	14.0	52.8	15.2	15.1	40.6	5.8*							
DELAPS COVE NS	12.0					124.7*	182.2	266.9	342.6	356.6	351.3		
INDIAN PT NS	45.0					208.5	271.7	350.2	397.2	397.4	422.7*		
KITTY SHOAL NS	9.0												
LETANG HARBOUR NB	13.0									357.5	366.0	344.5	262.9*
LETANG HARBOUR NB	5.0									372.1	369.8		
LITTLE HARBOUR NS	.0						290.0*						
LOBSTER BAY NS (DFO HFX)	20.0						180.4						
LOBSTER BAY NS (DFO HFX)	20.0	13.1	17.9	48.0*									
NORTH WEST COVE NS	36.0	24.2											
NORTH WEST COVE NS	9.0	10.9											
NORTH WEST COVE NS	18.0	.0*											
PORT BICKERTON NS	22.0						87.4	139.9	181.7	316.1	397.7		
PORT BICKERTON NS	4.0	.0	.0	1.4									
PORT BICKERTON NS	4.0					128.9	210.9	312.8					
PORT BICKERTON NS	11.0	.0	.0	.0									
PORT BICKERTON NS	11.0					107.4	175.4	260.2	410.9	473.7			
PORT BICKERTON NS	22.0	2.9	.0	.0									
PUNICO NS	9.0						295.9*						
PUNICO PT NS	20.0									457.1*	421.3	233.3	
SANDFORD NS	28.0	.0	.1*										
SHIP HARBOUR NS (OUTER)	9.0	.0	.0	1.9	11.7*								
SHIP HARBOUR NS (INNER)	10.0	27.0	10.3										
SHIP HARBOUR NS (OUTER)	3.0	.0	.0	5.0	33.6*								
SHIP HARBOUR NS (INNER)	12.0					48.4	100.9	153.2	201.7	240.5	249.4		
SHIP HARBOUR NS (INNER)	2.0	3.3	1.1	13.2									
SHIP HARBOUR NS (INNER)	3.0					136.7	198.3	274.2	430.7	491.5	347.7		
ST ANDREWS NB	.0	20.8	6.7	24.2	93.2								
ST ANDREWS NB	.0						287.8	360.4	433.5	392.9	348.1		
ST MARGARETS BAY NS	9.0	7.9	.7	20.8	54.6*								
ST MARGARETS BAY NS	12.0					96.9	177.9	270.6	382.3	400.9			
ST MARGARETS BAY NS	2.0	6.5	1.2	14.2*									
ST MARGARETS BAY NS	3.0						166.7	252.6	347.9	524.9	513.6	442.6*	
WHITEHAVEN HBR NS (INNER)	3.0						158.3*	268.7	424.1	560.6	543.3	422.0	
WHITEHAVEN HBR NS (OUTER)	11.0						85.7*	135.5	227.0	386.4	471.2	355.6	
WHITEHAVEN HBR NS (INNER)	3.0	.0	.0	.0	48.9*								
WHITEHAVEN HBR NS (OUTER)	3.0						72.3*	191.0	368.7	535.7	512.4	378.6	
WHITEHAVEN HBR NS (INNER)	11.0	.1	.0	.0									
WHITEHAVEN HBR NS (INNER)	5.0	.0	.0	.0	24.6								
WHITEHAVEN HBR NS (INNER)	5.0					133.8*	210.6	344.4	478.8	528.4	414.3		

TABLE 2

GULF MONTHLY DEGREE DAYS REFERENCED TO 0 DEG C FOR 88 (* INDICATES EXTRAPOLATED MONTH)

	DEPTH	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
GRANDE ENTRÉE PQ	2.0						330.2	490.6	617.5	488.5	284.6	177.0*	
ILE D'ENTRÉE PQ	.0						172.7*	248.6	429.9	539.6			
LES ESOULMINS PQ	10.0						178.8*	182.8	232.2	151.0	100.0		

GULF MONTHLY DEGREE DAYS REFERENCED TO 0 DEG C FOR 89 (* INDICATES EXTRAPOLATED MONTH)

	DEPTH	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
BAIE BUSSIERE PQ	10.0							152.6*	215.8	179.6			
BAIE BUSSIERE PQ	10.0									128.6*	74.1	.5	
BAIE BUSSIERE PQ	10.0									149.2*	96.1	2.4	
BAIE BUSSIERE PQ	10.0							206.7*	257.3	229.2			
BAIE BUSSIERE PQ	5.0									135.3*			
BAIE BUSSIERE PQ	5.0							228.5*	283.7	235.3			
BAIE BUSSIERE PQ	5.0									114.1*	55.5	.0	
BAIE BUSSIERE PQ	5.0							193.2*	254.5	209.0			

GULF MONTHLY DEGREE DAYS REFERENCED TO 0 DEG C FOR 90 (* INDICATES EXTRAPOLATED MONTH)

	DEPTH	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
ALBERTON PEI	.0						315.4	524.2	589.8	538.3*			
ALBERTON PEI	20.0						186.8	322.7	400.2	389.0*			
BAIE BUSSIERE PQ	10.0	.0	.0	.0				77.2*	195.0	245.8			
BAIE BUSSIERE PQ	5.0												
BAIE BUSSIERE PQ	5.0	.0	.0	.0*				65.1*	183.0	249.0			
BAIE BUSSIERE PQ	5.0												
BAIE BUSSIERE PQ	10.0	.0	.0	.0*				24.8*	89.2	179.5			
CAP AU CORBEAU PQ (LAVAL)	10.0							166.8*	183.4*				
GRANDE ENTRÉE PQ	2.0							394.3*	546.1	609.1	489.3	332.1	123.8*
GRANDE ENTRÉE PQ	2.0									621.2	488.2	354.3	137.9*
GRANDE ENTRÉE PQ	2.0									549.7*			
GROSSE ILE PQ	2.0							432.9*	584.6	666.6	497.7	347.9	120.1*
HAVRE ALBERT PQ	2.0							453.5*	599.2	636.1	477.0	316.7	
ILE AU FANTOME PQ (LAVAL)	33.0									236.3*			
SAVAGE HBR PEI	.0									433.2*	510.9	401.4	
ST. IRENE PQ (IML)	.0										225.4*	192.3*	

DEPARTMENT OF FISHERIES AND OCEANS
UNIT AREAS




Figure 1. Unit Areas for Scotia-Fundy, Gulf of St. Lawrence and Newfoundland regions.

SCOTIA-FUNDY

Daily Mean Temperatures, Accumulative Degree Days
relative to 0° and 4°C and Temperature Plots






Figure 2. Mooring sites of Scotia-Fundy Unit Areas.

CANSO NS

STA. 4WD 445

STN 445 DEPTH 17M





CANSO NS
45.35N 60.95W 0300Z 05/07/90 - 1100Z 22/10/90
INST. 62899

CANSO NS

STA. 4WD 446

STN 446 DEPTH 17M





CANSO NS
45.35N 60.95W 1600Z 15/05/90 - 0800Z 04/07/90
INST. 62899

LITTLE HARBOUR NS

STA. 4WD 428

WATER DEPTH 18.0M.	INST DEPTH .0M.	LATITUDE 45.58	LONGITUDE 60.75	FROM 13/ 6/ 90			TO 13/ 7/ 90		
				DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP
164	8.7	8.7	4.7						
165	8.3	17.0	9.0						
166	8.0	25.0	13.0						
167	8.2	33.2	17.2						
168	9.5	42.7	22.7						
169	9.9	52.6	28.6						
170	10.5	63.1	35.1						
171	10.3	73.3	41.3						
172	9.5	82.8	46.8						
173	9.1	91.9	51.9						
174	8.2	100.2	56.2						
175	8.0	108.2	60.2						
176	8.5	116.7	64.7						
177	10.3	127.0	71.0						
178	11.3	138.3	78.3						
179	12.4	150.7	86.7						
180	13.1	163.8	95.8						
181	10.2	174.0	102.0						
182	10.9	184.9	108.9						
183	11.0	195.9	115.9						
184	9.9	205.8	121.8						
185	10.4	216.2	128.2						
186	10.8	227.0	135.0						
187	10.3	237.3	141.3						
188	10.5	247.8	147.8						
189	11.3	259.1	155.1						
190	11.7	270.8	162.8						
191	11.8	282.6	170.6						
192	12.2	294.8	178.8						
193	12.5	307.3	187.3						
194	12.8	320.2	196.2						

STN 428 DEPTH 0M






LITTLE HARBOUR NS
45.58N 60.75W 1600Z 13/06/90 - 0800Z 13/07/90
INST. 61523

WHITEHAVEN HBR NS (OUTER)

STA. 4WD 436

WATER DEPTH 13.0M.	INST DEPTH 3.0M.	LATITUDE		LONGITUDE		FROM		TO			
		45.27	61.16	DAY	MEAN TEMP DAY(0)	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP DAY(0)	DEG DAY(0)	DEG DAY(4)
130	2.3	2.3	.0	195	11.4	370.2	147.3	260	17.1	1451.6	968.7
131	1.9	4.2	.0	196	12.8	383.0	156.0	261	17.0	1468.7	981.7
132	2.7	6.9	.0	197	12.6	395.6	164.6	262	16.8	1485.5	994.6
133	2.2	9.1	.0	198	13.2	408.7	173.8	263	16.6	1502.1	1007.2
134	2.8	11.9	.0	199	13.4	422.1	183.1	264	16.1	1518.3	1019.3
135	2.5	14.4	.0	200	14.2	436.3	193.3	265	15.8	1534.1	1031.1
136	1.7	16.1	.0	201	15.0	451.3	204.4	266	15.8	1549.9	1042.9
137	1.7	17.8	.0	202	14.3	465.6	214.7	267	15.8	1565.6	1054.7
138	1.8	19.6	.0	203	13.4	479.0	224.1	268	15.8	1581.4	1066.5
139	1.5	21.2	.0	204	13.4	492.4	233.4	269	15.8	1597.2	1078.3
140	1.3	22.5	.0	205	13.3	505.7	242.7	270	15.8	1613.0	1090.1
141	1.6	24.1	.0	206	14.2	519.9	253.0	271	15.6	1628.7	1101.7
142	1.8	25.8	.0	207	15.2	535.1	264.2	272	15.5	1644.1	1113.2
143	1.5	27.4	.0	208	15.2	550.3	275.4	273	15.1	1659.2	1124.2
144	1.4	28.8	.0	209	13.5	563.8	284.8	274	14.7	1673.9	1134.9
145	1.6	30.4	.0	210	14.7	578.5	295.5	275	14.3	1688.2	1145.2
146	1.8	32.2	.0	211	15.8	594.2	307.3	276	13.9	1702.1	1155.1
147	2.3	34.4	.0	212	16.9	611.1	320.1	277	13.3	1715.3	1164.4
148	2.8	37.3	.0	213	17.7	628.7	333.8	278	13.0	1728.4	1173.4
149	3.6	40.9	.0	214	14.4	643.2	344.2	279	13.0	1741.4	1182.4
150	5.7	46.6	1.7	215	15.1	658.3	355.3	280	13.2	1754.5	1191.6
151	4.8	51.3	2.5	216	15.0	673.3	366.3	281	12.9	1767.5	1200.5
152	4.5	55.8	3.0	217	15.5	688.7	377.8	282	12.5	1780.0	1209.0
153	5.4	61.2	4.3	218	15.7	704.4	389.4	283	12.7	1792.7	1217.7
154	6.1	67.3	6.4	219	16.7	721.1	402.1	284	12.6	1805.3	1226.4
155	6.3	73.6	8.7	220	16.0	737.1	414.2	285	12.5	1817.8	1234.9
156	6.1	79.7	10.8	221	16.5	753.6	426.7	286	12.5	1830.3	1243.4
157	5.0	84.6	11.8	222	18.1	771.7	440.7	287	12.7	1843.0	1252.1
158	6.1	90.8	13.9	223	18.0	789.7	454.7	288	12.9	1856.0	1261.0
159	5.3	96.1	15.2	224	19.0	808.7	469.7	289	13.3	1869.3	1270.3
160	3.2	99.3	15.2	225	19.5	828.2	485.2	290	13.0	1882.3	1279.3
161	5.0	104.3	16.2	226	19.3	847.5	500.5	291	12.9	1895.2	1288.3
162	3.8	108.1	16.2	227	19.2	866.7	515.7	292	12.9	1908.1	1297.1
163	3.5	111.6	16.2	228	18.1	884.8	529.8	293	12.5	1920.6	1305.6
164	3.6	115.2	16.2	229	17.7	902.5	543.5	294	12.3	1932.8	1313.9
165	4.6	119.8	16.8	230	19.4	921.8	558.9	295	12.3	1945.1	1322.2
166	5.0	124.7	17.8	231	18.0	939.9	572.9	296	11.9	1957.0	1330.1
167	6.6	131.3	20.3	232	15.2	955.1	584.1	297	11.6	1968.6	1337.7
168	6.9	138.2	23.3	233	15.1	970.1	595.2	298	11.6	1980.2	1345.3
169	8.3	146.5	27.5	234	16.1	986.2	607.3	299	10.9	1991.1	1352.2
170	8.9	155.4	32.4	235	16.5	1002.7	619.8	300	10.1	2001.2	1358.2
171	8.2	163.6	36.6	236	16.5	1019.2	632.2	301	9.5	2010.7	1363.7
172	7.7	171.3	40.3	237	16.5	1035.7	644.7	302	9.2	2019.8	1368.9
173	6.6	177.8	42.9	238	17.3	1053.0	658.0	303	9.1	2029.0	1374.0
174	6.8	184.7	45.7	239	17.8	1070.8	671.9	304	8.9	2037.8	1378.9
175	7.7	192.4	49.4	240	18.6	1089.4	686.5	305	8.3	2046.1	1383.2
176	7.7	200.1	53.2	241	18.9	1108.3	701.4	306	7.9	2054.1	1387.1
177	8.7	208.9	57.9	242	19.6	1127.9	716.9	307	8.1	2062.2	1391.2
178	9.0	217.9	63.0	243	18.9	1146.8	731.8	308	8.0	2070.2	1395.2
179	9.4	227.3	68.4	244	19.1	1165.9	746.9	309	7.9	2078.0	1399.1
180	7.8	235.1	72.2	245	18.9	1184.8	761.9	310	7.5	2085.5	1402.6
181	7.2	242.3	75.4	246	19.3	1204.1	777.1	311	6.7	2092.2	1405.3
182	5.5	247.8	76.9	247	18.7	1222.7	791.8				
183	6.8	254.6	79.7	248	18.3	1241.1	806.1				
184	7.2	261.8	82.9	249	18.2	1259.3	820.3				
185	7.8	269.6	86.6	250	18.3	1277.5	834.6				
186	9.3	278.9	92.0	251	18.0	1295.6	848.6				
187	8.8	287.7	96.8	252	17.5	1313.1	862.1				
188	9.7	297.4	102.5	253	17.5	1330.6	875.7				
189	9.3	306.7	107.8	254	17.5	1348.1	889.2				
190	9.4	316.1	113.1	255	17.4	1365.6	902.6				
191	10.4	326.5	119.6	256	17.5	1383.1	916.1				
192	10.4	337.0	126.0	257	17.2	1400.3	929.3				
193	10.5	347.5	132.5	258	17.1	1417.4	942.4				
194	11.4	358.9	139.9	259	17.2	1434.5	955.6				

STN 436 DEPTH 3M






WHITEHAVEN HBR NS (OUTER)
45.27N 61.16W 0000Z 10/05/90 - 0000Z 08/11/90
INST. 62497

WHITEHAVEN HBR NS (OUTER)

STA. 4WD 437

WATER DEPTH 13.0M.	INST DEPTH 11.0M.	LATITUDE 45.27	LONGITUDE 61.16	FROM				TO			
				10/ 5/	90	8/11/	90	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
130	2.5	2.5	.0	195	8.0	285.5	54.0	260	17.2	1090.5	599.1
131	2.5	5.1	.0	196	8.6	294.1	58.6	261	17.1	1107.6	612.2
132	2.7	7.8	.0	197	7.1	301.3	61.8	262	17.0	1124.6	625.2
133	2.3	10.2	.0	198	7.9	309.1	65.7	263	16.7	1141.4	637.9
134	2.4	12.5	.0	199	7.9	317.1	69.6	264	16.5	1157.8	650.4
135	2.3	14.8	.0	200	8.1	325.2	73.8	265	14.2	1172.0	660.5
136	2.3	17.1	.0	201	8.5	333.8	78.3	266	15.0	1187.0	671.5
137	2.4	19.5	.0	202	7.4	341.1	81.7	267	15.1	1202.1	682.6
138	2.6	22.1	.0	203	7.1	348.3	84.8	268	14.5	1216.6	693.2
139	2.8	24.9	.0	204	7.2	355.4	88.0	269	13.2	1229.8	702.3
140	2.6	27.5	.0	205	7.4	362.9	91.4	270	12.7	1242.5	711.1
141	2.6	30.1	.0	206	7.8	370.7	95.2	271	12.9	1255.4	719.9
142	2.7	32.7	.0	207	8.3	379.0	99.5	272	12.9	1268.3	728.9
143	2.7	35.4	.0	208	8.5	387.4	104.0	273	12.6	1281.0	737.5
144	2.7	38.1	.0	209	8.7	396.1	108.6	274	13.0	1294.0	746.5
145	2.8	40.9	.0	210	9.2	405.3	113.8	275	13.1	1307.0	755.6
146	3.0	43.9	.0	211	9.0	414.3	118.9	276	13.1	1320.1	764.7
147	3.3	47.2	.0	212	9.1	423.4	123.9	277	12.2	1332.4	772.9
148	3.3	50.5	.0	213	9.7	433.1	129.6	278	13.0	1345.3	781.9
149	3.4	53.9	.0	214	11.4	444.5	137.0	279	12.7	1358.1	790.6
150	3.4	57.3	.0	215	12.3	456.7	145.3	280	12.5	1370.6	799.1
151	3.5	60.8	.0	216	10.9	467.6	152.1	281	12.0	1382.6	807.2
152	3.7	64.5	.0	217	11.0	478.6	159.2	282	12.0	1394.6	815.2
153	3.7	68.2	.0	218	11.3	490.0	166.5	283	12.2	1406.8	823.4
154	3.9	72.1	.0	219	11.9	501.8	174.4	284	12.1	1418.9	831.5
155	3.8	75.9	.0	220	12.8	514.6	183.2	285	12.1	1431.1	839.6
156	3.4	79.3	.0	221	13.4	528.0	192.5	286	12.2	1443.3	847.8
157	3.3	82.6	.0	222	13.9	541.9	202.4	287	12.6	1455.9	856.4
158	3.7	86.3	.0	223	13.6	555.5	212.0	288	12.7	1468.6	865.1
159	3.4	89.7	.0	224	13.8	569.2	221.8	289	12.6	1481.2	873.7
160	3.3	93.0	.0	225	13.6	582.8	231.4	290	12.4	1493.6	882.1
161	3.4	96.4	.0	226	12.7	595.5	240.1	291	12.7	1506.3	890.9
162	3.5	99.9	.0	227	12.4	607.9	248.5	292	13.0	1519.3	899.8
163	3.6	103.5	.0	228	11.6	619.6	256.1	293	12.9	1532.2	908.7
164	4.2	107.6	.2	229	11.6	631.2	263.7	294	9.4	1541.6	914.2
165	4.2	111.8	.4	230	11.8	643.0	271.5	295	9.4	1551.0	919.5
166	4.4	116.2	.8	231	11.8	654.8	279.4	296	9.7	1560.7	925.3
167	4.4	120.7	1.2	232	11.7	666.5	287.0	297	10.2	1570.9	931.4
168	4.4	125.1	1.6	233	12.4	678.9	295.4	298	10.5	1581.4	937.9
169	4.9	129.9	2.5	234	13.7	692.6	305.2	299	9.6	1591.0	943.5
170	5.0	134.9	3.4	235	13.9	706.5	315.0	300	9.0	1600.0	948.5
171	4.7	139.6	4.2	236	12.5	719.1	323.6	301	9.1	1609.0	953.6
172	4.8	144.4	5.0	237	12.2	731.3	331.8	302	9.3	1618.3	958.9
173	5.1	149.6	6.1	238	11.8	743.1	339.7	303	9.1	1627.5	964.0
174	5.8	155.3	7.9	239	12.3	755.5	348.0	304	9.1	1636.5	969.1
175	6.7	162.0	10.5	240	12.8	768.3	356.8	305	9.2	1645.7	974.2
176	6.8	168.8	13.3	241	13.9	782.2	366.7	306	9.0	1654.7	979.3
177	6.4	175.2	15.7	242	13.8	796.0	376.5	307	8.9	1663.7	984.2
178	5.9	181.1	17.6	243	13.8	809.8	386.3	308	8.8	1672.5	989.1
179	5.4	186.5	19.0	244	14.0	823.8	396.3	309	8.7	1681.3	993.8
180	5.0	191.5	20.0	245	15.9	839.6	408.2	310	8.2	1689.4	998.0
181	4.8	196.3	20.9	246	16.2	855.8	420.3	311	7.9	1697.4	1001.9
182	4.9	201.3	21.8	247	15.2	871.0	431.5	312	8.0	1705.4	1005.9
183	5.3	206.6	23.1	248	16.0	887.0	443.5				
184	5.6	212.1	24.7	249	17.4	904.4	456.9				
185	6.6	218.7	27.3	250	18.0	922.3	470.9				
186	6.8	225.5	30.0	251	18.0	940.3	484.9				
187	5.8	231.3	31.8	252	15.1	955.4	496.0				
188	5.6	236.9	33.4	253	16.4	971.9	508.4				
189	6.0	242.9	35.5	254	16.4	988.2	520.8				
190	6.3	249.2	37.8	255	16.7	1005.0	533.5				
191	7.0	256.2	40.8	256	16.8	1021.8	546.3				
192	6.8	263.1	43.6	257	17.1	1038.8	559.4				
193	7.1	270.2	46.8	258	17.2	1056.0	572.6				
194	7.3	277.5	50.0	259	17.3	1073.3	585.9				

STN 437 DEPTH 11M






WHITEHAVEN HBR NS (OUTER)
45.27N 61.16W 0000Z 10/05/90 - 0800Z 08/11/90
INST. 62542

WHITEHAVEN HBR NS (OUTER)

STA. 4WD 461

WATER DEPTH 13.0M.				INST DEPTH 11.0M.		LATITUDE 45.27		LONGITUDE 61.16		FROM 9/11/ 89		TO 8/ 4/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)		
313	9.5	9.5	5.5	13	-1.1	213.6	80.5	78	-1.2	213.7	80.5		
314	9.4	18.8	10.8	14	-1.0	213.6	80.5	79	-1.2	213.7	80.5		
315	9.4	28.3	16.3	15	-1.0	213.6	80.5	80	-1.2	213.7	80.5		
316	9.6	37.8	21.8	16	-9	213.6	80.5	81	-1.1	213.7	80.5		
317	9.5	47.3	27.3	17	-8	213.6	80.5	82	-1.1	213.7	80.5		
318	8.1	55.4	31.4	18	-7	213.6	80.5	83	-1.0	213.7	80.5		
319	7.4	62.8	34.8	19	-7	213.6	80.5	84	-9	213.7	80.5		
320	7.6	70.4	38.4	20	-7	213.6	80.5	85	-7	213.7	80.5		
321	7.8	78.2	42.2	21	-6	213.6	80.5	86	-6	213.7	80.5		
322	7.8	86.0	46.0	22	-1	213.6	80.5	87	-5	213.7	80.5		
323	8.0	94.0	50.0	23	.1	213.6	80.5	88	-5	213.7	80.5		
324	7.8	101.8	53.8	24	.1	213.7	80.5	89	-4	213.7	80.5		
325	7.6	109.4	57.4	25	.0	213.7	80.5	90	-4	213.7	80.5		
326	7.7	117.1	61.1	26	-1	213.7	80.5	91	-4	213.7	80.5		
327	7.4	124.5	64.5	27	-2	213.7	80.5	92	-3	213.7	80.5		
328	6.5	131.0	67.0	28	-3	213.7	80.5	93	-3	213.7	80.5		
329	6.3	137.3	69.3	29	-3	213.7	80.5	94	-3	213.7	80.5		
330	6.2	143.5	71.5	30	-2	213.7	80.5	95	-2	213.7	80.5		
331	6.1	149.6	73.6	31	-1	213.7	80.5	96	-2	213.7	80.5		
332	6.0	155.6	75.6	32	-1	213.7	80.5	97	-2	213.7	80.5		
333	5.5	161.2	77.2	33	-1	213.7	80.5	98	-1	213.7	80.5		
334	5.3	166.4	78.4	34	-1	213.7	80.5						
335	5.1	171.5	79.5	35	-1	213.7	80.5						
336	4.7	176.2	80.2	36	-2	213.7	80.5						
337	4.3	180.5	80.5	37	-6	213.7	80.5						
338	3.8	184.3	80.5	38	-6	213.7	80.5						
339	3.5	187.8	80.5	39	-7	213.7	80.5						
340	2.9	190.7	80.5	40	-6	213.7	80.5						
341	2.8	193.5	80.5	41	-6	213.7	80.5						
342	2.3	195.8	80.5	42	-6	213.7	80.5						
343	2.0	197.8	80.5	43	-6	213.7	80.5						
344	2.5	200.3	80.5	44	-6	213.7	80.5						
345	2.6	202.9	80.5	45	-6	213.7	80.5						
346	2.4	205.3	80.5	46	-6	213.7	80.5						
347	2.0	207.3	80.5	47	-6	213.7	80.5						
348	1.8	209.0	80.5	48	-6	213.7	80.5						
349	1.4	210.4	80.5	49	-6	213.7	80.5						
350	1.1	211.5	80.5	50	-6	213.7	80.5						
351	.7	212.2	80.5	51	-6	213.7	80.5						
352	.5	212.7	80.5	52	-6	213.7	80.5						
353	.2	212.9	80.5	53	-7	213.7	80.5						
354	.4	213.3	80.5	54	-8	213.7	80.5						
355	.3	213.6	80.5	55	-8	213.7	80.5						
356	.0	213.6	80.5	56	-9	213.7	80.5						
357	-.7	213.6	80.5	57	-9	213.7	80.5						
358	-.1.1	213.6	80.5	58	-1.0	213.7	80.5						
359	-.1.2	213.6	80.5	59	-1.1	213.7	80.5						
360	-.1.2	213.6	80.5	60	-1.1	213.7	80.5						
361	-.1.1	213.6	80.5	61	-1.2	213.7	80.5						
362	-.1.2	213.6	80.5	62	-1.3	213.7	80.5						
363	-.1.2	213.6	80.5	63	-1.3	213.7	80.5						
364	-.1.3	213.6	80.5	64	-1.4	213.7	80.5						
365	-.1.3	213.6	80.5	65	-1.4	213.7	80.5						
1	-.1.3	213.6	80.5	66	-1.4	213.7	80.5						
2	-.1.4	213.6	80.5	67	-1.4	213.7	80.5						
3	-.1.4	213.6	80.5	68	-1.4	213.7	80.5						
4	-.1.4	213.6	80.5	69	-1.3	213.7	80.5						
5	-.1.3	213.6	80.5	70	-1.3	213.7	80.5						
6	-.1.3	213.6	80.5	71	-1.3	213.7	80.5						
7	-.1.3	213.6	80.5	72	-1.3	213.7	80.5						
8	-.1.3	213.6	80.5	73	-1.3	213.7	80.5						
9	-.1.2	213.6	80.5	74	-1.3	213.7	80.5						
10	-.1.2	213.6	80.5	75	-1.3	213.7	80.5						
11	-.1.2	213.6	80.5	76	-1.2	213.7	80.5						
12	-.1.2	213.6	80.5	77	-1.2	213.7	80.5						

STN 461 DEPTH 11M






WHITEHAVEN HBR NS (OUTER)
45.27N 61.16W 1900Z 09/11/89 - 1900Z 08/04/90
INST. 4395

WHITEHAVEN HBR NS (INNER)

STA. 4WD 462

WATER DEPTH 5.5M.				INST DEPTH 5.0M.		LATITUDE 45.29		LONGITUDE 61.17		FROM 9/11/ 89		TO 9/ 5/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)		
313	10.0	10.0	6.0	13	- .7	239.7	99.7	78	- .9	239.7	99.7		
314	10.0	20.0	12.0	14	- .7	239.7	99.7	79	- .8	239.7	99.7		
315	10.0	30.0	18.0	15	- .7	239.7	99.7	80	- .8	239.7	99.7		
316	10.0	40.0	24.0	16	- .8	239.7	99.7	81	- .7	239.7	99.7		
317	9.8	49.8	29.8	17	- .9	239.7	99.7	82	- .7	239.7	99.7		
318	9.7	59.5	35.5	18	- .8	239.7	99.7	83	- .6	239.7	99.7		
319	9.1	68.6	40.6	19	- .8	239.7	99.7	84	- .6	239.7	99.7		
320	9.1	77.7	45.7	20	- .7	239.7	99.7	85	- .6	239.7	99.7		
321	9.7	87.4	51.4	21	- .7	239.7	99.7	86	- .6	239.7	99.7		
322	9.6	97.0	57.0	22	- .7	239.7	99.7	87	- .6	239.7	99.7		
323	9.4	106.4	62.4	23	- .6	239.7	99.7	88	- .6	239.7	99.7		
324	8.7	115.1	67.1	24	- .4	239.7	99.7	89	- .5	239.7	99.7		
325	8.7	123.8	71.8	25	- .3	239.7	99.7	90	- .5	239.7	99.7		
326	8.3	132.1	76.1	26	- .2	239.7	99.7	91	- .4	239.7	99.7		
327	8.1	140.2	80.2	27	- .3	239.7	99.7	92	- .4	239.7	99.7		
328	7.0	147.2	83.2	28	- .3	239.7	99.7	93	- .3	239.7	99.7		
329	6.5	153.7	85.7	29	- .3	239.7	99.7	94	- .3	239.7	99.7		
330	6.5	160.2	88.2	30	- .2	239.7	99.7	95	- .2	239.7	99.7		
331	6.4	166.6	90.6	31	- .2	239.7	99.7	96	- .1	239.7	99.7		
332	6.1	172.7	92.7	32	- .2	239.7	99.7	97	.0	239.7	99.7		
333	5.8	178.5	94.5	33	- .1	239.7	99.7	98	.0	239.7	99.7		
334	5.7	184.2	96.2	34	- .1	239.7	99.7	99	.0	239.8	99.7		
335	5.7	189.8	97.8	35	- .1	239.7	99.7	100	.1	239.8	99.7		
336	5.1	194.9	98.9	36	- .1	239.7	99.7	101	.3	240.1	99.7		
337	4.6	199.5	99.5	37	- .1	239.7	99.7	102	.6	240.7	99.7		
338	4.2	203.7	99.7	38	- .2	239.7	99.7	103	.5	241.2	99.7		
339	3.8	207.6	99.7	39	- .3	239.7	99.7	104	.4	241.6	99.7		
340	3.7	211.2	99.7	40	- .4	239.7	99.7	105	.5	242.2	99.7		
341	3.6	214.8	99.7	41	- .4	239.7	99.7	106	.7	242.9	99.7		
342	3.7	218.5	99.7	42	- .3	239.7	99.7	107	.7	243.6	99.7		
343	3.1	221.6	99.7	43	- .1	239.7	99.7	108	1.1	244.7	99.7		
344	1.7	223.3	99.7	44	- .1	239.7	99.7	109	1.1	245.8	99.7		
345	1.8	225.1	99.7	45	- .2	239.7	99.7	110	1.3	247.0	99.7		
346	2.1	227.2	99.7	46	- .2	239.7	99.7	111	2.3	249.4	99.7		
347	1.9	229.0	99.7	47	- .3	239.7	99.7	112	2.0	251.3	99.7		
348	1.5	230.6	99.7	48	- .2	239.7	99.7	113	1.3	252.6	99.7		
349	1.5	232.1	99.7	49	- .1	239.7	99.7	114	1.3	253.9	99.7		
350	1.5	233.6	99.7	50	- .2	239.7	99.7	115	1.1	255.0	99.7		
351	1.4	235.1	99.7	51	- .3	239.7	99.7	116	1.2	256.2	99.7		
352	1.2	236.3	99.7	52	- .4	239.7	99.7	117	1.6	257.8	99.7		
353	1.2	237.5	99.7	53	- .5	239.7	99.7	118	2.0	259.7	99.7		
354	1.0	238.4	99.7	54	- .5	239.7	99.7	119	2.2	261.9	99.7		
355	.6	239.0	99.7	55	- .4	239.7	99.7	120	2.4	264.3	99.7		
356	.5	239.5	99.7	56	- .4	239.7	99.7	121	2.9	267.2	99.7		
357	.2	239.7	99.7	57	- .4	239.7	99.7	122	3.7	270.9	99.7		
358	-.1	239.7	99.7	58	- .6	239.7	99.7	123	3.6	274.5	99.7		
359	-.2	239.7	99.7	59	- .7	239.7	99.7	124	3.1	277.5	99.7		
360	-.7	239.7	99.7	60	- .8	239.7	99.7	125	3.6	281.1	99.7		
361	-.2	239.7	99.7	61	- .9	239.7	99.7	126	4.3	285.4	100.0		
362	-.2	239.7	99.7	62	- .9	239.7	99.7	127	3.2	288.6	100.0		
363	-.6	239.7	99.7	63	- .9	239.7	99.7	128	3.2	291.9	100.0		
364	-1.0	239.7	99.7	64	- .9	239.7	99.7	129	3.4	295.2	100.0		
365	-1.2	239.7	99.7	65	-1.0	239.7	99.7						
1	-1.1	239.7	99.7	66	-1.0	239.7	99.7						
2	-1.1	239.7	99.7	67	-1.1	239.7	99.7						
3	-1.1	239.7	99.7	68	-1.2	239.7	99.7						
4	-1.2	239.7	99.7	69	-1.2	239.7	99.7						
5	-1.1	239.7	99.7	70	-1.2	239.7	99.7						
6	-1.0	239.7	99.7	71	-1.2	239.7	99.7						
7	-1.0	239.7	99.7	72	-1.1	239.7	99.7						
8	-1.0	239.7	99.7	73	-1.1	239.7	99.7						
9	-.9	239.7	99.7	74	-1.0	239.7	99.7						
10	-.8	239.7	99.7	75	-1.0	239.7	99.7						
11	-.8	239.7	99.7	76	-1.0	239.7	99.7						
12	-.8	239.7	99.7	77	-1.0	239.7	99.7						

STN 462 DEPTH 5M






WHITEHAVEN HBR NS (INNER)
45.29N 61.17W 1800Z 09/11/89 - 1700Z 09/05/90
INST. 4397

WHITEHAVEN HBR NS (INNER)

STA. 4WD 463

WATER DEPTH 5.5M.		INST DEPTH 3.0M.		LATITUDE 45.29		LONGITUDE 61.17			FROM 9/11/ 89		TO 30/ 4/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	
313	10.0	10.0	6.0	13	- .8	239.7	101.3	78	- .9	239.7	101.3	
314	10.1	20.1	12.1	14	- .8	239.7	101.3	79	- .9	239.7	101.3	
315	10.1	30.2	18.2	15	- .8	239.7	101.3	80	- .8	239.7	101.3	
316	10.0	40.2	24.2	16	- .8	239.7	101.3	81	- .9	239.7	101.3	
317	9.8	50.0	30.0	17	- .8	239.7	101.3	82	- .8	239.7	101.3	
318	9.7	59.7	35.7	18	- .8	239.7	101.3	83	- .7	239.7	101.3	
319	9.6	69.2	41.2	19	- .7	239.7	101.3	84	- .7	239.7	101.3	
320	9.4	78.7	46.7	20	- .7	239.7	101.3	85	- .6	239.7	101.3	
321	9.9	88.6	52.6	21	- .7	239.7	101.3	86	- .5	239.7	101.3	
322	9.9	98.5	58.5	22	- .6	239.7	101.3	87	- .5	239.7	101.3	
323	9.4	107.9	63.9	23	- .6	239.7	101.3	88	- .5	239.7	101.3	
324	9.0	116.9	68.9	24	- .6	239.7	101.3	89	- .4	239.7	101.3	
325	8.6	125.4	73.4	25	- .5	239.7	101.3	90	- .4	239.7	101.3	
326	8.2	133.6	77.6	26	- .4	239.7	101.3	91	- .4	239.7	101.3	
327	8.1	141.8	81.8	27	- .4	239.7	101.3	92	- .4	239.7	101.3	
328	6.9	148.6	84.6	28	- .3	239.7	101.3	93	- .3	239.7	101.3	
329	6.6	155.2	87.2	29	- .3	239.7	101.3	94	- .3	239.7	101.3	
330	6.4	161.6	89.6	30	- .2	239.7	101.3	95	- .2	239.7	101.3	
331	6.3	167.9	91.9	31	- .2	239.7	101.3	96	.1	239.8	101.3	
332	6.1	174.0	94.0	32	- .2	239.7	101.3	97	.3	240.1	101.3	
333	5.8	179.8	95.8	33	- .2	239.7	101.3	98	.2	240.3	101.3	
334	5.8	185.6	97.6	34	- .1	239.7	101.3	99	.4	240.6	101.3	
335	5.7	191.3	99.3	35	- .1	239.7	101.3	100	.3	240.9	101.3	
336	5.2	196.5	100.5	36	- .1	239.7	101.3	101	.8	241.8	101.3	
337	4.7	201.3	101.3	37	- .1	239.7	101.3	102	1.2	242.9	101.3	
338	4.0	205.3	101.3	38	- .1	239.7	101.3	103	.9	243.8	101.3	
339	3.9	209.2	101.3	39	- .1	239.7	101.3	104	.7	244.6	101.3	
340	3.8	212.9	101.3	40	- .2	239.7	101.3	105	2.1	246.6	101.3	
341	3.7	216.7	101.3	41	- .2	239.7	101.3	106	2.9	249.5	101.3	
342	3.6	220.2	101.3	42	- .1	239.7	101.3	107	1.5	251.0	101.3	
343	2.8	223.1	101.3	43	- .1	239.7	101.3	108	3.3	254.3	101.3	
344	1.8	224.8	101.3	44	- .3	239.7	101.3	109	1.9	256.2	101.3	
345	1.7	226.5	101.3	45	- .2	239.7	101.3	110	3.6	259.8	101.3	
346	1.9	228.3	101.3	46	- .2	239.7	101.3	111	4.7	264.5	102.0	
347	1.6	229.9	101.3	47	- .2	239.7	101.3	112	3.8	268.3	102.0	
348	1.3	231.2	101.3	48	- .2	239.7	101.3	113	2.1	270.4	102.0	
349	1.4	232.6	101.3	49	- .2	239.7	101.3	114	1.6	272.0	102.0	
350	1.4	234.0	101.3	50	- .2	239.7	101.3	115	1.3	273.4	102.0	
351	1.1	235.0	101.3	51	- .2	239.7	101.3	116	1.5	274.9	102.0	
352	.9	236.0	101.3	52	- .2	239.7	101.3	117	2.4	277.2	102.0	
353	.9	236.8	101.3	53	- .3	239.7	101.3	118	3.1	280.3	102.0	
354	.7	237.6	101.3	54	- .3	239.7	101.3	119	3.0	283.3	102.0	
355	.7	238.3	101.3	55	- .3	239.7	101.3	120	3.6	286.9	102.0	
356	.7	239.0	101.3	56	- .3	239.7	101.3					
357	.4	239.4	101.3	57	- .2	239.7	101.3					
358	.2	239.6	101.3	58	- .3	239.7	101.3					
359	.0	239.6	101.3	59	- .5	239.7	101.3					
360	-.2	239.6	101.3	60	- .6	239.7	101.3					
361	.1	239.7	101.3	61	- .7	239.7	101.3					
362	-.2	239.7	101.3	62	- .8	239.7	101.3					
363	-.3	239.7	101.3	63	- .8	239.7	101.3					
364	-.6	239.7	101.3	64	- .8	239.7	101.3					
365	-.8	239.7	101.3	65	- .8	239.7	101.3					
1	-1.0	239.7	101.3	66	- .8	239.7	101.3					
2	-.9	239.7	101.3	67	- .9	239.7	101.3					
3	-.9	239.7	101.3	68	-1.0	239.7	101.3					
4	-1.0	239.7	101.3	69	-1.0	239.7	101.3					
5	-1.0	239.7	101.3	70	-1.1	239.7	101.3					
6	-1.0	239.7	101.3	71	-1.1	239.7	101.3					
7	-.9	239.7	101.3	72	-1.1	239.7	101.3					
8	-.9	239.7	101.3	73	-1.0	239.7	101.3					
9	-.9	239.7	101.3	74	-1.0	239.7	101.3					
10	-.8	239.7	101.3	75	-1.0	239.7	101.3					
11	-.8	239.7	101.3	76	- .9	239.7	101.3					
12	-.8	239.7	101.3	77	- .9	239.7	101.3					

STN 463 DEPTH 3M






WHITEHAVEN HBR NS (INNER)
45.29N 61.17W 1800Z 09/11/89 - 0600Z 30/04/90
INST. 4393

WHITEHAVEN HBR NS (INNER)

STA. 4WD 464

WATER DEPTH 5.5M.				INST DEPTH 5.0M.		LATITUDE 45.29		LONGITUDE 61.17		FROM 9/ 5/ 90		TO 8/11/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)		
129	5.1	5.1	1.1	194	11.2	432.6	171.6	259	18.3	1425.9	905.0		
130	4.2	9.3	1.3	195	11.3	443.9	179.0	260	18.4	1444.3	919.3		
131	4.7	14.0	2.0	196	11.9	455.8	186.9	261	18.1	1462.3	933.4		
132	4.9	18.8	2.8	197	11.8	467.6	194.7	262	17.6	1479.9	947.0		
133	4.8	23.6	3.6	198	11.8	479.4	202.4	263	17.3	1497.2	960.3		
134	4.8	28.3	4.3	199	11.8	491.2	210.3	264	16.9	1514.1	973.1		
135	4.5	32.8	4.8	200	12.0	503.2	218.3	265	17.0	1531.0	986.1		
136	3.8	36.6	4.8	201	12.8	516.0	227.1	266	16.8	1547.9	998.9		
137	3.8	40.4	4.8	202	12.9	528.9	235.9	267	16.7	1564.6	1011.7		
138	3.8	44.2	4.8	203	12.6	541.5	244.6	268	16.7	1581.2	1024.3		
139	4.0	48.2	4.8	204	11.7	553.2	252.3	269	16.6	1597.8	1036.9		
140	3.7	51.8	4.8	205	11.8	565.0	260.1	270	16.3	1614.1	1049.2		
141	3.6	55.4	4.8	206	12.5	577.5	268.5	271	15.7	1629.8	1060.9		
142	3.6	59.0	4.8	207	13.0	590.5	277.5	272	15.8	1645.6	1072.7		
143	3.7	62.6	4.8	208	13.2	603.6	286.7	273	15.8	1661.4	1084.5		
144	3.6	66.2	4.8	209	12.5	616.1	295.1	274	16.3	1677.7	1096.8		
145	3.6	69.9	4.8	210	12.6	628.6	303.7	275	15.7	1693.4	1108.5		
146	3.9	73.7	4.8	211	12.9	641.5	312.6	276	15.2	1708.6	1119.6		
147	4.2	77.9	5.0	212	12.7	654.2	321.3	277	15.0	1723.6	1130.7		
148	4.4	82.4	5.4	213	13.0	667.2	330.3	278	14.9	1738.5	1141.6		
149	4.6	87.0	6.0	214	13.2	680.4	339.5	279	14.8	1753.3	1152.4		
150	6.6	93.6	8.7	215	13.8	694.1	349.2	280	14.8	1768.1	1163.2		
151	5.7	99.2	10.3	216	14.2	708.3	359.4	281	14.5	1782.6	1173.7		
152	5.5	104.7	11.8	217	14.2	722.5	369.5	282	14.0	1796.5	1183.6		
153	5.5	110.2	13.2	218	13.9	736.3	379.4	283	13.9	1810.4	1193.5		
154	5.8	116.0	15.1	219	13.9	750.2	389.3	284	13.9	1824.4	1203.5		
155	6.2	122.2	17.3	220	14.3	764.5	399.6	285	13.9	1838.3	1213.4		
156	6.6	128.8	19.9	221	14.8	779.3	410.4	286	13.6	1851.9	1223.0		
157	6.1	134.9	22.0	222	15.3	794.6	421.6	287	13.6	1865.6	1232.6		
158	6.0	140.9	24.0	223	15.5	810.1	433.1	288	13.8	1879.4	1242.4		
159	5.8	146.7	25.8	224	15.6	825.6	444.7	289	13.8	1893.2	1252.3		
160	5.4	152.1	27.2	225	16.4	842.0	457.1	290	13.9	1907.1	1262.1		
161	5.4	157.5	28.6	226	16.6	858.6	469.7	291	13.9	1920.9	1272.0		
162	5.2	162.7	29.7	227	16.3	874.9	482.0	292	14.3	1935.2	1282.3		
163	5.2	167.8	30.9	228	15.5	890.4	493.4	293	14.0	1949.2	1292.3		
164	5.6	173.4	32.4	229	15.0	905.4	504.4	294	13.4	1962.6	1301.7		
165	5.9	179.3	34.3	230	15.3	920.6	515.7	295	12.9	1975.5	1310.6		
166	6.5	185.8	36.8	231	15.5	936.2	527.2	296	13.0	1988.5	1319.5		
167	7.0	192.8	39.9	232	14.9	951.1	538.1	297	12.4	2000.9	1327.9		
168	7.0	199.8	42.9	233	15.2	966.3	549.4	298	12.5	2013.4	1336.4		
169	8.3	208.1	47.2	234	16.3	982.6	561.7	299	11.8	2025.2	1344.3		
170	9.5	217.6	52.7	235	17.3	999.9	575.0	300	10.7	2035.9	1351.0		
171	8.6	226.2	57.3	236	17.5	1017.4	588.5	301	10.1	2046.0	1357.1		
172	7.6	233.7	60.8	237	16.6	1034.0	601.1	302	10.1	2056.1	1363.1		
173	7.4	241.1	64.2	238	16.4	1050.4	613.5	303	10.0	2066.0	1369.1		
174	7.5	248.6	67.7	239	16.2	1066.6	625.7	304	9.7	2075.7	1374.8		
175	8.0	256.6	71.7	240	16.2	1082.8	637.9	305	9.6	2085.4	1380.4		
176	8.8	265.3	76.4	241	16.3	1099.2	650.2	306	9.4	2094.8	1385.9		
177	9.2	274.6	81.6	242	17.0	1116.1	663.2	307	9.4	2104.2	1391.3		
178	9.4	284.0	87.0	243	16.8	1133.0	676.0	308	9.3	2113.4	1396.5		
179	9.3	293.2	92.3	244	16.8	1149.8	688.9	309	9.0	2122.5	1401.5		
180	8.8	302.0	97.1	245	17.2	1167.0	702.0	310	8.9	2131.3	1406.4		
181	7.8	309.8	100.9	246	17.4	1184.3	715.4	311	8.4	2139.7	1410.8		
182	7.2	317.0	104.1	247	18.2	1202.5	729.5	312	8.3	2148.0	1415.1		
183	7.4	324.4	107.5	248	18.3	1220.8	743.8						
184	7.7	332.1	111.2	249	18.4	1239.1	758.2						
185	8.1	340.2	115.3	250	18.9	1258.0	773.1						
186	8.6	348.8	119.9	251	19.6	1277.6	788.7						
187	9.4	358.2	125.3	252	19.0	1296.6	803.7						
188	9.2	367.4	130.4	253	18.8	1315.4	818.5						
189	8.8	376.2	135.3	254	18.7	1334.1	833.2						
190	9.9	386.1	141.1	255	18.5	1352.6	847.7						
191	12.6	398.6	149.7	256	18.5	1371.1	862.2						
192	11.7	410.3	157.4	257	18.2	1389.3	876.4						
193	11.0	421.4	164.4	258	18.2	1407.6	890.6						

STN 464 DEPTH 5M






WHITEHAVEN HBR NS (INNER)
45.29N 61.17W 1900Z 09/05/90 - 1700Z 08/11/90
INST. 4391

WHITEHAVEN HBR NS (INNER)

STA. 4WD 465

WATER DEPTH 5.5M.	INST DEPTH 3.0M.	LATITUDE		LONGITUDE		FROM		TO			
		45.29		61.17		9/ 5/ 90	8/11/ 90				
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
129	5.6	5.6	1.6	194	13.8	528.6	265.3	259	18.3	1675.9	1152.6
130	5.0	10.6	2.6	195	14.0	542.6	275.3	260	18.4	1694.3	1167.0
131	5.7	16.2	4.2	196	15.9	558.5	287.2	261	18.0	1712.3	1181.1
132	5.3	21.6	5.6	197	15.1	573.6	298.3	262	17.6	1729.9	1194.6
133	5.3	26.9	6.9	198	16.0	589.6	310.3	263	17.2	1747.1	1207.8
134	6.3	33.3	9.3	199	14.5	604.0	320.8	264	16.8	1763.9	1220.6
135	5.6	38.9	10.9	200	15.1	619.2	331.9	265	16.9	1780.8	1233.6
136	4.7	43.5	11.5	201	17.5	636.6	345.4	266	16.7	1797.6	1246.3
137	4.5	48.0	12.0	202	16.2	652.8	357.6	267	16.8	1814.4	1259.1
138	4.7	52.8	12.8	203	15.8	668.6	369.4	268	16.8	1831.2	1271.9
139	4.7	57.4	13.4	204	14.1	682.7	379.4	269	16.7	1847.9	1284.6
140	3.9	61.4	13.4	205	15.8	698.4	391.2	270	16.6	1864.5	1297.2
141	3.8	65.1	13.4	206	16.4	714.8	403.5	271	16.5	1881.0	1309.7
142	3.9	69.0	13.4	207	18.3	733.1	417.8	272	16.5	1897.5	1322.2
143	4.0	73.0	13.5	208	17.2	750.3	431.0	273	16.7	1914.1	1334.9
144	3.9	76.9	13.5	209	14.5	764.8	441.6	274	16.9	1931.0	1347.7
145	3.8	80.7	13.5	210	14.4	779.3	452.0	275	16.1	1947.2	1359.9
146	4.1	84.8	13.5	211	15.6	794.8	463.6	276	15.5	1962.6	1371.3
147	4.9	89.7	14.4	212	15.4	810.3	475.0	277	15.3	1977.9	1382.6
148	5.5	95.2	16.0	213	18.6	828.9	489.6	278	15.0	1992.9	1393.6
149	6.3	101.5	18.3	214	15.0	843.9	500.6	279	15.0	2007.9	1404.6
150	8.8	110.4	23.1	215	15.9	859.8	512.5	280	15.0	2022.8	1415.6
151	7.1	117.4	26.2	216	16.6	876.4	525.2	281	14.7	2037.6	1426.3
152	6.3	123.7	28.4	217	16.5	892.9	537.6	282	14.6	2052.2	1436.9
153	7.6	131.3	32.0	218	16.0	908.9	549.6	283	14.4	2066.5	1447.3
154	8.8	140.1	36.8	219	16.1	925.0	561.7	284	14.1	2080.6	1457.3
155	9.0	149.1	41.8	220	16.3	941.3	574.0	285	14.0	2094.6	1467.3
156	8.6	157.7	46.5	221	16.5	957.8	586.5	286	13.8	2108.4	1477.1
157	7.8	165.5	50.2	222	17.0	974.8	599.6	287	14.0	2122.4	1487.1
158	8.8	174.3	55.0	223	17.5	992.4	613.1	288	14.2	2136.6	1497.3
159	7.7	182.0	58.7	224	18.5	1010.8	627.6	289	14.2	2150.8	1507.5
160	6.2	188.2	60.9	225	19.2	1030.1	642.8	290	14.2	2165.0	1517.7
161	6.4	194.6	63.3	226	20.0	1050.1	658.8	291	14.4	2179.3	1528.1
162	5.8	200.3	65.1	227	20.2	1070.3	675.0	292	14.4	2193.8	1538.5
163	5.5	205.9	66.6	228	18.5	1088.8	689.5	293	14.0	2207.8	1548.5
164	6.7	212.6	69.3	229	17.9	1106.7	703.4	294	13.7	2221.4	1558.2
165	7.5	220.1	72.8	230	19.9	1126.6	719.3	295	13.5	2234.9	1567.6
166	9.4	229.5	78.2	231	19.1	1145.7	734.5	296	13.2	2248.1	1576.8
167	10.6	240.0	84.8	232	15.7	1161.4	746.2	297	12.8	2260.9	1585.7
168	10.9	251.0	91.7	233	16.5	1177.9	758.6	298	12.7	2273.6	1594.3
169	11.9	262.9	99.6	234	17.8	1195.6	772.4	299	12.0	2285.6	1602.3
170	12.3	275.2	108.0	235	18.2	1213.8	786.5	300	10.9	2296.5	1609.2
171	11.5	286.7	115.4	236	18.4	1232.2	800.9	301	10.1	2306.6	1615.3
172	9.5	296.2	120.9	237	18.7	1250.9	815.6	302	10.1	2316.7	1621.4
173	8.4	304.6	125.3	238	19.3	1270.2	830.9	303	9.8	2326.4	1627.2
174	8.6	313.2	129.9	239	18.9	1289.0	845.7	304	9.7	2336.1	1632.8
175	10.3	323.5	136.2	240	20.3	1309.3	862.1	305	9.4	2345.5	1638.3
176	10.1	333.6	142.3	241	20.3	1329.6	878.4	306	9.3	2354.8	1643.6
177	10.6	344.2	148.9	242	21.2	1350.9	895.6	307	9.2	2364.0	1648.8
178	10.9	355.1	155.8	243	20.0	1370.8	911.5	308	9.2	2373.3	1654.0
179	11.2	366.2	163.0	244	18.7	1389.5	926.3	309	8.9	2382.2	1658.9
180	10.4	376.7	169.4	245	19.6	1409.1	941.8	310	8.6	2390.8	1663.6
181	9.5	386.1	174.9	246	20.5	1429.6	958.3	311	8.3	2399.1	1667.8
182	8.2	394.3	179.0	247	19.4	1449.0	973.7	312	8.3	2407.4	1672.1
183	8.3	402.6	183.4	248	19.5	1468.4	989.2				
184	8.7	411.3	188.0	249	19.3	1487.8	1004.5				
185	9.4	420.6	193.4	250	19.8	1507.5	1020.3				
186	11.4	432.0	200.7	251	19.8	1527.3	1036.1				
187	11.0	443.0	207.7	252	19.0	1546.3	1051.1				
188	11.2	454.1	214.9	253	18.8	1565.2	1065.9				
189	10.1	464.2	221.0	254	18.8	1583.9	1080.6				
190	11.5	475.7	228.5	255	18.6	1602.5	1095.2				
191	13.0	488.8	237.5	256	18.6	1621.2	1109.9				
192	13.1	501.8	246.5	257	18.2	1639.4	1124.1				
193	13.0	514.8	255.6	258	18.2	1657.6	1138.3				

STN 465 DEPTH 3M






WHITEHAVEN HBR NS (INNER)
45.29N 61.17W 1800Z 09/05/90 - 1700Z 08/11/90
INST. 4394

BIO MARINA (DARTMOUTH) NS

STA. 4WK 414

WATER DEPTH 2.0M.				INST DEPTH 2.0M.				LATITUDE 44.70			LONGITUDE 63.61			FROM 19/10/ 89		TO 17/ 4/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)		
292	6.8	6.8	2.8	357	1.1	368.8	153.7	57	-1.2	386.8	153.7	60	-1.2	386.8	153.7		
293	6.7	13.5	5.5	358	1.3	370.1	153.7	58	-1.2	386.8	153.7	61	-1.7	386.8	153.7		
294	6.9	20.4	8.4	359	1.0	371.1	153.7	59	-1.5	386.8	153.7	62	-1.3	386.8	153.7		
295	7.4	27.8	11.8	360	1.3	372.4	153.7	60	-1.5	386.8	153.7	63	-1.2	386.8	153.7		
296	7.5	35.3	15.3	361	1.3	373.8	153.7	61	-1.7	386.8	153.7	64	-1.3	386.8	153.7		
297	7.5	42.8	18.8	362	.8	374.6	153.7	62	-1.3	386.8	153.7	65	-1.2	386.8	153.7		
298	7.7	50.5	22.5	363	.3	374.9	153.7	63	-1.2	386.8	153.7	66	-1.4	386.8	153.7		
299	8.0	58.5	26.5	364	-.3	374.9	153.7	64	-1.3	386.8	153.7	67	-1.1	386.8	153.7		
300	8.0	66.5	30.5	365	.1	375.0	153.7	65	-1.2	386.8	153.7	68	-.9	386.8	153.7		
301	8.2	74.7	34.7	1	.4	375.5	153.7	66	-1.4	386.8	153.7	69	-.7	386.8	153.7		
302	8.5	83.3	39.3	2	.2	375.6	153.7	70	-1.3	386.8	153.7	71	-.4	386.8	153.7		
303	8.6	91.9	43.9	3	.1	375.8	153.7	72	-.1	386.9	153.7	73	.0	386.9	153.7		
304	9.0	100.9	48.9	4	.6	376.4	153.7	74	-.2	387.1	153.7	75	.1	387.2	153.7		
305	9.1	109.9	53.9	5	.6	377.0	153.7	76	.3	387.5	153.7	77	.7	388.1	153.7		
306	9.3	119.2	59.2	6	.7	377.7	153.7	78	1.2	389.3	153.7	79	1.1	390.5	153.7		
307	9.5	128.7	64.7	7	.4	378.1	153.7	80	.8	391.3	153.7	81	1.5	392.8	153.7		
308	9.1	137.8	69.8	8	.7	378.8	153.7	82	1.6	394.4	153.7	83	2.0	396.4	153.7		
309	8.6	146.4	74.4	9	.7	379.5	153.7	84	1.6	398.0	153.7	85	1.5	399.5	153.7		
310	8.7	155.1	79.1	10	.6	380.1	153.7	86	1.7	401.2	153.7	87	1.4	402.6	153.7		
311	8.9	164.0	84.0	11	.5	380.5	153.7	88	1.2	403.8	153.7	89	1.1	404.8	153.7		
312	9.0	173.0	89.0	12	.7	381.2	153.7	90	1.0	405.8	153.7	91	.7	406.5	153.7		
313	9.0	182.0	94.0	13	.6	381.8	153.7	92	.7	407.2	153.7	93	.9	408.1	153.7		
314	9.4	191.5	99.5	14	.1	381.9	153.7	94	1.1	409.2	153.7	95	2.0	411.2	153.7		
315	9.6	201.0	105.0	15	-.4	381.9	153.7	96	2.5	413.7	153.7	97	2.6	416.3	153.7		
316	9.2	210.2	110.2	16	-.2	381.9	153.7	98	2.1	418.5	153.7	99	1.9	420.4	153.7		
317	8.2	218.4	114.4	17	-.3	381.9	153.7	100	2.1	422.5	153.7	101	2.0	424.5	153.7		
318	8.0	226.4	118.4	18	-.0	381.9	153.7	102	3.1	427.6	153.7	103	3.1	430.6	153.7		
319	8.0	234.4	122.4	19	.7	382.6	153.7	104	2.6	433.2	153.7	105	2.9	436.2	153.7		
320	8.4	242.8	126.8	20	-.5	382.6	153.7	106	3.0	439.2	153.7	107	3.4	442.6	153.7		
321	9.0	251.8	131.8	21	-.4	382.6	153.7	108	2.5	443.7	153.7	109	2.6	446.3	153.7		
322	8.8	260.6	136.6	22	-.6	382.6	153.7	110	2.1	448.5	153.7	111	2.0	451.2	153.7		
323	8.2	268.8	140.8	23	-.6	382.6	153.7	112	1.9	454.2	153.7	113	1.8	457.2	153.7		
324	7.1	275.9	143.9	24	-.6	382.6	153.7	114	1.7	460.8	153.7	115	1.6	464.4	153.7		
325	7.2	283.1	147.1	25	-.4	382.6	153.7	116	1.4	462.6	153.7	117	1.3	466.5	153.7		
326	6.3	289.4	149.4	26	-.1	382.6	153.7	118	1.0	468.2	153.7	119	.9	471.2	153.7		
327	5.4	294.8	150.8	27	.8	383.4	153.7	120	.7	477.2	153.7	121	.9	480.1	153.7		
328	5.1	299.9	151.9	28	.5	383.9	153.7	122	1.1	484.2	153.7	123	1.0	489.2	153.7		
329	3.6	303.5	151.9	29	.5	384.4	153.7	124	1.1	491.2	153.7	125	1.0	498.0	153.7		
330	4.5	308.0	152.4	30	.4	384.9	153.7	126	2.5	503.7	153.7	127	2.6	511.2	153.7		
331	4.2	312.2	152.6	31	-.4	384.9	153.7	128	2.5	513.7	153.7	129	2.6	516.3	153.7		
332	4.6	316.8	153.1	32	-.2	384.9	153.7	130	2.6	518.5	153.7	131	2.1	522.4	153.7		
333	4.6	321.3	153.7	33	-.1	384.9	153.7	132	1.9	527.6	153.7	133	1.9	530.6	153.7		
334	3.9	325.2	153.7	34	-.1	384.9	153.7	134	2.1	533.2	153.7	135	2.0	536.2	153.7		
335	4.0	329.3	153.7	35	-.6	384.9	153.7	136	2.0	542.5	153.7	137	2.1	544.5	153.7		
336	3.2	332.5	153.7	36	-.2	384.9	153.7	138	3.1	547.6	153.7	139	3.0	550.6	153.7		
337	3.8	336.3	153.7	37	-.6	384.9	153.7	140	3.1	553.7	153.7	141	3.0	556.7	153.7		
338	3.8	340.1	153.7	38	-.9	384.9	153.7	142	3.1	560.6	153.7	143	3.1	563.6	153.7		
339	1.7	341.8	153.7	39	-.7	384.9	153.7	144	2.6	563.2	153.7	145	2.9	566.2	153.7		
340	1.3	343.1	153.7	40	-.4	384.9	153.7	146	2.9	569.2	153.7	147	3.0	572.2	153.7		
341	2.5	345.5	153.7	41	.6	385.5	153.7	148	3.0	579.2	153.7	149	3.4	582.6	153.7		
342	1.6	347.1	153.7	42	.8	386.3	153.7	150	3.4	586.6	153.7	151	3.4	590.6	153.7		
343	1.2	348.3	153.7	43	.3	386.6	153.7	152	3.4	594.2	153.7	153	3.4	597.2	153.7		
344	1.3	349.6	153.7	44	.2	386.8	153.7	154	3.4	600.2	153.7	155	3.4	603.2	153.7		
345	1.2	350.8	153.7	45	.0	386.8	153.7	156	3.4	606.2	153.7	157	3.4	610.2	153.7		
346	.9	351.8	153.7	46	-.2	386.8	153.7	158	3.4	613.2	153.7	159	3.4	616.2	153.7		
347	1.5	353.3	153.7	47	-.4	386.8	153.7	160	3.4	623.2	153.7	161	3.4	626.2	153.7		
348	1.4	354.7	153.7	48	-.8	386.8	153.7	162	3.4	633.2	153.7	163	3.4	636.2	153.7		
349	1.0	355.7	153.7	49	-1.5	386.8	153.7	164	3.4	643.2	153.7	165	3.4	646.2	153.7		
350	1.7	357.4	153.7	50	-1.1	386.8	153.7	166	3.4	653.2	153.7	167	3.4	656.2	153.7		
351	1.9	359.3	153.7	51	-1.6	386.8	153.7	168	3.4	663.2	153.7	169	3.4	666.2	153.7		
352	1.4	360.7	153.7	52	-1.8	386.8	153.7	170	3.4	673.2	153.7	171	3.4	676.2	153.7		
353	2.2	362.9	153.7	53	-1.4	386.8	153.7	172	3.4	683.2	153.7	173	3.4	686.2	153.7		
354	2.0	364.8	153.7	54	-.8	386.8	153.7	174	3.4	693.2	153.7	175	3.4	696.2	153.7		
355	1.7	366.5	153.7	55	-.3	386.8	153.7	176	3.4	703.2	153.7	177	3.4	706.2	153.7		
356	1.2	367.8	153.7	56	-.7	386.8	153.7	178	3.4	713.2	153.7	179	3.4	716.2	153.7		

STN 414 DEPTH 2M






BIO MARINA (DARTMOUTH) NS
44.70N 63.61W 1600Z 19/10/89 - 1200Z 17/04/90
INST. 63335

BIO MARINA (DARTMOUTH) NS

STA. 4WK 417

WATER DEPTH 2.0M.		INST DEPTH 2.0M.		LATITUDE 44.70		LONGITUDE 63.61		FROM 17/ 4/ 90		TO 23/10/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
107	5.4	5.4	1.4	172	13.9	457.4	200.2	237	18.1	1487.8	970.5
108	5.3	10.7	2.7	173	14.1	471.5	210.3	238	18.3	1506.1	984.8
109	5.0	15.6	3.6	174	12.6	484.1	218.9	239	18.5	1524.5	999.3
110	4.4	20.0	4.0	175	11.0	495.0	225.8	240	18.0	1542.6	1013.3
111	4.4	24.4	4.4	176	13.8	508.9	235.6	241	19.8	1562.3	1029.1
112	4.5	28.9	4.9	177	14.9	523.8	246.6	242	19.9	1582.2	1045.0
113	4.7	33.6	5.6	178	14.5	538.3	257.0	243	20.2	1602.4	1061.2
114	3.3	36.9	5.6	179	13.9	552.1	266.9	244	20.4	1622.8	1077.5
115	2.1	39.0	5.6	180	15.7	567.9	278.6	245	19.4	1642.2	1093.0
116	2.5	41.5	5.6	181	13.4	581.3	288.1	246	20.0	1662.2	1109.0
117	3.1	44.5	5.6	182	12.6	594.0	296.7	247	19.1	1681.3	1124.1
118	3.4	48.0	5.6	183	12.6	606.6	305.3	248	18.3	1699.7	1138.5
119	4.1	52.1	5.7	184	13.8	620.3	315.1	249	17.6	1717.3	1152.1
120	3.9	56.0	5.7	185	14.3	634.6	325.4	250	17.6	1734.9	1165.7
121	4.5	60.5	6.2	186	15.1	649.8	336.6	251	17.4	1752.3	1179.0
122	4.5	65.0	6.7	187	15.7	665.5	348.2	252	16.8	1769.1	1191.8
123	5.4	70.4	8.1	188	13.2	678.7	357.4	253	16.7	1785.7	1204.5
124	7.0	77.4	11.1	189	12.5	691.2	365.9	254	17.1	1802.9	1217.6
125	6.4	83.7	13.5	190	13.2	704.4	375.1	255	17.8	1820.6	1231.4
126	3.0	86.7	13.5	191	11.8	716.2	383.0	256	17.6	1838.2	1245.0
127	4.0	90.7	13.5	192	14.1	730.3	393.1	257	17.4	1855.7	1258.4
128	4.5	95.2	14.0	193	13.2	743.5	402.2	258	17.4	1873.1	1271.9
129	4.5	99.7	14.5	194	12.7	756.1	410.9	259	17.5	1890.6	1285.4
130	4.9	104.6	15.4	195	14.6	770.7	421.5	260	17.8	1908.4	1299.2
131	4.6	109.2	16.0	196	14.4	785.1	431.9	261	17.5	1925.9	1312.7
132	5.6	114.9	17.6	197	11.6	796.7	439.5	262	17.1	1943.0	1325.8
133	6.1	120.9	19.7	198	12.7	809.3	448.1	263	17.1	1960.1	1338.8
134	5.4	126.3	21.1	199	15.5	824.8	459.6	264	16.5	1976.5	1351.3
135	5.8	132.1	22.9	200	15.3	840.1	470.9	265	16.6	1993.1	1363.8
136	6.3	138.3	25.1	201	15.2	855.3	482.1	266	16.4	2009.5	1376.3
137	6.2	144.6	27.3	202	13.3	868.6	491.3	267	16.5	2026.0	1388.8
138	5.4	150.0	28.7	203	12.7	881.3	500.0	268	16.5	2042.6	1401.3
139	5.3	155.3	30.1	204	11.0	892.3	507.1	269	16.6	2059.2	1414.0
140	6.6	161.9	32.7	205	13.3	905.6	516.4	270	16.6	2075.8	1426.6
141	6.5	168.4	35.2	206	13.4	919.0	525.8	271	16.6	2092.5	1439.2
142	6.1	174.4	37.2	207	14.7	933.7	536.5	272	17.1	2109.6	1452.4
143	5.6	180.1	38.8	208	15.5	949.3	548.0	273	17.2	2126.8	1465.6
144	5.7	185.7	40.5	209	14.6	963.9	558.7	274	16.5	2143.3	1478.1
145	6.0	191.7	42.5	210	15.6	979.5	570.2	275	16.4	2159.7	1490.4
146	6.6	198.3	45.1	211	16.9	996.3	583.1	276	15.7	2175.3	1502.1
147	7.7	206.0	48.8	212	15.4	1011.7	594.5	277	15.2	2190.5	1513.3
148	9.0	215.0	53.8	213	15.7	1027.4	606.2	278	15.2	2205.8	1524.5
149	9.7	224.7	59.5	214	18.5	1045.9	620.7	279	15.3	2221.1	1535.8
150	7.7	232.4	63.2	215	17.8	1063.7	634.5	280	15.4	2236.5	1547.2
151	10.1	242.5	69.3	216	17.5	1081.2	648.0	281	15.3	2251.7	1558.5
152	9.2	251.8	74.5	217	17.5	1098.6	661.4	282	14.6	2266.4	1569.2
153	10.0	261.7	80.5	218	17.5	1116.2	674.9	283	14.5	2280.9	1579.6
154	9.1	270.8	85.5	219	18.5	1134.6	689.4	284	14.0	2294.9	1589.6
155	9.0	279.7	90.5	220	18.7	1153.3	704.1	285	13.5	2308.4	1599.1
156	9.7	289.5	96.2	221	19.0	1172.4	719.1	286	14.7	2323.0	1609.8
157	11.4	300.9	103.7	222	20.0	1192.4	735.1	287	14.5	2337.6	1620.4
158	10.4	311.3	110.1	223	20.4	1212.8	751.5	288	14.9	2352.5	1631.3
159	9.3	320.6	115.4	224	20.6	1233.4	768.2	289	15.2	2367.7	1642.5
160	8.4	329.0	119.7	225	21.3	1254.7	785.5	290	13.8	2381.5	1652.3
161	6.4	335.4	122.1	226	21.7	1276.4	803.2	291	13.4	2394.9	1661.7
162	6.7	342.1	124.8	227	21.5	1297.9	820.7	292	13.2	2408.1	1670.8
163	9.5	351.5	130.3	228	21.8	1319.7	838.5	293	12.7	2420.7	1679.5
164	10.0	361.5	136.2	229	21.7	1341.5	856.2	294	12.2	2432.9	1687.7
165	9.7	371.2	141.9	230	21.3	1362.7	873.5	295	12.1	2445.0	1695.8
166	10.5	381.7	148.5	231	19.7	1382.4	889.2	296	11.9	2456.9	1703.7
167	10.4	392.1	154.8	232	18.8	1401.3	904.0				
168	11.6	403.7	162.5	233	17.9	1419.2	917.9				
169	13.4	417.1	171.9	234	16.3	1435.5	930.3				
170	13.7	430.8	181.6	235	17.0	1452.5	943.3				
171	12.7	443.5	190.3	236	17.1	1469.7	956.5				

STN 417 DEPTH 2M






BIO MARINA (DARTMOUTH) NS
44.70N 63.61W 2000Z 17/04/90 - 2000Z 23/10/90
INST. 63299

PORT BICKERTON NS

STA. 4WK 421

WATER DEPTH 4.0M.				INST DEPTH 4.0M.				LATITUDE 45.05				LONGITUDE 61.75				FROM 28/10/ 89		TO 9/ 4/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
301	11.0	11.0	7.0	1	-1.4	277.3	122.0	66	-1.8	277.3	122.0	66	-1.8	277.3	122.0	66	-1.8	277.3	122.0
302	10.7	21.6	13.6	2	-1.3	277.3	122.0	67	-1.8	277.3	122.0	67	-1.7	277.3	122.0	67	-1.7	277.3	122.0
303	10.2	31.8	19.8	3	-1.3	277.3	122.0	68	-1.7	277.3	122.0	68	-1.3	277.3	122.0	68	-1.3	277.3	122.0
304	10.1	42.0	26.0	4	-9	277.3	122.0	69	-1.3	277.3	122.0	69	-9	277.3	122.0	69	-9	277.3	122.0
305	10.1	52.1	32.1	5	-5	277.3	122.0	70	-6	277.3	122.0	70	-6	277.3	122.0	70	-6	277.3	122.0
306	10.1	62.2	38.2	6	-3	277.3	122.0	71	-5	277.3	122.0	71	-5	277.3	122.0	71	-5	277.3	122.0
307	10.0	72.2	44.2	7	-6	277.3	122.0	72	-6	277.3	122.0	72	-6	277.3	122.0	72	-6	277.3	122.0
308	9.8	82.0	50.0	8	-8	277.3	122.0	73	-6	277.3	122.0	73	-6	277.3	122.0	73	-6	277.3	122.0
309	8.9	90.8	54.8	9	-1.0	277.3	122.0	74	-7	277.3	122.0	74	-7	277.3	122.0	74	-7	277.3	122.0
310	8.5	99.3	59.3	10	-1.1	277.3	122.0	75	-9	277.3	122.0	75	-7	277.3	122.0	75	-7	277.3	122.0
311	8.8	108.1	64.1	11	-1.1	277.3	122.0	76	-7	277.3	122.0	76	-4	277.3	122.0	76	-4	277.3	122.0
312	8.9	117.1	69.1	12	-1.1	277.3	122.0	77	-4	277.3	122.0	77	-4	277.3	122.0	77	-4	277.3	122.0
313	9.0	126.1	74.1	13	-1.0	277.3	122.0	78	-4	277.3	122.0	78	-4	277.3	122.0	78	-4	277.3	122.0
314	9.1	135.1	79.1	14	-1.0	277.3	122.0	79	-1	277.3	122.0	79	-2	277.5	122.0	79	-1	277.3	122.0
315	9.0	144.2	84.2	15	-1.2	277.3	122.0	80	0	277.5	122.0	80	0	277.5	122.0	80	0	277.5	122.0
316	9.0	153.2	89.2	16	-1.4	277.3	122.0	81	2	277.7	122.0	81	2	277.7	122.0	81	2	277.7	122.0
317	8.1	161.3	93.3	17	-1.4	277.3	122.0	82	4	278.1	122.0	82	4	278.1	122.0	82	4	278.1	122.0
318	6.3	167.6	95.6	18	-1.0	277.3	122.0	83	2	278.4	122.0	83	2	278.4	122.0	83	2	278.4	122.0
319	7.1	174.6	98.6	19	-9	277.3	122.0	84	2	278.6	122.0	84	2	278.6	122.0	84	2	278.6	122.0
320	7.4	182.1	102.1	20	-1.2	277.3	122.0	85	0	278.6	122.0	85	0	278.6	122.0	85	0	278.6	122.0
321	7.8	189.9	105.9	21	-1.2	277.3	122.0	86	-4	278.6	122.0	86	-4	278.6	122.0	86	-4	278.6	122.0
322	7.7	197.6	109.6	22	-1.7	277.3	122.0	87	-5	278.6	122.0	87	-5	278.6	122.0	87	-5	278.6	122.0
323	7.5	205.1	113.1	23	-1.1	277.3	122.0	88	-5	278.6	122.0	88	-5	278.6	122.0	88	-5	278.6	122.0
324	6.7	211.8	115.8	24	-1.1	277.3	122.0	89	-4	278.6	122.0	89	-4	278.6	122.0	89	-4	278.6	122.0
325	6.7	218.5	118.5	25	-1.0	277.3	122.0	90	-3	278.6	122.0	90	-3	278.6	122.0	90	-3	278.6	122.0
326	6.0	224.5	120.5	26	-8	277.3	122.0	91	-6	278.6	122.0	91	-6	278.6	122.0	91	-6	278.6	122.0
327	4.5	229.1	121.1	27	-6	277.3	122.0	92	-5	278.6	122.0	92	-5	278.6	122.0	92	-5	278.6	122.0
328	3.7	232.8	121.1	28	-4	277.3	122.0	93	-3	278.6	122.0	93	-3	278.6	122.0	93	-3	278.6	122.0
329	3.6	236.3	121.1	29	-3	277.3	122.0	94	-1	278.6	122.0	94	-1	278.6	122.0	94	-1	278.6	122.0
330	3.3	239.7	121.1	30	-4	277.3	122.0	95	-1	278.9	122.0	95	-1	278.9	122.0	95	-1	278.9	122.0
331	3.8	243.5	121.1	31	-7	277.3	122.0	96	.3	278.9	122.0	96	.3	278.9	122.0	96	.3	278.9	122.0
332	4.2	247.7	121.3	32	-8	277.3	122.0	97	.2	279.1	122.0	97	.2	279.1	122.0	97	.2	279.1	122.0
333	4.7	252.4	122.0	33	-8	277.3	122.0	98	.2	279.3	122.0	98	.2	279.3	122.0	98	.2	279.3	122.0
334	3.5	255.8	122.0	34	-1.5	277.3	122.0	99	.1	279.4	122.0	99	.1	279.4	122.0	99	.1	279.4	122.0
335	2.9	258.7	122.0	35	-2.0	277.3	122.0	35	0	279.4	122.0	35	0	279.4	122.0	35	0	279.4	122.0
336	2.1	260.8	122.0	36	-1.9	277.3	122.0	36	0	279.4	122.0	36	0	279.4	122.0	36	0	279.4	122.0
337	2.0	262.8	122.0	37	-1.9	277.3	122.0	37	0	279.4	122.0	37	0	279.4	122.0	37	0	279.4	122.0
338	2.8	265.6	122.0	38	-1.9	277.3	122.0	38	0	279.4	122.0	38	0	279.4	122.0	38	0	279.4	122.0
339	2.4	268.0	122.0	39	-1.7	277.3	122.0	39	0	279.4	122.0	39	0	279.4	122.0	39	0	279.4	122.0
340	2.3	270.4	122.0	40	-1.4	277.3	122.0	40	0	279.4	122.0	40	0	279.4	122.0	40	0	279.4	122.0
341	2.4	272.8	122.0	41	-1.1	277.3	122.0	41	0	279.4	122.0	41	0	279.4	122.0	41	0	279.4	122.0
342	1.5	274.2	122.0	42	-9	277.3	122.0	42	0	279.4	122.0	42	0	279.4	122.0	42	0	279.4	122.0
343	.3	274.6	122.0	43	-7	277.3	122.0	43	0	279.4	122.0	43	0	279.4	122.0	43	0	279.4	122.0
344	-.2	274.6	122.0	44	-7	277.3	122.0	44	0	279.4	122.0	44	0	279.4	122.0	44	0	279.4	122.0
345	.1	274.7	122.0	45	-8	277.3	122.0	45	0	279.4	122.0	45	0	279.4	122.0	45	0	279.4	122.0
346	.2	274.8	122.0	46	-1.0	277.3	122.0	46	0	279.4	122.0	46	0	279.4	122.0	46	0	279.4	122.0
347	-.3	274.8	122.0	47	-1.2	277.3	122.0	47	0	279.4	122.0	47	0	279.4	122.0	47	0	279.4	122.0
348	-.2	274.8	122.0	48	-1.5	277.3	122.0	48	0	279.4	122.0	48	0	279.4	122.0	48	0	279.4	122.0
349	-.2	274.8	122.0	49	-1.8	277.3	122.0	49	0	279.4	122.0	49	0	279.4	122.0	49	0	279.4	122.0
350	-.2	274.8	122.0	50	-1.8	277.3	122.0	50	0	279.4	122.0	50	0	279.4	122.0	50	0	279.4	122.0
351	1.1	275.9	122.0	51	-1.7	277.3	122.0	51	0	279.4	122.0	51	0	279.4	122.0	51	0	279.4	122.0
352	.5	276.5	122.0	52	-1.8	277.3	122.0	52	0	279.4	122.0	52	0	279.4	122.0	52	0	279.4	122.0
353	.5	276.9	122.0	53	-1.3	277.3	122.0	53	0	279.4	122.0	53	0	279.4	122.0	53	0	279.4	122.0
354	.3	277.3	122.0	54	-1.1	277.3	122.0	54	0	279.4	122.0	54	0	279.4	122.0	54	0	279.4	122.0
355	-.3	277.3	122.0	55	-1.2	277.3	122.0	55	0	279.4	122.0	55	0	279.4	122.0	55	0	279.4	122.0
356	-.8	277.3	122.0	56	-1.5	277.3	122.0	56	0	279.4	122.0	56	0	279.4	122.0	56	0	279.4	122.0
357	-1.4	277.3	122.0	57	-2.1	277.3	122.0	57	0	279.4	122.0	57	0	279.4	122.0	57	0	279.4	122.0
358	-1.8	277.3	122.0	58	-2.0	277.3	122.0	58	0	279.4	122.0	58	0	279.4	122.0	58	0	279.4	122.0
359	-1.7	277.3	122.0	59	-1.9	277.3	122.0	59	0	279.4	122.0	59	0	279.4	122.0	59	0	279.4	122.0
360	-1.1	277.3	122.0	6															

STN 421 DEPTH 4M






PORT BICKERTON NS
45.05N 61.75W 1630Z 28/10/89 - 0430Z 09/04/90
INST. 60990

PORT BICKERTON NS

STA. 4WK 422

WATER DEPTH 22.0M.	INST DEPTH 22.0M.	LATITUDE 45.05	LONGITUDE 61.75	FROM				TO			
				DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
319	6.6	6.6	2.6	19	.5	153.6	26.0	84	-1.2	154.8	26.0
320	6.3	12.9	4.9	20	.3	153.9	26.0	85	-1.2	154.8	26.0
321	7.2	20.1	8.1	21	.2	154.2	26.0	86	-1.2	154.8	26.0
322	6.5	26.6	10.6	22	.2	154.4	26.0	87	-1.2	154.8	26.0
323	6.6	33.3	13.3	23	.2	154.5	26.0	88	-1.1	154.8	26.0
324	5.9	39.2	15.2	24	.2	154.7	26.0	89	-1.0	154.8	26.0
325	6.1	45.3	17.3	25	.0	154.8	26.0	90	-1.0	154.8	26.0
326	5.4	50.7	18.7	26	.0	154.8	26.0	91	-1.0	154.8	26.0
327	3.9	54.6	18.7	27	-.1	154.8	26.0	92	-.8	154.8	26.0
328	4.6	59.2	19.2	28	-.1	154.8	26.0	93	-.6	154.8	26.0
329	4.7	63.9	20.0	29	-.2	154.8	26.0	94	-.4	154.8	26.0
330	4.7	68.6	20.6	30	-.3	154.8	26.0	95	-.3	154.8	26.0
331	5.1	73.6	21.7	31	-.4	154.8	26.0	96	-.3	154.8	26.0
332	5.4	79.1	23.1	32	-.4	154.8	26.0	97	-.2	154.8	26.0
333	5.4	84.5	24.5	33	-.4	154.8	26.0	98	-.2	154.8	26.0
334	4.8	89.3	25.4	34	-.3	154.8	26.0	99	-.3	154.8	26.0
335	4.4	93.7	25.7	35	-.3	154.8	26.0				
336	4.3	97.9	26.0	36	-.4	154.8	26.0				
337	3.9	101.8	26.0	37	-.5	154.8	26.0				
338	3.5	105.3	26.0	38	-.7	154.8	26.0				
339	3.5	108.8	26.0	39	-.6	154.8	26.0				
340	3.7	112.5	26.0	40	-.5	154.8	26.0				
341	3.7	116.2	26.0	41	-.4	154.8	26.0				
342	3.7	119.9	26.0	42	-.4	154.8	26.0				
343	3.7	123.5	26.0	43	-.5	154.8	26.0				
344	3.3	126.8	26.0	44	-.5	154.8	26.0				
345	2.7	129.5	26.0	45	-.5	154.8	26.0				
346	2.2	131.7	26.0	46	-.2	154.8	26.0				
347	1.9	133.6	26.0	47	-.2	154.8	26.0				
348	1.9	135.5	26.0	48	-.5	154.8	26.0				
349	2.0	137.6	26.0	49	-.8	154.8	26.0				
350	2.0	139.6	26.0	50	-.8	154.8	26.0				
351	1.9	141.5	26.0	51	-.8	154.8	26.0				
352	1.8	143.3	26.0	52	-.9	154.8	26.0				
353	1.7	145.0	26.0	53	-1.0	154.8	26.0				
354	1.7	146.7	26.0	54	-.9	154.8	26.0				
355	1.6	148.3	26.0	55	-.8	154.8	26.0				
356	1.4	149.6	26.0	56	-1.1	154.8	26.0				
357	.9	150.6	26.0	57	-1.3	154.8	26.0				
358	.7	151.2	26.0	58	-1.3	154.8	26.0				
359	.4	151.7	26.0	59	-1.3	154.8	26.0				
360	.2	151.8	26.0	60	-1.2	154.8	26.0				
361	.1	151.9	26.0	61	-1.2	154.8	26.0				
362	.0	151.9	26.0	62	-1.1	154.8	26.0				
363	-.4	151.9	26.0	63	-.9	154.8	26.0				
364	-.6	151.9	26.0	64	-.8	154.8	26.0				
365	-.5	151.9	26.0	65	-.8	154.8	26.0				
1	-.3	151.9	26.0	66	-1.0	154.8	26.0				
2	-.2	151.9	26.0	67	-1.1	154.8	26.0				
3	.0	151.9	26.0	68	-1.2	154.8	26.0				
4	.6	152.5	26.0	69	-1.0	154.8	26.0				
5	.3	152.9	26.0	70	-.8	154.8	26.0				
6	.0	152.9	26.0	71	-.8	154.8	26.0				
7	-.1	152.9	26.0	72	-.9	154.8	26.0				
8	-.3	152.9	26.0	73	-.9	154.8	26.0				
9	-.4	152.9	26.0	74	-1.0	154.8	26.0				
10	-.4	152.9	26.0	75	-1.1	154.8	26.0				
11	-.4	152.9	26.0	76	-1.1	154.8	26.0				
12	-.4	152.9	26.0	77	-1.1	154.8	26.0				
13	-.3	152.9	26.0	78	-1.1	154.8	26.0				
14	-.2	152.9	26.0	79	-1.1	154.8	26.0				
15	-.2	152.9	26.0	80	-1.0	154.8	26.0				
16	-.2	152.9	26.0	81	-1.0	154.8	26.0				
17	-.2	152.9	26.0	82	-1.1	154.8	26.0				
18	.2	153.1	26.0	83	-1.2	154.8	26.0				

STN 422 DEPTH 22M






POR T BICKERTON NS
45.05N 61.75W 1630Z 15/11/89 - 0830Z 09/04/90
INST. 63366

PORT BICKERTON NS

STA. 4WK 423

WATER DEPTH 11.0M.	INST DEPTH 11.0M.	LATITUDE		LONGITUDE		FROM 15/11/ 89	TO 9/ 4/ 90				
		45.05	61.75	DAY	MEAN TEMP DAY(0)	DEG DAY(4)		DAY	MEAN TEMP DAY(0)	DEG DAY(4)	
319	7.1	7.1	3.1	19	- .7	124.8	22.5	84	-1.6	124.8	22.5
320	6.9	13.9	5.9	20	- .7	124.8	22.5	85	-1.7	124.8	22.5
321	6.8	20.7	8.7	21	- .7	124.8	22.5	86	-1.7	124.8	22.5
322	6.2	27.0	11.0	22	-1.0	124.8	22.5	87	-1.5	124.8	22.5
323	6.7	33.6	13.6	23	-1.0	124.8	22.5	88	-1.6	124.8	22.5
324	6.2	39.8	15.8	24	-1.0	124.8	22.5	89	-1.6	124.8	22.5
325	6.0	45.8	17.8	25	-1.1	124.8	22.5	90	-1.6	124.8	22.5
326	5.2	51.0	19.0	26	-1.3	124.8	22.5	91	-1.6	124.8	22.5
327	3.9	54.8	19.0	27	-1.3	124.8	22.5	92	-1.5	124.8	22.5
328	4.2	59.0	19.2	28	-1.1	124.8	22.5	93	-1.3	124.8	22.5
329	4.3	63.3	19.5	29	-1.0	124.8	22.5	94	-1.0	124.8	22.5
330	4.2	67.5	19.6	30	-1.1	124.8	22.5	95	-.9	124.8	22.5
331	4.6	72.1	20.2	31	-1.1	124.8	22.5	96	-.9	124.8	22.5
332	5.0	77.1	21.2	32	-1.0	124.8	22.5	97	-1.1	124.8	22.5
333	4.8	81.8	22.0	33	-1.0	124.8	22.5	98	-1.1	124.8	22.5
334	4.4	86.2	22.4	34	-1.1	124.8	22.5	99	-1.1	124.8	22.5
335	4.1	90.4	22.5	35	-1.4	124.8	22.5				
336	3.7	94.1	22.5	36	-1.6	124.8	22.5				
337	3.4	97.5	22.5	37	-1.9	124.8	22.5				
338	3.3	100.7	22.5	38	-1.8	124.8	22.5				
339	3.1	103.8	22.5	39	-1.6	124.8	22.5				
340	3.0	106.9	22.5	40	-1.6	124.8	22.5				
341	2.9	109.7	22.5	41	-1.4	124.8	22.5				
342	2.8	112.5	22.5	42	-1.5	124.8	22.5				
343	2.1	114.7	22.5	43	-1.5	124.8	22.5				
344	1.5	116.2	22.5	44	-1.5	124.8	22.5				
345	1.1	117.3	22.5	45	-1.5	124.8	22.5				
346	.9	118.2	22.5	46	-1.5	124.8	22.5				
347	.4	118.6	22.5	47	-1.4	124.8	22.5				
348	.6	119.2	22.5	48	-1.5	124.8	22.5				
349	.9	120.2	22.5	49	-1.8	124.8	22.5				
350	1.2	121.4	22.5	50	-1.9	124.8	22.5				
351	.9	122.3	22.5	51	-2.0	124.8	22.5				
352	.6	122.9	22.5	52	-1.7	124.8	22.5				
353	.5	123.4	22.5	53	-1.8	124.8	22.5				
354	.6	124.0	22.5	54	-1.6	124.8	22.5				
355	.6	124.6	22.5	55	-1.5	124.8	22.5				
356	.2	124.8	22.5	56	-1.8	124.8	22.5				
357	-.2	124.8	22.5	57	-2.0	124.8	22.5				
358	-.5	124.8	22.5	58	-2.2	124.8	22.5				
359	-.7	124.8	22.5	59	-2.2	124.8	22.5				
360	-.8	124.8	22.5	60	-2.1	124.8	22.5				
361	-.9	124.8	22.5	61	-2.0	124.8	22.5				
362	-.9	124.8	22.5	62	-1.9	124.8	22.5				
363	-1.2	124.8	22.5	63	-1.8	124.8	22.5				
364	-1.5	124.8	22.5	64	-1.8	124.8	22.5				
365	-1.4	124.8	22.5	65	-1.9	124.8	22.5				
1	-1.4	124.8	22.5	66	-2.0	124.8	22.5				
2	-1.2	124.8	22.5	67	-2.1	124.8	22.5				
3	-.9	124.8	22.5	68	-2.2	124.8	22.5				
4	-1.0	124.8	22.5	69	-2.0	124.8	22.5				
5	-1.2	124.8	22.5	70	-1.6	124.8	22.5				
6	-1.0	124.8	22.5	71	-1.7	124.8	22.5				
7	-1.1	124.8	22.5	72	-1.8	124.8	22.5				
8	-1.3	124.8	22.5	73	-1.9	124.8	22.5				
9	-1.2	124.8	22.5	74	-1.9	124.8	22.5				
10	-1.2	124.8	22.5	75	-1.9	124.8	22.5				
11	-1.2	124.8	22.5	76	-1.9	124.8	22.5				
12	-1.3	124.8	22.5	77	-1.9	124.8	22.5				
13	-1.4	124.8	22.5	78	-1.8	124.8	22.5				
14	-1.3	124.8	22.5	79	-1.8	124.8	22.5				
15	-1.3	124.8	22.5	80	-1.8	124.8	22.5				
16	-1.3	124.8	22.5	81	-1.7	124.8	22.5				
17	-1.1	124.8	22.5	82	-1.5	124.8	22.5				
18	-.9	124.8	22.5	83	-1.7	124.8	22.5				

STN 423 DEPTH 11M





PORT BICKERTON NS
45.05N 61.75W 1630Z 15/11/89 - 0830Z 09/04/90
INST. 63294

PORT BICKERTON NS

STA. 4WK 431

STN 431 DEPTH 4M






PORT BICKERTON NS
45.05N 61.75W 1600Z 17/04/90 - 1600Z 07/08/90
INST. 64477

PORT BICKERTON NS

STA. 4WK 432

WATER DEPTH 11.0M.	INST DEPTH 11.0M.	LATITUDE		LONGITUDE		FROM		TO	
		45.05	61.75	17/ 4/ 90	4/10/ 90	DAY	MEAN TEMP DAY(0)	DEG DAY(4)	DAY
107	.9	.9	.0	172	6.3	232.8	32.4	237	14.1
108	1.3	2.1	.0	173	6.7	239.5	35.1	238	13.9
109	.5	2.6	.0	174	7.5	247.0	38.6	239	13.8
110	.6	3.2	.0	175	8.5	255.6	43.1	240	16.0
111	.4	3.6	.0	176	8.9	264.5	48.1	241	16.2
112	.4	4.0	.0	177	8.4	272.8	52.4	242	14.7
113	.6	4.7	.0	178	7.2	280.0	55.6	243	14.6
114	.8	5.5	.0	179	5.7	285.8	57.3	244	15.6
115	.8	6.3	.0	180	5.2	290.9	58.5	245	16.8
116	1.1	7.4	.0	181	5.1	296.0	59.6	246	16.4
117	1.3	8.7	.0	182	5.6	301.6	61.2	247	16.9
118	1.3	10.0	.0	183	5.9	307.5	63.1	248	17.8
119	1.4	11.4	.0	184	8.5	316.0	67.6	249	17.8
120	1.9	13.2	.0	185	9.2	325.2	72.8	250	18.2
121	2.0	15.2	.0	186	8.2	333.4	77.0	251	16.1
122	2.1	17.3	.0	187	8.5	342.0	81.6	252	16.0
123	2.3	19.6	.0	188	8.2	350.2	85.8	253	16.8
124	2.7	22.3	.0	189	9.2	359.5	91.1	254	16.8
125	3.1	25.5	.0	190	9.4	368.9	96.5	255	16.9
126	3.4	28.9	.0	191	9.0	377.9	101.5	256	17.2
127	3.0	31.9	.0	192	8.4	386.4	105.9	257	16.9
128	3.0	34.9	.0	193	8.5	394.9	110.5	258	17.0
129	3.1	38.0	.0	194	7.8	402.7	114.3	259	17.2
130	3.4	41.4	.0	195	8.9	411.6	119.2	260	17.4
131	3.5	44.9	.0	196	6.8	418.4	122.0	261	17.3
132	3.3	48.2	.0	197	6.4	424.8	124.4	262	17.1
133	2.9	51.1	.0	198	7.6	432.5	128.1	263	16.2
134	3.6	54.7	.0	199	7.6	440.1	131.7	264	12.3
135	3.6	58.4	.0	200	7.9	447.9	135.5	265	12.2
136	3.7	62.1	.0	201	7.0	454.9	138.5	266	14.4
137	3.5	65.6	.0	202	6.9	461.8	141.4	267	14.3
138	3.7	69.2	.0	203	6.9	468.8	144.3	268	13.2
139	3.8	73.0	.0	204	7.6	476.4	148.0	269	13.9
140	3.7	76.7	.0	205	9.9	486.2	153.8	270	13.8
141	3.5	80.2	.0	206	10.4	496.6	160.2	271	14.0
142	3.9	84.0	.0	207	10.2	506.9	166.5	272	13.8
143	4.0	88.0	.0	208	10.0	516.9	172.5	273	13.4
144	3.9	91.9	.0	209	10.2	527.1	178.7	274	14.3
145	3.9	95.8	.0	210	9.9	537.1	184.7	275	14.3
146	3.8	99.5	.0	211	8.8	545.9	189.5	276	12.8
147	3.9	103.4	.0	212	10.3	556.2	195.8	277	10.8
148	4.2	107.6	.2	213	14.8	571.0	206.6		
149	4.1	111.7	.3	214	15.6	586.6	218.2		
150	4.5	116.3	.8	215	12.2	598.8	226.4		
151	4.3	120.6	1.2	216	10.1	608.9	232.5		
152	4.0	124.6	1.2	217	9.4	618.3	237.9		
153	4.4	129.0	1.6	218	10.6	628.9	244.5		
154	3.9	132.9	1.6	219	12.1	640.9	252.5		
155	3.4	136.3	1.6	220	13.7	654.6	262.2		
156	3.3	139.6	1.6	221	14.4	669.0	272.6		
157	3.3	143.0	1.6	222	14.6	683.6	283.2		
158	3.5	146.4	1.6	223	14.5	698.1	293.7		
159	3.6	150.0	1.6	224	14.1	712.2	303.8		
160	4.3	154.3	1.9	225	13.2	725.4	313.0		
161	4.6	158.9	2.5	226	12.7	738.0	321.6		
162	6.1	165.0	4.6	227	12.1	750.1	329.7		
163	6.4	171.4	7.0	228	11.1	761.2	336.8		
164	7.0	178.5	10.0	229	11.1	772.3	343.9		
165	7.3	185.7	13.3	230	11.9	784.2	351.8		
166	7.4	193.2	16.8	231	11.1	795.3	358.9		
167	7.1	200.3	19.9	232	12.7	807.9	367.5		
168	7.3	207.6	23.2	233	13.9	821.9	377.5		
169	7.0	214.5	26.1	234	14.3	836.2	387.8		
170	5.8	220.3	27.9	235	14.2	850.4	398.0		
171	6.2	226.5	30.1	236	13.3	863.7	407.3		

STN 432 DEPTH 11M






PORT BICKERTON NS
45.05N 61.75W 1600Z 17/04/90 - 0400Z 04/10/90
INST. 63295

PORT BICKERTON NS

STA. 4WK 433

									FROM		TO	
									17/ 4/ 90		4/10/ 90	
WATER DEPTH 22.0M.	INST DEPTH 22.0M.	LATITUDE 45.05	LONGITUDE 61.75									
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	
107	.8	.8	.0	172	4.8	192.4	16.1	237	10.9	669.8	234.7	
108	.6	1.4	.0	173	5.1	197.5	17.2	238	10.6	680.4	241.3	
109	.5	1.9	.0	174	6.1	203.5	19.2	239	11.1	691.5	248.4	
110	.4	2.3	.0	175	7.7	211.2	22.9	240	11.6	703.1	255.9	
111	.4	2.7	.0	176	7.7	218.9	26.6	241	11.7	714.7	263.6	
112	.3	3.0	.0	177	5.7	224.5	28.3	242	11.1	725.8	270.7	
113	.4	3.4	.0	178	4.2	228.8	28.5	243	11.6	737.4	278.3	
114	.7	4.2	.0	179	3.7	232.5	28.5	244	12.0	749.4	286.3	
115	1.0	5.2	.0	180	3.6	236.1	28.5	245	13.3	762.7	295.6	
116	1.2	6.4	.0	181	3.7	239.7	28.5	246	13.3	776.0	304.9	
117	1.4	7.8	.0	182	3.9	243.6	28.5	247	16.8	792.8	317.6	
118	1.3	9.1	.0	183	4.0	247.6	28.5	248	15.9	808.6	329.5	
119	1.6	10.7	.0	184	5.1	252.8	29.6	249	15.9	824.5	341.4	
120	1.7	12.4	.0	185	5.7	258.5	31.4	250	16.0	840.5	353.4	
121	1.8	14.2	.0	186	5.3	263.8	32.7	251	12.7	853.2	362.1	
122	2.1	16.3	.0	187	5.2	269.0	33.9	252	14.8	868.1	373.0	
123	2.2	18.5	.0	188	5.4	274.4	35.3	253	13.9	882.0	382.9	
124	2.3	20.8	.0	189	5.8	280.2	37.1	254	14.2	896.2	393.1	
125	2.3	23.1	.0	190	6.2	286.4	39.3	255	16.4	912.6	405.5	
126	2.8	25.8	.0	191	5.4	291.8	40.7	256	15.4	928.0	416.9	
127	2.5	28.4	.0	192	5.7	297.5	42.4	257	16.2	944.2	429.1	
128	2.3	30.6	.0	193	5.8	303.3	44.2	258	16.9	961.0	441.9	
129	2.8	33.4	.0	194	5.4	308.8	45.6	259	16.5	977.6	454.5	
130	2.7	36.1	.0	195	5.8	314.5	47.4	260	14.0	991.5	464.4	
131	2.7	38.8	.0	196	5.0	319.6	48.5	261	15.1	1006.6	475.5	
132	2.4	41.2	.0	197	4.9	324.5	49.4	262	13.6	1020.2	485.1	
133	2.0	43.1	.0	198	5.5	330.0	50.9	263	13.7	1033.9	494.8	
134	2.1	45.3	.0	199	5.8	335.8	52.7	264	8.3	1042.2	499.1	
135	2.6	47.8	.0	200	6.1	341.9	54.8	265	7.8	1050.0	502.9	
136	2.8	50.6	.0	201	5.7	347.6	56.5	266	12.6	1062.6	511.5	
137	2.6	53.3	.0	202	5.1	352.7	57.6	267	10.8	1073.5	518.4	
138	3.4	56.6	.0	203	5.6	358.3	59.2	268	9.0	1082.5	523.4	
139	3.3	59.9	.0	204	6.0	364.3	61.2	269	10.3	1092.8	529.7	
140	3.1	63.1	.0	205	6.7	371.0	63.9	270	10.9	1103.7	536.6	
141	3.0	66.1	.0	206	7.4	378.4	67.3	271	10.6	1114.3	543.2	
142	3.1	69.3	.0	207	7.1	385.5	70.4	272	10.0	1124.3	549.2	
143	3.4	72.7	.0	208	7.2	392.7	73.6	273	10.8	1135.1	556.0	
144	3.5	76.2	.0	209	7.1	399.8	76.7	274	12.8	1147.9	564.8	
145	3.4	79.7	.0	210	7.2	407.0	79.9	275	12.0	1159.9	572.8	
146	3.3	83.0	.0	211	7.0	414.1	83.0	276	9.9	1169.8	578.7	
147	3.3	86.3	.0	212	7.3	421.4	86.3					
148	3.5	89.8	.0	213	10.2	431.6	92.4					
149	3.5	93.2	.0	214	11.8	443.3	100.2					
150	3.6	96.8	.0	215	7.3	450.6	103.5					
151	3.0	99.8	.0	216	7.3	457.9	106.8					
152	3.0	102.9	.0	217	7.0	465.0	109.9					
153	3.6	106.5	.0	218	7.5	472.5	113.4					
154	3.4	109.8	.0	219	9.4	481.9	118.8					
155	3.1	112.9	.0	220	11.5	493.4	126.3					
156	3.0	115.9	.0	221	11.9	505.3	134.2					
157	3.1	119.0	.0	222	11.8	517.1	142.0					
158	3.1	122.1	.0	223	12.2	529.3	150.2					
159	3.3	125.4	.0	224	11.9	541.2	158.1					
160	3.4	128.9	.0	225	9.7	550.9	163.8					
161	3.4	132.3	.0	226	9.0	559.9	168.8					
162	4.8	137.1	.8	227	8.5	568.4	173.3					
163	6.2	143.3	3.0	228	7.8	576.2	177.1					
164	6.6	149.9	5.6	229	8.1	584.3	181.2					
165	6.6	156.5	8.2	230	9.1	593.5	186.4					
166	6.2	162.7	10.4	231	8.9	602.4	191.3					
167	5.4	168.2	11.9	232	11.1	613.5	198.4					
168	5.6	173.8	13.5	233	12.3	625.8	206.7					
169	5.0	178.7	14.4	234	11.5	637.2	214.1					
170	4.4	183.1	14.9	235	11.3	648.5	221.4					
171	4.5	187.6	15.3	236	10.5	659.0	227.8					

STN 433 DEPTH 4M






PORT BICKERTON NS
45.05N 61.75W 1600Z 17/04/90 - 0000Z 04/10/90
INST. 63290

SHIP HARBOUR NS (OUTER)

STA. 4WK 409

WATER DEPTH 10.0M.	INST DEPTH 3.0M.	LATITUDE 44.76		LONGITUDE 62.79		FROM 6/11/ 89	TO 26/ 4/ 90
		DAY	MEAN TEMP DEG DAY(0)	DAY	MEAN TEMP DEG DAY(0)		
310	9.9	9.9	5.9	10	-1.4	191.8	70.1
311	9.8	19.7	11.7	11	-1.3	191.8	70.1
312	9.5	29.2	17.2	12	-1.2	191.8	70.1
313	9.2	38.4	22.4	13	-1.0	191.8	70.1
314	9.2	47.6	27.6	14	-1.7	191.8	70.1
315	9.4	57.0	33.0	15	-1.0	191.8	70.1
316	9.1	66.1	38.1	16	-1.1	191.8	70.1
317	8.7	74.9	42.9	17	-1.3	191.8	70.1
318	6.7	81.6	45.6	18	-1.2	191.8	70.1
319	6.5	88.1	48.1	19	-1.0	191.8	70.1
320	6.5	94.6	50.6	20	-1.5	191.8	70.1
321	7.0	101.6	53.6	21	-1.5	191.8	70.1
322	7.0	108.6	56.6	22	-1.9	191.8	70.1
323	6.9	115.6	59.6	23	-1.8	191.8	70.1
324	6.6	122.2	62.2	24	-1.8	191.8	70.1
325	6.2	128.4	64.4	25	-1.7	191.8	70.1
326	5.9	134.3	66.3	26	-1.3	191.8	70.1
327	5.2	139.5	67.5	27	-1.9	191.8	70.1
328	4.6	144.1	68.1	28	-1.8	191.8	70.1
329	4.7	148.8	68.8	29	-1.8	191.8	70.1
330	4.3	153.1	69.1	30	-1.0	191.8	70.1
331	4.1	157.1	69.1	31	-1.1	191.8	70.1
332	4.4	161.6	69.6	32	-1.0	191.8	70.1
333	4.5	166.1	70.1	33	-1.7	191.8	70.1
334	3.7	169.8	70.1	34	-1.0	191.8	70.1
335	3.3	173.1	70.1	35	-0.9	191.8	70.1
336	2.9	176.0	70.1	36	-1.2	191.8	70.1
337	2.6	178.6	70.1	37	-1.0	191.8	70.1
338	2.6	181.2	70.1	38	-1.0	191.8	70.1
339	1.9	183.1	70.1	39	-1.2	191.8	70.1
340	1.8	184.9	70.1	40	-1.3	191.8	70.1
341	2.2	187.0	70.1	41	-1.1	191.8	70.1
342	1.7	188.7	70.1	42	-1.0	191.8	70.1
343	.4	189.2	70.1	43	-0.9	191.8	70.1
344	.1	189.3	70.1	44	-0.9	191.8	70.1
345	.7	190.0	70.1	45	-0.9	191.8	70.1
346	1.1	191.1	70.1	46	-1.0	191.8	70.1
347	.6	191.7	70.1	47	-1.2	191.8	70.1
348	.0	191.7	70.1	48	-1.4	191.8	70.1
349	.2	191.8	70.1	49	-1.3	191.8	70.1
350	-.2	191.8	70.1	50	-1.3	191.8	70.1
351	-.3	191.8	70.1	51	-1.2	191.8	70.1
352	-.4	191.8	70.1	52	-1.5	191.8	70.1
353	-.5	191.8	70.1	53	-1.1	191.8	70.1
354	-.7	191.8	70.1	54	-.5	191.8	70.1
355	-.7	191.8	70.1	55	-.5	191.8	70.1
356	-.8	191.8	70.1	56	-.7	191.8	70.1
357	-1.2	191.8	70.1	57	-.8	191.8	70.1
358	-1.5	191.8	70.1	58	-1.0	191.8	70.1
359	-1.6	191.8	70.1	59	-.9	191.8	70.1
360	-1.6	191.8	70.1	60	-.7	191.8	70.1
361	-1.7	191.8	70.1	61	-.7	191.8	70.1
362	-1.7	191.8	70.1	62	-.6	191.8	70.1
363	-1.8	191.8	70.1	63	-.7	191.8	70.1
364	-1.9	191.8	70.1	64	-.8	191.8	70.1
365	-1.9	191.8	70.1	65	-.9	191.8	70.1
1	-2.0	191.8	70.1	66	-1.0	191.8	70.1
2	-1.9	191.8	70.1	67	-1.2	191.8	70.1
3	-1.8	191.8	70.1	68	-1.0	191.8	70.1
4	-1.7	191.8	70.1	69	-.8	191.8	70.1
5	-1.6	191.8	70.1	70	-.8	191.8	70.1
6	-1.6	191.8	70.1	71	-.7	191.8	70.1
7	-1.5	191.8	70.1	72	-.6	191.8	70.1
8	-1.4	191.8	70.1	73	-.6	191.8	70.1
9	-1.4	191.8	70.1	74	-.6	191.8	70.1

STN 409 DEPTH 3M






SHIP HARBOUR NS (OUTER)
44.76N 62.79W 2000Z 06/11/89 - 1200Z 26/04/90
INST. 63297

SHIP HARBOUR NS (OUTER)

STA. 4WK 410

WATER DEPTH 10.0M.	INST DEPTH 9.0M.	LATITUDE		LONGITUDE		FROM		TO			
		44.76		62.79		7/11/ 89	26/ 4/ 90				
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
311	9.8	9.8	5.8	11	-1.2	183.0	59.1	76	-.6	183.0	59.1
312	9.6	19.4	11.4	12	-1.2	183.0	59.1	77	-.5	183.0	59.1
313	9.5	28.9	16.9	13	-1.0	183.0	59.1	78	-.3	183.0	59.1
314	9.5	38.4	22.4	14	-.8	183.0	59.1	79	-.1	183.0	59.1
315	9.5	47.9	27.9	15	-.4	183.0	59.1	80	.1	183.1	59.1
316	9.5	57.4	33.4	16	-.7	183.0	59.1	81	.1	183.2	59.1
317	7.4	64.7	36.7	17	-1.0	183.0	59.1	82	.0	183.2	59.1
318	4.6	69.3	37.3	18	-1.1	183.0	59.1	83	.5	183.7	59.1
319	5.1	74.4	38.4	19	-1.2	183.0	59.1	84	.4	184.2	59.1
320	5.4	79.8	39.8	20	-1.5	183.0	59.1	85	.6	184.8	59.1
321	6.2	86.1	42.1	21	-1.7	183.0	59.1	86	.1	184.9	59.1
322	6.6	92.7	44.7	22	-2.0	183.0	59.1	87	-.4	184.9	59.1
323	6.3	99.0	47.0	23	-1.8	183.0	59.1	88	-.4	184.9	59.1
324	6.1	105.1	49.1	24	-1.9	183.0	59.1	89	-.5	184.9	59.1
325	6.1	111.3	51.3	25	-1.8	183.0	59.1	90	-.5	184.9	59.1
326	5.9	117.2	53.2	26	-1.6	183.0	59.1	91	-.2	184.9	59.1
327	5.3	122.4	54.4	27	-1.3	183.0	59.1	92	-.3	184.9	59.1
328	5.1	127.6	55.6	28	-1.0	183.0	59.1	93	-.2	184.9	59.1
329	5.1	132.7	56.7	29	-1.0	183.0	59.1	94	.0	185.0	59.1
330	5.0	137.6	57.6	30	-1.0	183.0	59.1	95	.0	185.0	59.1
331	4.3	141.9	57.9	31	-.9	183.0	59.1	96	-.2	185.0	59.1
332	4.5	146.4	58.4	32	-.8	183.0	59.1	97	-.1	185.0	59.1
333	4.4	150.8	58.8	33	-.8	183.0	59.1	98	-.3	185.0	59.1
334	4.1	154.9	58.9	34	-.7	183.0	59.1	99	-.4	185.0	59.1
335	4.3	159.1	59.1	35	-.9	183.0	59.1	100	-.5	185.0	59.1
336	3.4	162.5	59.1	36	-1.3	183.0	59.1	101	-.4	185.0	59.1
337	3.3	165.8	59.1	37	-1.3	183.0	59.1	102	.0	185.0	59.1
338	2.6	168.4	59.1	38	-1.3	183.0	59.1	103	.2	185.2	59.1
339	2.7	171.1	59.1	39	-1.2	183.0	59.1	104	.2	185.4	59.1
340	2.1	173.1	59.1	40	-1.1	183.0	59.1	105	.2	185.6	59.1
341	2.2	175.3	59.1	41	-1.1	183.0	59.1	106	.2	185.8	59.1
342	1.4	176.7	59.1	42	-1.1	183.0	59.1	107	.4	186.1	59.1
343	.8	177.5	59.1	43	-1.0	183.0	59.1	108	.6	186.7	59.1
344	1.2	178.7	59.1	44	-1.0	183.0	59.1	109	.6	187.3	59.1
345	1.8	180.5	59.1	45	-.9	183.0	59.1	110	.5	187.8	59.1
346	1.5	182.0	59.1	46	-.7	183.0	59.1	111	.6	188.4	59.1
347	.4	182.4	59.1	47	-.7	183.0	59.1	112	1.1	189.5	59.1
348	.4	182.8	59.1	48	-1.0	183.0	59.1	113	1.1	190.6	59.1
349	.2	183.0	59.1	49	-.9	183.0	59.1	114	1.2	191.8	59.1
350	.0	183.0	59.1	50	-.8	183.0	59.1	115	1.4	193.2	59.1
351	-.3	183.0	59.1	51	-.7	183.0	59.1	116	1.5	194.7	59.1
352	-.5	183.0	59.1	52	-.5	183.0	59.1				
353	-.7	183.0	59.1	53	-.4	183.0	59.1				
354	-.9	183.0	59.1	54	-.5	183.0	59.1				
355	-.6	183.0	59.1	55	-.6	183.0	59.1				
356	-1.1	183.0	59.1	56	-.7	183.0	59.1				
357	-1.3	183.0	59.1	57	-.8	183.0	59.1				
358	-1.4	183.0	59.1	58	-.7	183.0	59.1				
359	-1.6	183.0	59.1	59	-.7	183.0	59.1				
360	-1.6	183.0	59.1	60	-.8	183.0	59.1				
361	-1.8	183.0	59.1	61	-.5	183.0	59.1				
362	-2.0	183.0	59.1	62	-.1	183.0	59.1				
363	-2.1	183.0	59.1	63	-.4	183.0	59.1				
364	-2.1	183.0	59.1	64	-.6	183.0	59.1				
365	-2.2	183.0	59.1	65	-.8	183.0	59.1				
1	-2.0	183.0	59.1	66	-.9	183.0	59.1				
2	-2.0	183.0	59.1	67	-.9	183.0	59.1				
3	-2.0	183.0	59.1	68	-.9	183.0	59.1				
4	-1.9	183.0	59.1	69	-.9	183.0	59.1				
5	-1.7	183.0	59.1	70	-.9	183.0	59.1				
6	-1.6	183.0	59.1	71	-.8	183.0	59.1				
7	-1.6	183.0	59.1	72	-.8	183.0	59.1				
8	-1.4	183.0	59.1	73	-.7	183.0	59.1				
9	-1.3	183.0	59.1	74	-.7	183.0	59.1				
10	-1.2	183.0	59.1	75	-.6	183.0	59.1				

STN 410 DEPTH 9M






SHIP HARBOUR NS (OUTER)
44.76N 62.79W 0000Z 07/11/89 - 0800Z 26/04/90
INST. 60916

SHIP HARBOUR NS (INNER)

STA. 4WK 455

WATER DEPTH 13.7M.				INST DEPTH 2.0M.		LATITUDE 44.81		LONGITUDE 62.86			FROM 6/11/ 89		TO 10/ 4/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)			
310	9.8	9.8	5.8	10	.1	258.2	106.3	75	.4	261.5	106.3			
311	10.0	19.8	11.8	11	.0	258.2	106.3	76	.2	261.6	106.3			
312	10.2	30.0	18.0	12	-.1	258.2	106.3	77	.2	261.9	106.3			
313	10.1	40.1	24.1	13	-.1	258.2	106.3	78	.3	262.1	106.3			
314	10.2	50.3	30.3	14	-.2	258.2	106.3	79	.4	262.8	106.3			
315	10.2	60.4	36.4	15	-.1	258.2	106.3	80	.5	263.3	106.3			
316	10.2	70.7	42.7	16	.0	258.2	106.3	81	.9	264.2	106.3			
317	9.9	80.5	48.5	17	.0	258.2	106.3	82	.8	265.0	106.3			
318	9.6	90.2	54.2	18	.0	258.3	106.3	83	1.1	266.2	106.3			
319	9.4	99.6	59.6	19	.0	258.3	106.3	84	1.4	267.5	106.3			
320	9.0	108.6	64.6	20	.1	258.3	106.3	85	1.1	268.6	106.3			
321	9.0	117.6	69.6	21	.0	258.4	106.3	86	1.2	269.8	106.3			
322	8.6	126.1	74.1	22	-.1	258.4	106.3	87	1.0	270.7	106.3			
323	8.1	134.3	78.3	23	.1	258.5	106.3	88	1.3	272.0	106.3			
324	7.9	142.2	82.2	24	.1	258.6	106.3	89	1.5	273.5	106.3			
325	7.8	150.0	85.9	25	.1	258.7	106.3	90	1.2	274.7	106.3			
326	7.1	157.1	89.1	26	.1	258.8	106.3	91	1.2	275.9	106.3			
327	6.6	163.7	91.7	27	-.1	258.9	106.3	92	1.1	277.0	106.3			
328	6.6	170.3	94.3	28	-.1	259.0	106.3	93	1.3	278.2	106.3			
329	6.4	176.7	96.7	29	-.1	259.1	106.3	94	1.3	279.5	106.3			
330	6.3	182.9	98.9	30	-.1	259.2	106.3	95	1.2	280.7	106.3			
331	6.3	189.2	101.2	31	-.0	259.2	106.3	96	1.1	281.8	106.3			
332	5.5	194.7	102.7	32	-.0	259.2	106.3	97	1.0	282.8	106.3			
333	5.2	199.9	103.9	33	-.0	259.2	106.3	98	1.1	283.9	106.3			
334	4.7	204.6	104.6	34	-.1	259.3	106.3	99	1.1	285.0	106.3			
335	4.8	209.4	105.4	35	-.1	259.4	106.3	100						
336	4.8	214.3	106.3	36	-.1	259.5	106.3							
337	3.6	217.9	106.3	37	-.1	259.6	106.3							
338	3.9	221.8	106.3	38	-.1	259.7	106.3							
339	3.9	225.7	106.3	39	-.1	259.9	106.3							
340	3.7	229.4	106.3	40	-.1	260.0	106.3							
341	3.7	233.1	106.3	41	-.1	260.1	106.3							
342	2.8	236.0	106.3	42	-.1	260.2	106.3							
343	1.9	237.8	106.3	43	-.1	260.3	106.3							
344	2.0	239.8	106.3	44	-.1	260.3	106.3							
345	2.3	242.0	106.3	45	-.2	260.3	106.3							
346	2.4	244.4	106.3	46	-.0	260.3	106.3							
347	1.7	246.1	106.3	47	-.1	260.3	106.3							
348	1.8	247.9	106.3	48	-.1	260.3	106.3							
349	1.6	249.5	106.3	49	-.1	260.3	106.3							
350	1.2	250.7	106.3	50	-.1	260.3	106.3							
351	.8	251.5	106.3	51	-.1	260.3	106.3							
352	.6	252.1	106.3	52	-.1	260.3	106.3							
353	.3	252.3	106.3	53	-.1	260.3	106.3							
354	.1	252.5	106.3	54	-.1	260.3	106.3							
355	.2	252.7	106.3	55	-.0	260.3	106.3							
356	.3	252.9	106.3	56	-.0	260.3	106.3							
357	.3	253.2	106.3	57	-.0	260.3	106.3							
358	.4	253.6	106.3	58	-.0	260.3	106.3							
359	.4	254.0	106.3	59	-.0	260.3	106.3							
360	.3	254.3	106.3	60	-.0	260.3	106.3							
361	.3	254.6	106.3	61	-.1	260.4	106.3							
362	.4	254.9	106.3	62	-.0	260.4	106.3							
363	.3	255.3	106.3	63	-.0	260.4	106.3							
364	.3	255.6	106.3	64	-.0	260.5	106.3							
365	.3	255.9	106.3	65	-.1	260.5	106.3							
1	.4	256.3	106.3	66	-.0	260.5	106.3							
2	.4	256.6	106.3	67	-.0	260.5	106.3							
3	.4	257.0	106.3	68	-.0	260.6	106.3							
4	.4	257.4	106.3	69	-.0	260.6	106.3							
5	.3	257.6	106.3	70	-.0	260.6	106.3							
6	.2	257.9	106.3	71	-.0	260.6	106.3							
7	.0	257.9	106.3	72	-.1	260.7	106.3							
8	.1	258.0	106.3	73	.2	260.8	106.3							
9	.2	258.2	106.3	74	.2	261.1	106.3							

STN 455 DEPTH 2M






SHIP HARBOUR NS (INNER)
44.81N 62.86W 1800Z 06/11/89 - 2200Z 10/04/90
INST. 4394

SHIP HARBOUR NS (INNER)

STA. 4WK 456

WATER DEPTH 13.7M.		INST DEPTH 10.0M.		LATITUDE 44.81		LONGITUDE 62.86		FROM 6/11/ 89		TO 15/ 3/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
310	7.5	7.5	3.5	10	1.0	260.3	80.9				
311	7.5	15.0	7.0	11	.9	261.2	80.9				
312	7.6	22.7	10.7	12	.9	262.1	80.9				
313	7.6	30.3	14.3	13	.9	263.0	80.9				
314	7.8	38.1	18.1	14	.8	263.8	80.9				
315	7.9	45.9	21.9	15	.8	264.6	80.9				
316	7.9	53.9	25.9	16	.8	265.4	80.9				
317	8.2	62.0	30.0	17	.8	266.2	80.9				
318	7.1	69.1	33.1	18	.8	267.0	80.9				
319	6.7	75.8	35.8	19	.9	267.9	80.9				
320	6.6	82.4	38.4	20	.8	268.7	80.9				
321	6.6	89.1	41.1	21	.8	269.5	80.9				
322	6.7	95.7	43.8	22	.8	270.3	80.9				
323	6.7	102.5	46.5	23	.7	271.1	80.9				
324	6.8	109.2	49.2	24	.7	271.8	80.9				
325	6.8	116.0	52.0	25	.7	272.5	80.9				
326	7.0	123.0	55.0	26	.7	273.2	80.9				
327	7.1	130.0	58.0	27	.7	273.9	80.9				
328	6.8	136.8	60.8	28	.7	274.6	80.9				
329	6.4	143.3	63.2	29	.6	275.2	80.9				
330	6.4	149.6	65.6	30	.6	275.8	80.9				
331	6.3	155.9	67.9	31	.6	276.4	80.9				
332	6.1	162.0	70.0	32	.6	277.0	80.9				
333	6.2	168.1	72.1	33	.6	277.6	80.9				
334	6.0	174.1	74.1	34	.6	278.1	80.9				
335	6.0	180.1	76.1	35	.6	278.8	80.9				
336	5.9	186.1	78.1	36	.6	279.4	80.9				
337	5.6	191.7	79.7	37	.6	280.0	80.9				
338	4.7	196.4	80.4	38	.6	280.7	80.9				
339	4.5	200.9	80.9	39	.6	281.3	80.9				
340	4.0	204.9	80.9	40	.7	281.9	80.9				
341	3.9	208.9	80.9	41	.5	282.4	80.9				
342	3.7	212.6	80.9	42	.4	282.8	80.9				
343	3.2	215.7	80.9	43	.4	283.2	80.9				
344	2.4	218.1	80.9	44	.3	283.5	80.9				
345	2.4	220.5	80.9	45	.2	283.7	80.9				
346	2.5	222.9	80.9	46	.2	283.9	80.9				
347	2.3	225.2	80.9	47	.2	284.1	80.9				
348	2.2	227.4	80.9	48	.3	284.4	80.9				
349	1.7	229.1	80.9	49	.3	284.6	80.9				
350	1.2	230.3	80.9	50	.2	284.8	80.9				
351	1.3	231.6	80.9	51	.2	285.1	80.9				
352	1.3	232.9	80.9	52	.2	285.3	80.9				
353	1.4	234.3	80.9	53	.2	285.4	80.9				
354	1.3	235.7	80.9	54	.3	285.7	80.9				
355	1.3	237.0	80.9	55	.4	286.2	80.9				
356	1.3	238.2	80.9	56	.2	286.4	80.9				
357	1.3	239.5	80.9	57	.1	286.5	80.9				
358	1.3	240.8	80.9	58	.1	286.6	80.9				
359	1.3	242.1	80.9	59	.1	286.7	80.9				
360	1.3	243.4	80.9	60	.1	286.8	80.9				
361	1.3	244.6	80.9	61	.1	286.8	80.9				
362	1.2	245.9	80.9	62	.1	286.9	80.9				
363	1.2	247.1	80.9	63	.0	286.9	80.9				
364	1.2	248.3	80.9	64	.1	287.0	80.9				
365	1.2	249.4	80.9	65	.1	287.1	80.9				
1	1.2	250.6	80.9	66	.1	287.2	80.9				
2	1.1	251.7	80.9	67	.1	287.3	80.9				
3	1.1	252.8	80.9	68	.0	287.3	80.9				
4	1.1	254.0	80.9	69	.3	287.6	80.9				
5	1.1	255.1	80.9	70	.0	287.7	80.9				
6	1.1	256.2	80.9	71	.1	287.7	80.9				
7	1.1	257.2	80.9	72	.0	287.7	80.9				
8	1.1	258.3	80.9	73	.0	287.7	80.9				
9	1.0	259.3	80.9	74	.2	287.9	80.9				

STN 456 DEPTH 10M






SHIP HARBOUR NS (INNER)
44.81N 62.86W 1800Z 06/11/89 - 1900Z 15/03/90
INST. 4391

SHIP HARBOUR NS (INNER)

STA. 4WK 457

WATER DEPTH 13.7M.	INST DEPTH 3.0M.	LATITUDE 44.81	LONGITUDE 62.86	FROM				TO			
				DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
116	1.8	1.8	.0	181	8.9	344.8	98.3	246	15.5	1094.8	588.3
117	1.8	3.6	.0	182	8.6	353.4	102.9	247	15.7	1110.4	600.0
118	1.9	5.5	.0	183	8.6	362.0	107.5	248	16.0	1126.5	612.0
119	2.0	7.5	.0	184	8.5	370.4	112.0	249	16.3	1142.8	624.3
120	2.2	9.8	.0	185	8.7	379.2	116.7	250	16.4	1159.2	636.7
121	2.3	12.1	.0	186	8.9	388.1	121.6	251	16.5	1175.7	649.2
122	2.5	14.6	.0	187	9.0	397.1	126.6	252	17.0	1192.7	662.3
123	2.7	17.3	.0	188	8.5	405.6	131.1	253	17.2	1209.9	675.4
124	2.8	20.1	.0	189	8.3	413.9	135.4	254	16.8	1226.7	688.2
125	3.1	23.2	.0	190	8.7	422.5	140.1	255	16.9	1243.6	701.1
126	4.6	27.8	.6	191	9.0	431.5	145.1	256	16.9	1260.5	714.1
127	3.9	31.7	.6	192	9.1	440.7	150.2	257	17.0	1277.6	727.1
128	3.9	35.6	.6	193	9.1	449.8	155.3	258	17.5	1295.1	740.6
129	3.9	39.4	.6	194	9.0	458.7	160.3	259	17.4	1312.5	754.0
130	3.8	43.2	.6	195	8.7	467.5	165.0	260	17.3	1329.7	767.3
131	3.8	47.0	.6	196	8.9	476.4	169.9	261	17.2	1346.9	780.5
132	4.0	51.0	.6	197	8.9	485.2	174.8	262	17.2	1364.2	793.7
133	4.4	55.4	1.0	198	8.7	493.9	179.5	263	17.1	1381.3	806.8
134	4.3	59.7	1.2	199	8.8	502.7	184.2	264	16.5	1397.8	819.4
135	4.3	63.9	1.5	200	8.6	511.3	188.8	265	16.4	1414.3	831.8
136	4.3	68.3	1.8	201	8.4	519.7	193.2	266	16.5	1430.8	844.3
137	4.5	72.7	2.3	202	8.1	527.8	197.4	267	16.3	1447.1	856.6
138	5.7	78.5	4.0	203	8.1	535.9	201.5	268	16.1	1463.2	868.7
139	5.1	83.6	5.2	204	8.1	544.0	205.6	269	15.8	1479.0	880.5
140	5.1	88.7	6.2	205	8.2	552.2	209.8	270	15.6	1494.5	892.1
141	5.0	93.7	7.2	206	8.6	560.8	214.3	271	15.7	1510.2	903.7
142	4.9	98.6	8.2	207	9.0	569.8	219.3	272	15.6	1525.8	915.4
143	5.0	103.6	9.1	208	9.1	578.9	224.5	273	15.4	1541.2	926.7
144	5.0	108.6	10.1	209	9.3	588.2	229.8	274	15.5	1556.7	938.3
145	5.2	113.8	11.3	210	9.8	598.1	235.6	275	15.5	1572.2	949.7
146	5.3	119.1	12.6	211	10.2	608.3	241.8	276	15.1	1587.3	960.8
147	5.4	124.4	14.0	212	10.7	619.0	248.5	277	15.0	1602.3	971.9
148	5.5	129.9	15.4	213	12.1	631.1	256.6	278	14.9	1617.3	982.8
149	5.5	135.4	16.9	214	11.8	642.9	264.4	279	14.0	1631.3	992.8
150	5.6	141.0	18.6	215	13.1	655.9	273.5	280	12.6	1643.8	1001.4
151	5.4	146.4	20.0	216	13.3	669.2	282.8	281	11.6	1655.5	1009.0
152	5.3	151.7	21.2	217	12.8	682.0	291.5	282	11.0	1666.5	1016.0
153	5.1	156.7	22.3	218	13.0	695.0	300.6	283	11.1	1677.6	1023.1
154	4.8	161.5	23.1	219	13.5	708.5	310.0	284	11.5	1689.1	1030.6
155	4.7	166.2	23.8	220	14.5	723.0	320.6	285	11.9	1701.0	1038.6
156	4.7	170.9	24.5	221	15.1	738.1	331.6	286	11.5	1712.5	1046.0
157	4.6	175.6	25.1	222	15.3	753.3	342.9	287	11.5	1724.0	1053.5
158	4.6	180.2	25.7	223	15.7	769.0	354.6	288	11.6	1735.6	1061.1
159	4.7	184.8	26.4	224	16.0	785.0	366.6	289	11.7	1747.3	1068.8
160	4.7	189.6	27.1	225	15.9	801.0	378.5	290	11.8	1759.1	1076.6
161	4.6	194.2	27.7	226	15.3	816.2	389.8	291	12.0	1771.1	1084.6
162	5.1	199.3	28.8	227	15.0	831.2	400.7	292	12.5	1783.6	1093.1
163	6.4	205.7	31.2	228	14.6	845.8	411.4	293	12.2	1795.8	1101.3
164	6.5	212.2	33.7	229	14.3	860.1	421.7	294	11.5	1807.3	1108.9
165	6.4	218.6	36.1	230	13.8	873.9	431.4	295	9.0	1816.3	1113.9
166	6.7	225.3	38.8	231	13.1	887.0	440.6	296	7.6	1823.9	1117.5
167	6.6	231.9	41.5	232	12.7	899.7	449.3	297	7.6	1831.5	1121.1
168	6.5	238.5	44.0	233	12.6	912.3	457.9	298	8.4	1840.0	1125.5
169	6.7	245.2	46.7	234	12.9	925.2	466.8	299	8.4	1848.3	1129.9
170	6.9	252.1	49.6	235	13.1	938.3	475.8	300	8.0	1856.3	1133.9
171	7.0	259.1	52.6	236	13.3	951.6	485.1	301	8.0	1864.4	1137.9
172	7.2	266.3	55.8	237	13.4	964.9	494.5	302	8.2	1872.6	1142.1
173	7.3	273.6	59.1	238	13.6	978.5	504.0	303	8.2	1880.8	1146.3
174	7.5	281.1	62.6	239	13.9	992.4	513.9	304	8.1	1888.8	1150.4
175	8.8	289.9	67.5	240	14.1	1006.5	524.0	305	8.5	1897.3	1154.9
176	9.3	299.2	72.8	241	14.4	1020.9	534.4	306	8.9	1906.3	1159.8
177	9.1	308.3	77.8	242	14.5	1035.3	544.9	307	9.1	1915.3	1164.9
178	9.2	317.5	83.1	243	14.3	1049.7	555.2	308	9.1	1924.4	1169.9
179	9.2	326.7	88.2	244	14.6	1064.3	565.8	309	9.1	1933.4	1175.0
180	9.2	335.9	93.4	245	15.0	1079.3	576.8	310	9.2	1942.6	1180.2

STN 457 DEPTH 3M






SHIP HARBOUR NS (INNER)
44.81N 62.86W 1800Z 26/04/90 – 1500Z 06/11/90
INST. 4399

SHIP HARBOUR NS (INNER)

STA. 4WK 458

WATER DEPTH 13.7M.	INST DEPTH 12.0M.	LATITUDE 44.81	LONGITUDE 62.86	FROM				TO			
				DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
116	1.0	1.0	.0	181	4.0	154.6	.0	246	7.2	531.0	116.5
117	1.0	2.0	.0	182	4.0	158.5	.0	247	7.3	538.3	119.8
118	1.0	3.1	.0	183	4.1	162.6	.1	248	7.3	545.5	123.0
119	1.1	4.1	.0	184	4.1	166.7	.2	249	7.4	552.9	126.4
120	1.1	5.2	.0	185	4.1	170.8	.3	250	7.4	560.3	129.8
121	1.1	6.3	.0	186	4.1	174.9	.4	251	7.6	567.9	133.4
122	1.1	7.4	.0	187	4.2	179.1	.6	252	7.8	575.7	137.2
123	1.1	8.5	.0	188	4.2	183.3	.8	253	7.7	583.4	140.8
124	1.2	9.7	.0	189	4.2	187.5	1.0	254	7.7	591.1	144.6
125	1.2	10.9	.0	190	4.3	191.8	1.3	255	7.8	598.9	148.3
126	1.2	12.1	.0	191	4.3	196.1	1.5	256	7.9	606.7	152.2
127	1.2	13.3	.0	192	4.3	200.4	1.9	257	7.9	614.7	156.1
128	1.2	14.5	.0	193	4.7	205.1	2.5	258	7.9	622.6	160.1
129	1.2	15.8	.0	194	4.6	209.6	3.1	259	8.0	630.6	164.1
130	1.3	17.0	.0	195	4.7	214.3	3.8	260	8.1	638.6	168.1
131	1.3	18.4	.0	196	4.7	219.0	4.5	261	8.2	646.8	172.3
132	1.4	19.7	.0	197	4.7	223.7	5.2	262	8.2	655.0	176.5
133	1.4	21.2	.0	198	4.8	228.5	6.0	263	8.2	663.3	189.8
134	1.4	22.6	.0	199	5.0	233.6	7.0	264	8.5	671.8	185.3
135	1.5	24.1	.0	200	5.2	238.8	8.3	265	8.5	680.3	189.7
136	1.5	25.6	.0	201	5.5	244.3	9.7	266	8.6	688.9	194.4
137	1.5	27.2	.0	202	5.5	249.8	11.3	267	8.6	697.5	199.0
138	1.6	28.8	.0	203	5.6	255.3	12.8	268	8.6	706.1	203.6
139	1.6	30.4	.0	204	5.6	261.0	14.5	269	8.7	714.8	208.3
140	1.6	32.0	.0	205	5.7	266.7	16.1	270	8.7	723.5	213.0
141	1.7	33.7	.0	206	5.8	272.5	18.0	271	8.8	732.3	217.8
142	1.8	35.5	.0	207	5.8	278.3	19.8	272	8.8	741.1	222.6
143	1.8	37.3	.0	208	5.8	284.1	21.6	273	8.9	750.0	227.5
144	1.8	39.1	.0	209	5.9	290.0	23.4	274	8.8	758.8	232.3
145	1.9	41.0	.0	210	5.9	295.8	25.3	275	9.1	767.9	237.3
146	2.0	43.0	.0	211	5.9	301.8	27.2	276	9.3	777.2	242.7
147	2.0	45.0	.0	212	6.0	307.8	29.3	277	9.4	786.6	248.0
148	2.1	47.1	.0	213	6.0	313.9	31.3	278	9.5	796.1	253.6
149	2.1	49.1	.0	214	6.1	319.9	33.4	279	9.6	805.7	259.2
150	2.2	51.3	.0	215	6.2	326.1	35.6	280	9.5	815.2	264.7
151	2.3	53.6	.0	216	6.1	332.2	37.7	281	9.2	824.4	269.9
152	2.4	56.0	.0	217	6.2	338.4	39.9	282	9.1	833.5	275.0
153	2.5	58.5	.0	218	6.2	344.6	42.1	283	9.0	842.5	280.0
154	2.4	60.9	.0	219	6.3	350.9	44.3	284	9.1	851.6	285.0
155	2.5	63.4	.0	220	6.3	357.2	46.6	285	9.1	860.6	290.1
156	2.6	66.0	.0	221	6.3	363.5	49.0	286	9.0	869.6	295.1
157	2.6	68.6	.0	222	6.3	369.8	51.3	287	9.0	878.7	300.1
158	2.8	71.4	.0	223	6.3	376.1	53.6	288	9.1	887.8	305.2
159	2.7	74.2	.0	224	6.4	382.4	55.9	289	9.1	896.8	310.3
160	2.9	77.1	.0	225	6.3	388.8	58.3	290	9.2	906.1	315.5
161	3.6	80.7	.0	226	6.4	395.2	60.7	291	9.3	915.3	320.8
162	3.4	84.0	.0	227	6.4	401.5	63.0	292	9.3	924.6	326.1
163	3.4	87.5	.0	228	6.4	408.0	65.5	293	9.5	934.1	331.6
164	3.4	90.9	.0	229	6.5	414.5	67.9	294	8.3	942.5	335.9
165	3.4	94.3	.0	230	6.5	421.0	70.4	295	5.8	948.3	337.8
166	3.5	97.8	.0	231	6.5	427.5	73.0	296	5.5	953.8	339.3
167	3.6	101.4	.0	232	6.6	434.1	75.6	297	5.6	959.3	340.8
168	3.5	104.9	.0	233	6.7	440.8	78.2	298	5.6	964.9	342.4
169	3.6	108.5	.0	234	6.7	447.5	81.0	299	5.6	970.5	344.0
170	3.6	112.1	.0	235	6.8	454.2	83.7	300	5.7	976.2	345.6
171	3.7	115.8	.0	236	6.8	461.1	86.5	301	5.7	981.9	347.3
172	3.7	119.5	.0	237	6.8	467.8	89.3	302	5.8	987.6	349.1
173	3.8	123.3	.0	238	6.9	474.7	92.2	303	5.8	993.4	350.9
174	3.8	127.1	.0	239	6.9	481.6	95.1	304	6.0	999.4	352.9
175	3.8	130.9	.0	240	7.0	488.5	98.0	305	6.1	1005.5	355.0
176	3.9	134.8	.0	241	7.0	495.5	101.0	306	6.2	1011.7	357.2
177	3.9	138.7	.0	242	7.0	502.5	104.0	307	6.2	1018.0	359.4
178	3.9	142.6	.0	243	7.0	509.6	107.0	308	6.2	1024.2	361.7
179	4.0	146.6	.0	244	7.1	516.6	110.1	309	6.2	1030.4	363.9
180	4.0	150.6	.0	245	7.2	523.8	113.3	310	6.3	1036.7	366.2

STN 458 DEPTH 12M





SHIP HARBOUR NS (INNER)
44.81N 62.86W 1800Z 26/04/90 - 1300Z 06/11/90
INST. 4398

BIG THRU CAP NS

STA. 4XM 430

STN 430 DEPTH 13M





BIG THRUM CAP NS
43.59N 63.95W 0400Z 09/06/90 - 1600Z 21/09/90
INST. 63325

INDIAN PT NS

STA. 4XM 426

STN 426 DEPTH 9M





INDIAN POINT NS
44.64N 63.94W 0800Z 19/07/90 - 0000Z 06/08/90
INST. 63297

KITTY SHOAL NS

STA. 4XM 427

STN 427 DEPTH 13M






KITTY SHOAL NS
44.46N 63.79W 0800Z 09/06/90 - 0800Z 20/06/90
INST. 63297

NORTH WEST COVE NS

STA. 4XM 418

WATER DEPTH 9.1M.		INST DEPTH 9.0M.		LATITUDE 41.52		LONGITUDE 64.00		FROM 26/ 9/ 89		TO 9/ 2/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
269	14.3	14.3	10.3	334	5.3	536.1	272.1	34	-.2	631.2	276.2
270	15.6	30.0	22.0	335	5.0	541.1	273.1	35	-.4	631.2	276.2
271	8.4	38.4	26.4	336	4.7	545.8	273.8	36	-.6	631.2	276.2
272	6.0	44.4	28.4	337	5.0	550.8	274.8	37	-.6	631.2	276.2
273	7.7	52.1	32.1	338	5.1	555.8	275.8	38	-.5	631.2	276.2
274	7.2	59.3	35.3	339	4.3	560.1	276.1	39	-.3	631.2	276.2
275	5.1	64.4	36.4	340	4.1	564.2	276.2	40	-.3	631.2	276.2
276	5.0	69.4	37.4	341	4.0	568.2	276.2				
277	7.8	77.2	41.2	342	3.7	571.9	276.2				
278	5.6	82.8	42.8	343	3.2	575.1	276.2				
279	4.6	87.4	43.4	344	3.2	578.3	276.2				
280	4.5	91.9	43.9	345	3.0	581.3	276.2				
281	4.4	96.3	44.3	346	3.0	584.3	276.2				
282	4.4	100.7	44.7	347	2.8	587.1	276.2				
283	5.5	106.2	46.2	348	2.9	590.0	276.2				
284	5.1	111.2	47.2	349	2.7	592.7	276.2				
285	6.6	117.8	49.8	350	2.7	595.3	276.2				
286	6.3	124.1	52.1	351	2.9	598.3	276.2				
287	6.9	131.0	55.0	352	2.6	600.9	276.2				
288	7.6	138.6	58.6	353	2.5	603.3	276.2				
289	7.4	145.9	61.9	354	2.5	605.8	276.2				
290	7.8	153.7	65.7	355	2.4	608.1	276.2				
291	10.0	163.8	71.8	356	2.1	610.3	276.2				
292	10.5	174.3	78.3	357	1.7	612.0	276.2				
293	9.8	184.0	84.0	358	1.3	613.3	276.2				
294	9.6	193.6	89.6	359	.5	613.8	276.2				
295	10.2	203.8	95.8	360	1.2	614.9	276.2				
296	10.3	214.1	102.1	361	1.5	616.5	276.2				
297	10.4	224.5	108.5	362	1.2	617.7	276.2				
298	10.3	234.9	114.9	363	.9	618.6	276.2				
299	10.3	245.2	121.2	364	.8	619.4	276.2				
300	10.2	255.3	127.3	365	.7	620.0	276.2				
301	10.2	265.5	133.5	1	.7	620.7	276.2				
302	10.2	275.7	139.7	2	.7	621.4	276.2				
303	10.3	286.0	146.0	3	.6	622.0	276.2				
304	10.4	296.5	152.5	4	.6	622.6	276.2				
305	10.5	306.9	158.9	5	.6	623.2	276.2				
306	10.4	317.4	165.4	6	.5	623.7	276.2				
307	10.5	327.8	171.8	7	.5	624.2	276.2				
308	10.5	338.3	178.3	8	.5	624.6	276.2				
309	10.3	348.6	184.6	9	.5	625.1	276.2				
310	10.1	358.8	190.8	10	.5	625.6	276.2				
311	10.0	368.7	196.7	11	.5	626.1	276.2				
312	10.1	378.8	202.8	12	.4	626.5	276.2				
313	10.1	389.0	209.0	13	.4	627.0	276.2				
314	10.2	399.2	215.2	14	.4	627.3	276.2				
315	10.4	409.7	221.7	15	.3	627.6	276.2				
316	10.2	419.9	227.9	16	.3	627.9	276.2				
317	9.8	429.7	233.7	17	.4	628.3	276.2				
318	9.0	438.7	238.7	18	.6	628.9	276.2				
319	8.5	447.2	243.2	19	.7	629.6	276.2				
320	7.7	454.8	246.8	20	.5	630.1	276.2				
321	8.0	462.8	250.8	21	.1	630.2	276.2				
322	9.0	471.9	255.9	22	-.2	630.2	276.2				
323	8.2	480.0	260.0	23	-.3	630.2	276.2				
324	6.1	486.1	262.1	24	-.3	630.2	276.2				
325	5.3	491.4	263.4	25	-.1	630.2	276.2				
326	5.8	497.2	265.2	26	-.1	630.2	276.2				
327	5.2	502.4	266.4	27	.1	630.3	276.2				
328	4.6	507.0	267.0	28	.2	630.4	276.2				
329	4.3	511.4	267.4	29	.2	630.6	276.2				
330	4.3	515.7	267.7	30	.3	630.9	276.2				
331	4.8	520.5	268.5	31	.1	631.0	276.2				
332	5.1	525.6	269.6	32	.2	631.2	276.2				
333	5.2	530.8	270.8	33	.1	631.2	276.2				

STN 418 DEPTH 5M





NORTH WEST COVE NS
41.52N 64.00W 1600Z 26/09/89 - 0800Z 09/02/90
INST. 62899

NORTH WEST COVE NS

STA. 4XM 419

WATER DEPTH 36.6M.	INST DEPTH 36.0M.	LATITUDE 41.52	LONGITUDE 64.00	FROM				TO			
				DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
				26	9/	89		14	2/	90	
269	7.5	7.5	3.5	334	5.8	475.6	211.9	34	.6	601.4	220.0
270	6.7	14.2	6.2	335	5.8	481.4	213.7	35	.6	602.0	220.0
271	5.1	19.3	7.3	336	5.5	486.9	215.2	36	.4	602.5	220.0
272	4.9	24.1	8.1	337	5.2	492.1	216.4	37	.6	603.1	220.0
273	5.5	29.6	9.6	338	5.3	497.4	217.7	38	.8	603.9	220.0
274	4.1	33.7	9.7	339	5.0	502.4	218.7	39	1.1	605.0	220.0
275	4.1	37.8	9.8	340	4.7	507.1	219.4	40	1.1	606.1	220.0
276	4.0	41.8	9.8	341	4.5	511.6	219.9	41	1.0	607.0	220.0
277	4.1	45.9	9.9	342	4.1	515.7	220.0	42	.8	607.8	220.0
278	3.9	49.8	9.9	343	3.5	519.2	220.0	43	.7	608.5	220.0
279	4.0	53.8	9.9	344	3.4	522.6	220.0	44	.8	609.3	220.0
280	3.9	57.7	9.9	345	3.6	526.2	220.0	45	.9	610.2	220.0
281	3.9	61.6	9.9	346	3.7	529.9	220.0				
282	4.0	65.6	9.9	347	3.6	533.5	220.0				
283	4.0	69.6	9.9	348	3.6	537.1	220.0				
284	4.2	73.8	10.1	349	3.6	540.7	220.0				
285	5.2	79.0	11.3	350	3.5	544.2	220.0				
286	4.2	83.2	11.5	351	3.3	547.5	220.0				
287	5.0	88.2	12.5	352	3.0	550.4	220.0				
288	5.5	93.6	13.9	353	2.9	553.4	220.0				
289	6.3	100.0	16.3	354	2.9	556.3	220.0				
290	7.3	107.3	19.6	355	2.8	559.0	220.0				
291	8.9	116.1	24.4	356	2.3	561.3	220.0				
292	9.9	126.1	30.4	357	2.0	563.3	220.0				
293	9.6	135.7	36.0	358	1.7	565.0	220.0				
294	9.7	145.4	41.7	359	1.4	566.4	220.0				
295	10.4	155.7	48.1	360	2.0	568.4	220.0				
296	10.8	166.5	54.8	361	1.7	570.2	220.0				
297	10.7	177.2	61.5	362	1.5	571.7	220.0				
298	10.6	187.8	68.1	363	1.3	573.0	220.0				
299	10.6	198.5	74.8	364	.9	573.9	220.0				
300	10.7	209.2	81.5	365	1.0	574.9	220.0				
301	10.6	219.8	88.1	1	1.2	576.1	220.0				
302	10.6	230.4	94.7	2	.9	577.0	220.0				
303	10.7	241.1	101.4	3	.7	577.7	220.0				
304	10.7	251.8	108.1	4	.7	578.4	220.0				
305	10.8	262.5	114.9	5	.7	579.1	220.0				
306	10.8	273.4	121.7	6	.5	579.6	220.0				
307	10.9	284.2	128.5	7	.6	580.2	220.0				
308	10.8	295.0	135.3	8	.6	580.8	220.0				
309	10.4	305.4	141.7	9	.6	581.4	220.0				
310	9.4	314.8	147.1	10	.7	582.1	220.0				
311	9.6	324.5	152.8	11	.7	582.8	220.0				
312	9.9	334.3	158.7	12	.8	583.6	220.0				
313	9.8	344.1	164.4	13	.8	584.4	220.0				
314	10.2	354.3	170.6	14	.8	585.2	220.0				
315	10.7	364.9	177.2	15	.8	586.0	220.0				
316	10.6	375.5	183.8	16	1.0	587.0	220.0				
317	9.6	385.1	189.4	17	.9	587.9	220.0				
318	6.7	391.8	192.2	18	.9	588.8	220.0				
319	6.1	398.0	194.3	19	1.0	589.8	220.0				
320	6.1	404.0	196.3	20	1.2	591.0	220.0				
321	6.4	410.5	198.8	21	.9	591.9	220.0				
322	5.8	416.2	200.5	22	.5	592.4	220.0				
323	5.3	421.5	201.8	23	.3	592.8	220.0				
324	4.9	426.4	202.7	24	.5	593.3	220.0				
325	4.9	431.3	203.6	25	.7	594.0	220.0				
326	5.3	436.6	204.9	26	.8	594.8	220.0				
327	4.8	441.4	205.7	27	.9	595.7	220.0				
328	4.7	446.1	206.4	28	.8	596.6	220.0				
329	4.5	450.6	206.9	29	.9	597.5	220.0				
330	4.5	455.1	207.4	30	.8	598.3	220.0				
331	4.6	459.7	208.0	31	.7	599.0	220.0				
332	4.6	464.3	208.7	32	.8	599.8	220.0				
333	5.5	469.8	210.1	33	1.0	600.8	220.0				

STN 419 DEPTH 36M





NORTH WEST COVE NS
41.52N 64.00W 1200Z 26/09/89 - 0400Z 14/02/90
INST. 63258

NORTH WEST COVE NS

STA. 4XM 420

STN 420 DEPTH 18M





NORTH WEST COVE NS
41.52N 64.00W 1400Z 26/09/89 - 1400Z 31/01/90
INST. 63374

ST MARGARETS BAY NS (OUTER)

STA. 4XM 411

STN 411 DEPTH 3M





ST MARGARETS BAY NS (OUTER)
43.53N 63.95W 2000Z 08/11/89 - 1200Z 30/11/89
INST. 62542

ST MARGARETS BAY NS (OUTER)

STA. 4XM 412

STN 412 DEPTH 12M






ST MARGARETS BAY NS (OUTER)
44.53N 63.95W 2000Z 08/11/89 - 1600Z 30/11/89
INST. 62911

ST MARGARETS BAY NS (OUTER)

STA. 4XM 434

WATER DEPTH 12.5M.		INST DEPTH 3.0M.		LATITUDE 44.53		LONGITUDE 63.95			FROM 25/ 4/ 90		TO 17/10/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	
115	1.7	1.7	.0	180	12.3	356.9	128.6	245	18.1	1277.3	789.0	
116	1.6	3.3	.0	181	12.3	369.2	136.9	246	16.9	1294.2	801.9	
117	1.4	4.7	.0	182	12.6	381.8	145.5	247	16.3	1310.6	814.3	
118	1.5	6.3	.0	183	12.8	394.6	154.3	248	18.6	1329.1	828.8	
119	1.5	7.8	.0	184	13.3	407.9	163.6	249	18.9	1348.0	843.7	
120	2.1	9.9	.0	185	13.9	421.8	173.5	250	18.8	1366.8	858.6	
121	2.3	12.2	.0	186	12.4	434.2	181.9	251	18.2	1385.1	872.8	
122	2.7	14.8	.0	187	10.7	444.9	188.6	252	17.5	1402.5	886.2	
123	2.8	17.6	.0	188	10.0	454.9	194.6	253	17.5	1420.0	899.7	
124	3.2	20.8	.0	189	10.4	465.2	201.0	254	18.0	1437.9	913.6	
125	3.2	24.0	.0	190	10.6	475.9	207.6	255	17.8	1455.7	927.5	
126	2.0	26.0	.0	191	11.3	487.2	214.9	256	17.5	1473.3	941.0	
127	1.9	27.9	.0	192	11.2	498.4	222.1	257	17.3	1490.6	954.3	
128	2.4	30.2	.0	193	10.8	509.2	228.9	258	17.6	1508.2	967.9	
129	2.7	32.9	.0	194	12.1	521.2	236.9	259	17.7	1525.9	981.6	
130	2.8	35.7	.0	195	12.7	533.9	245.6	260	17.5	1543.4	995.1	
131	2.9	38.5	.0	196	12.1	546.0	253.7	261	17.2	1560.6	1008.3	
132	3.1	41.6	.0	197	9.9	555.9	259.6	262	17.0	1577.6	1021.3	
133	3.6	45.2	.0	198	9.3	565.2	264.9	263	16.5	1594.1	1033.8	
134	3.9	49.0	.0	199	9.8	575.0	270.7	264	16.1	1610.2	1045.9	
135	3.8	52.8	.0	200	10.7	585.6	277.4	265	16.2	1626.4	1058.1	
136	4.0	56.8	.0	201	8.7	594.4	282.1	266	16.2	1642.6	1070.3	
137	4.2	61.0	.2	202	10.4	604.8	288.5	267	16.3	1658.8	1082.5	
138	4.0	65.0	.2	203	9.8	614.6	294.3	268	16.3	1675.2	1094.9	
139	4.0	69.0	.2	204	9.8	624.4	300.1	269	16.4	1691.5	1107.3	
140	3.9	72.9	.2	205	9.5	633.9	305.6	270	16.4	1707.9	1119.6	
141	3.3	76.2	.2	206	9.5	643.4	311.1	271	16.2	1724.1	1131.8	
142	3.1	79.3	.2	207	10.8	654.2	317.9	272	16.0	1740.1	1143.8	
143	3.2	82.4	.2	208	11.4	665.6	325.3	273	15.6	1755.7	1155.4	
144	3.2	85.6	.2	209	12.2	677.7	333.5	274	15.6	1771.3	1167.0	
145	3.3	88.9	.2	210	12.6	690.4	342.1	275	15.5	1786.9	1178.6	
146	3.6	92.5	.2	211	13.3	703.6	351.4	276	15.2	1802.0	1189.7	
147	4.2	96.7	.4	212	13.5	717.1	360.8	277	14.7	1816.7	1200.5	
148	4.7	101.3	1.1	213	14.1	731.2	370.9	278	13.5	1830.2	1210.0	
149	5.1	106.4	2.1	214	14.4	745.7	381.4	279	13.0	1843.2	1218.9	
150	4.9	111.3	3.0	215	15.3	761.0	392.7	280	14.0	1857.2	1229.0	
151	5.3	116.6	4.3	216	15.7	776.6	404.3	281	14.1	1871.3	1239.0	
152	5.6	122.2	5.9	217	16.9	793.5	417.2	282	13.7	1885.0	1248.7	
153	6.2	128.4	8.1	218	16.8	810.3	430.0	283	11.3	1896.3	1256.0	
154	6.2	134.6	10.3	219	17.5	827.8	443.5	284	10.9	1907.2	1262.9	
155	5.0	139.6	11.3	220	17.9	845.7	457.4	285	11.2	1918.4	1270.1	
156	5.1	144.7	12.4	221	18.3	864.0	471.7	286	13.3	1931.7	1279.4	
157	7.7	152.4	16.1	222	19.2	883.2	486.9	287	13.5	1945.2	1288.9	
158	7.3	159.7	19.5	223	19.5	902.7	502.4	288	13.5	1958.6	1298.3	
159	6.3	166.0	21.7	224	19.9	922.6	518.3	289	13.0	1971.6	1307.3	
160	6.1	172.1	23.8	225	19.8	942.4	534.1	290	12.5	1984.1	1315.8	
161	7.5	179.6	27.3	226	20.1	962.5	550.2					
162	8.1	187.7	31.4	227	20.0	982.4	566.1					
163	6.1	193.7	33.4	228	20.2	1002.6	582.3					
164	6.1	199.8	35.6	229	20.2	1022.8	598.5					
165	7.8	207.6	39.3	230	18.6	1041.4	613.1					
166	8.1	215.7	43.4	231	14.6	1056.0	623.7					
167	7.3	223.0	46.7	232	12.9	1068.9	632.6					
168	7.8	230.9	50.6	233	13.8	1082.7	642.4					
169	9.3	240.1	55.9	234	14.3	1097.0	652.7					
170	8.9	249.0	60.7	235	13.5	1110.5	662.2					
171	10.5	259.5	67.2	236	14.0	1124.5	672.2					
172	10.1	269.6	73.3	237	16.6	1141.1	684.8					
173	10.0	279.5	79.2	238	16.4	1157.5	697.2					
174	10.6	290.1	85.8	239	16.5	1173.9	709.7					
175	9.1	299.3	91.0	240	17.2	1191.2	722.9					
176	10.8	310.0	97.7	241	17.5	1208.7	736.4					
177	11.2	321.2	104.9	242	16.7	1225.4	749.1					
178	11.9	333.1	112.8	243	16.7	1242.1	761.8					
179	11.6	344.7	120.4	244	17.1	1259.2	774.9					

STN 434 DEPTH 3M






ST MARGARETS BAY NS (OUTER)
43.53N 63.95W 2000Z 25/04/90 - 2000Z 17/10/90
INST. 62482

ST MARGARETS BAY NS (OUTER)

STA. 4XM 435

WATER DEPTH 12.5M.				INST DEPTH 12.0M.		LATITUDE 44.53		LONGITUDE 63.95			FROM 25/ 4/ 90		TO 15/10/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)			
115	1.0	1.0	.0	180	6.8	275.8	59.4	245	16.3	967.3	490.9			
116	1.1	2.1	.0	181	6.7	282.6	62.1	246	15.9	983.2	502.7			
117	1.2	3.3	.0	182	7.2	289.7	65.3	247	16.4	999.6	515.1			
118	1.3	4.6	.0	183	6.6	296.4	67.9	248	16.7	1016.3	527.8			
119	1.4	6.0	.0	184	5.7	302.1	69.6	249	16.7	1033.0	540.5			
120	1.8	7.8	.0	185	5.7	307.7	71.3	250	16.5	1049.5	553.0			
121	1.8	9.6	.0	186	6.0	313.7	73.2	251	16.1	1065.6	565.1			
122	2.1	11.7	.0	187	7.1	320.8	76.3	252	15.7	1081.4	576.9			
123	2.2	13.8	.0	188	7.2	328.0	79.5	253	15.6	1097.0	588.5			
124	2.2	16.0	.0	189	6.1	334.1	81.6	254	14.0	1110.9	598.5			
125	2.0	18.0	.0	190	5.1	339.2	82.7	255	14.7	1125.6	609.1			
126	2.0	20.0	.0	191	5.2	344.4	83.9	256	14.6	1140.2	619.7			
127	2.3	22.3	.0	192	5.0	349.4	84.9	257	14.3	1154.6	630.1			
128	2.5	24.8	.0	193	4.8	354.2	85.7	258	12.5	1167.1	638.6			
129	2.8	27.6	.0	194	5.5	359.7	87.2	259	13.2	1180.3	647.8			
130	2.8	30.4	.0	195	5.9	365.6	89.1	260	13.9	1194.1	657.6			
131	3.0	33.4	.0	196	6.3	371.9	91.4	261	14.0	1208.1	667.6			
132	3.3	36.8	.0	197	6.8	378.7	94.2	262	13.4	1221.5	677.1			
133	3.3	40.1	.0	198	6.6	385.4	96.9	263	13.9	1235.4	687.0			
134	3.3	43.4	.0	199	7.0	392.3	99.9	264	14.0	1249.5	697.0			
135	3.4	46.8	.0	200	7.6	399.9	103.5	265	13.7	1263.1	706.6			
136	3.3	50.1	.0	201	9.3	409.3	108.8	266	10.5	1273.6	713.1			
137	3.8	53.9	.0	202	13.0	422.3	117.8	267	11.2	1284.8	720.3			
138	3.5	57.4	.0	203	13.4	435.7	127.2	268	10.0	1294.8	726.3			
139	3.7	61.1	.0	204	11.7	447.4	134.9	269	8.9	1303.7	731.2			
140	3.4	64.4	.0	205	9.9	457.4	140.9	270	7.1	1310.8	734.3			
141	3.2	67.7	.0	206	9.8	467.2	146.7	271	8.1	1318.9	738.4			
142	2.9	70.6	.0	207	11.2	478.4	153.9	272	8.1	1327.0	742.5			
143	3.1	73.7	.0	208	12.7	491.1	162.7	273	9.3	1336.3	747.8			
144	3.3	77.0	.0	209	15.3	506.5	174.0	274	9.5	1345.8	753.3			
145	3.5	80.5	.0	210	15.7	522.1	185.6	275	10.9	1356.7	760.2			
146	3.5	83.9	.0	211	15.5	537.6	197.1	276	11.1	1367.8	767.4			
147	3.7	87.6	.0	212	15.5	553.1	208.6	277	12.0	1379.8	775.3			
148	4.0	91.6	.0	213	17.7	570.8	222.3	278	12.0	1391.9	783.4			
149	4.0	95.6	.0	214	14.7	585.5	233.0	279	12.0	1403.9	791.4			
150	4.1	99.8	.1	215	14.5	600.0	243.5	280	11.7	1415.6	799.1			
151	4.9	104.7	1.1	216	10.9	610.9	250.4	281	11.6	1427.1	806.7			
152	3.2	107.9	1.1	217	9.3	620.1	255.7	282	10.7	1437.9	813.4			
153	3.4	111.3	1.1	218	8.7	628.9	260.4	283	7.4	1445.3	816.8			
154	3.5	114.8	1.1	219	8.8	637.7	265.2	284	6.7	1452.0	819.5			
155	4.0	118.8	1.1	220	7.7	645.4	268.9	285	5.7	1457.7	821.2			
156	4.2	123.0	1.3	221	6.7	652.1	271.6	286	7.5	1465.2	824.7			
157	3.6	126.6	1.3	222	8.0	660.1	275.6	287	7.6	1472.8	828.3			
158	3.2	129.7	1.3	223	8.9	669.1	280.6	288	7.1	1479.9	831.4			
159	4.5	134.2	1.7	224	10.2	679.2	286.7							
160	5.3	139.5	3.0	225	10.2	689.4	293.0							
161	5.0	144.5	4.0	226	10.2	699.6	299.1							
162	5.3	149.8	5.3	227	10.4	710.0	305.6							
163	5.8	155.6	7.1	228	10.8	720.9	312.4							
164	6.1	161.7	9.2	229	11.7	732.5	320.1							
165	6.1	167.7	11.3	230	13.5	746.1	329.6							
166	6.6	174.3	13.8	231	13.1	759.1	338.7							
167	6.8	181.1	16.6	232	11.5	770.6	346.1							
168	6.6	187.7	19.2	233	12.0	782.7	354.2							
169	6.5	194.2	21.7	234	14.7	797.4	364.9							
170	6.8	201.0	24.5	235	13.1	810.5	374.0							
171	7.5	208.4	27.9	236	13.6	824.1	383.6							
172	7.8	216.2	31.7	237	16.5	840.6	396.1							
173	7.6	223.8	35.4	238	16.2	856.9	408.4							
174	8.1	232.0	39.5	239	16.5	873.4	420.9							
175	8.2	240.2	43.7	240	16.1	889.6	433.1							
176	8.2	248.4	47.9	241	14.8	904.3	443.8							
177	7.3	255.6	51.2	242	15.5	919.8	455.3							
178	6.8	262.5	54.0	243	15.7	935.4	467.0							
179	6.6	269.1	56.6	244	15.6	951.1	478.6							

STN 435 DEPTH 12M






ST MARGARETS BAY NS (OUTER)
44.53N 63.95W 2000Z 25/04/90 - 1600Z 15/10/90
INST. 61612

ST MARGARETS BAY NS (INNER)

STA. 4XM 459

WATER DEPTH 11.0M.		INST DEPTH 2.0M.		LATITUDE 44.60		LONGITUDE 63.94		FROM 8/11/ 89		TO 18/ 3/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
312	10.6	10.6	6.6	12	.7	261.2	99.4	77	1.2	272.6	99.4
313	10.6	21.2	13.2	13	.7	261.9	99.4				
314	10.9	32.1	20.1	14	.2	262.1	99.4				
315	10.9	43.0	27.0	15	-.2	262.1	99.4				
316	10.7	53.7	33.7	16	.0	262.1	99.4				
317	10.2	63.9	39.9	17	.1	262.2	99.4				
318	9.9	73.8	45.8	18	.1	262.3	99.4				
319	9.9	83.7	51.7	19	.1	262.4	99.4				
320	10.1	93.8	57.8	20	-.4	262.4	99.4				
321	10.4	104.2	64.2	21	-.2	262.4	99.4				
322	9.9	114.1	70.1	22	.2	262.6	99.4				
323	9.6	123.6	75.6	23	.0	262.6	99.4				
324	8.1	131.7	79.7	24	-.2	262.6	99.4				
325	7.5	139.2	83.2	25	-.1	262.6	99.4				
326	6.9	146.1	86.1	26	.1	262.7	99.4				
327	5.7	151.8	87.8	27	.3	263.0	99.4				
328	4.5	156.3	88.3	28	.2	263.2	99.4				
329	4.8	161.1	89.1	29	.2	263.4	99.4				
330	5.8	166.9	90.9	30	.2	263.7	99.4				
331	5.8	172.7	92.7	31	.0	263.7	99.4				
332	5.7	178.4	94.4	32	.0	263.7	99.4				
333	5.5	183.9	95.9	33	-.1	263.7	99.4				
334	4.9	188.8	96.8	34	.0	263.7	99.4				
335	5.1	193.9	97.9	35	-.1	263.7	99.4				
336	4.5	198.4	98.4	36	-.3	263.7	99.4				
337	4.6	203.1	99.1	37	.0	263.7	99.4				
338	4.4	207.4	99.4	38	-.5	263.7	99.4				
339	3.8	211.2	99.4	39	-.3	263.7	99.4				
340	3.1	214.4	99.4	40	-.2	263.7	99.4				
341	3.5	217.9	99.4	41	-.1	263.7	99.4				
342	2.8	220.7	99.4	42	.2	264.0	99.4				
343	2.1	222.8	99.4	43	.2	264.2	99.4				
344	2.6	225.4	99.4	44	.2	264.4	99.4				
345	3.4	228.7	99.4	45	.2	264.6	99.4				
346	2.9	231.7	99.4	46	.2	264.7	99.4				
347	2.6	234.3	99.4	47	.1	264.9	99.4				
348	3.2	237.5	99.4	48	.0	264.9	99.4				
349	2.8	240.3	99.4	49	-.4	264.9	99.4				
350	2.8	243.1	99.4	50	-.4	264.9	99.4				
351	2.6	245.6	99.4	51	-.3	264.9	99.4				
352	2.3	247.9	99.4	52	-.7	264.9	99.4				
353	1.9	249.8	99.4	53	-.5	264.9	99.4				
354	1.6	251.4	99.4	54	-.2	264.9	99.4				
355	1.1	252.5	99.4	55	-.2	264.9	99.4				
356	.8	253.3	99.4	56	-.1	264.9	99.4				
357	.3	253.6	99.4	57	-.1	264.9	99.4				
358	-.1	253.6	99.4	58	-.2	264.9	99.4				
359	.7	254.3	99.4	59	-.3	264.9	99.4				
360	.9	255.2	99.4	60	-.6	264.9	99.4				
361	1.0	256.2	99.4	61	-.6	264.9	99.4				
362	.7	256.9	99.4	62	-.3	264.9	99.4				
363	.4	257.2	99.4	63	-.2	264.9	99.4				
364	-.3	257.2	99.4	64	-.2	264.9	99.4				
365	-.3	257.2	99.4	65	.0	264.9	99.4				
1	.1	257.3	99.4	66	.0	264.9	99.4				
2	.1	257.4	99.4	67	.1	265.0	99.4				
3	-.2	257.4	99.4	68	.3	265.3	99.4				
4	.1	257.5	99.4	69	.5	265.8	99.4				
5	.2	257.7	99.4	70	.6	266.3	99.4				
6	.4	258.1	99.4	71	.6	267.0	99.4				
7	.3	258.4	99.4	72	.7	267.7	99.4				
8	.3	258.7	99.4	73	.9	268.6	99.4				
9	.5	259.3	99.4	74	1.0	269.5	99.4				
10	.6	259.9	99.4	75	1.0	270.5	99.4				
11	.7	260.5	99.4	76	1.0	271.5	99.4				

STN 459 DEPTH 2M






ST MARGARETS BAY NS (INNER)
44.60N 63.94W 1700Z 08/11/89 - 1100Z 18/03/90
INST. 4399

ST MARGARETS BAY NS (INNER)

STA. 4XM 460

WATER DEPTH 11.0M.		INST DEPTH 9.0M.		LATITUDE 44.60		LONGITUDE 63.94		FROM 8/11/ 89		TO 20/ 4/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
312	10.5	10.5	6.5	12	.6	260.9	91.0	77	.8	271.3	91.0
313	10.5	21.0	13.0	13	.7	261.6	91.0	78	1.0	272.3	91.0
314	10.6	31.6	19.6	14	.4	262.0	91.0	79	.8	273.1	91.0
315	10.7	42.4	26.4	15	.8	262.7	91.0	80	.7	273.8	91.0
316	10.6	53.0	33.0	16	.4	263.1	91.0	81	1.0	274.7	91.0
317	10.1	63.1	39.1	17	.2	263.3	91.0	82	1.3	276.1	91.0
318	9.4	72.5	44.5	18	.1	263.4	91.0	83	1.4	277.5	91.0
319	9.5	82.1	50.1	19	.0	263.4	91.0	84	1.4	278.8	91.0
320	9.9	91.9	55.9	20	.0	263.4	91.0	85	1.6	280.4	91.0
321	10.0	101.9	61.9	21	.1	263.6	91.0	86	1.3	281.8	91.0
322	9.6	111.4	67.4	22	.4	264.0	91.0	87	1.2	283.0	91.0
323	8.3	119.7	71.7	23	.1	264.1	91.0	88	1.2	284.2	91.0
324	6.4	126.2	74.2	24	.0	264.1	91.0	89	.9	285.2	91.0
325	6.2	132.4	76.4	25	-.1	264.1	91.0	90	1.2	286.3	91.0
326	6.6	138.9	78.9	26	.0	264.1	91.0	91	.8	287.1	91.0
327	5.1	144.0	80.0	27	.2	264.3	91.0	92	.8	288.0	91.0
328	4.4	148.4	80.4	28	.0	264.3	91.0	93	1.1	289.1	91.0
329	4.5	152.9	80.9	29	.1	264.5	91.0	94	1.1	290.2	91.0
330	5.5	158.4	82.4	30	.3	264.7	91.0	95	1.4	291.6	91.0
331	5.7	164.1	84.1	31	.2	264.9	91.0	96	1.9	293.5	91.0
332	5.5	169.6	85.6	32	.1	265.0	91.0	97	2.0	295.4	91.0
333	5.4	175.0	87.0	33	-.1	265.0	91.0	98	1.7	297.1	91.0
334	4.8	179.8	87.8	34	.0	265.0	91.0	99	1.3	298.5	91.0
335	5.2	185.0	89.0	35	-.2	265.0	91.0	100	1.4	299.9	91.0
336	4.4	189.4	89.4	36	.0	265.0	91.0	101	2.3	302.1	91.0
337	5.1	194.4	90.4	37	-.1	265.0	91.0	102	2.1	304.2	91.0
338	4.5	199.0	91.0	38	-.3	265.0	91.0	103	1.6	305.9	91.0
339	3.7	202.7	91.0	39	-.3	265.0	91.0	104	1.6	307.5	91.0
340	3.4	206.1	91.0	40	-.3	265.0	91.0	105	2.6	310.1	91.0
341	3.8	209.9	91.0	41	-.2	265.0	91.0	106	2.5	312.5	91.0
342	2.7	212.6	91.0	42	.0	265.0	91.0	107	2.7	315.2	91.0
343	3.6	216.2	91.0	43	.0	265.0	91.0	108	3.1	318.3	91.0
344	4.0	220.1	91.0	44	.1	265.1	91.0	109	1.6	319.9	91.0
345	4.0	224.1	91.0	45	.1	265.2	91.0	110	1.0	320.9	91.0
346	3.3	227.4	91.0	46	.2	265.3	91.0				
347	3.7	231.2	91.0	47	.2	265.5	91.0				
348	3.6	234.8	91.0	48	.0	265.5	91.0				
349	3.1	237.9	91.0	49	-.1	265.5	91.0				
350	3.2	241.0	91.0	50	-.4	265.5	91.0				
351	2.8	243.9	91.0	51	-.4	265.5	91.0				
352	2.2	246.1	91.0	52	-.5	265.5	91.0				
353	1.9	248.0	91.0	53	.0	265.5	91.0				
354	1.4	249.4	91.0	54	-.1	265.5	91.0				
355	1.3	250.7	91.0	55	.0	265.6	91.0				
356	.9	251.6	91.0	56	.0	265.6	91.0				
357	.5	252.1	91.0	57	-.2	265.6	91.0				
358	1.1	253.2	91.0	58	.0	265.6	91.0				
359	1.0	254.2	91.0	59	-.3	265.6	91.0				
360	.9	255.1	91.0	60	-.3	265.6	91.0				
361	.9	256.0	91.0	61	-.6	265.6	91.0				
362	.7	256.7	91.0	62	-.4	265.6	91.0				
363	.3	257.0	91.0	63	-.1	265.6	91.0				
364	-.4	257.0	91.0	64	-.2	265.6	91.0				
365	-.2	257.0	91.0	65	.1	265.6	91.0				
1	.0	257.1	91.0	66	.1	265.8	91.0				
2	.0	257.1	91.0	67	.1	265.8	91.0				
3	-.2	257.1	91.0	68	.1	266.0	91.0				
4	.2	257.2	91.0	69	.4	266.4	91.0				
5	.2	257.4	91.0	70	.5	266.8	91.0				
6	.4	257.8	91.0	71	.4	267.2	91.0				
7	.4	258.2	91.0	72	.4	267.6	91.0				
8	.4	258.6	91.0	73	.5	268.1	91.0				
9	.5	259.1	91.0	74	.8	268.9	91.0				
10	.6	259.7	91.0	75	.8	269.7	91.0				
11	.6	260.3	91.0	76	.8	270.5	91.0				

STN 460 DEPTH 9M






ST MARGARETS BAY NS (INNER)
44.60N 63.94W 1700Z 08/11/89 - 0500Z 20/04/90
INST. 4398

CAPE SABLE IS NS

STA. 4XO 415

WATER DEPTH 40.0M.		INST DEPTH 40.0M.		LATITUDE 43.22		LONGITUDE 65.55		FROM 13/ 1/ 90		TO 23/ 5/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
13	.0	.0	.0	78	1.0	2.2	.0	143	6.0	209.1	33.3
14	-.3	.0	.0	79	1.0	3.1	.0				
15	-.9	.0	.0	80	1.2	4.4	.0				
16	-1.2	.0	.0	81	1.6	6.0	.0				
17	-1.0	.0	.0	82	1.8	7.8	.0				
18	-.9	.0	.0	83	2.0	9.7	.0				
19	-.8	.0	.0	84	1.3	11.0	.0				
20	-1.0	.0	.0	85	1.5	12.5	.0				
21	-1.2	.0	.0	86	1.4	14.0	.0				
22	-1.7	.0	.0	87	.7	14.6	.0				
23	-1.7	.0	.0	88	.6	15.3	.0				
24	-1.4	.0	.0	89	.5	15.8	.0				
25	-1.5	.0	.0	90	.5	16.2	.0				
26	-1.2	.0	.0	91	.6	16.8	.0				
27	-.7	.0	.0	92	.6	17.4	.0				
28	-.3	.0	.0	93	.6	18.1	.0				
29	-.1	.0	.0	94	1.3	19.3	.0				
30	-.1	.0	.0	95	1.3	20.7	.0				
31	-.2	.0	.0	96	1.8	22.4	.0				
32	-.3	.0	.0	97	1.6	24.0	.0				
33	-.3	.0	.0	98	1.5	25.5	.0				
34	-.3	.0	.0	99	1.4	26.9	.0				
35	-.5	.0	.0	100	1.9	28.8	.0				
36	-.9	.0	.0	101	2.2	31.1	.0				
37	-1.1	.0	.0	102	2.0	33.1	.0				
38	-1.5	.0	.0	103	1.7	34.8	.0				
39	-1.6	.0	.0	104	1.7	36.5	.0				
40	-1.2	.0	.0	105	2.2	38.8	.0				
41	-.6	.0	.0	106	2.8	41.5	.0				
42	-.5	.0	.0	107	2.0	43.5	.0				
43	-.4	.0	.0	108	2.5	46.0	.0				
44	-.4	.0	.0	109	2.3	48.3	.0				
45	-.4	.0	.0	110	2.4	50.7	.0				
46	-.4	.0	.0	111	2.9	53.6	.0				
47	-.4	.0	.0	112	2.9	56.6	.0				
48	-.6	.0	.0	113	2.8	59.3	.0				
49	-.7	.0	.0	114	2.9	62.2	.0				
50	-.6	.0	.0	115	3.1	65.3	.0				
51	-.8	.0	.0	116	3.3	68.6	.0				
52	-1.4	.0	.0	117	3.5	72.1	.0				
53	-1.4	.0	.0	118	3.8	75.9	.0				
54	-.9	.0	.0	119	4.0	79.9	.0				
55	-.3	.0	.0	120	3.9	83.8	.0				
56	-.7	.0	.0	121	4.0	87.8	.0				
57	-.9	.0	.0	122	4.1	91.9	.2				
58	-.6	.0	.0	123	4.2	96.1	.3				
59	-.8	.0	.0	124	4.2	100.3	.5				
60	-.8	.0	.0	125	4.6	104.9	1.1				
61	-.8	.0	.0	126	4.9	109.8	2.0				
62	-.8	.0	.0	127	4.9	114.8	3.0				
63	-.7	.0	.0	128	5.3	120.1	4.3				
64	-.6	.0	.0	129	5.6	125.7	5.9				
65	-.5	.0	.0	130	6.1	131.7	7.9				
66	-.6	.0	.0	131	6.5	138.2	10.5				
67	-.9	.0	.0	132	6.8	145.0	13.3				
68	-.9	.0	.0	133	6.3	151.4	15.6				
69	-.6	.0	.0	134	7.0	158.4	18.6				
70	-.5	.0	.0	135	6.3	164.7	20.9				
71	-.3	.0	.0	136	5.4	170.1	22.3				
72	-.1	.0	.0	137	5.6	175.7	23.9				
73	.0	.0	.0	138	6.0	181.7	25.9				
74	.0	.0	.0	139	5.1	186.8	27.0				
75	.1	.1	.0	140	5.1	191.9	28.2				
76	.1	.2	.0	141	5.4	197.3	29.5				
77	1.0	1.2	.0	142	5.8	203.1	31.3				

STN 415 DEPTH 40M






CAPE SABLE IS NS
43.22N 65.55W 2000Z 13/01/90 - 1600Z 23/05/90
INST. 63348

STA. 4X0 416

CAPE SABLE IS NS

WATER DEPTH 20.0M.		INST DEPTH 20.0M.		LATITUDE 43.42		LONGITUDE 65.55			FROM 13/ 1/ 90		TO 26/ 5/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	
13	1.7	1.7	.0	78	1.6	47.9	.0	143	6.0	267.1	26.7	
14	1.4	3.1	.0	79	1.7	49.6	.0	144	5.8	272.9	28.5	
15	.8	3.9	.0	80	1.6	51.2	.0	145	5.7	278.6	30.2	
16	.4	4.3	.0	81	1.4	52.6	.0	146	5.6	284.2	31.8	
17	.4	4.7	.0	82	1.7	54.4	.0					
18	.4	5.1	.0	83	2.0	56.4	.0					
19	.4	5.5	.0	84	2.1	58.5	.0					
20	.4	5.9	.0	85	1.9	60.4	.0					
21	.2	6.1	.0	86	1.6	61.9	.0					
22	.2	6.3	.0	87	1.5	63.5	.0					
23	.3	6.6	.0	88	1.4	64.9	.0					
24	.5	7.1	.0	89	1.3	66.2	.0					
25	.6	7.7	.0	90	1.3	67.6	.0					
26	.7	8.3	.0	91	1.3	68.9	.0					
27	.7	9.1	.0	92	1.4	70.3	.0					
28	.8	9.9	.0	93	1.5	71.8	.0					
29	1.0	10.9	.0	94	1.7	73.5	.0					
30	1.2	12.0	.0	95	1.9	75.4	.0					
31	1.2	13.2	.0	96	2.0	77.4	.0					
32	1.3	14.5	.0	97	2.0	79.4	.0					
33	1.2	15.7	.0	98	2.0	81.4	.0					
34	1.0	16.7	.0	99	1.9	83.3	.0					
35	.8	17.5	.0	100	2.0	85.3	.0					
36	.6	18.0	.0	101	2.1	87.4	.0					
37	.6	18.6	.0	102	2.0	89.4	.0					
38	.1	18.7	.0	103	2.1	91.5	.0					
39	.1	18.8	.0	104	2.4	93.9	.0					
40	.1	18.8	.0	105	2.6	96.4	.0					
41	.1	18.9	.0	106	3.0	99.5	.0					
42	.3	19.3	.0	107	3.3	102.7	.0					
43	.5	19.8	.0	108	3.7	106.4	.0					
44	.6	20.4	.0	109	3.8	110.2	.0					
45	.7	21.0	.0	110	3.2	113.4	.0					
46	.7	21.7	.0	111	3.1	116.5	.0					
47	.6	22.3	.0	112	3.1	119.6	.0					
48	.6	22.9	.0	113	3.3	122.9	.0					
49	.5	23.4	.0	114	3.5	126.4	.0					
50	.4	23.8	.0	115	3.6	130.0	.0					
51	.3	24.2	.0	116	3.6	133.7	.0					
52	.1	24.2	.0	117	3.7	137.3	.0					
53	.4	24.6	.0	118	3.8	141.1	.0					
54	.6	25.2	.0	119	3.8	144.9	.0					
55	1.1	26.3	.0	120	3.7	148.6	.0					
56	1.2	27.5	.0	121	3.8	152.5	.0					
57	1.0	28.5	.0	122	3.9	156.4	.0					
58	.9	29.4	.0	123	4.2	160.6	.2					
59	.9	30.3	.0	124	4.6	165.2	.8					
60	.9	31.2	.0	125	4.5	169.7	1.3					
61	.5	31.7	.0	126	4.6	174.3	1.9					
62	.7	32.4	.0	127	4.7	179.0	2.6					
63	.7	33.1	.0	128	4.6	183.6	3.2					
64	.8	33.9	.0	129	5.0	188.6	4.2					
65	.9	34.8	.0	130	5.2	193.8	5.4					
66	.9	35.8	.0	131	5.2	199.0	6.6					
67	.8	36.6	.0	132	5.4	204.4	8.0					
68	.7	37.3	.0	133	5.2	209.6	9.2					
69	.8	38.1	.0	134	5.3	214.9	10.5					
70	.9	39.0	.0	135	5.1	220.0	11.7					
71	.9	39.9	.0	136	5.3	225.3	12.9					
72	.9	40.8	.0	137	5.6	230.9	14.5					
73	1.0	41.7	.0	138	5.9	236.8	16.4					
74	1.0	42.7	.0	139	6.0	242.8	18.5					
75	1.0	43.8	.0	140	6.0	248.9	20.5					
76	1.1	44.9	.0	141	6.1	254.9	22.6					
77	1.4	46.3	.0	142	6.2	261.1	24.7					

STN 416 DEPTH 20M






CAPE SABLE IS NS
43.42N 65.55W 2000Z 13/01/90 - 1200Z 26/05/90
INST. 62471

CAPE SABLE IS NS

STA. 4X0 450

WATER DEPTH 20.0M.	INST DEPTH 20.0M.	LATITUDE		LONGITUDE		FROM 24/ 6/ 90	TO 11/12/ 90				
		43.42	65.55	DAY	MEAN TEMP DAY(0)	DEG DAY(4)					
175	9.5	9.5	5.5	240	15.6	714.7	450.7	305	6.6	1527.0	1003.0
176	8.9	18.4	10.4	241	16.2	730.9	462.9	306	6.5	1533.4	1005.4
177	9.1	27.5	15.5	242	16.4	747.3	475.3	307	6.6	1540.0	1008.0
178	9.8	37.4	21.4	243	15.1	762.5	486.5	308	6.8	1546.8	1010.8
179	10.7	48.0	28.0	244	12.9	775.3	495.3	309	7.0	1553.8	1013.8
180	9.7	57.8	33.8	245	14.4	789.7	505.7	310	7.2	1561.0	1017.0
181	9.6	67.4	39.4	246	15.3	805.0	517.0	311	6.9	1567.9	1019.9
182	8.9	76.3	44.3	247	15.4	820.4	528.4	312	6.7	1574.6	1022.6
183	9.9	86.2	50.2	248	15.5	836.0	540.0	313	6.4	1580.9	1024.9
184	8.9	95.1	55.1	249	16.0	852.0	552.0	314	6.3	1587.2	1027.2
185	9.2	104.3	60.3	250	16.3	868.3	564.3	315	6.2	1593.4	1029.4
186	9.5	113.8	65.8	251	16.5	884.7	576.7	316	6.1	1599.5	1031.5
187	9.0	122.8	70.8	252	16.4	901.2	589.2	317	5.4	1604.9	1032.9
188	9.1	132.0	76.0	253	16.4	917.5	601.5	318	5.3	1610.2	1034.2
189	9.1	141.0	81.0	254	16.2	933.7	613.7	319	5.1	1615.3	1035.3
190	8.8	149.8	85.8	255	15.8	949.5	625.5	320	5.2	1620.5	1036.5
191	9.3	159.1	91.1	256	16.3	965.9	637.9	321	5.4	1625.8	1037.8
192	9.5	168.6	96.6	257	16.5	982.4	650.4	322	5.6	1631.4	1039.4
193	8.7	177.2	101.2	258	16.8	999.2	663.2	323	5.6	1637.0	1041.0
194	8.2	185.4	105.4	259	17.1	1016.2	676.2	324	5.6	1642.6	1042.6
195	8.1	193.5	109.5	260	16.8	1033.1	689.1	325	5.7	1648.3	1044.3
196	8.6	202.1	114.1	261	16.1	1049.1	701.1	326	5.8	1654.1	1046.1
197	8.8	210.9	118.9	262	15.3	1064.5	712.5	327	5.6	1659.8	1047.8
198	8.8	219.7	123.7	263	14.9	1079.3	723.3	328	5.2	1665.0	1049.0
199	8.4	228.1	128.1	264	14.5	1093.9	733.9	329	5.1	1670.0	1050.0
200	8.5	236.6	132.6	265	14.0	1107.9	743.9	330	4.8	1674.8	1050.8
201	9.5	246.1	138.1	266	13.9	1121.8	753.8	331	4.0	1678.9	1050.9
202	9.5	255.6	143.6	267	13.8	1135.6	763.6	332	4.7	1683.6	1051.6
203	8.8	264.4	148.4	268	13.7	1149.3	773.3	333	6.2	1689.8	1053.8
204	9.0	273.4	153.4	269	13.6	1162.9	782.9	334	5.7	1695.5	1055.5
205	9.7	283.0	159.0	270	14.0	1176.9	792.9	335	4.5	1700.0	1056.0
206	11.2	294.3	166.3	271	13.9	1190.7	802.7	336	4.6	1704.6	1056.6
207	11.8	306.0	174.0	272	13.4	1204.1	812.1	337	4.5	1709.1	1057.1
208	9.9	315.9	179.9	273	13.7	1217.8	821.8	338	3.9	1713.0	1057.1
209	8.8	324.8	184.8	274	13.9	1231.7	831.7	339	4.8	1717.8	1057.9
210	8.0	332.7	188.7	275	13.4	1245.1	841.1	340	4.1	1721.9	1058.0
211	8.2	340.9	192.9	276	12.6	1257.7	849.7	341	4.0	1725.8	1058.0
212	10.9	351.8	199.8	277	12.1	1269.9	857.9	342	4.1	1729.9	1058.0
213	10.7	362.5	206.5	278	12.5	1282.4	866.4	343	4.1	1734.0	1058.1
214	10.6	373.1	213.1	279	12.4	1294.7	874.7	344	4.2	1738.2	1058.3
215	9.9	383.0	219.0	280	12.5	1307.2	883.2	345	4.1	1742.3	1058.4
216	10.5	393.5	225.5	281	11.6	1318.8	890.8				
217	11.1	404.6	232.6	282	10.9	1329.6	897.6				
218	12.2	416.8	240.8	283	10.2	1339.9	903.9				
219	13.6	430.4	250.4	284	9.8	1349.7	909.7				
220	14.2	444.6	260.6	285	8.9	1358.6	914.6				
221	14.5	459.2	271.2	286	8.4	1366.9	918.9				
222	15.3	474.5	282.5	287	9.2	1376.1	924.1				
223	16.1	490.6	294.6	288	9.1	1385.2	929.2				
224	17.3	507.9	307.9	289	9.5	1394.7	934.7				
225	16.2	524.0	320.0	290	9.6	1404.2	940.2				
226	16.6	540.6	332.6	291	9.9	1414.1	946.1				
227	14.6	555.3	343.3	292	10.1	1424.2	952.2				
228	12.8	568.1	352.1	293	9.4	1433.6	957.6				
229	12.6	580.7	360.7	294	9.2	1442.8	962.8				
230	12.7	593.3	369.3	295	9.2	1452.0	968.0				
231	13.2	606.5	378.5	296	9.2	1461.1	973.1				
232	11.1	617.7	385.7	297	9.2	1470.4	978.4				
233	11.0	628.7	392.7	298	8.5	1478.9	982.9				
234	10.9	639.5	399.5	299	7.9	1486.8	986.8				
235	10.8	650.4	406.4	300	7.0	1493.7	989.7				
236	10.9	661.3	413.3	301	6.3	1500.1	992.1				
237	11.3	672.6	420.6	302	6.5	1506.6	994.6				
238	12.7	685.3	429.3	303	6.9	1513.5	997.5				
239	13.8	699.1	439.1	304	6.8	1520.4	1000.4				

STN 450 DEPTH 20M






CAPE SABLE IS NS
43.42N 65.55W 0000Z 24/06/90 - 0400Z 11/12/90
INST. 60914

CAPE SABLE IS NS

STA. 4X0 451

WATER DEPTH 10.0M.	INST DEPTH 10.0M.	LATITUDE 43.44	LONGITUDE 65.50	FROM				TO			
				23/6/90	8/12/90	23/6/90	8/12/90	23/6/90	8/12/90	23/6/90	8/12/90
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
174	8.2	8.2	4.2	239	15.2	624.1	360.1	304	8.2	1416.0	892.0
175	7.9	16.1	8.1	240	15.7	639.9	371.9	305	7.9	1423.8	895.8
176	8.3	24.4	12.4	241	15.0	654.9	382.9	306	7.9	1431.7	899.7
177	8.9	33.3	17.3	242	14.5	669.4	393.4	307	7.8	1439.5	903.5
178	8.3	41.6	21.6	243	13.3	682.6	402.6	308	8.0	1447.5	907.5
179	8.3	49.9	25.9	244	12.5	695.1	411.1	309	7.9	1455.4	911.4
180	7.2	57.1	29.1	245	14.1	709.3	421.3	310	7.9	1463.2	915.2
181	6.9	64.1	32.1	246	14.8	724.1	432.1	311	7.8	1471.1	919.1
182	7.4	71.5	35.5	247	16.0	740.1	444.1	312	7.8	1478.8	922.8
183	8.0	79.4	39.4	248	17.0	757.1	457.1	313	7.7	1486.5	926.5
184	8.3	87.7	43.7	249	17.2	774.3	470.3	314	7.7	1494.2	930.2
185	9.0	96.7	48.7	250	17.2	791.5	483.5	315	7.5	1501.8	933.8
186	9.2	105.9	53.9	251	16.8	808.3	496.3	316	7.3	1509.1	937.1
187	8.5	114.4	58.4	252	16.2	824.5	508.5	317	7.1	1516.2	940.2
188	8.2	122.6	62.6	253	15.8	840.2	520.2	318	6.9	1523.1	943.1
189	8.4	131.0	67.0	254	15.8	856.0	532.0	319	6.3	1529.4	945.4
190	8.2	139.2	71.2	255	16.2	872.3	544.3	320	6.2	1535.6	947.6
191	8.2	147.3	75.3	256	17.0	889.2	557.2	321	6.3	1541.9	949.9
192	7.8	155.1	79.1	257	17.1	906.4	570.4	322	6.4	1548.3	952.3
193	7.4	162.5	82.5	258	17.2	923.6	583.6	323	6.5	1554.8	954.8
194	7.1	169.6	85.6	259	17.2	940.8	596.8	324	6.5	1561.3	957.3
195	7.4	177.0	89.0	260	17.1	958.0	610.0	325	6.5	1567.8	959.8
196	7.9	184.8	92.8	261	16.7	974.7	622.7	326	6.7	1574.4	962.4
197	7.7	192.5	96.5	262	16.1	990.7	634.7	327	4.9	1579.4	963.4
198	7.4	199.9	99.9	263	15.4	1006.2	646.2	328	4.9	1584.3	964.3
199	7.6	207.5	103.5	264	14.7	1020.9	656.9	329	5.0	1589.3	965.3
200	7.3	214.8	106.8	265	13.2	1034.1	666.1	330	4.6	1593.9	965.9
201	7.7	222.4	110.4	266	13.0	1047.1	675.1	331	3.9	1597.9	965.9
202	7.5	229.9	113.9	267	13.1	1060.2	684.2	332	5.2	1603.1	967.2
203	6.7	236.7	116.7	268	12.5	1072.7	692.7	333	6.7	1609.8	969.8
204	6.7	243.3	119.3	269	12.3	1085.0	701.0	334	5.8	1615.5	971.6
205	7.4	250.7	122.7	270	12.9	1097.8	709.8	335	4.6	1620.1	972.2
206	8.2	258.9	126.9	271	13.4	1111.3	719.3	336	4.7	1624.9	973.0
207	8.1	267.0	131.0	272	13.8	1125.1	729.1	337	4.5	1629.4	973.5
208	7.2	274.2	134.2	273	13.7	1138.8	738.8	338	3.7	1633.2	973.5
209	7.2	281.4	137.4	274	13.3	1152.1	748.1	339	4.7	1637.8	974.1
210	7.4	288.8	140.8	275	12.8	1164.8	756.8	340	3.7	1641.6	974.1
211	7.7	296.5	144.5	276	12.4	1177.2	765.2	341	3.3	1644.9	974.1
212	8.0	304.5	148.5	277	11.4	1188.6	772.6	342	3.4	1648.3	974.1
213	8.9	313.4	153.4	278	11.6	1200.2	780.2				
214	10.5	323.9	159.9	279	11.4	1211.6	787.6				
215	10.5	334.4	166.4	280	10.3	1221.9	793.9				
216	10.4	344.8	172.8	281	9.2	1231.1	799.1				
217	10.4	355.2	179.2	282	7.6	1238.7	802.7				
218	11.0	366.2	186.2	283	7.9	1246.7	806.7				
219	13.1	379.4	195.4	284	7.6	1254.2	810.2				
220	14.1	393.4	205.4	285	7.8	1262.0	814.0				
221	14.6	408.1	216.1	286	8.6	1270.6	818.6				
222	14.7	422.8	226.8	287	8.7	1279.3	823.3				
223	15.1	437.9	237.9	288	8.9	1288.2	828.2				
224	15.5	453.4	249.4	289	9.6	1297.8	833.8				
225	14.0	467.5	259.5	290	9.6	1307.4	839.4				
226	12.9	480.4	268.4	291	9.5	1316.9	844.9				
227	12.1	492.5	276.5	292	9.5	1326.4	850.4				
228	11.0	503.4	283.4	293	9.4	1335.8	855.8				
229	10.3	513.7	289.7	294	8.2	1344.0	860.0				
230	10.4	524.1	296.1	295	7.6	1351.6	863.6				
231	10.4	534.5	302.5	296	7.3	1358.8	866.8				
232	9.8	544.4	308.4	297	7.1	1365.9	869.9				
233	9.6	553.9	313.9	298	7.3	1373.2	873.2				
234	10.2	564.1	320.1	299	6.5	1379.8	875.8				
235	10.3	574.5	326.5	300	6.5	1386.3	878.3				
236	10.5	585.0	333.0	301	6.8	1393.1	881.1				
237	11.0	596.0	340.0	302	7.2	1400.3	884.3				
238	13.0	609.0	349.0	303	7.5	1407.8	887.8				

STN 451 DEPTH 10M






CAPE SABLE IS NS
43.44N 65.50W 2000Z 23/06/90 – 0400Z 08/12/90
INST. 63320

DUCK ISLAND NS

STA. 4XO 424

WATER DEPTH 17.0M.		INST DEPTH 16.0M.		LATITUDE 43.40		LONGITUDE 65.76		FROM 8/ 6/ 84		TO 1/11/ 84	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
160	9.7	9.7	5.7	225	12.7	754.7	490.7	290	11.6	1622.6	1098.6
161	9.8	19.5	11.5	226	12.8	767.6	499.6	291	11.5	1634.1	1106.1
162	9.8	29.3	17.3	227	13.3	780.8	508.8	292	11.7	1645.8	1113.8
163	9.9	39.2	23.2	228	13.6	794.4	518.4	293	12.0	1657.8	1121.8
164	10.3	49.4	29.4	229	13.8	808.2	528.2	294	12.2	1669.9	1129.9
165	10.3	59.8	35.8	230	13.6	821.8	537.8	295	12.2	1682.1	1138.1
166	10.5	70.3	42.3	231	13.7	835.5	547.5	296	12.2	1694.3	1146.3
167	10.5	80.8	48.8	232	13.8	849.3	557.3	297	12.3	1706.6	1154.6
168	10.4	91.2	55.2	233	13.9	863.2	567.2	298	12.5	1719.1	1163.1
169	10.6	101.8	61.8	234	13.9	877.1	577.1	299	12.6	1731.7	1171.7
170	10.4	112.2	68.2	235	14.1	891.2	587.2	300	12.5	1744.2	1180.2
171	10.5	122.7	74.7	236	14.6	905.8	597.8	301	12.4	1756.6	1188.6
172	10.9	133.7	81.7	237	14.6	920.4	608.4	302	12.5	1769.1	1197.1
173	10.9	144.6	88.6	238	14.7	935.1	619.1	303	12.5	1781.6	1205.6
174	11.1	155.7	95.7	239	14.7	949.8	629.8	304	12.3	1793.9	1213.9
175	11.0	166.7	102.7	240	14.7	964.5	640.5	305	12.2	1806.1	1222.1
176	11.3	178.0	110.0	241	14.7	979.1	651.1	306	12.1	1818.2	1230.2
177	11.2	189.2	117.2	242	14.8	993.9	661.9				
178	11.1	200.3	124.3	243	14.7	1008.6	672.6				
179	11.2	211.5	131.5	244	14.5	1023.0	683.0				
180	11.1	222.6	138.6	245	14.6	1037.6	693.6				
181	11.4	234.0	146.0	246	14.6	1052.2	704.2				
182	11.5	245.4	153.4	247	14.3	1066.5	714.5				
183	11.6	257.0	161.0	248	13.8	1080.4	724.4				
184	11.5	268.5	168.5	249	13.4	1093.8	733.8				
185	11.3	279.8	175.8	250	13.2	1106.9	742.9				
186	11.5	291.3	183.3	251	13.0	1120.0	752.0				
187	11.7	303.0	191.0	252	13.3	1133.3	761.3				
188	12.0	315.0	199.0	253	13.3	1146.6	770.6				
189	12.3	327.2	207.2	254	13.4	1160.0	780.0				
190	12.3	339.6	215.6	255	13.7	1173.7	789.7				
191	12.2	351.8	223.8	256	14.0	1187.7	799.7				
192	12.0	363.9	231.9	257	14.0	1201.7	809.7				
193	11.7	375.6	239.6	258	13.9	1215.6	819.6				
194	11.4	387.0	247.0	259	13.6	1229.3	829.3				
195	11.4	398.4	254.4	260	13.3	1242.6	838.6				
196	11.5	409.9	261.9	261	13.1	1255.7	847.7				
197	11.4	421.3	269.3	262	13.2	1268.9	856.9				
198	11.4	432.7	276.7	263	13.5	1282.4	866.4				
199	11.4	444.1	284.1	264	13.6	1296.0	876.0				
200	11.3	455.4	291.4	265	13.6	1309.6	885.6				
201	11.6	467.0	299.0	266	13.6	1323.2	895.2				
202	11.4	478.4	306.4	267	13.8	1337.0	905.0				
203	11.7	490.1	314.1	268	14.0	1350.9	914.9				
204	12.1	502.2	322.2	269	14.1	1365.0	925.0				
205	12.1	514.3	330.3	270	14.0	1378.9	934.9				
206	12.1	526.4	338.4	271	13.8	1392.8	944.8				
207	12.3	538.7	346.7	272	13.5	1406.3	954.3				
208	12.1	550.8	354.8	273	13.0	1419.3	963.3				
209	11.9	562.8	362.8	274	12.9	1432.1	972.1				
210	11.7	574.4	370.4	275	12.6	1444.7	980.7				
211	11.5	585.9	377.9	276	12.6	1457.3	989.3				
212	11.5	597.4	385.4	277	12.4	1469.8	997.8				
213	11.6	609.0	393.0	278	12.3	1482.0	1006.0				
214	11.7	620.7	400.7	279	11.7	1493.7	1013.7				
215	11.8	632.5	408.5	280	11.2	1504.9	1020.9				
216	11.8	644.3	416.3	281	11.3	1516.2	1028.2				
217	11.8	656.1	424.1	282	11.5	1527.7	1035.7				
218	12.0	668.1	432.1	283	11.6	1539.3	1043.3				
219	12.2	680.2	440.2	284	11.8	1551.1	1051.1				
220	12.3	692.5	448.5	285	12.1	1563.2	1059.2				
221	12.2	704.7	456.7	286	12.0	1575.2	1067.2				
222	12.4	717.1	465.1	287	12.1	1587.2	1075.2				
223	12.5	729.5	473.5	288	11.9	1599.2	1083.2				
224	12.5	742.1	482.1	289	11.8	1611.0	1091.0				

STN 424 DEPTH 16M





DUCK ISLAND NS
43.40N 65.76W 1500Z 08/06/84 - 1500Z 01/11/84
INST. 62921

PUBNICO HARBOUR NS (DFO HFX)

STA. 4X0 403

STN 403 DEPTH 5M





PUBNICO HARBOUR NS (DFO HFX)
43.58N 65.80W 0830Z 21/06/89 - 0430Z 20/10/89
INST. 61523

PUBNICO NS

STA. 429 4XO

STN 429 DEPTH 9M






PUBNICO NS
43.58N 65.80W 0930Z 13/06/90 – 0800Z 28/06/90
INST. 63318

WOODS HARBOUR NS (DFO HFX)

STA. 4X0 404

WATER DEPTH 4.0M.		INST DEPTH 1.0M.		LATITUDE 43.55		LONGITUDE 65.74		FROM 10/ 8/ 89		TO 18/12/ 89	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
222	14.5	14.5	10.5	287	11.8	877.9	613.9	352	-1.2	1281.3	819.0
223	14.1	28.6	20.6	288	11.5	889.4	621.4				
224	14.2	42.9	30.9	289	11.3	900.7	628.7				
225	14.4	57.2	41.2	290	11.1	911.8	635.8				
226	14.3	71.5	51.5	291	10.3	922.1	642.1				
227	13.8	85.4	61.4	292	9.4	931.5	647.5				
228	13.4	98.7	70.7	293	8.5	940.0	652.0				
229	13.7	112.5	80.5	294	9.1	949.1	657.1				
230	13.7	126.1	90.1	295	9.3	958.4	662.4				
231	13.6	139.7	99.7	296	8.9	967.3	667.3				
232	13.1	152.9	108.9	297	8.8	976.1	672.1				
233	13.1	166.0	118.0	298	8.8	984.9	676.9				
234	13.2	179.1	127.1	299	9.1	994.0	682.0				
235	13.2	192.4	136.4	300	9.1	1003.0	687.0				
236	13.6	205.9	145.9	301	9.5	1012.5	692.5				
237	13.4	219.4	155.4	302	9.6	1022.0	698.0				
238	13.3	232.6	164.6	303	10.0	1032.1	704.1				
239	13.5	246.2	174.2	304	10.2	1042.3	710.3				
240	14.0	260.1	184.1	305	10.6	1052.9	716.9				
241	13.8	274.0	194.0	306	10.6	1063.5	723.5				
242	13.9	287.8	203.8	307	10.3	1073.8	729.8				
243	13.7	301.5	213.5	308	9.5	1083.3	735.3				
244	13.7	315.3	223.3	309	8.8	1092.2	740.2				
245	14.2	329.5	233.5	310	8.5	1100.7	744.7				
246	14.0	343.5	243.5	311	9.1	1109.8	749.8				
247	13.5	356.9	252.9	312	9.1	1118.9	754.9				
248	13.0	369.9	261.9	313	9.4	1128.3	760.3				
249	12.7	382.6	270.6	314	10.3	1138.7	766.7				
250	12.7	395.3	279.3	315	10.4	1149.0	773.0				
251	12.6	407.9	287.9	316	9.6	1158.6	778.6				
252	12.4	420.3	296.3	317	7.7	1166.3	782.3				
253	12.1	432.5	304.5	318	7.6	1173.9	785.9				
254	12.5	445.0	313.0	319	8.3	1182.3	790.3				
255	12.8	457.8	321.8	320	9.4	1191.7	795.7				
256	13.1	470.8	330.8	321	9.8	1201.4	801.4				
257	13.1	483.9	339.9	322	8.8	1210.2	806.2				
258	13.2	497.1	349.1	323	7.8	1218.1	810.1				
259	13.4	510.5	358.5	324	7.0	1225.0	813.0				
260	13.9	524.4	368.4	325	6.8	1231.9	815.9				
261	14.2	538.6	378.6	326	4.8	1236.7	816.7				
262	14.5	553.1	389.1	327	4.5	1241.1	817.1				
263	14.7	567.7	399.7	328	3.7	1244.9	817.1				
264	15.2	582.9	410.9	329	3.5	1248.3	817.1				
265	15.8	598.8	422.8	330	4.1	1252.5	817.3				
266	16.2	614.9	434.9	331	4.6	1257.0	817.8				
267	16.4	631.4	447.4	332	4.5	1261.5	818.3				
268	15.3	646.7	458.7	333	4.7	1266.2	819.0				
269	15.1	661.7	469.7	334	3.5	1269.7	819.0				
270	13.9	675.6	479.6	335	3.1	1272.8	819.0				
271	12.7	688.4	488.4	336	2.1	1274.9	819.0				
272	12.8	701.2	497.2	337	2.4	1277.3	819.0				
273	13.1	714.3	506.3	338	1.9	1279.2	819.0				
274	13.1	727.4	515.4	339	.3	1279.5	819.0				
275	13.2	740.6	524.6	340	.5	1280.0	819.0				
276	13.3	753.9	533.9	341	1.2	1281.2	819.0				
277	12.7	766.6	542.6	342	.1	1281.3	819.0				
278	11.1	777.8	549.8	343	-.4	1281.3	819.0				
279	10.6	788.4	556.4	344	-.6	1281.3	819.0				
280	10.9	799.3	563.3	345	.0	1281.3	819.0				
281	11.0	810.3	570.3	346	-.3	1281.3	819.0				
282	11.1	821.4	577.4	347	-.7	1281.3	819.0				
283	11.1	832.5	584.5	348	-1.0	1281.3	819.0				
284	11.1	843.5	591.5	349	-1.6	1281.3	819.0				
285	11.0	854.5	598.5	350	-1.6	1281.3	819.0				
286	11.6	866.1	606.1	351	-1.5	1281.3	819.0				

STN 404 DEPTH 1M





WOODS HARBOUR NS (DFO HFX)
43.55N 65.74W 1300Z 10/08/89 - 0500Z 18/12/89
INST. 60860

ARGYLE S NS

STA. 4XQ 452

STN 452 DEPTH 7M





ARGYLE S NS
43.75N 65.88W 1200Z 20/08/82 - 1200Z 15/11/82
INST. 60910

ARGYLE S NS

STA. 4XQ 453

STN 453 DEPTH 7M





ARGYLE S NS
43.75N 65.88W 1517Z 16/11/82 - 1517Z 22/01/83
INST. 60910

BOARD ISLANDS NS

STA. 4XQ 443

STN 443 DEPTH 12M





BOARD ISLANDS NS
43.73N 65.86W 2300Z 13/06/90 - 1100Z 10/09/90
INST. 63294

BOARD ISLANDS NS

STA. 4XQ 444

STN 444 DEPTH 11M





BOARD ISLANDS NS
43.73N 65.86W 2100Z 10/09/90 - 0900Z 22/11/90
INST. 60860

LOBSTER BAY NS (DFO HFX)

STA. 4XQ 401

WATER DEPTH 20.0M.	INST DEPTH 20.0M.	LATITUDE 43.60	LONGITUDE 65.83	FROM 25/ 4/ 90			TO 13/ 6/ 90		
				DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP
115	3.6	3.6	.0						
116	3.8	7.4	.0						
117	3.9	11.3	.0						
118	4.1	15.4	.1						
119	4.3	19.7	.4						
120	4.4	24.1	.8						
121	4.5	28.5	1.2						
122	4.6	33.2	1.9						
123	4.6	37.8	2.5						
124	4.8	42.5	3.2						
125	4.8	47.3	4.0						
126	5.0	52.3	5.0						
127	4.9	57.2	5.9						
128	4.8	62.0	6.7						
129	4.7	66.7	7.4						
130	5.0	71.7	8.4						
131	5.4	77.1	9.8						
132	5.6	82.7	11.4						
133	5.8	88.5	13.2						
134	5.9	94.4	15.1						
135	6.0	100.4	17.1						
136	6.2	106.6	19.3						
137	6.4	113.0	21.7						
138	6.6	119.7	24.4						
139	6.5	126.2	26.9						
140	6.2	132.4	29.0						
141	5.8	138.2	30.9						
142	6.0	144.2	32.9						
143	5.9	150.1	34.8						
144	5.7	155.7	36.4						
145	5.8	161.5	38.2						
146	6.1	167.7	40.4						
147	6.6	174.3	43.0						
148	7.3	181.6	46.3						
149	7.5	189.1	49.7						
150	7.7	196.8	53.5						
151	7.7	204.5	57.2						
152	7.7	212.2	60.9						
153	8.3	220.5	65.2						
154	8.6	229.2	69.9						
155	9.0	238.2	74.9						
156	9.2	247.4	80.1						
157	9.3	256.7	85.4						
158	9.4	266.1	90.8						
159	9.4	275.5	96.2						
160	9.3	284.8	101.5						
161	9.3	294.1	106.8						
162	9.2	303.3	111.9						
163	9.0	312.3	117.0						
164	8.9	321.1	121.8						

STN 401 DEPTH 20M





LOBSTER BAY NS (DFO HFX)
43.60N 65.83W 1200Z 25/04/90 – 1200Z 13/06/90
INST. 62592

LOBSTER BAY NS (DFO HFX)

STA. 4XQ 402

STN 402 DEPTH 20M





LOBSTER BAY NS (DFO HFX)
43.60N 65.83W 1300Z 11/12/89 - 1700Z 28/03/90
INST. 63281

PUBNICO PT NS

STA. 4XQ 447

STN 447 DEPTH 20M






PUBNICO PT NS
43.60N 65.83W 2300Z 10/09/90 – 1100Z 01/12/90
INST. 63294

SANDFORD NS

STA. 4XQ 425

WATER DEPTH 30.0M.		INST DEPTH 28.0M.		LATITUDE 43.93		LONGITUDE 66.18		FROM 2/10/ 89		TO 16/ 2/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
275	11.8	11.8	7.8	340	3.6	594.1	330.5	40	-.3	623.4	330.5
276	11.7	23.5	15.5	341	3.6	597.7	330.5	41	-.3	623.4	330.5
277	11.4	35.0	23.0	342	2.9	600.6	330.5	42	-.2	623.4	330.5
278	11.2	46.2	30.2	343	2.6	603.3	330.5	43	-.2	623.4	330.5
279	11.0	57.2	37.2	344	2.7	605.9	330.5	44	-.1	623.4	330.5
280	10.8	68.0	44.0	345	2.7	608.6	330.5	45	-.1	623.4	330.5
281	10.7	78.8	50.8	346	2.4	610.9	330.5	46	.0	623.4	330.5
282	10.7	89.4	57.4	347	2.0	613.0	330.5	47	.1	623.5	330.5
283	10.6	100.0	64.0	348	2.0	614.9	330.5				
284	10.5	110.6	70.6	349	1.8	616.8	330.5				
285	10.5	121.1	77.1	350	1.7	618.5	330.5				
286	10.6	131.7	83.7	351	1.1	619.6	330.5				
287	10.6	142.2	90.2	352	1.0	620.6	330.5				
288	10.6	152.8	96.8	353	.7	621.3	330.5				
289	10.6	163.4	103.4	354	.9	622.2	330.5				
290	10.5	173.9	109.9	355	.9	623.1	330.5				
291	10.5	184.4	116.4	356	.4	623.4	330.5				
292	10.4	194.8	122.8	357	-.2	623.4	330.5				
293	10.4	205.3	129.3	358	-.2	623.4	330.5				
294	10.5	215.8	135.8	359	-.2	623.4	330.5				
295	10.5	226.3	142.3	360	-.1	623.4	330.5				
296	10.5	236.8	148.8	361	-.1	623.4	330.5				
297	10.6	247.4	155.4	362	-.2	623.4	330.5				
298	10.6	258.0	162.0	363	-.4	623.4	330.5				
299	10.3	268.3	168.3	364	-.5	623.4	330.5				
300	10.2	278.5	174.5	365	-.5	623.4	330.5				
301	10.1	288.6	180.6	1	-.5	623.4	330.5				
302	9.9	298.5	186.5	2	-.3	623.4	330.5				
303	9.8	308.3	192.3	3	-.2	623.4	330.5				
304	9.6	318.0	198.0	4	-.5	623.4	330.5				
305	9.5	327.5	203.5	5	-.6	623.4	330.5				
306	9.5	337.0	209.0	6	-.8	623.4	330.5				
307	9.5	346.5	214.5	7	-.8	623.4	330.5				
308	9.6	356.0	220.0	8	-.8	623.4	330.5				
309	9.5	365.5	225.5	9	-.8	623.4	330.5				
310	9.2	374.7	230.7	10	-.8	623.4	330.5				
311	8.9	383.7	235.7	11	-.8	623.4	330.5				
312	8.9	392.6	240.6	12	-.8	623.4	330.5				
313	9.0	401.5	245.5	13	-.7	623.4	330.5				
314	9.0	410.5	250.5	14	-.7	623.4	330.5				
315	9.0	419.5	255.5	15	-.7	623.4	330.5				
316	9.0	428.5	260.5	16	-.6	623.4	330.5				
317	8.9	437.3	265.3	17	-.6	623.4	330.5				
318	8.8	446.1	270.1	18	-.5	623.4	330.5				
319	8.7	454.8	274.8	19	-.5	623.4	330.5				
320	8.8	463.6	279.6	20	-.4	623.4	330.5				
321	8.9	472.5	284.5	21	-.3	623.4	330.5				
322	8.9	481.3	289.3	22	-.3	623.4	330.5				
323	8.6	489.9	293.9	23	-.2	623.4	330.5				
324	8.3	498.2	298.2	24	-.2	623.4	330.5				
325	8.0	506.2	302.2	25	-.1	623.4	330.5				
326	7.5	513.7	305.7	26	-.1	623.4	330.5				
327	7.0	520.7	308.7	27	-.4	623.4	330.5				
328	6.8	527.5	311.5	28	-.4	623.4	330.5				
329	6.8	534.3	314.3	29	-.5	623.4	330.5				
330	6.8	541.1	317.1	30	-.5	623.4	330.5				
331	6.8	547.9	319.9	31	-.6	623.4	330.5				
332	6.7	554.6	322.6	32	-.6	623.4	330.5				
333	6.5	561.1	325.1	33	-.5	623.4	330.5				
334	5.8	566.9	326.9	34	-.5	623.4	330.5				
335	5.5	572.4	328.4	35	-.5	623.4	330.5				
336	4.8	577.2	329.2	36	-.5	623.4	330.5				
337	4.5	581.7	329.7	37	-.5	623.4	330.5				
338	4.5	586.2	330.2	38	-.4	623.4	330.5				
339	4.3	590.5	330.5	39	-.4	623.4	330.5				

STN 425 DEPTH 28M





SANDFORD NS
43.93N 66.18W 2000Z 02/10/89 - 0400Z 16/02/90
INST. 63325

ANNAPOLIS BASIN NS

STA. 4XR 454

WATER DEPTH 11.0M.	INST DEPTH 3.0M.	LATITUDE 44.65	LONGITUDE 65.74	FROM 31/ 1/ 90			TO 1/ 3/ 90		
				DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP
31	2.7	2.7	.0						
32	2.6	5.2	.0						
33	2.8	8.0	.0						
34	2.3	10.3	.0						
35	1.9	12.2	.0						
36	1.7	13.8	.0						
37	1.9	15.7	.0						
38	2.0	17.7	.0						
39	2.2	19.9	.0						
40	2.5	22.4	.0						
41	2.8	25.2	.0						
42	2.9	28.2	.0						
43	2.6	30.8	.0						
44	2.4	33.2	.0						
45	2.6	35.8	.0						
46	2.3	38.1	.0						
47	2.1	40.2	.0						
48	2.2	42.4	.0						
49	2.0	44.4	.0						
50	1.9	46.3	.0						
51	1.7	48.0	.0						
52	1.1	49.1	.0						
53	1.2	50.3	.0						
54	2.0	52.2	.0						
55	1.9	54.2	.0						
56	1.5	55.6	.0						
57	1.5	57.2	.0						
58	1.5	58.7	.0						
59	1.8	60.5	.0						
60	1.1	61.6	.0						

STN 454 DEPTH 3M






ANNEAPOLIS BASIN NS
44.65N 65.74W 2000Z 31/01/90 - 0400Z 01/03/90
INST. 4396

DELAPS COVE NS

STA. 4XR 449

WATER DEPTH 50.0M.		INST DEPTH 45.0M.		LATITUDE 44.78		LONGITUDE 65.63		FROM 1/ 5/ 90		TO 27/10/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
121	6.0	6.0	2.0	186	10.4	531.6	267.6	251	13.5	1335.3	811.3
122	5.8	11.8	3.8	187	10.4	541.9	273.9	252	13.5	1348.8	820.8
123	5.7	17.4	5.4	188	10.7	552.6	280.6	253	13.5	1362.3	830.3
124	5.6	23.1	7.1	189	10.7	563.3	287.3	254	13.3	1375.6	839.6
125	5.6	28.7	8.7	190	10.8	574.1	294.1	255	13.2	1388.9	848.9
126	5.6	34.3	10.3	191	10.8	585.0	301.0	256	13.2	1402.1	858.1
127	5.7	40.0	12.0	192	11.0	596.0	308.0	257	13.2	1415.3	867.3
128	5.8	45.8	13.8	193	11.1	607.1	315.1	258	13.2	1428.5	876.5
129	6.0	51.8	15.8	194	11.3	618.3	322.3	259	13.3	1441.8	885.8
130	6.1	57.9	17.9	195	11.3	629.7	329.7	260	13.3	1455.2	895.2
131	6.2	64.2	20.2	196	11.4	641.1	337.1	261	13.1	1468.3	904.3
132	6.4	70.5	22.5	197	11.7	652.7	344.7	262	13.0	1481.3	913.3
133	6.5	77.0	25.0	198	11.7	664.5	352.5	263	13.0	1494.3	922.3
134	6.6	83.6	27.6	199	11.8	676.3	360.3	264	12.9	1507.2	931.2
135	6.7	90.3	30.3	200	12.1	688.4	368.4	265	12.8	1520.0	940.0
136	6.8	97.2	33.2	201	12.2	700.6	376.6	266	12.9	1533.0	949.0
137	7.0	104.1	36.1	202	11.7	712.3	384.3	267	12.9	1545.9	957.9
138	7.0	111.2	39.2	203	11.9	724.2	392.2	268	13.0	1558.9	966.9
139	7.0	118.2	42.2	204	11.6	735.8	399.8	269	13.1	1571.9	975.9
140	7.5	125.7	45.7	205	11.7	747.6	407.6	270	13.1	1585.1	985.1
141	7.4	133.1	49.1	206	11.7	759.3	415.3	271	13.3	1598.3	994.3
142	7.4	140.5	52.5	207	11.7	770.9	422.9	272	13.3	1611.6	1003.6
143	7.5	148.0	56.0	208	11.7	782.7	430.7	273	13.4	1625.0	1013.0
144	7.6	155.6	59.6	209	11.9	794.5	438.5	274	13.4	1638.4	1022.4
145	7.6	163.2	63.2	210	11.9	806.4	446.4	275	13.3	1651.7	1031.7
146	8.0	171.2	67.2	211	12.0	818.4	454.4	276	13.3	1665.0	1041.0
147	7.5	178.7	70.7	212	12.0	830.4	462.4	277	13.5	1678.5	1050.5
148	7.5	186.1	74.1	213	11.9	842.3	470.3	278	13.2	1691.7	1059.7
149	7.4	193.6	77.6	214	11.9	854.2	478.2	279	13.0	1704.7	1068.7
150	7.5	201.0	81.0	215	11.9	866.1	486.1	280	13.2	1717.9	1077.9
151	7.5	208.5	84.5	216	12.1	878.3	494.3	281	13.2	1731.1	1087.1
152	7.4	215.8	87.8	217	12.5	890.7	502.7	282	13.3	1744.3	1096.3
153	7.6	223.5	91.5	218	12.3	903.0	511.0	283	13.2	1757.6	1105.6
154	7.7	231.2	95.2	219	12.3	915.4	519.4	284	13.1	1770.7	1114.7
155	8.1	239.3	99.3	220	12.6	927.9	527.9	285	13.2	1783.9	1123.9
156	8.2	247.6	103.6	221	12.6	940.6	536.6	286	13.3	1797.2	1133.2
157	8.5	256.1	108.1	222	12.6	953.2	545.2	287	13.4	1810.6	1142.6
158	8.4	264.5	112.5	223	12.8	965.9	553.9	288	13.3	1824.0	1152.0
159	8.6	273.1	117.1	224	12.8	978.8	562.8	289	13.1	1837.1	1161.1
160	8.8	281.9	121.9	225	13.0	991.8	571.8	290	13.0	1850.1	1170.1
161	8.8	290.7	126.7	226	13.3	1005.2	581.2	291	13.2	1863.2	1179.2
162	8.7	299.4	131.4	227	13.4	1018.5	590.5	292	13.2	1876.4	1188.4
163	8.7	308.1	136.1	228	13.1	1031.7	599.7	293	13.0	1889.4	1197.4
164	8.7	316.7	140.7	229	13.0	1044.7	608.7	294	12.9	1902.4	1206.4
165	8.7	325.5	145.5	230	13.0	1057.7	617.7	295	13.0	1915.3	1215.3
166	8.9	334.3	150.3	231	13.1	1070.8	626.8	296	13.0	1928.3	1224.3
167	9.1	343.4	155.4	232	13.0	1083.8	635.8	297	13.0	1941.3	1233.3
168	9.1	352.5	160.5	233	13.1	1096.9	644.9	298	13.0	1954.4	1242.4
169	9.5	362.1	166.1	234	13.1	1109.9	653.9	299	12.7	1967.1	1251.1
170	9.6	371.7	171.7	235	13.0	1122.9	662.9	300	12.4	1979.5	1259.5
171	9.8	381.6	177.6	236	12.9	1135.8	671.8				
172	10.1	391.7	183.7	237	13.1	1148.8	680.8				
173	10.2	401.9	189.9	238	13.1	1161.9	689.9				
174	9.9	411.7	195.7	239	13.1	1175.0	699.0				
175	9.7	421.5	201.5	240	13.1	1188.1	708.1				
176	9.6	431.0	207.0	241	13.0	1201.1	717.1				
177	9.6	440.6	212.6	242	13.1	1214.2	726.2				
178	9.7	450.3	218.3	243	13.3	1227.6	735.6				
179	9.9	460.2	224.2	244	13.4	1241.0	745.0				
180	10.0	470.2	230.2	245	13.4	1254.4	754.4				
181	10.0	480.2	236.2	246	13.6	1268.0	764.0				
182	10.3	490.4	242.4	247	13.6	1281.6	773.6				
183	10.1	500.5	248.5	248	13.5	1295.1	783.1				
184	10.3	510.8	254.8	249	13.4	1308.5	792.5				
185	10.3	521.1	261.1	250	13.3	1321.8	801.8				

STN 449 DEPTH 45M





DELAPS COVE NS
44.78N 65.63W 1200Z 01/05/90 - 1600Z 27/10/90
INST. 63370

BRANDY COVE NB

STA. 4XS 405

STN 405 DEPTH 10M






BRANDY COVE NB
45.08N 67.09W 1924Z 27/11/89 - 2324Z 24/02/90
INST. 63314

BRANDY COVE NB

STA. 4XS 406

WATER DEPTH 12.0M.				INST DEPTH 4.0M.			LATITUDE 45.08		LONGITUDE 67.09		FROM 27/11/ 89		TO 3/ 5/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)			
331	5.5	5.5	1.5	31	.3	91.7	5.8	96	1.3	118.8	5.8			
332	5.6	11.2	3.2	32	.7	92.4	5.8	97	1.4	120.2	5.8			
333	5.3	16.4	4.4	33	.7	93.1	5.8	98	1.5	121.6	5.8			
334	4.8	21.2	5.2	34	.3	93.4	5.8	99	1.6	123.2	5.8			
335	4.6	25.8	5.8	35	.4	93.9	5.8	100	1.7	124.9	5.8			
336	3.9	29.7	5.8	36	.1	94.0	5.8	101	1.7	126.6	5.8			
337	4.0	33.7	5.8	37	.3	94.3	5.8	102	1.7	128.3	5.8			
338	3.4	37.0	5.8	38	.1	94.4	5.8	103	1.7	130.0	5.8			
339	3.1	40.1	5.8	39	-.1	94.4	5.8	104	1.7	131.7	5.8			
340	3.1	43.2	5.8	40	-.1	94.4	5.8	105	1.9	133.6	5.8			
341	3.3	46.5	5.8	41	.0	94.4	5.8	106	2.2	135.9	5.8			
342	2.8	49.3	5.8	42	.1	94.5	5.8	107	2.4	138.3	5.8			
343	2.4	51.7	5.8	43	.3	94.8	5.8	108	2.6	140.8	5.8			
344	2.3	54.0	5.8	44	.2	95.0	5.8	109	2.4	143.3	5.8			
345	2.3	56.3	5.8	45	.2	95.2	5.8	110	2.6	145.8	5.8			
346	2.1	58.4	5.8	46	.2	95.4	5.8	111	2.7	148.5	5.8			
347	2.1	60.5	5.8	47	.1	95.6	5.8	112	2.7	151.2	5.8			
348	2.0	62.6	5.8	48	.1	95.6	5.8	113	3.0	154.2	5.8			
349	2.0	64.6	5.8	49	.0	95.6	5.8	114	3.3	157.5	5.8			
350	2.0	66.6	5.8	50	.3	95.9	5.8	115	3.5	161.0	5.8			
351	1.8	68.4	5.8	51	.0	95.9	5.8	116	3.6	164.6	5.8			
352	1.6	70.0	5.8	52	-.2	95.9	5.8	117	3.8	168.4	5.8			
353	1.7	71.6	5.8	53	.0	95.9	5.8	118	4.2	172.6	6.0			
354	1.9	73.5	5.8	54	.1	96.1	5.8	119	4.4	177.0	6.3			
355	1.7	75.2	5.8	55	.0	96.1	5.8	120	4.3	181.3	6.6			
356	1.2	76.5	5.8	56	-.1	96.1	5.8	121	4.4	185.7	7.0			
357	.8	77.3	5.8	57	-.4	96.1	5.8	122	4.5	190.1	7.5			
358	.6	77.8	5.8	58	-.5	96.1	5.8	123	4.7	194.8	8.1			
359	.6	78.4	5.8	59	-.2	96.1	5.8							
360	.6	79.0	5.8	60	-.3	96.1	5.8							
361	.6	79.6	5.8	61	-.4	96.1	5.8							
362	.5	80.0	5.8	62	-.3	96.1	5.8							
363	.2	80.2	5.8	63	-.4	96.1	5.8							
364	-.1	80.2	5.8	64	-.4	96.1	5.8							
365	-.1	80.2	5.8	65	-.5	96.1	5.8							
1	.1	80.3	5.8	66	-.5	96.1	5.8							
2	.1	80.4	5.8	67	-.6	96.1	5.8							
3	.1	80.5	5.8	68	-.5	96.1	5.8							
4	.3	80.8	5.8	69	-.3	96.1	5.8							
5	.4	81.3	5.8	70	-.2	96.3	5.8							
6	.4	81.7	5.8	71	-.2	96.5	5.8							
7	.4	82.1	5.8	72	-.4	96.8	5.8							
8	.6	82.7	5.8	73	-.4	97.3	5.8							
9	.6	83.3	5.8	74	-.4	97.7	5.8							
10	.5	83.8	5.8	75	.5	98.1	5.8							
11	.5	84.3	5.8	76	.6	98.8	5.8							
12	.7	84.9	5.8	77	.7	99.5	5.8							
13	.9	85.8	5.8	78	.8	100.3	5.8							
14	.7	86.5	5.8	79	.9	101.3	5.8							
15	.3	86.8	5.8	80	1.1	102.3	5.8							
16	.3	87.1	5.8	81	1.1	103.5	5.8							
17	.4	87.5	5.8	82	1.5	105.0	5.8							
18	.5	87.9	5.8	83	1.6	106.6	5.8							
19	.4	88.3	5.8	84	1.4	108.0	5.8							
20	.1	88.5	5.8	85	1.2	109.2	5.8							
21	.3	88.7	5.8	86	.8	110.0	5.8							
22	.1	88.9	5.8	87	.6	110.7	5.8							
23	.0	88.9	5.8	88	.5	111.2	5.8							
24	.0	88.9	5.8	89	.6	111.8	5.8							
25	.1	89.0	5.8	90	.7	112.4	5.8							
26	.2	89.2	5.8	91	.7	113.1	5.8							
27	.4	89.6	5.8	92	.8	113.9	5.8							
28	.6	90.2	5.8	93	.9	114.8	5.8							
29	.6	90.8	5.8	94	1.1	115.9	5.8							
30	.6	91.4	5.8	95	1.5	117.4	5.8							

STN 406 DEPTH 4M





BRANDY COVE NB
45.08N 67.09W 2000Z 27/11/89 - 1200Z 03/05/90
INST. 64137

BRANDY COVE NB

STA. 4XS 440

STN 440 DEPTH 4M






BRANDY COVE NB
45.08N 67.09W 0000Z 04/05/90 – 2000Z 07/08/90
INST. 62468

DEADMAN HARBOUR NB

STA. 4XS 407

WATER DEPTH 14.0M.		INST DEPTH 14.0M.		LATITUDE 45.04		LONGITUDE 66.78		FROM 27/11/ 89		TO 2/ 5/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
331	6.0	6.0	2.0	31	1.5	157.0	7.6	96	.4	188.9	7.6
332	5.7	11.7	3.7	32	1.7	158.7	7.6	97	.4	189.4	7.6
333	5.3	17.0	5.0	33	1.3	160.0	7.6	98	.5	189.9	7.6
334	4.9	21.9	5.9	34	.9	161.0	7.6	99	.7	190.6	7.6
335	4.6	26.5	6.5	35	.5	161.5	7.6	100	.8	191.4	7.6
336	4.6	31.1	7.1	36	.4	161.9	7.6	101	.9	192.2	7.6
337	4.3	35.4	7.4	37	.3	162.2	7.6	102	.9	193.1	7.6
338	4.1	39.6	7.6	38	.2	162.4	7.6	103	1.0	194.1	7.6
339	3.9	43.4	7.6	39	.3	162.7	7.6	104	1.1	195.2	7.6
340	4.0	47.5	7.6	40	.5	163.2	7.6	105	1.3	196.5	7.6
341	3.9	51.4	7.6	41	.7	163.9	7.6	106	1.4	197.9	7.6
342	3.5	54.9	7.6	42	.7	164.7	7.6	107	1.8	199.7	7.6
343	3.2	58.0	7.6	43	.8	165.5	7.6	108	1.8	201.5	7.6
344	3.0	61.1	7.6	44	.8	166.3	7.6	109	1.8	203.3	7.6
345	2.6	63.7	7.6	45	.6	167.0	7.6	110	1.8	205.1	7.6
346	2.8	66.5	7.6	46	.4	167.4	7.6	111	1.7	206.9	7.6
347	2.9	69.5	7.6	47	.1	167.5	7.6	112	1.8	208.7	7.6
348	2.9	72.4	7.6	48	.2	167.7	7.6	113	2.2	211.0	7.6
349	2.7	75.1	7.6	49	.0	167.7	7.6	114	2.3	213.2	7.6
350	2.7	77.8	7.6	50	.2	167.9	7.6	115	2.5	215.7	7.6
351	2.6	80.5	7.6	51	.7	168.6	7.6	116	2.3	218.0	7.6
352	2.4	82.8	7.6	52	.7	169.3	7.6	117	2.3	220.3	7.6
353	2.4	85.2	7.6	53	.6	170.0	7.6	118	2.2	222.5	7.6
354	2.5	87.8	7.6	54	.7	170.7	7.6	119	2.6	225.0	7.6
355	2.6	90.3	7.6	55	.8	171.5	7.6	120	2.8	227.9	7.6
356	2.1	92.4	7.6	56	.5	172.0	7.6	121	2.8	230.7	7.6
357	1.5	93.9	7.6	57	.1	172.1	7.6	122	2.8	233.5	7.6
358	1.2	95.1	7.6	58	-.4	172.1	7.6				
359	1.3	96.4	7.6	59	.1	172.2	7.6				
360	1.4	97.8	7.6	60	.4	172.6	7.6				
361	1.4	99.3	7.6	61	.4	172.9	7.6				
362	1.4	100.6	7.6	62	.3	173.3	7.6				
363	1.2	101.9	7.6	63	.3	173.6	7.6				
364	1.1	102.9	7.6	64	.1	173.7	7.6				
365	1.2	104.2	7.6	65	-.2	173.7	7.6				
1	1.4	105.6	7.6	66	-.2	173.7	7.6				
2	1.5	107.0	7.6	67	-.6	173.7	7.6				
3	1.3	108.3	7.6	68	-.3	173.7	7.6				
4	1.4	109.7	7.6	69	.0	173.7	7.6				
5	1.4	111.2	7.6	70	.2	173.8	7.6				
6	1.5	112.7	7.6	71	.3	174.1	7.6				
7	1.5	114.2	7.6	72	.4	174.5	7.6				
8	1.5	115.7	7.6	73	.5	175.0	7.6				
9	1.6	117.2	7.6	74	.5	175.5	7.6				
10	1.7	119.0	7.6	75	.5	176.0	7.6				
11	2.1	121.1	7.6	76	.6	176.6	7.6				
12	2.7	123.8	7.6	77	.7	177.3	7.6				
13	2.8	126.6	7.6	78	.7	178.0	7.6				
14	2.4	129.0	7.6	79	.7	178.7	7.6				
15	1.4	130.4	7.6	80	.8	179.5	7.6				
16	1.3	131.7	7.6	81	.8	180.3	7.6				
17	1.7	133.4	7.6	82	.9	181.2	7.6				
18	2.0	135.4	7.6	83	1.0	182.3	7.6				
19	2.0	137.4	7.6	84	1.0	183.3	7.6				
20	1.9	139.3	7.6	85	.9	184.2	7.6				
21	1.6	141.0	7.6	86	.8	185.0	7.6				
22	1.2	142.2	7.6	87	.7	185.7	7.6				
23	1.1	143.3	7.6	88	.6	186.3	7.6				
24	1.3	144.6	7.6	89	.5	186.9	7.6				
25	1.5	146.2	7.6	90	.4	187.3	7.6				
26	1.7	147.9	7.6	91	.3	187.6	7.6				
27	1.9	149.7	7.6	92	.2	187.8	7.6				
28	2.0	151.7	7.6	93	.1	187.9	7.6				
29	2.0	153.7	7.6	94	.2	188.2	7.6				
30	1.8	155.5	7.6	95	.4	188.6	7.6				

STN 407 DEPTH 14M






DEADMAN HARBOUR NB
45.04N 66.78W 1700Z 27/11/89 - 0900Z 02/05/90
INST. 60908

DEADMAN HARBOUR NB

STA. 4XS 408

WATER DEPTH 14.0M.	INST DEPTH 14.0M.	LATITUDE		LONGITUDE		FROM		TO			
		45.04	66.78			27/11/ 89		3/ 5/ 90			
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
331	5.7	5.7	1.7	31	1.6	148.7	7.3	96	.3	169.2	7.3
332	5.6	11.2	3.2	32	1.4	150.1	7.3	97	.4	169.6	7.3
333	5.4	16.6	4.6	33	1.2	151.3	7.3	98	.6	170.2	7.3
334	5.0	21.7	5.7	34	.8	152.1	7.3	99	.7	170.9	7.3
335	4.6	26.3	6.3	35	-.2	152.3	7.3	100	.7	171.5	7.3
336	4.4	30.7	6.7	36	-.1	152.3	7.3	101	.7	172.2	7.3
337	4.3	34.9	6.9	37	-.1	152.3	7.3	102	.7	172.9	7.3
338	4.4	39.3	7.3	38	-.0	152.3	7.3	103	.7	173.6	7.3
339	3.8	43.1	7.3	39	-.0	152.3	7.3	104	.9	174.5	7.3
340	3.7	46.8	7.3	40	-.1	152.4	7.3	105	1.1	175.7	7.3
341	3.8	50.6	7.3	41	-.4	152.9	7.3	106	1.3	177.0	7.3
342	3.8	54.4	7.3	42	-.5	153.4	7.3	107	1.6	178.6	7.3
343	3.5	57.9	7.3	43	-.7	154.0	7.3	108	1.8	180.4	7.3
344	3.2	61.0	7.3	44	-.8	154.8	7.3	109	1.6	181.9	7.3
345	3.0	64.0	7.3	45	-.7	155.5	7.3	110	1.6	183.5	7.3
346	2.7	66.7	7.3	46	-.5	156.1	7.3	111	1.5	185.0	7.3
347	2.6	69.3	7.3	47	-.3	156.4	7.3	112	1.6	186.6	7.3
348	2.9	72.2	7.3	48	-.2	156.6	7.3	113	1.8	188.4	7.3
349	2.8	75.1	7.3	49	-.3	156.6	7.3	114	2.1	190.6	7.3
350	2.8	77.9	7.3	50	-.1	156.6	7.3	115	2.5	193.1	7.3
351	2.7	80.5	7.3	51	-.4	157.0	7.3	116	2.3	195.4	7.3
352	2.6	83.2	7.3	52	-.8	157.8	7.3	117	2.1	197.5	7.3
353	2.4	85.6	7.3	53	-.5	158.4	7.3	118	2.0	199.5	7.3
354	2.6	88.2	7.3	54	-.6	158.9	7.3	119	2.4	201.9	7.3
355	2.6	90.8	7.3	55	-.7	159.6	7.3	120	2.9	204.8	7.3
356	1.8	92.6	7.3	56	-.5	160.2	7.3	121	2.7	207.6	7.3
357	1.3	93.9	7.3	57	-.0	160.2	7.3	122	2.9	210.4	7.3
358	1.2	95.2	7.3	58	-.5	160.2	7.3	123	2.8	213.2	7.3
359	1.3	96.4	7.3	59	-.4	160.2	7.3				
360	1.4	97.8	7.3	60	-.0	160.2	7.3				
361	1.4	99.2	7.3	61	-.1	160.2	7.3				
362	.8	100.1	7.3	62	-.2	160.2	7.3				
363	.9	100.9	7.3	63	-.1	160.2	7.3				
364	.8	101.7	7.3	64	-.0	160.2	7.3				
365	.8	102.5	7.3	65	-.2	160.2	7.3				
1	1.1	103.6	7.3	66	-.4	160.2	7.3				
2	1.3	104.9	7.3	67	-.4	160.2	7.3				
3	1.1	106.0	7.3	68	-.4	160.2	7.3				
4	1.2	107.2	7.3	69	-.2	160.2	7.3				
5	1.2	108.4	7.3	70	-.1	160.2	7.3				
6	1.3	109.8	7.3	71	-.0	160.2	7.3				
7	1.3	111.1	7.3	72	-.0	160.2	7.3				
8	1.3	112.4	7.3	73	-.1	160.3	7.3				
9	1.5	113.9	7.3	74	-.2	160.4	7.3				
10	1.7	115.6	7.3	75	-.2	160.6	7.3				
11	2.0	117.6	7.3	76	-.2	160.8	7.3				
12	2.4	120.0	7.3	77	-.3	161.1	7.3				
13	2.7	122.7	7.3	78	-.4	161.6	7.3				
14	2.2	124.9	7.3	79	-.5	162.1	7.3				
15	.9	125.9	7.3	80	-.5	162.6	7.3				
16	.9	126.8	7.3	81	-.5	163.1	7.3				
17	1.4	128.2	7.3	82	-.5	163.7	7.3				
18	1.7	129.9	7.3	83	-.7	164.3	7.3				
19	1.9	131.7	7.3	84	-.8	165.1	7.3				
20	1.7	133.5	7.3	85	-.7	165.8	7.3				
21	1.5	135.0	7.3	86	-.5	166.3	7.3				
22	.9	135.9	7.3	87	-.4	166.6	7.3				
23	.8	136.7	7.3	88	-.3	167.0	7.3				
24	.9	137.6	7.3	89	-.3	167.3	7.3				
25	1.3	138.9	7.3	90	-.3	167.6	7.3				
26	1.4	140.3	7.3	91	-.4	168.0	7.3				
27	1.5	141.8	7.3	92	-.4	168.4	7.3				
28	1.7	143.5	7.3	93	-.2	168.5	7.3				
29	1.8	145.4	7.3	94	-.1	168.6	7.3				
30	1.8	147.1	7.3	95	-.3	168.9	7.3				

STN 408 DEPTH 14M





DEADMAN HARBOUR NB
45.04N 66.78W 1900Z 27/11/89 - 1100Z 03/05/90
INST. 62497

DEADMAN HARBOUR NB

STA. 4XS 441

STN 441 DEPTH 4M





DEADMAN HARBOUR NB
45.04N 66.78W 0000Z 04/05/90 – 1600Z 31/08/90
INST. 62910

DEADMAN HARBOUR NB

STA. 4XS 442

WATER DEPTH 14.0M.		INST DEPTH 12.0M.		LATITUDE 45.04		LONGITUDE 66.78			FROM 3/ 5/ 90		TO 12/11/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	
123	3.1	3.1	.0	188	8.1	354.2	97.7	253	11.7	1026.7	510.3	
124	3.2	6.3	.0	189	8.1	362.3	101.8	254	11.9	1038.6	518.1	
125	3.1	9.4	.0	190	8.1	370.4	105.9	255	12.1	1050.8	526.3	
126	3.5	12.9	.0	191	8.3	378.7	110.3	256	12.2	1062.9	534.4	
127	3.4	16.2	.0	192	8.3	387.0	114.6	257	12.1	1075.0	542.6	
128	3.3	19.5	.0	193	8.1	395.2	118.7	258	12.1	1087.1	550.7	
129	3.2	22.7	.0	194	7.9	403.1	122.6	259	12.1	1099.2	558.7	
130	3.3	26.0	.0	195	8.3	411.4	126.9	260	12.0	1111.2	566.7	
131	3.5	29.5	.0	196	8.0	419.4	130.9	261	12.0	1123.2	574.7	
132	3.7	33.1	.0	197	8.1	427.5	135.0	262	12.2	1135.4	582.9	
133	3.7	36.9	.0	198	8.3	435.8	139.3	263	12.1	1147.4	591.0	
134	3.6	40.5	.0	199	8.3	444.1	143.6	264	11.9	1159.3	598.9	
135	4.0	44.5	.0	200	8.4	452.5	148.0	265	11.8	1171.1	606.6	
136	4.4	48.9	.4	201	8.7	461.2	152.7	266	11.8	1182.9	614.4	
137	4.4	53.3	.8	202	8.8	470.0	157.5	267	11.7	1194.6	622.1	
138	4.9	58.2	1.7	203	8.9	478.9	162.4	268	11.6	1206.2	629.7	
139	4.8	63.0	2.5	204	9.0	487.9	167.4	269	11.7	1217.8	637.4	
140	4.5	67.6	3.1	205	9.6	497.5	173.0	270	11.7	1229.6	645.1	
141	4.6	72.1	3.7	206	9.6	507.1	178.7	271	11.7	1241.3	652.8	
142	4.5	76.7	4.2	207	9.5	516.7	184.2	272	11.8	1253.1	660.6	
143	4.4	81.0	4.6	208	9.5	526.2	189.7	273	11.9	1264.9	668.5	
144	4.1	85.2	4.7	209	9.6	535.8	195.3	274	12.0	1276.9	676.4	
145	4.4	89.6	5.1	210	9.9	545.7	201.2	275	12.1	1289.0	684.5	
146	4.6	94.2	5.7	211	10.1	555.7	207.2	276	11.9	1300.9	692.5	
147	4.5	98.7	6.2	212	10.1	565.8	213.3	277	11.8	1312.8	700.3	
148	4.5	103.2	6.7	213	10.7	576.4	220.0	278	11.9	1324.6	708.2	
149	4.3	107.5	7.0	214	10.7	587.2	226.7	279	11.9	1336.6	716.1	
150	4.4	112.0	7.5	215	10.6	597.8	233.3	280	11.9	1348.5	724.0	
151	4.7	116.7	8.2	216	11.0	608.8	240.3	281	11.9	1360.3	731.8	
152	4.6	121.3	8.8	217	10.5	619.3	246.8	282	11.7	1372.1	739.6	
153	4.7	125.9	9.5	218	10.5	629.9	253.4	283	11.7	1383.7	747.3	
154	4.9	130.9	10.4	219	10.6	640.4	260.0	284	11.9	1395.6	755.1	
155	4.8	135.7	11.2	220	10.7	651.1	266.6	285	12.0	1407.7	763.2	
156	5.0	140.7	12.2	221	10.9	662.0	273.5	286	11.9	1419.6	771.1	
157	4.8	145.5	13.0	222	10.6	672.6	280.2	287	11.7	1431.3	778.8	
158	4.9	150.4	13.9	223	10.4	683.1	286.6	288	11.6	1442.9	786.4	
159	5.2	155.6	15.1	224	10.4	693.4	293.0	289	11.5	1454.4	793.9	
160	5.4	160.9	16.5	225	10.3	703.7	299.2	290	11.4	1465.9	801.4	
161	5.7	166.6	18.2	226	10.7	714.4	306.0	291	11.4	1477.3	808.8	
162	6.2	172.8	20.3	227	10.7	725.1	312.6	292	11.4	1488.6	816.1	
163	6.4	179.3	22.8	228	10.9	736.1	319.6	293	10.9	1499.5	823.0	
164	6.6	185.9	25.4	229	11.1	747.2	326.7	294	10.7	1510.1	829.7	
165	6.5	192.4	27.9	230	11.4	758.6	334.1	295	10.7	1520.8	836.4	
166	6.6	199.0	30.5	231	11.1	769.7	341.2	296	10.8	1531.6	843.2	
167	6.6	205.5	33.1	232	11.8	781.5	349.0	297	10.9	1542.5	850.0	
168	6.8	212.3	35.9	233	11.5	792.9	356.4	298	10.9	1553.4	856.9	
169	6.9	219.2	38.7	234	11.4	804.3	363.8	299	10.9	1564.4	863.9	
170	6.3	225.5	41.1	235	11.2	815.6	371.1	300	10.6	1575.0	870.5	
171	6.1	231.6	43.1	236	11.1	826.7	378.2	301	10.4	1585.4	876.9	
172	6.2	237.8	45.3	237	11.1	837.8	385.3	302	10.4	1595.7	883.3	
173	6.5	244.3	47.8	238	11.7	849.5	393.0	303	10.2	1606.0	889.5	
174	6.3	250.6	50.1	239	11.9	861.3	400.9	304	10.2	1616.2	895.7	
175	6.8	257.3	52.8	240	11.9	873.2	408.8	305	10.2	1626.4	901.9	
176	6.8	264.1	55.6	241	11.6	884.8	416.3	306	10.1	1636.5	908.0	
177	6.9	271.0	58.5	242	11.7	896.5	424.0	307	10.1	1646.6	914.1	
178	7.2	278.1	61.6	243	11.9	908.4	431.9	308	10.3	1656.9	920.4	
179	6.8	285.0	64.5	244	11.8	920.2	439.7	309	10.0	1667.0	926.5	
180	6.9	291.9	67.4	245	11.9	932.1	447.6	310	10.0	1676.9	932.4	
181	6.9	298.8	70.4	246	11.7	943.8	455.3	311	9.8	1686.8	938.3	
182	6.9	305.8	73.3	247	12.4	956.2	463.7	312	9.5	1696.3	943.8	
183	7.3	313.1	76.6	248	12.2	968.4	471.9	313	9.6	1705.9	949.4	
184	8.2	321.3	80.8	249	12.0	980.3	479.8	314	9.4	1715.2	954.8	
185	8.6	329.9	85.4	250	11.6	992.0	487.5	315	9.1	1724.3	959.8	
186	8.1	338.0	89.5	251	11.4	1003.4	494.9	316	9.3	1733.6	965.1	
187	8.1	346.1	93.6	252	11.7	1015.1	502.6					

STN 442 DEPTH 12M






DEADMAN HARBOUR NB
45.04N 66.78W 2200Z 03/05/90 - 1400Z 12/11/90
INST. 60916

LETANG HARBOUR NB

STA. 4XS 438

WATER DEPTH 18.0M.				INST DEPTH 13.0M.		LATITUDE 45.06		LONGITUDE 66.83			FROM 19/ 7/ 90		TO 28/11/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)			
200	10.2	10.2	6.2	265	11.9	755.7	491.7	330	7.8	1416.0	892.0			
201	9.9	20.1	12.1	266	11.8	767.5	499.5	331	7.6	1423.6	895.6			
202	9.6	29.7	17.7	267	11.8	779.4	507.4	332	7.8	1431.4	899.4			
203	9.6	39.3	23.3	268	12.0	791.4	515.4							
204	9.6	48.9	28.9	269	12.0	803.4	523.4							
205	9.5	58.4	34.4	270	11.8	815.2	531.2							
206	9.6	68.0	40.0	271	11.8	826.9	538.9							
207	9.5	77.5	45.5	272	11.7	838.6	546.6							
208	9.6	87.1	51.1	273	11.7	850.3	554.3							
209	9.6	96.8	56.8	274	11.7	862.0	562.0							
210	9.8	106.6	62.6	275	11.8	873.9	569.9							
211	10.0	116.6	68.6	276	11.8	885.7	577.7							
212	10.3	126.8	74.8	277	11.5	897.2	585.2							
213	10.6	137.5	81.5	278	11.6	908.8	592.8							
214	10.8	148.3	88.3	279	11.6	920.4	600.4							
215	11.0	159.3	95.3	280	11.6	932.0	608.0							
216	11.2	170.5	102.5	281	11.6	943.6	615.6							
217	11.2	181.7	109.7	282	11.6	955.1	623.1							
218	11.5	193.2	117.2	283	11.6	966.7	630.7							
219	11.7	204.9	124.9	284	11.6	978.4	638.4							
220	11.9	216.8	132.8	285	11.6	990.0	646.0							
221	11.7	228.5	140.5	286	11.7	1001.7	653.7							
222	11.8	240.3	148.3	287	11.7	1013.4	661.4							
223	11.8	252.1	156.1	288	11.7	1025.1	669.1							
224	11.5	263.6	163.6	289	11.6	1036.7	676.7							
225	11.1	274.7	170.7	290	11.4	1048.1	684.1							
226	11.1	285.7	177.7	291	11.6	1059.7	691.7							
227	11.0	296.8	184.8	292	11.8	1071.5	699.5							
228	11.0	307.8	191.8	293	11.1	1082.6	706.6							
229	11.1	318.9	198.9	294	10.6	1093.2	713.2							
230	11.5	330.4	206.4	295	10.5	1103.7	719.7							
231	11.5	341.9	213.9	296	10.5	1114.2	726.2							
232	11.6	353.5	221.5	297	10.5	1124.7	732.7							
233	11.7	365.2	229.2	298	10.4	1135.1	739.1							
234	11.8	377.0	237.0	299	10.4	1145.5	745.5							
235	11.8	388.8	244.8	300	10.2	1155.7	751.7							
236	11.6	400.4	252.4	301	10.0	1165.7	757.7							
237	11.6	412.0	260.0	302	9.7	1175.4	763.4							
238	11.8	423.8	267.8	303	9.7	1185.1	769.1							
239	11.8	435.6	275.6	304	9.7	1194.8	774.8							
240	12.0	447.6	283.6	305	9.5	1204.3	780.3							
241	12.2	459.8	291.8	306	9.2	1213.6	785.6							
242	12.2	471.9	299.9	307	9.4	1223.0	791.0							
243	12.4	484.3	308.3	308	9.4	1232.3	796.3							
244	12.5	496.8	316.8	309	9.5	1241.8	801.8							
245	13.0	509.8	325.8	310	9.5	1251.3	807.3							
246	13.2	523.0	335.0	311	9.2	1260.5	812.5							
247	13.3	536.3	344.3	312	8.9	1269.4	817.4							
248	13.1	549.4	353.4	313	8.6	1277.9	821.9							
249	12.8	562.2	362.2	314	8.8	1286.7	826.7							
250	12.7	574.9	370.9	315	8.9	1295.7	831.7							
251	12.3	587.2	379.2	316	8.8	1304.4	836.4							
252	12.0	599.3	387.3	317	8.3	1312.7	840.7							
253	12.0	611.2	395.2	318	8.1	1320.9	844.9							
254	11.9	623.2	403.2	319	8.2	1329.0	849.0							
255	12.0	635.2	411.2	320	8.2	1337.2	853.2							
256	12.0	647.2	419.2	321	8.3	1345.5	857.5							
257	12.1	659.3	427.3	322	8.3	1353.8	861.8							
258	12.2	671.5	435.5	323	7.9	1361.7	865.7							
259	12.1	683.5	443.5	324	7.6	1369.3	869.3							
260	12.0	695.6	451.6	325	7.7	1377.1	873.1							
261	12.0	707.5	459.5	326	7.9	1385.0	877.0							
262	12.1	719.6	467.6	327	7.7	1392.7	880.7							
263	12.1	731.7	475.7	328	7.7	1400.4	884.4							
264	12.0	743.7	483.7	329	7.9	1408.2	888.2							

STN 438 DEPTH 13M





LETANG HARBOUR NB
45.06N 66.83W 1600Z 19/07/90 - 1200Z 28/11/90
INST. 64172

LFTANG HARBOUR NR

STA. 4XS 439

STN 439 DEPTH 5M






LETANG HARBOUR NB
45.06N 66.83W 1600Z 19/07/90 - 0000Z 10/10/90
INST. 62905

ST ANDREWS NB

STA. 4XS 413

WATER DEPTH 8.0M.				INST DEPTH .0M.		LATITUDE 45.08		LONGITUDE 67.03		FROM 15/11/ 89		TO 12/ 5/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)		
319	9.2	9.2	5.2	19	1.0	188.4	45.2	84	1.4	219.0	45.2		
320	9.3	18.5	10.5	20	.4	188.8	45.2	85	1.7	220.8	45.2		
321	9.1	27.6	15.6	21	.4	189.3	45.2	86	1.1	221.9	45.2		
322	8.0	35.6	19.6	22	.4	189.7	45.2	87	.6	222.5	45.2		
323	7.5	43.1	23.1	23	.7	190.4	45.2	88	1.0	223.4	45.2		
324	7.2	50.2	26.2	24	.8	191.2	45.2	89	1.4	224.8	45.2		
325	6.9	57.1	29.1	25	.7	191.9	45.2	90	1.4	226.2	45.2		
326	6.4	63.5	31.5	26	.7	192.6	45.2	91	1.3	227.6	45.2		
327	5.7	69.1	33.1	27	.6	193.2	45.2	92	1.7	229.3	45.2		
328	5.6	74.7	34.7	28	.6	193.8	45.2	93	2.2	231.4	45.2		
329	5.5	80.2	36.2	29	.7	194.5	45.2	94	2.4	233.8	45.2		
330	6.0	86.3	38.3	30	.6	195.1	45.2	95	2.2	236.0	45.2		
331	5.7	92.0	40.0	31	.2	195.3	45.2	96	2.5	238.5	45.2		
332	5.6	97.6	41.6	32	.2	195.5	45.2	97	2.2	240.7	45.2		
333	5.3	103.0	43.0	33	.7	196.2	45.2	98	1.6	242.3	45.2		
334	5.1	108.0	44.0	34	-.4	196.2	45.2	99	1.9	244.2	45.2		
335	4.9	112.9	44.9	35	-.4	196.2	45.2	100	2.0	246.3	45.2		
336	4.2	117.1	45.1	36	-.7	196.2	45.2	101	2.1	248.4	45.2		
337	4.1	121.2	45.2	37	-.3	196.2	45.2	102	2.0	250.4	45.2		
338	3.9	125.1	45.2	38	.3	196.4	45.2	103	2.2	252.6	45.2		
339	3.6	128.7	45.2	39	.3	196.7	45.2	104	2.5	255.1	45.2		
340	3.7	132.4	45.2	40	.4	197.2	45.2	105	2.5	257.6	45.2		
341	4.0	136.4	45.2	41	.7	197.8	45.2	106	3.5	261.1	45.2		
342	3.3	139.7	45.2	42	.6	198.4	45.2	107	4.1	265.2	45.3		
343	2.2	141.9	45.2	43	.5	198.9	45.2	108	3.6	268.7	45.3		
344	2.5	144.4	45.2	44	.6	199.6	45.2	109	3.3	272.0	45.3		
345	2.7	147.1	45.2	45	.8	200.4	45.2	110	3.7	275.7	45.3		
346	2.3	149.4	45.2	46	.4	200.8	45.2	111	3.8	279.5	45.3		
347	2.2	151.6	45.2	47	.6	201.4	45.2	112	4.4	284.0	45.7		
348	1.8	153.5	45.2	48	.3	201.7	45.2	113	4.4	288.4	46.1		
349	2.0	155.5	45.2	49	-.3	201.7	45.2	114	3.9	292.3	46.1		
350	2.2	157.6	45.2	50	-.4	201.7	45.2	115	3.7	296.0	46.1		
351	2.0	159.7	45.2	51	-.8	201.7	45.2	116	4.1	300.1	46.2		
352	1.4	161.1	45.2	52	-.8	201.7	45.2	117	4.5	304.6	46.7		
353	1.4	162.5	45.2	53	-.3	201.7	45.2	118	4.9	309.6	47.6		
354	1.6	164.0	45.2	54	-.3	202.0	45.2	119	5.0	314.6	48.6		
355	1.3	165.3	45.2	55	-.4	202.0	45.2	120	4.9	319.5	49.5		
356	.9	166.2	45.2	56	-1.0	202.0	45.2	121	5.2	324.6	50.7		
357	.9	167.2	45.2	57	-1.0	202.0	45.2	122	6.2	330.9	52.9		
358	1.0	168.1	45.2	58	-.7	202.0	45.2	123	6.2	337.1	55.1		
359	1.0	169.2	45.2	59	-.5	202.0	45.2	124	6.0	343.1	57.1		
360	1.6	170.7	45.2	60	-1.1	202.0	45.2	125	5.4	348.4	58.5		
361	1.0	171.8	45.2	61	-.4	202.0	45.2	126	5.2	353.6	59.7		
362	1.1	172.8	45.2	62	.0	202.0	45.2	127	5.6	359.2	61.2		
363	.3	173.1	45.2	63	.0	202.0	45.2	128	6.1	365.3	63.3		
364	.5	173.6	45.2	64	-.4	202.0	45.2	129	5.8	371.0	65.1		
365	.8	174.4	45.2	65	-.5	202.0	45.2	130	5.6	376.6	66.7		
1	.9	175.3	45.2	66	-.6	202.0	45.2	131	5.5	382.2	68.2		
2	.3	175.7	45.2	67	-.4	202.0	45.2	132	6.8	389.0	71.0		
3	.5	176.2	45.2	68	.0	202.0	45.2						
4	.7	176.9	45.2	69	.6	202.7	45.2						
5	.7	177.6	45.2	70	1.0	203.7	45.2						
6	.5	178.1	45.2	71	.9	204.5	45.2						
7	.3	178.4	45.2	72	.7	205.3	45.2						
8	.7	179.1	45.2	73	.7	205.9	45.2						
9	.8	179.9	45.2	74	.6	206.5	45.2						
10	1.2	181.1	45.2	75	.6	207.1	45.2						
11	.9	181.9	45.2	76	.8	208.0	45.2						
12	1.0	182.9	45.2	77	1.7	209.7	45.2						
13	.8	183.7	45.2	78	1.4	211.1	45.2						
14	.2	184.0	45.2	79	1.4	212.4	45.2						
15	.4	184.3	45.2	80	1.4	213.9	45.2						
16	.9	185.3	45.2	81	1.2	215.0	45.2						
17	1.0	186.3	45.2	82	1.7	216.7	45.2						
18	1.2	187.4	45.2	83	.9	217.7	45.2						

STN 413 DEPTH 0M






ST ANDREWS NB
45.08N 67.03W 2000Z 15/11/89 - 2000Z 12/05/90
INST. 62491

ST ANDREWS NB

STA. 4XS 448

WATER DEPTH 8.0M.				INST DEPTH .0M.		LATITUDE 45.08		LONGITUDE 67.03		FROM 24/ 5/ 90		TO 15/11/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)		
144	6.2	6.2	2.2	209	12.7	660.9	396.9	274	12.3	1541.7	1017.7		
145	6.2	12.4	4.4	210	13.5	674.4	406.4	275	11.7	1553.4	1025.4		
146	6.1	18.5	6.5	211	14.1	688.5	416.5	276	11.6	1565.0	1033.0		
147	6.5	25.1	9.1	212	14.4	702.9	426.9	277	11.8	1576.8	1040.8		
148	7.4	32.5	12.5	213	15.2	718.2	438.2	278	12.1	1588.9	1048.9		
149	7.8	40.3	16.3	214	13.5	731.7	447.7	279	12.1	1601.0	1057.0		
150	7.4	47.7	19.7	215	13.0	744.7	456.7	280	12.1	1613.1	1065.1		
151	6.9	54.6	22.6	216	13.3	758.0	466.0	281	12.0	1625.1	1073.1		
152	8.0	62.6	26.6	217	13.0	771.0	475.0	282	11.8	1636.9	1080.9		
153	9.8	72.5	32.5	218	12.8	783.8	483.8	283	11.6	1648.5	1088.5		
154	11.0	83.5	39.5	219	13.1	796.9	492.9	284	11.5	1660.0	1096.0		
155	9.7	93.2	45.2	220	13.5	810.4	502.4	285	11.7	1671.6	1103.6		
156	10.3	103.5	51.5	221	13.5	824.0	512.0	286	11.9	1683.5	1111.5		
157	9.2	112.7	56.7	222	13.9	837.8	521.8	287	11.9	1695.4	1119.4		
158	8.1	120.8	60.8	223	13.7	851.6	531.6	288	12.0	1707.4	1127.4		
159	8.8	129.7	65.7	224	13.7	865.3	541.3	289	11.6	1719.0	1135.0		
160	9.5	139.2	71.2	225	14.3	879.6	551.6	290	11.4	1730.4	1142.4		
161	9.0	148.1	76.1	226	14.2	893.7	561.7	291	11.5	1741.9	1149.9		
162	9.1	157.2	81.2	227	14.8	908.5	572.5	292	11.5	1753.4	1157.4		
163	9.1	166.3	86.3	228	15.1	923.6	583.6	293	10.7	1764.1	1164.1		
164	9.7	176.0	92.0	229	14.4	938.0	594.0	294	10.7	1774.8	1170.8		
165	9.2	185.2	97.2	230	14.1	952.1	604.1	295	11.0	1785.7	1177.7		
166	9.6	194.8	102.8	231	13.9	966.0	614.0	296	11.0	1796.7	1184.7		
167	9.8	204.6	108.6	232	13.9	979.9	623.9	297	11.0	1807.7	1191.7		
168	10.1	214.8	114.8	233	13.1	993.0	633.0	298	10.5	1818.2	1198.2		
169	10.7	225.5	121.5	234	12.9	1005.9	641.9	299	10.3	1828.5	1204.5		
170	9.9	235.4	127.4	235	13.1	1019.1	651.1	300	9.7	1838.3	1210.3		
171	9.7	245.1	133.1	236	13.5	1032.6	660.6	301	9.8	1848.1	1216.1		
172	10.0	255.1	139.1	237	13.5	1046.1	670.1	302	10.0	1858.1	1222.1		
173	9.4	264.5	144.5	238	13.7	1059.8	679.8	303	9.8	1867.9	1227.9		
174	8.7	273.3	149.3	239	14.6	1074.4	690.4	304	9.5	1877.4	1233.4		
175	8.7	282.0	154.0	240	15.2	1089.7	701.7	305	9.0	1886.4	1238.4		
176	9.1	291.0	159.0	241	15.2	1104.9	712.9	306	9.0	1895.5	1243.5		
177	9.5	300.5	164.5	242	15.5	1120.4	724.4	307	9.2	1904.7	1248.7		
178	9.9	310.4	170.4	243	16.0	1136.4	736.4	308	9.3	1914.0	1254.0		
179	10.7	321.1	177.1	244	15.2	1151.6	747.6	309	9.3	1923.2	1259.2		
180	10.8	331.8	183.8	245	15.0	1166.6	758.6	310	8.8	1932.0	1264.0		
181	10.7	342.5	190.5	246	14.6	1181.1	769.1	311	8.3	1940.4	1268.4		
182	10.4	352.9	196.9	247	14.1	1195.2	779.2	312	7.9	1948.3	1272.3		
183	10.9	363.7	203.7	248	13.8	1209.0	789.0	313	7.6	1955.9	1275.9		
184	11.2	374.9	210.9	249	13.7	1222.7	798.7	314	8.1	1964.0	1280.0		
185	11.6	386.5	218.5	250	13.7	1236.5	808.5	315	8.1	1972.1	1284.1		
186	11.7	398.2	226.2	251	13.7	1250.2	818.2	316	7.3	1979.3	1287.3		
187	11.3	409.5	233.5	252	13.3	1263.5	827.5	317	7.0	1986.4	1290.4		
188	11.1	420.6	240.6	253	13.2	1276.7	836.7	318	7.1	1993.4	1293.4		
189	10.4	431.0	247.0	254	13.4	1290.0	846.0	319	7.1	2000.6	1296.6		
190	10.4	441.4	253.4	255	13.4	1303.4	855.4						
191	10.5	451.9	259.9	256	13.6	1317.0	865.0						
192	11.1	463.0	267.0	257	13.3	1330.3	874.3						
193	11.1	474.1	274.1	258	13.2	1343.5	883.5						
194	11.2	485.3	281.3	259	13.5	1357.0	893.0						
195	11.5	496.7	288.7	260	13.1	1370.2	902.2						
196	11.6	508.3	296.3	261	12.5	1382.7	910.7						
197	11.5	519.8	303.8	262	12.4	1395.1	919.1						
198	11.8	531.7	311.7	263	12.2	1407.3	927.3						
199	12.3	544.0	320.0	264	12.1	1419.4	935.4						
200	12.2	556.2	328.2	265	11.9	1431.3	943.3						
201	11.9	568.1	336.1	266	11.9	1443.1	951.1						
202	11.5	579.7	343.7	267	12.1	1455.2	959.2						
203	11.4	591.0	351.0	268	12.2	1467.4	967.4						
204	11.2	602.2	358.2	269	12.1	1479.5	975.5						
205	11.1	613.3	365.3	270	12.2	1491.7	983.7						
206	11.1	624.5	372.5	271	12.5	1504.3	992.3						
207	11.5	636.0	380.0	272	12.7	1516.9	1000.9						
208	12.2	648.1	388.1	273	12.4	1529.3	1009.3						

STN 448 DEPTH 0M



ST ANDREWS NB
45.08N 67.03W 1600Z 24/05/90 - 0800Z 15/11/90
INST. 63366

GULF OF ST LAWRENCE

Daily Mean Temperatures, Accumulative Degree Days

relative to 0° and 4°C and Temperature Plots






Figure 3. Mooring sites of Gulf of St. Lawrence Unit Areas

BAIE BUSSIERE PQ (LA TABATIERE)

STA. 4SV 101

STN 101 DEPTH 10M





BAIE BUSSIÈRE PQ (LA TABATIERE)
50.35N 59.85W 2105Z 06/07/89 - 1705Z 10/10/89
INST. 63346

BATE BUSSIERE PQ (LA TABATIERE)

STA. 4SV 102

STN 102 DEPTH 5M





BAIE BUSSIÈRE PQ (LA TABATIERE)
50.35N 59.85W 2115Z 06/07/89 - 1715Z 10/10/89
INST. 63318

BAIE BUSSIERE PQ (LA TABATIERE)

STA. 4SV 103

STN 103 DEPTH 10M





BAIE BUSSIÈRE PQ (LA TABATIERE)
50.35N 59.85W 2115Z 06/07/89 - 1315Z 10/10/89
INST. 64172

BAIE BUSSIERE PQ (LA TABATIERE)

STA. 4SV 104

STN 104 DEPTH 5M






BAIE BUSSIÈRE PQ (LA TABATIERE)
50.35N 59.85W 2105Z 06/07/89 - 1705Z 10/10/89
INST. 64174

BAIE BUSSIERE PQ (LA TABATIERE)

STA. 4SV 105

WATER DEPTH 15.0M.	INST DEPTH 10.0M.	LATITUDE		LONGITUDE			FROM		TO		
		50.35	59.85	10/10/	89	4/4/	90				
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
283	4.7	4.7	.7	348	-.8	204.4	23.6	48	-2.1	204.4	23.6
284	4.5	9.2	1.2	349	-.8	204.4	23.6	49	-2.0	204.4	23.6
285	4.3	13.5	1.5	350	-.9	204.4	23.6	50	-2.0	204.4	23.6
286	4.3	17.8	1.8	351	-.7	204.4	23.6	51	-1.9	204.4	23.6
287	4.3	22.1	2.1	352	-.6	204.4	23.6	52	-1.9	204.4	23.6
288	4.4	26.5	2.5	353	-.5	204.4	23.6	53	-1.8	204.4	23.6
289	4.6	31.1	3.1	354	-.6	204.4	23.6	54	-1.8	204.4	23.6
290	4.7	35.8	3.8	355	-.8	204.4	23.6	55	-1.7	204.4	23.6
291	4.6	40.4	4.4	356	-.9	204.4	23.6	56	-1.7	204.4	23.6
292	4.6	45.0	5.0	357	-.9	204.4	23.6	57	-1.6	204.4	23.6
293	4.7	49.7	5.7	358	-.9	204.4	23.6	58	-1.6	204.4	23.6
294	4.8	54.6	6.6	359	-.9	204.4	23.6	59	-1.9	204.4	23.6
295	4.9	59.5	7.5	360	-.9	204.4	23.6	60	-2.0	204.4	23.6
296	5.0	64.6	8.6	361	-1.0	204.4	23.6	61	-2.1	204.4	23.6
297	5.1	69.7	9.7	362	-1.4	204.4	23.6	62	-2.2	204.4	23.6
298	5.2	74.9	10.9	363	-1.5	204.4	23.6	63	-2.3	204.4	23.6
299	5.1	80.0	12.0	364	-1.5	204.4	23.6	64	-2.3	204.4	23.6
300	5.2	85.2	13.2	365	-1.4	204.4	23.6	65	-2.3	204.4	23.6
301	5.2	90.4	14.4	1	-1.4	204.4	23.6	66	-2.2	204.4	23.6
302	5.2	95.6	15.6	2	-1.5	204.4	23.6	67	-2.2	204.4	23.6
303	5.1	100.7	16.7	3	-1.5	204.4	23.6	68	-2.2	204.4	23.6
304	5.2	105.9	17.9	4	-1.6	204.4	23.6	69	-2.2	204.4	23.6
305	5.3	111.2	19.2	5	-1.7	204.4	23.6	70	-2.1	204.4	23.6
306	5.3	116.4	20.4	6	-1.8	204.4	23.6	71	-2.1	204.4	23.6
307	4.8	121.2	21.2	7	-1.8	204.4	23.6	72	-2.1	204.4	23.6
308	4.5	125.8	21.8	8	-1.9	204.4	23.6	73	-2.0	204.4	23.6
309	4.4	130.2	22.2	9	-1.8	204.4	23.6	74	-2.0	204.4	23.6
310	4.4	134.7	22.7	10	-1.8	204.4	23.6	75	-2.0	204.4	23.6
311	4.5	139.2	23.2	11	-1.7	204.4	23.6	76	-2.0	204.4	23.6
312	4.3	143.4	23.4	12	-1.7	204.4	23.6	77	-2.0	204.4	23.6
313	4.2	147.6	23.6	13	-1.9	204.4	23.6	78	-1.9	204.4	23.6
314	4.0	151.6	23.6	14	-2.0	204.4	23.6	79	-1.7	204.4	23.6
315	3.9	155.5	23.6	15	-2.1	204.4	23.6	80	-1.5	204.4	23.6
316	3.8	159.3	23.6	16	-2.2	204.4	23.6	81	-1.6	204.4	23.6
317	3.6	162.9	23.6	17	-2.2	204.4	23.6	82	-1.7	204.4	23.6
318	3.4	166.3	23.6	18	-2.2	204.4	23.6	83	-1.7	204.4	23.6
319	3.4	169.7	23.6	19	-2.2	204.4	23.6	84	-1.7	204.4	23.6
320	3.0	172.7	23.6	20	-2.1	204.4	23.6	85	-1.7	204.4	23.6
321	2.7	175.4	23.6	21	-2.1	204.4	23.6	86	-1.8	204.4	23.6
322	2.8	178.2	23.6	22	-2.2	204.4	23.6	87	-1.8	204.4	23.6
323	2.8	181.0	23.6	23	-2.1	204.4	23.6	88	-1.8	204.4	23.6
324	2.8	183.8	23.6	24	-2.1	204.4	23.6	89	-1.9	204.4	23.6
325	2.9	186.7	23.6	25	-2.0	204.4	23.6	90	-1.9	204.4	23.6
326	2.6	189.3	23.6	26	-1.9	204.4	23.6	91	-2.0	204.4	23.6
327	2.3	191.6	23.6	27	-1.9	204.4	23.6	92	-2.0	204.4	23.6
328	2.3	193.9	23.6	28	-1.8	204.4	23.6	93	-2.0	204.4	23.6
329	2.0	195.9	23.6	29	-1.8	204.4	23.6	94	-1.9	204.4	23.6
330	1.9	197.9	23.6	30	-1.9	204.4	23.6				
331	1.5	199.4	23.6	31	-1.9	204.4	23.6				
332	.9	200.3	23.6	32	-1.8	204.4	23.6				
333	.8	201.2	23.6	33	-1.6	204.4	23.6				
334	.8	202.0	23.6	34	-1.4	204.4	23.6				
335	.7	202.7	23.6	35	-1.6	204.4	23.6				
336	.7	203.4	23.6	36	-1.8	204.4	23.6				
337	.5	203.9	23.6	37	-1.9	204.4	23.6				
338	.2	204.1	23.6	38	-2.0	204.4	23.6				
339	-.3	204.1	23.6	39	-2.2	204.4	23.6				
340	.0	204.1	23.6	40	-2.2	204.4	23.6				
341	.1	204.2	23.6	41	-2.2	204.4	23.6				
342	.1	204.4	23.6	42	-2.2	204.4	23.6				
343	-.6	204.4	23.6	43	-2.2	204.4	23.6				
344	-1.1	204.4	23.6	44	-2.2	204.4	23.6				
345	-.9	204.4	23.6	45	-2.2	204.4	23.6				
346	-.8	204.4	23.6	46	-2.2	204.4	23.6				
347	-.8	204.4	23.6	47	-2.1	204.4	23.6				

STN 105 DEPTH 10M





BAIE BUSSIERE PQ (LA TABATIERE)
50.35N 59.85W 2050Z 10/10/89 - 1650Z 04/04/90
INST. 63311

BAIE BUSSIÈRE PQ (LA TABATIERE)

STA. 4SV 106

STN 106 DEPTH 5M






BAIE BUSSIERE PQ (LA TABATIERE)
 50.35N 59.85W 2050Z 10/10/89 - 1650Z 07/11/89
 INST. 62893

BAIE BUSSIERE PQ (LA TABATIERE)

STA. 4SV 107

WATER DEPTH 14.0M.		INST DEPTH 5.0M.		LATITUDE 50.35		LONGITUDE 59.85		FROM 10/10/ 89		TO 23/ 3/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
283	3.6	3.6	.0	348	-2.1	136.5	.0	48	-2.9	136.5	.0
284	3.4	7.0	.0	349	-2.1	136.5	.0	49	-2.9	136.5	.0
285	3.4	10.4	.0	350	-2.0	136.5	.0	50	-2.9	136.5	.0
286	3.6	14.0	.0	351	-1.9	136.5	.0	51	-2.9	136.5	.0
287	3.7	17.7	.0	352	-1.7	136.5	.0	52	-2.9	136.5	.0
288	3.6	21.3	.0	353	-1.5	136.5	.0	53	-2.9	136.5	.0
289	3.7	25.0	.0	354	-1.5	136.5	.0	54	-2.9	136.5	.0
290	3.6	28.6	.0	355	-1.8	136.5	.0	55	-2.8	136.5	.0
291	3.5	32.1	.0	356	-1.9	136.5	.0	56	-2.7	136.5	.0
292	3.7	35.8	.0	357	-2.0	136.5	.0	57	-2.6	136.5	.0
293	3.7	39.5	.0	358	-2.3	136.5	.0	58	-2.5	136.5	.0
294	3.9	43.5	.0	359	-2.0	136.5	.0	59	-2.6	136.5	.0
295	4.0	47.4	.0	360	-2.2	136.5	.0	60	-2.7	136.5	.0
296	4.0	51.4	.0	361	-2.3	136.5	.0	61	-2.9	136.5	.0
297	3.9	55.3	.0	362	-2.7	136.5	.0	62	-3.0	136.5	.0
298	3.9	59.2	.0	363	-2.6	136.5	.0	63	-3.1	136.5	.0
299	3.9	63.1	.0	364	-2.6	136.5	.0	64	-3.1	136.5	.0
300	3.8	66.9	.0	365	-2.7	136.5	.0	65	-3.1	136.5	.0
301	3.7	70.6	.0	1	-2.5	136.5	.0	66	-3.1	136.5	.0
302	3.4	73.9	.0	2	-2.6	136.5	.0	67	-3.1	136.5	.0
303	3.5	77.4	.0	3	-2.8	136.5	.0	68	-3.1	136.5	.0
304	3.6	81.0	.0	4	-2.8	136.5	.0	69	-3.0	136.5	.0
305	3.7	84.6	.0	5	-2.8	136.5	.0	70	-3.0	136.5	.0
306	3.8	88.5	.0	6	-2.9	136.5	.0	71	-3.0	136.5	.0
307	3.8	92.3	.0	7	-2.9	136.5	.0	72	-3.0	136.5	.0
308	3.3	95.6	.0	8	-3.0	136.5	.0	73	-3.0	136.5	.0
309	3.0	98.5	.0	9	-3.0	136.5	.0	74	-3.0	136.5	.0
310	3.1	101.7	.0	10	-2.9	136.5	.0	75	-2.9	136.5	.0
311	3.1	104.8	.0	11	-2.7	136.5	.0	76	-2.9	136.5	.0
312	3.0	107.8	.0	12	-2.6	136.5	.0	77	-2.9	136.5	.0
313	2.7	110.5	.0	13	-2.8	136.5	.0	78	-2.9	136.5	.0
314	2.4	112.9	.0	14	-3.0	136.5	.0	79	-2.8	136.5	.0
315	2.4	115.3	.0	15	-3.1	136.5	.0	80	-2.7	136.5	.0
316	2.3	117.6	.0	16	-3.2	136.5	.0	81	-2.7	136.5	.0
317	2.2	119.7	.0	17	-3.2	136.5	.0	82	-2.6	136.5	.0
318	2.0	121.7	.0	18	-3.2	136.5	.0				
319	1.8	123.6	.0	19	-3.3	136.5	.0				
320	1.3	124.9	.0	20	-3.3	136.5	.0				
321	1.6	126.5	.0	21	-3.3	136.5	.0				
322	1.6	128.1	.0	22	-3.3	136.5	.0				
323	1.4	129.5	.0	23	-3.3	136.5	.0				
324	1.4	130.9	.0	24	-3.2	136.5	.0				
325	1.3	132.2	.0	25	-3.2	136.5	.0				
326	.9	133.0	.0	26	-3.2	136.5	.0				
327	.7	133.8	.0	27	-3.2	136.5	.0				
328	.8	134.5	.0	28	-3.2	136.5	.0				
329	.8	135.3	.0	29	-3.1	136.5	.0				
330	.8	136.1	.0	30	-3.1	136.5	.0				
331	.3	136.5	.0	31	-3.1	136.5	.0				
332	-.1	136.5	.0	32	-3.1	136.5	.0				
333	-.2	136.5	.0	33	-3.0	136.5	.0				
334	-.4	136.5	.0	34	-2.8	136.5	.0				
335	-.4	136.5	.0	35	-2.5	136.5	.0				
336	-.4	136.5	.0	36	-2.6	136.5	.0				
337	-.3	136.5	.0	37	-2.7	136.5	.0				
338	-.1.2	136.5	.0	38	-2.8	136.5	.0				
339	-.1.3	136.5	.0	39	-2.9	136.5	.0				
340	-.9	136.5	.0	40	-2.9	136.5	.0				
341	-.1.0	136.5	.0	41	-2.9	136.5	.0				
342	-.1.5	136.5	.0	42	-2.9	136.5	.0				
343	-.1.8	136.5	.0	43	-2.9	136.5	.0				
344	-.2.5	136.5	.0	44	-2.9	136.5	.0				
345	-.2.2	136.5	.0	45	-2.9	136.5	.0				
346	-.2.1	136.5	.0	46	-2.9	136.5	.0				
347	-.2.1	136.5	.0	47	-2.9	136.5	.0				

STN 107 DEPTH 5M






BAIE BUSSIÈRE PQ (LA TABATIERE)
50.35N 59.85W 2100Z 10/10/89 - 1700Z 23/03/90
INST. 62489

BAIE BUSSIERE PQ (LA TABATIERE)

STA. 4SV 108

WATER DEPTH 14.0M.		INST DEPTH 10.0M.		LATITUDE 50.35		LONGITUDE 59.85		FROM 10/10/ 89		TO 31/ 3/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
283	4.0	4.0	.0	348	-1.1	165.9	6.8	48	-2.2	165.9	6.8
284	3.9	7.9	.0	349	-1.1	165.9	6.8	49	-2.2	165.9	6.8
285	3.7	11.6	.0	350	-1.1	165.9	6.8	50	-2.2	165.9	6.8
286	3.6	15.2	.0	351	-1.1	165.9	6.8	51	-2.2	165.9	6.8
287	3.7	18.9	.0	352	-.8	165.9	6.8	52	-2.2	165.9	6.8
288	3.8	22.6	.0	353	-.7	165.9	6.8	53	-2.3	165.9	6.8
289	3.9	26.5	.0	354	-1.0	165.9	6.8	54	-2.3	165.9	6.8
290	3.9	30.4	.0	355	-1.2	165.9	6.8	55	-2.2	165.9	6.8
291	4.0	34.3	.0	356	-1.3	165.9	6.8	56	-2.1	165.9	6.8
292	4.0	38.3	.0	357	-1.3	165.9	6.8	57	-2.1	165.9	6.8
293	4.1	42.4	.1	358	-1.3	165.9	6.8	58	-2.1	165.9	6.8
294	4.2	46.6	.3	359	-1.2	165.9	6.8	59	-2.2	165.9	6.8
295	4.3	50.9	.6	360	-1.2	165.9	6.8	60	-2.3	165.9	6.8
296	4.4	55.3	1.0	361	-1.5	165.9	6.8	61	-2.4	165.9	6.8
297	4.5	59.8	1.5	362	-1.8	165.9	6.8	62	-2.5	165.9	6.8
298	4.5	64.3	1.9	363	-1.9	165.9	6.8	63	-2.4	165.9	6.8
299	4.5	68.8	2.5	364	-1.9	165.9	6.8	64	-2.4	165.9	6.8
300	4.5	73.3	3.0	365	-1.9	165.9	6.8	65	-2.4	165.9	6.8
301	4.6	77.9	3.6	1	-2.1	165.9	6.8	66	-2.3	165.9	6.8
302	4.6	82.5	4.2	2	-2.2	165.9	6.8	67	-2.3	165.9	6.8
303	4.5	87.0	4.6	3	-2.2	165.9	6.8	68	-2.3	165.9	6.8
304	4.3	91.3	4.9	4	-2.1	165.9	6.8	69	-2.3	165.9	6.8
305	4.5	95.8	5.4	5	-2.2	165.9	6.8	70	-2.3	165.9	6.8
306	4.6	100.3	6.0	6	-2.2	165.9	6.8	71	-2.3	165.9	6.8
307	4.6	104.9	6.6	7	-2.3	165.9	6.8	72	-2.4	165.9	6.8
308	4.3	109.2	6.8	8	-2.3	165.9	6.8	73	-2.4	165.9	6.8
309	4.0	113.2	6.8	9	-2.4	165.9	6.8	74	-2.4	165.9	6.8
310	3.9	117.1	6.8	10	-2.1	165.9	6.8	75	-2.3	165.9	6.8
311	3.7	120.8	6.8	11	-1.9	165.9	6.8	76	-2.3	165.9	6.8
312	3.6	124.4	6.8	12	-2.2	165.9	6.8	77	-2.3	165.9	6.8
313	3.4	127.7	6.8	13	-2.2	165.9	6.8	78	-2.2	165.9	6.8
314	3.2	130.9	6.8	14	-2.3	165.9	6.8	79	-2.1	165.9	6.8
315	3.0	134.0	6.8	15	-2.3	165.9	6.8	80	-2.0	165.9	6.8
316	2.8	136.8	6.8	16	-2.4	165.9	6.8	81	-1.9	165.9	6.8
317	2.6	139.4	6.8	17	-2.4	165.9	6.8	82	-2.1	165.9	6.8
318	2.5	142.0	6.8	18	-2.3	165.9	6.8	83	-2.1	165.9	6.8
319	2.3	144.3	6.8	19	-2.3	165.9	6.8	84	-2.1	165.9	6.8
320	1.9	146.2	6.8	20	-2.2	165.9	6.8	85	-2.1	165.9	6.8
321	1.8	148.0	6.8	21	-2.2	165.9	6.8	86	-2.1	165.9	6.8
322	1.9	149.9	6.8	22	-2.3	165.9	6.8	87	-2.0	165.9	6.8
323	1.9	151.8	6.8	23	-2.3	165.9	6.8	88	-1.9	165.9	6.8
324	1.9	153.7	6.8	24	-2.3	165.9	6.8	89	-1.9	165.9	6.8
325	2.0	155.7	6.8	25	-2.3	165.9	6.8	90	-1.9	165.9	6.8
326	1.9	157.6	6.8	26	-2.3	165.9	6.8				
327	1.6	159.1	6.8	27	-2.2	165.9	6.8				
328	1.4	160.5	6.8	28	-2.3	165.9	6.8				
329	1.4	161.9	6.8	29	-2.3	165.9	6.8				
330	1.4	163.4	6.8	30	-2.4	165.9	6.8				
331	1.1	164.4	6.8	31	-2.4	165.9	6.8				
332	.5	164.9	6.8	32	-2.5	165.9	6.8				
333	.4	165.3	6.8	33	-2.3	165.9	6.8				
334	.1	165.4	6.8	34	-2.1	165.9	6.8				
335	.2	165.6	6.8	35	-2.1	165.9	6.8				
336	.2	165.8	6.8	36	-2.3	165.9	6.8				
337	.1	165.9	6.8	37	-2.4	165.9	6.8				
338	-.5	165.9	6.8	38	-2.5	165.9	6.8				
339	-.9	165.9	6.8	39	-2.5	165.9	6.8				
340	-.4	165.9	6.8	40	-2.5	165.9	6.8				
341	-.3	165.9	6.8	41	-2.5	165.9	6.8				
342	-.5	165.9	6.8	42	-2.5	165.9	6.8				
343	-1.2	165.9	6.8	43	-2.5	165.9	6.8				
344	-1.5	165.9	6.8	44	-2.5	165.9	6.8				
345	-1.4	165.9	6.8	45	-2.4	165.9	6.8				
346	-1.3	165.9	6.8	46	-2.3	165.9	6.8				
347	-1.2	165.9	6.8	47	-2.3	165.9	6.8				

STN 108 DEPTH 10M





BAIE BUSSIÈRE PQ (LA TABATIERE)
 50.35N 59.85W 2100Z 10/10/89 - 1300Z 31/03/90
 INST. 63334

BAIE BUSSIERE PQ (LA TABATIERE)

STA. 4SV 111

STN 111 DEPTH 5M





BAIE BUSSIÈRE PQ (LA TABATIERE)
50.35N 59.85W 0000Z 09/06/90 - 0800Z 01/09/90
INST. 63545

RATE BUSSIERE PQ

STA. 4SV 113

STN 113 DEPTH 5M





BAIE BUSSIÈRE PQ (LA TABATIERE)
50.35N 59.85W 0000Z 09/06/90 – 0000Z 16/09/90
INST. 63761

BAIE BUSSIERE PQ (LA TABATIERE)

STA. 4SV 114

STN 114 DEPTH 10M





BAIE BUSSIÈRE PQ (LA TABATIERE)
50.35N 59.85W 0000Z 09/06/90 - 0000Z 16/09/90
INST. 63920

CAP AU CORBEAU PQ (LAVAL U)

STA. 4SY 125

STN 125 DEPTH 10M





CAP AU CORBEAU PQ (LAVAL)
50.20N 63.60W 1200Z 12/06/90 - 0400Z 22/07/90
INST. 63342

ILE AU FANTOME PQ (LAVAL U)

STA. 4SY 126

STN 126 DEPTH 33M






ILE AU FANTOME PQ (LAVAL)
50.20N 63.70W 2200Z 23/07/90 - 1800Z 21/08/90
INST. 63342

GRANDE ENTREE PQ (ILES DE LA MADELEINE)

STA. 4TF 117

WATER DEPTH 6.0M.				INST DEPTH 2.0M.		LATITUDE 47.56		LONGITUDE 61.53		FROM 29/ 4/ 88		TO 31/10/ 88	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)		
120	7.7	7.7	3.7	185	19.2	892.2	628.2	250	12.2	2014.9	1490.9		
121	7.3	14.9	6.9	186	20.1	912.3	644.3	251	12.2	2027.1	1499.1		
122	7.3	22.2	10.2	187	20.1	932.4	660.4	252	11.6	2038.7	1506.7		
123	7.3	29.6	13.6	188	20.4	952.8	676.8	253	10.9	2049.6	1513.6		
124	7.4	37.0	17.0	189	20.6	973.4	693.4	254	10.4	2060.0	1520.0		
125	7.8	44.8	20.8	190	20.5	993.9	709.9	255	8.9	2068.9	1524.9		
126	10.0	54.8	26.8	191	20.0	1013.9	725.9	256	8.5	2077.4	1529.4		
127	10.4	65.3	33.3	192	20.2	1034.1	742.1	257	8.4	2085.8	1533.8		
128	9.5	74.7	38.7	193	20.5	1054.7	758.7	258	8.3	2094.1	1538.1		
129	9.0	83.7	43.7	194	20.5	1075.2	775.2	259	8.6	2102.7	1542.7		
130	9.3	93.0	49.0	195	21.3	1096.4	792.4	260	8.7	2111.4	1547.4		
131	8.9	102.0	54.0	196	21.3	1117.7	809.7	261	8.6	2120.0	1552.0		
132	8.6	110.5	58.5	197	21.7	1139.5	827.5	262	8.1	2128.1	1556.1		
133	8.4	118.9	62.9	198	22.1	1161.5	845.5	263	7.7	2135.8	1559.8		
134	8.3	127.2	67.2	199	22.2	1183.7	863.7	264	7.6	2143.4	1563.4		
135	9.0	136.2	72.2	200	21.9	1205.6	881.6	265	7.9	2151.3	1567.3		
136	9.5	145.7	77.7	201	21.4	1227.0	899.0	266	8.3	2159.6	1571.6		
137	9.9	155.5	83.5	202	21.1	1248.1	916.1	267	8.4	2168.0	1576.0		
138	10.6	166.2	90.2	203	19.8	1267.9	931.9	268	8.4	2176.5	1580.5		
139	11.1	177.2	97.2	204	19.4	1287.2	947.2	269	8.0	2184.4	1584.4		
140	11.3	188.5	104.5	205	19.1	1306.3	962.3	270	7.9	2192.3	1588.3		
141	11.6	200.1	112.1	206	18.4	1324.7	976.7	271	8.1	2200.5	1592.5		
142	12.2	212.3	120.3	207	18.3	1343.1	991.1	272	8.4	2208.9	1596.9		
143	12.5	224.9	128.9	208	18.2	1361.3	1005.3	273	8.6	2217.5	1601.5		
144	11.8	236.6	136.6	209	18.3	1379.6	1019.6	274	8.8	2226.3	1606.3		
145	12.1	248.8	144.8	210	18.2	1397.8	1033.8	275	8.9	2235.1	1611.1		
146	12.6	261.3	153.3	211	18.3	1416.1	1048.1	276	8.9	2244.0	1616.0		
147	13.3	274.6	162.6	212	18.6	1434.7	1062.7	277	8.6	2252.6	1620.6		
148	13.7	288.3	172.3	213	18.5	1453.2	1077.2	278	7.9	2260.5	1624.5		
149	14.0	302.3	182.3	214	18.5	1471.7	1091.7	279	7.2	2267.7	1627.7		
150	14.1	316.4	192.4	215	18.9	1490.6	1106.6	280	6.6	2274.2	1630.2		
151	14.5	330.9	202.9	216	18.7	1509.3	1121.3	281	6.5	2280.8	1632.8		
152	14.2	345.1	213.1	217	19.2	1528.5	1136.5	282	6.4	2287.2	1635.2		
153	13.7	358.8	222.8	218	19.0	1547.5	1151.5	283	6.3	2293.5	1637.5		
154	13.5	372.3	232.3	219	19.1	1566.6	1166.6	284	6.3	2299.7	1639.7		
155	13.1	385.4	241.4	220	18.6	1585.2	1181.2	285	6.6	2306.3	1642.3		
156	12.6	398.1	250.1	221	17.9	1603.1	1195.1	286	6.8	2313.2	1645.2		
157	12.5	410.5	258.5	222	17.5	1620.6	1208.6	287	6.8	2320.0	1648.0		
158	12.5	423.1	267.1	223	17.1	1637.7	1221.7	288	6.9	2326.8	1650.8		
159	12.9	436.0	276.0	224	16.4	1654.2	1234.2	289	6.9	2333.8	1653.8		
160	13.3	449.3	285.3	225	16.0	1670.2	1246.2	290	6.7	2340.4	1656.4		
161	13.7	463.0	295.0	226	15.8	1685.9	1257.9	291	5.7	2346.1	1658.1		
162	14.7	477.7	305.7	227	16.0	1701.9	1269.9	292	5.1	2351.2	1659.2		
163	14.9	492.6	316.6	228	15.6	1717.5	1281.5	293	5.3	2356.6	1660.6		
164	15.7	508.3	328.3	229	15.3	1732.8	1292.8	294	5.2	2361.8	1661.8		
165	16.6	524.9	340.9	230	14.7	1747.5	1303.5	295	4.9	2366.7	1662.7		
166	17.5	542.4	354.4	231	14.4	1761.9	1313.9	296	5.0	2371.7	1663.7		
167	17.8	560.2	368.2	232	14.4	1776.3	1324.3	297	5.0	2376.7	1664.7		
168	18.1	578.3	382.3	233	14.2	1790.5	1334.5	298	4.7	2381.3	1665.3		
169	18.4	596.7	396.7	234	13.8	1804.2	1344.2	299	4.1	2385.5	1665.5		
170	17.5	614.2	410.2	235	13.6	1817.8	1353.8	300	3.6	2389.1	1665.5		
171	17.4	631.6	423.6	236	13.7	1831.5	1363.5	301	2.6	2391.7	1665.5		
172	17.3	648.9	436.9	237	13.8	1845.3	1373.3	302	1.7	2393.4	1665.5		
173	17.7	666.6	450.6	238	14.0	1859.3	1383.3	303	1.5	2395.0	1665.5		
174	18.5	685.1	465.1	239	14.2	1873.5	1393.5	304	1.2	2396.1	1665.5		
175	18.3	703.4	479.4	240	14.2	1887.8	1403.8	305	1.5	2397.6	1665.5		
176	18.7	722.1	494.1	241	13.9	1901.7	1413.7						
177	19.1	741.2	509.2	242	13.9	1915.6	1423.6						
178	19.0	760.2	524.2	243	12.9	1928.5	1432.5						
179	19.0	779.1	539.1	244	13.2	1941.7	1441.7						
180	19.3	798.4	554.4	245	12.9	1954.6	1450.6						
181	18.9	817.3	569.3	246	12.7	1967.3	1459.3						
182	18.4	835.7	583.7	247	12.0	1979.4	1467.4						
183	18.5	854.2	598.2	248	11.7	1991.1	1475.1						
184	18.7	873.0	613.0	249	11.7	2002.8	1482.8						

STN 117 DEPTH 2M






GRANDE ENTRÉE PQ (ILES DE LA MADELEINE)
47.56N 61.53W 1900Z 29/04/88 – 0700Z 31/10/88
INST. 64079

GRANDE ENTRÉE PQ (ILES DE LA MADELEINE)

STA. 4TF 119

WATER DEPTH 6.0M.	INST DEPTH 2.0M.	LATITUDE 47.60	LONGITUDE 61.50	FROM 8/ 6/ 90	TO 16/11/ 90						
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
159	12.6	12.6	8.6	224	21.0	1079.7	815.7	289	12.0	2143.3	1619.3
160	12.2	24.8	16.8	225	21.4	1101.0	833.0	290	11.3	2154.6	1626.6
161	11.6	36.4	24.4	226	20.6	1121.7	849.7	291	11.0	2165.6	1633.6
162	10.9	47.3	31.3	227	21.3	1143.0	867.0	292	11.1	2176.7	1640.7
163	10.9	58.2	38.2	228	21.6	1164.6	884.6	293	10.0	2186.7	1646.7
164	11.3	69.5	45.5	229	20.8	1185.4	901.4	294	8.9	2195.6	1651.6
165	11.8	81.3	53.3	230	20.9	1206.3	918.3	295	8.9	2204.5	1656.5
166	12.6	93.8	61.8	231	20.1	1226.5	934.5	296	9.0	2213.5	1661.5
167	13.6	107.5	71.5	232	18.5	1245.0	949.0	297	9.0	2222.4	1666.4
168	14.6	122.1	82.1	233	18.6	1263.6	963.6	298	9.0	2231.4	1671.4
169	15.4	137.5	93.5	234	18.6	1282.2	978.2	299	8.8	2240.2	1676.2
170	15.6	153.2	105.2	235	18.9	1301.0	993.0	300	8.2	2248.4	1680.4
171	15.2	168.3	116.3	236	18.9	1319.9	1007.9	301	7.7	2256.0	1684.0
172	14.3	182.7	126.7	237	18.4	1338.3	1022.3	302	7.6	2263.6	1687.6
173	12.8	195.5	135.5	238	19.2	1357.5	1037.5	303	7.8	2271.4	1691.4
174	11.9	207.4	143.4	239	19.1	1376.6	1052.6	304	7.5	2278.9	1694.9
175	11.9	219.3	151.3	240	19.5	1396.2	1068.2	305	6.1	2285.0	1697.0
176	11.8	231.1	159.1	241	20.0	1416.1	1084.1	306	5.5	2290.6	1698.6
177	12.6	243.6	167.6	242	20.5	1436.6	1100.6	307	5.8	2296.3	1700.3
178	13.3	257.0	177.0	243	20.9	1457.5	1117.5	308	5.4	2301.7	1701.7
179	14.1	271.1	187.1	244	20.8	1478.3	1134.3	309	5.6	2307.3	1703.3
180	15.4	286.5	198.5	245	20.9	1499.2	1151.2	310	5.1	2312.4	1704.4
181	15.8	302.3	210.3	246	19.9	1519.1	1167.1	311	4.2	2316.6	1704.6
182	15.9	318.2	222.2	247	19.2	1538.3	1182.3	312	3.5	2320.1	1704.6
183	16.3	334.5	234.5	248	19.1	1557.4	1197.4	313	3.2	2323.3	1704.6
184	15.1	349.6	245.6	249	18.9	1576.3	1212.3	314	3.1	2326.4	1704.6
185	15.3	364.9	256.9	250	18.7	1595.0	1227.0	315	3.4	2329.8	1704.6
186	15.9	380.8	268.8	251	17.5	1612.5	1240.5	316	2.8	2332.6	1704.6
187	16.0	396.8	280.8	252	17.0	1629.5	1253.5	317	2.0	2334.6	1704.6
188	15.6	412.4	292.4	253	16.8	1646.2	1266.2	318	2.2	2336.8	1704.6
189	16.5	429.0	305.0	254	16.7	1662.9	1278.9	319	2.0	2338.9	1704.6
190	16.3	445.2	317.2	255	16.6	1679.5	1291.5	320	1.9	2340.8	1704.6
191	16.1	461.3	329.3	256	16.5	1696.0	1304.0				
192	16.3	477.6	341.6	257	15.9	1711.9	1315.9				
193	16.7	494.2	354.2	258	15.9	1727.8	1327.8				
194	17.1	511.3	367.3	259	15.9	1743.7	1339.7				
195	17.2	528.5	380.5	260	15.9	1759.5	1351.5				
196	17.4	545.9	393.9	261	15.7	1775.2	1363.2				
197	16.5	562.4	406.4	262	15.2	1790.4	1374.4				
198	15.7	579.1	419.1	263	14.7	1805.2	1385.2				
199	17.6	596.7	432.7	264	14.1	1819.3	1395.3				
200	18.4	615.1	447.1	265	13.8	1833.1	1405.1				
201	18.9	634.0	462.0	266	13.8	1846.9	1414.9				
202	19.5	653.5	477.5	267	14.2	1861.2	1425.2				
203	18.2	671.6	491.6	268	13.9	1875.0	1435.0				
204	17.7	689.4	505.4	269	14.0	1889.0	1445.0				
205	18.5	707.9	519.9	270	14.3	1903.3	1455.3				
206	18.8	726.7	534.7	271	14.6	1917.9	1465.9				
207	19.1	745.8	549.8	272	14.5	1932.4	1476.4				
208	19.9	765.7	565.7	273	14.4	1946.8	1486.8				
209	20.3	786.0	582.0	274	14.3	1961.1	1497.1				
210	20.9	806.9	598.9	275	13.9	1975.0	1507.0				
211	20.9	827.8	615.8	276	13.2	1988.3	1516.3				
212	20.6	848.4	632.4	277	12.2	2000.4	1524.4				
213	20.3	868.7	648.7	278	12.3	2012.8	1532.8				
214	18.2	886.9	662.9	279	12.4	2025.2	1541.2				
215	16.9	903.9	675.9	280	12.6	2037.8	1549.8				
216	18.1	922.0	690.0	281	12.4	2050.2	1558.2				
217	18.3	940.3	704.3	282	12.1	2062.3	1566.3				
218	19.1	959.4	719.4	283	11.6	2073.9	1573.9				
219	20.1	979.5	735.5	284	11.1	2085.0	1581.0				
220	20.1	999.6	751.6	285	11.0	2096.0	1588.0				
221	19.2	1018.8	766.8	286	11.3	2107.3	1595.3				
222	19.9	1038.7	782.7	287	11.8	2119.2	1603.2				
223	19.9	1058.6	798.6	288	12.2	2131.4	1611.4				

STN 119 DEPTH 2M





GRANDE ENTREE PQ (ILES DE LA MADELEINE)
47.60N 61.50W 1800Z 08/06/90 - 1000Z 16/11/90
INST. 63807

GRANDE ENTRÉE PQ (ILES DE LA MADELEINE)

STA. 4TF 120

STN 120 DEPTH 2M





GRANDE ENTREE PQ (ILES DE LA MADELEINE)
47.60N 61.50W 2000Z 28/06/90 – 1200Z 19/07/90
INST. 62862

GRANDE ENTRÉE PQ (ÎLES DE LA MADELEINE)

STA. 4TF 121

STN 121 DEPTH 2M






GRANDE ENTRÉE PQ (ILES DE LA MADELEINE)
47.60N 61.50W 1300Z 24/07/90 - 1300Z 21/11/90
INST. 62862

GROSSE ILE PQ (ILES DE LA MADELEINE)

STA. 4TF 118

WATER DEPTH 6.0M.		INST DEPTH 2.0M.		LATITUDE 47.60		LONGITUDE 61.50		FROM 4/ 6/ 90		TO 22/11/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
155	14.0	14.0	10.0	220	23.2	1138.2	874.2	285	11.5	2295.1	1771.1
156	13.9	27.9	19.9	221	24.3	1162.5	894.5	286	11.9	2307.0	1779.0
157	13.8	41.7	29.7	222	24.2	1186.7	914.7	287	13.1	2320.1	1788.1
158	13.8	55.5	39.5	223	24.5	1211.2	935.2	288	13.4	2333.5	1797.5
159	13.7	69.2	49.2	224	24.4	1235.6	955.6	289	13.1	2346.6	1806.6
160	13.2	82.3	58.3	225	23.7	1259.3	975.3	290	12.0	2358.6	1814.6
161	12.7	95.1	67.1	226	23.7	1283.0	995.0	291	11.4	2370.0	1822.0
162	12.4	107.4	75.4	227	22.8	1305.8	1013.8	292	11.7	2381.6	1829.6
163	12.2	119.6	83.6	228	22.2	1328.0	1032.0	293	10.5	2392.1	1836.1
164	12.9	132.6	92.6	229	22.2	1350.3	1050.3	294	9.2	2401.4	1841.4
165	14.6	147.1	103.1	230	22.4	1372.7	1068.7	295	9.4	2410.7	1846.7
166	14.8	161.9	113.9	231	22.0	1394.7	1086.7	296	9.4	2420.1	1852.1
167	15.6	177.6	125.6	232	20.6	1415.3	1103.3	297	9.1	2429.3	1857.3
168	16.3	193.9	137.9	233	20.2	1435.5	1119.5	298	9.2	2438.4	1862.4
169	17.9	211.7	151.7	234	19.8	1455.4	1135.4	299	8.9	2447.3	1867.3
170	17.5	229.2	165.2	235	19.9	1475.2	1151.2	300	8.3	2455.6	1871.6
171	16.4	245.6	177.6	236	19.8	1495.0	1167.0	301	7.9	2463.5	1875.5
172	14.5	260.2	188.2	237	19.9	1514.9	1182.9	302	7.9	2471.3	1879.3
173	12.7	272.9	196.9	238	20.3	1535.1	1199.1	303	7.7	2479.0	1883.0
174	13.2	286.1	206.1	239	21.0	1556.2	1216.2	304	7.4	2486.4	1886.4
175	13.3	299.3	215.3	240	20.9	1577.1	1233.1	305	5.7	2492.1	1888.1
176	12.6	312.0	224.0	241	21.0	1598.1	1250.1	306	4.4	2496.5	1888.5
177	13.2	325.2	233.2	242	21.4	1619.5	1267.5	307	4.2	2500.7	1888.7
178	15.2	340.4	244.4	243	21.3	1640.7	1284.7	308	4.6	2505.3	1889.3
179	16.0	356.4	256.4	244	21.3	1662.1	1302.1	309	4.8	2510.1	1890.1
180	16.4	372.8	268.8	245	21.0	1683.1	1319.1	310	4.4	2514.5	1890.5
181	16.8	389.6	281.6	246	20.3	1703.3	1335.3	311	4.0	2518.5	1890.5
182	16.0	405.6	293.6	247	19.3	1722.6	1350.6	312	3.9	2522.4	1890.5
183	15.9	421.5	305.5	248	18.9	1741.5	1365.5	313	3.9	2526.3	1890.5
184	16.5	438.0	318.0	249	18.5	1759.9	1379.9	314	4.1	2530.4	1890.6
185	17.1	455.0	331.0	250	18.6	1778.6	1394.6	315	4.4	2534.8	1891.0
186	17.2	472.3	344.3	251	18.3	1796.9	1408.9	316	3.7	2538.4	1891.0
187	17.2	489.4	357.4	252	17.4	1814.3	1422.3	317	2.6	2541.1	1891.0
188	17.3	506.7	370.7	253	17.2	1831.5	1435.5	318	2.4	2543.4	1891.0
189	16.6	523.3	383.3	254	17.1	1848.6	1448.6	319	2.4	2545.9	1891.0
190	17.0	540.3	396.3	255	16.9	1865.5	1461.5	320	2.5	2548.4	1891.0
191	16.8	557.1	409.1	256	16.8	1882.3	1474.3	321	2.9	2551.3	1891.0
192	16.8	573.9	421.9	257	16.1	1898.4	1486.4	322	3.6	2554.9	1891.0
193	17.1	591.0	435.0	258	16.0	1914.4	1498.4	323	3.7	2558.6	1891.0
194	17.4	608.5	448.5	259	16.2	1930.6	1510.6	324	3.7	2562.3	1891.0
195	18.1	626.6	462.6	260	16.1	1946.7	1522.7	325	4.0	2566.3	1891.0
196	18.4	644.9	476.9	261	15.8	1962.5	1534.5	326	4.2	2570.4	1891.1
197	18.7	663.6	491.6	262	15.4	1977.8	1545.8				
198	18.1	681.7	505.7	263	14.9	1992.7	1556.7				
199	18.7	700.5	520.5	264	14.3	2007.0	1567.0				
200	19.6	720.1	536.1	265	13.6	2020.7	1576.7				
201	20.1	740.2	552.2	266	14.0	2034.7	1586.7				
202	20.1	760.3	568.3	267	14.2	2048.9	1596.9				
203	20.4	780.6	584.6	268	14.4	2063.3	1607.3				
204	20.7	801.4	601.4	269	14.6	2077.9	1617.9				
205	20.4	821.8	617.8	270	15.0	2092.9	1628.9				
206	21.4	843.2	635.2	271	15.1	2108.1	1640.1				
207	21.8	865.0	653.0	272	15.2	2123.3	1651.3				
208	21.7	886.7	670.7	273	15.1	2138.4	1662.4				
209	21.2	907.9	687.9	274	14.9	2153.4	1673.4				
210	21.4	929.3	705.3	275	14.7	2168.1	1684.1				
211	22.4	951.7	723.7	276	14.0	2182.1	1694.1				
212	22.4	974.1	742.1	277	13.0	2195.1	1703.1				
213	22.0	996.2	760.2	278	12.9	2208.0	1712.0				
214	20.2	1016.4	776.4	279	13.1	2221.2	1721.2				
215	18.6	1035.1	791.1	280	13.2	2234.3	1730.3				
216	18.4	1053.4	805.4	281	13.0	2247.4	1739.4				
217	19.2	1072.6	820.6	282	12.6	2260.0	1748.0				
218	20.4	1093.0	837.0	283	12.2	2272.2	1756.2				
219	22.0	1115.0	855.0	284	11.4	2283.6	1763.6				

STN 118 DEPTH 2M






GROSSE ILE PQ (ILES DE LA MADELEINE)
47.60N 61.50W 1400Z 04/06/90 - 1400Z 22/11/90
INST. 63439

HAVRE AUBERT PQ (ILES DE LA MADELEINE)

STA. 4TF 122

WATER DEPTH 5.0M.		INST DEPTH 2.0M.		LATITUDE 47.20		LONGITUDE 61.90			FROM 12/ 6/ 90		TO 8/11/ 90	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	
163	13.4	13.4	9.4	228	22.3	1213.4	949.4	293	9.6	2233.2	1709.2	
164	13.8	27.2	19.2	229	21.5	1235.0	967.0	294	7.8	2241.1	1713.1	
165	13.8	41.0	29.0	230	22.4	1257.3	985.3	295	8.0	2249.1	1717.1	
166	14.5	55.5	39.5	231	21.6	1278.9	1002.9	296	8.5	2257.6	1721.6	
167	15.9	71.4	51.4	232	19.6	1298.6	1018.6	297	8.5	2266.0	1726.0	
168	16.9	88.3	64.3	233	19.1	1317.6	1033.6	298	8.6	2274.6	1730.6	
169	17.1	105.4	77.4	234	19.0	1336.6	1048.6	299	8.2	2282.8	1734.8	
170	16.7	122.0	90.0	235	19.3	1356.0	1064.0	300	7.5	2290.3	1738.3	
171	15.7	137.7	101.7	236	19.3	1375.2	1079.2	301	6.7	2297.0	1741.0	
172	14.3	152.0	112.0	237	19.5	1394.7	1094.7	302	6.7	2303.7	1743.7	
173	13.4	165.3	121.3	238	20.5	1415.2	1111.2	303	6.7	2310.4	1746.4	
174	13.1	178.4	130.4	239	21.4	1436.6	1128.6	304	5.9	2316.3	1748.3	
175	13.1	191.5	139.5	240	21.3	1457.9	1145.9	305	3.6	2319.9	1748.3	
176	13.4	205.0	149.0	241	21.5	1479.4	1163.4	306	2.7	2322.5	1748.3	
177	14.7	219.7	159.7	242	21.6	1501.0	1181.0	307	3.0	2325.5	1748.3	
178	15.9	235.6	171.6	243	21.6	1522.6	1198.6	308	3.5	2328.9	1748.3	
179	16.8	252.4	184.4	244	21.7	1544.3	1216.3	309	3.7	2332.6	1748.3	
180	17.0	269.5	197.5	245	20.8	1565.0	1233.0	310	3.5	2336.1	1748.3	
181	17.8	287.2	211.2	246	19.6	1584.6	1248.6	311	3.0	2339.2	1748.3	
182	18.7	305.9	225.9	247	18.4	1603.0	1263.0	312	2.6	2341.7	1748.3	
183	18.9	324.8	240.8	248	17.8	1620.8	1276.8					
184	18.4	343.2	255.2	249	17.6	1638.5	1290.5					
185	18.1	361.3	269.3	250	18.1	1656.6	1304.6					
186	18.1	379.3	283.3	251	17.2	1673.8	1317.8					
187	17.5	396.8	296.8	252	16.3	1690.1	1330.1					
188	17.4	414.3	310.3	253	16.2	1706.3	1342.3					
189	17.3	431.6	323.6	254	16.3	1722.6	1354.6					
190	17.2	448.7	336.7	255	16.2	1738.8	1366.8					
191	16.3	465.1	349.1	256	16.3	1755.1	1379.1					
192	16.3	481.4	361.4	257	15.6	1770.7	1390.7					
193	16.5	497.9	373.9	258	15.5	1786.1	1402.1					
194	17.3	515.2	387.2	259	16.0	1802.1	1414.1					
195	18.1	533.3	401.3	260	16.0	1818.1	1426.1					
196	18.5	551.8	415.8	261	15.5	1833.6	1437.6					
197	18.9	570.7	430.7	262	14.9	1848.5	1448.5					
198	18.7	589.4	445.4	263	14.0	1862.5	1458.5					
199	19.6	609.1	461.1	264	12.5	1875.0	1467.0					
200	20.5	629.6	477.6	265	12.8	1887.8	1475.8					
201	20.8	650.4	494.4	266	13.0	1900.8	1484.8					
202	21.0	671.4	511.4	267	13.6	1914.4	1494.4					
203	21.6	693.0	529.0	268	13.6	1928.0	1504.0					
204	20.9	713.9	545.9	269	13.9	1941.9	1513.9					
205	19.9	733.8	561.8	270	14.2	1956.1	1524.1					
206	20.9	754.7	578.7	271	14.4	1970.5	1534.5					
207	21.4	776.1	596.1	272	14.6	1985.1	1545.1					
208	22.1	798.2	614.2	273	14.4	1999.5	1555.5					
209	21.7	819.9	631.9	274	14.1	2013.6	1565.6					
210	21.8	841.7	649.7	275	13.5	2027.2	1575.2					
211	22.6	864.3	668.3	276	12.7	2039.9	1583.9					
212	22.2	886.5	686.5	277	11.4	2051.3	1591.3					
213	21.3	907.8	703.8	278	11.6	2062.9	1598.9					
214	19.7	927.5	719.5	279	12.0	2074.8	1606.8					
215	16.7	944.1	732.1	280	12.2	2087.0	1615.0					
216	16.9	961.0	745.0	281	12.1	2099.2	1623.2					
217	17.9	978.9	758.9	282	11.5	2110.7	1630.7					
218	18.1	997.0	773.0	283	11.0	2121.6	1637.6					
219	19.3	1016.3	788.3	284	10.4	2132.1	1644.1					
220	19.7	1036.0	804.0	285	10.7	2142.8	1650.8					
221	21.1	1057.1	821.1	286	11.1	2153.9	1657.9					
222	22.4	1079.5	839.5	287	12.0	2165.9	1665.9					
223	22.4	1102.0	858.0	288	12.6	2178.5	1674.5					
224	22.1	1124.1	876.1	289	12.2	2190.6	1682.6					
225	22.8	1146.9	894.9	290	11.4	2202.0	1690.0					
226	22.1	1169.0	913.0	291	10.8	2212.8	1696.8					
227	22.0	1191.1	931.1	292	10.9	2223.7	1703.7					

STN 122 DEPTH 2M






HAVRE AUBERT PQ (ILES DE LA MADELEINE)
47.20N 61.90W 1800Z 12/06/90 - 0600Z 08/11/90
INST. 61672

ILE D'ENTREE PQ (ILES DE LA MADELEINE)

STA. 4TF 116

STN 116 DEPTH 1M





ILE D'ENTREE PQ (ILES DE LA MADELEINE)
47.27N 61.70W 2300Z 13/05/88 - 1500Z 14/09/88
INST. 62906

SAVAGE HBR PEI

STA. 4TG 115

STN 115 DEPTH 20M






SAVAGE HBR PEI
46.46N 62.85W 2200Z 03/07/90 - 0200Z 12/10/90
INST. 64158

ALBERTON PEI

STA. 4TL 109

WATER DEPTH 20.0M.	INST DEPTH 20.0M.	LATITUDE		LONGITUDE		FROM		TO			
		46.83		64.05		18/ 5/ 90	26/ 9/ 90				
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
138	4.1	4.1	.1	203	10.7	456.5	204.3	268	9.7	1267.8	755.6
139	4.4	8.4	.4	204	10.9	467.5	211.2	269	11.0	1278.9	762.7
140	3.7	12.1	.4	205	10.7	478.1	217.9				
141	2.9	15.0	.4	206	10.5	488.7	224.5				
142	2.4	17.4	.4	207	10.3	499.0	230.8				
143	2.2	19.6	.4	208	11.0	510.0	237.8				
144	2.9	22.5	.4	209	11.7	521.7	245.5				
145	2.4	24.9	.4	210	11.5	533.2	253.0				
146	3.1	28.0	.4	211	10.9	544.0	259.8				
147	3.0	31.0	.4	212	10.4	554.5	266.3				
148	3.0	34.0	.4	213	9.7	564.2	272.0				
149	3.0	37.1	.4	214	15.3	579.6	283.3				
150	3.6	40.6	.4	215	15.8	595.3	295.1				
151	4.3	45.0	.8	216	14.8	610.1	305.9				
152	4.4	49.4	1.2	217	12.4	622.6	314.4				
153	4.5	53.9	1.7	218	12.5	635.1	322.9				
154	4.5	58.4	2.2	219	11.8	646.9	330.7				
155	4.2	62.6	2.4	220	12.5	659.4	339.2				
156	4.1	66.7	2.5	221	12.7	672.1	347.9				
157	4.1	70.8	2.6	222	12.4	684.6	356.4				
158	4.2	75.1	2.9	223	12.7	697.2	365.0				
159	4.7	79.7	3.5	224	12.6	709.9	373.6				
160	5.6	85.3	5.1	225	12.4	722.3	382.0				
161	6.0	91.3	7.1	226	12.7	735.0	390.8				
162	6.3	97.6	9.4	227	9.6	744.6	396.4				
163	6.8	104.4	12.2	228	13.6	758.2	406.0				
164	6.5	110.9	14.7	229	12.9	771.1	414.9				
165	6.2	117.2	17.0	230	9.1	780.2	420.0				
166	5.5	122.7	18.5	231	13.5	793.7	429.5				
167	5.7	128.4	20.2	232	18.4	812.0	443.8				
168	6.0	134.4	22.1	233	14.6	826.6	454.4				
169	6.7	141.1	24.9	234	7.6	834.3	458.1				
170	6.8	147.9	27.7	235	10.0	844.3	464.1				
171	8.3	156.2	32.0	236	12.9	857.2	473.0				
172	9.1	165.3	37.1	237	13.5	870.7	482.5				
173	9.3	174.6	42.4	238	13.5	884.2	492.0				
174	9.0	183.6	47.4	239	14.8	899.0	502.8				
175	8.3	191.9	51.7	240	13.9	912.9	512.7				
176	5.8	197.7	53.5	241	13.7	926.6	522.4				
177	4.8	202.5	54.3	242	13.2	939.8	531.6				
178	5.5	208.0	55.8	243	14.9	954.7	542.5				
179	6.6	214.6	58.4	244	13.6	968.4	552.2				
180	8.1	222.6	62.4	245	10.1	978.5	558.3				
181	9.1	231.8	67.6	246	13.0	991.5	567.3				
182	9.9	241.6	73.4	247	16.9	1008.4	580.1				
183	10.3	251.9	79.7	248	11.2	1019.5	587.3				
184	9.9	261.8	85.6	249	8.3	1027.8	591.6				
185	9.5	271.3	91.1	250	10.4	1038.2	598.0				
186	8.7	279.9	95.7	251	13.5	1051.7	607.5				
187	12.1	292.1	103.9	252	14.4	1066.1	617.9				
188	11.1	303.2	111.0	253	12.7	1078.9	626.7				
189	10.8	314.0	117.7	254	11.7	1090.6	634.4				
190	9.5	323.4	123.2	255	14.0	1104.5	644.3				
191	7.5	330.9	126.7	256	14.3	1118.8	654.6				
192	8.0	338.9	130.7	257	13.3	1132.1	663.9				
193	9.8	348.7	136.5	258	10.6	1142.7	670.5				
194	10.5	359.3	143.1	259	7.6	1150.3	674.1				
195	10.5	369.7	149.5	260	8.9	1159.2	679.0				
196	10.8	380.5	156.3	261	13.2	1172.4	688.2				
197	10.8	391.3	163.1	262	14.2	1186.5	698.3				
198	11.0	402.3	170.1	263	14.5	1201.0	708.8				
199	11.2	413.6	177.4	264	15.0	1216.0	719.8				
200	11.4	424.9	184.7	265	14.6	1230.5	730.3				
201	11.1	436.0	191.8	266	14.7	1245.3	741.0				
202	9.8	445.8	197.6	267	12.9	1258.1	749.9				

STN 109 DEPTH 20M






ALBERTON PEI
46.83N 64.05W 1200Z 18/05/90 - 0400Z 26/09/90
INST. 64078

ALBERTON PEI

STA. 4TL 110

WATER DEPTH 20.0M.				INST DEPTH .0M.			LATITUDE 46.83			LONGITUDE 64.05			FROM 18/ 5/ 90	TO 26/ 9/ 90
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)			
138	4.9	4.9	.9	203	19.2	733.8	473.4	268	15.7	1923.9	1403.5			
139	5.5	10.4	2.4	204	19.1	752.9	488.5							
140	4.7	15.1	3.1	205	17.6	770.4	502.0							
141	3.6	18.7	3.1	206	17.8	788.2	515.8							
142	3.1	21.8	3.1	207	18.2	806.5	530.1							
143	2.8	24.5	3.1	208	18.9	825.4	545.0							
144	3.2	27.7	3.1	209	19.3	844.7	560.3							
145	3.8	31.5	3.1	210	19.7	864.3	575.9							
146	4.7	36.2	3.8	211	20.1	884.4	592.0							
147	5.6	41.8	5.4	212	19.1	903.5	607.1							
148	6.4	48.2	7.8	213	16.5	919.9	619.5							
149	5.6	53.8	9.4	214	16.9	936.8	632.4							
150	5.2	59.0	10.6	215	17.0	953.8	645.4							
151	5.0	63.9	11.5	216	17.0	970.9	658.5							
152	5.5	69.4	13.0	217	17.6	988.4	672.0							
153	6.4	75.8	15.4	218	18.7	1007.1	686.7							
154	6.8	82.6	18.2	219	19.3	1026.4	702.0							
155	6.5	89.1	20.7	220	20.4	1046.9	718.5							
156	6.8	95.9	23.5	221	19.4	1066.3	733.9							
157	7.4	103.3	26.9	222	19.7	1086.0	749.6							
158	7.9	111.2	30.8	223	19.5	1105.5	765.1							
159	8.8	120.0	35.6	224	18.4	1123.9	779.5							
160	9.9	129.9	41.5	225	18.6	1142.5	794.1							
161	10.4	140.4	48.0	226	18.8	1161.3	808.9							
162	10.2	150.6	54.2	227	18.9	1180.2	823.8							
163	10.0	160.6	60.2	228	19.4	1199.6	839.2							
164	10.7	171.2	66.8	229	19.3	1218.9	854.5							
165	11.2	182.4	74.0	230	19.6	1238.5	870.1							
166	11.5	193.9	81.5	231	19.4	1257.9	885.5							
167	12.0	205.8	89.4	232	19.3	1277.2	900.8							
168	12.5	218.3	97.9	233	19.1	1296.3	915.9							
169	11.3	229.6	105.2	234	19.0	1315.3	930.9							
170	10.9	240.5	112.1	235	19.0	1334.2	945.8							
171	11.3	251.8	119.4	236	19.2	1353.4	961.0							
172	11.5	263.2	126.8	237	19.3	1372.7	976.3							
173	12.4	275.7	135.3	238	19.7	1392.4	992.0							
174	12.7	288.3	143.9	239	20.2	1412.6	1008.2							
175	12.4	300.7	152.3	240	20.2	1432.8	1024.4							
176	12.6	313.4	161.0	241	20.2	1453.0	1040.6							
177	12.9	326.3	169.9	242	20.2	1473.2	1056.8							
178	12.9	339.1	178.7	243	20.1	1493.3	1072.9							
179	12.6	351.7	187.3	244	20.2	1513.5	1089.1							
180	13.5	365.2	196.8	245	20.1	1533.6	1105.2							
181	14.1	379.3	206.9	246	19.2	1552.7	1120.3							
182	14.4	393.7	217.3	247	18.9	1571.6	1135.2							
183	15.0	408.7	228.3	248	18.6	1590.2	1149.8							
184	15.8	424.4	240.0	249	18.8	1609.0	1164.6							
185	15.4	439.8	251.5	250	18.7	1627.7	1179.3							
186	15.7	455.6	263.2	251	17.4	1645.1	1192.7							
187	15.3	470.9	274.5	252	16.6	1661.7	1205.3							
188	15.3	486.2	285.8	253	16.8	1678.5	1218.1							
189	15.5	501.7	297.3	254	17.3	1695.8	1231.4							
190	15.4	517.1	308.7	255	16.9	1712.7	1244.3							
191	14.9	532.0	319.6	256	17.1	1729.8	1257.4							
192	15.1	547.1	330.7	257	17.2	1747.0	1270.6							
193	14.6	561.7	341.3	258	17.2	1764.2	1283.8							
194	14.9	576.6	352.2	259	16.6	1780.8	1296.4							
195	15.2	591.8	363.4	260	16.2	1797.0	1308.6							
196	15.9	607.7	375.3	261	16.5	1813.5	1321.1							
197	16.8	624.5	388.1	262	16.4	1829.9	1333.5							
198	17.0	641.5	401.1	263	16.0	1845.8	1345.4							
199	17.5	659.1	414.7	264	15.7	1861.5	1357.1							
200	18.4	677.5	429.1	265	15.6	1877.0	1368.7							
201	18.6	696.1	443.7	266	15.5	1892.6	1380.2							
202	18.5	714.6	458.2	267	15.6	1908.2	1391.8							

STN 110 DEPTH 0M






ALBERTON PEI
46.83N 64.05W 1200Z 18/05/90 - 0000Z 26/09/90
INST. 63813

LES ESCOUMINES PQ

STA. 4TP 123

WATER DEPTH 10.0M.		INST DEPTH 10.0M.		LATITUDE 48.53		LONGITUDE 69.70		FROM 4/ 5/ 88		TO 14/10/ 88	
DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)	DAY	MEAN TEMP	DEG DAY(0)	DEG DAY(4)
125	4.8	4.8	.8	190	12.3	405.4	148.1	255	3.1	765.3	271.4
126	4.2	9.0	1.0	191	13.0	418.5	157.2	256	3.4	768.7	271.4
127	4.8	13.7	1.7	192	12.6	431.1	165.8	257	2.8	771.5	271.4
128	2.8	16.6	1.7	193	10.4	441.4	172.1	258	2.4	773.9	271.4
129	4.5	21.0	2.2	194	7.6	449.1	175.8	259	2.8	776.7	271.4
130	5.3	26.3	3.5	195	5.6	454.7	177.4	260	3.2	779.9	271.4
131	2.9	29.2	3.5	196	5.3	460.0	178.7	261	4.0	783.8	271.4
132	3.6	32.7	3.5	197	5.4	465.4	180.1	262	4.9	788.7	272.3
133	4.2	36.9	3.7	198	6.0	471.4	182.1	263	4.6	793.3	272.9
134	5.5	42.4	5.1	199	6.8	478.2	184.9	264	4.3	797.6	273.2
135	6.8	49.2	8.0	200	6.0	484.3	187.0	265	4.2	801.8	273.4
136	7.1	56.3	11.1	201	6.6	490.9	189.6	266	3.5	805.3	273.4
137	7.3	63.6	14.4	202	8.9	499.8	194.5	267	3.5	808.8	273.4
138	7.2	70.8	17.6	203	10.6	510.4	201.1	268	3.2	812.0	273.4
139	7.5	78.4	21.1	204	6.4	516.8	203.5	269	2.6	814.6	273.4
140	9.0	87.4	26.2	205	5.9	522.7	205.4	270	2.5	817.1	273.4
141	9.5	96.9	31.7	206	5.2	527.9	206.6	271	2.6	819.7	273.4
142	9.7	106.7	37.4	207	4.7	532.5	207.2	272	2.4	822.1	273.4
143	8.4	115.1	41.8	208	4.9	537.4	208.1	273	2.6	824.7	273.4
144	6.0	121.1	43.9	209	5.8	543.2	209.9	274	2.7	827.4	273.4
145	4.4	125.5	44.3	210	7.0	550.3	213.0	275	2.7	830.1	273.4
146	3.8	129.3	44.3	211	8.5	558.8	217.5	276	3.0	833.1	273.4
147	3.6	132.9	44.3	212	8.9	567.7	222.4	277	3.1	836.1	273.4
148	4.7	137.6	45.0	213	8.7	576.4	227.1	278	3.0	839.2	273.4
149	5.6	143.2	46.6	214	8.5	584.9	231.6	279	3.2	842.4	273.4
150	4.8	148.0	47.4	215	6.2	591.1	233.8	280	3.3	845.7	273.4
151	5.8	153.8	49.2	216	5.7	596.8	235.5	281	3.4	849.1	273.4
152	7.7	161.5	52.9	217	5.8	602.5	237.2	282	3.2	852.3	273.4
153	6.1	167.5	55.0	218	6.0	608.5	239.2	283	3.1	855.4	273.4
154	3.8	171.4	55.0	219	6.8	615.3	242.0	284	3.2	858.6	273.4
155	2.4	173.8	55.0	220	7.7	623.0	245.7	285	3.2	861.7	273.4
156	3.1	176.9	55.0	221	8.6	631.6	250.3	286	3.1	864.9	273.4
157	3.6	180.5	55.0	222	7.9	639.5	254.2	287	3.1	868.0	273.4
158	3.7	184.3	55.0	223	6.7	646.2	256.9	288	3.1	871.1	273.4
159	4.6	188.9	55.6	224	5.7	651.9	258.6				
160	5.9	194.8	57.5	225	5.2	657.1	259.8				
161	6.6	201.4	60.1	226	4.6	661.7	260.4				
162	6.2	207.6	62.3	227	4.4	666.2	260.8				
163	7.7	215.3	66.0	228	3.5	669.6	260.8				
164	8.5	223.8	70.5	229	4.1	673.8	261.0				
165	8.8	232.6	75.3	230	5.4	679.2	262.4				
166	9.0	241.6	80.3	231	6.6	685.8	265.0				
167	8.9	250.5	85.2	232	4.1	689.9	265.1				
168	8.6	259.1	89.8	233	3.4	693.3	265.1				
169	7.2	266.2	92.9	234	2.7	696.0	265.1				
170	6.2	272.4	95.1	235	2.3	698.3	265.1				
171	7.0	279.5	98.2	236	2.7	701.0	265.1				
172	7.1	286.6	101.3	237	2.6	703.6	265.1				
173	7.1	293.7	104.4	238	3.1	706.7	265.1				
174	6.8	300.5	107.2	239	2.9	709.7	265.1				
175	5.9	306.4	109.1	240	2.9	712.5	265.1				
176	4.5	311.0	109.7	241	3.0	715.5	265.1				
177	5.8	316.8	111.5	242	3.4	718.9	265.1				
178	5.6	322.3	113.0	243	3.4	722.3	265.1				
179	5.3	327.7	114.3	244	5.2	727.5	266.3				
180	5.6	333.3	116.0	245	5.7	733.2	268.0				
181	5.8	339.1	117.8	246	5.8	739.1	269.9				
182	5.1	344.2	118.9	247	5.6	744.6	271.4				
183	5.0	349.2	119.9	248	3.6	748.2	271.4				
184	5.5	354.7	121.4	249	3.0	751.2	271.4				
185	5.6	360.3	122.9	250	2.5	753.7	271.4				
186	6.2	366.5	125.2	251	2.0	755.7	271.4				
187	6.9	373.4	128.1	252	1.9	757.6	271.4				
188	8.5	382.0	132.7	253	1.9	759.5	271.4				
189	11.2	393.2	139.8	254	2.7	762.2	271.4				

STN 123 DEPTH 10M





LES ESCOUMINS PQ (LAVAL)
48.53N 69.70W 1745Z 04/05/88 - 0945Z 14/10/88
INST. 63913

ST IRENE PQ (IML)

STA. 4TP 124

STN 124 DEPTH 0M



ST IRENE PQ (IML)
47.60N 70.20W 2000Z 06/09/90 - 1200Z 31/10/90
INST. 61526