

C.1

# NOT FOR LOAN

## NE S'EMPRUNTE PAS

### DOMINION BUREAU OF STATISTICS

CATALOGUE No.

44-003

MONTHLY

OTTAWA - CANADA

Published by Authority of the Minister of Trade and Commerce

Vol. 17 No. 9

Price: 10 cents, \$1.00 a year

Historical File Copy

#### GYPSUM PRODUCTS

SEPTEMBER 1966

TABLE 1. Production of Gypsum Products

	September		Nine months ended September		
	1965	1966	1965	1966	
<b>Gypsum:</b>					
Wallboard .....	sq. ft.	55,250,903	47,495,247	446,747,658	455,239,478
Lath .....	"	24,959,575	16,595,539	186,896,144	155,516,168
Sheathing .....	"	1,180,876	811,818	9,313,522	10,708,970
Plasters .....	ton	23,473	19,974	186,995	185,797

TABLE 2. Factory Shipments of Gypsum Products

	September		Nine months ended September		
	1965	1966	1965	1966	
<b>Gypsum wallboard:</b>					
Domestic .....	sq. ft.	51,091,220	50,159,329	421,328,632	457,874,206
Export .....	"	1,722,520	-	20,536,240	28,000
Total .....	"	52,813,740	50,159,329	441,864,872	457,902,206
<b>Gypsum lath:</b>					
Domestic .....	sq. ft.	23,197,259	18,183,237	182,076,294	166,843,827
Export .....	"	884,000	-	4,794,344	9,600
Total .....	"	24,081,259	18,183,237	186,870,638	166,853,427
<b>Gypsum sheathing:</b>					
Domestic .....	sq. ft.	1,095,746	1,018,160	9,493,026	10,860,646
Export .....	"	-	-	-	-
Total .....	"	1,095,746	1,018,160	9,493,026	10,860,646
<b>Gypsum plasters:</b>					
Domestic .....	ton	23,150	20,553	186,107	186,213
Export .....	"	-	-	-	-
Total .....	"	23,150	20,553	186,107	186,213

See page 2 for footnotes.

November 1966  
6507-823

Industry Division






TABLE 3. Factory Stocks of Gypsum Products

September 30

	1965	1966
Gypsum wallboard ..... sq. ft.	36,325,109	38,893,645
Gypsum lath ..... "	10,815,921	9,406,090
Gypsum sheathing ..... "	873,208	822,642
Gypsum plasters ..... ton	3,291	2,291

Notes: 1. Data contained in this report reflect the experience of respondent firms listed on the January report. However, please note the following changes for the month under review:

NIL

2. In the case of the commodity contained herein it is estimated that coverage is approximately 100%.