

84 D02

DOES NOT CIRCULATE

DOMINION BUREAU OF STATISTICS

NE PAS CIRCULER

CANADA

DEPARTMENT OF TRADE AND COMMERCE

DOMINION BUREAU OF STATISTICS

DEMOGRAPHY BRANCH

PRELIMINARY MONTHLY REPORT

VITAL STATISTICS

JULY 1927

+++

Published by authority of the Hon. James Malcolm, M. P.,
Minister of Trade and Commerce

+++

OTTAWA

1928

100

{

DOMINION BUREAU OF STATISTICS

DEMOGRAPHY BRANCH

Dominion Statistician:
Chief, Demography Branch:

R. H. Coats, B.A., F.S.S. (Hon.), F. R. S. C.
E. S. Macphail

This bulletin gives a preliminary report on Births, Deaths and Marriages for the month of July, 1927, for the nine provinces of Canada. Monthly reports for years previous to 1926 covered only what was termed the Registration Area of Canada which did not include the province of Quebec.

Since January, first 1926, Quebec province has joined in the scheme of national vital statistics so that since that time the Monthly Reports of the Bureau of Statistics cover all the provinces while the Annual Reports include the Yukon and Northwest Territories.

In comparing the figures for July, 1927 with those of the same month for previous years, it should be remembered that for previous years the reports represent final figures while those for 1927 are provisional. Attention is further directed to the fact that for 1926 and 1927 the figures for Quebec are included in all tables. To obtain a comparison for the Registration Area as constituted previous to 1926, the figures for Quebec should be deducted.

BIRTHS

The total number of births reported for the nine provinces of Canada in July, 1927 was 19,820, as against 19,907 for July of last year. The provinces of Nova Scotia, Quebec and Ontario showed an increase while the other provinces showed a decrease.

There were altogether 20,135 confinements. Single confinements numbered 19,875 resulting in 19,327 children born alive and 543 children born dead. Twin births numbered 258; in 236 cases both infants were born alive while in 15 cases one only was born alive and in 7 cases both were born dead. There were two sets of triplets in which all the children were born alive.

Stillbirths reported in July were distributed as follows: Prince Edward Island 6; Nova Scotia 34; New Brunswick 28; Quebec 155; Ontario 226; Manitoba 40; Saskatchewan 39; Alberta 31; British Columbia 18; making a total of 577. Stillbirths are not counted either as births or as deaths.

MORTALITY

MATERNAL MORTALITY - The number of maternal deaths in each province is given by certain age groups in Table 4. The maternal mortality rate computed on the basis of 1,000 living births was 5.4 for July, 1927. The rates for the same month in the preceding years were as follows: 1926, 5.5; 1925, 4.7; 1924, 5.8; 1923, 5.0; 1922, 5.1; and 1921, 5.2. As already indicated the province of Quebec is included in this rate for 1926 and 1927 only.

INFANT MORTALITY - In Table 5 mortality of children under one year of age is given for the principal causes of death. Of the total number of infant deaths reported for July, 86 per cent were attributable to the causes of death listed in the table. The mortality among male children under one year of age was 83.1 per 1,000 males born alive, while mortality among females was 68.9 per 1,000 females born alive.

GENERAL MORTALITY - Table 6 gives deaths among the population generally from certain specified causes, by provinces, while Table 7 gives similar information for cities of 30,000 population and over.

MARRIAGES

The number of marriages reported is shown by totals and percentages in Table 8.




Table 1. Living births by provinces in July, 1921 - 27.

| Year | Total | P.E. Island | Nova Scotia | New Brunswick | Quebec | Ontario | Manitoba | Saskatchewan | Alberta | British Columbia |
|----------------------------------------------------|--------|-------------|-------------|---------------|--------|---------|----------|--------------|---------|------------------|
| 1921 | 14,342 | 187 | 1,113 | 997 | - | 6,341 | 1,505 | 1,857 | 1,398 | 944 |
| 1922 | 14,109 | 209 | 1,059 | 1,014 | - | 6,266 | 1,568 | 1,806 | 1,352 | 835 |
| 1923 | 13,531 | 180 | 1,031 | 870 | - | 6,141 | 1,432 | 1,734 | 1,299 | 844 |
| 1924 | 13,243 | 158 | 1,001 | 903 | - | 6,178 | 1,281 | 1,664 | 1,150 | 908 |
| 1925 | 13,439 | 160 | 1,001 | 976 | - | 6,236 | 1,234 | 1,668 | 1,287 | 877 |
| 1926 (1) | 19,907 | 190 | 934 | 907 | 6,959 | 5,847 | 1,249 | 1,751 | 1,224 | 846 |
| 1927 (1) | 19,820 | (2) 103 | 982 | 849 | 7,180 | 5,877 | 1,174 | 1,700 | 1,161 | 794 |
| Equivalent annual birth rate per 1,000 population. | | | | | | | | | | |
| 1921 | 26.4 | 24.8 | 25.0 | 30.9 | - | 25.4 | 29.0 | 28.9 | 28.0 | 21.2 |
| 1922 | 25.5 | 27.9 | 25.5 | 30.4 | - | 24.7 | 30.0 | 27.6 | 26.9 | 18.2 |
| 1923 | 24.2 | 24.1 | 22.8 | 25.9 | - | 23.9 | 27.2 | 26.1 | 25.7 | 17.9 |
| 1924 | 23.5 | 21.2 | 22.1 | 26.7 | - | 23.8 | 24.1 | 24.6 | 22.7 | 19.4 |
| 1925 | 23.5 | 21.7 | 21.9 | 28.5 | - | 23.7 | 23.0 | 24.2 | 25.1 | 18.4 |
| 1926 (1) | 25.0 | 25.7 | 20.4 | 26.2 | 32.0 | 21.9 | 23.0 | 25.1 | 23.7 | 17.5 |
| 1927 (1) | 24.5 | (2) | 21.3 | 24.3 | 32.5 | 21.7 | 21.4 | 23.9 | 22.2 | 16.3 |

(1) Figures for Quebec included for 1926 and 1927.

(2) The figures for Prince Edward Island are regarded as too incomplete to justify computation of a rate.

Table 2. Living births classified according to sex and whether single or plural,
July, 1927.

| Provinces | Total | Male | Female | Single Births | Pairs of Twins | No. Triplets |
|------------------|--------|--------|--------|---------------|----------------|--------------|
| P. E. Island | 103 | 53 | 50 | 101 | 1 | - |
| Nova Scotia | 982 | 515 | 467 | 956 | 13 | - |
| New Brunswick | 849 | 407 | 442 | 815 | 17 | - |
| Quebec | 7,180 | 3,659 | 3,521 | 7,013 | 82 | 1 |
| Ontario | 5,877 | 2,949 | 2,928 | 5,746 | 64 | 1 |
| Manitoba | 1,174 | 608 | 566 | 1,144 | 15 | - |
| Saskatchewan | 1,700 | 886 | 814 | 1,664 | 18 | - |
| Alberta | 1,161 | 601 | 560 | 1,121 | 20 | - |
| British Columbia | 794 | 415 | 379 | 782 | 6 | - |
| Total | 19,820 | 10,093 | 9,727 | 19,342 | 236 | 2 |




Table 3. Births in cities of 20,000 and over, July, 1921-1927.

| Cities of 20,000 and over | | 1921 | 1922 | 1923 | 1924 | 1925 | 1926 | 1927 |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Montreal | Que. | - | - | - | - | - | 1,599 | 1,604 |
| Toronto | Ont. | 1,191 | 1,117 | 1,134 | 1,109 | 1,061 | 979 | 939 |
| Winnipeg | Man. | 525 | 533 | 457 | 413 | 404 | 344 | 388 |
| Vancouver | B.C. | 270 | 230 | 230 | 275 | 289 | 239 | 240 |
| Hamilton | Ont. | 286 | 275 | 255 | 268 | 272 | 253 | 270 |
| Ottawa | Ont. | 250 | 287 | 236 | 246 | 258 | 265 | 294 |
| Quebec | Que. | - | - | - | - | - | 339 | 359 |
| Calgary | Alta. | 209 | 149 | 136 | 133 | 164 | 133 | 159 |
| London | Ont. | 146 | 136 | 129 | 145 | 139 | 130 | 104 |
| Edmonton | Alta. | 170 | 187 | 178 | 161 | 165 | 142 | 169 |
| Halifax | N.S. | 149 | 147 | 131 | 111 | 107 | 103 | 139 |
| St. John | N.B. | 98 | 101 | 112 | 99 | 124 | 114 | 93 |
| Victoria | B.C. | 77 | 83 | 85 | 54 | 38 | 79 | 55 |
| Windsor | Ont. | 106 | 118 | 127 | 174 | 194 | 183 | 205 |
| Regina | Sask. | 89 | 95 | 75 | 80 | 81 | 86 | 94 |
| Brantford | Ont. | 67 | 69 | 74 | 54 | 52 | 38 | 48 |
| Saskatoon | Sask. | 76 | 71 | 68 | 62 | 70 | 76 | 83 |
| Verdun | Que. | - | - | - | - | - | 95 | 95 |
| Hull | Que. | - | - | - | - | - | 101 | 103 |
| Sherbrooke | Que | - | - | - | - | - | 61 | 77 |
| Sydney | N.S. | 44 | 39 | 40 | 38 | 48 | 33 | 36 |
| Three Rivers | Que. | - | - | - | - | - | 91 | 109 |
| Kitchener | Ont. | 41 | 59 | 45 | 47 | 55 | 45 | 64 |
| Kingston | Ont. | 60 | 52 | 43 | 46 | 53 | 33 | 67 |
| Sault Ste. Marie | Ont. | 53 | 51 | 43 | 47 | 67 | 52 | 53 |
| Peterborough | Ont. | 54 | 51 | 42 | 43 | 55 | 48 | 43 |
| Fort William | Ont. | 51 | 61 | 69 | 67 | 75 | 55 | 65 |

Table 4. Maternal Mortality, July, 1927, by age groups.

| Age groups | Total | P.E.I. | N.S. | N.B. | Que. | Ont. | Man. | Sask. | Alta. | B.C. |
|-------------|-------|--------|------|------|------|------|------|-------|-------|------|
| 15 - 19 | 5 | - | - | - | 3 | 1 | - | - | 1 | - |
| 20 - 24 | 19 | - | - | 1 | 4 | 11 | - | - | 2 | 1 |
| 25 - 29 | 21 | - | 2 | - | 6 | 7 | 2 | 2 | - | 2 |
| 30 - 39 | 47 | - | 1 | 1 | 20 | 17 | 2 | 3 | 2 | 1 |
| 40 - 49 | 16 | - | 1 | - | 4 | 4 | - | - | 3 | 4 |
| 50 and over | - | - | - | - | - | - | - | - | - | - |
| Total | 108 | - | 4 | 2 | 37 | 40 | 4 | 5 | 8 | 8 |




Table 5. Mortality of children under one year of age for certain principal causes of death by sex in each province, July, 1927.

| Causes of death | Total | P.E. Island | | Nova Scotia | New Brunswick | Quebec | Ontario | Manitoba | Saskatchewan | Alberta | British Columbia | |
|-------------------------------------------------------------------------------------------|------------------|-------------|------|-------------|---------------|--------|---------|----------|--------------|---------|------------------|--|
| | | M. | F. | | | | | | | | | |
| 7. Measles | M. 8 F. 4 | - | - | 1 | 1 | 5 | 12 | 1 | 1 | 1 | 1 | |
| 9. Whooping Cough | M. 23 F. 28 | - | - | 2 | 1 | 12 | 20 | 4 | 2 | 1 | 1 | |
| 11-6, 8, 10, 12-30, 39-42, other epidemic, endemic and infec- tious diseases (1) | M. 6 F. 10 | - | - | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | |
| 11. Influenza | M. 12 F. 7 | - | - | 1 | 1 | 10 | 4 | 2 | 1 | 1 | 1 | |
| 31-37. Tuberculosis | M. 3 F. 2 | - | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 38. Syphilis | M. 8 F. 4 | - | - | 1 | 1 | 3 | 2 | 3 | 1 | 1 | 1 | |
| 71A. Meningitis (simple) | M. 7 F. 15 | - | - | 1 | 1 | 4 | 12 | 1 | 2 | 1 | 1 | |
| 80. Convulsions | M. 14 F. 9 | - | - | 6 | 3 | 4 | 4 | 1 | 2 | 4 | 3 | |
| 99. Bronchitis | M. 1 F. 2 | - | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 100, 101. Pneumonia | M. 42 F. 34 | - | - | 2 | 3 | 19 | 12 | 10 | 8 | 2 | 1 | |
| 113. Diarrhoea and enteritis | M. 206 F. 163 | - | - | 1 | 3 | 176 | 143 | 13 | 6 | 4 | 3 | |
| 118. Hernia, intestin- al obstruction | M. 8 F. 1 | - | - | 1 | 1 | 3 | - | 1 | 1 | 1 | 1 | |
| 159. Congenital malformations | M. 45 F. 42 | - | - | 1 | 1 | 20 | 18 | 19 | 16 | 1 | 3 | |
| 160. Congenital debil- ity | M. 105 F. 76 | - | - | 4 | 2 | 68 | 46 | 16 | 9 | 6 | 1 | |
| 161. Premature birth, injury at birth | M. 224 F. 183 | - | - | 14 | 6 | 82 | 66 | 75 | 4 | 18 | 8 | |
| Other specified causes | M. 121 F. 87 | - | - | 4 | 14 | 53 | 34 | 23 | 11 | 6 | 5 | |
| 204, 205. Unspecified or ill-defined causes | M. 6 F. 3 | - | - | 4 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Total males | 839 | 6 | 36 | 37 | 462 | 174 | 31 | 47 | 27 | 19 | | |
| Total females | 670 | 2 | 28 | 28 | 368 | 138 | 16 | 42 | 31 | 17 | | |
| Total both sexes | 1509 | 8 | 64 | 65 | 830 | 312 | 47 | 89 | 58 | 36 | | |
| (1921) | 74.8 | 48.1 | 75.5 | 109.3 | - | 85.5 | 59.1 | 73.8 | 50.8 | 33.9 | | |
| Rate per 1,000 | (1922) | 64.0 | 62.2 | 71.8 | 60.1 | - | 64.2 | 69.5 | 59.8 | 59.9 | 56.3 | |
| living births | (1923) | 65.0 | 44.4 | 76.6 | 66.7 | - | 61.1 | 69.1 | 71.5 | 76.2 | 43.8 | |
| | (1924) | 65.9 | 63.3 | 89.9 | 77.5 | - | 63.0 | 55.4 | 67.9 | 71.3 | 52.9 | |
| | (1925) | 57.0 | 25.0 | 66.9 | 67.6 | - | 53.1 | 61.6 | 68.3 | 60.6 | 34.2 | |
| | (1926) (2) | 83.9 | 57.9 | 60.0 | 67.3 | 116.1 | 73.0 | 52.8 | 66.2 | 69.4 | 48.5 | |
| | (1927) (2) | 76.1 | - | 65.2 | 76.6 | 115.6 | 53.1 | 40.0 | 52.4 | 50.0 | 45.3 | |

(1) Comprises typhoid, small-pox, scarlet fever, diphtheria, mumps, dysentery, erysipelas, acute anterior poliomyelitis, meningococcus meningitis, chicken-pox, German measles, gonococcus infection and purulent infection.

(2) Figures for Quebec included for 1926 and 1927.




Table 6. Deaths from certain specified causes by provinces, July, 1927.

| Causes of Death | Total | P.E. Island | Nova Scotia | New Brunswick | Quebec | Ontario | Manitoba | Saskatchewan | Alberta | British Columbia |
|-------------------------------------------------------------------|--------|-------------|-------------|---------------|--------|---------|----------|--------------|---------|------------------|
| 1. Typhoid fever | 71 | - | 2 | 2 | 55 | 10 | - | - | 1 | 1 |
| 7. Measles | 36 | - | 6 | 2 | 16 | 9 | - | 2 | 1 | 1 |
| 8. Scarlet fever | 27 | - | 1 | 1 | 16 | 7 | 2 | 3 | 1 | 1 |
| 9. Whooping cough | 79 | 1 | 6 | 5 | 45 | 15 | 3 | 3 | 1 | 1 |
| 10. Diphtheria | 73 | - | 1 | 1 | 35 | 21 | 9 | 6 | 1 | 1 |
| 11. Influenza | 96 | - | 8 | 6 | 40 | 28 | 6 | 5 | 3 | 1 |
| 31. Tuberculosis, respiratory system | 503 | 2 | 28 | 18 | 232 | 119 | 22 | 20 | 29 | 33 |
| 32-37. Tuberculosis, other organs | 106 | - | 7 | 6 | 45 | 20 | 7 | 4 | 11 | 6 |
| 43-49. Cancer | 649 | - | 41 | 32 | 146 | 269 | 45 | 35 | 36 | 43 |
| 57. Diabetes mellitus | 65 | - | 5 | 3 | 18 | 24 | 6 | 2 | 2 | 5 |
| 58. Anaemia chlorosis | 48 | - | 3 | 3 | 11 | 18 | 3 | 5 | 3 | 2 |
| 71. Meningitis | 65 | - | 2 | 2 | 41 | 12 | - | 2 | 3 | 1 |
| 74. Cerebral haemorrhage, apoplexy | 213 | 4 | 11 | 14 | 46 | 104 | 7 | 9 | 6 | 12 |
| 75-76. Paralysis | 81 | - | 7 | 5 | 43 | 16 | 2 | 3 | 1 | 4 |
| 80. Infantile convulsions (under 5 years of age) | 27 | - | 10 | 1 | 5 | 3 | - | 6 | - | 2 |
| 87-90. Diseases of the heart | 861 | 6 | 52 | 37 | 204 | 380 | 50 | 53 | 29 | 50 |
| 91. Diseases of the arteries | 371 | - | 19 | 16 | 82 | 188 | 19 | 15 | 10 | 22 |
| 99. Bronchitis | 10 | 1 | - | - | 4 | 5 | - | - | - | - |
| 100-101. Pneumonia | 290 | 7 | 24 | 8 | 104 | 99 | 11 | 14 | 8 | 15 |
| 113-114. Diarrhoea and enteritis | 468 | - | 9 | 6 | 385 | 34 | 10 | 11 | 10 | 3 |
| 117. Appendicitis | 116 | - | 9 | 6 | 37 | 31 | 3 | 8 | 17 | 5 |
| 118. Hernia, intestinal obstruction | 68 | - | 1 | 1 | 20 | 30 | 5 | 6 | 3 | 3 |
| 128-129. Nephritis | 394 | 3 | 28 | 16 | 159 | 114 | 15 | 22 | 12 | 25 |
| 135. Diseases of the prostate | 40 | - | 4 | 3 | 13 | 14 | 2 | 2 | - | 2 |
| 143-150. Puerperal causes | 108 | - | 4 | 2 | 37 | 40 | 4 | 5 | 8 | 8 |
| 159. Congenital malformations | 92 | - | 3 | 2 | 40 | 38 | 1 | - | 5 | 3 |
| 160-163. Diseases of early infancy | 710 | 3 | 35 | 38 | 312 | 193 | 24 | 53 | 31 | 21 |
| 164. Senility (old age) | 169 | 3 | 33 | 21 | 37 | 51 | 7 | 10 | 5 | 2 |
| 165-174. Suicides | 79 | - | 2 | 2 | 10 | 30 | 10 | 9 | 8 | 8 |
| 188A. Railroad accidents | 28 | - | 2 | 1 | 3 | 8 | 7 | 1 | 1 | 5 |
| 188B. Street Car accidents | 5 | - | 1 | - | 2 | 1 | - | - | 1 | - |
| 188C. Automobile accidents | 112 | 1 | 4 | 7 | 28 | 50 | 6 | 2 | 3 | 11 |
| 188D-E-F. Other traffic accidents | 38 | - | 1 | 1 | 7 | 10 | 5 | 2 | 3 | 9 |
| 175-203. Violent deaths (suicides and traffic accidents excepted) | 494 | 1 | 35 | 16 | 116 | 188 | 24 | 31 | 43 | 40 |
| All other causes | 1133 | 8 | 41 | 39 | 379 | 415 | 69 | 60 | 53 | 69 |
| Total | 7725 | 44 | 443 | 323 | 2773 | 2594 | 384 | 406 | 345 | 413 |
| (1921) | 9.3 | 11.3 | 9.8 | 12.9 | - | 10.9 | 7.1 | 6.7 | 6.6 | 6.6 |
| (1922) | 8.8 | 8.4 | 10.2 | 10.2 | - | 9.7 | 7.9 | 6.6 | 7.1 | 7.4 |
| Equivalent annual death rate per 1,000 population | (1923) | 8.6 | 10.0 | 10.2 | 9.7 | - | 9.4 | 6.9 | 6.4 | 7.6 |
| (1924) | 8.9 | 8.7 | 11.1 | 10.4 | - | 9.7 | 6.9 | 6.7 | 7.6 | 8.2 |
| (1925) | 8.5 | 8.8 | 9.2 | 10.2 | - | 9.5 | 7.1 | 6.1 | 6.6 | 8.1 |
| (1926) (1) | 10.1 | 9.3 | 9.5 | 10.1 | 12.6 | 10.3 | 7.1 | 6.6 | 7.9 | 9.0 |
| (1927) (1) | 9.6 | - | 9.6 | 9.3 | 12.5 | 9.6 | 7.0 | 5.7 | 6.6 | 8.5 |

(1) Figures for Quebec included for 1926 and 1927.

Table 7. Deaths by certain specified causes in cities of 30,000 and over, July, 1927.

| Causes of Death | Montreal | Toronto | Winnipeg | Vancouver | Hamilton | Ottawa | Quebec | Calgary | London | Edmonton | Halifax | St. John | Victoria | Miranda | Regina |
|-------------------------------------------------------------------------|----------|---------|----------|-----------|----------|--------|--------|---------|--------|----------|---------|----------|----------|---------|--------|
| 1. Typhoid Fever | 44 | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 7. Measles | 3 | 2 | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 8. Scarlet fever | 2 | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 9. Whooping Cough | 7 | 1 | - | 1 | - | 3 | 2 | - | - | - | - | - | - | - | - |
| 10. Diphtheria | 12 | 7 | 4 | 1 | - | - | 2 | - | - | - | - | - | - | - | - |
| 11. Influenza | 7 | 3 | 1 | 1 | - | - | 6 | 1 | - | 2 | - | - | - | - | - |
| 31. Tuberculosis, respiratory system | 77 | 16 | 7 | 10 | 4 | - | 12 | 1 | 3 | 4 | 4 | 2 | 5 | 1 | 1 |
| 32-37. Tuberculosis, other organs | 11 | 7 | 2 | 3 | - | - | 5 | 2 | 1 | 3 | 2 | 1 | 3 | 10 | 3 |
| 43-49. Cancer | 54 | 48 | 14 | 13 | 16 | 17 | 5 | 9 | 6 | 8 | 4 | 5 | 3 | 10 | 1 |
| 57. Diabetes mellitus | 6 | 4 | 1 | 3 | 1 | 1 | 1 | - | - | - | - | - | 1 | 1 | 1 |
| 58. Anaemia, chlorosis | 2 | 3 | - | - | 1 | 1 | - | 1 | - | 1 | 2 | - | - | 1 | 1 |
| 71. Meningitis | 7 | 3 | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| 74. Cerebral haemorrhage, apoplexy | 13 | 16 | 1 | 3 | 9 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | - |
| 75-76. Paralysis | 2 | 1 | 1 | 1 | - | 2 | 2 | - | 2 | - | - | - | - | - | - |
| 80. Infantile convulsions (under 5 yrs. of age) | 2 | - | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| 87-90. Diseases of the heart | 69 | 67 | 6 | 12 | 18 | 24 | 10 | 9 | 12 | 3 | 2 | 8 | 5 | 5 | 6 |
| 91. Diseases of the arteries | 38 | 42 | 5 | 8 | 3 | 5 | 3 | 2 | 7 | 2 | 4 | 4 | 1 | 1 | - |
| 99. Bronchitis | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 100-101. Pneumonia | 29 | 15 | 2 | 2 | 7 | 2 | 8 | 1 | 4 | - | 1 | - | 1 | 3 | - |
| 113-114. Diarrhoea and enteritis | 118 | 3 | 3 | - | 2 | 5 | 29 | - | 2 | 1 | 1 | 1 | - | 1 | 1 |
| 117. Appendicitis | 12 | 8 | - | 1 | 3 | 1 | 3 | 3 | 1 | 6 | 3 | 1 | 1 | 1 | 2 |
| 118. Hernia, intestinal obstruction | 6 | 8 | 2 | 2 | - | 3 | 1 | - | - | 1 | 1 | 1 | - | 2 | - |
| 128-129. Nephritis | 70 | 18 | 7 | 6 | 6 | 3 | 12 | 2 | 3 | 5 | 2 | 4 | 3 | 1 | 1 |
| 135. Diseases of the prostate | 2 | 4 | - | 1 | 1 | - | - | - | - | - | 1 | - | 1 | 1 | - |
| 143-150. Puerperal causes | 11 | 11 | 2 | 1 | 3 | - | - | 1 | - | 1 | - | - | - | 2 | - |
| 159. Congenital malformations | 14 | 10 | 1 | 1 | 2 | - | - | 1 | - | 2 | 1 | - | 1 | 3 | 3 |
| 160-163. Diseases of early infancy | 51 | 27 | 6 | 8 | 7 | 13 | 16 | 1 | 6 | 2 | 6 | 3 | 2 | 6 | 3 |
| 164. Senility (old age) | 6 | 2 | 1 | - | 2 | 1 | 2 | - | 4 | 1 | 1 | 2 | - | - | - |
| 165-174. Suicides | 5 | 8 | 4 | 2 | - | 1 | - | 2 | - | - | - | - | - | 1 | - |
| 188A. Railroad accidents | 1 | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| 188B. Street car accidents | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| 188C. Automobile accidents | 8 | 7 | 1 | 3 | 4 | 2 | 1 | - | 1 | 1 | 2 | - | 3 | 1 | - |
| 188D-E-F. Other traffic accidents | 1 | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| 175-203. Violent deaths (suicides and traffic accidents excepted) | 20 | 16 | 5 | 17 | 6 | 7 | 6 | 1 | 3 | 4 | 5 | 4 | 1 | 8 | 1 |
| All other causes | 110 | 80 | 21 | 32 | 15 | 22 | 26 | 8 | 16 | 11 | 8 | 5 | 8 | 12 | 7 |
| Total | 822 | 439 | 97 | 131 | 113 | 122 | 160 | 49 | 75 | 57 | 50 | 40 | 38 | 66 | 23 |

Table 8. Marriages reported in July, 1921-27.

| Number and rate - | Total | P.E.I. | N.S. | N.B. | Que. | Ont. | Man. | Sask. | Alta. | B.C. |
|----------------------------------------------------|-------|--------|------|------|-------|-------|------|-------|-------|------|
| Total Marriages - | | | | | | | | | | |
| 1921 | 3,832 | .36 | 277 | 260 | - | 1,715 | 437 | 390 | 370 | 347 |
| 1922 | 3,806 | 42 | 243 | 267 | - | 1,678 | 408 | 444 | 376 | 348 |
| 1923 | 3,960 | 43 | 264 | 267 | - | 1,881 | 404 | 364 | 371 | 366 |
| 1924 | 4,030 | 35 | 242 | 315 | - | 1,890 | 338 | 402 | 395 | 413 |
| 1925 | 3,839 | 39 | 223 | 252 | - | 1,738 | 359 | 427 | 390 | 411 |
| 1926 (1) | 6,236 | 32 | 238 | 276 | 2,007 | 1,917 | 405 | 500 | 441 | 420 |
| 1927 (1) | 6,286 | 38 | 246 | 243 | 2,072 | 1,886 | 442 | 536 | 417 | 406 |
| Equivalent annual rate per 1,000 population | | | | | | | | | | |
| 1921 | 7.0 | 4.8 | 6.2 | 8.1 | - | 6.9 | 8.4 | 6.1 | 7.4 | 7.8 |
| 1922 | 6.9 | 5.6 | 5.4 | 8.0 | - | 6.6 | 7.8 | 6.8 | 7.5 | 7.6 |
| 1923 | 7.1 | 5.8 | 5.8 | 8.0 | - | 7.3 | 7.7 | 5.5 | 7.3 | 7.8 |
| 1924 | 7.1 | 4.7 | 5.4 | 9.3 | - | 7.3 | 6.4 | 6.0 | 7.8 | 8.8 |
| 1925 | 6.7 | 5.3 | 4.9 | 7.4 | - | 6.6 | 6.7 | 6.2 | 7.6 | 8.6 |
| 1926 (1) | 7.8 | 4.3 | 5.2 | 8.0 | 9.2 | 7.2 | 7.5 | 7.2 | 8.5 | 8.7 |
| 1927 (1) | 7.8 | 5.1 | 5.3 | 7.0 | 9.4 | 7.0 | 8.0 | 7.5 | 8.0 | 8.3 |

(1) Figures for Quebec included for 1926 and 1927.

STATISTICS CANADA LIBRARY
BIBLIOTHÈQUE STATISTIQUE CANADA



1010535277