

Catalogue no. 92-500-G  
ISSN 1911-5210  
ISBN 978-0-660-04546-7

# Road Network File, Reference Guide, 2016



Release date: November 16, 2016

 Statistics Canada Statistique Canada

Canada 

---

## How to obtain more information

For information about this product or the wide range of services and data available from Statistics Canada, visit our website, [www.statcan.gc.ca](http://www.statcan.gc.ca).

You can also contact us by

email at [STATCAN.infostats-infostats.STATCAN@canada.ca](mailto:STATCAN.infostats-infostats.STATCAN@canada.ca)

telephone, from Monday to Friday, 8:30 a.m. to 4:30 p.m., at the following numbers:

- |   |                |
|---|----------------|
| • Statistical Information Service                             | 1-800-263-1136 |
| • National telecommunications device for the hearing impaired | 1-800-363-7629 |
| • Fax line  | 1-514-283-9350 |

### Depository Services Program

- |                  |                |
|------------------|----------------|
| • Inquiries line | 1-800-635-7943 |
| • Fax line       | 1-800-565-7757 |

## Standards of service to the public

Statistics Canada is committed to serving its clients in a prompt, reliable and courteous manner. To this end, Statistics Canada has developed standards of service that its employees observe. To obtain a copy of these service standards, please contact Statistics Canada toll-free at 1-800-263-1136. The service standards are also published on [www.statcan.gc.ca](http://www.statcan.gc.ca) under “Contact us” > “Standards of service to the public.”

## Note of appreciation

Canada owes the success of its statistical system to a long-standing partnership between Statistics Canada, the citizens of Canada, its businesses, governments and other institutions. Accurate and timely statistical information could not be produced without their continued co-operation and goodwill.

## Standard table symbols

The following symbols are used in Statistics Canada publications:

- . not available for any reference period
- .. not available for a specific reference period
- ... not applicable
- 0 true zero or a value rounded to zero
- 0<sup>s</sup> value rounded to 0 (zero) where there is a meaningful distinction between true zero and the value that was rounded
- <sup>P</sup> preliminary
- <sup>r</sup> revised
- X suppressed to meet the confidentiality requirements of the *Statistics Act*
- <sup>E</sup> use with caution
- F too unreliable to be published
- \* significantly different from reference category ( $p < 0.05$ )

Published by authority of the Minister responsible for Statistics Canada

© Minister of Industry, 2016

All rights reserved. Use of this publication is governed by the Statistics Canada [Open Licence Agreement](#).

**An HTML version is also available.**

*Cette publication est aussi disponible en français.*

---

## Table of contents

<b>What's new?</b> .....	<b>4</b>
<b>1. About this guide</b> .....	<b>5</b>
<b>2. Overview</b> .....	<b>6</b>
How to cite this guide .....	6
How to cite this product.....	6
<b>3. About this product</b> .....	<b>7</b>
Purpose of the product .....	7
Definitions and concepts.....	7
Content.....	7
General methodology.....	7
Limitations .....	7
Comparisons to other products/versions.....	8
Using with other products .....	8
Reference date .....	8
<b>4. Technical specifications</b> .....	<b>9</b>
Record layout and data descriptions .....	9
Attribute domain values .....	9
Software formats.....	18
File extension and accented character information .....	18
Geographic representation.....	18
File naming convention .....	19
<b>5. Data quality</b> .....	<b>20</b>
Lineage.....	20
Positional accuracy .....	20
Attribute accuracy .....	21
Logical consistency.....	21
Consistency with other products .....	21
Completeness .....	22
<b>Appendices</b> .....	<b>23</b>

## Road Network File, Reference Guide Census year 2016

This reference guide is intended for users of the Road Network File. The guide provides an overview of the file, the general methodology used in its creation, and important technical information.

### What's new?

- The 2016 Census Road Network File contains information such as street arc unique identifier, street name, type, direction, address range and class. As well, the unique identifier, name and type for each side of a street arc (where applicable) are included for the following geographic levels:
  - o province or territory
  - o census subdivision
  - o census metropolitan area/census agglomeration
- The 2016 Road Network File includes updates to the road network that were made using the following provincially-sourced data:
  - o The province of Prince Edward Island
  - o The province of New Brunswick
  - o The province of Nova Scotia
  - o The province of Quebec
  - o Ontario Road Network (ORN) in thirty-five census divisions in Ontario: Stormont, Dundas and Glengarry (3501), Prescott and Russell (3502), Leeds and Grenville (3507), Lanark (3509), Frontenac (3510), Lennox and Addington (3511), Hasting (3512), Prince Edward (3513), Northumberland (3514), Peterborough 3515, Kawartha Lakes (3516), Durham (3518), York (3519), Dufferin (3522), Wellington (3523), Niagara (3526), Perth (3531), Chatham-Kent (3536), Essex (3537), Lambton (3538), Huron (3540), Muskoka (3544), Haliburton (3546), Renfrew (3547), Nipissing (3548), Parry Sound (3549), Manitoulin (3551), Sudbury (3552), Greater Sudbury / Grand Sudbury (3553), Timiskaming (3554), Cochrane(3556), Algoma (3557), Thunder Bay (3558), Rainy River (3559) and Kenora (3560)
- The province of Alberta
- The province of British Columbia

The result of this effort is an improvement in the representation of the road network.

## 1. About this guide

This reference guide is intended for users of the 2016 Census Road Network File. The guide provides an overview of the file, the general methodology used in its creation, and important technical information.

This reference guide does not provide details on specific software packages that are available for use with the 2016 Census Road Network File. Users are advised to contact the appropriate software vendor for information.

This data product is provided 'as-is', and Statistics Canada makes no warranty, either express or implied, including but not limited to, warranties of merchantability and fitness for a particular purpose. In no event will Statistics Canada be liable for any direct, special, indirect, consequential or other damages, however caused.

## 2. Overview

The 2016 Census Road Network File depicts the digital road line coverage for Canada and contains information such as street arc unique identifier (UID), street name, type, direction, address range, rank and class. As well, the UID, name and type for each side of a street arc (where applicable) are included for the following geographic levels:

- province or territory
- census subdivision
- census metropolitan area/census agglomeration

The 2016 Census Road Network File is available as a national file.

### How to cite this guide

*Road Network File, Reference Guide, 2016 Census.* Statistics Canada Catalogue no. 92-500-G.

### How to cite this product

*Road Network File, 2016 Census.* Statistics Canada Catalogue no. 92-500-X.

### 3. About this product

#### Purpose of the product

The purpose of the 2016 Census Road Network File is to provide a framework for mapping and spatial analysis and to support Geographic Information System (GIS) applications used for land use and demographic studies, social, economic and market research.

The 2016 Census Road Network File is positionally consistent with the 2016 Census geography boundary files, which provides additional reference for mapping.

The 2016 Census Road Network File should be used in conjunction with the 2016 suite of geography products.

#### Definitions and concepts

Geographic terms and concepts are briefly defined in the *Dictionary, Census of Population, 2016*. <http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/index-eng.cfm>

#### Content

The 2016 Census Road Network File contains street arcs depicting the national road network and includes attribute information such as street arc unique identifier, name, type, direction, address range, rank and class. As well, the unique identifier (UID), name and type for each side of a street arc (where applicable) are included for the following geographic levels:

- province or territory
- census subdivision
- census metropolitan area/census agglomeration

#### General methodology

The National Geographic Database (NGD) is a joint Statistics Canada–Elections Canada initiative to develop and maintain a national road network database which serves the needs of both organizations. The focus of the NGD is the continual improvement of quality and currency of road network coverage using updates from provinces, territories and local sources. The source file used for the creation of the road network file resides on Statistics Canada's Spatial Data Infrastructure and was derived directly from data stored on the NGD.

#### Creation of the 2016 Census Road Network File

The Road Network File was created from a source file consisting of all streets, highways and other road segments maintained on Statistics Canada's Spatial Data Infrastructure (SDI). A copy of the source file in its original format was created to facilitate geo-processing (e.g., joins, modifications and verification operations). Additional attribute information (i.e., province or territory, census metropolitan area and census subdivision attributes) were then joined to the spatial component at the road segment level (see [Table 4.1](#)). The resulting file containing both the spatial and attribute content, was verified against the source file maintained on the Spatial Data Infrastructure.

The file was verified for spatial and attribute content, translated into French and English and appropriately named according to the [file naming convention](#). Final data processing consisted of the conversion of the file using FME® (Safe Software) into the following file formats supported by Geographic Information System (GIS) software: ArcGIS® (.shp), Geography Markup Language (.gml) and MapInfo® (.tab).

The ArcGIS®, Geography Markup Language and MapInfo® files are compressed into WinZip® files (file extension .zip) and made available for download from the Internet.

#### Limitations

Statistics Canada maintains road network file information to support the census and other Statistics Canada activities. The relative position of road network features is important in maps created for reference purposes; therefore, relative positional accuracy takes precedence over absolute positional accuracy. The Road Network

File does not contain street information required for route optimization. For example, data on one-way streets, dead-ends and other street obstacles are not included in the Road Network File. Consequently, this file is not recommended for engineering applications, emergency dispatching services, surveying or legal applications.

The Road Network File contains road arcs with either address ranges sourced from field observation, administrative data sources, imputed address ranges, or no address ranges.

The limitations of the Road Network File should be recognized for uses other than the mapping, analysis and retrieval of Statistics Canada data.

The positional accuracy of the file does not support cadastral, surveying, digitizing or engineering applications.

## **Comparisons to other products/versions**

Differences between the 2016 Census Road Network File and previous versions of the road network file include:

- The 2016 Census Road Network File contains additional roads, street names, address ranges and road class.
- The 2016 Census Road Network File is compatible with the suite of 2016 Census Geography products
- The 2016 Census Road Network File does not necessarily follow the 2011 Census boundaries
- The 2016 Census Road Network File includes updates to the road network that were made using the following provincially-sourced data:
  - o Prince Edward Island (2013)
  - o New Brunswick (2014-2015)
  - o Nova Scotia (2013-2014)
  - o Quebec (2014-2015)
  - o Ontario (2010-2014)
  - o Alberta (2013-2014)
  - o British Columbia (2009)

There was a continuing alignment for all provinces. The result of this effort is an improvement in the representation of the road network.

## **Using with other products**

When considering using the 2016 Census Road Network File, users should be aware of the compatibility of this file with those that are available from other sources. They may not be consistent with Statistics Canada files.

## **Reference date**

The geographic reference date is a date determined by Statistics Canada to finalize the geographic framework for which statistical data are collected, tabulated and reported. For the 2016 Census, the geographic reference date is January 1, 2016.



## 4. Technical specifications

### Record layout and data descriptions

The following table identifies and briefly describes the selected attributes comprising the content of the 2016 Census Road Network File.

**Table 4.1**  
**2016 Census Road network file record layout**

Attribute name	Data type	Description
NGD_UID	Character (10)	Unique identifier of the arc
NAME	Character (50)	Street name associated with the arc
TYPE	Character (6)	Street type associated with the arc
DIR	Character (2)	Street direction associated with the arc
AFL_VAL	Character (9)	Civic address found on the left-hand side of the arc at the FROM node
ATL_VAL	Character (9)	Civic address found on the left-hand side of the arc at the TO node
AFR_VAL	Character (9)	Civic address found on the right-hand side of the arc at the FROM node
ATR_VAL	Character (9)	Civic address found on the right-hand side of the arc at the TO node
CSDUID_L	Character (7)	Uniquely identifies a census subdivision (composed of the 2-digit province or territory unique identifier followed by the 2-digit census division code and the 3-digit census subdivision code), left-hand side of arc
CSDNAME_L	Character (100)	Census subdivision name, left-hand side of arc
CSDTYPE_L	Character (3)	Census subdivisions are classified according to designations adopted by provincial/territorial or federal authorities, left-hand side of arc
CSDUID_R	Character (7)	Uniquely identifies a census subdivision (composed of the 2-digit province or territory unique identifier followed by the 2-digit census division code and the 3-digit census subdivision code), right-hand side of arc
CSDNAME_R	Character (100)	Census subdivision name, right-hand side of arc
CSDTYPE_R	Character (3)	Census subdivisions are classified according to designations adopted by provincial/territorial or federal authorities, right-hand side of arc
CMAUID_L	Character (3)	Uniquely identifies a census metropolitan area/census agglomeration, left-hand side of arc
CMANAME_L	Character (100)	Census metropolitan area or census agglomeration name, left-hand side of arc
CMATYPE_L	Character (1)	Census metropolitan area or census agglomeration type, left-hand side of arc
CMAUID_R	Character (3)	Uniquely identifies a census metropolitan area/census agglomeration, right-hand side of arc
CMANAME_R	Character (100)	Census metropolitan area or census agglomeration name, right-hand side of arc
CMATYPE_R	Character (1)	Census metropolitan area or census agglomeration type, right-hand side of arc
PRUID_L	Character (2)	Uniquely identifies a province or territory, left-hand side of arc
PRNAME_L	Character (100)	Province or territory name, left-hand side of arc
PRUID_R	Character (2)	Uniquely identifies a province or territory, right-hand side of arc
PRNAME_R	Character (100)	Province or territory name, right-hand side of arc
RANK	Character (1)	A 1-digit code that identifies the rank of road segments.
CLASS	Character (2)	Identifies the different types of street features.

### Attribute domain values

#### Representation of unknown or no value

The null value is used to represent values of the street's name, type, direction and address range that are either missing or non-existent.

The null value is also used for geographic area unique identifier, name and type to indicate that it is outside of Canada.

## Street type

Indicates the street type associated with the arc.

**Table 4.2**  
**Street Type**

Type	Description
N/A	not applicable
< Null >	no type
ABBAY	Abbey (E)
ACCESS	Access (E)
ACRES	Acres (E)
AIRE	Aire (E)
ALLEY	Alley (E)
ALLÉE	Allée (F)
AUT	Autoroute (F)
AV	Avenue (F)
AVE	Avenue (E)
BAY	Bay (E)
BEACH	Beach (E)
BEND	Bend (E)
BLOC	Bloc (F)
BLOCK	Block (E)
BLVD	Boulevard (E)
BOUL	Boulevard (F)
BOURG	Bourg (F)
BRGE	Barrage (F)
BROOK	Brook (E)
BYPASS	By-pass (E)
BYWAY	Byway (E)
C	Centre (F)
CAMPUS	Campus (E)
CAPE	Cape (E)
CAR	Carré (F)
CARREF	Carrefour (F)
CDS	Cul-de-sac (E)
CERCLE	Cercle (F)
CH	Chemin (F)
CHASE	Chase (E)
CIR	Circle (E)
CIRCT	Circuit (F)

Table 4.2 (continued)

**Street Type**

<b>Type</b>	<b>Description</b>
CLOSE	Close (E)
COMMON	Common (E)
CONC	Concession (E)
CÔTE	Côte (F)
COUR	Cour (F)
COURS	Cours (F)
COVE	Cove (E)
CRES	Crescent (E)
CREST	Crest (E)
CRNRS	Corners (E)
CROFT	Croft (E)
CROIS	Croissant (F)
CROSS	Crossing (E)
CRSSRD	Crossroads (E)
CRT	Court (E)
CTR	Centre (E)
DALE	Dale (E)
DELL	Dell (E)
DESSTE	Desserte (F)
DIVERS	Diversion (E)
DOWNS	Downs (E)
DR	Drive (E)
DRPASS	Droit de passage (F)
ÉCH	Échangeur (F)
END	End (E)
ESPL	Esplanade (E)
ESTATE	Estates (E)
EXPY	Expressway (E)
EXTEN	Extension (E)
FARM	Farm (E)
FIELD	Field (E)
FOREST	Forest (E)
FRONT	Front (E)
FSR	Forest service road (E)
FWY	Freeway (E)
GATE	Gate (E)
GDNS	Gardens (E)
GLADE	Glade (E)
GLEN	Glen (E)

**Table 4.2 (continued)**  
**Street Type**

<b>Type</b>	<b>Description</b>
GREEN	Green (E)
GRNDS	Grounds (E)
GROVE	Grove (E)
HARBR	Harbour (E)
HAVEN	Haven (E)
HEATH	Heath (E)
HGHLDS	Highlands (E)
HILL	Hill (E)
HOLLOW	Hollow (E)
HTS	Heights (E)
HWY	Highway (E)
ÎLE	Île (F)
IMP	Impasse (F)
INLET	Inlet (E)
ISLAND	Island (E)
KEY	Key (E)
KNOLL	Knoll (E)
LANDNG	Landing (E)
LANE	Lane (E)
LANEWY	Laneway (E)
LINE	Line (E)
LINK	Link (E)
LKOUT	Lookout (E)
LMTS	Limits (E)
LOOP	Loop (E)
MALL	Mall (E)
MANOR	Manor (E)
MAZE	Maze (E)
MEADOW	Meadow (E)
MEWS	Mews (E)
MONTÉE	Montée (F)
MOOR	Moor (E)
MOUNT	Mount (E)
MTN	Mountain (E)
ORCH	Orchard (E)
PARADE	Parade (E)
PARC	Parc (F)
PASS	Passage (E)
PATH	Path (E)

Table 4.2 (continued)

**Street Type**

<b>Type</b>	<b>Description</b>
PEAK	Peak (E)
PINES	Pines (E)
PK	Park (E)
PKY	Parkway (E)
PL	Place (E)
PLACE	Place (F)
PLAT	Plateau (E)
PLAZA	Plaza (E)
POINTE	Pointe (E)
PORT	Port (E)
PROM	Promenade (F)
PT	Point (E)
PTWAY	Pathway (E)
PVT	Private (E)
QUAI	Quai (F)
QUAY	Quay (E)
RAMP	Ramp (E)
RANG	Rang (F)
RD	Road (E)
RDPT	Rond point (F)
REACH	Reach (E)
RG	Range (E)
RIDGE	Ridge (E)
RISE	Rise (E)
RLE	Ruelle (F)
ROUTE	Route (F)
ROW	Row (E)
RTE	Route (E)
RTOFWY	Right of way (E)
RUE	Rue (F)
RUIS	Ruisseau (F)
RUN	Run (E)
SECTN	Section (E)
SENT	Sentier (F)
SIDERD	Sideroad (E)
SQ	Square (E)
ST	Street (E)
STROLL	Stroll (E)
SUBDIV	Subdivision (E)

**Table 4.2 (concluded)****Street Type**

Type	Description
TERR	Terrace (E)
THICK	Thicket (E)
TLINE	Townline (E)
TOWERS	Towers (E)
TRACE	Trace (E)
TRAIL	Trail (E)
TRNABT	Turnabout (E)
TRUNK	Trunk (E)
TSSE	Terrasse (F)
VALE	Vale (E)
VIA	Via (E)
VIEW	View (E)
VILLAS	Villas (E)
VILLGE	Village (E)
VISTA	Vista (E)
VOIE	Voie (F)
WALK	Walk (E)
WAY	Way (E)
WHARF	Wharf (E)
WOOD	Wood (E)
WYND	Wynd (E)

**Street direction**

Street direction can be used in conjunction with street name and type to identify common street elements (e.g., Elm ST S versus Elm ST W or Elm ST). Street direction has no relation to the direction the street arc was digitized.

**Table 4.3****Street Direction**

Street Direction	Street description
< Nulle >	no type
E	East / Est
N	North / Nord
NE	North East / Nord-est
NO	Nord-ouest
NW	North West
O	Ouest
S	South / Sud
SE	South East / Sud-est
SO	Sud-ouest
SW	South West
W	West

## CSDTYPE\_L and CSDTYPE\_R

Census subdivisions are classified according to designations adopted by provincial/territorial or federal authorities. The geographic reference date associated with the assignment of CSDTYPE\_L and CSDTYPE\_R is January 1, 2016.

**Table 4.4**  
**Census subdivision types**

CSDTYPE	CSD description
C	City / Cité
CC	Chartered community
CG	Community government
CN	Crown colony / Colonie de la couronne
COM	Community
CT	Canton (municipalité de)
CU	Cantons unis (municipalité de)
CV	City / Ville
CY	City
DM	District municipality
HAM	Hamlet
ID	Improvement district
IGD	Indian government district
IM	Island municipality
IRI	Indian reserve / Réserve indienne
LGD	Local government district
LOT	Township and royalty
M	Municipality / Municipalité
MD	Municipal district
MÉ	Municipalité
MU	Municipality
NH	Northern hamlet
NL	Nisga'a land
NO	Unorganized / Non organisé
NV	Northern village
P	Parish / Paroisse (municipalité de)
PE	Paroisse (municipalité de)
RCR	Rural community / Communauté rurale
RDA	Regional district electoral area
RGM	Regional municipality
RM	Rural municipality
RV	Resort village
S-É	Indian settlement / Établissement indien
SA	Special area

**Table 4.4**  
**Census subdivision types (concluded)**

<b>CSDTYPE</b>	<b>CSD description</b>
SC	Subdivision of county municipality / Subdivision municipalité de comté
SÉ	Settlement / Établissement
SET	Settlement
SG	Self-government / Autonomie gouvernementale
SM	Specialized municipality
SNO	Subdivision of unorganized / Subdivision non organisée
SV	Summer village
T	Town
TC	Terres réservées aux Cris
TI	Terre inuite
TK	Terres réservées aux Naskapis
TL	Teslin land
TP	Township
TV	Town / Ville
V	Ville
VC	Village cri
VK	Village naskapi
VL	Village
VN	Village nordique

### **CMATYPE\_L and CMATYPE\_R**

**Table 4.5**  
**Census metropolitan area or census agglomeration type**

<b>CMA or CA type</b>	<b>Description</b>
B	Census metropolitan area (CMA)
D	Census agglomeration (CA) that is not tracted
K	Census agglomeration (CA) that is tracted
< Null >	not applicable (outside of CMA or CA)

### **PRUID\_L and PRUID\_R**

Uniquely identifies a province or territory. The geographic reference date associated with the assignment of PRUID\_L and PRUID\_R is January 1, 2016.



**Table 4.6**  
**Provinces and territories**

<b>PRUID</b>	<b>Province or territory name</b>
10	Newfoundland and Labrador / Terre-Neuve-et-Labrador
11	Prince Edward Island / Île-du-Prince-Édouard
12	Nova Scotia / Nouvelle-Écosse
13	New Brunswick / Nouveau-Brunswick
24	Quebec / Québec
35	Ontario
46	Manitoba
47	Saskatchewan
48	Alberta
59	British Columbia / Colombie-Britannique
60	Yukon
61	Northwest Territories / Territoires du Nord-Ouest
62	Nunavut
< Null >	not applicable (outside of Canada)

## **RANK**

Rank is a value assigned to a street arc to facilitate the selection of streets.

**Table 4.7**  
**Rank**

<b>Street rank code</b>	<b>Street rank description</b>
1	Trans-Canada Highway
2	National Highway System (not rank 1)
3	Major Highway (not rank 1 or 2)
4	Secondary Highway, Major Street (not rank 1, 2, or 3)
5	All other streets (not rank 1, 2, 3, or 4)

## **CLASS**

The street class code identifies the different types of street features within the 2016 Census Road Network File.

**Table 4.8**  
**Street class code**

Street class code	Street class description
10	Highway
11	Expressway
12	Primary highway
13	Secondary highway
20	Road
21	Arterial
22	Collector
23	Local
24	Alley/Lane/Utility
25	Connector/Ramp
26	Reserve/Trail
27	Rapid transit
28	Planned
29	Strata
80	Bridge/Tunnel
90, 95	Unknown

## Software formats

The 2016 Census Road Network File is available for download from the Statistics Canada website in the following formats:

- ArcGIS®  
File extension: .shp
- Geography Markup Language (GML) 3.1.1  
File extension: .gml
- MapInfo® format  
File extension: .tab

This reference guide does not provide details on specific software packages that are available for use with the 2016 Census Road Network File. Users are advised to contact the appropriate software vendor for information.

## File extension and accented character information

The ArcGIS®, Geography Markup Language and MapInfo® files are compressed into WinZip® files (file extension .zip).

A XML schema file (.xsd) is included to describe and validate the structure and content of the .gml files.

The 2016 Census Road Network File contains attributes with accented characters. They were successfully tested on the desktop versions of ArcGIS® 10.2.2, Mapinfo 12.0® and FME Data Inspector 2015.1®.

## Geographic representation

The 2016 Census Road Network File is available on the Statistics Canada website in the following geographic representation:

- Projection: Lambert conformal conic
- False easting: 6200000.000000
- False northing: 3000000.000000

- Central meridian: -91.866667
- Standard parallel 1: 49.000000
- Standard parallel 2: 77.000000
- Latitude of origin: 63.390675
- Linear unit: metre (1.000000)
- Datum: North American 1983 (NAD83)
- Prime meridian: Greenwich
- Angular unit: degree
- Spheroid: GRS 1980

The North American Datum of 1983 (NAD83) is an adjustment of the 1927 datum that reflects the higher accuracy of geodetic surveying.

Users of the 2016 Census Road Network File can transform the file into the representation that best satisfies their needs knowing the effects these representations have on angles, areas, distances and direction. Users have the option to choose the best projection in concert with the maps objectives.

### File naming convention

Spatial product file names follow a file naming convention. The file projection, geographic level, geographic coverage, file type, geographic reference date, file format and language are embedded within the file name. Standardizing the names of the files facilitates the storage of compressed files, all having the extension .zip.

Each file name is 13 characters in length. All alphabetic characters are in lower case to maintain consistency.

**First character:** projection of file

- l - projection of file is Lambert conformal conic

**Next three characters:** primary geographic level of file/type of file

- rnf - road network file

**Next three numbers:** geographic code of coverage

- 000 - Canada

**Next character:** file type

- r - road network file

**Next two numbers:** geographic reference date

The geographic reference date is a date determined by Statistics Canada to finalize the geographic framework for which statistical data are collected, tabulated and reported. For the 2016 Census, the geographic reference date is January 1, 2016.

- 16 - geographic reference date is 2016

**Next character:** file format

- a - ArcGIS® (.shp)
- g - Geography Markup Language (.gml)
- m - MapInfo® (.tab)

**Final two characters:** language

- \_e - English
- \_f - French

## 5. Data quality

Spatial data quality elements provide information on the fitness-for-use of a spatial database by describing why, when and how the data are created, and how accurate the data are. The quality elements include an overview reporting on the lineage, positional accuracy, attribute accuracy, logical consistency and completeness. This information is provided to users for all spatial data products disseminated.

### Lineage

Lineage describes the history of the spatial data, including descriptions of the source material from which the data were derived, and the methods of derivation. It also contains the dates of the source material, and all transformations involved in producing the final digital files.

The National Geographic Database (NGD) is a joint Statistics Canada-Elections Canada initiative to develop and maintain a spatial database which serves the needs of both organizations. The focus of the NGD is the continual improvement of quality and currency of spatial coverage using updates from provinces, territories and local sources. The source files used for the creation of the road network file reside on Statistics Canada's Spatial Data Infrastructure (SDI) which was derived directly from data stored on the NGD.

The data in the 2016 Census Road Network File were derived from the SDI environment based on a copy of the NGD that contains the road network in Canada, as well as street attributes (name, type, direction, address ranges, rank and class).

The files were verified for their spatial and attribute content, translated into French and English, and appropriately named according to the file naming convention. The geographic area unique identifier, name, type, and the relationships among the various geographic levels are found on the SDI.

Final data processing consisted of the conversion of the file using FME® (Safe Software), into the following GIS file formats: ArcGIS® (.shp), Geography Markup Language (.gml), and MapInfo® (.tab).

Road information was incorporated from a variety of sources, including provincially sourced data, municipal maps and field observation. The timeliness of the National Geographic Database varies from region to region depending on the source data.

### Positional accuracy

Positional accuracy refers to the absolute and relative accuracy of the positions of geographic features. Absolute accuracy is the closeness of the coordinate values in a dataset to values accepted as or being true. Relative accuracy is the closeness of the relative positions of features to their respective relative positions accepted as or being true. Descriptions of positional accuracy include the quality of the final file or product after all transformations.

The Spatial Data Infrastructure is not fully Global Positioning Systems (GPS)-compliant. However, every possible attempt is made to ensure that the standard geographic area boundaries maintained in the Spatial Data Infrastructure respect the limits of the administrative entities that they represent (e.g., province and territories and census subdivision) or on which they are based (e.g., census metropolitan area or census agglomeration). The positional accuracy of these limits is dependent upon source materials used by Statistics Canada to identify the location of limits. In addition, due to the importance placed on relative positional accuracy, the positional accuracy of other geographic data (e.g., road network data and hydrographic data) that are stored within the Spatial Data Infrastructure is considered when positioning the limits of the standard geographic areas.

### Absolute positional accuracy

Absolute positional accuracy describes the degree to which the position of features in a geographic database reflects their true position on the ground (i.e., the closeness of reported coordinate values to values accepted as true).

The 2016 Census Road Network File includes updates to the road network that were made using the following provincially-sourced data:

- Prince Edward Island (2013)
- New Brunswick (2014-2015)
- Nova Scotia (2013-2014)
- Quebec (2014-2015)
- Ontario (2010-2014)
- Alberta (2013-2014)
- British Columbia (2009)

There was a continuing alignment for all provinces. The result of this effort is an improvement in the representation of the road network.

The information present in the Spatial Data Infrastructure road layer was developed for the purposes of statistical analysis and census operations. The absolute position of roads in the Spatial Data Infrastructure varies with the source files and documents used to build and maintain the database. Therefore, the road layer is not suitable for high precision measurement applications such as engineering, property transfers, or other uses that might require highly accurate measurements of the earth's surface.

Absolute positional accuracy is not a requirement for census processes.

### **Relative positional accuracy**

Relative positional accuracy describes the degree to which the position of features in a geographic database reflects their true ground relationships.

For the National Geographic Database, relative positional accuracy is important. A road must appear in the proper position relative to other roads and physical features.

### **Attribute accuracy**

Attribute accuracy refers to the accuracy of quantitative attributes and the correctness of non-quantitative attributes. No explicit testing for attribute accuracy is done; however, results from internal operations suggest a high degree of accuracy.

During maintenance operations data entry goes through a data control process to ensure the proper association of attributes to a specific geometric feature. This includes the association as well as its accuracy.

As noted under Lineage, the attributes (names, types and unique identifiers) for all standard geographic areas are sourced from Statistics Canada's Spatial Data Infrastructure. The names and types of administrative standard geographic areas have been updated using source materials from provincial, territorial and municipal authorities.

The class attribute is not updated on a regular basis, as such quality checks are not performed to verify its accuracy.

### **Logical consistency**

Logical consistency describes the fidelity of relationships encoded in the data structure of the digital spatial data. For example, a street arc that does not have a street name should not have a street type.

The 2016 Census Road Network File was verified against data in the Spatial Data Infrastructure and found to be logically consistent.

### **Consistency with other products**

The position of the arcs in the 2016 Census Road Network File are not necessarily consistent with previous editions of boundary files or road network files as a result of updates made using provincially and territorially sourced data.

Topology checks were performed with the 2016 Census Road Network File and the 2016 Census Boundary Files to measure the degree of integration amongst these products. The results indicated the degree of integration was within the default tolerance parameters as defined below.

- Tolerance: 0.001 metres
- Resolution: 0.0001 metres

## Completeness

Completeness refers to the degree to which geographic features, their attributes and their relationships are included or omitted in a dataset. It also includes information on selection criteria, definitions used, and other relevant mapping rules.

New road features have been added to the National Geographic Database in order to create a more complete road layer and are present in this edition of the road network file.

**Table 5.1**  
**Number of road features in the 2016 Road network file**

<b>National level</b>	<b>Number of arcs</b>	<b>Arc length (kilometres)</b>
Named, Full Address Range on At Least One Side	1,284,738	503,285
Named	1,857,608	777,955
Not Named	305,450	379,995
Canada	2,163,058	1,157,951

**Note:** arc length was calculated in Lambert conformal conic projection.

## Appendices

See definitions of the Geography universe from the Dictionary, Census of Population, 2016.

<http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/index-eng.cfm>

See Figure 1.1 Hierarchy of standard geographic area for dissemination, 2016 Census from the Dictionary, Census of Population, 2016. [http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/figures/f1\\_1-eng.cfm](http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/figures/f1_1-eng.cfm)

See Table 1.1 Geographic areas by province and territory, 2016 Census from the Dictionary, Census of Population, 2016. [http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/tab/t1\\_1-eng.cfm](http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/tab/t1_1-eng.cfm)

See Table 1.5 Census subdivision types by province and territory, 2016 Census from the Dictionary, Census of Population, 2016. [http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/tab/t1\\_5-eng.cfm](http://www12.statcan.gc.ca/census-recensement/2016/ref/dict/tab/t1_5-eng.cfm)