


CJD CASES BY PROVINCE/TERRITORY

MARCH 31, 2017



CJD DEATHS REPORTED BY CJDSS, 1994-2017 AS OF MARCH 31, 2017

Deaths of Definite and Probable CJD							
Year	Sporadic	Iatrogenic	Familial	GSS	FFI	vCJD	Total
1994	2	0	0	1	0	0	3
1995	3	0	0	0	0	0	3
1996	13	0	0	0	0	0	13
1997	16	0	1	1	0	0	18
1998	22	1	0	1	0	0	24
1999	27	2	2	1	0	0	32
2000	32	0	0	3	0	0	35
2001	27	0	2	1	0	0	30
2002	31	0	2	2	0	1	36
2003	27	1	1	0	0	0	29
2004	42	0	1	1	0	0	44
2005	42	0	1	1	0	0	44
2006	39	0	1	3	1	0	44
2007	35	0	0	4	0	0	39
2008	48	0	1	0	0	0	49
2009	48	0	3	2	0	0	53
2010	35	0	3	0	0	0	38
2011	46	0	3	1	0	1	51
2012	62	0	1	0	0	0	63
2013	50	0	0	0	1	0	51
2014	51	0	4	0	1	0	56
2015	44	0	5	1	2	0	52
2016	45		3	1			49
2017	1						1
Total	788	4	34	24	5	2	857

Cases with definite & probable diagnosis to date



INCIDENCE OF CJD DEATHS REPORTED BY CJDSS IN CANADA AS OF MARCH 31, 2017

Year of Death	Total CJD Cases	Population of Canada	Incidence Rate
1999	32	30,492,106	1.05
2000	35	30,783,969	1.14
2001	30	31,130,030	0.96
2002 ¹	36	31,450,443	1.14
2003	29	31,734,851	0.91
2004	44	32,037,434	1.37
2005	44	32,352,233	1.36
2006	44	32,678,986	1.35
2007	39	33,001,076	1.18
2008	49	33,371,810	1.47
2009	53	33,756,714	1.57
2010	38	34,131,451	1.11
2011	51	34,472,304	1.48
2012	63	34,880,248	1.81
2013	51	35,289,003	1.45
2014	56	35,675,834	1.57
2015	52	35,702,707	1.46
2016	49	36,286,400	1.35
2017	1	36,546,956	0.10

World Wide average occurrence of CJD is approximately 1-2 per million populations

Cases with definite & probable diagnosis to date

Population as of July 1, 2016. Source: Statistics Canada CANSIM, table 051-0001



REFERRALS OF SUSPECTED CJD REPORTED BY CJDSS, 1997-2017

AS OF MARCH 31, 2017

Year of Reporting	Numbers of Referrals
1997	4
1998	43
1999	63
2000	82
2001	101
2002	103
2003	75
2004	90
2005	97
2006	80
2007	101
2008	100
2009	104
2010	76
2011	102
2012	103
2013	99
2014	99
2015	98
2016	116
2017	20
Total	1756

