
CANADIAN SPECIES AT RISK

MAY 2004



Aussi disponible en français

QH 77 CC C3 C6613 2004 MAY

VIC |HE STATUS OF | WILDLIFE |ADA



COSEPAC COMITÉ SUR LA SITUATION DES ESPÈCES EN PÉRIL AU CANADA For additional copies contact:

COSEWIC Secretariat c/o Canadian Wildlife Service Environment Canada Ottawa, ON K1A 0H3

Tel.: (819) 997-4991 / (819) 953-3215 Fax: (819) 994-3684 E-mail: COSEWIC/COSEPAC@ec.gc.ca

Web site: http://www.cosewic.gc.ca

Courier address:
4th Floor,
Place Vincent Massey,
351 St. Joseph Blvd.,
Gatineau, QC.
J8Y 3Z5


Cover Illustration: Peary Caribou, Tuktu, Rangifer tarandus pearyi, designated Endangered by COSEWIC in May 2004. Drawing by Shelly O'Gorman, Iqaluit, Nunavut.

This publication can be cited as follows: COSEWIC. 2004. Canadian Species at Risk, May 2004. Committee on the Status of Endangered Wildlife in Canada. 49 pp.

COSEWIC Status Reports are available from the Species at Rist Act Public Registry http://www.sararegistry.gc.ca

TABLE OF CONTENTS

ABOUT COSEWIC	1
COSEWIC Mandate	1
SUMMARY TABLES	2
Species designated in the "risk" and the Extinct categories, and the Not at Risk and Data Deficient categories (Tables 1-3)	2
Results from the May 2004 COSEWIC meeting (Tables 4-5)	3
Explanation of status change symbols for reassessed species	3
COSEWIC ASSESSMENT RESULTS	4
Table 6. Species assessed and designated Extinct	5
Extinct Category	5
Table 7. Species assessed and designated in a "risk category"	6
Extirpated Category Endangered Category Threatened Category Special Concern Category	8 13
Table 8. Species assessed and found to be in the Not at Risk category	20
Not at Risk Category	20
Table 9. Species considered and placed in the Data Deficient category	25
Data Deficient Category	25
RECORD OF STATUS REASSESSMENTS	27
RECORD OF NAME CHANGES	45



ABOUT COSEWIC



COSEWIC MANDATE

The Committee on the Status of Endangered Wildlife in Canada (COSEWIC) assesses the national status of wild species, subspecies, varieties, or other designatable units that are considered to be at risk in Canada. Designations are made on native species including the following taxonomic groups: mammals, birds, reptiles, amphibians, fishes, arthropods, molluscs, vascular plants, mosses, and lichens.

COSEWIC MEMBERSHIP

COSEWIC comprises members from each provincial and territorial government wildlife agency, four federal agencies (Canadian Wildlife Service, Parks Canada Agency, Department of Fisheries and Oceans, and the Federal Biodiversity Information Partnership, chaired by the Canadian Museum of Nature), three non-government members and the co-chairs of the species specialist and the Aboriginal Traditional Knowledge subcommittees. The Committee meets to consider status reports on candidate species.

DEFINITIONS

The following definitions were reviewed by COSEWIC in May 2004:

Wildlife species	a species, subspecies,	variety, or geographical	ly or genetically distinct

population of animal, plant or other organism, other than a bacterium or virus, that is wild by nature and it is either native to Canada or has extended its range into Canada without human intervention and has been present in Canada for at

least 50 years.

Extinct (X) A wildlife species that no longer exists.

Extirpated (XT) A wildlife species no longer existing in the wild in Canada, but occurring

elsewhere.

Endangered (E) A wildlife species facing imminent extirpation or extinction.

Threatened (T) A wildlife species likely to become endangered if limiting factors are not reversed.

Special Concern (SC)* A wildlife species that may become a threatened or an endangered species

because of a combination of biological characteristics and identified threats.

Not at Risk (NAR)** A species that has been evaluated and found to be not at risk of extinction given

the current circumstances.

Data Deficient (DD)*** A wildlife species for which there is inadequate information to make a direct, or

indirect, assessment of its risk of extinction.

^{*} Formerly described as "Vulnerable" from 1990 to 1999, or "Rare" prior to 1990.

^{**} Formerly described as "Not In Any Category", or "No Designation Required."

Formerly described as "Indeterminate" from 1994 to 1999 or "ISIBD" (insufficient scientific information on which to base a designation) prior to 1994.

SUMMARY TABLES

Species designated in the "risk" and the Extinct categories, and the Not at Risk and Data Deficient categories

Table 1. Summary of COSEWIC's assessment results for the "risk" categories (Extirpated, Endangered, Threatened and Special Concern) (444 species) and for the Extinct category (12 species). The results include the May 2004 meeting.

TAXON	EXTINCT	EXTIRPATED	ENDANGERED	THREATENED	SPECIAL CONCERN	TOTALS
Mammals	2	4	20	14	26	66
Birds	3	2	23	10	22	60
Reptiles	0	4	7	12	9	32
Amphibians	0	1	6	5	7	19
Fishes	5	2	21	22	29	79
Arthropods	0	3	6	5	2	16
Molluscs	1	2	12	2	4	21
Vascular Plants	0	2	67	41	- 35	145
Mosses	1	1	5	2	2	11
Lichens	0	0	2	1	4	7
Totals	12	21	169	114	140	456

Table 2. Summary of COSEWIC's assessment results for the Not at Risk category. The results include the May 2004 meeting.

TAXON	NOT AT RISK
Mammals	44
Birds	35
Reptiles	5
Amphibians	14
Fishes	35
Arthropods	0
Molluscs	2
Vascular Plants	16
Mosses	. 0
Lichens	0
Totals	151

Table 3. Summary of COSEWIC's assessment results for the Data Deficient category. The results include the May 2004 meeting.

TAXON	DATA DEFICIENT
Mammals	10
Birds	2
Reptiles	2
Amphibians	0
Fishes	9
- Arthropods	0
Molluscs	4
Vascular Plants	4
Mosses	0
Lichens	2
Totals	33

Results from the May 2004 COSEWIC meeting

Table 4. May 2004 results by category and taxon.

TAXON	EXTINCT	EXTIRPATED	ENDANGERED	THREATENED	SPECIAL CONCERN	NOT AT RISK	DATA DEFICIENT	TOTALS
Mammals			3	3	5	1	1	13
Birds			1	2				3
Reptiles			2	1				3 _
Amphibians			1					1
Fishes			1					1
Arthropods								0
Molluscs			1		1		_	2
Vascular Plants			5	2	3			10
Mosses					2		_	2
Lichens				1				1
Totals	0	0	14	9	11	1	1	36

Table 5. May 2004 results by category and type of change.

TYPE OF CHANGE		EXTINCT	EXTIRPATED	ENDANGERED	THREATENED	SPECIAL CONCERN	NOT AT RISK	DATA DEFICIENT	TOTALS
New				8	4	3			15
In a higher risk category	↑			4	2	1	,		7
In a lower risk category	↓				1				1
	\leftrightarrow			1	1	5	1		8
Changed 4	٥							1	1
Reassigned	J			1	· 1	2			- 4
No longer at risk	√								0
Totals		0	0	14	9	11	1	1	36

Explanation of status change symbols for reassessed species

- 1 Species placed in a higher risk category after reassessment on the date shown.
- \downarrow Species placed in a lower risk category after reassessment on the date shown.
- \leftrightarrow Species stays in the same category after reassessment on the date shown.
- Species moved to the Data Deficient category from a risk category, or to a risk category from the Data Deficient category on the date shown.
- O Species that has been assigned to a different designatable unit than previously on the date shown.
- $\sqrt{}$ Species moved to the Not at Risk category from a risk category on the date shown. (no symbol) New species examined on the date shown.

COSEWIC ASSESSMENT RESULTS

The tables that follow (Tables 6-9) are organized by status category and then by taxonomic group. For each species, the information provided includes the common name, scientific name, population name, and range of occurrence in Canada (by province, territory or ocean). For birds, range of occurrence includes the Canadian breeding and wintering distribution. The most recent date of assessment by COSEWIC is shown. The symbols on the left provide information on the type of status report used as the basis for reassessment for species evaluated against quantitative criteria (see below), and the symbols on the right provide information on the outcome of status reassessments (see explanation of symbols on page three).

The first COSEWIC "Endangered Species List" was issued in 1978. In 1990, it was decided that all species considered by COSEWIC should be included in this document even if the species were in the Not at Risk or Data Deficient categories. Therefore, this document is divided into four sections. The first section (Table 6) includes species assessed and designated as Extinct. The second section (Table 7) includes species assessed and designated as Extirpated, Endangered, Threatened or Special Concern. The third section (Table 8) includes species assessed and found to be in the Not at Risk category. The fourth section (Table 9) includes species considered by COSEWIC and placed in the Data Deficient category because of insufficient scientific information.

Evaluation with COSEWIC's quantitative criteria

COSEWIC has been using quantitative criteria to assess species' risk of extinction since October 1999. These criteria were adapted from the criteria used by the World Conservation Union (IUCN).

Explanation of type of status report symbols for species evaluated using quantitative criteria

 \triangle or \triangle^+ Assessment based on a new status report or an update status report. A plus sign (+) indicates the report has an addendum or that the report has been modified.

 \triangle or \triangle^+ Species re-assessed using an existing status report. A plus sign (+) indicates the report has an addendum or that the report has been modified.

Geographical occurrence abbreviations

Labrador

	Alberta	NS	Nova Scotia	QC	Québec
BC	British Columbia	NT	Northwest Territories	SK	Saskatchewan
MB	Manitoba	NU	Nunavut	YT	Yukon Territory
NB	New Brunswick	ON	Ontario		•
NL	Newfoundland and	PE	Prince Edward Island		

Table 6. Species assessed and designated Extinct, with range of occurrence (by province, territory or ocean) and date of last assessment. The historical range of occurrence and the approximate date of disappearance are shown (12 species).

EXTINCT CATEGORY (12)

	on/ essment ails	Common Name	Scientific Name	Population Name	Historical Range of Occurrence	Extinction Date	Assessment Date
Mar	nmals (2)		<u> </u>				
Δ	\leftrightarrow	Caribou <i>dawsoni</i> subspecies	Rangifer tarandus dawsoni		ВС	1920s	May 2000
₽	↔	Mink, Sea	Mustela macrodon		NB NS Atlantic Ocean	1894	May 2000
Bire	ds (3)						
₽	\leftrightarrow	Auk, Great	Pinguinus impennis		QC NB NS NL	1844	May 2000
♣	\leftrightarrow	Duck, Labrador	Camptorhynchus labradorius	•	QC NB NS NL	1875	May 2000
⇔	\leftrightarrow	Pigeon, Passenger	Ectopistes migratorius		SK MB ON QC NB NS PE	1914	May 2000
Rep	tiles (0)						
Am	phibians (0)					
Fish	nes (5)						
⇔	\longleftrightarrow	Cisco, Deepwater	Coregonus johannae		ON	1952	May 2000
↔	\leftrightarrow	Dace, Banff Longnose	Rhinichthys cataractae smithi		AB	1986	May 2000
₽	↔ .	Stickleback, Benthic Hadley Lake	Gasterosteus sp.		ВС	1999	May 2000
⇔	↔ .	Stickleback, Limnetic Hadley Lake	Gasterosteus sp.		ВС	1999 ·	May 2000
₽	↔ .÷	Walleye, Blue	Stizostedion vitreum glaucum		ON	1965	May 2000
Art	hropods (0)					
Mol	luscs (1)						
≙	↔	Limpet, Eelgrass	Lottia alveus alveus	, 	QC NS NL	1929	May 2000
Vas	cular Plar	nts (0)					
Mos	sses (1)			·•			
Δ		Moss, Macoun's Shining	Neomacounia nitida ;		ON	not observed since 1864	Nov 2002
Lic	hens (0)						

Table 7. Species assessed and designated in a "risk category" (Extirpated, Endangered, Threatened or Special Concern), with range of occurrence (by province, territory or ocean) and date of assessment. For Extirpated species, the historical range of occurrence and the approximate date of disappearance from Canada are shown (444 species).

EXTIRPATED CATEGORY (21)

Taxon/ Assessment Details	Common Name	Scientific Name	Population Name	Historical Range of Occurrence	Extinction Date	Assessment Date
Mammals (4)		-				
Δ ↔	Bear, Grizzly	Ursus arctos	Prairie population	AB SK MB	1880s	May 2002
\triangle \leftrightarrow	Ferret, Black-footed	Mustela nigripes		AB SK MB	1974	May 2000
△ ↔	Walrus, Atlantic	Odobenus rosmarus rosmarus	Northwest Atlantic population	Atlantic Ocean	mid 19th century	May 2000
△ ↔	Whale, Grey	Eschrichtius robustus	Atlantic population	Atlantic Ocean	before end of 1800s	May 2000
Birds (2)	•					
⇔ ↔	Prairie-Chicken, Greater	Tympanuchus cupido		AB SK MB ON	last reported in 1987 in Saskatchewan	May 2000
∆ ↔	Sage-Grouse phaios subspecies, Greater	Centrocercus urophasianus phaios		ВС	not observed since 1960s	May 2000
Reptiles (4)		-				
Δ	Gophersnake, Pacific	Pituophis catenifer catenifer		ВС	not observed since 1957	May 2002
△ ↔	Lizard, Pigmy Short- horned	Phrynosoma douglasii	Brit is h Columbia population	BC	last reported in 1898, near Osoyoos, BC	May 2000
Δ .	Rattlesnake, Timber	Crotalus horridus		ON	1941	May 2001
△	Turtle, Pacific Pond	Actinemys marmorata		ВС	not observed since 1959	May 2002
Amphibians (1)					
Δ:	Salamander, Tiger	Ambystoma tigrinum	Great Lakes population	ON .	1915	Nov 2001
Fishes (2)						
△ ↔	Chub, Gravel	Erimystax x-punctatus		ON	last reported in 1958, Thames River drainage	May 2000
△ , ↔	Paddlefish	Polyodon spathula		ON	1917	May 2000
Arthropods (3)					
\triangle \leftrightarrow	Blue, Karner	Lycaeides melissa samuelis		ON	1991	May 2000 .
∆ ' ↔	Elfin, Frosted	Callophrys [Incisalia] irus		ON	1988	May 2000
⇔	Marble, Island	Euchloe ausonides		ВС	before 1910	May 2000
Molluscs (2)					•	
Δ .	Snail, Puget Oregonian	Cryptomastix devia		ВС	not observed since 1905	Nov 2002
△ ↔	Wedgemussel, Dwarf	Alasmidonta heterodon		NB	1968	May 2000

EXTIRPATED CATEGORY (21) continued

Taxon/ Assessment Details	Common Name	Scientific Name	Population Name	Historical Range of Occurrence	Extinction Date	Assessment Date
Vascular Plan	nts (2)	-		-		
⇔ ↔	Spring Blue-eyed Mary	Collinsia verna		ON	not observed since 1954	May 2000
⇔	Tick-trefoil, Illinois	Desmodium illinoense		ON	not observed since 1888	May 2000
Mosses (1)						
Δ	Moss, Incurved Grizzled	Ptychomitrium incurvum		ON	1828	Nov 2002

Lichens (0)

ENDANGERED CATEGORY (169)

Taxe Asse Deta	essment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Man	nmals (2	0)				
Δ	ŭ	Badger <i>jacksoni</i> subspecies, American	Taxidea taxus jacksoni		ON	May 2000
Δ	ŭ	Badger <i>jeffersonii</i> subspecies, American	Taxidea taxus jeffersonii		ВС	May 2000
Δ	ರ	Caribou, Peary	Rangifer tarandus pearyi		NT NU	May 2004
Δ	\leftrightarrow	Caribou, Woodland	Rangifer tarandus caribou	Atlantic-Gaspésie population	QC	May 2002
₽	\leftrightarrow	Fox, Swift	Vulpes velox		AB SK	May 2000
∸	\longleftrightarrow	Marmot, Vancouver Island	Marmota vancouverensis		ВС	May 2000
₽	\leftrightarrow	Marten, Newfoundland	Martes americana atrata		NL	May 2000
Δ	↑	Mole, Townsend's	Scapanus townsendii		ВС	May 2003
Δ	1	Whale, Beluga	Delphinapterus leucas	Eastern Hudson Bay population	NU QC Arctic Ocean Atlantic Ocean	May 2004
Δ	\leftrightarrow	Whale, Beluga	Delphinapterus leucas	Ungava Bay population	QC Arctic Ocean Atlantic Ocean	May 2004
Δ	U	Whale, Blue	Balaenoptera musculus	Atlantic population	Atlantic Ocean	May 2002
Δ	b	Whale, Blue	Balaenoptera musculus	Pacific population	Pacific Ocean	May 2002
		Whale, Bowhead	Balaena mysticetus	Eastern Arctic population	NU Arctic Ocean	Apr 1980
		Whale, Bowhead	Balaena mysticetus	Western Arctic population	YT NT NU Arctic Ocean	Apr 1986
△ ⁺	ŭ	Whale, Killer	Orcinus orca	Northeast Pacific southern resident population	Pacific Ocean	Nov 2001
Δ	ರ	Whale, North Atlantic Right	Eubalaena glacialis		Atlantic Ocean	May 2003
	\longleftrightarrow	Whale, North Pacific Right	Eubalaena japonica		Pacific Ocean	Apr 1990
∸	↑	Whale, Northern Bottlenose	Hyperoodon ampullatus	Scotian Shelf population	Atlantic Ocean	Nov 2002
Δ		Whale, Sei	Balaenoptera borealis	Pacific population	Pacific Ocean	May 2003
Δ	\leftrightarrow	Wolverine	Gulo gulo	Eastern population	QC NL	May 2003
Bird	s (23)			·		
Δ+	\leftrightarrow	Bobwhite, Northern	Colinus virginianus		ON	Nov 2003
Δ	↑	Chat <i>auricollis</i> subspecies, Yellow-breasted	Icteria virens auricollis	British Columbia population	ВС	Nov 2000
Δ	\longleftrightarrow	Crane, Whooping	Grus americana		NT AB	Nov 2000
Δ		Crossbill <i>percna</i> subspecies, Red	Loxia curvirostra percna		NL	May 2004
Δ	\leftrightarrow	Curlew, Eskimo	Numenius borealis		YT NT NU BC AB SK MB ON QC NB NS PE NL	May 2000
Δ	\longleftrightarrow	Flycatcher, Acadian	Empidonax virescens		ON	Nov 2000
Δ		Lark <i>strigata</i> subspecies, Horned	Eremophila alpestris strigata		ВС	Nov 2003
⇔	\longleftrightarrow	Owl <i>caurina</i> subspecies, Spotted	Strix occidentalis caurina		ВС	May 2000
₽	←→	Owl, Barn	Tyto alba	Eastern population	ON QC	May 2000
↔	\longleftrightarrow	Owl, Burrowing	Athene cunicularia		BC AB SK MB	May 2000
Δ	ŭ	Plover circumcinctus subspecies, Piping	Charadrius melodus circumcinctus		AB SK MB ON	May 2001
Δ	ŭ	Plover <i>melodus</i> subspecies, Piping	Charadrius melodus melodus	•	QC NB NS PE NL	May 2001
Δ	\longleftrightarrow	Plover, Mountain	Charadrius montanus		AB SK	Nov 2000
Δ	\leftrightarrow	Rail, King	Rallus elegans		ON	Nov 2000
↔	\longleftrightarrow	Sage-Grouse urophasianus	Centrocercus urophasianus		AB SK	May 2000
		subspecies, Greater	urophasianus	·		

Tax Asso Det	essment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Birc	ds (23) (d	contined)				
Δ	Ü	Screech-Owl <i>macfarlanei</i> subspecies, Western	Megascops kennicottii macfarlanei		ВС	May 2002
Δ	\leftrightarrow	Shrike <i>migrans</i> subspecies, Loggerhead	Lanius ludovicianus migrans		MB ON QC	Nov 2000
\triangle	\longleftrightarrow	Sparrow, Henslow's	Ammodramus henslowii		ON	Nov 2000
\triangle	\leftrightarrow	Tern, Roseate	Sterna dougallii		QC NB NS	Oct 1999
Δ	\longleftrightarrow	Thrasher, Sage	Oreoscoptes montanus		BC AB SK	Nov 2000
\triangle	\longleftrightarrow	Warbler, Kirtland's	Dendroica kirtlandii		ON	May 2000
△	←→	Warbler, Prothonotary	Protonotaria citrea		ON	May 2000
\triangle	↑	Woodpecker, White-headed	Picoides albolarvatus		BC	Nov 2000
Rec	tiles (7)	 				
Δ	· (·)	Nightsnake	Hypsiglena torquata		ВС	May 2001
Δ	\longleftrightarrow	Racer, Blue	Coluber constrictor foxii		ON	May 2002
Δ	\leftrightarrow	Seaturtle, Leatherback	Dermochelys coriacea		Pacific Ocean Atlantic Ocean	May 2001
\triangle	↑	Skink, Prairie	Eumeces septentrionalis		MB	May 2004
₽	\leftrightarrow	Snake, Sharp-tailed	Contia tenuis		ВС	Oct 1999
Δ	↑	Turtle, Spotted	Clemmys guttata		ON QC	May 2004
		Watersnake, Lake Erie	Nerodia sipedon insularum		ON	Apr 1991
Am	phibians	; (6)				
Δ	. ↔	Frog, Northern Cricket	Acris crepitans		ON	May 2001
-	\longleftrightarrow	Frog, Northern Leopard	Rana pipiens	Southern Mountain population	ВС	May 2000
\triangle	\longleftrightarrow	Frog, Oregon Spotted	Rana pretiosa	•	ВС	May 2000
Δ		Frog, Rocky Mountain Tailed	Ascaphus montanus		ВС	May 2000
\triangle	↑	Salamander, Small-mouthed	Ambystoma texanum	· · · · · · · · · · · · · · · · · · ·	ON ·	May 2004
		Salamander, Tiger	Ambystoma tigrinum	Southern Mountain population	ВС	Nov 2001
Fish	nes (21)				-	
Δ	U	Cod, Atlantic	Gadus morhua	Newfoundland and Labrador population	Atlantic Ocean	May 2003
↩	\longleftrightarrow	Dace, Nooksack	Rhinichthys sp.		BC	May 2000
\triangle	1	Dace, Speckled	Rhinichthys osculus		BC	Nov 2002
\triangle	↑	Lamprey, Morrison Creek	Lampetra richardsoni		BC	May 2000
♣⁺	1	Madtom, Northern	Noturus stigmosus		ON .	Nov 2002
Δ		Salmon, Atlantic	Salmo salar	Inner Bay of Fundy populations	NB NS Atlantic Ocean	May 2001
Δ		Salmon, Coho	Oncorhynchus kisutch	Interior Fraser population	BC Pacific Ocean	May 2002
Δ	↔	Salmon, Sockeye	Oncorhynchus nerka	Cultus population	BC Pacific Ocean	May 2003
Δ	↔	Salmon, Sockeye	Oncorhynchus nerka	Sakinaw population	BC Pacific Ocean	May 2003
Δ		Shark, Porbeagle	Lamna nasus		Atlantic Ocean	May 2004
Δ	1	Shiner, Pugnose	Notropis anogenus		ON:	Nov 2002
Δ	Ü	Stickleback, Benthic Enos Lake	Gasterosteus sp.		ВС	Nov 2002
⇔	↑	Stickleback, Benthic Paxton Lake	Gasterosteus sp.		ВС	May 2000
₽	↑	Stickleback, Benthic Vananda Creek	Gasterosteus sp.		ВС	May 2000
Δ	O T	Stickleback, Limnetic Enos Lake	Gasterosteus sp.		ВС	Nov 2002

Taxo Asso Deta	essment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Fish	nes (21)	(continued)				
♣	↑	Stickleback, Limnetic Paxton Lake	Gasterosteus sp.		ВС	May 2000
↔	1	Stickleback, Limnetic Vananda Creek	Gasterosteus sp.		ВС	May 2000
Δ	· 🕇	Sturgeon, White	Acipenser transmontanus		ВС	Nov 2003
Δ	\leftrightarrow	Sucker, Salish	Catostomus sp.		BC *	Nov 2002
Δ	↔ ;	Trout, Aurora	Salvelinus fontinalis timagamiensis		ON	May 2000
Δ	¹ · ←→	Whitefish, Atlantic	Coregonus huntsmani		NS	Nov 2000
Arth	ropods	(6)		<u>-</u>		
Δ		Blue, Island	Plebejus saepiolus insulanus		ВС	Nov 2000
Δ		Checkerspot, Taylor's	Euphydryas editha taylori		BC	Nov 2000
Δ		Metalmark, Mormon	Apodemia mormo	Southern Mountain population	ВС	May 2003
Δ		Moth, Sand-verbena	Copablepharon fuscum		ВС	Nov 2003
Δ	i	Moth, Yucca	Tegeticula yuccasella		AB	May 2002
♣	↔	Ringlet, Maritime	Coenonympha tullia nipisiquit		QC NB	May 2000
Moli	uscs (12	2)			•	
≟	. ↔	Bean, Rayed	Villosa fabalis		ON	May 2000
Δ		Forestsnail, Oregon	Allogona townsendiana		ВС	Nov 2002
2		Hickorynut, Round	Obovaria subrotunda		ON	May 2003
2		Kidneyshell	Ptychobranchus fasciolaris		ON	May 2003
≙	\leftrightarrow	Lampmussel, Wavy-rayed	Lampsilis fasciola		ON	Oct 1999
2		Mussel, Mudpuppy	Simpsonaias ambigua		ON	May 2001
≟	. ↔	Physa, Hotwater	^o hysella wrighti		ВС	May 2000
2		Pigtoe, Round	Pleurobema sintoxia		ON	May 2004
→ *	↔	Riffleshell, Northern	Epioblasma torulosa rangiana		ON	May 2000
≙	, ↑	Snail, Banff Springs	Physella johnsoni		AB	May 2000
Δ		Snail, Lake Winnipeg Physa	Physa sp.		MB	Nov 2002
2	1	Snuffbox	Epioblasma triquetra		ON	May 2001
asc	ular Pla	ints (67)			.	
7.	` ↔	Agalinis, Gattinger's	Agalinis gattingeri		ON	May 2001
₹	\longleftrightarrow	Agalinis, Skinner's	Agalinis skinneriana		ON	May 2000
-	\longleftrightarrow	Ammannia, Scarlet	Ammannia robusta		BC ON	May 2001
₹	\leftrightarrow	Avens, Eastern Mountain	Geum peckii		NS	May 2000
7	· ↔ :	Balsamroot, Deltoid	Balsamorhiza deltoidea		ВС	May 2000
≟	` ↔	Bluehearts	Buchnera americana		ON	, May 2000
≯ , .	` ↔ `	Braya, Long's	. Braya longii		NL	May 2000
7		Bugbane, Tall	Actaea elata		BC	May 2001
ر خ	↑	Bulrush, Bashful	Trichophorum planifolium	•	ON	May 2000
, }	\leftrightarrow	Bush-clover, Slender	Lespedeza virginica		ON	May 2000
→	\leftrightarrow	Buttercup, Water-plantain	Ranunculus alismaefolius var. alismaefolius		ВС	May 2000
7		Butternut	Juglans cinerea		NB ON QC	Nov 2003
, }	\leftrightarrow	Cactus, Eastern Prickly Pear	Opuntia humifusa		ON	May 2000
2		Catchfly, Coastal Scouler's	Silene scouleri ssp. grandis		ВС	May 2003
2		Collomia, Slender	Collomia tenella		ВС	Nov 2003

Tax Asse Det	essment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Vas	cular Pla	ints (67) (continued)			•	
₽	\longleftrightarrow	Coreopsis, Pink	Coreopsis rosea		NS	May 2000
₽	\longleftrightarrow	Cryptanthe, Tiny	Cryptantha minima		AB SK	May 2000
₽	\leftrightarrow	Fern, Southern Maidenhair	Adiantum capillus-veneris		ВС	May 2000
Δ	↑	Fringed-orchid, Eastern Prairie	Platanthera leucophaea		ON	May 2003
Δ	\leftrightarrow	Fringed-orchid, Western Prairie	Platanthera praeclara		MB	May 2000
Δ	↔	Gentian, White Prairie	Gentiana alba		ON	May 2001
₽	\leftrightarrow	Ginseng, American	Panax quinquefolius		ON QC	May 2000
♣⁺	↑	Goat's-rue, Virginia	Tephrosia virginiana		ON	May 2000
\triangle	\longleftrightarrow	Goldenrod, Showy	Solidago speciosa		ON	May 2000
Δ		Grass, Forked Three-awned	Aristida basiramea		ON QC	Nov 2002
₽	\longleftrightarrow	Lady's-slipper, Small White	Cypripedium candidum		MB ON	May 2000
Δ	↑	Lipocarpha, Small-flowered	Lipocarpha micrantha		BC ON	Nov 2002
₽	\longleftrightarrow	Lotus, Seaside Birds-foot	Lotus formosissimus		BC	May 2000
₽	\leftrightarrow	Lousewort, Furbish's	Pedicularis furbishiae	•	NB	May 2000
₽	\leftrightarrow	Lupine, Prairie	Lupinus lepidus var. lepidus		BC	May 2000
Δ		Lupine, Streambank	Lupinus rivularis		ВС	Nov 2002
₽	\leftrightarrow	Milkwort, Pink	Polygala incarnata		ON	May 2000
₽	↔	Mountain-mint, Hoary	Pycnanthemum incanum		ON	May 2000
₽	\leftrightarrow	Mulberry, Red	Morus rubra		ON	May 2000
₽	\leftrightarrow	Owl-clover, Bearded	Triphysaria versicolor ssp. versicolor		ВС	May 2000
Δ		Owl-clover, Rosy	Orthocarpus bracteosus		ВС	May 2004
△ ⁺	↑	Paintbrush, Golden	Castilleja levisecta		BC	May 2000
₽	\leftrightarrow	Plantain, Heart-leaved	Plantago cordata	•	ON	May 2000
₽	\longleftrightarrow	Pogonia, Large Whorled	Isotria verticillata		ON	May 2000
₽	\longleftrightarrow	Pogonia, Nodding	Triphora trianthophora		ON	May 2000
₽	\leftrightarrow	Pogonia, Small Whorled	Isotria medeoloides		ON	May 2000
Δ		Pussytoes, Stoloniferous	Antennaria flagellaris		ВС	May 2004
Δ	\leftrightarrow	Quillwort, Engelmann's	Isoëtes engelmannii		ON	May 2001
Δ		Rush, Kellogg's	Juncus kelloggii		ВС	May 2003
Δ		Sand-verbena, Pink	Abronia umbellata		BC	May 2004
Δ	1	Sand-verbena, Small- flowered	Tripterocalyx micranthus		AB SK	Nov 2002.
Δ		Sandwort, Dwarf	Minuartia pusilla		BC	May 2004
Δ		Sanicle, Bear's-foot	Sanicula arctopoides		ВС	May 2001
\triangle	↑	Sedge, False Hop	Carex lupuliformis		ON QC	May 2000
₽	\longleftrightarrow	Sedge, Juniper	Carex juniperorum	•	ON	May 2000
Δ		Spike-rush, Horsetail	Eleocharis equisetoides	•	ON	Nov 2000
\triangle	\leftrightarrow	Sundew, Thread-leaved	Drosera filiformis		NS	May 2001
\triangle	\leftrightarrow	Thistle, Pitcher's	Cirsium pitcheri	the state of the second	· ON	May 2000
Δ		Toneila, Small-flowered	Tonella tenella		ВС	Nov 2003
⇔	↔	Toothcup	Rotala ramosior		BC ON	May 2000
₽	\longleftrightarrow	Tree, Cucumber	Magnolia acuminata		ON	May 2000
\triangle		Trefoil, Bog Bird's-foot	Lotus pinnatus		ВС	May 2004
₽	↔	Trillium, Drooping	Trillium flexipes		ON	May 2000
Δ		Triteleia, Howell's	Triteleia howellii		ВС	May 2003
△ ⁺	\leftrightarrow	Twayblade, Purple	Liparis liliifolia		ON	May 2001

Taxon/ Assessment Details	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Vascular Pla	nts (67) (continued)				
△ ↑	Violet, Bird's-foot	Viola pedata		ON .	May 2002
Δ	Willow, Barrens	Salix jejuna		NL	May 2001
⇔ ↔	Wintergreen, Spotted	Chimaphila maculata		ON QC	May 2000
₽ , ↔	Wood-poppy	Stylophorum diphyllum	*	ON	May 2000
△ ↑	Woodsia, Blunt-lobed	Woodsia obtusa		ON QC	May 2000
Δ	Woolly-heads, Dwarf	Psilocarphus brevissimus		ВС	Nov 2003
Δ	Woolly-heads, Tall	Psilocarphus elatior	Pacific population	ВС	May 2001
Mosses (5)					
Δ	Moss, Margined Streamside	Scouleria marginata		ВС	Nov 2002
Δ ,	Moss, Poor Pocket	Fissidens pauperculus		ВС	Nov 2001
△ ⁺ ↑	Moss, Rigid Apple	Bartramia stricta		ВС	May 2000
Δ	Moss, Silver Hair	Fabronia pusilla		ВС	Nov 2002
Δ	Moss, Spoon-leaved	Bryoandersonia illecebra		ON	May 2003
Lichens (2)					
Δ	Lichen, Boreal Felt	Erioderma pedicellatum	Atlantic population	NB NS	May 2002
△ . ↔	Seaside Centipede	Heterodermia sitchensis		ВС	May 2000

THREATENED CATEGORY (114)

Taxo Asse Deta	ssment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessmen Date
Mam	mals (1	(4)				
Δ	↑	Bat, Pallid	Antrozous pallidus	•	ВС	May 2000
Δ		Bison, Plains	Bison bison bison		BC AB SK MB	May 2004
Δ	\leftrightarrow	Bison, Wood	Bison bison athabascae		YT NT BC AB	May 2000
Δ	\leftrightarrow	Caribou, Woodland	Rangifer tarandus caribou	Boreal population	NT BC AB SK MB ON QC NL	May 2002
Δ	\leftrightarrow	Caribou, Woodland	Rangifer tarandus caribou	Southern Mountain population	BC AB	May 2002
Δ	↑	Ermine haidarum subspecies	Mustela erminea haidarum		BC	May 2001
Δ	↑	Fox, Grey	Urocyon cinereoargenteus		MB ON	May 2002
₽	\leftrightarrow	Otter, Sea	Enhydra lutris		BC Pacific Ocean	May 2000
△ ⁺	\longleftrightarrow	Shrew, Pacific Water	Sorex bendirii		BC	May 2000
Δ	Ų	Whale, Beluga	Delphinapterus leucas	Cumberland Sound population	NU Arctic Ocean	May 2004
Δ	1	Whale, Beluga	Delphinapterus leucas	St. Lawrence Estuary population	QC Atlantic Ocean	May 2004
Δ	\leftrightarrow	Whale, Humpback	Megaptera novaeangliae	North Pacific population	Pacific Ocean	May 2003
♣,	, ,	Whale, Killer	Orcinus orca	Northeast Pacific northern resident population	Pacific Ocean	Nov 2001
^	↑	Whale, Killer	Orcinus orca	Northeast Pacific transient population	Pacific Ocean	Nov 2001
Bird	s (10)				•	
Δ		Albatross, Short-tailed	Phoebastria albatrus		ВС	Nov 2003
↩	↑	Bittern, Least	Ixobrychus exilis		MB ON QC NB	Nov 2001
₽	\longleftrightarrow	Falcon <i>anatum</i> subspecies, Peregrine	Falco peregrinus anatum	· .	YT NT NU BC AB SK MB ON QC NB NS NL	May 2000
Δ	↑	Goshawk <i>laingi</i> subspecies, Northern	Accipiter gentilis laingi		ВС	Nov 2000
⇔	↑	Gull, Ross's	Rhodostethia rosea		NT NU MB	Nov 2001
Δ	\leftrightarrow	Murrelet, Marbled	Brachyramphus marmoratus		ВС	Nov 2000
↔	\leftrightarrow	Pipit, Sprague's	Anthus spragueii		AB SK MB	May 2000
Δ		Shearwater, Pink-footed	Puffinus creatopus		ВС	May 2004
Δ	\longleftrightarrow	Shrike <i>excubitorides</i> subspecies, Loggerhead	Lanius ludovicianus excubitorides		AB SK MB	May 2004
Δ	\longleftrightarrow	Warbler, Hooded	Wilsonia citrina		ON ¹	Nov 2000
Rept	iles (12	2)				.
♣.	↔	Foxsnake, Eastern	Elaphe gloydi		ON	May 2000
↩	↑	Gartersnake, Butler's	Thamnophis butleri		ON	Nov 2001
Δ		Gophersnake, Great Basin	Pituophis catenifer deserticola		BC	May 2002
Δ	\leftrightarrow	Massasauga	Sistrurus catenatus	•	ON	Nov 2002
△	\leftrightarrow	Ratsnake, Eastern	Elaphe obsoleta		ON	May 2000
Δ		Rattlesnake, Western	Crotalus oreganus	·	· BC	May 2000 May 2004
Δ		Ribbonsnake, Eastern	Thamnophis sauritus	Atlantic population	NS -	May 2004 May 2002
_	↑	Snake, Eastern Hog-nosed	Heterodon platirhinos	Additic population	ON	Nov 2001
_ ≙	+→		•			
Δ	↔	Snake, Queen	Regina septemvittata		ON OC	May 2000
Δ		Softshell, Spiny	Apalone spinifera		ON QC	May 2002
_		Stinkpot Trackle - Place districts	Sternotherus odoratus		ON QC	May 2002
		Turtle, Blanding's	Emydoidea blandingii	Nova Scotia population	NS	Apr 1993

THREATENED CATEGORY (114) continued

Taxo Asse Deta	essment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Amp	phibians	s (5)				
۵٠	↑	Salamander, Allegheny Mountain Dusky	Desmognathus ochrophaeus		QC	Nov 2001
\triangle	↑	Salamander, Coastal Giant	Dicamptodon tenebrosus		ВС	Nov 2000
Δ		Salamander, Jefferson	Ambystoma jeffersonianum		ON	Nov 2000
\triangle	↑	Spadefoot, Great Basin	Spea intermontana		ВС	Nov 2001
♣.	\leftrightarrow	Toad, Fowler's	Bufo fowleri		ON	Nov 2000
Fish	es (22)				· · · · · · · · · · · · · · · · · · ·	
Δ		Bocaccio	Šebastes paucispinis		Pacific Ocean	Nov 2002
₽.	↑	Chubsucker, Lake	Erimyzon sucetta		ON	Nov 2001
_	,	Cisco, Blackfin	Coregonus nigripinnis		ON	Apr 1988
Δ	↔	Cisco, Shortjaw	Coregonus zenithicus	•	NT AB SK MB ON	May 2003
		Cisco, Shortnose	Coregonus reighardi		ON	Apr 1987
Δ.	ŭ	Cod, Atlantic	Gadus morhua	Laurentian North population	Atlantic Ocean	May 2003
Δ		Cusk	Brosme brosme	F - F	Atlantic Ocean	May 2003
Δ	\longleftrightarrow	Darter, Channel	Percina copelandi		ON QC	May 2002
۰	\longleftrightarrow	Darter, Eastern Sand	Ammocrypta pellucida		ON QC	Nov 2000
₽	↑	Gar, Spotted	Lepisosteus oculatus		ON	Nov 2000
₽	1	Lamprey, Cowichan Lake	Lampetra macrostoma		ВС	Nov 2000
₽,	1	Minnow, Western Silvery	Hybognathus argyritis		AB	Nov 2001
*	,	Redhorse, Black	Moxostoma duquesnei		ON	Apr 1988
		Redhorse, Copper	Moxostoma hubbsi		QC	Apr 1987
۵	↑	Sculpin, Cultus Pygmy	Cottus sp.		BC	Nov 2000
		Sculpin, Deepwater	Myoxocephalus thompsoni	Great Lakes populations	ON	Apr 1987
Δ	\longleftrightarrow	Sculpin, Shorthead	Cottus confusus	1 7	ВС	May 2001
⇔	†	Shiner, Carmine	Notropis percobromus		мв	Nov 2001
<u> </u>	\longleftrightarrow	Smelt, Lake Utopia Dwarf	Osmerus sp.		NB	May 2000
		Whitefish, Lake	Coregonus clupeaformis	Lake Simcoe population	ON	Apr 1987
Δ		Wolffish, Northern	Anarhichas denticulatus		Arctic Ocean Atlantic Ocean	May 2001
Δ		Wolffish, Spotted	Anarhichas minor		Arctic Ocean Atlantic Ocean	May 2001
Arth	ropods	(5)				
Δ		Hairstreak, Behr's (Columbia)	Satyrium behrii columbia		BC .	Nov 2000
Δ		Metalmark, Mormon	Apodemia mormo	Prairie population	SK	May 2003
Δ		Skipper, Dakota	Hesperia dacotae		MB SK	Nov 2003
Δ		Skipper, Dun	Euphyes vestris	Western population .	BC	Nov 2000
Δ		Skipperling, Poweshiek	Oarisma poweshiek		MB	Nov 2003
Moll	uscs (2)					
↔	↔ ` ´	Abalone, Northern	Haliotis kamtschatkana		Pacific Ocean	May 2000
Δ.		Jumping-slug, Dromedary	Hemphillia dromedarius		ВС	May 2003
V250	ular Dis	ants (41)				
	.uiai Fie	Aster, Anticosti	Symphyotrichum anticostense		QC NB	May 2000
<u></u>	1	Aster, Crooked-stem	Symphyotrichum prenanthoides	-	ON	May 2002
Δ	<u>,</u> †	Aster, Gulf of St. Lawrence	Symphyotrichum laurentianum	·	QC NB PE	May 2004
Δ	1	Aster, Western Silvery	Symphyotrichum sericeum		MB ON	May 2000

THREATENED CATEGORY (114) continued

Taxo Asse Deta	ssmen	t Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Vasc	ular Pi	ants (41) (continued)	 		-	
Δ	\longleftrightarrow	Aster, White Wood	Eurybia divaricata		ON QC	Nov 2002
♣⁺	\leftrightarrow	Aster, White-top	Sericocarpus rigidus		ВС	May 2000
\triangle	1	Aster, Willowleaf	Symphyotrichum praealtum		ON	May 2003
Δ	1	Bartonia, Branched	Bartonia paniculata ssp. paniculata		ON	Nov 2003
Δ	↑	Blazing Star, Dense	Liatris spicata		ON	May 2001
\triangle	\longleftrightarrow	Blue-flag, Western	Iris missouriensis		AB	May 2000
\triangle	\leftrightarrow	Braya, Fernald's	Braya fernaldii	•	NL	May 2000
\triangle	↑	Buffalograss	Buchloë dactyloides		SK MB	Nov 2001
		Chestnut, American	Castanea dentata		ON	Apr 1987
Δ	\longleftrightarrow	Coffee-tree, Kentucky	Gymnocladus dioicus		ON	Nov 2000
\triangle	\longleftrightarrow	Colicroot	Aletris farinosa		ON	Nov 2000
\triangle		Corydalis, Scouler's	Corydalis scouleri		BC	May 2001
Δ		Daisy, Lakeside	Hymenoxys herbacea		ON	May 2002
\triangle	\longleftrightarrow	Deerberry	Vaccinium stamineum		ON	Nov 2000
Δ		Fern, Lemmon's Holly	Polystichum lemmonii		ВС	May 2003
₽	\longleftrightarrow	Gentian, Plymouth	Sabatia kennedyana		NS	May 2000
Δ	1	Gentian, Victorin's	Gentianopsis procera spp. macounii var. victorinii		QC	May 2004
\triangle	\longleftrightarrow	Golden Crest	Lophiola aurea		NS	May 2000
\triangle	\longleftrightarrow	Goldenseal	Hydrastis canadensis		ON	May 2000
♣,	\leftrightarrow	Greenbrier, Round-leaved	Smilax rotundifolia	Great Lakes Plains population	ON	May 2001
\triangle	↑	Hackberry, Dwarf	Celtis tenuifolia		ON	Nov 2003
Δ	↑	Hoptree, Common	Ptelea trifoliata		ON	Nov 2002
Δ	1	Hyacinth, Wild	Camassia scilloides	•	ON .	May 2002 -
Δ	\leftrightarrow	Jacob's-ladder, Van Brunt's	Polemonium vanbruntiae		QC	Nov 2002
Δ		Lily, Lyall's Mariposa	Calochortus lyallii		ВС	May 2001
↔	↔	Mosquito-fern, Mexican	Azolla mexicana		ВС	May 2000
△ *	\downarrow	Mouse-ear-cress, Slender	Halimolobos virgata		AB SK	May 2000
Δ	↑	Orchid, Phantom	Cephalanthera austiniae		ВС	May 2000
△ ⁺	\leftrightarrow	Prairie-clover, Hairy	Dalea villosa var. villosa		SK MB	May 2000
<u> </u>	\leftrightarrow	Redroot	Lachnanthes caroliana		NS	May 2000
Δ		Sanicle, Purple	Sanicula bipinnatifida		ВС	May 2001
Δ	1	Soapweed	Yucca glauca		AB -	May 2000
Δ	\leftrightarrow	Spiderwort, Western	Tradescantia occidentalis		AB SK MB	Nov 2002
Δ		Spike-rush, Tubercled	Eleocharis tuberculosa		NS	May 2000
∆	↔	Violet, Yellow Montane	Viola praemorsa ssp. praemorsa	•	ВС	May 2000
△	\leftrightarrow	Water-pennywort	Hydrocotyle umbellata		NS	May 2000
\triangle	↔	Water-willow, American	Justicia americana		ON QC	May 2000
Moss	es (2)	* .	•, •			
Δ		Bryum, Porsild's	Mielichhoferia macrocarpa		AB BC NL NU	Nov 2003
\triangle		Moss, Haller's Apple	Bartramia halleriana		BC AB	Nov 2001
	ens (1)			•		•
Δ		Jellyskin, Flooded	Leptogium rivulare		MB ON	May 2004

SPECIAL CONCERN CATEGORY (140)

Taxo Asse Deta	ssment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Mam	mais (26	5)	- · · · · · · · · · · · · · · · · · · ·			
Δ	\leftrightarrow	Bat, Spotted	Euderma maculatum		· BC	May 2004
\triangle	\longleftrightarrow	Bear, Grizzly	Ursus arctos	Northwestern population	YT NT NU BC AB	May 2002
۵٠	\leftrightarrow	Bear, Polar	Ursus maritimus		YT NT NU MB ON QC NL	Nov 2002
\triangle	\longleftrightarrow	Beaver, Mountain	Aplodontia rufa		ВС	Nov 2001
Δ	ŭ	Caribou, Barren-ground	Rangifer tarandus groenlandicus	Dolphin and Union population	NT NU	May 2004
Δ	1	Caribou, Woodland	Rangifer tarandus caribou	Northern Mountain population	YT NT BC	May 2002
		Cottontail <i>nuttallii</i> subspecies, Nuttall's	Sylvilagus nuttallii nuttallii		BC	Apr 1994
		Kangaroo Rat, Ord's	Dipodomys ordii		AB SK	Apr 1995
↩	\longleftrightarrow	Mole, Eastern	Scalopus aquaticus		ON	Nov 2000
		Mouse <i>megalotis</i> subspecies, Western Harvest	Reithrodontomys megalotis megalotis		ВС	Apr 1994
Δ	†	Porpoise, Harbour	Phocoena phocoena	Northwest Atlantic population	Atlantic Ocean	May 2003
Δ	٥	Porpoise, Harbour	Phocoena phocoena	Pacific Ocean population	Pacific Ocean	Nov 2003
↔	\leftrightarrow	Prairie Dog, Black-tailed	Cynomys ludovicianus		SK	Nov 2000
Δ	↑	Sea Lion, Steller	Eumetopias jubatus		BC Pacific Ocean	Nov 2003
		Seal Lacs des Loups Marins subspecies, Harbour	Phoca vitulina mellonae		QC	Apr 1996
		Shrew, Gaspé	Sorex gaspensis		QC NB NS	Apr 1988
		Squirrel, Southern Flying	Glaucomys volans		ON QC NS	Apr 1988
△	\leftrightarrow	Vole, Woodland	Microtus pinetorum		ON QC	Nov 2001
Δ	\leftrightarrow	Whale, Beluga	Delphinapterus leucas	Eastern High Arctic - Baffin Bay population	NU Arctic Ocean	May 2004 .
Δ	D	Whale, Beluga	Delphinapterus leucas	Western Hudson Bay population	MB NU ON Arctic Ocean Atlantic Ocean	May 2004
		Whale, Fin	Balaenoptera physalus		Atlantic Ocean Pacific Ocean	Apr 1987
Δ	↑	Whale, Grey	Eschrichtius robustus	Eastern North Pacific population	Pacific Ocean Arctic Ocean	May 2004
△ *		Whale, Killer	Orcinus orca	Northeast Pacific offshore population	Pacific Ocean	Nov 2001
		Whale, Sowerby's Beaked	Mesoplodon bidens		Atlantic Ocean	Apr 1989
Δ	٥	Wolf, Eastern	Canis lupus lycaon		ON QC	May 2001
Δ	\leftrightarrow	Wolverine	Gulo gulo	Western population	YT NT NU BC AB SK MB ON	May 2003
Birds	s (22)					
Δ	\leftrightarrow	Chat <i>virens</i> subspecies, Yellow-breasted	Icteria virens virens		ON	Nov 2000
Δ	↔ .	Curlew, Long-billed	Numenius americanus	*.	BC AB SK	Nov 2002
Δ	1	Duck, Harlequin	Histrionicus histrionicus	Eastern population	NU QC NB NS NL	May 2001
△	↔	Falcon <i>pealei</i> subspecies, Peregrine	Falco peregrinus pealei		ВС	Nov 2001
	\	Falcon <i>tundrius</i> subspecies, Peregrine	Falco peregrinus tundrius		YT NT NU QC NL	Apr 1992
Δ		Goldeneye, Barrow's	Bucephala islandica	Eastern population	QC NB NS PE NL	Nov 2000
↔	\longleftrightarrow	Gull, Ivory	Pagophila eburnea		YT NT NU NL	Nov 2001
	†	Hawk, Ferruginous	Buteo regalis		AB SK MB	Apr 1995
				and the second s		

SPECIAL CONCERN CATEGORY (140) continued

Taxo Asse Deta	ssment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Birds	s (22) (co	ontined)				
	\leftrightarrow	Hawk, Red-shouldered	Buteo lineatus		ON QC NB	Apr 1996
		Heron <i>fannini</i> subspecies, Great Blue	Ardea herodias fannini	·	ВС	Apr 1997
		Murrelet, Ancient	Synthliboramphus antiquus		BC	Apr 1993
↩	\leftrightarrow	Owl, Barn	Tyto alba	Western population	BC	Nov 2001
↔	\longleftrightarrow	Owl, Flammulated	Otus flammeolus		BC	Nov 2001
		Owl, Short-eared	Asio flammeus		YT NT NU BC AB SK MB ON QC NB NS PE NL:	Apr 1994
⇔	\leftrightarrow	Rail, Yellow	Coturnicops noveboracensis		NT BC AB SK MB ON QC NB	Nov 2001
Δ	ŭ	Screech-Owl <i>kennicottii</i> subspecies, Western	Megascops kennicottii kennicottii		ВС	May 2002
Δ	↔ .	Sparrow <i>princeps</i> subspecies, Savannah	Passerculus sandwichensis princeps		NS	May 2000
		Thrush, Bicknell's	Catharus bicknelli		QC NB NS	Apr 1999
Δ	\leftrightarrow	Warbler, Cerulean	Dendroica cerulea		ON QC	May 2003
	\longleftrightarrow	Waterthrush, Louisiana	Seiurus motacilla	•	ON QC	Apr 1996
₽	\leftrightarrow	Woodpecker, Lewis's	Melanerpes lewis		BC	Nov 2001
		Woodpecker, Red-headed	Melanerpes erythrocephalus		SK MB ON QC	Apr 1996
Rept	tiles (9)		<u>- </u>			-
Δ		Boa, Rubber	Charina bottae		BC	May 2003
		Lizard, Greater Short-horned	Phrynosoma hernandesi		AB SK	Apr 1992
Δ		Milksnake	Lampropeltis triangulum		ON QC	May 2002
		Racer, Eastern Yellow-bellied	Coluber constrictor flaviventris		SK	Apr 1991
Δ		Ribbonsnake, Eastern	Thamnophis sauritus	Great Lakes population	ON	May 2002
		Skink, Five-lined	Eumeces fasciatus		ON	Apr 1998
Δ		Skink, Western	Eumeces skiltonianus		BC ON OC	May 2002
Δ		Turtle, Northern Map	Graptemys geographica		ON QC	May 2002 Apr 1996
		Turtle, Wood	Glyptemys insculpta	······································	ON QC NB NS	Арт 1990
	hibians				n.c	May 2000
△	-	Frog, Coast Tailed	Ascaphus truei	Masters Percel / Drairie	BC NT AB SK MB	May 2000 Nov 2002
=	→	Frog, Northern Leopard Frog, Red-legged	Rana pipiens Rana aurora	Western Boreal/Prairie populations	BC BC	May 2002
₹.	↔	Salamander, Coeur d'Alene	Plethodon idahoensis		ВС	Nov 2001
♣	←→	Salamander, Spring	Gyrinophilus porphyriticus		ON QC	May 2002
₽	\longleftrightarrow	Toad, Great Plains	Bufo cognatus		AB SK MB	May 2002
Δ		Toad, Western	Bufo boreas		YT NT BC AB	Nov 2002
Fish	es (29)	 	<u> </u>			
	, ,	Buffalo, Bigmouth	Ictiobus cyprinellus		SK MB ON	Apr 1989
		Buffalo, Black	Ictiobus niger		ON ·	. Apr 1989
Δ	\longleftrightarrow	Chub, Silver	Macrhybopsis storeriana		MB ON	May 2001
		Cisco, Spring	Coregonus sp.	•	QC	Apr 1992
Δ	υ	Cod, Atlantic	Gadus morhua	Arctic population	Arctic Ocean	May 2003
Δ	ე ე	Cod, Atlantic	Gadus morhua	Maritimes population	Atlantic Ocean	May 2003
_	•	Dace, Redside	Clinostomus elongatus	rennes population	ON .	Apr 1987
		Dace, Umatilla	Rhinichthys umatilla		BC	Apr 1988
		Darter, Greenside	Etheostoma blennioides		ON	Apr 1990
Δ	\leftrightarrow			Newfoundland population		May 2003
ب		Killifish, Banded	Fundulus diaphanus	Newfoundland population	ITL	may 2003

SPECIAL CONCERN CATEGORY (140) continued

Taxe Asse Deta	essment	: Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Fish	es (29)	(continued)				
		Kiyi	Coregonus kiyi		ON	Apr 1988
		Lamprey, Chestnut	Ichthyomyzon castaneus		SK MB	Apr 1991
		Lamprey, Northern Brook	Ichthyomyzon fossor		MB ON QC	Apr 1991
Δ	\leftrightarrow	Minnow, Pugnose	Opsopoeodus emiliae		ON	May 2000
	\leftrightarrow	Redhorse, River	Moxostoma carinatum		ON QC	Apr 1987
Δ		Sculpin, Columbia Mottled	Cottus bairdi hubbsi		ВС	May 2000
₽,	\leftrightarrow	Shiner, Bridle	Notropis bifrenatus		ON QC	Nov 2001
	↔	Shiner, Silver	Notropis photogenis		ON	Apr 1987
		Stickleback, Charlotte Unarmoured	Gasterosteus sp.	•	ВС	Apr 1983
		Stickleback, Giant	Gasterosteus sp.		BC	Apr 1980
		Sturgeon, Green	Acipenser medirostris		ВС	Apr 1987
		Sturgeon, Shortnose	Acipenser brevirostrum		NB	Apr 1980
♣⁺	\longleftrightarrow	Sucker, Spotted	Minytrema melanops		ON	Nov 2001
		Sunfish, Orangespotted	Lepomis humilis		ON	Apr 1989
		Sunfish, Redbreast	Lepomis auritus		NB	Apr 1989
Δ	\leftrightarrow	Topminnow, Blackstripe	Fundulus notatus		ON	May 2001
⇔ ⁺	\longleftrightarrow	Warmouth	Lepomis gulosus		ON	Nov 2001
		Whitefish, Squanga	Coregonus sp.		YT	Apr 1987
Δ		Wolffish, Atlantic	Anarhichas lupus		Atlantic Ocean •	Nov 2000
Arth	ropods	(2)				
≙	\leftrightarrow	Monarch	Danaus plexippus		BC AB SK MB ON QC NB NS PE	Nov 2001
Δ		Weidemeyer's Admiral	Limenitis weidemeyerii		AB	May 2000
Moll	uscs (4)	•				
Δ		Jumping-slug, Warty	Hemphillia glandulosa	•	ВС	May 2003
Δ		Lampmussel, Yellow	Lampsilis cariosa		NB NS	May 2004
Δ		Mussel, Rocky Mountain	Gonidea angulata		ВС	Nov 2003
Δ		Ridged Oyster, Olympia	Ostrea conchaphila		вс	Nov 2000
Vasc	ular Pla	ants (35)				
Δ	1	Ash, Blue	Fraxinus quadrangulata		ON	Nov 2000
	·	Aster, Bathurst	Symphyotrichum subulatum	Bathurst population	NB	Apr 1992
Δ		Beggarticks, Vancouver Island		bacilarse population	BC	Nov 2001
		Bulrush, Long's	Scirpus longii		NS	Apr 1994
		Columbo, American	Frasera caroliniensis		ON	Apr 1993
Δ		Fern, American Hart's-tongue	Asplenium scolopendrium		ON	Nov 2000
		Fern, Broad Beech	Phegopteris hexagonoptera		ON QC	Apr 1983
Δ	\longleftrightarrow	Fern, Coastal Wood	Dryopteris arguta		BC	Nov 2001
		Fleabane, Provancher's	Erigeron philadelphicus var. provancheri		QC	Apr 1992
Δ		Goldenrod, Riddell's	Solidago riddellii		MB ON	Nov 2000
		Goosefoot, Smooth	Chenopodium subglabrum		AB SK MB	Apr 1992
		Green Dragon	Arisaema dracontium		ON QC	Apr 1984
△	\leftrightarrow	Hairgrass, Mackenzie	Deschampsia mackenzieana		SK ·	Nov 2001
	\downarrow	Helleborine, Giant	Epipactis gigantea		BC	Apr 1998
\triangle^{\star}	↓	Indian-plantain, Tuberous	Arnoglossum plantagineum		ON	May 2002
Δ	\leftrightarrow	Lilaeopsis, Eastern	Lilaeopsis chinensis		NS	May 2002 May 2004
		Locoweed, Hare-footed	Oxytropis lagopus		AB	Apr 1995

SPECIAL CONCERN CATEGORY (140) continued

Vascu		Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
	ular Pi	ants (35) (continued)			•	
		Meadowfoam, Macoun's	Limnanthes macounii		ВС	Apr 1988
_	\leftrightarrow	Milk-vetch, Fernald's	Astragalus robbinsii var. fernaldii		QC NL	Nov 2001
	\leftrightarrow	Oak, Shumard	Quercus shumardii		ON	Apr 1999
♣.	\downarrow	Pepperbush, Sweet	Clethra alnifolia		NS	May 2001
		Pondweed, Hill's	Potamogeton hillii		ON	Apr 1986
		Quillwort, Bolander's	Isoëtes bolanderi		AB	Apr 1995
∆ ⁺	\downarrow	Rose, Climbing Prairie	Rosa setigera		ON	May 2003
		Rose-mallow, Swamp	Hibiscus moscheutos		ON	Apr 1987
		Rue-anemone, False	Enemion biternatum	•	ON	Apr 1990
Δ	\leftrightarrow	Rush, New Jersey	Juncus caesariensis		NS	May 2004
Δ		Tansy, Floccose	Tanacetum huronense var. floccosum		SK	May 2000
⇔	\leftrightarrow	Thrift, Athabasca	Armeria maritima ssp. interior		SK	May 2002
Δ .	\leftrightarrow	Water-hemlock, Victorin's	Cicuta maculata var. victorinii		QC	May 2004
Δ		Willow, Felt-leaf	Salix silicicola		NU SK	May 2000
Δ		Willow, Sand-dune Short- capsuled	Salix brachycarpa var. psammophila		SK	May 2000
Δ		Willow, Turnor's	Salix turnorii		SK	May 2000
Δ		Woolly-heads, Tall	Psilocarphus elatior	Prairie population	AB SK	May 2001
Δ		Yarrow, Large-headed Woolly	Achillea millefolium var. megacephalum		SK	May 2000
Mosse	es (2)					
Δ		Moss, Columbian Carpet	Bryoerythrophyllum columbianum		ВС	May 2004
Δ		Moss, Twisted Oak	Syntrichia laevipila		ВС	May 2004
Liche	ns (4)					_
		Cryptic Paw	Nephroma occultum		ВС	Apr 1995
Δ		Lichen, Boreal Felt	Erioderma pedicellatum	Boreal population	NL ·	May 2002
		Oldgrowth Specklebelly	Pseudocyphellaria rainierensis		ВС	Apr 1996
		Seaside Bone	Hypogymnia heterophylla		ВС	Apr 1996

Table 8. Species assessed and found to be in the Not at Risk category, with geographical occurrence (by province, territory or ocean) and date of last assessment (151 species).

NOT AT RISK CATEGORY (151)

Taxo Asse Deta	essment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Mam	mals (4	4)				
Δ	U	Badger <i>taxus</i> subspecies, American	Taxidea taxus taxus		AB SK MB	May 2000
	\leftrightarrow	Bear, American Black	Ursus americanus		YT NT NU BC AB SK MB ON QC NB NS NL	Apr 1999
Δ	\leftrightarrow	Caribou, Woodland	Rangifer tarandus caribou	Newfoundland population	NL	May 2002
	\leftrightarrow	Cottontail <i>pinetis</i> subspecies, Nuttall's	Sylvilagus nuttallii pinetis		AB SK	Apr 1994
		Dolphin, Atlantic White-sided	Lagenorhynchus acutus		Atlantic Ocean	Apr 1991
		Dolphin, Bottlenose	Tursiops truncatus		Atlantic Ocean	Apr 1993
		Dolphin, Common	Delphinus delphis		Atlantic Ocean Pacific Ocean	Apr 1991
		Dolphin, Northern Right Whale	Lissodelphis borealis		Pacific Ocean	Apr 1990
		Dolphin, Pacific White-sided	Lagenorhynchus obliquidens		Pacific Ocean	Apr 1990
		Dolphin, Risso's	Grampus griseus		Atlantic Ocean Pacific Ocean	Apr 1990
		Dolphin, Striped	Stenella coeruleoalba		Atlantic Ocean Pacific Ocean	Apr 1993
		Dolphin, White-beaked	Lagenorhynchus albirostris		Atlantic Ocean	Apr 1998
	✓	Gopher, Plains Pocket	Geomys bursarius		MB	Apr 1998
Δ	\leftrightarrow	Lynx, Canada	Lynx canadensis		YT NT NU BC AB SK MB ON QC NB NS NL	May 2001
	\leftrightarrow	Narwhal	Monodon monceros		Arctic Ocean .	Apr 1987
		Porpoise, Dall's	Phocoenoides dalli		Pacific Ocean	Apr 1989
		Sea Lion, California	Zalophus californianus		BC Pacific Ocean	Apr 1987
		Seal Pacific subspecies, Harbour	Phoca vitulina richardsi		BC Pacific Ocean	Apr 1999
		Seal, Bearded	Erignathus barbatus		NL NU NT YT Atlantic Ocean Arctic Ocean	Apr 1994
		Seal, Grey	Halichoerus grypus		NB NL NS PE QC Atlantic Ocean	Apr 1999
		Seal, Hooded	Cystophora cristata		NL NU QC Atlantic Ocean	Apr 1986
		Seal, Northern Elephant	Mirounga angustirostris		BC Pacific Ocean	Apr 1986
		Seal, Northern Fur	Callorhinus ursinus	•	BC Pacific Ocean	Apr 1996
		Seal, Ringed	Phoca hispida		NL NU NT YT Atlantic Ocean Arctic Ocean	Apr 1989
		Squirrel, Cascade Mantled Ground	Spermophilus saturatus		BC	Apr. 1992
		Squirrel, Fox	Sciurus niger		MB ON	Apr 1979
		Walrus, Atlantic	Odobenus rosmarus rosmarus	Eastern Arctic population	Arctic Ocean	Apr 1987
	✓	Weasel, Prairie Long-tailed	Mustela frenata longicauda	••	AB SK MB	Apr 1993
		Whale, Baird's Beaked	Berardius bairdii		Pacific Ocean	Apr 1992
Δ	\leftrightarrow	Whale, Beluga	Delphinapterus leucas	Eastern Beaufort Sea population	NT Arctic Ocean	May 2004
		Whale, Blainville's Beaked	Mesoplodon densirostris		Atlantic Ocean	Apr 1989

Taxon/ Assessment Details	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Mammals (4	4) (continued)		•		-
	Whale, Cuvier's Beaked	Ziphius cavirostris		Atlantic Ocean Pacific Ocean	Apr 1990
	Whale, False Killer	Pseudorca crassidens		Pacific Ocean	Apr 1990
	Whale, Hubbs' Beaked	Mesoplodon carlhubbsi		Pacific Ocean	Apr 1989
△ ✓	Whale, Humpback	Megaptera novaeangliae	Western North Atlantic population	Atlantic Ocean	May 2003
	Whale, Long-finned Pilot	Globicephala melas		Atlantic Ocean	Apr 1994
	Whale, Northern Bottlenose	Hyperoodon ampullatus	Davis Strait population	Atlantic Ocean	Apr 1993
	Whale, Pygmy Sperm	Kogia breviceps		Atlantic Ocean Pacific Ocean	Apr 1994
	Whale, Short-finned Pilot	Globicephala macrorhynchus		Pacific Ocean	Apr 1993
	Whale, Sperm	Physeter macrocephalus		Atlantic Ocean Pacific Ocean	Apr 1996
	Whale, Stejneger's Beaked	Mesoplodon stejneri		Pacific Ocean	Apr 1989
	Whale, True's Beaked	Mesoplodon mirus	•	Atlantic Ocean	Apr 1989
	Wolf, Northern Grey	Canis lupus occidentalis		YT NT NU BC AB SK MB ON QC NL	Apr 1999
	Wolf, Southern Grey	Canis lupus nubilus		ВС	Apr 1999
Birds (35)			·		
✓	Bluebird, Eastern	Sialia sialis		AB SK MB ON QC NB NS PE	Apr 1996
$\triangle \longleftrightarrow$	Chat <i>auricollis</i> subspecies, Yellow-breasted	Icteria virens auricollis	Prairie population	AB SK	Nov 2000
	Coot, American	Fulica americana		YT NT NU BC AB SK MB ON QC NB NS	Apr 1991
	Cormorant, Double-crested	Phalocrocorax auritus		YT NT BC AB SK MB ON QC NB NS PE NL	Apr 1978
	Crane tabida subspecies, Sandhill	Grus canadensis tabida		BC MB ON	Apr 1979
	Eagle, Bald	Haliaeetus leucocephalus		YT NT NU BC AB SK MB ON QC NB NS PE NL	Apr 1984
\leftrightarrow	Eagle, Golden	Aquila chrysaetos		YT NT NU BC AB SK MB ON QC NL	Apr 1996
\leftrightarrow	Falcon, Prairie	Falco mexicanus		BC AB SK	Apr 1996
	Flycatcher, Grey	Empidonax wrightii		ВС	Apr 1992
	Goshawk <i>atricapillus</i> subspecies, Northern	Accipiter gentilis atricapillus		YT NT NU BC AB SK MB ON QC NB NS PE NL	Apr 1995
	Grebe, Red-necked	Podiceps grisegena	•	YT NT NU BC AB SK MB ON QC NS NL	Apr 1982
↔	Gyrfalcon	Falco rusticolus		YT NT NU BC AB SK ON QC NS PE NL	Apr 1987
	Harrier, Northern	Circus cyaneus		YT NT NU BC AB SK MB ON QC NB NS PE NL	Apr 1993
✓	Hawk, Cooper's	Accipiter cooperii		BC AB SK MB ON QC NB NS	Apr 1996
	Hawk, Red-tailed	Buteo jamaicensis		YT NT NU BC AB SK MB ON QC NB NS PE NL	Apr 1995

Taxon/ Assessment Details	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessment Date
Birds (35) (ca	ontinued)			-	
	Hawk, Rough-legged	Buteo lagopus		YT NT NU BC MB ON QC NL	Apr 1995
\longleftrightarrow	Hawk, Sharp-shinned	Accipiter striatus		YT NT NU BC AB SK MB ON QC NB NS PE NL	Apr 1997
	Loon, Common	Gavia immer		YT NT NU BC AB SK MB ON QC NB NS PE NL	Apr 1997
	Loon, Yellow-billed	Gavia adamsii		YT NT NU BC AB MB QC	Apr 1997
•	Merlin	Falco columbarius		YT NT NU BC AB SK MB ON QC NB NS PE NL	Apr 1985
	Owl, Boreal	Aegolius funereus		YT NT NU BC AB SK MB ON QC NB NS PE NL	Apr 1995
· /	Owl, Great Grey	Strix nebulosa		YT NT BC AB SK MB ON QC	Apr 1996
	Owl, Northern Hawk	Surnia ulula		YT NT BC AB SK MB ON QC NB NL	Apr 1992
	Owl, Snowy	Bubo scandiaca		YT NT NU MB QC NL	Apr 1995
√	Pelican, American White	Pelecanus erythrorhynchos		BC AB SK MB ON	Apr 1987
	Screech-Owl, Eastern	Megascops asio		SK MB ON QC NB	Apr 1986
✓	Sparrow, Baird's	Ammodramus bairdii		AB SK MB	Apr 1996
	Sparrow, Nelson's Sharp- tailed	Ammodramus nelsoni		BC AB SK MB ON QC NB NS PE	Apr 1998
✓	Swan, Trumpeter	Cygnus buccinator		YT NT BC AB SK ON	Apr 1996
, ↔	Tern, Black	Chlidonias niger		NT BC AB SK MB ON QC NB NS	Apr 1996
✓	Tern, Caspian	Sterna caspia		NT BC AB SK MB ON QC NL	Apr 1999
	Tern, Common	Sterna hirundo		NT AB SK MB ON QC NB NS PE NL	Apr 1998
✓	Warbler, Prairie	Dendroica discolor		ON	Apr 1999
	Wren, Canyon	Catherpes mexicanus		ВС	Apr 1992
•	Wren, Sedge	Cistothorus platensis		AB SK MB ON QC NB	Apr 1993
Reptiles (5)			-		
Δ	Brownsnake, DeKay's	Storeria dekayi		ON QC	May 2002
Δ	Gartersnake, Northwestern	Thamnophis ordinoides		ВС	May 2003
۵	Lizard, Northern Alligator	Elgaria coerulea		ВС	May 2002
	Racer, Western Yellow- bellied	Coluber constrictor mormon		ВС	Apr 1991
Δ	Watersnake, Northern	Nerodia sipedon sipedon		ON QC	May 2002
mphibians	(14)				.,
	Ensatina	Ensatina eschscholtzii		· BC	Apr 1999
2	Frog, Columbia Spotted	Rana luteiventris		YT BC AB	May 2000
	Frog, Northern Leopard	Rana pipiens	Eastern population	ON QC NB NS NL	Apr 1999
	Frog, Pickerel	Rana palustris	•	ON QÇ NB NS	Apr 1999
Δ	Frog, Western Chorus	Pseudacris triseriata		ON QC	May 2001
Δ	Mudpuppy	Necturus maculosus		MB ON QC	May 2000
	Salamander, Four-toed	Hemidactylium scutatum		ON QC NB NS	Apr 1999

Assess Details		Common Name	Scientific Name	Population Name	Range of Occurrence	Assessmen Date
Amphi	bians	(14) (continued)				
•		Salamander, Northern Dusky	Desmognathus fuscus		ON QC NB	Apr 1999
		Salamander, Northwestern	Ambystoma gracile		. BC	Apr 1999
Δ		Salamander, Tiger	Ambystoma tigrinum	Prairie / Boreal population	AB SK MB	Nov 2001
Δ		Salamander, Western Red-backed	Plethodon vehiculum		ВС	Nov 2001
Δ		Spadefoot, Plains	Spea bombifrons		AB SK MB	May 2003
Δ		Toad, Canadian	Bufo hemiophrys		NT AB SK MB	May 2003
		Treefrog, Cope's Grey	Hyla chrysoscelis		МВ	Apr 1999
Fishes	(35)			-		
		Bloater	Coregonus hoyi		ON	Apr 1988
Δ	٥	Chiselmouth	Acrocheilus alutaceus		BC	May 2003
		Chub, Hornyhead	Nocomis biguttatus		MB ON	Apr 1988
		Chub, River	Nocomis micropogon		ON	Apr 1988
		Dace, Leopard	Rhinichthys falcatus		BC	Apr 1990
		Darter, Least	Etheostoma microperca		ON	Apr 1989
		Darter, River	Percina shumardi		MB ON	Apr 1989
		Darter, Tessellated	Etheostoma olmstedi		ON QC	Apr 1993
		Herring, Blueback	Alosa aestivalis		NB NS	Apr 1980
		Killifish, Banded	Fundulus diaphanus	Mainland population	MB ON QC NB NS PE NL	Apr 1989
7	✓	Madtom, Brindled	Noturus miurus		ON	May 2001
		Minnow, Bluntnose	Pimephales notatus		MB ON QC	Apr 1998
		Minnow, Cutlips	Exoglossum maxillingua		ON QC	Apr 1994
		Minnow, Eastern Silvery	Hybognathus regius		ON QC	Apr 1997
		Pickerel, Chain	Esox niger		QC NB NS	Apr 1997
		Pickerel, Redfin	Esox americanus americanus		QC	Apr 1998
		Redhorse, Golden	Moxostoma erythrurum		MB ON	Apr 1989
7	✓	Sardine, Pacific	Sardinops sagax		Pacific Ocean	May 2002
- •		Sculpin, Fourhorn	Myoxocephalus quadricornis	Salt water form	Arctic Ocean Atlantic Ocean Pacific Ocean	Apr 1989
		Sculpin, Spoonhead	Cottus ricei		YT NT BC AB SK MB ON QC	Apr 1989
7	✓	Shiner, Bigmouth	Notropis dorsalis	•	MB	Nov 2003
		Shiner, Blackchin	Notropis heterodon		MB ON QC	Apr 1994
		Shiner, Ghost	Notropis buchanani		ON	Apr 1993
		Shiner, Redfin	Lythrurus umbratilis		ON	Apr 1988
		Shiner, Rosyface	Notropis rubellus		ON QC	Apr 1994
		Shiner, Striped	Luxilus chrysocephalus	·	ON	Apr 1993
		Shiner, Weed	Notropis texanus		MB	Apr 1999
	4	Silverside, Brook	Labidesthes sicculus	*.	ON QC	Apr 1989
	✓	Stoneroller, Central	Campostoma anomalum		ON	Apr 1998
		Sturgeon, Lake	Acipenser fulvescens	•	AB SK MB ON QC	Apr 1986
		Sucker, Mountain	Catostomus platyrhynchus		BC AB SK	Apr 1991
		Sunfish, Green	Lepomis cyanellus		ON	Apr 1987
		Sunfish, Longear	Lepomis megalotis		ON QC	Apr 1987
Δ		Wolf-eel	Anarrhichthys ocellatus		Pacific Ocean	May 2003
_		Y-Prickleback	Allolumpenus hypochromus		BC BC	Apr 1991

Taxon/ Assessment Details	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessmen ^a Date
Arthropods ((0)				
Molluscs (2)					
Δ	Capshell, Rocky Mountain	Acroloxus coloradensis	Western population	BC AB	Nov 2001
Δ	Crater, Spike-lip	Appalachina sayana		NB NS ON QC	Nov 2003
Vascular Pla	nts (16)	·			
	Aster, Short's	Symphyotrichum shortii		ON	Apr 1999
	Aster, Yukon	Symphyotrichum yukonense		YT NT	Apr 1996
	Brickellia, Large-flowered	Brickellia grandiflora		BC AB	Apr 1996
	Fameflower	Talinum sediforme		ВС	Apr 1990
	Fleabane, Dwarf	Erigeron radicatus		AB SK	Apr 1996
	Goldenweed, Northern Mock	Stenotus borealis		YT	Apr 1997
	Mermaid, False	Floerkea proserpinacoides		ON QC NS	Apr 1984
	Phlox, Blue	Phlox alyssifolia		AB SK	Apr 1996
	Pink, Rush	Stephanomeria runcinata		AB SK	Apr 1996
	Rhododendron, Pacific	Rhododendron macrophyllum		ВС	Apr 1997
	Sagebrush, Wood's	Artemisia rupestris ssp. woodii		ΥT	Apr 1997
	Sedge, Nebraska	Carex nebrascensis		AB	Apr 1995
	Stitchwort, Sand	Stellaria arenicola		AB SK	Apr 1992
	Wallflower, Narrow-leaved	Erysimum angustatum		YT	Apr 1993
✓	Willow, Tyrrell's	Salix tyrrellii		NT SK	Apr 1999
	Woolly-heads, Slender	Psilocarphus tenellus var. tenellus	•	ВС	Apr 1996
Mosses (0)					

Lichens (0)

Table 9. Species considered and placed in the Data Deficient category because of insufficient scientific information, with geographical occurrence (by province, territory or ocean) and date of last assessment (33 species).

DATA DEFICIENT CATEGORY (33)

Taxo Asse: Deta	ssment	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessmen Date
Mami	mals (10	0)				
Δ	٥	Bat, Fringed	Myotis thysanodes		BC	May 2004
Δ	O	Bat, Keen's Long-eared	Myotis keenii		ВС	Nov 2003
	٥	Cougar	Puma concolor couguar	Eastern population	ON QC NB NS	Apr 1998
		Mouse <i>dychei</i> subspecies, Western Harvest	Reithrodontomys megalotis dychei		AB	Apr 1994
		Seal Altantic subspecies, Harbour	Phoca vitulina concolor		MB NB NL NS NU ON PE Atlantic Ocean Arctic Ocean	Apr 1999
		Vole, Sagebrush	Lemmiscus curtatus		AB SK	Apr 1996
		Whale, Dwarf Sperm	Kogia simus		Pacific Ocean	Apr 1997
۵٠	↔	Whale, Killer	Orcinus orca	Northwest Atlantic / Eastern Arctic populations	Arctic Ocean Atlantic Ocean	Nov 2001
Δ		Whale, Sei	Balaenoptera borealis	Atlantic population	Atlantic Ocean	May 2003
		Wolf, Arctic Grey	Canis lupus arctos	, ,	NT NU	Apr 1999
Birds	5 (2)			-		•
		Poorwill, Common	Phalaenoptilus nuttallii		BC AB SK	Apr 1993
		Tern, Forster's	Sterna forsteri		BC AB SK MB ON	Apr 1996
Rept	iles (2)		 			
Δ.	` ,	Bullsnake	Pituophis catenifer sayi		AB SK	May 2002
Δ		Turtle, Eastern Box	Terrapene carolina carolina		ON	May 2002
Amp	hibians		· · · · · · · · · · · · · · · · · · ·			<u> </u>
Fishe	es (9)	<u> </u>				· · · · · · · · · · · · · · · · · · ·
	` '	Catfish, Flathead	Pylodictis olivaris		ON	Apr 1993
		Cisco, Bering	Coregonus laurettae		YT	Apr 1990
		Lamprey, Darktail	Lethenteron alaskense		NT	Apr 1990
Δ	٥	Madtom, Margined	Noturus insignis		ON QC	May 2002
Δ	٥	Prickleback, Pighead	Acantholumpenus mackayi		Arctic Ocean	May 2003
Δ	٥	Sculpin, Fourhorn	Myoxocephalus quadricornis	Freshwater form	NL NT NU	Nov 2003
		Sculpin, Spinynose	Asemichthys taylori		Pacific Ocean	Apr 1997
℮	\leftrightarrow	Whitefish, Lake	Coregonus clupeaformis	Mira River population	NS	Nov 2000
Δ	0	Wolffish, Bering	Anarhichas orientalis		Arctic Ocean	Nov 2002
Arth	ropods ((0)				
Moll	uscs (4)					
Δ		Capshell, Rocky Mountain	Acroloxus coloradensis	Eastern population	ON QC	Nov 2001
Δ		Duskysnail, Squat	Lyogyrus granum		NB NS	Nov 2003
Δ		Fieldslug, Evening	Deroceras hesperium		ВС	Nov 2003
		Snail, Gatineau Tadpole	Physella parkeri latchfordi	· .	QC	Apr 1997
√asc	ular Pla	nts (4)			•	
		Barley, Little	Hordeum pusillum		AB	Apr 1993
		Goldenweed, Rabbit-brush	Ericameria bloomeri		BC.	Apr 1997
		Pinweed, Impoverished	Lechea intermedia var. depauperata		SK	Apr 1997
		Whitlow-grass, Kananaskis	Draba kananaskis		AB	Apr 1992
	es (0)					

DATA DEFICIENT CATEGORY (33) continued

Taxon/ Assessment Details	Common Name	Scientific Name	Population Name	Range of Occurrence	Assessmen Date
Lichens (2)					
Δ	Stubble, Flexuous Golden	Chaenotheca servitii		NS	Nov 2002
Δ	Stubble, Red Oak	Phaeocalicium minutissimum		QC NB	Nov 2002

RECORD OF STATUS REASSESSMENTS

A short history is provided for each species that has been reassessed by COSEWIC, including date(s) of assessment and the status assigned. In October 1999 COSEWIC began using quantitative criteria to augment the earlier method of using status definitions to assign status. For species assessed since October 1999, the type of status report used as the basis for reassessment is indicated. Update reports focus on changes in the biological and threat information that has become available since the last time a report was prepared. For some species, COSEWIC deemed the existing report suitable for reassessment.

Acadian Flycatcher

Designated Endangered in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Allegheny Mountain Dusky Salamander

Designated Special Concern in April 1998. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

American Badger

Designated Not at Risk in April 1979. The original Canada-wide designation was deactivated in May 2000 when the American Badger was split according to subspecies.

American Badger jacksoni subspecies

The species was considered a single unit and designated Not at Risk in 1979. Each subspecies was given a separate designation in May 2000. The *jacksoni* subspecies was designated Endangered. Last assessment based on an update status report.

American Badger jeffersonii subspecies

The species was considered a single unit and designated Not at Risk in 1979. Each subspecies was given a separate designation in May 2000. The *jeffersonii* subspecies was designated Endangered. Last assessment based on an update status report.

American Badger taxus subspecies

Entire Canadian range was designated as Not at Risk in 1979. Each subspecies was given a separate designation in May 2000. The *taxus* subspecies was designated Not at Risk. Last assessment based on an update status report.

American Black Bear

Designated Not at Risk in April 1998 and in April 1999.

American Ginseng

Designated Threatened in April 1988. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

American Water-willow

Designated Threatened in April 1984. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

American White Pelican

Designated Threatened in April 1978. Status re-examined and designated Not at Risk in April 1987.

Anticosti Aster

Designated Threatened in April 1990. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Athabasca Thrift

Designated Threatened in April 1981. Status re-examined and designated Special Concern in April 1999. Status re-examined and confirmed in May 2002. Last assessment based on an existing status report.

Atlantic Cod

Designated Special Concern in April 1998. Split into four populations in May 2003. The original designation was de-activated. Last assessment based on an update status report.

Atlantic Cod (Arctic population)

The species was considered a single unit and designated Special Concern in April 1998. When the species was split into separate populations in May 2003, the Arctic population was designated Special Concern. Last assessment based on an update status report.

Atlantic Cod (Laurentian North population)

The species was considered a single unit and designated Special Concern in April 1998. When the species was split into separate populations in May 2003, the Laurentian North population was designated Threatened. Last assessment based on an update status report.

Atlantic Cod (Maritimes population)

The species was considered a single unit and designated Special Concern in April 1998. When the species was split into separate populations in May 2003, the Maritimes population was designated Special Concern. Last assessment based on an update status report.

Atlantic Cod (Newfoundland and Labrador population)

The species was considered a single unit and designated Special Concern in April 1998. When the species was split into separate populations in May 2003, the Newfoundland and Labrador population was designated Endangered. Last assessment based on an update status report.

Atlantic Walrus (Northwest Atlantic population)

Extirpated around 1850. Designated Extirpated in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Atlantic Whitefish

Designated Endangered in April 1984. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Aurora Trout

Designated Endangered in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Baird's Sparrow

Designated Threatened in April 1989. Status re-examined and designated Not at Risk in April 1996.

Banded Killifish (Newfoundland population)

Designated Special Concern in April 1989. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Banff Longnose Dace

Extinct since 1986. Designated Extinct in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Banff Springs Snail

Designated Threatened in April 1997. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Barn Owl

The species was considered a single unit and designated Special Concern in April 1984. In April 1999, the Western and Eastern populations were assessed separately. The original designation for the Canadian range of the Barn Owl was de-activated.

Barn Owl (Eastern population)

The species was considered a single unit and designated Special Concern in April 1984. In April 1999, the Western and Eastern populations were assessed separately. The Eastern population was designated Endangered. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Barn Owl (Western population)

The species was considered a single unit and designated Special Concern in April 1984. In April 1999, the Western and Eastern populations were assessed separately. The Western population was designated Special Concern. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Barren-ground Caribou (Dolphin and Union population)

The original designation considered a single unit that included Peary Caribou, Rangifer tarandus pearyi, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, Rangifer tarandus groenlandicus. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island (Endangered), High Arctic (Endangered) and Low Arctic (Threatened) populations. In May 2004, all three population designations were deactivated, and the Peary Caribou, Rangifer tarandus pearyi, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), Rangifer tarandus groenlandicus. The Dolphin and Union population is comprised of a portion of the former "Low Arctic population", and it was designated Special Concern in May 2004. Last assessment based on an update status report.

Bashful Bulrush

Designated Special Concern in April 1986. Status re-examined and designated Endangered in May 2000. Last assessment based on an update status report.

Bearded Owl-clover

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Beluga Whale (Cumberland Sound population)

The Southeast Baffin Island-Cumberland Sound population was designated Endangered in April 1990. In May 2004, the structure of the population was redefined and named "Cumberland Sound population", and the Southeast Baffin Island animals were included as part of the Western Hudson Bay population. Status re-examined and designated Threatened in May 2004. Last assessment based on an update status report.

Beluga Whale (Eastern Beaufort Sea population)

Designated Not at Risk in April 1985 and in May 2004. Last assessment based on an update status report.

Beluga Whale (Eastern High Arctic - Baffin Bay population)

Designated Special Concern in April 1992. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Beluga Whale (Eastern Hudson Bay population)

Designated Threatened in April 1988. Status re-examined and designated Endangered in May 2004. Last assessment based on an update status report.

Beluga Whale (St. Lawrence Estuary population)

Designated Endangered in April 1983. Status re-examined and confirmed in April 1997. Status re-examined and designated Threatened in May 2004. Last assessment based on an update status report.

Beluga Whale (Ungava Bay population)

Designated Endangered in April 1988. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Beluga Whale (Western Hudson Bay population)

Designated Not at Risk in April 1993. The population was redefined in May 2004 to include those Southeast Baffin Island animals outside Cumberland Sound, previously considered part of the "Southeast Baffin Island-Cumberland Sound population" which is now called "Cumberland Sound population". Status re-examined and designated Special Concern in May 2004. Last assessment based on an update status report.

Benthic Enos Lake Stickleback

Original designation (including both Benthic and Limnetic species) was Threatened in April 1988. Split into two species when re-examined in November 2002 and the Benthic Enos Lake Stickleback was designated Endangered. Last assessment based on an update status report.

Benthic Hadley Lake Stickleback

Extinct in 1999. Designated Extinct in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Benthic Paxton Lake Stickleback

Designated Threatened in April 1998. Status re-examined and confirmed in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Benthic Vananda Creek Stickleback

Designated Threatened in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Bering Wolffish

Designated Special Concern in April 1989. Species considered in November 2002 and placed in the Data Deficient category. Last assessment based on an update status report.

Bigmouth Shiner

Designated Special Concern in April 1985. Status re-examined and designated Not at Risk in November 2003. Last assessment based on an update status report.

Bird's-foot Violet

Designated Threatened in April 1990. Status re-examined and designated Endangered in May 2002. Last assessment based on an update status report.

Black Tern

Designated Not at Risk in April 1988 and in April 1996.

Black-footed Ferret

Extirpated by 1974. Designated Extirpated in April 1978. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Blackstripe Topminnow

Designated Special Concern in April 1985. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Black-tailed Prairie Dog

Designated Special Concern in April 1978. Status re-examined and confirmed in April 1988, April 1999 and November 2000. Last assessment based on an existing status report.

Blue Ash

Designated Threatened in April 1983. Status re-examined and designated Special Concern in November 2000. Last assessment based on an update status report.

Blue Racer

Designated Endangered in April 1991. Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Blue Walleye

Extinct since 1965. Designated Extinct in April 1985. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Blue Whale

The species was considered a single unit and designated Special Concern in April 1983. In May 2002, the species was split into two populations: Blue Whale (Atlantic population) and Blue Whale (Pacific population). The Atlantic population and the Pacific populations were both designated Endangered in May 2002. The original designation for Blue Whale was de-activated.

Blue Whale (Atlantic population)

The species was considered a single unit and designated Special Concern in April 1983. Split into two populations in May 2002. The Atlantic population was designated Endangered in May 2002. Last assessment based on an update status report.

Blue Whale (Pacific population)

The species was considered a single unit and designated Special Concern in April 1983. Split into two populations in May 2002. The Pacific population was designated Endangered in May 2002. Last assessment based on an update status report.

Bluehearts

Designated Threatened in April 1985. Status re-examined and designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Blunt-lobed Woodsia

Designated Threatened in April 1994. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Bowhead Whale (Eastern and Western Arctic Populations)

Designated Endangered in April 1980. Split into two populations (Eastern Arctic and Western Arctic) to allow a separate designation for the Western Arctic population in April 1986. The original designation was de-activated.

Branched Bartonia

Designated Special Concern in April 1992. Status re-examined and designated Threatened in November 2003. Last assessment based on an update status report.

Bridle Shiner

Designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report with an addendum.

Brindled Madtom

Designated Special Concern in April 1985. Status re-examined and designated Not at Risk in May 2001. Last assessment based on an update status report.

Buffalograss

Designated Special Concern in April 1998. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Burrowing Owl

Designated Threatened in April 1979. Status re-examined and confirmed in April 1991. Status re-examined and designated Endangered in April 1995. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Butler's Gartersnake

Designated Special Concern in April 1999. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Canada Lynx

Designated Not at Risk in April 1989 and in May 2001. Last assessment based on an update status report.

Caribou dawsoni subspecies

Extinct by the 1920's. Designated Extinct in April 1984. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Carmine Shiner

Designated Special Concern in April 1994. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Caspian Terr

Designated Special Concern in April 1978. Status re-examined and designated Not at Risk in April 1999.

Central Stoneroller

Designated Special Concern in 1985. Status re-examined and designated Not at Risk in 1998.

Cerulean Warbler

Designated Special Concern in April 1993. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Channel Darter

Designated Threatened in April 1993. Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Chiselmouth

Species considered in April 1997 and placed in the Data Deficient category. Reexamined in May 2003 and designated Not at Risk. Last assessment based on an update status report.

Climbing Prairie Rose

Designated Special Concern in April 1986. Status re-examined and designated Threatened in May 2002. Status re-examined and designated Special Concern in May 2003. Last assessment based on an existing status report with an addendum.

Coastal Giant Salamander

Designated Special Concern in April 1989. Status re-examined and designated Threatened in November 2000. Last assessment based on an update status report.

Coastal Wood Fern

Designated Special Concern in April 1998. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Coeur d'Alene Salamander

Designated Special Concern in April 1998. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report with an addendum.

Colicroot

Designated Threatened in April 1988. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Common Hoptree

Designated Special Concern in April 1984. Status re-examined and designated Threatened in November 2002. Last assessment based on an update status report.

Cooper's Hawk

Designated Special Concern in April 1983. Status re-examined and designated Not at Risk in April 1996.

Cougar (Eastern population)

Designated Endangered in April 1978. Species considered in April 1998 and placed in the Data Deficient category.

Cowichan Lake Lamprey

Designated Special Concern in April 1986. Status re-examined and confirmed in April 1998. Status re-examined and designated Threatened in November 2000. Last assessment based on an existing status report.

Crooked-stem Aster

Designated Special Concern in April 1999. Status re-examined and designated Threatened in May 2002. Last assessment based on an existing status report.

Cucumber Tree

Designated Endangered in April 1984. Status re-examined and confirmed Endangered in April 1999 and in May 2000. Last assessment based on an existing status report.

Cultus Pygmy Sculpin

Designated Special Concern in April 1997. Status re-examined and designated Threatened in November 2000. Last assessment based on an existing status report.

Deepwater Cisco

Extinct since 1952. Designated Extinct in April 1988. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Deerberry

Designated Threatened in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Deltoid Balsamroot

Designated in April 1996 as Endangered. Status re-examined and confirmed Endangered in May 2000. Last assessment based on an existing status report.

Dense Blazing Star

Designated Special Concern in April 1988. Status re-examined and designated Threatened in May 2001. Last assessment based on an update status report.

Drooping Trillium

Designated Endangered in April 1996. Status re-assessed and confirmed in May 2000. Last assessment based on an existing status report.

Dwarf Hackberry

Designated Special Concern in April 1985. Status re-examined and designated Threatened in November 2003. Last assessment based on an update status report.

Dwarf Wedgemussel

Extirpated by 1968. Designated Extirpated in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Eastern Bluebird

Designated Special Concern in April 1984. Status re-examined and designated Not at Risk in April 1996.

Eastern Foxsnake

Designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Eastern Hog-nosed Snake

Designated Special Concern in April 1997. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Eastern Lilaeopsis

Designated Special Concern in April 1987 and in May 2004. Last assessment based on an update status report.

Eastern Mole

Designated Special Concern in April 1980. Status re-examined and confirmed in April 1998 and in November 2000. Last assessment based on an existing status report.

Eastern Mountain Avens

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1999 and May 2000. Last assessment based on an existing status report.

Eastern Prairie Fringed-orchid

Designated Special Concern in April 1986. Status re-examined and designated Endangered in May 2003. Last assessment based on an update status report.

Eastern Prickly Pear Cactus

Designated Endangered in April 1985. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Eastern Ratsnake

Designated Threatened in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Eastern Sand Darter

Designated Threatened in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an existing status report with an addendum.

Eastern Wolf

Species considered in April 1999 and placed in the Data Deficient category. Reexamined in May 2001 and designated Special Concern. Last assessment based on an update status report.

Eelgrass Limpet

Extinct since 1929. Designated Extinct in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Engelmann's Quillwort

Designated Endangered in April 1992. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Enos Lake Sticklebacks

Designated Threatened in April 1988. Split into two species when re-examined in November 2002: Benthic Enos Lake Stickleback and Limnetic Enos Lake Stickleback. The original designation was de-activated. Last assessment based on an update status report.

Ermine haidarum subspecies

Designated Special Concern in April 1984. Status re-examined and designated Threatened in May 2001. Last assessment based on an update status report.

Eskimo Curlew

Designated Endangered in April 1978. Status re-examined and confirmed Endangered in May 2000. Last assessment based on an update status report.

False Hop Sedge

Designated Threatened in April 1997. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Fernald's Braya

Designated Threatened in April 1997. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Fernald's Milk-vetch

Designated Special Concern in April 1997. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Ferruginous Hawk

Designated Threatened in April 1980. Status re-examined and designated Special Concern in April 1995.

Flammulated Owl

Designated Special Concern in April 1988. Status re-examined and confirmed Special Concern in April 1999 and in November 2001. Last assessment based on an existing status report.

Fourhorn Sculpin (Freshwater form)

Designated Special Concern in April 1989. Species considered in November 2003 and placed in the Data Deficient category. Last assessment based on an update status report.

Fowler's Toad

Designated Special Concern in April 1986. Status re-examined and designated Threatened in April 1999. Status re-examined and confirmed in November 2000. Last assessment based on an existing status report with an addendum.

Fringed Bat

Designated Special Concern in April 1988. Species considered in May 2004 and placed in the Data Deficient category. Last assessment based on an update status report.

Frosted Elfin

Extirpated by 1988. Designated Extirpated in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Furbish's Lousewort

Designated Endangered in April 1980. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Gattinger's Agalinis

Designated Endangered in April 1988. Status re-examined and confirmed in April 1999 and in May 2001. Last assessment based on an existing status report that was modified.

Giant Helleborine

Designated Threatened in April 1984. Status re-examined and designated Special Concern in April 1998.

Golden Crest

Designated Threatened in April 1987. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.

Golden Eagle

Designated Not at Risk in April 1987 and in April 1996.

Golden Paintbrush

Designated Threatened in April 1995. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report with an addendum.

Goldenseal

Designated Threatened in April 1991. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Gravel Chub

Last recorded in Thames River drainage, Ontario in 1958. Designated Endangered in April 1985. Status re-examined and designated Extirpated in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Great Auk

Believed to be Extinct since 1844. Designated in April 1985 based on historic records only. Status report prepared and approved by COSEWIC in 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Great Basin Spadefoot

Designated Special Concern in April 1998. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Great Grey Owl

Designated Special Concern in April 1979. Status re-examined and confirmed in April 1990. Status re-examined and designated Not at Risk in April 1996.

Great Plains Toad

Designated Special Concern in April 1999. Status re-examined and confirmed in May 2002. Last assessment based on an existing status report.

Greater Prairie-Chicken

Last reported in 1987. Designated Endangered in April 1978. Status re-examined and designated Extirpated in April 1990. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Greater Sage-Grouse phaios subspecies

Has not been reported since the 1960s. Designated Extirpated in April 1997. Status reexamined and confirmed in May 2000. Last assessment based on an existing status report.

Greater Sage-Grouse urophasianus subspecies

Given conditional designation of Threatened in April 1997. Status re-examined and designated Endangered in April 1998 based on a revised status report. Status re-examined confirmed in May 2000. Last assessment based on an existing status report.

Grey Fox

Designated Special Concern in April 1979. Status re-examined and designated Threatened in May 2002. Last assessment based on an update status report.

Grev Whale (Atlantic population)

Extirpated before the end of the 1800s. Designated Extirpated in April 1987. Status reexamined and confirmed in May 2000. Last assessment based on an existing status report.

Grey Whale (Eastern North Pacific population)

Designated Not at Risk in April 1987. Status re-examined and designated Special Concern in May 2004. Last assessment based on an update status report.

Grizzly Bear

The species was considered a single unit and designated Not at Risk in April 1979. Split into two populations in April 1991 (Prairie population and Northwestern population). The original designation for "Grizzly Bear" across was Canada de-activated.

Grizzly Bear (Northwestern population)

The species was considered a single unit and designated Not at Risk in April 1979. Split into two populations in April 1991 (Prairie population and Northwestern population). The Northwestern population was designated Special Concern in April 1991. Status was re-examined and confirmed in May 2002. Last assessment based on an update status report.

Grizzly Bear (Prairie population)

The species was considered a single unit and designated Not at Risk in April 1979. Split into two populations in April 1991 (Prairie population and Northwestern population). The Prairie population was designated Extirpated in April 1991. Status re-examined and confirmed in May 2000 and in May 2002. Last assessment based on an update status report.

Gulf of St. Lawrence Aster

Designated Special Concern in April 1989. Status re-examined and designated Threatened in May 2004. Last assessment based on an update status report.

Gyrfalcon

Designated Not at Risk in April 1978 and in April 1987.

Hairy Prairie-clover

Designated Threatened in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Harbour Porpoise (Northwest Atlantic population)

Designated Threatened in April 1990. Status re-examined and confirmed in April 1991. Status re-examined and designated Special Concern in May 2003. Last assessment based on an update status report.

Harbour Porpoise (Pacific Ocean population)

Species considered in April 1991 and placed in the Data Deficient category. Reexamined in November 2003 and designated Special Concern. Last assessment based on an update status report.

Harlequin Duck (Eastern population)

The Eastern population was designated Endangered in April 1990. Status re-examined and designated Special Concern in May 2001. Last assessment based on an update status report.

Heart-leaved Plantain

Designated Endangered in April 1985. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Henslow's Sparrow

Designated Threatened in April 1984. Status re-examined and designated Endangered in April 1993. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Hoary Mountain-mint

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Hooded Warbler

Designated Threatened in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Hotwater Physa

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Humpback Whale (North Pacific population)

The "Western North Atlantic and North Pacific populations" were given a single designation of Threatened in April 1982. Split into two populations in April 1985 (Western North Atlantic population and North Pacific population). The North Pacific population designated Threatened in 1985. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Humpback Whale (Western North Atlantic and North Pacific populations)
The "Western North Atlantic and North Pacific populations" were given a single designation of Threatened in April 1982. Split into two populations in April 1985 (Western North Atlantic population and North Pacific population). The original

designation was de-activated.

Humpback Whale (Western North Atlantic population)

The "Western North Atlantic and North Pacific populations" were given a single designation of Threatened in April 1982. Split into two populations in April 1985 (Western North Atlantic population and North Pacific population). Western North Atlantic population designated Special Concern in April 1985. Status re-examined and designated Not at Risk in May 2003. Last assessment based on an update status report.

Illinois Tick-trefoil

No site records since 1888. Designated Extirpated in April 1991. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Island Marble

Extirpated by 1910. Designated Extirpated in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Ivory Gull

Designated Special Concern in April 1979. Status re-examined and confirmed in April 1996 and in November 2001. Last assessment based on an existing status report.

Juniper Sedge

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Karner Blue

Has not been observed since 1991. Designated Extirpated in April 1997. Status reexamined and confirmed in May 2000. Last assessment based on an existing status report.

Keen's Long-eared Bat

Designated Special Concern in April 1988. Species considered in November 2003 and placed in the Data Deficient category. Last assessment based on an update status report.

Kentucky Coffee-tree

Designated Threatened in April 1983. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Killer Whale (North Pacific resident populations)

Designated Threatened in April 1999. The designation of the Killer Whale (North Pacific resident populations) was de-activated in November 2001 when it was split into two populations: Killer Whale (Northeast Pacific northern resident population) and Killer Whale (Northeast Pacific southern resident population). Last assessment based on an existing status report with an addendum.

Killer Whale (Northeast Pacific northern resident population)

North Pacific resident populations designated Threatened in April 1999. Split into two populations in November 2001. The Northeast Pacific northern resident population was designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Killer Whale (Northeast Pacific southern resident population)

North Pacific resident populations designated Threatened in April 1999. Split into two populations in November 2001. The Northeast Pacific southern resident population was designated Endangered in November 2001. Last assessment based on an existing status report with an addendum.

Killer Whale (Northeast Pacific transient population)

Designated Special Concern in April 1999. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Killer Whale (Northwest Atlantic / Eastern Arctic populations)

Species considered in April 1999 and in November 2001, and placed in the Data Deficient category. Last assessment based on an existing status report with an addendum.

King Rail

Designated Special Concern in April 1985. Status re-examined and designated Endangered in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Kirtland's Warbler

Designated Endangered in April 1979. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.

Labrador Duck

Believed to be Extinct since 1875. Designated in April 1985 based on historic records only. Status report prepared and approved by COSEWIC in 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Lake Chubsucker

Designated Special Concern in April 1994. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Lake Utopia Dwarf Smelt

Designated Threatened in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Lake Whitefish (Mira River population)

Species considered in April 1999 and in November 2000, and placed in the Data Deficient category. Last assessment based on an existing status report.

Large Whorled Pogonia

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Least Bittern

Designated Special Concern in April 1988. Status re-examined and confirmed in April 1999. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report.

Leatherback Seaturtle

Designated Endangered in April 1981. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Lewis's Woodpecker

Designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Limnetic Enos Lake Stickleback

Original designation (including both Benthic and Limnetic species) was Threatened in April 1988. Split into two species when re-examined in November 2002 and the Limnetic Enos Lake Stickleback was designated Endangered. Last assessment based on an update status report.

Limnetic Hadley Lake Stickleback

Extinct in 1999. Designated Extinct in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Limnetic Paxton Lake Stickleback

Designated Threatened in April 1998. Status re-examined and confirmed in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Limnetic Vananda Creek Stickleback

Designated Threatened in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Loggerhead Shrike

The species was considered a single unit and designated Threatened in April 1986. The *excubitorides* and the *migrans* subspecies were designated separately in April 1991, and the original designation was de-activated.

Loggerhead Shrike excubitorides subspecies

The species was considered a single unit and designated Threatened in April 1986. Split according to subspecies in April 1991. The *excubitorides* subspecies retained the original Threatened designation from April 1986. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Loggerhead Shrike migrans subspecies

The species was considered a single unit and designated Threatened in April 1986. Split according to subspecies in April 1991. The *migrans* subspecies was designated Endangered in April 1991. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Long-billed Curlew

Designated Special Concern in April 1992. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

Longjaw Cisco

Extinct since 1975. Designated Extinct in April 1985. Status re-examined and confirmed in May 2000. Designation de-activated in May 2002 because it was concluded that this species is a synonym of the Shortjaw Cisco, *Coregonus zenithicus*, which was designated Threatened in 1987. Last assessment based on an update status report.

Long's Braya

Designated Endangered in April 1997. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Louisiana Waterthrush

Designated Special Concern in April 1991. Status re-examined and confirmed in April 1996.

Mackenzie Hairgrass

Designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Marbled Murrelet

Designated Threatened in April 1990. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Margined Madtom

Designated Threatened in April 1989. Species considered in May 2002 and placed in the Data Deficient category. Last assessment based on an update status report.

Maritime Ringlet

Designated Endangered in April 1997. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Massasauga

Designated Threatened in April 1991. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

Mexican Mosquito-fern

Designated Threatened in April 1984. Status re-examined and confirmed in April 1998 and in May 2000. Last assessment based on an existing status report.

Monarch

Designated Special Concern in April 1997. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Morrison Creek Lamprey

Designated Threatened in April 1999. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report.

Mountain Beaver

Designated Not at Risk in April 1984. Status re-examined and designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Mountain Plover

Designated Endangered in April 1987. Status re-examined and confirmed November 2000. Last assessment based on an update status report.

Narwhal

Designated Not at Risk in April 1986 and in April 1987.

New Jersev Rush

Designated Special Concern in April 1992. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Newfoundland Marten

Designated Not at Risk in April 1979. Status re-examined and designated Threatened in April 1986. Status re-examined and designated Endangered in April 1996. Status re-examined and confirmed Endangered in May 2000. Last assessment based on an existing status report.

Nodding Pogonia

Designated Threatened in April 1988. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Nooksack Dace

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

North Atlantic Right Whale

The Right Whale was considered a single species and designated Endangered in 1980. Status re-examined and confirmed in April 1985 and in April 1990. Split into two species in May 2003 to allow a separate designation of the North Atlantic Right Whale. North Atlantic Right Whale was designated Endangered in May 2003. Last assessment based on an update status report.

North Pacific Right Whale

The Right Whale was considered a single species and designated Endangered in 1980. Status re-examined and confirmed in April 1985 and in April 1990. Split into two species in May 2003. North Pacific Right Whale was not re-evaluated, but retains the Endangered status of the original Right Whale. Last assessment based on an update status report.

Northern Abalone

Designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Northern Bobwhite

Designated Endangered in April 1994. Status re-examined and confirmed in November 2003. Last assessment based on an update status report.

Northern Bottlenose Whale

The Northern Bottlenose Whale was given a single designation of Not at Risk in April 1993. Split into two populations in April 1996 to allow a separate designation of the Northern Bottlenose Whale (Scotian Shelf population). Northern Bottlenose (Davis Strait population) was not re-evaluated, but retains the Not at Risk designation of the original Northern Bottlenose Whale, and the latter was de-activated.

Northern Bottlenose Whale (Scotian Shelf population)

The Northern Bottlenose Whale was given a single designation of Not at Risk in April 1993. Split into two populations in April 1996 to allow a separate designation of the Northern Bottlenose Whale (Scotian Shelf population). Scotian Shelf population designated Special Concern in April 1996. Status re-examined and designated Endangered in November 2002. Last assessment based on an existing status report with an addendum.

Northern Cricket Frog

Designated Endangered in April 1990. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Northern Goshawk laingi subspecies

Designated Special Concern in April 1995. Status re-examined and designated Threatened in November 2000. Last assessment based on an update status report.

Northern Leopard Frog (Southern Mountain population)

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Northern Leopard Frog (Western Boreal/Prairie populations)

Designated Special Concern in April 1998. Status re-examined and confirmed in November 2002. Last assessment based on an existing status report.

Northern Madtom

Species considered in April 1993 and placed in the Data Deficient category. Re-examined in April 1998 and designated Special Concern. Status re-examined and designated Endangered in November 2002. Last assessment based on an existing status report with an addendum.

Northern Riffleshell

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Nuttall's Cottontail pinetis subspecies

Designated Not at Risk in 1991 and in April 1994.

Oregon Spotted Frog

Designated Endangered in an emergency assessment in November 1999. Status reexamined and confirmed in May 2000. Assessment based on a new status report.

Pacific Sardine

Designated Special Concern in April 1987. Status re-examined and designated Not at Risk in May 2002. Last assessment based on an update status report.

Pacific Water Shrew

Designated Threatened in April 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Paddlefish

Disappeared from Canada in approximately 1917. Designated Extirpated in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Pallid Bat

Designated Special Concern in April 1988. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report.

Passenger Pigeon

Believed to be Extinct since 1914. Designated in April 1985 based on historic records only. Status report prepared and approved by COSEWIC in 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Peary Caribou

The original designation considered a single unit that included Peary Caribou, Rangifer tarandus pearyi, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, Rangifer tarandus groenlandicus. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island (Endangered), High Arctic (Endangered) and Low Arctic (Threatened) populations. In May 2004 all three population designations were de-activated, and the Peary Caribou, Rangifer tarandus pearyi, was assessed separately from the Barrenground Caribou (Dolphin and Union population), Rangifer tarandus groenlandicus. The subspecies pearyi is comprised of a portion of the former "Low Arctic population", and all of the former "High Arctic" and "Banks Island" populations, and it was designated Endangered in May 2004. Last assessment based on an update status report.

Peary Caribou [original designation]

The original designation considered a single unit that included Peary Caribou, *Rangifer tarandus pearyi*, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, *Rangifer tarandus groenlandicus*. It was assigned a status of Threatened in April 1979. Split into three separate populations in April 1991: Banks Island, High Arctic and Low Arctic populations. The original designation was deactivated. In May 2004, all three population designations were de-activated, and the Peary Caribou, *Rangifer tarandus pearyi*, was assessed separately from the Barrenground Caribou (Dolphin and Union population), *Rangifer tarandus groenlandicus*.

Peary Caribou (Banks Island population)

The original designation considered a single unit that included Peary Caribou, Rangifer tarandus pearyi, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, Rangifer tarandus groenlandicus. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island, High Arctic and Low Arctic populations. The Banks Island population was designated Endangered in April 1991. In May 2004, all three population designations were de-activated, and the Peary Caribou, Rangifer tarandus pearyi, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), Rangifer tarandus groenlandicus. The former Banks Island population is contained within the subspecies pearyi.

Peary Caribou (High Arctic population)

The original designation considered a single unit that included Peary Caribou, *Rangifer tarandus pearyi*, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, *Rangifer tarandus groenlandicus*. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island, High Arctic and Low Arctic populations. The High Arctic population of the Peary Caribou was designated Endangered in April 1991. In May 2004, all three population designations were de-activated, and the Peary Caribou, *Rangifer tarandus pearyi*, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), *Rangifer tarandus groenlandicus*. The former High Arctic population is contained within the subspecies *pearyi*.

Peary Caribou (Low Arctic population)

The original designation considered a single unit that included Peary Caribou, Rangifer tarandus pearyi, and what is now known as the Dolphin and Union population of the Barren-ground Caribou, Rangifer tarandus groenlandicus. It was assigned a status of Threatened in April 1979. Split to allow designation of three separate populations in 1991: Banks Island, High Arctic and Low Arctic populations. The Low Arctic population was designated Threatened in April 1991. In May 2004, all three population designations were de-activated, and the Peary Caribou, Rangifer tarandus pearyi, was assessed separately from the Barren-ground Caribou (Dolphin and Union population), Rangifer tarandus groenlandicus. The former Low Arctic population is contained partly within the subspecies pearyi and partly within the Barren-ground Caribou (Dolphin and Union population).

Peregrine Falcon anatum subspecies

Designated Endangered in April 1978. Status re-examined and designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Peregrine Falcon pealei subspecies

Designated Special Concern in April 1978. Status re-examined and confirmed in April 1999 and in November 2001. Last assessment based on an existing status report.

Peregrine Falcon tundrius subspecies

Designated Threatened in April 1978. Status re-examined and designated Special Concern in April 1992.

Phantom Orchid

Designated Special Concern in April 1992. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report.

Pighead Prickleback

Designated Special Concern in April 1989. Species considered in May 2003 and placed in the Data Deficient category. Last assessment based on an update status report.

Pigmy Short-horned Lizard (British Columbia population)

Last reported in 1898. Designated Extirpated in April 1992. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Pink Coreopsis

Designated Endangered in April 1984. Status re-examined and confirmed Endangered in April 1999 and in May 2000. Last assessment based on an existing status report.

Pink Milkwort

Designated Endangered in April 1984. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Piping Plover

The species was considered a single unit and designated Threatened in April 1978. Status re-examined and designated Endangered in April 1985. In May 2001, the species was re-examined and split into two groups according to subspecies. The *melodus* subspecies and *circumcinctus* subspecies were each designated Endangered in May 2001. The original designation was de-activated.

Piping Plover circumcinctus subspecies

The species was considered a single unit and designated Threatened in April 1978. Status re-examined and designated Endangered in April 1985. In May 2001, the species was re-examined and split into two groups according to subspecies. The *circumcinctus* subspecies was designated Endangered in May 2001. Last assessment based on an update status report.

Piping Plover melodus subspecies

The species was considered a single unit and designated Threatened in April 1978. Status re-examined and designated Endangered in April 1985. In May 2001, the species was re-examined and split into two groups according to subspecies. The *melodus* subspecies was designated Endangered in May 2001. Last assessment based on an update status report.

Pitcher's Thistle

Designated Threatened in April 1988. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Pixie Poacher

Species considered in April 1991 and placed in the Data Deficient category. Reexamined and designation de-activated in November 2001. Last assessment based on an update status report.

Plains Pocket Gopher

Designated Special Concern in April 1979. Status re-examined and designated Not at Risk in April 1998.

Plymouth Gentian

Designated Threatened in April 1984. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.

Polar Bear

Designated Not at Risk in April 1986. Status re-examined and designated Special Concern in April 1991. Status re-examined and confirmed in April 1999 and in November 2002. Last assessment based on an existing status report with an addendum.

Prairie Falcon

Designated Not at Risk in April 1978, April 1982 and April 1996.

Prairie Long-tailed Weasel

Designated Threatened in April 1982. Status re-examined and designated Not at Risk in April 1993.

Prairie Lupine

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Prairie Skink

Designated Special Concern in April 1989. Status re-examined and designated Endangered in May 2004. Last assessment based on an update status report.

Prairie Warbler

Designated Special Concern in April 1985. Status re-examined and designated Not at Risk in April 1999.

Prothonotary Warbler

Designated Special Concern in April 1984. Status re-examined and designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Pugnose Minnow

Designated Special Concern in April 1985. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Pugnose Shiner

Designated Special Concern in April 1985. Status re-examined and designated Endangered in November 2002. Last assessment based on an update status report.

Purple Twavblade

Designated Threatened in April 1989. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2001. Last assessment based on an existing status report that was modified.

Oueen Snake

Designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Rayed Bean

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Red Mulberry

Designated Threatened in April 1987. Status re-examined and designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Red-legged Frog

Designated Special Concern in April 1999. Status re-examined and confirmed in May 2002. Last assessment based on an existing status report.

Redroot

Designated Threatened in April 1994. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Red-shouldered Hawk

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1996.

Right Whale

The Right Whale was considered a single species and designated Endangered in 1980. Status re-examined and confirmed in April 1985 and in April 1990. Split into two species in May 2003 to allow a separate designation of the North Atlantic Right Whale. North Pacific Right Whale was not re-evaluated, but retains the Endangered status of the original Right Whale. The original designation was de-activated. Last assessment based on an update status report.

Rigid Apple Moss

Designated Threatened in April 1997. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report with an addendum.

River Redhorse

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1987.

Roseate Tern

Designated Threatened in April 1986. Status re-examined and designated Endangered in April 1999. Endangered status re-examined and confirmed in October 1999. Last assessment based on an existing status report.

Ross's Gull

Designated Special Concern in April 1981. Status re-examined and confirmed in April 1996. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Round-leaved Greenbrier (Great Lakes Plains population)

Designated Threatened in April 1994. Status re-examined and confirmed in May 2001. Last assessment based on an existing status report with an addendum.

Sage Thrasher

Designated Endangered in April 1992. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Salish Sucker

Designated Endangered in April 1986. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

Savannah Sparrow princeps subspecies

Designated Special Concern in April 1979. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Scarlet Ammannia

Designated Endangered in April 1999. Status re-examined and confirmed in May 2001. Last assessment based on an existing status report.

Sea Mink

Believed Extinct since 1894. Designated Extinct in April 1986. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Sea Otter

Designated Endangered in April 1978. Status re-examined and confirmed Endangered in April 1986. Status re-examined and designated Threatened in April 1996. Status re-examined and confirmed Threatened in May 2000. Last assessment based on an existing status report.

Seaside Birds-foot Lotus

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Seaside Centipede

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Sharp-shinned Hawk

Designated Not at Risk in April 1986 and in April 1997.

Sharp-tailed Snake

Designated Endangered in April 1999. Status re-examined and confirmed in October 1999. Last assessment based on an existing status report.

Shorthead Sculpin

Designated Threatened in April 1984. Status re-examined and confirmed Threatened in May 2001. Last assessment based on an update status report.

Shortiaw Cisco

Designated Threatened in April 1987. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Showy Goldenrod

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Shumard Oak

Designated Special Concern in April 1984. Status re-examined and confirmed in April 1999.

Silver Chub

Designated Special Concern in April 1985. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Silver Shiner

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1987

Skinner's Agalinis

Designated Endangered in April 1988. Status re-examined and confirmed Endangered in April 1999 and in May 2000. Last assessment based on an existing status report.

Slender Bush-clover

Designated Endangered in April 1986. Status re-examined and confirmed Endangered in April 1999 and in May 2000. Last assessment based on an existing status report.

Slender Mouse-ear-cress

Designated Endangered in April 1992. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report with an addendum.

Small White Lady's-slipper

Designated Endangered in April 1981. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.

Small Whorled Pogonia

Designated Endangered in April 1982. Status re-examined and confirmed in April 1998 and in May 2000. Last assessment based on an existing status report.

Small-flowered Lipocarpha

Designated Threatened in April 1992. Status re-examined and designated Endangered in November 2002. Last assessment based on an update status report.

Small-flowered Sand-verbena

Designated Threatened in April 1992. Re-examined and designated Endangered in November 2002. Last assessment based on an update status report.

Small-mouthed Salamander

Designated Special Concern in April 1991. Status re-examined and designated Endangered in May 2004. Last assessment based on an update status report.

Soapweed

Designated Special Concern in April 1985. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report.

Sockeye Salmon (Cultus population)

Designated Endangered in an emergency assessment in October 2002. Status reexamined and confirmed in May 2003. Assessment based on a new status report.

Sockeye Salmon (Sakinaw population)

Designated Endangered in an emergency assessment in October 2002. Status reexamined and confirmed in May 2003. Assessment based on a new status report.

Southern Maidenhair Fern

Designated Endangered in April 1984. Status re-examined and confirmed in April 1998 and in May 2000. Last assessment based on an existing status report.

Speckled Dace

Designated Special Concern in April 1980. Status re-examined and designated Endangered in November 2002. Last assessment based on an update status report.

Spiny Softshell

Designated Threatened in April 1991. Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Spotted Ba

Designated Special Concern in April 1988. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Spotted Gar

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1994. Status re-examined and designated Threatened in November 2000. Last assessment based on an existing status report.

Spotted Owl caurina subspecies

Designated Endangered in April 1986. Status re-examined and confirmed in April 1999 and in May 2000. Last assessment based on an existing status report.

Spotted Sucker

Designated Special Concern in April 1983. Status re-examined and confirmed in April 1994 and in November 2001. Last assessment based on an existing status report with an addendum.

Spotted Turtle

Designated Special Concern in April 1991. Status re-examined and designated Endangered in May 2004. Last assessment based on an update status report.

Spotted Wintergreen

Designated Endangered in April 1987. Status re-examined and confirmed Endangered in April 1998 and in May 2000. Last assessment based on an existing status report.

Sprague's Pipit

Designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Spring Blue-eyed Mary

No site records since 1954. Designated Extirpated in April 1987. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Spring Salamander

Designated Special Concern in April 1999. Status re-examined and confirmed in May 2002. Last assessment based on an existing status report.

Steller Sea Lion

Designated Not at Risk in April 1987. Status re-examined and designated Special Concern in November 2003. Last assessment based on an update status report.

Sweet Pepperbush

Designated Threatened in April 1986. Status re-examined and confirmed in April 1998. Status re-examined and designated Special Concern in May 2001. Last assessment based on an existing status report that was modified.

Swift Fox

Last seen in Saskatchewan in 1928. Designated Extirpated in April 1978. Status reexamined and designated Endangered in April 1998 after successful re-introductions. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Thread-leaved Sundew

Designated Endangered in April 1991. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

Tiny Cryptanthe

Designated Endangered in April 1998. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Toothcup

Designated Endangered in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Townsend's Mole

Designated Threatened in April 1996. Status re-examined and designated Endangered in May 2003. Last assessment based on an update status report.

Trumpeter Swan

Designated Special Concern in April 1978. Status re-examined and designated Not at Risk in April 1996.

Tuberous Indian-plantain

Designated Special Concern in April 1988. Status re-examined and confirmed in April 1999 and in May 2002. Last assessment based on an update status report that was modified.

Tyrrell's Willow

Designated Threatened in April 1981. Status re-examined and designated Not at Risk in April 1999.

Van Brunt's Jacob's-ladder

Designated Threatened in April 1994. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

Vancouver Island Marmot

Designated Endangered in April 1978. Status re-examined and confirmed Endangered in April 1997 and in May 2000. Last assessment based on an existing status report with an addendum.

Victorin's Gentian

Designated Special Concern in April 1987. Status re-examined and designated Threatened in May 2004. Last assessment based on an update status report.

Victorin's Water-hemlock

Designated Special Concern in April 1987. Status re-examined and confirmed in May 2004. Last assessment based on an update status report.

Virginia Goat's-rue

Designated Threatened in April 1996. Status re-examined and designated Endangered in May 2000. Last assessment based on an existing status report with an addendum.

Warmouth

Designated Special Concern in April 1994. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report with an addendum.

Water-pennywort

Designated Endangered in April 1985. Status re-examined and designated Threatened in April 1999. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Water-plantain Buttercup

Designated Endangered in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Wavy-rayed Lampmussel

Designated Endangered in April 1999. Status re-examined and confirmed in October 1999. Last assessment based on an existing status report.

Western Blue-flag

Designated Threatened in April 1990. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Western Prairie Fringed-orchid

Designated Endangered in April 1993. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Western Screech-Owl

The species was considered a single unit and placed in the Data Deficient category in April 1995. Re-examined in May 2002 and split into two groups according to subspecies. The *kennicottii* subspecies was designated Special Concern and the *macfarlanei* subspecies was designated Threatened in May 2002. The original designation was de-activated. Last assessment based on an update status report.

Western Screech-Owl kennicottii subspecies

Species considered in April 1995 and placed in the Data Deficient category. It was split according to subspecies in May 2002. The *kennicottii* subspecies was designated Special Concern in May 2002. Last assessment based on an update status report.

Western Screech-Owl macfarlanei subspecies

Species considered in April 1995 and placed in the Data Deficient category. It was split according to subspecies in May 2002. The *macfarlanei* subspecies was designated Endangered in May 2002. Last assessment based on an update status report.

Western Silvery Aster

Designated Special Concern in 1988. Status re-examined and designated Threatened in May 2000. Last assessment based on an update status report.

Western Silvery Minnow

Designated Special Concern in April 1997. Status re-examined and designated Threatened in November 2001. Last assessment based on an existing status report with an addendum.

Western Spiderwort

Designated Threatened in April 1992. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

White Prairie Gentian

Designated Endangered in April 1991. Status re-examined and confirmed in May 2001. Last assessment based on an update status report.

White Sturgeon

Designated Special Concern in April 1990. Status re-examined and designated Endangered in November 2003. Last assessment based on an update status report.

White Wood Aster

Designated Threatened in April 1995. Status re-examined and confirmed in November 2002. Last assessment based on an update status report.

White-headed Woodpecker

Designated Threatened in April 1992. Status re-examined and designated Endangered in November 2000. Last assessment based on an update status report.

White-top Aster

Designated Threatened in April 1996. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Whooping Crane

Designated Endangered in April 1978. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

Wild Hvacinth

Designated Special Concern in April 1990. Re-examined and designated Threatened in May 2002. Last assessment based on an update status report.

Willowleaf Aster

Designated Special Concern in April 1999. Status re-examined and designated Threatened in May 2003. Last assessment based on an existing status report.

Wolverine

The species was considered a single unit and designated Special Concern in April 1982. Split into two populations in April 1989 (Western and Eastern populations). The original designation was de-activated.

Wolverine (Eastern population)

The species was considered a single unit and designated Special Concern in April 1982. Split into two populations in April 1989 (Western population and Eastern population). The Eastern population was designated Endangered in April 1989. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Wolverine (Western population)

The species was considered a single unit and designated Special Concern in April 1982. Split into two populations in April 1989 (Western and Eastern populations). The Western population was designated Special Concern in April 1989. Status re-examined and confirmed in May 2003. Last assessment based on an update status report.

Wood Bison

Designated Endangered in April 1978. Status re-examined and designated Threatened in April 1988. Status re-examined and confirmed in May 2000. Last assessment based on an update status report.

Woodland Caribou (Atlantic-Gaspésie population)

Atlantic-Gaspésie population designated Threatened in April 1984. Status re-examined and designated Endangered in May 2000. Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Woodland Caribou (Boreal population)

The Boreal population was designated Threatened in May 2000. This newly-defined population is comprised of a portion of the de-activated "Western population" and all of the de-activated "Labrador-Ungava population". Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Woodland Caribou (Labrador-Ungava population)

Labrador-Ungava population was designated Not at Risk in April 1984. The designation of the Labrador-Ungava population was de-activated in May 2000. The former Labrador-Ungava population is contained within the Boreal population.

Woodland Caribou (Newfoundland population)

Newfoundland population was designated Not at Risk in April 1984. Status re-examined and confirmed in May 2000 and in May 2002. Last assessment based on an update status report.

Woodland Caribou (Northern Mountain population)

The Northern Mountain population was designated Not at Risk in May 2000. This population was formerly designated as part of the "Western population" (now deactivated). Status re-examined and designated Special Concern in May 2002. Last assessment based on an update status report.

Woodland Caribou (Southern Mountain population)

The Southern Mountain population was designated Threatened in May 2000. This population was formerly designated as part of the "Western population" (now deactivated). Status re-examined and confirmed in May 2002. Last assessment based on an update status report.

Woodland Caribou (Western population)

The Western population was designated Special Concern in April 1984. The designation of the Western population was de-activated in May 2000. The former Western population is contained within the following newly designated populations: Northern Mountain, Southern Mountain and Boreal.

Woodland Vole

Designated Special Concern in April 1998. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Wood-poppy

Designated Endangered in April 1993. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report with an addendum.

Yellow Montane Violet

Designated Threatened in April 1995. Status re-examined and confirmed in May 2000. Last assessment based on an existing status report.

Yellow Rail

Designated Special Concern in April 1999. Status re-examined and confirmed in November 2001. Last assessment based on an existing status report.

Yellow-breasted Chat auricollis subspecies (British Columbia population)

The British Columbia population of the *auricollis* subspecies was designated Threatened in April 1994. Status re-examined and designated Endangered in November 2000. Last assessment based on an update status report.

Yellow-breasted Chat auricollis subspecies (Prairie population)

The Prairie population of the *auricollis* subspecies was designated Not at Risk in April 1994 and in November 2000. Last assessment based on an update status report.

Yellow-breasted Chat virens subspecies

Designated Special Concern in April 1994. Status re-examined and confirmed in November 2000. Last assessment based on an update status report.

RECORD OF NAME CHANGES

Common and scientific names (including population names, where applicable) previously used by COSEWIC, and other synonyms.

Previous Name(s) or Synonym Current Common Name or Scientific Name (population)

	name (population)
Abronia micrantha	Tripterocalyx micranthus
Acadian Whitefish	Atlantic Whitefish
Acris crepitans blanchardi	Acris crepitans
American Marten (Newfoundland population)	Newfoundland Marten
Anatum Peregrine Falcon	Peregrine Falcon anatum subspecies
Apple Moss	Rigid Apple Moss
Ascaphus truei (Pacific Coast population)	Ascaphus truei
Ascaphus truei (Southern Mountain population)	Ascaphus montanus
Asplenium scolopendrium var. americanum	Asplenium scolopendrium
Aster anticostensis	Symphyotrichum anticostense
Aster curtus	Sericocarpus rigidus
Aster divaricatus	Eurybia divaricata
Aster laurentianus	Symphyotrichum laurentianum
Aster praealtus	Symphyotrichum praealtum
Aster prenanthoides	Symphyotrichum prenanthoides
Aster shortii	Symphyotrichum shortii
Aster subulatus var. obtusifolius	Symphyotrichum subulatum (Bathurst population)
Aster yukonensis	Symphyotrichum yukonense
Bathurst Aster	Bathurst Aster (Bathurst population)
Beluga Whale (Beaufort Sea / Arctic Ocean population)	Beluga Whale (Eastern Beaufort Sea population)
Beluga Whale (Southeast Baffin Island-Cumberland Sound population)	Beluga Whale (Cumberland Sound population)
Beluga Whale (St. Lawrence River population)	Beluga Whale (St. Lawrence Estuary population)
Benthic Texada Island Stickleback	Benthic Paxton Lake Stickleback
Black Rat Snake	Eastern Ratsnake
Black Ratsnake	Eastern Ratsnake
Blackline Prickleback	Pighead Prickleback
Blanchard's Cricket Frog	Northern Cricket Frog
Blue-eyed Mary	Spring Blue-eyed Mary
Bowl Limpet	Eelgrass Limpet
Bufo woodhousii fowleri	Bufo fowleri
Butler's Garter Snake	Butler's Gartersnake
Cacalia plantaginea	Arnoglossum plantagineum
Centrocercus urophasianus phaios (British Columbia population)	Centrocercus urophasianus phaios
Centrocercus urophasianus urophasianus (Prairie population)	Centrocercus urophasianus urophasianus
Charlotte Unarmoured Sticklebacks	Charlotte Unarmoured Stickleback
Cimicifuga elata	Actaea elata
Clemmys insculpta	Glyptemys insculpta
Clemmys marmorata	Actinemys marmorata
Coeur d'Alène Salamander	Coeur d'Alene Salamander

Previous Name(s) or Synonym	Current Common Name or Scientific Name (population)
Common Hop-tree	Common Hoptree
Common Watersnake	Northern Watersnake
Coregonus canadensis	Coregonus huntsmani
Delphinapterus leucas (Beaufort Sea / Arctic Ocean	Delphinapterus leucas (Eastern Beaufort Sea
population)	population)
Delphinapterus leucas (Southeast Baffin Island-	Delphinapterus leucas (Cumberland Sound
Cumberland Sound population)	population)
Delphinapterus leucas (St. Lawrence River	Delphinapterus leucas (St. Lawrence Estuary
population)	population)
Eastern Fox Snake	Eastern Foxsnake
Eastern Grey Wolf	Eastern Wolf
Eastern Hognosed Snake	Eastern Hog-nosed Snake
Eastern Loggerhead Shrike	Loggerhead Shrike migrans subspecies
Eastern Massasauga	Massasauga
Eastern Massasauga Rattlesnake	Massasauga
Eastern Milksnake	Milksnake
Eastern Prairie Fringed Orchid	Eastern Prairie Fringed-orchid
Eastern Short-horned Lizard	Greater Short-horned Lizard
Eastern Spiny Softshell Turtle	Spiny Softshell
Eastern Yellow-breasted Chat	Yellow-breasted Chat <i>virens</i> subspecies
Elaphe obsoleta obsoleta	Elaphe obsoleta
Elaphe vulpina gloydi	Elaphe gloydi
Elgaria coerulea principis	Elgaria coerulea
Emydoidea blandingi	Emydoidea blandingii (Nova Scotia population)
Erigeron philadelphicus ssp. provancheri	Erigeron philadelphicus var. provancheri
Ermine (Queen Charlotte Islands population)	Ermine haidarum subspecies
Eschrichtius robustus (Northeast Pacific population)	Eschrichtius robustus (Eastern North Pacific
	population)
Eumeces septentrionalis septentrionalis	Eumeces septentrionalis
Few-flowered Club-rush	Bashful Bulrush
Gasterosteus aculeatus	Gasterosteus sp.
Gentiana victorinii	Gentianopsis procera ssp. macounii var. victorinii
Gentianopsis victorinii	Gentianopsis procera ssp. macounii var. victorinii
Goat's-rue	Virginia Goat's-rue
Great Basin Gopher Snake	Great Basin Gophersnake
Great Basin Spadefoot Toad	Great Basin Spadefoot
Greater Sandhill Crane	Sandhill Crane tabida subspecies
Grey Whale (Northeast Pacific population)	Grey Whale (Eastern North Pacific population)
Grey Wolf	Arctic Grey Wolf
Grey Wolf	Southern Grey Wolf
Grey Wolf	Eastern Wolf
Grey Wolf	Northern Grey Wolf
Grizzly Bear [no population name]	Grizzly Bear (Northwestern population)
Gymnocladus dioica	Gymnocladus dioicus
Haplopappus macleanii	Stenotus borealis
Harbour Seal	Harbour Seal Atlantic subspecies
Harbour Seal	Harbour Seal Pacific subspecies

Previous Name(s) or Synonym	Current Common Name or Scientific Name (population)
Harbour Seal (Lac des Loups Marins landlocked	Harbour Seal Lacs des Loups Marins subspecies
population)	
Hubb's Beaked Whale	Hubbs' Beaked Whale
Hyperoodon ampullatus (Gully population)	Hyperoodon ampullatus (Scotian Shelf population)
Icteria virens virens (Eastern population)	Icteria virens virens
Incisalia irus	Callophrys [Incisalia] irus
"Ipswich" Savannah Sparrow	Savannah Sparrow <i>princeps</i> subspecies
Isopyrum biternatum	Enemion biternatum
Killer Whale (North Pacific "resident" populations)	Killer Whale (North Pacific resident populations)
Lake Erie Water Snake	Lake Erie Watersnake
Lake Lamprey	Cowichan Lake Lamprey
Lake Simcoe Whitefish	Lake Whitefish (Lake Simcoe population)
Lanius ludovicianus excubitorides (Prairie	Lanius ludovicianus excubitorides
population)	
Lanius ludovicianus migrans (Eastern population)	Lanius ludovicianus migrans
Leatherback Turtle	Leatherback Seaturtle
Lilaeopsis	Eastern Lilaeopsis
Limnetic Texada Island Stickleback	Limnetic Paxton Lake Stickleback
Loggerhead Shrike (Eastern population)	Loggerhead Shrike migrans subspecies
Loggerhead Shrike (Prairie population)	Loggerhead Shrike excubitorides subspecies
Long-tailed Weasel (Prairie population)	Prairie Long-tailed Weasel
Lottia alveus	Lottia alveus alveus
Lynx	Canada Lynx
MacLean's Goldenweed	Northern Mock Goldenweed
Martes americana atrata (Newfoundland	Martes americana atrata
population)	
Mexican Mosquito Fern	Mexican Mosquito-fern
Mira River Whitefish	Lake Whitefish (Mira River population)
Mountain Dusky Salamander	Allegheny Mountain Dusky Salamander
Mustela erminea haidarum (Queen Charlotte Islands	Mustela erminea haidarum
population) Mustela frenata longicauda (Prairie population)	Mustala francia langiaguda
Night Snake	Mustela frenata longicauda Nightsnake
North Sea Beaked Whale	Sowerby's Beaked Whale
Northern Bottlenose Whale	Northern Bottlenose Whale (Davis Strait population)
Northern Bottlenose Whale (Gully population)	Northern Bottlenose Whale (Scotian Shelf
Northern bottlehose whate (Gutty population)	population)
Northern Goshawk	Northern Goshawk atricapillus subspecies
Northern Leopard Frog (Prairie population)	Northern Leopard Frog (Western Boreal/Prairie
Northern Leopard Frog (France population)	populations)
Northern Prairie Skink	Prairie Skink
Northern Red-legged Frog	Red-legged Frog
Northern Ribbonsnake (Atlantic population)	Eastern Ribbonsnake (Atlantic population)
Northern Spotted Out	Eastern Ribbonsnake (Great Lakes population)
Northern Spotted Owl	Spotted Owl caurina subspecies
Northwestern Alligator Lizard	Northern Alligator Lizard
Notropis rubellus (Eastern population)	Notropis rubellus


Previous Name(s) or Synonym	Current Common Name or Scientific Name (population)
Notropis rubellus (Manitoba population)	Notropis percobromus
Nuttall's Cottontail (British Columbia population)	Nuttall's Cottontail <i>nuttallii</i> subspecies
Nuttall's Cottontail (Prairie population)	Nuttall's Cottontail <i>pinetis</i> subspecies
Nyctea scandiaca	Bubo scandiaca
Oncorhynchus nerka (Cultus Lake population)	Oncorhynchus nerka (Cultus population)
Oncorhynchus nerka (Sakinaw Lake population)	Oncorhynchus nerka (Sakinaw population)
Orcinus orca (North Pacific "resident" populations)	Orcinus orca (North Pacific resident populations)
Otus asio	Megascops asio
Otus kennicottii	Megascops kennicottii
Otus kennicottii kennicottii	Megascops kennicottii kennicottii
Otus kennicottii macfarlanei	Megascops kennicottii macfarlanei
Pacific Giant Salamander	Coastal Giant Salamander
Pacific Gopher Snake	Pacific Gophersnake
Pacific Great Blue Heron	Great Blue Heron fannini subspecies
Panax quinquefolium	Panax quinquefolius
Peale's Peregrine Falcon	Peregrine Falcon <i>pealei</i> subspecies
Phoca vitulina mellonae (Lac des Loups Marins landlocked population)	Phoca vitulina mellonae
Phrynosoma douglassii brevirostre	Phrynosoma hernandesi
Phrynosoma douglassii douglassii (British Columbia population)	Phrynosoma douglasii (British Columbia population)
Pink Rush	Rush Pink
Plains Spadefoot Toad	Plains Spadefoot
Polemonium van-bruntiae	Polemonium vanbruntiae
Prairie Loggerhead Shrike	Loggerhead Shrike excubitorides subspecies
Pygmy Short-horned Lizard (British Columbia	Pigmy Short-horned Lizard (British Columbia
population)	population)
Queen Charlotte Goshawk	Northern Goshawk laingi subspecies
Rana pipiens (Prairie population)	Rana pipiens (Western Boreal/Prairie populations)
Rangifer tarandus dawsoni (Queen Charlotte Islands population)	Rangifer tarandus dawsoni
Reithrodontomys megalotis dychei (Prairie population)	Reithrodontomys megalotis dychei
Reithrodontomys megalotis megalotis (British Columbia population)	Reithrodontomys megalotis megalotis
Ross' Gull	Ross's Gull
Rosyface Shiner (Eastern population)	Rosyface Shiner
Rosyface Shiner (Manitoba population)	Carmine Shiner
Sage Grouse (British Columbia population)	Greater Sage-Grouse phaios subspecies
Sage Grouse (Prairie population)	Greater Sage-Grouse <i>urophasianus</i> subspecies
Salamander Mussel	Mudpuppy Mussel
Sand Verbena	Small-flowered Sand-verbena
Sand Verbena Moth	Sand-verbena Moth
Scirpus verecundus	Trichophorum planifolium
Simpsonais ambigua	Simpsonaias ambigua
Sistrurus catenatus catenatus	Sistrurus catenatus
Slender Wooly-heads	Slender Woolly-heads

RECORD OF NAME CHANGES continued

Previous Name(s) or Synonym

, , , , , , , , , , , , , , , , , , ,	Name (population)
Smallmouth Salamander	Small-mouthed Salamander
Sockeye Salmon (Cultus Lake population)	Sockeye Salmon (Cultus population)
Sockeye Salmon (Sakinaw Lake population)	Sockeye Salmon (Sakinaw population)
Solidago speciosa var. rigidiuscula	Solidago speciosa
Speotyto cunicularia	Athene cunicularia
Spiny Softshell Turtle	Spiny Softshell
Spotted Owl	Spotted Owl caurina subspecies
Streaked Horned Lark	Horned Lark strigata subspecies
Strix occidentalis	Strix occidentalis caurina
Sylvilagus nuttallii nuttallii (British Columbia	Sylvilagus nuttallii nuttallii
population)	
Sylvilagus nuttallii pinetis (Prairie population)	Sylvilagus nuttallii pinetis
Tailed Frog (Pacific Coast population)	Coast Tailed Frog
Tailed Frog (Southern Mountain population)	Rocky Mountain Tailed Frog
Tortula laevipila	Syntrichia laevipila
Tundra Peregrine Falcon	Peregrine Falcon tundrius subspecies
Van Brunt's Jacob's Ladder	Van Brunt's Jacob's-ladder
Virgulus sericeus	Symphyotrichum sericeum
Western Harvest Mouse (British Columbia	Western Harvest Mouse megalotis subspecies
population)	
Western Harvest Mouse (Prairie population)	Western Harvest Mouse dychei subspecies
Western Prairie Fringed Orchid	Western Prairie Fringed-orchid
Western Silver-leaved Aster	Western Silvery Aster
Western Yellow-breasted Chat (Prairie population)	Yellow-breasted Chat auricollis subspecies (Prairie
	population)
Willow Aster	Willowleaf Aster
Woodland Caribou (Queen Charlotte Islands	Caribou dawsoni subspecies
population)	
Woodland Caribou Dawson's subspecies	Caribou dawsoni subspecies
Yellow-breasted Chat (British Columbia population)	Yellow-breasted Chat auricollis subspecies (British
VIII I I I I I I I I I I I I I I I I I	Columbia population)
Yellow-breasted Chat (Eastern population)	Yellow-breasted Chat virens subspecies
Yellow-breasted Chat (Prairie population)	Yellow-breasted Chat <i>auricollis</i> subspecies (Prairie
	population)

Current Common Name or Scientific



COSEWIC

Chair, COSEWIC

Dr. Marco Festa-Bianchet Département de biologie Université de Sherbrooke Sherbrooke, QC J1K 2R1 QH 77 C3 C6613 2004

MAY

Committee on the Status...

Canadian species at risk.

Chan, COSEWIC

SUBCOMMITTEES (2004)

Aboriginal Traditional Knowledge

Mr. Larry Carpenter
Co-Chair
Wildlife Management Advisory Council
Northwest Territories
P.O. Box 2120
Inuvik, NT X0E 0T0

Mr. Henry Lickers
Co-Chair
Mohawk Council of Akwesasne
Department of the Environment
P.O. Box 579
Cornwall, ON K6H 5T3

Species Specialist

Amphibians and Reptiles
Dr. David M. Green

Co-Chair Redpath Museum McGill University 859 Sherbrooke Street West Montréal, QC H3A 2K6

Dr. Ronald J. Brooks

Co-Chair
Department of Zoology
College of Biological Science
University of Guelph
Guelph, ON N1G 2W1

Freshwater Fishes

Dr. Robert Campbell Co-Chair 983 Route 800 E R.R. #1 St. Albert, ON KOA 3CO

Dr. Claude Renaud

Co-Chair Canadian Museum of Nature P.O. Box 3443 - Station D Ottawa, ON K1P 6P4 Arthropods

Dr. B. Theresa Fowler
Co-Chair
Species at Risk Branch
Canadian Wildlife Service
Environment Canada
Ottawa, ON K1A 0H3

Vacant Co-Chair Birds

Richard Cannings Co-Chair 1330 East Debeck Road

R.R. 1, Site11 - Comp. 96 Naramata, BC VOH 1N0

Dr. Marty L. Leonard Co-Chair Department of Biology Dalhousie University 1355 Oxford Street Halifax, NS B3H 4J1

Marine Fishes

Dr. Richard L. Haedrich

Co-Chair

Department of Biology Memorial University of Newfoundland 4 Clark Place

St. John's, NL A1B 5S7

Dr. Mart R. Gross

Co-Chair

Department of Zoology University of Toronto 25 Harbord Street Toronto, ON M5S 3G5 Marine Mammals

Dr. Hal Whitehead

Co-Chair

Department of Biology Dalhousie University 1355 Oxford Street Halifax, NS B3H 4J1

Dr. Andrew Trites

Co-Chair

Marine Mammal Research Unit University of British Columbia Room 18, Hut B-3

6248 Biological Sciences Road Vancouver, BC V6T 1Z4

Molluscs

Dr. Gerald L. Mackie

Co-Chair
Department of Zoology
College of Biological Science
University of Guelph
Guelph, ON N1G 2W1

Vacant Co-Chair Plants and Lichens

Dr. Erich Haber

Co-Chair (Vascular Plants) c/o National Botanical Services 604 Wavell Avenue Ottawa, ON K2A 3A8

Dr. René Belland

Co-Chair (Mosses and Lichens)
Devonian Botanic Garden
University of Alberta
Edmonton, AB T6G 2E1

Terrestrial Mammals

Dr. Marco Festa-Bianchet Département de biologie Université de Sherbrooke Sherbrooke, QC J1K 2R1

Dr. M. Brock Fenton

Co-Chair

Department of Biology University of Western Ontario London, ON N6A 5B7



COSEWIC

Committee on the Status of Endangered Wildlife in Canada

COSEPAC

Comité sur la situation des espèces en péril au Canada

The Committee on the Status of Endangered Wildlife in Canada (COSEWIC) was created in 1977 as a result of a recommendation at the Federal-Provincial Wildlife Conference held in 1976.

It arose from the need for a single, official, scientifically sound, national classification of wildlife species at risk.

In 1978, COSEWIC designated its first species and produced its first list of Canadian species at risk.

In 2002, COSEWIC celebrated 25 years of science-based assessment of the status of species at risk in Canada.

On June 5th 2003, the *Species at Risk Act* (SARA) was proclaimed. SARA establishes COSEWIC as an advisory body, ensuring that species will continue to be assessed under a rigorous and independent scientific process.



Environment Canada

Canadian Wildlife

Environnement Canada Service canadien

Canada

