




Natural Resources
Canada

Ressources naturelles
Canada



CanmetENERGY

Leadership in ecoInnovation

Integrated Emissions Control


CanmetENERGY new collaborative program on integrated control of combustion emissions addresses the most cost effective energy efficient means of meeting current and anticipated environmental requirements. The Clean Electric Power Generation Group (CEPG) provides state-of-the-art testing services and innovative technology solutions to help industry meet today's regulations for SO_x, NO_x and particulate control, while selecting technologies compatible with future requirements, including control of trace elements such as mercury.

BACKGROUND

Factors such as changing fuel quality and more stringent environmental regulations create a constant challenge for utilities and industrial users of fossil fuel. CanmetENERGY's Integrated Emissions Control (IEC) program helps Canadian industry respond to this challenge.

CanmetENERGY's furnace modeling and combustion research have already rendered valuable assistance to electrical utilities and other industrial users of carbon-based fuels in the control of mercury, SO_x, NO_x and particulates. Today's social and economic pressures require users to achieve better energy efficiency (hence, reducing greenhouse gas emissions) and reduce emissions of air pollutants while reducing waste products. The program addresses interactions between control technologies. It offers pilot-scale analysis and evidence to fuel users as a basis for selecting cost-effective, energy-efficient technologies that both satisfy current environmental regulations and enhance the user's ability to meet the more stringent requirements of the future.

The Canadian Environmental Protection Act defined several substances emitted during the combustion of fossil fuels as toxic. Environment Canada therefore initiated a "Strategic Options Process" to examine the




Vertical Combustor

impact and potential need for controlling the emissions of these contaminants, such as nickel, arsenic, hexavalent chromium and cadmium compounds, as well as certain fluorides. Related environmental initiatives include the Acid Rain Program, the NO_x/VOC Management Plan, the Canada/U.S. Air Quality Accord (which involves amendments to the U.S. Clean Air Act), the United Nations ECE Heavy Metal Protocol, and the Accelerated Reduction/ Elimination of Toxics Program. The program will assist utilities and other stakeholders in the Strategic Options Process to make recommendations that are based on soundly derived scientific and technical data.

PROGRAM ELEMENTS


TRACE ELEMENTS

The program helps industry to specify the most economic and effective technologies for containing trace element emissions. It offers an integrated evaluation of the release of trace elements in conjunction with the performance of devices to control SO_x, NO_x and particles. It also determines the most cost-effective ways to meet both current and anticipated emission regulations for trace



CanmetENERGY

Leadership in ecoInnovation



Interactive Processes in the Control of Airborne Pollutants from Fuel Combustion

elements. The program can also identify the fate and pathway of trace elements released from the combustion of fuels or fuel mixtures.

PARTICULATE CONTROL


The program examines new systems to meet increasingly stringent requirements for higher levels of solids removal, especially ultra-fine particles. CanmetENERGY's program examines the

performance of current and new devices for containing fine particles and reducing opacity. It determines the extent of trace element concentration in the smallest emitted particles. By analyzing the interaction between particle collection devices and other emission controls, it defines the most economic way to meet regulations.



Natural Resources
Canada

Ressources naturelles
Canada



CanmetENERGY

Leadership in ecoInnovation

SO_x CONTROL

Optimal economic methods of SO_x control depend on the level of sulphur in fuel as well as other emission regulations. The program offers industry a way to determine the most cost effective pre- or post-combustion SO_x control technology for specific circumstances.

NO_x CONTROL

The program examines the conflict between NO_x control and energy efficiency, determining how to balance these demands at minimum cost. By studying how staged burning affects the amount of carbon in ash, the program can recommend practical trade-offs for specific fuel applications.

CONTROL REGULATIONS STUDIES

CanmetENERGY offers Canadian industry an unrivaled window on regulatory and standardization activities. CanmetENERGY's professionals take part in industrial problem-solving as well as participating with Environment Canada and other national and international agencies in formulating regulations. CanmetENERGY's staff, therefore, lend an industrially oriented voice to committees writing regulations and standards. These perspectives allow CanmetENERGY to design programs that anticipate the direction and scope of forthcoming environmental regulations.

PROGRAM IMPLEMENTATION

CanmetENERGY's combustion team of scientists, engineers and technicians helps industrial clients find solutions to their needs, either singly or in consortia. As clients deem appropriate, we supplement our expertise by involving experts from other parts of Natural Resources Canada, the federal government, provincial governments, other research organizations or universities. We encourage participation by industrial associations. Contracts under the program are flexible and tailored to clients' needs. In a typical SO_x and trace element project, CanmetENERGY and

one or two utility companies, possibly with the collaboration of Environment Canada, would join forces to:

- determine the extent, pathways and fate of specified trace elements during the combustion of the coals that the utilities expect to use;
- evaluate the effectiveness of sorbent injection for SO₂ control on the capture of volatile trace elements; and
- compare the partitioning of trace elements in a pilot-scale research boiler under known conditions with those obtained under similar conditions in utility boilers.

Working with the utilities, we would select the coals and proposed sorbent. We would compile all available data on trace elements in the chosen coals and their combustion products, taking fireside samples. The facilities would be cleaned rigorously to avoid errors from contamination. Using the research boiler and downstream flue-gas processing circuit of our pilot plant, we would measure the emissions of trace elements when burning the coals (with the emissions caused by burning natural gas as a base case for comparison) and prepare mass balances for the trace elements as they pass through the type of fly-ash collection system used by the utilities.

We would apply in-furnace or post combustion sorbent injection to determine the effects of a lime-based sorbent on emissions of trace elements for each coal.


Such a project would include detailed studies by our combustion experts, spectroscopic and chemical analyses in comprehensive facilities, and reports on trace element partitioning under defined combustion regimes in pilot-scale or commercial-scale boilers.

We would comment on the type, extent and fate of trace elements and suggest strategies for our clients to minimize costs of compliance with expected environmental regulations.




Natural Resources
Canada

Ressources naturelles
Canada



CanmetENERGY

Leadership in ecoInnovation



Schematic of CanmetENERGY's 0.3MW Vertical Combustor Oxy-Fuel Research Facility and Flue Gas Treatment Units

Observation and participation by clients' officers is always welcome.

CanmetENERGY's pilot facility offers clients the choice of a 0.5 MW (2 million BTU/hr) pilot scale research boiler or a 0.3 MW (1 million BTU/hr) Vertical Combustor. The combustors operate at temperatures of up to 1800°C and the electrostatic precipitator and fabric filters operate at temperatures up to 200°C. The facility allows observations of heat flux, temperature and gas flow rate, the withdrawal of entrained fly-ash for analysis and on-line gas analysis at all critical points. Sampling methods conform to EPA protocols and we are ISO 9001:2000 certified.

The facility is highly flexible. Designed to burn coal, natural gas or oil, it can be modified for other fuels. Pulverized coal size, combustor geometry, proportion

and temperature of flue gas recirculation, type and temperature of fly-ash collection and sorbent utilization can all be tailored to suit our clients. CanmetENERGY's capabilities are available for use on a "fee-for-service basis".

YOUR INVITATION TO WORK WITH US

We are interested in collaborating with you. Please contact the Business Office to discuss your particular needs.

Tel: (613) 996-8693

Email: cetc-bdo@nrcan.gc.ca

FOR MORE INFORMATION

Dr. Kourosh Zanganeh
Research Scientist
Tel: (613) 996-3916
Email: kzangane@nrcan.gc.ca

CanmetENERGY
Natural Resources Canada
1 Haanel Drive
Ottawa, Ontario, K1A 1M1
Canada