

## REFERENCES

- Alexander, E.C., Jr., Mickelson, G.M., and Lanphere, M.A., 1978. MMhb-1; a new  $^{40}\text{Ar}$ - $^{39}\text{Ar}$  dating standard; *in* International Conference on Geochronology, Cosmochronology, and Isotope Geology, 4<sup>th</sup>, Snowmass-at-Aspen, Colorado, 1978, Short Papers; U.S. Geological Survey, Open-File Report 78-701, p. 6–8.
- Anderson, S.D., 1998. Structure, metamorphism, and U–Pb and  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronology of the Ming's Bight Group, and the Paleozoic tectonic evolution of the Baie Verte Peninsula, Newfoundland; Ph.D. thesis, Dalhousie University, Dartmouth, Nova Scotia, 452 p.
- Anderson, S.D., Jamieson, R.A., and Reynolds, P.H., 2001. Devonian extension in northwestern Newfoundland:  $^{40}\text{Ar}/^{39}\text{Ar}$  and U–Pb data from the Ming's Bight area, Baie Verte Peninsula; *Journal of Geology*, v. 10, p. 191–211.
- Bédard, J.H., Lauzière, K., Sangster, A., Tellier, M., Tremblay, A., and Dec, T., 1999a. Geology, Betts Cove Ophiolite and its cover rocks, Newfoundland; Geological Survey of Canada, Map 1969A, scale 1:20 000. doi:10.4095/211851
- Bédard, J.H., 1999b. Petrogenesis of boninites from the Betts Cove Ophiolite, Newfoundland, Canada: identification of subducted source components; *Journal of Petrology*, v. 40, p.1853–1889.
- Bédard, J.H., Lauzière, K., Boisvert, É., Deblonde, C., Sangster, A., Tremblay, A., and Dec, T., 2000. Betts Cove geological dataset for GIS applications; Geological Survey of Canada, Open File 3623, 1 CD-ROM. doi:10.4095/211544.
- Bélanger, M., 1995. Contrôle structurale et contexte métallogénique de l'indice aurifère Dorset, Péninsule de Baie Verte, Terre-Neuve; M.Sc. thesis, INRS-Géoresources, Québec, Quebec, 81 p.
- Bursnall, J.T., 1975. Stratigraphy, structure and metamorphism west of Baie Verte, Burlington Peninsula, Newfoundland; Ph.D. thesis, Cambridge University, Cambridge, United Kingdom, 337 p.
- Castonguay, S., Skulski, T., van Staal, C.R., McNicoll, V., Joyce, N., 2010. Revisiting the Baie Verte Flexure: from Silurian transpression to Devonian transtension, a long-lived oblique transfer zone, Baie Verte Peninsula, Newfoundland Appalachians; *in* Abstracts with Programs, Geological Society of America, Northeastern and Southeastern Sections Joint Annual Meeting, March 13–16, Baltimore, Maryland, p. 164.
- Castonguay, S., van Staal, C.R., Joyce, N., Skulski, T., and Hibbard, J., 2014. Taconic metamorphism preserved in the Baie Verte Peninsula, Newfoundland Appalachians: geochronological evidence for ophiolite obduction and subduction and exhumation of the leading edge of the Laurentian (Humber) margin during closure of the Taconic Seaway; *Geoscience Canada*, v. 41, p. 459–482.

- Christie, B.J. and Dearin, C., 1986. Geological report on phase 1 and recommended phase 2 exploration programs for the Ming's Bight claim group, Baie Verte Peninsula, Newfoundland; Newfoundland Department of Energy and Mines Assessment Report 012H/16/0965, 18 p.
- Coates, H.J., 1970. Structural and metamorphic history of the Pacquet Harbour-Grand Cove area, Burlington Peninsula, Newfoundland; M.Sc. thesis, Memorial University of Newfoundland, St. John's, Newfoundland and Labrador, 79 p.
- Coish, R.A., 1977. Igneous and metamorphic petrology of the mafic units of the Betts Cove and Blow-Me-Down ophiolites, Newfoundland; Ph.D. thesis, University of Western Ontario, London, Canada, 252 p.
- Colman-Sadd, S.P. and Crisby-Whittle, L.V.J., 2002. Partial bedrock geology dataset of the Island of Newfoundland (NTS areas 02 E, 12 H, 12 G, and parts of 01 M, 02 D, 02 L, 12 A, 12 B, and 12I); Newfoundland and Labrador Department of Mines and Energy, Open File NFLD/2616.
- Dallmeyer, R.D., 1977.  $^{40}\text{Ar}/^{39}\text{Ar}$  age spectra of minerals from the Fleur de Lys terrane in northwest Newfoundland: their bearing on chronology of metamorphism within the Appalachian orthotectonic zone; *Journal of Geology*, v. 85, p. 89–103.
- Dallmeyer, R.D. and Hibbard, J., 1984. Geochronology of the Baie Verte Peninsula, Newfoundland: implications for the tectonic evolution of the Humber and Dunnage Zones of the Appalachian Orogen; *Journal of Geology*, v. 92, p. 489–512.
- DeGrace, J.R., Kean, B.F., Hsu, E., and Green, T., 1976. Geology of the Nippers Harbour area (2E/13), Newfoundland; Department of Mines and Energy, Newfoundland, Report 76-3, 73 p., scale 1:50 000.
- de Wit, M.J. and Armstrong, R., 2014. Ode to field geology of Williams: Fleur de Lys nectar still fermenting on Belle Isle; *Geoscience Canada*, v. 41, p. 118–137.
- Dimmell, P.M. and MacGillivray, G., 1991. 1990 Assessment report on the project 7451- Wellsdale option, Baie Verte, Newfoundland, M.L. 127 (12053) fee simples – vol 1, fol 82 & 83; Newfoundland Department of Energy and Mines, Assessment Report 12H/16-1220, 124 p.
- Dubé, B., Lauzière, K., and Poulsen, H.K., 1993. The Deer Cove deposit: an example of “thrust” related breccia-vein type gold mineralization in the Baie Verte Peninsula, Newfoundland; *in* Current Research, Part D; Geological Survey of Canada, Paper 93-1D, p. 1–10.
- Dunning, G.R. and Krogh, T.E., 1985. Geochronology of ophiolites of the Newfoundland Appalachians; *Canadian Journal of Earth Sciences*, v. 22, p. 1659–1670.

- Dunsworth, S., 2004. Assessment report of prospecting, geochemical mapping, sampling and geochemistry on licenses #9005M (year 2 supplementary), #9068M (year 2), #7825M (year 4), #7300M (year 5), #7486M (year 5) and 7299M (year 5), The Dorset Property, NTS 12H/16, Baie Verte Newfoundland; Newfoundland Department of Energy and Mines, Assessment Report 012h/16/1738, 45 p.
- Epstein, R.S., 1983. The eastern margin of the Burlington granodiorite, Newfoundland; M.Sc. thesis, University of Western Ontario, London, Ontario, 188 p.
- Evans, D.T.W., 2004. Epigenetic gold occurrences, Baie Verte Peninsula (NTS 12H/09, 16 and 12I/01), Newfoundland; Government of Newfoundland and Labrador, Department of Natural Resources, Geological Survey, Mineral Resources Report no. 11, 157 p.
- Fiset, N., 2002. Report on a helicopter-borne magnetic and electromagnetic survey; *in* S.A. Scott (2003) Mineral Licenses 8487M, 8488M, 8489M, 9060M, 7864M, 7919M, 7920M, 9042M, 9044M, 4249, 4372, 7882M, 7885M, 8404M, 9294M, 4335, 6979M Newfoundland Department of Mines and Energy, Assessment Report NFLD/2818, 10 p.
- Fitzpatrick, D.S., 1981. Geology and mineral potential of upper ophiolitic rocks near Ming's Bight, Burlington Peninsula, Newfoundland; B.Sc. thesis, Memorial University of Newfoundland, St. John's, Newfoundland and Labrador, 90 p.
- Gale, G.H., 1971. An investigation of some sulphide deposits in the Rambler area, Newfoundland; Ph.D. thesis, University of Durham, Durham, England, 137 p.
- Gower, D., 1987a. Maritec Option, NTS 12H/16 License #2471, C.B. 3668 Report on Geochemical surveys and prospecting; Newfoundland Mineral, Lands and Mines Division, Assessment Report 12H/16/987, 127 p.
- Gower, D., 1987b. Third year assessment report on diamond drilling, geological mapping, trenching, underground exploration, geophysical and geochemical surveys licences 2463 and 2878 Devil's Cove claim group, NTS 12I/1, 12H/16; Newfoundland Mineral, Lands and Mines Division, Assessment Report NFLD 1744, 35 p.
- Hibbard, J., 1983. Geology of the Baie Verte Peninsula, Newfoundland; Department of Mines and Energy, Government of Newfoundland and Labrador, Memoir 2, 279 p., scale 1:100 000.
- Huard, A., 1990a. Fourth year assessment report geological and geochemical licence 2745 Shear South property, NTS 12H/16; Newfoundland Department of Energy and Mines, Assessment Report 12H/16-1152, 43 p.
- Huard, A., 1990b. Fifth Year Assessment Report, Licence 4078 Trenching and diamond drilling Bradley north property NTS 12H/16; Newfoundland Mineral, Lands and Mines Division, Assessment Report 12H/16/1229, 4 p.

- Hudson, K.A., 1988. Gold and base metal mineralization in the Nippers harbour ophiolite, Newfoundland; M.Sc. thesis, Memorial University of Newfoundland, St. John's, Newfoundland and Labrador, 305 p.
- Jenner, G.A., 1977. Geochemistry of the Upper Snooks Arm Group, Newfoundland; M.Sc. thesis, University of Western Ontario, London, Ontario, 134 p.
- Jourdain, V. and Oravec, K., 1996. Geological compilation and assessment of exploration 1996, Goldenville-east property, Baie Verte Peninsula, Newfoundland; Newfoundland Mineral, Lands and Mines Division, Assessment Report 12H/16/1436, 45 p.
- Kambampati, M.V., 1984. Geology, petrochemistry and tectonic setting of the Rambler area, Baie Verte Peninsula, Newfoundland; M.Sc. thesis, University of New Brunswick, Fredericton, New Brunswick, 268 p.
- Kennedy, M.J., 1971. Structure and stratigraphy of the Fleur de Lys Supergroup in the Fleur de Lys area, Burlington Peninsula, Newfoundland; *in* Proceedings of the Geological Association of Canada, v. 24, p. 59–73.
- Kerr, A. and Collins, M.J., 1983. Iron Ore Company of Canada Gull Pond Project, report on geology, geophysics, geochemistry and diamond drilling, Licence 2220, 2224, NTS 12 H/16, Baie Verte Area, Newfoundland; Newfoundland Department of Energy and Mines, Assessment Report 12H/16-811/1-11, 63 p.
- Kerr, A., Hayes, J.P., Colman-Sadd, S.P., Dickson, W.L., and Butler, A.J., 1994. An integrated lithochemical database for the granitoid plutonic suites of Newfoundland; Newfoundland Department of Mines and Energy, Geological Survey Branch, Open File report NFLD/2377.
- Kidd, W.S.F., 1974. The evolution of the Baie Verte lineament, Burlington Peninsula, Newfoundland; Ph.D. thesis, University of Cambridge, Cambridge, England, 294 p.
- Kidd, W.S.F., Dewey, J.F., and Bird, J.M., 1978. The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle; Canadian Journal of Earth Sciences, v. 15, no. 5, p. 781–804.
- MacDougall, C.S., Beer, C., and Deering, P., 1989. Third year assessment report on the Wolverine pond Property (4628) prospecting, linecutting, geology, geochemistry, geophysics, trenching and diamond drilling Licence 3405, Claims 3998-9, 4430-35, NTS 12H/9, 10; Noranda Exploration Company Limited; Newfoundland Mineral, Lands and Mines Division, Assessment Report Geofile: 12H(1142), 45 p.
- Miller, R.R., 1994. Rare-metal metallogeny in Newfoundland and Labrador; Newfoundland Department of Mines and Energy, Geological Survey Branch, Final Report, Geoscience contract project NC.1.2.1, 352 p.

- Miller, R.R. and Abdel-Rahman, A.M., 1994. Geology of the King's Point Complex (parts of NTS 12H/9 and 12H/16), Newfoundland; Department of Mines and Energy, Newfoundland and Labrador, Map 2003-23, scale 1:50 000.
- Min, K., Mundil, R., Renne, P.R., and Ludwig, K.R., 2000. A test for systematic errors in  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronology through comparison with U/Pb analysis of a 1.1 Ga rhyolite; *Geochimica et Cosmochimica Acta*, v. 64, p. 73–98.
- Mouge, P. and Largeaud, J., 2007. Helicopter borne magnetic and radiometric survey over the Wisker Valley uranium project in Newfoundland; *in* D. Fraser and A. Thomas, 2008, First year assessment report on the Wisker Valley uranium project, Baie Verte Peninsula, Newfoundland; Government of Newfoundland and Labrador, Department of Natural Resources, Mineral Lands Division, Assessment report 012H/09/2013, 19 p.
- Norman, R.E., 1973. Geology and petrochemistry of ophiolitic rocks of the Baie verte Group exposed at Ming's Bight, Newfoundland; M.Sc. thesis, Memorial University of Newfoundland, St. John's, Newfoundland and Labrador, 122 p.
- Pelletier, M., 2007. Technical report on a fixed wing aeromagnetic survey, Baie Verte Newfoundland and Labrador, 26 p. <http://gdr.agg.nrcan.gc.ca/gdrdap/dap/search-eng.php>
- Piercey, J.P., 1996. The geology and geochemistry of the Southern Pacquet Harbour Group volcanics, Baie Verte Peninsula, Newfoundland; B.Sc. thesis, Memorial University of Newfoundland, St. John's, Newfoundland and Labrador, 123 p.
- Ramezani, J., 1992. The geology, geochemistry and U/Pb geochronology of the Stog'er Tight Gold prospect Baie Verte Peninsula, Newfoundland; M.Sc. thesis, Memorial University of Newfoundland, St. John's, Newfoundland and Labrador, 256 p.
- Regular, K., 2005. Seaside Realty Limited, eleventh year assessment report on the Big Bear property, Ming's Bight area, NL, License number 10238M, N.T.S. 12 H/16; Newfoundland Department of Energy and Mines, Assessment Report 12H/16-1748/1-2, 53 p.
- Renne, P.R., Swisher, C.C., Deino, A.L., Karner, D.B., Owens, T.L., and Depaolo, D.J., 1998. Intercalibration of standards, absolute ages and uncertainties in  $^{40}\text{Ar}/^{39}\text{Ar}$  dating; *Chemical Geology*, v. 145, p. 117–152.
- St-Hilaire, C., 1996. High sensitivity electromagnetic and magnetic survey in Newfoundland; *in* S.D. Anderson and S.F. Dudka, 1997. First year assessment report on geological, geophysical and geochemical surveys conducted on license 4529M (Rambler east property), Baie Verte Peninsula, Newfoundland April to August, 1996, NTS sheet 12H/16; Newfoundland Mines and Energy, Mineral Lands Division, assessment report NFLD/2657, 16p.
- Samson, S.D. and Alexander, E.C., 1987. Calibration of the interlaboratory  $^{40}\text{Ar}/^{39}\text{Ar}$  dating standard, MMhb-1; *Chemical Geology, Isotope Geoscience Section*, v. 66, p. 27–34.

- Saunders, C.M., 1985. Controls of mineralization in the Betts Cove ophiolite; M.Sc. thesis, Memorial University of Newfoundland, St John's, 200 p.
- Saunders, C.M., 1995. Volcanic rock geochemical database, user manual. Government of Newfoundland and Labrador; Department of Natural Resources, Geological Survey, Open File NFLD/2414 Version 2.0, 1995, 102 p.
- Sheppard, B., Strickland, R., Mercer, B., and Delaney, P., 1987. Exploration Report on Baie Verte Property licence# 3041, CB-5015-5017, 5020-5023, License 3154, CB 5330; Newfoundland Mineral, Lands and Mines Division, Assessment Report Nfld1866, 183 p.
- Skulski, T., Castonguay, S., McNicoll, V., van Staal, C.R., Kidd, W., Rogers, N., Morris, W., Ugalde, H., Slavinski, H., Spicer, W., Mousallam, Y., and Kerr, I., 2010. Tectonostratigraphy of the Baie Verte Oceanic Tract and its ophiolite cover sequence on the Baie Verte Peninsula, Newfoundland; Newfoundland and Labrador Department of Natural Resources, Geological Survey, Current Research 2010, Report 10-1, p. 315–335.
- Skulski, T., McNicoll, V., Whalen, J.B., Moussallam, Y., Dunning, G., Castonguay, S., Cawood, P., Kidd, W.S.F., and van Staal, C., 2012. Subduction to slab-break-off transition recorded in the timing, composition and setting of early Silurian volcano-plutonic complexes, Baie Verte Peninsula, Newfoundland; Geological Association of Canada–Mineralogical Association of Canada, Program with Abstracts, St. John's, Newfoundland, May 27–29, 2012, v. 35, p. 128.
- Skulski, T., Castonguay, S., Kidd, W.S.F., McNicoll, V., and van Staal, C.R., 2015a. Geology, King's Point, Newfoundland and Labrador, NTS 12-H/9; Geological Survey of Canada, Canadian Geoscience Map 156, scale 1:50 000. doi:10.4095/295864
- Skulski, T., Castonguay, S., Kidd, W.S.F., McNicoll, V., van Staal, C.R., and Hibbard, J., 2015b. Geology, Baie Verte and parts of Fleur de Lys, Newfoundland and Labrador, NTS 12-H/16 and part of NTS 12-I/1; Geological Survey of Canada, Canadian Geoscience Map 159, scale 1:50 000. doi:10.4095/295865
- Skulski, T., Castonguay, S., Moussallam, Y., McNicoll, V., van Staal, C.R., and Bédard, J., 2015c. Geology, Nippers Harbour and parts of Horse Islands, Cape St. John, and Little Bay Island, Newfoundland and Labrador, NTS 2-E/13 and parts of NTS 2-E/12, NTS 2-E/14, NTS 2-L/4; Geological Survey of Canada, Canadian Geoscience Map 160, scale 1:50 000. doi:10.4095/295866
- Smith, P.A., 1987. First year assessment report on geophysical exploration for licences 2807, 2832, 2834, 2837, 2840, 2842-2850, 3019-3022, 3024-3026, 2890, 2919, 3056 and 3139 on claims in the Baie Verte, Ming's Bight, Flatwater Pond, Micmac Lake and Wolverine Pond areas, Newfoundland, Noranda Exploration and Dighem Surveys, Newfoundland Mineral, Lands and Mines Division, Assessment Report Geofile: 12H/1030, 173 p.

- Smith, G., 2006. Report on helicopter-borne IMPULSE system electromagnetic radiometric and magnetic survey; *in* R.M. Graves, S. Barrett, P. Mercer, A. Cuff, and C. Geenham (2007) Work report on mining leases 141L and 188L and assessment report on claim licenses 09997M (2<sup>nd</sup>, 3<sup>rd</sup> and 4<sup>th</sup> year), 11504M (1<sup>st</sup> year), and 11872M (7<sup>th</sup> year) covering 2006 directional diamond drilling and airborne geophysics on the Rambler property, Baie Verte Peninsula, Newfoundland, NTS 12H16; Government of Newfoundland and Labrador, Department of Natural Resources, Mineral Lands Division, Assessment report 012H/16/1831, 35 p.
- Snow, P., 1989. Third year assessment report on Shear Rambler North property, Golden Havilah option, Licence 2744, NTS 12 H16 Newfoundland Department of Energy and Mines, Assessment Report 12H/16-1082, 140 p.
- Stella, P.J., 1987. Geology of the Northern Baie Verte Peninsula, Newfoundland, Canada; M.Sc. thesis, State University of New York in Albany, Albany, New York, 107 p., scale 1:15 840.
- Stewart, P.W., 1995. Report on 1994 Exploration Gull Pond Property, Baie Verte Peninsula, Newfoundland, NTS 12 H/16, project 223; Newfoundland Department of Energy and Mines, Assessment Report 12H/16-1443, 31 p.
- Tuach, J., 1976. Structural and stratigraphic setting of the Ming and other sulphide deposits in the Rambler area, Newfoundland; M.Sc. thesis, Memorial University of Newfoundland, St. John's, Newfoundland and Labrador, 123 p.
- Upadhyay H.D., 1973. The Betts Cove ophiolite and related rocks of the Snooks Arm Group, Newfoundland; Ph.D. thesis, Memorial University of Newfoundland, St. John's, 224 p.
- van Staal, C.R., Chew, D., Zagorevski, A., McNicoll, V., Hibbard, J., Skulski, T., Castonguay, S., Escayola, M., and Sylvester, P.J., 2013. Evidence of Late Ediacaran hyperextension of the Laurentian Iapetan margin in the Birchy Complex, Baie Verte Peninsula, northwest Newfoundland: implications for the opening of Iapetus, formation of peri-Laurentian microcontinents and Taconic–Grampian orogenesis; *Geoscience Canada*, v. 40, p. 94–117.
- Whalen, J.B., 2012. Geochemical and isotopic (Nd, O, Pb and Sr) data from igneous rocks of the Notre Dame subzone and adjacent tectonostratigraphic zones, western and central Newfoundland; Geological Survey of Canada, Open File 7202, 16 p. doi:10.4095/291593.