



Health
Canada Santé
Canada

*Your health and
safety... our priority.*

*Votre santé et votre
sécurité... notre priorité.*

Proposed Maximum Residue Limit

PMRL2017-04

Trifloxystrobin

(publié aussi en français)

3 March 2017

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6607 D
Ottawa, Ontario K1A 0K9

Internet: pmra.publications@hc-sc.gc.ca
healthcanada.gc.ca/pmra
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
pmra.infoserv@hc-sc.gc.ca

Canada 

ISSN: 1925-0835 (print)
1925-0843 (online)

Catalogue number: H113-24/2017-4E (print version)
H113-24/2017-4E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2017

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) is proposing to establish a maximum residue limit (MRL) for trifloxystrobin on undelinted cotton seeds to permit the import and sale of foods containing such residues.

Trifloxystrobin is a fungicide currently registered in Canada for use on various commodities.

The PMRA must determine the quantity of residues that are likely to remain in or on the imported food commodities when trifloxystrobin is used according to label directions in the exporting country, and that such residues will not be a concern to human health. This quantity is then legally established as an MRL on the corresponding imported commodity. An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it.

Consultation on the proposed MRL for trifloxystrobin is being conducted via this document (see Next Steps, the last section of this document). A summary of the field trial data used to support the proposed MRL can be found in Appendix I.

To comply with Canada's international trade obligations, consultation on the proposed MRL is also being conducted internationally by notifying the World Trade Organization, as coordinated by Canada's Notification Authority and Enquiry Point.

The proposed MRL, to be added to the MRLs already established for trifloxystrobin, is as follows.

Table 1 Proposed Maximum Residue Limit for Trifloxystrobin

Common Name	Residue Definition	MRL (ppm) ¹	Food Commodity
Trifloxystrobin	methyl (α,E)- α -(methoxyimino)-2-[[[(<i>E</i>)-1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetate, including the metabolite (α,E)- α -(methoxyimino)-2-[[[(<i>E</i>)-1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetic acid, expressed as trifloxystrobin	0.5	Undelinted cotton seeds

¹ ppm = parts per million

MRLs established in Canada may be found using the Maximum Residue Limit Database on the Maximum Residue Limits for Pesticides webpage. The database allows users to search for established MRLs, regulated under the *Pest Control Products Act*, both for pesticides or for food commodities.

International Situation and Trade Implications

The MRL proposed for trifloxystrobin in Canada is the same as the corresponding American tolerance as listed in the Electronic Code of Federal Regulations, 40 CFR Part 180, by pesticide. Currently, there are no Codex MRLs¹ listed for trifloxystrobin in or on undelinted cotton seeds on the Codex Alimentarius Pesticide Residues in Food and Feed webpage.

Table 2 Comparison of Canadian MRL, American Tolerance and Codex MRL

Food Commodity	Canadian MRL (ppm)	American Tolerance (ppm)	Codex MRL (ppm)
Undelinted cotton seeds	0.5	0.5	Not Established

Next Steps

The PMRA invites the public to submit written comments on the proposed MRL for trifloxystrobin up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRL. Comments received will be addressed in a separate document linked to this PMRL. The established MRL will be legally in effect as of the date that it is entered into the Maximum Residue Limit Database.

¹ The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

Appendix I

Summary of Field Trial Data Used to Support the Proposed Maximum Residue Limit

Residue data for trifloxystrobin in cotton were submitted to support the maximum residue limit on imported undelinted cotton seeds. In addition, a processing study in treated cotton was reviewed to determine the potential for concentration of residues of trifloxystrobin into processed commodities.

Maximum Residue Limit

The recommendation for a maximum residue limit (MRL) for total residues of trifloxystrobin and trifloxystrobin acid was based upon the residues observed in the crop commodity treated according to label directions in the exporting country, and the guidance provided in the OECD MRL Calculator. Table A1 summarizes the residue data used to calculate the proposed MRL for imported undelinted cotton seeds.

Table A1 Summary of Field Trial and Processing Data Used to Support the MRL

Commodity	Application Method/ Total Application Rate (g a.i./ha)¹	Preharvest Interval (days)	Lowest Average Field Trial Residues (ppm)²	Highest Average Field Trial Residues (ppm)²	Experimental Processing Factor
Undelinted cotton seeds	Foliar/ 410-440	27-43	<0.02	0.27	Refined oil (0.06)

¹ g a.i./ha = grams of active ingredient per hectare

² Total residues of trifloxystrobin = sum of trifloxystrobin and trifloxystrobin acid residues, expressed as parent equivalents.

Following the review of all available data, the MRL as proposed in Table 1 is recommended to cover total residues of trifloxystrobin. Total residues of trifloxystrobin in the imported crop commodity at the proposed MRL will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.