



Health
Canada

Santé
Canada

*Your health and
safety... our priority.*

*Votre santé et votre
sécurité... notre priorité.*

Re-evaluation Note

REV2017-16

Re-evaluation Project Plan for Copper Thiocyanate

(publié aussi en français)

30 May 2017

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6607 D
Ottawa, Ontario K1A 0K9

Internet: pmra.publications@hc-sc.gc.ca
healthcanada.gc.ca/pmra
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
pmra.infoserv@hc-sc.gc.ca

Canada 

ISSN: 1925-0630 (print)
1925-0649 (online)

Catalogue number: H113-5/2017-16E (print version)
H113-5/2017-16E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2017

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Background

In Canada, copper thiocyanate is under re-evaluation by Health Canada's Pest Management Regulatory Agency (PMRA). PMRA re-evaluates registered pesticides to determine whether the use of these products continues to be acceptable in terms of value, human health, and the environment according to current standards.

Under the authority of section 16 of the *Pest Control Products Act*, all registrants of copper thiocyanate were notified of the initiation of the re-evaluation of copper thiocyanate. Following this, the registrant of copper thiocyanate technical grade active ingredient in Canada indicated their support of all uses included on the labels of end use products in Canada.

Copper thiocyanate is registered for use as an antifouling paint for use on boats. It can be used on aluminum, fibreglass, wood, steel, and lead below the true waterline in fresh, salt, and brackish water. This includes underwater metals such as shafts, propellers, trim tabs, struts and thru-hull fittings. Application is by spraying (commercial product) or by brush or roller (domestic product).

This project plan for the re-evaluation of copper thiocyanate outlines the timeline for review, and summarizes the anticipated area(s) of focus for the risk assessments.

Re-evaluation Project Plan

Anticipated Re-evaluation Timeline

The re-evaluation of copper thiocyanate is defined as a Category 2 as described in Regulatory Directive DIR2016-04, *Management of Pesticides Re-evaluation Policy*, which was adopted on December 1, 2016. However, because this re-evaluation was initiated prior to the implementation of DIR2016-04, the proposed re-evaluation decision for copper thiocyanate is anticipated to be published for consultation by August 2018. The re-evaluation timeline may be updated if, during the risk assessment, PMRA identifies additional areas of focus that should be considered.

Human Health Risk Assessment

A review of the available toxicology information will be conducted. Updated occupational and/or residential assessments will be conducted should there be any changes to the toxicological conclusions.

Environmental Risk Assessment

Existing assessments with minor updates are considered to be adequate to support the re-evaluation of copper thiocyanate.

Value

The value of copper thiocyanate will be considered. The viability of alternatives will be examined for certain uses if risks of concern requiring mitigation are identified.

Additional Information

PMRA documents can be found in the Pesticides and Pest Management section of Health Canada's website at healthcanada.gc.ca/pmra. PMRA documents are also available through the Pest Management Information Service:

Phone: 1-800-267-6315 within Canada, or
 1-613-736-3799 outside Canada (long distance charges apply)

Fax: 1-613-736-3798

E-mail: pmra.infoserv@hc-sc.gc.ca