### CANADA

# DEPARTMENT OF TRADE AND COMMERCE DOMINION BUREAU OF STATISTICS AGRICULTURAL DIVISION

Vol. 31

No. 11

## **COLD STORAGE HOLDINGS**



of

FISH

NOVEMBER 1, 1948

Published by Authority of the Rt. Hon. C. D. Howe, M.P., Minister of Trade and Commerce

**OTTAWA** 

1948

Price \$1 a year



# DOMINION BUREAU OF STATISTICS AGRICULTURAL DIVISION OTTAWA, CANADA

Dominion Statistician: Herbert Marshall Director, Agricultural Division: C. V. Parker In Charge, Cold Storage Statistics: R. P. Lafleur

#### COLD STORAGE HOLDINGS OF FISH - NOVEMBER 1, 1948

ALL FISH

Stocks of all frozen fish in Canada amounted to 46,393,218 lb.
on November 1, of which 43,540,188 lb. were frozen fresh and 2,853,030 lb. frozen
smoked. In these figures estimates of 6,445,000 lb. frozen fresh and 215,000 lb. frozen
smoked are included for firms failing to report on time. These holdings are lower by
2.4 million pounds frozen fresh and lower by 869 thousand lb. frozen smoked than those
at November 1, 1947. Compared with October 1, 1948 figures they are higher by 3.5
million pounds frozen fresh and lower by 260 thousand pounds frozen smoked. There was
an "into-storage" movement for all classifications of 3.3 million lb. as compared with
a similar movement of 2.0 million lb. during October 1947.

SEA FISH COD Holdings of frozen cod were 6,334,598 lb. not including estimates consisting of 4,973,900 lb. frozen fresh and 1,360,698 lb. frozen smoked. The apparent net decrease during October was 581 thousand lb. as compared with a similar movement of 568 thousand pounds during October 1947. The quantity reported as having been frozen during October was 2,108,000 lb. but no estimate is made for firms failing to report on time.

HADDOCK Stocks of frozen haddock totalled 1,908,534 lb. not including estimates for late firms, of which 1,519,146 lb. were frozen fresh and 389,388 lb. frozen smoked. Haddock holdings were 148,966 lb. higher than the stocks on hand last year and 184,029 lb. higher than last month. There were 950,434 lb. reported as having been frozen during October.

SALMON Frozen salmon stocks at November 1 were 9,879,391 lb. without estimating for late firms, as compared with 11,354,827 lb. last year and 6,077,200 lb. last month. The apparent net increase during October was 3,802,191 lb. as compared with a similar movement of 4.9 million lb. during the same month in 1947. Freezings during October were 8,385,438 lb.

Frozen stocks of herring, including kippers reported were 7,651,931 lb. being Fresh 6,956,178 lb. and smoked 695,753 lb. Last year at the same date the combined figures were 10,533,408 lb. This month's figures show a decrease of 3,049,349 lb. under last month's holdings. The quantity frozen during October was 264,545 lb.

OTHER SEA FISH Other frozen stocks amounted to 8,092,740 lb. being reported as frozen fresh 7,967,991 lb. and frozen smoked 124,749 lb. All other sea fish reported as having been frozen during October were 1,014,426 lb.

INLAND FISH

There were on hand 5,859,508 lb. of Inland Fish frozen fresh and 6,516 lb. frozen smoked. There were also 3,091,650 lb. of inland fish frozen during October.

Release date: November 15, 1948 3 P. M., E.S.T.

SECTION II INLAND	FISH (Frozen Fresh)	November 1, 1947	NOVEMBUR 1, 1948 PROLIMINARY	October 1, 1943 Revised
		lb.	10.	27.
Cod, Atlantic	Dressed	( 2,570,951	513,682	561,522
	Filleted	(2,366,554	2,953,714	2,974,317
Joi, Facific	Dressed		1,309,144	1.451,656
	Filleted	(	197,360	240,752
Haddock	Dressed	193,560	367,017	251,889
	Fillstet	1,659,363	1,152,129	1,052,295
Walibut Atlantic	Dressed	( 9,836,606	186,001	516,664
Pacific	Dressed	(	4,216,989	3,093,911
Other Flatfish	Dressel		94,400	185,721
	Filleted		895,350	1,081,210
Herring Atlantic	kound	( 9,404,530	5,933,107	8,330,718
Facific	Round	(	1,023,071	1,511,342
Mackerel	Round or Dressed	1,035,167	803,165	1,087,385
Salmon Atlantic		263,821	288,790	381,672
Shum	Dressed	(6,050,162	5,725,033	963,230
	Filleted	(	18,265	8,640
John .	Dressed	( 3,451,278	2,260,306	2,771,965
	Filloted		65,748	209,655
link	(Humpback)	554.011	247,294	478,096
Spring Red	Dressea	( 427,932	574,335	662,355
	Filleted	(	4,514	4,429
Spring White	9	151,742	391,497	365,811
Steelhe ad		43,427	98,986	114,739
Not Classifi		49,128	143,697	97,550
	TOTAL SALIDA	10,991,495	9.813.465	6,008,142
Shellfish (Lobsters,		326,371	296,515	208,135
Other Sea Fish	Pressed and Filloted	3,449,989	1,475,571	2,494,073
Reported	The second secon		31,235,680	
Estimated TOTAL		41,339,601	6,285,000 37,520,680	36,059,732

<sup>(</sup>x) Insufficient reports received but included in "Other".

SECTION II INLAN	D FISH (Frozen Fresh)	November 1, 1947	NOVEMBER 1, 1948 PRELIMINARY	October 1, 1948 Revised
		lb.	lb.	lb.
Blue Pickerel	Round or Dressed	(1)	49,745	58,432
Cisco (Lake Herrin	(g ) <sup>11</sup> <sup>11</sup> <sup>11</sup>		28,351	47,581
Lake Trout	11 11 11	( 299,558	82,188	376,953
Lake Trout	Filleted	(	41,912	75,590
Perch	Round or Dressed	•	89,980	35,026
Pickerel (Yellow P		(1,019,974	664,953	387,197
Pickerel	Filleted	(	1,110,760	508,385
Pike (Jack Fish)	Round or Dressed	,	187,238	183,158
Sauger	18 18 18	808,188	1,711,983	532,796
Suckers	19 19 19	, , ,	44,075	46,198
Tullibee	19 17 19	716,214	769,084	394,448
Whitefish	Dressed and Filleted	1,880,972	598,794	739,642
Other	All forms	2,110,000	480,445	582,800
Reported			5,859,508	
Estimated			160,000	
TOTAL		4,724,906	6,019,508	3,968,206
SECTION III	SEA AND INLAND FISH (	Frozen Smoked)		
Cod. Atlantic	Filleted	(1,522,883	1,250,262	1,521,099
Cod, Pacific	Dressed	( 24,436	44,057	40,802
	Filleted	(	66,379	124,997
Had do ck	Dressed	430,945	312,235	311,197
	Filleted	75,200	77,153	109,124
Salmon	Filleted	363,332	60,926	69,058
Sea Herring	Dressed	1,124,873	695,753	859,220
Goldeye	Dressed	, - , - , - ,	6,516	7,286
		179,975	124,749	70,362
Other				
_	and the same to be reconstructed as the same as the same as		2,638,030	A Photo of the Course spinlers appropriately
Other			2,638,030 215,000	Private and the same specimens appropriate

<sup>(1)</sup> Included with Pickerel Yellow Pike, Pound or Dressed and Filleted.

SECTION I SEA FISH (Frozen Fresh)	November 1, 1947	NOVEMBER 1, 1948 PRELIMINARY	3 October 1, 1948 Revised
	lb.	lb.	lb.
Cod, Atlantic Dressed Filleted	( 154,020 ( 821,878	384,419 1,485,182	413,472
Cod, Pacific Dressed	(		-
Haddock Filleted Dressed	154,068	246,873	163,814
Fille ted Halibut Atlantic Dressed	824,515 ( 216,142	861,843 79,382	717,863 363,459
Pacific Filleted Other Flatfish Dressed	(	66,687 58,887	84,988 7,795
Herring Atlantic Round	(6,887,530	86,745 5,361,569	89,175 6,756,864
Pacific Round Mackerel Round or Dressed	966,810	648,136	843,303
Salmon Atlantic Chum Dressed	106,919 (88,324	142,127 55,696	171,652
Filleted Coho Dressed	( 61,797	53,800	(x) 52,821
Filleted Pink (Humpback)	(	(x)	(x)
Spring Red Dressed Filleted	-		79
Spring White Steelhead	85		and cris
Not Classified TOTAL SALMON	257,125	1,172 <b>252,7</b> 95	1,075 238,489
Shellfish (Lobsters, Clams, Oysters) Other Sea Fish Dressed and Filleted	187,448	180,177	112,743
Reported Dressed and Filleted	1,200,170	453,861	687,397
Estimated TOTAL	11,669,706	30,000	11,982,427

<sup>(</sup>x) Insufficient reports received but included in "Other".

SECTION II INLAND	rish (riozen rresh)	November 1,	RELIMINARY	October 1, 1948 Revised
	And Market about the Aller of State of the Control of the Andrew State of the Control of the Con	lb.	lb.	lb.
Blue Pickerel Cisco (Lake Herring)	Round or Dressed	(1)	-	-
Lake Trout Lake Trout	Filleted "	( 7,000	(x)	(x)
Perch Vickerel (Yellow Pike)	Round or Dressed		(x)	_ (x)
Pickerel " " Pike (Jack Fish)	Filleted Round or Dressed	( -	-	
Sauger Suckers	19 19 19 19 19 19	-	-	
Tullibee Whitefish Other	Dressed and Filleted All forms	-	(x) 1,158	(x) 1,111
TOTAL		7,000	1,158	1,111
SECTION III SEA A	ND INLAND FISH (Frozen	Smoked)		
Cod, Atlantic Cod, Pacific	Filleted Dressed Filleted	(1,088,070	957,072	1,088,476
Haddock	Dressed Filleted	266,530 3,305	236,035	233,731 19,531
Salmon Sea Herring	Filleted Dressed	45 811,527	(x) 491,072	(x) 602,549
Goldeye Other	Dressed	28,521	33,587	37,062
TOTAL		2,197,998	1,739,466	1,981,349

<sup>(1)</sup> Included with Pickerel, Yellow Pike, Round or Dressed and Filleted.
(x) Insufficient reports received but included in "Other".

	FISH (Frozen Fresh)	November 1, 1947	NOVEMBER 1, 1948 FRELIMINARY	October 1, 1948 Revised
		lb.	lb.	lb.
Cod, Atlantic	Dressed	( 342,911	118,563	127,497
	Filleted	( 934,873	1,159,500	1,054,609
Cod. Pacific	Dressed	(		-
	Filleted	(	-	_
Haddock	Pressed	29,477	111,716	77,204
	Filleted	86,945	116,811	141,407
Halibut Atlantic	Dressed	( 467,112	45,213	38,241
Pacific	Dressed	(	198,013	228,922
Other Flatfish	Dressed	,	(x)	81,762
	Fillet ed		23,610	44,067
Herring Atlantic	Round	( 405,362	530,409	1,238,571
Pacific	Round	(	-	em
Mackerel	Round or Pressed	59,165	121,676	229,838
Salmon Atlantic		103,108	103,843	138,778
Chum	Dressed	( 256,582	118,755	72,158
	Filleted	(	(x)	(x)
Coho	Dressed	( 247,951	121,250	129,192
	Filleted	(	5,316	5,824
Pink	(Humpback)	5,765	37,750	25,125
Spring Red		( 30,203	(x)	(x)
	Filleted	(	-	T: →
Spring Wha	ite	-	~	-
Stee 1head		**	I have you	+40
Not Class:	ified	-	4,489	341
	TOTAL SALMON	643,609	391,403	371,418
Shellfish (Lobster	rs, Clams, Oysters)	57,546	68,870	6,462
Other Sea Fish	Dressed and Filleted	407,389	363,660	380,577
n san ten				
Reported			3,249,444	
Estimated			120,000	
TOTAL		3,434,389	3,369,444	4,020,575

<sup>(</sup>x) Insufficient reports received but included in "Other".

	restriction and agreem	1947	PRELIMINARY	Revised
		1b.	lb.	lb.
Blue Pickerel	Round or Dressed	(1)		H H I
isco (Lake Herring)	4f 4f 4T			-
ake Trout	18 18 19	( 33,231	3,384	9,950
ake Trout	Fill eted		(x)	-
erch	Round or Dressed			(x)
ickeral (Yellow Pike		( 4,318	4,075	11,322
ickerel " "	Filleted	(	III STEEL	TENTEN -
ike (Jack Fish)	Round or Dressed		2,753	5,045
auger	19 19 19	-		
uckers	18 18		11.11.1	
ullibes	19 19 19	83,177	114,365	214,467
Whitefish	Dressed and Filleted	51,585	73,143	39,928
ther	All forms		5,385	2,148
COST AT		172,311	203 105	282,860
OTAL	the appropriate and the community of the	110,011	203,105	1003,1000
ECTION III SEA	AND INLAND FISH (Frozen	Smoked)	the Legisland	CART C
od, Atlantic	Filleted	( 49,240	62,608	116,267
od, Pacific	Dressed	( -		Entrata -
od, radiris	Filleted	(		-
		5,085	2,460	1,260
ed do ck	Dressed	0,000		(x)
ad dock	Dressed Fill eted	330	*	(A)
	Fill eted		(x)	(x)
almon	Filleted	330	*	
almon ea Herring	Fill eted	330 626	(x) (x)	(x) 68,869
almon ea Herring oldeye	Filleted Filleted Dressed	330 626	(x) (x)	(x)
almon Sea Herring Coldeye Other	Filleted Filleted Dressed	330 626 27,753	(x) (x) 64,919	(x) 68,869
Haddock  Salmon  Sea Herring  Soldeye  Other  Reported  Estimated	Filleted Filleted Dressed	330 626 27,753	(x) (x) 64,919	(x) 68,869

 <sup>(1)</sup> Included with Pickerel, Yellow Pike, Round or Pressed and Filleted.
 (x) Insufficient reports received but included in "Other".

With Comparative Holdings

SECTION I SEA	FISH (Frozen Fresh)	November 1, 1947	FREI IMINARY	48 October 1,194 Revised
		lb.	lb.	1b.
Cod, Atlantic	Dressed	( 7,332	4,963	15,633
	Filletod	(311,393	231,486	261,852
Cod, Pacific	Dressed	(	7	(x)
	Fill eted	(	(x)	(x)
Had do ck	Dressed	4,007	7,804	6,285
	Filleted	139,527	147,028	183,037
Halibut Atlantic	Dressed	(374,055	13,470	59,240
Pacific	Dress ed	(	296,282	330,047
Other Flatfish	Dressed		2,916	4,600
	Filleted		22,730	29,644
Herring Atlantic	Round	(384,417	37,006	33,060
Pacific	Round	(	-	-
Mackerel	Round or Dressed	4,576	24.879	8,913
Salmon Atlanti:		28,311	42,820	21,242
Ch um	Dressed	(558,117	211,504	175,549
- 11 00010	Filleted	(	17,135	6,340
Coho	Dressed	(481,869	165,378	151,864
0.110	Fill eted		3,345	5,345
Pink	(Humpback)	7,090	41,559	29,487
	d Dressed	( 2,437	2,239	5,549
Ah* **** ***	Filleted		-	
Spring Wh		15,532	(x)	-
Steelhead			(x)	(x)
Not Class		9,900	6,379	2,916
2100 0200	TOTAL SALMON	1,103,256	490,359	398,292
Shellfish (Lobster	rs, Clams, Oysters)	25,520	16,073	17,440
Other Sea Fish	Dressed and Filleted		138,851	267,621
Reported	4 to the approximate white district which in a print writing in a		1,433,847	
Estimated			320,000	
TOTAL		2,565,744	1,753,847	1,615,664

<sup>(</sup>x) Insufficient reports received but included in "Other".

**************************************	FISH (Frozen Fresh)	1947	NOVEMBER 1, 1948 PRELIMINARY	Revised
		1b.	lb.	1b.
Blue Pickerel	Round or Dressed	(1)	49,745	58,345
Cisco (Lake Herring)	69 29 89		27,181	12,286
Lake Trout	19 19 98	( 75,741	54,152	49,366
Lake Trout	Filleted .	(	36,579	75,191
Perch	Round or Dressed		3,585	(x)
Pickerel (Yellow Pike	e) " " "	( 22,193	10,922	8,686
Pickerel	Filleted	(	(x)	14,941
Pike (Jack Fish)	Round or Dressed		(x)	(x)
Sauger	99 19 99	6,310	-	(x)
Suckers	10 10 12		•	400
Tull ibee	44 44	47,981	(x)	5,089
Whitefish	Dressed and Filleted	125,131	46,299	40,599
Other	All forms		216,401	194,417
MOTE AT				
TOTAL		277,356	444,864	458,920
	SEA AND INLAND FISH (Fr		444,864	458,920
SECTION III S	Filleted		122,976	458,920 148,592
SECTION III S	Filleted Dressed	ozen Smoked)		
SECTION III S Cod, Atlantic Cod, Pacific	Filleted Dressed Filleted	( 164,327	122,976	148,592
SECTION III S Cod, Atlantic Cod, Pacific	Filleted Dressed Filleted	( 164,327 ( - ( 25,609	122,976 - 10,955	148,592 - 18,579
SECTION III S Cod, Atlantic Cod, Pacific Haddock	Filleted Dressed Filleted Dressed Filleted	( 164,327 ( - ( 25,609 4,975	122,976 - 10,955 9,625	143,592 - 18,579 7,560
SECTION III  Cod, Atlantic Cod, Pacific  Haddock  Salmon	Filleted Dressed Filleted Dressed Filleted Filleted	( 164,327 ( - ( 25,609 4,975 1,275	122,976 - 10,955 9,625 (x)	148,592 - 18,579 7,560 (x)
SECTION III  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring	Filleted Dressed Filleted Dressed Filleted Filleted Dressed	( 164,327 ( - ( 25,609 4,975	122,976 - 10,955 9,625 (x) 59,601	148,592 
SECTION III  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring Goldeye	Filleted Dressed Filleted Dressed Filleted Filleted	( 164,327 ( - ( 25,609 4,975 1,275 74,315	122,976 - 10,955 9,625 (x) 59,601 (x)	148,592 - 18,579 7,560 (x) 73,538 616
SECTION III  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring Goldeye	Filleted Dressed Filleted Dressed Filleted Filleted Dressed	( 164,327 ( - ( 25,609 4,975 1,275	122,976 - 10,955 9,625 (x) 59,601	148,592 
SECTION III  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring Goldeye Other  Reported	Filleted Dressed Filleted Dressed Filleted Filleted Dressed	( 164,327 ( - ( 25,609 4,975 1,275 74,315	122,976 - 10,955 9,625 (x) 59,601 (x) 82,380 285,537	148,592 - 18,579 7,560 (x) 73,538 616
SECTION III  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring Goldeye Other	Filleted Dressed Filleted Dressed Filleted Filleted Dressed	( 164,327 ( - ( 25,609 4,975 1,275 74,315	122,976 - 10,955 9,625 (x) 59,601 (x) 82,380	148,592 - 18,579 7,560 (x) 73,538 616

<sup>(1)</sup> Included with Pickerel, Yellow Pike, Round or Dressed and Filleted.
(x) Insufficient reports received but included in "Other".

3.0

SECTION	I SEA	FISH (Frozen Fresh)	November 1, 1947	NOVEMBER 1, 1948 PRELIMINARY	
			lb.	lb.	lb.
Cod, At la	ntic	Dressed Fill eted	( 100,737 ( 74,737	(x) 64,916	(x)
Cod, Pac	ific	Dress ed	(	(x)	123,221 13,563
Haddock		Filleted Dressed	5,828	(x)	( <b>z</b> ) 4,066
	La Hara	Filleted	8,500	9,347	9,988
Halibut	Atlantic Pacific	Dressed Dressed	(435,264	40,096 68,339	(x) 135,946
Other Fl	atfish	Dressed Filleted		(x)	(x) (x)
Herr ing	Atlantic	Round	( 253, 254	(x)	(x)
Mackere]	Pacific	Round or Dressed	3,376	(x)	(x)
Salmon			4 00 000	-	
-	Chum	Dressed Filleted	(86,875	46,436	36,833
Ç	Coho	Dressed Filleted	(111,070	36,530	45,697
	Pink	(Humpback)	165,132	10,972 (x)	16,938 12,951
	Spring Red	d Dressed Filleted	( 3,115	(x) (x)	(x) (x)
I -	Spring Whi			( X )	(A)
1	Not Class:	if t ad	71-1-	20.005	12,005
	-Ot Olass.	TOTAL SALMON	366,192	10,825 104,763	124,424
		s, Clams, Oysters) Dressed and Filleted	46,184 987,761	(x) 125,750	(x) 506,947
Reported				413,211	
TOTAL			2,281,833	513,211	918,155

<sup>(</sup>x) Insufficient reports received but included in "Other".

SECTION II INLAN	D FISH (Frozen Fresh)	November 1, 1947	NOVEMBER 1, 1948 PRELIMINARY	October 1, 1948 Revised
		lb.	lb.	lb.
Blue Pickerel	Round or Dressed	(1)		
isco (Lake Herri	ng) if if if		(x)	35,295
ake Trout	19 19 19	( 142,352	(x)	24,299
ake Trout	Filleted	(	_	
erch	Round or Dressed		• 86,205	27,796
ickerel (Yellow		(961,649	649,355	365,906
ickerel	Filleted		1,106,395	480,774
	sh) Round or Dressed	•	180,088	168,077
auger	19 11 19	801,878	1,711,983	524,400
uck ers	18 19 PF	302,310	44,075	46,198
ull ibee	17 17 69	579,972	649,583	165,530
hitefish	Dressed and Fillet		395,304	529,347
ther	All forms	704 1,000,700	275,556	331,332
epor ted			5,098,544	
Stimated			160,000	
OTAL		3,771,633	5,258,544	2,698,954
ECTION III	SEA AND INLAND FISH (E	rozen Smoked)		
od, Atlantic	Filleted	(68,057	36,706	60,254
	Filleted Dressed	( 68,057 ( 4,819	36,706 (x)	60,254
			-	
od, Pacific	Dressed		-	(x)
od, Pacific	Dressed Fill eted	( 4,819	(x)	
od, Pacific	Dressed Fill eted Dressed	( 4,819 ( 13,224	(x) - 6,905	(x) 11,128
od, Pacific addock almon	Dressed Fill eted Dressed Filleted	4,819 ( 13,224 7,210	(x) - 6,905 (x)	(x) 11,128 (x) (x)
od, Pacific  addock  almon  ea Herring	Dressed Fill eted Dressed Filleted Filleted	4,819 ( 13,224 7,210 5,810	(x) - 6,905 (x) (x)	(x) 11,128 (x)
od, Pacific  addock  almon  ea Herring  oldeye	Dressed Fill eted Dressed Filleted Fillet ed Dressed	4,819 ( 13,224 7,210 5,810	(x) 6,905 (x) (x) 19,114	(x) 11,128 (x) (x) (x) 30,878
od, Pacific addock almon ea Herring oldeye ther	Dressed Fill eted Dressed Filleted Fillet ed Dressed	4,819 ( 13,224 7,210 5,810 28,704	(x) - 6,905 (x) (x) 19,114 5,751	(x) 11,128 (x) (x) (x) 30,878 6,465
od, Atlantic od, Pacific  addock  almon en Herring oldeye ther  deported dstimated	Dressed Fill eted Dressed Filleted Fillet ed Dressed	4,819 ( 13,224 7,210 5,810 28,704	(x) - 6,905 (x) (x) 19,114 5,751 37,973	(x) 11,128 (x) (x) (x) 30,878 6,465

<sup>(1)</sup> Included with Pickerel Yellow Pike, Round or Dressed and Filleted.
(x) Insufficient reports received but included in "Other".

SECTION	I SEA FIS	H (Frozen Fresh)	November 1, 1947	NOVEMBER 1, 1948 PRELIMINARY	October 1, 1948 Revised
			lb.	lb.	lb.
Cod, Atl	ant ic	Dressed	( 14,804	(x)	(x)
		Filleted	( 26,395	4,235	8,310
Cod, Pac	ific	Dressed		8,328	10,895
		Filleted	(	3, 155	6,930
Hadd ock		Dressed	180		(x)
		Filleted	376	(x)	_
Halibut	Atlantic	Dressed	(85,924	7,840	18,889
	Pacific	Filleted	(	52,383	81,798
Other Fl	atfish	Dressed		(x)	440
		Filleted		(x)	(x)
Herring	Atlantic	Round	( 669	(x)	
	Pacific	Round	(	The same of the sa	
Mackerel		Round or Dressed	840	-	AGE:
Salmon	Atlantic		665	apa.	
	Chum	Dressed	( 57,257	32,873	34,209
		Filleted	(	1,130	2,300
	Coho	Dresssed	(49,758	36,546	42,185
		Filleted	(	1,280	355
	Pink	(Humpback)	2,320	(x)	3,685
	Spring Red		( -	-	(x)
		Filleted	(	do	400
	Spring Wh:	ite	-	- HITTER	
	Steelhead		_	-	
	Not Class:	ified	-	2,145	675
		TOTAL SALMON	110,000	73,974	83,409
Shellfis:	h (Lobster	rs, Clams, Oysters)	255	(x)	(x)
Other Se	a Fish Dres	ssed and Filleted	54,963	9,635	2,389
TOTAL			294,406	159,550	212,620

<sup>(</sup>x) Insufficient reports received but included in "Other".

Cisco (Lake Herring) Lake Trout Lake Trout Perch Pickerel (Yellow Pik Pickerel	Filleted Round or Dressed Round or Dressed Round or Dressed " " " " " " " " " " " The sed and Filleted	1b. (1) (3,135) (31,418)	7,915 (x) 516 3,498	1b. (x) 9,334 (x) (x)
Cisco (Lake Herring) Lake Trout Lake Trout Perch Pickerel (Yellow Pik Pickerel Pike (Jack Fish) Sauger Suckers Tullibee Whitefish	Filleted Round or Dressed (e)" " Filleted Round or Dressed " " " " " " " " " " " " " " "	( 3,135 ( 31,418 ( -	516 - 3,498	(x) 9,334 (x) - (x)
Lake Trout Lake Trout Perch Pickerel (Yellow Pik Pickerel Pike (Jack Fish) Sauger Suckers Tullibee Whitefish	Filleted Round or Dressed Round or Dressed Round or Dressed " " " " " " " " " " " The sed and Filleted	( 3,135 ( 31,418 ( -	516 - 3,498	9,334 (x)
Lake Trout Lake Trout Perch Pickerel (Yellow Pik Pickerel Pike (Jack Fish) Sauger Suckers Tullibee Whitefish	Filleted Round or Dressed Round or Dressed Round or Dressed " " " " " " " " " " " The sed and Filleted	( 31,418 ( 550	516 - 3,498	9,334 (x) (x)
Perch Pickerel (Yellow Pik Pickerel Pike (Jack Fish) Sauger Suckers Tullibee Whitefish	Round or Dressed  Filleted  Round or Dressed  " " " "  " " " "  Dressed and Fillet	( 31,418 ( 550	516 - 3,498	(x)
Pickerel (Yellow Pik Pickerel Pike (Jack Fish) Sauger Suckers Tullibee Whitefish	Filleted  Round or Dressed  " " " " " " " " "  Dressed and Fille	550	516	(x)
Pickerel Pike (Jack Fish) Sauger Suckers Tullibee Whitefish	Filleted Round or Dressed " " " " " " Dressed and Fillet	550	3,498	in the second
Pike (Jack Fish) Sauger Suckers Tullibee Whitefish	Round or Dressed " " " " " " Dressed and Fille	550	3,498	in the second
Sauger Suckers Tullibee Whitefish	n n n n n n n n n n n n n n n n n n n		- PES	3,803
Suckers Tullibee Whitefish	Dressed and Fille		- PES	Silverial streets
Tullibee Whitefish	Dressed and Fille		(-)	DITTORIES STORING
Whitefish	Dressed and Fille		(-)	
			(x)	6,352
Other		ted 302,086	77,495	58,879
	All forms		12,408	17,273
			Special.	
TOTAL		337,189	101,832	95,641
SECTION III SE	A AND INLAND FISH	(Frozen Smoked)		MOREL Marketine
		^		
	Filleted	( 44,090	24,060	6,565
Cod, Pacific	Dressed	( -		(x)
	Filleted	(= = = = = = = = = = = = = = = = = = =	4,512	27,965
	Dressed	18,331	5, 133	4,756
	Filleted	12,975	8,925	3,215
	Fillet ed	1,460	(x)	(x)
	Dressed	34,545	8,670	9,829
	Dressed		(x)	(x)
Othe r		6,670	1,809	5,362

<sup>(1)</sup> Included with Pickerel, Yellow Pike, Round or Dressed and Filleted.
(x) Insufficient reports received but included with "Other".

		all the distributed and an experience of the second	
SECTION I SEA FISH (Frozen Fresh)	November 1, 1947	NOVEMBER 1, 1948 IRELIMINARY	October 1, 1948 Revised
	lb.	lb.	lb.
Cod, Atlantic Dressed	( 17,013	(x)	(x)
Filleted	( 25,731	8,395	23,260
Cod, Pacific Dressed	(	9,765	12,660
Filleted	(	(x)	(x)
Haddock Dressed		_	441
Filleted	-	_	en
Halibut Atlantic Dressed	98,532	-	-
Pacific Dressed	(	63,372	68,818
Other Flatfish Dressed		40	en
Filleted		_	-
Herring Atlantic Round	1,436	-	-
Pacific Round	(	(x)	( <del>x</del> )
Mackerel Round or Dressed	-		
Salmon Atlantic	526	-	77.71-41
Chum Dressed	67,308	(x)	13,227
Filleted	100	(x)	(x)
Coho Dressed	40,886	25,699	23,263
Filleted		10,368	(x)
Pink (Humpback)	4,050	13,057	(x)
Spring Red Dressed	150	(x)	(x)
Filleted		(x)	_
Spring White	-	(x)	(x)
Steelhead	ess.	(x)	(x)
Not Classified		28,770	22,171
TOTAL SALMON	112,920	77,894	58,661
Shellfish (Lobsters, Clams, Oysters)	704	(x)	2,055
Other Sea Fish Dressed and Filleted	9,662	12,159	6,902
Reported		171,585	
Estimated		30,000	
TOTAL	265,998	201,585	172,356

<sup>(</sup>x) Insufficient reports received but included "Other".

SECTION II INLAND FIS		November 1, 1947	NOVEMBER 1, 1948 PRELIMINARY	October 1, 194 Revised
		lb.	lb.	1b.
Blue Pickerel	Round or Dressed	(1)	-	1000
isco (Lake Herring)	11 11 11		=	400
ake Trout	स स	38,099	(x)	(x)
ake Trout	Filleted (		-	(x)
erch	Round or Dressed		(x)	(x)
ickerel (Yellow Pike)		396	-	-
ickerel " "	Filleted (		(x)	(x)
ike (Jack Fish)	Round or Dressed		(x)	(x)
auger	19 19 19	-	_	
uckers	19 19 19		_	-
ullibee	18 18 18	4,534	(x)	(x)
hitefish	Dressed and Filleted		5,774	70,386
ther	All forms	, in the second	4,231	360,334
OFAL		159,417	10.005	4.31 7.211
	AND INLAND FISH (Froz		10.000	430,720
SECTION III SEA		en Smoked)		
ECTION III SEA	Filleted	en Smoked)	46,840	100,945
ECTION III SEA	Filleted Dressed	en Smoked)	46,840 10,005	100,945 (x)
ection III SEA  od, Atlantic  od, Pacific	Filleted Dressed Filleted	( 38,720 ( 4,056	46,840 10,005 (x)	100,945 (x) (x)
ection III SEA  od, Atlantic  od, Pacific	Filleted Dressed Filleted Dressed	( 38,720 ( 4,056 ( 14,965	46,840 10,005 (x) 15,800	100,945 (x) (x) (x) 8,425
ection III SEA  od, Atlantic  od, Pacific  addo ck	Filleted Dressed Filleted Dressed Filleted	( 38,720 ( 4,056 ( 14,965 44,295	46,840 10,005 (x) 15,800 (x)	100,945 (x) (x) (x) 8,425 (x)
ection III SEA  od, Atlantic od, Pacific  addo ck	Filleted Dressed Filleted Filleted Filleted Filleted	( 38,720 ( 4,056 ( 14,965 44,295 408	46,840 10,005 (x) 15,800 (x) 1,350	100,945 (x) (x) (x) 8,425 (x) (x)
ection III SEA  od, Atlantic od, Pacific  addock  almon es Herring	Filleted Dressed Filleted Filleted Filleted Filleted Dressed	( 38,720 ( 4,056 ( 14,965 44,295	46,840 10,005 (x) 15,800 (x) 1,350 16,307	100,945 (x) (x) 8,425 (x) (x) (x) 31,159
ection III SEA  od, Atlantic od, Pacific  addo ck  almon ea Herring oldeye	Filleted Dressed Filleted Filleted Filleted Filleted	( 38,720 ( 4,056 ( 14,965 44,295 408 43,508	46,840 10,005 (x) 15,800 (x) 1,350 16,307 (x)	100,945 (x) (x) (x) 8,425 (x) (x)
ection III SEA  od, Atlantic od, Pacific  addo ck  almon ea Herring oldeye	Filleted Dressed Filleted Filleted Filleted Filleted Dressed	( 38,720 ( 4,056 ( 14,965 44,295 408	46,840 10,005 (x) 15,800 (x) 1,350 16,307	100,945 (x) (x) 8,425 (x) (x) (x) 31,159 (x)
ection III SEA  od, Atlantic od, Pacific  addock  almon bea Herring oldeye other	Filleted Dressed Filleted Filleted Filleted Filleted Dressed	( 38,720 ( 4,056 ( 14,965 44,295 408 43,508	46,840 10,005 (x) 15,800 (x) 1,350 16,307 (x)	100,945 (x) (x) 8,425 (x) (x) (x) 31,159 (x)
	Filleted Dressed Filleted Filleted Filleted Filleted Dressed	( 38,720 ( 4,056 ( 14,965 44,295 408 43,508	46,840 10,005 (x) 15,800 (x) 1,350 16,307 (x) 6,755	100,945 (x) (x) 8,425 (x) (x) (x) 31,159 (x)

Included with Pickerel, Yellow Pike, Round or Pressed and Filleted.
 Insufficient reports received but included in "Other".

SECTION I	SEA FIS	H (Frozen Fresh)	November 1, 1947	NOVEMBER 1, 1948 PRELIMINARY	Revised 1, 194
			lb.	lb.	· lb.
Cod, Atlanti	C	Dressed	(1,934,134	THE PARTY OF THE PARTY	and the second
		Filleted	( 171,547	-	MI WATER
Cod, Pacific		Dressed	(	1,287,406	7 474 467
		Filleted	(	182,438	1,414,463
laddock		Dressed	-	100,400	182,004
		Filleted	25	(x)	(x)
Halibut Atl	antic	Dressed	(8,159,637	(*)	-
	ific	Dressed	(	3,471,913	7 100 000
ther Flatfi	sh	Dressed	•	(x)	7,163,392
		Filleted		7	90,214
lerring At	lantic	Round	(1,475,867	761,680	915,665
Pa	cific	Round	1	7 000 000	700
lacke rel		Round or Pressed	400	1,022,807	1,508,810
almon At.	lantic	200000	24,292	(x)	(x)
	um	Dressed	(4,935,699	E 950 B40	
		Filleted	( 4, 500, 033	5,259,769	618,313
Col	ho	Dressed	2,457,941	(x)	(x)
		Filleted	6,407,941	1,821,103	2,326,943
P11	nk	(Humpback)	360 CE 4	34,467	181,193
		Dressed	369,654	154,928	406,848
		Filleted	392,027	572,096	656,806
Spi	ing Whit		777 796	4,514	4,429
Ste	elhead		136,125	391,497	365,811
	Classi	fied	43,427	98,986	114,739
2100	0 20001.	TOTAL SALMON	39,228	89,917	58,367
		TOTAL SALMON	8,398,393	8,427,277	4,733,449
nellfish (Lo	bsters.	Clams, Oysters)	9,214	23,905	13
ther Sea Fis	h	Dressed and Filleted	578,333		68,540
			0,000	464,061	1,041,398
epor ted				15,641,487	
stimated		The state of the s		5,685,000	
DTAL			20,727,525	21,321,487	17,117,935

<sup>(</sup>x) Insufficient reports received but included in "Other".

SECTION II INLAND	FISH (Frozen Fresh)	1947	NOVEMBER 1, 1948 PRELIMINARY	Revised
		lb.	lb.	1b.
Blue Pickerel	Round or Dressed	(1)		
Cisco (Lake Herring)	19 19 89		- 12	-
Lake Trout	19 19 19	( -	_	40 20 20 0
Lake Trout	Filleted	(	_	
Perch	Round or Dressed		-	- 0.0
Pickerel (Yellow Pike	) 11 H II	( -	_	_2
Pickerel	Filleted	(	-	artis a selling
Pike (Jack Fish)		,	_	The same of the sa
Sauger	14 14 14	_		
Suckers	18 68 69			
Tullibee	17 17 17		_	
Whitefish	Dressed and Filleted		_	
Other	All forms			_
TOTAL				War
	AND INLAND FISH (Froze	en Smoked)		
SECTION III SEA				
SECTION III SEA	Fill eted	(70,379	72/2 QQ Q	10.052
SECTION III SEA	Fill eted Dressed		33,882	19,852
SECTION III SEA  Cod, Atlantic Cod, Pacific	Fill eted Dressed Filleted	( 70,379 ( 15,611	58,542	92,772
SECTION III SEA	Fill eted Dressed Filleted Dressed	( 70,379 ( 15,611 ( 87,201	58,542 34,947	92,772 33,318
SECTION III SEA  Cod, Atlantic Cod, Pacific  Haddock	Fill eted Dressed Filleted Dress ed Filleted	( 70,379 ( 15,611 ( 87,201 2,110	58,542 34,947 8,535	92,772 33,318 28,289
SECTION III SEA  Cod, Atlantic Cod, Pacific  Haddock  Salmon	Fill eted Dressed Filleted Dressed Filleted Filleted	(70,379 (15,611 (87,201 2,110 353,708	58,542 34,947 8,535 34,917	92,772 33,318 28,289 42,128
SECTION III SEA  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring	Fill eted Dressed Filleted Dress ed Filleted Filleted Dressed	( 70,379 ( 15,611 ( 87,201 2,110	58,542 34,947 8,535	92,772 33,318 28,289 42,128 42,398
SECTION III SEA  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring Goldeye	Fill eted Dressed Filleted Dressed Filleted Filleted	(70,379 (15,611 (87,201 2,110 353,708 104,521	58,542 34,947 8,535 34,917 36,070	92,772 33,318 28,289 42,128 42,398
SECTION III SEA  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring Goldeye	Fill eted Dressed Filleted Dress ed Filleted Filleted Dressed	(70,379 (15,611 (87,201 2,110 353,708	58,542 34,947 8,535 34,917	92,772 33,318 28,289 42,128 42,398
SECTION III SEA  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring Goldeye Other  Reported	Fill eted Dressed Filleted Dress ed Filleted Filleted Dressed	(70,379 (15,611 (87,201 2,110 353,708 104,521	58,542 34,947 8,535 34,917 36,070 9,097	92,772 33,318 28,289 42,128 42,398
SECTION III SEA  Cod, Atlantic Cod, Pacific  Haddock  Salmon Sea Herring Goldeye Other	Fill eted Dressed Filleted Dress ed Filleted Filleted Dressed	(70,379 (15,611 (87,201 2,110 353,708 104,521	58,542 34,947 8,535 34,917 36,070	92,772 33,318 28,289 42,128 42,398

<sup>(1)</sup> Included with Pickerel, Yellow Pike, Round or Dressed and Filleted.

<sup>(</sup>x) Insufficient reports received but included in "Other".

With Comparative Freezings

ECTION I SEA FISH	(Frozen Fresh) Oc	tober 1947	OCTOBER 1948 PRELIMINARY	September 1948 Revised
		lb.	lb.	lb.
od, Atlantic	Dressed	( 285,777	62,572	109,428
a, Agrano 10	Fill eted	(1,353,225	1,413,947	907,386
d, Pacific	Dressed		161,011	296,995
u, radifie	Filleted	(	37,493	45,800
ddock	Dress ed	38,133	170,030	5,028
ldock	Filleted -	461,046	534,280	497,293
libut Alloctic	Dressed	( 206,741	18,070	183,459
libut Atlantic	Dressed	( 200, 111	28,368	92,789
Pacific	Dressed	1	66,637	20 596
her Flatfish			203,911	191,156
	Filleted	( 360,884	107,512	3,231,169
rring Atlantic	Round	/ 500,004	48,575	-
Facific	Round on Decreed	288,855	194,868	120,233
ckerel	Round or Dressed		8,378,417	2,771,216
lmon	us 31 ms Oughans	6,477,323	56,331	37,759
ellfish (Lobste her Sea Fish	ers, Clams, Oysters Dressed and Fillete		441,720	767,268
TAL		11,021,731	11,973,742	9,277,575
	INLAND FISH (Froz		11,973,742	9,277,575
OCTION II		en Fresh)		9,277,575 (x)
CTION II	Round or Dressed		11,973,742 58,800 (x)	
CTION II ue Pickerel sco (Lake Herrine	Round or Dressed	en Fresh)	58,800	(x)
ue Pickerel sco (Lake Herring	Round or Dressed	en Fresh)	58,800	(x) (x)
ue Pickerel sco (Lake Herring ke Trout ke Trout	Round or Dressed	en Fresh)	58,800 (x)	(x) (x) 320,383 (x) 22,001
ue Pickerel sco (Lake Herring ke Trout ke Trout	Round or Dressed  " " "  Filleted  Round or Dressed	en Fresh)	58,800 (x) - (x)	(x) (x) 320,383 (x)
ue Pickerel sco (Lake Herring ke Trout rch ckerel (Yellow	Round or Dressed  " " "  Filleted  Round or Dressed  Tike)" " "	(1) (1) ( 101	58,800 (x) (x) 56,566	(x) (x) 320,383 (x) 22,001
ue Pickerel sco (Lake Herring ke Trout rch ckerel (Yellow)	Round or Dressed  """  Filleted  Round or Dressed  Pike)" ""	(1) (101) (735,857)	58,800 (x) (x) 56,566 237,704	(x) (x) 320,383 (x) 22,001 107,051 215,545 36,174
cue Pickerel sco (Lake Herring ke Trout ckerel (Yellow) ckerel " ke (Jack Fis	Round or Dressed  """  Filleted  Round or Dressed  Pike)" ""	(1) (101) (735,857)	58,800 (x) (x) 56,566 237,704 609,462	(x) (x) 320,383 (x) 22,001 107,051 215,545 36,174 287,417
ue Pickerel sco (Lake Herring ke Trout cke Trout ckerel (Yellow ckerel " ke (Jack Fish	Round or Dressed  """  Filleted Round or Pressed  Fike)"  Filleted h) Round or Presse	(1) (101) (735,857)	58,800 (x) (x) 56,566 237,704 609,462 63,502	(x) (x) 320,383 (x) 22,001 107,051 215,545 36,174 287,417 36,145
Lue Pickerel isco (Lake Herring ake Trout erch ckerel (Yellow) ickerel " ike (Jack Fish	Round or Dressed  """  Filleted  Round or Pressed  Fike)" ""  Filleted  h) Round or Presse	(1) (101) (735,857)	58,800 (x) (x) 56,566 237,704 609,462 63,502 1,272,291	(x) (x) 320,383 (x) 22,001 107,051 215,545 36,174 287,417 36,145 36,537
Lue Pickerel isco (Lake Herring ake Trout ake Trout erch ickerel (Yellow ickerel " ike (Jack Fist auger ickers ullibee	Round or Dressed  """  Filleted  Round or Pressed  Fike)" ""  Filleted  h) Round or Presse	(1) ( 101 ( 735, 957 d	58,800 (x) (x) 56,566 237,704 609,462 63,502 1,272,291	(x) (x) 320,383 (x) 22,001 107,051 215,545 36,174 287,417 36,145 36,537 99,622
Lue Pickerel isco (Lake Herring ake Trout ake Trout erch ickerel (Yellow i ickerel " ike (Jack Fist auger ackers allibee hitefish	Round or Dressed  """  Filleted  Round or Dressed  Tike)" ""  Filleted  h) Round or Presse	(1) ( 101 ( 735, 957 d	58,800 (x) (x) 56,566 237,704 609,462 63,502 1,272,291 (x) 635,426	(x) (x) 320,383 (x) 22,001 107,051 215,545 36,174 287,417 36,145 36,537
ICK at at	Round or Dressed  """"  Filleted Round or Dressed  Round or Dressed  Pike)"""  Filleted h) Round or Presse """  """  """  """  """  """  """	(1) ( 101 ( 735, 957 d	58,800 (x) (x) 56,566 237,704 609,462 63,502 1,272,291 (x) 635,426 60,255	(x) (x) 320,383 (x) 22,001 107,051 215,545 36,174 287,417 36,145 36,537 99,622

 <sup>(</sup>x) Insufficient reports received but included in "Other"
 (1) Included with Pickerel, Yellow Pike, or Dressed and Filleted.

DURING OCTOBER 1948

SECTION III SEA AND INLAND FISH (Frozen Smoked)		October 1947	OCTOBER 1948 PRELIMINARY	September 1948 Revised
		lb.	lb.	1b.
Cod, Atlantic	Filleted	(882,803	397,091	129,785
Cod, Pacific	Dressed	( 16,047	20,797	14,197
	Filleted	(	15,105	11,045
Haddo ck	Dressed	142,002	184,499	49,849
	Filleted	21,825	11,625	(x)
Salmon	Filleted	8,321	7,021	28,457
Sea Herring	Dressed	143,593	108,458	180,746
G <sub>O</sub> ldey e	Dressed		(x)	(x)
Other		10,728	4,521	10,191
TOTAL		1,225,319	749,117	424,270

<sup>(</sup>x) Insufficient reports received but included in "Other".

STATISTICS CANADA LIBRARY BIBLIOTHÉQUE STATISTIQUE CANADA 1010746458